Pathway Risk by COPC for Detects

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	3.78E-09
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	3.63E-09
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.39E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	3.62E-09
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	8.08E-11
				Total	0.00E+00	1.13E-08
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	1.29E-12	3.57E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	4.53E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	1.63E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	2.51E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	5.99E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	9.84E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	6.24E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	1.61E-12	0.00E+00
				Total	4.99E-10	3.57E-10
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	1.08E-13
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	2.59E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	4.60E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.33E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	2.32E-12
				Total	0.00E+00	2.07E-10
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	2.59E-12	2.16E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	9.61E-09
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.05E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.18E-08
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.85E-10
				Total	2.59E-12	9.23E-08
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	2.70E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	9.30E-09
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	1.80E-08
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	3.27E-08
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	3.98E-10
				Total	0.00E+00	6.07E-08
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	2.49E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	1.15E-08
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	8.29E-09
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	6.29E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	5.66E-11
				Total	0.00E+00	6.49E-07
RCPTR_22	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	6.10E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	5.71E-08
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	7.63E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	1.07E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.08E-10
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	3.05E-09
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	5.28E-11
RCPTR_22	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	8.70E-10
				Total	0.00E+00	6.27E-08
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	7.12E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	5.62E-09
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	4.21E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.03E-18
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.23E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	1.70E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	9.48E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	5.72E-14
				Total	0.00E+00	1.73E-08
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	7.34E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	4.49E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	1.76E-09
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	4.59E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	9.57E-10
				Total	0.00E+00	1.68E-07
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	1.79E-14	6.31E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	1.95E-16	1.11E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	3.70E-21	2.06E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	2.66E-23	1.52E-18
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.08E-20	6.18E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	1.47E-20	8.21E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	8.26E-22	4.69E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	4.86E-20	2.77E-15
				Total	2.51E-14	9.88E-11
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	8.47E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	1.61E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	4.23E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	2.95E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.20E-14
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	1.68E-14
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	9.24E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	7.00E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.78E-08
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	2.81E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	5.65E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	3.87E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	6.89E-14
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	2.80E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	1.36E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	2.90E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	7.18E-12
				Total	0.00E+00	5.40E-09
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	3.34E-12	9.29E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	7.62E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	2.79E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	3.98E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	9.51E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	1.69E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	1.06E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	2.55E-12	0.00E+00
				Total	8.36E-10	9.29E-10
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	4.38E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	6.77E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.00E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	7.36E-20
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	2.99E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	4.00E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	2.28E-18
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	1.54E-16
				Total	0.00E+00	7.80E-12
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	5.79E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	2.28E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	2.13E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	1.75E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	7.11E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	8.14E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	5.14E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	7.33E-15
				Total	0.00E+00	3.06E-11
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	1.10E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	4.26E-09
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	7.66E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	6.39E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	2.60E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	2.91E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	1.87E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	2.40E-12
				Total	0.00E+00	4.77E-09
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	9.23E-15	2.94E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	2.66E-15	1.04E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	4.22E-19	1.51E-14
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	3.15E-21	1.24E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.28E-18	5.05E-14
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	1.60E-18	5.79E-14
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	9.43E-20	3.65E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	1.38E-18	5.42E-14
				Total	1.64E-14	1.18E-10
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	2.29E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	9.52E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	3.00E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	4.91E-17	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.00E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	1.06E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	1.20E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	1.74E-14	0.00E+00
				Total	1.56E-09	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	3.68E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	4.31E-07
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	2.09E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.41E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	5.76E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	8.06E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	4.37E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	9.73E-11
				Total	0.00E+00	1.21E-06
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	9.92E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.29E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	2.80E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.61E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	6.55E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	9.89E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	1.47E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	1.61E-13
				Total	0.00E+00	1.08E-09
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	2.51E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	2.70E-05
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	5.52E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	9.90E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	4.03E-05
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.96E+01
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	2.17E-01
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	2.48E-10
				Total	0.00E+00	2.53E+01
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	7.39E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.76E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.95E-09
				Total	0.00E+00	1.00E-07
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	4.25E-09
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	1.20E-06
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.55E-07
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	1.97E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.00E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	8.17E-07
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	4.19E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	8.76E-08
				Total	0.00E+00	2.44E-06
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	6.23E-11
				Total	0.00E+00	6.23E-11
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.80E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.30E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.38E-20
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.82E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.24E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.93E-18
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-15
				Total	0.00E+00	1.20E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	2.49E-07
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.08E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	1.79E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	1.82E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	4.85E-08
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	5.09E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	5.32E-09
				Total	0.00E+00	5.53E-07
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	5.80E-14	7.40E-11
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	4.71E-15	2.97E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.16E-20	7.26E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	8.35E-23	5.26E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	3.40E-20	2.14E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	4.64E-20	2.91E-15
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	2.60E-21	1.64E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	3.70E-19	2.33E-14
				Total	1.89E-13	8.62E-10
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.98E-16	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.65E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	3.95E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.32E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.22E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	8.00E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.56E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	6.12E-16	0.00E+00
				Total	2.73E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	1.43E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	2.72E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.17E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	8.83E-19
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	3.59E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	4.60E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	2.69E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	9.17E-16
				Total	0.00E+00	2.03E-11
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	8.09E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	6.29E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	6.31E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	2.74E-19
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.12E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	2.34E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	8.89E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	1.55E-16
				Total	0.00E+00	1.77E-12
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	8.09E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	5.85E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	6.35E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.10E-19
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.26E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	2.38E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	9.88E-18
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	1.91E-16
				Total	0.00E+00	1.73E-12
RCPTR_22	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	8.09E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	6.41E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	8.00E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	4.24E-19
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	1.73E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	3.01E-16
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.33E-17
RCPTR_22	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	2.49E-16
				Total	0.00E+00	1.79E-12
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	1.13E-07
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	8.56E-07
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	6.42E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	4.61E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	1.88E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	2.58E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.44E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	8.71E-12
				Total	0.00E+00	2.36E-06
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	2.25E-08
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	1.23E-08
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	4.86E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.27E-08
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	2.61E-10
				Total	0.00E+00	4.84E-08
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	4.54E-14	1.60E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	4.73E-16	2.69E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	8.99E-21	5.00E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	6.47E-23	3.69E-18
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	2.63E-20	1.50E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	3.57E-20	1.99E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	2.01E-21	1.14E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	1.18E-19	6.73E-15
				Total	5.95E-14	2.35E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	8.42E-12
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	1.54E-08
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	4.04E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	2.81E-17
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.15E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	1.61E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	8.80E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	6.67E-14
				Total	0.00E+00	2.47E-08
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	6.16E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	2.85E-07
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.83E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.22E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.72E-12
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.34E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.32E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.18E-11
				Total	0.00E+00	9.59E-07
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	2.03E-15	4.55E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	4.22E-15	7.57E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.45E-19	2.59E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.08E-21	1.93E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	4.38E-19	7.86E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	5.75E-19	1.03E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	3.31E-20	5.94E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	1.57E-18	2.82E-13
				Total	9.55E-15	8.40E-10
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	4.11E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	5.72E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.03E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	3.00E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	4.79E-12
				Total	0.00E+00	4.66E-10
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	9.87E-12	8.22E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.17E-08
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.64E-08
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.40E-07
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.82E-10
				Total	9.87E-12	2.09E-07
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.08E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.16E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.74E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.31E-18
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.57E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.50E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.96E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.92E-14
				Total	0.00E+00	1.19E-09
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	1.00E-12
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	1.51E-12
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	8.87E-17
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	6.94E-19
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.83E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	3.45E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.08E-17
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	4.31E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.39E-12
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.73E-14	1.71E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.24E-13	3.97E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	3.06E-15	2.30E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.35E-19	5.42E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.18E-16	2.21E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.08E-14	7.86E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.12E-16	1.96E-12
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.33E-15	1.35E-10
				Total	8.24E-13	8.63E-09
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.00E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.41E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.20E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.62E-19
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.51E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.82E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.69E-17
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.97E-15
				Total	0.00E+00	1.01E-09
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	1.35E-12	1.72E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.05E-13	6.62E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.58E-19	1.62E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	1.86E-21	1.17E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	7.58E-19	4.77E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.04E-18	6.50E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	5.81E-20	3.65E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	8.26E-18	5.20E-13
				Total	3.74E-12	1.72E-08
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	1.43E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	6.14E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.53E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.25E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	5.08E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	5.86E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	3.68E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	5.73E-13
				Total	0.00E+00	6.58E-10
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	1.10E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	2.43E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	4.05E-17
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.14E-19
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.28E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	1.59E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	9.49E-18
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	2.44E-16
				Total	0.00E+00	4.11E-13
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	6.51E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.19E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	5.10E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	3.86E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.57E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	2.01E-13
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.18E-14
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	4.01E-13
				Total	0.00E+00	8.84E-09
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	1.38E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	2.47E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	9.28E-16
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	6.94E-18
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.82E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	3.68E-15
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.13E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	9.39E-15
				Total	0.00E+00	1.99E-10
RCPTR_22	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	2.53E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	1.32E-08
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	1.85E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	2.40E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	2.44E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	7.37E-10
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	1.23E-11
RCPTR_22	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	1.96E-10
				Total	0.00E+00	1.45E-08
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	2.50E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	1.38E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	5.43E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.41E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	2.91E-11
				Total	0.00E+00	5.40E-09
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	1.61E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	2.94E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	7.72E-16
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	5.39E-18
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.19E-15
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	3.07E-15
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	1.68E-16
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.28E-14
				Total	0.00E+00	4.78E-09
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	4.86E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	2.25E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.61E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.33E-17
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.36E-14
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.85E-14
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.04E-15
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	1.72E-13
				Total	0.00E+00	7.69E-09
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	3.60E-12	9.99E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	7.40E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	2.72E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	3.82E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	9.14E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	1.64E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	1.03E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	2.45E-12	0.00E+00
				Total	8.10E-10	9.99E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.64E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.30E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.42E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	4.10E-16
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.67E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.62E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.85E-14
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	4.11E-14
				Total	0.00E+00	2.43E-10
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.77E-14
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	6.65E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	5.03E-17
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	3.63E-19
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.48E-16
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	2.01E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.13E-17
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.10E-15
				Total	0.00E+00	6.98E-11
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	1.13E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	7.56E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	5.67E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.12E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	4.57E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	1.98E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	4.71E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	6.93E-12
				Total	0.00E+00	3.94E-09
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	5.19E-13	6.68E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	1.70E-11	3.44E-07
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	3.10E-16	5.12E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	1.78E-18	3.70E-14
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	7.23E-16	1.51E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	1.21E-15	2.04E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	5.74E-17	1.15E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	3.75E-15	7.81E-11
				Total	1.26E-09	2.29E-06
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	4.71E-13	1.21E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	1.49E-11	6.04E-07
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	2.04E-16	7.17E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.25E-18	5.19E-14
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	5.07E-16	2.11E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	8.00E-16	2.86E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	3.99E-17	1.61E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	2.93E-15	1.22E-10
				Total	1.29E-09	4.60E-06
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	4.71E-15	2.95E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.15E-14	6.85E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.28E-16	3.97E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.23E-20	9.35E-15
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.76E-17	3.80E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.87E-15	1.36E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.94E-17	3.38E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.30E-16	2.33E-11
				Total	1.45E-13	1.51E-09
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	6.53E-16	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	3.23E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.05E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	2.08E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	6.30E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	2.14E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	4.18E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	1.24E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.20E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	2.54E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	1.32E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	5.46E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	7.01E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	2.12E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	1.11E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	2.20E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	5.10E-15	0.00E+00
				Total	4.65E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	1.61E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	7.99E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	1.48E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	2.30E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	3.03E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.99E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	6.15E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	3.33E-14	0.00E+00
				Total	9.94E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	6.31E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	3.14E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	5.03E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	9.37E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	1.21E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	1.02E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	2.10E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	1.32E-13	0.00E+00
				Total	3.72E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	7.59E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	3.77E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	5.10E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	5.53E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	8.75E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	1.03E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	2.14E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	1.60E-14	0.00E+00
				Total	3.03E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.57E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	5.45E-18
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	6.49E-11
				Total	0.00E+00	3.33E-09
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	2.10E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	5.71E-08
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.19E-08
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	9.32E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	9.47E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	3.80E-08
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	1.98E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	4.15E-09
				Total	0.00E+00	1.14E-07
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	3.08E-12
				Total	0.00E+00	3.08E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	1.19E-08
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	4.94E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	8.45E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	8.59E-12
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	2.21E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	2.39E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	2.52E-10
				Total	0.00E+00	2.47E-08
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	1.20E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	5.16E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.28E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.05E-15
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	4.27E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	4.92E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	3.09E-14
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	4.82E-13
				Total	0.00E+00	5.54E-10
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	9.14E-17	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	4.51E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.10E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	3.59E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	3.30E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.22E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.32E-16	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.66E-16	0.00E+00
				Total	7.50E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	9.07E-18	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	4.29E-16	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.08E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	1.41E-16	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	2.59E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	2.19E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	4.24E-17	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	1.65E-17	0.00E+00
				Total	6.50E-15	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	2.03E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	1.02E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	8.59E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.74E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	4.33E-13	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	7.83E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	2.76E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	3.65E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	1.80E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	5.99E-11	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	1.75E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	1.38E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	1.21E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	2.91E-12	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	1.21E-13	0.00E+00
				Total	4.99E-10	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	5.29E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	1.75E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	8.98E-16
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	6.52E-18
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	2.65E-15
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	3.60E-15
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.03E-16
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	2.32E-14
				Total	0.00E+00	5.41E-10
RCPTR_22	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	1.37E-07
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	2.84E-06
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.07E-10
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.19E-13
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	4.77E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	1.09E-09
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.49E-11
RCPTR_22	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	2.24E-10
				Total	0.00E+00	9.01E-05
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	1.13E-07
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	8.56E-07
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	6.42E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	4.61E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	1.88E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	2.58E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.44E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	8.71E-12
				Total	0.00E+00	2.36E-06
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	2.25E-08
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	1.23E-08
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	4.86E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.27E-08
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	2.61E-10
				Total	0.00E+00	4.84E-08
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	4.54E-14	1.60E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	4.73E-16	2.69E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	8.99E-21	5.00E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	6.47E-23	3.69E-18
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	2.63E-20	1.50E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	3.57E-20	1.99E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	2.01E-21	1.14E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	1.18E-19	6.73E-15
				Total	5.95E-14	2.35E-10
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	8.42E-12
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	1.54E-08
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	4.04E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	2.81E-17
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.15E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	1.61E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	8.80E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	6.67E-14
				Total	0.00E+00	2.47E-08
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	6.16E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	2.85E-07
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.83E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.22E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.72E-12
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.34E-12
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.32E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.18E-11
				Total	0.00E+00	9.59E-07
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	2.03E-15	4.55E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	4.22E-15	7.57E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.45E-19	2.59E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.08E-21	1.93E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	4.38E-19	7.86E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	5.75E-19	1.03E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	3.31E-20	5.94E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	1.57E-18	2.82E-13
				Total	9.55E-15	8.40E-10
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	4.11E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	5.72E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.03E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	3.00E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	4.79E-12
				Total	0.00E+00	4.66E-10
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	9.87E-12	8.22E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.17E-08
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.64E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.40E-07
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.82E-10
				Total	9.87E-12	2.09E-07
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.08E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.16E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.74E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.31E-18
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.57E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.50E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.96E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.92E-14
				Total	0.00E+00	1.19E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	1.00E-12
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	1.51E-12
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	8.87E-17
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	6.94E-19
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.83E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	3.45E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.08E-17
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	4.31E-16
				Total	0.00E+00	3.39E-12
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.73E-14	1.71E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.24E-13	3.97E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	3.06E-15	2.30E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.35E-19	5.42E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.18E-16	2.21E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.08E-14	7.86E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.12E-16	1.96E-12
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.33E-15	1.35E-10
				Total	8.24E-13	8.63E-09
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.00E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.41E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.20E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.62E-19
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.51E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.82E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.69E-17
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.97E-15
				Total	0.00E+00	1.01E-09
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	1.35E-12	1.72E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.05E-13	6.62E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.58E-19	1.62E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	1.86E-21	1.17E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	7.58E-19	4.77E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.04E-18	6.50E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	5.81E-20	3.65E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	8.26E-18	5.20E-13
				Total	3.74E-12	1.72E-08
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	1.43E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	6.14E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.53E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.25E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	5.08E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	5.86E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	3.68E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	5.73E-13
				Total	0.00E+00	6.58E-10
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	1.10E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	2.43E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	4.05E-17
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.14E-19
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.28E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	1.59E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	9.49E-18
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	2.44E-16
				Total	0.00E+00	4.11E-13
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	6.51E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.19E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	5.10E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	3.86E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.57E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	2.01E-13
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.18E-14
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	4.01E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	8.84E-09
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	1.38E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	2.47E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	9.28E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	6.94E-18
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.82E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	3.68E-15
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.13E-16
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	9.39E-15
				Total	0.00E+00	1.99E-10
RCPTR_22	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	2.53E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	1.32E-08
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	1.85E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	2.40E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	2.44E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	7.37E-10
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	1.23E-11
RCPTR_22	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	1.96E-10
				Total	0.00E+00	1.45E-08
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	5.60E-08
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	5.05E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	6.21E-11
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	7.98E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	7.54E-10
				Total	0.00E+00	7.01E-08
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	2.86E-12	5.30E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	2.41E-10	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	1.35E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	1.66E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	4.02E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	4.00E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	1.44E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	1.42E-11	0.00E+00
				Total	2.70E-10	5.30E-09
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	1.60E-12
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	3.62E-11
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	2.06E-11
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	2.93E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	2.16E-11
				Total	0.00E+00	3.74E-10
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	5.76E-12	3.20E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.35E-08
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.16E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.36E-07
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.73E-09
				Total	5.76E-12	1.62E-07
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	4.00E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	1.30E-08
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	8.06E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	7.21E-08
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	3.71E-09
				Total	0.00E+00	9.78E-08
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	3.69E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	1.61E-08
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	3.71E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.39E-06
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	5.28E-10
				Total	0.00E+00	1.41E-06
RCPTR_22	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	9.03E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	7.94E-08
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	3.41E-10
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	7.43E-11
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	7.66E-11
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	6.72E-09
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	3.97E-11
RCPTR_22	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	8.12E-09
				Total	0.00E+00	9.69E-08
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.05E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	8.47E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	1.89E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	2.11E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	8.71E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.74E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	7.12E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	5.34E-13
				Total	0.00E+00	4.34E-08
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.09E-06
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	6.25E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	7.87E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.01E-07
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	8.93E-09
				Total	0.00E+00	1.26E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	3.98E-14	9.34E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	2.91E-16	1.66E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	1.62E-21	9.21E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	1.86E-23	1.06E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	7.66E-21	4.37E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	3.18E-20	1.81E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	6.18E-22	3.52E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	4.53E-19	2.58E-14
				Total	4.24E-14	1.01E-09
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.25E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.53E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	1.89E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	2.06E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	8.50E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.71E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	6.94E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	6.53E-13
				Total	0.00E+00	5.15E-08
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	4.16E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	7.81E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	1.73E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	4.80E-14
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	1.98E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.00E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	2.18E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	6.70E-11
				Total	0.00E+00	1.19E-08
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	7.43E-12	1.38E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	3.91E-10	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	2.28E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	2.63E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	6.37E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	6.76E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	2.37E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	2.26E-11	0.00E+00
				Total	4.40E-10	1.38E-08
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	6.50E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.01E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	4.48E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	5.13E-20
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	2.12E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	8.82E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	1.71E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	1.44E-15
				Total	0.00E+00	7.21E-11
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	8.58E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	3.54E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	9.54E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	1.22E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	5.02E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.79E-14
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	3.86E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	6.84E-14
				Total	0.00E+00	1.26E-10
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	1.64E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	6.60E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	3.43E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	4.45E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	1.84E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	6.41E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	1.40E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	2.24E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	7.87E-09
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.05E-14	4.36E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	4.09E-15	1.61E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	1.74E-19	6.77E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	2.20E-21	8.64E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	9.06E-19	3.57E-14
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.27E-18	1.28E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	6.98E-20	2.74E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	1.29E-17	5.06E-13
				Total	2.61E-14	2.30E-10
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	5.09E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	6.09E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	2.23E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	3.42E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	1.41E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	3.93E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.26E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	1.63E-13	0.00E+00
				Total	5.85E-10	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	5.45E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	6.69E-07
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	9.36E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	9.86E-14
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	4.07E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.78E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	3.28E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	9.08E-10
				Total	0.00E+00	2.41E-06
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.47E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.01E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.25E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.12E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	4.63E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.18E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	1.10E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	1.51E-12
				Total	0.00E+00	2.33E-09
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	3.72E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	3.77E-05
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	2.47E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	6.90E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	2.85E-05
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	4.32E+01
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	1.63E-01
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	2.32E-09
				Total	0.00E+00	4.58E+01
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.10E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.46E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.82E-08
				Total	0.00E+00	1.17E-06
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	6.30E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	1.71E-06
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	1.14E-07
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	1.37E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.41E-08
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.80E-06
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	3.15E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	8.18E-07
				Total	0.00E+00	4.60E-06
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	9.22E-10
				Total	0.00E+00	9.22E-10
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.55E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.18E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.83E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.53E-20

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.70E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.16E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.20E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.01E-14
				Total	0.00E+00	3.64E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	3.54E-07
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	4.83E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	1.24E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	1.28E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.07E-07
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	3.82E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	4.97E-08
				Total	0.00E+00	1.05E-06
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.29E-13	1.10E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	7.07E-15	4.45E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	5.16E-21	3.25E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	5.81E-23	3.66E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	2.40E-20	1.51E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.02E-19	6.43E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	1.95E-21	1.23E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	3.46E-18	2.18E-13
				Total	1.78E-13	2.64E-09
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	6.63E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.68E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.75E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.78E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.59E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.70E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	2.40E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.72E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	6.48E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	2.12E-10
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	4.14E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	5.22E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	6.15E-19
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	2.54E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.02E-15
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	2.02E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	8.56E-15
				Total	0.00E+00	2.23E-10
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.20E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	9.77E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	2.82E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	1.91E-19
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	7.89E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	5.17E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	6.68E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	1.45E-15
				Total	0.00E+00	1.37E-11
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.20E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	9.04E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	2.84E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	2.16E-19
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	8.92E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	5.25E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	7.42E-18
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	1.78E-15
				Total	0.00E+00	1.36E-11
RCPTR_22	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.20E-11
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	9.89E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	3.58E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	2.95E-19

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	1.22E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	6.63E-16
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.00E-17
RCPTR_22	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	2.32E-15
				Total	0.00E+00	1.37E-11
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	1.68E-06
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.29E-06
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	2.87E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	3.21E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	1.33E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	5.70E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.08E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	8.13E-11
				Total	0.00E+00	6.08E-06
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	3.33E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	1.72E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	2.17E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	2.79E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	2.43E-09
				Total	0.00E+00	3.81E-07
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	1.01E-13	2.37E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	7.07E-16	4.03E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	3.93E-21	2.24E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	4.51E-23	2.57E-18
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	1.86E-20	1.06E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	7.73E-20	4.40E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	1.50E-21	8.56E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.10E-18	6.28E-14
				Total	1.06E-13	2.52E-09
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.25E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.41E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	1.81E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	1.96E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	8.10E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	3.54E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	6.61E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	6.23E-13
				Total	0.00E+00	4.52E-08
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	9.12E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.24E-07
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.61E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	2.94E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.21E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	5.17E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	9.88E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.04E-10
				Total	0.00E+00	1.94E-06
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	4.51E-15	6.74E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	6.30E-15	1.13E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	6.46E-20	1.16E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	7.50E-22	1.34E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	3.09E-19	5.55E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.27E-18	2.27E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	2.49E-20	4.46E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	1.47E-17	2.63E-12
				Total	1.19E-14	1.89E-09
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	6.09E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	8.00E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	4.62E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	6.62E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	4.47E-11
				Total	0.00E+00	8.39E-10
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.19E-11	1.22E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	3.04E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.08E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.09E-07
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.57E-09
				Total	2.19E-11	3.66E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.57E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.71E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.91E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.39E-18
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.81E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.72E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.47E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.79E-13
				Total	0.00E+00	2.57E-09
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	1.48E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.34E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	3.97E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	4.84E-19
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.00E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	7.60E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	1.56E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	4.02E-15
				Total	0.00E+00	1.91E-11
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.08E-14	2.53E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	6.56E-14	5.50E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	2.21E-16	1.03E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	3.73E-19	3.78E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.54E-16	1.56E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.79E-15	1.73E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.11E-17	1.47E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.24E-14	1.26E-09
				Total	3.66E-13	1.89E-08
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.48E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.60E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.36E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.00E-19
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.48E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.06E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.30E-14
				Total	0.00E+00	3.20E-09
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	3.00E-12	2.55E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.58E-13	9.93E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.15E-19	7.24E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	1.30E-21	8.17E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	5.35E-19	3.37E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	2.28E-18	1.43E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	4.36E-20	2.74E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	7.71E-17	4.85E-12
				Total	3.92E-12	5.53E-08
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	2.11E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	9.35E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	6.83E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	8.69E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	3.59E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.29E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	2.76E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	5.35E-12
				Total	0.00E+00	1.22E-09
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	1.64E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	3.58E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	1.81E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	2.19E-19
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	9.03E-17
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	3.50E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	7.12E-18
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	2.28E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.12E-12
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	9.65E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.81E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	2.28E-14
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	2.69E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.11E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	4.44E-13
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	8.84E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	3.74E-12
				Total	0.00E+00	1.01E-07
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.04E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.70E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	4.15E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	4.83E-18
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	1.99E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	8.12E-15
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	1.60E-16
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	8.76E-14
				Total	0.00E+00	2.16E-09
RCPTR_22	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	3.75E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	1.84E-08
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	8.26E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	1.67E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	1.73E-11
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	1.63E-09
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	9.21E-12
RCPTR_22	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	1.83E-09
				Total	0.00E+00	2.25E-08
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	3.71E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	1.92E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	2.43E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	3.12E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	2.72E-10
				Total	0.00E+00	4.24E-08
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	2.39E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	4.62E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	3.46E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	3.75E-18
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	1.55E-15
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	6.78E-15
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	1.27E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.19E-13
				Total	0.00E+00	8.74E-09
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	7.20E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.35E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.06E-15
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	2.32E-17
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	9.58E-15
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.08E-14
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	7.81E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	1.61E-12
				Total	0.00E+00	1.56E-08
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	7.99E-12	1.48E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	3.78E-10	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	2.22E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	2.53E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	6.12E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	6.58E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	2.29E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	2.17E-11	0.00E+00
				Total	4.24E-10	1.48E-08
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.91E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.12E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.32E-13
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.86E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.18E-13
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.78E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.89E-14
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.84E-13
				Total	0.00E+00	5.22E-10
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	2.63E-13
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	9.85E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	2.25E-17
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	2.53E-19
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.04E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.44E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	8.49E-18
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.03E-14
				Total	0.00E+00	1.51E-10
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	1.68E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.12E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	2.54E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	7.83E-14
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	3.23E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	4.37E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	3.54E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	6.47E-11
				Total	0.00E+00	8.24E-09
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.15E-12	9.89E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.48E-11	5.15E-07
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.13E-16	2.29E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	1.24E-18	2.58E-14
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	5.11E-16	1.07E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.21E-15	4.51E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	4.16E-17	8.63E-13
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	3.50E-14	7.28E-10
				Total	4.75E-10	4.87E-06
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.05E-12	1.80E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.17E-11	9.01E-07
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	7.83E-17	3.21E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	8.68E-19	3.62E-14
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	3.58E-16	1.49E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.54E-15	6.31E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	2.91E-17	1.21E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	2.74E-14	1.14E-09
				Total	4.83E-10	9.84E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.05E-14	4.36E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.13E-14	9.50E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	3.81E-17	1.77E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.43E-20	6.51E-15
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.66E-17	2.69E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	6.55E-16	2.99E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.64E-18	2.53E-13
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.14E-15	2.17E-10
				Total	6.40E-14	3.31E-09
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.45E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	7.05E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	7.24E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	4.37E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.34E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	7.17E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	6.00E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	3.50E-15	0.00E+00
				Total	2.69E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	5.65E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.91E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	3.74E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.48E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	4.53E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	3.73E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	3.00E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	1.44E-14	0.00E+00
				Total	1.06E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	3.57E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.85E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	1.03E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	4.86E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	6.50E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	1.01E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	9.43E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	9.44E-14	0.00E+00
				Total	2.29E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.40E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	7.29E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	3.50E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.98E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.59E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	3.44E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	3.22E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	3.74E-13	0.00E+00
				Total	8.51E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.69E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	8.76E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	3.55E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.17E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.87E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	3.49E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	3.27E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	4.54E-14	0.00E+00
				Total	7.07E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	3.80E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	7.63E-18
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	6.06E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.02E-08
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	3.12E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	8.12E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	5.34E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	6.49E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	6.69E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	8.39E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	1.49E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	3.87E-08
				Total	0.00E+00	2.16E-07
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	4.56E-11
				Total	0.00E+00	4.56E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	1.69E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	2.21E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	5.89E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	6.07E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	4.88E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	1.80E-13
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	2.35E-09
				Total	0.00E+00	4.63E-08
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	1.77E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	7.85E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	5.74E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	7.30E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	3.01E-13
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.09E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	2.32E-14
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	4.49E-12
				Total	0.00E+00	1.02E-09
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.03E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.01E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	7.62E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	7.54E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	7.02E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	7.49E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	6.60E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	4.67E-16	0.00E+00
				Total	1.78E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.02E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	9.23E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	7.49E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.96E-17	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	5.51E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	7.37E-16	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	6.47E-18	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	4.63E-17	0.00E+00
				Total	1.56E-15	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	4.51E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.82E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	6.03E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	5.91E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	6.63E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	2.24E-13	0.00E+00
				Total	7.15E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	8.11E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	4.68E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	4.20E-12	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.71E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.98E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	4.11E-11	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	4.48E-13	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	3.43E-13	0.00E+00
				Total	1.14E-10	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	7.83E-12
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	2.59E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	4.02E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	4.54E-18
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	1.87E-15
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	7.94E-15
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	1.52E-16
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	2.16E-13
				Total	0.00E+00	1.08E-09
RCPTR_22	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	2.02E-06
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	3.98E-06
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	1.37E-10
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	8.30E-14
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	3.37E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.41E-09
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.12E-11
RCPTR_22	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	2.09E-09
				Total	0.00E+00	2.01E-04
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	1.68E-06
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.29E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	2.87E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	3.21E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	1.33E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	5.70E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.08E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	8.13E-11
				Total	0.00E+00	6.08E-06
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	3.33E-07
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	1.72E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	2.17E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	2.79E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	2.43E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.81E-07
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	1.01E-13	2.37E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	7.07E-16	4.03E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	3.93E-21	2.24E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	4.51E-23	2.57E-18
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	1.86E-20	1.06E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	7.73E-20	4.40E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	1.50E-21	8.56E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.10E-18	6.28E-14
				Total	1.06E-13	2.52E-09
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.25E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.41E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	1.81E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	1.96E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	8.10E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	3.54E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	6.61E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	6.23E-13
				Total	0.00E+00	4.52E-08
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	9.12E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.24E-07
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.61E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	2.94E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.21E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	5.17E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	9.88E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.04E-10
				Total	0.00E+00	1.94E-06
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	4.51E-15	6.74E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	6.30E-15	1.13E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	6.46E-20	1.16E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	7.50E-22	1.34E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	3.09E-19	5.55E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.27E-18	2.27E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	2.49E-20	4.46E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	1.47E-17	2.63E-12
				Total	1.19E-14	1.89E-09
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	6.09E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	8.00E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	4.62E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	6.62E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	4.47E-11
				Total	0.00E+00	8.39E-10
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.19E-11	1.22E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	3.04E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.08E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.09E-07
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.57E-09
				Total	2.19E-11	3.66E-07
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.57E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.71E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.91E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.39E-18
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.81E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.72E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.47E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.79E-13
				Total	0.00E+00	2.57E-09
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	1.48E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.34E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	3.97E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	4.84E-19
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.00E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	7.60E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	1.56E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	4.02E-15
				Total	0.00E+00	1.91E-11
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.08E-14	2.53E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	6.56E-14	5.50E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	2.21E-16	1.03E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	3.73E-19	3.78E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.54E-16	1.56E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.79E-15	1.73E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.11E-17	1.47E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.24E-14	1.26E-09
				Total	3.66E-13	1.89E-08
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.48E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.60E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.36E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.00E-19
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.48E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.06E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.30E-14
				Total	0.00E+00	3.20E-09
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	3.00E-12	2.55E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.58E-13	9.93E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.15E-19	7.24E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	1.30E-21	8.17E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	5.35E-19	3.37E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	2.28E-18	1.43E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	4.36E-20	2.74E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	7.71E-17	4.85E-12
				Total	3.92E-12	5.53E-08
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	2.11E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	9.35E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	6.83E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	8.69E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	3.59E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.29E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	2.76E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	5.35E-12
				Total	0.00E+00	1.22E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	1.64E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	3.58E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	1.81E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	2.19E-19
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	9.03E-17
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	3.50E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	7.12E-18
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	2.28E-15
				Total	0.00E+00	2.12E-12
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	9.65E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.81E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	2.28E-14
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	2.69E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.11E-13
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	4.44E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	8.84E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	3.74E-12
				Total	0.00E+00	1.01E-07
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.04E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.70E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	4.15E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	4.83E-18
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	1.99E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	8.12E-15
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	1.60E-16
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	8.76E-14
				Total	0.00E+00	2.16E-09
RCPTR_22	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	3.75E-10
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	1.84E-08
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	8.26E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	1.67E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	1.73E-11
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	1.63E-09
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	9.21E-12
RCPTR_22	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	1.83E-09
				Total	0.00E+00	2.25E-08
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	7.22E-09
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	9.52E-09
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	3.85E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.00E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.91E-10
				Total	0.00E+00	2.74E-08
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	2.45E-12	6.82E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	1.23E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	4.62E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	5.93E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	1.42E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	2.79E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	1.72E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	3.80E-12	0.00E+00
				Total	1.33E-09	6.82E-10
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	2.06E-13
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	7.00E-11
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.28E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	3.74E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	5.48E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.78E-10
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	4.95E-12	4.12E-11
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.71E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.82E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.76E-07
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	4.38E-10
				Total	4.95E-12	2.62E-07
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	5.15E-11
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	2.53E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	5.06E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	9.23E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	9.41E-10
				Total	0.00E+00	1.69E-07
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	4.76E-11
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	3.03E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	2.33E-08
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.76E-06
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.34E-10
				Total	0.00E+00	1.82E-06
RCPTR_23	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.16E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.43E-07
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	2.08E-09
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.52E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.56E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	8.30E-09
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.33E-10
RCPTR_23	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.06E-09
				Total	0.00E+00	1.56E-07
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.36E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	9.98E-09
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	7.48E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	5.38E-18
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.19E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.01E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.68E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.02E-13
				Total	0.00E+00	2.23E-08
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.32E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.24E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	5.09E-09
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.33E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.44E-09
				Total	0.00E+00	3.97E-07
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	3.43E-14	1.21E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	3.45E-16	1.96E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	6.57E-21	3.65E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	4.73E-23	2.70E-18
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.93E-20	1.10E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	2.61E-20	1.46E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.47E-21	8.33E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	8.62E-20	4.91E-15
				Total	4.16E-14	1.65E-10
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.62E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.86E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	7.53E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	5.24E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.13E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.00E-14
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.64E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.24E-13
				Total	0.00E+00	4.03E-08
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	5.38E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.02E-09
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	7.52E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.22E-13
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.98E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	2.65E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	5.35E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.27E-11
				Total	0.00E+00	6.08E-09
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	5.99E-12	1.66E-09
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	2.17E-09	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	8.21E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.01E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	2.43E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	4.96E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	3.04E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	6.50E-12	0.00E+00
				Total	2.34E-09	1.66E-09
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	8.39E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.20E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.78E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.31E-19
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	5.32E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	7.10E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	4.04E-18
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.74E-16
				Total	0.00E+00	1.23E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.11E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.04E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	3.79E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.10E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.26E-14
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.45E-14
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	9.12E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.30E-14
				Total	0.00E+00	5.35E-11
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.11E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	7.57E-09
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.36E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.13E-14
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	4.62E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	5.16E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.31E-13
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.27E-12
				Total	0.00E+00	8.09E-09
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	1.77E-14	5.63E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	4.72E-15	1.85E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	7.55E-19	2.69E-14
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	5.59E-21	2.20E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.28E-18	8.96E-14
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	2.87E-18	1.03E-13
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.68E-19	6.49E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.45E-18	9.63E-14
				Total	2.69E-14	2.02E-10
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	4.37E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.78E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	5.84E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	8.74E-17	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.56E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.07E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.30E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.10E-14	0.00E+00
				Total	1.65E-09	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	7.04E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	7.65E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	3.75E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.51E-13
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.02E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.44E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	7.77E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.73E-10
				Total	0.00E+00	1.54E-06
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.90E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.30E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	5.33E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.86E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.16E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.89E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.75E-13
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.86E-13
				Total	0.00E+00	1.19E-09
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	4.80E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	5.16E-05
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.06E+01
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.76E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	7.17E-05
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	3.75E+01
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.14E-01
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.42E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.85E+01
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.42E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	4.78E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.46E-09
				Total	0.00E+00	1.70E-07
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	8.12E-09
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.16E-06
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	4.71E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	3.51E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.56E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.54E-06
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	7.49E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.56E-07
				Total	0.00E+00	4.44E-06
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.19E-10
				Total	0.00E+00	1.19E-10
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.00E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.52E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.31E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.66E-19
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.78E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.31E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.20E-18
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.93E-15
				Total	0.00E+00	1.67E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	4.60E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.15E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.18E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.23E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	9.73E-08
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	9.38E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	9.47E-09
				Total	0.00E+00	8.28E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.11E-13	1.42E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	8.37E-15	5.27E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.05E-20	1.29E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.48E-22	9.33E-18
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	6.03E-20	3.80E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	8.25E-20	5.17E-15
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.62E-21	2.91E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.57E-19	4.14E-14
				Total	2.46E-13	1.16E-09
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	5.63E-16	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.38E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	8.08E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.50E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.29E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.64E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.10E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.15E-15	0.00E+00
				Total	5.37E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	2.73E-11
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	4.82E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.07E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.57E-18
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	6.38E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	8.18E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.78E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.63E-15
				Total	0.00E+00	3.54E-11
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.55E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.12E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.20E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.87E-19
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.98E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	4.46E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.60E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.76E-16
				Total	0.00E+00	3.00E-12
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.55E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.04E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.20E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	5.51E-19
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.24E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	4.47E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.77E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.39E-16
				Total	0.00E+00	2.92E-12
RCPTR_23	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.55E-12
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.14E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.50E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	7.53E-19
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.06E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	5.61E-16
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.38E-17
RCPTR_23	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.42E-16
				Total	0.00E+00	3.02E-12
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.00E-07
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.44E-06
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.08E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	7.74E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.15E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	4.34E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.42E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.46E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.03E-06
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	3.74E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	3.34E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.37E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	3.57E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	6.53E-10
				Total	0.00E+00	1.09E-07
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	8.02E-14	2.82E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	7.94E-16	4.51E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.51E-20	8.40E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.09E-22	6.19E-18
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	4.42E-20	2.52E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	6.01E-20	3.35E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	3.37E-21	1.91E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	1.98E-19	1.13E-14
				Total	9.47E-14	3.76E-10
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.49E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.58E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	6.79E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	4.73E-17
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.92E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	2.70E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.48E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-13
				Total	0.00E+00	3.52E-08
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.09E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.79E-07
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.80E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.08E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.88E-12
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.94E-12
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.21E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.66E-11
				Total	0.00E+00	1.15E-06
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	3.58E-15	8.04E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	7.09E-15	1.27E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.43E-19	4.35E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.81E-21	3.24E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	7.35E-19	1.32E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	9.66E-19	1.73E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.56E-20	9.97E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.64E-18	4.73E-13
				Total	1.40E-14	1.39E-09
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	6.84E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	1.58E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	2.92E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	8.53E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.20E-11
				Total	0.00E+00	1.32E-09
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	1.64E-11	1.37E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.19E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.33E-07
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.02E-07
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.57E-10
				Total	1.64E-11	5.98E-07
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	5.45E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.94E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.47E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.06E-17
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.31E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	5.88E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.30E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.22E-14
				Total	0.00E+00	1.27E-09
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	1.77E-12
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.54E-12
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.49E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.17E-18
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.75E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	5.79E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.50E-17
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.24E-16
				Total	0.00E+00	5.19E-12
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	4.83E-14	3.02E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.39E-13	6.86E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.75E-15	4.24E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.00E-19	9.11E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.67E-16	3.71E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.03E-14	1.46E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.06E-16	3.40E-12
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.24E-15	2.27E-10
				Total	9.73E-13	1.18E-08
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.77E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.41E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.01E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.45E-18
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.89E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.09E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.52E-17
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.67E-14
				Total	0.00E+00	1.39E-09
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	2.38E-12	3.04E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.77E-13	1.11E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	4.33E-19	2.72E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.13E-21	1.97E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.27E-18	8.01E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.74E-18	1.09E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	9.75E-20	6.14E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.39E-17	8.73E-13
				Total	4.84E-12	2.30E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	2.52E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.03E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.57E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.09E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	8.52E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	9.84E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	6.18E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	9.62E-13
				Total	0.00E+00	1.09E-09
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	1.95E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.08E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	6.80E-17
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	5.27E-19
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.15E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	2.66E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.59E-17
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.09E-16
				Total	0.00E+00	6.61E-13
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.15E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.99E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	8.56E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	6.47E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.64E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	3.38E-13
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.98E-14
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	6.72E-13
				Total	0.00E+00	1.46E-08
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.44E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.15E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.56E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.16E-17
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.74E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.18E-15
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.58E-16
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.58E-14
				Total	0.00E+00	3.22E-10
RCPTR_23	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	4.21E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	3.45E-08
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	5.13E-10
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	6.02E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	6.12E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	2.05E-09
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.21E-11
RCPTR_23	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.91E-10
				Total	0.00E+00	3.78E-08
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	4.18E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	3.74E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.53E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	3.99E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	7.31E-11
				Total	0.00E+00	1.22E-08
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	2.85E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	4.96E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.30E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	9.08E-18
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.69E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	5.19E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.84E-16
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.15E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	6.79E-09
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	8.62E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.79E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	7.77E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.61E-17
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.29E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.12E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.75E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.90E-13
				Total	0.00E+00	9.24E-09
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	6.01E-12	1.67E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	2.05E-09	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	7.79E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	9.58E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	2.29E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	4.71E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	2.88E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	6.14E-12	0.00E+00
				Total	2.22E-09	1.67E-09
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	4.67E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.56E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.31E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	6.91E-16
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.81E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	4.64E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.73E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.92E-14
				Total	0.00E+00	2.69E-10
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.15E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.12E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.49E-17
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.12E-19

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.49E-16
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.40E-16
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.91E-17
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.86E-15
				Total	0.00E+00	7.44E-11
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.01E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.28E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.01E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.89E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	7.71E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	3.51E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	8.11E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.17E-11
				Total	0.00E+00	4.71E-09
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	9.20E-13	1.18E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.87E-11	5.80E-07
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	5.34E-16	8.65E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.99E-18	6.24E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.22E-15	2.54E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.08E-15	3.45E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	9.70E-17	1.94E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.31E-15	1.32E-10
				Total	1.27E-09	2.53E-06
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	8.35E-13	2.15E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.51E-11	1.02E-06
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	3.48E-16	1.21E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.10E-18	8.75E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	8.54E-16	3.56E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.36E-15	4.83E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	6.73E-17	2.72E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.94E-15	2.06E-10
				Total	1.30E-09	5.01E-06
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	8.35E-15	5.22E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	4.14E-14	1.19E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	9.96E-16	7.35E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.56E-19	1.58E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	6.34E-17	6.42E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.52E-15	2.52E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.56E-17	5.88E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.88E-16	3.93E-11
				Total	1.71E-13	2.07E-09
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.15E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	6.52E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.04E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	3.87E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.17E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	4.14E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	7.93E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.31E-15	0.00E+00
				Total	2.25E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	4.46E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.64E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.03E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.29E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	3.92E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.11E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	4.08E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	9.41E-15	0.00E+00
				Total	8.67E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	2.82E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.61E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.90E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	4.22E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	5.57E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	5.89E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.17E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	6.12E-14	0.00E+00
				Total	1.89E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.11E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	6.31E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	9.89E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.72E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.22E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.00E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.01E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.43E-13	0.00E+00
				Total	7.04E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.33E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	7.58E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.00E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.01E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.60E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.03E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.07E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	2.94E-14	0.00E+00
				Total	5.77E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	4.55E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.45E-17
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.09E-10
				Total	0.00E+00	5.36E-09
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	3.73E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	9.73E-08
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.11E-08
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.58E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.60E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	6.87E-08
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.37E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.02E-09
				Total	0.00E+00	1.99E-07
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	5.45E-12
				Total	0.00E+00	5.45E-12
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.08E-08
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	9.49E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.43E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.45E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	4.29E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	4.20E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.26E-10
				Total	0.00E+00	3.63E-08
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.12E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	8.70E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.16E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.77E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	7.19E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	8.30E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	5.21E-14
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.11E-13
				Total	0.00E+00	9.18E-10
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.60E-16	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	9.13E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.19E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	6.71E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	6.16E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	4.44E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	8.40E-16	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.10E-16	0.00E+00
				Total	1.45E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	1.59E-17	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	8.72E-16	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.16E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.64E-16	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	4.84E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	4.38E-15	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	8.24E-17	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	3.08E-17	0.00E+00
				Total	1.26E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	3.57E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	1.96E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.59E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	3.22E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	7.80E-13	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.36E-13	0.00E+00
				Total	5.11E-11	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	6.42E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	3.51E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.13E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.07E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.43E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.28E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	5.31E-12	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.12E-13	0.00E+00
				Total	9.00E-10	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	9.37E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	2.94E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.51E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.10E-17
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	4.47E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	6.07E-15
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.42E-16
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.91E-14
				Total	0.00E+00	6.61E-10
RCPTR_23	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	2.42E-07
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	5.01E-06
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	5.42E-10
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.01E-13
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	8.04E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	1.93E-09
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.61E-11
RCPTR_23	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.78E-10
				Total	0.00E+00	9.24E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.00E-07
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.44E-06
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.08E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	7.74E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.15E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	4.34E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.42E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.46E-11
				Total	0.00E+00	3.03E-06
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	3.74E-08
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	3.34E-08
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.37E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	3.57E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	6.53E-10
				Total	0.00E+00	1.09E-07
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	8.02E-14	2.82E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	7.94E-16	4.51E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.51E-20	8.40E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.09E-22	6.19E-18
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	4.42E-20	2.52E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	6.01E-20	3.35E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	3.37E-21	1.91E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	1.98E-19	1.13E-14
				Total	9.47E-14	3.76E-10
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.49E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.58E-08
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	6.79E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	4.73E-17
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.92E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	2.70E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.48E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-13
				Total	0.00E+00	3.52E-08
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.09E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.79E-07
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.80E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.08E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.88E-12
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.94E-12
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.21E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.66E-11
				Total	0.00E+00	1.15E-06
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	3.58E-15	8.04E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	7.09E-15	1.27E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.43E-19	4.35E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.81E-21	3.24E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	7.35E-19	1.32E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	9.66E-19	1.73E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.56E-20	9.97E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.64E-18	4.73E-13
				Total	1.40E-14	1.39E-09
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	6.84E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	1.58E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	2.92E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	8.53E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.20E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.32E-09
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	1.64E-11	1.37E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.19E-08
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.33E-07
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.02E-07
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.57E-10
				Total	1.64E-11	5.98E-07
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	5.45E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.94E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.47E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.06E-17
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.31E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	5.88E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.30E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.22E-14
				Total	0.00E+00	1.27E-09
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	1.77E-12
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.54E-12
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.49E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.17E-18
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.75E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	5.79E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.50E-17
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.24E-16
				Total	0.00E+00	5.19E-12
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	4.83E-14	3.02E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.39E-13	6.86E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.75E-15	4.24E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.00E-19	9.11E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.67E-16	3.71E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.03E-14	1.46E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.06E-16	3.40E-12
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.24E-15	2.27E-10
				Total	9.73E-13	1.18E-08
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.77E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.41E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.01E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.45E-18
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.89E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.09E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.52E-17
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.67E-14
				Total	0.00E+00	1.39E-09
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	2.38E-12	3.04E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.77E-13	1.11E-08
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	4.33E-19	2.72E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.13E-21	1.97E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.27E-18	8.01E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.74E-18	1.09E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	9.75E-20	6.14E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.39E-17	8.73E-13
				Total	4.84E-12	2.30E-08
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	2.52E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.03E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.57E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.09E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	8.52E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	9.84E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	6.18E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	9.62E-13
				Total	0.00E+00	1.09E-09
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	1.95E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.08E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	6.80E-17
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	5.27E-19
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.15E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	2.66E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.59E-17
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.09E-16
				Total	0.00E+00	6.61E-13
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.15E-08
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.99E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	8.56E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	6.47E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.64E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	3.38E-13
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.98E-14
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	6.72E-13
				Total	0.00E+00	1.46E-08
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.44E-10
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.15E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.56E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.16E-17
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.74E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.18E-15
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.58E-16
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.58E-14
				Total	0.00E+00	3.22E-10
RCPTR_23	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	4.21E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	3.45E-08
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	5.13E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	6.02E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	6.12E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	2.05E-09
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.21E-11
RCPTR_23	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.91E-10
				Total	0.00E+00	3.78E-08
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.07E-07
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.33E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.72E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	2.22E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.78E-09
				Total	0.00E+00	1.44E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	5.46E-12	1.01E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	6.03E-10	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	3.70E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	3.92E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	9.50E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	1.10E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	3.69E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	3.36E-11	0.00E+00
				Total	6.66E-10	1.01E-08
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	3.05E-12
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	9.79E-11
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	5.74E-11
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	8.25E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	5.12E-11
				Total	0.00E+00	1.04E-09
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.10E-11	6.11E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	3.80E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.60E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.88E-07
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	4.08E-09
				Total	1.10E-11	4.57E-07
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	7.64E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	3.54E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	2.26E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	2.03E-07
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	8.78E-09
				Total	0.00E+00	2.72E-07
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	7.05E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	4.23E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.04E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	3.89E-06
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.25E-09
				Total	0.00E+00	3.94E-06
RCPTR_23	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.72E-09
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.98E-07
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	9.29E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	1.76E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.81E-10
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.83E-08
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	9.96E-11
RCPTR_23	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	1.92E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.40E-07
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.02E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.50E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	3.35E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.75E-18
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.55E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	6.64E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.26E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	9.47E-13
				Total	0.00E+00	5.96E-08
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.95E-06
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.73E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	2.28E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	2.93E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.28E-08
				Total	0.00E+00	2.44E-06
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	7.62E-14	1.79E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	5.17E-16	2.95E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	2.87E-21	1.63E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.29E-23	1.88E-18
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.36E-20	7.75E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	5.65E-20	3.21E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.10E-21	6.26E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	8.05E-19	4.59E-14
				Total	7.90E-14	1.87E-09
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.40E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	4.50E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	3.37E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	3.65E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.51E-14
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	6.61E-14
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.23E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.16E-12
				Total	0.00E+00	7.13E-08
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	7.97E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.41E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	3.36E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	8.52E-14
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.52E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	5.84E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.02E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.19E-10
				Total	0.00E+00	1.32E-08
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.33E-11	2.47E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.04E-09	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	6.54E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	6.70E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	1.63E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	1.94E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	6.42E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	5.75E-11	0.00E+00
				Total	1.16E-09	2.47E-08
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.24E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.80E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	7.95E-18
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	9.10E-20
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	3.76E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.57E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.04E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.56E-15
				Total	0.00E+00	1.32E-10
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.64E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	6.28E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.70E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.16E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	8.92E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.19E-14
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	6.85E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.21E-13
				Total	0.00E+00	2.32E-10
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.13E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.17E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	6.09E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	7.90E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.26E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.14E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.49E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	3.98E-11
				Total	0.00E+00	1.32E-08
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	3.92E-14	8.34E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	7.26E-15	2.85E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.09E-19	1.20E-14
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	3.90E-21	1.53E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.61E-18	6.33E-14
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	5.82E-18	2.27E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.24E-19	4.87E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.28E-17	8.98E-13
				Total	4.80E-14	3.95E-10
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	9.72E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.10E-10	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	4.31E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	6.09E-17	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.51E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	7.58E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	4.21E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.90E-13	0.00E+00
				Total	6.35E-10	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.04E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.19E-06
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.68E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.75E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	7.22E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.19E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	5.83E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.61E-09
				Total	0.00E+00	2.93E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.81E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.57E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	2.39E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.99E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	8.22E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	4.16E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.06E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.67E-12
				Total	0.00E+00	2.52E-09
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	7.11E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	7.22E-05
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	4.73E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.23E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	5.06E-05
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	8.26E+01

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	3.11E-01
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.12E-09
				Total	0.00E+00	8.77E+01
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.10E-06
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	6.69E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.23E-08
				Total	0.00E+00	2.18E-06
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.20E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.08E-06
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.11E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.44E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.52E-08
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	3.40E-06
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	5.62E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.46E-06
				Total	0.00E+00	8.38E-06
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.77E-09
				Total	0.00E+00	1.77E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.96E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.28E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.03E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.16E-19
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.79E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.05E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.91E-18
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.80E-14
				Total	0.00E+00	5.61E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	6.54E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	9.61E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.22E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.28E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.15E-07
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	7.04E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	8.84E-08
				Total	0.00E+00	1.50E-06
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	2.47E-13	2.10E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.25E-14	7.90E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	9.16E-21	5.76E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.03E-22	6.50E-18
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	4.26E-20	2.68E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.81E-19	1.14E-14
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.47E-21	2.18E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.13E-18	3.86E-13
				Total	3.01E-13	3.99E-09
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.25E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	7.53E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	5.60E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	5.24E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.88E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	5.51E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.70E-16	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.25E-15	0.00E+00
				Total	1.27E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	4.05E-10
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	7.35E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	9.27E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.09E-18
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	4.51E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.80E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.59E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.52E-14
				Total	0.00E+00	4.20E-10
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.29E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.74E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	5.38E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.39E-19
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.40E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	9.83E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.20E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.57E-15
				Total	0.00E+00	2.54E-11
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.29E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.61E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	5.36E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.84E-19
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.58E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	9.87E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.33E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.16E-15
				Total	0.00E+00	2.53E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.29E-11
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.76E-12
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	6.70E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	5.24E-19
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.16E-16
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.24E-15
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.79E-17
RCPTR_23	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.12E-15
				Total	0.00E+00	2.54E-11
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.96E-06
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.16E-06
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	4.82E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	5.40E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.23E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	9.57E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.82E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.36E-10
				Total	0.00E+00	8.24E-06
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	5.55E-07
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	4.65E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	6.12E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	7.87E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	6.09E-09
				Total	0.00E+00	6.87E-07
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	1.78E-13	4.18E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.19E-15	6.77E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	6.60E-21	3.76E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	7.57E-23	4.31E-18
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.12E-20	1.78E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.30E-19	7.38E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.52E-21	1.44E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.85E-18	1.05E-13
				Total	1.84E-13	4.36E-09
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.20E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.05E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.04E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.29E-17
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.36E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	5.96E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.11E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.05E-12
				Total	0.00E+00	6.17E-08
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.61E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.11E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.38E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.93E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.04E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.68E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.66E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.42E-10
				Total	0.00E+00	2.23E-06
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	7.97E-15	1.19E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.06E-14	1.90E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.08E-19	1.94E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.26E-21	2.26E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	5.19E-19	9.32E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.12E-18	3.81E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	4.17E-20	7.49E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.46E-17	4.41E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.97E-14	3.18E-09
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.01E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.21E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.31E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.88E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.12E-10
				Total	0.00E+00	2.36E-09
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	3.65E-11	2.03E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.66E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.95E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.86E-07
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.93E-09
				Total	3.65E-11	1.04E-06
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.07E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.87E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.57E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.38E-18
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.05E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.30E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.48E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.01E-13
				Total	0.00E+00	2.69E-09
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.62E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	3.93E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	6.67E-17
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	8.12E-19

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.35E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.28E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.63E-17
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	6.76E-15
				Total	0.00E+00	3.21E-11
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.07E-13	4.47E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.17E-13	9.52E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.12E-16	1.90E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.27E-19	6.35E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.59E-16	2.62E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	7.09E-15	3.21E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.74E-17	2.55E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.09E-14	2.12E-09
				Total	4.75E-13	2.59E-08
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.62E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.11E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.99E-17
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.01E-18
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.16E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.78E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.40E-17
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.56E-13
				Total	0.00E+00	4.79E-09
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	5.30E-12	4.51E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.65E-13	1.67E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.93E-19	1.22E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.18E-21	1.37E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	8.99E-19	5.66E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	3.82E-18	2.41E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	7.32E-20	4.61E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.29E-16	8.15E-12
				Total	6.33E-12	8.16E-08
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.73E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.57E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.15E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.46E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.02E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.17E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	4.64E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	8.98E-12
				Total	0.00E+00	2.02E-09
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.89E-12
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	6.01E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.04E-17
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.67E-19
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.52E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	5.87E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.20E-17
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	3.82E-15
				Total	0.00E+00	3.62E-12
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.70E-07
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.04E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	3.83E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	4.51E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.86E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	7.45E-13
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.48E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	6.28E-12
				Total	0.00E+00	1.76E-07
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.61E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.22E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	6.97E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.11E-18
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.35E-15
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.36E-14
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.69E-16
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.47E-13
				Total	0.00E+00	3.75E-09
RCPTR_23	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	6.24E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	4.79E-08
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	2.29E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	4.19E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	4.32E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	4.52E-09
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	2.41E-11
RCPTR_23	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.58E-09
				Total	0.00E+00	5.82E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	6.19E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	5.21E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	6.86E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	8.81E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	6.82E-10
				Total	0.00E+00	7.67E-08
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	4.23E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	7.78E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	5.84E-16
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	6.32E-18
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.61E-15
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.14E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.13E-16
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.01E-13
				Total	0.00E+00	1.19E-08
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.28E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.64E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.47E-15
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.91E-17
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.61E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	6.88E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.32E-15
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.71E-12
				Total	0.00E+00	1.79E-08
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.34E-11	2.47E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	9.89E-10	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	6.20E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	6.33E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	1.54E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	1.84E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	6.09E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	5.44E-11	0.00E+00
				Total	1.09E-09	2.47E-08
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	6.92E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	8.64E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	5.87E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	4.81E-16
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.99E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.02E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	5.05E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.46E-13
				Total	0.00E+00	5.65E-10
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.66E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.66E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.80E-17
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.26E-19
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.76E-16
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.49E-16
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.43E-17
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.74E-14
				Total	0.00E+00	1.58E-10
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.98E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.90E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	4.50E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.32E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	5.45E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	7.74E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	6.09E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.09E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	9.57E-09
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.04E-12	1.75E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	4.17E-11	8.67E-07
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.91E-16	3.87E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.09E-18	4.35E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	8.61E-16	1.79E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	3.74E-15	7.60E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	7.01E-17	1.45E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	5.89E-14	1.23E-09
				Total	4.93E-10	5.24E-06
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.86E-12	3.18E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.65E-11	1.52E-06
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.32E-16	5.41E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.46E-18	6.09E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	6.04E-16	2.52E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	2.60E-15	1.06E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	4.91E-17	2.04E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.61E-14	1.92E-09
				Total	4.99E-10	1.05E-05
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.86E-14	7.73E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.02E-14	1.65E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.13E-17	3.29E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.09E-19	1.10E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.48E-17	4.54E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.23E-15	5.56E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	6.47E-18	4.42E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.62E-15	3.66E-10
				Total	8.30E-14	4.52E-09
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	2.55E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.42E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.40E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	8.11E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.49E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.39E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.13E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	6.49E-15	0.00E+00
				Total	5.07E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	9.91E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	5.81E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	7.08E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.72E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	8.36E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	7.06E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	5.58E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.65E-14	0.00E+00
				Total	1.98E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	6.26E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	3.69E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.02E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	8.93E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.19E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	1.99E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.78E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.73E-13	0.00E+00
				Total	4.35E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	2.46E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.45E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	6.86E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.62E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	4.75E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	6.76E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	6.07E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	6.87E-13	0.00E+00
				Total	1.61E-10	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	2.96E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.75E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	6.95E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.14E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.43E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	6.85E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	6.16E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	8.31E-14	0.00E+00
				Total	1.35E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	6.74E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.03E-17
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.02E-09
				Total	0.00E+00	7.00E-08
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	5.52E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.39E-07
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	9.43E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.10E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.13E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.51E-07
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.53E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	6.55E-08
				Total	0.00E+00	3.75E-07
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	8.08E-11
				Total	0.00E+00	8.08E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.95E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	4.25E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	9.97E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.03E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	9.47E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.15E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	3.98E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	6.53E-08
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.14E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.32E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	9.68E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.23E-15
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.08E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.83E-12
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	3.92E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	7.57E-12
				Total	0.00E+00	1.70E-09
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	3.56E-16	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.03E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.41E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.31E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.50E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.27E-16	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	8.73E-16	0.00E+00
				Total	3.44E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	3.53E-17	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.87E-16	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.50E-16	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	5.54E-17	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.03E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.47E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.24E-17	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	8.66E-17	0.00E+00
				Total	3.03E-15	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	7.93E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	5.28E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.11E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.09E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.18E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	3.89E-13	0.00E+00
				Total	1.32E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.43E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	8.95E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	7.87E-12	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	6.53E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.24E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	7.73E-11	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	8.08E-13	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	6.03E-13	0.00E+00
				Total	2.05E-10	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.39E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	4.36E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	6.77E-16
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	7.65E-18
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.16E-15
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.34E-14
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.57E-16
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.65E-13
				Total	0.00E+00	1.27E-09
RCPTR_23	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.59E-06
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	7.01E-06
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	2.42E-10
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.40E-13
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	5.68E-11
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	4.26E-09
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.96E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.52E-09
				Total	0.00E+00	2.05E-04
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.96E-06
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.16E-06
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	4.82E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	5.40E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.23E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	9.57E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.82E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.36E-10
				Total	0.00E+00	8.24E-06
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	5.55E-07
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	4.65E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	6.12E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	7.87E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	6.09E-09
				Total	0.00E+00	6.87E-07
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	1.78E-13	4.18E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.19E-15	6.77E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	6.60E-21	3.76E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	7.57E-23	4.31E-18
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.12E-20	1.78E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.30E-19	7.38E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.52E-21	1.44E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.85E-18	1.05E-13
				Total	1.84E-13	4.36E-09
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.20E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.05E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.04E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.29E-17
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.36E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	5.96E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.11E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.05E-12
				Total	0.00E+00	6.17E-08
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.61E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.11E-07
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.38E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.93E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.04E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.68E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.66E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.42E-10
				Total	0.00E+00	2.23E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	7.97E-15	1.19E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.06E-14	1.90E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.08E-19	1.94E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.26E-21	2.26E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	5.19E-19	9.32E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.12E-18	3.81E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	4.17E-20	7.49E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.46E-17	4.41E-12
				Total	1.97E-14	3.18E-09
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.01E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.21E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.31E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.88E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.12E-10
				Total	0.00E+00	2.36E-09
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	3.65E-11	2.03E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.66E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.95E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.86E-07
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.93E-09
				Total	3.65E-11	1.04E-06
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.07E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.87E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.57E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.38E-18
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.05E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.30E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.48E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.01E-13
				Total	0.00E+00	2.69E-09
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.62E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	3.93E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	6.67E-17
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	8.12E-19
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.35E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.28E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.63E-17
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	6.76E-15
				Total	0.00E+00	3.21E-11
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.07E-13	4.47E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.17E-13	9.52E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.12E-16	1.90E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.27E-19	6.35E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.59E-16	2.62E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	7.09E-15	3.21E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.74E-17	2.55E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.09E-14	2.12E-09
				Total	4.75E-13	2.59E-08
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.62E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.11E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.99E-17
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.01E-18
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.16E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.78E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.40E-17
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.56E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.79E-09
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	5.30E-12	4.51E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.65E-13	1.67E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.93E-19	1.22E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.18E-21	1.37E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	8.99E-19	5.66E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	3.82E-18	2.41E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	7.32E-20	4.61E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.29E-16	8.15E-12
				Total	6.33E-12	8.16E-08
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.73E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.57E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.15E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.46E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.02E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.17E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	4.64E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	8.98E-12
				Total	0.00E+00	2.02E-09
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.89E-12
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	6.01E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.04E-17
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.67E-19
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.52E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	5.87E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.20E-17
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	3.82E-15
				Total	0.00E+00	3.62E-12
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.70E-07
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.04E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	3.83E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	4.51E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.86E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	7.45E-13
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.48E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	6.28E-12
				Total	0.00E+00	1.76E-07
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.61E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.22E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	6.97E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.11E-18
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.35E-15
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.36E-14
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.69E-16
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.47E-13
				Total	0.00E+00	3.75E-09
RCPTR_23	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	6.24E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	4.79E-08
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	2.29E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	4.19E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	4.32E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	4.52E-09
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	2.41E-11
RCPTR_23	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.58E-09
				Total	0.00E+00	5.82E-08
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.01E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.00E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	4.06E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.06E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.99E-10
				Total	0.00E+00	3.13E-08
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	3.43E-12	9.51E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	1.29E-09	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	4.87E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	6.18E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	1.48E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	2.94E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	1.81E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	3.96E-12	0.00E+00
				Total	1.40E-09	9.51E-10
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	2.88E-13
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	7.36E-11
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.35E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	3.95E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	5.72E-12
				Total	0.00E+00	6.10E-10
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	6.90E-12	5.75E-11
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.86E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.14E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.86E-07
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	4.56E-10
				Total	6.90E-12	2.76E-07
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	7.19E-11
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	2.66E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	5.34E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	9.73E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	9.81E-10
				Total	0.00E+00	1.79E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	6.64E-11
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	3.18E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	2.46E-08
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.86E-06
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.39E-10
				Total	0.00E+00	1.91E-06
RCPTR_24	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.62E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.49E-07
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	2.19E-09
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.63E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.67E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	8.73E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.39E-10
RCPTR_24	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.15E-09
				Total	0.00E+00	1.64E-07
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.71E-09
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.20E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	9.02E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	6.49E-18
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.64E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.63E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	2.03E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.22E-13
				Total	0.00E+00	2.47E-08
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.69E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.24E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	5.09E-09
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.33E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.43E-09
				Total	0.00E+00	4.34E-07
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	4.31E-14	1.52E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	4.17E-16	2.37E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	7.94E-21	4.41E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	5.70E-23	3.25E-18
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	2.32E-20	1.32E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	3.16E-20	1.76E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.77E-21	1.00E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	1.04E-19	5.93E-15
				Total	5.06E-14	2.00E-10
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.04E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.46E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	9.10E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	6.32E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.57E-14
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.62E-14
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.98E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.50E-13
				Total	0.00E+00	4.63E-08
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	6.77E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.21E-09
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	8.80E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.47E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	6.00E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.10E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	6.41E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.54E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	6.35E-09
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	7.68E-12	2.13E-09
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	2.16E-09	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	8.20E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.01E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	2.41E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	4.95E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	3.04E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	6.47E-12	0.00E+00
				Total	2.34E-09	2.13E-09
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.06E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.45E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	2.14E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.58E-19
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	6.41E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	8.56E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	4.88E-18
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.31E-16
				Total	0.00E+00	1.47E-11
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.39E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.87E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	4.57E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.74E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.52E-14
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.74E-14
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	1.10E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.57E-14
				Total	0.00E+00	6.47E-11
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.66E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	9.13E-09
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.64E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.37E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	5.57E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	6.23E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	4.00E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	5.15E-12
				Total	0.00E+00	9.66E-09
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.22E-14	7.09E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	5.70E-15	2.23E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	9.13E-19	3.24E-14
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	6.75E-21	2.66E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.75E-18	1.08E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.47E-18	1.24E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	2.02E-19	7.83E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.95E-18	1.16E-13
				Total	3.24E-14	2.41E-10
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	5.51E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.21E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	7.05E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	1.05E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	4.26E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.50E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.80E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.72E-14	0.00E+00
				Total	1.69E-09	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	8.86E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	9.24E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	4.55E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	3.03E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.23E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.75E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	9.38E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	2.08E-10
				Total	0.00E+00	1.70E-06
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.39E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.77E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	6.69E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.45E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.40E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.37E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.42E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.45E-13
				Total	0.00E+00	1.25E-09
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	6.04E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	6.49E-05
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.33E+01
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	2.12E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	8.62E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	4.71E+01
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	5.21E-01
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	5.31E-10
				Total	0.00E+00	6.10E+01
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.78E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	4.77E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	4.18E-09
				Total	0.00E+00	2.07E-07
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.02E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.60E-06
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	5.51E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	4.20E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	4.27E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.78E-06
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	8.96E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.87E-07
				Total	0.00E+00	5.23E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.50E-10
				Total	0.00E+00	1.50E-10
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.52E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.03E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.79E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.01E-19
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.17E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.12E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.28E-18
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.32E-15
				Total	0.00E+00	1.89E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	5.54E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.39E-08
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.81E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.88E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.08E-07
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.10E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.14E-08
				Total	0.00E+00	9.37E-07
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.40E-13	1.78E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.01E-14	6.35E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.48E-20	1.55E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.79E-22	1.13E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	7.28E-20	4.58E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	9.95E-20	6.24E-15
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	5.58E-21	3.51E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.93E-19	4.99E-14
				Total	2.76E-13	1.30E-09
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	7.11E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.55E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	8.64E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.62E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.40E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.75E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.32E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.21E-15	0.00E+00
				Total	5.69E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.44E-11
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	5.81E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.50E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.89E-18
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	7.69E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	9.86E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	5.77E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.96E-15
				Total	0.00E+00	4.35E-11
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.95E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.35E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.36E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	5.88E-19
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	2.39E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	5.05E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.91E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.32E-16
				Total	0.00E+00	3.63E-12
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.95E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.25E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.37E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	6.64E-19
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.70E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	5.12E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	2.12E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	4.09E-16
				Total	0.00E+00	3.54E-12
RCPTR_24	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.95E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.37E-12
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.72E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	9.08E-19
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.70E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	6.47E-16
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.85E-17
RCPTR_24	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	5.33E-16
				Total	0.00E+00	3.66E-12
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.51E-07
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.74E-06
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.30E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	9.35E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.81E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	5.24E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.93E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.77E-11
				Total	0.00E+00	3.38E-06
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	4.77E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	3.32E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.36E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	3.55E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	6.48E-10
				Total	0.00E+00	1.19E-07
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.01E-13	3.55E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	9.59E-16	5.45E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.83E-20	1.01E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.31E-22	7.48E-18
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	5.34E-20	3.05E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	7.26E-20	4.04E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	4.07E-21	2.31E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	2.39E-19	1.36E-14
				Total	1.15E-13	4.57E-10
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.87E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	3.12E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	8.22E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	5.71E-17
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	2.32E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	3.27E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.79E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.35E-13
				Total	0.00E+00	4.06E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.37E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.78E-07
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.18E-12
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.55E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.48E-12
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.75E-12
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.67E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.42E-11
				Total	0.00E+00	1.25E-06
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	4.50E-15	1.01E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	8.57E-15	1.54E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.94E-19	5.25E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	2.18E-21	3.91E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	8.88E-19	1.59E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.17E-18	2.09E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	6.72E-20	1.20E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	3.18E-18	5.71E-13
				Total	1.64E-14	1.67E-09
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	8.73E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	1.57E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	2.91E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	8.49E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.19E-11
				Total	0.00E+00	1.31E-09
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.10E-11	1.75E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.16E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.32E-07
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.00E-07
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.50E-10
				Total	2.10E-11	5.96E-07
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.84E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.34E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.77E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.28E-17
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.21E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.10E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.98E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.89E-14
				Total	0.00E+00	1.31E-09
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.22E-12
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	3.07E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.80E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.41E-18
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.73E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	6.99E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	4.22E-17
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.74E-16
				Total	0.00E+00	6.17E-12
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.06E-14	3.79E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.63E-13	8.11E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.66E-15	4.95E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.09E-18	1.10E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.42E-16	4.47E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.35E-14	1.70E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.44E-16	4.07E-12
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.70E-15	2.73E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.01E-12	1.33E-08
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.22E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.95E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.43E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.75E-18
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.11E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.77E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.46E-17
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-14
				Total	0.00E+00	1.59E-09
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	2.99E-12	3.82E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.13E-13	1.34E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	5.24E-19	3.28E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.77E-21	2.38E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.54E-18	9.68E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	2.10E-18	1.32E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.18E-19	7.41E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.67E-17	1.05E-12
				Total	5.49E-12	2.61E-08
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.16E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.25E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	3.10E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.53E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	1.03E-12
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.19E-12
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	7.47E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.16E-12
				Total	0.00E+00	1.31E-09
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.45E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.92E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	8.21E-17
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	6.37E-19

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.59E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	3.22E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.92E-17
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.95E-16
				Total	0.00E+00	7.96E-13
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.44E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.41E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	1.03E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	7.82E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	3.18E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	4.08E-13
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	2.39E-14
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	8.12E-13
				Total	0.00E+00	1.80E-08
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.06E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.01E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.88E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.41E-17
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.73E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.47E-15
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.32E-16
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.90E-14
				Total	0.00E+00	3.92E-10
RCPTR_24	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	5.37E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	3.43E-08
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	5.10E-10
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	5.97E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	6.07E-11
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	2.04E-09
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.19E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.87E-10
				Total	0.00E+00	3.76E-08
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	5.33E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	3.71E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.52E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	3.97E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	7.25E-11
				Total	0.00E+00	1.33E-08
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	3.58E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	5.98E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.58E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	1.10E-17
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	4.46E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	6.27E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	3.43E-16
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.60E-14
				Total	0.00E+00	7.82E-09
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.08E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.58E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.37E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.77E-17
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.76E-14
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.77E-14
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.11E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.50E-13
				Total	0.00E+00	1.00E-08
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	7.66E-12	2.13E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	2.04E-09	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	7.75E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	9.50E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	2.27E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	4.68E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	2.87E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	6.09E-12	0.00E+00
				Total	2.21E-09	2.13E-09
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	5.86E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	6.71E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.64E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	8.34E-16
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	3.40E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.81E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	8.35E-14
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	8.36E-14
				Total	0.00E+00	2.82E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.95E-14
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.35E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.02E-16
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.38E-19
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.01E-16
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.10E-16
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.30E-17
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.25E-15
				Total	0.00E+00	7.67E-11
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.52E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.54E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.24E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	2.28E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	9.30E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	4.33E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	9.91E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.41E-11
				Total	0.00E+00	5.10E-09
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.15E-12	1.49E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.47E-11	7.01E-07
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	6.42E-16	1.04E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	3.61E-18	7.53E-14
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.47E-15	3.07E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.50E-15	4.16E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.17E-16	2.34E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.62E-15	1.59E-10
				Total	1.28E-09	2.65E-06
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.05E-12	2.70E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.03E-11	1.23E-06
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	4.20E-16	1.46E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.53E-18	1.06E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	1.03E-15	4.30E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.65E-15	5.83E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	8.13E-17	3.28E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.97E-15	2.49E-10
				Total	1.30E-09	5.22E-06
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.05E-14	6.55E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	4.54E-14	1.40E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.15E-15	8.55E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.88E-19	1.90E-14
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	7.64E-17	7.73E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.07E-15	2.93E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.21E-17	7.03E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.67E-16	4.73E-11
				Total	1.78E-13	2.31E-09
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.44E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	6.87E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.27E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	4.07E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.23E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	4.61E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	8.85E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.43E-15	0.00E+00
				Total	2.41E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	5.61E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.81E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.19E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.38E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	4.17E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.42E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	1.00E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	9.50E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	3.55E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.69E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	3.16E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	4.52E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	5.97E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	6.41E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.29E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	6.56E-14	0.00E+00
				Total	2.04E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.39E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	6.64E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.08E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.84E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.38E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.19E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.40E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.61E-13	0.00E+00
				Total	7.61E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.67E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	7.97E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.09E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.09E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.72E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.22E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.48E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	3.16E-14	0.00E+00
				Total	6.26E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	5.71E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.44E-17
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.32E-10
				Total	0.00E+00	6.54E-09
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	4.68E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.17E-07
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.46E-08
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.89E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.92E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	7.92E-08
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	4.03E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	8.42E-09
				Total	0.00E+00	2.35E-07
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	6.84E-12
				Total	0.00E+00	6.84E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.50E-08
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.06E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.72E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.74E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	4.74E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	4.94E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	5.11E-10
				Total	0.00E+00	4.12E-08
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.66E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.05E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.61E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	2.13E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	8.68E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.00E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	6.29E-14
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.79E-13
				Total	0.00E+00	1.10E-09
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.02E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	9.54E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.34E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	7.01E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	6.44E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	4.74E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	8.97E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.24E-16	0.00E+00
				Total	1.53E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.00E-17	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	9.11E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.30E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.76E-16	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	5.06E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	4.67E-15	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	8.80E-17	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	3.22E-17	0.00E+00
				Total	1.34E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	4.49E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.15E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.88E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	3.81E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	9.26E-13	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.57E-13	0.00E+00
				Total	6.02E-11	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	8.07E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	3.79E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.30E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.50E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.77E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.64E-10	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	6.20E-12	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.41E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.03E-09	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.18E-12
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.55E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.83E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.33E-17
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	5.40E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	7.32E-15
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	4.13E-16
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.71E-14
				Total	0.00E+00	7.23E-10
RCPTR_24	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.04E-07
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	6.25E-06
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	6.79E-10
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.42E-13
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	9.70E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.42E-09
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.24E-11
RCPTR_24	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.56E-10
				Total	0.00E+00	9.37E-05
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.51E-07
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.74E-06
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.30E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	9.35E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.81E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	5.24E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.93E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.77E-11
				Total	0.00E+00	3.38E-06
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	4.77E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	3.32E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.36E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	3.55E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	6.48E-10
				Total	0.00E+00	1.19E-07
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.01E-13	3.55E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	9.59E-16	5.45E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.83E-20	1.01E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.31E-22	7.48E-18
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	5.34E-20	3.05E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	7.26E-20	4.04E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	4.07E-21	2.31E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	2.39E-19	1.36E-14
				Total	1.15E-13	4.57E-10
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.87E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	3.12E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	8.22E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	5.71E-17
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	2.32E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	3.27E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.79E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.35E-13
				Total	0.00E+00	4.06E-08
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.37E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.78E-07
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.18E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.55E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.48E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.75E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.67E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.42E-11
				Total	0.00E+00	1.25E-06
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	4.50E-15	1.01E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	8.57E-15	1.54E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.94E-19	5.25E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	2.18E-21	3.91E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	8.88E-19	1.59E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.17E-18	2.09E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	6.72E-20	1.20E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	3.18E-18	5.71E-13
				Total	1.64E-14	1.67E-09
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	8.73E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	1.57E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	2.91E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	8.49E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.19E-11
				Total	0.00E+00	1.31E-09
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.10E-11	1.75E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.16E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.32E-07
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.00E-07
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.50E-10
				Total	2.10E-11	5.96E-07
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.84E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.34E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.77E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.28E-17
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.21E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.10E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.98E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.89E-14
				Total	0.00E+00	1.31E-09
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.22E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	3.07E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.80E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.41E-18
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.73E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	6.99E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	4.22E-17
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.74E-16
				Total	0.00E+00	6.17E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.06E-14	3.79E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.63E-13	8.11E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.66E-15	4.95E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.09E-18	1.10E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.42E-16	4.47E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.35E-14	1.70E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.44E-16	4.07E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.70E-15	2.73E-10
				Total	1.01E-12	1.33E-08
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.22E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.95E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.43E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.75E-18
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.11E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.77E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.46E-17
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-14
				Total	0.00E+00	1.59E-09
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	2.99E-12	3.82E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.13E-13	1.34E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	5.24E-19	3.28E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.77E-21	2.38E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.54E-18	9.68E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	2.10E-18	1.32E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.18E-19	7.41E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.67E-17	1.05E-12
				Total	5.49E-12	2.61E-08
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.16E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.25E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	3.10E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.53E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	1.03E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.19E-12
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	7.47E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.16E-12
				Total	0.00E+00	1.31E-09
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.45E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.92E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	8.21E-17
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	6.37E-19
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.59E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	3.22E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.92E-17
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.95E-16
				Total	0.00E+00	7.96E-13
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.44E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.41E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	1.03E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	7.82E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	3.18E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	4.08E-13
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	2.39E-14
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	8.12E-13
				Total	0.00E+00	1.80E-08
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.06E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.01E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.88E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.41E-17
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.73E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.47E-15
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.32E-16
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.90E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.92E-10
RCPTR_24	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	5.37E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	3.43E-08
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	5.10E-10
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	5.97E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	6.07E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	2.04E-09
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.19E-11
RCPTR_24	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.87E-10
				Total	0.00E+00	3.76E-08
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.49E-07
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.39E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.82E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	2.33E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.86E-09
				Total	0.00E+00	1.89E-07
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	7.61E-12	1.41E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	6.31E-10	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	3.90E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	4.08E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	9.90E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	1.16E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	3.87E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	3.51E-11	0.00E+00
				Total	6.98E-10	1.41E-08
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	4.26E-12
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.03E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	6.05E-11
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	8.70E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	5.34E-11
				Total	0.00E+00	1.09E-09
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.53E-11	8.52E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.01E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.75E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.09E-07
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	4.26E-09
				Total	1.53E-11	4.83E-07
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.07E-09
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	3.72E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	2.39E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	2.15E-07
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	9.16E-09
				Total	0.00E+00	2.86E-07
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	9.83E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	4.44E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.10E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	4.10E-06
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.30E-09
				Total	0.00E+00	4.16E-06
RCPTR_24	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.40E-09
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.07E-07
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	9.78E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	1.83E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.89E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.93E-08
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.04E-10
RCPTR_24	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.00E-08
				Total	0.00E+00	2.52E-07
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.54E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.81E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	4.04E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.52E-18
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.87E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	8.01E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.52E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.14E-12
				Total	0.00E+00	6.80E-08
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.50E-06
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.73E-07
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	2.28E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	2.92E-07
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.27E-08
				Total	0.00E+00	2.99E-06
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	9.58E-14	2.25E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	6.24E-16	3.55E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	3.47E-21	1.97E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.97E-23	2.27E-18
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.64E-20	9.35E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	6.82E-20	3.88E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.32E-21	7.55E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	9.71E-19	5.53E-14
				Total	9.88E-14	2.34E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	3.02E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	5.42E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	4.07E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.41E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.82E-14
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	7.98E-14
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.49E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.40E-12
				Total	0.00E+00	8.06E-08
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.00E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.68E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	3.94E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.03E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.24E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	6.83E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.81E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.43E-10
				Total	0.00E+00	1.39E-08
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.71E-11	3.16E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.04E-09	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	6.53E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	6.67E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	1.62E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	1.94E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	6.41E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	5.73E-11	0.00E+00
				Total	1.16E-09	3.16E-08
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.56E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	2.17E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	9.59E-18
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.10E-19
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.53E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.89E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.66E-18
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.08E-15
				Total	0.00E+00	1.65E-10
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.07E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	7.58E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	2.05E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.61E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.08E-14
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.85E-14
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	8.27E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.46E-13
				Total	0.00E+00	2.87E-10
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.94E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.41E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	7.34E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	9.53E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.93E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.37E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.00E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.80E-11
				Total	0.00E+00	1.57E-08
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	4.94E-14	1.05E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	8.75E-15	3.44E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.73E-19	1.45E-14
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.70E-21	1.85E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.94E-18	7.64E-14
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	7.02E-18	2.74E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.50E-19	5.88E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.75E-17	1.08E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	5.97E-14	4.75E-10
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.22E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.34E-10	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	5.20E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	7.30E-17	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.01E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	9.14E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.10E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.47E-13	0.00E+00
				Total	6.59E-10	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.31E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.43E-06
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	2.04E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.11E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	8.71E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.86E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	7.04E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.94E-09
				Total	0.00E+00	3.18E-06
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.54E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	4.31E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	2.99E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.40E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	9.91E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.22E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.57E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.22E-12
				Total	0.00E+00	2.61E-09
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	8.95E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	9.09E-05
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	5.95E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.47E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	6.09E-05
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.04E+02
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	3.92E-01
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.96E-09
				Total	0.00E+00	1.10E+02
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.64E-06
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	6.67E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.90E-08
				Total	0.00E+00	2.73E-06
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.51E-07
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.69E-06
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.46E-07
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.93E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.02E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	3.92E-06
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.73E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.75E-06
				Total	0.00E+00	9.88E-06
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.22E-09
				Total	0.00E+00	2.22E-09
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.73E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.54E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.25E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.40E-19
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.77E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.48E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.71E-18
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.17E-14
				Total	0.00E+00	6.64E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	7.88E-07
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.07E-08
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.66E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.74E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.37E-07
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	8.28E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.06E-07
				Total	0.00E+00	1.68E-06
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.10E-13	2.64E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.51E-14	9.53E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.10E-20	6.95E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.25E-22	7.84E-18
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	5.14E-20	3.24E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	2.19E-19	1.38E-14
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.18E-21	2.63E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.40E-18	4.66E-13
				Total	3.68E-13	4.69E-09
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.58E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	7.90E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	5.98E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	5.50E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.11E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	5.90E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	5.00E-16	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.40E-15	0.00E+00
				Total	1.35E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	5.10E-10
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	8.87E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.12E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.32E-18
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	5.44E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	2.17E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.33E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.83E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.26E-10
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.88E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	2.09E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	6.08E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.09E-19
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.69E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.11E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.43E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.10E-15
				Total	0.00E+00	3.17E-11
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.88E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.94E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	6.11E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	4.63E-19
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.91E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.13E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.59E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.81E-15
				Total	0.00E+00	3.15E-11
RCPTR_24	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.88E-11
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	2.12E-12
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	7.69E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	6.32E-19
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.61E-16
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.43E-15
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.14E-17
RCPTR_24	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.97E-15
				Total	0.00E+00	3.17E-11
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	3.72E-06
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.61E-06
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	5.82E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	6.52E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.69E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.16E-12
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.20E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.65E-10
				Total	0.00E+00	9.44E-06
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	7.07E-07
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	4.62E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	6.09E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	7.83E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	6.04E-09
				Total	0.00E+00	8.39E-07
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.24E-13	5.25E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.43E-15	8.18E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	7.98E-21	4.54E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	9.14E-23	5.21E-18
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.77E-20	2.15E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.57E-19	8.92E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	3.05E-21	1.74E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	2.23E-18	1.27E-13
				Total	2.30E-13	5.44E-09
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.77E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.90E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.68E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.98E-17
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.64E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	7.21E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.34E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.26E-12
				Total	0.00E+00	7.01E-08
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.02E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.59E-07
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.29E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.96E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.46E-12
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.05E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.00E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.13E-10
				Total	0.00E+00	2.38E-06
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	1.00E-14	1.50E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.28E-14	2.29E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.31E-19	2.35E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.52E-21	2.73E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	6.27E-19	1.13E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.57E-18	4.60E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.04E-20	9.04E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.97E-17	5.33E-12
				Total	2.39E-14	3.88E-09
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.29E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.20E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.30E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.87E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.11E-10
				Total	0.00E+00	2.35E-09
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	4.66E-11	2.59E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.62E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.92E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.82E-07
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.86E-09
				Total	4.66E-11	1.04E-06
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.01E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.47E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.94E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.91E-18
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.68E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.57E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.99E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.63E-13
				Total	0.00E+00	2.75E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	3.29E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	4.75E-12
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	8.06E-17
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	9.81E-19
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.05E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.54E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.17E-17
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.16E-15
				Total	0.00E+00	3.97E-11
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.35E-13	5.61E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.35E-13	1.12E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.78E-16	2.21E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.56E-19	7.65E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.12E-16	3.16E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.23E-15	3.74E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.45E-17	3.05E-12
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.52E-14	2.55E-09
				Total	5.27E-13	2.93E-08
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.29E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.34E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.09E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.22E-18
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.03E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.16E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.10E-17
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.89E-13
				Total	0.00E+00	5.69E-09
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	6.65E-12	5.66E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	3.20E-13	2.01E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.33E-19	1.47E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.63E-21	1.66E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.09E-18	6.84E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.62E-18	2.91E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	8.84E-20	5.57E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.56E-16	9.84E-12
				Total	7.74E-12	9.66E-08
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	4.68E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.90E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.39E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.76E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	7.27E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.62E-12
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	5.61E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.08E-11
				Total	0.00E+00	2.44E-09
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	3.63E-12
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	7.26E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.67E-17
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	4.44E-19
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.83E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	7.10E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.44E-17
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.62E-15
				Total	0.00E+00	4.49E-12
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.14E-07
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.67E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	4.62E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	5.45E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.25E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	9.00E-13
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.79E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.58E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.20E-07
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.53E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.51E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.42E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.80E-18
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.05E-15
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.65E-14
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.25E-16
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.78E-13
				Total	0.00E+00	4.69E-09
RCPTR_24	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	7.96E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	4.76E-08
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	2.28E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	4.16E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	4.29E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	4.50E-09
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	2.40E-11
RCPTR_24	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.55E-09
				Total	0.00E+00	5.80E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	7.90E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	5.17E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	6.82E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	8.76E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	6.76E-10
				Total	0.00E+00	9.37E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	5.31E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	9.39E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	7.06E-16
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	7.63E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.15E-15
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.38E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.57E-16
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.42E-13
				Total	0.00E+00	1.35E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.60E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.81E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.19E-15
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.72E-17
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.95E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.31E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.59E-15
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.27E-12
				Total	0.00E+00	1.91E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.70E-11	3.15E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	9.82E-10	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	6.17E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	6.28E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	1.52E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	1.83E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	6.04E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	5.39E-11	0.00E+00
				Total	1.09E-09	3.15E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	8.69E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.04E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.34E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.81E-16
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.40E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.28E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.27E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.80E-13
				Total	0.00E+00	5.88E-10
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	5.85E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.00E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.58E-17
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	5.14E-19
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.12E-16
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	9.04E-16
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.73E-17
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.10E-14
				Total	0.00E+00	1.62E-10
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	3.73E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.29E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	5.55E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.59E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	6.57E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	9.55E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	7.44E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.32E-10
				Total	0.00E+00	1.03E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.57E-12	2.20E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	5.04E-11	1.05E-06
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	2.30E-16	4.67E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.52E-18	5.25E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.04E-15	2.17E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.51E-15	9.17E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	8.46E-17	1.76E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.11E-14	1.48E-09
				Total	5.03E-10	5.42E-06
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.33E-12	4.00E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	4.41E-11	1.83E-06
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.60E-16	6.53E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.76E-18	7.35E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	7.28E-16	3.04E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	3.14E-15	1.29E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	5.93E-17	2.46E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.57E-14	2.32E-09
				Total	5.07E-10	1.08E-05
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.33E-14	9.70E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.34E-14	1.95E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.27E-17	3.82E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.31E-19	1.32E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	5.40E-17	5.46E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.42E-15	6.46E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	7.70E-18	5.28E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.36E-15	4.41E-10
				Total	9.19E-14	5.10E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.20E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.49E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.56E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	8.55E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.62E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.55E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.25E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	6.84E-15	0.00E+00
				Total	5.44E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.25E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	6.17E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	8.12E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.89E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	8.89E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	8.10E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	6.34E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.82E-14	0.00E+00
				Total	2.18E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	7.88E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	3.89E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.19E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	9.56E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.28E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.16E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.94E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.86E-13	0.00E+00
				Total	4.70E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.10E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.53E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	7.48E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.89E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	5.09E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	7.38E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	6.63E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	7.36E-13	0.00E+00
				Total	1.74E-10	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	3.72E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.84E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	7.59E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.30E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.69E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	7.49E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	6.74E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	8.93E-14	0.00E+00
				Total	1.46E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	8.46E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.02E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.23E-09
				Total	0.00E+00	8.74E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	6.93E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.66E-07
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.10E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.32E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.36E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.75E-07
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.03E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.86E-08
				Total	0.00E+00	4.43E-07
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.01E-10
				Total	0.00E+00	1.01E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.55E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	4.72E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.20E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.23E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.05E-08
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.71E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.77E-09
				Total	0.00E+00	7.32E-08
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.94E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.60E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.17E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.48E-15
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	6.13E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	2.21E-12
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.73E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.14E-12
				Total	0.00E+00	2.06E-09
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.48E-16	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.12E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.62E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.47E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.37E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.60E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.35E-16	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	9.12E-16	0.00E+00
				Total	3.64E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	4.45E-17	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.96E-16	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.59E-16	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	5.78E-17	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.08E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.57E-15	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.32E-17	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	9.05E-17	0.00E+00
				Total	3.21E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	9.97E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	5.87E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.31E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.29E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.39E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	4.50E-13	0.00E+00
				Total	1.55E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.79E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	9.76E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	9.09E-12	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	7.43E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.96E-11	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	8.94E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	9.37E-13	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	6.87E-13	0.00E+00
				Total	2.35E-10	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.74E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	5.27E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	8.17E-16
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	9.23E-18
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.81E-15
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.62E-14
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.10E-16
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.40E-13
				Total	0.00E+00	1.36E-09
RCPTR_24	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	4.50E-06
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	8.75E-06
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.04E-10
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.69E-13
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.85E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	5.34E-09
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.44E-11
RCPTR_24	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.25E-09
				Total	0.00E+00	2.08E-04
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	3.72E-06
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.61E-06
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	5.82E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	6.52E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.69E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.16E-12
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.20E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.65E-10
				Total	0.00E+00	9.44E-06
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	7.07E-07
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	4.62E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	6.09E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	7.83E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	6.04E-09
				Total	0.00E+00	8.39E-07
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.24E-13	5.25E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.43E-15	8.18E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	7.98E-21	4.54E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	9.14E-23	5.21E-18
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.77E-20	2.15E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.57E-19	8.92E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	3.05E-21	1.74E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	2.23E-18	1.27E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	2.30E-13	5.44E-09
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.77E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.90E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.68E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.98E-17
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.64E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	7.21E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.34E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.26E-12
				Total	0.00E+00	7.01E-08
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.02E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.59E-07
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.29E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.96E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.46E-12
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.05E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.00E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.13E-10
				Total	0.00E+00	2.38E-06
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	1.00E-14	1.50E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.28E-14	2.29E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.31E-19	2.35E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.52E-21	2.73E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	6.27E-19	1.13E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.57E-18	4.60E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.04E-20	9.04E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.97E-17	5.33E-12
				Total	2.39E-14	3.88E-09
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.29E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.20E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.30E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.87E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.11E-10
				Total	0.00E+00	2.35E-09
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	4.66E-11	2.59E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.62E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.92E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.82E-07
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.86E-09
				Total	4.66E-11	1.04E-06
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.01E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.47E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.94E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.91E-18
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.68E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.57E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.99E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.63E-13
				Total	0.00E+00	2.75E-09
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	3.29E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	4.75E-12
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	8.06E-17
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	9.81E-19
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.05E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.54E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.17E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.16E-15
				Total	0.00E+00	3.97E-11
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.35E-13	5.61E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.35E-13	1.12E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.78E-16	2.21E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.56E-19	7.65E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.12E-16	3.16E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.23E-15	3.74E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.45E-17	3.05E-12
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.52E-14	2.55E-09
				Total	5.27E-13	2.93E-08
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.29E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.34E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.09E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.22E-18
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.03E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.16E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.10E-17
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.89E-13
				Total	0.00E+00	5.69E-09
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	6.65E-12	5.66E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	3.20E-13	2.01E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.33E-19	1.47E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.63E-21	1.66E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.09E-18	6.84E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.62E-18	2.91E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	8.84E-20	5.57E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.56E-16	9.84E-12
				Total	7.74E-12	9.66E-08
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	4.68E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.90E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.39E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.76E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	7.27E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.62E-12
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	5.61E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.08E-11
				Total	0.00E+00	2.44E-09
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	3.63E-12
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	7.26E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.67E-17
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	4.44E-19
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.83E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	7.10E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.44E-17
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.62E-15
				Total	0.00E+00	4.49E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.14E-07
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.67E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	4.62E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	5.45E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.25E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	9.00E-13
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.79E-14
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.58E-12
				Total	0.00E+00	2.20E-07
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.53E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.51E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.42E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.80E-18
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.05E-15
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.65E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.25E-16
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.78E-13
				Total	0.00E+00	4.69E-09
RCPTR_24	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	7.96E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	4.76E-08
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	2.28E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	4.16E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	4.29E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	4.50E-09
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	2.40E-11
RCPTR_24	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.55E-09
				Total	0.00E+00	5.80E-08
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.31E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.72E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	7.37E-09
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.92E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	3.07E-09
				Total	0.00E+00	5.06E-07
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	4.45E-11	1.24E-08
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	2.30E-08	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	8.99E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	9.52E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	2.28E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	5.43E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	3.27E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	6.10E-11	0.00E+00
				Total	2.47E-08	1.24E-08
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	3.74E-12
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.31E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	2.47E-09
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	7.24E-09
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	8.80E-11
				Total	0.00E+00	1.11E-08
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	8.98E-11	7.48E-10
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	5.27E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.14E-06
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.44E-06
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	7.03E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	8.98E-11	5.11E-06
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	9.35E-10
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	4.75E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	9.78E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.79E-06
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.51E-08
				Total	0.00E+00	3.26E-06
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	8.63E-10
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	5.50E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	4.51E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	3.40E-05
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.15E-09
				Total	0.00E+00	3.50E-05
RCPTR_25	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.11E-09
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.44E-06
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	3.89E-08
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	4.05E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	4.12E-09
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.56E-07
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.29E-09
RCPTR_25	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.31E-08
				Total	0.00E+00	2.68E-06
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.57E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	9.15E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	6.86E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.93E-17
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.01E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	2.76E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.54E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	9.30E-13
				Total	0.00E+00	1.18E-07
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.47E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.02E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	8.64E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	2.25E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.59E-08
				Total	0.00E+00	5.86E-06
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	3.96E-13	1.39E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	3.17E-15	1.80E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	6.07E-20	3.35E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	4.33E-22	2.47E-17
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.76E-19	1.01E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	2.41E-19	1.34E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.35E-20	7.64E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	7.90E-19	4.50E-14
				Total	4.06E-13	1.60E-09
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.87E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.63E-07
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	6.99E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.81E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.96E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	2.78E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.51E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.14E-12
				Total	0.00E+00	2.74E-07
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	6.21E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	9.74E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	8.65E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.12E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.57E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.05E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	5.46E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.17E-10
				Total	0.00E+00	1.95E-08
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	6.69E-11	1.86E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	3.61E-08	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	1.41E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.49E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	3.57E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	8.53E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	5.13E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	9.57E-11	0.00E+00
				Total	3.87E-08	1.86E-08
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	9.69E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.10E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.63E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.20E-18
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.87E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	6.51E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.71E-17
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.51E-15
				Total	0.00E+00	1.11E-10
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.28E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	3.70E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	3.48E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.84E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.16E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.33E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	8.37E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.19E-13
				Total	0.00E+00	5.01E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.44E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	6.94E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.25E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.04E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	4.23E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	4.74E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.04E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	3.91E-11
				Total	0.00E+00	7.03E-08
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.04E-13	6.50E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	4.33E-14	1.69E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	7.11E-18	2.47E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	5.13E-20	2.02E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.09E-17	8.22E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	2.69E-17	9.45E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.54E-18	5.95E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.24E-17	8.82E-13
				Total	2.52E-13	1.77E-09
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	5.04E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.94E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	6.84E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	8.05E-16	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.28E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.42E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.62E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.86E-13	0.00E+00
				Total	3.44E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	8.13E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	7.03E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	3.57E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.30E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	9.37E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.37E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	7.17E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.58E-09
				Total	0.00E+00	7.82E-06
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.19E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.11E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	6.09E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.62E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.07E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.16E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.99E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.62E-12
				Total	0.00E+00	3.36E-09
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	5.54E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	5.96E-04

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.22E+02
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.62E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	6.59E-04
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	4.33E+02
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.79E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.06E-09
				Total	0.00E+00	5.60E+02
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.63E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	7.59E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.17E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.69E-06
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	9.36E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.05E-05
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	4.78E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	3.23E-07
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.28E-07
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.63E-05
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.96E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.44E-06
				Total	0.00E+00	4.38E-05
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.38E-09
				Total	0.00E+00	1.38E-09
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.31E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.81E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.12E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.53E-18
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.21E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.53E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.77E-17
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.76E-14
				Total	0.00E+00	1.07E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	4.74E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.53E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.93E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.98E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.16E-06
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	9.45E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	8.72E-08
				Total	0.00E+00	6.49E-06
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.28E-12	1.64E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	7.67E-14	4.83E-09
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.89E-19	1.18E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.36E-21	8.55E-17
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	5.53E-19	3.48E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	7.57E-19	4.74E-14
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.24E-20	2.67E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.02E-18	3.79E-13
				Total	1.48E-12	6.95E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	6.44E-15	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	4.15E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	9.89E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.52E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.32E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.01E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.57E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.17E-14	0.00E+00
				Total	6.04E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.16E-10
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	4.42E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.90E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.44E-17
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	5.85E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	7.50E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.38E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.49E-14
				Total	0.00E+00	3.63E-10
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.79E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.03E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.30E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.47E-18
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.82E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	4.76E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.51E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.53E-15
				Total	0.00E+00	2.85E-11
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.79E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	9.53E-12
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.26E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	5.05E-18
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.05E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	4.67E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.66E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.11E-15
				Total	0.00E+00	2.78E-11
RCPTR_25	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.79E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.04E-11
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.55E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	6.90E-18
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.81E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	5.78E-15
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.23E-16
RCPTR_25	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.05E-15
				Total	0.00E+00	2.87E-11
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.49E-06
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.44E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.08E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	7.76E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.16E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	4.35E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.43E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.46E-10
				Total	0.00E+00	1.83E-05
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	4.54E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	5.60E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	2.40E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	6.24E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	9.95E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.67E-06
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.00E-12	3.52E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	7.96E-15	4.52E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.52E-19	8.42E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.09E-21	6.21E-17
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	4.43E-19	2.53E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	6.06E-19	3.36E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	3.38E-20	1.92E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	1.98E-18	1.13E-13
				Total	1.02E-12	4.02E-09
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.85E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.59E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	6.89E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	4.74E-16
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.93E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	2.74E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.49E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-12
				Total	0.00E+00	2.68E-07
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.36E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.80E-06
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.82E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.09E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.89E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.94E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.21E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.67E-10
				Total	0.00E+00	5.48E-06
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	4.47E-14	1.00E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	7.11E-14	1.27E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.44E-18	4.35E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.81E-20	3.25E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	7.37E-18	1.32E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	9.69E-18	1.73E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.57E-19	9.99E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.64E-17	4.74E-12
				Total	1.19E-13	1.38E-08
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	8.29E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.72E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	5.13E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.51E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.83E-10
				Total	0.00E+00	2.31E-08
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	1.99E-10	1.66E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.10E-06
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.37E-06
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	7.16E-06
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.46E-08
				Total	1.99E-10	1.06E-05
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.80E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.94E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.48E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.06E-16
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.32E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	5.91E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.31E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.23E-13
				Total	0.00E+00	3.03E-09
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.21E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.54E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.50E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.17E-17
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.75E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	5.82E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.51E-16
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.25E-15
				Total	0.00E+00	4.84E-11
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.02E-13	3.76E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.89E-12	7.19E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.24E-14	5.17E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.03E-18	9.14E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.68E-15	3.72E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.56E-13	1.79E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.53E-15	3.70E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.25E-14	2.27E-09
				Total	4.51E-12	8.49E-08
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.21E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.42E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.01E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.45E-17
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.90E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.11E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.53E-16
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.68E-13
				Total	0.00E+00	1.01E-08
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	2.97E-11	3.79E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.77E-12	1.11E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	4.35E-18	2.72E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.13E-20	1.97E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.27E-17	8.03E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.74E-17	1.09E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	9.77E-19	6.15E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.39E-16	8.75E-12
				Total	3.38E-11	1.58E-07
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.14E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.03E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.57E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.10E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	8.54E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	9.87E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	6.20E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	9.64E-12
				Total	0.00E+00	1.07E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.43E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.08E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	6.82E-16
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	5.28E-18
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.15E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	2.67E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.60E-16
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.10E-15
				Total	0.00E+00	6.58E-12
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.43E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.00E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	8.58E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	6.49E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.64E-12
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	3.39E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.98E-13
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	6.74E-12
				Total	0.00E+00	1.65E-07
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.04E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.16E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.56E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.17E-16
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.75E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.20E-14
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.58E-15
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.58E-13
				Total	0.00E+00	3.49E-09
RCPTR_25	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	5.11E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	5.54E-07
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	8.84E-09
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	9.18E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	9.33E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	3.54E-08
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	5.19E-10
RCPTR_25	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	7.49E-09
				Total	0.00E+00	6.08E-07
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	5.02E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	6.25E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	2.67E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	6.97E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.11E-09
				Total	0.00E+00	1.86E-07
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	3.53E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	4.93E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.31E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	9.02E-17
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.67E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	5.21E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.83E-15
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.14E-13
				Total	0.00E+00	5.12E-08
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.07E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.77E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	7.72E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.58E-16
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.27E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.10E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.74E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.88E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.33E-08
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	7.22E-11	2.01E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	3.52E-08	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	1.38E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	1.46E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	3.48E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	8.33E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	5.01E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	9.33E-11	0.00E+00
				Total	3.78E-08	2.01E-08
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	5.78E-12
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.54E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.61E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	6.87E-15
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.80E-12
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.68E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	7.87E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.88E-13
				Total	0.00E+00	8.43E-10
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.89E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.11E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.46E-16
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.08E-18
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.48E-15
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.39E-15
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.89E-16
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.85E-14
				Total	0.00E+00	1.75E-10
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.49E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.28E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.21E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.88E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	7.67E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	4.22E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	8.85E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.16E-10
				Total	0.00E+00	2.23E-08
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.14E-11	1.46E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.88E-10	5.77E-06
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	5.64E-15	8.64E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.98E-17	6.20E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.21E-14	2.52E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.18E-14	3.44E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	9.76E-16	1.93E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.27E-14	1.31E-09
				Total	1.54E-09	7.74E-06
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.03E-11	2.66E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.51E-10	1.01E-05
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	3.61E-15	1.21E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.09E-17	8.69E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	8.49E-15	3.54E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.41E-14	4.81E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	6.75E-16	2.70E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.91E-14	2.05E-09
				Total	1.53E-09	1.41E-05
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.03E-13	6.45E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	4.99E-13	1.24E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.25E-14	8.91E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.55E-18	1.57E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	6.31E-16	6.39E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.40E-14	3.07E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.35E-16	6.36E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.86E-15	3.91E-10
				Total	7.79E-13	1.46E-08
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.40E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	8.25E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.56E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	4.02E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.22E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	5.22E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	9.51E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.40E-14	0.00E+00
				Total	2.49E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	5.47E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	3.33E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.29E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.34E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	4.05E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.65E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	4.93E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	9.74E-14	0.00E+00
				Total	9.73E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	3.46E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	2.01E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	3.65E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	4.37E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	5.76E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	7.43E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.39E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	6.33E-13	0.00E+00
				Total	2.16E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.36E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	7.91E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.24E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.78E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.30E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.53E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.75E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.51E-12	0.00E+00
				Total	7.97E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.63E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	9.49E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.26E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.05E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.66E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.56E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.82E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	3.04E-13	0.00E+00
				Total	6.67E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	5.63E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.38E-16
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.09E-09
				Total	0.00E+00	5.81E-08
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	4.60E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	9.96E-07
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.27E-07
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.57E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.60E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	7.68E-07
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.38E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	6.99E-08
				Total	0.00E+00	2.10E-06
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	6.75E-11
				Total	0.00E+00	6.75E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.29E-07
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.17E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.43E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.45E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	5.34E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	4.51E-12
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.24E-09
				Total	0.00E+00	3.09E-07
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.63E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	8.65E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.15E-12
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.75E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	7.14E-12
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	8.26E-12
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	5.18E-13
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.06E-12
				Total	0.00E+00	8.96E-09
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.96E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.15E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.77E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	6.98E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	6.41E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	5.63E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.00E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.23E-15	0.00E+00
				Total	1.68E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	1.95E-16	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.11E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.73E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.75E-15	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	5.04E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	5.55E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	9.82E-16	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	3.21E-16	0.00E+00
				Total	1.48E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	4.39E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.35E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.97E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	4.01E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	9.10E-12	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.37E-12	0.00E+00
				Total	6.33E-10	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	7.89E-13	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	4.28E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.40E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.12E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.47E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.85E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	6.21E-11	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.15E-12	0.00E+00
				Total	9.94E-09	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.16E-11
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	2.93E-09
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.50E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.09E-16
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	4.44E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	6.03E-14
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.40E-15
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.88E-13
				Total	0.00E+00	3.30E-09
RCPTR_25	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.00E-06
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	6.03E-05
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	6.64E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.00E-12
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	7.99E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.36E-08
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.08E-10
RCPTR_25	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.75E-09
				Total	0.00E+00	1.50E-04
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.49E-06
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.44E-05
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.08E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	7.76E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.16E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	4.35E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.43E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.46E-10
				Total	0.00E+00	1.83E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	4.54E-07
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	5.60E-07
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	2.40E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	6.24E-07
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	9.95E-09
				Total	0.00E+00	1.67E-06
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.00E-12	3.52E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	7.96E-15	4.52E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.52E-19	8.42E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.09E-21	6.21E-17
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	4.43E-19	2.53E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	6.06E-19	3.36E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	3.38E-20	1.92E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	1.98E-18	1.13E-13
				Total	1.02E-12	4.02E-09
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.85E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.59E-07
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	6.89E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	4.74E-16
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.93E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	2.74E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.49E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-12
				Total	0.00E+00	2.68E-07
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.36E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.80E-06
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.82E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.09E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.89E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.94E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.21E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.67E-10
				Total	0.00E+00	5.48E-06
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	4.47E-14	1.00E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	7.11E-14	1.27E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.44E-18	4.35E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.81E-20	3.25E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	7.37E-18	1.32E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	9.69E-18	1.73E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.57E-19	9.99E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.64E-17	4.74E-12
				Total	1.19E-13	1.38E-08
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	8.29E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.72E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	5.13E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.51E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.83E-10
				Total	0.00E+00	2.31E-08
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	1.99E-10	1.66E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.10E-06
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.37E-06
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	7.16E-06
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.46E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.99E-10	1.06E-05
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.80E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.94E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.48E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.06E-16
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.32E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	5.91E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.31E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.23E-13
				Total	0.00E+00	3.03E-09
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.21E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.54E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.50E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.17E-17
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.75E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	5.82E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.51E-16
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.25E-15
				Total	0.00E+00	4.84E-11
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.02E-13	3.76E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.89E-12	7.19E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.24E-14	5.17E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.03E-18	9.14E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.68E-15	3.72E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.56E-13	1.79E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.53E-15	3.70E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.25E-14	2.27E-09
				Total	4.51E-12	8.49E-08
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.21E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.42E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.01E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.45E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.90E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.11E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.53E-16
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.68E-13
				Total	0.00E+00	1.01E-08
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	2.97E-11	3.79E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.77E-12	1.11E-07
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	4.35E-18	2.72E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.13E-20	1.97E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.27E-17	8.03E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.74E-17	1.09E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	9.77E-19	6.15E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.39E-16	8.75E-12
				Total	3.38E-11	1.58E-07
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.14E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.03E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.57E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.10E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	8.54E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	9.87E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	6.20E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	9.64E-12
				Total	0.00E+00	1.07E-08
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.43E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.08E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	6.82E-16
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	5.28E-18
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.15E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	2.67E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.60E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.10E-15
				Total	0.00E+00	6.58E-12
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.43E-07
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.00E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	8.58E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	6.49E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.64E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	3.39E-12
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.98E-13
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	6.74E-12
				Total	0.00E+00	1.65E-07
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.04E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.16E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.56E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.17E-16
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.75E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.20E-14
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.58E-15
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.58E-13
				Total	0.00E+00	3.49E-09
RCPTR_25	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	5.11E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	5.54E-07
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	8.84E-09
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	9.18E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	9.33E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	3.54E-08
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	5.19E-10
RCPTR_25	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	7.49E-09
				Total	0.00E+00	6.08E-07
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.94E-06
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.40E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	3.30E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	4.24E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.86E-08
				Total	0.00E+00	2.64E-06
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	9.90E-11	1.83E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	1.04E-08	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	7.00E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	6.29E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	1.53E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	2.08E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	6.50E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	5.40E-10	0.00E+00
				Total	1.14E-08	1.83E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	5.54E-11
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.83E-09
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.10E-09
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.60E-08
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	8.22E-10
				Total	0.00E+00	1.98E-08
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	2.00E-10	1.11E-08
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	7.37E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.09E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	7.59E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	6.56E-08
				Total	2.00E-10	8.91E-06
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.39E-08
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	6.64E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	4.38E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	3.95E-06
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.41E-07
				Total	0.00E+00	5.20E-06
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.28E-08
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	7.67E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	2.02E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	7.49E-05
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.01E-08
				Total	0.00E+00	7.59E-05
RCPTR_25	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	3.13E-08
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	3.40E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.74E-08
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.82E-09
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.91E-09
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	3.44E-07
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.72E-09
RCPTR_25	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.08E-07
				Total	0.00E+00	4.11E-06
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.33E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.38E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	3.07E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.43E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.42E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	6.09E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.16E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	8.68E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.95E-07
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.18E-05
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.81E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	3.87E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	4.96E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.35E-07
				Total	0.00E+00	2.99E-05
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	8.80E-13	2.06E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	4.74E-15	2.70E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	2.64E-20	1.50E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.02E-22	1.72E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.25E-19	7.11E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	5.18E-19	2.95E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.01E-20	5.73E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	7.37E-18	4.20E-13
				Total	8.87E-13	2.10E-08
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.77E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	4.12E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	3.13E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	3.35E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.38E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	6.13E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.13E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.06E-11
				Total	0.00E+00	4.41E-07
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	9.20E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.35E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	3.87E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	7.82E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.23E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	6.72E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.10E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.09E-09
				Total	0.00E+00	4.15E-08
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.49E-10	2.75E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.63E-08	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	1.10E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	9.87E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	2.39E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	3.27E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	1.02E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	8.47E-10	0.00E+00
				Total	1.78E-08	2.75E-07
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.44E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.65E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	7.29E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	8.34E-19
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	3.44E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.44E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	2.78E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.34E-14
				Total	0.00E+00	1.46E-09
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.90E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	5.76E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.56E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	1.98E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	8.17E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	2.93E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	6.28E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.11E-12
				Total	0.00E+00	2.48E-09
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.61E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.07E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	5.59E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	7.24E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	2.99E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.05E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.28E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	3.65E-10
				Total	0.00E+00	1.13E-07
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	4.53E-13	9.64E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	6.65E-14	2.62E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	2.84E-18	1.10E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	3.57E-20	1.41E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.47E-17	5.80E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	5.35E-17	2.08E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.14E-18	4.47E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.09E-16	8.23E-12
				Total	5.21E-13	3.62E-09
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.12E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.08E-09	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	4.95E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	5.61E-16	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.31E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	8.69E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	4.45E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.67E-12	0.00E+00
				Total	1.62E-09	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.20E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.09E-05
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.60E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.60E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	6.62E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.02E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	5.39E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.48E-08
				Total	0.00E+00	1.28E-05
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.25E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.28E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	2.73E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.83E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	7.53E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	4.76E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.25E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.45E-11
				Total	0.00E+00	6.23E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	8.20E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	8.34E-04
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	5.46E+01
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.13E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	4.65E-04
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	9.54E+02
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	3.59E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	3.79E-08
				Total	0.00E+00	1.01E+03
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.42E-05
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.06E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.96E-07
				Total	0.00E+00	2.46E-05
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.39E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.92E-05
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.14E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.25E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.32E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	3.60E-05
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	5.22E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.34E-05
				Total	0.00E+00	8.26E-05
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.04E-08
				Total	0.00E+00	2.04E-08
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.42E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.17E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.48E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.06E-18
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.39E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.88E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.58E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.65E-13
				Total	0.00E+00	4.73E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	6.73E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.13E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.04E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.10E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.57E-06
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	7.09E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	8.14E-07
				Total	0.00E+00	1.08E-05
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	2.85E-12	2.42E-08
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.15E-13	7.24E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	8.39E-20	5.28E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	9.46E-22	5.96E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	3.91E-19	2.46E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.66E-18	1.05E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.18E-20	2.00E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	5.62E-17	3.54E-12
				Total	3.00E-12	3.26E-08
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.43E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	9.15E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	6.81E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	5.30E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.93E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	6.75E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	5.24E-15	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.28E-14	0.00E+00
				Total	1.43E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	4.68E-09
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	6.74E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	8.50E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.00E-17
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	4.13E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.65E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.29E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.39E-13
				Total	0.00E+00	4.75E-09
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.65E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.59E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	5.79E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.11E-18
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.28E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.05E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.14E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.36E-14
				Total	0.00E+00	2.82E-10
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.65E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.47E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	5.64E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.52E-18
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.45E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.03E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.25E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	2.90E-14
				Total	0.00E+00	2.80E-10
RCPTR_25	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.65E-10
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.61E-11
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	6.94E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	4.81E-18
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	1.98E-15
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.27E-14
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.67E-16
RCPTR_25	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	3.78E-14
				Total	0.00E+00	2.82E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	3.69E-05
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.17E-05
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	4.83E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	5.41E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.23E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	9.59E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.82E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.37E-09
				Total	0.00E+00	6.17E-05
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	6.72E-06
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	7.80E-07
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.07E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.38E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	9.28E-08
				Total	0.00E+00	8.98E-06
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.22E-12	5.22E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.19E-14	6.78E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	6.62E-20	3.77E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	7.58E-22	4.32E-17
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.13E-19	1.78E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.30E-18	7.40E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.53E-20	1.44E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.85E-17	1.06E-12
				Total	2.24E-12	5.29E-08
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.75E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.06E-07
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.08E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.30E-16
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.36E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	6.04E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.12E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.05E-11
				Total	0.00E+00	4.30E-07
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.01E-07
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.13E-06
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.39E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.94E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.04E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.70E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.66E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.42E-09
				Total	0.00E+00	8.84E-06
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	9.93E-14	1.49E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.06E-13	1.90E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.09E-18	1.95E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.26E-20	2.26E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	5.21E-18	9.34E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.13E-17	3.82E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	4.18E-19	7.50E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.46E-16	4.42E-11
				Total	2.07E-13	3.40E-08
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.23E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	3.80E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	2.29E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	3.32E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.71E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.11E-08
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	4.42E-10	2.46E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.53E-06
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.06E-06
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.58E-05
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.36E-07
				Total	4.42E-10	1.85E-05
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.01E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.88E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.60E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.39E-17
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.05E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.30E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.48E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.01E-12
				Total	0.00E+00	5.38E-09
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	3.27E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	3.94E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	6.71E-16
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	8.14E-18
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.36E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.28E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.63E-16
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	6.77E-14
				Total	0.00E+00	3.69E-10
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.34E-12	5.57E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.27E-12	9.98E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.12E-15	2.31E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.29E-18	6.37E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.60E-15	2.63E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.83E-14	3.94E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.27E-16	2.78E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.10E-13	2.12E-08
				Total	3.14E-12	1.91E-07
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.27E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.11E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.01E-16
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.01E-17
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.17E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.79E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.40E-16
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.57E-12
				Total	0.00E+00	4.49E-08
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	6.61E-11	5.62E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.65E-12	1.67E-07
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.94E-18	1.22E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.18E-20	1.37E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	9.01E-18	5.67E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	3.83E-17	2.41E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	7.33E-19	4.62E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.30E-15	8.16E-11
				Total	6.95E-11	7.49E-07
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	4.65E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.57E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.15E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.46E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.03E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.18E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	4.65E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	9.00E-11
				Total	0.00E+00	2.06E-08
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	3.60E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	6.02E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.05E-16
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.68E-18
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.52E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	5.89E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.20E-16
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	3.83E-14
				Total	0.00E+00	4.22E-11
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.13E-06
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.04E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	3.84E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	4.52E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.87E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	7.47E-12
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.49E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	6.29E-11
				Total	0.00E+00	2.16E-06
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.50E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.23E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	6.98E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.13E-17
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.36E-14
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.37E-13
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.69E-15
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.47E-12
				Total	0.00E+00	4.57E-08
RCPTR_25	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	7.57E-09
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	7.70E-07
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	3.95E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	6.39E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	6.59E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	7.80E-08
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.90E-10
RCPTR_25	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	6.99E-08
				Total	0.00E+00	9.32E-07
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	7.44E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	8.71E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.20E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.54E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.04E-08
				Total	0.00E+00	9.97E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	5.23E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	7.74E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	5.87E-15
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	6.29E-17
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.59E-14
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.15E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.12E-15
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.00E-12
				Total	0.00E+00	8.20E-08
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.58E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.61E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.45E-14
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.89E-16
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.60E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	6.84E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.31E-14
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.69E-11
				Total	0.00E+00	6.98E-08
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.61E-10	2.97E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.59E-08	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	1.07E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	9.63E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	2.33E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	3.19E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	9.95E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	8.26E-10	0.00E+00
				Total	1.74E-08	2.97E-07
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	8.57E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	8.60E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.19E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	4.79E-15
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.98E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.25E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	5.91E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.42E-12
				Total	0.00E+00	1.55E-09
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	5.77E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.65E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.78E-16
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.24E-18
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.75E-15
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.47E-15
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.42E-16
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.73E-13
				Total	0.00E+00	3.12E-10
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	3.68E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.90E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	5.39E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.31E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	5.42E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	9.30E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	6.64E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.08E-09
				Total	0.00E+00	4.06E-08
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.53E-11	2.17E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	4.15E-10	8.63E-06
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.92E-15	3.86E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.07E-17	4.32E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	8.56E-15	1.78E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	3.75E-14	7.59E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	6.98E-16	1.45E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	5.85E-13	1.22E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	8.91E-10	1.32E-05
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.30E-11	3.94E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.63E-10	1.51E-05
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.32E-15	5.39E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.45E-17	6.06E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	6.00E-15	2.50E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	2.60E-14	1.06E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	4.89E-16	2.03E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.59E-13	1.91E-08
				Total	8.48E-10	2.44E-05
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.29E-13	9.56E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.19E-13	1.72E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.81E-16	3.99E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.08E-18	1.09E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.46E-16	4.51E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.52E-14	6.78E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	7.35E-17	4.77E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.60E-14	3.65E-09
				Total	5.40E-13	3.28E-08
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.12E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.78E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.75E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	8.42E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.58E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.75E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.32E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	6.74E-14	0.00E+00
				Total	5.64E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.22E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	7.27E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	8.83E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.82E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	8.65E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	8.83E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	6.57E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.75E-13	0.00E+00
				Total	2.24E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	7.68E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	4.56E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.52E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	9.23E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.23E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.50E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	2.04E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.79E-12	0.00E+00
				Total	5.00E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.02E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.79E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	8.58E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.74E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	4.91E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	8.50E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	6.96E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	7.09E-12	0.00E+00
				Total	1.84E-09	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	3.63E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	2.15E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	8.69E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.21E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.55E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	8.61E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	7.06E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	8.59E-13	0.00E+00
				Total	1.56E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	8.34E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	3.33E-16
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.02E-08
				Total	0.00E+00	8.46E-07
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	6.82E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.42E-06
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.02E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.09E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.13E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.69E-06
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.54E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	6.52E-07
				Total	0.00E+00	3.96E-06
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	9.99E-10
				Total	0.00E+00	9.99E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.25E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	5.21E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	9.93E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.02E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.18E-07
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.39E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	3.96E-08
				Total	0.00E+00	5.10E-07
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.89E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.32E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	9.63E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.22E-14
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.05E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.82E-11
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	3.89E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	7.53E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.72E-08
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.37E-15	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.54E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.91E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.47E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.37E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.89E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.46E-15	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	9.08E-15	0.00E+00
				Total	3.99E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	4.33E-16	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-15	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.88E-15	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	5.76E-16	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.07E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.86E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.44E-16	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	9.01E-16	0.00E+00
				Total	3.56E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	9.76E-13	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	6.11E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.37E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.35E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.33E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	3.92E-12	0.00E+00
				Total	1.61E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.75E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	1.06E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	9.72E-11	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	6.62E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.31E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	9.61E-10	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	9.12E-12	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	6.12E-12	0.00E+00
				Total	2.28E-09	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.72E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	4.34E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	6.73E-15
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	7.60E-17
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.14E-14
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.33E-13
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.55E-15
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.62E-12
				Total	0.00E+00	5.33E-09
RCPTR_25	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	4.44E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	8.45E-05
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	2.97E-09
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.39E-12
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	5.64E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	5.22E-08
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.31E-10
RCPTR_25	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.50E-08
				Total	0.00E+00	3.24E-04
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	3.69E-05
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.17E-05
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	4.83E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	5.41E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.23E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	9.59E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.82E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.37E-09
				Total	0.00E+00	6.17E-05
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	6.72E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	7.80E-07
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.07E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.38E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	9.28E-08
				Total	0.00E+00	8.98E-06
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.22E-12	5.22E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.19E-14	6.78E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	6.62E-20	3.77E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	7.58E-22	4.32E-17
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.13E-19	1.78E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.30E-18	7.40E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.53E-20	1.44E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.85E-17	1.06E-12
				Total	2.24E-12	5.29E-08
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.75E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.06E-07
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.08E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.30E-16
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.36E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	6.04E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.12E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.05E-11
				Total	0.00E+00	4.30E-07
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.01E-07
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.13E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.39E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.94E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.04E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.70E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.66E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.42E-09
				Total	0.00E+00	8.84E-06
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	9.93E-14	1.49E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.06E-13	1.90E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.09E-18	1.95E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.26E-20	2.26E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	5.21E-18	9.34E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.13E-17	3.82E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	4.18E-19	7.50E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.46E-16	4.42E-11
				Total	2.07E-13	3.40E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.23E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	3.80E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	2.29E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	3.32E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.71E-09
				Total	0.00E+00	4.11E-08
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	4.42E-10	2.46E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.53E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.06E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.58E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.36E-07
				Total	4.42E-10	1.85E-05
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.01E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.88E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.60E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.39E-17
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.05E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.30E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.48E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.01E-12
				Total	0.00E+00	5.38E-09
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	3.27E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	3.94E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	6.71E-16
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	8.14E-18
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.36E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.28E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.63E-16
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	6.77E-14
				Total	0.00E+00	3.69E-10
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.34E-12	5.57E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.27E-12	9.98E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.12E-15	2.31E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.29E-18	6.37E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.60E-15	2.63E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.83E-14	3.94E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.27E-16	2.78E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.10E-13	2.12E-08
				Total	3.14E-12	1.91E-07
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.27E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.11E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.01E-16
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.01E-17
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.17E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.79E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.40E-16
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.57E-12
				Total	0.00E+00	4.49E-08
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	6.61E-11	5.62E-07
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.65E-12	1.67E-07
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.94E-18	1.22E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.18E-20	1.37E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	9.01E-18	5.67E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	3.83E-17	2.41E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	7.33E-19	4.62E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.30E-15	8.16E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	6.95E-11	7.49E-07
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	4.65E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.57E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.15E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.46E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.03E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.18E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	4.65E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	9.00E-11
				Total	0.00E+00	2.06E-08
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	3.60E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	6.02E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.05E-16
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.68E-18
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.52E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	5.89E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.20E-16
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	3.83E-14
				Total	0.00E+00	4.22E-11
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.13E-06
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.04E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	3.84E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	4.52E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.87E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	7.47E-12
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.49E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	6.29E-11
				Total	0.00E+00	2.16E-06
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.50E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.23E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	6.98E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.13E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.36E-14
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.37E-13
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.69E-15
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.47E-12
				Total	0.00E+00	4.57E-08
RCPTR_25	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	7.57E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	7.70E-07
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	3.95E-09
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	6.39E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	6.59E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	7.80E-08
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.90E-10
RCPTR_25	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	6.99E-08
				Total	0.00E+00	9.32E-07
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	5.69E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	7.10E-09
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	2.88E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	7.51E-09
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.42E-10
				Total	0.00E+00	2.08E-08
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	1.94E-12	5.38E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	9.18E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	3.46E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	4.40E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	1.05E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	2.09E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	1.29E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	2.82E-12	0.00E+00
				Total	9.97E-10	5.38E-10
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	1.63E-13
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	5.23E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	9.60E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	2.80E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	4.07E-12
				Total	0.00E+00	4.32E-10
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	3.90E-12	3.25E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.03E-08
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.36E-08
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.32E-07
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.25E-10
				Total	3.90E-12	1.96E-07
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	4.07E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	1.89E-08
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	3.78E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	6.90E-08
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	6.99E-10
				Total	0.00E+00	1.27E-07
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	3.75E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	2.26E-08
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.74E-08
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.32E-06
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	9.94E-11
				Total	0.00E+00	1.36E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	9.17E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.06E-07
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.55E-09
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	1.87E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.90E-10
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	6.20E-09
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	9.88E-11
RCPTR_26	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	1.53E-09
				Total	0.00E+00	1.17E-07
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.02E-09
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	6.97E-09
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	5.22E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.75E-18
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.53E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	2.10E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.17E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	7.08E-14
				Total	0.00E+00	1.89E-08
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.01E-07
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	8.34E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	3.43E-09
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	8.94E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	1.62E-09
				Total	0.00E+00	2.80E-07
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	2.56E-14	9.00E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	2.41E-16	1.37E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	4.59E-21	2.55E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	3.30E-23	1.88E-18
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.34E-20	7.66E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	1.83E-20	1.02E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.02E-21	5.81E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	6.02E-20	3.43E-15
				Total	3.28E-14	1.28E-10
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.21E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.00E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	5.27E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	3.66E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.49E-14
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	2.10E-14
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.15E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	8.67E-14
				Total	0.00E+00	3.17E-08
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	4.01E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	7.04E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	5.22E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	8.52E-14
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.47E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	1.84E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	3.75E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	8.88E-12
				Total	0.00E+00	5.62E-09
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	4.60E-12	1.28E-09
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	1.45E-09	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	5.53E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	6.72E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	1.61E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	3.34E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	2.04E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	4.31E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.58E-09	1.28E-09
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	6.26E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	8.39E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.24E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	9.11E-20
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	3.71E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	4.95E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	2.82E-18
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	1.91E-16
				Total	0.00E+00	9.84E-12
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	8.27E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	2.82E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	2.65E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.16E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	8.81E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.01E-14
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	6.37E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	9.07E-15
				Total	0.00E+00	3.85E-11
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	1.58E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	5.28E-09
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	9.50E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	7.91E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.22E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	3.60E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.31E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	2.98E-12
				Total	0.00E+00	5.79E-09
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	1.32E-14	4.20E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	3.30E-15	1.29E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	5.30E-19	1.88E-14
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	3.90E-21	1.54E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.59E-18	6.26E-14
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	2.01E-18	7.18E-14
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.17E-19	4.53E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	1.71E-18	6.72E-14
				Total	2.10E-14	1.44E-10
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	3.26E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.30E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	4.19E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	6.06E-17	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.47E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	1.48E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	1.66E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.15E-14	0.00E+00
				Total	1.60E-09	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	5.25E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	5.34E-07
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	2.65E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.75E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	7.13E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.02E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	5.43E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.20E-10
				Total	0.00E+00	1.31E-06
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.42E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.60E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.97E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.99E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	8.12E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.40E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.01E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.00E-13
				Total	0.00E+00	1.12E-09
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	3.58E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	3.85E-05
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	7.89E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.22E-07
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	4.98E-05
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	2.80E+01
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	3.09E-01
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	3.07E-10
				Total	0.00E+00	3.62E+01
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.06E-07
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	3.19E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.42E-09
				Total	0.00E+00	1.33E-07
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	6.06E-09
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	1.51E-06
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	3.22E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.43E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.47E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.04E-06
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	5.19E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.08E-07
				Total	0.00E+00	3.06E-06
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	8.89E-11
				Total	0.00E+00	8.89E-11
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.49E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.95E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.61E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.16E-19
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.73E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.50E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.63E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.34E-15
				Total	0.00E+00	1.36E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	3.24E-07
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.42E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.21E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.24E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	6.42E-08
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	6.44E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	6.57E-09
				Total	0.00E+00	6.49E-07
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	8.28E-14	1.06E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	5.84E-15	3.68E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.43E-20	8.99E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.03E-22	6.51E-18
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	4.21E-20	2.65E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	5.75E-20	3.61E-15
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.23E-21	2.03E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	4.59E-19	2.89E-14
				Total	2.15E-13	9.64E-10
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.21E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.13E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	5.17E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.39E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.05E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.96E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	7.00E-16	0.00E+00
				Total	3.35E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	2.04E-11
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	3.36E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.45E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.09E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	4.45E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	5.71E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.34E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.14E-15
				Total	0.00E+00	2.70E-11
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.16E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	7.79E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	8.00E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.40E-19
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.38E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	2.97E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.11E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	1.92E-16
				Total	0.00E+00	2.27E-12
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.16E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	7.24E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	8.01E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.84E-19
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.56E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	3.00E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.23E-17
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	2.36E-16
				Total	0.00E+00	2.22E-12
RCPTR_26	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.16E-12
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	7.94E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.01E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	5.25E-19
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.14E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	3.78E-16
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.65E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	3.08E-16
				Total	0.00E+00	2.29E-12
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	1.52E-07
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.03E-06
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	7.70E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	5.53E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.25E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	3.10E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.73E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.04E-11
				Total	0.00E+00	2.57E-06
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	2.93E-08
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	2.26E-08
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	9.30E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	2.42E-08
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	4.37E-10
				Total	0.00E+00	7.77E-08
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	6.12E-14	2.15E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	5.67E-16	3.22E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.08E-20	6.00E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	7.76E-23	4.42E-18
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	3.16E-20	1.80E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	4.30E-20	2.39E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	2.41E-21	1.37E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	1.41E-19	8.06E-15
				Total	7.54E-14	2.96E-10
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.13E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	1.84E-08
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	4.87E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.38E-17
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.37E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	1.94E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.06E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	8.00E-14
				Total	0.00E+00	2.78E-08
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	8.30E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.42E-07
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	7.00E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.06E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.06E-12
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.81E-12
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.58E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.61E-11
				Total	0.00E+00	1.02E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	2.73E-15	6.13E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	5.07E-15	9.08E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.74E-19	3.10E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.29E-21	2.31E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	5.25E-19	9.42E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	6.90E-19	1.23E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	3.97E-20	7.12E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	1.88E-18	3.38E-13
				Total	1.11E-14	1.01E-09
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	5.37E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	1.07E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.98E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	5.80E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	8.03E-12
				Total	0.00E+00	8.94E-10
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	1.29E-11	1.07E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.21E-08
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.05E-08
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.74E-07
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	6.41E-10
				Total	1.29E-11	4.07E-07
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.16E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.39E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.05E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.56E-18
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.08E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.20E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.36E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.30E-14
				Total	0.00E+00	1.21E-09
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	1.35E-12
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	1.81E-12
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.07E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	8.33E-19
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.39E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	4.14E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.50E-17
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	5.17E-16
				Total	0.00E+00	4.04E-12
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	3.68E-14	2.30E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.58E-13	4.81E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.04E-15	2.99E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.42E-19	6.49E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.61E-16	2.64E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.43E-14	1.03E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.47E-16	2.43E-12
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.60E-15	1.62E-10
				Total	8.72E-13	9.60E-09
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.35E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.29E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.44E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.03E-18
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.21E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.78E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.23E-17
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.20E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.14E-09
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	1.82E-12	2.32E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.26E-13	7.94E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	3.10E-19	1.94E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.23E-21	1.41E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	9.09E-19	5.72E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.24E-18	7.79E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	6.96E-20	4.38E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	9.90E-18	6.24E-13
				Total	4.23E-12	1.91E-08
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	1.92E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	7.37E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.83E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.50E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.09E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	7.03E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	4.42E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	6.87E-13
				Total	0.00E+00	7.86E-10
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	1.49E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	2.91E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	4.86E-17
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.76E-19
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.53E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	1.90E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.14E-17
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	2.92E-16
				Total	0.00E+00	4.98E-13
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	8.77E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.42E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	6.11E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	4.62E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.88E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	2.41E-13
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.41E-14
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	4.80E-13
				Total	0.00E+00	1.13E-08
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	1.86E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	2.96E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.11E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.32E-18
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.39E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	4.42E-15
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.56E-16
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.13E-14
				Total	0.00E+00	2.52E-10
RCPTR_26	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	3.30E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	2.32E-08
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	3.48E-10
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	4.03E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	4.10E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	1.39E-09
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	2.16E-11
RCPTR_26	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	3.29E-10
				Total	0.00E+00	2.55E-08
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	3.27E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	2.52E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.04E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	2.71E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	4.88E-11
				Total	0.00E+00	8.68E-09
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	2.17E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	3.54E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	9.33E-16
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	6.47E-18
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.63E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	3.71E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.03E-16
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.53E-14
				Total	0.00E+00	5.37E-09
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	6.56E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	2.71E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.54E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.00E-17
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.63E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.23E-14
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.25E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.07E-13
				Total	0.00E+00	8.15E-09
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	4.71E-12	1.31E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	1.39E-09	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	5.29E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	6.40E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	1.53E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	3.19E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	1.95E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	4.10E-12	0.00E+00
				Total	1.51E-09	1.31E-09
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.56E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.97E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	9.95E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	4.93E-16
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.01E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	3.52E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	5.03E-14
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	4.94E-14
				Total	0.00E+00	2.51E-10
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	2.39E-14
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	7.99E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.05E-17
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.36E-19
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.78E-16
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	2.42E-16
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.36E-17
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.33E-15
				Total	0.00E+00	7.12E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	1.53E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	9.11E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	7.49E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.35E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	5.50E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	2.62E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	5.92E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	8.33E-12
				Total	0.00E+00	4.19E-09
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	7.00E-13	9.01E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.05E-11	4.14E-07
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	3.82E-16	6.17E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.13E-18	4.45E-14
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	8.69E-16	1.81E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	1.48E-15	2.46E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	6.93E-17	1.38E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	4.50E-15	9.38E-11
				Total	1.26E-09	2.36E-06
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	6.36E-13	1.64E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	1.79E-11	7.26E-07
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	2.50E-16	8.62E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.50E-18	6.24E-14
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	6.09E-16	2.54E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	9.78E-16	3.44E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	4.81E-17	1.94E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	3.53E-15	1.47E-10
				Total	1.29E-09	4.72E-06
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.35E-15	3.97E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.74E-14	8.32E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.99E-16	5.17E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.11E-19	1.12E-14
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.51E-17	4.57E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.47E-15	1.77E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.55E-17	4.19E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.76E-16	2.79E-11
				Total	1.53E-13	1.67E-09
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	8.72E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	4.17E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.38E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	2.39E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	7.24E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	2.80E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	5.33E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	1.43E-15	0.00E+00
				Total	1.43E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	3.40E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	1.71E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	7.21E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	8.08E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	2.45E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	1.47E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	2.84E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	5.88E-15	0.00E+00
				Total	5.66E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	2.15E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.02E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	1.92E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	2.66E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	3.50E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	3.89E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	7.73E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	3.85E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.22E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	8.43E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	4.02E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	6.55E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.08E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	1.40E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	1.33E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	2.65E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	1.53E-13	0.00E+00
				Total	4.54E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.01E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	4.83E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	6.65E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	6.40E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.01E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	1.35E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	2.69E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	1.85E-14	0.00E+00
				Total	3.74E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	3.46E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	9.76E-18
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	7.80E-11
				Total	0.00E+00	4.24E-09
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	2.84E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	6.93E-08
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.47E-08
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.12E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	4.74E-08
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.38E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	4.97E-09
				Total	0.00E+00	1.40E-07
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	4.15E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.15E-12
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	1.49E-08
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	6.39E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.01E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.03E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	2.88E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	2.94E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	3.02E-10
				Total	0.00E+00	2.86E-08
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	1.62E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	6.20E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.54E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.26E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.13E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	5.92E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	3.72E-14
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	5.79E-13
				Total	0.00E+00	6.63E-10
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.22E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	5.79E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.42E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	4.11E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	3.78E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.88E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	5.39E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.90E-16	0.00E+00
				Total	9.16E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	1.21E-17	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	5.54E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.40E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	1.62E-16	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	2.97E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	2.84E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	5.29E-17	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	1.89E-17	0.00E+00
				Total	8.01E-15	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	2.72E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	1.30E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.14E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	2.31E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	5.57E-13	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	9.28E-14	0.00E+00
				Total	3.65E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	4.89E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	2.29E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	7.90E-11	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	2.06E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	1.63E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	1.60E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	3.72E-12	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	1.42E-13	0.00E+00
				Total	6.15E-10	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	7.13E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	2.10E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.08E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	7.83E-18
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.19E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	4.33E-15
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.44E-16
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	2.79E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.77E-10
RCPTR_26	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	1.84E-07
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	3.78E-06
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	4.11E-10
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.43E-13
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	5.73E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	1.47E-09
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.96E-11
RCPTR_26	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	2.69E-10
				Total	0.00E+00	9.11E-05
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	1.52E-07
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.03E-06
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	7.70E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	5.53E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.25E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	3.10E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.73E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.04E-11
				Total	0.00E+00	2.57E-06
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	2.93E-08
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	2.26E-08
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	9.30E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	2.42E-08
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	4.37E-10
				Total	0.00E+00	7.77E-08
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	6.12E-14	2.15E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	5.67E-16	3.22E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.08E-20	6.00E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	7.76E-23	4.42E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	3.16E-20	1.80E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	4.30E-20	2.39E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	2.41E-21	1.37E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	1.41E-19	8.06E-15
				Total	7.54E-14	2.96E-10
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.13E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	1.84E-08
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	4.87E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.38E-17
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.37E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	1.94E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.06E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	8.00E-14
				Total	0.00E+00	2.78E-08
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	8.30E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.42E-07
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	7.00E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.06E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.06E-12
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.81E-12
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.58E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.61E-11
				Total	0.00E+00	1.02E-06
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	2.73E-15	6.13E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	5.07E-15	9.08E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.74E-19	3.10E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.29E-21	2.31E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	5.25E-19	9.42E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	6.90E-19	1.23E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	3.97E-20	7.12E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	1.88E-18	3.38E-13
				Total	1.11E-14	1.01E-09
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	5.37E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	1.07E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.98E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	5.80E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	8.03E-12
				Total	0.00E+00	8.94E-10
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	1.29E-11	1.07E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.21E-08
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.05E-08
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.74E-07
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	6.41E-10
				Total	1.29E-11	4.07E-07
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.16E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.39E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.05E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.56E-18
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.08E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.20E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.36E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.30E-14
				Total	0.00E+00	1.21E-09
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	1.35E-12
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	1.81E-12
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.07E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	8.33E-19
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.39E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	4.14E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.50E-17
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	5.17E-16
				Total	0.00E+00	4.04E-12
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	3.68E-14	2.30E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.58E-13	4.81E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.04E-15	2.99E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.42E-19	6.49E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.61E-16	2.64E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.43E-14	1.03E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.47E-16	2.43E-12
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.60E-15	1.62E-10
				Total	8.72E-13	9.60E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.35E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.29E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.44E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.03E-18
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.21E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.78E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.23E-17
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.20E-14
				Total	0.00E+00	1.14E-09
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	1.82E-12	2.32E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.26E-13	7.94E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	3.10E-19	1.94E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.23E-21	1.41E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	9.09E-19	5.72E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.24E-18	7.79E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	6.96E-20	4.38E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	9.90E-18	6.24E-13
				Total	4.23E-12	1.91E-08
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	1.92E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	7.37E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.83E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.50E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.09E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	7.03E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	4.42E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	6.87E-13
				Total	0.00E+00	7.86E-10
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	1.49E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	2.91E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	4.86E-17
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.76E-19
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.53E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	1.90E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.14E-17
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	2.92E-16
				Total	0.00E+00	4.98E-13
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	8.77E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.42E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	6.11E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	4.62E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.88E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	2.41E-13
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.41E-14
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	4.80E-13
				Total	0.00E+00	1.13E-08
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	1.86E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	2.96E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.11E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.32E-18
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.39E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	4.42E-15
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.56E-16
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.13E-14
				Total	0.00E+00	2.52E-10
RCPTR_26	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	3.30E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	2.32E-08
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	3.48E-10
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	4.03E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	4.10E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	1.39E-09
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	2.16E-11
RCPTR_26	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	3.29E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.55E-08
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	8.43E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	9.89E-09
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.29E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.66E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.32E-09
				Total	0.00E+00	1.12E-07
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	4.30E-12	7.97E-09
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	4.49E-10	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	2.77E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	2.91E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	7.06E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	8.21E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	2.75E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	2.50E-11	0.00E+00
				Total	4.97E-10	7.97E-09
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	2.41E-12
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	7.31E-11
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	4.29E-11
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	6.17E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	3.80E-11
				Total	0.00E+00	7.74E-10
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	8.67E-12	4.82E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.84E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.95E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.90E-07
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.04E-09
				Total	8.67E-12	3.42E-07
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	6.02E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	2.64E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	1.69E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.52E-07
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	6.53E-09
				Total	0.00E+00	2.03E-07
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	5.56E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	3.16E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	7.80E-09
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	2.91E-06
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	9.28E-10
				Total	0.00E+00	2.95E-06
RCPTR_26	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.36E-09
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.48E-07
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	6.94E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	1.31E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.35E-10
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.37E-08
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	7.42E-11
RCPTR_26	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	1.43E-08
				Total	0.00E+00	1.79E-07
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.51E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.05E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	2.34E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	2.61E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.08E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	4.64E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	8.82E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	6.61E-13
				Total	0.00E+00	5.00E-08
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.50E-06
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.16E-07
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	1.53E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.97E-07
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	1.51E-08
				Total	0.00E+00	1.83E-06
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	5.68E-14	1.33E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	3.61E-16	2.06E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	2.01E-21	1.14E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	2.30E-23	1.31E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	9.49E-21	5.41E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	3.94E-20	2.24E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	7.66E-22	4.37E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	5.61E-19	3.20E-14
				Total	5.96E-14	1.41E-09
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.79E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.14E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	2.36E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	2.55E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.05E-14
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	4.62E-14
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	8.60E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	8.09E-13
				Total	0.00E+00	5.76E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	5.94E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	9.74E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	2.34E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	5.94E-14
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	2.45E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	4.05E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	2.82E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	8.29E-11
				Total	0.00E+00	1.24E-08
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.02E-11	1.89E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	6.97E-10	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	4.40E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	4.44E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	1.08E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	1.31E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	4.29E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	3.81E-11	0.00E+00
				Total	7.74E-10	1.89E-08
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	9.28E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.25E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	5.55E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	6.35E-20
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	2.62E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.09E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	2.12E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	1.78E-15
				Total	0.00E+00	1.00E-10
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.23E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.38E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.18E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	1.51E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	6.22E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	2.23E-14
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	4.78E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	8.47E-14
				Total	0.00E+00	1.71E-10
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.34E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	8.17E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	4.25E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	5.51E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	2.28E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	7.95E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	1.74E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	2.78E-11
				Total	0.00E+00	9.53E-09
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.93E-14	6.23E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	5.06E-15	1.99E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	2.16E-19	8.40E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	2.72E-21	1.07E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.12E-18	4.42E-14
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	4.06E-18	1.58E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	8.65E-20	3.40E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	1.59E-17	6.27E-13
				Total	3.59E-14	2.87E-10
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	7.25E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	7.78E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	3.08E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	4.22E-17	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	1.74E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	5.42E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.99E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.01E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	6.02E-10	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	7.78E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	8.29E-07
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.18E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.22E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	5.04E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	2.24E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	4.08E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.12E-09
				Total	0.00E+00	2.57E-06
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.10E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.49E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.77E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.39E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	5.74E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	3.09E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	1.51E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	1.87E-12
				Total	0.00E+00	2.39E-09
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	5.31E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	5.39E-05
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	3.53E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	8.53E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	3.52E-05
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	6.17E+01
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	2.32E-01
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	2.87E-09
				Total	0.00E+00	6.54E+01
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.56E-06
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	4.47E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.26E-08
				Total	0.00E+00	1.64E-06
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	8.98E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.14E-06
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	1.44E-07
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	1.69E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.75E-08
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	2.30E-06
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	3.90E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.01E-06
				Total	0.00E+00	5.79E-06
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.32E-09
				Total	0.00E+00	1.32E-09
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.21E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.90E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.22E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.09E-20
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.34E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.43E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.73E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.25E-14
				Total	0.00E+00	4.47E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	4.61E-07
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	6.37E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	1.54E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	1.58E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.42E-07
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	4.83E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	6.13E-08
				Total	0.00E+00	1.21E-06
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.84E-13	1.57E-09
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	8.76E-15	5.51E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	6.39E-21	4.02E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	7.20E-23	4.54E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	2.97E-20	1.87E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.26E-19	7.96E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	2.42E-21	1.52E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	4.28E-18	2.70E-13
				Total	2.35E-13	3.21E-09
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	9.35E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	4.72E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	3.58E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	3.18E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.96E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	3.53E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	2.95E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.97E-15	0.00E+00
				Total	7.97E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.02E-10
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	5.13E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	6.47E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	7.62E-19
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	3.14E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.26E-15
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	2.51E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.06E-14
				Total	0.00E+00	3.15E-10
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.71E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.21E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	3.58E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	2.37E-19
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	9.78E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	6.55E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	8.30E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	1.79E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.91E-11
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.71E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.12E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	3.59E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	2.68E-19
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.11E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	6.62E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	9.22E-18
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	2.21E-15
				Total	0.00E+00	1.90E-11
RCPTR_26	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.71E-11
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.23E-12
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	4.51E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	3.66E-19
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	1.51E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	8.35E-16
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.24E-17
RCPTR_26	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	2.88E-15
				Total	0.00E+00	1.91E-11
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.26E-06
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.55E-06
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	3.44E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	3.85E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	1.59E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	6.83E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.30E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	9.74E-11
				Total	0.00E+00	6.92E-06
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	4.35E-07
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	3.14E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	4.16E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	5.34E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	4.08E-09
				Total	0.00E+00	5.25E-07
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	1.36E-13	3.19E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	8.48E-16	4.84E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	4.72E-21	2.68E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	5.41E-23	3.08E-18
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	2.23E-20	1.27E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	9.27E-20	5.27E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	1.80E-21	1.03E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.32E-18	7.53E-14
				Total	1.41E-13	3.35E-09
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.68E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.89E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	2.18E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	2.35E-17
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	9.71E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	4.27E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	7.94E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	7.47E-13
				Total	0.00E+00	5.00E-08
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.23E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.08E-07
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.13E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.52E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.45E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	6.20E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.19E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.44E-10
				Total	0.00E+00	2.02E-06
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	6.07E-15	9.08E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	7.56E-15	1.36E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	7.74E-20	1.39E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	8.99E-22	1.61E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	3.71E-19	6.66E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.52E-18	2.72E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	2.98E-20	5.35E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	1.76E-17	3.15E-12
				Total	1.48E-14	2.35E-09
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	7.95E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	1.50E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	8.88E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.28E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	7.49E-11
				Total	0.00E+00	1.60E-09
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.86E-11	1.59E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	5.89E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.05E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.03E-07
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	5.98E-09
				Total	2.86E-11	7.11E-07
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.16E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.05E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.70E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	5.27E-18
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.18E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	9.27E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.77E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.15E-13
				Total	0.00E+00	2.61E-09
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.00E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.81E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	4.77E-17
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	5.80E-19
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.39E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	9.12E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	1.88E-17
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	4.83E-15
				Total	0.00E+00	2.48E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	8.18E-14	3.41E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	8.06E-14	6.68E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	2.90E-16	1.34E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	4.47E-19	4.52E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.85E-16	1.87E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.99E-15	2.26E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.67E-17	1.82E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.49E-14	1.51E-09
				Total	4.05E-13	2.13E-08
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.00E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.92E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.42E-17
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.20E-19
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.97E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.27E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.43E-17
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.12E-13
				Total	0.00E+00	3.85E-09
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	4.04E-12	3.44E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.89E-13	1.19E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.38E-19	8.68E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	1.56E-21	9.79E-17
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	6.42E-19	4.04E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	2.73E-18	1.72E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	5.23E-20	3.29E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	9.24E-17	5.82E-12
				Total	4.99E-12	6.61E-08
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	2.84E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.12E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	8.20E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.04E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	4.30E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.55E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	3.32E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	6.41E-12
				Total	0.00E+00	1.48E-09
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.20E-12
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.29E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	2.17E-17
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	2.62E-19
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.08E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	4.20E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	8.54E-18
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	2.73E-15
				Total	0.00E+00	2.76E-12
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.30E-07
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.17E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	2.73E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	3.22E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.33E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	5.32E-13
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.06E-14
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	4.48E-12
				Total	0.00E+00	1.35E-07
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.75E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.44E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	4.98E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	5.80E-18
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.39E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	9.74E-15
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	1.92E-16
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.05E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.88E-09
RCPTR_26	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	4.89E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	3.23E-08
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	1.56E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	2.81E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	2.89E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	3.07E-09
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	1.63E-11
RCPTR_26	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	3.07E-09
				Total	0.00E+00	3.93E-08
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	4.85E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	3.51E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	4.65E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	5.97E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	4.55E-10
				Total	0.00E+00	5.85E-08
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	3.22E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	5.55E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	4.18E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	4.51E-18
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	1.86E-15
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	8.18E-15
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	1.52E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.43E-13
				Total	0.00E+00	9.68E-09
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	9.72E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.02E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.48E-15
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	2.79E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.15E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.91E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	9.38E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	1.93E-12
				Total	0.00E+00	1.63E-08
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.05E-11	1.94E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	6.64E-10	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	4.20E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	4.23E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	1.03E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	1.25E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	4.09E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	3.63E-11	0.00E+00
				Total	7.37E-10	1.94E-08
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	5.27E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	6.16E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	4.45E-13
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.43E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.42E-13
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	7.76E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.78E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	4.61E-13
				Total	0.00E+00	5.36E-10
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.55E-13
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.18E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	2.71E-17
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	3.04E-19
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.25E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	5.34E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.02E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.24E-14
				Total	0.00E+00	1.53E-10
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.27E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.35E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	3.35E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	9.41E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	3.88E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	5.77E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	4.45E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	7.77E-11
				Total	0.00E+00	8.70E-09
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.56E-12	1.33E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.98E-11	6.19E-07
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.36E-16	2.76E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	1.49E-18	3.10E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	6.14E-16	1.28E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.66E-15	5.42E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	5.00E-17	1.04E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	4.20E-14	8.75E-10
				Total	4.81E-10	4.98E-06
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.41E-12	2.42E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.60E-11	1.08E-06
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	9.44E-17	3.86E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.04E-18	4.34E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	4.30E-16	1.79E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.85E-15	7.60E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	3.50E-17	1.46E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	3.29E-14	1.37E-09
				Total	4.88E-10	1.00E-05
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.41E-14	5.88E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.39E-14	1.15E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.01E-17	2.31E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.72E-20	7.82E-15
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.19E-17	3.23E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.62E-16	3.91E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.62E-18	3.15E-13
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.57E-15	2.61E-10
				Total	7.09E-14	3.72E-09
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.94E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	9.07E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	9.45E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	5.02E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.54E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	9.39E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	7.48E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	4.02E-15	0.00E+00
				Total	3.23E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	7.55E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	3.74E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	4.92E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.70E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	5.22E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	4.92E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	3.81E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	1.66E-14	0.00E+00
				Total	1.30E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	4.77E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	2.35E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	1.33E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	5.61E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	7.51E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	1.31E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.16E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.09E-13	0.00E+00
				Total	2.81E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.87E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	9.25E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	4.54E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	2.28E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.99E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	4.48E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	3.96E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	4.32E-13	0.00E+00
				Total	1.04E-10	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	2.25E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.11E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	4.61E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.35E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	2.17E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	4.55E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.03E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	5.24E-14	0.00E+00
				Total	8.75E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	5.13E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.37E-17
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	7.28E-10
				Total	0.00E+00	5.36E-08
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	4.20E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	9.86E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	6.56E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	7.79E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	8.02E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.04E-07
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	1.79E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	4.64E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.64E-07
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	6.15E-11
				Total	0.00E+00	6.15E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.12E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	2.86E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	7.06E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	7.28E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	6.35E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	2.21E-13
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	2.82E-09
				Total	0.00E+00	5.26E-08
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.39E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	9.44E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	6.90E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	8.77E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	3.62E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.31E-12
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	2.79E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	5.40E-12
				Total	0.00E+00	1.24E-09
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.71E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.29E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	9.83E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	8.64E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	8.04E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	9.70E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	8.06E-17	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	5.35E-16	0.00E+00
				Total	2.18E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.69E-17	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.19E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	9.67E-17	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	3.39E-17	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	6.31E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	9.54E-16	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	7.90E-18	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	5.31E-17	0.00E+00
				Total	1.92E-15	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	6.04E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	3.52E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	7.95E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	7.83E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	8.35E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	2.65E-13	0.00E+00
				Total	9.40E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.09E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	5.87E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	5.51E-12	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	4.38E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	3.51E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	5.42E-11	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	5.60E-13	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	4.05E-13	0.00E+00
				Total	1.40E-10	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.06E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.11E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	4.83E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	5.46E-18
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	2.25E-15
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	9.54E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	1.83E-16
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	2.60E-13
				Total	0.00E+00	1.14E-09
RCPTR_26	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	2.73E-06
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	5.29E-06
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	1.84E-10
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	9.97E-14
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	4.05E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	3.23E-09
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.47E-11
RCPTR_26	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	2.51E-09
				Total	0.00E+00	2.03E-04
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.26E-06
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.55E-06
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	3.44E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	3.85E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	1.59E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	6.83E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.30E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	9.74E-11
				Total	0.00E+00	6.92E-06
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	4.35E-07
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	3.14E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	4.16E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	5.34E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	4.08E-09
				Total	0.00E+00	5.25E-07
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	1.36E-13	3.19E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	8.48E-16	4.84E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	4.72E-21	2.68E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	5.41E-23	3.08E-18
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	2.23E-20	1.27E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	9.27E-20	5.27E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	1.80E-21	1.03E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.32E-18	7.53E-14
				Total	1.41E-13	3.35E-09
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.68E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.89E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	2.18E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	2.35E-17
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	9.71E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	4.27E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	7.94E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	7.47E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.00E-08
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.23E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.08E-07
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.13E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.52E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.45E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	6.20E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.19E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.44E-10
				Total	0.00E+00	2.02E-06
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	6.07E-15	9.08E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	7.56E-15	1.36E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	7.74E-20	1.39E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	8.99E-22	1.61E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	3.71E-19	6.66E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.52E-18	2.72E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	2.98E-20	5.35E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	1.76E-17	3.15E-12
				Total	1.48E-14	2.35E-09
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	7.95E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	1.50E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	8.88E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.28E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	7.49E-11
				Total	0.00E+00	1.60E-09
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.86E-11	1.59E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	5.89E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.05E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.03E-07
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	5.98E-09
				Total	2.86E-11	7.11E-07
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.16E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.05E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.70E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	5.27E-18
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.18E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	9.27E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.77E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.15E-13
				Total	0.00E+00	2.61E-09
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.00E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.81E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	4.77E-17
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	5.80E-19
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.39E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	9.12E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	1.88E-17
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	4.83E-15
				Total	0.00E+00	2.48E-11
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	8.18E-14	3.41E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	8.06E-14	6.68E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	2.90E-16	1.34E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	4.47E-19	4.52E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.85E-16	1.87E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.99E-15	2.26E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.67E-17	1.82E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.49E-14	1.51E-09
				Total	4.05E-13	2.13E-08
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.00E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.92E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.42E-17
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.20E-19
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.97E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.27E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.43E-17
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.12E-13
				Total	0.00E+00	3.85E-09
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	4.04E-12	3.44E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.89E-13	1.19E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.38E-19	8.68E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	1.56E-21	9.79E-17
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	6.42E-19	4.04E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	2.73E-18	1.72E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	5.23E-20	3.29E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	9.24E-17	5.82E-12
				Total	4.99E-12	6.61E-08
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	2.84E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.12E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	8.20E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.04E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	4.30E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.55E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	3.32E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	6.41E-12
				Total	0.00E+00	1.48E-09
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.20E-12
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.29E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	2.17E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	2.62E-19
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.08E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	4.20E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	8.54E-18
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	2.73E-15
				Total	0.00E+00	2.76E-12
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.30E-07
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.17E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	2.73E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	3.22E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.33E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	5.32E-13
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.06E-14
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	4.48E-12
				Total	0.00E+00	1.35E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.75E-09
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.44E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	4.98E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	5.80E-18
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.39E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	9.74E-15
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	1.92E-16
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.05E-13
				Total	0.00E+00	2.88E-09
RCPTR_26	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	4.89E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	3.23E-08
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	1.56E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	2.81E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	2.89E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	3.07E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	1.63E-11
RCPTR_26	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	3.07E-09
				Total	0.00E+00	3.93E-08
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.92E-07
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.99E-07
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	8.51E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	2.22E-07
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	3.55E-09
				Total	0.00E+00	6.25E-07
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	6.52E-11	1.81E-08
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	2.66E-08	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	1.04E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	1.10E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	2.64E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	6.27E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	3.77E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	7.07E-11	0.00E+00
				Total	2.85E-08	1.81E-08
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	5.47E-12
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.51E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	2.85E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	8.36E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	1.02E-10
				Total	0.00E+00	1.28E-08
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.31E-10	1.09E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.08E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.31E-06
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.97E-06
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.14E-09
				Total	1.31E-10	5.90E-06
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.37E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	5.48E-07
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	1.13E-06
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	2.07E-06
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.75E-08
				Total	0.00E+00	3.76E-06
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.26E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	6.35E-07
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	5.20E-07
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	3.92E-05
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.49E-09
				Total	0.00E+00	4.04E-05
RCPTR_27	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	3.09E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.83E-06
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	4.50E-08
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	4.69E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	4.77E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.80E-07
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.65E-09
RCPTR_27	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.83E-08
				Total	0.00E+00	3.11E-06
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.91E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.11E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	8.31E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	5.97E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.43E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.34E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.87E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.13E-12
				Total	0.00E+00	1.41E-07
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.83E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.69E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	7.21E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.88E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.01E-08
				Total	0.00E+00	5.50E-06
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	4.81E-13	1.69E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	3.84E-15	2.18E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	7.35E-20	4.06E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	5.25E-22	2.99E-17
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	2.14E-19	1.22E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	2.92E-19	1.62E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.63E-20	9.25E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	9.57E-19	5.46E-14
				Total	4.92E-13	1.94E-09
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.27E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.18E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	8.47E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	5.82E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.37E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.36E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.83E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.38E-12
				Total	0.00E+00	3.30E-07
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	7.55E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.14E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	9.38E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.36E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	5.52E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.30E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	6.34E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.41E-10
				Total	0.00E+00	2.17E-08
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	8.34E-11	2.32E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	3.01E-08	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	1.18E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.25E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	3.00E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	7.11E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	4.28E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	8.03E-11	0.00E+00
				Total	3.24E-08	2.32E-08
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.18E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.33E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.97E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.45E-18
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	5.90E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	7.88E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	4.49E-17
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.04E-15
				Total	0.00E+00	1.34E-10
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.56E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.48E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	4.22E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.44E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.40E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.61E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	1.01E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.44E-13
				Total	0.00E+00	6.07E-10
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.97E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	8.41E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.51E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.26E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	5.13E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	5.74E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.68E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.74E-11
				Total	0.00E+00	8.50E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.48E-13	7.91E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	5.25E-14	2.05E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	8.59E-18	2.99E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	6.21E-20	2.44E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.53E-17	9.95E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.26E-17	1.14E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.87E-18	7.21E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.72E-17	1.07E-12
				Total	3.05E-13	2.15E-09
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	6.13E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.33E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	7.75E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	9.62E-16	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.92E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.75E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	3.04E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.42E-13	0.00E+00
				Total	3.84E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	9.88E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	8.51E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	4.33E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.79E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.14E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.66E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	8.69E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.92E-09
				Total	0.00E+00	9.31E-06
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.67E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.56E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.41E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.17E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.29E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.62E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.63E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.18E-12
				Total	0.00E+00	3.87E-09
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	6.73E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	7.24E-04
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.48E+02
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.95E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	7.92E-04
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	5.26E+02
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	5.82E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.88E-09
				Total	0.00E+00	6.80E+02
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.99E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	6.35E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.84E-08
				Total	0.00E+00	2.05E-06
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.14E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.44E-05
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	5.31E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	3.86E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.92E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.75E-05
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	8.27E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.72E-06
				Total	0.00E+00	4.99E-05
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.67E-09
				Total	0.00E+00	1.67E-09
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.81E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.46E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.57E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.85E-18
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.52E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.03E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.78E-17
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.14E-14
				Total	0.00E+00	1.29E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	5.53E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.51E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.50E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.56E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.14E-06
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.06E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.04E-07
				Total	0.00E+00	7.28E-06
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.56E-12	1.99E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	9.29E-14	5.85E-09
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.28E-19	1.43E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.64E-21	1.04E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	6.70E-19	4.22E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	9.16E-19	5.74E-14
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	5.13E-20	3.23E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.30E-18	4.60E-13
				Total	1.78E-12	8.33E-09
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	7.84E-15	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.72E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	9.16E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.27E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.09E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.86E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.32E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.05E-14	0.00E+00
				Total	5.51E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.84E-10
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	5.35E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.30E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.74E-17
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	7.08E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	9.09E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	5.31E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.81E-14
				Total	0.00E+00	4.41E-10
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.17E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.24E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.34E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	5.41E-18
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	2.20E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	4.95E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.78E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.06E-15
				Total	0.00E+00	3.45E-11
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.17E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.15E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.33E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	6.11E-18
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.49E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	4.97E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.97E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.76E-15
				Total	0.00E+00	3.36E-11
RCPTR_27	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.17E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.26E-11
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.66E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	8.36E-18
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.40E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	6.24E-15
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.65E-16
RCPTR_27	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.91E-15
				Total	0.00E+00	3.47E-11
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.66E-06
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.54E-05
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.15E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	8.28E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.37E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	4.64E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.59E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.56E-10
				Total	0.00E+00	1.94E-05
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	4.91E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	4.42E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.89E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	4.92E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	7.89E-09
				Total	0.00E+00	1.45E-06
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.07E-12	3.75E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	8.50E-15	4.82E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.63E-19	8.98E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.16E-21	6.62E-17
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	4.73E-19	2.70E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	6.46E-19	3.58E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	3.61E-20	2.05E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	2.12E-18	1.21E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.09E-12	4.28E-09
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.98E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.76E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	7.35E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	5.05E-16
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	2.06E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	2.92E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.59E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.20E-12
				Total	0.00E+00	2.86E-07
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.45E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.12E-06
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.05E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.57E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.08E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.21E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.36E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.92E-10
				Total	0.00E+00	5.81E-06
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	4.76E-14	1.07E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	7.59E-14	1.36E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.60E-18	4.65E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.93E-20	3.46E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	7.86E-18	1.41E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.03E-17	1.85E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.95E-19	1.07E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.82E-17	5.06E-12
				Total	1.27E-13	1.47E-08
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	8.98E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.14E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	4.04E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.19E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.45E-10
				Total	0.00E+00	1.82E-08
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.16E-10	1.80E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.63E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.86E-06
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	5.63E-06
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.16E-08
				Total	2.16E-10	8.37E-06
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.24E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.08E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.57E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.13E-16
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.61E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.30E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.53E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.44E-13
				Total	0.00E+00	3.16E-09
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.35E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.71E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.60E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.25E-17
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.07E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	6.21E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.74E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.74E-15
				Total	0.00E+00	5.16E-11
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.41E-13	4.01E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.63E-12	7.36E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.98E-14	5.05E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.60E-18	9.72E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.91E-15	3.96E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.46E-13	1.74E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.52E-15	3.82E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.39E-14	2.42E-09
				Total	4.27E-12	8.70E-08
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.35E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.92E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.15E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.55E-17
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.30E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.65E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.84E-16
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.79E-13
				Total	0.00E+00	1.07E-08
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	3.17E-11	4.04E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.89E-12	1.19E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	4.64E-18	2.91E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.34E-20	2.10E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.36E-17	8.57E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.86E-17	1.17E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.04E-18	6.56E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.48E-16	9.34E-12
				Total	3.59E-11	1.68E-07
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.35E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.10E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.75E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.24E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	9.11E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.05E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	6.61E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.03E-11
				Total	0.00E+00	1.14E-08
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.59E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.36E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	7.27E-16
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	5.64E-18
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.30E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	2.85E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.70E-16
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.38E-15
				Total	0.00E+00	7.02E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.53E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.13E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	9.16E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	6.92E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.82E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	3.62E-12
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	2.11E-13
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.19E-12
				Total	0.00E+00	1.75E-07
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.24E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.44E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.67E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.25E-16
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.07E-14
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.61E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.83E-15
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.69E-13
				Total	0.00E+00	3.72E-09
RCPTR_27	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	5.53E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	4.38E-07
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	6.97E-09
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	7.28E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	7.40E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	2.79E-08
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	4.11E-10
RCPTR_27	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	5.94E-09
				Total	0.00E+00	4.81E-07
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	5.50E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	4.95E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	2.11E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	5.51E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	8.84E-10
				Total	0.00E+00	1.63E-07
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	3.80E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	5.31E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.41E-14
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	9.71E-17
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.95E-14
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	5.61E-14
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	3.05E-15
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.30E-13
				Total	0.00E+00	5.49E-08
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.15E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.06E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	8.31E-14
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.01E-16
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.45E-13
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.34E-13
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.87E-14
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.11E-12
				Total	0.00E+00	4.62E-08
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	7.90E-11	2.19E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	2.79E-08	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	1.09E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	1.16E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	2.77E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	6.58E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	3.96E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	7.43E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	2.99E-08	2.19E-08
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	6.22E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.96E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.73E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	7.40E-15
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	3.01E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.11E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	8.47E-13
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.41E-13
				Total	0.00E+00	8.91E-10
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.19E-13
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.20E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	9.10E-16
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.55E-18
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.67E-15
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.64E-15
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.04E-16
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.99E-14
				Total	0.00E+00	1.84E-10
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.67E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.37E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.28E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	2.03E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	8.25E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	4.48E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	9.48E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.25E-10
				Total	0.00E+00	2.36E-08
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.22E-11	1.58E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.10E-10	6.21E-06
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	5.94E-15	9.28E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	3.20E-17	6.68E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.30E-14	2.72E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.30E-14	3.70E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.05E-15	2.07E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.75E-14	1.41E-09
				Total	1.56E-09	8.18E-06
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.11E-11	2.86E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.70E-10	1.09E-05
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	3.86E-15	1.30E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.25E-17	9.36E-13
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	9.14E-15	3.81E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.51E-14	5.18E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	7.26E-16	2.91E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.29E-14	2.21E-09
				Total	1.55E-09	1.49E-05
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.11E-13	6.94E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	4.55E-13	1.28E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.21E-14	8.75E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.66E-18	1.68E-13
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	6.77E-16	6.85E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.27E-14	3.01E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.36E-16	6.62E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.14E-15	4.19E-10
				Total	7.42E-13	1.51E-08
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.51E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	7.11E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.36E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	3.50E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.06E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	4.82E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	8.87E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.09E-14	0.00E+00
				Total	2.21E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	5.89E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.91E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.24E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.18E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	3.58E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.54E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	4.78E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	8.61E-14	0.00E+00
				Total	8.91E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	3.72E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.73E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	3.28E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	3.90E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	5.14E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	6.67E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.27E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	5.65E-13	0.00E+00
				Total	1.93E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.46E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	6.79E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.12E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.59E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.05E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.28E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.34E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.25E-12	0.00E+00
				Total	7.16E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.76E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	8.16E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.14E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	9.39E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.49E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.31E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.42E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	2.72E-13	0.00E+00
				Total	6.01E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	6.06E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.88E-16
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.17E-09
				Total	0.00E+00	6.24E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	4.95E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.06E-06
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.29E-07
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.68E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.70E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	7.56E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.59E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.46E-08
				Total	0.00E+00	2.16E-06
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	7.25E-11
				Total	0.00E+00	7.25E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.40E-07
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.08E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.52E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.55E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	4.90E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	4.60E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.53E-09
				Total	0.00E+00	3.14E-07
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.82E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	9.31E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.32E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.89E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	7.69E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	8.89E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	5.58E-13
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.68E-12
				Total	0.00E+00	9.65E-09
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.11E-15	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	9.82E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.43E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	6.00E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.51E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	4.93E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	8.81E-15	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.77E-15	0.00E+00
				Total	1.46E-12	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.10E-16	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	9.44E-15	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.39E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.36E-15	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	4.33E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	4.85E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	8.64E-16	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	2.76E-16	0.00E+00
				Total	1.29E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	4.72E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.14E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.97E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	4.00E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	9.24E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.38E-12	0.00E+00
				Total	6.29E-10	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	8.49E-13	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	3.82E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.36E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.06E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.42E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.77E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	6.16E-11	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.11E-12	0.00E+00
				Total	9.71E-09	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.25E-11
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.15E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.62E-14
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.18E-16
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	4.78E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	6.50E-14
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.66E-15
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.18E-13
				Total	0.00E+00	3.53E-09
RCPTR_27	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.22E-06
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	6.49E-05
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	7.14E-09
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.15E-12
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	8.60E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.54E-08
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.31E-10
RCPTR_27	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.04E-09
				Total	0.00E+00	1.55E-04
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.66E-06
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.54E-05
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.15E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	8.28E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.37E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	4.64E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.59E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.56E-10
				Total	0.00E+00	1.94E-05
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	4.91E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	4.42E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.89E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	4.92E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	7.89E-09
				Total	0.00E+00	1.45E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.07E-12	3.75E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	8.50E-15	4.82E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.63E-19	8.98E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.16E-21	6.62E-17
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	4.73E-19	2.70E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	6.46E-19	3.58E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	3.61E-20	2.05E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	2.12E-18	1.21E-13
				Total	1.09E-12	4.28E-09
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.98E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.76E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	7.35E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	5.05E-16
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	2.06E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	2.92E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.59E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.20E-12
				Total	0.00E+00	2.86E-07
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.45E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.12E-06
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.05E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.57E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.08E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.21E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.36E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.92E-10
				Total	0.00E+00	5.81E-06
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	4.76E-14	1.07E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	7.59E-14	1.36E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.60E-18	4.65E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.93E-20	3.46E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	7.86E-18	1.41E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.03E-17	1.85E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.95E-19	1.07E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.82E-17	5.06E-12
				Total	1.27E-13	1.47E-08
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	8.98E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.14E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	4.04E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.19E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.45E-10
				Total	0.00E+00	1.82E-08
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.16E-10	1.80E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.63E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.86E-06
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	5.63E-06
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.16E-08
				Total	2.16E-10	8.37E-06
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.24E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.08E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.57E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.13E-16
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.61E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.30E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.53E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.44E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.16E-09
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.35E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.71E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.60E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.25E-17
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.07E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	6.21E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.74E-16
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.74E-15
				Total	0.00E+00	5.16E-11
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.41E-13	4.01E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.63E-12	7.36E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.98E-14	5.05E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.60E-18	9.72E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.91E-15	3.96E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.46E-13	1.74E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.52E-15	3.82E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.39E-14	2.42E-09
				Total	4.27E-12	8.70E-08
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.35E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.92E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.15E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.55E-17
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.30E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.65E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.84E-16
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.79E-13
				Total	0.00E+00	1.07E-08
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	3.17E-11	4.04E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.89E-12	1.19E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	4.64E-18	2.91E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.34E-20	2.10E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.36E-17	8.57E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.86E-17	1.17E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.04E-18	6.56E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.48E-16	9.34E-12
				Total	3.59E-11	1.68E-07
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.35E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.10E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.75E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.24E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	9.11E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.05E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	6.61E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.03E-11
				Total	0.00E+00	1.14E-08
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.59E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.36E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	7.27E-16
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	5.64E-18
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.30E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	2.85E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.70E-16
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.38E-15
				Total	0.00E+00	7.02E-12
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.53E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.13E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	9.16E-13
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	6.92E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.82E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	3.62E-12
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	2.11E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.19E-12
				Total	0.00E+00	1.75E-07
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.24E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.44E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.67E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.25E-16
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.07E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.61E-14
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.83E-15
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.69E-13
				Total	0.00E+00	3.72E-09
RCPTR_27	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	5.53E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	4.38E-07
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	6.97E-09
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	7.28E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	7.40E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	2.79E-08
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	4.11E-10
RCPTR_27	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	5.94E-09
				Total	0.00E+00	4.81E-07
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	2.84E-06
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.78E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	3.81E-09
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	4.89E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	3.32E-08
				Total	0.00E+00	3.64E-06
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	1.45E-10	2.68E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	1.20E-08	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	8.09E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	7.29E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	1.77E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	2.40E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	7.51E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	6.26E-10	0.00E+00
				Total	1.32E-08	2.68E-07
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	8.11E-11
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	2.11E-09
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.27E-09
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.84E-08
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	9.52E-10
				Total	0.00E+00	2.29E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	2.92E-10	1.62E-08
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.51E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.87E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.76E-06
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	7.60E-08
				Total	2.92E-10	1.03E-05
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	2.03E-08
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	7.67E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	5.05E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	4.56E-06
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.63E-07
				Total	0.00E+00	6.01E-06
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.87E-08
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	8.87E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	2.33E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	8.65E-05
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.32E-08
				Total	0.00E+00	8.77E-05
RCPTR_27	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	4.57E-08
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	3.93E-06
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	2.01E-08
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	3.27E-09
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	3.37E-09
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	3.97E-07
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.99E-09
RCPTR_27	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.57E-07
				Total	0.00E+00	4.76E-06
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.83E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.67E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	3.72E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.16E-17
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.72E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	7.38E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.40E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.05E-11
				Total	0.00E+00	4.75E-07
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.71E-05
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.35E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	3.23E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	4.14E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.81E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.39E-05
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	1.07E-12	2.51E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	5.74E-15	3.27E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	3.20E-20	1.82E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.66E-22	2.09E-17
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.51E-19	8.61E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	6.28E-19	3.57E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.22E-20	6.95E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	8.93E-18	5.09E-13
				Total	1.08E-12	2.55E-08
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	3.37E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	4.99E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	3.79E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.06E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.67E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	7.42E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.37E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.29E-11
				Total	0.00E+00	5.29E-07
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.12E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.57E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	4.19E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	9.44E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.90E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	7.28E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.76E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.32E-09
				Total	0.00E+00	4.66E-08
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.85E-10	3.43E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.36E-08	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	9.18E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	8.28E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	2.01E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	2.73E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	8.53E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	7.11E-10	0.00E+00
				Total	1.50E-08	3.43E-07
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.75E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.99E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	8.83E-17
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.01E-18
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.17E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.74E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.37E-17
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.84E-14
				Total	0.00E+00	1.77E-09
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.31E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	6.98E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.89E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.40E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	9.90E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.55E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	7.61E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.35E-12
				Total	0.00E+00	3.01E-09
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	4.40E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.30E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	6.77E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	8.77E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.62E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.27E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.76E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.42E-10
				Total	0.00E+00	1.36E-07
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	5.51E-13	1.17E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	8.06E-14	3.17E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.44E-18	1.34E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.33E-20	1.70E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.79E-17	7.03E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	6.48E-17	2.52E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.38E-18	5.41E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.53E-16	9.97E-12
				Total	6.33E-13	4.38E-09
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.36E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.29E-09	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	5.64E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	6.70E-16	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.77E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	9.90E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.22E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.19E-12	0.00E+00
				Total	1.84E-09	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.46E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.32E-05
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.94E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.94E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	8.02E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.66E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	6.52E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.79E-08
				Total	0.00E+00	1.51E-05
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.95E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.97E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.31E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.21E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	9.13E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.78E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.73E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.97E-11
				Total	0.00E+00	7.11E-09
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	9.98E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	1.01E-03
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	6.64E+01
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.36E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	5.60E-04
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.16E+03
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.37E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.56E-08
				Total	0.00E+00	1.23E+03

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.94E-05
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	8.89E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.59E-07
				Total	0.00E+00	2.98E-05
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.69E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.47E-05
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.37E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.69E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.77E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	3.87E-05
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.21E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.60E-05
				Total	0.00E+00	9.41E-05
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.48E-08
				Total	0.00E+00	2.48E-08
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.16E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.42E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.15E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.29E-18
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.31E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.28E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.34E-17
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.00E-13
				Total	0.00E+00	5.71E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	7.86E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.12E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.44E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.51E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.52E-06
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	7.98E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	9.73E-07
				Total	0.00E+00	1.20E-05
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.46E-12	2.95E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.39E-13	8.77E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.02E-19	6.40E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.15E-21	7.22E-17
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	4.73E-19	2.98E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	2.01E-18	1.27E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.85E-20	2.43E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.81E-17	4.29E-12
				Total	3.64E-12	3.93E-08
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.74E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	8.20E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	6.30E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	4.77E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.44E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	6.25E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.84E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.96E-14	0.00E+00
				Total	1.31E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	5.69E-09
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	8.16E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.03E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.21E-17
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	5.00E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	2.00E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.99E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.69E-13
				Total	0.00E+00	5.78E-09
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	3.22E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.93E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	5.98E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.77E-18
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.56E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.09E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.33E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.86E-14
				Total	0.00E+00	3.42E-10
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	3.22E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.78E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	5.95E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	4.26E-18
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.76E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.10E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.48E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.51E-14
				Total	0.00E+00	3.41E-10
RCPTR_27	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	3.22E-10
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.95E-11
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	7.44E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	5.82E-18
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.40E-15
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.38E-14
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.99E-16
RCPTR_27	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.58E-14
				Total	0.00E+00	3.42E-10
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	3.93E-05
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.31E-05
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	5.15E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	5.77E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.38E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.02E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.95E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.46E-09
				Total	0.00E+00	6.56E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	7.28E-06
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	6.16E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	8.44E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.08E-06
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	7.36E-08
				Total	0.00E+00	9.06E-06
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.37E-12	5.56E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.27E-14	7.24E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	7.07E-20	4.02E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	8.10E-22	4.61E-17
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.34E-19	1.91E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.39E-18	7.90E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.70E-20	1.54E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.98E-17	1.13E-12
				Total	2.39E-12	5.64E-08
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.93E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.33E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.29E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.52E-16
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.45E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	6.44E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.19E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-11
				Total	0.00E+00	4.57E-07
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.14E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.61E-06
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.69E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.28E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.18E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.28E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.77E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.65E-09
				Total	0.00E+00	9.33E-06
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	1.06E-13	1.58E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.13E-13	2.03E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.16E-18	2.08E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.35E-20	2.41E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	5.56E-18	9.97E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.27E-17	4.08E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	4.46E-19	8.01E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.63E-16	4.72E-11
				Total	2.20E-13	3.63E-08
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.33E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.99E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.81E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	2.62E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.35E-09
				Total	0.00E+00	3.24E-08
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	4.79E-10	2.66E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.21E-06
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	8.33E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.24E-05
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.08E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	4.79E-10	1.46E-05
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.07E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.07E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.04E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.89E-17
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.26E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.39E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.65E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.22E-12
				Total	0.00E+00	5.58E-09
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	3.49E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	4.21E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	7.15E-16
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	8.68E-18
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.59E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.37E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.81E-16
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.23E-14
				Total	0.00E+00	3.93E-10
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.42E-12	5.94E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.26E-12	1.02E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.96E-15	2.26E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.69E-18	6.77E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.76E-15	2.80E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.54E-14	3.84E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.35E-16	2.87E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.23E-13	2.26E-08
				Total	3.22E-12	1.98E-07
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.49E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.19E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.62E-16
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.45E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.91E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.63E-16
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.67E-12
				Total	0.00E+00	4.78E-08
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	7.04E-11	5.99E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.83E-12	1.78E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.07E-18	1.30E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.33E-20	1.47E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	9.61E-18	6.05E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.09E-17	2.57E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	7.83E-19	4.93E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.38E-15	8.71E-11
				Total	7.40E-11	7.97E-07
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	4.96E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.68E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.23E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.56E-14
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.44E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.32E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	4.97E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	9.60E-11
				Total	0.00E+00	2.19E-08
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	3.84E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	6.42E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.25E-16
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.93E-18
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.62E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	6.28E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.28E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.09E-14
				Total	0.00E+00	4.50E-11
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.26E-06
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.25E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	4.10E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	4.82E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.99E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	7.97E-12
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.59E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	6.71E-11
				Total	0.00E+00	2.30E-06
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.80E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.65E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	7.45E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.68E-17
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.58E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.46E-13
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.87E-15
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.57E-12
				Total	0.00E+00	4.87E-08
RCPTR_27	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	8.19E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	6.09E-07
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	3.12E-09
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	5.07E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	5.23E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	6.15E-08
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.08E-10
RCPTR_27	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	5.54E-08
				Total	0.00E+00	7.39E-07
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	8.14E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	6.90E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	9.46E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.22E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	8.25E-09
				Total	0.00E+00	1.01E-06
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	5.63E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	8.33E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	6.32E-15
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	6.77E-17
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.79E-14
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.24E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.29E-15
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.15E-12
				Total	0.00E+00	8.80E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.70E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.04E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.72E-14
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.19E-16
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.73E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.37E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.41E-14
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.90E-11
				Total	0.00E+00	7.42E-08
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.76E-10	3.25E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.26E-08	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	8.49E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	7.66E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	1.86E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	2.52E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	7.89E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	6.58E-10	0.00E+00
				Total	1.39E-08	3.25E-07
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	9.21E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	9.26E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.73E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.15E-15
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.13E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.35E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.36E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.92E-12
				Total	0.00E+00	1.63E-09
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.20E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.78E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.07E-16
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.56E-18
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.88E-15
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	8.03E-15
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.53E-16
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.86E-13
				Total	0.00E+00	3.25E-10
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	3.96E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.04E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	5.72E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.41E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	5.83E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	9.87E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	7.12E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.17E-09
				Total	0.00E+00	4.30E-08
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.72E-11	2.33E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	4.47E-10	9.29E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	2.06E-15	4.15E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.23E-17	4.65E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	9.22E-15	1.92E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.03E-14	8.16E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	7.51E-16	1.56E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.30E-13	1.31E-08
				Total	9.25E-10	1.39E-05
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.47E-11	4.24E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.91E-10	1.63E-05
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.42E-15	5.80E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.56E-17	6.52E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	6.46E-15	2.69E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	2.80E-14	1.14E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	5.26E-16	2.19E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.94E-13	2.06E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	8.77E-10	2.56E-05
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.47E-13	1.03E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.18E-13	1.77E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.59E-16	3.92E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.16E-18	1.17E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.78E-16	4.84E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.48E-14	6.65E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	7.53E-17	4.97E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.86E-14	3.91E-09
				Total	5.59E-13	3.43E-08
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.36E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.54E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.62E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	7.33E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.61E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.21E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	5.87E-14	0.00E+00
				Total	5.02E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.31E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	6.34E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	8.47E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.49E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	7.65E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	8.49E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	6.28E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.43E-13	0.00E+00
				Total	2.05E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	8.26E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	3.93E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.27E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	8.23E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.10E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.24E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.85E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.60E-12	0.00E+00
				Total	4.48E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.25E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.54E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	7.73E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.35E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	4.39E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	7.66E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	6.33E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	6.35E-12	0.00E+00
				Total	1.65E-09	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	3.90E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.86E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	7.85E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.98E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.18E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	7.78E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	6.44E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	7.70E-13	0.00E+00
				Total	1.41E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	8.97E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.64E-16
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.09E-08
				Total	0.00E+00	9.10E-07
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	7.33E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.50E-06
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.03E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.17E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.20E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.67E-06
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.69E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	6.96E-07
				Total	0.00E+00	4.07E-06
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.07E-09
				Total	0.00E+00	1.07E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.41E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	4.82E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.06E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.09E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.08E-07
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.45E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.23E-08
				Total	0.00E+00	5.18E-07
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	4.18E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.42E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.04E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.32E-14
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.43E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.96E-11
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.19E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.10E-11
				Total	0.00E+00	1.85E-08
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.70E-15	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.17E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.67E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.26E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.17E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.65E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-15	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	7.81E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	3.48E-13	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	4.66E-16	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	2.02E-15	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.64E-15	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	4.95E-16	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	9.21E-15	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.63E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.26E-16	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	7.75E-16	0.00E+00
				Total	3.10E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	1.05E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	5.69E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.37E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.35E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.35E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	3.95E-12	0.00E+00
				Total	1.61E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.89E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	9.59E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	9.44E-11	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	6.50E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.21E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	9.33E-10	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	9.03E-12	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	6.01E-12	0.00E+00
				Total	2.23E-09	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.85E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	4.67E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	7.25E-15
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	8.19E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.38E-14
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.43E-13
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.75E-15
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.90E-12
				Total	0.00E+00	5.68E-09
RCPTR_27	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	4.78E-05
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	9.09E-05
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.20E-09
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.50E-12
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.08E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	5.61E-08
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.49E-10
RCPTR_27	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.77E-08
				Total	0.00E+00	3.33E-04
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	3.93E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.31E-05
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	5.15E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	5.77E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.38E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.02E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.95E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.46E-09
				Total	0.00E+00	6.56E-05
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	7.28E-06
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	6.16E-07
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	8.44E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.08E-06
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	7.36E-08
				Total	0.00E+00	9.06E-06
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.37E-12	5.56E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.27E-14	7.24E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	7.07E-20	4.02E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	8.10E-22	4.61E-17
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.34E-19	1.91E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.39E-18	7.90E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.70E-20	1.54E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.98E-17	1.13E-12
				Total	2.39E-12	5.64E-08
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.93E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.33E-07
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.29E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.52E-16
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.45E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	6.44E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.19E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-11
				Total	0.00E+00	4.57E-07
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.14E-07
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.61E-06
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.69E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.28E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.18E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.28E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.77E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.65E-09
				Total	0.00E+00	9.33E-06
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	1.06E-13	1.58E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.13E-13	2.03E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.16E-18	2.08E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.35E-20	2.41E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	5.56E-18	9.97E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.27E-17	4.08E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	4.46E-19	8.01E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.63E-16	4.72E-11
				Total	2.20E-13	3.63E-08
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.33E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.99E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.81E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	2.62E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.35E-09
				Total	0.00E+00	3.24E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	4.79E-10	2.66E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.21E-06
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	8.33E-07
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.24E-05
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.08E-07
				Total	4.79E-10	1.46E-05
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.07E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.07E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.04E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.89E-17
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.26E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.39E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.65E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.22E-12
				Total	0.00E+00	5.58E-09
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	3.49E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	4.21E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	7.15E-16
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	8.68E-18
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.59E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.37E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.81E-16
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.23E-14
				Total	0.00E+00	3.93E-10
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.42E-12	5.94E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.26E-12	1.02E-07
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.96E-15	2.26E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.69E-18	6.77E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.76E-15	2.80E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.54E-14	3.84E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.35E-16	2.87E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.23E-13	2.26E-08
				Total	3.22E-12	1.98E-07
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.49E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.19E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.62E-16
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-17
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.45E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.91E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.63E-16
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.67E-12
				Total	0.00E+00	4.78E-08
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	7.04E-11	5.99E-07
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.83E-12	1.78E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.07E-18	1.30E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.33E-20	1.47E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	9.61E-18	6.05E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.09E-17	2.57E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	7.83E-19	4.93E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.38E-15	8.71E-11
				Total	7.40E-11	7.97E-07
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	4.96E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.68E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.23E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.56E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.44E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.32E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	4.97E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	9.60E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.19E-08
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	3.84E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	6.42E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.25E-16
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.93E-18
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.62E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	6.28E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.28E-16
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.09E-14
				Total	0.00E+00	4.50E-11
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.26E-06
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.25E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	4.10E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	4.82E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.99E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	7.97E-12
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.59E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	6.71E-11
				Total	0.00E+00	2.30E-06
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.80E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.65E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	7.45E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.68E-17
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.58E-14
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.46E-13
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.87E-15
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.57E-12
				Total	0.00E+00	4.87E-08
RCPTR_27	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	8.19E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	6.09E-07
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	3.12E-09
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	5.07E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	5.23E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	6.15E-08
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.08E-10
RCPTR_27	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	5.54E-08
				Total	0.00E+00	7.39E-07
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.24E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.54E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	6.57E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.71E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.74E-09
				Total	0.00E+00	4.58E-07
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	4.21E-11	1.17E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	2.05E-08	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	8.02E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	8.51E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	2.04E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	4.84E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	2.91E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	5.46E-11	0.00E+00
				Total	2.20E-08	1.17E-08
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	3.53E-12
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.17E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	2.20E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	6.46E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	7.87E-11
				Total	0.00E+00	9.90E-09
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	8.48E-11	7.06E-10
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.70E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.01E-06
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.07E-06
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	6.29E-09
				Total	8.48E-11	4.56E-06
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	8.83E-10
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	4.23E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	8.72E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.60E-06
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.35E-08
				Total	0.00E+00	2.91E-06
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	8.15E-10
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	4.91E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	4.02E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	3.03E-05
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.92E-09
				Total	0.00E+00	3.12E-05
RCPTR_28	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.99E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.18E-06
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	3.47E-08
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	3.62E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	3.68E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.39E-07
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.05E-09
RCPTR_28	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.96E-08
				Total	0.00E+00	2.40E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.06E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.19E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	8.92E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	6.41E-17
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.61E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.59E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	2.01E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.21E-12
				Total	0.00E+00	1.51E-07
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.91E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.88E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	8.04E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	2.09E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.35E-08
				Total	0.00E+00	6.00E-06
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	5.19E-13	1.83E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	4.12E-15	2.34E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	7.89E-20	4.36E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	5.64E-22	3.22E-17
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	2.30E-19	1.31E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	3.14E-19	1.74E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.75E-20	9.94E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	1.03E-18	5.86E-14
				Total	5.30E-13	2.09E-09
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.45E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.42E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	9.10E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	6.25E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.55E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.62E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.96E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.48E-12
				Total	0.00E+00	3.54E-07
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	8.14E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.21E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	9.93E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.46E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	5.93E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.50E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	6.78E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.52E-10
				Total	0.00E+00	2.28E-08
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	8.72E-11	2.42E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	3.36E-08	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	1.31E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.39E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	3.33E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	7.93E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	4.77E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	8.91E-11	0.00E+00
				Total	3.60E-08	2.42E-08
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.27E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.43E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	2.12E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.56E-18
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	6.34E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	8.47E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	4.82E-17
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.27E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.44E-10
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.68E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.82E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	4.53E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.70E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.51E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.73E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	1.09E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.55E-13
				Total	0.00E+00	6.52E-10
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.20E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	9.03E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.63E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.35E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	5.51E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	6.17E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.96E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	5.09E-11
				Total	0.00E+00	9.13E-08
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.67E-13	8.53E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	5.64E-14	2.20E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	9.23E-18	3.21E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	6.67E-20	2.63E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.72E-17	1.07E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.50E-17	1.23E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	2.01E-18	7.74E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.92E-17	1.15E-12
				Total	3.29E-13	2.30E-09
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	6.61E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.51E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	8.28E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	1.03E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	4.20E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.93E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	3.26E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.66E-13	0.00E+00
				Total	4.02E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.07E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	9.15E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	4.65E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	3.00E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.22E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.79E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	9.33E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	2.06E-09
				Total	0.00E+00	9.94E-06
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.88E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.75E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.99E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.41E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.39E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.83E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.91E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.42E-12
				Total	0.00E+00	4.09E-09
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	7.26E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	7.81E-04
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.60E+02
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	2.09E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	8.50E-04
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	5.68E+02
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	6.28E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	5.24E-09
				Total	0.00E+00	7.34E+02
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.14E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	7.07E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	4.13E-08
				Total	0.00E+00	2.21E-06
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.23E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.61E-05
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	5.63E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	4.14E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	4.21E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.85E-05
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	8.86E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.84E-06
				Total	0.00E+00	5.31E-05
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.81E-09
				Total	0.00E+00	1.81E-09
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.03E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.76E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.99E-18
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.08E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.11E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.21E-17
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.30E-14
				Total	0.00E+00	1.38E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	5.92E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.62E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.76E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.82E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.19E-06
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.13E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.12E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	7.73E-06
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.68E-12	2.14E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	9.98E-14	6.28E-09
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.45E-19	1.54E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.77E-21	1.11E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	7.19E-19	4.53E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	9.84E-19	6.17E-14
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	5.51E-20	3.47E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.84E-18	4.94E-13
				Total	1.91E-12	8.92E-09
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	8.44E-15	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.81E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	9.43E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.32E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.13E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.92E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.42E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.07E-14	0.00E+00
				Total	5.66E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	4.14E-10
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	5.75E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.47E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.87E-17
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	7.61E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	9.76E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	5.71E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.94E-14
				Total	0.00E+00	4.75E-10
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.34E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.33E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.40E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	5.81E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	2.37E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	5.20E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.90E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.29E-15
				Total	0.00E+00	3.71E-11
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.34E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.24E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.40E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	6.57E-18
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.67E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	5.24E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	2.11E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	4.04E-15
				Total	0.00E+00	3.62E-11
RCPTR_28	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.34E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.36E-11
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.76E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	8.98E-18
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.65E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	6.59E-15
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.84E-16
RCPTR_28	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	5.27E-15
				Total	0.00E+00	3.74E-11
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.90E-06
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.67E-05
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.25E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	8.99E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.66E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	5.04E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.81E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.70E-10
				Total	0.00E+00	2.10E-05
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	5.20E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	4.97E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	2.13E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	5.54E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	8.85E-09
				Total	0.00E+00	1.60E-06
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.16E-12	4.09E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	9.22E-15	5.23E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.77E-19	9.75E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.26E-21	7.19E-17
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	5.14E-19	2.93E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	7.01E-19	3.89E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	3.92E-20	2.22E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	2.30E-18	1.31E-13
				Total	1.19E-12	4.66E-09
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.16E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	3.00E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	7.99E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	5.49E-16
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	2.23E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	3.17E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.72E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.30E-12
				Total	0.00E+00	3.09E-07
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.58E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.56E-06
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.14E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.22E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.35E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.57E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.57E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.25E-10
				Total	0.00E+00	6.25E-06
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	5.19E-14	1.17E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	8.24E-14	1.48E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.83E-18	5.05E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	2.10E-20	3.76E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	8.54E-18	1.53E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.12E-17	2.01E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	6.46E-19	1.16E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	3.06E-17	5.49E-12
				Total	1.38E-13	1.60E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	9.51E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.41E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	4.55E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.34E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.63E-10
				Total	0.00E+00	2.05E-08
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.28E-10	1.90E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	9.72E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.10E-06
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.35E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.30E-08
				Total	2.28E-10	9.44E-06
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.90E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.25E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.71E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.23E-16
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.00E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.84E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.83E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.74E-13
				Total	0.00E+00	3.33E-09
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.57E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.95E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.74E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.35E-17
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.51E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	6.74E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	4.06E-16
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.40E-15
				Total	0.00E+00	5.60E-11
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.99E-13	4.37E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.76E-12	7.93E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.44E-14	5.40E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.04E-17	1.05E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.24E-15	4.29E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.63E-13	1.86E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.70E-15	4.13E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.59E-14	2.62E-09
				Total	4.48E-12	9.34E-08
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.57E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.60E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.33E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.68E-17
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.84E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.39E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.25E-16
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.94E-13
				Total	0.00E+00	1.16E-08
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	3.46E-11	4.41E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.05E-12	1.29E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	5.04E-18	3.16E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.63E-20	2.29E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.48E-17	9.30E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	2.02E-17	1.27E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.13E-18	7.12E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.61E-16	1.01E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	3.89E-11	1.82E-07
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.65E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.20E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.98E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.43E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	9.89E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.14E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	7.18E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.12E-11
				Total	0.00E+00	1.24E-08
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.83E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.73E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	7.90E-16
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	6.12E-18
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.49E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	3.09E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.85E-16
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.75E-15
				Total	0.00E+00	7.63E-12
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.67E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.31E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	9.94E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	7.52E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	3.06E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	3.92E-12
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	2.29E-13
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.81E-12
				Total	0.00E+00	1.91E-07
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.53E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.82E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.81E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.35E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.50E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.18E-14
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.15E-15
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.83E-13
				Total	0.00E+00	4.05E-09
RCPTR_28	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	5.85E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	4.92E-07
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	7.85E-09
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	8.17E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	8.30E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	3.14E-08
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	4.61E-10
RCPTR_28	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	6.66E-09
				Total	0.00E+00	5.41E-07
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	5.82E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	5.57E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	2.38E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	6.21E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	9.91E-10
				Total	0.00E+00	1.79E-07
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	4.14E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	5.76E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.54E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	1.06E-16
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	4.30E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	6.10E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	3.31E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.50E-13
				Total	0.00E+00	5.95E-08
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.25E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.41E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.03E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.53E-16
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.66E-13
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.63E-13
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.04E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.37E-12
				Total	0.00E+00	4.97E-08
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	8.37E-11	2.32E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	3.14E-08	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	1.23E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	1.30E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	3.11E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	7.42E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	4.46E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	8.33E-11	0.00E+00
				Total	3.37E-08	2.32E-08
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	6.79E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	6.48E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.88E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	8.03E-15
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	3.27E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.67E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	9.23E-13
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	8.05E-13
				Total	0.00E+00	9.51E-10
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.57E-13
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.30E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	9.89E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.11E-18
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.90E-15
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.96E-15
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.22E-16
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.16E-14
				Total	0.00E+00	1.94E-10
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.92E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.49E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.39E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	2.20E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	8.96E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	4.87E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	1.03E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.36E-10
				Total	0.00E+00	2.54E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.34E-11	1.72E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.36E-10	6.75E-06
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	6.43E-15	1.01E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	3.48E-17	7.25E-13
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.42E-14	2.95E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.49E-14	4.02E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.14E-15	2.25E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.34E-14	1.53E-09
				Total	1.59E-09	8.72E-06
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.21E-11	3.12E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.93E-10	1.18E-05
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	4.19E-15	1.41E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.44E-17	1.02E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	9.93E-15	4.14E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.64E-14	5.63E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	7.88E-16	3.16E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.75E-14	2.40E-09
				Total	1.58E-09	1.59E-05
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.21E-13	7.57E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	4.78E-13	1.37E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.29E-14	9.36E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.81E-18	1.83E-13
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	7.35E-16	7.44E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.55E-14	3.22E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.68E-16	7.16E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.49E-15	4.55E-10
				Total	7.79E-13	1.62E-08
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.65E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	7.36E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.49E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	3.61E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.09E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	5.09E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	9.36E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.16E-14	0.00E+00
				Total	2.30E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	6.41E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	3.02E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.32E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.23E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	3.72E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.71E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	5.09E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	8.93E-14	0.00E+00
				Total	9.34E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	4.05E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.79E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	3.44E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	4.05E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	5.35E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	6.99E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.33E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	5.87E-13	0.00E+00
				Total	2.02E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.59E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	7.03E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.17E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.65E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.14E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.39E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.56E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.34E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	7.47E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.91E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	8.45E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.19E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	9.77E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.55E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.43E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.65E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	2.83E-13	0.00E+00
				Total	6.28E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	6.61E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.12E-16
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.27E-09
				Total	0.00E+00	6.81E-08
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	5.40E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.15E-06
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.46E-07
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.82E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.85E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	8.08E-07
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.89E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	8.08E-08
				Total	0.00E+00	2.32E-06
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	7.92E-11
				Total	0.00E+00	7.92E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.60E-07
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.14E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.65E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.68E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	5.15E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	4.94E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.91E-09
				Total	0.00E+00	3.38E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.08E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.01E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.52E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	2.05E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	8.36E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	9.66E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	6.06E-13
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.43E-12
				Total	0.00E+00	1.05E-08
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.30E-15	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.02E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.52E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	6.18E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.67E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	5.13E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	9.16E-15	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.86E-15	0.00E+00
				Total	1.51E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.28E-16	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	9.76E-15	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.48E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.43E-15	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	4.46E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	5.05E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	8.99E-16	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	2.84E-16	0.00E+00
				Total	1.34E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	5.15E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.25E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	2.11E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	4.29E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	9.95E-12	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.48E-12	0.00E+00
				Total	6.75E-10	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	9.25E-13	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	3.99E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.45E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.26E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.58E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.95E-09	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	6.60E-11	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.25E-12	0.00E+00
				Total	1.04E-08	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.36E-11
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.42E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.76E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.28E-16
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	5.20E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	7.06E-14
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.98E-15
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.54E-13
				Total	0.00E+00	3.80E-09
RCPTR_28	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.52E-06
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	7.08E-05
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	7.79E-09
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.33E-12
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	9.35E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.77E-08
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.61E-10
RCPTR_28	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.39E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.61E-04
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.90E-06
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.67E-05
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.25E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	8.99E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.66E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	5.04E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.81E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.70E-10
				Total	0.00E+00	2.10E-05
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	5.20E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	4.97E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	2.13E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	5.54E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	8.85E-09
				Total	0.00E+00	1.60E-06
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.16E-12	4.09E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	9.22E-15	5.23E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.77E-19	9.75E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.26E-21	7.19E-17
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	5.14E-19	2.93E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	7.01E-19	3.89E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	3.92E-20	2.22E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	2.30E-18	1.31E-13
				Total	1.19E-12	4.66E-09
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.16E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	3.00E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	7.99E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	5.49E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	2.23E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	3.17E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.72E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.30E-12
				Total	0.00E+00	3.09E-07
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.58E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.56E-06
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.14E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.22E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.35E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.57E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.57E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.25E-10
				Total	0.00E+00	6.25E-06
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	5.19E-14	1.17E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	8.24E-14	1.48E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.83E-18	5.05E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	2.10E-20	3.76E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	8.54E-18	1.53E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.12E-17	2.01E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	6.46E-19	1.16E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	3.06E-17	5.49E-12
				Total	1.38E-13	1.60E-08
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	9.51E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.41E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	4.55E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.34E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.63E-10
				Total	0.00E+00	2.05E-08
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.28E-10	1.90E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	9.72E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.10E-06
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.35E-06
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.30E-08
				Total	2.28E-10	9.44E-06
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.90E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.25E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.71E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.23E-16
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.00E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.84E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.83E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.74E-13
				Total	0.00E+00	3.33E-09
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.57E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.95E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.74E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.35E-17
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.51E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	6.74E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	4.06E-16
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.40E-15
				Total	0.00E+00	5.60E-11
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.99E-13	4.37E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.76E-12	7.93E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.44E-14	5.40E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.04E-17	1.05E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.24E-15	4.29E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.63E-13	1.86E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.70E-15	4.13E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.59E-14	2.62E-09
				Total	4.48E-12	9.34E-08
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.57E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.60E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.33E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.68E-17
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.84E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.39E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.25E-16
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.94E-13
				Total	0.00E+00	1.16E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	3.46E-11	4.41E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.05E-12	1.29E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	5.04E-18	3.16E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.63E-20	2.29E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.48E-17	9.30E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	2.02E-17	1.27E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.13E-18	7.12E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.61E-16	1.01E-11
				Total	3.89E-11	1.82E-07
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.65E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.20E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.98E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.43E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	9.89E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.14E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	7.18E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.12E-11
				Total	0.00E+00	1.24E-08
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.83E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.73E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	7.90E-16
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	6.12E-18
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.49E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	3.09E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.85E-16
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.75E-15
				Total	0.00E+00	7.63E-12
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.67E-07
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.31E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	9.94E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	7.52E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	3.06E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	3.92E-12
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	2.29E-13
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.81E-12
				Total	0.00E+00	1.91E-07
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.53E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.82E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.81E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.35E-16
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.50E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.18E-14
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.15E-15
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.83E-13
				Total	0.00E+00	4.05E-09
RCPTR_28	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	5.85E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	4.92E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	7.85E-09
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	8.17E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	8.30E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	3.14E-08
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	4.61E-10
RCPTR_28	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	6.66E-09
				Total	0.00E+00	5.41E-07
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.83E-06
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.14E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	2.94E-09
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	3.78E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.56E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.45E-06
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	9.35E-11	1.73E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	9.26E-09	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	6.25E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	5.63E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	1.36E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	1.86E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	5.80E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	4.83E-10	0.00E+00
				Total	1.02E-08	1.73E-07
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	5.23E-11
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.63E-09
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	9.84E-10
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.42E-08
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	7.35E-10
				Total	0.00E+00	1.76E-08
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.88E-10	1.05E-08
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.57E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.54E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.76E-06
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	5.87E-08
				Total	1.88E-10	7.94E-06
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.31E-08
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	5.92E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	3.90E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	3.52E-06
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.26E-07
				Total	0.00E+00	4.64E-06
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.21E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	6.85E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.80E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	6.68E-05
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.79E-08
				Total	0.00E+00	6.77E-05
RCPTR_28	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.95E-08
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	3.04E-06
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.55E-08
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.52E-09
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.60E-09
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	3.07E-07
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.54E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.76E-07
				Total	0.00E+00	3.67E-06
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	3.06E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.79E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	3.99E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.47E-17
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.84E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	7.93E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.51E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.13E-11
				Total	0.00E+00	5.10E-07
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.83E-05
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.62E-06
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	3.60E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	4.62E-06
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.12E-07
				Total	0.00E+00	3.59E-05
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	1.15E-12	2.71E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	6.17E-15	3.51E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	3.43E-20	1.95E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.93E-22	2.24E-17
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.62E-19	9.25E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	6.74E-19	3.83E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.31E-20	7.46E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	9.60E-18	5.47E-13
				Total	1.16E-12	2.75E-08
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	3.64E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	5.36E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	4.07E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.36E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.80E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	7.97E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.47E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.38E-11
				Total	0.00E+00	5.66E-07
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.21E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.68E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	4.44E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.01E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.19E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	7.72E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	5.09E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.42E-09
				Total	0.00E+00	4.91E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.94E-10	3.59E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.51E-08	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	1.02E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	9.19E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	2.23E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	3.04E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	9.49E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	7.89E-10	0.00E+00
				Total	1.66E-08	3.59E-07
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.88E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	2.14E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	9.49E-17
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.09E-18
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.48E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.87E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.62E-17
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.05E-14
				Total	0.00E+00	1.91E-09
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.49E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	7.49E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	2.03E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.58E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.06E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.81E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	8.18E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.45E-12
				Total	0.00E+00	3.24E-09
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	4.74E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.40E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	7.27E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	9.42E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.89E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.36E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.97E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.75E-10
				Total	0.00E+00	1.46E-07
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	5.94E-13	1.26E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	8.66E-14	3.40E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.70E-18	1.44E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.65E-20	1.83E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.92E-17	7.55E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	6.96E-17	2.71E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.48E-18	5.81E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.72E-16	1.07E-11
				Total	6.83E-13	4.71E-09
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.47E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.39E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	6.02E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	7.19E-16	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.97E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	1.06E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.59E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.42E-12	0.00E+00
				Total	1.94E-09	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.58E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.42E-05
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	2.08E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.09E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	8.61E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.94E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	7.01E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.92E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.61E-05
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	4.26E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	4.27E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.57E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.37E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	9.80E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.23E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.94E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.19E-11
				Total	0.00E+00	7.49E-09
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	1.08E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	1.09E-03
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	7.16E+01
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.45E-06
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	6.00E-04
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.25E+03
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.71E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.89E-08
				Total	0.00E+00	1.33E+03
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	3.18E-05
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	9.89E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.86E-07
				Total	0.00E+00	3.22E-05
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.82E-06
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.72E-05
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.52E-06
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.88E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.97E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	4.09E-05
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.65E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.72E-05
				Total	0.00E+00	1.00E-04
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.67E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.67E-08
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.49E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.52E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.23E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.38E-18
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.71E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.45E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.66E-17
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.14E-13
				Total	0.00E+00	6.15E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	8.41E-06
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.17E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.62E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.70E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.63E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	8.49E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.04E-06
				Total	0.00E+00	1.27E-05
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.74E-12	3.18E-08
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.50E-13	9.43E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.09E-19	6.87E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.23E-21	7.75E-17
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	5.08E-19	3.20E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	2.16E-18	1.36E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.14E-20	2.61E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.32E-17	4.61E-12
				Total	3.93E-12	4.23E-08
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.87E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	8.39E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	6.49E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	4.87E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.53E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	6.44E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.98E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.02E-14	0.00E+00
				Total	1.35E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	6.14E-09
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	8.77E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.11E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.30E-17
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	5.38E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	2.15E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.29E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.81E-13
				Total	0.00E+00	6.23E-09
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	3.47E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	2.07E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	6.28E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.05E-18
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.67E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.15E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.43E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.07E-14
				Total	0.00E+00	3.69E-10
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	3.47E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.92E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	6.27E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	4.58E-18
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.89E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.16E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.58E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.77E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.67E-10
RCPTR_28	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	3.47E-10
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	2.10E-11
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	7.85E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	6.25E-18
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.58E-15
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.45E-14
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.13E-16
RCPTR_28	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.92E-14
				Total	0.00E+00	3.69E-10
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	4.29E-05
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.51E-05
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	5.60E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	6.26E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.59E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.11E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.11E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.58E-09
				Total	0.00E+00	7.12E-05
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	7.70E-06
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	6.93E-07
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	9.51E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.22E-06
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	8.26E-08
				Total	0.00E+00	9.71E-06
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.58E-12	6.06E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.38E-14	7.86E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	7.68E-20	4.36E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	8.79E-22	5.01E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.63E-19	2.07E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.51E-18	8.58E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.93E-20	1.67E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	2.15E-17	1.22E-12
				Total	2.60E-12	6.15E-08
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	3.19E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.71E-07
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.57E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.82E-16
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.58E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	6.99E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.29E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.21E-11
				Total	0.00E+00	4.95E-07
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.34E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.26E-06
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.09E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.73E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.36E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.01E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.93E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.97E-09
				Total	0.00E+00	1.00E-05
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	1.15E-13	1.73E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.23E-13	2.20E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.26E-18	2.26E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.46E-20	2.62E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	6.03E-18	1.08E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.47E-17	4.42E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	4.85E-19	8.69E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.86E-16	5.12E-11
				Total	2.40E-13	3.94E-08
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.41E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	3.37E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	2.04E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	2.95E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.52E-09
				Total	0.00E+00	3.66E-08
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	5.07E-10	2.82E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.36E-06
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.39E-07
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.40E-05
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.21E-07
				Total	5.07E-10	1.65E-05
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.17E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.34E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.65E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.56E-17
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.54E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.51E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.88E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.49E-12
				Total	0.00E+00	5.85E-09
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	3.80E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	4.57E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	7.77E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	9.43E-18
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.89E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.49E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.05E-16
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.84E-14
				Total	0.00E+00	4.28E-10
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.55E-12	6.47E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.35E-12	1.10E-07
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.29E-15	2.42E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.26E-18	7.35E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.00E-15	3.03E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	9.12E-14	4.10E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.69E-16	3.10E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.42E-13	2.45E-08
				Total	3.46E-12	2.13E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.80E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.29E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.04E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.17E-17
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.83E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.07E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.94E-16
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.81E-12
				Total	0.00E+00	5.19E-08
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	7.68E-11	6.53E-07
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	3.07E-12	1.94E-07
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.24E-18	1.41E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.53E-20	1.59E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.04E-17	6.57E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.44E-17	2.79E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	8.50E-19	5.35E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.50E-15	9.46E-11
				Total	8.06E-11	8.67E-07
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	5.41E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.82E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.33E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.69E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.99E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.52E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	5.39E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.04E-10
				Total	0.00E+00	2.38E-08
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	4.19E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	6.97E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.53E-16
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	4.26E-18
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.76E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	6.82E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.39E-16
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.44E-14
				Total	0.00E+00	4.90E-11
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.47E-06
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.53E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	4.45E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	5.24E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.16E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	8.66E-12
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.72E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.29E-11
				Total	0.00E+00	2.51E-06
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.23E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.22E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.09E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.42E-17
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.89E-14
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.58E-13
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.12E-15
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.71E-12
				Total	0.00E+00	5.31E-08
RCPTR_28	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	8.67E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	6.85E-07
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	3.51E-09
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	5.69E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	5.86E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	6.92E-08
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.47E-10
RCPTR_28	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	6.22E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	8.30E-07
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	8.62E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	7.76E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.07E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.37E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	9.25E-09
				Total	0.00E+00	1.09E-06
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	6.14E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	9.05E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	6.87E-15
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	7.35E-17
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.03E-14
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.35E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.49E-15
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.33E-12
				Total	0.00E+00	9.52E-08
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.85E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.56E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.04E-14
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.55E-16
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.88E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.00E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.53E-14
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.15E-11
				Total	0.00E+00	7.96E-08
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.86E-10	3.44E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.42E-08	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	9.56E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	8.59E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	2.08E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	2.84E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	8.87E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	7.38E-10	0.00E+00
				Total	1.56E-08	3.44E-07
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.01E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.01E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	8.43E-12
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.60E-15
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.31E-12
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.47E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.93E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.51E-12
				Total	0.00E+00	1.73E-09
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.77E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.93E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.42E-16
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.95E-18
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.05E-15
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	8.73E-15
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.66E-16
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.02E-13
				Total	0.00E+00	3.41E-10
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	4.32E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.21E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	6.22E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.53E-12
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	6.33E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	1.07E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	7.74E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.27E-09
				Total	0.00E+00	4.62E-08
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.97E-11	2.55E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	4.86E-10	1.01E-05
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	2.23E-15	4.51E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.43E-17	5.05E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.00E-14	2.09E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.37E-14	8.86E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	8.16E-16	1.69E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.85E-13	1.43E-08
				Total	9.66E-10	1.47E-05
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.70E-11	4.62E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	4.25E-10	1.77E-05
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.55E-15	6.30E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.70E-17	7.08E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	7.02E-15	2.92E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	3.04E-14	1.24E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	5.72E-16	2.37E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.36E-13	2.24E-08
				Total	9.13E-10	2.71E-05
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.69E-13	1.12E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.33E-13	1.91E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	9.18E-16	4.19E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.26E-18	1.27E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	5.19E-16	5.25E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.58E-14	7.11E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	8.12E-17	5.38E-12
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.19E-14	4.24E-09
				Total	6.01E-13	3.70E-08
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.66E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.59E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.70E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	7.58E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.32E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.70E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.28E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	6.07E-14	0.00E+00
				Total	5.22E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.42E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	6.59E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	9.02E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.58E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	7.93E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	9.04E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	6.67E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.52E-13	0.00E+00
				Total	2.16E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	9.00E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	4.06E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.37E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	8.56E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.15E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.35E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.94E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.66E-12	0.00E+00
				Total	4.67E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.54E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.60E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	8.10E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.49E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	4.57E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	8.02E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	6.63E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	6.60E-12	0.00E+00
				Total	1.72E-09	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	4.25E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.92E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	8.23E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.06E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.31E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	8.15E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	6.75E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	8.01E-13	0.00E+00
				Total	1.47E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	9.79E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.97E-16
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.19E-08
				Total	0.00E+00	9.93E-07
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	8.00E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.63E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.10E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.27E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.30E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.78E-06
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.92E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.54E-07
				Total	0.00E+00	4.38E-06
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.17E-09
				Total	0.00E+00	1.17E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.69E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	5.08E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.15E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.18E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.14E-07
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.71E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.58E-08
				Total	0.00E+00	5.56E-07
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	4.57E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.54E-08
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.13E-12
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.43E-14
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.90E-12
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	2.13E-11
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.55E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.80E-11
				Total	0.00E+00	2.01E-08
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	5.12E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.24E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.74E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.30E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.21E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.72E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.33E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	8.04E-15	0.00E+00
				Total	3.60E-13	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	5.08E-16	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	2.09E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.71E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	5.10E-16	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	9.48E-15	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.69E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.30E-16	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	7.98E-16	0.00E+00
				Total	3.22E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	1.14E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	6.00E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.47E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.45E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.45E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	4.23E-12	0.00E+00
				Total	1.72E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	2.06E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	1.01E-11	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.01E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	6.92E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.55E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	9.96E-10	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	9.66E-12	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	6.40E-12	0.00E+00
				Total	2.37E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	2.02E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	5.07E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	7.87E-15
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	8.89E-17
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.67E-14
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.56E-13
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.99E-15
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.24E-12
				Total	0.00E+00	6.10E-09
RCPTR_28	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	5.21E-05
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	9.91E-05
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.49E-09
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.63E-12
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.60E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	6.12E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.71E-10
RCPTR_28	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.10E-08
				Total	0.00E+00	3.46E-04
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	4.29E-05
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.51E-05
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	5.60E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	6.26E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.59E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.11E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.11E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.58E-09
				Total	0.00E+00	7.12E-05
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	7.70E-06
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	6.93E-07
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	9.51E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.22E-06
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	8.26E-08
				Total	0.00E+00	9.71E-06
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.58E-12	6.06E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.38E-14	7.86E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	7.68E-20	4.36E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	8.79E-22	5.01E-17
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.63E-19	2.07E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.51E-18	8.58E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.93E-20	1.67E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	2.15E-17	1.22E-12
				Total	2.60E-12	6.15E-08
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	3.19E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.71E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.57E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.82E-16
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.58E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	6.99E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.29E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.21E-11
				Total	0.00E+00	4.95E-07
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.34E-07
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.26E-06
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.09E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.73E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.36E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.01E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.93E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.97E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.00E-05
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	1.15E-13	1.73E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.23E-13	2.20E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.26E-18	2.26E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.46E-20	2.62E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	6.03E-18	1.08E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.47E-17	4.42E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	4.85E-19	8.69E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.86E-16	5.12E-11
				Total	2.40E-13	3.94E-08
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.41E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	3.37E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	2.04E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	2.95E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.52E-09
				Total	0.00E+00	3.66E-08
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	5.07E-10	2.82E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.36E-06
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.39E-07
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.40E-05
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.21E-07
				Total	5.07E-10	1.65E-05
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.17E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.34E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.65E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.56E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.54E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.51E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.88E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.49E-12
				Total	0.00E+00	5.85E-09
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	3.80E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	4.57E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	7.77E-16
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	9.43E-18
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.89E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.49E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.05E-16
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.84E-14
				Total	0.00E+00	4.28E-10
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.55E-12	6.47E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.35E-12	1.10E-07
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.29E-15	2.42E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.26E-18	7.35E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.00E-15	3.03E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	9.12E-14	4.10E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.69E-16	3.10E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.42E-13	2.45E-08
				Total	3.46E-12	2.13E-07
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.80E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.29E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.04E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.17E-17
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.83E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.07E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.94E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.81E-12
				Total	0.00E+00	5.19E-08
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	7.68E-11	6.53E-07
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	3.07E-12	1.94E-07
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.24E-18	1.41E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.53E-20	1.59E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.04E-17	6.57E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.44E-17	2.79E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	8.50E-19	5.35E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.50E-15	9.46E-11
				Total	8.06E-11	8.67E-07
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	5.41E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.82E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.33E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.69E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.99E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.52E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	5.39E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.04E-10
				Total	0.00E+00	2.38E-08
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	4.19E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	6.97E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.53E-16
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	4.26E-18
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.76E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	6.82E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.39E-16
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.44E-14
				Total	0.00E+00	4.90E-11
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.47E-06
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.53E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	4.45E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	5.24E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.16E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	8.66E-12
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.72E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.29E-11
				Total	0.00E+00	2.51E-06
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.23E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.22E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.09E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.42E-17
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.89E-14
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.58E-13
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.12E-15
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.71E-12
				Total	0.00E+00	5.31E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_28	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	8.67E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	6.85E-07
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	3.51E-09
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	5.69E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	5.86E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	6.92E-08
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.47E-10
RCPTR_28	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	6.22E-08
				Total	0.00E+00	8.30E-07
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.56E-07
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.00E-07
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	8.57E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	2.23E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	3.55E-09
				Total	0.00E+00	5.92E-07
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	5.32E-11	1.48E-08
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	2.67E-08	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	1.05E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	1.10E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	2.63E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	6.32E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	3.80E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	7.05E-11	0.00E+00
				Total	2.87E-08	1.48E-08
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	4.47E-12
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.52E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	2.87E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	8.42E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	1.02E-10
				Total	0.00E+00	1.29E-08
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.07E-10	8.94E-10
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.12E-07
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.32E-06
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.00E-06
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.12E-09
				Total	1.07E-10	5.94E-06
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.12E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	5.51E-07
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	1.14E-06
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	2.08E-06
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.75E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.79E-06
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.03E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	6.38E-07
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	5.24E-07
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	3.95E-05
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.48E-09
				Total	0.00E+00	4.07E-05
RCPTR_29	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.52E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.83E-06
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	4.52E-08
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	4.68E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	4.76E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.81E-07
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.65E-09
RCPTR_29	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.82E-08
				Total	0.00E+00	3.11E-06
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.78E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.03E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	7.69E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	5.53E-17
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.25E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.10E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.73E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.04E-12
				Total	0.00E+00	1.31E-07
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.68E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.36E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	1.01E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	2.64E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	4.19E-08
				Total	0.00E+00	6.82E-06
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	4.48E-13	1.58E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	3.55E-15	2.02E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	6.81E-20	3.76E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	4.86E-22	2.77E-17
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.98E-19	1.13E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	2.71E-19	1.50E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.51E-20	8.56E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	8.86E-19	5.05E-14
				Total	4.59E-13	1.80E-09
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.12E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.94E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	7.85E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	5.39E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.19E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.12E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.69E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.28E-12
				Total	0.00E+00	3.06E-07
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	7.03E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.10E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	1.00E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.26E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	5.13E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.54E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	6.21E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.31E-10
				Total	0.00E+00	2.16E-08
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	7.67E-11	2.13E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	4.22E-08	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	1.65E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.74E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	4.16E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	9.99E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	6.00E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	1.11E-10	0.00E+00
				Total	4.53E-08	2.13E-08
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.10E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.24E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.83E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.34E-18
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	5.46E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	7.30E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	4.16E-17
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.82E-15
				Total	0.00E+00	1.25E-10
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.45E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.15E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	3.91E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.19E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.30E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.49E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	9.38E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.34E-13
				Total	0.00E+00	5.63E-10
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.76E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	7.78E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.40E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.17E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	4.75E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	5.32E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.41E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.39E-11
				Total	0.00E+00	7.87E-08
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.31E-13	7.36E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	4.86E-14	1.90E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	7.98E-18	2.77E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	5.75E-20	2.26E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.34E-17	9.21E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.03E-17	1.06E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.73E-18	6.67E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.51E-17	9.89E-13
				Total	2.84E-13	1.99E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	5.71E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.19E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	7.87E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	9.05E-16	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.69E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.79E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	3.00E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.22E-13	0.00E+00
				Total	3.70E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	9.20E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	7.88E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	4.01E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.58E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.05E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.54E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	8.04E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.77E-09
				Total	0.00E+00	8.67E-06
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.48E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.37E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	6.90E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.94E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.20E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.44E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.38E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.94E-12
				Total	0.00E+00	3.66E-09
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	6.27E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	6.74E-04
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.38E+02
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.82E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	7.40E-04
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	4.90E+02
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	5.42E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.56E-09
				Total	0.00E+00	6.33E+02
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.85E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	8.87E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.56E-08
				Total	0.00E+00	1.91E-06
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.06E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.31E-05
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	5.49E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	3.63E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.69E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.89E-05
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	7.84E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.62E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.00E-05
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.56E-09
				Total	0.00E+00	1.56E-09
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.61E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.76E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.38E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.71E-18
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.96E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.57E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.35E-17
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.98E-14
				Total	0.00E+00	1.20E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	5.39E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.99E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.30E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.35E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.38E-06
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.08E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	9.81E-08
				Total	0.00E+00	7.41E-06
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.45E-12	1.85E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	8.60E-14	5.41E-09
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.11E-19	1.32E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.52E-21	9.59E-17
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	6.20E-19	3.90E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	8.48E-19	5.32E-14
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.75E-20	2.99E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.75E-18	4.25E-13
				Total	1.66E-12	7.76E-09
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	7.29E-15	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	5.00E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.18E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	3.02E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.77E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.41E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.26E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.39E-14	0.00E+00
				Total	7.23E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.57E-10
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	4.96E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.13E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.61E-17
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	6.56E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	8.41E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.92E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.67E-14
				Total	0.00E+00	4.10E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.02E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.15E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.51E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	5.01E-18
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	2.04E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	5.56E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.71E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.83E-15
				Total	0.00E+00	3.21E-11
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.02E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.07E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.47E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	5.66E-18
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.30E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	5.43E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.88E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.48E-15
				Total	0.00E+00	3.13E-11
RCPTR_29	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.02E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.17E-11
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.80E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	7.74E-18
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.15E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	6.68E-15
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.51E-16
RCPTR_29	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.54E-15
				Total	0.00E+00	3.23E-11
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.83E-06
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.62E-05
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.22E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	8.75E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.56E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	4.90E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.74E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.65E-10
				Total	0.00E+00	2.05E-05
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	5.22E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	6.47E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	2.77E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	7.22E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	1.15E-08
				Total	0.00E+00	1.93E-06
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.14E-12	4.00E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	8.97E-15	5.09E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.72E-19	9.49E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.23E-21	6.99E-17
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	5.00E-19	2.85E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	6.83E-19	3.78E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	3.81E-20	2.16E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	2.24E-18	1.28E-13
				Total	1.16E-12	4.56E-09
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.11E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.92E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	7.77E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	5.34E-16
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	2.17E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	3.09E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.67E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.26E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.01E-07
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.54E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.41E-06
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.11E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.00E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.26E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.45E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.50E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.13E-10
				Total	0.00E+00	6.09E-06
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	5.08E-14	1.14E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	8.01E-14	1.44E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.75E-18	4.91E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	2.04E-20	3.66E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	8.31E-18	1.49E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.09E-17	1.95E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	6.28E-19	1.13E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.98E-17	5.34E-12
				Total	1.34E-13	1.55E-08
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	9.54E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	3.14E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	5.93E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.74E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	2.11E-10
				Total	0.00E+00	2.67E-08
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.29E-10	1.91E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.27E-06
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.74E-06
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.28E-06
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.68E-08
				Total	2.29E-10	1.23E-05
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.72E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.19E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.66E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.20E-16
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.87E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.66E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.73E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.64E-13
				Total	0.00E+00	3.27E-09
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.51E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.87E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.69E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.32E-17
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.36E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	6.56E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.95E-16
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.18E-15
				Total	0.00E+00	5.47E-11
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.84E-13	4.27E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.40E-12	8.20E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.42E-14	6.00E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.02E-17	1.03E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.15E-15	4.20E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.97E-13	2.07E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.92E-15	4.21E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.54E-14	2.57E-09
				Total	5.15E-12	9.62E-08
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.51E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.37E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.27E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.63E-17
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.65E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.14E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.11E-16
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.89E-13
				Total	0.00E+00	1.13E-08
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	3.38E-11	4.31E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.99E-12	1.25E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	4.90E-18	3.07E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.53E-20	2.22E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.44E-17	9.05E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.97E-17	1.23E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.10E-18	6.93E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.57E-16	9.86E-12
				Total	3.81E-11	1.77E-07
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.57E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.17E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.90E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.36E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	9.63E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.11E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	6.98E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.09E-11
				Total	0.00E+00	1.21E-08
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.76E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.60E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	7.68E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	5.95E-18
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.42E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	3.01E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.80E-16
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.62E-15
				Total	0.00E+00	7.44E-12
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.63E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.25E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	9.68E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	7.31E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.98E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	3.82E-12
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	2.23E-13
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.60E-12
				Total	0.00E+00	1.87E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.45E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.69E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.76E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.32E-16
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.36E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.99E-14
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.04E-15
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.78E-13
				Total	0.00E+00	3.96E-09
RCPTR_29	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	5.87E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	6.39E-07
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	1.02E-08
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	1.06E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	1.07E-09
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	4.09E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	5.99E-10
RCPTR_29	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	8.62E-09
				Total	0.00E+00	7.02E-07
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	5.78E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	7.23E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	3.10E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	8.07E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.28E-09
				Total	0.00E+00	2.15E-07
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	4.01E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	5.55E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.48E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	1.02E-16
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	4.14E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	5.88E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	3.19E-15
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.41E-13
				Total	0.00E+00	5.74E-08
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.21E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.25E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	8.70E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.29E-16
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.56E-13
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.50E-13
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.96E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.25E-12
				Total	0.00E+00	4.81E-08
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	8.31E-11	2.31E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	4.08E-08	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	1.60E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	1.68E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	4.02E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	9.65E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	5.80E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	1.08E-10	0.00E+00
				Total	4.38E-08	2.31E-08
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	6.57E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	6.24E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.82E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	7.74E-15
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	3.15E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.46E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	8.93E-13
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.76E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	9.24E-10
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.42E-13
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.26E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	9.54E-16
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.85E-18
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.79E-15
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.82E-15
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.14E-16
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.08E-14
				Total	0.00E+00	1.89E-10
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.82E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.44E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.37E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	2.12E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	8.64E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	4.80E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	1.00E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.31E-10
				Total	0.00E+00	2.48E-08
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.29E-11	1.66E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.24E-10	6.51E-06
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	6.40E-15	9.74E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	3.35E-17	6.99E-13
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.37E-14	2.85E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.47E-14	3.88E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.10E-15	2.17E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.07E-14	1.47E-09
				Total	1.58E-09	8.47E-06
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.17E-11	3.02E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.83E-10	1.14E-05
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	4.08E-15	1.36E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.35E-17	9.80E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	9.57E-15	3.99E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.59E-14	5.43E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	7.61E-16	3.05E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.54E-14	2.31E-09
				Total	1.57E-09	1.54E-05
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.17E-13	7.33E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	5.87E-13	1.41E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.45E-14	1.03E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.75E-18	1.77E-13
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	7.12E-16	7.21E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	5.12E-14	3.56E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	5.03E-16	7.24E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.35E-15	4.41E-10
				Total	8.91E-13	1.66E-08
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.60E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	9.83E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	3.01E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	4.75E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.44E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	6.13E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.11E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.84E-14	0.00E+00
				Total	2.94E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	6.22E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	3.96E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.51E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.58E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	4.78E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	3.08E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	5.73E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	1.15E-13	0.00E+00
				Total	1.14E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	3.93E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	2.40E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	4.32E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	5.14E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	6.77E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	8.78E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.64E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	7.44E-13	0.00E+00
				Total	2.54E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.54E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	9.42E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.47E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	2.09E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.70E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.99E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	5.59E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.95E-12	0.00E+00
				Total	9.40E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.86E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.13E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.49E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.23E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.95E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	3.02E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	5.67E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	3.57E-13	0.00E+00
				Total	7.86E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	6.40E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.75E-16
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.23E-09
				Total	0.00E+00	6.59E-08
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	5.23E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.13E-06
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.61E-07
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.77E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.80E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	8.88E-07
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.82E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.90E-08
				Total	0.00E+00	2.40E-06
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	7.66E-11
				Total	0.00E+00	7.66E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.61E-07
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.37E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.61E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.64E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	6.28E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	5.16E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.79E-09
				Total	0.00E+00	3.52E-07
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.98E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	9.75E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.43E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.98E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	8.05E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	9.31E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	5.84E-13
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.09E-12
				Total	0.00E+00	1.01E-08
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.23E-15	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.37E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	3.29E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	8.28E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	7.60E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	6.68E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.18E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.83E-15	0.00E+00
				Total	1.99E-12	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.22E-16	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.32E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	3.24E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	3.26E-15	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	5.97E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	6.59E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.16E-15	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	3.80E-16	0.00E+00
				Total	1.76E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	4.99E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.76E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	2.28E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	4.64E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.05E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.57E-12	0.00E+00
				Total	7.32E-10	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	8.97E-13	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	5.06E-11	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.63E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.59E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.84E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	3.31E-09	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	7.17E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.48E-12	0.00E+00
				Total	1.15E-08	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.32E-11
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.30E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.70E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.23E-16
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	5.01E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	6.80E-14
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.83E-15
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.38E-13
				Total	0.00E+00	3.68E-09
RCPTR_29	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.41E-06
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	6.85E-05
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	7.54E-09
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.25E-12
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	9.01E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.69E-08
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.49E-10
RCPTR_29	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.23E-09
				Total	0.00E+00	1.59E-04
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.83E-06
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.62E-05
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.22E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	8.75E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.56E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	4.90E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.74E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.65E-10
				Total	0.00E+00	2.05E-05
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	5.22E-07
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	6.47E-07
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	2.77E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	7.22E-07
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	1.15E-08
				Total	0.00E+00	1.93E-06
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.14E-12	4.00E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	8.97E-15	5.09E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.72E-19	9.49E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.23E-21	6.99E-17
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	5.00E-19	2.85E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	6.83E-19	3.78E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	3.81E-20	2.16E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	2.24E-18	1.28E-13
				Total	1.16E-12	4.56E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.11E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.92E-07
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	7.77E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	5.34E-16
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	2.17E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	3.09E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.67E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.26E-12
				Total	0.00E+00	3.01E-07
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.54E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.41E-06
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.11E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.00E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.26E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.45E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.50E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.13E-10
				Total	0.00E+00	6.09E-06
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	5.08E-14	1.14E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	8.01E-14	1.44E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.75E-18	4.91E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	2.04E-20	3.66E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	8.31E-18	1.49E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.09E-17	1.95E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	6.28E-19	1.13E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.98E-17	5.34E-12
				Total	1.34E-13	1.55E-08
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	9.54E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	3.14E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	5.93E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.74E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	2.11E-10
				Total	0.00E+00	2.67E-08
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.29E-10	1.91E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.27E-06
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.74E-06
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.28E-06
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.68E-08
				Total	2.29E-10	1.23E-05
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.72E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.19E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.66E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.20E-16
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.87E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.66E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.73E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.64E-13
				Total	0.00E+00	3.27E-09
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.51E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.87E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.69E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.32E-17
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.36E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	6.56E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.95E-16
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.18E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.47E-11
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.84E-13	4.27E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.40E-12	8.20E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.42E-14	6.00E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.02E-17	1.03E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.15E-15	4.20E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.97E-13	2.07E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.92E-15	4.21E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.54E-14	2.57E-09
				Total	5.15E-12	9.62E-08
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.51E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.37E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.27E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.63E-17
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.65E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.14E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.11E-16
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.89E-13
				Total	0.00E+00	1.13E-08
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	3.38E-11	4.31E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.99E-12	1.25E-07
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	4.90E-18	3.07E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.53E-20	2.22E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.44E-17	9.05E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.97E-17	1.23E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.10E-18	6.93E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.57E-16	9.86E-12
				Total	3.81E-11	1.77E-07
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.57E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.17E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.90E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.36E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	9.63E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.11E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	6.98E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.09E-11
				Total	0.00E+00	1.21E-08
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.76E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.60E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	7.68E-16
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	5.95E-18
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.42E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	3.01E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.80E-16
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.62E-15
				Total	0.00E+00	7.44E-12
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.63E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.25E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	9.68E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	7.31E-15
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.98E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	3.82E-12
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	2.23E-13
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.60E-12
				Total	0.00E+00	1.87E-07
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.45E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.69E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.76E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.32E-16
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.36E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.99E-14
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.04E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.78E-13
				Total	0.00E+00	3.96E-09
RCPTR_29	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	5.87E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	6.39E-07
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	1.02E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	1.06E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	1.07E-09
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	4.09E-08
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	5.99E-10
RCPTR_29	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	8.62E-09
				Total	0.00E+00	7.02E-07
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	2.32E-06
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.79E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	3.83E-09
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	4.92E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	3.31E-08
				Total	0.00E+00	3.13E-06
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	1.18E-10	2.19E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	1.20E-08	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	8.14E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	7.27E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	1.76E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	2.42E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	7.53E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	6.24E-10	0.00E+00
				Total	1.32E-08	2.19E-07
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	6.62E-11
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	2.12E-09
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.28E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.86E-08
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	9.50E-10
				Total	0.00E+00	2.30E-08
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	2.38E-10	1.32E-08
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.57E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.92E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	8.82E-06
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	7.58E-08
				Total	2.38E-10	1.04E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.66E-08
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	7.71E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	5.09E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	4.59E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.63E-07
				Total	0.00E+00	6.05E-06
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.53E-08
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	8.90E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	2.34E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	8.71E-05
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.32E-08
				Total	0.00E+00	8.83E-05
RCPTR_29	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	3.74E-08
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	3.94E-06
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	2.02E-08
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	3.26E-09
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	3.36E-09
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	3.99E-07
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.99E-09
RCPTR_29	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.57E-07
				Total	0.00E+00	4.76E-06
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.64E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.54E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	3.44E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.85E-17
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.59E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	6.83E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.30E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	9.74E-12
				Total	0.00E+00	4.43E-07
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.49E-05
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	3.29E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	4.53E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	5.81E-06
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.91E-07
				Total	0.00E+00	3.45E-05
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	9.96E-13	2.34E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	5.31E-15	3.03E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	2.96E-20	1.68E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.39E-22	1.93E-17
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.40E-19	7.97E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	5.81E-19	3.30E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.13E-20	6.43E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	8.27E-18	4.71E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.00E-12	2.37E-08
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	3.14E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	4.62E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	3.51E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	3.76E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.55E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	6.87E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.27E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.19E-11
				Total	0.00E+00	4.91E-07
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.04E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.53E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	4.49E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	8.77E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.62E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	7.80E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.67E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.22E-09
				Total	0.00E+00	4.58E-08
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.70E-10	3.15E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.90E-08	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	1.29E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	1.15E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	2.79E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	3.82E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	1.19E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	9.87E-10	0.00E+00
				Total	2.08E-08	3.15E-07
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.62E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.85E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	8.18E-17
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	9.35E-19

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	3.86E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.61E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.12E-17
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.63E-14
				Total	0.00E+00	1.65E-09
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.15E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	6.46E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.75E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.22E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	9.17E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.29E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	7.05E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.25E-12
				Total	0.00E+00	2.80E-09
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	4.09E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.20E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	6.27E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	8.12E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.35E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.17E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.56E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.09E-10
				Total	0.00E+00	1.26E-07
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	5.13E-13	1.09E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	7.46E-14	2.93E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.19E-18	1.24E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.01E-20	1.58E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.65E-17	6.51E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	6.01E-17	2.34E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.28E-18	5.01E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.35E-16	9.23E-12
				Total	5.89E-13	4.06E-09
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.27E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.22E-09	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	5.69E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	6.31E-16	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.60E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	9.99E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.06E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.00E-12	0.00E+00
				Total	1.76E-09	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.36E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.22E-05
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.79E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.80E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	7.42E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.40E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	6.04E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.66E-08
				Total	0.00E+00	1.41E-05
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.68E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.68E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.09E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.05E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	8.45E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.38E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.54E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.75E-11
				Total	0.00E+00	6.74E-09
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	9.29E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	9.44E-04
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	6.18E+01

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.27E-06
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	5.23E-04
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.08E+03
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.07E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.26E-08
				Total	0.00E+00	1.15E+03
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.74E-05
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.24E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.32E-07
				Total	0.00E+00	2.78E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.57E-06
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.29E-05
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.46E-06
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.53E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.61E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	4.17E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	5.89E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.51E-05
				Total	0.00E+00	9.43E-05
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.31E-08
				Total	0.00E+00	2.31E-08
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.87E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.31E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.06E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.19E-18
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.92E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.11E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.02E-17
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.85E-13
				Total	0.00E+00	5.32E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	7.65E-06
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.34E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.30E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.37E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	3.04E-06
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	8.12E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	9.16E-07
				Total	0.00E+00	1.23E-05
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.22E-12	2.74E-08
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.29E-13	8.12E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	9.41E-20	5.92E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.06E-21	6.68E-17
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	4.38E-19	2.76E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.86E-18	1.17E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.57E-20	2.25E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.30E-17	3.97E-12
				Total	3.39E-12	3.66E-08
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.62E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.10E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	8.16E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	6.34E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.90E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	8.08E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	6.26E-15	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.92E-14	0.00E+00
				Total	1.71E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	5.29E-09
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	7.56E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	9.54E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.12E-17
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	4.63E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.86E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.69E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.56E-13
				Total	0.00E+00	5.38E-09
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	3.00E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.79E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	6.77E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.49E-18
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.44E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.23E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.28E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.64E-14
				Total	0.00E+00	3.18E-10
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	3.00E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.65E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	6.56E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.94E-18
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.63E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.20E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.41E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.25E-14
				Total	0.00E+00	3.17E-10
RCPTR_29	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	3.00E-10
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.81E-11
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	8.03E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	5.39E-18
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.22E-15
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.47E-14
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.89E-16
RCPTR_29	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.24E-14
				Total	0.00E+00	3.19E-10
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	4.20E-05
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.44E-05
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	5.44E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	6.09E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.52E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.08E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.06E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.54E-09
				Total	0.00E+00	6.95E-05
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	7.73E-06
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	9.01E-07
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.24E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.59E-06
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	1.07E-07
				Total	0.00E+00	1.03E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.53E-12	5.93E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.34E-14	7.65E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	7.47E-20	4.24E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	8.55E-22	4.87E-17
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.53E-19	2.01E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.47E-18	8.34E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.85E-20	1.62E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	2.09E-17	1.19E-12
				Total	2.54E-12	6.02E-08
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	3.12E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.58E-07
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.48E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.72E-16
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.54E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	6.81E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.26E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.18E-11
				Total	0.00E+00	4.82E-07
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.28E-07
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.04E-06
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.95E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.57E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.30E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.81E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.87E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.86E-09
				Total	0.00E+00	9.77E-06
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	1.13E-13	1.69E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.20E-13	2.14E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.22E-18	2.20E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.42E-20	2.55E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	5.87E-18	1.05E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.40E-17	4.30E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	4.71E-19	8.45E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.78E-16	4.98E-11
				Total	2.34E-13	3.85E-08
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.41E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	4.39E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	2.65E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	3.84E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.96E-09
				Total	0.00E+00	4.76E-08
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	5.09E-10	2.83E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.77E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.23E-06
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.83E-05
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.57E-07
				Total	5.09E-10	2.15E-05
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.14E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.25E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.45E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.33E-17
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.44E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.47E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.80E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.40E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.76E-09
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	3.72E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	4.44E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	7.56E-16
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	9.17E-18
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.79E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.45E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.97E-16
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.63E-14
				Total	0.00E+00	4.18E-10
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.52E-12	6.33E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.46E-12	1.14E-07
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.94E-15	2.68E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.10E-18	7.18E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.93E-15	2.97E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.03E-13	4.56E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.90E-16	3.16E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.37E-13	2.40E-08
				Total	3.55E-12	2.16E-07
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.72E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.25E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.14E-17
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.70E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.84E-16
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.76E-12
				Total	0.00E+00	5.07E-08
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	7.51E-11	6.39E-07
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.99E-12	1.88E-07
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.18E-18	1.37E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.46E-20	1.55E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.02E-17	6.39E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.32E-17	2.72E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	8.26E-19	5.20E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.46E-15	9.20E-11
				Total	7.88E-11	8.47E-07
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	5.29E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.77E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.30E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.65E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.80E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.45E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	5.24E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.01E-10
				Total	0.00E+00	2.32E-08
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	4.10E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	6.79E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.44E-16
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	4.15E-18
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.71E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	6.64E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.35E-16
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.32E-14
				Total	0.00E+00	4.79E-11
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.42E-06
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.43E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	4.33E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	5.09E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.10E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	8.42E-12
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.68E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.09E-11
				Total	0.00E+00	2.45E-06
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.11E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.02E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	7.87E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.16E-17
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.78E-14
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.54E-13
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.03E-15
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.66E-12
				Total	0.00E+00	5.19E-08
RCPTR_29	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	8.70E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	8.89E-07
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	4.57E-09
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	7.36E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	7.59E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	9.02E-08
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	4.50E-10
RCPTR_29	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	8.05E-08
				Total	0.00E+00	1.07E-06
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	8.56E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	1.01E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.39E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.78E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.19E-08
				Total	0.00E+00	1.15E-06
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	5.95E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	8.72E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	6.62E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	7.08E-17
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.92E-14
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.30E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.39E-15
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.25E-12
				Total	0.00E+00	9.19E-08
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.80E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.32E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.89E-14
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.38E-16
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.81E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.71E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.47E-14
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.03E-11
				Total	0.00E+00	7.71E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.85E-10	3.42E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.83E-08	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	1.24E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	1.11E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	2.69E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	3.69E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	1.15E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	9.52E-10	0.00E+00
				Total	2.01E-08	3.42E-07
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	9.73E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	9.69E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	8.16E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.39E-15
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.23E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.42E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.71E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.24E-12
				Total	0.00E+00	1.69E-09
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.55E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.86E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.27E-16
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.77E-18
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.97E-15
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	8.42E-15
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.60E-16
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.95E-13
				Total	0.00E+00	3.34E-10
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	4.18E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.14E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	6.14E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.48E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	6.10E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	1.06E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	7.53E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.22E-09
				Total	0.00E+00	4.51E-08
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.87E-11	2.47E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	4.68E-10	9.72E-06
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	2.16E-15	4.36E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.34E-17	4.87E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	9.65E-15	2.01E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.23E-14	8.56E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	7.87E-16	1.63E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.60E-13	1.38E-08
				Total	9.47E-10	1.43E-05
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.61E-11	4.48E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	4.09E-10	1.70E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.49E-15	6.08E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.64E-17	6.83E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	6.76E-15	2.82E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	2.93E-14	1.20E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	5.51E-16	2.29E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.17E-13	2.15E-08
				Total	8.97E-10	2.64E-05
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.61E-13	1.09E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.52E-13	1.96E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.02E-15	4.62E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.22E-18	1.23E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	5.03E-16	5.09E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.77E-14	7.86E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	8.42E-17	5.44E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.06E-14	4.11E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	6.12E-13	3.71E-08
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.55E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	2.12E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.06E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	9.96E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	3.06E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	2.05E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.55E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	7.97E-14	0.00E+00
				Total	6.65E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.38E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	8.63E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.03E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	3.32E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	1.02E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	1.03E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	7.65E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	3.24E-13	0.00E+00
				Total	2.63E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	8.73E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	5.42E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.98E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	1.09E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.45E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.95E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	2.40E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	2.11E-12	0.00E+00
				Total	5.89E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.43E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	2.13E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.01E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	4.40E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	5.77E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	1.00E-09	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	8.18E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	8.34E-12	0.00E+00
				Total	2.16E-09	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	4.12E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	2.56E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.03E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.60E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	4.17E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	1.02E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	8.29E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	1.01E-12	0.00E+00
				Total	1.84E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	9.48E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	3.84E-16
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.14E-08
				Total	0.00E+00	9.61E-07
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	7.75E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.60E-06
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.17E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.24E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.27E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.96E-06
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.87E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.37E-07
				Total	0.00E+00	4.52E-06
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.14E-09
				Total	0.00E+00	1.14E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.71E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	6.12E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.12E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.16E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.39E-07
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.88E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.47E-08
				Total	0.00E+00	5.82E-07
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	4.42E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.48E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.09E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.38E-14
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.69E-12
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	2.05E-11
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.39E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.48E-11
				Total	0.00E+00	1.94E-08
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.96E-15	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.03E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.26E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.74E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.62E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.24E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.73E-15	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.08E-14	0.00E+00
				Total	4.74E-13	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	4.92E-16	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	2.82E-15	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.23E-15	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	6.83E-16	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.27E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	2.21E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.70E-16	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	1.07E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	4.23E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	1.11E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	7.15E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.58E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.57E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.53E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	4.50E-12	0.00E+00
				Total	1.87E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.99E-12	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	1.25E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.13E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	7.62E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	6.12E-10	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	1.12E-09	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	1.05E-11	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	7.05E-12	0.00E+00
				Total	2.64E-09	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.95E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	4.89E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	7.58E-15
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	8.57E-17
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.54E-14
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.50E-13
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.88E-15
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.08E-12
				Total	0.00E+00	5.91E-09
RCPTR_29	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	5.05E-05
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	9.59E-05
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.37E-09
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.57E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.36E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	5.92E-08
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.62E-10
RCPTR_29	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.95E-08
				Total	0.00E+00	3.41E-04
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	4.20E-05
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.44E-05
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	5.44E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	6.09E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.52E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.08E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.06E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.54E-09
				Total	0.00E+00	6.95E-05
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	7.73E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	9.01E-07
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.24E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.59E-06
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	1.07E-07
				Total	0.00E+00	1.03E-05
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.53E-12	5.93E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.34E-14	7.65E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	7.47E-20	4.24E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	8.55E-22	4.87E-17
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.53E-19	2.01E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.47E-18	8.34E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.85E-20	1.62E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	2.09E-17	1.19E-12
				Total	2.54E-12	6.02E-08
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	3.12E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.58E-07
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.48E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.72E-16
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.54E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	6.81E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.26E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.18E-11
				Total	0.00E+00	4.82E-07
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.28E-07
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.04E-06
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.95E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.57E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.30E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.81E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.87E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.86E-09
				Total	0.00E+00	9.77E-06
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	1.13E-13	1.69E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.20E-13	2.14E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.22E-18	2.20E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.42E-20	2.55E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	5.87E-18	1.05E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.40E-17	4.30E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	4.71E-19	8.45E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.78E-16	4.98E-11
				Total	2.34E-13	3.85E-08
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.41E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	4.39E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	2.65E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	3.84E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.96E-09
				Total	0.00E+00	4.76E-08
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	5.09E-10	2.83E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.77E-06
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.23E-06
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.83E-05
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.57E-07
				Total	5.09E-10	2.15E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.14E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.25E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.45E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.33E-17
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.44E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.47E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.80E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.40E-12
				Total	0.00E+00	5.76E-09
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	3.72E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	4.44E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	7.56E-16
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	9.17E-18
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.79E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.45E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.97E-16
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.63E-14
				Total	0.00E+00	4.18E-10
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.52E-12	6.33E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.46E-12	1.14E-07
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.94E-15	2.68E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.10E-18	7.18E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.93E-15	2.97E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.03E-13	4.56E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.90E-16	3.16E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.37E-13	2.40E-08
				Total	3.55E-12	2.16E-07
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.72E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.25E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.14E-17
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.70E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.84E-16
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.76E-12
				Total	0.00E+00	5.07E-08
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	7.51E-11	6.39E-07
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.99E-12	1.88E-07
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.18E-18	1.37E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.46E-20	1.55E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.02E-17	6.39E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.32E-17	2.72E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	8.26E-19	5.20E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.46E-15	9.20E-11
				Total	7.88E-11	8.47E-07
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	5.29E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.77E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.30E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.65E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.80E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.45E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	5.24E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.01E-10
				Total	0.00E+00	2.32E-08
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	4.10E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	6.79E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.44E-16
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	4.15E-18
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.71E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	6.64E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.35E-16
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.32E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.79E-11
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.42E-06
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.43E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	4.33E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	5.09E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.10E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	8.42E-12
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.68E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.09E-11
				Total	0.00E+00	2.45E-06
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.11E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.02E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	7.87E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.16E-17
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.78E-14
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.54E-13
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.03E-15
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.66E-12
				Total	0.00E+00	5.19E-08
RCPTR_29	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	8.70E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	8.89E-07
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	4.57E-09
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	7.36E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	7.59E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	9.02E-08
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	4.50E-10
RCPTR_29	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	8.05E-08
				Total	0.00E+00	1.07E-06
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	2.09E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.79E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.16E-09
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	3.03E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	5.28E-10
				Total	0.00E+00	8.09E-08
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	7.11E-12	1.97E-09
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	3.66E-09	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	1.41E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	1.64E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	3.92E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	8.49E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	5.17E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	1.05E-11	0.00E+00
				Total	3.94E-09	1.97E-09
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	5.97E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	2.08E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	3.88E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.14E-09
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	1.52E-11
				Total	0.00E+00	1.75E-09
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.43E-11	1.19E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.25E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.78E-07
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	5.37E-07
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.21E-09
				Total	1.43E-11	7.98E-07
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.49E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	7.56E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	1.53E-07
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	2.80E-07
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	2.60E-09
				Total	0.00E+00	5.12E-07
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.38E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	8.90E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	7.07E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	5.34E-06
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	3.70E-10
				Total	0.00E+00	5.50E-06
RCPTR_30	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	3.37E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	4.07E-07
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	6.20E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	6.98E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	7.09E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	2.48E-08
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	3.80E-10
RCPTR_30	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	5.69E-09
				Total	0.00E+00	4.46E-07
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	3.49E-09
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	2.30E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	1.73E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	1.24E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	5.05E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	6.95E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	3.88E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	2.34E-13
				Total	0.00E+00	3.75E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	3.29E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	3.42E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	1.43E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	3.73E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	6.39E-09
				Total	0.00E+00	1.07E-06
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	8.77E-14	3.09E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	7.98E-16	4.53E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	1.52E-20	8.44E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	1.09E-22	6.22E-18
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	4.44E-20	2.53E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	6.05E-20	3.36E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	3.39E-21	1.92E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	1.99E-19	1.13E-14
				Total	9.56E-14	3.79E-10
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	4.15E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	6.61E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	1.75E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	1.21E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	4.93E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	6.95E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	3.79E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	2.87E-13
				Total	0.00E+00	7.78E-08
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.38E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	2.37E-09
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	1.85E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	2.82E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	1.15E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	6.51E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	1.28E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	2.94E-11
				Total	0.00E+00	8.09E-09
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	1.50E-11	4.16E-09
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	6.03E-09	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	2.32E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	2.66E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	6.36E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	1.40E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	8.51E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	1.70E-11	0.00E+00
				Total	6.49E-09	4.16E-09
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	2.15E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	2.77E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	4.10E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	3.01E-19
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	1.23E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.64E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	9.33E-18
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	6.32E-16
				Total	0.00E+00	2.70E-11
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.84E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	9.32E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	8.76E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	7.16E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	2.91E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.34E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	2.11E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	3.00E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.24E-10
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	5.41E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.75E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	3.14E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	2.62E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	1.07E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.19E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	7.65E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	9.85E-12
				Total	0.00E+00	1.81E-08
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	4.52E-14	1.44E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	1.09E-14	4.27E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	1.76E-18	6.21E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	1.29E-20	5.08E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	5.26E-18	2.07E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	6.68E-18	2.38E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	3.87E-19	1.50E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	5.64E-18	2.22E-13
				Total	6.06E-14	4.53E-10
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.12E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	4.42E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	1.47E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	2.01E-16	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	8.19E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	5.21E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.75E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	7.15E-14	0.00E+00
				Total	1.91E-09	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.80E-09
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.77E-06
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	8.80E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	5.80E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	2.36E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.38E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	1.80E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	3.99E-10
				Total	0.00E+00	2.55E-06
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	4.86E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.31E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.36E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	6.60E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.69E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	4.80E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.84E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.61E-13
				Total	0.00E+00	1.54E-09
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	1.23E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	1.32E-04
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	2.71E+01
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	4.06E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	1.65E-04
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	9.59E+01
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	1.06E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	1.02E-09
				Total	0.00E+00	1.24E+02
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	3.62E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.30E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	7.99E-09
				Total	0.00E+00	3.95E-07
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	2.08E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	5.03E-06
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	1.11E-06
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	8.08E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	8.21E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	3.64E-06
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	1.73E-09
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	3.59E-07
				Total	0.00E+00	1.04E-05
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	3.05E-10
				Total	0.00E+00	3.05E-10
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.12E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.97E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.34E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.84E-19
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.56E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.15E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.20E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.44E-15
				Total	0.00E+00	3.09E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	1.10E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	5.19E-08
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	7.33E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	7.45E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.36E-07
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	2.20E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	2.18E-08
				Total	0.00E+00	1.65E-06
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	2.84E-13	3.62E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.93E-14	1.22E-09
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	4.74E-20	2.97E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	3.42E-22	2.15E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	1.39E-19	8.77E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.90E-19	1.19E-14
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	1.07E-20	6.71E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	1.52E-18	9.55E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	4.30E-13	2.07E-09
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.43E-15	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	8.07E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.94E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	5.49E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.04E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	3.94E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	7.27E-15	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.54E-15	0.00E+00
				Total	1.24E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	7.00E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	1.11E-11
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	4.78E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	3.62E-18
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	1.47E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.89E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	1.10E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	3.76E-15
				Total	0.00E+00	8.44E-11
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	3.96E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	2.58E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	2.83E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	1.12E-18
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	4.58E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.05E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	3.70E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	6.36E-16
				Total	0.00E+00	6.88E-12
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	3.96E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	2.40E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	2.81E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	1.27E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	5.17E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.05E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	4.10E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	7.82E-16
				Total	0.00E+00	6.70E-12
RCPTR_30	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	3.96E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	2.63E-12
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	3.50E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	1.74E-18
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	7.07E-16
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.31E-15
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	5.51E-17
RCPTR_30	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	1.02E-15
				Total	0.00E+00	6.93E-12
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	5.11E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	3.34E-06
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	2.50E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	1.80E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	7.32E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.01E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	5.62E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	3.39E-11
				Total	0.00E+00	5.24E-06
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	9.33E-08
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	9.13E-08
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	3.82E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	9.96E-08
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	1.70E-09
				Total	0.00E+00	2.90E-07
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	2.05E-13	7.22E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	1.84E-15	1.05E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	3.52E-20	1.95E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	2.52E-22	1.44E-17
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	1.03E-19	5.85E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	1.40E-19	7.77E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	7.83E-21	4.44E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	4.60E-19	2.62E-14
				Total	2.21E-13	8.75E-10
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	3.80E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	5.99E-08
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	1.59E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	1.10E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	4.47E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	6.30E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	3.44E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	2.60E-13
				Total	0.00E+00	6.93E-08
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.78E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	1.11E-06
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.27E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	1.64E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	6.69E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.14E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	5.13E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	8.50E-11
				Total	0.00E+00	1.79E-06
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	9.16E-15	2.06E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.65E-14	2.95E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	5.65E-19	1.01E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	4.19E-21	7.52E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	1.71E-18	3.06E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.24E-18	4.01E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	1.29E-19	2.31E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	6.12E-18	1.10E-12
				Total	2.89E-14	3.20E-09
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.71E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	4.37E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	8.17E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	2.39E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	3.13E-11
				Total	0.00E+00	3.68E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	4.10E-11	3.41E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.74E-07
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	3.74E-07
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.13E-06
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	2.50E-09
				Total	4.10E-11	1.68E-06
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.39E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	4.50E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.41E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	2.46E-17
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.00E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.37E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	7.66E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	7.48E-14
				Total	0.00E+00	1.52E-09
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	4.53E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	5.89E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	3.47E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	2.71E-18
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	1.10E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.35E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	8.12E-17
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	1.68E-15
				Total	0.00E+00	1.13E-11
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.23E-13	7.71E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	5.69E-13	1.60E-08
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.42E-14	1.04E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	2.09E-18	2.11E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	8.50E-16	8.60E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	5.02E-14	3.57E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	5.09E-16	8.08E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	5.20E-15	5.26E-10
				Total	1.42E-12	2.21E-08
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.53E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.72E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.67E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.36E-18
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.88E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.89E-14
				Total	0.00E+00	2.64E-09
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	6.09E-12	7.78E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	4.10E-13	2.58E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.01E-18	6.31E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	7.25E-21	4.57E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	2.95E-18	1.86E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.04E-18	2.53E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	2.26E-19	1.42E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	3.22E-17	2.03E-12
				Total	8.79E-12	4.25E-08
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	6.44E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	2.40E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	5.96E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	4.86E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	1.98E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.29E-12
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	1.44E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	2.23E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.49E-09
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	4.99E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	9.46E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	1.58E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	1.22E-18
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	4.98E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	6.18E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	3.70E-17
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	9.50E-16
				Total	0.00E+00	1.50E-12
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.94E-08
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	4.62E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	1.99E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	1.50E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	6.12E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	7.84E-13
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	4.59E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	1.56E-12
				Total	0.00E+00	3.52E-08
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	6.23E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	9.63E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	3.62E-15
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	2.70E-17
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	1.10E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.44E-14
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	8.30E-16
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	3.66E-14
				Total	0.00E+00	7.56E-10
RCPTR_30	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	1.05E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	9.23E-08
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	1.42E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	1.57E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	1.60E-10
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	5.68E-09
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	8.62E-11
RCPTR_30	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	1.28E-09
				Total	0.00E+00	1.01E-07
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	1.04E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	1.02E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	4.28E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.12E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.91E-10
				Total	0.00E+00	3.24E-08
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	7.30E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	1.15E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	3.04E-15
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	2.11E-17
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	8.58E-15
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.21E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	6.60E-16
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	4.99E-14
				Total	0.00E+00	1.34E-08
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.20E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.81E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.80E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	1.30E-16
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	5.30E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.24E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	4.07E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	6.74E-13
				Total	0.00E+00	1.43E-08
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	1.50E-11	4.16E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	5.69E-09	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	2.19E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	2.50E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	5.98E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	1.32E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	8.04E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	1.60E-11	0.00E+00
				Total	6.12E-09	4.16E-09
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.19E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.29E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.34E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.60E-15
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	6.53E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.18E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	1.68E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	1.61E-13
				Total	0.00E+00	3.53E-10
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.05E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.60E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.97E-16
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.42E-18
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.78E-16
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.89E-16
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	4.42E-17
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	4.32E-15
				Total	0.00E+00	8.92E-11
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	5.14E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.97E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	2.52E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	4.40E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	1.79E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	8.81E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	1.96E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	2.71E-11
				Total	0.00E+00	7.24E-09
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.35E-12	3.03E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	6.69E-11	1.35E-06
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.26E-15	2.01E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	6.95E-18	1.45E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	2.83E-15	5.90E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.90E-15	8.01E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	2.26E-16	4.50E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	1.46E-14	3.05E-10
				Total	1.31E-09	3.30E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.14E-12	5.50E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	5.84E-11	2.36E-06
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	8.20E-16	2.81E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	4.87E-18	2.03E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	1.98E-15	8.26E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	3.21E-15	1.12E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	1.57E-16	6.31E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	1.15E-14	4.78E-10
				Total	1.33E-09	6.36E-06
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.13E-14	1.33E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	9.86E-14	2.77E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	2.47E-15	1.80E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	3.61E-19	3.66E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.47E-16	1.49E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.70E-15	6.19E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	8.82E-17	1.40E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	8.99E-16	9.10E-11
				Total	2.48E-13	3.84E-09
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	2.92E-15	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.56E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	4.96E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	8.51E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.58E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.01E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.90E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	5.09E-15	0.00E+00
				Total	5.12E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.14E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	6.32E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	2.55E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.86E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	8.65E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	5.21E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	9.94E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.08E-14	0.00E+00
				Total	2.00E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	7.17E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	3.81E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	7.01E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	9.35E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.23E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	1.42E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	2.77E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.36E-13	0.00E+00
				Total	4.36E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	2.82E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.50E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	2.39E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.81E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	4.92E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	4.85E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	9.48E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	5.39E-13	0.00E+00
				Total	1.62E-09	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	3.39E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.80E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	2.42E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.25E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.56E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	4.92E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	9.64E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	6.52E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.34E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.16E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	3.93E-17
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.54E-10
				Total	0.00E+00	1.26E-08
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	9.52E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	2.28E-07
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	4.95E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	3.65E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.71E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.63E-07
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	7.81E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	1.62E-08
				Total	0.00E+00	4.66E-07
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.39E-11
				Total	0.00E+00	1.39E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	4.99E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	2.29E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	3.31E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	3.37E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.04E-08
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	9.89E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	9.87E-10
				Total	0.00E+00	7.35E-08
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	5.43E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	2.02E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	5.02E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	4.10E-15
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	1.67E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.93E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	1.21E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	1.88E-12
				Total	0.00E+00	2.10E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.08E-16	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.17E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	5.26E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.47E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.35E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.07E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.97E-15	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	6.81E-16	0.00E+00
				Total	3.34E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	4.05E-17	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	2.08E-15	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	5.18E-15	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	5.79E-16	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.06E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.05E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.93E-16	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	6.77E-17	0.00E+00
				Total	2.93E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	9.10E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	4.65E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	3.96E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	8.03E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.90E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	3.11E-13	0.00E+00
				Total	1.27E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.64E-13	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	8.35E-12	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	2.78E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	6.97E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.51E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	5.64E-10	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	1.28E-11	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	4.81E-13	0.00E+00
				Total	2.11E-09	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	2.40E-12
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	6.83E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	3.51E-15
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	2.55E-17
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	1.04E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.41E-14
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	7.94E-16
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	9.07E-14
				Total	0.00E+00	1.05E-09
RCPTR_30	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	6.20E-07
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	1.26E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	1.38E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	4.66E-13
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	1.87E-10
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	4.92E-09
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	6.53E-11
RCPTR_30	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	8.77E-10
				Total	0.00E+00	1.00E-04
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	5.11E-07
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	3.34E-06
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	2.50E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	1.80E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	7.32E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.01E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	5.62E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	3.39E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.24E-06
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	9.33E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	9.13E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	3.82E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	9.96E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	1.70E-09
				Total	0.00E+00	2.90E-07
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	2.05E-13	7.22E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	1.84E-15	1.05E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	3.52E-20	1.95E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	2.52E-22	1.44E-17
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	1.03E-19	5.85E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	1.40E-19	7.77E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	7.83E-21	4.44E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	4.60E-19	2.62E-14
				Total	2.21E-13	8.75E-10
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	3.80E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	5.99E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	1.59E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	1.10E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	4.47E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	6.30E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	3.44E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	2.60E-13
				Total	0.00E+00	6.93E-08
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.78E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	1.11E-06
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.27E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	1.64E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	6.69E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.14E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	5.13E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	8.50E-11
				Total	0.00E+00	1.79E-06
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	9.16E-15	2.06E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.65E-14	2.95E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	5.65E-19	1.01E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	4.19E-21	7.52E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	1.71E-18	3.06E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.24E-18	4.01E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	1.29E-19	2.31E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	6.12E-18	1.10E-12
				Total	2.89E-14	3.20E-09
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.71E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	4.37E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	8.17E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	2.39E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	3.13E-11
				Total	0.00E+00	3.68E-09
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	4.10E-11	3.41E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.74E-07
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	3.74E-07
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.13E-06
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	2.50E-09
				Total	4.10E-11	1.68E-06
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.39E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	4.50E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.41E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	2.46E-17
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.00E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.37E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	7.66E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	7.48E-14
				Total	0.00E+00	1.52E-09
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	4.53E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	5.89E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	3.47E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	2.71E-18
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	1.10E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.35E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	8.12E-17
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	1.68E-15
				Total	0.00E+00	1.13E-11
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.23E-13	7.71E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	5.69E-13	1.60E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.42E-14	1.04E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	2.09E-18	2.11E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	8.50E-16	8.60E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	5.02E-14	3.57E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	5.09E-16	8.08E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	5.20E-15	5.26E-10
				Total	1.42E-12	2.21E-08
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.53E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.72E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.67E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.36E-18
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.88E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.89E-14
				Total	0.00E+00	2.64E-09
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	6.09E-12	7.78E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	4.10E-13	2.58E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.01E-18	6.31E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	7.25E-21	4.57E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	2.95E-18	1.86E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.04E-18	2.53E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	2.26E-19	1.42E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	3.22E-17	2.03E-12
				Total	8.79E-12	4.25E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	6.44E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	2.40E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	5.96E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	4.86E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	1.98E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.29E-12
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	1.44E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	2.23E-12
				Total	0.00E+00	2.49E-09
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	4.99E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	9.46E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	1.58E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	1.22E-18
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	4.98E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	6.18E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	3.70E-17
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	9.50E-16
				Total	0.00E+00	1.50E-12
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.94E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	4.62E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	1.99E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	1.50E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	6.12E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	7.84E-13
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	4.59E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	1.56E-12
				Total	0.00E+00	3.52E-08
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	6.23E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	9.63E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	3.62E-15
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	2.70E-17
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	1.10E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.44E-14
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	8.30E-16
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	3.66E-14
				Total	0.00E+00	7.56E-10
RCPTR_30	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	1.05E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	9.23E-08
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	1.42E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	1.57E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	1.60E-10
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	5.68E-09
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	8.62E-11
RCPTR_30	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	1.28E-09
				Total	0.00E+00	1.01E-07
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	3.10E-07
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	3.89E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	5.20E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	6.68E-08
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	4.93E-09
				Total	0.00E+00	4.21E-07
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	1.58E-11	2.93E-08
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	1.72E-09	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	1.11E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	1.08E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	2.63E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	3.30E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	1.07E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	9.30E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.89E-09	2.93E-08
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	8.84E-12
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	2.92E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.74E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	2.50E-09
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	1.42E-10
				Total	0.00E+00	3.12E-09
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	3.18E-11	1.77E-09
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.15E-07
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	7.94E-08
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.18E-06
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.13E-08
				Total	3.18E-11	1.39E-06
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	2.21E-09
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	1.06E-07
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	6.87E-08
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	6.18E-07
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	2.43E-08
				Total	0.00E+00	8.20E-07
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	2.04E-09
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	1.24E-07
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	3.16E-08
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.18E-05
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	3.46E-09
				Total	0.00E+00	1.19E-05
RCPTR_30	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	4.99E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	5.66E-07
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	2.77E-09
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	4.86E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	5.01E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	5.47E-08
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.85E-10
RCPTR_30	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	5.32E-08
				Total	0.00E+00	6.84E-07
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	5.17E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	3.47E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	7.73E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	8.65E-18
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	3.57E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	1.53E-14
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	2.92E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	2.19E-12
				Total	0.00E+00	1.11E-07
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	4.87E-06
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	4.76E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	6.40E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	8.22E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	5.97E-08
				Total	0.00E+00	6.24E-06
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	1.95E-13	4.58E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	1.19E-15	6.80E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	6.64E-21	3.77E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	7.60E-23	4.34E-18
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	3.14E-20	1.79E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	1.30E-19	7.42E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	2.53E-21	1.44E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	1.86E-18	1.06E-13
				Total	1.99E-13	4.70E-09
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	6.14E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	1.04E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	7.82E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	8.43E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	3.48E-14
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	1.53E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	2.85E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	2.68E-12
				Total	0.00E+00	1.30E-07
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	2.04E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	3.27E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	8.27E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.97E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	8.12E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	1.44E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	9.58E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	2.74E-10
				Total	0.00E+00	1.75E-08
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	3.33E-11	6.17E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	2.81E-09	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	1.83E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	1.76E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	4.26E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	5.43E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	1.75E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	1.51E-10	0.00E+00
				Total	3.09E-09	6.17E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	3.18E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	4.15E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.84E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	2.10E-19
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	8.67E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	3.61E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	7.01E-18
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	5.90E-15
				Total	0.00E+00	3.28E-10
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	4.20E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	1.45E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	3.92E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	4.99E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	2.06E-14
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	7.37E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	1.58E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	2.80E-13
				Total	0.00E+00	5.70E-10
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	8.01E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	2.70E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.41E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.82E-14
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	7.53E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	2.63E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	5.75E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	9.19E-11
				Total	0.00E+00	2.90E-08
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	1.00E-13	2.14E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	1.67E-14	6.59E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	7.14E-19	2.78E-14
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	9.00E-21	3.54E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	3.71E-18	1.46E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	1.34E-17	5.24E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	2.86E-19	1.12E-14
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	5.27E-17	2.07E-12
				Total	1.19E-13	9.00E-10
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	2.49E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.61E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	1.08E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	1.40E-16	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	5.79E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	1.89E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	1.02E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	6.67E-13	0.00E+00
				Total	7.88E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	2.67E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	2.74E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	3.94E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	4.04E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.67E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	7.46E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	1.35E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	3.72E-09
				Total	0.00E+00	4.51E-06
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	7.20E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	8.25E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	6.08E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	4.60E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.90E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.06E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	5.14E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.17E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.10E-09
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	1.82E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	1.85E-04
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.21E+01
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	2.83E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	1.17E-04
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	2.12E+02
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	7.97E-01
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	9.50E-09
				Total	0.00E+00	2.24E+02
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	5.37E-06
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.82E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	7.46E-08
				Total	0.00E+00	5.50E-06
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	3.08E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	7.16E-06
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	4.94E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	5.63E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	5.80E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	8.04E-06
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	1.30E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	3.35E-06
				Total	0.00E+00	1.95E-05
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	4.52E-09
				Total	0.00E+00	4.52E-09
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.58E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.94E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.39E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.68E-19
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.10E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.74E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.02E-18
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.15E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.19E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	1.57E-06
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.32E-08
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	5.10E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	5.26E-10
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	5.20E-07
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.65E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	2.04E-07
				Total	0.00E+00	2.85E-06
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	6.31E-13	5.37E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	2.90E-14	1.82E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.11E-20	1.33E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	2.38E-22	1.50E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	9.84E-20	6.19E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	4.18E-19	2.63E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	8.01E-21	5.04E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	1.42E-17	8.92E-13
				Total	7.02E-13	8.29E-09
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	3.19E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.79E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.34E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.15E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.07E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.33E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.08E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	7.14E-15	0.00E+00
				Total	2.94E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	1.04E-09
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	1.70E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.14E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	2.52E-18
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	1.04E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	4.16E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	8.29E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	3.51E-14
				Total	0.00E+00	1.06E-09
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	5.87E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	4.01E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.27E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	7.83E-19
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	3.23E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	2.31E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	2.78E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	5.94E-15
				Total	0.00E+00	6.35E-11
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	5.87E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	3.71E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.26E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	8.85E-19
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	3.66E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	2.31E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	3.08E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	7.30E-15
				Total	0.00E+00	6.32E-11
RCPTR_30	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	5.87E-11
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	4.06E-12
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.57E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	1.21E-18
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	5.00E-16
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	2.90E-15
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	4.14E-17
RCPTR_30	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	9.52E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	6.35E-11
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	7.57E-06
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	5.02E-06
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.12E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	1.25E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	5.17E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	2.22E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	4.22E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	3.17E-10
				Total	0.00E+00	1.57E-05
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	1.38E-06
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	1.27E-07
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.71E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	2.20E-07
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	1.59E-08
				Total	0.00E+00	1.75E-06
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	4.56E-13	1.07E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	2.76E-15	1.57E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	1.53E-20	8.72E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	1.76E-22	1.00E-17
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	7.25E-20	4.13E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	3.01E-19	1.71E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	5.86E-21	3.34E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	4.29E-18	2.45E-13
				Total	4.63E-13	1.10E-08
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	5.63E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	9.41E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	7.09E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	7.64E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	3.16E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	1.39E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	2.58E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	2.43E-12
				Total	0.00E+00	1.16E-07
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	4.12E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	1.65E-06
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.02E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	1.15E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	4.73E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.02E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	3.85E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	7.93E-10
				Total	0.00E+00	3.20E-06
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	2.04E-14	3.05E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	2.46E-14	4.41E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.52E-19	4.51E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	2.92E-21	5.24E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	1.21E-18	2.16E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	4.93E-18	8.84E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	9.69E-20	1.74E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	5.71E-17	1.02E-11
				Total	4.61E-14	7.55E-09
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	2.53E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	6.12E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	3.65E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	5.28E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	2.92E-10
				Total	0.00E+00	6.57E-09
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	9.10E-11	5.06E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.43E-07
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.68E-07
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.50E-06
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	2.33E-08
				Total	9.10E-11	2.94E-06
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	2.06E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	6.67E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.53E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.71E-17
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	7.07E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.01E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	5.75E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	6.98E-13
				Total	0.00E+00	3.08E-09
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	6.71E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	9.13E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.55E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.89E-18
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	7.78E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	2.97E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	6.10E-17
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	1.57E-14
				Total	0.00E+00	7.82E-11
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.74E-13	1.14E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.73E-13	2.22E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.02E-15	4.65E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.45E-18	1.47E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	6.01E-16	6.08E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.75E-14	7.88E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	9.03E-17	6.07E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.85E-14	4.91E-09
				Total	8.38E-13	4.89E-08
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.71E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.57E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.09E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.34E-18
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.66E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.14E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.89E-17
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.63E-13
				Total	0.00E+00	1.03E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	1.35E-11	1.15E-07
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	6.15E-13	3.87E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	4.48E-19	2.82E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	5.05E-21	3.18E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	2.09E-18	1.31E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	8.87E-18	5.59E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.70E-19	1.07E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	3.00E-16	1.89E-11
				Total	1.49E-11	1.74E-07
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	9.54E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	3.64E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.67E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	3.39E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	1.40E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	5.04E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	1.08E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	2.08E-11
				Total	0.00E+00	4.69E-09
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	7.39E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	1.39E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	7.06E-17
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	8.52E-19
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	3.52E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	1.36E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	2.78E-17
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	8.87E-15
				Total	0.00E+00	8.92E-12
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	4.36E-07
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	7.05E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	8.89E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	1.05E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	4.32E-13
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	1.73E-12
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	3.44E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	1.46E-11
				Total	0.00E+00	4.45E-07
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	9.23E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	1.44E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.62E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.88E-17
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	7.78E-15
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	3.17E-14
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	6.24E-16
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	3.41E-13
				Total	0.00E+00	9.45E-09
RCPTR_30	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	1.56E-09
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	1.28E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	6.36E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	1.09E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	1.13E-10
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	1.25E-08
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	6.48E-11
RCPTR_30	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	1.20E-08
				Total	0.00E+00	1.56E-07
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	1.54E-07
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	1.42E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.91E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	2.46E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.78E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.95E-07
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	1.08E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	1.81E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.36E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	1.47E-17
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	6.06E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	2.67E-14
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	4.95E-16
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	4.66E-13
				Total	0.00E+00	2.23E-08
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	3.26E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	1.31E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	8.06E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	9.08E-17
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.75E-14
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.60E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	3.05E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	6.29E-12
				Total	0.00E+00	2.56E-08
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	3.33E-11	6.17E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	2.65E-09	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	1.73E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	1.65E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	4.01E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	5.12E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	1.65E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	1.42E-10	0.00E+00
				Total	2.92E-09	6.17E-08
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.77E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.01E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.49E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.12E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	4.61E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.60E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	1.26E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	1.50E-12
				Total	0.00E+00	7.08E-10
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.19E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.85E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.82E-17
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	9.89E-19
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.08E-16
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.74E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.32E-17
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	4.03E-14
				Total	0.00E+00	1.81E-10
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	7.61E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	4.41E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.13E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	3.06E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	1.26E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	1.94E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	1.47E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	2.53E-10
				Total	0.00E+00	1.40E-08
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	5.23E-12	4.48E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	9.69E-11	2.01E-06
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	4.44E-16	8.99E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	4.84E-18	1.01E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	2.00E-15	4.17E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	8.70E-15	1.77E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.63E-16	3.38E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	1.37E-13	2.85E-09
				Total	5.52E-10	6.41E-06
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	4.75E-12	8.14E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	8.48E-11	3.52E-06
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	3.08E-16	1.26E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	3.39E-18	1.41E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	1.40E-15	5.84E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	6.04E-15	2.47E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	1.14E-16	4.74E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	1.07E-13	4.46E-09
				Total	5.50E-10	1.25E-05
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	4.74E-14	1.98E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	4.74E-14	3.84E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.76E-16	8.06E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	2.52E-19	2.55E-14
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.04E-16	1.05E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.03E-15	1.37E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.56E-17	1.05E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	8.39E-15	8.50E-10
				Total	1.46E-13	8.49E-09
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	6.48E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	3.38E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	3.41E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	1.79E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	5.48E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	3.39E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	2.66E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	1.43E-14	0.00E+00
				Total	1.16E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	2.52E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	1.39E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.74E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	6.01E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	1.85E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	1.74E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	1.34E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	5.86E-14	0.00E+00
				Total	4.60E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	1.59E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	8.72E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	4.86E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	1.98E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	2.64E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	4.79E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	4.14E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	3.84E-13	0.00E+00
				Total	1.01E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	6.27E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	3.43E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.65E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	8.03E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	1.05E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	1.63E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	1.41E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	1.52E-12	0.00E+00
				Total	3.73E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	7.53E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	4.12E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.68E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	4.75E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	7.61E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	1.66E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	1.43E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	1.84E-13	0.00E+00
				Total	3.14E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.72E-07
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	5.50E-17
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.37E-09
				Total	0.00E+00	1.76E-07
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	1.41E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	3.24E-07
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.22E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	2.54E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.62E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	3.59E-07
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	5.86E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	1.52E-07
				Total	0.00E+00	8.78E-07
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	2.07E-10
				Total	0.00E+00	2.07E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	7.09E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.02E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	2.31E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	2.38E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	2.29E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	7.42E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	9.21E-09
				Total	0.00E+00	1.26E-07
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	8.04E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	3.07E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.25E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	2.86E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	1.18E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	4.25E-12
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	9.09E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	1.76E-11
				Total	0.00E+00	3.95E-09
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	9.06E-16	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	4.81E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	3.63E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	3.09E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.88E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	3.59E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	2.93E-16	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.91E-15	0.00E+00
				Total	7.93E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	8.99E-17	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	4.45E-16	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	3.58E-16	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	1.21E-16	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	2.26E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	3.53E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	2.87E-17	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	1.90E-16	0.00E+00
				Total	7.02E-15	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	2.02E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	1.24E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	2.76E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	2.72E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	2.84E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	8.87E-13	0.00E+00
				Total	3.26E-11	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	3.64E-13	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	2.11E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.94E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	1.48E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	1.19E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	1.91E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	1.92E-12	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	1.37E-12	0.00E+00
				Total	4.83E-10	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	3.55E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	1.01E-09
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.57E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.78E-17
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	7.33E-15
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	3.11E-14
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	5.96E-16
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	8.46E-13
				Total	0.00E+00	1.87E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	9.18E-06
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	1.77E-05
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	6.17E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	3.25E-13
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	1.32E-10
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	1.08E-08
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	4.90E-11
RCPTR_30	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	8.18E-09
				Total	0.00E+00	2.21E-04
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	7.57E-06
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	5.02E-06
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.12E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	1.25E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	5.17E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	2.22E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	4.22E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	3.17E-10
				Total	0.00E+00	1.57E-05
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	1.38E-06
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	1.27E-07
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.71E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	2.20E-07
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	1.59E-08
				Total	0.00E+00	1.75E-06
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	4.56E-13	1.07E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	2.76E-15	1.57E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	1.53E-20	8.72E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	1.76E-22	1.00E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	7.25E-20	4.13E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	3.01E-19	1.71E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	5.86E-21	3.34E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	4.29E-18	2.45E-13
				Total	4.63E-13	1.10E-08
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	5.63E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	9.41E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	7.09E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	7.64E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	3.16E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	1.39E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	2.58E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	2.43E-12
				Total	0.00E+00	1.16E-07
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	4.12E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	1.65E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.02E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	1.15E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	4.73E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.02E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	3.85E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	7.93E-10
				Total	0.00E+00	3.20E-06
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	2.04E-14	3.05E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	2.46E-14	4.41E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.52E-19	4.51E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	2.92E-21	5.24E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	1.21E-18	2.16E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	4.93E-18	8.84E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	9.69E-20	1.74E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	5.71E-17	1.02E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	4.61E-14	7.55E-09
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	2.53E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	6.12E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	3.65E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	5.28E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	2.92E-10
				Total	0.00E+00	6.57E-09
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	9.10E-11	5.06E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.43E-07
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.68E-07
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.50E-06
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	2.33E-08
				Total	9.10E-11	2.94E-06
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	2.06E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	6.67E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.53E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.71E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	7.07E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.01E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	5.75E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	6.98E-13
				Total	0.00E+00	3.08E-09
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	6.71E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	9.13E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.55E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.89E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	7.78E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	2.97E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	6.10E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	1.57E-14
				Total	0.00E+00	7.82E-11
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.74E-13	1.14E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.73E-13	2.22E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.02E-15	4.65E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.45E-18	1.47E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	6.01E-16	6.08E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.75E-14	7.88E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	9.03E-17	6.07E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.85E-14	4.91E-09
				Total	8.38E-13	4.89E-08
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.71E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.57E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.09E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.34E-18
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.66E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.14E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.89E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.63E-13
				Total	0.00E+00	1.03E-08
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	1.35E-11	1.15E-07
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	6.15E-13	3.87E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	4.48E-19	2.82E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	5.05E-21	3.18E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	2.09E-18	1.31E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	8.87E-18	5.59E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.70E-19	1.07E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	3.00E-16	1.89E-11
				Total	1.49E-11	1.74E-07
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	9.54E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	3.64E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.67E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	3.39E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	1.40E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	5.04E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	1.08E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	2.08E-11
				Total	0.00E+00	4.69E-09
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	7.39E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	1.39E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	7.06E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	8.52E-19
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	3.52E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	1.36E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	2.78E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	8.87E-15
				Total	0.00E+00	8.92E-12
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	4.36E-07
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	7.05E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	8.89E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	1.05E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	4.32E-13
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	1.73E-12
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	3.44E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	1.46E-11
				Total	0.00E+00	4.45E-07
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	9.23E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	1.44E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.62E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.88E-17
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	7.78E-15
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	3.17E-14
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	6.24E-16
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	3.41E-13
				Total	0.00E+00	9.45E-09
RCPTR_30	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	1.56E-09
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	1.28E-07
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	6.36E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	1.09E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	1.13E-10
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	1.25E-08
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	6.48E-11
RCPTR_30	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	1.20E-08
				Total	0.00E+00	1.56E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.76E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.74E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	7.44E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.94E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	3.12E-09
				Total	0.00E+00	5.55E-07
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	5.99E-11	1.66E-08
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	2.32E-08	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	9.07E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	9.68E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	2.31E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	5.48E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	3.30E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	6.20E-11	0.00E+00
				Total	2.49E-08	1.66E-08
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	5.03E-12
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.32E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	2.49E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	7.31E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	8.95E-11
				Total	0.00E+00	1.12E-08
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.21E-10	1.01E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	5.32E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.15E-06
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.47E-06
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	7.14E-09
				Total	1.21E-10	5.16E-06
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.26E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	4.80E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	9.87E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.81E-06
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.54E-08
				Total	0.00E+00	3.29E-06
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.16E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	5.56E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	4.55E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	3.43E-05
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.18E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.53E-05
RCPTR_31	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.84E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.48E-06
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	3.93E-08
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	4.12E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	4.19E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.57E-07
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.32E-09
RCPTR_31	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.36E-08
				Total	0.00E+00	2.72E-06
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.66E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	9.63E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	7.22E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	5.19E-17
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.11E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	2.91E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.62E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	9.79E-13
				Total	0.00E+00	1.24E-07
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.60E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.35E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	5.77E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.50E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.42E-08
				Total	0.00E+00	4.54E-06
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	4.17E-13	1.47E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	3.34E-15	1.89E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	6.38E-20	3.53E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	4.56E-22	2.60E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.86E-19	1.06E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	2.54E-19	1.41E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.42E-20	8.04E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	8.32E-19	4.74E-14
				Total	4.28E-13	1.68E-09
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.97E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.76E-07
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	7.36E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	5.06E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.06E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	2.92E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.59E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.20E-12
				Total	0.00E+00	2.88E-07
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	6.54E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	9.78E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	7.93E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.18E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.79E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	2.79E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	5.45E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.23E-10
				Total	0.00E+00	1.93E-08
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	7.30E-11	2.03E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	2.41E-08	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	9.43E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.01E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	2.41E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	5.69E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	3.43E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	6.45E-11	0.00E+00
				Total	2.59E-08	2.03E-08
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.02E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.16E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.72E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.26E-18
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	5.13E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	6.85E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.90E-17
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.64E-15
				Total	0.00E+00	1.16E-10
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.35E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	3.90E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	3.67E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.99E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.22E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.40E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	8.81E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.25E-13
				Total	0.00E+00	5.27E-10
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.57E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	7.31E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.32E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.09E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	4.45E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	4.99E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.20E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.12E-11
				Total	0.00E+00	7.39E-08
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.15E-13	6.86E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	4.56E-14	1.78E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	7.46E-18	2.60E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	5.40E-20	2.12E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.20E-17	8.65E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	2.83E-17	9.94E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.62E-18	6.26E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.36E-17	9.29E-13
				Total	2.65E-13	1.87E-09
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	5.32E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.02E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	6.62E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	8.34E-16	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.39E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.35E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.62E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.96E-13	0.00E+00
				Total	3.52E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	8.57E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	7.40E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	3.76E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.42E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	9.86E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.44E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	7.55E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.67E-09
				Total	0.00E+00	8.19E-06
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.31E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.22E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	6.42E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.76E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.12E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.27E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.15E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.76E-12
				Total	0.00E+00	3.49E-09
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	5.84E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	6.28E-04
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.29E+02
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.69E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	6.87E-04
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	4.56E+02
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	5.04E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.23E-09
				Total	0.00E+00	5.90E+02
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.72E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	5.09E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.34E-08
				Total	0.00E+00	1.78E-06
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	9.87E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.11E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	4.52E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	3.35E-07
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.40E-07
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.48E-05
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	7.15E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.49E-06
				Total	0.00E+00	4.27E-05
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.45E-09
				Total	0.00E+00	1.45E-09
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.43E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.22E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.23E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.61E-18
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.54E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.98E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.02E-17
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.86E-14
				Total	0.00E+00	1.13E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	4.77E-06
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.08E-07
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.04E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.09E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	9.43E-07
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	9.09E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	9.04E-08
				Total	0.00E+00	6.25E-06
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.35E-12	1.72E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	8.08E-14	5.08E-09
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.98E-19	1.24E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.43E-21	9.00E-17
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	5.82E-19	3.66E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	7.96E-19	4.99E-14
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.46E-20	2.81E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.34E-18	3.99E-13
				Total	1.56E-12	7.30E-09
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	6.80E-15	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.99E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	7.44E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.84E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.69E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.51E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	2.71E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	8.49E-15	0.00E+00
				Total	4.47E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.33E-10
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	4.65E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.00E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.51E-17
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	6.15E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	7.89E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.62E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.57E-14
				Total	0.00E+00	3.83E-10
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.88E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.08E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.12E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.70E-18
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.91E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	4.15E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.53E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.66E-15
				Total	0.00E+00	3.00E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.88E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.00E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.12E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	5.31E-18
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.16E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	4.19E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.70E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.27E-15
				Total	0.00E+00	2.92E-11
RCPTR_31	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.88E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.10E-11
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.41E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	7.26E-18
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.96E-15
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	5.28E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.29E-16
RCPTR_31	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.26E-15
				Total	0.00E+00	3.02E-11
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.28E-06
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.32E-05
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	9.91E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	7.12E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.90E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	3.99E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.23E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.34E-10
				Total	0.00E+00	1.69E-05
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	4.25E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	3.53E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.51E-08
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	3.93E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	6.32E-09
				Total	0.00E+00	1.19E-06
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	9.14E-13	3.22E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	7.31E-15	4.15E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.40E-19	7.73E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	9.99E-22	5.70E-17
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	4.07E-19	2.32E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	5.56E-19	3.08E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	3.10E-20	1.76E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	1.82E-18	1.04E-13
				Total	9.35E-13	3.68E-09
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.70E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.37E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	6.32E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	4.35E-16
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.77E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	2.51E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.36E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.03E-12
				Total	0.00E+00	2.47E-07
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.24E-08
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.40E-06
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.01E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.51E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.65E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.62E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.03E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.37E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.09E-06
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	4.09E-14	9.17E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	6.52E-14	1.17E-08
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.24E-18	4.00E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.66E-20	2.98E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	6.76E-18	1.21E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	8.89E-18	1.59E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.12E-19	9.17E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.42E-17	4.35E-12
				Total	1.09E-13	1.27E-08
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	7.77E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	1.71E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	3.23E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	9.47E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.16E-10
				Total	0.00E+00	1.45E-08
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	1.87E-10	1.55E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.89E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.49E-06
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.50E-06
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.28E-09
				Total	1.87E-10	6.68E-06
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.21E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.79E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.35E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	9.74E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.96E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	5.42E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.03E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.96E-13
				Total	0.00E+00	2.86E-09
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.02E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.33E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.38E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.07E-17
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.36E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	5.34E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.22E-16
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	6.66E-15
				Total	0.00E+00	4.44E-11
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	5.50E-13	3.44E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.15E-12	6.26E-08
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.82E-14	4.23E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	8.25E-18	8.35E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.36E-15	3.40E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.06E-13	1.46E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.12E-15	3.26E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.05E-14	2.08E-09
				Total	3.65E-12	7.46E-08
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.81E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.85E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.33E-17
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.42E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.44E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.16E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.54E-13
				Total	0.00E+00	9.30E-09
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	2.72E-11	3.47E-08
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.62E-12	1.02E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	3.99E-18	2.50E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.87E-20	1.81E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.17E-17	7.37E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.60E-17	1.00E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	8.97E-19	5.64E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.28E-16	8.03E-12
				Total	3.11E-11	1.46E-07
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	2.87E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	9.49E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.36E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.93E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	7.84E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	9.06E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	5.69E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	8.85E-12
				Total	0.00E+00	9.83E-09
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.22E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	3.75E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	6.26E-16
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	4.85E-18
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.97E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	2.45E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.47E-16
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	3.77E-15
				Total	0.00E+00	6.04E-12
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.31E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.83E-08
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	7.88E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	5.95E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.42E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	3.11E-12
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.82E-13
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	6.19E-12
				Total	0.00E+00	1.51E-07
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.78E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.82E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.43E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.07E-16
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.36E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	5.69E-14
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.29E-15
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.45E-13
				Total	0.00E+00	3.20E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	4.79E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	3.51E-07
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	5.57E-09
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	5.83E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	5.93E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	2.23E-08
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.29E-10
RCPTR_31	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.76E-09
				Total	0.00E+00	3.85E-07
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	4.77E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	3.96E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.69E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	4.40E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	7.09E-10
				Total	0.00E+00	1.34E-07
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	3.26E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	4.57E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.22E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	8.37E-17
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.41E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	4.84E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.62E-15
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.98E-13
				Total	0.00E+00	4.76E-08
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	9.86E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.50E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	7.16E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.18E-16
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.11E-13
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.88E-13
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.62E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.68E-12
				Total	0.00E+00	4.05E-08
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	6.85E-11	1.90E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	2.23E-08	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	8.71E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	9.30E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	2.22E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	5.26E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	3.17E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	5.96E-11	0.00E+00
				Total	2.40E-08	1.90E-08
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	5.34E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.14E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.48E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	6.37E-15
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.59E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.25E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	7.28E-13
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.39E-13
				Total	0.00E+00	7.96E-10
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.60E-13
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.03E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.84E-16
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	5.64E-18
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.30E-15
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.14E-15
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.76E-16
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.72E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.67E-10
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.30E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.18E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.10E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.75E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	7.11E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	3.84E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	8.15E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.08E-10
				Total	0.00E+00	2.07E-08
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.05E-11	1.35E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.67E-10	5.35E-06
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	5.09E-15	8.00E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.76E-17	5.75E-13
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.12E-14	2.34E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	1.97E-14	3.19E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	9.02E-16	1.79E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	5.82E-14	1.21E-09
				Total	1.52E-09	7.32E-06
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	9.55E-12	2.46E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.33E-10	9.39E-06
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	3.31E-15	1.12E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.94E-17	8.07E-13
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	7.88E-15	3.28E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.29E-14	4.46E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	6.25E-16	2.51E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.56E-14	1.90E-09
				Total	1.51E-09	1.34E-05
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	9.54E-14	5.96E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.74E-13	1.09E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.01E-14	7.34E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.43E-18	1.45E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	5.83E-16	5.90E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.57E-14	2.53E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.68E-16	5.66E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.56E-15	3.61E-10
				Total	6.35E-13	1.30E-08
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.30E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	5.72E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.95E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	2.83E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	8.57E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	3.97E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	7.33E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	1.69E-14	0.00E+00
				Total	1.80E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	5.06E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.35E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.04E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	9.63E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	2.92E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.12E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	3.99E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	7.01E-14	0.00E+00
				Total	7.32E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	3.20E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.39E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.68E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	3.18E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	4.20E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	5.45E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.04E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	4.61E-13	0.00E+00
				Total	1.58E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.26E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	5.47E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	9.16E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.30E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	1.68E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	1.86E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	3.57E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	1.84E-12	0.00E+00
				Total	5.85E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.51E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	6.57E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	9.31E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	7.68E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.22E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	1.89E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	3.64E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	2.23E-13	0.00E+00
				Total	4.91E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	5.21E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.51E-16
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.01E-09
				Total	0.00E+00	5.38E-08
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	4.26E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	9.07E-07
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.94E-07
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.44E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.46E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	6.36E-07
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.08E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	6.41E-08
				Total	0.00E+00	1.84E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	6.24E-11
				Total	0.00E+00	6.24E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.05E-07
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	8.88E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.31E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.33E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	4.03E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.90E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	3.89E-09
				Total	0.00E+00	2.68E-07
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.43E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	8.03E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.00E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.63E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	6.63E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	7.66E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.81E-13
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	7.48E-12
				Total	0.00E+00	8.32E-09
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.82E-15	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	7.89E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.96E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	4.84E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.44E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	3.99E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	7.15E-15	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.24E-15	0.00E+00
				Total	1.18E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	1.80E-16	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	7.58E-15	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.93E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	1.91E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	3.49E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	3.93E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	7.01E-16	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	2.22E-16	0.00E+00
				Total	1.04E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	4.06E-13	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	1.76E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.66E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	3.37E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	7.83E-12	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.17E-12	0.00E+00
				Total	5.29E-10	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	7.30E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	3.11E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.14E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	2.57E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.04E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.31E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	5.19E-11	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	1.78E-12	0.00E+00
				Total	8.15E-09	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.07E-11
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	2.72E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.40E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.01E-16
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	4.12E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	5.60E-14
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.15E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.60E-13
				Total	0.00E+00	3.09E-09
RCPTR_31	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	2.77E-06
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	5.58E-05
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	6.14E-09
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.85E-12
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	7.41E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.19E-08
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.85E-10
RCPTR_31	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.48E-09
				Total	0.00E+00	1.46E-04
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.28E-06
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.32E-05
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	9.91E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	7.12E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.90E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	3.99E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.23E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.34E-10
				Total	0.00E+00	1.69E-05
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	4.25E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	3.53E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.51E-08
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	3.93E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	6.32E-09
				Total	0.00E+00	1.19E-06
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	9.14E-13	3.22E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	7.31E-15	4.15E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.40E-19	7.73E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	9.99E-22	5.70E-17
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	4.07E-19	2.32E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	5.56E-19	3.08E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	3.10E-20	1.76E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	1.82E-18	1.04E-13
				Total	9.35E-13	3.68E-09
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.70E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.37E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	6.32E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	4.35E-16
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.77E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	2.51E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.36E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.03E-12
				Total	0.00E+00	2.47E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.24E-08
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.40E-06
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.01E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.51E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.65E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.62E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.03E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.37E-10
				Total	0.00E+00	5.09E-06
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	4.09E-14	9.17E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	6.52E-14	1.17E-08
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.24E-18	4.00E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.66E-20	2.98E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	6.76E-18	1.21E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	8.89E-18	1.59E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.12E-19	9.17E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.42E-17	4.35E-12
				Total	1.09E-13	1.27E-08
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	7.77E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	1.71E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	3.23E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	9.47E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.16E-10
				Total	0.00E+00	1.45E-08
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	1.87E-10	1.55E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.89E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.49E-06
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.50E-06
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.28E-09
				Total	1.87E-10	6.68E-06
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.21E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.79E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.35E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	9.74E-17
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.96E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	5.42E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.03E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.96E-13
				Total	0.00E+00	2.86E-09
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.02E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.33E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.38E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.07E-17
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.36E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	5.34E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.22E-16
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	6.66E-15
				Total	0.00E+00	4.44E-11
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	5.50E-13	3.44E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.15E-12	6.26E-08
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.82E-14	4.23E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	8.25E-18	8.35E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.36E-15	3.40E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.06E-13	1.46E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.12E-15	3.26E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.05E-14	2.08E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	3.65E-12	7.46E-08
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.81E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.85E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.33E-17
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.42E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.44E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.16E-16
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.54E-13
				Total	0.00E+00	9.30E-09
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	2.72E-11	3.47E-08
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.62E-12	1.02E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	3.99E-18	2.50E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.87E-20	1.81E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.17E-17	7.37E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.60E-17	1.00E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	8.97E-19	5.64E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.28E-16	8.03E-12
				Total	3.11E-11	1.46E-07
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	2.87E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	9.49E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.36E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.93E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	7.84E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	9.06E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	5.69E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	8.85E-12
				Total	0.00E+00	9.83E-09
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.22E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	3.75E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	6.26E-16
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	4.85E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.97E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	2.45E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.47E-16
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	3.77E-15
				Total	0.00E+00	6.04E-12
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.31E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.83E-08
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	7.88E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	5.95E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.42E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	3.11E-12
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.82E-13
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	6.19E-12
				Total	0.00E+00	1.51E-07
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.78E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.82E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.43E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.07E-16
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.36E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	5.69E-14
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.29E-15
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.45E-13
				Total	0.00E+00	3.20E-09
RCPTR_31	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	4.79E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	3.51E-07
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	5.57E-09
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	5.83E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	5.93E-10
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	2.23E-08
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.29E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.76E-09
				Total	0.00E+00	3.85E-07
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	2.61E-06
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.43E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	3.33E-09
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	4.28E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.91E-08
				Total	0.00E+00	3.31E-06
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	1.33E-10	2.46E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	1.05E-08	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	7.07E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	6.40E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	1.55E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	2.10E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	6.58E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	5.49E-10	0.00E+00
				Total	1.15E-08	2.46E-07
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	7.45E-11
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.85E-09
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.11E-09
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.61E-08
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	8.35E-10
				Total	0.00E+00	2.00E-08
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	2.68E-10	1.49E-08
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	7.44E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	5.13E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	7.65E-06
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	6.67E-08
				Total	2.68E-10	8.99E-06
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.86E-08
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	6.71E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	4.42E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	3.98E-06
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.43E-07
				Total	0.00E+00	5.26E-06
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.72E-08
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	7.76E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	2.03E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	7.56E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.04E-08
				Total	0.00E+00	7.67E-05
RCPTR_31	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	4.20E-08
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	3.44E-06
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.76E-08
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.87E-09
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.96E-09
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	3.47E-07
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.74E-09
RCPTR_31	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.14E-07
				Total	0.00E+00	4.17E-06
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.46E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.45E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	3.23E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.61E-17
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.49E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	6.41E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.22E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	9.14E-12
				Total	0.00E+00	4.15E-07
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.37E-05
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.89E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	2.58E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	3.32E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.26E-07
				Total	0.00E+00	2.92E-05
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	9.27E-13	2.18E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	4.99E-15	2.84E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	2.78E-20	1.58E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.18E-22	1.81E-17
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.31E-19	7.48E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	5.46E-19	3.10E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.06E-20	6.04E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	7.76E-18	4.43E-13
				Total	9.35E-13	2.21E-08
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.92E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	4.34E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	3.29E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	3.52E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.46E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	6.45E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.19E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.63E-07
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	9.69E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.35E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	3.55E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	8.20E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.39E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	6.16E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.09E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.15E-09
				Total	0.00E+00	4.15E-08
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.62E-10	3.00E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.09E-08	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	7.35E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	6.65E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	1.61E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	2.18E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	6.84E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	5.71E-10	0.00E+00
				Total	1.20E-08	3.00E-07
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.51E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.73E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	7.67E-17
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	8.78E-19
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	3.62E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.51E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	2.93E-17
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.47E-14
				Total	0.00E+00	1.54E-09
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.00E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	6.06E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.64E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.08E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	8.60E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.08E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	6.61E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.17E-12
				Total	0.00E+00	2.61E-09
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.81E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.13E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	5.88E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	7.62E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.15E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.10E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.40E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	3.84E-10
				Total	0.00E+00	1.18E-07
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	4.78E-13	1.02E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	7.00E-14	2.75E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	2.99E-18	1.16E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	3.76E-20	1.48E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.55E-17	6.11E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	5.63E-17	2.19E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.20E-18	4.70E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.20E-16	8.67E-12
				Total	5.49E-13	3.81E-09
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.18E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.12E-09	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	4.82E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	5.81E-16	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.40E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	8.47E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	4.49E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.76E-12	0.00E+00
				Total	1.66E-09	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.27E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.15E-05
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.68E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.69E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	6.97E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.18E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	5.67E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.55E-08
				Total	0.00E+00	1.34E-05
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.42E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.45E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	2.87E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.92E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	7.93E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.01E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.37E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.58E-11
				Total	0.00E+00	6.45E-09
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	8.65E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	8.79E-04
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	5.76E+01
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.18E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	4.85E-04
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.01E+03
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	3.79E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	3.95E-08
				Total	0.00E+00	1.07E+03
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.55E-05
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	7.13E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.12E-07
				Total	0.00E+00	2.59E-05
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.46E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.00E-05
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.02E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.33E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.40E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	3.27E-05
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	5.37E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.39E-05
				Total	0.00E+00	8.06E-05
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.15E-08
				Total	0.00E+00	2.15E-08
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.61E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.23E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.98E-17
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.12E-18
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.62E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.98E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.77E-17
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.73E-13
				Total	0.00E+00	4.97E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	6.77E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	9.31E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.11E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.18E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.08E-06
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	6.82E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	8.44E-07
				Total	0.00E+00	1.03E-05
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.00E-12	2.55E-08
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.21E-13	7.63E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	8.83E-20	5.56E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	9.96E-22	6.27E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	4.11E-19	2.59E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.75E-18	1.10E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.35E-20	2.11E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	5.92E-17	3.73E-12
				Total	3.17E-12	3.43E-08
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.51E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	6.60E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	5.12E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	3.86E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	3.59E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	5.08E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.94E-15	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.39E-14	0.00E+00
				Total	1.07E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	4.93E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	7.09E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	8.95E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.05E-17
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	4.35E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.74E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.47E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.47E-13
				Total	0.00E+00	5.01E-09
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.79E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.67E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	5.01E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.27E-18
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.35E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	9.16E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.15E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.48E-14
				Total	0.00E+00	2.97E-10
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.79E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.55E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	5.01E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.70E-18
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.53E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	9.24E-15
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.28E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.05E-14
				Total	0.00E+00	2.95E-10
RCPTR_31	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.79E-10
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.70E-11
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	6.29E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	5.06E-18
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.09E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.16E-14
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.72E-16
RCPTR_31	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	3.98E-14
				Total	0.00E+00	2.97E-10
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	3.38E-05
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.99E-05
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	4.43E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	4.96E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.05E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	8.80E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.67E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.25E-09
				Total	0.00E+00	5.68E-05
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	6.30E-06
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	4.92E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	6.74E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	8.66E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	5.90E-08
				Total	0.00E+00	7.72E-06
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.03E-12	4.77E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.09E-14	6.23E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	6.08E-20	3.46E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	6.96E-22	3.97E-17
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	2.87E-19	1.64E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.19E-18	6.79E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.32E-20	1.32E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.70E-17	9.69E-13
				Total	2.05E-12	4.84E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.51E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	3.73E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	2.83E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.03E-16
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.25E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	5.54E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.02E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	9.61E-12
				Total	0.00E+00	3.96E-07
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.84E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.54E-06
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.03E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.54E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.87E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.99E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.53E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.14E-09
				Total	0.00E+00	8.23E-06
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	9.08E-14	1.36E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	9.74E-14	1.75E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	9.97E-19	1.79E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.16E-20	2.08E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	4.78E-18	8.57E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.95E-17	3.50E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	3.84E-19	6.88E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.26E-16	4.06E-11
				Total	1.90E-13	3.12E-08
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.15E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.39E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.44E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	2.09E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.08E-09
				Total	0.00E+00	2.59E-08
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	4.15E-10	2.30E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	9.64E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.65E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	9.92E-06
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.66E-08
				Total	4.15E-10	1.17E-05
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	9.20E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.64E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.06E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.79E-17
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.80E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.20E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.28E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.77E-12
				Total	0.00E+00	5.13E-09
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.99E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	3.62E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	6.15E-16
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	7.47E-18
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.08E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.18E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.42E-16
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	6.21E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.37E-10
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.22E-12	5.09E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.06E-12	8.69E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.14E-15	1.89E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.75E-18	5.82E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.37E-15	2.40E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	7.14E-14	3.21E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.69E-16	2.45E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.92E-13	1.94E-08
				Total	2.78E-12	1.70E-07
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.99E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.27E-16
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.27E-18
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.83E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.64E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.12E-16
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.44E-12
				Total	0.00E+00	4.12E-08
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	6.04E-11	5.14E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.44E-12	1.53E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.78E-18	1.12E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.00E-20	1.26E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	8.27E-18	5.21E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	3.52E-17	2.21E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	6.73E-19	4.24E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.19E-15	7.49E-11
				Total	6.36E-11	6.87E-07
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	4.25E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.44E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.06E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.34E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	5.54E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.00E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	4.27E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	8.26E-11
				Total	0.00E+00	1.89E-08
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	3.29E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	5.53E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	2.80E-16
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.38E-18
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.39E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	5.40E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.10E-16
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	3.51E-14
				Total	0.00E+00	3.86E-11
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.94E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.79E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	3.52E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	4.15E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.71E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	6.86E-12
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.37E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	5.77E-11
				Total	0.00E+00	1.97E-06
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.11E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.72E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	6.41E-15
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	7.46E-17
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.08E-14
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.25E-13
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.47E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.35E-12
				Total	0.00E+00	4.18E-08
RCPTR_31	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	7.09E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	4.88E-07
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	2.49E-09
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	4.06E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	4.19E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	4.91E-08
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	2.47E-10
RCPTR_31	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.44E-08
				Total	0.00E+00	5.92E-07
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	7.06E-07
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	5.52E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	7.56E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	9.71E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	6.62E-09
				Total	0.00E+00	8.66E-07
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	4.84E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	7.18E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	5.45E-15
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	5.83E-17
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.41E-14
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.07E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	1.97E-15
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.85E-12
				Total	0.00E+00	7.64E-08
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.46E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.20E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.20E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.61E-16
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.49E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	6.35E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.21E-14
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.50E-11
				Total	0.00E+00	6.56E-08
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.52E-10	2.82E-07
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.01E-08	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	6.79E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	6.15E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	1.49E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	2.02E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	6.32E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	5.28E-10	0.00E+00
				Total	1.11E-08	2.82E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	7.92E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	7.98E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	6.64E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	4.44E-15
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.83E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.16E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	5.47E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	5.96E-12
				Total	0.00E+00	1.47E-09
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	5.33E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.53E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.51E-16
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	3.93E-18
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.62E-15
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.92E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.32E-16
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.60E-13
				Total	0.00E+00	3.00E-10
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	3.40E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.75E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	4.90E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.22E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	5.02E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	8.46E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	6.12E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.00E-09
				Total	0.00E+00	3.78E-08
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.34E-11	2.01E-07
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.85E-10	8.00E-06
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.77E-15	3.58E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	1.92E-17	4.01E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	7.94E-15	1.65E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	3.46E-14	7.03E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	6.47E-16	1.34E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	5.43E-13	1.13E-08
				Total	8.59E-10	1.26E-05
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.12E-11	3.64E-07
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.37E-10	1.40E-05
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.23E-15	5.00E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.35E-17	5.62E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	5.57E-15	2.32E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	2.41E-14	9.84E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	4.53E-16	1.88E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.26E-13	1.77E-08
				Total	8.20E-10	2.33E-05
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.12E-13	8.84E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.84E-13	1.51E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.19E-16	3.29E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.97E-19	1.01E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.12E-16	4.17E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.24E-14	5.57E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	6.40E-17	4.25E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.33E-14	3.37E-09
				Total	4.82E-13	2.96E-08
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	2.89E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.24E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.33E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	5.94E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.82E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.33E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.00E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	4.76E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	4.09E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.13E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	5.13E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	7.06E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.03E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	6.22E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	7.07E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	5.23E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	1.98E-13	0.00E+00
				Total	1.69E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	7.11E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	3.16E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	1.85E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	6.73E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	9.00E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	1.83E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.52E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.31E-12	0.00E+00
				Total	3.66E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	2.80E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.24E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	6.32E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	2.74E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	3.59E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	6.26E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	5.19E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	5.19E-12	0.00E+00
				Total	1.35E-09	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	3.36E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.50E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	6.42E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.62E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	2.60E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	6.36E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	5.29E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	6.29E-13	0.00E+00
				Total	1.15E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	7.71E-07
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.11E-16
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	9.42E-09
				Total	0.00E+00	7.82E-07
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	6.30E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.29E-06
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	8.69E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.00E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.03E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.40E-06
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.31E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	5.98E-07
				Total	0.00E+00	3.46E-06
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	9.24E-10
				Total	0.00E+00	9.24E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.91E-07
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	3.97E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	9.11E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	9.38E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	8.88E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	2.93E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	3.63E-08
				Total	0.00E+00	4.42E-07
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.60E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.22E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	8.94E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.13E-14
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	4.68E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.69E-11
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	3.61E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	6.98E-11
				Total	0.00E+00	1.59E-08
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.04E-15	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.74E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.35E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.02E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	9.46E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.34E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.04E-15	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	6.30E-15	0.00E+00
				Total	2.81E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	4.01E-16	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.62E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.33E-15	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	3.99E-16	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	7.43E-15	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.32E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.02E-16	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	6.25E-16	0.00E+00
				Total	2.51E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	9.03E-13	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	4.70E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.15E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.14E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.14E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	3.34E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.35E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.62E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	7.86E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	7.90E-11	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	5.46E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	4.38E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	7.80E-10	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	7.60E-12	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	5.05E-12	0.00E+00
				Total	1.87E-09	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.59E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	4.03E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	6.24E-15
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	7.06E-17
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	2.91E-14
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.23E-13
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.37E-15
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.36E-12
				Total	0.00E+00	5.00E-09
RCPTR_31	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	4.11E-05
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	7.81E-05
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	2.75E-09
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.29E-12
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	5.24E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	4.82E-08
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.14E-10
RCPTR_31	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.25E-08
				Total	0.00E+00	3.14E-04
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	3.38E-05
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.99E-05
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	4.43E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	4.96E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.05E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	8.80E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.67E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.25E-09
				Total	0.00E+00	5.68E-05
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	6.30E-06
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	4.92E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	6.74E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	8.66E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	5.90E-08
				Total	0.00E+00	7.72E-06
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.03E-12	4.77E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.09E-14	6.23E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	6.08E-20	3.46E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	6.96E-22	3.97E-17
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	2.87E-19	1.64E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.19E-18	6.79E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.32E-20	1.32E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.70E-17	9.69E-13
				Total	2.05E-12	4.84E-08
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.51E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	3.73E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	2.83E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.03E-16
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.25E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	5.54E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.02E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	9.61E-12
				Total	0.00E+00	3.96E-07
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.84E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.54E-06
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.03E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.54E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.87E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.99E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.53E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.14E-09
				Total	0.00E+00	8.23E-06
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	9.08E-14	1.36E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	9.74E-14	1.75E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	9.97E-19	1.79E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.16E-20	2.08E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	4.78E-18	8.57E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.95E-17	3.50E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	3.84E-19	6.88E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.26E-16	4.06E-11
				Total	1.90E-13	3.12E-08
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.15E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.39E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.44E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	2.09E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.08E-09
				Total	0.00E+00	2.59E-08
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	4.15E-10	2.30E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	9.64E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.65E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	9.92E-06
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.66E-08
				Total	4.15E-10	1.17E-05
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	9.20E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.64E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.06E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.79E-17
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.80E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.20E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.28E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.77E-12
				Total	0.00E+00	5.13E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.99E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	3.62E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	6.15E-16
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	7.47E-18
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.08E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.18E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.42E-16
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	6.21E-14
				Total	0.00E+00	3.37E-10
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.22E-12	5.09E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.06E-12	8.69E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.14E-15	1.89E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.75E-18	5.82E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.37E-15	2.40E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	7.14E-14	3.21E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.69E-16	2.45E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.92E-13	1.94E-08
				Total	2.78E-12	1.70E-07
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.99E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.27E-16
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.27E-18
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.83E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.64E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.12E-16
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.44E-12
				Total	0.00E+00	4.12E-08
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	6.04E-11	5.14E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.44E-12	1.53E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.78E-18	1.12E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.00E-20	1.26E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	8.27E-18	5.21E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	3.52E-17	2.21E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	6.73E-19	4.24E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.19E-15	7.49E-11
				Total	6.36E-11	6.87E-07
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	4.25E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.44E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.06E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.34E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	5.54E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.00E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	4.27E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	8.26E-11
				Total	0.00E+00	1.89E-08
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	3.29E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	5.53E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	2.80E-16
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.38E-18
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.39E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	5.40E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.10E-16
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	3.51E-14
				Total	0.00E+00	3.86E-11
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.94E-06
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.79E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	3.52E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	4.15E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.71E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	6.86E-12
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.37E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	5.77E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.97E-06
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.11E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.72E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	6.41E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	7.46E-17
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.08E-14
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.25E-13
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.47E-15
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.35E-12
				Total	0.00E+00	4.18E-08
RCPTR_31	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	7.09E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	4.88E-07
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	2.49E-09
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	4.06E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	4.19E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	4.91E-08
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	2.47E-10
RCPTR_31	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.44E-08
				Total	0.00E+00	5.92E-07
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	2.49E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.75E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.18E-08
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	3.07E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	4.89E-09
				Total	0.00E+00	8.49E-07
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	8.48E-11	2.36E-08
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	3.67E-08	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	1.44E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	1.52E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	3.63E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	8.69E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	5.22E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	9.72E-11	0.00E+00
				Total	3.94E-08	2.36E-08
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	7.12E-12
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	2.09E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	3.94E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.16E-08
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	1.40E-10
				Total	0.00E+00	1.78E-08
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.71E-10	1.42E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.42E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.82E-06
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	5.50E-06
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.12E-08
				Total	1.71E-10	8.18E-06
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.78E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	7.59E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	1.56E-06
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	2.86E-06
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	2.41E-08
				Total	0.00E+00	5.21E-06
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.64E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	8.78E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	7.21E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	5.43E-05
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	3.43E-09
				Total	0.00E+00	5.59E-05
RCPTR_32	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	4.02E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	3.90E-06
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	6.22E-08
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	6.46E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	6.56E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	2.49E-07
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	3.65E-09
RCPTR_32	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	5.27E-08
				Total	0.00E+00	4.28E-06
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.11E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.21E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	9.08E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	6.52E-17
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.66E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.65E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	2.04E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.23E-12
				Total	0.00E+00	1.53E-07
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.01E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.23E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	9.53E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	2.48E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.95E-08
				Total	0.00E+00	6.85E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	5.30E-13	1.86E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	4.19E-15	2.38E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	8.03E-20	4.43E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	5.74E-22	3.27E-17
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	2.34E-19	1.33E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	3.19E-19	1.77E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.78E-20	1.01E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	1.05E-18	5.96E-14
				Total	5.41E-13	2.13E-09
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.50E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.48E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	9.26E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	6.36E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.59E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.68E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	2.00E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.51E-12
				Total	0.00E+00	3.59E-07
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	8.30E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.27E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	1.09E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.48E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	6.04E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.85E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	7.10E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.55E-10
				Total	0.00E+00	2.39E-08
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	9.15E-11	2.54E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	3.98E-08	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	1.56E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.64E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	3.92E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	9.41E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	5.65E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	1.05E-10	0.00E+00
				Total	4.27E-08	2.54E-08
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.30E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.46E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	2.16E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.58E-18
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	6.45E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	8.61E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	4.91E-17
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.32E-15
				Total	0.00E+00	1.47E-10
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.71E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.90E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	4.61E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.76E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.53E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.76E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	1.11E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.58E-13
				Total	0.00E+00	6.64E-10
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.26E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	9.18E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.65E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.38E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	5.60E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	6.27E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	4.02E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	5.18E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	9.28E-08
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.73E-13	8.70E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	5.74E-14	2.24E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	9.40E-18	3.27E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	6.79E-20	2.67E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.76E-17	1.09E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.57E-17	1.25E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	2.04E-18	7.87E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.97E-17	1.17E-12
				Total	3.35E-13	2.34E-09
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	6.75E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.57E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	8.84E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	1.06E-15	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	4.31E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	3.13E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	3.43E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.76E-13	0.00E+00
				Total	4.08E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.09E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	9.30E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	4.73E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	3.05E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.24E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.82E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	9.49E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	2.09E-09
				Total	0.00E+00	1.01E-05
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.93E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.79E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	8.15E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.47E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.41E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.88E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.99E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.47E-12
				Total	0.00E+00	4.15E-09
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	7.41E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	7.97E-04
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.63E+02
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	2.13E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	8.69E-04
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	5.79E+02
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	6.40E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	5.35E-09
				Total	0.00E+00	7.49E+02
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.19E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	8.36E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	4.20E-08
				Total	0.00E+00	2.25E-06
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.25E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.69E-05
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	6.08E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	4.25E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	4.32E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	2.05E-05
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	9.12E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.89E-06
				Total	0.00E+00	5.64E-05
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.84E-09
				Total	0.00E+00	1.84E-09
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.09E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.03E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.81E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.02E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.22E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.13E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.31E-17
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.34E-14
				Total	0.00E+00	1.40E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	6.18E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	3.07E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.85E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.91E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.41E-06
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.21E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.15E-07
				Total	0.00E+00	8.26E-06
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.71E-12	2.19E-09
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.02E-13	6.39E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.49E-19	1.56E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.80E-21	1.13E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	7.32E-19	4.61E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.00E-18	6.28E-14
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	5.61E-20	3.53E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.97E-18	5.02E-13
				Total	1.94E-12	9.07E-09
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	8.62E-15	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	4.82E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.16E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.92E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.68E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.37E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.20E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.35E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	7.04E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	4.22E-10
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	5.85E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.52E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.90E-17
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	7.74E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	9.93E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	5.80E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.97E-14
				Total	0.00E+00	4.84E-10
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.39E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.36E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.59E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	5.91E-18
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	2.41E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	5.88E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.97E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.34E-15
				Total	0.00E+00	3.78E-11
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.39E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.26E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.57E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	6.68E-18
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.72E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	5.83E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	2.18E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	4.11E-15
				Total	0.00E+00	3.69E-11
RCPTR_32	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.39E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.38E-11
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.94E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	9.13E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.72E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	7.25E-15
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.92E-16
RCPTR_32	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	5.36E-15
				Total	0.00E+00	3.81E-11
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	3.09E-06
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.77E-05
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.33E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	9.55E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.89E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	5.35E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.99E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.80E-10
				Total	0.00E+00	2.22E-05
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	5.71E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	5.93E-07
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	2.54E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	6.62E-07
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	1.05E-08
				Total	0.00E+00	1.86E-06
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.24E-12	4.36E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	9.79E-15	5.56E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.88E-19	1.04E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.34E-21	7.64E-17
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	5.45E-19	3.11E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	7.45E-19	4.13E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	4.16E-20	2.36E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	2.44E-18	1.39E-13
				Total	1.26E-12	4.97E-09
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.30E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	3.18E-07
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	8.48E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	5.83E-16
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	2.37E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	3.37E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.83E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.38E-12
				Total	0.00E+00	3.28E-07
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.68E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.90E-06
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.21E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.73E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.55E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.85E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.72E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.51E-10
				Total	0.00E+00	6.59E-06
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	5.54E-14	1.24E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	8.75E-14	1.57E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	3.00E-18	5.36E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	2.23E-20	3.99E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	9.07E-18	1.63E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.19E-17	2.13E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	6.86E-19	1.23E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	3.25E-17	5.83E-12
				Total	1.46E-13	1.70E-08
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.04E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.88E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	5.44E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.60E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.93E-10
				Total	0.00E+00	2.45E-08
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.51E-10	2.09E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.16E-06
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.51E-06
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	7.59E-06
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.54E-08
				Total	2.51E-10	1.13E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.42E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.39E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.82E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.31E-16
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.31E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.27E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	4.07E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.97E-13
				Total	0.00E+00	3.48E-09
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.74E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	3.13E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.84E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.44E-17
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.85E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	7.16E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	4.31E-16
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.93E-15
				Total	0.00E+00	5.96E-11
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	7.46E-13	4.66E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.33E-12	8.69E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.56E-14	6.15E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.11E-17	1.12E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.52E-15	4.57E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.02E-13	2.12E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.03E-15	4.50E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.76E-14	2.79E-09
				Total	5.15E-12	1.02E-07
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.74E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.13E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.48E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.78E-17
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.26E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.98E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.58E-16
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.06E-13
				Total	0.00E+00	1.23E-08
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	3.68E-11	4.70E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.18E-12	1.37E-07
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	5.35E-18	3.35E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.85E-20	2.43E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.57E-17	9.88E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	2.15E-17	1.35E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.20E-18	7.57E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.71E-16	1.08E-11
				Total	4.13E-11	1.93E-07
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.89E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.27E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	3.17E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.58E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	1.05E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.21E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	7.62E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.19E-11
				Total	0.00E+00	1.32E-08
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	3.02E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	5.03E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	8.39E-16
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	6.50E-18
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.65E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	3.28E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.96E-16
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	5.05E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	8.11E-12
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.78E-07
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.46E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	1.06E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	7.98E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	3.25E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	4.17E-12
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	2.44E-13
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	8.29E-12
				Total	0.00E+00	2.04E-07
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.76E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.12E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.92E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.44E-16
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.85E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.63E-14
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.41E-15
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.94E-13
				Total	0.00E+00	4.31E-09
RCPTR_32	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	6.43E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	5.86E-07
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	9.36E-09
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	9.70E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	9.86E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	3.75E-08
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	5.49E-10
RCPTR_32	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	7.92E-09
				Total	0.00E+00	6.44E-07
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	6.37E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	6.64E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	2.84E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	7.41E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.18E-09
				Total	0.00E+00	2.08E-07
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	4.40E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	6.10E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.63E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	1.12E-16
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	4.55E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	6.46E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	3.50E-15
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.65E-13
				Total	0.00E+00	6.29E-08
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.33E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.67E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.56E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.91E-16
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.81E-13
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.84E-13
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.15E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.57E-12
				Total	0.00E+00	5.23E-08
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	9.16E-11	2.54E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	3.74E-08	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	1.47E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	1.54E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	3.69E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	8.86E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	5.32E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	9.89E-11	0.00E+00
				Total	4.02E-08	2.54E-08
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	7.21E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	6.85E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	2.00E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	8.50E-15
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	3.46E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	7.09E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	9.80E-13
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	8.52E-13
				Total	0.00E+00	9.95E-10
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.85E-13
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.38E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.05E-15
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.53E-18
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.06E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.19E-15
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.35E-16
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.29E-14
				Total	0.00E+00	2.02E-10
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	3.10E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.58E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.49E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	2.33E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	9.48E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	5.22E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	1.10E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.44E-10
				Total	0.00E+00	2.69E-08
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.42E-11	1.83E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.56E-10	7.14E-06
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	6.92E-15	1.07E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	3.68E-17	7.68E-13
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.50E-14	3.13E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.68E-14	4.26E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.21E-15	2.39E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.76E-14	1.62E-09
				Total	1.61E-09	9.11E-06
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.29E-11	3.32E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.11E-10	1.25E-05
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	4.46E-15	1.49E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.58E-17	1.08E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	1.05E-14	4.38E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.74E-14	5.96E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	8.35E-16	3.35E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	6.08E-14	2.54E-09
				Total	1.59E-09	1.66E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.29E-13	8.05E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	5.76E-13	1.50E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.48E-14	1.06E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.92E-18	1.94E-13
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	7.80E-16	7.89E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	5.23E-14	3.67E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	5.25E-16	7.77E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.77E-15	4.83E-10
				Total	8.94E-13	1.76E-08
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.75E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	9.30E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.97E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	4.52E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.37E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	6.07E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.11E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.70E-14	0.00E+00
				Total	2.83E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	6.82E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	3.78E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.53E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.52E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	4.59E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	3.13E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	5.85E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	1.10E-13	0.00E+00
				Total	1.12E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	4.31E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	2.27E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	4.20E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	4.96E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	6.55E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	8.53E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.60E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	7.20E-13	0.00E+00
				Total	2.46E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.69E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	8.90E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.43E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	2.02E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.61E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.91E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	5.49E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.86E-12	0.00E+00
				Total	9.12E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	2.04E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.07E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.45E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.19E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.89E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.95E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	5.58E-12	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	3.46E-13	0.00E+00
				Total	7.65E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	7.02E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.52E-16
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.35E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	7.23E-08
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	5.74E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.23E-06
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.74E-07
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.94E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.97E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	9.15E-07
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	4.16E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	8.61E-08
				Total	0.00E+00	2.55E-06
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	8.41E-11
				Total	0.00E+00	8.41E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.81E-07
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.35E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.76E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.78E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	6.18E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	5.46E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	5.23E-09
				Total	0.00E+00	3.72E-07
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.27E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.07E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.67E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	2.17E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	8.84E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.02E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	6.42E-13
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.98E-12
				Total	0.00E+00	1.11E-08
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.45E-15	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.29E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	3.14E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	7.82E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	7.17E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	6.39E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.14E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.61E-15	0.00E+00
				Total	1.90E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.43E-16	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.24E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	3.10E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	3.08E-15	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	5.64E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	6.30E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.12E-15	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	3.59E-16	0.00E+00
				Total	1.68E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	5.48E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.71E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	2.37E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	4.82E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.10E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.65E-12	0.00E+00
				Total	7.60E-10	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	9.84E-13	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	4.90E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.67E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.70E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.92E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	3.39E-09	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	7.44E-11	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.55E-12	0.00E+00
				Total	1.18E-08	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.45E-11
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.62E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.86E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.35E-16
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	5.50E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	7.47E-14
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	4.21E-15
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.81E-13
				Total	0.00E+00	4.00E-09
RCPTR_32	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.74E-06
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	7.52E-05
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	8.28E-09
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.47E-12
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	9.89E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.95E-08
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.84E-10
RCPTR_32	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.65E-09
				Total	0.00E+00	1.66E-04
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	3.09E-06
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.77E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.33E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	9.55E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.89E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	5.35E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.99E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.80E-10
				Total	0.00E+00	2.22E-05
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	5.71E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	5.93E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	2.54E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	6.62E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	1.05E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.86E-06
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.24E-12	4.36E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	9.79E-15	5.56E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.88E-19	1.04E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.34E-21	7.64E-17
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	5.45E-19	3.11E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	7.45E-19	4.13E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	4.16E-20	2.36E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	2.44E-18	1.39E-13
				Total	1.26E-12	4.97E-09
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.30E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	3.18E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	8.48E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	5.83E-16
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	2.37E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	3.37E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.83E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.38E-12
				Total	0.00E+00	3.28E-07
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.68E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.90E-06
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.21E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.73E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.55E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.85E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.72E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.51E-10
				Total	0.00E+00	6.59E-06
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	5.54E-14	1.24E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	8.75E-14	1.57E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	3.00E-18	5.36E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	2.23E-20	3.99E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	9.07E-18	1.63E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.19E-17	2.13E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	6.86E-19	1.23E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	3.25E-17	5.83E-12
				Total	1.46E-13	1.70E-08
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.04E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.88E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	5.44E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.60E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.93E-10
				Total	0.00E+00	2.45E-08
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.51E-10	2.09E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.16E-06
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.51E-06
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	7.59E-06
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.54E-08
				Total	2.51E-10	1.13E-05
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.42E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.39E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.82E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.31E-16
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.31E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.27E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	4.07E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.97E-13
				Total	0.00E+00	3.48E-09
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.74E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	3.13E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.84E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.44E-17
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.85E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	7.16E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	4.31E-16
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.93E-15
				Total	0.00E+00	5.96E-11
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	7.46E-13	4.66E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.33E-12	8.69E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.56E-14	6.15E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.11E-17	1.12E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.52E-15	4.57E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.02E-13	2.12E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.03E-15	4.50E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.76E-14	2.79E-09
				Total	5.15E-12	1.02E-07
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.74E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.13E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.48E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.78E-17
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.26E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.98E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.58E-16
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.06E-13
				Total	0.00E+00	1.23E-08
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	3.68E-11	4.70E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.18E-12	1.37E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	5.35E-18	3.35E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.85E-20	2.43E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.57E-17	9.88E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	2.15E-17	1.35E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.20E-18	7.57E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.71E-16	1.08E-11
				Total	4.13E-11	1.93E-07
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.89E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.27E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	3.17E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.58E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	1.05E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.21E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	7.62E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.19E-11
				Total	0.00E+00	1.32E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	3.02E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	5.03E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	8.39E-16
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	6.50E-18
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.65E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	3.28E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.96E-16
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	5.05E-15
				Total	0.00E+00	8.11E-12
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.78E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.46E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	1.06E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	7.98E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	3.25E-12
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	4.17E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	2.44E-13
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	8.29E-12
				Total	0.00E+00	2.04E-07
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.76E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.12E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.92E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.44E-16
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.85E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.63E-14
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.41E-15
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.94E-13
				Total	0.00E+00	4.31E-09
RCPTR_32	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	6.43E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	5.86E-07
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	9.36E-09
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	9.70E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	9.86E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	3.75E-08
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	5.49E-10
RCPTR_32	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	7.92E-09
				Total	0.00E+00	6.44E-07
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	3.69E-06
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	3.84E-07
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	5.27E-09
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	6.77E-07
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	4.56E-08
				Total	0.00E+00	4.81E-06
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	1.89E-10	3.49E-07
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	1.65E-08	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	1.12E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	1.00E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	2.43E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	3.33E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	1.04E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	8.61E-10	0.00E+00
				Total	1.82E-08	3.49E-07
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	1.06E-10
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	2.92E-09
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.76E-09
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	2.55E-08
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	1.31E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.16E-08
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	3.80E-10	2.11E-08
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.18E-06
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	8.14E-07
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.21E-05
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.05E-07
				Total	3.80E-10	1.43E-05
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	2.64E-08
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	1.06E-06
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	7.00E-07
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	6.31E-06
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	2.25E-07
				Total	0.00E+00	8.32E-06
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	2.44E-08
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	1.23E-06
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	3.22E-07
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.20E-04
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	3.20E-08
				Total	0.00E+00	1.21E-04
RCPTR_32	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	5.95E-08
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	5.42E-06
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	2.78E-08
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	4.50E-09
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	4.64E-09
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	5.49E-07
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.74E-09
RCPTR_32	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	4.92E-07
				Total	0.00E+00	6.56E-06
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	3.12E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.82E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	4.06E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.54E-17
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.88E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	8.06E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.53E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.15E-11
				Total	0.00E+00	5.19E-07
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.98E-05
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	3.10E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	4.26E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	5.48E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.68E-07
				Total	0.00E+00	3.87E-05
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	1.18E-12	2.76E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	6.27E-15	3.57E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	3.49E-20	1.98E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	4.00E-22	2.28E-17
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.65E-19	9.40E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	6.86E-19	3.90E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.33E-20	7.59E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	9.76E-18	5.56E-13
				Total	1.19E-12	2.80E-08
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	3.71E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	5.45E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	4.14E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.43E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.83E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	8.11E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.50E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.41E-11
				Total	0.00E+00	5.75E-07
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.23E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.75E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	4.89E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.03E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.27E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	8.49E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	5.33E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.44E-09
				Total	0.00E+00	5.10E-08
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	2.03E-10	3.77E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.79E-08	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	1.21E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	1.08E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	2.63E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	3.60E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	1.12E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	9.31E-10	0.00E+00
				Total	1.96E-08	3.77E-07
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.92E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	2.18E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	9.65E-17
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.10E-18
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.56E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.90E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.68E-17
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.10E-14
				Total	0.00E+00	1.95E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.54E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	7.62E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	2.06E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.62E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.08E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.88E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	8.32E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.47E-12
				Total	0.00E+00	3.31E-09
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	4.84E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.42E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	7.40E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	9.58E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.96E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.38E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.02E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.83E-10
				Total	0.00E+00	1.49E-07
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	6.06E-13	1.29E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	8.80E-14	3.46E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.76E-18	1.46E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.73E-20	1.86E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.95E-17	7.68E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	7.08E-17	2.76E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.50E-18	5.91E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.77E-16	1.09E-11
				Total	6.96E-13	4.79E-09
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.50E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.42E-09	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	6.41E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	7.37E-16	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.04E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	1.13E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.82E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.51E-12	0.00E+00
				Total	1.98E-09	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.61E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.44E-05
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	2.12E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.12E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	8.76E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	4.01E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	7.13E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.95E-08
				Total	0.00E+00	1.63E-05
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	4.35E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	4.34E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.65E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.42E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	9.97E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.36E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.00E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.24E-11
				Total	0.00E+00	7.58E-09
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	1.10E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	1.12E-03
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	7.31E+01
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.49E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	6.14E-04
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.28E+03
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.81E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	5.00E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.35E+03
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	3.24E-05
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.17E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.92E-07
				Total	0.00E+00	3.28E-05
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.86E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.83E-05
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.72E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.96E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.05E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	4.51E-05
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.85E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.76E-05
				Total	0.00E+00	1.06E-04
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.73E-08
				Total	0.00E+00	2.73E-08
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.58E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.55E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.26E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.41E-18
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.81E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.49E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.74E-17
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.18E-13
				Total	0.00E+00	6.26E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	8.78E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.37E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.68E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.77E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	3.10E-06
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	9.08E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.07E-06
				Total	0.00E+00	1.36E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.81E-12	3.24E-08
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.52E-13	9.59E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.11E-19	6.99E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.25E-21	7.89E-17
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	5.17E-19	3.26E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	2.20E-18	1.38E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.21E-20	2.65E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.44E-17	4.69E-12
				Total	4.00E-12	4.31E-08
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.92E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.06E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	8.02E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	6.12E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.70E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	7.94E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	6.15E-15	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.79E-14	0.00E+00
				Total	1.67E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	6.26E-09
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	8.92E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.13E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.32E-17
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	5.47E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	2.19E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.36E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.84E-13
				Total	0.00E+00	6.35E-09
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	3.54E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	2.11E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	7.13E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.12E-18
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.70E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.30E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.48E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.12E-14
				Total	0.00E+00	3.76E-10
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	3.54E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.95E-11
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	7.01E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	4.65E-18
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.92E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.29E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.63E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.84E-14
				Total	0.00E+00	3.75E-10
RCPTR_32	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	3.54E-10
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	2.13E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	8.69E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	6.36E-18
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.63E-15
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.60E-14
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.19E-16
RCPTR_32	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	5.00E-14
				Total	0.00E+00	3.76E-10
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	4.58E-05
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.67E-05
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	5.94E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	6.65E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.75E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.18E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.24E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.68E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	7.56E-05
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	8.46E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	8.26E-07
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.14E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.46E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	9.82E-08
				Total	0.00E+00	1.09E-05
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.75E-12	6.47E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.46E-14	8.35E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	8.15E-20	4.63E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	9.33E-22	5.32E-17
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.85E-19	2.20E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.60E-18	9.11E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	3.11E-20	1.77E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	2.28E-17	1.30E-12
				Total	2.77E-12	6.56E-08
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	3.41E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	5.00E-07
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.80E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	4.06E-16
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.68E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	7.43E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.37E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.29E-11
				Total	0.00E+00	5.24E-07
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.49E-07
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.77E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.40E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.08E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.51E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.07E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.05E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.21E-09
				Total	0.00E+00	1.05E-05
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	1.23E-13	1.84E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.31E-13	2.34E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.34E-18	2.40E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.55E-20	2.78E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	6.40E-18	1.15E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.62E-17	4.70E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.15E-19	9.23E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	3.03E-16	5.44E-11
				Total	2.55E-13	4.20E-08
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.55E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	4.02E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	2.43E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	3.52E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.80E-09
				Total	0.00E+00	4.36E-08
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	5.57E-10	3.09E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.63E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.12E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.67E-05
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.44E-07
				Total	5.57E-10	1.97E-05
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.25E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.54E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.12E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	9.10E-17
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.75E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.60E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.05E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.71E-12
				Total	0.00E+00	6.07E-09
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	4.05E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	4.85E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	8.25E-16
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.00E-17
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.13E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.58E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.24E-16
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.33E-14
				Total	0.00E+00	4.56E-10
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.66E-12	6.90E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.52E-12	1.21E-07
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.07E-15	2.75E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.73E-18	7.82E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.19E-15	3.23E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.05E-13	4.68E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	5.17E-16	3.38E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.58E-13	2.61E-08
				Total	3.77E-12	2.30E-07
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.05E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.11E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.24E-17
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.13E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.20E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.19E-16
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.93E-12
				Total	0.00E+00	5.53E-08
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	8.19E-11	6.97E-07
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	3.26E-12	2.06E-07
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.38E-18	1.50E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.68E-20	1.69E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.11E-17	6.98E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.71E-17	2.97E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	9.02E-19	5.68E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.60E-15	1.00E-10
				Total	8.59E-11	9.22E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	5.76E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.93E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.42E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.80E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	7.42E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.68E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	5.72E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.11E-10
				Total	0.00E+00	2.53E-08
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	4.47E-11
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	7.41E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.75E-16
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	4.53E-18
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.87E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	7.24E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.47E-16
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.71E-14
				Total	0.00E+00	5.23E-11
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.63E-06
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.74E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	4.72E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	5.56E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.30E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	9.19E-12
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.83E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.74E-11
				Total	0.00E+00	2.67E-06
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.58E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.67E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.59E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.00E-16
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.13E-14
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.68E-13
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.31E-15
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.81E-12
				Total	0.00E+00	5.66E-08
RCPTR_32	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	9.53E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	8.15E-07
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	4.19E-09
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	6.76E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	6.97E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	8.26E-08
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	4.13E-10
RCPTR_32	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	7.39E-08
				Total	0.00E+00	9.87E-07
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	9.44E-07
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	9.25E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.27E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.63E-07
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.10E-08
				Total	0.00E+00	1.21E-06
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	6.52E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	9.58E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	7.27E-15
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	7.78E-17
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.21E-14
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.42E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.63E-15
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.47E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.01E-07
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.97E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.94E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.28E-14
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.81E-16
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.99E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.47E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.62E-14
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.33E-11
				Total	0.00E+00	8.35E-08
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	2.03E-10	3.77E-07
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.68E-08	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	1.14E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	1.02E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	2.47E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	3.39E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	1.06E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	8.76E-10	0.00E+00
				Total	1.85E-08	3.77E-07
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.07E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.06E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	8.96E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.92E-15
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.45E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.56E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	7.36E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.95E-12
				Total	0.00E+00	1.81E-09
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.19E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.04E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.68E-16
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	5.24E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.16E-15
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	9.24E-15
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.76E-16
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.14E-13
				Total	0.00E+00	3.53E-10
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	4.59E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.35E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	6.67E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.62E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	6.70E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	1.15E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	8.23E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.34E-09
				Total	0.00E+00	4.87E-08
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	3.15E-11	2.71E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	5.14E-10	1.07E-05
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	2.37E-15	4.78E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.57E-17	5.35E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.06E-14	2.21E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.64E-14	9.39E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	8.64E-16	1.79E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.25E-13	1.51E-08
				Total	9.96E-10	1.53E-05
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.86E-11	4.91E-07
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	4.50E-10	1.87E-05
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.64E-15	6.67E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.80E-17	7.50E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	7.43E-15	3.09E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	3.22E-14	1.31E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	6.05E-16	2.51E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.68E-13	2.37E-08
				Total	9.40E-10	2.81E-05
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.86E-13	1.19E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.62E-13	2.08E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.05E-15	4.76E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.33E-18	1.35E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	5.51E-16	5.58E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.81E-14	8.09E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	8.93E-17	5.84E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.45E-14	4.50E-09
				Total	6.52E-13	3.98E-08
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.89E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	2.01E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.04E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	9.48E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.91E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	2.03E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.53E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	7.59E-14	0.00E+00
				Total	6.42E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.52E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	8.23E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.04E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	3.19E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	9.80E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	1.05E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	7.74E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	3.11E-13	0.00E+00
				Total	2.58E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	9.58E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	5.14E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.90E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	1.05E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.40E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.87E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	2.35E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	2.04E-12	0.00E+00
				Total	5.71E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.77E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	2.02E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	9.87E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	4.26E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	5.59E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	9.77E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	8.01E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	8.07E-12	0.00E+00
				Total	2.10E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	4.53E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	2.43E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.00E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.52E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	4.04E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	9.91E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	8.13E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	9.78E-13	0.00E+00
				Total	1.79E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.04E-06
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	3.53E-16
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.26E-08
				Total	0.00E+00	1.05E-06
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	8.50E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.74E-06
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.22E-07
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.35E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.39E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	2.02E-06
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.12E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	8.04E-07
				Total	0.00E+00	4.80E-06
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.25E-09
				Total	0.00E+00	1.25E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.99E-07
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	6.06E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.22E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.26E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.36E-07
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	4.10E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.88E-08
				Total	0.00E+00	6.12E-07
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	4.85E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.63E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.19E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.51E-14
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	6.25E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	2.25E-11
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.82E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.32E-11
				Total	0.00E+00	2.13E-08
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	5.45E-15	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.85E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.17E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.64E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.53E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.15E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.66E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.02E-14	0.00E+00
				Total	4.51E-13	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	5.40E-16	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	2.66E-15	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.13E-15	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	6.45E-16	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.20E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	2.11E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.63E-16	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	1.01E-15	0.00E+00
				Total	4.03E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	1.22E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	7.11E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.65E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.63E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.61E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	4.71E-12	0.00E+00
				Total	1.94E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	2.19E-12	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	1.22E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.16E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	7.85E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	6.30E-10	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	1.14E-09	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	1.09E-11	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	7.26E-12	0.00E+00
				Total	2.70E-09	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	2.14E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	5.37E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	8.33E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	9.41E-17
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.89E-14
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.65E-13
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.16E-15
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.49E-12
				Total	0.00E+00	6.41E-09
RCPTR_32	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	5.54E-05
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	1.05E-04
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.70E-09
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.72E-12
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.99E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	6.50E-08
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.88E-10
RCPTR_32	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.34E-08
				Total	0.00E+00	3.55E-04

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	4.58E-05
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.67E-05
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	5.94E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	6.65E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.75E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.18E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.24E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.68E-09
				Total	0.00E+00	7.56E-05
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	8.46E-06
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	8.26E-07
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.14E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.46E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	9.82E-08
				Total	0.00E+00	1.09E-05
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.75E-12	6.47E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.46E-14	8.35E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	8.15E-20	4.63E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	9.33E-22	5.32E-17
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.85E-19	2.20E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.60E-18	9.11E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	3.11E-20	1.77E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	2.28E-17	1.30E-12
				Total	2.77E-12	6.56E-08
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	3.41E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	5.00E-07
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.80E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	4.06E-16
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.68E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	7.43E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.37E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.29E-11
				Total	0.00E+00	5.24E-07
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.49E-07
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.77E-06
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.40E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.08E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.51E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.07E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.05E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.21E-09
				Total	0.00E+00	1.05E-05
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	1.23E-13	1.84E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.31E-13	2.34E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.34E-18	2.40E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.55E-20	2.78E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	6.40E-18	1.15E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.62E-17	4.70E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.15E-19	9.23E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	3.03E-16	5.44E-11
				Total	2.55E-13	4.20E-08
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.55E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	4.02E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	2.43E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	3.52E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.80E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.36E-08
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	5.57E-10	3.09E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.63E-06
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.12E-06
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.67E-05
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.44E-07
				Total	5.57E-10	1.97E-05
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.25E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.54E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.12E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	9.10E-17
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.75E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.60E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.05E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.71E-12
				Total	0.00E+00	6.07E-09
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	4.05E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	4.85E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	8.25E-16
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.00E-17
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.13E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.58E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.24E-16
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.33E-14
				Total	0.00E+00	4.56E-10
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.66E-12	6.90E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.52E-12	1.21E-07
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.07E-15	2.75E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.73E-18	7.82E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.19E-15	3.23E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.05E-13	4.68E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	5.17E-16	3.38E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.58E-13	2.61E-08
				Total	3.77E-12	2.30E-07
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.05E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.11E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.24E-17
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.13E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.20E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.19E-16
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.93E-12
				Total	0.00E+00	5.53E-08
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	8.19E-11	6.97E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	3.26E-12	2.06E-07
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.38E-18	1.50E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.68E-20	1.69E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.11E-17	6.98E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.71E-17	2.97E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	9.02E-19	5.68E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.60E-15	1.00E-10
				Total	8.59E-11	9.22E-07
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	5.76E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.93E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.42E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.80E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	7.42E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.68E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	5.72E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.11E-10
				Total	0.00E+00	2.53E-08
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	4.47E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	7.41E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.75E-16
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	4.53E-18
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.87E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	7.24E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.47E-16
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.71E-14
				Total	0.00E+00	5.23E-11
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.63E-06
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.74E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	4.72E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	5.56E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.30E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	9.19E-12
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.83E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.74E-11
				Total	0.00E+00	2.67E-06
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.58E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.67E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.59E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.00E-16
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.13E-14
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.68E-13
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.31E-15
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.81E-12
				Total	0.00E+00	5.66E-08
RCPTR_32	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	9.53E-09
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	8.15E-07
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	4.19E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	6.76E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	6.97E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	8.26E-08
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	4.13E-10
RCPTR_32	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	7.39E-08
				Total	0.00E+00	9.87E-07
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.51E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.63E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	6.98E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.82E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.91E-09
				Total	0.00E+00	5.06E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	5.13E-11	1.42E-08
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	2.18E-08	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	8.51E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	9.02E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	2.16E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	5.14E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	3.09E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	5.78E-11	0.00E+00
				Total	2.34E-08	1.42E-08
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	4.30E-12
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.24E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	2.33E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	6.86E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	8.34E-11
				Total	0.00E+00	1.05E-08
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.03E-10	8.61E-10
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.99E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.08E-06
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	3.26E-06
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	6.66E-09
				Total	1.03E-10	4.84E-06
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.08E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	4.49E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	9.26E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.69E-06
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.43E-08
				Total	0.00E+00	3.09E-06
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	9.93E-10
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	5.21E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	4.27E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	3.22E-05
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	2.04E-09
				Total	0.00E+00	3.31E-05
RCPTR_33	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.43E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.31E-06
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	3.69E-08
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	3.84E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	3.90E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.48E-07
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	2.17E-09
RCPTR_33	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	3.13E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.54E-06
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.15E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.24E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	9.29E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	6.68E-17
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.72E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.74E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	2.09E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.26E-12
				Total	0.00E+00	1.56E-07
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.07E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.95E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	8.35E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	2.18E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.47E-08
				Total	0.00E+00	6.32E-06
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	5.42E-13	1.91E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	4.29E-15	2.44E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	8.22E-20	4.54E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	5.87E-22	3.35E-17
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	2.39E-19	1.36E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	3.27E-19	1.81E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.82E-20	1.03E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	1.07E-18	6.10E-14
				Total	5.53E-13	2.18E-09
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.56E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.56E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	9.48E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	6.51E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.65E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.76E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	2.04E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.54E-12
				Total	0.00E+00	3.68E-07
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	8.49E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.27E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	1.06E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.52E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	6.17E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.74E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	7.13E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.58E-10
				Total	0.00E+00	2.38E-08
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	9.44E-11	2.62E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	3.49E-08	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	1.36E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.44E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	3.45E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	8.25E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	4.96E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	9.25E-11	0.00E+00
				Total	3.75E-08	2.62E-08
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.33E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.49E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	2.21E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.62E-18
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	6.60E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	8.82E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	5.02E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.40E-15
				Total	0.00E+00	1.50E-10
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.75E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	5.02E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	4.72E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.85E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.57E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.80E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	1.13E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.61E-13
				Total	0.00E+00	6.79E-10
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.34E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	9.40E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.69E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.41E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	5.73E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	6.42E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	4.12E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	5.30E-11
				Total	0.00E+00	9.50E-08
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.79E-13	8.90E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	5.87E-14	2.30E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	9.62E-18	3.35E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	6.95E-20	2.73E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.83E-17	1.11E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.65E-17	1.28E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	2.09E-18	8.06E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	3.04E-17	1.20E-12
				Total	3.42E-13	2.40E-09
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	6.90E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.62E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	8.76E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	1.08E-15	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	4.38E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	3.11E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	3.43E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.82E-13	0.00E+00
				Total	4.13E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.11E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	9.52E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	4.85E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	3.12E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.27E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.86E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	9.72E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	2.14E-09
				Total	0.00E+00	1.03E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.00E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.86E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	8.33E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.55E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.44E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.95E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	4.08E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.56E-12
				Total	0.00E+00	4.23E-09
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	7.58E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	8.15E-04
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.67E+02
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	2.18E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	8.86E-04
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	5.92E+02

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	6.55E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	5.46E-09
				Total	0.00E+00	7.66E+02
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.24E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	7.34E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	4.30E-08
				Total	0.00E+00	2.30E-06
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.28E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.73E-05
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	5.98E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	4.32E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	4.39E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.98E-05
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	9.26E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.92E-06
				Total	0.00E+00	5.61E-05
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.88E-09
				Total	0.00E+00	1.88E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.16E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.06E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.87E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.07E-18
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.41E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.16E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.46E-17
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.39E-14
				Total	0.00E+00	1.44E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	6.22E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.86E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.92E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.98E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.30E-06
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.20E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.17E-07
				Total	0.00E+00	8.18E-06
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.75E-12	2.24E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.04E-13	6.54E-09
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.55E-19	1.60E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.84E-21	1.16E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	7.49E-19	4.72E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.03E-18	6.43E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	5.74E-20	3.61E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	8.16E-18	5.14E-13
				Total	1.98E-12	9.27E-09
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	8.82E-15	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	4.27E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.05E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.59E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.38E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.13E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.80E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.20E-14	0.00E+00
				Total	6.31E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	4.32E-10
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	5.99E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.57E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.95E-17
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	7.92E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.02E-14
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	5.94E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	2.02E-14
				Total	0.00E+00	4.95E-10
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.45E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.39E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.52E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	6.05E-18
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	2.46E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	5.61E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.99E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.42E-15
				Total	0.00E+00	3.87E-11
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.45E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.29E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.50E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	6.84E-18
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.78E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	5.62E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	2.20E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	4.21E-15
				Total	0.00E+00	3.77E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.45E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.41E-11
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.88E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	9.35E-18
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.81E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	7.04E-15
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.97E-16
RCPTR_33	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	5.49E-15
				Total	0.00E+00	3.90E-11
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	3.00E-06
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.73E-05
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.29E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	9.30E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.78E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	5.21E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.91E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.75E-10
				Total	0.00E+00	2.16E-05
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	5.58E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	5.12E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	2.19E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	5.70E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	9.10E-09
				Total	0.00E+00	1.67E-06
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.20E-12	4.24E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	9.54E-15	5.41E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.83E-19	1.01E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.30E-21	7.43E-17
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	5.31E-19	3.03E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	7.25E-19	4.02E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	4.05E-20	2.30E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	2.38E-18	1.36E-13
				Total	1.23E-12	4.83E-09
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.23E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	3.10E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	8.26E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	5.67E-16
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	2.31E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	3.28E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.78E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.34E-12
				Total	0.00E+00	3.20E-07
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.63E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.75E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.18E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.50E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.46E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.73E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.65E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.39E-10
				Total	0.00E+00	6.44E-06
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	5.38E-14	1.21E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	8.52E-14	1.53E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.92E-18	5.22E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	2.17E-20	3.89E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	8.83E-18	1.58E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.16E-17	2.07E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	6.68E-19	1.20E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	3.16E-17	5.68E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.42E-13	1.65E-08
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.02E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.48E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	4.68E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.38E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.67E-10
				Total	0.00E+00	2.11E-08
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.45E-10	2.04E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.00E-06
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.16E-06
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.54E-06
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.33E-08
				Total	2.45E-10	9.71E-06
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.18E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.33E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.77E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.27E-16
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.17E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.07E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.96E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.87E-13
				Total	0.00E+00	3.41E-09
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.66E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	3.05E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.80E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.40E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.70E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	6.97E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	4.20E-16
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.69E-15
				Total	0.00E+00	5.80E-11
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	7.24E-13	4.53E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.00E-12	8.30E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.94E-14	5.74E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.08E-17	1.09E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.39E-15	4.44E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.80E-13	1.98E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.86E-15	4.31E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.68E-14	2.72E-09
				Total	4.77E-12	9.75E-08
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.66E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.89E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.41E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.74E-17
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.07E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.71E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.43E-16
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.01E-13
				Total	0.00E+00	1.20E-08
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	3.58E-11	4.57E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.12E-12	1.33E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	5.21E-18	3.26E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.75E-20	2.36E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.53E-17	9.62E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	2.09E-17	1.31E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.17E-18	7.37E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.66E-16	1.05E-11
				Total	4.02E-11	1.88E-07
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.78E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.24E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	3.08E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.51E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	1.02E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.18E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	7.42E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.15E-11
				Total	0.00E+00	1.28E-08
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.93E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.89E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	8.17E-16
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	6.33E-18
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.58E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	3.20E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.91E-16
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.92E-15
				Total	0.00E+00	7.89E-12
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.73E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.39E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	1.03E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	7.77E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	3.16E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	4.06E-12
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	2.37E-13
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	8.07E-12
				Total	0.00E+00	1.98E-07
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.66E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.98E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.87E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.40E-16
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.69E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.42E-14
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.29E-15
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.89E-13
				Total	0.00E+00	4.19E-09
RCPTR_33	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	6.28E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	5.06E-07
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	8.07E-09
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	8.39E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	8.53E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	3.23E-08
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	4.75E-10
RCPTR_33	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	6.85E-09
				Total	0.00E+00	5.56E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	6.26E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	5.74E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	2.45E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	6.39E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	1.02E-09
				Total	0.00E+00	1.87E-07
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	4.31E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	5.98E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.59E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	1.09E-16
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	4.46E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	6.33E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	3.43E-15
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.59E-13
				Total	0.00E+00	6.17E-08
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.30E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.58E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	9.37E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.77E-16
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.76E-13
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.76E-13
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.11E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.50E-12
				Total	0.00E+00	5.13E-08
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	9.00E-11	2.50E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	3.23E-08	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	1.27E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	1.34E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	3.20E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	7.64E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	4.60E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	8.58E-11	0.00E+00
				Total	3.47E-08	2.50E-08
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	7.05E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	6.72E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.96E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	8.33E-15
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	3.39E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.93E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	9.59E-13
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	8.35E-13
				Total	0.00E+00	9.79E-10
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.75E-13
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.35E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.03E-15
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.38E-18
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.00E-15
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.11E-15
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.30E-16
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.24E-14
				Total	0.00E+00	1.99E-10
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	3.03E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.55E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.45E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	2.28E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	9.29E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	5.08E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	1.07E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.41E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.63E-08
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.39E-11	1.79E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.49E-10	7.00E-06
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	6.71E-15	1.05E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	3.61E-17	7.52E-13
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.47E-14	3.06E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.60E-14	4.17E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.18E-15	2.34E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.61E-14	1.59E-09
				Total	1.60E-09	8.97E-06
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.26E-11	3.24E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.04E-10	1.23E-05
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	4.35E-15	1.46E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.53E-17	1.05E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	1.03E-14	4.29E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.70E-14	5.84E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	8.18E-16	3.28E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.96E-14	2.48E-09
				Total	1.59E-09	1.63E-05
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.26E-13	7.87E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	5.21E-13	1.44E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.38E-14	9.97E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.87E-18	1.90E-13
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	7.63E-16	7.72E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.87E-14	3.43E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.96E-16	7.50E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.66E-15	4.72E-10
				Total	8.31E-13	1.70E-08
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.71E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	8.17E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.71E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	3.99E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.21E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	5.52E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.01E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.39E-14	0.00E+00
				Total	2.53E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	6.68E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	3.34E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.42E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.35E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	4.09E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.90E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	5.44E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	9.82E-14	0.00E+00
				Total	1.02E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	4.22E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.99E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	3.77E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	4.44E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	5.86E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	7.66E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.45E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	6.44E-13	0.00E+00
				Total	2.21E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.66E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	7.82E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.28E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.81E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	2.34E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.61E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.97E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.56E-12	0.00E+00
				Total	8.18E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.99E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	9.39E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.30E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.07E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.69E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.65E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	5.06E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	3.10E-13	0.00E+00
				Total	6.87E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	6.87E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.18E-16
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.32E-09
				Total	0.00E+00	7.07E-08
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	5.61E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.19E-06
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.60E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.89E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.92E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	8.59E-07
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	4.05E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	8.41E-08
				Total	0.00E+00	2.44E-06
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	8.23E-11
				Total	0.00E+00	8.23E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.72E-07
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.23E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.71E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.74E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	5.61E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	5.21E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	5.10E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.55E-07
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.20E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.05E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.61E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	2.13E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	8.67E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.00E-11
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	6.29E-13
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.78E-12
				Total	0.00E+00	1.09E-08
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.40E-15	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.13E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.79E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	6.86E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	6.30E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	5.67E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.01E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.17E-15	0.00E+00
				Total	1.67E-12	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.38E-16	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.09E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.74E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.70E-15	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	4.95E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	5.58E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	9.91E-16	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	3.15E-16	0.00E+00
				Total	1.48E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	5.36E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.45E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	2.24E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	4.55E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.05E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.56E-12	0.00E+00
				Total	7.16E-10	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	9.63E-13	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	4.38E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.55E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.47E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.74E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	3.16E-09	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	7.01E-11	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.39E-12	0.00E+00
				Total	1.10E-08	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.41E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.55E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.82E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.32E-16
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	5.39E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	7.32E-14
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	4.12E-15
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.71E-13
				Total	0.00E+00	3.93E-09
RCPTR_33	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.66E-06
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	7.35E-05
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	8.10E-09
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.42E-12
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	9.69E-10
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.88E-08
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.75E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.55E-09
				Total	0.00E+00	1.64E-04
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	3.00E-06
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.73E-05
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.29E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	9.30E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.78E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	5.21E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.91E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.75E-10
				Total	0.00E+00	2.16E-05
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	5.58E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	5.12E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	2.19E-08
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	5.70E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	9.10E-09
				Total	0.00E+00	1.67E-06
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.20E-12	4.24E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	9.54E-15	5.41E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.83E-19	1.01E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.30E-21	7.43E-17
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	5.31E-19	3.03E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	7.25E-19	4.02E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	4.05E-20	2.30E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	2.38E-18	1.36E-13
				Total	1.23E-12	4.83E-09
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.23E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	3.10E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	8.26E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	5.67E-16
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	2.31E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	3.28E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.78E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.34E-12
				Total	0.00E+00	3.20E-07
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.63E-08
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.75E-06
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.18E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	8.50E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.46E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.73E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.65E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.39E-10
				Total	0.00E+00	6.44E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	5.38E-14	1.21E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	8.52E-14	1.53E-08
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.92E-18	5.22E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	2.17E-20	3.89E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	8.83E-18	1.58E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.16E-17	2.07E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	6.68E-19	1.20E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	3.16E-17	5.68E-12
				Total	1.42E-13	1.65E-08
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.02E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.48E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	4.68E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.38E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.67E-10
				Total	0.00E+00	2.11E-08
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.45E-10	2.04E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.00E-06
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.16E-06
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.54E-06
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.33E-08
				Total	2.45E-10	9.71E-06
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.18E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.33E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.77E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.27E-16
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	5.17E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.07E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.96E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.87E-13
				Total	0.00E+00	3.41E-09
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.66E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	3.05E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.80E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.40E-17
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.70E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	6.97E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	4.20E-16
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.69E-15
				Total	0.00E+00	5.80E-11
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	7.24E-13	4.53E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.00E-12	8.30E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	7.94E-14	5.74E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.08E-17	1.09E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.39E-15	4.44E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.80E-13	1.98E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.86E-15	4.31E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.68E-14	2.72E-09
				Total	4.77E-12	9.75E-08
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.66E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.89E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.41E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.74E-17
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.07E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.71E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.43E-16
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.01E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.20E-08
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	3.58E-11	4.57E-08
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.12E-12	1.33E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	5.21E-18	3.26E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.75E-20	2.36E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.53E-17	9.62E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	2.09E-17	1.31E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.17E-18	7.37E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.66E-16	1.05E-11
				Total	4.02E-11	1.88E-07
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.78E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.24E-08
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	3.08E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.51E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	1.02E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.18E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	7.42E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.15E-11
				Total	0.00E+00	1.28E-08
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.93E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.89E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	8.17E-16
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	6.33E-18
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.58E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	3.20E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.91E-16
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.92E-15
				Total	0.00E+00	7.89E-12
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.73E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.39E-08
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	1.03E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	7.77E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	3.16E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	4.06E-12
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	2.37E-13
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	8.07E-12
				Total	0.00E+00	1.98E-07
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.66E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.98E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.87E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.40E-16
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.69E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	7.42E-14
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	4.29E-15
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.89E-13
				Total	0.00E+00	4.19E-09
RCPTR_33	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	6.28E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	5.06E-07
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	8.07E-09
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	8.39E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	8.53E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	3.23E-08
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	4.75E-10
RCPTR_33	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	6.85E-09
				Total	0.00E+00	5.56E-07
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	2.23E-06
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	2.27E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	3.12E-09
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	4.01E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.71E-08
				Total	0.00E+00	2.89E-06
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	1.14E-10	2.11E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	9.82E-09	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	6.63E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	5.96E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	1.45E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	1.97E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	6.15E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	5.12E-10	0.00E+00
				Total	1.08E-08	2.11E-07
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	6.38E-11
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.73E-09
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.04E-09
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.51E-08
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	7.79E-10
				Total	0.00E+00	1.87E-08
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	2.30E-10	1.28E-08
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.98E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.82E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	7.18E-06
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	6.21E-08
				Total	2.30E-10	8.44E-06
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.59E-08
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	6.28E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	4.14E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	3.74E-06
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.34E-07
				Total	0.00E+00	4.93E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.47E-08
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	7.27E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.91E-07
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	7.09E-05
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.90E-08
				Total	0.00E+00	7.19E-05
RCPTR_33	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	3.60E-08
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	3.22E-06
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.65E-08
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.67E-09
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.76E-09
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	3.25E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.63E-09
RCPTR_33	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.92E-07
				Total	0.00E+00	3.90E-06
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	3.19E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.87E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	4.16E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.65E-17
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.92E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	8.25E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.57E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.18E-11
				Total	0.00E+00	5.30E-07
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	3.07E-05
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.72E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	3.74E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	4.80E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.24E-07
				Total	0.00E+00	3.86E-05
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	1.20E-12	2.83E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	6.42E-15	3.66E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	3.57E-20	2.03E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	4.09E-22	2.33E-17
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.69E-19	9.63E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	7.02E-19	3.99E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.36E-20	7.77E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	9.99E-18	5.70E-13
				Total	1.21E-12	2.87E-08
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	3.79E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	5.58E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	4.24E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.54E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.87E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	8.30E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.53E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.44E-11
				Total	0.00E+00	5.88E-07
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.26E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.76E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	4.75E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.06E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.36E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	8.25E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	5.35E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.48E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.11E-08
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	2.10E-10	3.88E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.57E-08	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	1.06E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	9.54E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	2.31E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	3.16E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	9.86E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	8.19E-10	0.00E+00
				Total	1.73E-08	3.88E-07
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.96E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	2.23E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	9.88E-17
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.13E-18
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.66E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.95E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.77E-17
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.18E-14
				Total	0.00E+00	1.99E-09
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.60E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	7.80E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	2.11E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.68E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.11E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.97E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	8.51E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.51E-12
				Total	0.00E+00	3.38E-09
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	4.95E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.45E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	7.57E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	9.81E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	4.05E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.42E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.09E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.95E-10
				Total	0.00E+00	1.52E-07
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	6.20E-13	1.32E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	9.01E-14	3.55E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.85E-18	1.50E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.84E-20	1.91E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.00E-17	7.86E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	7.25E-17	2.82E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.54E-18	6.05E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.83E-16	1.12E-11
				Total	7.12E-13	4.90E-09
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.53E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.45E-09	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	6.36E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	7.50E-16	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.10E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	1.12E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.87E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.57E-12	0.00E+00
				Total	2.00E-09	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.65E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.48E-05
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	2.17E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.17E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	8.97E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	4.10E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	7.30E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	2.00E-08
				Total	0.00E+00	1.67E-05
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	4.45E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	4.44E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.73E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.47E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.02E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.50E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.07E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.32E-11
				Total	0.00E+00	7.71E-09
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	1.12E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	1.14E-03
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	7.47E+01
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.52E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	6.26E-04

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.31E+03
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.92E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	5.10E-08
				Total	0.00E+00	1.39E+03
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	3.31E-05
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.03E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	4.01E-07
				Total	0.00E+00	3.36E-05
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.90E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.88E-05
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.68E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	3.01E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.10E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	4.37E-05
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.95E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.79E-05
				Total	0.00E+00	1.06E-04

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.79E-08
				Total	0.00E+00	2.79E-08
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.68E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.58E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.28E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.44E-18
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.94E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.55E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.85E-17
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.23E-13
				Total	0.00E+00	6.40E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	8.84E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.28E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.73E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.81E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.87E-06
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	8.99E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.09E-06
				Total	0.00E+00	1.35E-05
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.90E-12	3.32E-08
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.56E-13	9.82E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.14E-19	7.16E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.28E-21	8.07E-17
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	5.29E-19	3.33E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	2.25E-18	1.42E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	4.31E-20	2.71E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.62E-17	4.80E-12
				Total	4.10E-12	4.41E-08
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.96E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	9.42E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	7.22E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	5.45E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.07E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	7.16E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	5.54E-15	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.37E-14	0.00E+00
				Total	1.50E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	6.40E-09
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	9.13E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.15E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.36E-17
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	5.60E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	2.24E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	4.46E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.89E-13
				Total	0.00E+00	6.50E-09
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	3.62E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	2.16E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	6.78E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.22E-18
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.74E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.24E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.50E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.19E-14
				Total	0.00E+00	3.85E-10
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	3.62E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.99E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	6.73E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	4.76E-18
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.97E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.24E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.66E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.93E-14
				Total	0.00E+00	3.83E-10
RCPTR_33	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	3.62E-10
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	2.18E-11
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	8.41E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	6.51E-18
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.69E-15
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.55E-14
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.23E-16
RCPTR_33	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	5.12E-14
				Total	0.00E+00	3.85E-10
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	4.44E-05
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.60E-05
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	5.79E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	6.48E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.67E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.15E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.18E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.64E-09
				Total	0.00E+00	7.35E-05
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	8.26E-06
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	7.13E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	9.79E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.26E-06
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	8.49E-08
				Total	0.00E+00	1.03E-05
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.68E-12	6.28E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.43E-14	8.13E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	7.94E-20	4.51E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	9.09E-22	5.18E-17
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.75E-19	2.14E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.56E-18	8.87E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	3.03E-20	1.73E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	2.22E-17	1.27E-12
				Total	2.69E-12	6.37E-08
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	3.31E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.87E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.69E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.95E-16
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.63E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	7.23E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.34E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.25E-11
				Total	0.00E+00	5.11E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.42E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.54E-06
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.26E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.92E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.44E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.04E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.99E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.10E-09
				Total	0.00E+00	1.03E-05
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	1.20E-13	1.79E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.27E-13	2.28E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.30E-18	2.33E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.51E-20	2.71E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	6.24E-18	1.12E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.55E-17	4.57E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.01E-19	8.99E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.95E-16	5.30E-11
				Total	2.48E-13	4.08E-08
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.51E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	3.47E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	2.10E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	3.03E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.56E-09
				Total	0.00E+00	3.76E-08
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	5.44E-10	3.02E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.40E-06
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.67E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.44E-05
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.25E-07
				Total	5.44E-10	1.69E-05
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.21E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.45E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.91E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.86E-17
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.66E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.56E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.97E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.61E-12
				Total	0.00E+00	5.97E-09
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	3.94E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	4.72E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	8.03E-16
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	9.75E-18
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.02E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.54E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.15E-16
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	8.11E-14
				Total	0.00E+00	4.43E-10
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.61E-12	6.70E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.42E-12	1.15E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.64E-15	2.57E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.51E-18	7.60E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.10E-15	3.14E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	9.72E-14	4.36E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.92E-16	3.24E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.50E-13	2.53E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	3.61E-12	2.22E-07
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.94E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.33E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.21E-17
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.00E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.14E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.08E-16
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.88E-12
				Total	0.00E+00	5.37E-08
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	7.95E-11	6.77E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	3.18E-12	2.00E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.32E-18	1.46E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.61E-20	1.65E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.08E-17	6.80E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.59E-17	2.89E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	8.78E-19	5.53E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.55E-15	9.78E-11
				Total	8.35E-11	8.97E-07
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	5.60E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.88E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.38E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.75E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	7.23E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.61E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	5.57E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.08E-10
				Total	0.00E+00	2.46E-08
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	4.34E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	7.21E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.65E-16
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	4.41E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.82E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	7.05E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.44E-16
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.59E-14
				Total	0.00E+00	5.08E-11
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.56E-06
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.65E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	4.60E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	5.41E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.23E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	8.95E-12
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.78E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.53E-11
				Total	0.00E+00	2.60E-06
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.42E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.46E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.37E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.74E-17
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.02E-14
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.64E-13
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.23E-15
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.77E-12
				Total	0.00E+00	5.50E-08
RCPTR_33	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	9.30E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	7.04E-07
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	3.61E-09
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	5.85E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	6.03E-10
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	7.12E-08
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.56E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	6.39E-08
				Total	0.00E+00	8.54E-07
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	9.28E-07
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	7.99E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.10E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.41E-07
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	9.52E-09
				Total	0.00E+00	1.16E-06
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	6.38E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	9.39E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	7.13E-15
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	7.62E-17
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.15E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.40E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.58E-15
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.42E-12
				Total	0.00E+00	9.86E-08
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.93E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.80E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.19E-14
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.72E-16
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.95E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	8.30E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.59E-14
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.27E-11
				Total	0.00E+00	8.21E-08
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	2.00E-10	3.71E-07
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.46E-08	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	9.85E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	8.85E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	2.15E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	2.93E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	9.14E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	7.59E-10	0.00E+00
				Total	1.60E-08	3.71E-07
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.04E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.04E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	8.76E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.81E-15
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.40E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.53E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	7.20E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.79E-12
				Total	0.00E+00	1.78E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.03E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.00E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.59E-16
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	5.14E-18
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.12E-15
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	9.05E-15
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.73E-16
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.09E-13
				Total	0.00E+00	3.48E-10
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	4.49E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.30E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	6.49E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.59E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	6.57E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	1.12E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	8.04E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.31E-09
				Total	0.00E+00	4.77E-08
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	3.08E-11	2.65E-07
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	5.04E-10	1.05E-05
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	2.32E-15	4.68E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.52E-17	5.24E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.04E-14	2.16E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.54E-14	9.20E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	8.47E-16	1.76E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	7.10E-13	1.48E-08
				Total	9.85E-10	1.51E-05
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.80E-11	4.80E-07
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	4.41E-10	1.83E-05
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.60E-15	6.54E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.76E-17	7.35E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	7.28E-15	3.03E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	3.15E-14	1.29E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	5.93E-16	2.46E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.56E-13	2.32E-08
				Total	9.30E-10	2.77E-05
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.80E-13	1.17E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.48E-13	2.00E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	9.80E-16	4.46E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.31E-18	1.32E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	5.39E-16	5.46E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.69E-14	7.57E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	8.54E-17	5.63E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.35E-14	4.41E-09
				Total	6.29E-13	3.86E-08
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.81E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.77E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.85E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	8.38E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.57E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.85E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.39E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	6.71E-14	0.00E+00
				Total	5.74E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.48E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	7.28E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	9.67E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.84E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	8.73E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	9.69E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	7.16E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.77E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	2.35E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	9.37E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	4.51E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.60E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	9.39E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.26E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.57E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	2.12E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.82E-12	0.00E+00
				Total	5.12E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.68E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.77E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	8.86E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.82E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	5.01E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	8.78E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	7.23E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	7.24E-12	0.00E+00
				Total	1.89E-09	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	4.43E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	2.13E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	9.00E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	2.26E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.63E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	8.91E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	7.36E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	8.77E-13	0.00E+00
				Total	1.61E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.02E-06
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	3.05E-16
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.23E-08
				Total	0.00E+00	1.03E-06
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	8.32E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.70E-06
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.16E-07
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.32E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.36E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.90E-06
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.04E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.85E-07
				Total	0.00E+00	4.61E-06
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.22E-09
				Total	0.00E+00	1.22E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.86E-07
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	5.51E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.19E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.23E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.24E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.91E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.76E-08
				Total	0.00E+00	5.85E-07
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	4.74E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.60E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.17E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.48E-14
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	6.12E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	2.21E-11
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.72E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	9.13E-11
				Total	0.00E+00	2.09E-08
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	5.33E-15	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.49E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.92E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.44E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.34E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.90E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.47E-15	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	8.93E-15	0.00E+00
				Total	3.99E-13	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	5.29E-16	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	2.32E-15	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.89E-15	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	5.66E-16	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.05E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.87E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.44E-16	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	8.86E-16	0.00E+00
				Total	3.56E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	1.19E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	6.49E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.55E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.54E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.53E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	4.47E-12	0.00E+00
				Total	1.83E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	2.14E-12	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	1.10E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.08E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	7.36E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.91E-10	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	1.06E-09	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	1.03E-11	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	6.81E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	2.53E-09	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	2.09E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	5.26E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	8.16E-15
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	9.23E-17
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.81E-14
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.61E-13
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.10E-15
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.40E-12
				Total	0.00E+00	6.29E-09
RCPTR_33	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	5.42E-05
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	1.03E-04
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.62E-09
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.69E-12
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.85E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	6.36E-08
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.82E-10
RCPTR_33	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.25E-08
				Total	0.00E+00	3.52E-04
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	4.44E-05
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.60E-05
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	5.79E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	6.48E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.67E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.15E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.18E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.64E-09
				Total	0.00E+00	7.35E-05
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	8.26E-06
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	7.13E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	9.79E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.26E-06
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	8.49E-08
				Total	0.00E+00	1.03E-05
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.68E-12	6.28E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.43E-14	8.13E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	7.94E-20	4.51E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	9.09E-22	5.18E-17
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.75E-19	2.14E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.56E-18	8.87E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	3.03E-20	1.73E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	2.22E-17	1.27E-12
				Total	2.69E-12	6.37E-08
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	3.31E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.87E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.69E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.95E-16
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.63E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	7.23E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.34E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.25E-11
				Total	0.00E+00	5.11E-07
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.42E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	8.54E-06
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.26E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.92E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.44E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.04E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.99E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	4.10E-09
				Total	0.00E+00	1.03E-05
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	1.20E-13	1.79E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.27E-13	2.28E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.30E-18	2.33E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.51E-20	2.71E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	6.24E-18	1.12E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.55E-17	4.57E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.01E-19	8.99E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.95E-16	5.30E-11
				Total	2.48E-13	4.08E-08
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.51E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	3.47E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	2.10E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	3.03E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.56E-09
				Total	0.00E+00	3.76E-08
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	5.44E-10	3.02E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.40E-06
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.67E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.44E-05
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.25E-07
				Total	5.44E-10	1.69E-05
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.21E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.45E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.91E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.86E-17
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.66E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.56E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.97E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.61E-12
				Total	0.00E+00	5.97E-09
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	3.94E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	4.72E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	8.03E-16
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	9.75E-18
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	4.02E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.54E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.15E-16
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	8.11E-14
				Total	0.00E+00	4.43E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.61E-12	6.70E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.42E-12	1.15E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.64E-15	2.57E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.51E-18	7.60E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.10E-15	3.14E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	9.72E-14	4.36E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.92E-16	3.24E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.50E-13	2.53E-08
				Total	3.61E-12	2.22E-07
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.94E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.33E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.21E-17
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.00E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.14E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.08E-16
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.88E-12
				Total	0.00E+00	5.37E-08
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	7.95E-11	6.77E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	3.18E-12	2.00E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.32E-18	1.46E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.61E-20	1.65E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.08E-17	6.80E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.59E-17	2.89E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	8.78E-19	5.53E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.55E-15	9.78E-11
				Total	8.35E-11	8.97E-07
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	5.60E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.88E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.38E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.75E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	7.23E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.61E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	5.57E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.08E-10
				Total	0.00E+00	2.46E-08
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	4.34E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	7.21E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.65E-16
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	4.41E-18
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.82E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	7.05E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.44E-16
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.59E-14
				Total	0.00E+00	5.08E-11
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.56E-06
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.65E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	4.60E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	5.41E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.23E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	8.95E-12
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.78E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.53E-11
				Total	0.00E+00	2.60E-06
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	5.42E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	7.46E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	8.37E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.74E-17
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	4.02E-14
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.64E-13
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.23E-15
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.77E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.50E-08
RCPTR_33	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	9.30E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	7.04E-07
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	3.61E-09
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	5.85E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	6.03E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	7.12E-08
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.56E-10
RCPTR_33	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	6.39E-08
				Total	0.00E+00	8.54E-07
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	7.67E-08
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.02E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	4.33E-09
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.13E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.82E-09
				Total	0.00E+00	2.97E-07
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	2.61E-11	7.24E-09
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	1.35E-08	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	5.27E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	5.66E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	1.35E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	3.19E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	1.92E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	3.63E-11	0.00E+00
				Total	1.45E-08	7.24E-09
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	2.19E-12
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	7.68E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.45E-09
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	4.25E-09
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	5.23E-11
				Total	0.00E+00	6.52E-09
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	5.26E-11	4.38E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	3.09E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.67E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.02E-06
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	4.18E-09
				Total	5.26E-11	3.00E-06
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	5.48E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	2.79E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	5.74E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.05E-06
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	8.98E-09
				Total	0.00E+00	1.91E-06
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	5.05E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	3.24E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	2.64E-07
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.99E-05
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.28E-09
				Total	0.00E+00	2.05E-05
RCPTR_34	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.24E-09
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.44E-06
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	2.29E-08
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.41E-09
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.45E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	9.16E-08
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.35E-09
RCPTR_34	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	1.96E-08
				Total	0.00E+00	1.59E-06
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.41E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	8.26E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	6.19E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.45E-17
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.81E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	2.49E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.39E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	8.40E-13
				Total	0.00E+00	1.08E-07
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.30E-06
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.32E-06
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	5.64E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.47E-06
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.36E-08
				Total	0.00E+00	4.17E-06
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	3.54E-13	1.25E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	2.86E-15	1.62E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	5.47E-20	3.02E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	3.91E-22	2.23E-17
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.59E-19	9.08E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	2.17E-19	1.21E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.22E-20	6.89E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	7.13E-19	4.07E-14
				Total	3.64E-13	1.43E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.67E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.37E-07
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	6.31E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.34E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.77E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	2.50E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.36E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.03E-12
				Total	0.00E+00	2.49E-07
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	5.55E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	8.42E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	6.86E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.01E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	4.11E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	2.42E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.68E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.05E-10
				Total	0.00E+00	1.72E-08
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	5.91E-11	1.64E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	2.36E-08	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	9.21E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	9.82E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	2.35E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	5.56E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	3.35E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	6.29E-11	0.00E+00
				Total	2.53E-08	1.64E-08
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	8.66E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	9.94E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.47E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.08E-18
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.40E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	5.87E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.35E-17
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.27E-15
				Total	0.00E+00	9.93E-11
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.14E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	3.34E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	3.14E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.57E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.04E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.20E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	7.55E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.08E-13
				Total	0.00E+00	4.51E-10
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.18E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	6.26E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.13E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	9.38E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.82E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	4.28E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.74E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	3.53E-11
				Total	0.00E+00	6.35E-08
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	1.82E-13	5.82E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	3.91E-14	1.53E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	6.39E-18	2.23E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.63E-20	1.82E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.88E-17	7.42E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	2.42E-17	8.52E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.39E-18	5.37E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.02E-17	7.96E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	2.26E-13	1.60E-09
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	4.51E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.72E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	5.68E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	7.16E-16	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.92E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.01E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.24E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.54E-13	0.00E+00
				Total	3.21E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	7.27E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	6.34E-06
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	3.22E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.08E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	8.46E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.23E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	6.47E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.43E-09
				Total	0.00E+00	7.13E-06
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.96E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.91E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	5.45E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.36E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	9.63E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.93E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.68E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.37E-12
				Total	0.00E+00	3.12E-09
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	4.95E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	5.33E-04
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.09E+02
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.45E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	5.90E-04
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	3.87E+02
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.28E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	3.64E-09
				Total	0.00E+00	5.00E+02
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.46E-06
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	4.97E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.86E-08
				Total	0.00E+00	1.51E-06
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	8.37E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	1.81E-05
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	3.92E-06
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.87E-07
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.92E-07
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.29E-05
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.15E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.28E-06
				Total	0.00E+00	3.69E-05
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.23E-09
				Total	0.00E+00	1.23E-09
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.07E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.05E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.91E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.38E-18
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.61E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.70E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.31E-17
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.59E-14
				Total	0.00E+00	9.73E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	4.09E-06
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.83E-07
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.61E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.65E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	8.29E-07
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	7.85E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	7.77E-08
				Total	0.00E+00	5.42E-06
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.15E-12	1.46E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	6.92E-14	4.36E-09
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.70E-19	1.07E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.23E-21	7.72E-17
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	4.99E-19	3.14E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	6.83E-19	4.28E-14
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.82E-20	2.41E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	5.44E-18	3.42E-13
				Total	1.34E-12	6.31E-09
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	5.75E-15	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.68E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	6.61E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.67E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.53E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.34E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	2.41E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	7.70E-15	0.00E+00
				Total	4.01E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	2.82E-10
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	3.99E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.72E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.30E-17
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	5.28E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	6.77E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.96E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.35E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	3.25E-10
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.60E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	9.24E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	9.80E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	4.03E-18
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.64E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	3.63E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.32E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.28E-15
				Total	0.00E+00	2.56E-11
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.60E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	8.59E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	9.77E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	4.55E-18
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.85E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	3.65E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.46E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	2.80E-15
				Total	0.00E+00	2.49E-11
RCPTR_34	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.60E-11
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	9.42E-12
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.22E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	6.23E-18
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.53E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	4.59E-15
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.97E-16
RCPTR_34	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	3.66E-15
				Total	0.00E+00	2.57E-11
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.01E-06
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.17E-05
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	8.81E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	6.33E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.58E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	3.55E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.98E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.19E-10
				Total	0.00E+00	1.51E-05
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	3.59E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	3.53E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.51E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	3.93E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	6.31E-09
				Total	0.00E+00	1.13E-06
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	8.06E-13	2.84E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	6.49E-15	3.69E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.24E-19	6.87E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	8.88E-22	5.06E-17
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	3.62E-19	2.06E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	4.94E-19	2.74E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	2.76E-20	1.56E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	1.62E-18	9.23E-14
				Total	8.26E-13	3.25E-09
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.49E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.11E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	5.62E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.86E-16
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.57E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	2.23E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.21E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	9.15E-13
				Total	0.00E+00	2.21E-07
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.09E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.91E-06
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	8.01E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.79E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.36E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.22E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.81E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.99E-10
				Total	0.00E+00	4.60E-06
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	3.60E-14	8.08E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	5.80E-14	1.04E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.99E-18	3.55E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.48E-20	2.65E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	6.01E-18	1.08E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	7.90E-18	1.41E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	4.55E-19	8.15E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.15E-17	3.86E-12
				Total	9.73E-14	1.12E-08
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	6.56E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	1.71E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	3.23E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	9.47E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.16E-10
				Total	0.00E+00	1.45E-08
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	1.57E-10	1.31E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.89E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.49E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.50E-06
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.25E-09
				Total	1.57E-10	6.68E-06
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	5.47E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.59E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.20E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.65E-17
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.52E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.82E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.70E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.63E-13
				Total	0.00E+00	2.67E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	1.78E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.07E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.22E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	9.53E-18
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.88E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	4.74E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.86E-16
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	5.92E-15
				Total	0.00E+00	3.94E-11
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	4.84E-13	3.03E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.95E-12	5.59E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.21E-14	3.78E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.34E-18	7.43E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.99E-15	3.02E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.84E-13	1.30E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.89E-15	2.90E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.83E-14	1.85E-09
				Total	3.35E-12	6.70E-08
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.78E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.06E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.64E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.18E-17
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.81E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.61E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.70E-16
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-13
				Total	0.00E+00	8.31E-09
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	2.39E-11	3.06E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.44E-12	9.08E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	3.55E-18	2.22E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.55E-20	1.61E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.04E-17	6.55E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.42E-17	8.92E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	7.97E-19	5.02E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.13E-16	7.14E-12
				Total	2.77E-11	1.30E-07
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	2.53E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	8.43E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.10E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.71E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.97E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	8.05E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	5.05E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	7.86E-12
				Total	0.00E+00	8.74E-09
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	1.96E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	3.33E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	5.56E-16
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	4.31E-18
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.75E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	2.18E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.30E-16
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	3.35E-15
				Total	0.00E+00	5.36E-12
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.16E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.63E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	7.00E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	5.29E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.15E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	2.76E-12
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.62E-13
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	5.50E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.33E-07
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.45E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.39E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.27E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.52E-17
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.88E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	5.06E-14
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.92E-15
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.29E-13
				Total	0.00E+00	2.82E-09
RCPTR_34	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	4.04E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	3.50E-07
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	5.56E-09
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	5.82E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	5.92E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	2.23E-08
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.28E-10
RCPTR_34	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.75E-09
				Total	0.00E+00	3.85E-07
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	4.01E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	3.95E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	1.69E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	4.40E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	7.06E-10
				Total	0.00E+00	1.26E-07
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	2.87E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	4.05E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.08E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	7.42E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.02E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	4.28E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.33E-15
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.76E-13
				Total	0.00E+00	4.24E-08
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	8.66E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.10E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	6.35E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.59E-16
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.87E-13
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.55E-13
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.43E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.37E-12
				Total	0.00E+00	3.65E-08
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	5.76E-11	1.60E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	2.22E-08	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	8.69E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	9.26E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	2.22E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	5.25E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	3.16E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	5.93E-11	0.00E+00
				Total	2.39E-08	1.60E-08
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	4.70E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	4.55E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.30E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.65E-15
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.30E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	4.62E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.41E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	5.66E-13
				Total	0.00E+00	7.29E-10
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.16E-13
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	9.17E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	6.95E-16
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	5.00E-18
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.04E-15
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	2.78E-15
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.56E-16
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.52E-14
				Total	0.00E+00	1.55E-10
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.02E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.05E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	9.66E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.55E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	6.30E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	3.38E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	7.20E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	9.55E-11
				Total	0.00E+00	1.87E-08
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	9.24E-12	1.19E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.36E-10	4.75E-06
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	4.51E-15	7.09E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.45E-17	5.10E-13
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	9.97E-15	2.08E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	1.75E-14	2.83E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	7.99E-16	1.58E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	5.16E-14	1.08E-09
				Total	1.49E-09	6.71E-06
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	8.39E-12	2.16E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.06E-10	8.32E-06
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	2.94E-15	9.91E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.72E-17	7.15E-13
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	6.98E-15	2.91E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.15E-14	3.96E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	5.54E-16	2.22E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.04E-14	1.68E-09
				Total	1.49E-09	1.23E-05
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	8.38E-14	5.24E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	3.38E-13	9.68E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	9.02E-15	6.55E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.27E-18	1.29E-13
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	5.17E-16	5.23E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	3.18E-14	2.25E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.27E-16	5.02E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.16E-15	3.20E-10
				Total	5.82E-13	1.16E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.14E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	5.22E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.75E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	2.61E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	7.89E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	3.57E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	6.60E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	1.56E-14	0.00E+00
				Total	1.64E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	4.44E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.14E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	9.26E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	8.85E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	2.68E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	1.90E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	3.57E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	6.43E-14	0.00E+00
				Total	6.65E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	2.80E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.27E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.42E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	2.92E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	3.85E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	4.93E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	9.41E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	4.23E-13	0.00E+00
				Total	1.43E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.10E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	4.99E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	8.28E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.19E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	1.54E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	1.68E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	3.23E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	1.68E-12	0.00E+00
				Total	5.32E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.32E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	5.99E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	8.41E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	7.03E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.11E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	1.71E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	3.29E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	2.04E-13	0.00E+00
				Total	4.46E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	4.57E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.50E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	8.95E-10
				Total	0.00E+00	4.73E-08
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	3.74E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	8.05E-07
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.73E-07
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.28E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.30E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	5.69E-07
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.74E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	5.69E-08
				Total	0.00E+00	1.63E-06
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	5.48E-11
				Total	0.00E+00	5.48E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	1.82E-07
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	8.00E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.16E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.18E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	3.63E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.48E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	3.45E-09
				Total	0.00E+00	2.39E-07
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.13E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	7.11E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.77E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.44E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.88E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	6.79E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.26E-13
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	6.63E-12
				Total	0.00E+00	7.37E-09
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.59E-15	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	7.20E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.78E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	4.47E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.11E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	3.63E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	6.51E-15	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.07E-15	0.00E+00
				Total	1.08E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	1.58E-16	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	6.92E-15	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.76E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	1.76E-15	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	3.23E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	3.57E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	6.39E-16	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	2.05E-16	0.00E+00
				Total	9.52E-14	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	3.56E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	1.59E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.47E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	2.99E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	6.95E-12	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.05E-12	0.00E+00
				Total	4.71E-10	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	6.40E-13	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	2.82E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.02E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	2.32E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	1.83E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.06E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	4.63E-11	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	1.60E-12	0.00E+00
				Total	7.30E-09	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	9.42E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	2.41E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.24E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	8.98E-17
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.65E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	4.96E-14
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.80E-15
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.19E-13
				Total	0.00E+00	2.78E-09
RCPTR_34	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	2.43E-06
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	4.91E-05
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	5.40E-09
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.64E-12
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.57E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	1.92E-08
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.51E-10
RCPTR_34	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.09E-09
				Total	0.00E+00	1.39E-04
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.01E-06
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.17E-05
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	8.81E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	6.33E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.58E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	3.55E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.98E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.19E-10
				Total	0.00E+00	1.51E-05
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	3.59E-07
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	3.53E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.51E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	3.93E-07
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	6.31E-09
				Total	0.00E+00	1.13E-06
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	8.06E-13	2.84E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	6.49E-15	3.69E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.24E-19	6.87E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	8.88E-22	5.06E-17
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	3.62E-19	2.06E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	4.94E-19	2.74E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	2.76E-20	1.56E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	1.62E-18	9.23E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	8.26E-13	3.25E-09
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.49E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.11E-07
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	5.62E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.86E-16
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.57E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	2.23E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.21E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	9.15E-13
				Total	0.00E+00	2.21E-07
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.09E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.91E-06
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	8.01E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.79E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.36E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.22E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.81E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.99E-10
				Total	0.00E+00	4.60E-06
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	3.60E-14	8.08E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	5.80E-14	1.04E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.99E-18	3.55E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.48E-20	2.65E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	6.01E-18	1.08E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	7.90E-18	1.41E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	4.55E-19	8.15E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.15E-17	3.86E-12
				Total	9.73E-14	1.12E-08
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	6.56E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	1.71E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	3.23E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	9.47E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.16E-10
				Total	0.00E+00	1.45E-08
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	1.57E-10	1.31E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	6.89E-07
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.49E-06
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.50E-06
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	9.25E-09
				Total	1.57E-10	6.68E-06
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	5.47E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.59E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.20E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	8.65E-17
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.52E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.82E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.70E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.63E-13
				Total	0.00E+00	2.67E-09
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	1.78E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.07E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.22E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	9.53E-18
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.88E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	4.74E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.86E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	5.92E-15
				Total	0.00E+00	3.94E-11
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	4.84E-13	3.03E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.95E-12	5.59E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.21E-14	3.78E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	7.34E-18	7.43E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.99E-15	3.02E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.84E-13	1.30E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.89E-15	2.90E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.83E-14	1.85E-09
				Total	3.35E-12	6.70E-08
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.78E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.06E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.64E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.18E-17
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.81E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.61E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.70E-16
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-13
				Total	0.00E+00	8.31E-09
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	2.39E-11	3.06E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.44E-12	9.08E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	3.55E-18	2.22E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.55E-20	1.61E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.04E-17	6.55E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.42E-17	8.92E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	7.97E-19	5.02E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.13E-16	7.14E-12
				Total	2.77E-11	1.30E-07
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	2.53E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	8.43E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.10E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.71E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.97E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	8.05E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	5.05E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	7.86E-12
				Total	0.00E+00	8.74E-09
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	1.96E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	3.33E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	5.56E-16
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	4.31E-18
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.75E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	2.18E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.30E-16
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	3.35E-15
				Total	0.00E+00	5.36E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.16E-07
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.63E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	7.00E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	5.29E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.15E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	2.76E-12
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.62E-13
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	5.50E-12
				Total	0.00E+00	1.33E-07
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.45E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.39E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.27E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	9.52E-17
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.88E-14
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	5.06E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.92E-15
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.29E-13
				Total	0.00E+00	2.82E-09
RCPTR_34	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	4.04E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	3.50E-07
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	5.56E-09
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	5.82E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	5.92E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	2.23E-08
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.28E-10
RCPTR_34	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.75E-09
				Total	0.00E+00	3.85E-07
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.14E-06
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.42E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.94E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	2.49E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.70E-08
				Total	0.00E+00	1.54E-06
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	5.80E-11	1.07E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	6.13E-09	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	4.12E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	3.74E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	9.07E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	1.22E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	3.84E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	3.21E-10	0.00E+00
				Total	6.72E-09	1.07E-07
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	3.24E-11
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.07E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	6.47E-10
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	9.37E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	4.88E-10
				Total	0.00E+00	1.16E-08
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.17E-10	6.49E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.32E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	2.98E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.45E-06
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.90E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.17E-10	5.22E-06
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	8.11E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	3.90E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	2.57E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	2.31E-06
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	8.38E-08
				Total	0.00E+00	3.05E-06
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	7.49E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	4.52E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.18E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	4.40E-05
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.19E-08
				Total	0.00E+00	4.46E-05
RCPTR_34	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.83E-08
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.01E-06
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.02E-08
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	1.68E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.73E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	2.02E-07
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.02E-09
RCPTR_34	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	1.83E-07
				Total	0.00E+00	2.43E-06
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.08E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.24E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	2.77E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.10E-17
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.28E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	5.50E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.05E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	7.84E-12
				Total	0.00E+00	3.57E-07
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.92E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.84E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	2.52E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	3.24E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.21E-07
				Total	0.00E+00	2.45E-05
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	7.87E-13	1.85E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	4.28E-15	2.44E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	2.38E-20	1.35E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	2.73E-22	1.55E-17
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.13E-19	6.41E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	4.68E-19	2.66E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	9.08E-21	5.18E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	6.66E-18	3.79E-13
				Total	7.93E-13	1.88E-08
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.48E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.72E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	2.82E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	3.02E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.25E-13
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	5.52E-13
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.02E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	9.59E-12
				Total	0.00E+00	4.01E-07
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	8.22E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.16E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	3.07E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	7.04E-13
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	2.90E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	5.33E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	3.52E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	9.82E-10
				Total	0.00E+00	3.71E-08
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.31E-10	2.43E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.07E-08	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	7.18E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	6.49E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	1.57E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	2.13E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	6.68E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	5.57E-10	0.00E+00
				Total	1.17E-08	2.43E-07
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.28E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.49E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	6.58E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	7.53E-19
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	3.11E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.30E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	2.51E-17
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.12E-14
				Total	0.00E+00	1.30E-09
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.70E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	5.20E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.41E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	1.79E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	7.38E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	2.64E-13
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	5.67E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.00E-12
				Total	0.00E+00	2.22E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	3.23E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	9.69E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	5.04E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	6.54E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	2.70E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	9.43E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.06E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	3.30E-10
				Total	0.00E+00	1.02E-07
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	4.05E-13	8.62E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	6.00E-14	2.36E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	2.56E-18	9.97E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	3.22E-20	1.27E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.33E-17	5.24E-13
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	4.83E-17	1.88E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.03E-18	4.03E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	1.89E-16	7.43E-12
				Total	4.67E-13	3.26E-09
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.00E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	9.58E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	4.13E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	4.99E-16	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.06E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	7.26E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	3.85E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	2.37E-12	0.00E+00
				Total	1.50E-09	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.08E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	9.84E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.44E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.45E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	5.98E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	2.72E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	4.86E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.33E-08
				Total	0.00E+00	1.17E-05
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.90E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.96E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	2.44E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.65E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	6.80E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	4.25E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.01E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.21E-11
				Total	0.00E+00	5.82E-09
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	7.34E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	7.46E-04

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	4.88E+01
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.01E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	4.17E-04
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	8.53E+02
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	3.21E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	3.39E-08
				Total	0.00E+00	9.05E+02
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.16E-05
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	6.96E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.67E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.20E-05
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.24E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.58E-05
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	1.75E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.00E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.06E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	2.84E-05
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	4.62E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.19E-05
				Total	0.00E+00	6.96E-05
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.82E-08
				Total	0.00E+00	1.82E-08
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.06E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.06E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.56E-17
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.59E-19
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.96E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.70E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.23E-17
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.49E-13
				Total	0.00E+00	4.25E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	5.81E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	8.17E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	1.82E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	1.87E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.83E-06
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	5.90E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	7.25E-07
				Total	0.00E+00	8.98E-06
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	2.55E-12	2.17E-08
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.04E-13	6.54E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	7.58E-20	4.77E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	8.54E-22	5.38E-17
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	3.53E-19	2.22E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.50E-18	9.44E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	2.87E-20	1.81E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	5.07E-17	3.20E-12
				Total	2.69E-12	2.93E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	5.91E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	4.56E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	3.50E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	3.26E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	4.51E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.52E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.17E-14	0.00E+00
				Total	9.55E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	4.18E-09
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	6.08E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	7.67E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	9.03E-18
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	3.73E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.49E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	2.97E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.26E-13
				Total	0.00E+00	4.25E-09
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.37E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.44E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	4.38E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	2.81E-18
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.16E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	8.01E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	9.91E-17
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.13E-14
				Total	0.00E+00	2.52E-10
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.37E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.33E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	4.37E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.17E-18
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.31E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	8.06E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.10E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	2.62E-14
				Total	0.00E+00	2.51E-10
RCPTR_34	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.37E-10
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.45E-11
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	5.47E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	4.34E-18
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	1.79E-15
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.01E-14
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.48E-16
RCPTR_34	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	3.41E-14
				Total	0.00E+00	2.52E-10
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.97E-05
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.77E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	3.94E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	4.41E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	1.82E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	7.82E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.49E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.12E-09
				Total	0.00E+00	5.05E-05
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	5.31E-06
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	4.92E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	6.74E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	8.66E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	5.89E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	6.74E-06
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	1.79E-12	4.20E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	9.71E-15	5.53E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	5.40E-20	3.07E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	6.19E-22	3.53E-17
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	2.55E-19	1.46E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.06E-18	6.04E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.06E-20	1.17E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.51E-17	8.61E-13
				Total	1.80E-12	4.27E-08
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.21E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	3.31E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	2.51E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	2.69E-16
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.11E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	4.92E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	9.10E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	8.54E-12
				Total	0.00E+00	3.54E-07
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.62E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.82E-06
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.58E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.03E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.66E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.10E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.36E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.79E-09
				Total	0.00E+00	7.48E-06
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	8.00E-14	1.20E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	8.65E-14	1.55E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	8.86E-19	1.59E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.03E-20	1.84E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	4.25E-18	7.62E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.74E-17	3.11E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	3.41E-19	6.12E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.01E-16	3.61E-11
				Total	1.68E-13	2.76E-08
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	9.71E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.39E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.44E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	2.09E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.08E-09
				Total	0.00E+00	2.59E-08
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	3.50E-10	1.94E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	9.64E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.65E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	9.92E-06
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.64E-08
				Total	3.50E-10	1.17E-05
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.11E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.35E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	5.38E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.03E-17
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.49E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.06E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.03E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.46E-12
				Total	0.00E+00	4.83E-09
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.63E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	3.22E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	5.47E-16
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	6.64E-18
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.74E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.05E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.15E-16
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	5.52E-14
				Total	0.00E+00	2.98E-10
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.08E-12	4.49E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	9.50E-13	7.76E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	3.71E-15	1.69E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.11E-18	5.17E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.11E-15	2.14E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	6.38E-14	2.87E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.28E-16	2.18E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.70E-13	1.72E-08
				Total	2.49E-12	1.52E-07
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.63E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.06E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.35E-16
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.24E-18
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.40E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.46E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.78E-16
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.28E-12
				Total	0.00E+00	3.65E-08
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	5.32E-11	4.53E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.16E-12	1.36E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.58E-18	9.94E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	1.78E-20	1.12E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	7.35E-18	4.63E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	3.13E-17	1.97E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	5.98E-19	3.77E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.06E-15	6.66E-11
				Total	5.61E-11	6.09E-07
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.75E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.28E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	9.39E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.19E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	4.92E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.78E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	3.80E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	7.34E-11
				Total	0.00E+00	1.67E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.90E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.91E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	2.49E-16
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.00E-18
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.24E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	4.80E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	9.78E-17
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	3.12E-14
				Total	0.00E+00	3.41E-11
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.71E-06
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.48E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	3.13E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	3.69E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.52E-12
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	6.09E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.21E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	5.13E-11
				Total	0.00E+00	1.74E-06
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.62E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.08E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	5.70E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	6.63E-17
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.74E-14
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.11E-13
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.20E-15
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.20E-12
				Total	0.00E+00	3.68E-08
RCPTR_34	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	5.98E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	4.87E-07
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	2.49E-09
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	4.05E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	4.18E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	4.91E-08
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	2.46E-10
RCPTR_34	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	4.43E-08
				Total	0.00E+00	5.90E-07
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	5.94E-07
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	5.51E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	7.55E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	9.69E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	6.59E-09
				Total	0.00E+00	7.53E-07
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	4.25E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	6.36E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	4.83E-15
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	5.17E-17
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.13E-14
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	9.45E-14
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	1.75E-15
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.64E-12
				Total	0.00E+00	6.81E-08
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.28E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.61E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.84E-14
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.20E-16
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.32E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	5.63E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.08E-14
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.21E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.96E-08
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.28E-10	2.37E-07
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.01E-08	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	6.77E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	6.12E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	1.48E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	2.01E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	6.30E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	5.25E-10	0.00E+00
				Total	1.11E-08	2.37E-07
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	6.96E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	7.07E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	5.84E-12
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.94E-15
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.62E-12
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.02E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	4.82E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	5.28E-12
				Total	0.00E+00	1.35E-09
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.68E-12
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.36E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	3.11E-16
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	3.48E-18
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.44E-15
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.14E-15
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.17E-16
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.42E-13
				Total	0.00E+00	2.82E-10
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.99E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.55E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	4.32E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.08E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	4.45E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	7.46E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	5.41E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	8.91E-10
				Total	0.00E+00	3.42E-08
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.05E-11	1.76E-07
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.42E-10	7.09E-06
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.57E-15	3.17E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	1.71E-17	3.55E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	7.04E-15	1.47E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	3.07E-14	6.23E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	5.74E-16	1.19E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	4.82E-13	1.00E-08
				Total	8.12E-10	1.16E-05
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.87E-11	3.20E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.99E-10	1.24E-05
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.09E-15	4.43E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.20E-17	4.98E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	4.93E-15	2.06E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	2.13E-14	8.72E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	4.02E-16	1.67E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	3.77E-13	1.57E-08
				Total	7.79E-10	2.17E-05
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.86E-13	7.76E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.65E-13	1.34E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.42E-16	2.93E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	8.85E-19	8.95E-14
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.65E-16	3.70E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.11E-14	4.97E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	5.68E-17	3.77E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.95E-14	2.99E-09
				Total	4.32E-13	2.64E-08
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	2.53E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.13E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.20E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	5.47E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.68E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.20E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	9.04E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	4.38E-14	0.00E+00
				Total	3.73E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	9.86E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	4.66E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	6.31E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.86E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	5.72E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	6.32E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	4.69E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	1.81E-13	0.00E+00
				Total	1.53E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	6.23E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	2.89E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	1.67E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	6.16E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	8.25E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	1.66E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.38E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.20E-12	0.00E+00
				Total	3.33E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	2.45E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.14E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	5.71E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	2.51E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	3.29E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	5.66E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.71E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	4.75E-12	0.00E+00
				Total	1.23E-09	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	2.94E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.37E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	5.80E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.48E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	2.38E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	5.75E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.79E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	5.76E-13	0.00E+00
				Total	1.05E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	6.78E-07
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.11E-16
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	8.35E-09
				Total	0.00E+00	6.88E-07
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	5.54E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.15E-06
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	7.75E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	8.91E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	9.18E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.25E-06
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.05E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	5.31E-07
				Total	0.00E+00	3.08E-06
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	8.12E-10
				Total	0.00E+00	8.12E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.58E-07
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	3.58E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	8.08E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	8.33E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	8.00E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	2.61E-12
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	3.22E-08
				Total	0.00E+00	3.96E-07
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	3.16E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.08E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	7.92E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.01E-14
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	4.15E-12
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.50E-11
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	3.20E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	6.19E-11
				Total	0.00E+00	1.41E-08
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	3.54E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.59E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.23E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	9.39E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	8.74E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.22E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	9.50E-16	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	5.82E-15	0.00E+00
				Total	2.57E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	3.51E-16	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.48E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.21E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	3.69E-16	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	6.86E-15	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.20E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	9.30E-17	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	5.77E-16	0.00E+00
				Total	2.29E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	7.92E-13	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	4.24E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.02E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.01E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.02E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	3.00E-12	0.00E+00
				Total	1.20E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.42E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	7.12E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	7.05E-11	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	4.92E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	3.95E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	6.96E-10	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	6.79E-12	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	4.55E-12	0.00E+00
				Total	1.67E-09	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.40E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.57E-09
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	5.53E-15
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	6.25E-17
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	2.58E-14
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.09E-13
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.10E-15
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	2.98E-12
				Total	0.00E+00	4.53E-09
RCPTR_34	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.61E-05
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	6.87E-05
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	2.41E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.14E-12
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	4.64E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	4.24E-08
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.88E-10
RCPTR_34	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	2.88E-08
				Total	0.00E+00	2.99E-04
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.97E-05
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.77E-05
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	3.94E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	4.41E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	1.82E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	7.82E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.49E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.12E-09
				Total	0.00E+00	5.05E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	5.31E-06
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	4.92E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	6.74E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	8.66E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	5.89E-08
				Total	0.00E+00	6.74E-06
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	1.79E-12	4.20E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	9.71E-15	5.53E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	5.40E-20	3.07E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	6.19E-22	3.53E-17
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	2.55E-19	1.46E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.06E-18	6.04E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.06E-20	1.17E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.51E-17	8.61E-13
				Total	1.80E-12	4.27E-08
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.21E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	3.31E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	2.51E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	2.69E-16
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.11E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	4.92E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	9.10E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	8.54E-12
				Total	0.00E+00	3.54E-07
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.62E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.82E-06
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.58E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.03E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.66E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.10E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.36E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.79E-09
				Total	0.00E+00	7.48E-06
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	8.00E-14	1.20E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	8.65E-14	1.55E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	8.86E-19	1.59E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.03E-20	1.84E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	4.25E-18	7.62E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.74E-17	3.11E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	3.41E-19	6.12E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.01E-16	3.61E-11
				Total	1.68E-13	2.76E-08
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	9.71E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.39E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.44E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	2.09E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.08E-09
				Total	0.00E+00	2.59E-08
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	3.50E-10	1.94E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	9.64E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.65E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	9.92E-06
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	8.64E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	3.50E-10	1.17E-05
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	8.11E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.35E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	5.38E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.03E-17
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.49E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.06E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.03E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	2.46E-12
				Total	0.00E+00	4.83E-09
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.63E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	3.22E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	5.47E-16
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	6.64E-18
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.74E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.05E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.15E-16
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	5.52E-14
				Total	0.00E+00	2.98E-10
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.08E-12	4.49E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	9.50E-13	7.76E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	3.71E-15	1.69E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.11E-18	5.17E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.11E-15	2.14E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	6.38E-14	2.87E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	3.28E-16	2.18E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.70E-13	1.72E-08
				Total	2.49E-12	1.52E-07
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.63E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.06E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.35E-16
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.24E-18

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.40E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.46E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.78E-16
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.28E-12
				Total	0.00E+00	3.65E-08
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	5.32E-11	4.53E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.16E-12	1.36E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.58E-18	9.94E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	1.78E-20	1.12E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	7.35E-18	4.63E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	3.13E-17	1.97E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	5.98E-19	3.77E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.06E-15	6.66E-11
				Total	5.61E-11	6.09E-07
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.75E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.28E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	9.39E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.19E-14
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	4.92E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.78E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	3.80E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	7.34E-11
				Total	0.00E+00	1.67E-08
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.90E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.91E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	2.49E-16
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.00E-18
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.24E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	4.80E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	9.78E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	3.12E-14
				Total	0.00E+00	3.41E-11
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.71E-06
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.48E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	3.13E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	3.69E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.52E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	6.09E-12
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.21E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	5.13E-11
				Total	0.00E+00	1.74E-06
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.62E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	5.08E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	5.70E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	6.63E-17
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.74E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.11E-13
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.20E-15
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.20E-12
				Total	0.00E+00	3.68E-08
RCPTR_34	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	5.98E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	4.87E-07
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	2.49E-09
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	4.05E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	4.18E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	4.91E-08
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	2.46E-10
RCPTR_34	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	4.43E-08
				Total	0.00E+00	5.90E-07
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.10E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.39E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	5.94E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.55E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.49E-09
				Total	0.00E+00	4.12E-07
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	3.75E-11	1.04E-08
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	1.85E-08	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	7.24E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	7.72E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	1.85E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	4.37E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	2.63E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	4.94E-11	0.00E+00
				Total	1.99E-08	1.04E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	3.15E-12
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.05E-09
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	1.99E-09
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	5.83E-09
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	7.14E-11
				Total	0.00E+00	8.94E-09
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	7.55E-11	6.29E-10
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.24E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	9.15E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.77E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	5.70E-09
				Total	7.55E-11	4.11E-06
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	7.87E-10
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	3.82E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	7.87E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.44E-06
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.22E-08
				Total	0.00E+00	2.62E-06
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	7.26E-10
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	4.43E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	3.63E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	2.74E-05
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.74E-09
				Total	0.00E+00	2.82E-05
RCPTR_35	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.78E-09
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.97E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	3.14E-08
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	3.28E-09
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	3.34E-09
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.26E-07
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.85E-09
RCPTR_35	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.68E-08
				Total	0.00E+00	2.17E-06
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.88E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.09E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	8.19E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	5.89E-17
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	2.40E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	3.30E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.84E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.11E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.39E-07
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.74E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	1.72E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	7.35E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.91E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	3.07E-08
				Total	0.00E+00	5.48E-06
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	4.74E-13	1.67E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	3.79E-15	2.15E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	7.25E-20	4.00E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	5.18E-22	2.95E-17
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	2.11E-19	1.20E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	2.88E-19	1.60E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	1.61E-20	9.12E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	9.44E-19	5.38E-14
				Total	4.85E-13	1.91E-09
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	2.24E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	3.14E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	8.35E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	5.74E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	2.34E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	3.32E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.80E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.36E-12
				Total	0.00E+00	3.26E-07
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	7.43E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.11E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	9.09E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	1.34E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	5.44E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.20E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	6.21E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.39E-10
				Total	0.00E+00	2.13E-08
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	7.94E-11	2.21E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	3.07E-08	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	1.20E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	1.27E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	3.05E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	7.25E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	4.36E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	8.17E-11	0.00E+00
				Total	3.30E-08	2.21E-08
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.16E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.32E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.95E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	1.43E-18
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	5.82E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	7.78E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	4.43E-17
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	3.00E-15
				Total	0.00E+00	1.32E-10
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.53E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	4.42E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	4.16E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	3.40E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	1.38E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	1.59E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	1.00E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.42E-13
				Total	0.00E+00	5.98E-10
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.92E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	8.29E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	1.49E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	1.24E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	5.06E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	5.66E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	3.63E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.67E-11
				Total	0.00E+00	8.39E-08
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	2.44E-13	7.79E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	5.18E-14	2.02E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	8.47E-18	2.95E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	6.13E-20	2.41E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	2.49E-17	9.82E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.21E-17	1.13E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.84E-18	7.11E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.68E-17	1.05E-12
				Total	3.01E-13	2.12E-09
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	6.04E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	2.29E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	7.56E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	9.47E-16	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	3.86E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	2.68E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.98E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.36E-13	0.00E+00
				Total	3.80E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	9.74E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	8.40E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	4.27E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	2.75E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	1.12E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	1.64E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	8.57E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.89E-09
				Total	0.00E+00	9.19E-06
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.63E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.52E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.29E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	3.13E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.27E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	2.58E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.58E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.14E-12
				Total	0.00E+00	3.83E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	6.63E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	7.13E-04
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	1.46E+02
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.92E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	7.80E-04
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	5.18E+02
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	5.73E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.81E-09
				Total	0.00E+00	6.70E+02
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.96E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	6.47E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.79E-08
				Total	0.00E+00	2.02E-06
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.12E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	2.40E-05
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	5.17E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	3.80E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	3.86E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.70E-05
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	8.13E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.69E-06
				Total	0.00E+00	4.87E-05
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.65E-09
				Total	0.00E+00	1.65E-09
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.77E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.33E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.53E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.82E-18
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.42E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.70E-17
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.11E-14
				Total	0.00E+00	1.27E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	5.43E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	2.40E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	3.45E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	3.50E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.09E-06
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	1.04E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	1.03E-07
				Total	0.00E+00	7.10E-06
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.53E-12	1.96E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	9.16E-14	5.77E-09
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	2.25E-19	1.41E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.62E-21	1.02E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	6.60E-19	4.16E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	9.04E-19	5.67E-14
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	5.06E-20	3.19E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	7.20E-18	4.53E-13
				Total	1.75E-12	8.22E-09
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	7.70E-15	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.49E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	8.64E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.14E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.96E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.76E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.14E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	9.88E-15	0.00E+00
				Total	5.19E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.78E-10
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	5.28E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	2.27E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.72E-17
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	6.98E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	8.96E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	5.24E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.78E-14
				Total	0.00E+00	4.34E-10
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	2.14E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.22E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	1.29E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	5.33E-18
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	2.17E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	4.77E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.74E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	3.02E-15
				Total	0.00E+00	3.40E-11
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	2.14E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.14E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	1.28E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	6.03E-18
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	2.45E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	4.81E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.93E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.71E-15
				Total	0.00E+00	3.31E-11
RCPTR_35	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	2.14E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.25E-11
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	1.61E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	8.24E-18
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	3.36E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	6.04E-15
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	2.60E-16
RCPTR_35	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.84E-15
				Total	0.00E+00	3.42E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.65E-06
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.54E-05
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	1.15E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	8.28E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	3.37E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	4.64E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	2.59E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.56E-10
				Total	0.00E+00	1.94E-05
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	4.75E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	4.56E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	1.95E-08
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	5.08E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	8.13E-09
				Total	0.00E+00	1.47E-06
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	1.06E-12	3.75E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	8.49E-15	4.82E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	1.62E-19	8.98E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	1.16E-21	6.62E-17
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	4.73E-19	2.69E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	6.46E-19	3.58E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	3.61E-20	2.05E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	2.12E-18	1.21E-13
				Total	1.09E-12	4.28E-09
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.97E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.76E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	7.35E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	5.05E-16
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	2.06E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	2.92E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.58E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.20E-12
				Total	0.00E+00	2.86E-07
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.44E-08
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.12E-06
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.05E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.57E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.08E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.21E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.36E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.91E-10
				Total	0.00E+00	5.80E-06
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	4.76E-14	1.07E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	7.58E-14	1.36E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	2.60E-18	4.64E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.93E-20	3.46E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	7.86E-18	1.41E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.03E-17	1.85E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	5.94E-19	1.07E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.82E-17	5.05E-12
				Total	1.27E-13	1.47E-08
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	8.69E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	2.21E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	4.17E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	1.22E-08
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.49E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.88E-08
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.09E-10	1.74E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.91E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.92E-06
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	5.82E-06
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.19E-08
				Total	2.09E-10	8.64E-06
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.23E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.07E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.57E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.13E-16
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.61E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.30E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.53E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.44E-13
				Total	0.00E+00	3.16E-09
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	2.35E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.71E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	1.60E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	1.25E-17
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.07E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	6.20E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	3.74E-16
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.74E-15
				Total	0.00E+00	5.15E-11
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.40E-13	4.00E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.53E-12	7.30E-08
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.82E-14	4.95E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.59E-18	9.71E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.90E-15	3.95E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.41E-13	1.70E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.48E-15	3.80E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.39E-14	2.42E-09
				Total	4.17E-12	8.63E-08
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.35E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.92E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.15E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.55E-17
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.30E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.65E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.84E-16
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.79E-13
				Total	0.00E+00	1.07E-08
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	3.16E-11	4.04E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.89E-12	1.19E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	4.64E-18	2.90E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	3.34E-20	2.10E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	1.36E-17	8.56E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.86E-17	1.17E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	1.04E-18	6.56E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.48E-16	9.33E-12
				Total	3.58E-11	1.68E-07
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	3.34E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.10E-08
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	2.74E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	2.24E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	9.11E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.05E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	6.61E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	1.03E-11
				Total	0.00E+00	1.14E-08
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.59E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	4.36E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	7.27E-16
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	5.63E-18
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	2.29E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	2.85E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.70E-16
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.38E-15
				Total	0.00E+00	7.01E-12
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.53E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	2.13E-08
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	9.15E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	6.92E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	2.82E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	3.61E-12
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	2.11E-13
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	7.19E-12
				Total	0.00E+00	1.75E-07
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.23E-09
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.43E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.67E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.24E-16
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.07E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.61E-14
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.82E-15
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.68E-13
				Total	0.00E+00	3.71E-09
RCPTR_35	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	5.35E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	4.52E-07
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	7.19E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	7.50E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	7.62E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	2.88E-08
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	4.23E-10
RCPTR_35	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	6.12E-09
				Total	0.00E+00	4.96E-07
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	5.32E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	5.11E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	2.18E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	5.68E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	9.10E-10
				Total	0.00E+00	1.64E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	3.79E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	5.30E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	1.41E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	9.71E-17
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	3.95E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	5.61E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	3.04E-15
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.30E-13
				Total	0.00E+00	5.49E-08
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.15E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.06E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	8.31E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	6.00E-16
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.44E-13
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	3.34E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.87E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.10E-12
				Total	0.00E+00	4.61E-08
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	7.64E-11	2.12E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	2.88E-08	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	1.12E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	1.19E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	2.86E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	6.79E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	4.09E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	7.65E-11	0.00E+00
				Total	3.09E-08	2.12E-08
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	6.21E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.96E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.72E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	7.39E-15
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	3.01E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	6.10E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	8.46E-13
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	7.41E-13
				Total	0.00E+00	8.91E-10
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.18E-13
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.20E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	9.10E-16
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.54E-18
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.66E-15
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.64E-15
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.04E-16
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.99E-14
				Total	0.00E+00	1.84E-10
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.67E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.37E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	1.27E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	2.02E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	8.24E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	4.46E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	9.46E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.25E-10
				Total	0.00E+00	2.36E-08
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.22E-11	1.57E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	3.09E-10	6.21E-06
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	5.91E-15	9.28E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	3.20E-17	6.67E-13
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	1.30E-14	2.72E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.29E-14	3.70E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	1.05E-15	2.07E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.75E-14	1.41E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.56E-09	8.18E-06
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.11E-11	2.86E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.70E-10	1.09E-05
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	3.85E-15	1.30E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	2.24E-17	9.35E-13
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	9.14E-15	3.81E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.50E-14	5.18E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	7.25E-16	2.91E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	5.29E-14	2.20E-09
				Total	1.55E-09	1.49E-05
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.11E-13	6.93E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	4.39E-13	1.26E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	1.18E-14	8.58E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.66E-18	1.68E-13
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	6.76E-16	6.84E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.17E-14	2.95E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.29E-16	6.58E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	4.13E-15	4.18E-10
				Total	7.25E-13	1.50E-08
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.51E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	6.76E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	2.29E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	3.33E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	1.01E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	4.66E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	8.59E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	1.99E-14	0.00E+00
				Total	2.12E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	5.87E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.77E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	1.21E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	1.13E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	3.43E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	2.48E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	4.67E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	8.24E-14	0.00E+00
				Total	8.60E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	3.71E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.64E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	3.15E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	3.74E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	4.93E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	6.41E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.22E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	5.42E-13	0.00E+00
				Total	1.85E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.46E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	6.46E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	1.08E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.53E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	1.97E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	2.19E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	4.19E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.16E-12	0.00E+00
				Total	6.87E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.75E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	7.76E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	1.09E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	9.02E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.43E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	2.23E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	4.27E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	2.61E-13	0.00E+00
				Total	5.77E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	6.05E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	1.94E-16
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.17E-09
				Total	0.00E+00	6.24E-08
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	4.94E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.05E-06
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	2.26E-07
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.67E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.70E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	7.42E-07
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	3.58E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	7.44E-08
				Total	0.00E+00	2.14E-06
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	7.25E-11
				Total	0.00E+00	7.25E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	2.38E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	1.04E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.52E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.54E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	4.73E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	4.54E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.52E-09
				Total	0.00E+00	3.11E-07
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.82E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	9.31E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	2.32E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.89E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	7.69E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	8.88E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	5.58E-13
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.68E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	9.64E-09
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.11E-15	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	9.32E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.32E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	5.71E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	5.24E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	4.71E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	8.42E-15	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.64E-15	0.00E+00
				Total	1.39E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.09E-16	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	8.95E-15	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	2.28E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	2.25E-15	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	4.12E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	4.63E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	8.26E-16	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	2.62E-16	0.00E+00
				Total	1.23E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	4.71E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.07E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.93E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	3.93E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	9.12E-12	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	1.36E-12	0.00E+00
				Total	6.18E-10	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	8.47E-13	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	3.67E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	1.33E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.00E-09	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.38E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	2.70E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	6.06E-11	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.07E-12	0.00E+00
				Total	9.51E-09	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.25E-11
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	3.15E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	1.62E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	1.17E-16
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	4.78E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	6.49E-14
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	3.66E-15
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	4.18E-13
				Total	0.00E+00	3.53E-09
RCPTR_35	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	3.22E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	6.48E-05
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	7.13E-09
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	2.15E-12
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	8.60E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	2.54E-08
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	3.31E-10
RCPTR_35	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	4.04E-09
				Total	0.00E+00	1.55E-04
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.65E-06
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.54E-05
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	1.15E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	8.28E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	3.37E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	4.64E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	2.59E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.56E-10
				Total	0.00E+00	1.94E-05
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	4.75E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	4.56E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	1.95E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	5.08E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	8.13E-09
				Total	0.00E+00	1.47E-06
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	1.06E-12	3.75E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	8.49E-15	4.82E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	1.62E-19	8.98E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	1.16E-21	6.62E-17
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	4.73E-19	2.69E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	6.46E-19	3.58E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	3.61E-20	2.05E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	2.12E-18	1.21E-13
				Total	1.09E-12	4.28E-09
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.97E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.76E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	7.35E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	5.05E-16
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	2.06E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	2.92E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.58E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.20E-12
				Total	0.00E+00	2.86E-07
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.44E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	5.12E-06
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	1.05E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	7.57E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	3.08E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.21E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	2.36E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.91E-10
				Total	0.00E+00	5.80E-06
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	4.76E-14	1.07E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	7.58E-14	1.36E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	2.60E-18	4.64E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.93E-20	3.46E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	7.86E-18	1.41E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.03E-17	1.85E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	5.94E-19	1.07E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.82E-17	5.05E-12
				Total	1.27E-13	1.47E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	8.69E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	2.21E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	4.17E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	1.22E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.49E-10
				Total	0.00E+00	1.88E-08
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.09E-10	1.74E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	8.91E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.92E-06
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	5.82E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.19E-08
				Total	2.09E-10	8.64E-06
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	7.23E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	2.07E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	1.57E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	1.13E-16
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	4.61E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	6.30E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	3.53E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.44E-13
				Total	0.00E+00	3.16E-09
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	2.35E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.71E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	1.60E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	1.25E-17
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	5.07E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	6.20E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	3.74E-16
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.74E-15
				Total	0.00E+00	5.15E-11
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.40E-13	4.00E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.53E-12	7.30E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	6.82E-14	4.95E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.59E-18	9.71E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.90E-15	3.95E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.41E-13	1.70E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.48E-15	3.80E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.39E-14	2.42E-09
				Total	4.17E-12	8.63E-08
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.35E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.92E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.15E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.55E-17
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.30E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.65E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.84E-16
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.79E-13
				Total	0.00E+00	1.07E-08
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	3.16E-11	4.04E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.89E-12	1.19E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	4.64E-18	2.90E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	3.34E-20	2.10E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	1.36E-17	8.56E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.86E-17	1.17E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	1.04E-18	6.56E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.48E-16	9.33E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	3.58E-11	1.68E-07
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	3.34E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.10E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	2.74E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	2.24E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	9.11E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.05E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	6.61E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	1.03E-11
				Total	0.00E+00	1.14E-08
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.59E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	4.36E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	7.27E-16
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	5.63E-18
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	2.29E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	2.85E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.70E-16
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.38E-15
				Total	0.00E+00	7.01E-12
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.53E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	2.13E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	9.15E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	6.92E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	2.82E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	3.61E-12
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	2.11E-13
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	7.19E-12
				Total	0.00E+00	1.75E-07
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	3.23E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	4.43E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	1.67E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	1.24E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	5.07E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	6.61E-14
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	3.82E-15
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.68E-13
				Total	0.00E+00	3.71E-09
RCPTR_35	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	5.35E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	4.52E-07
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	7.19E-09
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	7.50E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	7.62E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	2.88E-08
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	4.23E-10
RCPTR_35	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	6.12E-09
				Total	0.00E+00	4.96E-07
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.63E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	1.94E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	2.66E-09
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	3.41E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	2.32E-08
				Total	0.00E+00	2.19E-06
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	8.33E-11	1.54E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	8.38E-09	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	5.64E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	5.10E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	1.24E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	1.68E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	5.25E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	4.38E-10	0.00E+00
				Total	9.19E-09	1.54E-07
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	4.66E-11
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	1.47E-09
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	8.88E-10
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	1.29E-08
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	6.66E-10
				Total	0.00E+00	1.59E-08
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.68E-10	9.32E-09
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	5.93E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	4.09E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	6.11E-06
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	5.32E-08
				Total	1.68E-10	7.17E-06
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	1.17E-08
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	5.35E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	3.52E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	3.18E-06
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	1.14E-07
				Total	0.00E+00	4.19E-06
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	1.08E-08
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	6.19E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.62E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	6.03E-05
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	1.63E-08
				Total	0.00E+00	6.11E-05

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.63E-08
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	2.75E-06
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.40E-08
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	2.29E-09
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	2.36E-09
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	2.77E-07
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	1.39E-09
RCPTR_35	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	2.50E-07
				Total	0.00E+00	3.32E-06
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	2.79E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	1.65E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	3.67E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	4.10E-17
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.69E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	7.28E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.38E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	1.04E-11
				Total	0.00E+00	4.68E-07
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	2.58E-05
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	2.40E-06
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	3.29E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	4.22E-06
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	2.86E-07
				Total	0.00E+00	3.28E-05
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	1.05E-12	2.47E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	5.66E-15	3.23E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	3.15E-20	1.79E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	3.61E-22	2.06E-17
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	1.49E-19	8.49E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	6.19E-19	3.52E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	1.20E-20	6.85E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	8.81E-18	5.02E-13
				Total	1.06E-12	2.51E-08
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	3.32E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	4.92E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	3.74E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	4.00E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.65E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	7.32E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.35E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	1.27E-11
				Total	0.00E+00	5.22E-07
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	1.10E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	1.54E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	4.07E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	9.31E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.84E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	7.06E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	4.66E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	1.30E-09
				Total	0.00E+00	4.59E-08
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.77E-10	3.27E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	1.39E-08	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	9.35E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	8.43E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	2.04E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	2.78E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	8.69E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	7.23E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.52E-08	3.27E-07
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	1.72E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.97E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	8.71E-17
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	9.96E-19
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	4.11E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	1.72E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	3.33E-17
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	2.80E-14
				Total	0.00E+00	1.74E-09
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	2.27E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	6.88E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.86E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	2.37E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	9.77E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	3.50E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	7.51E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	1.33E-12
				Total	0.00E+00	2.97E-09
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	4.33E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	1.28E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	6.68E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	8.65E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	3.57E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	1.25E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.73E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	4.36E-10
				Total	0.00E+00	1.34E-07
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	5.43E-13	1.15E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	7.95E-14	3.13E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	3.39E-18	1.32E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	4.27E-20	1.68E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.76E-17	6.93E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	6.39E-17	2.49E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.36E-18	5.34E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	2.50E-16	9.84E-12
				Total	6.24E-13	4.32E-09
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	1.34E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.27E-09	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	5.50E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	6.60E-16	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.72E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	9.66E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	5.12E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	3.14E-12	0.00E+00
				Total	1.82E-09	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	1.44E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	1.30E-05
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.91E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.92E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	7.91E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	3.61E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	6.43E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.76E-08
				Total	0.00E+00	1.49E-05
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.89E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.92E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	3.26E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.18E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	9.00E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	5.69E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.69E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	2.93E-11
				Total	0.00E+00	7.04E-09
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	9.82E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	9.99E-04
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	6.54E+01
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.34E-06
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	5.51E-04
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	1.14E+03
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	4.30E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	4.49E-08
				Total	0.00E+00	1.21E+03
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	2.90E-05
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	9.06E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	3.54E-07
				Total	0.00E+00	2.94E-05
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	1.66E-06
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	3.41E-05
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.31E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.65E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.73E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	3.75E-05
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	6.11E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	1.58E-05
				Total	0.00E+00	9.19E-05
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	2.44E-08
				Total	0.00E+00	2.44E-08
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.10E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.40E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.13E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.27E-18
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.24E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.25E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.28E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.97E-13
				Total	0.00E+00	5.63E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	7.71E-06
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.07E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	2.40E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	2.48E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	2.40E-06
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	7.79E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	9.58E-07
				Total	0.00E+00	1.17E-05
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	3.41E-12	2.90E-08
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	1.37E-13	8.65E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.00E-19	6.31E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	1.13E-21	7.12E-17
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	4.67E-19	2.94E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.98E-18	1.25E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	3.80E-20	2.39E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	6.72E-17	4.23E-12
				Total	3.59E-12	3.88E-08
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.71E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	7.69E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	5.95E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	4.49E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.18E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	5.90E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.57E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.78E-14	0.00E+00
				Total	1.24E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	5.60E-09
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	8.05E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.02E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	1.20E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	4.93E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.98E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	3.93E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.66E-13
				Total	0.00E+00	5.69E-09
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	3.17E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.90E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	5.76E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.72E-18
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.53E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	1.05E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	1.31E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	2.82E-14
				Total	0.00E+00	3.37E-10
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	3.17E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.76E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	5.75E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	4.20E-18
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.73E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	1.06E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.45E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	3.46E-14
				Total	0.00E+00	3.36E-10
RCPTR_35	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	3.17E-10
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.92E-11
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	7.20E-16
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	5.74E-18
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	2.37E-15
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	1.33E-14
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.96E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	4.52E-14
				Total	0.00E+00	3.37E-10
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	3.93E-05
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	2.31E-05
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	5.15E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	5.77E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	2.38E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	1.02E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.94E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	1.46E-09
				Total	0.00E+00	6.55E-05
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	7.04E-06
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	6.35E-07
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	8.72E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.12E-06
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	7.59E-08
				Total	0.00E+00	8.88E-06
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	2.37E-12	5.55E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	1.27E-14	7.24E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	7.07E-20	4.02E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	8.09E-22	4.61E-17
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	3.34E-19	1.90E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	1.39E-18	7.89E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	2.70E-20	1.54E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.98E-17	1.13E-12
				Total	2.38E-12	5.64E-08
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	2.92E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	4.33E-07
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	3.29E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	3.52E-16
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.45E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	6.44E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	1.19E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-11
				Total	0.00E+00	4.57E-07
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.14E-07
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.60E-06
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.68E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.27E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.18E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.28E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.77E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.65E-09
				Total	0.00E+00	9.32E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	1.06E-13	1.58E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	1.13E-13	2.03E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.16E-18	2.08E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.35E-20	2.41E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	5.55E-18	9.96E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	2.27E-17	4.07E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	4.46E-19	8.00E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	2.63E-16	4.72E-11
				Total	2.20E-13	3.62E-08
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	1.29E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	3.09E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.87E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	2.70E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	1.39E-09
				Total	0.00E+00	3.35E-08
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	4.64E-10	2.58E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.25E-06
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	8.60E-07
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.28E-05
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.11E-07
				Total	4.64E-10	1.51E-05
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.07E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.07E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.04E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.88E-17
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.25E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.39E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.65E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.21E-12
				Total	0.00E+00	5.58E-09
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	3.48E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	4.21E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	7.15E-16
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	8.68E-18
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.58E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	1.37E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.81E-16
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	7.22E-14
				Total	0.00E+00	3.92E-10
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.42E-12	5.93E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.24E-12	1.01E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.85E-15	2.22E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.68E-18	6.76E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.76E-15	2.79E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.36E-14	3.76E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.30E-16	2.85E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.23E-13	2.25E-08
				Total	3.20E-12	1.97E-07
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.48E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.19E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.61E-16
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-17
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.45E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.91E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.63E-16
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.67E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.77E-08
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	7.03E-11	5.98E-07
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	2.83E-12	1.78E-07
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.06E-18	1.30E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	2.33E-20	1.47E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	9.61E-18	6.05E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	4.09E-17	2.57E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	7.82E-19	4.92E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	1.38E-15	8.71E-11
				Total	7.39E-11	7.96E-07
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	4.95E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	1.68E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.23E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.56E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	6.43E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	2.32E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	4.96E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	9.60E-11
				Total	0.00E+00	2.19E-08
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	3.84E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	6.42E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	3.25E-16
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.93E-18
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.62E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	6.28E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	1.28E-16
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	4.08E-14
				Total	0.00E+00	4.50E-11
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	2.26E-06
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	3.25E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	4.10E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	4.82E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.99E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	7.97E-12
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.59E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	6.71E-11
				Total	0.00E+00	2.30E-06
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.79E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.65E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	7.45E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.67E-17
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.58E-14
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.46E-13
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.87E-15
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.57E-12
				Total	0.00E+00	4.86E-08
RCPTR_35	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	7.93E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	6.28E-07
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	3.22E-09
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	5.23E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	5.39E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	6.35E-08
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	3.18E-10
RCPTR_35	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	5.71E-08
				Total	0.00E+00	7.62E-07
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	7.88E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	7.11E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	9.76E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	1.25E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	8.50E-09
				Total	0.00E+00	9.94E-07
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	5.62E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	8.32E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	6.32E-15
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	6.76E-17
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.79E-14
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	1.24E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	2.29E-15
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	2.15E-12
				Total	0.00E+00	8.79E-08
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.70E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	6.03E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	3.72E-14
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.18E-16
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.73E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	7.36E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.41E-14
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.90E-11
				Total	0.00E+00	7.42E-08
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.70E-10	3.15E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	1.30E-08	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	8.76E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	7.89E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	1.91E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	2.60E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	8.14E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	6.77E-10	0.00E+00
				Total	1.43E-08	3.15E-07
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	9.20E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	9.25E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	7.72E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	5.15E-15
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	2.13E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.35E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	6.35E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	6.91E-12
				Total	0.00E+00	1.63E-09
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.19E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.78E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.07E-16
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.56E-18
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.88E-15
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	8.03E-15
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.53E-16
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.86E-13
				Total	0.00E+00	3.25E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	3.95E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	2.03E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	5.70E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.41E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	5.82E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	9.84E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	7.11E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	1.17E-09
				Total	0.00E+00	4.29E-08
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	2.72E-11	2.33E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	4.47E-10	9.28E-06
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	2.05E-15	4.15E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	2.23E-17	4.65E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	9.21E-15	1.92E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	4.02E-14	8.15E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	7.51E-16	1.56E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	6.30E-13	1.31E-08
				Total	9.24E-10	1.39E-05
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	2.47E-11	4.23E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	3.91E-10	1.62E-05
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	1.42E-15	5.80E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.56E-17	6.52E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	6.46E-15	2.69E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	2.79E-14	1.14E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	5.26E-16	2.18E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	4.94E-13	2.06E-08
				Total	8.77E-10	2.56E-05
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	2.46E-13	1.03E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	2.15E-13	1.75E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	8.41E-16	3.84E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	1.16E-18	1.17E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	4.78E-16	4.83E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.45E-14	6.51E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	7.45E-17	4.94E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	3.86E-14	3.91E-09
				Total	5.55E-13	3.41E-08
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	3.35E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	1.46E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.56E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	6.99E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	2.15E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	1.56E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	1.17E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	5.60E-14	0.00E+00
				Total	4.81E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	1.30E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	6.04E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	8.26E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	2.38E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	7.32E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	8.28E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	6.12E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	2.32E-13	0.00E+00
				Total	1.98E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	8.24E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	3.73E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	2.18E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	7.90E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	1.06E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.16E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	1.78E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	1.53E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	4.30E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	3.24E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	1.47E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	7.43E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	3.22E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	4.21E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	7.36E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	6.10E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	6.09E-12	0.00E+00
				Total	1.58E-09	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	3.89E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	1.77E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	7.55E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	1.90E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	3.05E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	7.48E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	6.21E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	7.39E-13	0.00E+00
				Total	1.35E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	8.96E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.72E-16
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	1.09E-08
				Total	0.00E+00	9.09E-07
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	7.32E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	1.50E-06
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.01E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	1.16E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.20E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	1.64E-06
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.68E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	6.94E-07
				Total	0.00E+00	4.03E-06
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	1.07E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.07E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	3.39E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	4.66E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	1.06E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	1.09E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	1.04E-07
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	3.41E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	4.21E-08
				Total	0.00E+00	5.12E-07
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	4.18E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	1.42E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.04E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.32E-14
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	5.43E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.96E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	4.19E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	8.10E-11
				Total	0.00E+00	1.85E-08
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.68E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	2.05E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	1.59E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.20E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.12E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.58E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.22E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	7.42E-15	0.00E+00
				Total	3.31E-13	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	4.65E-16	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	1.92E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	1.57E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	4.71E-16	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	8.75E-15	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.55E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	1.20E-16	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	7.36E-16	0.00E+00
				Total	2.96E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	1.05E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	5.51E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	1.34E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	1.33E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	1.33E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	3.89E-12	0.00E+00
				Total	1.58E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.88E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	9.23E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	9.24E-11	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	6.37E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	5.11E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	9.13E-10	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	8.87E-12	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	5.89E-12	0.00E+00
				Total	2.18E-09	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.85E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	4.67E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	7.24E-15
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	8.18E-17
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	3.38E-14
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	1.43E-13
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.75E-15
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	3.90E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	5.67E-09
RCPTR_35	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	4.77E-05
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	9.07E-05
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	3.19E-09
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.50E-12
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	6.07E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	5.60E-08
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	2.49E-10
RCPTR_35	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	3.77E-08
				Total	0.00E+00	3.33E-04
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	3.93E-05
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	2.31E-05
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	5.15E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	5.77E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	2.38E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	1.02E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.94E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	1.46E-09
				Total	0.00E+00	6.55E-05
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	7.04E-06
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	6.35E-07
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	8.72E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.12E-06
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	7.59E-08
				Total	0.00E+00	8.88E-06
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	2.37E-12	5.55E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	1.27E-14	7.24E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	7.07E-20	4.02E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	8.09E-22	4.61E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	3.34E-19	1.90E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	1.39E-18	7.89E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	2.70E-20	1.54E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.98E-17	1.13E-12
				Total	2.38E-12	5.64E-08
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	2.92E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	4.33E-07
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	3.29E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	3.52E-16
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.45E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	6.44E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	1.19E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	1.12E-11
				Total	0.00E+00	4.57E-07
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	2.14E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	7.60E-06
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.68E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	5.27E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	2.18E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	9.28E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.77E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	3.65E-09
				Total	0.00E+00	9.32E-06
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	1.06E-13	1.58E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	1.13E-13	2.03E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.16E-18	2.08E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.35E-20	2.41E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	5.55E-18	9.96E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	2.27E-17	4.07E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	4.46E-19	8.00E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	2.63E-16	4.72E-11
				Total	2.20E-13	3.62E-08
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	1.29E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	3.09E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.87E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	2.70E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	1.39E-09
				Total	0.00E+00	3.35E-08
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	4.64E-10	2.58E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.25E-06
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	8.60E-07
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.28E-05
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	1.11E-07
				Total	4.64E-10	1.51E-05
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	1.07E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	3.07E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	7.04E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	7.88E-17
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	3.25E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	1.39E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.65E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	3.21E-12
				Total	0.00E+00	5.58E-09
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	3.48E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	4.21E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	7.15E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	8.68E-18
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	3.58E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	1.37E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.81E-16
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	7.22E-14
				Total	0.00E+00	3.92E-10
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.42E-12	5.93E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.24E-12	1.01E-07
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.85E-15	2.22E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.68E-18	6.76E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.76E-15	2.79E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	8.36E-14	3.76E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.30E-16	2.85E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.23E-13	2.25E-08
				Total	3.20E-12	1.97E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.48E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.19E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.61E-16
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-17
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.45E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.91E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.63E-16
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.67E-12
				Total	0.00E+00	4.77E-08
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	7.03E-11	5.98E-07
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	2.83E-12	1.78E-07
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.06E-18	1.30E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	2.33E-20	1.47E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	9.61E-18	6.05E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	4.09E-17	2.57E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	7.82E-19	4.92E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	1.38E-15	8.71E-11
				Total	7.39E-11	7.96E-07
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	4.95E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	1.68E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.23E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.56E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	6.43E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	2.32E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	4.96E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	9.60E-11
				Total	0.00E+00	2.19E-08
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	3.84E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	6.42E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	3.25E-16
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.93E-18
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.62E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	6.28E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	1.28E-16
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	4.08E-14
				Total	0.00E+00	4.50E-11
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	2.26E-06
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	3.25E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	4.10E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	4.82E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.99E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	7.97E-12
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.59E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	6.71E-11
				Total	0.00E+00	2.30E-06
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	4.79E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	6.65E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	7.45E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	8.67E-17
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	3.58E-14
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	1.46E-13
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.87E-15
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	1.57E-12
				Total	0.00E+00	4.86E-08
RCPTR_35	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	7.93E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	6.28E-07
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	3.22E-09
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	5.23E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	5.39E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	6.35E-08
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	3.18E-10
RCPTR_35	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	5.71E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	7.62E-07
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	9.36E-08
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	5.89E-08
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	2.51E-09
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	8.69E-11
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	6.54E-08
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	1.06E-09
				Total	0.00E+00	2.22E-07
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Cadmium	3.18E-11	8.85E-09
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Cadmium	7.84E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Cadmium	3.06E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Cadmium	3.29E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Cadmium	1.33E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Cadmium	7.86E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Cadmium	1.85E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Cadmium	1.11E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Cadmium	2.11E-11	0.00E+00
				Total	8.44E-09	8.85E-09
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	2.67E-12
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	4.46E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	8.39E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	1.17E-13
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	2.46E-09
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	3.04E-11
				Total	0.00E+00	3.78E-09
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	6.42E-11	5.35E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	1.79E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	3.87E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	2.93E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	1.17E-06
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	2.43E-09
				Total	6.42E-11	1.74E-06
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	6.69E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	1.62E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	3.33E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	2.29E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	6.09E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	5.22E-09
				Total	0.00E+00	1.11E-06
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	6.17E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	1.88E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	1.53E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	2.58E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	1.16E-05
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	7.42E-10
				Total	0.00E+00	1.19E-05
RCPTR_36	farmer_adult	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	1.51E-09
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	8.39E-07
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	1.33E-08
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	1.40E-09
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	5.36E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.42E-09
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	5.31E-08
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	7.86E-10
RCPTR_36	farmer_adult	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	1.14E-08
				Total	0.00E+00	9.22E-07
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.08E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	6.23E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	4.67E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	3.36E-17
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	1.09E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	1.37E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	1.88E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	1.05E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	6.34E-13
				Total	0.00E+00	8.41E-08
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.09E-06
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	6.39E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	2.72E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	9.10E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	7.10E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	1.15E-08
				Total	0.00E+00	2.48E-06
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzene	2.73E-13	9.60E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzene	2.16E-15	1.23E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzene	4.13E-20	2.28E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzene	2.95E-22	1.68E-17
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzene	7.01E-15	2.47E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzene	1.20E-19	6.85E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzene	1.64E-19	9.10E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzene	9.17E-21	5.20E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzene	5.38E-19	3.07E-14
				Total	2.82E-13	1.11E-09
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.29E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	1.79E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	4.76E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	3.27E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	1.17E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	1.33E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	1.89E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	1.03E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	7.76E-13
				Total	0.00E+00	1.91E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	4.28E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	6.13E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	4.67E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	7.60E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	4.59E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	3.09E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	1.65E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	3.42E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	7.92E-11
				Total	0.00E+00	1.37E-08
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Cadmium	4.95E-11	1.38E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Cadmium	1.14E-08	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Cadmium	4.44E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Cadmium	4.77E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Cadmium	1.86E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Cadmium	1.14E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Cadmium	2.68E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Cadmium	1.62E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Cadmium	3.06E-11	0.00E+00
				Total	1.23E-08	1.38E-08
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	6.67E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	7.50E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	1.11E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	8.15E-19
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	2.74E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	3.32E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	4.43E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	2.52E-17
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	1.71E-15
				Total	0.00E+00	7.70E-11
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	8.82E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	2.52E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	2.37E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	1.94E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	1.99E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	7.88E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	9.05E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	5.70E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	8.12E-14
				Total	0.00E+00	3.43E-10
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	1.68E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	4.73E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	8.51E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	7.08E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	4.85E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	2.88E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	3.23E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	2.07E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	2.66E-11
				Total	0.00E+00	4.80E-08
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	1.40E-13	4.48E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	2.95E-14	1.15E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	4.82E-18	1.68E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	3.49E-20	1.37E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	4.52E-15	1.10E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.42E-17	5.60E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	1.83E-17	6.43E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	1.05E-18	4.05E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	1.53E-17	6.01E-13
				Total	1.75E-13	1.21E-09
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	3.48E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	1.30E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	4.08E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	5.34E-16	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	1.46E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	2.17E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	1.45E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	1.64E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	1.90E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	2.79E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	5.60E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	4.79E-06
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	2.44E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.57E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	7.77E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	6.38E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	9.35E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	4.89E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.08E-09
				Total	0.00E+00	5.57E-06
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	1.51E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	1.44E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	4.19E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.78E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	9.34E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	7.26E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	1.48E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	2.05E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	1.79E-12
				Total	0.00E+00	2.59E-09
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	3.82E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	4.10E-04
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	8.41E+01
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	1.09E-06
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	2.19E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	4.42E-04
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	2.98E+02
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	3.30E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	2.72E-09
				Total	0.00E+00	3.85E+02
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.13E-06
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	2.41E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	2.45E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.16E-08
				Total	0.00E+00	1.17E-06
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	6.46E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	1.34E-05
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	2.72E-06
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	2.14E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	2.79E-08
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	2.18E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	8.63E-06
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	4.56E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	9.53E-07
				Total	0.00E+00	2.63E-05
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	9.48E-10
				Total	0.00E+00	9.48E-10
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.59E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.32E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.44E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.04E-18
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.14E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.23E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.81E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.25E-17
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.20E-14
				Total	0.00E+00	7.53E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	3.00E-06
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	1.11E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	1.94E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	2.40E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	1.98E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	4.95E-07
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	5.53E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	5.79E-08
				Total	0.00E+00	3.91E-06
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Methylene chloride	8.83E-13	1.13E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Methylene chloride	5.23E-14	3.29E-09
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Methylene chloride	1.28E-19	8.04E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Methylene chloride	9.25E-22	5.83E-17
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Methylene chloride	1.26E-13	4.91E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Methylene chloride	3.77E-19	2.37E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Methylene chloride	5.15E-19	3.23E-14
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Methylene chloride	2.89E-20	1.82E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Methylene chloride	4.10E-18	2.58E-13
				Total	1.06E-12	4.91E-09
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	4.47E-15	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	1.36E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	3.58E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	8.38E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.52E-16	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	7.69E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	7.29E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.31E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	3.87E-15	0.00E+00
				Total	2.10E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	2.17E-10
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	3.01E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	1.29E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	9.78E-18
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	3.26E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	3.98E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	5.11E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	2.99E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	1.02E-14
				Total	0.00E+00	2.51E-10
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.23E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	6.97E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	6.23E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	3.04E-18
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	3.35E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	1.24E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	2.33E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	9.67E-17
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	1.72E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.96E-11
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.23E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	6.48E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	6.39E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	3.44E-18
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	3.36E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	1.40E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	2.41E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	1.08E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	2.12E-15
				Total	0.00E+00	1.91E-11
RCPTR_36	farmer_adult	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.23E-11
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	7.10E-12
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	8.15E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	4.70E-18
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	3.35E-13
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	1.91E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	3.08E-15
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.46E-16
RCPTR_36	farmer_adult	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	2.76E-15
				Total	0.00E+00	1.98E-11
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	1.52E-06
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	8.73E-06
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	6.55E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	4.70E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	1.39E-06
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	1.92E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	2.64E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.47E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	8.88E-11
				Total	0.00E+00	1.16E-05
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	2.95E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	1.62E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	6.90E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	1.80E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	2.91E-09
				Total	0.00E+00	6.47E-07
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzene	6.09E-13	2.14E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzene	4.83E-15	2.74E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzene	9.23E-20	5.10E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzene	6.60E-22	3.76E-17
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzene	2.69E-19	1.53E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzene	3.67E-19	2.03E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzene	2.05E-20	1.16E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzene	1.20E-18	6.86E-14
				Total	6.27E-13	2.47E-09
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.13E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	1.57E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	4.18E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	2.87E-16
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	1.17E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	1.66E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	9.01E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	6.80E-13
				Total	0.00E+00	1.66E-07
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	8.26E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	2.91E-06
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.95E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.30E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.75E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.39E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.34E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.22E-10
				Total	0.00E+00	3.59E-06
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	2.72E-14	6.10E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	4.31E-14	7.72E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	1.48E-18	2.64E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	1.10E-20	1.97E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	4.47E-18	8.01E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	5.87E-18	1.05E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	3.38E-19	6.06E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	1.60E-17	2.87E-12
				Total	7.36E-14	8.38E-09
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	5.39E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	7.84E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	1.48E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	4.33E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	5.35E-11
				Total	0.00E+00	6.65E-09
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	1.29E-10	1.08E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	3.15E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.80E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.06E-06
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	4.27E-09
				Total	1.29E-10	3.06E-06
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.14E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.18E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.94E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.43E-17
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.62E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.58E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.00E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.96E-13
				Total	0.00E+00	2.26E-09
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	1.34E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	1.54E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	9.08E-16
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	7.08E-18
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.88E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	3.53E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	2.13E-16
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	4.40E-15
				Total	0.00E+00	2.98E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	3.66E-13	2.29E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.11E-12	3.93E-08
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	3.36E-14	2.49E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.43E-18	5.49E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.21E-15	2.24E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.19E-13	8.55E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.28E-15	2.07E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.35E-14	1.37E-09
				Total	2.31E-12	4.85E-08
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.34E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.50E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.22E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.79E-18
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.58E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.92E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.75E-16
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-13
				Total	0.00E+00	6.32E-09
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Methylene chloride	1.81E-11	2.31E-08
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.07E-12	6.75E-08
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Methylene chloride	2.64E-18	1.65E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Methylene chloride	1.90E-20	1.20E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Methylene chloride	7.73E-18	4.87E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Methylene chloride	1.06E-17	6.63E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Methylene chloride	5.92E-19	3.73E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Methylene chloride	8.42E-17	5.30E-12
				Total	2.15E-11	9.95E-08
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	1.91E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	6.27E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	1.56E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	1.27E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	5.18E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	5.98E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	3.76E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	5.84E-12
				Total	0.00E+00	6.51E-09
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	1.48E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	2.48E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	4.13E-16
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	3.20E-18
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	1.30E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	1.62E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	9.68E-17
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	2.49E-15
				Total	0.00E+00	4.02E-12
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	8.73E-08
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.21E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	5.20E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	3.93E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.60E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	2.05E-12
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	1.20E-13
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	4.09E-12
				Total	0.00E+00	1.01E-07
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	1.85E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	2.52E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	9.46E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	7.08E-17
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.88E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	3.76E-14
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.17E-15
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	9.57E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	2.14E-09
RCPTR_36	farmer_adult	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	3.32E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	1.61E-07
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	2.55E-09
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	2.69E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	2.73E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	1.02E-08
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	1.51E-10
RCPTR_36	farmer_adult	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	2.19E-09
				Total	0.00E+00	1.77E-07
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	3.30E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	1.83E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	7.77E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	2.44E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	2.02E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	3.28E-10
				Total	0.00E+00	7.27E-08
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	2.17E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	3.02E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	8.05E-15
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	5.54E-17
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	1.83E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	2.25E-14
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	3.20E-14
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	1.74E-15
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.31E-13
				Total	0.00E+00	3.21E-08
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	6.57E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	2.31E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	4.74E-14
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.42E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	5.44E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.39E-13
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	1.90E-13
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.07E-14
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	1.77E-12
				Total	0.00E+00	2.86E-08
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Cadmium	4.75E-11	1.32E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Cadmium	1.03E-08	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Cadmium	4.00E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Cadmium	4.31E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Cadmium	1.57E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Cadmium	1.03E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Cadmium	2.42E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Cadmium	1.46E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Cadmium	2.76E-11	0.00E+00
				Total	1.10E-08	1.32E-08
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	3.56E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	3.40E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	9.88E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	4.21E-15
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.06E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.72E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	3.50E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	4.84E-13
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	4.22E-13
				Total	0.00E+00	5.97E-10
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	2.40E-13
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	6.84E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	5.18E-16
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	3.73E-18
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	6.31E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.52E-15
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	2.07E-15
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.16E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.13E-14
				Total	0.00E+00	1.32E-10
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	1.53E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	7.78E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	7.18E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	1.15E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	2.86E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	4.70E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	2.51E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	5.38E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	7.12E-11
				Total	0.00E+00	1.46E-08
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	7.01E-12	9.02E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	1.76E-10	3.54E-06
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	3.29E-15	5.28E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	1.83E-17	3.80E-13
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	1.24E-09	1.95E-06
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	7.43E-15	1.55E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	1.28E-14	2.10E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	5.94E-16	1.18E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	3.85E-14	8.02E-10
				Total	1.42E-09	5.50E-06
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	6.36E-12	1.64E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	1.54E-10	6.21E-06
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	2.18E-15	7.39E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	1.28E-17	5.33E-13
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	1.27E-09	3.99E-06
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	5.21E-15	2.17E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	8.50E-15	2.95E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	4.13E-16	1.66E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	3.02E-14	1.26E-09
				Total	1.43E-09	1.02E-05
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	6.36E-14	3.98E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.94E-13	6.83E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	5.85E-15	4.33E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	9.43E-19	9.54E-14
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	1.16E-13	7.47E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	3.84E-16	3.88E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	2.06E-14	1.49E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.23E-16	3.61E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.35E-15	2.37E-10
				Total	4.03E-13	8.45E-09
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	8.71E-15	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	2.63E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	1.04E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	1.32E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	6.47E-17	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	3.99E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	2.12E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	3.96E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	7.87E-15	0.00E+00
				Total	8.78E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	3.39E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	1.11E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	5.91E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	4.64E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	4.70E-16	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	1.40E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	1.21E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	2.31E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	3.37E-14	0.00E+00
				Total	3.81E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	2.14E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	6.35E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	1.35E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	1.57E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	1.38E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	2.07E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	2.75E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	5.38E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	2.27E-13	0.00E+00
				Total	7.86E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	8.42E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	2.50E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	4.64E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	6.42E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	5.48E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	8.29E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	9.45E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	1.86E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	9.07E-13	0.00E+00
				Total	2.93E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	1.01E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	3.01E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	4.75E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	3.81E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	6.55E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	6.03E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	9.66E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	1.90E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	1.11E-13	0.00E+00
				Total	2.48E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	3.47E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	6.96E-17
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	6.98E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	6.67E-10
				Total	0.00E+00	3.61E-08
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	2.84E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	5.91E-07
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	1.19E-07
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	9.42E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	1.14E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	9.58E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	3.75E-07
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	2.00E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	4.19E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.15E-06
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	4.15E-11
				Total	0.00E+00	4.15E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	1.32E-07
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	4.74E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	8.55E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	9.82E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	8.69E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	2.11E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	2.41E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	2.54E-09
				Total	0.00E+00	1.70E-07
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	1.62E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	5.31E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	1.32E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	1.08E-14
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	2.42E-11
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	4.38E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	5.07E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	3.18E-13
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	4.95E-12
				Total	0.00E+00	5.51E-09
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	1.22E-15	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.54E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	9.39E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	2.18E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	3.70E-17	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	2.01E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	1.91E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	3.45E-15	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.01E-15	0.00E+00
				Total	5.48E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	1.21E-16	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	3.40E-15	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	9.21E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	8.60E-16	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	2.37E-19	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	1.58E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	1.87E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	3.37E-16	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	1.00E-16	0.00E+00
				Total	4.85E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	2.72E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	9.16E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	9.99E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	4.65E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	2.03E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	4.83E-12	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	7.09E-13	0.00E+00
				Total	3.18E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	4.88E-13	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	1.55E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	6.60E-10	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	1.50E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	6.40E-14	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	1.19E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	1.34E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	3.10E-11	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	1.04E-12	0.00E+00
				Total	4.74E-09	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	7.14E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	1.80E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	9.23E-15
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	6.70E-17
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	3.66E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	2.73E-14
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	3.70E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	2.09E-15
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	2.38E-13
				Total	0.00E+00	2.17E-09
RCPTR_36	farmer_adult	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	1.85E-06
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	3.71E-05
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	4.09E-09
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	1.22E-12
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	8.71E-05
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	4.90E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	1.46E-08
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.90E-10
RCPTR_36	farmer_adult	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	2.30E-09
				Total	0.00E+00	1.26E-04
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	1.52E-06
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	8.73E-06
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	6.55E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	4.70E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	1.39E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	1.92E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	2.64E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.47E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	8.88E-11
				Total	0.00E+00	1.16E-05
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	2.95E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	1.62E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	6.90E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	2.17E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	1.80E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	2.91E-09
				Total	0.00E+00	6.47E-07
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzene	6.09E-13	2.14E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzene	4.83E-15	2.74E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzene	9.23E-20	5.10E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzene	6.60E-22	3.76E-17
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzene	1.37E-14	4.81E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzene	2.69E-19	1.53E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzene	3.67E-19	2.03E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzene	2.05E-20	1.16E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzene	1.20E-18	6.86E-14
				Total	6.27E-13	2.47E-09
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.13E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	1.57E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	4.18E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	2.87E-16
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	9.36E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	1.17E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	1.66E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	9.01E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	6.80E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	1.66E-07
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	8.26E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	2.91E-06
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	5.95E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	4.30E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	6.73E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.75E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	2.39E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.34E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.22E-10
				Total	0.00E+00	3.59E-06
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	2.72E-14	6.10E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	4.31E-14	7.72E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	1.48E-18	2.64E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	1.10E-20	1.97E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	3.29E-15	3.67E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	4.47E-18	8.01E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	5.87E-18	1.05E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	3.38E-19	6.06E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	1.60E-17	2.87E-12
				Total	7.36E-14	8.38E-09
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	5.39E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	7.84E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	1.48E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	1.88E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	4.33E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	5.35E-11
				Total	0.00E+00	6.65E-09
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	1.29E-10	1.08E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	3.15E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	6.80E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	4.67E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.06E-06
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	4.27E-09
				Total	1.29E-10	3.06E-06
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	4.14E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.18E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	8.94E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	6.43E-17
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.07E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	2.62E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	3.58E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	2.00E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.96E-13
				Total	0.00E+00	2.26E-09
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	1.34E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	1.54E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	9.08E-16
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	7.08E-18
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	8.75E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.88E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	3.53E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	2.13E-16
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	4.40E-15
				Total	0.00E+00	2.98E-11
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	3.66E-13	2.29E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.11E-12	3.93E-08
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	3.36E-14	2.49E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	5.43E-18	5.49E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	6.57E-13	4.23E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.21E-15	2.24E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	1.19E-13	8.55E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	1.28E-15	2.07E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.35E-14	1.37E-09
				Total	2.31E-12	4.85E-08
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.34E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.50E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.22E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	8.79E-18
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.72E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	3.58E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	4.92E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.75E-16
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.02E-13
				Total	0.00E+00	6.32E-09
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Methylene chloride	1.81E-11	2.31E-08
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.07E-12	6.75E-08
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Methylene chloride	2.64E-18	1.65E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Methylene chloride	1.90E-20	1.20E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Methylene chloride	2.28E-12	8.88E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Methylene chloride	7.73E-18	4.87E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Methylene chloride	1.06E-17	6.63E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Methylene chloride	5.92E-19	3.73E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Methylene chloride	8.42E-17	5.30E-12
				Total	2.15E-11	9.95E-08
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	1.91E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	6.27E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	1.56E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	1.27E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	2.79E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	5.18E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	5.98E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	3.76E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	5.84E-12
				Total	0.00E+00	6.51E-09
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	1.48E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	2.48E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	4.13E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	3.20E-18
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	5.69E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	1.30E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	1.62E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	9.68E-17
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	2.49E-15
				Total	0.00E+00	4.02E-12
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	8.73E-08
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.21E-08
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	5.20E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	3.93E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	1.14E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.60E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	2.05E-12
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	1.20E-13
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	4.09E-12
				Total	0.00E+00	1.01E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	1.85E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	2.52E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	9.46E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	7.08E-17
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	3.64E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.88E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	3.76E-14
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	2.17E-15
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	9.57E-14
				Total	0.00E+00	2.14E-09
RCPTR_36	farmer_adult	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	3.32E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	1.61E-07
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	2.55E-09
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	2.69E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	9.35E-11
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	2.73E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	1.02E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	1.51E-10
RCPTR_36	farmer_adult	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	2.19E-09
				Total	0.00E+00	1.77E-07
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Barium	0.00E+00	1.39E-06
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Barium	0.00E+00	8.21E-08
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Barium	0.00E+00	1.12E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Barium	0.00E+00	1.94E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Barium	0.00E+00	1.44E-07
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Barium	0.00E+00	9.88E-09
				Total	0.00E+00	1.62E-06
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Cadmium	7.08E-11	1.31E-07
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Cadmium	3.56E-09	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Cadmium	2.39E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Cadmium	2.17E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Cadmium	4.49E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Cadmium	5.27E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Cadmium	7.09E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Cadmium	2.23E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Cadmium	1.86E-10	0.00E+00
				Total	3.94E-09	1.31E-07
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium	0.00E+00	3.96E-11
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium	0.00E+00	6.23E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium	0.00E+00	3.76E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium	0.00E+00	2.62E-13
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium	0.00E+00	5.43E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium	0.00E+00	2.84E-10
				Total	0.00E+00	6.76E-09
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Chromium, hexavalent	1.43E-10	7.92E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Chromium, hexavalent	0.00E+00	2.51E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Chromium, hexavalent	0.00E+00	1.73E-07
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Chromium, hexavalent	0.00E+00	6.54E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Chromium, hexavalent	0.00E+00	2.58E-06
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Chromium, hexavalent	0.00E+00	2.26E-08
				Total	1.43E-10	3.03E-06
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Nickel	0.00E+00	9.90E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Nickel	0.00E+00	2.26E-07
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Nickel	0.00E+00	1.49E-07
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Nickel	0.00E+00	5.12E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Nickel	0.00E+00	1.34E-06
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Nickel	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Nickel	0.00E+00	4.87E-08
				Total	0.00E+00	1.78E-06
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Silver	0.00E+00	9.14E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Silver	0.00E+00	2.62E-07
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Silver	0.00E+00	6.86E-08
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Silver	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Silver	0.00E+00	5.76E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Silver	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Silver	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Silver	0.00E+00	2.55E-05
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Silver	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Silver	0.00E+00	6.92E-09
				Total	0.00E+00	2.59E-05
RCPTR_36	farmer_child	TOCDFBRA	air_crisk_inhale	Zinc	0.00E+00	2.23E-08
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_ag	Zinc	0.00E+00	1.17E-06
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_beef	Zinc	0.00E+00	5.94E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_chick	Zinc	0.00E+00	9.74E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_dw	Zinc	0.00E+00	1.20E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_eggs	Zinc	0.00E+00	1.00E-09
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_milk	Zinc	0.00E+00	1.17E-07
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_pork	Zinc	0.00E+00	5.90E-10
RCPTR_36	farmer_child	TOCDFBRA	intake_crisk_soil	Zinc	0.00E+00	1.06E-07
				Total	0.00E+00	1.42E-06
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Acetone	0.00E+00	1.61E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Acetone	0.00E+00	9.38E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Acetone	0.00E+00	2.09E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Acetone	0.00E+00	2.34E-17

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Acetone	0.00E+00	2.44E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Acetone	0.00E+00	9.66E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Acetone	0.00E+00	4.15E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Acetone	0.00E+00	7.89E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Acetone	0.00E+00	5.92E-12
				Total	0.00E+00	2.79E-07
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Barium	0.00E+00	1.61E-05
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Barium	0.00E+00	8.90E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Barium	0.00E+00	1.22E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Barium	0.00E+00	2.03E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Barium	0.00E+00	1.57E-06
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Barium	0.00E+00	1.07E-07
				Total	0.00E+00	1.87E-05
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Benzene	6.06E-13	1.42E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Benzene	3.23E-15	1.84E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Benzene	1.80E-20	1.02E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Benzene	2.06E-22	1.17E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Benzene	2.35E-15	5.52E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzene	8.49E-20	4.84E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Benzene	3.53E-19	2.01E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Benzene	6.86E-21	3.91E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Benzene	5.02E-18	2.86E-13
				Total	6.11E-13	1.45E-08
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Benzoic acid	0.00E+00	1.91E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Benzoic acid	0.00E+00	2.81E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Benzoic acid	0.00E+00	2.13E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Benzoic acid	0.00E+00	2.28E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Benzoic acid	0.00E+00	2.61E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Benzoic acid	0.00E+00	9.42E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Benzoic acid	0.00E+00	4.17E-13
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Benzoic acid	0.00E+00	7.71E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Benzoic acid	0.00E+00	7.24E-12
				Total	0.00E+00	3.09E-07
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Butylbenzylphthalate	0.00E+00	6.34E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Butylbenzylphthalate	0.00E+00	8.47E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Butylbenzylphthalate	0.00E+00	2.09E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Butylbenzylphthalate	0.00E+00	5.30E-13
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Butylbenzylphthalate	0.00E+00	1.03E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Butylbenzylphthalate	0.00E+00	2.19E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Butylbenzylphthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Butylbenzylphthalate	0.00E+00	3.63E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Butylbenzylphthalate	0.00E+00	2.56E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Butylbenzylphthalate	0.00E+00	7.39E-10
				Total	0.00E+00	2.99E-08
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Cadmium	1.10E-10	2.04E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Cadmium	5.17E-09	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Cadmium	3.47E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Cadmium	3.15E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Cadmium	6.29E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Cadmium	7.64E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Cadmium	1.03E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Cadmium	3.23E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Cadmium	2.70E-10	0.00E+00
				Total	5.73E-09	2.04E-07
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Carbon disulfide	0.00E+00	9.89E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Carbon disulfide	0.00E+00	1.12E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Carbon disulfide	0.00E+00	4.97E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Carbon disulfide	0.00E+00	5.68E-19
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Carbon disulfide	0.00E+00	6.11E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Carbon disulfide	0.00E+00	2.35E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Carbon disulfide	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Carbon disulfide	0.00E+00	9.78E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Carbon disulfide	0.00E+00	1.90E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Carbon disulfide	0.00E+00	1.60E-14
				Total	0.00E+00	1.01E-09
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,2-	0.00E+00	1.31E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,2-	0.00E+00	3.92E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,2-	0.00E+00	1.06E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,2-	0.00E+00	1.35E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,2-	0.00E+00	4.44E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,2-	0.00E+00	5.57E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,2-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,2-	0.00E+00	2.00E-13
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,2-	0.00E+00	4.28E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,2-	0.00E+00	7.58E-13
				Total	0.00E+00	1.70E-09
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene, 1,3-	0.00E+00	2.49E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene, 1,3-	0.00E+00	7.31E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene, 1,3-	0.00E+00	3.81E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene, 1,3-	0.00E+00	4.93E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene, 1,3-	0.00E+00	1.08E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene, 1,3-	0.00E+00	2.04E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene, 1,3-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene, 1,3-	0.00E+00	7.12E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene, 1,3-	0.00E+00	1.55E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene, 1,3-	0.00E+00	2.49E-10
				Total	0.00E+00	7.70E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzene,1,4-	3.12E-13	6.64E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzene,1,4-	4.53E-14	1.78E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzene,1,4-	1.93E-18	7.52E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzene,1,4-	2.43E-20	9.58E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzene,1,4-	1.52E-15	2.46E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzene,1,4-	1.00E-17	3.95E-13
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzene,1,4-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzene,1,4-	3.64E-17	1.42E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzene,1,4-	7.75E-19	3.04E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzene,1,4-	1.43E-16	5.61E-12
				Total	3.59E-13	2.48E-09
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorobenzidine, 3,3'-	7.73E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorobenzidine, 3,3'-	7.19E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorobenzidine, 3,3'-	2.98E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorobenzidine, 3,3'-	3.72E-16	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorobenzidine, 3,3'-	5.23E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorobenzidine, 3,3'-	1.54E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorobenzidine, 3,3'-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorobenzidine, 3,3'-	5.23E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorobenzidine, 3,3'-	2.84E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorobenzidine, 3,3'-	1.77E-12	0.00E+00
				Total	1.26E-09	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Dichlorophenol, 2,4-	0.00E+00	8.30E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Dichlorophenol, 2,4-	0.00E+00	7.43E-06
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Dichlorophenol, 2,4-	0.00E+00	1.09E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Dichlorophenol, 2,4-	0.00E+00	1.09E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Dichlorophenol, 2,4-	0.00E+00	1.73E-06
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Dichlorophenol, 2,4-	0.00E+00	4.51E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Dichlorophenol, 2,4-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Dichlorophenol, 2,4-	0.00E+00	2.06E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Dichlorophenol, 2,4-	0.00E+00	3.67E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Dichlorophenol, 2,4-	0.00E+00	1.01E-08
				Total	0.00E+00	9.26E-06
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Diethyl phthalate	0.00E+00	2.24E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Diethyl phthalate	0.00E+00	2.23E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Diethyl phthalate	0.00E+00	1.88E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Diethyl phthalate	0.00E+00	1.24E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Diethyl phthalate	0.00E+00	2.09E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Diethyl phthalate	0.00E+00	5.13E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Diethyl phthalate	0.00E+00	3.27E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Diethyl phthalate	0.00E+00	1.54E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Diethyl phthalate	0.00E+00	1.67E-11
				Total	0.00E+00	4.91E-09
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Di-n-octylphthalate	0.00E+00	5.65E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Di-n-octylphthalate	0.00E+00	5.74E-04
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Di-n-octylphthalate	0.00E+00	3.76E+01
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Di-n-octylphthalate	0.00E+00	7.56E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Di-n-octylphthalate	0.00E+00	4.88E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Di-n-octylphthalate	0.00E+00	3.12E-04
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Di-n-octylphthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Di-n-octylphthalate	0.00E+00	6.57E+02
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Di-n-octylphthalate	0.00E+00	2.48E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Di-n-octylphthalate	0.00E+00	2.54E-08
				Total	0.00E+00	6.97E+02
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Hydrogen chloride	0.00E+00	1.67E-05
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Hydrogen chloride	0.00E+00	3.37E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Hydrogen chloride	0.00E+00	5.48E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Hydrogen chloride	0.00E+00	2.02E-07
				Total	0.00E+00	1.69E-05
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Lead	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Mercuric chloride	0.00E+00	9.57E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Mercuric chloride	0.00E+00	1.91E-05
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Mercuric chloride	0.00E+00	1.22E-06
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Mercuric chloride	0.00E+00	1.49E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Mercuric chloride	0.00E+00	6.24E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Mercuric chloride	0.00E+00	1.54E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Mercuric chloride	0.00E+00	1.90E-05
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Mercuric chloride	0.00E+00	3.42E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Mercuric chloride	0.00E+00	8.90E-06
				Total	0.00E+00	4.96E-05
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Mercury	0.00E+00	1.40E-08
				Total	0.00E+00	1.40E-08
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.36E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.96E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.46E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	7.24E-19
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.37E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.99E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.28E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.44E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.12E-13
				Total	0.00E+00	3.29E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Methyl mercury	0.00E+00	4.27E-06
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Methyl mercury	0.00E+00	4.95E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Methyl mercury	0.00E+00	1.35E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Methyl mercury	0.00E+00	5.35E-07
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Methyl mercury	0.00E+00	1.40E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Methyl mercury	0.00E+00	1.09E-06
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Methyl mercury	0.00E+00	4.15E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Methyl mercury	0.00E+00	5.40E-07
				Total	0.00E+00	6.48E-06
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Methylene chloride	1.96E-12	1.67E-08
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Methylene chloride	7.84E-14	4.93E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Methylene chloride	5.72E-20	3.60E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Methylene chloride	6.44E-22	4.06E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Methylene chloride	4.23E-14	1.10E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Methylene chloride	2.66E-19	1.68E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Methylene chloride	1.13E-18	7.12E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Methylene chloride	2.17E-20	1.36E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Methylene chloride	3.83E-17	2.41E-12
				Total	2.08E-12	2.27E-08
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	9.93E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	3.01E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	2.46E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	1.76E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	5.25E-17	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	1.64E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	2.45E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	1.88E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	1.09E-14	0.00E+00
				Total	5.03E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Toluene	0.00E+00	3.22E-09
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Toluene	0.00E+00	4.59E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Toluene	0.00E+00	5.79E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Toluene	0.00E+00	6.82E-18
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Toluene	0.00E+00	7.28E-12
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Toluene	0.00E+00	2.81E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Toluene	0.00E+00	1.13E-14
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Toluene	0.00E+00	2.24E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Toluene	0.00E+00	9.49E-14
				Total	0.00E+00	3.27E-09
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, m-	0.00E+00	1.82E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, m-	0.00E+00	1.08E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, m-	0.00E+00	2.79E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, m-	0.00E+00	2.12E-18
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, m-	0.00E+00	7.49E-13
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, m-	0.00E+00	8.75E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, m-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, m-	0.00E+00	5.14E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, m-	0.00E+00	7.26E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, m-	0.00E+00	1.61E-14
				Total	0.00E+00	1.94E-10
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, o-	0.00E+00	1.82E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, o-	0.00E+00	1.00E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, o-	0.00E+00	2.86E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, o-	0.00E+00	2.40E-18
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, o-	0.00E+00	7.50E-13
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, o-	0.00E+00	9.89E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, o-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, o-	0.00E+00	5.31E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, o-	0.00E+00	8.11E-17
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, o-	0.00E+00	1.97E-14
				Total	0.00E+00	1.93E-10
RCPTR_36	farmer_child	TOCDFDFS	air_crisk_inhale	Xylene, p-	0.00E+00	1.82E-10
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_ag	Xylene, p-	0.00E+00	1.10E-11
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_beef	Xylene, p-	0.00E+00	3.65E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_chick	Xylene, p-	0.00E+00	3.27E-18
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_dw	Xylene, p-	0.00E+00	7.48E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_eggs	Xylene, p-	0.00E+00	1.35E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_fish	Xylene, p-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_milk	Xylene, p-	0.00E+00	6.80E-15
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_pork	Xylene, p-	0.00E+00	1.10E-16
RCPTR_36	farmer_child	TOCDFDFS	intake_crisk_soil	Xylene, p-	0.00E+00	2.57E-14
				Total	0.00E+00	1.94E-10
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Acetone	0.00E+00	2.25E-05
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Acetone	0.00E+00	1.31E-05
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Acetone	0.00E+00	2.93E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Acetone	0.00E+00	3.28E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Acetone	0.00E+00	1.35E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Acetone	0.00E+00	5.81E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Acetone	0.00E+00	1.11E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Acetone	0.00E+00	8.29E-10
				Total	0.00E+00	3.87E-05
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Barium	0.00E+00	4.37E-06
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Barium	0.00E+00	2.26E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Barium	0.00E+00	3.09E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Barium	0.00E+00	3.97E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Barium	0.00E+00	2.72E-08
				Total	0.00E+00	5.02E-06
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Benzene	1.35E-12	3.18E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Benzene	7.22E-15	4.11E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Benzene	4.02E-20	2.28E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Benzene	4.60E-22	2.62E-17
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzene	1.90E-19	1.08E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Benzene	7.89E-19	4.49E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Benzene	1.53E-20	8.73E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Benzene	1.12E-17	6.40E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	1.37E-12	3.23E-08
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Benzoic acid	0.00E+00	1.67E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Benzoic acid	0.00E+00	2.46E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Benzoic acid	0.00E+00	1.87E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Benzoic acid	0.00E+00	2.00E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzoic acid	0.00E+00	8.26E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Benzoic acid	0.00E+00	3.66E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Benzoic acid	0.00E+00	6.76E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Benzoic acid	0.00E+00	6.35E-12
				Total	0.00E+00	2.69E-07
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.22E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.32E-06
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.66E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.00E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.24E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Benzyl alcohol	0.00E+00	5.27E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.01E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.08E-09
				Total	0.00E+00	5.95E-06
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Bromoform (Tribromomethane)	6.05E-14	9.04E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Bromoform (Tribromomethane)	6.43E-14	1.15E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Bromoform (Tribromomethane)	6.59E-19	1.18E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Bromoform (Tribromomethane)	7.65E-21	1.37E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Bromoform (Tribromomethane)	3.16E-18	5.66E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Bromoform (Tribromomethane)	1.29E-17	2.31E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Bromoform (Tribromomethane)	2.54E-19	4.55E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Bromoform (Tribromomethane)	1.49E-16	2.68E-11
				Total	1.26E-13	2.07E-08
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium	0.00E+00	7.98E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium	0.00E+00	1.10E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium	0.00E+00	6.60E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium	0.00E+00	9.56E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium	0.00E+00	5.00E-10
				Total	0.00E+00	1.19E-08
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Chromium, hexavalent	2.87E-10	1.60E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.41E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Chromium, hexavalent	0.00E+00	3.04E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.54E-06
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.99E-08
				Total	2.87E-10	5.34E-06
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.13E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.75E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.00E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.48E-17
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.85E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.89E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.50E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.83E-12
				Total	0.00E+00	4.21E-09
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylbenzene	0.00E+00	1.99E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylbenzene	0.00E+00	2.39E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylbenzene	0.00E+00	4.06E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylbenzene	0.00E+00	4.93E-18
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.04E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylbenzene	0.00E+00	7.77E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylbenzene	0.00E+00	1.60E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylbenzene	0.00E+00	4.10E-14
				Total	0.00E+00	2.25E-10
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	8.14E-13	3.39E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	6.34E-13	5.45E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	2.41E-15	1.11E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	3.78E-18	3.83E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.56E-15	1.58E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.15E-14	1.89E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.30E-16	1.56E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.26E-13	1.28E-08
				Total	1.84E-12	1.13E-07
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.99E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.74E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.46E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.12E-18
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.53E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.06E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.49E-13
				Total	0.00E+00	2.77E-08
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Methylene chloride	4.02E-11	3.42E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Methylene chloride	1.61E-12	1.01E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Methylene chloride	1.17E-18	7.39E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Methylene chloride	1.32E-20	8.33E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Methylene chloride	5.46E-18	3.44E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Methylene chloride	2.32E-17	1.46E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Methylene chloride	4.45E-19	2.80E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Methylene chloride	7.86E-16	4.95E-11
				Total	4.26E-11	4.63E-07
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Naphthalene	0.00E+00	2.83E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Naphthalene	0.00E+00	9.53E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Naphthalene	0.00E+00	6.98E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Naphthalene	0.00E+00	8.86E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Naphthalene	0.00E+00	3.66E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Naphthalene	0.00E+00	1.32E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Naphthalene	0.00E+00	2.82E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Naphthalene	0.00E+00	5.45E-11
				Total	0.00E+00	1.25E-08
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Styrene	0.00E+00	2.19E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Styrene	0.00E+00	3.65E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Styrene	0.00E+00	1.85E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Styrene	0.00E+00	2.23E-18
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Styrene	0.00E+00	9.21E-16
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Styrene	0.00E+00	3.57E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Styrene	0.00E+00	7.27E-17
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Styrene	0.00E+00	2.32E-14
				Total	0.00E+00	2.57E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Toluene	0.00E+00	1.29E-06
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Toluene	0.00E+00	1.84E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Toluene	0.00E+00	2.33E-13
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Toluene	0.00E+00	2.74E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Toluene	0.00E+00	1.13E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Toluene	0.00E+00	4.53E-12
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Toluene	0.00E+00	9.02E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Toluene	0.00E+00	3.81E-11
				Total	0.00E+00	1.31E-06
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.74E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.78E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	4.23E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	4.93E-17
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.03E-14
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	8.29E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	1.63E-15
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	8.94E-13
				Total	0.00E+00	2.79E-08
RCPTR_36	farmer_child	TOCDFLIC	air_crisk_inhale	Zinc	0.00E+00	4.92E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_ag	Zinc	0.00E+00	2.24E-07
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_beef	Zinc	0.00E+00	1.14E-09
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_chick	Zinc	0.00E+00	1.87E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_eggs	Zinc	0.00E+00	1.93E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_milk	Zinc	0.00E+00	2.25E-08
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_pork	Zinc	0.00E+00	1.13E-10
RCPTR_36	farmer_child	TOCDFLIC	intake_crisk_soil	Zinc	0.00E+00	2.05E-08
				Total	0.00E+00	2.74E-07
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Barium	0.00E+00	4.90E-07
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Barium	0.00E+00	2.54E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Barium	0.00E+00	3.48E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Barium	0.00E+00	5.46E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Barium	0.00E+00	4.47E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Barium	0.00E+00	3.06E-09
				Total	0.00E+00	5.63E-07
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Benzoic acid	0.00E+00	3.22E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Benzoic acid	0.00E+00	4.75E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Benzoic acid	0.00E+00	3.60E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Benzoic acid	0.00E+00	3.86E-17
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Benzoic acid	0.00E+00	4.10E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzoic acid	0.00E+00	1.59E-14
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Benzoic acid	0.00E+00	7.05E-14
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Benzoic acid	0.00E+00	1.30E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Benzoic acid	0.00E+00	1.22E-12
				Total	0.00E+00	5.19E-08
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Benzyl alcohol	0.00E+00	9.73E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Benzyl alcohol	0.00E+00	3.44E-08

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.12E-14
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Benzyl alcohol	0.00E+00	2.39E-16
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.21E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Benzyl alcohol	0.00E+00	9.85E-14
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Benzyl alcohol	0.00E+00	4.20E-13
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Benzyl alcohol	0.00E+00	8.02E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Benzyl alcohol	0.00E+00	1.65E-11
				Total	0.00E+00	4.75E-08
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Cadmium	1.06E-10	1.96E-07
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Cadmium	4.66E-09	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Cadmium	3.12E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Cadmium	2.85E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Cadmium	5.32E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Cadmium	6.90E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Cadmium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Cadmium	9.28E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Cadmium	2.92E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Cadmium	2.44E-10	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	5.17E-09	1.96E-07
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Diethyl phthalate	0.00E+00	5.28E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Diethyl phthalate	0.00E+00	5.28E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Diethyl phthalate	0.00E+00	4.42E-12
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Diethyl phthalate	0.00E+00	2.94E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Diethyl phthalate	0.00E+00	4.60E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Diethyl phthalate	0.00E+00	1.21E-12
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Diethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Diethyl phthalate	0.00E+00	7.71E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Diethyl phthalate	0.00E+00	3.64E-13
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Diethyl phthalate	0.00E+00	3.94E-12
				Total	0.00E+00	1.13E-09
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Dimethyl phthalate	0.00E+00	3.55E-12
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.01E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Dimethyl phthalate	0.00E+00	2.32E-16
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Dimethyl phthalate	0.00E+00	2.60E-18
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Dimethyl phthalate	0.00E+00	1.41E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.07E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Dimethyl phthalate	0.00E+00	4.58E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Dimethyl phthalate	0.00E+00	8.73E-17
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.06E-13
				Total	0.00E+00	2.46E-10
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Di-n-butyl phthalate	0.00E+00	2.27E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Di-n-butyl phthalate	0.00E+00	1.16E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Di-n-butyl phthalate	0.00E+00	3.21E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Di-n-butyl phthalate	0.00E+00	8.04E-13
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Di-n-butyl phthalate	0.00E+00	6.39E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Di-n-butyl phthalate	0.00E+00	3.32E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Di-n-butyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Di-n-butyl phthalate	0.00E+00	5.54E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Di-n-butyl phthalate	0.00E+00	4.04E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Di-n-butyl phthalate	0.00E+00	6.64E-10
				Total	0.00E+00	2.71E-08
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,4-	1.56E-11	1.34E-07
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,4-	2.55E-10	5.29E-06
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,4-	1.16E-15	2.36E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,4-	1.27E-17	2.65E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,4-	4.50E-10	4.35E-06
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,4-	5.25E-15	1.09E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,4-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,4-	2.28E-14	4.64E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,4-	4.28E-16	8.87E-12
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,4-	3.59E-13	7.49E-09
				Total	7.20E-10	9.78E-06
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Dinitrotoluene, 2,6-	1.41E-11	2.43E-07
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Dinitrotoluene, 2,6-	2.23E-10	9.26E-06
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Dinitrotoluene, 2,6-	8.10E-16	3.30E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Dinitrotoluene, 2,6-	8.92E-18	3.72E-13
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Dinitrotoluene, 2,6-	4.61E-10	8.92E-06
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Dinitrotoluene, 2,6-	3.68E-15	1.53E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Dinitrotoluene, 2,6-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Dinitrotoluene, 2,6-	1.59E-14	6.50E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Dinitrotoluene, 2,6-	3.00E-16	1.25E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Dinitrotoluene, 2,6-	2.81E-13	1.17E-08
				Total	6.98E-10	1.84E-05
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	1.41E-13	5.89E-09

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	1.10E-13	9.47E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	4.20E-16	1.94E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	6.57E-19	6.65E-14
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	3.93E-14	1.67E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	2.71E-16	2.74E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	7.22E-15	3.28E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	4.00E-17	2.71E-12
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	2.19E-14	2.22E-09
				Total	3.21E-13	1.96E-08
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDD, 1,2,3,4,6,7,8-	1.94E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDD, 1,2,3,4,6,7,8-	5.69E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDD, 1,2,3,4,6,7,8-	7.07E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDD, 1,2,3,4,6,7,8-	2.76E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDD, 1,2,3,4,6,7,8-	2.25E-17	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDD, 1,2,3,4,6,7,8-	8.48E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDD, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDD, 1,2,3,4,6,7,8-	7.07E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDD, 1,2,3,4,6,7,8-	5.27E-15	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDD, 1,2,3,4,6,7,8-	2.21E-14	0.00E+00
				Total	2.01E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	HeptaCDF, 1,2,3,4,6,7,8-	7.54E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	HeptaCDF, 1,2,3,4,6,7,8-	2.42E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	HeptaCDF, 1,2,3,4,6,7,8-	4.02E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	HeptaCDF, 1,2,3,4,6,7,8-	9.76E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	HeptaCDF, 1,2,3,4,6,7,8-	1.64E-16	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	HeptaCDF, 1,2,3,4,6,7,8-	3.00E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	HeptaCDF, 1,2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	HeptaCDF, 1,2,3,4,6,7,8-	4.03E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	HeptaCDF, 1,2,3,4,6,7,8-	2.95E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	HeptaCDF, 1,2,3,4,6,7,8-	9.51E-14	0.00E+00
				Total	8.85E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,4,7,8-	4.76E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,4,7,8-	1.45E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,4,7,8-	9.32E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,4,7,8-	3.31E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,4,7,8-	4.82E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,4,7,8-	4.43E-11	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,4,7,8-	9.24E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,4,7,8-	7.76E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,4,7,8-	6.43E-13	0.00E+00
				Total	1.82E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 1,2,3,6,7,8-	1.87E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 1,2,3,6,7,8-	5.72E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 1,2,3,6,7,8-	3.20E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 1,2,3,6,7,8-	1.35E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 1,2,3,6,7,8-	1.92E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 1,2,3,6,7,8-	1.77E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 1,2,3,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 1,2,3,6,7,8-	3.17E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 1,2,3,6,7,8-	2.67E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 1,2,3,6,7,8-	2.56E-12	0.00E+00
				Total	6.75E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	HexaCDF, 2,3,4,6,7,8-	2.25E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	HexaCDF, 2,3,4,6,7,8-	6.89E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	HexaCDF, 2,3,4,6,7,8-	3.27E-12	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	HexaCDF, 2,3,4,6,7,8-	8.05E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	HexaCDF, 2,3,4,6,7,8-	2.29E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	HexaCDF, 2,3,4,6,7,8-	1.29E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	HexaCDF, 2,3,4,6,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	HexaCDF, 2,3,4,6,7,8-	3.25E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	HexaCDF, 2,3,4,6,7,8-	2.74E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	HexaCDF, 2,3,4,6,7,8-	3.12E-13	0.00E+00
				Total	5.82E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Hydrogen chloride	0.00E+00	5.14E-07
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Hydrogen chloride	0.00E+00	9.74E-17
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Hydrogen chloride	0.00E+00	1.56E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Hydrogen chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Hydrogen chloride	0.00E+00	6.23E-09
				Total	0.00E+00	5.22E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Lead	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Lead	0.00E+00	0.00E+00
				Total	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Mercuric chloride	0.00E+00	4.20E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Mercuric chloride	0.00E+00	8.40E-07
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Mercuric chloride	0.00E+00	5.30E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Mercuric chloride	0.00E+00	6.56E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Mercuric chloride	0.00E+00	2.55E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Mercuric chloride	0.00E+00	6.76E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Mercuric chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Mercuric chloride	0.00E+00	8.26E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Mercuric chloride	0.00E+00	1.50E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Mercuric chloride	0.00E+00	3.91E-07
				Total	0.00E+00	2.17E-06
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Mercury	0.00E+00	6.15E-10
				Total	0.00E+00	6.15E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Methyl mercury	0.00E+00	1.87E-07
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Methyl mercury	0.00E+00	2.12E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Methyl mercury	0.00E+00	5.95E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Methyl mercury	0.00E+00	2.19E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Methyl mercury	0.00E+00	6.14E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Methyl mercury	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Methyl mercury	0.00E+00	4.66E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Methyl mercury	0.00E+00	1.81E-12
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Methyl mercury	0.00E+00	2.38E-08
				Total	0.00E+00	2.82E-07
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Naphthalene	0.00E+00	2.40E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Naphthalene	0.00E+00	8.07E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Naphthalene	0.00E+00	5.91E-13
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Naphthalene	0.00E+00	7.50E-15

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Naphthalene	0.00E+00	5.40E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Naphthalene	0.00E+00	3.10E-12
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Naphthalene	0.00E+00	1.12E-11
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Naphthalene	0.00E+00	2.39E-13
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Naphthalene	0.00E+00	4.62E-11
				Total	0.00E+00	1.06E-08
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDD, 1,2,3,4,6,7,8,9-	2.71E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDD, 1,2,3,4,6,7,8,9-	7.81E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDD, 1,2,3,4,6,7,8,9-	6.45E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDD, 1,2,3,4,6,7,8,9-	4.59E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDD, 1,2,3,4,6,7,8,9-	1.28E-17	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDD, 1,2,3,4,6,7,8,9-	4.27E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDD, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDD, 1,2,3,4,6,7,8,9-	6.40E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDD, 1,2,3,4,6,7,8,9-	4.94E-16	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDD, 1,2,3,4,6,7,8,9-	2.84E-15	0.00E+00
				Total	1.32E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	OctaCDF, 1,2,3,4,6,7,8,9-	2.69E-16	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	OctaCDF, 1,2,3,4,6,7,8,9-	7.28E-16	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	OctaCDF, 1,2,3,4,6,7,8,9-	6.33E-16	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	OctaCDF, 1,2,3,4,6,7,8,9-	1.80E-16	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	OctaCDF, 1,2,3,4,6,7,8,9-	8.22E-20	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	OctaCDF, 1,2,3,4,6,7,8,9-	3.35E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	OctaCDF, 1,2,3,4,6,7,8,9-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	OctaCDF, 1,2,3,4,6,7,8,9-	6.28E-15	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	OctaCDF, 1,2,3,4,6,7,8,9-	4.83E-17	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	OctaCDF, 1,2,3,4,6,7,8,9-	2.82E-16	0.00E+00
				Total	1.18E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 1,2,3,7,8-	6.04E-13	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 1,2,3,7,8-	2.53E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 1,2,3,7,8-	6.94E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 1,2,3,7,8-	1.71E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 1,2,3,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 1,2,3,7,8-	6.86E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 1,2,3,7,8-	7.03E-13	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 1,2,3,7,8-	2.02E-12	0.00E+00
				Total	8.14E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	PentaCDF, 2,3,4,7,8-	1.09E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	PentaCDF, 2,3,4,7,8-	4.02E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	PentaCDF, 2,3,4,7,8-	4.58E-11	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	PentaCDF, 2,3,4,7,8-	3.19E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	PentaCDF, 2,3,4,7,8-	2.31E-14	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	PentaCDF, 2,3,4,7,8-	2.56E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	PentaCDF, 2,3,4,7,8-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	PentaCDF, 2,3,4,7,8-	4.53E-10	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	PentaCDF, 2,3,4,7,8-	4.52E-12	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	PentaCDF, 2,3,4,7,8-	2.95E-12	0.00E+00
				Total	1.09E-09	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	Phenol	0.00E+00	1.06E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	Phenol	0.00E+00	2.66E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	Phenol	0.00E+00	4.13E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	Phenol	0.00E+00	4.67E-17
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	Phenol	0.00E+00	8.17E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	Phenol	0.00E+00	1.93E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	Phenol	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	Phenol	0.00E+00	8.16E-14
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	Phenol	0.00E+00	1.57E-15
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	Phenol	0.00E+00	2.22E-12
				Total	0.00E+00	3.59E-09
RCPTR_36	farmer_child	TOCDFMPF	air_crisk_inhale	VX	0.00E+00	2.74E-05
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_ag	VX	0.00E+00	5.20E-05
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_beef	VX	0.00E+00	1.83E-09
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_chick	VX	0.00E+00	8.53E-13
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_dw	VX	0.00E+00	1.95E-04
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_eggs	VX	0.00E+00	3.46E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_fish	VX	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_milk	VX	0.00E+00	3.21E-08
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_pork	VX	0.00E+00	1.42E-10
RCPTR_36	farmer_child	TOCDFMPF	intake_crisk_soil	VX	0.00E+00	2.15E-08
				Total	0.00E+00	2.74E-04
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Acetone	0.00E+00	2.25E-05
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Acetone	0.00E+00	1.31E-05
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Acetone	0.00E+00	2.93E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Acetone	0.00E+00	3.28E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Acetone	0.00E+00	3.11E-06
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Acetone	0.00E+00	1.35E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Acetone	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Acetone	0.00E+00	5.81E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Acetone	0.00E+00	1.11E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Acetone	0.00E+00	8.29E-10
				Total	0.00E+00	3.87E-05
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Barium	0.00E+00	4.37E-06
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Barium	0.00E+00	2.26E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Barium	0.00E+00	3.09E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Barium	0.00E+00	4.84E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Barium	0.00E+00	3.97E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Barium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Barium	0.00E+00	2.72E-08
				Total	0.00E+00	5.02E-06

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Benzene	1.35E-12	3.18E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Benzene	7.22E-15	4.11E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Benzene	4.02E-20	2.28E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Benzene	4.60E-22	2.62E-17
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Benzene	4.58E-15	1.07E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzene	1.90E-19	1.08E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Benzene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Benzene	7.89E-19	4.49E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Benzene	1.53E-20	8.73E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Benzene	1.12E-17	6.40E-13
				Total	1.37E-12	3.23E-08
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Benzoic acid	0.00E+00	1.67E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Benzoic acid	0.00E+00	2.46E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Benzoic acid	0.00E+00	1.87E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Benzoic acid	0.00E+00	2.00E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Benzoic acid	0.00E+00	2.09E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzoic acid	0.00E+00	8.26E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Benzoic acid	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Benzoic acid	0.00E+00	3.66E-13

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Benzoic acid	0.00E+00	6.76E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Benzoic acid	0.00E+00	6.35E-12
				Total	0.00E+00	2.69E-07
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Benzyl alcohol	0.00E+00	1.22E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Benzyl alcohol	0.00E+00	4.32E-06
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Benzyl alcohol	0.00E+00	2.66E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Benzyl alcohol	0.00E+00	3.00E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Benzyl alcohol	0.00E+00	1.50E-06
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Benzyl alcohol	0.00E+00	1.24E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Benzyl alcohol	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Benzyl alcohol	0.00E+00	5.27E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Benzyl alcohol	0.00E+00	1.01E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Benzyl alcohol	0.00E+00	2.08E-09
				Total	0.00E+00	5.95E-06
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Bromoform (Tribromomethane)	6.05E-14	9.04E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Bromoform (Tribromomethane)	6.43E-14	1.15E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Bromoform (Tribromomethane)	6.59E-19	1.18E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Bromoform (Tribromomethane)	7.65E-21	1.37E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Bromoform (Tribromomethane)	1.11E-15	8.21E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Bromoform (Tribromomethane)	3.16E-18	5.66E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Bromoform (Tribromomethane)	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Bromoform (Tribromomethane)	1.29E-17	2.31E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Bromoform (Tribromomethane)	2.54E-19	4.55E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Bromoform (Tribromomethane)	1.49E-16	2.68E-11
				Total	1.26E-13	2.07E-08
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium	0.00E+00	7.98E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium	0.00E+00	1.10E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium	0.00E+00	6.60E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium	0.00E+00	4.19E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium	0.00E+00	9.56E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium	0.00E+00	5.00E-10
				Total	0.00E+00	1.19E-08
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Chromium, hexavalent	2.87E-10	1.60E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Chromium, hexavalent	0.00E+00	4.41E-07

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Chromium, hexavalent	0.00E+00	3.04E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Chromium, hexavalent	0.00E+00	1.04E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Chromium, hexavalent	0.00E+00	4.54E-06
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Chromium, hexavalent	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Chromium, hexavalent	0.00E+00	3.99E-08
				Total	2.87E-10	5.34E-06
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Dimethyl phthalate	0.00E+00	6.13E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Dimethyl phthalate	0.00E+00	1.75E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Dimethyl phthalate	0.00E+00	4.00E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Dimethyl phthalate	0.00E+00	4.48E-17
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Dimethyl phthalate	0.00E+00	2.40E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Dimethyl phthalate	0.00E+00	1.85E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Dimethyl phthalate	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Dimethyl phthalate	0.00E+00	7.89E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Dimethyl phthalate	0.00E+00	1.50E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Dimethyl phthalate	0.00E+00	1.83E-12

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
				Total	0.00E+00	4.21E-09
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylbenzene	0.00E+00	1.99E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylbenzene	0.00E+00	2.39E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylbenzene	0.00E+00	4.06E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylbenzene	0.00E+00	4.93E-18
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylbenzene	0.00E+00	1.95E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylbenzene	0.00E+00	2.04E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylbenzene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylbenzene	0.00E+00	7.77E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylbenzene	0.00E+00	1.60E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylbenzene	0.00E+00	4.10E-14
				Total	0.00E+00	2.25E-10
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Ethylhexyl phthalate, bis-2-	8.14E-13	3.39E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Ethylhexyl phthalate, bis-2-	6.34E-13	5.45E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Ethylhexyl phthalate, bis-2-	2.41E-15	1.11E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Ethylhexyl phthalate, bis-2-	3.78E-18	3.83E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Ethylhexyl phthalate, bis-2-	2.23E-13	9.44E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Ethylhexyl phthalate, bis-2-	1.56E-15	1.58E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Ethylhexyl phthalate, bis-2-	0.00E+00	0.00E+00

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Ethylhexyl phthalate, bis-2-	4.15E-14	1.89E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Ethylhexyl phthalate, bis-2-	2.30E-16	1.56E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Ethylhexyl phthalate, bis-2-	1.26E-13	1.28E-08
				Total	1.84E-12	1.13E-07
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.99E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.74E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Methyl ethyl ketone (2-Butanone)	0.00E+00	5.46E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Methyl ethyl ketone (2-Butanone)	0.00E+00	6.12E-18
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.05E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.53E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Methyl ethyl ketone (2-Butanone)	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Methyl ethyl ketone (2-Butanone)	0.00E+00	1.08E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Methyl ethyl ketone (2-Butanone)	0.00E+00	2.06E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Methyl ethyl ketone (2-Butanone)	0.00E+00	9.49E-13
				Total	0.00E+00	2.77E-08
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Methylene chloride	4.02E-11	3.42E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Methylene chloride	1.61E-12	1.01E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Methylene chloride	1.17E-18	7.39E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Methylene chloride	1.32E-20	8.33E-16

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Methylene chloride	7.65E-13	1.98E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Methylene chloride	5.46E-18	3.44E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Methylene chloride	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Methylene chloride	2.32E-17	1.46E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Methylene chloride	4.45E-19	2.80E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Methylene chloride	7.86E-16	4.95E-11
				Total	4.26E-11	4.63E-07
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Naphthalene	0.00E+00	2.83E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Naphthalene	0.00E+00	9.53E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Naphthalene	0.00E+00	6.98E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Naphthalene	0.00E+00	8.86E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Naphthalene	0.00E+00	6.23E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Naphthalene	0.00E+00	3.66E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Naphthalene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Naphthalene	0.00E+00	1.32E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Naphthalene	0.00E+00	2.82E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Naphthalene	0.00E+00	5.45E-11
				Total	0.00E+00	1.25E-08
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Styrene	0.00E+00	2.19E-11

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Styrene	0.00E+00	3.65E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Styrene	0.00E+00	1.85E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Styrene	0.00E+00	2.23E-18
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Styrene	0.00E+00	1.27E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Styrene	0.00E+00	9.21E-16
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Styrene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Styrene	0.00E+00	3.57E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Styrene	0.00E+00	7.27E-17
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Styrene	0.00E+00	2.32E-14
				Total	0.00E+00	2.57E-11
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Toluene	0.00E+00	1.29E-06
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Toluene	0.00E+00	1.84E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Toluene	0.00E+00	2.33E-13
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Toluene	0.00E+00	2.74E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Toluene	0.00E+00	2.55E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Toluene	0.00E+00	1.13E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Toluene	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Toluene	0.00E+00	4.53E-12
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Toluene	0.00E+00	9.02E-14

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Toluene	0.00E+00	3.81E-11
				Total	0.00E+00	1.31E-06
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Trichloroethane, 1,1,1-	0.00E+00	2.74E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Trichloroethane, 1,1,1-	0.00E+00	3.78E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Trichloroethane, 1,1,1-	0.00E+00	4.23E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Trichloroethane, 1,1,1-	0.00E+00	4.93E-17
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Trichloroethane, 1,1,1-	0.00E+00	8.14E-11
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Trichloroethane, 1,1,1-	0.00E+00	2.03E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Trichloroethane, 1,1,1-	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Trichloroethane, 1,1,1-	0.00E+00	8.29E-14
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Trichloroethane, 1,1,1-	0.00E+00	1.63E-15
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Trichloroethane, 1,1,1-	0.00E+00	8.94E-13
				Total	0.00E+00	2.79E-08
RCPTR_36	farmer_child	TOCDLIC2	air_crisk_inhale	Zinc	0.00E+00	4.92E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_ag	Zinc	0.00E+00	2.24E-07
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_beef	Zinc	0.00E+00	1.14E-09
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_chick	Zinc	0.00E+00	1.87E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_dw	Zinc	0.00E+00	2.09E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_eggs	Zinc	0.00E+00	1.93E-10

Receptor	Scenario	Source	Pathway	COPC	Cancer	Hazard
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_fish	Zinc	0.00E+00	0.00E+00
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_milk	Zinc	0.00E+00	2.25E-08
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_pork	Zinc	0.00E+00	1.13E-10
RCPTR_36	farmer_child	TOCDLIC2	intake_crisk_soil	Zinc	0.00E+00	2.05E-08
				Total	0.00E+00	2.74E-07
Grand Total						73E-06 +04