BEEF CONCENTRATIONS

Date : 12/11/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFBRA	Antimony	5.4632E-008	6.7404E-008
RCPTR_22	farmer_adult	TOCDFBRA	Arsenic	9.2418E-008	9.7198E-008
RCPTR_22	farmer_adult	TOCDFBRA	Barium	7.5745E-009	8.8852E-009
RCPTR_22	farmer_adult	TOCDFBRA	Beryllium	2.4769E-008	2.6822E-008
RCPTR_22	farmer_adult	TOCDFBRA	Cadmium	4.1416E-009	6.3005E-009
RCPTR_22	farmer_adult	TOCDFBRA	Chromium	6.2831E-008	6.3089E-008
RCPTR_22	farmer_adult	TOCDFBRA	Chromium, hexavalent	5.4956E-008	5.6186E-008
RCPTR_22	farmer_adult	TOCDFBRA	Lead	2.5479E-007	2.8673E-007
RCPTR_22	farmer_adult	TOCDFBRA	Mercuric chloride	5.4835E-005	5.6587E-005
RCPTR_22	farmer_adult	TOCDFBRA	Methyl mercury	8.5752E-007	8.7545E-007
RCPTR_22	farmer_adult	TOCDFBRA	Nickel	3.0153E-007	3.2945E-007
RCPTR_22	farmer_adult	TOCDFBRA	Selenium	1.0435E-007	1.0508E-007
RCPTR_22	farmer_adult	TOCDFBRA	Silver	3.4745E-008	3.7909E-008
RCPTR_22	farmer_adult	TOCDFBRA	Thallium (l)	9.4111E-007	9.9941E-007
RCPTR_22	farmer_adult	TOCDFBRA	Zinc	1.5612E-007	2.0944E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Acenaphthene	1.2974E-011	1.9001E-010
RCPTR_22	farmer_adult	TOCDFDFS	Acetone	2.3816E-015	3.8555E-014
RCPTR_22	farmer_adult	TOCDFDFS	Acetophenone	6.2141E-014	1.0008E-012
RCPTR_22	farmer_adult	TOCDFDFS	Aniline	3.7868E-015	6.0275E-014
RCPTR_22	farmer_adult	TOCDFDFS	Anthracene	2.3133E-010	3.3530E-009
RCPTR_22	farmer_adult	TOCDFDFS	Antimony	1.0521E-008	1.2793E-008
RCPTR_22	farmer_adult	TOCDFDFS	Aroclor 1254	1.0968E-011	2.1774E-011
RCPTR_22	farmer_adult	TOCDFDFS	Arsenic	2.0784E-008	2.1777E-008
RCPTR_22	farmer_adult	TOCDFDFS	Barium	9.7152E-008	1.1268E-007
RCPTR_22	farmer_adult	TOCDFDFS	Benzene	2.0402E-016	3.2278E-015
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.3379E-007	3.5455E-007
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.7149E-006	2.8490E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.4222E-006	1.7365E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	4.1766E-006	4.3323E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzoic acid	1.6310E-012	1.5467E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Benzyl alcohol	1.3193E-013	2.1194E-012
RCPTR_22	farmer_adult	TOCDFDFS	Beryllium	4.6648E-009	5.0232E-009
RCPTR_22	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.4531E-014	1.3684E-012
RCPTR_22	farmer_adult	TOCDFDFS	Bromodichloromethane	4.2635E-016	6.8727E-015
RCPTR_22	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.4665E-014	2.3673E-013
RCPTR_22	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.7866E-009	4.8427E-008
RCPTR_22	farmer_adult	TOCDFDFS	Butylbenzylphthalate	5.9384E-009	7.0772E-009
RCPTR_22	farmer_adult	TOCDFDFS	Cadmium	7.0963E-009	1.0522E-008
RCPTR_22	farmer_adult	TOCDFDFS	Carbon disulfide	5.7406E-017	9.1586E-016
RCPTR_22	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.2835E-016	3.6050E-015
RCPTR_22	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.5247E-011	1.1325E-010
RCPTR_22	farmer_adult	TOCDFDFS	Chloroaniline, p-	4.0086E-013	6.3560E-012
RCPTR_22	farmer_adult	TOCDFDFS	Chlorobenzene	6.7940E-016	1.0565E-014
RCPTR_22	farmer_adult	TOCDFDFS	Chloroethane	5.9533E-018	8.4242E-017
RCPTR_22	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	8.8557E-017	1.4258E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.3172E-011	4.9636E-010
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0922E-012	1.7649E-011
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	8.6863E-011	6.3064E-010
RCPTR_22	farmer_adult	TOCDFDFS	Chromium	6.1113E-008	6.1346E-008
RCPTR_22	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.3974E-008	5.5089E-008
RCPTR_22	farmer_adult	TOCDFDFS	Chrysene	7.3229E-007	8.6775E-007
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	9.0535E-009	1.0879E-008
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.0107E+002	1.0107E+002
RCPTR_22	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	5.3759E-005	5.4416E-005
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.2744E-014	1.7558E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.3347E-014	6.3051E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.8141E-014	4.1559E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.0679E-009	1.3811E-009
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	4.2484E-019	6.7235E-018
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.7018E-017	5.9663E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5939E-017	7.4120E-016
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	4.0106E-017	6.4091E-016
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.4543E-017	1.0303E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0976E-011	5.7391E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	3.6687E-016	5.7974E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.1968E-017	6.7414E-016
RCPTR_22	farmer_adult	TOCDFDFS	Diethyl phthalate	1.9416E-009	2.0474E-009
RCPTR_22	farmer_adult	TOCDFDFS	Dimethyl phthalate	4.5109E-013	6.3391E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.7299E-013	1.2032E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.2654E-012	6.1334E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	1.8648E-013	2.3959E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.3459E-013	1.8456E-012
RCPTR_22	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.5840E-014	2.5621E-013
RCPTR_22	farmer_adult	TOCDFDFS	Ethylbenzene	9.4485E-016	1.2895E-014
RCPTR_22	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.6322E-010	1.9576E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Fluoranthene	7.9496E-009	4.1261E-008
RCPTR_22	farmer_adult	TOCDFDFS	Fluorene	5.4191E-011	7.4613E-010
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.7413E-013	1.8237E-013
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.1870E-013	2.2709E-013
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	5.2287E-013	5.4706E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3483E-012	1.4021E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.3557E-013	8.7831E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.0848E-013	7.4966E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	9.4681E-013	1.0086E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	8.2047E-013	8.7372E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.3897E-013	8.9308E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.9187E-013	7.3664E-013
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.3808E-012	1.5682E-011
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.6060E-009	3.1792E-008
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.9488E-011	2.0632E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.5655E-013	9.6367E-012
RCPTR_22	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.0777E-004	4.0914E-004
RCPTR_22	farmer_adult	TOCDFDFS	Isophorone	1.1380E-013	1.8320E-012
RCPTR_22	farmer_adult	TOCDFDFS	Lead	5.4671E-008	6.1044E-008
RCPTR_22	farmer_adult	TOCDFDFS	Mercuric chloride	6.7662E-008	6.9937E-008
RCPTR_22	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	3.7896E-018	6.1232E-017
RCPTR_22	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	7.3162E-020	1.1789E-018
RCPTR_22	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.4184E-016	7.1508E-015
RCPTR_22	farmer_adult	TOCDFDFS	Methyl mercury	9.6456E-010	9.8784E-010
RCPTR_22	farmer_adult	TOCDFDFS	Methylene chloride	2.4692E-015	3.9831E-014
RCPTR_22	farmer_adult	TOCDFDFS	Naphthalene	7.8232E-013	1.1988E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nickel	6.2837E-007	6.8210E-007
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.9479E-012	3.0876E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.5696E-013	7.3485E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.9378E-013	9.4952E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrobenzene	1.9142E-013	3.0923E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.7438E-014	1.4078E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 4-	9.0990E-012	2.1504E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0995E-013	1.7440E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0915E-013	1.7138E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.0457E-014	1.5354E-013
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.2191E-013	4.4745E-013
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2710E-013	1.3462E-013
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.5384E-012	2.6599E-012
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.3272E-013	2.5143E-013
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.1112E-013	9.8206E-013
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.4607E-011	5.8745E-010
RCPTR_22	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	5.5689E-012	4.6395E-011
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorophenol	3.1469E-009	4.6916E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Phenanthrene	1.6520E-013	2.3640E-012
RCPTR_22	farmer_adult	TOCDFDFS	Phenol	1.5374E-013	2.4496E-012
RCPTR_22	farmer_adult	TOCDFDFS	Pronamide	3.4247E-011	4.6789E-010
RCPTR_22	farmer_adult	TOCDFDFS	Pyrene	1.0475E-008	5.5777E-008
RCPTR_22	farmer_adult	TOCDFDFS	Selenium	2.3473E-008	2.3624E-008
RCPTR_22	farmer_adult	TOCDFDFS	Silver	3.1249E-008	3.3877E-008
RCPTR_22	farmer_adult	TOCDFDFS	Styrene	7.9279E-015	1.2575E-013
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1606E-012	1.2886E-012
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	5.4507E-013	6.2956E-013
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.6093E-011	1.8924E-010
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.2790E-012	5.7135E-012
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.7327E-016	4.3350E-015
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.0578E-010	1.3357E-009
RCPTR_22	farmer_adult	TOCDFDFS	Thallium (l)	4.1804E-006	4.4194E-006
RCPTR_22	farmer_adult	TOCDFDFS	Toluene	1.3971E-015	2.1338E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	6.4598E-013	8.6608E-012
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.7517E-016	2.8009E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.8915E-015	3.0437E-014
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethylene	3.1137E-016	4.9482E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.0865E-017	6.5033E-016
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	7.4025E-011	8.3056E-010
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	2.5279E-011	1.6840E-010
RCPTR_22	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	7.0245E-015	1.1265E-013
RCPTR_22	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.1943E-014	9.5185E-013
RCPTR_22	farmer_adult	TOCDFDFS	VX	4.4970E-012	4.7376E-012
RCPTR_22	farmer_adult	TOCDFDFS	Vinyl Chloride	5.1988E-020	8.3339E-019
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, m-	5.6562E-014	1.1544E-013
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, o-	4.9015E-014	1.1614E-013
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, p-	5.4984E-014	1.4630E-013
RCPTR_22	farmer_adult	TOCDFLIC	Acenaphthene	8.0195E-012	1.1713E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Acetone	3.6262E-013	5.8704E-012
RCPTR_22	farmer_adult	TOCDFLIC	Acetophenone	3.8305E-014	6.1679E-013
RCPTR_22	farmer_adult	TOCDFLIC	Aniline	2.3353E-015	3.7149E-014
RCPTR_22	farmer_adult	TOCDFLIC	Anthracene	1.4292E-010	2.0668E-009
RCPTR_22	farmer_adult	TOCDFLIC	Antimony	1.6116E-007	1.9544E-007
RCPTR_22	farmer_adult	TOCDFLIC	Arsenic	1.7460E-007	1.8281E-007
RCPTR_22	farmer_adult	TOCDFLIC	Barium	2.6877E-008	3.1107E-008
RCPTR_22	farmer_adult	TOCDFLIC	Benzene	4.9603E-016	7.8412E-015
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.4696E-007	2.2116E-007
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.6930E-006	1.7727E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	8.9860E-007	1.0915E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.6119E-006	2.7030E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzoic acid	1.5830E-012	1.4769E-011
RCPTR_22	farmer_adult	TOCDFLIC	Benzyl alcohol	9.9698E-012	1.6012E-010
RCPTR_22	farmer_adult	TOCDFLIC	Beryllium	9.1624E-009	9.8559E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	5.2097E-014	8.4333E-013
RCPTR_22	farmer_adult	TOCDFLIC	Bromodichloromethane	3.0558E-017	4.9251E-016
RCPTR_22	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.9338E-014	4.7353E-013
RCPTR_22	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.9489E-009	2.9844E-008
RCPTR_22	farmer_adult	TOCDFLIC	Butylbenzylphthalate	9.7642E-010	1.1649E-009
RCPTR_22	farmer_adult	TOCDFLIC	Cadmium	2.1756E-009	3.2099E-009
RCPTR_22	farmer_adult	TOCDFLIC	Carbon disulfide	2.0474E-018	3.2647E-017
RCPTR_22	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.6379E-017	2.5835E-016
RCPTR_22	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	9.6305E-012	7.0029E-011
RCPTR_22	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.4726E-013	3.9174E-012
RCPTR_22	farmer_adult	TOCDFLIC	Chlorobenzene	9.7342E-017	1.5117E-015
RCPTR_22	farmer_adult	TOCDFLIC	Chloroethane	3.1667E-018	4.4569E-017
RCPTR_22	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.2673E-017	2.0400E-016
RCPTR_22	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.0500E-011	3.0596E-010
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenol, 2-	6.7316E-013	1.0877E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.4383E-011	3.8951E-010
RCPTR_22	farmer_adult	TOCDFLIC	Chromium	1.4118E-007	1.4171E-007
RCPTR_22	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.2491E-007	1.2745E-007
RCPTR_22	farmer_adult	TOCDFLIC	Chrysene	4.6340E-007	5.4635E-007
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.7246E-009	4.4502E-009
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.9902E+000	1.9902E+000
RCPTR_22	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	3.3921E-005	3.4294E-005
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	3.6062E-014	4.9432E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	4.1257E-014	5.9798E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	3.9103E-014	5.7570E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.1327E-009	1.4586E-009
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.2466E-019	3.5557E-018
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	5.2973E-018	8.5363E-017
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.8942E-017	1.1122E-015
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	2.1221E-017	3.3895E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.4154E-017	5.4487E-016
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	9.5538E-012	4.8739E-011
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.8517E-017	2.9235E-016
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.0052E-018	9.6453E-017
RCPTR_22	farmer_adult	TOCDFLIC	Diethyl phthalate	2.4207E-010	2.5471E-010
RCPTR_22	farmer_adult	TOCDFLIC	Dimethyl phthalate	5.7056E-013	7.9984E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	4.7725E-013	7.4160E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.9199E-013	7.7357E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	5.3116E-013	6.8205E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	3.8457E-013	5.2552E-012
RCPTR_22	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	9.7625E-015	1.5790E-013
RCPTR_22	farmer_adult	TOCDFLIC	Ethylbenzene	5.9787E-016	8.1169E-015
RCPTR_22	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.4970E-010	4.2016E-010
RCPTR_22	farmer_adult	TOCDFLIC	Fluoranthene	4.9914E-009	2.5518E-008
RCPTR_22	farmer_adult	TOCDFLIC	Fluorene	3.3558E-011	4.6000E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0202E-012	1.0663E-012
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.4861E-012	3.6119E-012
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.1954E-012	8.5566E-012
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.4328E-012	8.7509E-012
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.1087E-012	5.3590E-012
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.2621E-012	4.5023E-012
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.8241E-012	6.1957E-012
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.0537E-012	5.3745E-012
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.1818E-012	5.5083E-012
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.2679E-012	4.5377E-012
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.5547E-013	9.6692E-012
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.6185E-009	1.9605E-008
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	2.4389E-012	2.5701E-011
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.0638E-013	5.9408E-012
RCPTR_22	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.6071E-004	2.6148E-004
RCPTR_22	farmer_adult	TOCDFLIC	Isophorone	7.0156E-014	1.1291E-012
RCPTR_22	farmer_adult	TOCDFLIC	Lead	2.8637E-008	3.1927E-008
RCPTR_22	farmer_adult	TOCDFLIC	Mercuric chloride	2.9448E-009	3.0451E-009
RCPTR_22	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.8168E-018	6.1668E-017
RCPTR_22	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.2215E-019	3.5795E-018
RCPTR_22	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.0612E-015	6.5725E-014
RCPTR_22	farmer_adult	TOCDFLIC	Methyl mercury	4.0963E-011	4.1988E-011
RCPTR_22	farmer_adult	TOCDFLIC	Methylene chloride	5.5081E-014	8.8841E-013
RCPTR_22	farmer_adult	TOCDFLIC	Naphthalene	1.8274E-013	2.7952E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nickel	3.1595E-007	3.4254E-007
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.2156E-012	1.9257E-011
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.8503E-013	4.5830E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.3899E-014	1.1822E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrobenzene	1.1798E-013	1.9058E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.6998E-013	4.3462E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.1774E-012	2.7218E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.7827E-014	1.0749E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	6.7365E-014	1.0563E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	6.4093E-015	9.4589E-014
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.5244E-012	1.6145E-012
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.5136E-012	1.6010E-012
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.8568E-011	1.9415E-011
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.7061E-012	2.9177E-012
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0455E-011	1.1249E-011
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.9527E-011	3.6560E-010
RCPTR_22	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.4038E-012	2.8865E-011
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorophenol	2.0208E-009	2.9728E-009
RCPTR_22	farmer_adult	TOCDFLIC	Phenanthrene	1.0220E-013	1.4574E-012
RCPTR_22	farmer_adult	TOCDFLIC	Phenol	9.4817E-014	1.5097E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Pronamide	1.0620E-011	1.4425E-010
RCPTR_22	farmer_adult	TOCDFLIC	Pyrene	6.5331E-009	3.4449E-008
RCPTR_22	farmer_adult	TOCDFLIC	Selenium	1.9720E-007	1.9845E-007
RCPTR_22	farmer_adult	TOCDFLIC	Silver	5.2502E-007	5.6848E-007
RCPTR_22	farmer_adult	TOCDFLIC	Styrene	4.6741E-016	7.4091E-015
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	2.4050E-012	2.6644E-012
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.3829E-013	7.3506E-013
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.0029E-011	1.1674E-010
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	3.1965E-013	4.2244E-013
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.9586E-017	3.1065E-016
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.6223E-010	8.4217E-010
RCPTR_22	farmer_adult	TOCDFLIC	Thallium (l)	6.9945E-007	7.3883E-007
RCPTR_22	farmer_adult	TOCDFLIC	Toluene	6.1158E-013	9.3219E-012
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.3624E-013	4.4697E-012
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.8582E-015	2.9700E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.0006E-015	1.6097E-014
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethylene	1.6478E-016	2.6169E-015
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.1625E-017	3.4394E-016
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	4.6266E-011	5.1252E-010
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.6000E-011	1.0420E-010
RCPTR_22	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.7161E-015	5.9577E-014
RCPTR_22	farmer_adult	TOCDFLIC	VX	1.7999E-012	1.8922E-012
RCPTR_22	farmer_adult	TOCDFLIC	Vinyl Chloride	4.8918E-021	7.8442E-020
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, m-	1.9016E-014	4.0288E-014
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, o-	1.0499E-014	2.5928E-014
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, p-	1.8544E-014	5.1534E-014
RCPTR_22	farmer_adult	TOCDFLIC	Zinc	3.8638E-008	5.0655E-008
RCPTR_22	farmer_adult	TOCDFMPF	Acenaphthene	1.4648E-012	2.1393E-011
RCPTR_22	farmer_adult	TOCDFMPF	Acetone	1.5385E-017	2.4906E-016
RCPTR_22	farmer_adult	TOCDFMPF	Acetophenone	1.6279E-013	2.6212E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Aniline	9.9245E-015	1.5787E-013
RCPTR_22	farmer_adult	TOCDFMPF	Anthracene	1.4991E-011	2.1678E-010
RCPTR_22	farmer_adult	TOCDFMPF	Arsenic	8.4586E-009	8.8564E-009
RCPTR_22	farmer_adult	TOCDFMPF	Barium	3.0027E-009	3.4755E-009
RCPTR_22	farmer_adult	TOCDFMPF	Benzene	8.6894E-017	1.3736E-015
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.3561E-008	2.0406E-008
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)pyrene	2.8807E-007	3.0164E-007
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.3005E-007	1.5796E-007
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	3.8764E-007	4.0119E-007
RCPTR_22	farmer_adult	TOCDFMPF	Benzoic acid	3.0286E-013	2.8260E-012
RCPTR_22	farmer_adult	TOCDFMPF	Benzyl alcohol	7.8760E-014	1.2649E-012
RCPTR_22	farmer_adult	TOCDFMPF	Beryllium	1.1511E-009	1.2383E-009
RCPTR_22	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.2093E-014	3.5763E-013
RCPTR_22	farmer_adult	TOCDFMPF	Bromodichloromethane	4.4972E-016	7.2483E-015
RCPTR_22	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5468E-014	2.4967E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.6825E-009	1.7028E-008
RCPTR_22	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.2914E-010	1.5403E-010
RCPTR_22	farmer_adult	TOCDFMPF	Cadmium	6.9177E-009	1.0208E-008
RCPTR_22	farmer_adult	TOCDFMPF	Carbon disulfide	3.0132E-017	4.8047E-016
RCPTR_22	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.4105E-016	3.8022E-015
RCPTR_22	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	4.1092E-012	2.9886E-011
RCPTR_22	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.2661E-014	1.1512E-012
RCPTR_22	farmer_adult	TOCDFMPF	Chlorobenzene	1.4326E-015	2.2247E-014
RCPTR_22	farmer_adult	TOCDFMPF	Chloroethane	4.4435E-018	6.2542E-017
RCPTR_22	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.8651E-016	3.0022E-015
RCPTR_22	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.5960E-012	5.3670E-011
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.4712E-013	3.9931E-012
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.6771E-011	1.2010E-010
RCPTR_22	farmer_adult	TOCDFMPF	Chromium	1.5321E-007	1.5378E-007
RCPTR_22	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.3555E-007	1.3831E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Chrysene	4.7780E-008	5.6334E-008
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	4.3443E-009	5.1906E-009
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.7844E+000	1.7844E+000
RCPTR_22	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	8.9577E-006	9.0567E-006
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2521E-014	1.7163E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3355E-014	1.9357E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.2587E-014	1.8531E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.3825E-010	4.3552E-010
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.1527E-019	4.9896E-018
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.7961E-017	1.2563E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.6743E-017	1.5607E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.9778E-017	4.7564E-016
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.7926E-017	7.6459E-016
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.7308E-012	1.9037E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.7252E-016	4.3025E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.8380E-017	1.4195E-015
RCPTR_22	farmer_adult	TOCDFMPF	Diethyl phthalate	5.1573E-010	5.4267E-010
RCPTR_22	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.2849E-014	4.6045E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.8771E-013	2.9169E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.5959E-013	1.4827E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	7.3024E-013	9.3742E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	4.7990E-013	6.5575E-012
RCPTR_22	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.1488E-014	6.7104E-013
RCPTR_22	farmer_adult	TOCDFMPF	Ethylbenzene	1.0021E-015	1.3605E-014
RCPTR_22	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.0431E-011	7.2582E-011
RCPTR_22	farmer_adult	TOCDFMPF	Fluoranthene	3.8730E-010	1.9798E-009
RCPTR_22	farmer_adult	TOCDFMPF	Fluorene	5.0978E-012	6.9876E-011
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1214E-013	1.1722E-013
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.8264E-013	6.0371E-013
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.4110E-013	5.6500E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4641E-012	1.5195E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.8794E-013	9.3152E-013
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.3072E-013	7.7193E-013
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.5742E-012	1.6747E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.3688E-012	5.7097E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.5122E-012	4.7966E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.4467E-013	5.7913E-013
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.7892E-013	5.4120E-012
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorobenzene	8.0345E-010	9.7323E-009
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.6920E-012	1.7824E-011
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.8512E-013	4.1684E-012
RCPTR_22	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.6562E-005	5.6732E-005
RCPTR_22	farmer_adult	TOCDFMPF	Isophorone	1.2497E-014	2.0112E-013
RCPTR_22	farmer_adult	TOCDFMPF	Lead	4.5159E-008	5.0351E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Mercuric chloride	3.1656E-009	3.2732E-009
RCPTR_22	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.8125E-018	4.5440E-017
RCPTR_22	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.6370E-019	2.6375E-018
RCPTR_22	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.8071E-017	1.1016E-015
RCPTR_22	farmer_adult	TOCDFMPF	Methyl mercury	4.4123E-011	4.5224E-011
RCPTR_22	farmer_adult	TOCDFMPF	Methylene chloride	1.7912E-017	2.8890E-016
RCPTR_22	farmer_adult	TOCDFMPF	Naphthalene	1.5358E-013	2.3491E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nickel	1.6551E-007	1.7945E-007
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.5031E-013	2.3811E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 3-	2.8556E-014	4.5914E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 4-	3.2876E-014	5.2591E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nitrobenzene	4.0217E-014	6.4965E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 2-	3.2505E-014	5.2328E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.0482E-012	2.4238E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.8824E-013	4.5679E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.5167E-014	2.3782E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	4.1573E-015	6.1325E-014
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.1710E-013	1.2403E-013
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1533E-014	1.2199E-014
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.0585E-012	3.1983E-012
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.8341E-012	1.9775E-012
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.2783E-012	1.3755E-012
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.3589E-011	3.1023E-010
RCPTR_22	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.4464E-012	1.2247E-011
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorophenol	1.2000E-009	1.7655E-009
RCPTR_22	farmer_adult	TOCDFMPF	Phenanthrene	1.0720E-014	1.5286E-013
RCPTR_22	farmer_adult	TOCDFMPF	Phenol	3.0949E-014	4.9280E-013
RCPTR_22	farmer_adult	TOCDFMPF	Pronamide	4.5129E-011	6.1300E-010
RCPTR_22	farmer_adult	TOCDFMPF	Pyrene	4.7791E-010	2.5200E-009
RCPTR_22	farmer_adult	TOCDFMPF	Selenium	6.2090E-008	6.2484E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Silver	1.6558E-008	1.7929E-008
RCPTR_22	farmer_adult	TOCDFMPF	Styrene	7.1102E-015	1.1271E-013
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.0418E-012	1.1542E-012
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	4.2889E-013	4.9389E-013
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.2617E-011	4.9611E-010
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.0285E-015	4.8255E-014
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.8826E-016	4.5719E-015
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.1120E-010	3.5721E-010
RCPTR_22	farmer_adult	TOCDFMPF	Thallium (l)	1.1228E-006	1.1861E-006
RCPTR_22	farmer_adult	TOCDFMPF	Toluene	3.9445E-016	6.0123E-015
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1310E-013	1.5034E-012
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.8482E-016	2.9540E-015
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.4041E-015	2.2588E-014
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethylene	2.3123E-016	3.6722E-015
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.0346E-017	4.8263E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.0663E-011	2.2893E-010
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	7.2606E-012	4.7297E-011
RCPTR_22	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.2147E-015	8.3602E-014
RCPTR_22	farmer_adult	TOCDFMPF	VX	2.4805E-012	2.6077E-012
RCPTR_22	farmer_adult	TOCDFMPF	Vinyl Chloride	7.4416E-020	1.1932E-018
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, m-	1.5040E-014	3.1782E-014
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, o-	1.3050E-014	3.2136E-014
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, p-	1.4663E-014	4.0628E-014
RCPTR_22	farmer_adult	TOCDHVAC	VX	8.2973E-013	8.8187E-013
RCPTR_22	farmer_adult	TOCDLIC2	Acenaphthene	8.0195E-012	1.1713E-010
RCPTR_22	farmer_adult	TOCDLIC2	Acetone	3.6262E-013	5.8704E-012
RCPTR_22	farmer_adult	TOCDLIC2	Acetophenone	3.8305E-014	6.1679E-013
RCPTR_22	farmer_adult	TOCDLIC2	Aniline	2.3353E-015	3.7149E-014
RCPTR_22	farmer_adult	TOCDLIC2	Anthracene	1.4292E-010	2.0668E-009
RCPTR_22	farmer_adult	TOCDLIC2	Antimony	1.6116E-007	1.9544E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Arsenic	1.7460E-007	1.8281E-007
RCPTR_22	farmer_adult	TOCDLIC2	Barium	2.6877E-008	3.1107E-008
RCPTR_22	farmer_adult	TOCDLIC2	Benzene	4.9603E-016	7.8412E-015
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.4696E-007	2.2116E-007
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.6930E-006	1.7727E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	8.9860E-007	1.0915E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.6119E-006	2.7030E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzoic acid	1.5830E-012	1.4769E-011
RCPTR_22	farmer_adult	TOCDLIC2	Benzyl alcohol	9.9698E-012	1.6012E-010
RCPTR_22	farmer_adult	TOCDLIC2	Beryllium	9.1624E-009	9.8559E-009
RCPTR_22	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.2097E-014	8.4333E-013
RCPTR_22	farmer_adult	TOCDLIC2	Bromodichloromethane	3.0558E-017	4.9251E-016
RCPTR_22	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.9338E-014	4.7353E-013
RCPTR_22	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	2.9489E-009	2.9844E-008
RCPTR_22	farmer_adult	TOCDLIC2	Butylbenzylphthalate	9.7642E-010	1.1649E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Cadmium	2.1756E-009	3.2099E-009
RCPTR_22	farmer_adult	TOCDLIC2	Carbon disulfide	2.0474E-018	3.2647E-017
RCPTR_22	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6379E-017	2.5835E-016
RCPTR_22	farmer_adult	TOCDLIC2	Chlorine	4.5123E-008	7.3073E-007
RCPTR_22	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	9.6305E-012	7.0029E-011
RCPTR_22	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.4726E-013	3.9174E-012
RCPTR_22	farmer_adult	TOCDLIC2	Chlorobenzene	9.7342E-017	1.5117E-015
RCPTR_22	farmer_adult	TOCDLIC2	Chloroethane	3.1667E-018	4.4569E-017
RCPTR_22	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.2673E-017	2.0400E-016
RCPTR_22	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.0500E-011	3.0596E-010
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenol, 2-	6.7316E-013	1.0877E-011
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.4383E-011	3.8951E-010
RCPTR_22	farmer_adult	TOCDLIC2	Chromium	1.4118E-007	1.4171E-007
RCPTR_22	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.2491E-007	1.2745E-007
RCPTR_22	farmer_adult	TOCDLIC2	Chrysene	4.6340E-007	5.4635E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.7246E-009	4.4502E-009
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.9902E+000	1.9902E+000
RCPTR_22	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	3.3921E-005	3.4294E-005
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.6062E-014	4.9432E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.1257E-014	5.9798E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	3.9103E-014	5.7570E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1327E-009	1.4586E-009
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.2466E-019	3.5557E-018
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.1250E-018	8.2587E-017
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.8942E-017	1.1122E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.1221E-017	3.3895E-016
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.4154E-017	5.4487E-016
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	9.5538E-012	4.8739E-011
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.8517E-017	2.9235E-016
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.0052E-018	9.6453E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Diethyl phthalate	2.4207E-010	2.5471E-010
RCPTR_22	farmer_adult	TOCDLIC2	Dimethyl phthalate	5.7056E-013	7.9984E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	4.7725E-013	7.4160E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.9199E-013	7.7357E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.3116E-013	6.8205E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.8457E-013	5.2552E-012
RCPTR_22	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	9.7625E-015	1.5790E-013
RCPTR_22	farmer_adult	TOCDLIC2	Ethylbenzene	5.9787E-016	8.1169E-015
RCPTR_22	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.4970E-010	4.2016E-010
RCPTR_22	farmer_adult	TOCDLIC2	Fluoranthene	4.9914E-009	2.5518E-008
RCPTR_22	farmer_adult	TOCDLIC2	Fluorene	3.3558E-011	4.6000E-010
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.0202E-012	1.0663E-012
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.2031E-011	1.2465E-011
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.8282E-011	2.9529E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	8.4328E-012	8.7509E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.1087E-012	5.3590E-012
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.2621E-012	4.5023E-012
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.8241E-012	6.1957E-012
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.0537E-012	5.3745E-012
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.1818E-012	5.5083E-012
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.2679E-012	4.5377E-012
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.5547E-013	9.6692E-012
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.6185E-009	1.9605E-008
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.4389E-012	2.5701E-011
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.0638E-013	5.9408E-012
RCPTR_22	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.6071E-004	2.6148E-004
RCPTR_22	farmer_adult	TOCDLIC2	Isophorone	7.0156E-014	1.1291E-012
RCPTR_22	farmer_adult	TOCDLIC2	Lead	2.8637E-008	3.1927E-008
RCPTR_22	farmer_adult	TOCDLIC2	Mercuric chloride	2.9448E-009	3.0451E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.8168E-018	6.1668E-017
RCPTR_22	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.1123E-020	1.7922E-019
RCPTR_22	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.0612E-015	6.5725E-014
RCPTR_22	farmer_adult	TOCDLIC2	Methyl mercury	4.0963E-011	4.1988E-011
RCPTR_22	farmer_adult	TOCDLIC2	Methylene chloride	5.5081E-014	8.8841E-013
RCPTR_22	farmer_adult	TOCDLIC2	Naphthalene	1.8274E-013	2.7952E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nickel	3.1595E-007	3.4254E-007
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.2156E-012	1.9257E-011
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 3-	2.8503E-013	4.5830E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.7017E-013	5.9216E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrobenzene	1.1798E-013	1.9058E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 2-	5.3897E-014	8.6766E-013
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 4-	5.8976E-012	1.3634E-011
RCPTR_22	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.7827E-014	1.0749E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	6.7365E-014	1.0563E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	6.4093E-015	9.4589E-014
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.5244E-012	1.6145E-012
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.5136E-012	1.6010E-012
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.8568E-011	1.9415E-011
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.7061E-012	2.9177E-012
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.0455E-011	1.1249E-011
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.8911E-012	7.2987E-011
RCPTR_22	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.4038E-012	2.8865E-011
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorophenol	1.0123E-008	1.4891E-008
RCPTR_22	farmer_adult	TOCDLIC2	Phenanthrene	1.0220E-013	1.4574E-012
RCPTR_22	farmer_adult	TOCDLIC2	Phenol	9.4817E-014	1.5097E-012
RCPTR_22	farmer_adult	TOCDLIC2	Pronamide	1.0620E-011	1.4425E-010
RCPTR_22	farmer_adult	TOCDLIC2	Pyrene	6.5331E-009	3.4449E-008
RCPTR_22	farmer_adult	TOCDLIC2	Selenium	1.9720E-007	1.9845E-007
RCPTR_22	farmer_adult	TOCDLIC2	Silver	5.2502E-007	5.6848E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Styrene	4.6741E-016	7.4091E-015
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.4050E-012	2.6644E-012
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.3829E-013	7.3506E-013
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0029E-011	1.1674E-010
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	3.1965E-013	4.2244E-013
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9586E-017	3.1065E-016
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.6223E-010	8.4217E-010
RCPTR_22	farmer_adult	TOCDLIC2	Thallium (l)	6.9945E-007	7.3883E-007
RCPTR_22	farmer_adult	TOCDLIC2	Toluene	6.1158E-013	9.3219E-012
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.3624E-013	4.4697E-012
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.8582E-015	2.9700E-014
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.0006E-015	1.6097E-014
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethylene	1.6478E-016	2.6169E-015
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.1625E-017	3.4394E-016
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.6266E-011	5.1252E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.6000E-011	1.0420E-010
RCPTR_22	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.7161E-015	5.9577E-014
RCPTR_22	farmer_adult	TOCDLIC2	VX	1.8712E-012	1.9671E-012
RCPTR_22	farmer_adult	TOCDLIC2	Vinyl Chloride	4.8918E-021	7.8442E-020
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, m-	1.9016E-014	4.0288E-014
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, o-	1.0499E-014	2.5928E-014
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, p-	1.8544E-014	5.1534E-014
RCPTR_22	farmer_adult	TOCDLIC2	Zinc	3.8638E-008	5.0655E-008
RCPTR_22	farmer_child	TOCDFBRA	Antimony	5.9735E-008	6.7404E-008
RCPTR_22	farmer_child	TOCDFBRA	Arsenic	9.4231E-008	9.7198E-008
RCPTR_22	farmer_child	TOCDFBRA	Barium	8.0904E-009	8.8852E-009
RCPTR_22	farmer_child	TOCDFBRA	Beryllium	2.5935E-008	2.6822E-008
RCPTR_22	farmer_child	TOCDFBRA	Cadmium	5.1075E-009	6.3005E-009
RCPTR_22	farmer_child	TOCDFBRA	Chromium	6.1398E-008	6.3089E-008
RCPTR_22	farmer_child	TOCDFBRA	Chromium, hexavalent	5.5416E-008	5.6186E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFBRA	Lead	2.7240E-007	2.8673E-007
RCPTR_22	farmer_child	TOCDFBRA	Mercuric chloride	4.8614E-005	5.6587E-005
RCPTR_22	farmer_child	TOCDFBRA	Methyl mercury	8.5059E-007	8.7545E-007
RCPTR_22	farmer_child	TOCDFBRA	Nickel	3.1358E-007	3.2945E-007
RCPTR_22	farmer_child	TOCDFBRA	Selenium	1.0462E-007	1.0508E-007
RCPTR_22	farmer_child	TOCDFBRA	Silver	3.5925E-008	3.7909E-008
RCPTR_22	farmer_child	TOCDFBRA	Thallium (l)	9.6683E-007	9.9941E-007
RCPTR_22	farmer_child	TOCDFBRA	Zinc	1.7888E-007	2.0944E-007
RCPTR_22	farmer_child	TOCDFDFS	Acenaphthene	7.9001E-011	1.9001E-010
RCPTR_22	farmer_child	TOCDFDFS	Acetone	1.5872E-014	3.8555E-014
RCPTR_22	farmer_child	TOCDFDFS	Acetophenone	4.1221E-013	1.0008E-012
RCPTR_22	farmer_child	TOCDFDFS	Aniline	2.4854E-014	6.0275E-014
RCPTR_22	farmer_child	TOCDFDFS	Anthracene	1.3956E-009	3.3530E-009
RCPTR_22	farmer_child	TOCDFDFS	Antimony	1.1429E-008	1.2793E-008
RCPTR_22	farmer_child	TOCDFDFS	Aroclor 1254	1.4998E-011	2.1774E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Arsenic	2.1161E-008	2.1777E-008
RCPTR_22	farmer_child	TOCDFDFS	Barium	1.0326E-007	1.1268E-007
RCPTR_22	farmer_child	TOCDFDFS	Benzene	1.3317E-015	3.2278E-015
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.9494E-007	3.5455E-007
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.7796E-006	2.8490E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.5788E-006	1.7365E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	4.2700E-006	4.3323E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzoic acid	6.7912E-012	1.5467E-011
RCPTR_22	farmer_child	TOCDFDFS	Benzyl alcohol	8.7314E-013	2.1194E-012
RCPTR_22	farmer_child	TOCDFDFS	Beryllium	4.8683E-009	5.0232E-009
RCPTR_22	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.6334E-013	1.3684E-012
RCPTR_22	farmer_child	TOCDFDFS	Bromodichloromethane	2.8305E-015	6.8727E-015
RCPTR_22	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.7484E-014	2.3673E-013
RCPTR_22	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.6858E-008	4.8427E-008
RCPTR_22	farmer_child	TOCDFDFS	Butylbenzylphthalate	6.3631E-009	7.0772E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Cadmium	8.6289E-009	1.0522E-008
RCPTR_22	farmer_child	TOCDFDFS	Carbon disulfide	3.7756E-016	9.1586E-016
RCPTR_22	farmer_child	TOCDFDFS	Carbon tetrachloride	1.4877E-015	3.6050E-015
RCPTR_22	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	5.1797E-011	1.1325E-010
RCPTR_22	farmer_child	TOCDFDFS	Chloroaniline, p-	2.6218E-012	6.3560E-012
RCPTR_22	farmer_child	TOCDFDFS	Chlorobenzene	4.3661E-015	1.0565E-014
RCPTR_22	farmer_child	TOCDFDFS	Chloroethane	3.5151E-017	8.4242E-017
RCPTR_22	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.8728E-016	1.4258E-015
RCPTR_22	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.0592E-010	4.9636E-010
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.2671E-012	1.7649E-011
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.8966E-010	6.3064E-010
RCPTR_22	farmer_child	TOCDFDFS	Chromium	5.9814E-008	6.1346E-008
RCPTR_22	farmer_child	TOCDFDFS	Chromium, hexavalent	5.4391E-008	5.5089E-008
RCPTR_22	farmer_child	TOCDFDFS	Chrysene	8.0684E-007	8.6775E-007
RCPTR_22	farmer_child	TOCDFDFS	Di-n-butyl phthalate	9.7342E-009	1.0879E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.0107E+002	1.0107E+002
RCPTR_22	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	5.4121E-005	5.4416E-005
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	7.3475E-014	1.7558E-013
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.6233E-013	6.3051E-013
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.7264E-013	4.1559E-013
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.1847E-009	1.3811E-009
RCPTR_22	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.7739E-018	6.7235E-018
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.4572E-016	5.9663E-016
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0523E-016	7.4120E-016
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.6417E-016	6.4091E-016
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.2471E-016	1.0303E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.8286E-011	5.7391E-011
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	2.3921E-015	5.7974E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.7774E-016	6.7414E-016
RCPTR_22	farmer_child	TOCDFDFS	Diethyl phthalate	1.9811E-009	2.0474E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Dimethyl phthalate	2.6470E-012	6.3391E-012
RCPTR_22	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.9719E-012	1.2032E-011
RCPTR_22	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	3.7080E-012	6.1334E-012
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.0105E-012	2.3959E-012
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	7.7271E-013	1.8456E-012
RCPTR_22	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.0548E-013	2.5621E-013
RCPTR_22	farmer_child	TOCDFDFS	Ethylbenzene	5.4015E-015	1.2895E-014
RCPTR_22	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.7535E-010	1.9576E-010
RCPTR_22	farmer_child	TOCDFDFS	Fluoranthene	2.2153E-008	4.1261E-008
RCPTR_22	farmer_child	TOCDFDFS	Fluorene	3.1225E-010	7.4613E-010
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.7891E-013	1.8237E-013
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.2357E-013	2.2709E-013
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	5.3691E-013	5.4706E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3795E-012	1.4021E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.6040E-013	8.7831E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.3240E-013	7.4966E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	9.8268E-013	1.0086E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	8.5139E-013	8.7372E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.7040E-013	8.9308E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	7.1787E-013	7.3664E-013
RCPTR_22	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.7143E-012	1.5682E-011
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorobenzene	1.3545E-008	3.1792E-008
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	8.9167E-011	2.0632E-010
RCPTR_22	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.0057E-012	9.6367E-012
RCPTR_22	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.0848E-004	4.0914E-004
RCPTR_22	farmer_child	TOCDFDFS	Isophorone	7.5459E-013	1.8320E-012
RCPTR_22	farmer_child	TOCDFDFS	Lead	5.8184E-008	6.1044E-008
RCPTR_22	farmer_child	TOCDFDFS	Mercuric chloride	5.9586E-008	6.9937E-008
RCPTR_22	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.5212E-017	6.1232E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	4.8555E-019	1.1789E-018
RCPTR_22	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.9439E-015	7.1508E-015
RCPTR_22	farmer_child	TOCDFDFS	Methyl mercury	9.5556E-010	9.8784E-010
RCPTR_22	farmer_child	TOCDFDFS	Methylene chloride	1.6403E-014	3.9831E-014
RCPTR_22	farmer_child	TOCDFDFS	Naphthalene	4.9613E-012	1.1988E-011
RCPTR_22	farmer_child	TOCDFDFS	Nickel	6.5156E-007	6.8210E-007
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.2736E-011	3.0876E-011
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.0271E-012	7.3485E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.9135E-012	9.4952E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrobenzene	1.2733E-012	3.0923E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.7988E-013	1.4078E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.3725E-011	2.1504E-011
RCPTR_22	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.1935E-013	1.7440E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.0759E-013	1.7138E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.3818E-014	1.5354E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.3673E-013	4.4745E-013
RCPTR_22	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.3146E-013	1.3462E-013
RCPTR_22	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.6092E-012	2.6599E-012
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4361E-013	2.5143E-013
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.5238E-013	9.8206E-013
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorobenzene	2.5960E-010	5.8745E-010
RCPTR_22	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0795E-011	4.6395E-011
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorophenol	3.7230E-009	4.6916E-009
RCPTR_22	farmer_child	TOCDFDFS	Phenanthrene	9.8525E-013	2.3640E-012
RCPTR_22	farmer_child	TOCDFDFS	Phenol	1.0100E-012	2.4496E-012
RCPTR_22	farmer_child	TOCDFDFS	Pronamide	1.9597E-010	4.6789E-010
RCPTR_22	farmer_child	TOCDFDFS	Pyrene	3.5368E-008	5.5777E-008
RCPTR_22	farmer_child	TOCDFDFS	Selenium	2.3529E-008	2.3624E-008
RCPTR_22	farmer_child	TOCDFDFS	Silver	3.2229E-008	3.3877E-008
RCPTR_22	farmer_child	TOCDFDFS	Styrene	5.1870E-014	1.2575E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2353E-012	1.2886E-012
RCPTR_22	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	5.9445E-013	6.2956E-013
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.0667E-011	1.8924E-010
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.8139E-012	5.7135E-012
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.7881E-015	4.3350E-015
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.5258E-010	1.3357E-009
RCPTR_22	farmer_child	TOCDFDFS	Thallium (l)	4.2858E-006	4.4194E-006
RCPTR_22	farmer_child	TOCDFDFS	Toluene	8.8341E-015	2.1338E-014
RCPTR_22	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	3.6351E-012	8.6608E-012
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.1544E-015	2.8009E-015
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.2538E-014	3.0437E-014
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethylene	2.0407E-015	4.9482E-015
RCPTR_22	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.6816E-016	6.5033E-016
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.5617E-010	8.3056E-010
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	7.8654E-011	1.6840E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	4.6418E-014	1.1265E-013
RCPTR_22	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.0010E-013	9.5185E-013
RCPTR_22	farmer_child	TOCDFDFS	VX	4.5867E-012	4.7376E-012
RCPTR_22	farmer_child	TOCDFDFS	Vinyl Chloride	3.4341E-019	8.3339E-019
RCPTR_22	farmer_child	TOCDFDFS	Xylene, m-	7.8520E-014	1.1544E-013
RCPTR_22	farmer_child	TOCDFDFS	Xylene, o-	7.4048E-014	1.1614E-013
RCPTR_22	farmer_child	TOCDFDFS	Xylene, p-	8.9038E-014	1.4630E-013
RCPTR_22	farmer_child	TOCDFLIC	Acenaphthene	4.8712E-011	1.1713E-010
RCPTR_22	farmer_child	TOCDFLIC	Acetone	2.4167E-012	5.8704E-012
RCPTR_22	farmer_child	TOCDFLIC	Acetophenone	2.5405E-013	6.1679E-013
RCPTR_22	farmer_child	TOCDFLIC	Aniline	1.5319E-014	3.7149E-014
RCPTR_22	farmer_child	TOCDFLIC	Anthracene	8.6046E-010	2.0668E-009
RCPTR_22	farmer_child	TOCDFLIC	Antimony	1.7486E-007	1.9544E-007
RCPTR_22	farmer_child	TOCDFLIC	Arsenic	1.7772E-007	1.8281E-007
RCPTR_22	farmer_child	TOCDFLIC	Barium	2.8542E-008	3.1107E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Benzene	3.2354E-015	7.8412E-015
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.8453E-007	2.2116E-007
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.7314E-006	1.7727E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	9.9472E-007	1.0915E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.6665E-006	2.7030E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzoic acid	6.5006E-012	1.4769E-011
RCPTR_22	farmer_child	TOCDFLIC	Benzyl alcohol	6.5966E-011	1.6012E-010
RCPTR_22	farmer_child	TOCDFLIC	Beryllium	9.5561E-009	9.8559E-009
RCPTR_22	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	3.4718E-013	8.4333E-013
RCPTR_22	farmer_child	TOCDFLIC	Bromodichloromethane	2.0284E-016	4.9251E-016
RCPTR_22	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.9500E-013	4.7353E-013
RCPTR_22	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6551E-008	2.9844E-008
RCPTR_22	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.0467E-009	1.1649E-009
RCPTR_22	farmer_child	TOCDFLIC	Cadmium	2.6384E-009	3.2099E-009
RCPTR_22	farmer_child	TOCDFLIC	Carbon disulfide	1.3459E-017	3.2647E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0662E-016	2.5835E-016
RCPTR_22	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	3.2156E-011	7.0029E-011
RCPTR_22	farmer_child	TOCDFLIC	Chloroaniline, p-	1.6160E-012	3.9174E-012
RCPTR_22	farmer_child	TOCDFLIC	Chlorobenzene	6.2480E-016	1.5117E-015
RCPTR_22	farmer_child	TOCDFLIC	Chloroethane	1.8608E-017	4.4569E-017
RCPTR_22	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	8.4026E-017	2.0400E-016
RCPTR_22	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.2696E-010	3.0596E-010
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenol, 2-	4.4788E-012	1.0877E-011
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.7937E-010	3.8951E-010
RCPTR_22	farmer_child	TOCDFLIC	Chromium	1.3822E-007	1.4171E-007
RCPTR_22	farmer_child	TOCDFLIC	Chromium, hexavalent	1.2586E-007	1.2745E-007
RCPTR_22	farmer_child	TOCDFLIC	Chrysene	5.0905E-007	5.4635E-007
RCPTR_22	farmer_child	TOCDFLIC	Di-n-butyl phthalate	3.9952E-009	4.4502E-009
RCPTR_22	farmer_child	TOCDFLIC	Di-n-octylphthalate	1.9902E+000	1.9902E+000
RCPTR_22	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.4126E-005	3.4294E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.0697E-013	4.9432E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	2.4888E-013	5.9798E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	2.3922E-013	5.7570E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.2542E-009	1.4586E-009
RCPTR_22	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.4670E-018	3.5557E-018
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane 1,1-	3.5157E-017	8.5363E-017
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5802E-016	1.1122E-015
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.3972E-016	3.3895E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.2462E-016	5.4487E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	2.4168E-011	4.8739E-011
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.2064E-016	2.9235E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.9737E-017	9.6453E-017
RCPTR_22	farmer_child	TOCDFLIC	Diethyl phthalate	2.4679E-010	2.5471E-010
RCPTR_22	farmer_child	TOCDFLIC	Dimethyl phthalate	3.3407E-012	7.9984E-012
RCPTR_22	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	3.0650E-012	7.4160E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.7159E-013	7.7357E-013
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	2.8767E-012	6.8205E-012
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	2.2011E-012	5.2552E-012
RCPTR_22	farmer_child	TOCDFLIC	Ethyl methanesulfonate	6.5011E-014	1.5790E-013
RCPTR_22	farmer_child	TOCDFLIC	Ethylbenzene	3.4021E-015	8.1169E-015
RCPTR_22	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.7598E-010	4.2016E-010
RCPTR_22	farmer_child	TOCDFLIC	Fluoranthene	1.3743E-008	2.5518E-008
RCPTR_22	farmer_child	TOCDFLIC	Fluorene	1.9260E-010	4.6000E-010
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0469E-012	1.0663E-012
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.5592E-012	3.6119E-012
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.4051E-012	8.5566E-012
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.6174E-012	8.7509E-012
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.2541E-012	5.3590E-012
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.4016E-012	4.5023E-012
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.0400E-012	6.1957E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.2400E-012	5.3745E-012
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.3714E-012	5.5083E-012
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.4246E-012	4.5377E-012
RCPTR_22	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.1425E-012	9.6692E-012
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorobenzene	8.3602E-009	1.9605E-008
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.1114E-011	2.5701E-011
RCPTR_22	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.4704E-012	5.9408E-012
RCPTR_22	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.6111E-004	2.6148E-004
RCPTR_22	farmer_child	TOCDFLIC	Isophorone	4.6508E-013	1.1291E-012
RCPTR_22	farmer_child	TOCDFLIC	Lead	3.0450E-008	3.1927E-008
RCPTR_22	farmer_child	TOCDFLIC	Mercuric chloride	2.5890E-009	3.0451E-009
RCPTR_22	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	2.5392E-017	6.1668E-017
RCPTR_22	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4742E-018	3.5795E-018
RCPTR_22	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.7059E-014	6.5725E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Methyl mercury	4.0566E-011	4.1988E-011
RCPTR_22	farmer_child	TOCDFLIC	Methylene chloride	3.6587E-013	8.8841E-013
RCPTR_22	farmer_child	TOCDFLIC	Naphthalene	1.1571E-012	2.7952E-012
RCPTR_22	farmer_child	TOCDFLIC	Nickel	3.2743E-007	3.4254E-007
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 2-	7.9440E-012	1.9257E-011
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.8879E-012	4.5830E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.8723E-013	1.1822E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrobenzene	7.8473E-013	1.9058E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.7902E-012	4.3462E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.7534E-012	2.7218E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.4340E-013	1.0749E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	4.3618E-013	1.0563E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	3.9296E-014	9.4589E-014
RCPTR_22	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.5767E-012	1.6145E-012
RCPTR_22	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.5643E-012	1.6010E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.9061E-011	1.9415E-011
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.8293E-012	2.9177E-012
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0917E-011	1.1249E-011
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorobenzene	1.6114E-010	3.6560E-010
RCPTR_22	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.2899E-011	2.8865E-011
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorophenol	2.3759E-009	2.9728E-009
RCPTR_22	farmer_child	TOCDFLIC	Phenanthrene	6.0760E-013	1.4574E-012
RCPTR_22	farmer_child	TOCDFLIC	Phenol	6.2250E-013	1.5097E-012
RCPTR_22	farmer_child	TOCDFLIC	Pronamide	6.0455E-011	1.4425E-010
RCPTR_22	farmer_child	TOCDFLIC	Pyrene	2.1873E-008	3.4449E-008
RCPTR_22	farmer_child	TOCDFLIC	Selenium	1.9767E-007	1.9845E-007
RCPTR_22	farmer_child	TOCDFLIC	Silver	5.4123E-007	5.6848E-007
RCPTR_22	farmer_child	TOCDFLIC	Styrene	3.0563E-015	7.4091E-015
RCPTR_22	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.5564E-012	2.6644E-012
RCPTR_22	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.9484E-013	7.3506E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.9826E-011	1.1674E-010
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	3.5798E-013	4.2244E-013
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.2814E-016	3.1065E-016
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.7851E-010	8.4217E-010
RCPTR_22	farmer_child	TOCDFLIC	Thallium (l)	7.1683E-007	7.3883E-007
RCPTR_22	farmer_child	TOCDFLIC	Toluene	3.8601E-012	9.3219E-012
RCPTR_22	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.8778E-012	4.4697E-012
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.2242E-014	2.9700E-014
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	6.6307E-015	1.6097E-014
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethylene	1.0793E-015	2.6169E-015
RCPTR_22	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.4183E-016	3.4394E-016
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	2.2015E-010	5.1252E-010
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	4.8895E-011	1.0420E-010
RCPTR_22	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	2.4549E-014	5.9577E-014
RCPTR_22	farmer_child	TOCDFLIC	VX	1.8343E-012	1.8922E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Vinyl Chloride	3.2322E-020	7.8442E-020
RCPTR_22	farmer_child	TOCDFLIC	Xylene, m-	2.6950E-014	4.0288E-014
RCPTR_22	farmer_child	TOCDFLIC	Xylene, o-	1.6253E-014	2.5928E-014
RCPTR_22	farmer_child	TOCDFLIC	Xylene, p-	3.0847E-014	5.1534E-014
RCPTR_22	farmer_child	TOCDFLIC	Zinc	4.3767E-008	5.0655E-008
RCPTR_22	farmer_child	TOCDFMPF	Acenaphthene	8.8971E-012	2.1393E-011
RCPTR_22	farmer_child	TOCDFMPF	Acetone	1.0253E-016	2.4906E-016
RCPTR_22	farmer_child	TOCDFMPF	Acetophenone	1.0796E-012	2.6212E-012
RCPTR_22	farmer_child	TOCDFMPF	Aniline	6.5102E-014	1.5787E-013
RCPTR_22	farmer_child	TOCDFMPF	Anthracene	9.0252E-011	2.1678E-010
RCPTR_22	farmer_child	TOCDFMPF	Arsenic	8.6094E-009	8.8564E-009
RCPTR_22	farmer_child	TOCDFMPF	Barium	3.1888E-009	3.4755E-009
RCPTR_22	farmer_child	TOCDFMPF	Benzene	5.6678E-016	1.3736E-015
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.7027E-008	2.0406E-008
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.9462E-007	3.0164E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.4396E-007	1.5796E-007
RCPTR_22	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	3.9577E-007	4.0119E-007
RCPTR_22	farmer_child	TOCDFMPF	Benzoic acid	1.2439E-012	2.8260E-012
RCPTR_22	farmer_child	TOCDFMPF	Benzyl alcohol	5.2112E-013	1.2649E-012
RCPTR_22	farmer_child	TOCDFMPF	Beryllium	1.2006E-009	1.2383E-009
RCPTR_22	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.4723E-013	3.5763E-013
RCPTR_22	farmer_child	TOCDFMPF	Bromodichloromethane	2.9852E-015	7.2483E-015
RCPTR_22	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.0281E-013	2.4967E-013
RCPTR_22	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	9.4434E-009	1.7028E-008
RCPTR_22	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.3842E-010	1.5403E-010
RCPTR_22	farmer_child	TOCDFMPF	Cadmium	8.3900E-009	1.0208E-008
RCPTR_22	farmer_child	TOCDFMPF	Carbon disulfide	1.9808E-016	4.8047E-016
RCPTR_22	farmer_child	TOCDFMPF	Carbon tetrachloride	1.5692E-015	3.8022E-015
RCPTR_22	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.3723E-011	2.9886E-011
RCPTR_22	farmer_child	TOCDFMPF	Chloroaniline, p-	4.7489E-013	1.1512E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Chlorobenzene	9.1953E-015	2.2247E-014
RCPTR_22	farmer_child	TOCDFMPF	Chloroethane	2.6111E-017	6.2542E-017
RCPTR_22	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.2366E-015	3.0022E-015
RCPTR_22	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.2271E-011	5.3670E-011
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.6442E-012	3.9931E-012
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.5307E-011	1.2010E-010
RCPTR_22	farmer_child	TOCDFMPF	Chromium	1.4999E-007	1.5378E-007
RCPTR_22	farmer_child	TOCDFMPF	Chromium, hexavalent	1.3658E-007	1.3831E-007
RCPTR_22	farmer_child	TOCDFMPF	Chrysene	5.2487E-008	5.6334E-008
RCPTR_22	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.6599E-009	5.1906E-009
RCPTR_22	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.7844E+000	1.7844E+000
RCPTR_22	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	9.0122E-006	9.0567E-006
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.1861E-014	1.7163E-013
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.0564E-014	1.9357E-013
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.7004E-014	1.8531E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.7453E-010	4.3552E-010
RCPTR_22	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.0585E-018	4.9896E-018
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.1741E-016	1.2563E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.4272E-016	1.5607E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.9606E-016	4.7564E-016
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.1520E-016	7.6459E-016
RCPTR_22	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	9.4392E-012	1.9037E-011
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.7755E-015	4.3025E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.8482E-016	1.4195E-015
RCPTR_22	farmer_child	TOCDFMPF	Diethyl phthalate	5.2578E-010	5.4267E-010
RCPTR_22	farmer_child	TOCDFMPF	Dimethyl phthalate	1.9232E-013	4.6045E-013
RCPTR_22	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.2056E-012	2.9169E-012
RCPTR_22	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	9.0387E-013	1.4827E-012
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	3.9540E-012	9.3742E-012
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	2.7465E-012	6.5575E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.7628E-013	6.7104E-013
RCPTR_22	farmer_child	TOCDFMPF	Ethylbenzene	5.7022E-015	1.3605E-014
RCPTR_22	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.4963E-011	7.2582E-011
RCPTR_22	farmer_child	TOCDFMPF	Fluoranthene	1.0663E-009	1.9798E-009
RCPTR_22	farmer_child	TOCDFMPF	Fluorene	2.9257E-011	6.9876E-011
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1508E-013	1.1722E-013
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.9487E-013	6.0371E-013
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.5497E-013	5.6500E-013
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4962E-012	1.5195E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.1326E-013	9.3152E-013
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.5466E-013	7.7193E-013
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.6326E-012	1.6747E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.5668E-012	5.7097E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.6774E-012	4.7966E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.6469E-013	5.7913E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.3187E-012	5.4120E-012
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorobenzene	4.1501E-009	9.7323E-009
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	7.7085E-012	1.7824E-011
RCPTR_22	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.7334E-012	4.1684E-012
RCPTR_22	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.6651E-005	5.6732E-005
RCPTR_22	farmer_child	TOCDFMPF	Isophorone	8.2842E-014	2.0112E-013
RCPTR_22	farmer_child	TOCDFMPF	Lead	4.8021E-008	5.0351E-008
RCPTR_22	farmer_child	TOCDFMPF	Mercuric chloride	2.7835E-009	3.2732E-009
RCPTR_22	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.8710E-017	4.5440E-017
RCPTR_22	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.0863E-018	2.6375E-018
RCPTR_22	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.5353E-016	1.1016E-015
RCPTR_22	farmer_child	TOCDFMPF	Methyl mercury	4.3697E-011	4.5224E-011
RCPTR_22	farmer_child	TOCDFMPF	Methylene chloride	1.1898E-016	2.8890E-016
RCPTR_22	farmer_child	TOCDFMPF	Naphthalene	9.7240E-013	2.3491E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Nickel	1.7153E-007	1.7945E-007
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 2-	9.8227E-013	2.3811E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.8914E-013	4.5914E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.1675E-013	5.2591E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitrobenzene	2.6750E-013	6.4965E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 2-	2.1554E-013	5.2328E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.5612E-012	2.4238E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.8843E-012	4.5679E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	9.8204E-014	2.3782E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	2.5478E-014	6.1325E-014
RCPTR_22	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.2112E-013	1.2403E-013
RCPTR_22	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1919E-014	1.2199E-014
RCPTR_22	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.1399E-012	3.1983E-012
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.9176E-012	1.9775E-012
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.3348E-012	1.3755E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorobenzene	1.3676E-010	3.1023E-010
RCPTR_22	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.4745E-012	1.2247E-011
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorophenol	1.4109E-009	1.7655E-009
RCPTR_22	farmer_child	TOCDFMPF	Phenanthrene	6.3730E-014	1.5286E-013
RCPTR_22	farmer_child	TOCDFMPF	Phenol	2.0319E-013	4.9280E-013
RCPTR_22	farmer_child	TOCDFMPF	Pronamide	2.5691E-010	6.1300E-010
RCPTR_22	farmer_child	TOCDFMPF	Pyrene	1.6000E-009	2.5200E-009
RCPTR_22	farmer_child	TOCDFMPF	Selenium	6.2237E-008	6.2484E-008
RCPTR_22	farmer_child	TOCDFMPF	Silver	1.7070E-008	1.7929E-008
RCPTR_22	farmer_child	TOCDFMPF	Styrene	4.6492E-014	1.1271E-013
RCPTR_22	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1074E-012	1.1542E-012
RCPTR_22	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.6688E-013	4.9389E-013
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.1175E-010	4.9611E-010
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.9895E-014	4.8255E-014
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.8858E-015	4.5719E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.0295E-010	3.5721E-010
RCPTR_22	farmer_child	TOCDFMPF	Thallium (l)	1.1508E-006	1.1861E-006
RCPTR_22	farmer_child	TOCDFMPF	Toluene	2.4896E-015	6.0123E-015
RCPTR_22	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.3162E-013	1.5034E-012
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2176E-015	2.9540E-015
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.3046E-015	2.2588E-014
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethylene	1.5145E-015	3.6722E-015
RCPTR_22	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.9902E-016	4.8263E-016
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	9.8334E-011	2.2893E-010
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2192E-011	4.7297E-011
RCPTR_22	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.4449E-014	8.3602E-014
RCPTR_22	farmer_child	TOCDFMPF	VX	2.5279E-012	2.6077E-012
RCPTR_22	farmer_child	TOCDFMPF	Vinyl Chloride	4.9168E-019	1.1932E-018
RCPTR_22	farmer_child	TOCDFMPF	Xylene, m-	2.1284E-014	3.1782E-014
RCPTR_22	farmer_child	TOCDFMPF	Xylene, o-	2.0168E-014	3.2136E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Xylene, p-	2.4346E-014	4.0628E-014
RCPTR_22	farmer_child	TOCDHVAC	VX	8.4917E-013	8.8187E-013
RCPTR_22	farmer_child	TOCDLIC2	Acenaphthene	4.8712E-011	1.1713E-010
RCPTR_22	farmer_child	TOCDLIC2	Acetone	2.4167E-012	5.8704E-012
RCPTR_22	farmer_child	TOCDLIC2	Acetophenone	2.5405E-013	6.1679E-013
RCPTR_22	farmer_child	TOCDLIC2	Aniline	1.5319E-014	3.7149E-014
RCPTR_22	farmer_child	TOCDLIC2	Anthracene	8.6046E-010	2.0668E-009
RCPTR_22	farmer_child	TOCDLIC2	Antimony	1.7486E-007	1.9544E-007
RCPTR_22	farmer_child	TOCDLIC2	Arsenic	1.7772E-007	1.8281E-007
RCPTR_22	farmer_child	TOCDLIC2	Barium	2.8542E-008	3.1107E-008
RCPTR_22	farmer_child	TOCDLIC2	Benzene	3.2354E-015	7.8412E-015
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.8453E-007	2.2116E-007
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.7314E-006	1.7727E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	9.9472E-007	1.0915E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.6665E-006	2.7030E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Benzoic acid	6.5006E-012	1.4769E-011
RCPTR_22	farmer_child	TOCDLIC2	Benzyl alcohol	6.5966E-011	1.6012E-010
RCPTR_22	farmer_child	TOCDLIC2	Beryllium	9.5561E-009	9.8559E-009
RCPTR_22	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.4718E-013	8.4333E-013
RCPTR_22	farmer_child	TOCDLIC2	Bromodichloromethane	2.0284E-016	4.9251E-016
RCPTR_22	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.9500E-013	4.7353E-013
RCPTR_22	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.6551E-008	2.9844E-008
RCPTR_22	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.0467E-009	1.1649E-009
RCPTR_22	farmer_child	TOCDLIC2	Cadmium	2.6384E-009	3.2099E-009
RCPTR_22	farmer_child	TOCDLIC2	Carbon disulfide	1.3459E-017	3.2647E-017
RCPTR_22	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0662E-016	2.5835E-016
RCPTR_22	farmer_child	TOCDLIC2	Chlorine	3.0082E-007	7.3073E-007
RCPTR_22	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.2156E-011	7.0029E-011
RCPTR_22	farmer_child	TOCDLIC2	Chloroaniline, p-	1.6160E-012	3.9174E-012
RCPTR_22	farmer_child	TOCDLIC2	Chlorobenzene	6.2480E-016	1.5117E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Chloroethane	1.8608E-017	4.4569E-017
RCPTR_22	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	8.4026E-017	2.0400E-016
RCPTR_22	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.2696E-010	3.0596E-010
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.4788E-012	1.0877E-011
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.7937E-010	3.8951E-010
RCPTR_22	farmer_child	TOCDLIC2	Chromium	1.3822E-007	1.4171E-007
RCPTR_22	farmer_child	TOCDLIC2	Chromium, hexavalent	1.2586E-007	1.2745E-007
RCPTR_22	farmer_child	TOCDLIC2	Chrysene	5.0905E-007	5.4635E-007
RCPTR_22	farmer_child	TOCDLIC2	Di-n-butyl phthalate	3.9952E-009	4.4502E-009
RCPTR_22	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.9902E+000	1.9902E+000
RCPTR_22	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.4126E-005	3.4294E-005
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.0697E-013	4.9432E-013
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.4888E-013	5.9798E-013
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.3922E-013	5.7570E-013
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.2542E-009	1.4586E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.4670E-018	3.5557E-018
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.4014E-017	8.2587E-017
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5802E-016	1.1122E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.3972E-016	3.3895E-016
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.2462E-016	5.4487E-016
RCPTR_22	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.4168E-011	4.8739E-011
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.2064E-016	2.9235E-016
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.9737E-017	9.6453E-017
RCPTR_22	farmer_child	TOCDLIC2	Diethyl phthalate	2.4679E-010	2.5471E-010
RCPTR_22	farmer_child	TOCDLIC2	Dimethyl phthalate	3.3407E-012	7.9984E-012
RCPTR_22	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.0650E-012	7.4160E-012
RCPTR_22	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	4.7159E-013	7.7357E-013
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.8767E-012	6.8205E-012
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.2011E-012	5.2552E-012
RCPTR_22	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.5011E-014	1.5790E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Ethylbenzene	3.4021E-015	8.1169E-015
RCPTR_22	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.7598E-010	4.2016E-010
RCPTR_22	farmer_child	TOCDLIC2	Fluoranthene	1.3743E-008	2.5518E-008
RCPTR_22	farmer_child	TOCDLIC2	Fluorene	1.9260E-010	4.6000E-010
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.0469E-012	1.0663E-012
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.2283E-011	1.2465E-011
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.9006E-011	2.9529E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	8.6174E-012	8.7509E-012
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.2541E-012	5.3590E-012
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.4016E-012	4.5023E-012
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.0400E-012	6.1957E-012
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.2400E-012	5.3745E-012
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3714E-012	5.5083E-012
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.4246E-012	4.5377E-012
RCPTR_22	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.1425E-012	9.6692E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorobenzene	8.3602E-009	1.9605E-008
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.1114E-011	2.5701E-011
RCPTR_22	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.4704E-012	5.9408E-012
RCPTR_22	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.6111E-004	2.6148E-004
RCPTR_22	farmer_child	TOCDLIC2	Isophorone	4.6508E-013	1.1291E-012
RCPTR_22	farmer_child	TOCDLIC2	Lead	3.0450E-008	3.1927E-008
RCPTR_22	farmer_child	TOCDLIC2	Mercuric chloride	2.5890E-009	3.0451E-009
RCPTR_22	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.5392E-017	6.1668E-017
RCPTR_22	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.3812E-020	1.7922E-019
RCPTR_22	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.7059E-014	6.5725E-014
RCPTR_22	farmer_child	TOCDLIC2	Methyl mercury	4.0566E-011	4.1988E-011
RCPTR_22	farmer_child	TOCDLIC2	Methylene chloride	3.6587E-013	8.8841E-013
RCPTR_22	farmer_child	TOCDLIC2	Naphthalene	1.1571E-012	2.7952E-012
RCPTR_22	farmer_child	TOCDLIC2	Nickel	3.2743E-007	3.4254E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 2-	7.9440E-012	1.9257E-011
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.8879E-012	4.5830E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.4406E-012	5.9216E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrobenzene	7.8473E-013	1.9058E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.5739E-013	8.6766E-013
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 4-	8.7828E-012	1.3634E-011
RCPTR_22	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.4340E-013	1.0749E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.3618E-013	1.0563E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.9296E-014	9.4589E-014
RCPTR_22	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.5767E-012	1.6145E-012
RCPTR_22	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.5643E-012	1.6010E-012
RCPTR_22	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.9061E-011	1.9415E-011
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.8293E-012	2.9177E-012
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.0917E-011	1.1249E-011
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorobenzene	3.2169E-011	7.2987E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.2899E-011	2.8865E-011
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorophenol	1.1901E-008	1.4891E-008
RCPTR_22	farmer_child	TOCDLIC2	Phenanthrene	6.0760E-013	1.4574E-012
RCPTR_22	farmer_child	TOCDLIC2	Phenol	6.2250E-013	1.5097E-012
RCPTR_22	farmer_child	TOCDLIC2	Pronamide	6.0455E-011	1.4425E-010
RCPTR_22	farmer_child	TOCDLIC2	Pyrene	2.1873E-008	3.4449E-008
RCPTR_22	farmer_child	TOCDLIC2	Selenium	1.9767E-007	1.9845E-007
RCPTR_22	farmer_child	TOCDLIC2	Silver	5.4123E-007	5.6848E-007
RCPTR_22	farmer_child	TOCDLIC2	Styrene	3.0563E-015	7.4091E-015
RCPTR_22	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.5564E-012	2.6644E-012
RCPTR_22	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.9484E-013	7.3506E-013
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.9826E-011	1.1674E-010
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	3.5798E-013	4.2244E-013
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.2814E-016	3.1065E-016
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.7851E-010	8.4217E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Thallium (l)	7.1683E-007	7.3883E-007
RCPTR_22	farmer_child	TOCDLIC2	Toluene	3.8601E-012	9.3219E-012
RCPTR_22	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.8778E-012	4.4697E-012
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.2242E-014	2.9700E-014
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.6307E-015	1.6097E-014
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethylene	1.0793E-015	2.6169E-015
RCPTR_22	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.4183E-016	3.4394E-016
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.2015E-010	5.1252E-010
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.8895E-011	1.0420E-010
RCPTR_22	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.4549E-014	5.9577E-014
RCPTR_22	farmer_child	TOCDLIC2	VX	1.9070E-012	1.9671E-012
RCPTR_22	farmer_child	TOCDLIC2	Vinyl Chloride	3.2322E-020	7.8442E-020
RCPTR_22	farmer_child	TOCDLIC2	Xylene, m-	2.6950E-014	4.0288E-014
RCPTR_22	farmer_child	TOCDLIC2	Xylene, o-	1.6253E-014	2.5928E-014
RCPTR_22	farmer_child	TOCDLIC2	Xylene, p-	3.0847E-014	5.1534E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Zinc	4.3767E-008	5.0655E-008
RCPTR_23	farmer_adult	TOCDFBRA	Antimony	1.5553E-007	1.8572E-007
RCPTR_23	farmer_adult	TOCDFBRA	Arsenic	2.6369E-007	2.7499E-007
RCPTR_23	farmer_adult	TOCDFBRA	Barium	2.1580E-008	2.4679E-008
RCPTR_23	farmer_adult	TOCDFBRA	Beryllium	7.0047E-008	7.4902E-008
RCPTR_23	farmer_adult	TOCDFBRA	Cadmium	1.1735E-008	1.6839E-008
RCPTR_23	farmer_adult	TOCDFBRA	Chromium	1.7548E-007	1.7609E-007
RCPTR_23	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.5686E-007	1.5977E-007
RCPTR_23	farmer_adult	TOCDFBRA	Lead	7.1537E-007	7.9089E-007
RCPTR_23	farmer_adult	TOCDFBRA	Mercuric chloride	9.9697E-005	1.0277E-004
RCPTR_23	farmer_adult	TOCDFBRA	Methyl mercury	1.6512E-006	1.6827E-006
RCPTR_23	farmer_adult	TOCDFBRA	Nickel	8.5977E-007	9.2578E-007
RCPTR_23	farmer_adult	TOCDFBRA	Selenium	2.9789E-007	2.9961E-007
RCPTR_23	farmer_adult	TOCDFBRA	Silver	9.9093E-008	1.0657E-007
RCPTR_23	farmer_adult	TOCDFBRA	Thallium (l)	2.6845E-006	2.8223E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFBRA	Zinc	4.4367E-007	5.6973E-007
RCPTR_23	farmer_adult	TOCDFDFS	Acenaphthene	2.3240E-011	3.3753E-010
RCPTR_23	farmer_adult	TOCDFDFS	Acetone	4.2280E-015	6.8445E-014
RCPTR_23	farmer_adult	TOCDFDFS	Acetophenone	1.1037E-013	1.7767E-012
RCPTR_23	farmer_adult	TOCDFDFS	Aniline	6.7329E-015	1.0701E-013
RCPTR_23	farmer_adult	TOCDFDFS	Anthracene	4.1495E-010	5.9568E-009
RCPTR_23	farmer_adult	TOCDFDFS	Antimony	3.1018E-008	3.6813E-008
RCPTR_23	farmer_adult	TOCDFDFS	Aroclor 1254	2.1524E-011	4.0709E-011
RCPTR_23	farmer_adult	TOCDFDFS	Arsenic	6.1381E-008	6.3912E-008
RCPTR_23	farmer_adult	TOCDFDFS	Barium	2.8660E-007	3.2620E-007
RCPTR_23	farmer_adult	TOCDFDFS	Benzene	3.6293E-016	5.7309E-015
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)anthracene	4.5187E-007	6.6669E-007
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.3029E-006	5.5470E-006
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.7483E-006	3.3081E-006
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.1371E-006	8.4238E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Benzoic acid	2.9965E-012	2.7560E-011
RCPTR_23	farmer_adult	TOCDFDFS	Benzyl alcohol	2.3437E-013	3.7626E-012
RCPTR_23	farmer_adult	TOCDFDFS	Beryllium	1.3686E-008	1.4600E-008
RCPTR_23	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.5007E-013	2.4292E-012
RCPTR_23	farmer_adult	TOCDFDFS	Bromodichloromethane	7.5720E-016	1.2201E-014
RCPTR_23	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.6042E-014	4.2027E-013
RCPTR_23	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	8.5044E-009	8.5978E-008
RCPTR_23	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.1737E-008	1.3760E-008
RCPTR_23	farmer_adult	TOCDFDFS	Cadmium	2.0850E-008	2.9584E-008
RCPTR_23	farmer_adult	TOCDFDFS	Carbon disulfide	1.0205E-016	1.6260E-015
RCPTR_23	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.0629E-016	6.4007E-015
RCPTR_23	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.8290E-011	2.0227E-010
RCPTR_23	farmer_adult	TOCDFDFS	Chloroaniline, p-	7.1291E-013	1.1285E-011
RCPTR_23	farmer_adult	TOCDFDFS	Chlorobenzene	1.2105E-015	1.8759E-014
RCPTR_23	farmer_adult	TOCDFDFS	Chloroethane	1.0679E-017	1.4966E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.5729E-016	2.5312E-015
RCPTR_23	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	5.9294E-011	8.8157E-010
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.9392E-012	3.1333E-011
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.6235E-010	1.1277E-009
RCPTR_23	farmer_adult	TOCDFDFS	Chromium	1.7764E-007	1.7824E-007
RCPTR_23	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.5944E-007	1.6228E-007
RCPTR_23	farmer_adult	TOCDFDFS	Chrysene	1.4132E-006	1.6548E-006
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.7404E-008	2.0644E-008
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.9342E+002	1.9342E+002
RCPTR_23	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1020E-004	1.1186E-004
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.2927E-014	3.1201E-013
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	7.7650E-014	1.1200E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.0352E-014	7.3817E-013
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.0780E-009	2.6355E-009
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	7.5624E-019	1.1938E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.5745E-017	1.0592E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.1582E-017	1.3158E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	7.1282E-017	1.1379E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1472E-016	1.8291E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.0586E-011	1.0298E-010
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	6.5268E-016	1.0293E-014
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.4566E-017	1.1968E-015
RCPTR_23	farmer_adult	TOCDFDFS	Diethyl phthalate	3.7152E-009	3.9029E-009
RCPTR_23	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.1161E-013	1.1264E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.3767E-012	2.1364E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	4.3098E-012	1.1176E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.3889E-013	4.2612E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.4255E-013	3.2801E-012
RCPTR_23	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.8122E-014	4.5484E-013
RCPTR_23	farmer_adult	TOCDFDFS	Ethylbenzene	1.7013E-015	2.2915E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.2347E-010	3.8131E-010
RCPTR_23	farmer_adult	TOCDFDFS	Fluoranthene	1.4961E-008	7.4106E-008
RCPTR_23	farmer_adult	TOCDFDFS	Fluorene	9.7550E-011	1.3259E-009
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.5019E-013	3.6567E-013
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.3444E-013	4.5015E-013
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0492E-012	1.0946E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.6728E-012	2.7732E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.6791E-012	1.7592E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.4372E-012	1.5146E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.9191E-012	2.0344E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.6617E-012	1.7611E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.6964E-012	1.7973E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.4000E-012	1.4835E-012
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.5271E-012	2.7915E-011
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorobenzene	4.7315E-009	5.6544E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.5862E-011	3.6754E-010
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.1747E-012	1.7117E-011
RCPTR_23	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	7.9744E-004	8.0091E-004
RCPTR_23	farmer_adult	TOCDFDFS	Isophorone	2.0213E-013	3.2524E-012
RCPTR_23	farmer_adult	TOCDFDFS	Lead	1.5955E-007	1.7580E-007
RCPTR_23	farmer_adult	TOCDFDFS	Mercuric chloride	1.2534E-007	1.2939E-007
RCPTR_23	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.7289E-018	1.0870E-016
RCPTR_23	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2995E-019	2.0930E-018
RCPTR_23	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.8443E-016	1.2695E-014
RCPTR_23	farmer_adult	TOCDFDFS	Methyl mercury	1.9236E-009	1.9650E-009
RCPTR_23	farmer_adult	TOCDFDFS	Methylene chloride	4.3850E-015	7.0713E-014
RCPTR_23	farmer_adult	TOCDFDFS	Naphthalene	1.3956E-012	2.1288E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nickel	1.8548E-006	1.9918E-006
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.4649E-012	5.4819E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 3-	8.1179E-013	1.3046E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.0560E-012	1.6858E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitrobenzene	3.3990E-013	5.4897E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.5531E-013	2.4994E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.7302E-011	3.9324E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.9552E-013	3.0963E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.9426E-013	3.0429E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.9285E-014	2.7329E-013
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.6194E-013	9.1010E-013
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.5977E-013	2.7394E-013
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	4.9656E-012	5.1877E-012
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.5585E-013	4.8972E-013
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8003E-012	1.9295E-012
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.2212E-010	1.0503E-009
RCPTR_23	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.0587E-011	8.3064E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorophenol	6.0085E-009	8.7507E-009
RCPTR_23	farmer_adult	TOCDFDFS	Phenanthrene	2.9643E-013	4.2000E-012
RCPTR_23	farmer_adult	TOCDFDFS	Phenol	2.7329E-013	4.3490E-012
RCPTR_23	farmer_adult	TOCDFDFS	Pronamide	6.1628E-011	8.3145E-010
RCPTR_23	farmer_adult	TOCDFDFS	Pyrene	1.9205E-008	9.9634E-008
RCPTR_23	farmer_adult	TOCDFDFS	Selenium	6.9348E-008	6.9733E-008
RCPTR_23	farmer_adult	TOCDFDFS	Silver	9.2258E-008	9.8958E-008
RCPTR_23	farmer_adult	TOCDFDFS	Styrene	1.4100E-014	2.2327E-013
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.2654E-012	2.4957E-012
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.0559E-012	1.2069E-012
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.9249E-011	3.3663E-010
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.1757E-012	1.0722E-011
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	4.8622E-016	7.6968E-015
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.6842E-010	2.4192E-009
RCPTR_23	farmer_adult	TOCDFDFS	Thallium (l)	1.2343E-005	1.2953E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Toluene	2.4929E-015	3.7893E-014
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.1644E-012	1.5393E-011
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.1133E-016	4.9727E-015
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.3598E-015	5.4036E-014
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethylene	5.5370E-016	8.7853E-015
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.2659E-017	1.1546E-015
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.3478E-010	1.4778E-009
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.7080E-011	3.0115E-010
RCPTR_23	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.2481E-014	2.0000E-013
RCPTR_23	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.3161E-013	1.6937E-012
RCPTR_23	farmer_adult	TOCDFDFS	VX	8.6037E-012	9.0308E-012
RCPTR_23	farmer_adult	TOCDFDFS	Vinyl Chloride	9.2422E-020	1.4796E-018
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, m-	1.1565E-013	2.2018E-013
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, o-	9.9937E-014	2.1910E-013
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, p-	1.1179E-013	2.7389E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Acenaphthene	1.3563E-011	1.9675E-010
RCPTR_23	farmer_adult	TOCDFLIC	Acetone	6.0884E-013	9.8562E-012
RCPTR_23	farmer_adult	TOCDFLIC	Acetophenone	6.4338E-014	1.0356E-012
RCPTR_23	farmer_adult	TOCDFLIC	Aniline	3.9255E-015	6.2377E-014
RCPTR_23	farmer_adult	TOCDFLIC	Anthracene	2.4210E-010	3.4722E-009
RCPTR_23	farmer_adult	TOCDFLIC	Antimony	4.6179E-007	5.4762E-007
RCPTR_23	farmer_adult	TOCDFLIC	Arsenic	5.0108E-007	5.2163E-007
RCPTR_23	farmer_adult	TOCDFLIC	Barium	7.7054E-008	8.7645E-008
RCPTR_23	farmer_adult	TOCDFLIC	Benzene	8.3412E-016	1.3166E-014
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.6528E-007	3.9030E-007
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.1004E-006	3.2401E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.6174E-006	1.9430E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.7642E-006	4.9271E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzoic acid	2.7230E-012	2.4861E-011
RCPTR_23	farmer_adult	TOCDFLIC	Benzyl alcohol	1.6748E-011	2.6884E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Beryllium	2.6136E-008	2.7872E-008
RCPTR_23	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	8.7472E-014	1.4159E-012
RCPTR_23	farmer_adult	TOCDFLIC	Bromodichloromethane	5.1322E-017	8.2692E-016
RCPTR_23	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	4.9268E-014	7.9506E-013
RCPTR_23	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	4.9559E-009	5.0113E-008
RCPTR_23	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8276E-009	2.1445E-009
RCPTR_23	farmer_adult	TOCDFLIC	Cadmium	6.2141E-009	8.8040E-009
RCPTR_23	farmer_adult	TOCDFLIC	Carbon disulfide	3.4410E-018	5.4816E-017
RCPTR_23	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.7547E-017	4.3381E-016
RCPTR_23	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.6671E-011	1.1808E-010
RCPTR_23	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.1570E-013	6.5777E-012
RCPTR_23	farmer_adult	TOCDFLIC	Chlorobenzene	1.6389E-016	2.5385E-015
RCPTR_23	farmer_adult	TOCDFLIC	Chloroethane	5.3557E-018	7.4869E-017
RCPTR_23	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.1286E-017	3.4251E-016
RCPTR_23	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.4603E-011	5.1388E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.1304E-012	1.8263E-011
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.5232E-011	6.5790E-010
RCPTR_23	farmer_adult	TOCDFLIC	Chromium	3.9928E-007	4.0061E-007
RCPTR_23	farmer_adult	TOCDFLIC	Chromium, hexavalent	3.5856E-007	3.6492E-007
RCPTR_23	farmer_adult	TOCDFLIC	Chrysene	8.3233E-007	9.7268E-007
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	6.6385E-009	7.8571E-009
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.5168E+000	3.5168E+000
RCPTR_23	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.4572E-005	6.5502E-005
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.1169E-014	8.3057E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.9750E-014	1.0045E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.6049E-014	9.6697E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.0628E-009	2.6126E-009
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.7820E-019	5.9709E-018
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	8.8969E-018	1.4332E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1578E-016	1.8674E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	3.5660E-017	5.6912E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.7395E-017	9.1487E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.6661E-011	8.2452E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.1139E-017	4.9089E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0090E-017	1.6195E-016
RCPTR_23	farmer_adult	TOCDFLIC	Diethyl phthalate	4.2776E-010	4.4898E-010
RCPTR_23	farmer_adult	TOCDFLIC	Dimethyl phthalate	9.6927E-013	1.3440E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.0309E-013	1.2453E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	5.1512E-013	1.3237E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	9.1207E-013	1.1472E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.5397E-013	8.8317E-012
RCPTR_23	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.6392E-014	2.6511E-013
RCPTR_23	farmer_adult	TOCDFLIC	Ethylbenzene	1.0149E-015	1.3639E-014
RCPTR_23	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.5788E-010	7.7639E-010
RCPTR_23	farmer_adult	TOCDFLIC	Fluoranthene	8.7862E-009	4.3257E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Fluorene	5.6976E-011	7.7295E-010
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.9749E-012	2.0605E-012
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.5914E-012	6.8234E-012
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.5796E-011	1.6466E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.5886E-011	1.6467E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	9.8765E-012	1.0339E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	8.3933E-012	8.8393E-012
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.1455E-011	1.2137E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	9.9242E-012	1.0512E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.0144E-011	1.0741E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.3669E-012	8.8612E-012
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4757E-012	1.6274E-011
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.7669E-009	3.2967E-008
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.2296E-012	4.3285E-011
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.8602E-013	9.9781E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7149E-004	4.7343E-004
RCPTR_23	farmer_adult	TOCDFLIC	Isophorone	1.1783E-013	1.8957E-012
RCPTR_23	farmer_adult	TOCDFLIC	Lead	8.1286E-008	8.9525E-008
RCPTR_23	farmer_adult	TOCDFLIC	Mercuric chloride	5.1962E-009	5.3652E-009
RCPTR_23	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.4094E-018	1.0354E-016
RCPTR_23	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.7316E-019	6.0099E-018
RCPTR_23	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.8189E-015	1.1035E-013
RCPTR_23	farmer_adult	TOCDFLIC	Methyl mercury	7.8766E-011	8.0495E-011
RCPTR_23	farmer_adult	TOCDFLIC	Methylene chloride	9.2504E-014	1.4916E-012
RCPTR_23	farmer_adult	TOCDFLIC	Naphthalene	3.0799E-013	4.6942E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nickel	9.0629E-007	9.7288E-007
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.0443E-012	3.2335E-011
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.7885E-013	7.6950E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.2431E-013	1.9851E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Nitrobenzene	1.9812E-013	3.1998E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.5348E-013	7.2973E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.0720E-012	4.6651E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.1402E-013	1.8048E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.1330E-013	1.7737E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.1196E-014	1.5925E-013
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.0443E-012	3.2127E-012
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.0250E-012	3.1884E-012
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.4156E-011	3.5651E-011
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.9973E-012	5.3643E-012
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.9612E-011	2.1006E-011
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorobenzene	7.1256E-011	6.1872E-010
RCPTR_23	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.1741E-012	4.8923E-011
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorophenol	3.5656E-009	5.1639E-009
RCPTR_23	farmer_adult	TOCDFLIC	Phenanthrene	1.7307E-013	2.4483E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Phenol	1.5935E-013	2.5349E-012
RCPTR_23	farmer_adult	TOCDFLIC	Pronamide	1.8011E-011	2.4236E-010
RCPTR_23	farmer_adult	TOCDFLIC	Pyrene	1.1251E-008	5.8127E-008
RCPTR_23	farmer_adult	TOCDFLIC	Selenium	5.6612E-007	5.6925E-007
RCPTR_23	farmer_adult	TOCDFLIC	Silver	1.5063E-006	1.6151E-006
RCPTR_23	farmer_adult	TOCDFLIC	Styrene	7.8592E-016	1.2441E-014
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	4.4188E-012	4.8640E-012
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.1592E-012	1.3236E-012
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.7133E-011	1.9630E-010
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.6424E-013	7.3683E-013
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.2954E-017	5.2164E-016
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.6036E-010	1.4341E-009
RCPTR_23	farmer_adult	TOCDFLIC	Thallium (l)	2.0069E-006	2.1055E-006
RCPTR_23	farmer_adult	TOCDFLIC	Toluene	1.0308E-012	1.5655E-011
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.7162E-013	7.5116E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.1227E-015	4.9869E-014
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.6806E-015	2.7027E-014
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethylene	2.7702E-016	4.3941E-015
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.6352E-017	5.7750E-016
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	7.9059E-011	8.6188E-010
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.7769E-011	1.7586E-010
RCPTR_23	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.2436E-015	1.0003E-013
RCPTR_23	farmer_adult	TOCDFLIC	VX	3.1799E-012	3.3348E-012
RCPTR_23	farmer_adult	TOCDFLIC	Vinyl Chloride	8.2258E-021	1.3171E-019
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, m-	3.8161E-014	7.3876E-014
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, o-	2.0992E-014	4.6897E-014
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, p-	3.6934E-014	9.2323E-014
RCPTR_23	farmer_adult	TOCDFLIC	Zinc	1.1058E-007	1.4067E-007
RCPTR_23	farmer_adult	TOCDFMPF	Acenaphthene	2.4859E-012	3.6062E-011
RCPTR_23	farmer_adult	TOCDFMPF	Acetone	2.5922E-017	4.1963E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Acetophenone	2.7438E-013	4.4164E-012
RCPTR_23	farmer_adult	TOCDFMPF	Aniline	1.6741E-014	2.6601E-013
RCPTR_23	farmer_adult	TOCDFMPF	Anthracene	2.5481E-011	3.6547E-010
RCPTR_23	farmer_adult	TOCDFMPF	Arsenic	2.4327E-008	2.5325E-008
RCPTR_23	farmer_adult	TOCDFMPF	Barium	8.6269E-009	9.8127E-009
RCPTR_23	farmer_adult	TOCDFMPF	Benzene	1.4663E-016	2.3146E-015
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.4550E-008	3.6122E-008
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.2892E-007	5.5279E-007
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.3477E-007	2.8204E-007
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.0898E-007	7.3324E-007
RCPTR_23	farmer_adult	TOCDFMPF	Benzoic acid	5.2274E-013	4.7738E-012
RCPTR_23	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3277E-013	2.1312E-012
RCPTR_23	farmer_adult	TOCDFMPF	Beryllium	3.2907E-009	3.5093E-009
RCPTR_23	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.7224E-014	6.0255E-013
RCPTR_23	farmer_adult	TOCDFMPF	Bromodichloromethane	7.5795E-016	1.2212E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.6067E-014	4.2065E-013
RCPTR_23	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.8375E-009	2.8692E-008
RCPTR_23	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.4223E-010	2.8421E-010
RCPTR_23	farmer_adult	TOCDFMPF	Cadmium	1.9801E-008	2.8054E-008
RCPTR_23	farmer_adult	TOCDFMPF	Carbon disulfide	5.0818E-017	8.0956E-016
RCPTR_23	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.0683E-016	6.4068E-015
RCPTR_23	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	7.1375E-012	5.0567E-011
RCPTR_23	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.2259E-013	1.9397E-012
RCPTR_23	farmer_adult	TOCDFMPF	Chlorobenzene	2.4205E-015	3.7490E-014
RCPTR_23	farmer_adult	TOCDFMPF	Chloroethane	7.5412E-018	1.0543E-016
RCPTR_23	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.1436E-016	5.0584E-015
RCPTR_23	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.0909E-012	9.0457E-011
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenol, 2-	4.1641E-013	6.7278E-012
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.9462E-011	2.0356E-010
RCPTR_23	farmer_adult	TOCDFMPF	Chromium	4.3421E-007	4.3566E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Chromium, hexavalent	3.8992E-007	3.9684E-007
RCPTR_23	farmer_adult	TOCDFMPF	Chrysene	8.6076E-008	1.0060E-007
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	7.7675E-009	9.1937E-009
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.1636E+000	3.1636E+000
RCPTR_23	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.7108E-005	1.7355E-005
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.1312E-014	2.8939E-013
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.2656E-014	3.2628E-013
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.1334E-014	3.1235E-013
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.1768E-010	7.8230E-010
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.3257E-019	8.4080E-018
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.3139E-016	2.1167E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6304E-016	2.6296E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	5.0216E-017	8.0142E-016
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	8.0821E-017	1.2883E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	6.5280E-012	3.2317E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	4.5988E-016	7.2497E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.4902E-016	2.3917E-015
RCPTR_23	farmer_adult	TOCDFMPF	Diethyl phthalate	9.1437E-010	9.5977E-010
RCPTR_23	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.5994E-014	7.7644E-013
RCPTR_23	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.1698E-013	4.9152E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	9.9046E-013	2.5458E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.2580E-012	1.5822E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.1886E-013	1.1059E-011
RCPTR_23	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	6.9906E-014	1.1306E-012
RCPTR_23	farmer_adult	TOCDFMPF	Ethylbenzene	1.7069E-015	2.2940E-014
RCPTR_23	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1392E-010	1.3443E-010
RCPTR_23	farmer_adult	TOCDFMPF	Fluoranthene	6.8391E-010	3.3675E-009
RCPTR_23	farmer_adult	TOCDFMPF	Fluorene	8.6848E-012	1.1783E-010
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1736E-013	2.2679E-013
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.1037E-012	1.1426E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0444E-012	1.0887E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.7635E-012	2.8648E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.7189E-012	1.7995E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.4402E-012	1.5168E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.0989E-012	3.2834E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0553E-011	1.1178E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.8418E-012	9.3626E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.0688E-012	1.1320E-012
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.2882E-013	9.1402E-012
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.3782E-009	1.6422E-008
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.9437E-012	3.0124E-011
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.8301E-013	7.0257E-012
RCPTR_23	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0263E-004	1.0306E-004
RCPTR_23	farmer_adult	TOCDFMPF	Isophorone	2.1062E-014	3.3886E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Lead	1.2846E-007	1.4148E-007
RCPTR_23	farmer_adult	TOCDFMPF	Mercuric chloride	5.6010E-009	5.7831E-009
RCPTR_23	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.7393E-018	7.6560E-017
RCPTR_23	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.7592E-019	4.4439E-018
RCPTR_23	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.1469E-016	1.8561E-015
RCPTR_23	farmer_adult	TOCDFMPF	Methyl mercury	8.4958E-011	8.6822E-011
RCPTR_23	farmer_adult	TOCDFMPF	Methylene chloride	3.0186E-017	4.8676E-016
RCPTR_23	farmer_adult	TOCDFMPF	Naphthalene	2.5974E-013	3.9589E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nickel	4.7580E-007	5.1076E-007
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.5366E-013	4.0122E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 3-	4.8141E-014	7.7361E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 4-	5.5495E-014	8.8618E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nitrobenzene	6.7773E-014	1.0946E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 2-	5.4790E-014	8.8167E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.8510E-012	4.1685E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.8622E-013	7.6967E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.5599E-014	4.0073E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	7.2857E-015	1.0360E-013
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.3397E-013	2.4691E-013
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.3059E-014	2.4305E-014
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.6402E-012	5.8874E-012
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.3950E-012	3.6444E-012
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.4028E-012	2.5736E-012
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorobenzene	6.0701E-011	5.2680E-010
RCPTR_23	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.6299E-012	2.0827E-011
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorophenol	2.1244E-009	3.0772E-009
RCPTR_23	farmer_adult	TOCDFMPF	Phenanthrene	1.8215E-014	2.5769E-013
RCPTR_23	farmer_adult	TOCDFMPF	Phenol	5.2194E-014	8.3034E-013
RCPTR_23	farmer_adult	TOCDFMPF	Pronamide	7.6804E-011	1.0336E-009
RCPTR_23	farmer_adult	TOCDFMPF	Pyrene	8.2578E-010	4.2668E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Selenium	1.7863E-007	1.7962E-007
RCPTR_23	farmer_adult	TOCDFMPF	Silver	4.7607E-008	5.1046E-008
RCPTR_23	farmer_adult	TOCDFMPF	Styrene	1.1997E-014	1.8991E-013
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9190E-012	2.1123E-012
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.8104E-013	8.9183E-013
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	7.3057E-011	8.3712E-010
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	5.1079E-015	8.1307E-014
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.8668E-016	7.7039E-015
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.9588E-010	6.1036E-010
RCPTR_23	farmer_adult	TOCDFMPF	Thallium (l)	3.2287E-006	3.3873E-006
RCPTR_23	farmer_adult	TOCDFMPF	Toluene	6.6715E-016	1.0132E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.9293E-013	2.5354E-012
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.1168E-016	4.9774E-015
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.3666E-015	3.8058E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethylene	3.9009E-016	6.1876E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.1189E-017	8.1322E-016
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	3.5430E-011	3.8632E-010
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.2644E-011	8.0099E-011
RCPTR_23	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	8.7920E-015	1.4086E-013
RCPTR_23	farmer_adult	TOCDFMPF	VX	4.3970E-012	4.6113E-012
RCPTR_23	farmer_adult	TOCDFMPF	Vinyl Chloride	1.2557E-019	2.0106E-018
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, m-	3.0192E-014	5.8400E-014
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, o-	2.6103E-014	5.8261E-014
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, p-	2.9219E-014	7.2966E-014
RCPTR_23	farmer_adult	TOCDHVAC	VX	1.6273E-012	1.7199E-012
RCPTR_23	farmer_adult	TOCDLIC2	Acenaphthene	1.3563E-011	1.9675E-010
RCPTR_23	farmer_adult	TOCDLIC2	Acetone	6.0884E-013	9.8562E-012
RCPTR_23	farmer_adult	TOCDLIC2	Acetophenone	6.4338E-014	1.0356E-012
RCPTR_23	farmer_adult	TOCDLIC2	Aniline	3.9255E-015	6.2377E-014
RCPTR_23	farmer_adult	TOCDLIC2	Anthracene	2.4210E-010	3.4722E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Antimony	4.6179E-007	5.4762E-007
RCPTR_23	farmer_adult	TOCDLIC2	Arsenic	5.0108E-007	5.2163E-007
RCPTR_23	farmer_adult	TOCDLIC2	Barium	7.7054E-008	8.7645E-008
RCPTR_23	farmer_adult	TOCDLIC2	Benzene	8.3412E-016	1.3166E-014
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.6528E-007	3.9030E-007
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.1004E-006	3.2401E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.6174E-006	1.9430E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.7642E-006	4.9271E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzoic acid	2.7230E-012	2.4861E-011
RCPTR_23	farmer_adult	TOCDLIC2	Benzyl alcohol	1.6748E-011	2.6884E-010
RCPTR_23	farmer_adult	TOCDLIC2	Beryllium	2.6136E-008	2.7872E-008
RCPTR_23	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.7472E-014	1.4159E-012
RCPTR_23	farmer_adult	TOCDLIC2	Bromodichloromethane	5.1322E-017	8.2692E-016
RCPTR_23	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	4.9268E-014	7.9506E-013
RCPTR_23	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.9559E-009	5.0113E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.8276E-009	2.1445E-009
RCPTR_23	farmer_adult	TOCDLIC2	Cadmium	6.2141E-009	8.8040E-009
RCPTR_23	farmer_adult	TOCDLIC2	Carbon disulfide	3.4410E-018	5.4816E-017
RCPTR_23	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.7547E-017	4.3381E-016
RCPTR_23	farmer_adult	TOCDLIC2	Chlorine	7.5759E-008	1.2269E-006
RCPTR_23	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.6671E-011	1.1808E-010
RCPTR_23	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.1570E-013	6.5777E-012
RCPTR_23	farmer_adult	TOCDLIC2	Chlorobenzene	1.6389E-016	2.5385E-015
RCPTR_23	farmer_adult	TOCDLIC2	Chloroethane	5.3557E-018	7.4869E-017
RCPTR_23	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.1286E-017	3.4251E-016
RCPTR_23	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.4603E-011	5.1388E-010
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.1304E-012	1.8263E-011
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.5232E-011	6.5790E-010
RCPTR_23	farmer_adult	TOCDLIC2	Chromium	3.9928E-007	4.0061E-007
RCPTR_23	farmer_adult	TOCDLIC2	Chromium, hexavalent	3.5856E-007	3.6492E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Chrysene	8.3233E-007	9.7268E-007
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	6.6385E-009	7.8571E-009
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-octylphthalate	3.5168E+000	3.5168E+000
RCPTR_23	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.4572E-005	6.5502E-005
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.1169E-014	8.3057E-013
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.9750E-014	1.0045E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.6049E-014	9.6697E-013
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.0628E-009	2.6126E-009
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.7820E-019	5.9709E-018
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	8.6075E-018	1.3866E-016
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1578E-016	1.8674E-015
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.5660E-017	5.6912E-016
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.7395E-017	9.1487E-016
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.6661E-011	8.2452E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.1139E-017	4.9089E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0090E-017	1.6195E-016
RCPTR_23	farmer_adult	TOCDLIC2	Diethyl phthalate	4.2776E-010	4.4898E-010
RCPTR_23	farmer_adult	TOCDLIC2	Dimethyl phthalate	9.6927E-013	1.3440E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.0309E-013	1.2453E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	5.1512E-013	1.3237E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	9.1207E-013	1.1472E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.5397E-013	8.8317E-012
RCPTR_23	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.6392E-014	2.6511E-013
RCPTR_23	farmer_adult	TOCDLIC2	Ethylbenzene	1.0149E-015	1.3639E-014
RCPTR_23	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.5788E-010	7.7639E-010
RCPTR_23	farmer_adult	TOCDLIC2	Fluoranthene	8.7862E-009	4.3257E-008
RCPTR_23	farmer_adult	TOCDLIC2	Fluorene	5.6976E-011	7.7295E-010
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.9749E-012	2.0605E-012
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.2747E-011	2.3547E-011
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.4512E-011	5.6823E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5886E-011	1.6467E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.8765E-012	1.0339E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.3933E-012	8.8393E-012
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1455E-011	1.2137E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	9.9242E-012	1.0512E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.0144E-011	1.0741E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.3669E-012	8.8612E-012
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4757E-012	1.6274E-011
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.7669E-009	3.2967E-008
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.2296E-012	4.3285E-011
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.8602E-013	9.9781E-012
RCPTR_23	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7149E-004	4.7343E-004
RCPTR_23	farmer_adult	TOCDLIC2	Isophorone	1.1783E-013	1.8957E-012
RCPTR_23	farmer_adult	TOCDLIC2	Lead	8.1286E-008	8.9525E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Mercuric chloride	5.1962E-009	5.3652E-009
RCPTR_23	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.4094E-018	1.0354E-016
RCPTR_23	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.8683E-020	3.0090E-019
RCPTR_23	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.8189E-015	1.1035E-013
RCPTR_23	farmer_adult	TOCDLIC2	Methyl mercury	7.8766E-011	8.0495E-011
RCPTR_23	farmer_adult	TOCDLIC2	Methylene chloride	9.2504E-014	1.4916E-012
RCPTR_23	farmer_adult	TOCDLIC2	Naphthalene	3.0799E-013	4.6942E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nickel	9.0629E-007	9.7288E-007
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.0443E-012	3.2335E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.7885E-013	7.6950E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.2268E-013	9.9434E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrobenzene	1.9812E-013	3.1998E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.0531E-014	1.4568E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.0379E-011	2.3368E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1402E-013	1.8048E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1330E-013	1.7737E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.1196E-014	1.5925E-013
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.0443E-012	3.2127E-012
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.0250E-012	3.1884E-012
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.4156E-011	3.5651E-011
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.9973E-012	5.3643E-012
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.9612E-011	2.1006E-011
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.4225E-011	1.2352E-010
RCPTR_23	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.1741E-012	4.8923E-011
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorophenol	1.7860E-008	2.5866E-008
RCPTR_23	farmer_adult	TOCDLIC2	Phenanthrene	1.7307E-013	2.4483E-012
RCPTR_23	farmer_adult	TOCDLIC2	Phenol	1.5935E-013	2.5349E-012
RCPTR_23	farmer_adult	TOCDLIC2	Pronamide	1.8011E-011	2.4236E-010
RCPTR_23	farmer_adult	TOCDLIC2	Pyrene	1.1251E-008	5.8127E-008
RCPTR_23	farmer_adult	TOCDLIC2	Selenium	5.6612E-007	5.6925E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Silver	1.5063E-006	1.6151E-006
RCPTR_23	farmer_adult	TOCDLIC2	Styrene	7.8592E-016	1.2441E-014
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	4.4188E-012	4.8640E-012
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.1592E-012	1.3236E-012
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.7133E-011	1.9630E-010
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	5.6424E-013	7.3683E-013
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.2954E-017	5.2164E-016
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.6036E-010	1.4341E-009
RCPTR_23	farmer_adult	TOCDLIC2	Thallium (l)	2.0069E-006	2.1055E-006
RCPTR_23	farmer_adult	TOCDLIC2	Toluene	1.0308E-012	1.5655E-011
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.7162E-013	7.5116E-012
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.1227E-015	4.9869E-014
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.6806E-015	2.7027E-014
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethylene	2.7702E-016	4.3941E-015
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.6352E-017	5.7750E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	7.9059E-011	8.6188E-010
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.7769E-011	1.7586E-010
RCPTR_23	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.2436E-015	1.0003E-013
RCPTR_23	farmer_adult	TOCDLIC2	VX	3.3058E-012	3.4669E-012
RCPTR_23	farmer_adult	TOCDLIC2	Vinyl Chloride	8.2258E-021	1.3171E-019
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, m-	3.8161E-014	7.3876E-014
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, o-	2.0992E-014	4.6897E-014
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, p-	3.6934E-014	9.2323E-014
RCPTR_23	farmer_adult	TOCDLIC2	Zinc	1.1058E-007	1.4067E-007
RCPTR_23	farmer_child	TOCDFBRA	Antimony	1.6759E-007	1.8572E-007
RCPTR_23	farmer_child	TOCDFBRA	Arsenic	2.6798E-007	2.7499E-007
RCPTR_23	farmer_child	TOCDFBRA	Barium	2.2800E-008	2.4679E-008
RCPTR_23	farmer_child	TOCDFBRA	Beryllium	7.2803E-008	7.4902E-008
RCPTR_23	farmer_child	TOCDFBRA	Cadmium	1.4019E-008	1.6839E-008
RCPTR_23	farmer_child	TOCDFBRA	Chromium	1.7209E-007	1.7609E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFBRA	Chromium, hexavalent	1.5794E-007	1.5977E-007
RCPTR_23	farmer_child	TOCDFBRA	Lead	7.5700E-007	7.9089E-007
RCPTR_23	farmer_child	TOCDFBRA	Mercuric chloride	8.8783E-005	1.0277E-004
RCPTR_23	farmer_child	TOCDFBRA	Methyl mercury	1.6390E-006	1.6827E-006
RCPTR_23	farmer_child	TOCDFBRA	Nickel	8.8827E-007	9.2578E-007
RCPTR_23	farmer_child	TOCDFBRA	Selenium	2.9853E-007	2.9961E-007
RCPTR_23	farmer_child	TOCDFBRA	Silver	1.0188E-007	1.0657E-007
RCPTR_23	farmer_child	TOCDFBRA	Thallium (l)	2.7453E-006	2.8223E-006
RCPTR_23	farmer_child	TOCDFBRA	Zinc	4.9748E-007	5.6973E-007
RCPTR_23	farmer_child	TOCDFDFS	Acenaphthene	1.4045E-010	3.3753E-010
RCPTR_23	farmer_child	TOCDFDFS	Acetone	2.8178E-014	6.8445E-014
RCPTR_23	farmer_child	TOCDFDFS	Acetophenone	7.3183E-013	1.7767E-012
RCPTR_23	farmer_child	TOCDFDFS	Aniline	4.4133E-014	1.0701E-013
RCPTR_23	farmer_child	TOCDFDFS	Anthracene	2.4819E-009	5.9568E-009
RCPTR_23	farmer_child	TOCDFDFS	Antimony	3.3333E-008	3.6813E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Aroclor 1254	2.8679E-011	4.0709E-011
RCPTR_23	farmer_child	TOCDFDFS	Arsenic	6.2341E-008	6.3912E-008
RCPTR_23	farmer_child	TOCDFDFS	Barium	3.0219E-007	3.2620E-007
RCPTR_23	farmer_child	TOCDFDFS	Benzene	2.3649E-015	5.7309E-015
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)anthracene	5.6065E-007	6.6669E-007
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)pyrene	5.4206E-006	5.5470E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.0273E-006	3.3081E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	8.3091E-006	8.4238E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzoic acid	1.2157E-011	2.7560E-011
RCPTR_23	farmer_child	TOCDFDFS	Benzyl alcohol	1.5502E-012	3.7626E-012
RCPTR_23	farmer_child	TOCDFDFS	Beryllium	1.4205E-008	1.4600E-008
RCPTR_23	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.0001E-012	2.4292E-012
RCPTR_23	farmer_child	TOCDFDFS	Bromodichloromethane	5.0252E-015	1.2201E-014
RCPTR_23	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.7307E-013	4.2027E-013
RCPTR_23	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.7687E-008	8.5978E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.2491E-008	1.3760E-008
RCPTR_23	farmer_child	TOCDFDFS	Cadmium	2.4758E-008	2.9584E-008
RCPTR_23	farmer_child	TOCDFDFS	Carbon disulfide	6.7040E-016	1.6260E-015
RCPTR_23	farmer_child	TOCDFDFS	Carbon tetrachloride	2.6419E-015	6.4007E-015
RCPTR_23	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	9.3174E-011	2.0227E-010
RCPTR_23	farmer_child	TOCDFDFS	Chloroaniline, p-	4.6557E-012	1.1285E-011
RCPTR_23	farmer_child	TOCDFDFS	Chlorobenzene	7.7552E-015	1.8759E-014
RCPTR_23	farmer_child	TOCDFDFS	Chloroethane	6.2513E-017	1.4966E-016
RCPTR_23	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.0426E-015	2.5312E-015
RCPTR_23	farmer_child	TOCDFDFS	Chloronaphthalene,2-	3.6596E-010	8.8157E-010
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.2901E-011	3.1333E-011
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.2237E-010	1.1277E-009
RCPTR_23	farmer_child	TOCDFDFS	Chromium	1.7433E-007	1.7824E-007
RCPTR_23	farmer_child	TOCDFDFS	Chromium, hexavalent	1.6050E-007	1.6228E-007
RCPTR_23	farmer_child	TOCDFDFS	Chrysene	1.5461E-006	1.6548E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.8612E-008	2.0644E-008
RCPTR_23	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.9342E+002	1.9342E+002
RCPTR_23	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1111E-004	1.1186E-004
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.3074E-013	3.1201E-013
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.6640E-013	1.1200E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.0687E-013	7.3817E-013
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2859E-009	2.6355E-009
RCPTR_23	farmer_child	TOCDFDFS	Dichlorodifluoromethane	4.9265E-018	1.1938E-017
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.3625E-016	1.0592E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4190E-016	1.3158E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	4.6906E-016	1.1379E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	7.5411E-016	1.8291E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	5.1316E-011	1.0298E-010
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.2481E-015	1.0293E-014
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.9312E-016	1.1968E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Diethyl phthalate	3.7852E-009	3.9029E-009
RCPTR_23	farmer_child	TOCDFDFS	Dimethyl phthalate	4.7099E-012	1.1264E-011
RCPTR_23	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	8.8309E-012	2.1364E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	6.8707E-012	1.1176E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.8017E-012	4.2612E-012
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.3754E-012	3.2801E-012
RCPTR_23	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.8727E-013	4.5484E-013
RCPTR_23	farmer_child	TOCDFDFS	Ethylbenzene	9.6130E-015	2.2915E-014
RCPTR_23	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.4504E-010	3.8131E-010
RCPTR_23	farmer_child	TOCDFDFS	Fluoranthene	4.0179E-008	7.4106E-008
RCPTR_23	farmer_child	TOCDFDFS	Fluorene	5.5567E-010	1.3259E-009
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.5917E-013	3.6567E-013
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.4356E-013	4.5015E-013
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0756E-012	1.0946E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.7311E-012	2.7732E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.7257E-012	1.7592E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.4822E-012	1.5146E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.9861E-012	2.0344E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.7194E-012	1.7611E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.7550E-012	1.7973E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.4485E-012	1.4835E-012
RCPTR_23	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.1996E-011	2.7915E-011
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorobenzene	2.4151E-008	5.6544E-008
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.5956E-010	3.6754E-010
RCPTR_23	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.1202E-012	1.7117E-011
RCPTR_23	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	7.9926E-004	8.0091E-004
RCPTR_23	farmer_child	TOCDFDFS	Isophorone	1.3397E-012	3.2524E-012
RCPTR_23	farmer_child	TOCDFDFS	Lead	1.6850E-007	1.7580E-007
RCPTR_23	farmer_child	TOCDFDFS	Mercuric chloride	1.1097E-007	1.2939E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.4760E-017	1.0870E-016
RCPTR_23	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	8.6205E-019	2.0930E-018
RCPTR_23	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.2263E-015	1.2695E-014
RCPTR_23	farmer_child	TOCDFDFS	Methyl mercury	1.9076E-009	1.9650E-009
RCPTR_23	farmer_child	TOCDFDFS	Methylene chloride	2.9122E-014	7.0713E-014
RCPTR_23	farmer_child	TOCDFDFS	Naphthalene	8.8144E-012	2.1288E-011
RCPTR_23	farmer_child	TOCDFDFS	Nickel	1.9140E-006	1.9918E-006
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.2617E-011	5.4819E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 3-	5.3745E-012	1.3046E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 4-	6.9494E-012	1.6858E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitrobenzene	2.2605E-012	5.4897E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.0295E-012	2.4994E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.5515E-011	3.9324E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.2774E-012	3.0963E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.2566E-012	3.0429E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.1401E-013	2.7329E-013
RCPTR_23	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.8988E-013	9.1010E-013
RCPTR_23	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.6799E-013	2.7394E-013
RCPTR_23	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.0950E-012	5.1877E-012
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.7557E-013	4.8972E-013
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8755E-012	1.9295E-012
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorobenzene	4.6828E-010	1.0503E-009
RCPTR_23	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.7617E-011	8.3064E-011
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorophenol	7.0312E-009	8.7507E-009
RCPTR_23	farmer_child	TOCDFDFS	Phenanthrene	1.7522E-012	4.2000E-012
RCPTR_23	farmer_child	TOCDFDFS	Phenol	1.7933E-012	4.3490E-012
RCPTR_23	farmer_child	TOCDFDFS	Pronamide	3.4873E-010	8.3145E-010
RCPTR_23	farmer_child	TOCDFDFS	Pyrene	6.3399E-008	9.9634E-008
RCPTR_23	farmer_child	TOCDFDFS	Selenium	6.9491E-008	6.9733E-008
RCPTR_23	farmer_child	TOCDFDFS	Silver	9.4757E-008	9.8958E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Styrene	9.2110E-014	2.2327E-013
RCPTR_23	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.3999E-012	2.4957E-012
RCPTR_23	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.1442E-012	1.2069E-012
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.4389E-010	3.3663E-010
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	9.1255E-012	1.0722E-011
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.1754E-015	7.6968E-015
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.3841E-009	2.4192E-009
RCPTR_23	farmer_child	TOCDFDFS	Thallium (l)	1.2612E-005	1.2953E-005
RCPTR_23	farmer_child	TOCDFDFS	Toluene	1.5695E-014	3.7893E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	6.4708E-012	1.5393E-011
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.0498E-015	4.9727E-015
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.2259E-014	5.4036E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethylene	3.6236E-015	8.7853E-015
RCPTR_23	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.7617E-016	1.1546E-015
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	6.3566E-010	1.4778E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.4183E-010	3.0115E-010
RCPTR_23	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	8.2416E-014	2.0000E-013
RCPTR_23	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.1420E-013	1.6937E-012
RCPTR_23	farmer_child	TOCDFDFS	VX	8.7630E-012	9.0308E-012
RCPTR_23	farmer_child	TOCDFDFS	Vinyl Chloride	6.0977E-019	1.4796E-018
RCPTR_23	farmer_child	TOCDFDFS	Xylene, m-	1.5464E-013	2.2018E-013
RCPTR_23	farmer_child	TOCDFDFS	Xylene, o-	1.4438E-013	2.1910E-013
RCPTR_23	farmer_child	TOCDFDFS	Xylene, p-	1.7225E-013	2.7389E-013
RCPTR_23	farmer_child	TOCDFLIC	Acenaphthene	8.1884E-011	1.9675E-010
RCPTR_23	farmer_child	TOCDFLIC	Acetone	4.0576E-012	9.8562E-012
RCPTR_23	farmer_child	TOCDFLIC	Acetophenone	4.2657E-013	1.0356E-012
RCPTR_23	farmer_child	TOCDFLIC	Aniline	2.5725E-014	6.2377E-014
RCPTR_23	farmer_child	TOCDFLIC	Anthracene	1.4468E-009	3.4722E-009
RCPTR_23	farmer_child	TOCDFLIC	Antimony	4.9608E-007	5.4762E-007
RCPTR_23	farmer_child	TOCDFLIC	Arsenic	5.0887E-007	5.2163E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Barium	8.1223E-008	8.7645E-008
RCPTR_23	farmer_child	TOCDFLIC	Benzene	5.4334E-015	1.3166E-014
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.2859E-007	3.9030E-007
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.1678E-006	3.2401E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.7797E-006	1.9430E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.8619E-006	4.9271E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzoic acid	1.0979E-011	2.4861E-011
RCPTR_23	farmer_child	TOCDFLIC	Benzyl alcohol	1.1076E-010	2.6884E-010
RCPTR_23	farmer_child	TOCDFLIC	Beryllium	2.7122E-008	2.7872E-008
RCPTR_23	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	5.8291E-013	1.4159E-012
RCPTR_23	farmer_child	TOCDFLIC	Bromodichloromethane	3.4058E-016	8.2692E-016
RCPTR_23	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.2741E-013	7.9506E-013
RCPTR_23	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.7794E-008	5.0113E-008
RCPTR_23	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.9458E-009	2.1445E-009
RCPTR_23	farmer_child	TOCDFLIC	Cadmium	7.3729E-009	8.8040E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Carbon disulfide	2.2601E-017	5.4816E-017
RCPTR_23	farmer_child	TOCDFLIC	Carbon tetrachloride	1.7906E-016	4.3381E-016
RCPTR_23	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	5.4490E-011	1.1808E-010
RCPTR_23	farmer_child	TOCDFLIC	Chloroaniline, p-	2.7138E-012	6.5777E-012
RCPTR_23	farmer_child	TOCDFLIC	Chlorobenzene	1.0495E-015	2.5385E-015
RCPTR_23	farmer_child	TOCDFLIC	Chloroethane	3.1280E-017	7.4869E-017
RCPTR_23	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.4109E-016	3.4251E-016
RCPTR_23	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.1335E-010	5.1388E-010
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenol, 2-	7.5198E-012	1.8263E-011
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.0508E-010	6.5790E-010
RCPTR_23	farmer_child	TOCDFLIC	Chromium	3.9187E-007	4.0061E-007
RCPTR_23	farmer_child	TOCDFLIC	Chromium, hexavalent	3.6094E-007	3.6492E-007
RCPTR_23	farmer_child	TOCDFLIC	Chrysene	9.0957E-007	9.7268E-007
RCPTR_23	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.0930E-009	7.8571E-009
RCPTR_23	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.5168E+000	3.5168E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.5084E-005	6.5502E-005
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.4811E-013	8.3057E-013
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.1835E-013	1.0045E-012
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.0204E-013	9.6697E-013
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.2678E-009	2.6126E-009
RCPTR_23	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.4640E-018	5.9709E-018
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane 1,1-	5.9031E-017	1.4332E-016
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.6903E-016	1.8674E-015
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.3461E-016	5.6912E-016
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.7719E-016	9.1487E-016
RCPTR_23	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.1197E-011	8.2452E-011
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.0260E-016	4.9089E-016
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.6725E-017	1.6195E-016
RCPTR_23	farmer_child	TOCDFLIC	Diethyl phthalate	4.3567E-010	4.4898E-010
RCPTR_23	farmer_child	TOCDFLIC	Dimethyl phthalate	5.6203E-012	1.3440E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.1479E-012	1.2453E-011
RCPTR_23	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.1667E-013	1.3237E-012
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.8503E-012	1.1472E-011
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.7038E-012	8.8317E-012
RCPTR_23	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.0915E-013	2.6511E-013
RCPTR_23	farmer_child	TOCDFLIC	Ethylbenzene	5.7230E-015	1.3639E-014
RCPTR_23	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.0208E-010	7.7639E-010
RCPTR_23	farmer_child	TOCDFLIC	Fluoranthene	2.3484E-008	4.3257E-008
RCPTR_23	farmer_child	TOCDFLIC	Fluorene	3.2400E-010	7.7295E-010
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.0245E-012	2.0605E-012
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.7261E-012	6.8234E-012
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.6185E-011	1.6466E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.6223E-011	1.6467E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.0145E-011	1.0339E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	8.6524E-012	8.8393E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.1851E-011	1.2137E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.0266E-011	1.0512E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.0491E-011	1.0741E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.6540E-012	8.8612E-012
RCPTR_23	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	6.9945E-012	1.6274E-011
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorobenzene	1.4086E-008	3.2967E-008
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.8795E-011	4.3285E-011
RCPTR_23	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.1515E-012	9.9781E-012
RCPTR_23	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7250E-004	4.7343E-004
RCPTR_23	farmer_child	TOCDFLIC	Isophorone	7.8089E-013	1.8957E-012
RCPTR_23	farmer_child	TOCDFLIC	Lead	8.5828E-008	8.9525E-008
RCPTR_23	farmer_child	TOCDFLIC	Mercuric chloride	4.5961E-009	5.3652E-009
RCPTR_23	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.2634E-017	1.0354E-016
RCPTR_23	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.4754E-018	6.0099E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.5431E-014	1.1035E-013
RCPTR_23	farmer_child	TOCDFLIC	Methyl mercury	7.8097E-011	8.0495E-011
RCPTR_23	farmer_child	TOCDFLIC	Methylene chloride	6.1430E-013	1.4916E-012
RCPTR_23	farmer_child	TOCDFLIC	Naphthalene	1.9438E-012	4.6942E-012
RCPTR_23	farmer_child	TOCDFLIC	Nickel	9.3504E-007	9.7288E-007
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.3341E-011	3.2335E-011
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.1701E-012	7.6950E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.1827E-013	1.9851E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrobenzene	1.3176E-012	3.1998E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.0058E-012	7.2973E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.0391E-012	4.6651E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.4458E-013	1.8048E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.3254E-013	1.7737E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.6411E-014	1.5925E-013
RCPTR_23	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.1420E-012	3.2127E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.1198E-012	3.1884E-012
RCPTR_23	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.5027E-011	3.5651E-011
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.2110E-012	5.3643E-012
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.0423E-011	2.1006E-011
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorobenzene	2.7543E-010	6.1872E-010
RCPTR_23	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.2117E-011	4.8923E-011
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorophenol	4.1617E-009	5.1639E-009
RCPTR_23	farmer_child	TOCDFLIC	Phenanthrene	1.0216E-012	2.4483E-012
RCPTR_23	farmer_child	TOCDFLIC	Phenol	1.0453E-012	2.5349E-012
RCPTR_23	farmer_child	TOCDFLIC	Pronamide	1.0168E-010	2.4236E-010
RCPTR_23	farmer_child	TOCDFLIC	Pyrene	3.7009E-008	5.8127E-008
RCPTR_23	farmer_child	TOCDFLIC	Selenium	5.6728E-007	5.6925E-007
RCPTR_23	farmer_child	TOCDFLIC	Silver	1.5468E-006	1.6151E-006
RCPTR_23	farmer_child	TOCDFLIC	Styrene	5.1326E-015	1.2441E-014
RCPTR_23	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	4.6787E-012	4.8640E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.2553E-012	1.3236E-012
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	8.3952E-011	1.9630E-010
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.2860E-013	7.3683E-013
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.1521E-016	5.2164E-016
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.2349E-010	1.4341E-009
RCPTR_23	farmer_child	TOCDFLIC	Thallium (l)	2.0504E-006	2.1055E-006
RCPTR_23	farmer_child	TOCDFLIC	Toluene	6.4849E-012	1.5655E-011
RCPTR_23	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.1599E-012	7.5116E-012
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.0556E-014	4.9869E-014
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.1133E-014	2.7027E-014
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethylene	1.8125E-015	4.3941E-015
RCPTR_23	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.3817E-016	5.7750E-016
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.7101E-010	8.6188E-010
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	8.2999E-011	1.7586E-010
RCPTR_23	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.1222E-014	1.0003E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	VX	3.2377E-012	3.3348E-012
RCPTR_23	farmer_child	TOCDFLIC	Vinyl Chloride	5.4280E-020	1.3171E-019
RCPTR_23	farmer_child	TOCDFLIC	Xylene, m-	5.1481E-014	7.3876E-014
RCPTR_23	farmer_child	TOCDFLIC	Xylene, o-	3.0653E-014	4.6897E-014
RCPTR_23	farmer_child	TOCDFLIC	Xylene, p-	5.7591E-014	9.2323E-014
RCPTR_23	farmer_child	TOCDFLIC	Zinc	1.2343E-007	1.4067E-007
RCPTR_23	farmer_child	TOCDFMPF	Acenaphthene	1.5008E-011	3.6062E-011
RCPTR_23	farmer_child	TOCDFMPF	Acetone	1.7275E-016	4.1963E-016
RCPTR_23	farmer_child	TOCDFMPF	Acetophenone	1.8191E-012	4.4164E-012
RCPTR_23	farmer_child	TOCDFMPF	Aniline	1.0971E-013	2.6601E-013
RCPTR_23	farmer_child	TOCDFMPF	Anthracene	1.5229E-010	3.6547E-010
RCPTR_23	farmer_child	TOCDFMPF	Arsenic	2.4705E-008	2.5325E-008
RCPTR_23	farmer_child	TOCDFMPF	Barium	9.0937E-009	9.8127E-009
RCPTR_23	farmer_child	TOCDFMPF	Benzene	9.5516E-016	2.3146E-015
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.0409E-008	3.6122E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.4044E-007	5.5279E-007
RCPTR_23	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.5833E-007	2.8204E-007
RCPTR_23	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.2353E-007	7.3324E-007
RCPTR_23	farmer_child	TOCDFMPF	Benzoic acid	2.1082E-012	4.7738E-012
RCPTR_23	farmer_child	TOCDFMPF	Benzyl alcohol	8.7807E-013	2.1312E-012
RCPTR_23	farmer_child	TOCDFMPF	Beryllium	3.4148E-009	3.5093E-009
RCPTR_23	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.4806E-013	6.0255E-013
RCPTR_23	farmer_child	TOCDFMPF	Bromodichloromethane	5.0298E-015	1.2212E-014
RCPTR_23	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.7323E-013	4.2065E-013
RCPTR_23	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.5914E-008	2.8692E-008
RCPTR_23	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.5789E-010	2.8421E-010
RCPTR_23	farmer_child	TOCDFMPF	Cadmium	2.3494E-008	2.8054E-008
RCPTR_23	farmer_child	TOCDFMPF	Carbon disulfide	3.3379E-016	8.0956E-016
RCPTR_23	farmer_child	TOCDFMPF	Carbon tetrachloride	2.6445E-015	6.4068E-015
RCPTR_23	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.3334E-011	5.0567E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Chloroaniline, p-	8.0028E-013	1.9397E-012
RCPTR_23	farmer_child	TOCDFMPF	Chlorobenzene	1.5499E-014	3.7490E-014
RCPTR_23	farmer_child	TOCDFMPF	Chloroethane	4.4047E-017	1.0543E-016
RCPTR_23	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.0836E-015	5.0584E-015
RCPTR_23	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.7555E-011	9.0457E-011
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.7702E-012	6.7278E-012
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.4390E-011	2.0356E-010
RCPTR_23	farmer_child	TOCDFMPF	Chromium	4.2615E-007	4.3566E-007
RCPTR_23	farmer_child	TOCDFMPF	Chromium, hexavalent	3.9251E-007	3.9684E-007
RCPTR_23	farmer_child	TOCDFMPF	Chrysene	9.4067E-008	1.0060E-007
RCPTR_23	farmer_child	TOCDFMPF	Di-n-butyl phthalate	8.2994E-009	9.1937E-009
RCPTR_23	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.1636E+000	3.1636E+000
RCPTR_23	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.7244E-005	1.7355E-005
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.2129E-013	2.8939E-013
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.3589E-013	3.2628E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2987E-013	3.1235E-013
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.7908E-010	7.8230E-010
RCPTR_23	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.4697E-018	8.4080E-018
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane 1,1-	8.7180E-016	2.1167E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0829E-015	2.6296E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.3037E-016	8.0142E-016
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.3114E-016	1.2883E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.6146E-011	3.2317E-011
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.9921E-015	7.2497E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.8544E-016	2.3917E-015
RCPTR_23	farmer_child	TOCDFMPF	Diethyl phthalate	9.3130E-010	9.5977E-010
RCPTR_23	farmer_child	TOCDFMPF	Dimethyl phthalate	3.2468E-013	7.7644E-013
RCPTR_23	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.0319E-012	4.9152E-012
RCPTR_23	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.5705E-012	2.5458E-012
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.6896E-012	1.5822E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.6378E-012	1.1059E-011
RCPTR_23	farmer_child	TOCDFMPF	Ethyl methanesulfonate	4.6549E-013	1.1306E-012
RCPTR_23	farmer_child	TOCDFMPF	Ethylbenzene	9.6259E-015	2.2940E-014
RCPTR_23	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.2157E-010	1.3443E-010
RCPTR_23	farmer_child	TOCDFMPF	Fluoranthene	1.8281E-009	3.3675E-009
RCPTR_23	farmer_child	TOCDFMPF	Fluorene	4.9389E-011	1.1783E-010
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.2283E-013	2.2679E-013
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.1263E-012	1.1426E-012
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0701E-012	1.0887E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.8223E-012	2.8648E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.7657E-012	1.7995E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.4847E-012	1.5168E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.2061E-012	3.2834E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0916E-011	1.1178E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.1443E-012	9.3626E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1055E-012	1.1320E-012
RCPTR_23	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.9285E-012	9.1402E-012
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorobenzene	7.0168E-009	1.6422E-008
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.3081E-011	3.0124E-011
RCPTR_23	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.9231E-012	7.0257E-012
RCPTR_23	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0286E-004	1.0306E-004
RCPTR_23	farmer_child	TOCDFMPF	Isophorone	1.3958E-013	3.3886E-013
RCPTR_23	farmer_child	TOCDFMPF	Lead	1.3563E-007	1.4148E-007
RCPTR_23	farmer_child	TOCDFMPF	Mercuric chloride	4.9544E-009	5.7831E-009
RCPTR_23	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.1525E-017	7.6560E-017
RCPTR_23	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.8304E-018	4.4439E-018
RCPTR_23	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	7.6413E-016	1.8561E-015
RCPTR_23	farmer_child	TOCDFMPF	Methyl mercury	8.4237E-011	8.6822E-011
RCPTR_23	farmer_child	TOCDFMPF	Methylene chloride	2.0046E-016	4.8676E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Naphthalene	1.6393E-012	3.9589E-012
RCPTR_23	farmer_child	TOCDFMPF	Nickel	4.9090E-007	5.1076E-007
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.6554E-012	4.0122E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.1870E-013	7.7361E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.6529E-013	8.8618E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitrobenzene	4.5071E-013	1.0946E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.6317E-013	8.8167E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.7153E-012	4.1685E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.1753E-012	7.6967E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.6550E-013	4.0073E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.3207E-014	1.0360E-013
RCPTR_23	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.4147E-013	2.4691E-013
RCPTR_23	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.3782E-014	2.4305E-014
RCPTR_23	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.7842E-012	5.8874E-012
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.5402E-012	3.6444E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.5022E-012	2.5736E-012
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorobenzene	2.3453E-010	5.2680E-010
RCPTR_23	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	9.4166E-012	2.0827E-011
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorophenol	2.4798E-009	3.0772E-009
RCPTR_23	farmer_child	TOCDFMPF	Phenanthrene	1.0753E-013	2.5769E-013
RCPTR_23	farmer_child	TOCDFMPF	Phenol	3.4240E-013	8.3034E-013
RCPTR_23	farmer_child	TOCDFMPF	Pronamide	4.3363E-010	1.0336E-009
RCPTR_23	farmer_child	TOCDFMPF	Pyrene	2.7166E-009	4.2668E-009
RCPTR_23	farmer_child	TOCDFMPF	Selenium	1.7900E-007	1.7962E-007
RCPTR_23	farmer_child	TOCDFMPF	Silver	4.8890E-008	5.1046E-008
RCPTR_23	farmer_child	TOCDFMPF	Styrene	7.8348E-014	1.8991E-013
RCPTR_23	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0319E-012	2.1123E-012
RCPTR_23	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	8.4579E-013	8.9183E-013
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.5801E-010	8.3712E-010
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.3526E-014	8.1307E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.1783E-015	7.7039E-015
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.5046E-010	6.1036E-010
RCPTR_23	farmer_child	TOCDFMPF	Thallium (l)	3.2987E-006	3.3873E-006
RCPTR_23	farmer_child	TOCDFMPF	Toluene	4.1972E-015	1.0132E-014
RCPTR_23	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0666E-012	2.5354E-012
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.0517E-015	4.9774E-015
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.5678E-014	3.8058E-014
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethylene	2.5523E-015	6.1876E-015
RCPTR_23	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.3538E-016	8.1322E-016
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6629E-010	3.8632E-010
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	3.7801E-011	8.0099E-011
RCPTR_23	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	5.8047E-014	1.4086E-013
RCPTR_23	farmer_child	TOCDFMPF	VX	4.4769E-012	4.6113E-012
RCPTR_23	farmer_child	TOCDFMPF	Vinyl Chloride	8.2859E-019	2.0106E-018
RCPTR_23	farmer_child	TOCDFMPF	Xylene, m-	4.0712E-014	5.8400E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Xylene, o-	3.8096E-014	5.8261E-014
RCPTR_23	farmer_child	TOCDFMPF	Xylene, p-	4.5534E-014	7.2966E-014
RCPTR_23	farmer_child	TOCDHVAC	VX	1.6618E-012	1.7199E-012
RCPTR_23	farmer_child	TOCDLIC2	Acenaphthene	8.1884E-011	1.9675E-010
RCPTR_23	farmer_child	TOCDLIC2	Acetone	4.0576E-012	9.8562E-012
RCPTR_23	farmer_child	TOCDLIC2	Acetophenone	4.2657E-013	1.0356E-012
RCPTR_23	farmer_child	TOCDLIC2	Aniline	2.5725E-014	6.2377E-014
RCPTR_23	farmer_child	TOCDLIC2	Anthracene	1.4468E-009	3.4722E-009
RCPTR_23	farmer_child	TOCDLIC2	Antimony	4.9608E-007	5.4762E-007
RCPTR_23	farmer_child	TOCDLIC2	Arsenic	5.0887E-007	5.2163E-007
RCPTR_23	farmer_child	TOCDLIC2	Barium	8.1223E-008	8.7645E-008
RCPTR_23	farmer_child	TOCDLIC2	Benzene	5.4334E-015	1.3166E-014
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.2859E-007	3.9030E-007
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.1678E-006	3.2401E-006
RCPTR_23	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.7797E-006	1.9430E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.8619E-006	4.9271E-006
RCPTR_23	farmer_child	TOCDLIC2	Benzoic acid	1.0979E-011	2.4861E-011
RCPTR_23	farmer_child	TOCDLIC2	Benzyl alcohol	1.1076E-010	2.6884E-010
RCPTR_23	farmer_child	TOCDLIC2	Beryllium	2.7122E-008	2.7872E-008
RCPTR_23	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.8291E-013	1.4159E-012
RCPTR_23	farmer_child	TOCDLIC2	Bromodichloromethane	3.4058E-016	8.2692E-016
RCPTR_23	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.2741E-013	7.9506E-013
RCPTR_23	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.7794E-008	5.0113E-008
RCPTR_23	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.9458E-009	2.1445E-009
RCPTR_23	farmer_child	TOCDLIC2	Cadmium	7.3729E-009	8.8040E-009
RCPTR_23	farmer_child	TOCDLIC2	Carbon disulfide	2.2601E-017	5.4816E-017
RCPTR_23	farmer_child	TOCDLIC2	Carbon tetrachloride	1.7906E-016	4.3381E-016
RCPTR_23	farmer_child	TOCDLIC2	Chlorine	5.0506E-007	1.2269E-006
RCPTR_23	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.4490E-011	1.1808E-010
RCPTR_23	farmer_child	TOCDLIC2	Chloroaniline, p-	2.7138E-012	6.5777E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Chlorobenzene	1.0495E-015	2.5385E-015
RCPTR_23	farmer_child	TOCDLIC2	Chloroethane	3.1280E-017	7.4869E-017
RCPTR_23	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.4109E-016	3.4251E-016
RCPTR_23	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.1335E-010	5.1388E-010
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenol, 2-	7.5198E-012	1.8263E-011
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.0508E-010	6.5790E-010
RCPTR_23	farmer_child	TOCDLIC2	Chromium	3.9187E-007	4.0061E-007
RCPTR_23	farmer_child	TOCDLIC2	Chromium, hexavalent	3.6094E-007	3.6492E-007
RCPTR_23	farmer_child	TOCDLIC2	Chrysene	9.0957E-007	9.7268E-007
RCPTR_23	farmer_child	TOCDLIC2	Di-n-butyl phthalate	7.0930E-009	7.8571E-009
RCPTR_23	farmer_child	TOCDLIC2	Di-n-octylphthalate	3.5168E+000	3.5168E+000
RCPTR_23	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.5084E-005	6.5502E-005
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.4811E-013	8.3057E-013
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.1835E-013	1.0045E-012
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.0204E-013	9.6697E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.2678E-009	2.6126E-009
RCPTR_23	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.4640E-018	5.9709E-018
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane 1,1-	5.7111E-017	1.3866E-016
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.6903E-016	1.8674E-015
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.3461E-016	5.6912E-016
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.7719E-016	9.1487E-016
RCPTR_23	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.1197E-011	8.2452E-011
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.0260E-016	4.9089E-016
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.6725E-017	1.6195E-016
RCPTR_23	farmer_child	TOCDLIC2	Diethyl phthalate	4.3567E-010	4.4898E-010
RCPTR_23	farmer_child	TOCDLIC2	Dimethyl phthalate	5.6203E-012	1.3440E-011
RCPTR_23	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.1479E-012	1.2453E-011
RCPTR_23	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	8.1667E-013	1.3237E-012
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.8503E-012	1.1472E-011
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.7038E-012	8.8317E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.0915E-013	2.6511E-013
RCPTR_23	farmer_child	TOCDLIC2	Ethylbenzene	5.7230E-015	1.3639E-014
RCPTR_23	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	7.0208E-010	7.7639E-010
RCPTR_23	farmer_child	TOCDLIC2	Fluoranthene	2.3484E-008	4.3257E-008
RCPTR_23	farmer_child	TOCDLIC2	Fluorene	3.2400E-010	7.7295E-010
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.0245E-012	2.0605E-012
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3212E-011	2.3547E-011
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.5854E-011	5.6823E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.6223E-011	1.6467E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0145E-011	1.0339E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.6524E-012	8.8393E-012
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1851E-011	1.2137E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.0266E-011	1.0512E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.0491E-011	1.0741E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.6540E-012	8.8612E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.9945E-012	1.6274E-011
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorobenzene	1.4086E-008	3.2967E-008
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.8795E-011	4.3285E-011
RCPTR_23	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.1515E-012	9.9781E-012
RCPTR_23	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7250E-004	4.7343E-004
RCPTR_23	farmer_child	TOCDLIC2	Isophorone	7.8089E-013	1.8957E-012
RCPTR_23	farmer_child	TOCDLIC2	Lead	8.5828E-008	8.9525E-008
RCPTR_23	farmer_child	TOCDLIC2	Mercuric chloride	4.5961E-009	5.3652E-009
RCPTR_23	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.2634E-017	1.0354E-016
RCPTR_23	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.2394E-019	3.0090E-019
RCPTR_23	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.5431E-014	1.1035E-013
RCPTR_23	farmer_child	TOCDLIC2	Methyl mercury	7.8097E-011	8.0495E-011
RCPTR_23	farmer_child	TOCDLIC2	Methylene chloride	6.1430E-013	1.4916E-012
RCPTR_23	farmer_child	TOCDLIC2	Naphthalene	1.9438E-012	4.6942E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Nickel	9.3504E-007	9.7288E-007
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.3341E-011	3.2335E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.1701E-012	7.6950E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.0988E-012	9.9434E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrobenzene	1.3176E-012	3.1998E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.0008E-013	1.4568E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.5223E-011	2.3368E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.4458E-013	1.8048E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.3254E-013	1.7737E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.6411E-014	1.5925E-013
RCPTR_23	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.1420E-012	3.2127E-012
RCPTR_23	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.1198E-012	3.1884E-012
RCPTR_23	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.5027E-011	3.5651E-011
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.2110E-012	5.3643E-012
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.0423E-011	2.1006E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorobenzene	5.4986E-011	1.2352E-010
RCPTR_23	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.2117E-011	4.8923E-011
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorophenol	2.0846E-008	2.5866E-008
RCPTR_23	farmer_child	TOCDLIC2	Phenanthrene	1.0216E-012	2.4483E-012
RCPTR_23	farmer_child	TOCDLIC2	Phenol	1.0453E-012	2.5349E-012
RCPTR_23	farmer_child	TOCDLIC2	Pronamide	1.0168E-010	2.4236E-010
RCPTR_23	farmer_child	TOCDLIC2	Pyrene	3.7009E-008	5.8127E-008
RCPTR_23	farmer_child	TOCDLIC2	Selenium	5.6728E-007	5.6925E-007
RCPTR_23	farmer_child	TOCDLIC2	Silver	1.5468E-006	1.6151E-006
RCPTR_23	farmer_child	TOCDLIC2	Styrene	5.1326E-015	1.2441E-014
RCPTR_23	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	4.6787E-012	4.8640E-012
RCPTR_23	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2553E-012	1.3236E-012
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.3952E-011	1.9630E-010
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.2860E-013	7.3683E-013
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.1521E-016	5.2164E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.2349E-010	1.4341E-009
RCPTR_23	farmer_child	TOCDLIC2	Thallium (l)	2.0504E-006	2.1055E-006
RCPTR_23	farmer_child	TOCDLIC2	Toluene	6.4849E-012	1.5655E-011
RCPTR_23	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.1599E-012	7.5116E-012
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.0556E-014	4.9869E-014
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.1133E-014	2.7027E-014
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethylene	1.8125E-015	4.3941E-015
RCPTR_23	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.3817E-016	5.7750E-016
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.7101E-010	8.6188E-010
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	8.2999E-011	1.7586E-010
RCPTR_23	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.1222E-014	1.0003E-013
RCPTR_23	farmer_child	TOCDLIC2	VX	3.3659E-012	3.4669E-012
RCPTR_23	farmer_child	TOCDLIC2	Vinyl Chloride	5.4280E-020	1.3171E-019
RCPTR_23	farmer_child	TOCDLIC2	Xylene, m-	5.1481E-014	7.3876E-014
RCPTR_23	farmer_child	TOCDLIC2	Xylene, o-	3.0653E-014	4.6897E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Xylene, p-	5.7591E-014	9.2323E-014
RCPTR_23	farmer_child	TOCDLIC2	Zinc	1.2343E-007	1.4067E-007
RCPTR_24	farmer_adult	TOCDFBRA	Antimony	1.6415E-007	1.9564E-007
RCPTR_24	farmer_adult	TOCDFBRA	Arsenic	2.7835E-007	2.9013E-007
RCPTR_24	farmer_adult	TOCDFBRA	Barium	2.2777E-008	2.6009E-008
RCPTR_24	farmer_adult	TOCDFBRA	Beryllium	7.3902E-008	7.8964E-008
RCPTR_24	farmer_adult	TOCDFBRA	Cadmium	1.2382E-008	1.7705E-008
RCPTR_24	farmer_adult	TOCDFBRA	Chromium	1.8499E-007	1.8563E-007
RCPTR_24	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.6558E-007	1.6861E-007
RCPTR_24	farmer_adult	TOCDFBRA	Lead	7.5441E-007	8.3316E-007
RCPTR_24	farmer_adult	TOCDFBRA	Mercuric chloride	1.1766E-004	1.2142E-004
RCPTR_24	farmer_adult	TOCDFBRA	Methyl mercury	1.8435E-006	1.8820E-006
RCPTR_24	farmer_adult	TOCDFBRA	Nickel	9.0752E-007	9.7636E-007
RCPTR_24	farmer_adult	TOCDFBRA	Selenium	3.1445E-007	3.1625E-007
RCPTR_24	farmer_adult	TOCDFBRA	Silver	1.0460E-007	1.1240E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFBRA	Thallium (l)	2.8336E-006	2.9774E-006
RCPTR_24	farmer_adult	TOCDFBRA	Zinc	4.6821E-007	5.9967E-007
RCPTR_24	farmer_adult	TOCDFDFS	Acenaphthene	2.8094E-011	4.0718E-010
RCPTR_24	farmer_adult	TOCDFDFS	Acetone	5.0996E-015	8.2555E-014
RCPTR_24	farmer_adult	TOCDFDFS	Acetophenone	1.3315E-013	2.1430E-012
RCPTR_24	farmer_adult	TOCDFDFS	Aniline	8.1257E-015	1.2908E-013
RCPTR_24	farmer_adult	TOCDFDFS	Anthracene	5.0109E-010	7.1853E-009
RCPTR_24	farmer_adult	TOCDFDFS	Antimony	3.1002E-008	3.6771E-008
RCPTR_24	farmer_adult	TOCDFDFS	Aroclor 1254	2.5217E-011	4.8350E-011
RCPTR_24	farmer_adult	TOCDFDFS	Arsenic	6.1352E-008	6.3871E-008
RCPTR_24	farmer_adult	TOCDFDFS	Barium	2.8646E-007	3.2588E-007
RCPTR_24	farmer_adult	TOCDFDFS	Benzene	4.3811E-016	6.9126E-015
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.4943E-007	8.0731E-007
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.3606E-006	6.6384E-006
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.3659E-006	4.0363E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.8049E-006	1.0123E-005
RCPTR_24	farmer_adult	TOCDFDFS	Benzoic acid	3.6820E-012	3.3309E-011
RCPTR_24	farmer_adult	TOCDFDFS	Benzyl alcohol	2.8277E-013	4.5384E-012
RCPTR_24	farmer_adult	TOCDFDFS	Beryllium	1.3678E-008	1.4587E-008
RCPTR_24	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.8101E-013	2.9300E-012
RCPTR_24	farmer_adult	TOCDFDFS	Bromodichloromethane	9.1343E-016	1.4716E-014
RCPTR_24	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.1414E-014	5.0691E-013
RCPTR_24	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.0250E-008	1.0369E-007
RCPTR_24	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.3671E-008	1.6108E-008
RCPTR_24	farmer_adult	TOCDFDFS	Cadmium	2.0837E-008	2.9532E-008
RCPTR_24	farmer_adult	TOCDFDFS	Carbon disulfide	1.2315E-016	1.9613E-015
RCPTR_24	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.9047E-016	7.7207E-015
RCPTR_24	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.4987E-011	2.4483E-010
RCPTR_24	farmer_adult	TOCDFDFS	Chloroaniline, p-	8.6062E-013	1.3612E-011
RCPTR_24	farmer_adult	TOCDFDFS	Chlorobenzene	1.4619E-015	2.2628E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Chloroethane	1.2961E-017	1.8059E-016
RCPTR_24	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.8976E-016	3.0531E-015
RCPTR_24	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	7.1693E-011	1.0635E-009
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.3392E-012	3.7792E-011
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9790E-010	1.3622E-009
RCPTR_24	farmer_adult	TOCDFDFS	Chromium	1.7749E-007	1.7808E-007
RCPTR_24	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.5937E-007	1.6220E-007
RCPTR_24	farmer_adult	TOCDFDFS	Chrysene	1.7350E-006	2.0234E-006
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.1617E-008	2.5524E-008
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.4335E+002	2.4335E+002
RCPTR_24	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.3219E-004	1.3386E-004
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.7793E-014	3.7647E-013
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	9.3993E-014	1.3512E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.0917E-014	8.9053E-013
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.5069E-009	3.1753E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	9.1147E-019	1.4398E-017
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.9312E-017	1.2776E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	9.8411E-017	1.5871E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.6020E-017	1.3725E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.3846E-016	2.2063E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.5606E-011	1.2499E-010
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.8796E-016	1.2416E-014
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	8.9938E-017	1.4436E-015
RCPTR_24	farmer_adult	TOCDFDFS	Diethyl phthalate	4.6725E-009	4.8989E-009
RCPTR_24	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.7966E-013	1.3587E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.6637E-012	2.5771E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.3715E-012	1.3654E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.0685E-013	5.1376E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.9313E-013	3.9568E-012
RCPTR_24	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	3.3922E-014	5.4860E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Ethylbenzene	2.0622E-015	2.7649E-014
RCPTR_24	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.7431E-010	4.4390E-010
RCPTR_24	farmer_adult	TOCDFDFS	Fluoranthene	1.8281E-008	8.9598E-008
RCPTR_24	farmer_adult	TOCDFDFS	Fluorene	1.1811E-010	1.5997E-009
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.9011E-013	4.0647E-013
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.9906E-013	5.1580E-013
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.1753E-012	1.2234E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.0847E-012	3.1928E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.8732E-012	1.9584E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.5656E-012	1.6474E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.0930E-012	2.2167E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.8158E-012	1.9226E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.8612E-012	1.9699E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.5332E-012	1.6230E-012
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.0498E-012	3.3672E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorobenzene	5.7413E-009	6.8234E-008
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.3216E-011	4.4327E-010
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.4233E-012	2.0652E-011
RCPTR_24	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.8826E-004	9.9172E-004
RCPTR_24	farmer_adult	TOCDFDFS	Isophorone	2.4387E-013	3.9229E-012
RCPTR_24	farmer_adult	TOCDFDFS	Lead	1.5942E-007	1.7560E-007
RCPTR_24	farmer_adult	TOCDFDFS	Mercuric chloride	1.4626E-007	1.5111E-007
RCPTR_24	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.1165E-018	1.3111E-016
RCPTR_24	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.5674E-019	2.5244E-018
RCPTR_24	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.4616E-016	1.5312E-014
RCPTR_24	farmer_adult	TOCDFDFS	Methyl mercury	2.1370E-009	2.1866E-009
RCPTR_24	farmer_adult	TOCDFDFS	Methylene chloride	5.2897E-015	8.5290E-014
RCPTR_24	farmer_adult	TOCDFDFS	Naphthalene	1.6861E-012	2.5679E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nickel	1.8539E-006	1.9903E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 2-	4.1814E-012	6.6122E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 3-	9.7921E-013	1.5736E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.2723E-012	2.0332E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitrobenzene	4.0998E-013	6.6214E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.8735E-013	3.0146E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.1686E-011	4.8247E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.3607E-013	3.7348E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.3466E-013	3.6705E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.2858E-014	3.2922E-013
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.2241E-013	9.7288E-013
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.7774E-013	2.9260E-013
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.9083E-012	6.1588E-012
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.3862E-013	5.7774E-013
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.0845E-012	2.2315E-012
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.4124E-010	1.2608E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2213E-011	9.9631E-011
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorophenol	7.5497E-009	1.0857E-008
RCPTR_24	farmer_adult	TOCDFDFS	Phenanthrene	3.5867E-013	5.0669E-012
RCPTR_24	farmer_adult	TOCDFDFS	Phenol	3.2988E-013	5.2457E-012
RCPTR_24	farmer_adult	TOCDFDFS	Pronamide	7.4785E-011	1.0033E-009
RCPTR_24	farmer_adult	TOCDFDFS	Pyrene	2.3391E-008	1.2038E-007
RCPTR_24	farmer_adult	TOCDFDFS	Selenium	6.9316E-008	6.9699E-008
RCPTR_24	farmer_adult	TOCDFDFS	Silver	9.2214E-008	9.8883E-008
RCPTR_24	farmer_adult	TOCDFDFS	Styrene	1.7018E-014	2.6931E-013
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.6902E-012	2.9599E-012
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.2700E-012	1.4493E-012
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.5661E-011	4.0641E-010
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0277E-011	1.3349E-011
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.8629E-016	9.2833E-015
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.6016E-010	2.9513E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Thallium (l)	1.2337E-005	1.2944E-005
RCPTR_24	farmer_adult	TOCDFDFS	Toluene	3.0127E-015	4.5711E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.4129E-012	1.8574E-011
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.7566E-016	5.9980E-015
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.0534E-015	6.5177E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethylene	6.6825E-016	1.0597E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.7690E-017	1.3927E-015
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.6495E-010	1.7849E-009
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.8342E-011	3.6479E-010
RCPTR_24	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.5059E-014	2.4123E-013
RCPTR_24	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.5469E-013	2.0387E-012
RCPTR_24	farmer_adult	TOCDFDFS	VX	1.0824E-011	1.1339E-011
RCPTR_24	farmer_adult	TOCDFDFS	Vinyl Chloride	1.1138E-019	1.7845E-018
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, m-	1.2255E-013	2.4862E-013
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, o-	1.0614E-013	2.4986E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, p-	1.1906E-013	3.1457E-013
RCPTR_24	farmer_adult	TOCDFLIC	Acenaphthene	1.6415E-011	2.3769E-010
RCPTR_24	farmer_adult	TOCDFLIC	Acetone	7.3541E-013	1.1905E-011
RCPTR_24	farmer_adult	TOCDFLIC	Acetophenone	7.7723E-014	1.2509E-012
RCPTR_24	farmer_adult	TOCDFLIC	Aniline	4.7442E-015	7.5346E-014
RCPTR_24	farmer_adult	TOCDFLIC	Anthracene	2.9271E-010	4.1943E-009
RCPTR_24	farmer_adult	TOCDFLIC	Antimony	4.5982E-007	5.4500E-007
RCPTR_24	farmer_adult	TOCDFLIC	Arsenic	4.9896E-007	5.1935E-007
RCPTR_24	farmer_adult	TOCDFLIC	Barium	7.6726E-008	8.7237E-008
RCPTR_24	farmer_adult	TOCDFLIC	Benzene	1.0083E-015	1.5904E-014
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.2246E-007	4.7279E-007
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.7194E-006	3.8788E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.9797E-006	2.3701E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.7408E-006	5.9218E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzoic acid	3.3459E-012	3.0086E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Benzyl alcohol	2.0235E-011	3.2473E-010
RCPTR_24	farmer_adult	TOCDFLIC	Beryllium	2.6022E-008	2.7745E-008
RCPTR_24	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0566E-013	1.7103E-012
RCPTR_24	farmer_adult	TOCDFLIC	Bromodichloromethane	6.1999E-017	9.9882E-016
RCPTR_24	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.9515E-014	9.6033E-013
RCPTR_24	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.9816E-009	6.0525E-008
RCPTR_24	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.1308E-009	2.5131E-009
RCPTR_24	farmer_adult	TOCDFLIC	Cadmium	6.1871E-009	8.7574E-009
RCPTR_24	farmer_adult	TOCDFLIC	Carbon disulfide	4.1583E-018	6.6213E-017
RCPTR_24	farmer_adult	TOCDFLIC	Carbon tetrachloride	3.3300E-017	5.2402E-016
RCPTR_24	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0607E-011	1.4309E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.0251E-013	7.9455E-012
RCPTR_24	farmer_adult	TOCDFLIC	Chlorobenzene	1.9819E-016	3.0664E-015
RCPTR_24	farmer_adult	TOCDFLIC	Chloroethane	6.5062E-018	9.0469E-017
RCPTR_24	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.5716E-017	4.1371E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.1889E-011	6.2079E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3654E-012	2.2059E-011
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1610E-010	7.9573E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chromium	3.9746E-007	3.9878E-007
RCPTR_24	farmer_adult	TOCDFLIC	Chromium, hexavalent	3.5704E-007	3.6336E-007
RCPTR_24	farmer_adult	TOCDFLIC	Chrysene	1.0211E-006	1.1889E-006
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.2345E-009	9.7058E-009
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.4154E+000	4.4154E+000
RCPTR_24	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.7453E-005	7.8378E-005
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.4226E-014	1.0036E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.4525E-014	1.2135E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.0000E-014	1.1682E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.4886E-009	3.1487E-009
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.5648E-019	7.2117E-018
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.0748E-017	1.7312E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3986E-016	2.2555E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	4.3093E-017	6.8744E-016
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.9364E-017	1.1051E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.0702E-011	1.0017E-010
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.7645E-017	5.9296E-016
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2188E-017	1.9561E-016
RCPTR_24	farmer_adult	TOCDFLIC	Diethyl phthalate	5.3686E-010	5.6250E-010
RCPTR_24	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.1713E-012	1.6235E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.7177E-013	1.5043E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	6.4112E-013	1.6177E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.0963E-012	1.3851E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.9124E-013	1.0669E-011
RCPTR_24	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.9801E-014	3.2022E-013
RCPTR_24	farmer_adult	TOCDFLIC	Ethylbenzene	1.2314E-015	1.6480E-014
RCPTR_24	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.6205E-010	9.0485E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Fluoranthene	1.0735E-008	5.2359E-008
RCPTR_24	farmer_adult	TOCDFLIC	Fluorene	6.9054E-011	9.3386E-010
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.2023E-012	2.2927E-012
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.5799E-012	7.8273E-012
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.7715E-011	1.8424E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.8352E-011	1.8980E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1030E-011	1.1522E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.1492E-012	9.6201E-012
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2501E-011	1.3233E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.0853E-011	1.1485E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1139E-011	1.1782E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.1699E-012	9.7018E-012
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7825E-012	1.9657E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.3601E-009	3.9837E-008
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.1015E-012	5.2276E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.3214E-013	1.2056E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8352E-004	5.8545E-004
RCPTR_24	farmer_adult	TOCDFLIC	Isophorone	1.4236E-013	2.2898E-012
RCPTR_24	farmer_adult	TOCDFLIC	Lead	8.0921E-008	8.9098E-008
RCPTR_24	farmer_adult	TOCDFLIC	Mercuric chloride	6.0740E-009	6.2770E-009
RCPTR_24	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.7422E-018	1.2506E-016
RCPTR_24	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	4.5073E-019	7.2592E-018
RCPTR_24	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.2366E-015	1.3329E-013
RCPTR_24	farmer_adult	TOCDFLIC	Methyl mercury	8.7602E-011	8.9678E-011
RCPTR_24	farmer_adult	TOCDFLIC	Methylene chloride	1.1175E-013	1.8017E-012
RCPTR_24	farmer_adult	TOCDFLIC	Naphthalene	3.7258E-013	5.6706E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nickel	9.0245E-007	9.6853E-007
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.4704E-012	3.9057E-011
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.7842E-013	9.2945E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.5000E-013	2.3975E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrobenzene	2.3931E-013	3.8649E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 2-	5.4781E-013	8.8142E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.5925E-012	5.7246E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3785E-013	2.1801E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.3705E-013	2.1426E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.3292E-014	1.9212E-013
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.2582E-012	3.4345E-012
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.2345E-012	3.4056E-012
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.0657E-011	4.2348E-011
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.9085E-012	6.3333E-012
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.2731E-011	2.4320E-011
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.2550E-011	7.4382E-010
RCPTR_24	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.1340E-012	5.8769E-011
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorophenol	4.4713E-009	6.4018E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Phenanthrene	2.0964E-013	2.9578E-012
RCPTR_24	farmer_adult	TOCDFLIC	Phenol	1.9261E-013	3.0620E-012
RCPTR_24	farmer_adult	TOCDFLIC	Pronamide	2.1877E-011	2.9287E-010
RCPTR_24	farmer_adult	TOCDFLIC	Pyrene	1.3710E-008	7.0320E-008
RCPTR_24	farmer_adult	TOCDFLIC	Selenium	5.6372E-007	5.6683E-007
RCPTR_24	farmer_adult	TOCDFLIC	Silver	1.4999E-006	1.6079E-006
RCPTR_24	farmer_adult	TOCDFLIC	Styrene	9.4984E-016	1.5027E-014
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.2502E-012	5.7727E-012
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.3945E-012	1.5900E-012
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0901E-011	2.3731E-010
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.0785E-013	9.1632E-013
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.9792E-017	6.3006E-016
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.7437E-010	1.7505E-009
RCPTR_24	farmer_adult	TOCDFLIC	Thallium (l)	1.9984E-006	2.0962E-006
RCPTR_24	farmer_adult	TOCDFLIC	Toluene	1.2474E-012	1.8912E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.9365E-013	9.0762E-012
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.7732E-015	6.0236E-014
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.0304E-015	3.2645E-014
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethylene	3.3479E-016	5.3077E-015
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.3932E-017	6.9757E-016
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.6792E-011	1.0423E-009
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.4387E-011	2.1326E-010
RCPTR_24	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.5435E-015	1.2083E-013
RCPTR_24	farmer_adult	TOCDFLIC	VX	3.9920E-012	4.1791E-012
RCPTR_24	farmer_adult	TOCDFLIC	Vinyl Chloride	9.9276E-021	1.5908E-019
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, m-	4.0427E-014	8.3566E-014
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, o-	2.2291E-014	5.3581E-014
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, p-	3.9335E-014	1.0624E-013
RCPTR_24	farmer_adult	TOCDFLIC	Zinc	1.1011E-007	1.3997E-007
RCPTR_24	farmer_adult	TOCDFMPF	Acenaphthene	3.0063E-012	4.3533E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Acetone	3.1288E-017	5.0649E-016
RCPTR_24	farmer_adult	TOCDFMPF	Acetophenone	3.3122E-013	5.3306E-012
RCPTR_24	farmer_adult	TOCDFMPF	Aniline	2.0217E-014	3.2109E-013
RCPTR_24	farmer_adult	TOCDFMPF	Anthracene	3.0784E-011	4.4114E-010
RCPTR_24	farmer_adult	TOCDFMPF	Arsenic	2.4206E-008	2.5195E-008
RCPTR_24	farmer_adult	TOCDFMPF	Barium	8.5837E-009	9.7598E-009
RCPTR_24	farmer_adult	TOCDFMPF	Benzene	1.7712E-016	2.7938E-015
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.9805E-008	4.3708E-008
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.3362E-007	6.6079E-007
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.8702E-007	3.4367E-007
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.5314E-007	8.8006E-007
RCPTR_24	farmer_adult	TOCDFMPF	Benzoic acid	6.4182E-013	5.7728E-012
RCPTR_24	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6029E-013	2.5724E-012
RCPTR_24	farmer_adult	TOCDFMPF	Beryllium	3.2738E-009	3.4907E-009
RCPTR_24	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	4.4930E-014	7.2728E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Bromodichloromethane	9.1497E-016	1.4740E-014
RCPTR_24	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	3.1466E-014	5.0773E-013
RCPTR_24	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.4222E-009	3.4628E-008
RCPTR_24	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.8192E-010	3.3251E-010
RCPTR_24	farmer_adult	TOCDFMPF	Cadmium	1.9700E-008	2.7886E-008
RCPTR_24	farmer_adult	TOCDFMPF	Carbon disulfide	6.1367E-017	9.7716E-016
RCPTR_24	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.9143E-016	7.7334E-015
RCPTR_24	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	8.8156E-012	6.1235E-011
RCPTR_24	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.4808E-013	2.3414E-012
RCPTR_24	farmer_adult	TOCDFMPF	Chlorobenzene	2.9248E-015	4.5253E-014
RCPTR_24	farmer_adult	TOCDFMPF	Chloroethane	9.1544E-018	1.2730E-016
RCPTR_24	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.7952E-016	6.1055E-015
RCPTR_24	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.3679E-012	1.0920E-010
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenol, 2-	5.0265E-013	8.1205E-012
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.5884E-011	2.4601E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Chromium	4.3190E-007	4.3334E-007
RCPTR_24	farmer_adult	TOCDFMPF	Chromium, hexavalent	3.8798E-007	3.9484E-007
RCPTR_24	farmer_adult	TOCDFMPF	Chrysene	1.0548E-007	1.2283E-007
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	9.6255E-009	1.1346E-008
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.9687E+000	3.9688E+000
RCPTR_24	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.0503E-005	2.0748E-005
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.5841E-014	3.4941E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.7435E-014	3.9391E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.5821E-014	3.7708E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.4418E-010	9.4167E-010
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.4232E-019	1.0148E-017
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.5862E-016	2.5549E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9681E-016	3.1739E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	6.0638E-017	9.6734E-016
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	9.7605E-017	1.5550E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	8.1050E-012	3.9232E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	5.5555E-016	8.7509E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.7986E-016	2.8868E-015
RCPTR_24	farmer_adult	TOCDFMPF	Diethyl phthalate	1.1467E-009	1.2015E-009
RCPTR_24	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.7613E-014	9.3718E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.8327E-013	5.9334E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.2317E-012	3.1089E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5107E-012	1.9089E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.8993E-013	1.3349E-011
RCPTR_24	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	8.4380E-014	1.3646E-012
RCPTR_24	farmer_adult	TOCDFMPF	Ethylbenzene	2.0695E-015	2.7698E-014
RCPTR_24	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.3171E-010	1.5640E-010
RCPTR_24	farmer_adult	TOCDFMPF	Fluoranthene	8.3478E-010	4.0730E-009
RCPTR_24	farmer_adult	TOCDFMPF	Fluorene	1.0518E-011	1.4225E-010
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.4182E-013	2.5176E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.2667E-012	1.3081E-012
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1686E-012	1.2154E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.1865E-012	3.2955E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.9152E-012	2.0006E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.5658E-012	1.6464E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.3732E-012	3.5708E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1510E-011	1.2181E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.6843E-012	1.0244E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1684E-012	1.2362E-012
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0002E-012	1.1032E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.6723E-009	1.9830E-008
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.5470E-012	3.6354E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.8545E-013	8.4825E-012
RCPTR_24	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.2692E-004	1.2734E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Isophorone	2.5429E-014	4.0901E-013
RCPTR_24	farmer_adult	TOCDFMPF	Lead	1.2779E-007	1.4070E-007
RCPTR_24	farmer_adult	TOCDFMPF	Mercuric chloride	6.5384E-009	6.7569E-009
RCPTR_24	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.7207E-018	9.2408E-017
RCPTR_24	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.3304E-019	5.3638E-018
RCPTR_24	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.3844E-016	2.2403E-015
RCPTR_24	farmer_adult	TOCDFMPF	Methyl mercury	9.4270E-011	9.6506E-011
RCPTR_24	farmer_adult	TOCDFMPF	Methylene chloride	3.6439E-017	5.8752E-016
RCPTR_24	farmer_adult	TOCDFMPF	Naphthalene	3.1398E-013	4.7789E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nickel	4.7343E-007	5.0810E-007
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.0631E-013	4.8428E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.8109E-014	9.3374E-013
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.6914E-014	1.0695E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrobenzene	8.1803E-014	1.3211E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 2-	6.6140E-014	1.0642E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.3140E-012	5.1113E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.8743E-013	9.2904E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.0941E-014	4.8373E-013
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	8.6394E-015	1.2490E-013
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.4969E-013	2.6321E-013
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.4586E-014	2.5888E-014
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.7037E-012	6.9826E-012
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.0076E-012	4.2959E-012
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.7798E-012	2.9743E-012
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorobenzene	7.0211E-011	6.3279E-010
RCPTR_24	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.0338E-012	2.4998E-011
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorophenol	2.6619E-009	3.8119E-009
RCPTR_24	farmer_adult	TOCDFMPF	Phenanthrene	2.2048E-014	3.1110E-013
RCPTR_24	farmer_adult	TOCDFMPF	Phenol	6.3044E-014	1.0023E-012
RCPTR_24	farmer_adult	TOCDFMPF	Pronamide	9.3219E-011	1.2480E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Pyrene	1.0054E-009	5.1579E-009
RCPTR_24	farmer_adult	TOCDFMPF	Selenium	1.7775E-007	1.7873E-007
RCPTR_24	farmer_adult	TOCDFMPF	Silver	4.7369E-008	5.0780E-008
RCPTR_24	farmer_adult	TOCDFMPF	Styrene	1.4489E-014	2.2923E-013
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2765E-012	2.5032E-012
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	9.3830E-013	1.0699E-012
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.9052E-011	1.0113E-009
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	6.1682E-015	9.8140E-014
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.8723E-016	9.2984E-015
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.4419E-010	7.4448E-010
RCPTR_24	farmer_adult	TOCDFMPF	Thallium (l)	3.2126E-006	3.3699E-006
RCPTR_24	farmer_adult	TOCDFMPF	Toluene	8.0670E-016	1.2231E-014
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.3393E-013	3.0613E-012
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.7633E-016	6.0078E-015
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.8571E-015	4.5937E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethylene	4.7109E-016	7.4687E-015
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.1818E-017	9.8158E-016
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.3344E-011	4.6687E-010
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.5645E-011	9.7063E-011
RCPTR_24	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.0615E-014	1.7002E-013
RCPTR_24	farmer_adult	TOCDFMPF	VX	5.5154E-012	5.7741E-012
RCPTR_24	farmer_adult	TOCDFMPF	Vinyl Chloride	1.5143E-019	2.4267E-018
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, m-	3.1891E-014	6.5938E-014
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, o-	2.7639E-014	6.6453E-014
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, p-	3.1030E-014	8.3832E-014
RCPTR_24	farmer_adult	TOCDHVAC	VX	2.2306E-012	2.3489E-012
RCPTR_24	farmer_adult	TOCDLIC2	Acenaphthene	1.6415E-011	2.3769E-010
RCPTR_24	farmer_adult	TOCDLIC2	Acetone	7.3541E-013	1.1905E-011
RCPTR_24	farmer_adult	TOCDLIC2	Acetophenone	7.7723E-014	1.2509E-012
RCPTR_24	farmer_adult	TOCDLIC2	Aniline	4.7442E-015	7.5346E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Anthracene	2.9271E-010	4.1943E-009
RCPTR_24	farmer_adult	TOCDLIC2	Antimony	4.5982E-007	5.4500E-007
RCPTR_24	farmer_adult	TOCDLIC2	Arsenic	4.9896E-007	5.1935E-007
RCPTR_24	farmer_adult	TOCDLIC2	Barium	7.6726E-008	8.7237E-008
RCPTR_24	farmer_adult	TOCDLIC2	Benzene	1.0083E-015	1.5904E-014
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.2246E-007	4.7279E-007
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.7194E-006	3.8788E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.9797E-006	2.3701E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.7408E-006	5.9218E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzoic acid	3.3459E-012	3.0086E-011
RCPTR_24	farmer_adult	TOCDLIC2	Benzyl alcohol	2.0235E-011	3.2473E-010
RCPTR_24	farmer_adult	TOCDLIC2	Beryllium	2.6022E-008	2.7745E-008
RCPTR_24	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0566E-013	1.7103E-012
RCPTR_24	farmer_adult	TOCDLIC2	Bromodichloromethane	6.1999E-017	9.9882E-016
RCPTR_24	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	5.9515E-014	9.6033E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.9816E-009	6.0525E-008
RCPTR_24	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.1308E-009	2.5131E-009
RCPTR_24	farmer_adult	TOCDLIC2	Cadmium	6.1871E-009	8.7574E-009
RCPTR_24	farmer_adult	TOCDLIC2	Carbon disulfide	4.1583E-018	6.6213E-017
RCPTR_24	farmer_adult	TOCDLIC2	Carbon tetrachloride	3.3300E-017	5.2402E-016
RCPTR_24	farmer_adult	TOCDLIC2	Chlorine	9.1507E-008	1.4819E-006
RCPTR_24	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.0607E-011	1.4309E-010
RCPTR_24	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.0251E-013	7.9455E-012
RCPTR_24	farmer_adult	TOCDLIC2	Chlorobenzene	1.9819E-016	3.0664E-015
RCPTR_24	farmer_adult	TOCDLIC2	Chloroethane	6.5062E-018	9.0469E-017
RCPTR_24	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.5716E-017	4.1371E-016
RCPTR_24	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.1889E-011	6.2079E-010
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3654E-012	2.2059E-011
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1610E-010	7.9573E-010
RCPTR_24	farmer_adult	TOCDLIC2	Chromium	3.9746E-007	3.9878E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Chromium, hexavalent	3.5704E-007	3.6336E-007
RCPTR_24	farmer_adult	TOCDLIC2	Chrysene	1.0211E-006	1.1889E-006
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	8.2345E-009	9.7058E-009
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.4154E+000	4.4154E+000
RCPTR_24	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.7453E-005	7.8378E-005
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.4226E-014	1.0036E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.4525E-014	1.2135E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.0000E-014	1.1682E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.4886E-009	3.1487E-009
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.5648E-019	7.2117E-018
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.0398E-017	1.6749E-016
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3986E-016	2.2555E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	4.3093E-017	6.8744E-016
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.9364E-017	1.1051E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.0702E-011	1.0017E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.7645E-017	5.9296E-016
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2188E-017	1.9561E-016
RCPTR_24	farmer_adult	TOCDLIC2	Diethyl phthalate	5.3686E-010	5.6250E-010
RCPTR_24	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.1713E-012	1.6235E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.7177E-013	1.5043E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.4112E-013	1.6177E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.0963E-012	1.3851E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.9124E-013	1.0669E-011
RCPTR_24	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.9801E-014	3.2022E-013
RCPTR_24	farmer_adult	TOCDLIC2	Ethylbenzene	1.2314E-015	1.6480E-014
RCPTR_24	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	7.6205E-010	9.0485E-010
RCPTR_24	farmer_adult	TOCDLIC2	Fluoranthene	1.0735E-008	5.2359E-008
RCPTR_24	farmer_adult	TOCDLIC2	Fluorene	6.9054E-011	9.3386E-010
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.2023E-012	2.2927E-012
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.6158E-011	2.7012E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.1133E-011	6.3579E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.8352E-011	1.8980E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1030E-011	1.1522E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.1492E-012	9.6201E-012
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2501E-011	1.3233E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.0853E-011	1.1485E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1139E-011	1.1782E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.1699E-012	9.7018E-012
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.7825E-012	1.9657E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.3601E-009	3.9837E-008
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.1015E-012	5.2276E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.3214E-013	1.2056E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8352E-004	5.8545E-004
RCPTR_24	farmer_adult	TOCDLIC2	Isophorone	1.4236E-013	2.2898E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Lead	8.0921E-008	8.9098E-008
RCPTR_24	farmer_adult	TOCDLIC2	Mercuric chloride	6.0740E-009	6.2770E-009
RCPTR_24	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.7422E-018	1.2506E-016
RCPTR_24	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.2567E-020	3.6345E-019
RCPTR_24	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.2366E-015	1.3329E-013
RCPTR_24	farmer_adult	TOCDLIC2	Methyl mercury	8.7602E-011	8.9678E-011
RCPTR_24	farmer_adult	TOCDLIC2	Methylene chloride	1.1175E-013	1.8017E-012
RCPTR_24	farmer_adult	TOCDLIC2	Naphthalene	3.7258E-013	5.6706E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nickel	9.0245E-007	9.6853E-007
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.4704E-012	3.9057E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.7842E-013	9.2945E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.5136E-013	1.2010E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitrobenzene	2.3931E-013	3.8649E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0936E-013	1.7596E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.2986E-011	2.8675E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3785E-013	2.1801E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.3705E-013	2.1426E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.3292E-014	1.9212E-013
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.2582E-012	3.4345E-012
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.2345E-012	3.4056E-012
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.0657E-011	4.2348E-011
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.9085E-012	6.3333E-012
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.2731E-011	2.4320E-011
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.6480E-011	1.4849E-010
RCPTR_24	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.1340E-012	5.8769E-011
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorophenol	2.2397E-008	3.2067E-008
RCPTR_24	farmer_adult	TOCDLIC2	Phenanthrene	2.0964E-013	2.9578E-012
RCPTR_24	farmer_adult	TOCDLIC2	Phenol	1.9261E-013	3.0620E-012
RCPTR_24	farmer_adult	TOCDLIC2	Pronamide	2.1877E-011	2.9287E-010
RCPTR_24	farmer_adult	TOCDLIC2	Pyrene	1.3710E-008	7.0320E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Selenium	5.6372E-007	5.6683E-007
RCPTR_24	farmer_adult	TOCDLIC2	Silver	1.4999E-006	1.6079E-006
RCPTR_24	farmer_adult	TOCDLIC2	Styrene	9.4984E-016	1.5027E-014
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	5.2502E-012	5.7727E-012
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3945E-012	1.5900E-012
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0901E-011	2.3731E-010
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.0785E-013	9.1632E-013
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.9792E-017	6.3006E-016
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.7437E-010	1.7505E-009
RCPTR_24	farmer_adult	TOCDLIC2	Thallium (l)	1.9984E-006	2.0962E-006
RCPTR_24	farmer_adult	TOCDLIC2	Toluene	1.2474E-012	1.8912E-011
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.9365E-013	9.0762E-012
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.7732E-015	6.0236E-014
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.0304E-015	3.2645E-014
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethylene	3.3479E-016	5.3077E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.3932E-017	6.9757E-016
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.6792E-011	1.0423E-009
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.4387E-011	2.1326E-010
RCPTR_24	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.5435E-015	1.2083E-013
RCPTR_24	farmer_adult	TOCDLIC2	VX	4.1501E-012	4.3446E-012
RCPTR_24	farmer_adult	TOCDLIC2	Vinyl Chloride	9.9276E-021	1.5908E-019
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, m-	4.0427E-014	8.3566E-014
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, o-	2.2291E-014	5.3581E-014
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, p-	3.9335E-014	1.0624E-013
RCPTR_24	farmer_adult	TOCDLIC2	Zinc	1.1011E-007	1.3997E-007
RCPTR_24	farmer_child	TOCDFBRA	Antimony	1.7673E-007	1.9564E-007
RCPTR_24	farmer_child	TOCDFBRA	Arsenic	2.8282E-007	2.9013E-007
RCPTR_24	farmer_child	TOCDFBRA	Barium	2.4049E-008	2.6009E-008
RCPTR_24	farmer_child	TOCDFBRA	Beryllium	7.6776E-008	7.8964E-008
RCPTR_24	farmer_child	TOCDFBRA	Cadmium	1.4764E-008	1.7705E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFBRA	Chromium	1.8146E-007	1.8563E-007
RCPTR_24	farmer_child	TOCDFBRA	Chromium, hexavalent	1.6671E-007	1.6861E-007
RCPTR_24	farmer_child	TOCDFBRA	Lead	7.9782E-007	8.3316E-007
RCPTR_24	farmer_child	TOCDFBRA	Mercuric chloride	1.0433E-004	1.2142E-004
RCPTR_24	farmer_child	TOCDFBRA	Methyl mercury	1.8287E-006	1.8820E-006
RCPTR_24	farmer_child	TOCDFBRA	Nickel	9.3724E-007	9.7636E-007
RCPTR_24	farmer_child	TOCDFBRA	Selenium	3.1512E-007	3.1625E-007
RCPTR_24	farmer_child	TOCDFBRA	Silver	1.0751E-007	1.1240E-007
RCPTR_24	farmer_child	TOCDFBRA	Thallium (l)	2.8971E-006	2.9774E-006
RCPTR_24	farmer_child	TOCDFBRA	Zinc	5.2433E-007	5.9967E-007
RCPTR_24	farmer_child	TOCDFDFS	Acenaphthene	1.6947E-010	4.0718E-010
RCPTR_24	farmer_child	TOCDFDFS	Acetone	3.3986E-014	8.2555E-014
RCPTR_24	farmer_child	TOCDFDFS	Acetophenone	8.8271E-013	2.1430E-012
RCPTR_24	farmer_child	TOCDFDFS	Aniline	5.3235E-014	1.2908E-013
RCPTR_24	farmer_child	TOCDFDFS	Anthracene	2.9941E-009	7.1853E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Antimony	3.3307E-008	3.6771E-008
RCPTR_24	farmer_child	TOCDFDFS	Aroclor 1254	3.3845E-011	4.8350E-011
RCPTR_24	farmer_child	TOCDFDFS	Arsenic	6.2308E-008	6.3871E-008
RCPTR_24	farmer_child	TOCDFDFS	Barium	3.0197E-007	3.2588E-007
RCPTR_24	farmer_child	TOCDFDFS	Benzene	2.8528E-015	6.9126E-015
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)anthracene	6.8001E-007	8.0731E-007
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.4946E-006	6.6384E-006
RCPTR_24	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.7000E-006	4.0363E-006
RCPTR_24	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.9957E-006	1.0123E-005
RCPTR_24	farmer_child	TOCDFDFS	Benzoic acid	1.4731E-011	3.3309E-011
RCPTR_24	farmer_child	TOCDFDFS	Benzyl alcohol	1.8699E-012	4.5384E-012
RCPTR_24	farmer_child	TOCDFDFS	Beryllium	1.4194E-008	1.4587E-008
RCPTR_24	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.2062E-012	2.9300E-012
RCPTR_24	farmer_child	TOCDFDFS	Bromodichloromethane	6.0612E-015	1.4716E-014
RCPTR_24	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	2.0875E-013	5.0691E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.7509E-008	1.0369E-007
RCPTR_24	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.4580E-008	1.6108E-008
RCPTR_24	farmer_child	TOCDFDFS	Cadmium	2.4728E-008	2.9532E-008
RCPTR_24	farmer_child	TOCDFDFS	Carbon disulfide	8.0867E-016	1.9613E-015
RCPTR_24	farmer_child	TOCDFDFS	Carbon tetrachloride	3.1869E-015	7.7207E-015
RCPTR_24	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1325E-010	2.4483E-010
RCPTR_24	farmer_child	TOCDFDFS	Chloroaniline, p-	5.6161E-012	1.3612E-011
RCPTR_24	farmer_child	TOCDFDFS	Chlorobenzene	9.3558E-015	2.2628E-014
RCPTR_24	farmer_child	TOCDFDFS	Chloroethane	7.5479E-017	1.8059E-016
RCPTR_24	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.2576E-015	3.0531E-015
RCPTR_24	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.4157E-010	1.0635E-009
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.5561E-011	3.7792E-011
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.3214E-010	1.3622E-009
RCPTR_24	farmer_child	TOCDFDFS	Chromium	1.7419E-007	1.7808E-007
RCPTR_24	farmer_child	TOCDFDFS	Chromium, hexavalent	1.6042E-007	1.6220E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Chrysene	1.8937E-006	2.0234E-006
RCPTR_24	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.3074E-008	2.5524E-008
RCPTR_24	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.4335E+002	2.4335E+002
RCPTR_24	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3311E-004	1.3386E-004
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.5783E-013	3.7647E-013
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.6288E-013	1.3512E-012
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.7032E-013	8.9053E-013
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.7562E-009	3.1753E-009
RCPTR_24	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.9414E-018	1.4398E-017
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.2619E-016	1.2776E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5362E-016	1.5871E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.6580E-016	1.3725E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.0964E-016	2.2063E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	6.2671E-011	1.2499E-010
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.1245E-015	1.2416E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.9477E-016	1.4436E-015
RCPTR_24	farmer_child	TOCDFDFS	Diethyl phthalate	4.7569E-009	4.8989E-009
RCPTR_24	farmer_child	TOCDFDFS	Dimethyl phthalate	5.6816E-012	1.3587E-011
RCPTR_24	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.0654E-011	2.5771E-011
RCPTR_24	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	8.4603E-012	1.3654E-011
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.1712E-012	5.1376E-012
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.6595E-012	3.9568E-012
RCPTR_24	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.2587E-013	5.4860E-013
RCPTR_24	farmer_child	TOCDFDFS	Ethylbenzene	1.1605E-014	2.7649E-014
RCPTR_24	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.0027E-010	4.4390E-010
RCPTR_24	farmer_child	TOCDFDFS	Fluoranthene	4.8689E-008	8.9598E-008
RCPTR_24	farmer_child	TOCDFDFS	Fluorene	6.7066E-010	1.5997E-009
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.9960E-013	4.0647E-013
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.0878E-013	5.1580E-013
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2033E-012	1.2234E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.1474E-012	3.1928E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.9227E-012	1.9584E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.6131E-012	1.6474E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.1649E-012	2.2167E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.8778E-012	1.9226E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.9243E-012	1.9699E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.5854E-012	1.6230E-012
RCPTR_24	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.4470E-011	3.3672E-011
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorobenzene	2.9164E-008	6.8234E-008
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.9241E-010	4.4327E-010
RCPTR_24	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	8.5944E-012	2.0652E-011
RCPTR_24	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.9007E-004	9.9172E-004
RCPTR_24	farmer_child	TOCDFDFS	Isophorone	1.6159E-012	3.9229E-012
RCPTR_24	farmer_child	TOCDFDFS	Lead	1.6834E-007	1.7560E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Mercuric chloride	1.2902E-007	1.5111E-007
RCPTR_24	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.3987E-017	1.3111E-016
RCPTR_24	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.0398E-018	2.5244E-018
RCPTR_24	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.3037E-015	1.5312E-014
RCPTR_24	farmer_child	TOCDFDFS	Methyl mercury	2.1178E-009	2.1866E-009
RCPTR_24	farmer_child	TOCDFDFS	Methylene chloride	3.5126E-014	8.5290E-014
RCPTR_24	farmer_child	TOCDFDFS	Naphthalene	1.0634E-011	2.5679E-011
RCPTR_24	farmer_child	TOCDFDFS	Nickel	1.9128E-006	1.9903E-006
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.7282E-011	6.6122E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 3-	6.4825E-012	1.5736E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 4-	8.3807E-012	2.0332E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitrobenzene	2.7265E-012	6.6214E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.2418E-012	3.0146E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.1592E-011	4.8247E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.5409E-012	3.7348E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.5161E-012	3.6705E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.3712E-013	3.2922E-013
RCPTR_24	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.5169E-013	9.7288E-013
RCPTR_24	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.8636E-013	2.9260E-013
RCPTR_24	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.0542E-012	6.1588E-012
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.6140E-013	5.7774E-013
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.1700E-012	2.2315E-012
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorobenzene	5.5876E-010	1.2608E-009
RCPTR_24	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.4815E-011	9.9631E-011
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorophenol	8.7831E-009	1.0857E-008
RCPTR_24	farmer_child	TOCDFDFS	Phenanthrene	2.1146E-012	5.0669E-012
RCPTR_24	farmer_child	TOCDFDFS	Phenol	2.1632E-012	5.2457E-012
RCPTR_24	farmer_child	TOCDFDFS	Pronamide	4.2107E-010	1.0033E-009
RCPTR_24	farmer_child	TOCDFDFS	Pyrene	7.6686E-008	1.2038E-007
RCPTR_24	farmer_child	TOCDFDFS	Selenium	6.9459E-008	6.9699E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Silver	9.4701E-008	9.8883E-008
RCPTR_24	farmer_child	TOCDFDFS	Styrene	1.1111E-013	2.6931E-013
RCPTR_24	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.8477E-012	2.9599E-012
RCPTR_24	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3748E-012	1.4493E-012
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.7393E-010	4.0641E-010
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1423E-011	1.3349E-011
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.8298E-015	9.2833E-015
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.7027E-009	2.9513E-009
RCPTR_24	farmer_child	TOCDFDFS	Thallium (l)	1.2605E-005	1.2944E-005
RCPTR_24	farmer_child	TOCDFDFS	Toluene	1.8937E-014	4.5711E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	7.8131E-012	1.8574E-011
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.4725E-015	5.9980E-015
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.6849E-014	6.5177E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethylene	4.3710E-015	1.0597E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.7438E-016	1.3927E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	7.6909E-010	1.7849E-009
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.7263E-010	3.6479E-010
RCPTR_24	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	9.9410E-014	2.4123E-013
RCPTR_24	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.5732E-013	2.0387E-012
RCPTR_24	farmer_child	TOCDFDFS	VX	1.1016E-011	1.1339E-011
RCPTR_24	farmer_child	TOCDFDFS	Vinyl Chloride	7.3538E-019	1.7845E-018
RCPTR_24	farmer_child	TOCDFDFS	Xylene, m-	1.6957E-013	2.4862E-013
RCPTR_24	farmer_child	TOCDFDFS	Xylene, o-	1.5974E-013	2.4986E-013
RCPTR_24	farmer_child	TOCDFDFS	Xylene, p-	1.9197E-013	3.1457E-013
RCPTR_24	farmer_child	TOCDFLIC	Acenaphthene	9.8937E-011	2.3769E-010
RCPTR_24	farmer_child	TOCDFLIC	Acetone	4.9011E-012	1.1905E-011
RCPTR_24	farmer_child	TOCDFLIC	Acetophenone	5.1525E-013	1.2509E-012
RCPTR_24	farmer_child	TOCDFLIC	Aniline	3.1075E-014	7.5346E-014
RCPTR_24	farmer_child	TOCDFLIC	Anthracene	1.7479E-009	4.1943E-009
RCPTR_24	farmer_child	TOCDFLIC	Antimony	4.9385E-007	5.4500E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Arsenic	5.0669E-007	5.1935E-007
RCPTR_24	farmer_child	TOCDFLIC	Barium	8.0863E-008	8.7237E-008
RCPTR_24	farmer_child	TOCDFLIC	Benzene	6.5636E-015	1.5904E-014
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.9858E-007	4.7279E-007
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.7963E-006	3.8788E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.1743E-006	2.3701E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.8494E-006	5.9218E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzoic acid	1.3319E-011	3.0086E-011
RCPTR_24	farmer_child	TOCDFLIC	Benzyl alcohol	1.3379E-010	3.2473E-010
RCPTR_24	farmer_child	TOCDFLIC	Beryllium	2.7000E-008	2.7745E-008
RCPTR_24	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.0408E-013	1.7103E-012
RCPTR_24	farmer_child	TOCDFLIC	Bromodichloromethane	4.1138E-016	9.9882E-016
RCPTR_24	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.9547E-013	9.6033E-013
RCPTR_24	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.3567E-008	6.0525E-008
RCPTR_24	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.2734E-009	2.5131E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Cadmium	7.3371E-009	8.7574E-009
RCPTR_24	farmer_child	TOCDFLIC	Carbon disulfide	2.7301E-017	6.6213E-017
RCPTR_24	farmer_child	TOCDFLIC	Carbon tetrachloride	2.1631E-016	5.2402E-016
RCPTR_24	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.6287E-011	1.4309E-010
RCPTR_24	farmer_child	TOCDFLIC	Chloroaniline, p-	3.2783E-012	7.9455E-012
RCPTR_24	farmer_child	TOCDFLIC	Chlorobenzene	1.2679E-015	3.0664E-015
RCPTR_24	farmer_child	TOCDFLIC	Chloroethane	3.7820E-017	9.0469E-017
RCPTR_24	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.7042E-016	4.1371E-016
RCPTR_24	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.5779E-010	6.2079E-010
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.0831E-012	2.2059E-011
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.6957E-010	7.9573E-010
RCPTR_24	farmer_child	TOCDFLIC	Chromium	3.9010E-007	3.9878E-007
RCPTR_24	farmer_child	TOCDFLIC	Chromium, hexavalent	3.5940E-007	3.6336E-007
RCPTR_24	farmer_child	TOCDFLIC	Chrysene	1.1135E-006	1.1889E-006
RCPTR_24	farmer_child	TOCDFLIC	Di-n-butyl phthalate	8.7833E-009	9.7058E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.4154E+000	4.4154E+000
RCPTR_24	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.7962E-005	7.8378E-005
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.2082E-013	1.0036E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.0559E-013	1.2135E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.8584E-013	1.1682E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.7348E-009	3.1487E-009
RCPTR_24	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.9758E-018	7.2117E-018
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane 1,1-	7.1303E-017	1.7312E-016
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.2890E-016	2.2555E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.8340E-016	6.8744E-016
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.5563E-016	1.1051E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.0339E-011	1.0017E-010
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.4475E-016	5.9296E-016
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.0595E-017	1.9561E-016
RCPTR_24	farmer_child	TOCDFLIC	Diethyl phthalate	5.4642E-010	5.6250E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Dimethyl phthalate	6.7892E-012	1.6235E-011
RCPTR_24	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.2197E-012	1.5043E-011
RCPTR_24	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0053E-012	1.6177E-012
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.8531E-012	1.3851E-011
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.4750E-012	1.0669E-011
RCPTR_24	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.3184E-013	3.2022E-013
RCPTR_24	farmer_child	TOCDFLIC	Ethylbenzene	6.9182E-015	1.6480E-014
RCPTR_24	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.1531E-010	9.0485E-010
RCPTR_24	farmer_child	TOCDFLIC	Fluoranthene	2.8483E-008	5.2359E-008
RCPTR_24	farmer_child	TOCDFLIC	Fluorene	3.9158E-010	9.3386E-010
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.2548E-012	2.2927E-012
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.7235E-012	7.8273E-012
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8126E-011	1.8424E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.8716E-011	1.8980E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1316E-011	1.1522E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.4227E-012	9.6201E-012
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2927E-011	1.3233E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1220E-011	1.1485E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1512E-011	1.1782E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.4789E-012	9.7018E-012
RCPTR_24	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.4486E-012	1.9657E-011
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorobenzene	1.7032E-008	3.9837E-008
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.2695E-011	5.2276E-011
RCPTR_24	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.0180E-012	1.2056E-011
RCPTR_24	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8453E-004	5.8545E-004
RCPTR_24	farmer_child	TOCDFLIC	Isophorone	9.4325E-013	2.2898E-012
RCPTR_24	farmer_child	TOCDFLIC	Lead	8.5429E-008	8.9098E-008
RCPTR_24	farmer_child	TOCDFLIC	Mercuric chloride	5.3534E-009	6.2770E-009
RCPTR_24	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.1496E-017	1.2506E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.9899E-018	7.2592E-018
RCPTR_24	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.4875E-014	1.3329E-013
RCPTR_24	farmer_child	TOCDFLIC	Methyl mercury	8.6798E-011	8.9678E-011
RCPTR_24	farmer_child	TOCDFLIC	Methylene chloride	7.4201E-013	1.8017E-012
RCPTR_24	farmer_child	TOCDFLIC	Naphthalene	2.3485E-012	5.6706E-012
RCPTR_24	farmer_child	TOCDFLIC	Nickel	9.3098E-007	9.6853E-007
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.6115E-011	3.9057E-011
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.8291E-012	9.2945E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 4-	9.8821E-013	2.3975E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrobenzene	1.5915E-012	3.8649E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.6307E-012	8.8142E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.7606E-012	5.7246E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.9949E-013	2.1801E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.8500E-013	2.1426E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.9984E-014	1.9212E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.3605E-012	3.4345E-012
RCPTR_24	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.3337E-012	3.4056E-012
RCPTR_24	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.1642E-011	4.2348E-011
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.1558E-012	6.3333E-012
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.3655E-011	2.4320E-011
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorobenzene	3.2917E-010	7.4382E-010
RCPTR_24	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.6391E-011	5.8769E-011
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorophenol	5.1912E-009	6.4018E-009
RCPTR_24	farmer_child	TOCDFLIC	Phenanthrene	1.2346E-012	2.9578E-012
RCPTR_24	farmer_child	TOCDFLIC	Phenol	1.2627E-012	3.0620E-012
RCPTR_24	farmer_child	TOCDFLIC	Pronamide	1.2294E-010	2.9287E-010
RCPTR_24	farmer_child	TOCDFLIC	Pyrene	4.4816E-008	7.0320E-008
RCPTR_24	farmer_child	TOCDFLIC	Selenium	5.6488E-007	5.6683E-007
RCPTR_24	farmer_child	TOCDFLIC	Silver	1.5401E-006	1.6079E-006
RCPTR_24	farmer_child	TOCDFLIC	Styrene	6.2000E-015	1.5027E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.5553E-012	5.7727E-012
RCPTR_24	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5088E-012	1.5900E-012
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.0161E-010	2.3731E-010
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.8560E-013	9.1632E-013
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5993E-016	6.3006E-016
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0130E-009	1.7505E-009
RCPTR_24	farmer_child	TOCDFLIC	Thallium (l)	2.0416E-006	2.0962E-006
RCPTR_24	farmer_child	TOCDFLIC	Toluene	7.8352E-012	1.8912E-011
RCPTR_24	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.8199E-012	9.0762E-012
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.4831E-014	6.0236E-014
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.3448E-014	3.2645E-014
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethylene	2.1894E-015	5.3077E-015
RCPTR_24	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.8770E-016	6.9757E-016
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.4943E-010	1.0423E-009
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0110E-010	2.1326E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.9793E-014	1.2083E-013
RCPTR_24	farmer_child	TOCDFLIC	VX	4.0618E-012	4.1791E-012
RCPTR_24	farmer_child	TOCDFLIC	Vinyl Chloride	6.5555E-020	1.5908E-019
RCPTR_24	farmer_child	TOCDFLIC	Xylene, m-	5.6515E-014	8.3566E-014
RCPTR_24	farmer_child	TOCDFLIC	Xylene, o-	3.3961E-014	5.3581E-014
RCPTR_24	farmer_child	TOCDFLIC	Xylene, p-	6.4286E-014	1.0624E-013
RCPTR_24	farmer_child	TOCDFLIC	Zinc	1.2286E-007	1.3997E-007
RCPTR_24	farmer_child	TOCDFMPF	Acenaphthene	1.8121E-011	4.3533E-011
RCPTR_24	farmer_child	TOCDFMPF	Acetone	2.0851E-016	5.0649E-016
RCPTR_24	farmer_child	TOCDFMPF	Acetophenone	2.1957E-012	5.3306E-012
RCPTR_24	farmer_child	TOCDFMPF	Aniline	1.3243E-013	3.2109E-013
RCPTR_24	farmer_child	TOCDFMPF	Anthracene	1.8383E-010	4.4114E-010
RCPTR_24	farmer_child	TOCDFMPF	Arsenic	2.4581E-008	2.5195E-008
RCPTR_24	farmer_child	TOCDFMPF	Barium	9.0466E-009	9.7598E-009
RCPTR_24	farmer_child	TOCDFMPF	Benzene	1.1530E-015	2.7938E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.6845E-008	4.3708E-008
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.4673E-007	6.6079E-007
RCPTR_24	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.1525E-007	3.4367E-007
RCPTR_24	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	8.6928E-007	8.8006E-007
RCPTR_24	farmer_child	TOCDFMPF	Benzoic acid	2.5554E-012	5.7728E-012
RCPTR_24	farmer_child	TOCDFMPF	Benzyl alcohol	1.0599E-012	2.5724E-012
RCPTR_24	farmer_child	TOCDFMPF	Beryllium	3.3970E-009	3.4907E-009
RCPTR_24	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.9941E-013	7.2728E-013
RCPTR_24	farmer_child	TOCDFMPF	Bromodichloromethane	6.0711E-015	1.4740E-014
RCPTR_24	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	2.0909E-013	5.0773E-013
RCPTR_24	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.9205E-008	3.4628E-008
RCPTR_24	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.0079E-010	3.3251E-010
RCPTR_24	farmer_child	TOCDFMPF	Cadmium	2.3363E-008	2.7886E-008
RCPTR_24	farmer_child	TOCDFMPF	Carbon disulfide	4.0291E-016	9.7716E-016
RCPTR_24	farmer_child	TOCDFMPF	Carbon tetrachloride	3.1923E-015	7.7334E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.8365E-011	6.1235E-011
RCPTR_24	farmer_child	TOCDFMPF	Chloroaniline, p-	9.6605E-013	2.3414E-012
RCPTR_24	farmer_child	TOCDFMPF	Chlorobenzene	1.8711E-014	4.5253E-014
RCPTR_24	farmer_child	TOCDFMPF	Chloroethane	5.3217E-017	1.2730E-016
RCPTR_24	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.5150E-015	6.1055E-015
RCPTR_24	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.5345E-011	1.0920E-010
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenol, 2-	3.3437E-012	8.1205E-012
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1425E-010	2.4601E-010
RCPTR_24	farmer_child	TOCDFMPF	Chromium	4.2391E-007	4.3334E-007
RCPTR_24	farmer_child	TOCDFMPF	Chromium, hexavalent	3.9055E-007	3.9484E-007
RCPTR_24	farmer_child	TOCDFMPF	Chrysene	1.1503E-007	1.2283E-007
RCPTR_24	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.0267E-008	1.1346E-008
RCPTR_24	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.9687E+000	3.9688E+000
RCPTR_24	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.0638E-005	2.0748E-005
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.4651E-013	3.4941E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.6411E-013	3.9391E-013
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.5682E-013	3.7708E-013
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.1783E-010	9.4167E-010
RCPTR_24	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.1874E-018	1.0148E-017
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.0523E-015	2.5549E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3071E-015	3.1739E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.9879E-016	9.6734E-016
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	6.4114E-016	1.5550E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.9714E-011	3.9232E-011
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.6120E-015	8.7509E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.1894E-015	2.8868E-015
RCPTR_24	farmer_child	TOCDFMPF	Diethyl phthalate	1.1671E-009	1.2015E-009
RCPTR_24	farmer_child	TOCDFMPF	Dimethyl phthalate	3.9192E-013	9.3718E-013
RCPTR_24	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.4532E-012	5.9334E-012
RCPTR_24	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.9318E-012	3.1089E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.0664E-012	1.9089E-011
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.5993E-012	1.3349E-011
RCPTR_24	farmer_child	TOCDFMPF	Ethyl methanesulfonate	5.6185E-013	1.3646E-012
RCPTR_24	farmer_child	TOCDFMPF	Ethylbenzene	1.1628E-014	2.7698E-014
RCPTR_24	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4092E-010	1.5640E-010
RCPTR_24	farmer_child	TOCDFMPF	Fluoranthene	2.2155E-009	4.0730E-009
RCPTR_24	farmer_child	TOCDFMPF	Fluorene	5.9647E-011	1.4225E-010
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.4758E-013	2.5176E-013
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.2907E-012	1.3081E-012
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1958E-012	1.2154E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.2498E-012	3.2955E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.9648E-012	2.0006E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.6126E-012	1.6464E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.4880E-012	3.5708E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1900E-011	1.2181E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.0010E-011	1.0244E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2078E-012	1.2362E-012
RCPTR_24	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.7416E-012	1.1032E-011
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorobenzene	8.4779E-009	1.9830E-008
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.5782E-011	3.6354E-011
RCPTR_24	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.5306E-012	8.4825E-012
RCPTR_24	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.2714E-004	1.2734E-004
RCPTR_24	farmer_child	TOCDFMPF	Isophorone	1.6848E-013	4.0901E-013
RCPTR_24	farmer_child	TOCDFMPF	Lead	1.3490E-007	1.4070E-007
RCPTR_24	farmer_child	TOCDFMPF	Mercuric chloride	5.7626E-009	6.7569E-009
RCPTR_24	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.8051E-017	9.2408E-017
RCPTR_24	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.2093E-018	5.3638E-018
RCPTR_24	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.2231E-016	2.2403E-015
RCPTR_24	farmer_child	TOCDFMPF	Methyl mercury	9.3405E-011	9.6506E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Methylene chloride	2.4196E-016	5.8752E-016
RCPTR_24	farmer_child	TOCDFMPF	Naphthalene	1.9791E-012	4.7789E-012
RCPTR_24	farmer_child	TOCDFMPF	Nickel	4.8839E-007	5.0810E-007
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.9982E-012	4.8428E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.8467E-013	9.3374E-013
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.4084E-013	1.0695E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrobenzene	5.4401E-013	1.3211E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 2-	4.3836E-013	1.0642E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.3573E-012	5.1113E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.8332E-012	9.2904E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.9981E-013	4.8373E-013
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	5.1997E-014	1.2490E-013
RCPTR_24	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.5754E-013	2.6321E-013
RCPTR_24	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.5341E-014	2.5888E-014
RCPTR_24	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.8661E-012	6.9826E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.1755E-012	4.2959E-012
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.8929E-012	2.9743E-012
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorobenzene	2.8002E-010	6.3279E-010
RCPTR_24	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1225E-011	2.4998E-011
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorophenol	3.0908E-009	3.8119E-009
RCPTR_24	farmer_child	TOCDFMPF	Phenanthrene	1.2985E-013	3.1110E-013
RCPTR_24	farmer_child	TOCDFMPF	Phenol	4.1332E-013	1.0023E-012
RCPTR_24	farmer_child	TOCDFMPF	Pronamide	5.2391E-010	1.2480E-009
RCPTR_24	farmer_child	TOCDFMPF	Pyrene	3.2871E-009	5.1579E-009
RCPTR_24	farmer_child	TOCDFMPF	Selenium	1.7811E-007	1.7873E-007
RCPTR_24	farmer_child	TOCDFMPF	Silver	4.8641E-008	5.0780E-008
RCPTR_24	farmer_child	TOCDFMPF	Styrene	9.4575E-014	2.2923E-013
RCPTR_24	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.4089E-012	2.5032E-012
RCPTR_24	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.0152E-012	1.0699E-012
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.3299E-010	1.0113E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.0469E-014	9.8140E-014
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.8360E-015	9.2984E-015
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.3077E-010	7.4448E-010
RCPTR_24	farmer_child	TOCDFMPF	Thallium (l)	3.2820E-006	3.3699E-006
RCPTR_24	farmer_child	TOCDFMPF	Toluene	5.0674E-015	1.2231E-014
RCPTR_24	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2884E-012	3.0613E-012
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.4766E-015	6.0078E-015
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.8924E-014	4.5937E-014
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethylene	3.0808E-015	7.4687E-015
RCPTR_24	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.0484E-016	9.8158E-016
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.0130E-010	4.6687E-010
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.6010E-011	9.7063E-011
RCPTR_24	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	7.0065E-014	1.7002E-013
RCPTR_24	farmer_child	TOCDFMPF	VX	5.6119E-012	5.7741E-012
RCPTR_24	farmer_child	TOCDFMPF	Vinyl Chloride	9.9998E-019	2.4267E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Xylene, m-	4.4589E-014	6.5938E-014
RCPTR_24	farmer_child	TOCDFMPF	Xylene, o-	4.2115E-014	6.6453E-014
RCPTR_24	farmer_child	TOCDFMPF	Xylene, p-	5.0722E-014	8.3832E-014
RCPTR_24	farmer_child	TOCDHVAC	VX	2.2747E-012	2.3489E-012
RCPTR_24	farmer_child	TOCDLIC2	Acenaphthene	9.8937E-011	2.3769E-010
RCPTR_24	farmer_child	TOCDLIC2	Acetone	4.9011E-012	1.1905E-011
RCPTR_24	farmer_child	TOCDLIC2	Acetophenone	5.1525E-013	1.2509E-012
RCPTR_24	farmer_child	TOCDLIC2	Aniline	3.1075E-014	7.5346E-014
RCPTR_24	farmer_child	TOCDLIC2	Anthracene	1.7479E-009	4.1943E-009
RCPTR_24	farmer_child	TOCDLIC2	Antimony	4.9385E-007	5.4500E-007
RCPTR_24	farmer_child	TOCDLIC2	Arsenic	5.0669E-007	5.1935E-007
RCPTR_24	farmer_child	TOCDLIC2	Barium	8.0863E-008	8.7237E-008
RCPTR_24	farmer_child	TOCDLIC2	Benzene	6.5636E-015	1.5904E-014
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.9858E-007	4.7279E-007
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.7963E-006	3.8788E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.1743E-006	2.3701E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.8494E-006	5.9218E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzoic acid	1.3319E-011	3.0086E-011
RCPTR_24	farmer_child	TOCDLIC2	Benzyl alcohol	1.3379E-010	3.2473E-010
RCPTR_24	farmer_child	TOCDLIC2	Beryllium	2.7000E-008	2.7745E-008
RCPTR_24	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.0408E-013	1.7103E-012
RCPTR_24	farmer_child	TOCDLIC2	Bromodichloromethane	4.1138E-016	9.9882E-016
RCPTR_24	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.9547E-013	9.6033E-013
RCPTR_24	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3567E-008	6.0525E-008
RCPTR_24	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.2734E-009	2.5131E-009
RCPTR_24	farmer_child	TOCDLIC2	Cadmium	7.3371E-009	8.7574E-009
RCPTR_24	farmer_child	TOCDLIC2	Carbon disulfide	2.7301E-017	6.6213E-017
RCPTR_24	farmer_child	TOCDLIC2	Carbon tetrachloride	2.1631E-016	5.2402E-016
RCPTR_24	farmer_child	TOCDLIC2	Chlorine	6.1005E-007	1.4819E-006
RCPTR_24	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.6287E-011	1.4309E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Chloroaniline, p-	3.2783E-012	7.9455E-012
RCPTR_24	farmer_child	TOCDLIC2	Chlorobenzene	1.2679E-015	3.0664E-015
RCPTR_24	farmer_child	TOCDLIC2	Chloroethane	3.7820E-017	9.0469E-017
RCPTR_24	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.7042E-016	4.1371E-016
RCPTR_24	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.5779E-010	6.2079E-010
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.0831E-012	2.2059E-011
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.6957E-010	7.9573E-010
RCPTR_24	farmer_child	TOCDLIC2	Chromium	3.9010E-007	3.9878E-007
RCPTR_24	farmer_child	TOCDLIC2	Chromium, hexavalent	3.5940E-007	3.6336E-007
RCPTR_24	farmer_child	TOCDLIC2	Chrysene	1.1135E-006	1.1889E-006
RCPTR_24	farmer_child	TOCDLIC2	Di-n-butyl phthalate	8.7833E-009	9.7058E-009
RCPTR_24	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.4154E+000	4.4154E+000
RCPTR_24	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.7962E-005	7.8378E-005
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.2082E-013	1.0036E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.0559E-013	1.2135E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.8584E-013	1.1682E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.7348E-009	3.1487E-009
RCPTR_24	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.9758E-018	7.2117E-018
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane 1,1-	6.8984E-017	1.6749E-016
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.2890E-016	2.2555E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.8340E-016	6.8744E-016
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.5563E-016	1.1051E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.0339E-011	1.0017E-010
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.4475E-016	5.9296E-016
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.0595E-017	1.9561E-016
RCPTR_24	farmer_child	TOCDLIC2	Diethyl phthalate	5.4642E-010	5.6250E-010
RCPTR_24	farmer_child	TOCDLIC2	Dimethyl phthalate	6.7892E-012	1.6235E-011
RCPTR_24	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.2197E-012	1.5043E-011
RCPTR_24	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.0053E-012	1.6177E-012
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.8531E-012	1.3851E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.4750E-012	1.0669E-011
RCPTR_24	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.3184E-013	3.2022E-013
RCPTR_24	farmer_child	TOCDLIC2	Ethylbenzene	6.9182E-015	1.6480E-014
RCPTR_24	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.1531E-010	9.0485E-010
RCPTR_24	farmer_child	TOCDLIC2	Fluoranthene	2.8483E-008	5.2359E-008
RCPTR_24	farmer_child	TOCDLIC2	Fluorene	3.9158E-010	9.3386E-010
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.2548E-012	2.2927E-012
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.6654E-011	2.7012E-011
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.2553E-011	6.3579E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.8716E-011	1.8980E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1316E-011	1.1522E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.4227E-012	9.6201E-012
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2927E-011	1.3233E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1220E-011	1.1485E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1512E-011	1.1782E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.4789E-012	9.7018E-012
RCPTR_24	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.4486E-012	1.9657E-011
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorobenzene	1.7032E-008	3.9837E-008
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.2695E-011	5.2276E-011
RCPTR_24	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.0180E-012	1.2056E-011
RCPTR_24	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8453E-004	5.8545E-004
RCPTR_24	farmer_child	TOCDLIC2	Isophorone	9.4325E-013	2.2898E-012
RCPTR_24	farmer_child	TOCDLIC2	Lead	8.5429E-008	8.9098E-008
RCPTR_24	farmer_child	TOCDLIC2	Mercuric chloride	5.3534E-009	6.2770E-009
RCPTR_24	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.1496E-017	1.2506E-016
RCPTR_24	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4970E-019	3.6345E-019
RCPTR_24	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.4875E-014	1.3329E-013
RCPTR_24	farmer_child	TOCDLIC2	Methyl mercury	8.6798E-011	8.9678E-011
RCPTR_24	farmer_child	TOCDLIC2	Methylene chloride	7.4201E-013	1.8017E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Naphthalene	2.3485E-012	5.6706E-012
RCPTR_24	farmer_child	TOCDLIC2	Nickel	9.3098E-007	9.6853E-007
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.6115E-011	3.9057E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.8291E-012	9.2945E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.9500E-012	1.2010E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitrobenzene	1.5915E-012	3.8649E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.2483E-013	1.7596E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.8837E-011	2.8675E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.9949E-013	2.1801E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.8500E-013	2.1426E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.9984E-014	1.9212E-013
RCPTR_24	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.3605E-012	3.4345E-012
RCPTR_24	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.3337E-012	3.4056E-012
RCPTR_24	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.1642E-011	4.2348E-011
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.1558E-012	6.3333E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3655E-011	2.4320E-011
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorobenzene	6.5714E-011	1.4849E-010
RCPTR_24	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6391E-011	5.8769E-011
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorophenol	2.6003E-008	3.2067E-008
RCPTR_24	farmer_child	TOCDLIC2	Phenanthrene	1.2346E-012	2.9578E-012
RCPTR_24	farmer_child	TOCDLIC2	Phenol	1.2627E-012	3.0620E-012
RCPTR_24	farmer_child	TOCDLIC2	Pronamide	1.2294E-010	2.9287E-010
RCPTR_24	farmer_child	TOCDLIC2	Pyrene	4.4816E-008	7.0320E-008
RCPTR_24	farmer_child	TOCDLIC2	Selenium	5.6488E-007	5.6683E-007
RCPTR_24	farmer_child	TOCDLIC2	Silver	1.5401E-006	1.6079E-006
RCPTR_24	farmer_child	TOCDLIC2	Styrene	6.2000E-015	1.5027E-014
RCPTR_24	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	5.5553E-012	5.7727E-012
RCPTR_24	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5088E-012	1.5900E-012
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0161E-010	2.3731E-010
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.8560E-013	9.1632E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5993E-016	6.3006E-016
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0130E-009	1.7505E-009
RCPTR_24	farmer_child	TOCDLIC2	Thallium (l)	2.0416E-006	2.0962E-006
RCPTR_24	farmer_child	TOCDLIC2	Toluene	7.8352E-012	1.8912E-011
RCPTR_24	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.8199E-012	9.0762E-012
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.4831E-014	6.0236E-014
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.3448E-014	3.2645E-014
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethylene	2.1894E-015	5.3077E-015
RCPTR_24	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.8770E-016	6.9757E-016
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.4943E-010	1.0423E-009
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0110E-010	2.1326E-010
RCPTR_24	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.9793E-014	1.2083E-013
RCPTR_24	farmer_child	TOCDLIC2	VX	4.2226E-012	4.3446E-012
RCPTR_24	farmer_child	TOCDLIC2	Vinyl Chloride	6.5555E-020	1.5908E-019
RCPTR_24	farmer_child	TOCDLIC2	Xylene, m-	5.6515E-014	8.3566E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Xylene, o-	3.3961E-014	5.3581E-014
RCPTR_24	farmer_child	TOCDLIC2	Xylene, p-	6.4286E-014	1.0624E-013
RCPTR_24	farmer_child	TOCDLIC2	Zinc	1.2286E-007	1.3997E-007
RCPTR_25	farmer_adult	TOCDFBRA	Antimony	3.0408E-006	3.5259E-006
RCPTR_25	farmer_adult	TOCDFBRA	Arsenic	5.1659E-006	5.3474E-006
RCPTR_25	farmer_adult	TOCDFBRA	Barium	4.2222E-007	4.7199E-007
RCPTR_25	farmer_adult	TOCDFBRA	Beryllium	1.3616E-006	1.4396E-006
RCPTR_25	farmer_adult	TOCDFBRA	Cadmium	2.2850E-007	3.1049E-007
RCPTR_25	farmer_adult	TOCDFBRA	Chromium	3.3729E-006	3.3827E-006
RCPTR_25	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.0738E-006	3.1205E-006
RCPTR_25	farmer_adult	TOCDFBRA	Lead	1.3816E-005	1.5030E-005
RCPTR_25	farmer_adult	TOCDFBRA	Mercuric chloride	1.3122E-003	1.3510E-003
RCPTR_25	farmer_adult	TOCDFBRA	Methyl mercury	2.3162E-005	2.3558E-005
RCPTR_25	farmer_adult	TOCDFBRA	Nickel	1.6834E-005	1.7894E-005
RCPTR_25	farmer_adult	TOCDFBRA	Selenium	5.8384E-006	5.8661E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFBRA	Silver	1.9405E-006	2.0607E-006
RCPTR_25	farmer_adult	TOCDFBRA	Thallium (l)	5.2578E-005	5.4792E-005
RCPTR_25	farmer_adult	TOCDFBRA	Zinc	8.6614E-006	1.0686E-005
RCPTR_25	farmer_adult	TOCDFDFS	Acenaphthene	2.1938E-010	3.0999E-009
RCPTR_25	farmer_adult	TOCDFDFS	Acetone	3.8754E-014	6.2732E-013
RCPTR_25	farmer_adult	TOCDFDFS	Acetophenone	1.0133E-012	1.6286E-011
RCPTR_25	farmer_adult	TOCDFDFS	Aniline	6.2033E-014	9.8114E-013
RCPTR_25	farmer_adult	TOCDFDFS	Anthracene	3.9310E-009	5.4723E-008
RCPTR_25	farmer_adult	TOCDFDFS	Antimony	5.3537E-007	6.2069E-007
RCPTR_25	farmer_adult	TOCDFDFS	Aroclor 1254	2.5291E-010	4.2878E-010
RCPTR_25	farmer_adult	TOCDFDFS	Arsenic	1.0611E-006	1.0983E-006
RCPTR_25	farmer_adult	TOCDFDFS	Barium	4.9493E-006	5.5324E-006
RCPTR_25	farmer_adult	TOCDFDFS	Benzene	3.3499E-015	5.2548E-014
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.2357E-006	7.2117E-006
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.2453E-005	6.4790E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.1962E-005	3.7122E-005
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.5531E-005	9.8323E-005
RCPTR_25	farmer_adult	TOCDFDFS	Benzoic acid	3.0768E-011	2.5590E-010
RCPTR_25	farmer_adult	TOCDFDFS	Benzyl alcohol	2.1533E-012	3.4490E-011
RCPTR_25	farmer_adult	TOCDFDFS	Beryllium	2.3513E-007	2.4859E-007
RCPTR_25	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.3756E-012	2.2265E-011
RCPTR_25	farmer_adult	TOCDFDFS	Bromodichloromethane	6.9498E-015	1.1184E-013
RCPTR_25	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.3891E-013	3.8521E-012
RCPTR_25	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	7.8104E-008	7.8817E-007
RCPTR_25	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.3967E-007	1.5823E-007
RCPTR_25	farmer_adult	TOCDFDFS	Cadmium	3.5869E-007	4.8729E-007
RCPTR_25	farmer_adult	TOCDFDFS	Carbon disulfide	9.3952E-016	1.4907E-014
RCPTR_25	farmer_adult	TOCDFDFS	Carbon tetrachloride	3.7526E-015	5.8693E-014
RCPTR_25	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.9946E-010	1.8940E-009
RCPTR_25	farmer_adult	TOCDFDFS	Chloroaniline, p-	6.5755E-012	1.0347E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Chlorobenzene	1.1231E-014	1.7207E-013
RCPTR_25	farmer_adult	TOCDFDFS	Chloroethane	1.0153E-016	1.3753E-015
RCPTR_25	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.4441E-015	2.3202E-014
RCPTR_25	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	5.5617E-010	8.0925E-009
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.7784E-011	2.8718E-010
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.7359E-009	1.0584E-008
RCPTR_25	farmer_adult	TOCDFDFS	Chromium	3.0249E-006	3.0336E-006
RCPTR_25	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.7568E-006	2.7987E-006
RCPTR_25	farmer_adult	TOCDFDFS	Chrysene	1.6405E-005	1.8638E-005
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.0157E-007	2.3128E-007
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.2336E+003	2.2336E+003
RCPTR_25	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.3798E-003	1.4042E-003
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.1968E-013	2.8692E-012
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	7.3380E-013	1.0287E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.7393E-013	6.7779E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.4342E-008	2.9476E-008
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	6.9865E-018	1.0947E-016
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.0345E-016	9.7087E-015
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.4858E-016	1.2061E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	6.5595E-016	1.0431E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.0560E-015	1.6769E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.2486E-010	9.8006E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	6.0261E-015	9.4383E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.8524E-016	1.0971E-014
RCPTR_25	farmer_adult	TOCDFDFS	Diethyl phthalate	4.2879E-008	4.4600E-008
RCPTR_25	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.7566E-012	1.0356E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.2764E-011	1.9595E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	4.8806E-011	1.1174E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.3234E-012	3.9273E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.3313E-012	3.0171E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.5784E-013	4.1688E-012
RCPTR_25	farmer_adult	TOCDFDFS	Ethylbenzene	1.6342E-014	2.1077E-013
RCPTR_25	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.8593E-009	4.3903E-009
RCPTR_25	farmer_adult	TOCDFDFS	Fluoranthene	1.6305E-007	7.0524E-007
RCPTR_25	farmer_adult	TOCDFDFS	Fluorene	9.3560E-010	1.2194E-008
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.2298E-012	4.3856E-012
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.1904E-012	5.3476E-012
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2648E-011	1.3104E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.1868E-011	3.2865E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.0263E-011	2.1066E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.7487E-011	1.8266E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.3323E-011	2.4472E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0180E-011	2.1169E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.0572E-011	2.1575E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6989E-011	1.7820E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.5377E-011	2.5806E-010
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorobenzene	4.6609E-008	5.2148E-007
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.6526E-010	3.4052E-009
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.1065E-011	1.5718E-010
RCPTR_25	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.4594E-003	9.5104E-003
RCPTR_25	farmer_adult	TOCDFDFS	Isophorone	1.8559E-012	2.9812E-011
RCPTR_25	farmer_adult	TOCDFDFS	Lead	2.7271E-006	2.9664E-006
RCPTR_25	farmer_adult	TOCDFDFS	Mercuric chloride	1.2745E-006	1.3118E-006
RCPTR_25	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.1715E-017	9.9633E-016
RCPTR_25	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.1929E-018	1.9184E-017
RCPTR_25	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.1909E-015	1.1635E-013
RCPTR_25	farmer_adult	TOCDFDFS	Methyl mercury	2.2783E-008	2.3164E-008
RCPTR_25	farmer_adult	TOCDFDFS	Methylene chloride	4.0238E-014	6.4814E-013
RCPTR_25	farmer_adult	TOCDFDFS	Naphthalene	1.3004E-011	1.9532E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Nickel	3.2049E-005	3.4066E-005
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.1968E-011	5.0264E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 3-	7.4570E-012	1.1959E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 4-	9.7247E-012	1.5456E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitrobenzene	3.1177E-012	5.0317E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.4260E-012	2.2910E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.9639E-010	3.9822E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.8030E-012	2.8389E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.7966E-012	2.7905E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.9511E-013	2.5231E-012
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0553E-011	1.1040E-011
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.1819E-012	3.3251E-012
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.8428E-011	6.0567E-011
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.3597E-012	5.6804E-012
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.1349E-011	2.2586E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.3024E-009	9.8094E-009
RCPTR_25	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1441E-010	7.7867E-010
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorophenol	6.8960E-008	9.4093E-008
RCPTR_25	farmer_adult	TOCDFDFS	Phenanthrene	2.8148E-012	3.8591E-011
RCPTR_25	farmer_adult	TOCDFDFS	Phenol	2.5168E-012	3.9871E-011
RCPTR_25	farmer_adult	TOCDFDFS	Pronamide	5.9144E-010	7.6470E-009
RCPTR_25	farmer_adult	TOCDFDFS	Pyrene	1.9493E-007	9.3219E-007
RCPTR_25	farmer_adult	TOCDFDFS	Selenium	1.1992E-006	1.2049E-006
RCPTR_25	farmer_adult	TOCDFDFS	Silver	1.5944E-006	1.6930E-006
RCPTR_25	farmer_adult	TOCDFDFS	Styrene	1.3006E-013	2.0471E-012
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.6497E-011	2.8656E-011
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.2223E-011	1.3625E-011
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.8992E-010	3.1071E-009
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	9.4017E-011	1.1736E-010
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	4.4873E-015	7.0574E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	8.6191E-009	2.3749E-008
RCPTR_25	farmer_adult	TOCDFDFS	Thallium (l)	2.1333E-004	2.2231E-004
RCPTR_25	farmer_adult	TOCDFDFS	Toluene	2.3246E-014	3.4770E-013
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.1229E-011	1.4163E-010
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.8646E-015	4.5587E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.0853E-014	4.9531E-013
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethylene	5.1041E-015	8.0548E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.6949E-016	1.0586E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.3459E-009	1.3655E-008
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.0393E-010	2.8326E-009
RCPTR_25	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.1474E-013	1.8334E-012
RCPTR_25	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.2976E-012	1.5616E-011
RCPTR_25	farmer_adult	TOCDFDFS	VX	9.9291E-011	1.0320E-010
RCPTR_25	farmer_adult	TOCDFDFS	Vinyl Chloride	8.5036E-019	1.3564E-017
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, m-	1.4116E-012	2.3696E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, o-	1.2139E-012	2.3060E-012
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, p-	1.3516E-012	2.8373E-012
RCPTR_25	farmer_adult	TOCDFLIC	Acenaphthene	1.3965E-010	1.9752E-009
RCPTR_25	farmer_adult	TOCDFLIC	Acetone	6.1011E-012	9.8758E-011
RCPTR_25	farmer_adult	TOCDFLIC	Acetophenone	6.4569E-013	1.0378E-011
RCPTR_25	farmer_adult	TOCDFLIC	Aniline	3.9527E-014	6.2520E-013
RCPTR_25	farmer_adult	TOCDFLIC	Anthracene	2.4997E-009	3.4865E-008
RCPTR_25	farmer_adult	TOCDFLIC	Antimony	8.2229E-006	9.5312E-006
RCPTR_25	farmer_adult	TOCDFLIC	Arsenic	8.9360E-006	9.2492E-006
RCPTR_25	farmer_adult	TOCDFLIC	Barium	1.3728E-006	1.5342E-006
RCPTR_25	farmer_adult	TOCDFLIC	Benzene	8.4133E-015	1.3198E-013
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.2890E-006	4.5435E-006
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.8881E-005	4.0307E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0157E-005	2.3426E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.9643E-005	6.1315E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Benzoic acid	3.0387E-011	2.5221E-010
RCPTR_25	farmer_adult	TOCDFLIC	Benzyl alcohol	1.6820E-010	2.6941E-009
RCPTR_25	farmer_adult	TOCDFLIC	Beryllium	4.6330E-007	4.8977E-007
RCPTR_25	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	8.7656E-013	1.4187E-011
RCPTR_25	farmer_adult	TOCDFLIC	Bromodichloromethane	5.1492E-016	8.2862E-015
RCPTR_25	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	4.9411E-013	7.9667E-012
RCPTR_25	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	4.9733E-008	5.0220E-007
RCPTR_25	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2980E-008	2.6156E-008
RCPTR_25	farmer_adult	TOCDFLIC	Cadmium	1.1030E-007	1.4978E-007
RCPTR_25	farmer_adult	TOCDFLIC	Carbon disulfide	3.4625E-017	5.4939E-016
RCPTR_25	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.7802E-016	4.3487E-015
RCPTR_25	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.9152E-010	1.2076E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.1902E-012	6.5933E-011
RCPTR_25	farmer_adult	TOCDFLIC	Chlorobenzene	1.6610E-015	2.5454E-014
RCPTR_25	farmer_adult	TOCDFLIC	Chloroethane	5.5575E-017	7.5208E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.1364E-016	3.4322E-015
RCPTR_25	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.5428E-010	5.1565E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.1333E-011	1.8300E-010
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0992E-009	6.7371E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chromium	7.0167E-006	7.0370E-006
RCPTR_25	farmer_adult	TOCDFLIC	Chromium, hexavalent	6.3959E-006	6.4928E-006
RCPTR_25	farmer_adult	TOCDFLIC	Chrysene	1.0362E-005	1.1773E-005
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.2716E-008	9.4927E-008
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.3846E+001	4.3846E+001
RCPTR_25	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.5967E-004	8.7380E-004
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.3892E-013	8.3481E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	7.1921E-013	1.0085E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.7848E-013	9.7055E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5780E-008	3.1299E-008
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.8155E-018	5.9853E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	8.9267E-017	1.4362E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1614E-015	1.8712E-014
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	3.5867E-016	5.7038E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.7745E-016	9.1692E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.9714E-010	8.5635E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.1418E-016	4.9208E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0134E-016	1.6229E-015
RCPTR_25	farmer_adult	TOCDFLIC	Diethyl phthalate	5.3299E-009	5.5425E-009
RCPTR_25	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0085E-011	1.3504E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.1359E-012	1.2487E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	6.2967E-012	1.4398E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	9.6938E-012	1.1550E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.8423E-012	8.8782E-011
RCPTR_25	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.6430E-013	2.6564E-012
RCPTR_25	farmer_adult	TOCDFLIC	Ethylbenzene	1.0624E-014	1.3712E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.2788E-009	9.4671E-009
RCPTR_25	farmer_adult	TOCDFLIC	Fluoranthene	1.0323E-007	4.4865E-007
RCPTR_25	farmer_adult	TOCDFLIC	Fluorene	5.9536E-010	7.7693E-009
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.4923E-011	2.5815E-011
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.2911E-011	8.5322E-011
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9922E-010	2.0619E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.9966E-010	2.0568E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.2458E-010	1.2939E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0613E-010	1.1078E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.4472E-010	1.5180E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2535E-010	1.3145E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.2806E-010	1.3425E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0565E-010	1.1078E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6050E-011	1.6432E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.9634E-008	3.3223E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.6571E-011	4.3790E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.0562E-012	1.0016E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0059E-003	6.0354E-003
RCPTR_25	farmer_adult	TOCDFLIC	Isophorone	1.1826E-012	1.8997E-011
RCPTR_25	farmer_adult	TOCDFLIC	Lead	1.4338E-006	1.5594E-006
RCPTR_25	farmer_adult	TOCDFLIC	Mercuric chloride	5.6536E-008	5.8233E-008
RCPTR_25	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.4263E-017	1.0375E-015
RCPTR_25	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.7444E-018	6.0224E-017
RCPTR_25	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.8337E-014	1.1057E-012
RCPTR_25	farmer_adult	TOCDFLIC	Methyl mercury	9.7507E-010	9.9243E-010
RCPTR_25	farmer_adult	TOCDFLIC	Methylene chloride	9.2791E-013	1.4947E-011
RCPTR_25	farmer_adult	TOCDFLIC	Naphthalene	3.1338E-012	4.7083E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nickel	1.6155E-005	1.7170E-005
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.0610E-011	3.2411E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.8078E-012	7.7112E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.2504E-012	1.9895E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrobenzene	1.9866E-012	3.2063E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.5514E-012	7.3125E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.5417E-011	5.1399E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.1491E-012	1.8090E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.1451E-012	1.7782E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.2192E-013	1.6054E-012
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.8577E-011	4.0335E-011
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.8342E-011	4.0047E-011
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.2716E-010	4.4245E-010
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.2349E-011	6.6074E-011
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.4544E-010	2.5965E-010
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.0801E-010	6.2935E-009
RCPTR_25	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.0817E-011	4.9915E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorophenol	4.4197E-008	6.0212E-008
RCPTR_25	farmer_adult	TOCDFLIC	Phenanthrene	1.7920E-012	2.4589E-011
RCPTR_25	farmer_adult	TOCDFLIC	Phenol	1.6040E-012	2.5407E-011
RCPTR_25	farmer_adult	TOCDFLIC	Pronamide	1.8846E-010	2.4364E-009
RCPTR_25	farmer_adult	TOCDFLIC	Pyrene	1.2392E-007	5.9364E-007
RCPTR_25	farmer_adult	TOCDFLIC	Selenium	1.0099E-005	1.0147E-005
RCPTR_25	farmer_adult	TOCDFLIC	Silver	2.6854E-005	2.8513E-005
RCPTR_25	farmer_adult	TOCDFLIC	Styrene	7.9215E-015	1.2470E-013
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.4936E-011	5.9437E-011
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.4322E-011	1.5977E-011
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.8482E-010	1.9800E-009
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.0069E-012	8.7363E-012
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.3220E-016	5.2287E-015
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.5835E-009	1.5340E-008
RCPTR_25	farmer_adult	TOCDFLIC	Thallium (l)	3.5783E-005	3.7287E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Toluene	1.0497E-011	1.5703E-010
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.0122E-012	7.5549E-011
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.1403E-014	4.9979E-013
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.6870E-014	2.7083E-013
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethylene	2.7907E-015	4.4043E-014
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.6605E-016	5.7882E-015
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	8.5958E-010	8.7033E-009
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.2237E-010	1.8062E-009
RCPTR_25	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.2735E-014	1.0025E-012
RCPTR_25	farmer_adult	TOCDFLIC	VX	3.9621E-011	4.1173E-011
RCPTR_25	farmer_adult	TOCDFLIC	Vinyl Chloride	8.2681E-020	1.3200E-018
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, m-	4.8111E-013	8.3897E-013
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, o-	2.6353E-013	5.2309E-013
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, p-	4.6187E-013	1.0169E-012
RCPTR_25	farmer_adult	TOCDFLIC	Zinc	1.9668E-006	2.4255E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Acenaphthene	2.5395E-011	3.5916E-010
RCPTR_25	farmer_adult	TOCDFMPF	Acetone	2.5770E-016	4.1713E-015
RCPTR_25	farmer_adult	TOCDFMPF	Acetophenone	2.7318E-012	4.3905E-011
RCPTR_25	farmer_adult	TOCDFMPF	Aniline	1.6723E-013	2.6451E-012
RCPTR_25	farmer_adult	TOCDFMPF	Anthracene	2.6105E-010	3.6407E-009
RCPTR_25	farmer_adult	TOCDFMPF	Arsenic	4.3257E-007	4.4774E-007
RCPTR_25	farmer_adult	TOCDFMPF	Barium	1.5325E-007	1.7127E-007
RCPTR_25	farmer_adult	TOCDFMPF	Benzene	1.4673E-015	2.3018E-014
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.0229E-007	4.1751E-007
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.5908E-006	6.8327E-006
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.9053E-006	3.3763E-006
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.8176E-006	9.0657E-006
RCPTR_25	farmer_adult	TOCDFMPF	Benzoic acid	5.7880E-012	4.8045E-011
RCPTR_25	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3228E-012	2.1188E-011
RCPTR_25	farmer_adult	TOCDFMPF	Beryllium	5.8163E-008	6.1486E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.7007E-013	5.9896E-012
RCPTR_25	farmer_adult	TOCDFMPF	Bromodichloromethane	7.5445E-015	1.2141E-013
RCPTR_25	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.5936E-013	4.1817E-012
RCPTR_25	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.8250E-008	2.8526E-007
RCPTR_25	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.0287E-009	3.4462E-009
RCPTR_25	farmer_adult	TOCDFMPF	Cadmium	3.5045E-007	4.7590E-007
RCPTR_25	farmer_adult	TOCDFMPF	Carbon disulfide	5.0732E-016	8.0495E-015
RCPTR_25	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.0734E-015	6.3716E-014
RCPTR_25	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	8.1356E-011	5.1307E-010
RCPTR_25	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.2259E-012	1.9289E-011
RCPTR_25	farmer_adult	TOCDFMPF	Chlorobenzene	2.4337E-014	3.7294E-013
RCPTR_25	farmer_adult	TOCDFMPF	Chloroethane	7.7633E-017	1.0507E-015
RCPTR_25	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.1301E-015	5.0288E-014
RCPTR_25	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.1871E-011	9.0051E-010
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenol, 2-	4.1418E-012	6.6880E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.3757E-010	2.0682E-009
RCPTR_25	farmer_adult	TOCDFMPF	Chromium	7.6083E-006	7.6303E-006
RCPTR_25	farmer_adult	TOCDFMPF	Chromium, hexavalent	6.9351E-006	7.0403E-006
RCPTR_25	farmer_adult	TOCDFMPF	Chrysene	1.0640E-006	1.2089E-006
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	9.6067E-008	1.1025E-007
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.9137E+001	3.9137E+001
RCPTR_25	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.2632E-004	2.3006E-004
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.2086E-013	2.8857E-012
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.3178E-013	3.2500E-012
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.1743E-013	3.1103E-012
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.6687E-009	9.3086E-009
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.3307E-018	8.3616E-017
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.3079E-015	2.1043E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6224E-015	2.6141E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	5.0106E-016	7.9683E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	8.0671E-016	1.2809E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	7.6641E-011	3.3299E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	4.6033E-015	7.2097E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.4849E-015	2.3779E-014
RCPTR_25	farmer_adult	TOCDFMPF	Diethyl phthalate	1.1305E-008	1.1756E-008
RCPTR_25	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.7813E-013	7.7397E-012
RCPTR_25	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.1857E-012	4.8895E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.2015E-011	2.7476E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.3272E-011	1.5805E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.5015E-012	1.1029E-010
RCPTR_25	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	6.9513E-013	1.1239E-011
RCPTR_25	farmer_adult	TOCDFMPF	Ethylbenzene	1.7729E-014	2.2880E-013
RCPTR_25	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4258E-009	1.6298E-009
RCPTR_25	farmer_adult	TOCDFMPF	Fluoranthene	7.9770E-009	3.4656E-008
RCPTR_25	farmer_adult	TOCDFMPF	Fluorene	9.0045E-011	1.1750E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.7310E-012	2.8289E-012
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3810E-011	1.4213E-011
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3112E-011	1.3572E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.4547E-011	3.5593E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.1585E-011	2.2420E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.8142E-011	1.8937E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.9002E-011	4.0909E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.3277E-010	1.3923E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.1118E-010	1.1655E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3443E-011	1.4096E-011
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.9479E-012	9.1567E-011
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.4648E-008	1.6419E-007
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.2176E-011	3.0236E-010
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.9288E-012	6.9966E-011
RCPTR_25	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.2979E-003	1.3043E-003
RCPTR_25	farmer_adult	TOCDFMPF	Isophorone	2.0972E-013	3.3688E-012
RCPTR_25	farmer_adult	TOCDFMPF	Lead	2.2592E-006	2.4571E-006
RCPTR_25	farmer_adult	TOCDFMPF	Mercuric chloride	6.0558E-008	6.2372E-008
RCPTR_25	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.7142E-017	7.6107E-016
RCPTR_25	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.7468E-018	4.4179E-017
RCPTR_25	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.1403E-015	1.8450E-014
RCPTR_25	farmer_adult	TOCDFMPF	Methyl mercury	1.0471E-009	1.0657E-009
RCPTR_25	farmer_adult	TOCDFMPF	Methylene chloride	3.0040E-016	4.8389E-015
RCPTR_25	farmer_adult	TOCDFMPF	Naphthalene	2.6220E-012	3.9393E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nickel	8.4568E-006	8.9882E-006
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.5371E-012	3.9898E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 3-	4.7952E-013	7.6910E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 4-	5.5384E-013	8.8112E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitrobenzene	6.7418E-013	1.0881E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 2-	5.4556E-013	8.7651E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.2529E-011	4.5566E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.8616E-012	7.6537E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.5667E-013	3.9857E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	7.8795E-014	1.0362E-012
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.9548E-012	3.0895E-012
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.9130E-013	3.0427E-013
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.0101E-011	7.2614E-011
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.2103E-011	4.4619E-011
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.9907E-011	3.1639E-011
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorobenzene	6.8432E-010	5.3175E-009
RCPTR_25	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.9993E-011	2.1088E-010
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorophenol	2.6129E-008	3.5601E-008
RCPTR_25	farmer_adult	TOCDFMPF	Phenanthrene	1.8713E-013	2.5677E-012
RCPTR_25	farmer_adult	TOCDFMPF	Phenol	5.2122E-013	8.2563E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Pronamide	7.9735E-010	1.0308E-008
RCPTR_25	farmer_adult	TOCDFMPF	Pyrene	9.0259E-009	4.3233E-008
RCPTR_25	farmer_adult	TOCDFMPF	Selenium	3.1775E-006	3.1925E-006
RCPTR_25	farmer_adult	TOCDFMPF	Silver	8.4629E-007	8.9857E-007
RCPTR_25	farmer_adult	TOCDFMPF	Styrene	1.1996E-013	1.8885E-012
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3710E-011	2.5652E-011
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	9.5861E-012	1.0694E-011
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	7.8193E-010	8.3770E-009
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	5.1003E-014	8.0845E-013
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.8676E-015	7.6610E-014
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.3573E-009	6.4775E-009
RCPTR_25	farmer_adult	TOCDFMPF	Thallium (l)	5.7401E-005	5.9813E-005
RCPTR_25	farmer_adult	TOCDFMPF	Toluene	6.7404E-015	1.0083E-013
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.0134E-012	2.5299E-011
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.1095E-015	4.9488E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.3568E-014	3.7836E-013
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethylene	3.8986E-015	6.1529E-014
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.1139E-016	8.0863E-015
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	3.8219E-010	3.8702E-009
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.4564E-010	8.1617E-010
RCPTR_25	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	8.7643E-014	1.4005E-012
RCPTR_25	farmer_adult	TOCDFMPF	VX	5.4361E-011	5.6492E-011
RCPTR_25	farmer_adult	TOCDFMPF	Vinyl Chloride	1.2522E-018	1.9990E-017
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, m-	3.7946E-013	6.5985E-013
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, o-	3.2666E-013	6.4632E-013
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, p-	3.6421E-013	7.9907E-013
RCPTR_25	farmer_adult	TOCDHVAC	VX	2.9308E-011	3.0468E-011
RCPTR_25	farmer_adult	TOCDLIC2	Acenaphthene	1.3965E-010	1.9752E-009
RCPTR_25	farmer_adult	TOCDLIC2	Acetone	6.1011E-012	9.8758E-011
RCPTR_25	farmer_adult	TOCDLIC2	Acetophenone	6.4569E-013	1.0378E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Aniline	3.9527E-014	6.2520E-013
RCPTR_25	farmer_adult	TOCDLIC2	Anthracene	2.4997E-009	3.4865E-008
RCPTR_25	farmer_adult	TOCDLIC2	Antimony	8.2229E-006	9.5312E-006
RCPTR_25	farmer_adult	TOCDLIC2	Arsenic	8.9360E-006	9.2492E-006
RCPTR_25	farmer_adult	TOCDLIC2	Barium	1.3728E-006	1.5342E-006
RCPTR_25	farmer_adult	TOCDLIC2	Benzene	8.4133E-015	1.3198E-013
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.2890E-006	4.5435E-006
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.8881E-005	4.0307E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.0157E-005	2.3426E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.9643E-005	6.1315E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzoic acid	3.0387E-011	2.5221E-010
RCPTR_25	farmer_adult	TOCDLIC2	Benzyl alcohol	1.6820E-010	2.6941E-009
RCPTR_25	farmer_adult	TOCDLIC2	Beryllium	4.6330E-007	4.8977E-007
RCPTR_25	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.7656E-013	1.4187E-011
RCPTR_25	farmer_adult	TOCDLIC2	Bromodichloromethane	5.1492E-016	8.2862E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	4.9411E-013	7.9667E-012
RCPTR_25	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.9733E-008	5.0220E-007
RCPTR_25	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.2980E-008	2.6156E-008
RCPTR_25	farmer_adult	TOCDLIC2	Cadmium	1.1030E-007	1.4978E-007
RCPTR_25	farmer_adult	TOCDLIC2	Carbon disulfide	3.4625E-017	5.4939E-016
RCPTR_25	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.7802E-016	4.3487E-015
RCPTR_25	farmer_adult	TOCDLIC2	Chlorine	7.5909E-007	1.2293E-005
RCPTR_25	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.9152E-010	1.2076E-009
RCPTR_25	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.1902E-012	6.5933E-011
RCPTR_25	farmer_adult	TOCDLIC2	Chlorobenzene	1.6610E-015	2.5454E-014
RCPTR_25	farmer_adult	TOCDLIC2	Chloroethane	5.5575E-017	7.5208E-016
RCPTR_25	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.1364E-016	3.4322E-015
RCPTR_25	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.5428E-010	5.1565E-009
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.1333E-011	1.8300E-010
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.0992E-009	6.7371E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Chromium	7.0167E-006	7.0370E-006
RCPTR_25	farmer_adult	TOCDLIC2	Chromium, hexavalent	6.3959E-006	6.4928E-006
RCPTR_25	farmer_adult	TOCDLIC2	Chrysene	1.0362E-005	1.1773E-005
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	8.2716E-008	9.4927E-008
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.3846E+001	4.3846E+001
RCPTR_25	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.5967E-004	8.7380E-004
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.3892E-013	8.3481E-012
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.1921E-013	1.0085E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.7848E-013	9.7055E-012
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5780E-008	3.1299E-008
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.8155E-018	5.9853E-017
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	8.6364E-017	1.3895E-015
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1614E-015	1.8712E-014
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.5867E-016	5.7038E-015
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.7745E-016	9.1692E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.9714E-010	8.5635E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.1418E-016	4.9208E-015
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0134E-016	1.6229E-015
RCPTR_25	farmer_adult	TOCDLIC2	Diethyl phthalate	5.3299E-009	5.5425E-009
RCPTR_25	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0085E-011	1.3504E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.1359E-012	1.2487E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.2967E-012	1.4398E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	9.6938E-012	1.1550E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.8423E-012	8.8782E-011
RCPTR_25	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.6430E-013	2.6564E-012
RCPTR_25	farmer_adult	TOCDLIC2	Ethylbenzene	1.0624E-014	1.3712E-013
RCPTR_25	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.2788E-009	9.4671E-009
RCPTR_25	farmer_adult	TOCDLIC2	Fluoranthene	1.0323E-007	4.4865E-007
RCPTR_25	farmer_adult	TOCDLIC2	Fluorene	5.9536E-010	7.7693E-009
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.4923E-011	2.5815E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.8613E-010	2.9444E-010
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.8751E-010	7.1157E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.9966E-010	2.0568E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2458E-010	1.2939E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0613E-010	1.1078E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.4472E-010	1.5180E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.2535E-010	1.3145E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.2806E-010	1.3425E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.0565E-010	1.1078E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.6050E-011	1.6432E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.9634E-008	3.3223E-007
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.6571E-011	4.3790E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.0562E-012	1.0016E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.0059E-003	6.0354E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Isophorone	1.1826E-012	1.8997E-011
RCPTR_25	farmer_adult	TOCDLIC2	Lead	1.4338E-006	1.5594E-006
RCPTR_25	farmer_adult	TOCDLIC2	Mercuric chloride	5.6536E-008	5.8233E-008
RCPTR_25	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.4263E-017	1.0375E-015
RCPTR_25	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.8748E-019	3.0153E-018
RCPTR_25	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.8337E-014	1.1057E-012
RCPTR_25	farmer_adult	TOCDLIC2	Methyl mercury	9.7507E-010	9.9243E-010
RCPTR_25	farmer_adult	TOCDLIC2	Methylene chloride	9.2791E-013	1.4947E-011
RCPTR_25	farmer_adult	TOCDLIC2	Naphthalene	3.1338E-012	4.7083E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nickel	1.6155E-005	1.7170E-005
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.0610E-011	3.2411E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.8078E-012	7.7112E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.2635E-012	9.9655E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrobenzene	1.9866E-012	3.2063E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.0863E-013	1.4598E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.2732E-010	2.5746E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1491E-012	1.8090E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1451E-012	1.7782E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.2192E-013	1.6054E-012
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.8577E-011	4.0335E-011
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.8342E-011	4.0047E-011
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.2716E-010	4.4245E-010
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.2349E-011	6.6074E-011
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.4544E-010	2.5965E-010
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.6131E-010	1.2564E-009
RCPTR_25	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.0817E-011	4.9915E-010
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorophenol	2.2139E-007	3.0161E-007
RCPTR_25	farmer_adult	TOCDLIC2	Phenanthrene	1.7920E-012	2.4589E-011
RCPTR_25	farmer_adult	TOCDLIC2	Phenol	1.6040E-012	2.5407E-011
RCPTR_25	farmer_adult	TOCDLIC2	Pronamide	1.8846E-010	2.4364E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Pyrene	1.2392E-007	5.9364E-007
RCPTR_25	farmer_adult	TOCDLIC2	Selenium	1.0099E-005	1.0147E-005
RCPTR_25	farmer_adult	TOCDLIC2	Silver	2.6854E-005	2.8513E-005
RCPTR_25	farmer_adult	TOCDLIC2	Styrene	7.9215E-015	1.2470E-013
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	5.4936E-011	5.9437E-011
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4322E-011	1.5977E-011
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.8482E-010	1.9800E-009
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.0069E-012	8.7363E-012
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.3220E-016	5.2287E-015
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.5835E-009	1.5340E-008
RCPTR_25	farmer_adult	TOCDLIC2	Thallium (l)	3.5783E-005	3.7287E-005
RCPTR_25	farmer_adult	TOCDLIC2	Toluene	1.0497E-011	1.5703E-010
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.0122E-012	7.5549E-011
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.1403E-014	4.9979E-013
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.6870E-014	2.7083E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethylene	2.7907E-015	4.4043E-014
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.6605E-016	5.7882E-015
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	8.5958E-010	8.7033E-009
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.2237E-010	1.8062E-009
RCPTR_25	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.2735E-014	1.0025E-012
RCPTR_25	farmer_adult	TOCDLIC2	VX	4.1190E-011	4.2804E-011
RCPTR_25	farmer_adult	TOCDLIC2	Vinyl Chloride	8.2681E-020	1.3200E-018
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, m-	4.8111E-013	8.3897E-013
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, o-	2.6353E-013	5.2309E-013
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, p-	4.6187E-013	1.0169E-012
RCPTR_25	farmer_adult	TOCDLIC2	Zinc	1.9668E-006	2.4255E-006
RCPTR_25	farmer_child	TOCDFBRA	Antimony	3.2346E-006	3.5259E-006
RCPTR_25	farmer_child	TOCDFBRA	Arsenic	5.2347E-006	5.3474E-006
RCPTR_25	farmer_child	TOCDFBRA	Barium	4.4181E-007	4.7199E-007
RCPTR_25	farmer_child	TOCDFBRA	Beryllium	1.4059E-006	1.4396E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFBRA	Cadmium	2.6518E-007	3.1049E-007
RCPTR_25	farmer_child	TOCDFBRA	Chromium	3.3185E-006	3.3827E-006
RCPTR_25	farmer_child	TOCDFBRA	Chromium, hexavalent	3.0913E-006	3.1205E-006
RCPTR_25	farmer_child	TOCDFBRA	Lead	1.4485E-005	1.5030E-005
RCPTR_25	farmer_child	TOCDFBRA	Mercuric chloride	1.1747E-003	1.3510E-003
RCPTR_25	farmer_child	TOCDFBRA	Methyl mercury	2.3009E-005	2.3558E-005
RCPTR_25	farmer_child	TOCDFBRA	Nickel	1.7291E-005	1.7894E-005
RCPTR_25	farmer_child	TOCDFBRA	Selenium	5.8487E-006	5.8661E-006
RCPTR_25	farmer_child	TOCDFBRA	Silver	1.9854E-006	2.0607E-006
RCPTR_25	farmer_child	TOCDFBRA	Thallium (l)	5.3555E-005	5.4792E-005
RCPTR_25	farmer_child	TOCDFBRA	Zinc	9.5258E-006	1.0686E-005
RCPTR_25	farmer_child	TOCDFDFS	Acenaphthene	1.2937E-009	3.0999E-009
RCPTR_25	farmer_child	TOCDFDFS	Acetone	2.5826E-013	6.2732E-013
RCPTR_25	farmer_child	TOCDFDFS	Acetophenone	6.7091E-012	1.6286E-011
RCPTR_25	farmer_child	TOCDFDFS	Aniline	4.0481E-013	9.8114E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Anthracene	2.2875E-008	5.4723E-008
RCPTR_25	farmer_child	TOCDFDFS	Antimony	5.6945E-007	6.2069E-007
RCPTR_25	farmer_child	TOCDFDFS	Aroclor 1254	3.1850E-010	4.2878E-010
RCPTR_25	farmer_child	TOCDFDFS	Arsenic	1.0752E-006	1.0983E-006
RCPTR_25	farmer_child	TOCDFDFS	Barium	5.1788E-006	5.5324E-006
RCPTR_25	farmer_child	TOCDFDFS	Benzene	2.1698E-014	5.2548E-014
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)anthracene	6.2362E-006	7.2117E-006
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.3580E-005	6.4790E-005
RCPTR_25	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.4534E-005	3.7122E-005
RCPTR_25	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.7206E-005	9.8323E-005
RCPTR_25	farmer_child	TOCDFDFS	Benzoic acid	1.1473E-010	2.5590E-010
RCPTR_25	farmer_child	TOCDFDFS	Benzyl alcohol	1.4213E-011	3.4490E-011
RCPTR_25	farmer_child	TOCDFDFS	Beryllium	2.4277E-007	2.4859E-007
RCPTR_25	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	9.1660E-012	2.2265E-011
RCPTR_25	farmer_child	TOCDFDFS	Bromodichloromethane	4.6067E-014	1.1184E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.5864E-012	3.8521E-012
RCPTR_25	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.3722E-007	7.8817E-007
RCPTR_25	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.4659E-007	1.5823E-007
RCPTR_25	farmer_child	TOCDFDFS	Cadmium	4.1623E-007	4.8729E-007
RCPTR_25	farmer_child	TOCDFDFS	Carbon disulfide	6.1486E-015	1.4907E-014
RCPTR_25	farmer_child	TOCDFDFS	Carbon tetrachloride	2.4242E-014	5.8693E-014
RCPTR_25	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	8.9413E-010	1.8940E-009
RCPTR_25	farmer_child	TOCDFDFS	Chloroaniline, p-	4.2712E-011	1.0347E-010
RCPTR_25	farmer_child	TOCDFDFS	Chlorobenzene	7.1215E-014	1.7207E-013
RCPTR_25	farmer_child	TOCDFDFS	Chloroethane	5.7659E-016	1.3753E-015
RCPTR_25	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.5586E-015	2.3202E-014
RCPTR_25	farmer_child	TOCDFDFS	Chloronaphthalene,2-	3.3668E-009	8.0925E-009
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.1825E-010	2.8718E-010
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.0356E-009	1.0584E-008
RCPTR_25	farmer_child	TOCDFDFS	Chromium	2.9761E-006	3.0336E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Chromium, hexavalent	2.7725E-006	2.7987E-006
RCPTR_25	farmer_child	TOCDFDFS	Chrysene	1.7634E-005	1.8638E-005
RCPTR_25	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.1265E-007	2.3128E-007
RCPTR_25	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.2336E+003	2.2336E+003
RCPTR_25	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3932E-003	1.4042E-003
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.2078E-012	2.8692E-012
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.2967E-012	1.0287E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.8250E-012	6.7779E-012
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6256E-008	2.9476E-008
RCPTR_25	farmer_child	TOCDFDFS	Dichlorodifluoromethane	4.5207E-017	1.0947E-016
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.9992E-015	9.7087E-015
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.9674E-015	1.2061E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	4.3017E-015	1.0431E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.9161E-015	1.6769E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	5.0651E-010	9.8006E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	3.8979E-014	9.4383E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.5213E-015	1.0971E-014
RCPTR_25	farmer_child	TOCDFDFS	Diethyl phthalate	4.3521E-008	4.4600E-008
RCPTR_25	farmer_child	TOCDFDFS	Dimethyl phthalate	4.3486E-011	1.0356E-010
RCPTR_25	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	8.1082E-011	1.9595E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	7.2277E-011	1.1174E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.6731E-011	3.9273E-011
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.2714E-011	3.0171E-011
RCPTR_25	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.7164E-012	4.1688E-012
RCPTR_25	farmer_child	TOCDFDFS	Ethylbenzene	8.8855E-014	2.1077E-013
RCPTR_25	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.0573E-009	4.3903E-009
RCPTR_25	farmer_child	TOCDFDFS	Fluoranthene	3.9423E-007	7.0524E-007
RCPTR_25	farmer_child	TOCDFDFS	Fluorene	5.1343E-009	1.2194E-008
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.3202E-012	4.3856E-012
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.2817E-012	5.3476E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2913E-011	1.3104E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.2447E-011	3.2865E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.0730E-011	2.1066E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.7939E-011	1.8266E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.3991E-011	2.4472E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0754E-011	2.1169E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.1154E-011	2.1575E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.7472E-011	1.7820E-011
RCPTR_25	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.1216E-010	2.5806E-010
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorobenzene	2.2460E-007	5.2148E-007
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.4990E-009	3.4052E-009
RCPTR_25	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.5557E-011	1.5718E-010
RCPTR_25	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.4860E-003	9.5104E-003
RCPTR_25	farmer_child	TOCDFDFS	Isophorone	1.2282E-011	2.9812E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Lead	2.8590E-006	2.9664E-006
RCPTR_25	farmer_child	TOCDFDFS	Mercuric chloride	1.1421E-006	1.3118E-006
RCPTR_25	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.1028E-016	9.9633E-016
RCPTR_25	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	7.9028E-018	1.9184E-017
RCPTR_25	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.7901E-014	1.1635E-013
RCPTR_25	farmer_child	TOCDFDFS	Methyl mercury	2.2635E-008	2.3164E-008
RCPTR_25	farmer_child	TOCDFDFS	Methylene chloride	2.6695E-013	6.4814E-013
RCPTR_25	farmer_child	TOCDFDFS	Naphthalene	8.0998E-011	1.9532E-010
RCPTR_25	farmer_child	TOCDFDFS	Nickel	3.2920E-005	3.4066E-005
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.0750E-010	5.0264E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 3-	4.9275E-011	1.1959E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 4-	6.3739E-011	1.5456E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitrobenzene	2.0720E-011	5.0317E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 2-	9.4383E-012	2.2910E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.7166E-010	3.9822E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.1718E-011	2.8389E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.1534E-011	2.7905E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.0633E-012	2.5231E-012
RCPTR_25	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0835E-011	1.1040E-011
RCPTR_25	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.2650E-012	3.3251E-012
RCPTR_25	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.9674E-011	6.0567E-011
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.5464E-012	5.6804E-012
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.2069E-011	2.2586E-011
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorobenzene	4.4751E-009	9.8094E-009
RCPTR_25	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.6214E-010	7.7867E-010
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorophenol	7.8333E-008	9.4093E-008
RCPTR_25	farmer_child	TOCDFDFS	Phenanthrene	1.6158E-011	3.8591E-011
RCPTR_25	farmer_child	TOCDFDFS	Phenol	1.6448E-011	3.9871E-011
RCPTR_25	farmer_child	TOCDFDFS	Pronamide	3.2228E-009	7.6470E-009
RCPTR_25	farmer_child	TOCDFDFS	Pyrene	6.0004E-007	9.3219E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Selenium	1.2013E-006	1.2049E-006
RCPTR_25	farmer_child	TOCDFDFS	Silver	1.6312E-006	1.6930E-006
RCPTR_25	farmer_child	TOCDFDFS	Styrene	8.4503E-013	2.0471E-012
RCPTR_25	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.7758E-011	2.8656E-011
RCPTR_25	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3042E-011	1.3625E-011
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.3406E-009	3.1071E-009
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0272E-010	1.1736E-010
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.9134E-014	7.0574E-014
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.4262E-008	2.3749E-008
RCPTR_25	farmer_child	TOCDFDFS	Thallium (l)	2.1729E-004	2.2231E-004
RCPTR_25	farmer_child	TOCDFDFS	Toluene	1.4425E-013	3.4770E-013
RCPTR_25	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	5.9863E-011	1.4163E-010
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.8798E-014	4.5587E-014
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.0407E-013	4.9531E-013
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethylene	3.3241E-014	8.0548E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.3678E-015	1.0586E-014
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	5.9366E-009	1.3655E-008
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.3724E-009	2.8326E-009
RCPTR_25	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	7.5570E-013	1.8334E-012
RCPTR_25	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	6.6374E-012	1.5616E-011
RCPTR_25	farmer_child	TOCDFDFS	VX	1.0075E-010	1.0320E-010
RCPTR_25	farmer_child	TOCDFDFS	Vinyl Chloride	5.5920E-018	1.3564E-017
RCPTR_25	farmer_child	TOCDFDFS	Xylene, m-	1.7689E-012	2.3696E-012
RCPTR_25	farmer_child	TOCDFDFS	Xylene, o-	1.6212E-012	2.3060E-012
RCPTR_25	farmer_child	TOCDFDFS	Xylene, p-	1.9057E-012	2.8373E-012
RCPTR_25	farmer_child	TOCDFLIC	Acenaphthene	8.2420E-010	1.9752E-009
RCPTR_25	farmer_child	TOCDFLIC	Acetone	4.0657E-011	9.8758E-011
RCPTR_25	farmer_child	TOCDFLIC	Acetophenone	4.2751E-012	1.0378E-011
RCPTR_25	farmer_child	TOCDFLIC	Aniline	2.5795E-013	6.2520E-013
RCPTR_25	farmer_child	TOCDFLIC	Anthracene	1.4571E-008	3.4865E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Antimony	8.7456E-006	9.5312E-006
RCPTR_25	farmer_child	TOCDFLIC	Arsenic	9.0548E-006	9.2492E-006
RCPTR_25	farmer_child	TOCDFLIC	Barium	1.4363E-006	1.5342E-006
RCPTR_25	farmer_child	TOCDFLIC	Benzene	5.4497E-014	1.3198E-013
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.9242E-006	4.5435E-006
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.9569E-005	4.0307E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.1786E-005	2.3426E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.0646E-005	6.1315E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzoic acid	1.1311E-010	2.5221E-010
RCPTR_25	farmer_child	TOCDFLIC	Benzyl alcohol	1.1102E-009	2.6941E-009
RCPTR_25	farmer_child	TOCDFLIC	Beryllium	4.7832E-007	4.8977E-007
RCPTR_25	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	5.8408E-012	1.4187E-011
RCPTR_25	farmer_child	TOCDFLIC	Bromodichloromethane	3.4132E-015	8.2862E-015
RCPTR_25	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.2810E-012	7.9667E-012
RCPTR_25	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.7857E-007	5.0220E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.4164E-008	2.6156E-008
RCPTR_25	farmer_child	TOCDFLIC	Cadmium	1.2796E-007	1.4978E-007
RCPTR_25	farmer_child	TOCDFLIC	Carbon disulfide	2.2661E-016	5.4939E-016
RCPTR_25	farmer_child	TOCDFLIC	Carbon tetrachloride	1.7962E-015	4.3487E-015
RCPTR_25	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	5.7046E-010	1.2076E-009
RCPTR_25	farmer_child	TOCDFLIC	Chloroaniline, p-	2.7217E-011	6.5933E-011
RCPTR_25	farmer_child	TOCDFLIC	Chlorobenzene	1.0534E-014	2.5454E-014
RCPTR_25	farmer_child	TOCDFLIC	Chloroethane	3.1533E-016	7.5208E-016
RCPTR_25	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.4140E-015	3.4322E-015
RCPTR_25	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.1453E-009	5.1565E-009
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenol, 2-	7.5354E-011	1.8300E-010
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.2018E-009	6.7371E-009
RCPTR_25	farmer_child	TOCDFLIC	Chromium	6.9037E-006	7.0370E-006
RCPTR_25	farmer_child	TOCDFLIC	Chromium, hexavalent	6.4321E-006	6.4928E-006
RCPTR_25	farmer_child	TOCDFLIC	Chrysene	1.1139E-005	1.1773E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Di-n-butyl phthalate	8.7270E-008	9.4927E-008
RCPTR_25	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.3846E+001	4.3846E+001
RCPTR_25	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.6745E-004	8.7380E-004
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.5140E-012	8.3481E-012
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.2121E-012	1.0085E-011
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.0451E-012	9.7055E-012
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.7838E-008	3.1299E-008
RCPTR_25	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.4714E-017	5.9853E-017
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane 1,1-	5.9160E-016	1.4362E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.7067E-015	1.8712E-014
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.3521E-015	5.7038E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.7817E-015	9.1692E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.4299E-010	8.5635E-010
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.0322E-015	4.9208E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.6881E-016	1.6229E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Diethyl phthalate	5.4092E-009	5.5425E-009
RCPTR_25	farmer_child	TOCDFLIC	Dimethyl phthalate	5.6688E-011	1.3504E-010
RCPTR_25	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.1670E-011	1.2487E-010
RCPTR_25	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	9.3182E-012	1.4398E-011
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.9155E-011	1.1550E-010
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.7401E-011	8.8782E-011
RCPTR_25	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.0937E-012	2.6564E-012
RCPTR_25	farmer_child	TOCDFLIC	Ethylbenzene	5.7799E-014	1.3712E-013
RCPTR_25	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.7219E-009	9.4671E-009
RCPTR_25	farmer_child	TOCDFLIC	Fluoranthene	2.5051E-007	4.4865E-007
RCPTR_25	farmer_child	TOCDFLIC	Fluorene	3.2709E-009	7.7693E-009
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.5440E-011	2.5815E-011
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.4311E-011	8.5322E-011
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.0327E-010	2.0619E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.0315E-010	2.0568E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.2737E-010	1.2939E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0883E-010	1.1078E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.4883E-010	1.5180E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2889E-010	1.3145E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.3166E-010	1.3425E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0863E-010	1.1078E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	7.1348E-011	1.6432E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorobenzene	1.4305E-007	3.3223E-007
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.9252E-010	4.3790E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.1779E-011	1.0016E-010
RCPTR_25	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0213E-003	6.0354E-003
RCPTR_25	farmer_child	TOCDFLIC	Isophorone	7.8263E-012	1.8997E-011
RCPTR_25	farmer_child	TOCDFLIC	Lead	1.5030E-006	1.5594E-006
RCPTR_25	farmer_child	TOCDFLIC	Mercuric chloride	5.0512E-008	5.8233E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.2722E-016	1.0375E-015
RCPTR_25	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.4808E-017	6.0224E-017
RCPTR_25	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.5522E-013	1.1057E-012
RCPTR_25	farmer_child	TOCDFLIC	Methyl mercury	9.6836E-010	9.9243E-010
RCPTR_25	farmer_child	TOCDFLIC	Methylene chloride	6.1562E-012	1.4947E-011
RCPTR_25	farmer_child	TOCDFLIC	Naphthalene	1.9524E-011	4.7083E-011
RCPTR_25	farmer_child	TOCDFLIC	Nickel	1.6593E-005	1.7170E-005
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.3380E-010	3.2411E-010
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.1773E-011	7.7112E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.2038E-012	1.9895E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrobenzene	1.3203E-011	3.2063E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.0126E-011	7.3125E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.5107E-011	5.1399E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.4673E-012	1.8090E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.3497E-012	1.7782E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.7516E-013	1.6054E-012
RCPTR_25	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.9597E-011	4.0335E-011
RCPTR_25	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.9331E-011	4.0047E-011
RCPTR_25	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.3606E-010	4.4245E-010
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.4518E-011	6.6074E-011
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.5371E-010	2.5965E-010
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorobenzene	2.8538E-009	6.2935E-009
RCPTR_25	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.3056E-010	4.9915E-010
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorophenol	5.0170E-008	6.0212E-008
RCPTR_25	farmer_child	TOCDFLIC	Phenanthrene	1.0294E-011	2.4589E-011
RCPTR_25	farmer_child	TOCDFLIC	Phenol	1.0481E-011	2.5407E-011
RCPTR_25	farmer_child	TOCDFLIC	Pronamide	1.0268E-009	2.4364E-009
RCPTR_25	farmer_child	TOCDFLIC	Pyrene	3.8202E-007	5.9364E-007
RCPTR_25	farmer_child	TOCDFLIC	Selenium	1.0117E-005	1.0147E-005
RCPTR_25	farmer_child	TOCDFLIC	Silver	2.7473E-005	2.8513E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Styrene	5.1474E-014	1.2470E-013
RCPTR_25	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.7564E-011	5.9437E-011
RCPTR_25	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5289E-011	1.5977E-011
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	8.5433E-010	1.9800E-009
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.6519E-012	8.7363E-012
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.1584E-015	5.2287E-015
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.2221E-009	1.5340E-008
RCPTR_25	farmer_child	TOCDFLIC	Thallium (l)	3.6447E-005	3.7287E-005
RCPTR_25	farmer_child	TOCDFLIC	Toluene	6.5146E-011	1.5703E-010
RCPTR_25	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.1946E-011	7.5549E-011
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.0609E-013	4.9979E-013
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.1158E-013	2.7083E-013
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethylene	1.8176E-014	4.4043E-014
RCPTR_25	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.3882E-015	5.7882E-015
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.7849E-009	8.7033E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	8.7576E-010	1.8062E-009
RCPTR_25	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.1321E-013	1.0025E-012
RCPTR_25	farmer_child	TOCDFLIC	VX	4.0200E-011	4.1173E-011
RCPTR_25	farmer_child	TOCDFLIC	Vinyl Chloride	5.4414E-019	1.3200E-018
RCPTR_25	farmer_child	TOCDFLIC	Xylene, m-	6.1457E-013	8.3897E-013
RCPTR_25	farmer_child	TOCDFLIC	Xylene, o-	3.6034E-013	5.2309E-013
RCPTR_25	farmer_child	TOCDFLIC	Xylene, p-	6.6886E-013	1.0169E-012
RCPTR_25	farmer_child	TOCDFLIC	Zinc	2.1626E-006	2.4255E-006
RCPTR_25	farmer_child	TOCDFMPF	Acenaphthene	1.4987E-010	3.5916E-010
RCPTR_25	farmer_child	TOCDFMPF	Acetone	1.7173E-015	4.1713E-015
RCPTR_25	farmer_child	TOCDFMPF	Acetophenone	1.8087E-011	4.3905E-011
RCPTR_25	farmer_child	TOCDFMPF	Aniline	1.0913E-012	2.6451E-012
RCPTR_25	farmer_child	TOCDFMPF	Anthracene	1.5215E-009	3.6407E-009
RCPTR_25	farmer_child	TOCDFMPF	Arsenic	4.3833E-007	4.4774E-007
RCPTR_25	farmer_child	TOCDFMPF	Barium	1.6034E-007	1.7127E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Benzene	9.5044E-015	2.3018E-014
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.6063E-007	4.1751E-007
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.7075E-006	6.8327E-006
RCPTR_25	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.1400E-006	3.3763E-006
RCPTR_25	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	8.9664E-006	9.0657E-006
RCPTR_25	farmer_child	TOCDFMPF	Benzoic acid	2.1548E-011	4.8045E-011
RCPTR_25	farmer_child	TOCDFMPF	Benzyl alcohol	8.7315E-012	2.1188E-011
RCPTR_25	farmer_child	TOCDFMPF	Beryllium	6.0049E-008	6.1486E-008
RCPTR_25	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.4659E-012	5.9896E-012
RCPTR_25	farmer_child	TOCDFMPF	Bromodichloromethane	5.0009E-014	1.2141E-013
RCPTR_25	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.7222E-012	4.1817E-012
RCPTR_25	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.5823E-007	2.8526E-007
RCPTR_25	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.1844E-009	3.4462E-009
RCPTR_25	farmer_child	TOCDFMPF	Cadmium	4.0658E-007	4.7590E-007
RCPTR_25	farmer_child	TOCDFMPF	Carbon disulfide	3.3202E-015	8.0495E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Carbon tetrachloride	2.6317E-014	6.3716E-014
RCPTR_25	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.4236E-010	5.1307E-010
RCPTR_25	farmer_child	TOCDFMPF	Chloroaniline, p-	7.9625E-012	1.9289E-011
RCPTR_25	farmer_child	TOCDFMPF	Chlorobenzene	1.5435E-013	3.7294E-013
RCPTR_25	farmer_child	TOCDFMPF	Chloroethane	4.4052E-016	1.0507E-015
RCPTR_25	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.0717E-014	5.0288E-014
RCPTR_25	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.7464E-010	9.0051E-010
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.7540E-011	6.6880E-011
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.8299E-010	2.0682E-009
RCPTR_25	farmer_child	TOCDFMPF	Chromium	7.4858E-006	7.6303E-006
RCPTR_25	farmer_child	TOCDFMPF	Chromium, hexavalent	6.9744E-006	7.0403E-006
RCPTR_25	farmer_child	TOCDFMPF	Chrysene	1.1438E-006	1.2089E-006
RCPTR_25	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.0136E-007	1.1025E-007
RCPTR_25	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.9137E+001	3.9137E+001
RCPTR_25	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.2838E-004	2.3006E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.2147E-012	2.8857E-012
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.3574E-012	3.2500E-012
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2963E-012	3.1103E-012
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.2803E-009	9.3086E-009
RCPTR_25	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.4527E-017	8.3616E-017
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane 1,1-	8.6679E-015	2.1043E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0766E-014	2.6141E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.2860E-015	7.9683E-015
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.2831E-015	1.2809E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.7225E-010	3.3299E-010
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.9775E-014	7.2097E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.7992E-015	2.3779E-014
RCPTR_25	farmer_child	TOCDFMPF	Diethyl phthalate	1.1473E-008	1.1756E-008
RCPTR_25	farmer_child	TOCDFMPF	Dimethyl phthalate	3.2490E-012	7.7397E-012
RCPTR_25	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.0233E-011	4.8895E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.7781E-011	2.7476E-011
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.7265E-011	1.5805E-010
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.6463E-011	1.1029E-010
RCPTR_25	farmer_child	TOCDFMPF	Ethyl methanesulfonate	4.6274E-012	1.1239E-011
RCPTR_25	farmer_child	TOCDFMPF	Ethylbenzene	9.6447E-014	2.2880E-013
RCPTR_25	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.5019E-009	1.6298E-009
RCPTR_25	farmer_child	TOCDFMPF	Fluoranthene	1.9352E-008	3.4656E-008
RCPTR_25	farmer_child	TOCDFMPF	Fluorene	4.9466E-010	1.1750E-009
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.7878E-012	2.8289E-012
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.4044E-011	1.4213E-011
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3379E-011	1.3572E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.5154E-011	3.5593E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.2070E-011	2.2420E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.8604E-011	1.8937E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.0110E-011	4.0909E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.3652E-010	1.3923E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.1430E-010	1.1655E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3822E-011	1.4096E-011
RCPTR_25	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.9760E-011	9.1567E-011
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorobenzene	7.0698E-008	1.6419E-007
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.3294E-010	3.0236E-010
RCPTR_25	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.9184E-011	6.9966E-011
RCPTR_25	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3012E-003	1.3043E-003
RCPTR_25	farmer_child	TOCDFMPF	Isophorone	1.3879E-012	3.3688E-012
RCPTR_25	farmer_child	TOCDFMPF	Lead	2.3683E-006	2.4571E-006
RCPTR_25	farmer_child	TOCDFMPF	Mercuric chloride	5.4117E-008	6.2372E-008
RCPTR_25	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.1340E-016	7.6107E-016
RCPTR_25	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.8199E-017	4.4179E-017
RCPTR_25	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	7.5960E-015	1.8450E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Methyl mercury	1.0400E-009	1.0657E-009
RCPTR_25	farmer_child	TOCDFMPF	Methylene chloride	1.9930E-015	4.8389E-015
RCPTR_25	farmer_child	TOCDFMPF	Naphthalene	1.6336E-011	3.9393E-011
RCPTR_25	farmer_child	TOCDFMPF	Nickel	8.6862E-006	8.9882E-006
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.6471E-011	3.9898E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.1690E-012	7.6910E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.6334E-012	8.8112E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitrobenzene	4.4808E-012	1.0881E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.6110E-012	8.7651E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.1121E-011	4.5566E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.1593E-011	7.6537E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.6474E-012	3.9857E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.3587E-013	1.0362E-012
RCPTR_25	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.0330E-012	3.0895E-012
RCPTR_25	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.9882E-013	3.0427E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.1565E-011	7.2614E-011
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.3568E-011	4.4619E-011
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.0914E-011	3.1639E-011
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorobenzene	2.4123E-009	5.3175E-009
RCPTR_25	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	9.7456E-011	2.1088E-010
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorophenol	2.9662E-008	3.5601E-008
RCPTR_25	farmer_child	TOCDFMPF	Phenanthrene	1.0749E-012	2.5677E-012
RCPTR_25	farmer_child	TOCDFMPF	Phenol	3.4060E-012	8.2563E-012
RCPTR_25	farmer_child	TOCDFMPF	Pronamide	4.3443E-009	1.0308E-008
RCPTR_25	farmer_child	TOCDFMPF	Pyrene	2.7822E-008	4.3233E-008
RCPTR_25	farmer_child	TOCDFMPF	Selenium	3.1831E-006	3.1925E-006
RCPTR_25	farmer_child	TOCDFMPF	Silver	8.6579E-007	8.9857E-007
RCPTR_25	farmer_child	TOCDFMPF	Styrene	7.7953E-013	1.8885E-012
RCPTR_25	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.4844E-011	2.5652E-011
RCPTR_25	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.0233E-011	1.0694E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.6145E-009	8.3770E-009
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.3349E-013	8.0845E-013
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.1624E-014	7.6610E-014
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.8939E-009	6.4775E-009
RCPTR_25	farmer_child	TOCDFMPF	Thallium (l)	5.8465E-005	5.9813E-005
RCPTR_25	farmer_child	TOCDFMPF	Toluene	4.1830E-014	1.0083E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0698E-011	2.5299E-011
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.0406E-014	4.9488E-014
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.5589E-013	3.7836E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethylene	2.5392E-014	6.1529E-014
RCPTR_25	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.3364E-015	8.0863E-015
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6830E-009	3.8702E-009
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	3.9571E-010	8.1617E-010
RCPTR_25	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	5.7726E-013	1.4005E-012
RCPTR_25	farmer_child	TOCDFMPF	VX	5.5156E-011	5.6492E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Vinyl Chloride	8.2405E-018	1.9990E-017
RCPTR_25	farmer_child	TOCDFMPF	Xylene, m-	4.8403E-013	6.5985E-013
RCPTR_25	farmer_child	TOCDFMPF	Xylene, o-	4.4588E-013	6.4632E-013
RCPTR_25	farmer_child	TOCDFMPF	Xylene, p-	5.2639E-013	7.9907E-013
RCPTR_25	farmer_child	TOCDHVAC	VX	2.9741E-011	3.0468E-011
RCPTR_25	farmer_child	TOCDLIC2	Acenaphthene	8.2420E-010	1.9752E-009
RCPTR_25	farmer_child	TOCDLIC2	Acetone	4.0657E-011	9.8758E-011
RCPTR_25	farmer_child	TOCDLIC2	Acetophenone	4.2751E-012	1.0378E-011
RCPTR_25	farmer_child	TOCDLIC2	Aniline	2.5795E-013	6.2520E-013
RCPTR_25	farmer_child	TOCDLIC2	Anthracene	1.4571E-008	3.4865E-008
RCPTR_25	farmer_child	TOCDLIC2	Antimony	8.7456E-006	9.5312E-006
RCPTR_25	farmer_child	TOCDLIC2	Arsenic	9.0548E-006	9.2492E-006
RCPTR_25	farmer_child	TOCDLIC2	Barium	1.4363E-006	1.5342E-006
RCPTR_25	farmer_child	TOCDLIC2	Benzene	5.4497E-014	1.3198E-013
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.9242E-006	4.5435E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.9569E-005	4.0307E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.1786E-005	2.3426E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.0646E-005	6.1315E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzoic acid	1.1311E-010	2.5221E-010
RCPTR_25	farmer_child	TOCDLIC2	Benzyl alcohol	1.1102E-009	2.6941E-009
RCPTR_25	farmer_child	TOCDLIC2	Beryllium	4.7832E-007	4.8977E-007
RCPTR_25	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.8408E-012	1.4187E-011
RCPTR_25	farmer_child	TOCDLIC2	Bromodichloromethane	3.4132E-015	8.2862E-015
RCPTR_25	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.2810E-012	7.9667E-012
RCPTR_25	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.7857E-007	5.0220E-007
RCPTR_25	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.4164E-008	2.6156E-008
RCPTR_25	farmer_child	TOCDLIC2	Cadmium	1.2796E-007	1.4978E-007
RCPTR_25	farmer_child	TOCDLIC2	Carbon disulfide	2.2661E-016	5.4939E-016
RCPTR_25	farmer_child	TOCDLIC2	Carbon tetrachloride	1.7962E-015	4.3487E-015
RCPTR_25	farmer_child	TOCDLIC2	Chlorine	5.0606E-006	1.2293E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.7046E-010	1.2076E-009
RCPTR_25	farmer_child	TOCDLIC2	Chloroaniline, p-	2.7217E-011	6.5933E-011
RCPTR_25	farmer_child	TOCDLIC2	Chlorobenzene	1.0534E-014	2.5454E-014
RCPTR_25	farmer_child	TOCDLIC2	Chloroethane	3.1533E-016	7.5208E-016
RCPTR_25	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.4140E-015	3.4322E-015
RCPTR_25	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.1453E-009	5.1565E-009
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenol, 2-	7.5354E-011	1.8300E-010
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.2018E-009	6.7371E-009
RCPTR_25	farmer_child	TOCDLIC2	Chromium	6.9037E-006	7.0370E-006
RCPTR_25	farmer_child	TOCDLIC2	Chromium, hexavalent	6.4321E-006	6.4928E-006
RCPTR_25	farmer_child	TOCDLIC2	Chrysene	1.1139E-005	1.1773E-005
RCPTR_25	farmer_child	TOCDLIC2	Di-n-butyl phthalate	8.7270E-008	9.4927E-008
RCPTR_25	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.3846E+001	4.3846E+001
RCPTR_25	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.6745E-004	8.7380E-004
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.5140E-012	8.3481E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.2121E-012	1.0085E-011
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.0451E-012	9.7055E-012
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.7838E-008	3.1299E-008
RCPTR_25	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.4714E-017	5.9853E-017
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane 1,1-	5.7236E-016	1.3895E-015
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.7067E-015	1.8712E-014
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.3521E-015	5.7038E-015
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.7817E-015	9.1692E-015
RCPTR_25	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.4299E-010	8.5635E-010
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.0322E-015	4.9208E-015
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.6881E-016	1.6229E-015
RCPTR_25	farmer_child	TOCDLIC2	Diethyl phthalate	5.4092E-009	5.5425E-009
RCPTR_25	farmer_child	TOCDLIC2	Dimethyl phthalate	5.6688E-011	1.3504E-010
RCPTR_25	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.1670E-011	1.2487E-010
RCPTR_25	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	9.3182E-012	1.4398E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.9155E-011	1.1550E-010
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.7401E-011	8.8782E-011
RCPTR_25	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.0937E-012	2.6564E-012
RCPTR_25	farmer_child	TOCDLIC2	Ethylbenzene	5.7799E-014	1.3712E-013
RCPTR_25	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.7219E-009	9.4671E-009
RCPTR_25	farmer_child	TOCDLIC2	Fluoranthene	2.5051E-007	4.4865E-007
RCPTR_25	farmer_child	TOCDLIC2	Fluorene	3.2709E-009	7.7693E-009
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5440E-011	2.5815E-011
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.9095E-010	2.9444E-010
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.0148E-010	7.1157E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.0315E-010	2.0568E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2737E-010	1.2939E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0883E-010	1.1078E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.4883E-010	1.5180E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.2889E-010	1.3145E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.3166E-010	1.3425E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.0863E-010	1.1078E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.1348E-011	1.6432E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorobenzene	1.4305E-007	3.3223E-007
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.9252E-010	4.3790E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.1779E-011	1.0016E-010
RCPTR_25	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.0213E-003	6.0354E-003
RCPTR_25	farmer_child	TOCDLIC2	Isophorone	7.8263E-012	1.8997E-011
RCPTR_25	farmer_child	TOCDLIC2	Lead	1.5030E-006	1.5594E-006
RCPTR_25	farmer_child	TOCDLIC2	Mercuric chloride	5.0512E-008	5.8233E-008
RCPTR_25	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.2722E-016	1.0375E-015
RCPTR_25	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.2421E-018	3.0153E-018
RCPTR_25	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.5522E-013	1.1057E-012
RCPTR_25	farmer_child	TOCDLIC2	Methyl mercury	9.6836E-010	9.9243E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Methylene chloride	6.1562E-012	1.4947E-011
RCPTR_25	farmer_child	TOCDLIC2	Naphthalene	1.9524E-011	4.7083E-011
RCPTR_25	farmer_child	TOCDLIC2	Nickel	1.6593E-005	1.7170E-005
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.3380E-010	3.2411E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.1773E-011	7.7112E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.1094E-011	9.9655E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrobenzene	1.3203E-011	3.2063E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.0142E-012	1.4598E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.7585E-010	2.5746E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.4673E-012	1.8090E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.3497E-012	1.7782E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.7516E-013	1.6054E-012
RCPTR_25	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.9597E-011	4.0335E-011
RCPTR_25	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.9331E-011	4.0047E-011
RCPTR_25	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.3606E-010	4.4245E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.4518E-011	6.6074E-011
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.5371E-010	2.5965E-010
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorobenzene	5.6973E-010	1.2564E-009
RCPTR_25	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.3056E-010	4.9915E-010
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorophenol	2.5131E-007	3.0161E-007
RCPTR_25	farmer_child	TOCDLIC2	Phenanthrene	1.0294E-011	2.4589E-011
RCPTR_25	farmer_child	TOCDLIC2	Phenol	1.0481E-011	2.5407E-011
RCPTR_25	farmer_child	TOCDLIC2	Pronamide	1.0268E-009	2.4364E-009
RCPTR_25	farmer_child	TOCDLIC2	Pyrene	3.8202E-007	5.9364E-007
RCPTR_25	farmer_child	TOCDLIC2	Selenium	1.0117E-005	1.0147E-005
RCPTR_25	farmer_child	TOCDLIC2	Silver	2.7473E-005	2.8513E-005
RCPTR_25	farmer_child	TOCDLIC2	Styrene	5.1474E-014	1.2470E-013
RCPTR_25	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	5.7564E-011	5.9437E-011
RCPTR_25	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5289E-011	1.5977E-011
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.5433E-010	1.9800E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.6519E-012	8.7363E-012
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.1584E-015	5.2287E-015
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.2221E-009	1.5340E-008
RCPTR_25	farmer_child	TOCDLIC2	Thallium (l)	3.6447E-005	3.7287E-005
RCPTR_25	farmer_child	TOCDLIC2	Toluene	6.5146E-011	1.5703E-010
RCPTR_25	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.1946E-011	7.5549E-011
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.0609E-013	4.9979E-013
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.1158E-013	2.7083E-013
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethylene	1.8176E-014	4.4043E-014
RCPTR_25	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.3882E-015	5.7882E-015
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.7849E-009	8.7033E-009
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	8.7576E-010	1.8062E-009
RCPTR_25	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.1321E-013	1.0025E-012
RCPTR_25	farmer_child	TOCDLIC2	VX	4.1792E-011	4.2804E-011
RCPTR_25	farmer_child	TOCDLIC2	Vinyl Chloride	5.4414E-019	1.3200E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Xylene, m-	6.1457E-013	8.3897E-013
RCPTR_25	farmer_child	TOCDLIC2	Xylene, o-	3.6034E-013	5.2309E-013
RCPTR_25	farmer_child	TOCDLIC2	Xylene, p-	6.6886E-013	1.0169E-012
RCPTR_25	farmer_child	TOCDLIC2	Zinc	2.1626E-006	2.4255E-006
RCPTR_26	farmer_adult	TOCDFBRA	Antimony	1.1637E-007	1.3881E-007
RCPTR_26	farmer_adult	TOCDFBRA	Arsenic	1.9732E-007	2.0572E-007
RCPTR_26	farmer_adult	TOCDFBRA	Barium	1.6147E-008	1.8450E-008
RCPTR_26	farmer_adult	TOCDFBRA	Beryllium	5.2400E-008	5.6008E-008
RCPTR_26	farmer_adult	TOCDFBRA	Cadmium	8.7793E-009	1.2573E-008
RCPTR_26	farmer_adult	TOCDFBRA	Chromium	1.3121E-007	1.3167E-007
RCPTR_26	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.1738E-007	1.1954E-007
RCPTR_26	farmer_adult	TOCDFBRA	Lead	5.3502E-007	5.9115E-007
RCPTR_26	farmer_adult	TOCDFBRA	Mercuric chloride	7.1931E-005	7.4161E-005
RCPTR_26	farmer_adult	TOCDFBRA	Methyl mercury	1.1819E-006	1.2048E-006
RCPTR_26	farmer_adult	TOCDFBRA	Nickel	6.4335E-007	6.9241E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFBRA	Selenium	2.2291E-007	2.2419E-007
RCPTR_26	farmer_adult	TOCDFBRA	Silver	7.4149E-008	7.9709E-008
RCPTR_26	farmer_adult	TOCDFBRA	Thallium (l)	2.0088E-006	2.1112E-006
RCPTR_26	farmer_adult	TOCDFBRA	Zinc	3.3195E-007	4.2564E-007
RCPTR_26	farmer_adult	TOCDFDFS	Acenaphthene	1.6301E-011	2.3561E-010
RCPTR_26	farmer_adult	TOCDFDFS	Acetone	2.9503E-015	4.7760E-014
RCPTR_26	farmer_adult	TOCDFDFS	Acetophenone	7.7042E-014	1.2398E-012
RCPTR_26	farmer_adult	TOCDFDFS	Aniline	4.7034E-015	7.4679E-014
RCPTR_26	farmer_adult	TOCDFDFS	Anthracene	2.9085E-010	4.1578E-009
RCPTR_26	farmer_adult	TOCDFDFS	Antimony	2.0925E-008	2.4766E-008
RCPTR_26	farmer_adult	TOCDFDFS	Aroclor 1254	1.4998E-011	2.8381E-011
RCPTR_26	farmer_adult	TOCDFDFS	Arsenic	4.1416E-008	4.3093E-008
RCPTR_26	farmer_adult	TOCDFDFS	Barium	1.9336E-007	2.1960E-007
RCPTR_26	farmer_adult	TOCDFDFS	Benzene	2.5364E-016	3.9993E-015
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)anthracene	3.2609E-007	4.7529E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.7831E-006	3.9438E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.9985E-006	2.3863E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	5.8289E-006	6.0130E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzoic acid	2.1555E-012	1.9295E-011
RCPTR_26	farmer_adult	TOCDFDFS	Benzyl alcohol	1.6363E-013	2.6256E-012
RCPTR_26	farmer_adult	TOCDFDFS	Beryllium	9.2278E-009	9.8335E-009
RCPTR_26	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.0472E-013	1.6951E-012
RCPTR_26	farmer_adult	TOCDFDFS	Bromodichloromethane	5.2852E-016	8.5139E-015
RCPTR_26	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.8175E-014	2.9326E-013
RCPTR_26	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	5.9308E-009	5.9990E-008
RCPTR_26	farmer_adult	TOCDFDFS	Butylbenzylphthalate	8.1448E-009	9.5546E-009
RCPTR_26	farmer_adult	TOCDFDFS	Cadmium	1.4060E-008	1.9849E-008
RCPTR_26	farmer_adult	TOCDFDFS	Carbon disulfide	7.1277E-017	1.1347E-015
RCPTR_26	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.8397E-016	4.4668E-015
RCPTR_26	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.0550E-011	1.4195E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Chloroaniline, p-	4.9821E-013	7.8751E-012
RCPTR_26	farmer_adult	TOCDFDFS	Chlorobenzene	8.4676E-016	1.3092E-014
RCPTR_26	farmer_adult	TOCDFDFS	Chloroethane	7.5262E-018	1.0451E-016
RCPTR_26	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.0980E-016	1.7663E-015
RCPTR_26	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	4.1573E-011	6.1534E-010
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.3534E-012	2.1864E-011
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1637E-010	7.8997E-010
RCPTR_26	farmer_adult	TOCDFDFS	Chromium	1.1965E-007	1.2004E-007
RCPTR_26	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.0758E-007	1.0947E-007
RCPTR_26	farmer_adult	TOCDFDFS	Chrysene	1.0299E-006	1.1967E-006
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.2827E-008	1.5088E-008
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.4434E+002	1.4434E+002
RCPTR_26	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	8.0302E-005	8.1408E-005
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.6152E-014	2.1787E-013
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.4546E-014	7.8189E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.5337E-014	5.1529E-013
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4900E-009	1.8766E-009
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	5.2772E-019	8.3302E-018
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.5890E-017	7.3911E-016
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.6939E-017	9.1819E-016
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	4.9785E-017	7.9403E-016
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.0135E-017	1.2764E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.5092E-011	7.2588E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	4.5619E-016	7.1832E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.2045E-017	8.3515E-016
RCPTR_26	farmer_adult	TOCDFDFS	Diethyl phthalate	2.7711E-009	2.9021E-009
RCPTR_26	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.6914E-013	7.8629E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	9.6360E-013	1.4910E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	3.1789E-012	7.9703E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	2.3698E-013	2.9739E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.7040E-013	2.2899E-012
RCPTR_26	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.9625E-014	3.1738E-013
RCPTR_26	farmer_adult	TOCDFDFS	Ethylbenzene	1.1988E-015	1.6002E-014
RCPTR_26	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.2309E-010	2.6335E-010
RCPTR_26	farmer_adult	TOCDFDFS	Fluoranthene	1.0773E-008	5.2031E-008
RCPTR_26	farmer_adult	TOCDFDFS	Fluorene	6.8643E-011	9.2578E-010
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.3297E-013	2.4244E-013
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.9748E-013	3.0717E-013
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	7.0165E-013	7.2949E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8381E-012	1.9007E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1185E-012	1.1678E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.3619E-013	9.8351E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.2513E-012	1.3229E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.0855E-012	1.1473E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.1123E-012	1.1752E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	9.1639E-013	9.6837E-013
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.7810E-012	1.9496E-011
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.3461E-009	3.9500E-008
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.5275E-011	2.5672E-010
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	8.2569E-013	1.1950E-011
RCPTR_26	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.9058E-004	5.9288E-004
RCPTR_26	farmer_adult	TOCDFDFS	Isophorone	1.4111E-013	2.2695E-012
RCPTR_26	farmer_adult	TOCDFDFS	Lead	1.0751E-007	1.1828E-007
RCPTR_26	farmer_adult	TOCDFDFS	Mercuric chloride	8.5487E-008	8.8296E-008
RCPTR_26	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	4.6959E-018	7.5852E-017
RCPTR_26	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	9.0692E-020	1.4605E-018
RCPTR_26	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.4739E-016	8.8581E-015
RCPTR_26	farmer_adult	TOCDFDFS	Methyl mercury	1.2730E-009	1.3017E-009
RCPTR_26	farmer_adult	TOCDFDFS	Methylene chloride	3.0606E-015	4.9343E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Naphthalene	9.7710E-013	1.4858E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nickel	1.2514E-006	1.3423E-006
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.4206E-012	3.8255E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 3-	5.6663E-013	9.1035E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 4-	7.3642E-013	1.1763E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitrobenzene	2.3720E-013	3.8307E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.0841E-013	1.7440E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.2837E-011	2.8203E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.3666E-013	2.1608E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.3588E-013	2.1236E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.3380E-014	1.9062E-013
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.5220E-013	5.8142E-013
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.6629E-013	1.7489E-013
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.5137E-012	3.6587E-012
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.2031E-013	3.4295E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2412E-012	1.3263E-012
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.3023E-011	7.3069E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	7.1903E-012	5.7763E-011
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorophenol	4.4746E-009	6.3881E-009
RCPTR_26	farmer_adult	TOCDFDFS	Phenanthrene	2.0825E-013	2.9321E-012
RCPTR_26	farmer_adult	TOCDFDFS	Phenol	1.9094E-013	3.0349E-012
RCPTR_26	farmer_adult	TOCDFDFS	Pronamide	4.3469E-011	5.8064E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pyrene	1.3676E-008	6.9787E-008
RCPTR_26	farmer_adult	TOCDFDFS	Selenium	4.6793E-008	4.7049E-008
RCPTR_26	farmer_adult	TOCDFDFS	Silver	6.2248E-008	6.6688E-008
RCPTR_26	farmer_adult	TOCDFDFS	Styrene	9.8516E-015	1.5581E-013
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.5987E-012	1.7548E-012
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	7.5368E-013	8.5742E-013
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.0798E-011	2.3528E-010
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.0927E-012	7.8697E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.3941E-016	5.3709E-015
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.6761E-010	1.7195E-009
RCPTR_26	farmer_adult	TOCDFDFS	Thallium (l)	8.3282E-006	8.7322E-006
RCPTR_26	farmer_adult	TOCDFDFS	Toluene	1.7460E-015	2.6448E-014
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	8.2163E-013	1.0750E-011
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.1741E-016	3.4701E-015
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	2.3455E-015	3.7707E-014
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethylene	3.8682E-016	6.1307E-015
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.0758E-017	8.0573E-016
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	9.6279E-011	1.0334E-009
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	3.4310E-011	2.1160E-010
RCPTR_26	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	8.7146E-015	1.3956E-013
RCPTR_26	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	9.0136E-014	1.1801E-012
RCPTR_26	farmer_adult	TOCDFDFS	VX	6.4191E-012	6.7171E-012
RCPTR_26	farmer_adult	TOCDFDFS	Vinyl Chloride	6.4462E-020	1.0324E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, m-	7.3364E-014	1.4630E-013
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, o-	6.3492E-014	1.4664E-013
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, p-	7.1170E-014	1.8428E-013
RCPTR_26	farmer_adult	TOCDFLIC	Acenaphthene	9.7364E-012	1.4058E-010
RCPTR_26	farmer_adult	TOCDFLIC	Acetone	4.3488E-013	7.0400E-012
RCPTR_26	farmer_adult	TOCDFLIC	Acetophenone	4.5969E-014	7.3971E-013
RCPTR_26	farmer_adult	TOCDFLIC	Aniline	2.8070E-015	4.4557E-014
RCPTR_26	farmer_adult	TOCDFLIC	Anthracene	1.7366E-010	2.4808E-009
RCPTR_26	farmer_adult	TOCDFLIC	Antimony	3.1432E-007	3.7177E-007
RCPTR_26	farmer_adult	TOCDFLIC	Arsenic	3.4112E-007	3.5487E-007
RCPTR_26	farmer_adult	TOCDFLIC	Barium	5.2450E-008	5.9539E-008
RCPTR_26	farmer_adult	TOCDFLIC	Benzene	5.9668E-016	9.4052E-015
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.9553E-007	2.8439E-007
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.2578E-006	2.3517E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.2014E-006	1.4322E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.4844E-006	3.5908E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzoic acid	2.0039E-012	1.7816E-011
RCPTR_26	farmer_adult	TOCDFLIC	Benzyl alcohol	1.1969E-011	1.9203E-010
RCPTR_26	farmer_adult	TOCDFLIC	Beryllium	1.7780E-008	1.8943E-008
RCPTR_26	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	6.2480E-014	1.0113E-012
RCPTR_26	farmer_adult	TOCDFLIC	Bromodichloromethane	3.6668E-017	5.9065E-016
RCPTR_26	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.5197E-014	5.6789E-013
RCPTR_26	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	3.5376E-009	3.5791E-008
RCPTR_26	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.2930E-009	1.5190E-009
RCPTR_26	farmer_adult	TOCDFLIC	Cadmium	4.2280E-009	5.9617E-009
RCPTR_26	farmer_adult	TOCDFLIC	Carbon disulfide	2.4602E-018	3.9156E-017
RCPTR_26	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.9708E-017	3.0989E-016
RCPTR_26	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2386E-011	8.4817E-011
RCPTR_26	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.9736E-013	4.6987E-012
RCPTR_26	farmer_adult	TOCDFLIC	Chlorobenzene	1.1735E-016	1.8134E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Chloroethane	3.8631E-018	5.3514E-017
RCPTR_26	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.5210E-017	2.4465E-016
RCPTR_26	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.4831E-011	3.6716E-010
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenol, 2-	8.0750E-013	1.3045E-011
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.9789E-011	4.7168E-010
RCPTR_26	farmer_adult	TOCDFLIC	Chromium	2.7136E-007	2.7225E-007
RCPTR_26	farmer_adult	TOCDFLIC	Chromium, hexavalent	2.4410E-007	2.4836E-007
RCPTR_26	farmer_adult	TOCDFLIC	Chrysene	6.1964E-007	7.1881E-007
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	4.9990E-009	5.8690E-009
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.6815E+000	2.6815E+000
RCPTR_26	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.8019E-005	4.8642E-005
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	4.4101E-014	5.9365E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	5.0146E-014	7.1778E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	4.7441E-014	6.9094E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.5102E-009	1.9004E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.7012E-019	4.2648E-018
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	6.3567E-018	1.0237E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.2717E-017	1.3338E-015
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	2.5494E-017	4.0653E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.1037E-017	6.5350E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.2489E-011	5.9481E-011
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	2.2279E-017	3.5066E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.2088E-018	1.1568E-016
RCPTR_26	farmer_adult	TOCDFLIC	Diethyl phthalate	3.2601E-010	3.4117E-010
RCPTR_26	farmer_adult	TOCDFLIC	Dimethyl phthalate	6.9551E-013	9.6031E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	5.7538E-013	8.8965E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.8832E-013	9.6583E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	6.5234E-013	8.1946E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	4.7013E-013	6.3111E-012
RCPTR_26	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.1709E-014	1.8936E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Ethylbenzene	7.3183E-016	9.7488E-015
RCPTR_26	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.6239E-010	5.4682E-010
RCPTR_26	farmer_adult	TOCDFLIC	Fluoranthene	6.4671E-009	3.1081E-008
RCPTR_26	farmer_adult	TOCDFLIC	Fluorene	4.1027E-011	5.5242E-010
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.3353E-012	1.3882E-012
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.5976E-012	4.7426E-012
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.0741E-011	1.1156E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.1132E-011	1.1500E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.6872E-012	6.9754E-012
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.5451E-012	5.8209E-012
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	7.5762E-012	8.0052E-012
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.5772E-012	6.9477E-012
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.7507E-012	7.1281E-012
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.5574E-012	5.8693E-012
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.0637E-012	1.1633E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.0020E-009	2.3572E-008
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	3.0483E-012	3.0944E-011
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.9357E-013	7.1306E-012
RCPTR_26	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.5667E-004	3.5796E-004
RCPTR_26	farmer_adult	TOCDFLIC	Isophorone	8.4202E-014	1.3541E-012
RCPTR_26	farmer_adult	TOCDFLIC	Lead	5.5267E-008	6.0782E-008
RCPTR_26	farmer_adult	TOCDFLIC	Mercuric chloride	3.6186E-009	3.7386E-009
RCPTR_26	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	4.5786E-018	7.3955E-017
RCPTR_26	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.6658E-019	4.2927E-018
RCPTR_26	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.8708E-015	7.8820E-014
RCPTR_26	farmer_adult	TOCDFLIC	Methyl mercury	5.2972E-011	5.4200E-011
RCPTR_26	farmer_adult	TOCDFLIC	Methylene chloride	6.6089E-014	1.0654E-012
RCPTR_26	farmer_adult	TOCDFLIC	Naphthalene	2.2071E-013	3.3536E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nickel	6.1694E-007	6.6152E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.4618E-012	2.3097E-011
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 3-	3.4212E-013	5.4963E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.8733E-014	1.4178E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrobenzene	1.4153E-013	2.2855E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.2400E-013	5.2123E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5712E-012	3.4233E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.1569E-014	1.2892E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	8.1124E-014	1.2671E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	7.9376E-015	1.1368E-013
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.9743E-012	2.0775E-012
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.9599E-012	2.0601E-012
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.4665E-011	2.5660E-011
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.5827E-012	3.8331E-012
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.3781E-011	1.4717E-011
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.9417E-011	4.4045E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.2763E-012	3.4810E-011
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorophenol	2.7134E-009	3.8550E-009
RCPTR_26	farmer_adult	TOCDFLIC	Phenanthrene	1.2443E-013	1.7496E-012
RCPTR_26	farmer_adult	TOCDFLIC	Phenol	1.1396E-013	1.8108E-012
RCPTR_26	farmer_adult	TOCDFLIC	Pronamide	1.3001E-011	1.7325E-010
RCPTR_26	farmer_adult	TOCDFLIC	Pyrene	8.1956E-009	4.1671E-008
RCPTR_26	farmer_adult	TOCDFLIC	Selenium	3.8541E-007	3.8750E-007
RCPTR_26	farmer_adult	TOCDFLIC	Silver	1.0254E-006	1.0982E-006
RCPTR_26	farmer_adult	TOCDFLIC	Styrene	5.6205E-016	8.8867E-015
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	3.1824E-012	3.4908E-012
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.4491E-013	9.6041E-013
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.2466E-011	1.4044E-010
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.2966E-013	5.5294E-013
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.3545E-017	3.7260E-016
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.4758E-010	1.0431E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Thallium (l)	1.3662E-006	1.4322E-006
RCPTR_26	farmer_adult	TOCDFLIC	Toluene	7.3897E-013	1.1185E-011
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.1244E-013	5.3694E-012
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.2322E-015	3.5621E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.2009E-015	1.9305E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethylene	1.9809E-016	3.1388E-015
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.5993E-017	4.1252E-016
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	5.7789E-011	6.1693E-010
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.0696E-011	1.2647E-010
RCPTR_26	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	4.4622E-015	7.1452E-014
RCPTR_26	farmer_adult	TOCDFLIC	VX	2.4242E-012	2.5348E-012
RCPTR_26	farmer_adult	TOCDFLIC	Vinyl Chloride	5.8723E-021	9.4075E-020
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, m-	2.4476E-014	4.9986E-014
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, o-	1.3489E-014	3.1992E-014
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, p-	2.3790E-014	6.3353E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Zinc	7.5258E-008	9.5400E-008
RCPTR_26	farmer_adult	TOCDFMPF	Acenaphthene	1.7815E-012	2.5725E-011
RCPTR_26	farmer_adult	TOCDFMPF	Acetone	1.8485E-017	2.9923E-016
RCPTR_26	farmer_adult	TOCDFMPF	Acetophenone	1.9572E-013	3.1493E-012
RCPTR_26	farmer_adult	TOCDFMPF	Aniline	1.1951E-014	1.8970E-013
RCPTR_26	farmer_adult	TOCDFMPF	Anthracene	1.8248E-011	2.6069E-010
RCPTR_26	farmer_adult	TOCDFMPF	Arsenic	1.6520E-008	1.7186E-008
RCPTR_26	farmer_adult	TOCDFMPF	Barium	5.8579E-009	6.6494E-009
RCPTR_26	farmer_adult	TOCDFMPF	Benzene	1.0472E-016	1.6506E-015
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.8065E-008	2.6277E-008
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.8461E-007	4.0062E-007
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.7409E-007	2.0755E-007
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	5.1773E-007	5.3357E-007
RCPTR_26	farmer_adult	TOCDFMPF	Benzoic acid	3.8402E-013	3.4154E-012
RCPTR_26	farmer_adult	TOCDFMPF	Benzyl alcohol	9.4726E-014	1.5198E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Beryllium	2.2331E-009	2.3791E-009
RCPTR_26	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.6544E-014	4.2967E-013
RCPTR_26	farmer_adult	TOCDFMPF	Bromodichloromethane	5.4064E-016	8.7086E-015
RCPTR_26	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8592E-014	2.9997E-013
RCPTR_26	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.0221E-009	2.0458E-008
RCPTR_26	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.7116E-010	2.0105E-010
RCPTR_26	farmer_adult	TOCDFMPF	Cadmium	1.3440E-008	1.8949E-008
RCPTR_26	farmer_adult	TOCDFMPF	Carbon disulfide	3.6273E-017	5.7732E-016
RCPTR_26	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.9057E-016	4.5691E-015
RCPTR_26	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	5.2934E-012	3.6263E-011
RCPTR_26	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.7542E-014	1.3833E-012
RCPTR_26	farmer_adult	TOCDFMPF	Chlorobenzene	1.7302E-015	2.6738E-014
RCPTR_26	farmer_adult	TOCDFMPF	Chloroethane	5.4302E-018	7.5231E-017
RCPTR_26	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.2426E-016	3.6072E-015
RCPTR_26	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.3636E-012	6.4524E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.9698E-013	4.7976E-012
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.1555E-011	1.4570E-010
RCPTR_26	farmer_adult	TOCDFMPF	Chromium	2.9437E-007	2.9533E-007
RCPTR_26	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.6481E-007	2.6942E-007
RCPTR_26	farmer_adult	TOCDFMPF	Chrysene	6.3973E-008	7.4217E-008
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	5.8387E-009	6.8554E-009
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.4077E+000	2.4077E+000
RCPTR_26	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.2696E-005	1.2861E-005
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.5339E-014	2.0650E-013
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.6261E-014	2.3277E-013
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.5298E-014	2.2282E-013
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.5152E-010	5.6817E-010
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.7976E-019	5.9956E-018
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	9.3724E-017	1.5094E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1629E-016	1.8751E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.5840E-017	5.7151E-016
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.7691E-017	9.1872E-016
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	4.8846E-012	2.3274E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.2847E-016	5.1702E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0629E-016	1.7055E-015
RCPTR_26	farmer_adult	TOCDFMPF	Diethyl phthalate	6.9560E-010	7.2797E-010
RCPTR_26	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.0113E-014	5.5385E-013
RCPTR_26	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.2672E-013	3.5057E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.4531E-013	1.8544E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	8.9834E-013	1.1283E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	5.8769E-013	7.8895E-012
RCPTR_26	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.9853E-014	8.0622E-013
RCPTR_26	farmer_adult	TOCDFMPF	Ethylbenzene	1.2288E-015	1.6370E-014
RCPTR_26	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.9971E-011	9.4559E-011
RCPTR_26	farmer_adult	TOCDFMPF	Fluoranthene	5.0255E-010	2.4156E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Fluorene	6.2434E-012	8.4070E-011
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4685E-013	1.5268E-013
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.6898E-013	7.9327E-013
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.0958E-013	7.3705E-013
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9343E-012	1.9983E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1629E-012	1.2131E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.5099E-013	9.9832E-013
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.0485E-012	2.1645E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.9897E-012	7.3836E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.8806E-012	6.2095E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.0951E-013	7.4935E-013
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	5.9644E-013	6.5232E-012
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorobenzene	9.9555E-010	1.1723E-008
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.1181E-012	2.1500E-011
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.4693E-013	5.0124E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.7491E-005	7.7774E-005
RCPTR_26	farmer_adult	TOCDFMPF	Isophorone	1.5026E-014	2.4164E-013
RCPTR_26	farmer_adult	TOCDFMPF	Lead	8.7123E-008	9.5815E-008
RCPTR_26	farmer_adult	TOCDFMPF	Mercuric chloride	3.8953E-009	4.0244E-009
RCPTR_26	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.3800E-018	5.4595E-017
RCPTR_26	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.9679E-019	3.1689E-018
RCPTR_26	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.1790E-017	1.3235E-015
RCPTR_26	farmer_adult	TOCDFMPF	Methyl mercury	5.7093E-011	5.8414E-011
RCPTR_26	farmer_adult	TOCDFMPF	Methylene chloride	2.1531E-017	3.4710E-016
RCPTR_26	farmer_adult	TOCDFMPF	Naphthalene	1.8582E-013	2.8236E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nickel	3.2310E-007	3.4644E-007
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.8109E-013	2.8612E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 3-	3.4338E-014	5.5166E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 4-	3.9548E-014	6.3189E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Nitrobenzene	4.8333E-014	7.8053E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 2-	3.9082E-014	6.2872E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.4009E-012	3.0535E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.4728E-013	5.4890E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.8298E-014	2.8580E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	5.1577E-015	7.3841E-014
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.5168E-013	1.5962E-013
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.4936E-014	1.5700E-014
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.0672E-012	4.2315E-012
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.4306E-012	2.6006E-012
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.6864E-012	1.8010E-012
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorobenzene	4.2045E-011	3.7441E-010
RCPTR_26	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.8193E-012	1.4796E-011
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorophenol	1.6137E-009	2.2931E-009
RCPTR_26	farmer_adult	TOCDFMPF	Phenanthrene	1.3074E-014	1.8384E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Phenol	3.7265E-014	5.9215E-013
RCPTR_26	farmer_adult	TOCDFMPF	Pronamide	5.5348E-011	7.3761E-010
RCPTR_26	farmer_adult	TOCDFMPF	Pyrene	6.0052E-010	3.0538E-009
RCPTR_26	farmer_adult	TOCDFMPF	Selenium	1.2132E-007	1.2198E-007
RCPTR_26	farmer_adult	TOCDFMPF	Silver	3.2329E-008	3.4625E-008
RCPTR_26	farmer_adult	TOCDFMPF	Styrene	8.5655E-015	1.3543E-013
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3801E-012	1.5138E-012
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.6840E-013	6.4610E-013
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.3064E-011	5.9790E-010
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.6460E-015	5.7982E-014
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.4716E-016	5.4937E-015
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4762E-010	4.4319E-010
RCPTR_26	farmer_adult	TOCDFMPF	Thallium (l)	2.1926E-006	2.2985E-006
RCPTR_26	farmer_adult	TOCDFMPF	Toluene	4.7747E-016	7.2270E-015
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.3897E-013	1.8094E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.2242E-016	3.5495E-015
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.6883E-015	2.7140E-014
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethylene	2.7849E-016	4.4126E-015
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.6542E-017	5.7993E-016
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.5853E-011	2.7607E-010
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	9.4066E-012	5.7508E-011
RCPTR_26	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	6.2731E-015	1.0045E-013
RCPTR_26	farmer_adult	TOCDFMPF	VX	3.3458E-012	3.4986E-012
RCPTR_26	farmer_adult	TOCDFMPF	Vinyl Chloride	8.9495E-020	1.4337E-018
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, m-	1.9362E-014	3.9476E-014
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, o-	1.6770E-014	3.9701E-014
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, p-	1.8816E-014	5.0011E-014
RCPTR_26	farmer_adult	TOCDHVAC	VX	1.2122E-012	1.2748E-012
RCPTR_26	farmer_adult	TOCDLIC2	Acenaphthene	9.7364E-012	1.4058E-010
RCPTR_26	farmer_adult	TOCDLIC2	Acetone	4.3488E-013	7.0400E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Acetophenone	4.5969E-014	7.3971E-013
RCPTR_26	farmer_adult	TOCDLIC2	Aniline	2.8070E-015	4.4557E-014
RCPTR_26	farmer_adult	TOCDLIC2	Anthracene	1.7366E-010	2.4808E-009
RCPTR_26	farmer_adult	TOCDLIC2	Antimony	3.1432E-007	3.7177E-007
RCPTR_26	farmer_adult	TOCDLIC2	Arsenic	3.4112E-007	3.5487E-007
RCPTR_26	farmer_adult	TOCDLIC2	Barium	5.2450E-008	5.9539E-008
RCPTR_26	farmer_adult	TOCDLIC2	Benzene	5.9668E-016	9.4052E-015
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.9553E-007	2.8439E-007
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.2578E-006	2.3517E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.2014E-006	1.4322E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	3.4844E-006	3.5908E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzoic acid	2.0039E-012	1.7816E-011
RCPTR_26	farmer_adult	TOCDLIC2	Benzyl alcohol	1.1969E-011	1.9203E-010
RCPTR_26	farmer_adult	TOCDLIC2	Beryllium	1.7780E-008	1.8943E-008
RCPTR_26	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.2480E-014	1.0113E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Bromodichloromethane	3.6668E-017	5.9065E-016
RCPTR_26	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.5197E-014	5.6789E-013
RCPTR_26	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.5376E-009	3.5791E-008
RCPTR_26	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.2930E-009	1.5190E-009
RCPTR_26	farmer_adult	TOCDLIC2	Cadmium	4.2280E-009	5.9617E-009
RCPTR_26	farmer_adult	TOCDLIC2	Carbon disulfide	2.4602E-018	3.9156E-017
RCPTR_26	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.9708E-017	3.0989E-016
RCPTR_26	farmer_adult	TOCDLIC2	Chlorine	5.4112E-008	8.7631E-007
RCPTR_26	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.2386E-011	8.4817E-011
RCPTR_26	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.9736E-013	4.6987E-012
RCPTR_26	farmer_adult	TOCDLIC2	Chlorobenzene	1.1735E-016	1.8134E-015
RCPTR_26	farmer_adult	TOCDLIC2	Chloroethane	3.8631E-018	5.3514E-017
RCPTR_26	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.5210E-017	2.4465E-016
RCPTR_26	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.4831E-011	3.6716E-010
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenol, 2-	8.0750E-013	1.3045E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.9789E-011	4.7168E-010
RCPTR_26	farmer_adult	TOCDLIC2	Chromium	2.7136E-007	2.7225E-007
RCPTR_26	farmer_adult	TOCDLIC2	Chromium, hexavalent	2.4410E-007	2.4836E-007
RCPTR_26	farmer_adult	TOCDLIC2	Chrysene	6.1964E-007	7.1881E-007
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	4.9990E-009	5.8690E-009
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-octylphthalate	2.6815E+000	2.6815E+000
RCPTR_26	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.8019E-005	4.8642E-005
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.4101E-014	5.9365E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	5.0146E-014	7.1778E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.7441E-014	6.9094E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.5102E-009	1.9004E-009
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.7012E-019	4.2648E-018
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	6.1500E-018	9.9044E-017
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.2717E-017	1.3338E-015
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.5494E-017	4.0653E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.1037E-017	6.5350E-016
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.2489E-011	5.9481E-011
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.2279E-017	3.5066E-016
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.2088E-018	1.1568E-016
RCPTR_26	farmer_adult	TOCDLIC2	Diethyl phthalate	3.2601E-010	3.4117E-010
RCPTR_26	farmer_adult	TOCDLIC2	Dimethyl phthalate	6.9551E-013	9.6031E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.7538E-013	8.8965E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.8832E-013	9.6583E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	6.5234E-013	8.1946E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.7013E-013	6.3111E-012
RCPTR_26	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.1709E-014	1.8936E-013
RCPTR_26	farmer_adult	TOCDLIC2	Ethylbenzene	7.3183E-016	9.7488E-015
RCPTR_26	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.6239E-010	5.4682E-010
RCPTR_26	farmer_adult	TOCDLIC2	Fluoranthene	6.4671E-009	3.1081E-008
RCPTR_26	farmer_adult	TOCDLIC2	Fluorene	4.1027E-011	5.5242E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.3353E-012	1.3882E-012
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.5866E-011	1.6367E-011
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.7068E-011	3.8500E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1132E-011	1.1500E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.6872E-012	6.9754E-012
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.5451E-012	5.8209E-012
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.5762E-012	8.0052E-012
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.5772E-012	6.9477E-012
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.7507E-012	7.1281E-012
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.5574E-012	5.8693E-012
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0637E-012	1.1633E-011
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.0020E-009	2.3572E-008
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.0483E-012	3.0944E-011
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.9357E-013	7.1306E-012
RCPTR_26	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.5667E-004	3.5796E-004
RCPTR_26	farmer_adult	TOCDLIC2	Isophorone	8.4202E-014	1.3541E-012
RCPTR_26	farmer_adult	TOCDLIC2	Lead	5.5267E-008	6.0782E-008
RCPTR_26	farmer_adult	TOCDLIC2	Mercuric chloride	3.6186E-009	3.7386E-009
RCPTR_26	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.5786E-018	7.3955E-017
RCPTR_26	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.3347E-020	2.1493E-019
RCPTR_26	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.8708E-015	7.8820E-014
RCPTR_26	farmer_adult	TOCDLIC2	Methyl mercury	5.2972E-011	5.4200E-011
RCPTR_26	farmer_adult	TOCDLIC2	Methylene chloride	6.6089E-014	1.0654E-012
RCPTR_26	farmer_adult	TOCDLIC2	Naphthalene	2.2071E-013	3.3536E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nickel	6.1694E-007	6.6152E-007
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.4618E-012	2.3097E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.4212E-013	5.4963E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.4447E-013	7.1019E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrobenzene	1.4153E-013	2.2855E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.4683E-014	1.0406E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 4-	7.8701E-012	1.7147E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.1569E-014	1.2892E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	8.1124E-014	1.2671E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.9376E-015	1.1368E-013
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.9743E-012	2.0775E-012
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.9599E-012	2.0601E-012
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.4665E-011	2.5660E-011
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	3.5827E-012	3.8331E-012
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.3781E-011	1.4717E-011
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.8655E-012	8.7931E-011
RCPTR_26	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.2763E-012	3.4810E-011
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorophenol	1.3592E-008	1.9310E-008
RCPTR_26	farmer_adult	TOCDLIC2	Phenanthrene	1.2443E-013	1.7496E-012
RCPTR_26	farmer_adult	TOCDLIC2	Phenol	1.1396E-013	1.8108E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Pronamide	1.3001E-011	1.7325E-010
RCPTR_26	farmer_adult	TOCDLIC2	Pyrene	8.1956E-009	4.1671E-008
RCPTR_26	farmer_adult	TOCDLIC2	Selenium	3.8541E-007	3.8750E-007
RCPTR_26	farmer_adult	TOCDLIC2	Silver	1.0254E-006	1.0982E-006
RCPTR_26	farmer_adult	TOCDLIC2	Styrene	5.6205E-016	8.8867E-015
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	3.1824E-012	3.4908E-012
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	8.4491E-013	9.6041E-013
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.2466E-011	1.4044E-010
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	4.2966E-013	5.5294E-013
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3545E-017	3.7260E-016
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.4758E-010	1.0431E-009
RCPTR_26	farmer_adult	TOCDLIC2	Thallium (l)	1.3662E-006	1.4322E-006
RCPTR_26	farmer_adult	TOCDLIC2	Toluene	7.3897E-013	1.1185E-011
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.1244E-013	5.3694E-012
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.2322E-015	3.5621E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.2009E-015	1.9305E-014
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethylene	1.9809E-016	3.1388E-015
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.5993E-017	4.1252E-016
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.7789E-011	6.1693E-010
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.0696E-011	1.2647E-010
RCPTR_26	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.4622E-015	7.1452E-014
RCPTR_26	farmer_adult	TOCDLIC2	VX	2.5202E-012	2.6352E-012
RCPTR_26	farmer_adult	TOCDLIC2	Vinyl Chloride	5.8723E-021	9.4075E-020
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, m-	2.4476E-014	4.9986E-014
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, o-	1.3489E-014	3.1992E-014
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, p-	2.3790E-014	6.3353E-014
RCPTR_26	farmer_adult	TOCDLIC2	Zinc	7.5258E-008	9.5400E-008
RCPTR_26	farmer_child	TOCDFBRA	Antimony	1.2534E-007	1.3881E-007
RCPTR_26	farmer_child	TOCDFBRA	Arsenic	2.0050E-007	2.0572E-007
RCPTR_26	farmer_child	TOCDFBRA	Barium	1.7054E-008	1.8450E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFBRA	Beryllium	5.4449E-008	5.6008E-008
RCPTR_26	farmer_child	TOCDFBRA	Cadmium	1.0477E-008	1.2573E-008
RCPTR_26	farmer_child	TOCDFBRA	Chromium	1.2870E-007	1.3167E-007
RCPTR_26	farmer_child	TOCDFBRA	Chromium, hexavalent	1.1818E-007	1.1954E-007
RCPTR_26	farmer_child	TOCDFBRA	Lead	5.6596E-007	5.9115E-007
RCPTR_26	farmer_child	TOCDFBRA	Mercuric chloride	6.4016E-005	7.4161E-005
RCPTR_26	farmer_child	TOCDFBRA	Methyl mercury	1.1731E-006	1.2048E-006
RCPTR_26	farmer_child	TOCDFBRA	Nickel	6.6453E-007	6.9241E-007
RCPTR_26	farmer_child	TOCDFBRA	Selenium	2.2339E-007	2.2419E-007
RCPTR_26	farmer_child	TOCDFBRA	Silver	7.6223E-008	7.9709E-008
RCPTR_26	farmer_child	TOCDFBRA	Thallium (l)	2.0540E-006	2.1112E-006
RCPTR_26	farmer_child	TOCDFBRA	Zinc	3.7194E-007	4.2564E-007
RCPTR_26	farmer_child	TOCDFDFS	Acenaphthene	9.8092E-011	2.3561E-010
RCPTR_26	farmer_child	TOCDFDFS	Acetone	1.9662E-014	4.7760E-014
RCPTR_26	farmer_child	TOCDFDFS	Acetophenone	5.1068E-013	1.2398E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Aniline	3.0800E-014	7.4679E-014
RCPTR_26	farmer_child	TOCDFDFS	Anthracene	1.7331E-009	4.1578E-009
RCPTR_26	farmer_child	TOCDFDFS	Antimony	2.2460E-008	2.4766E-008
RCPTR_26	farmer_child	TOCDFDFS	Aroclor 1254	1.9989E-011	2.8381E-011
RCPTR_26	farmer_child	TOCDFDFS	Arsenic	4.2052E-008	4.3093E-008
RCPTR_26	farmer_child	TOCDFDFS	Barium	2.0369E-007	2.1960E-007
RCPTR_26	farmer_child	TOCDFDFS	Benzene	1.6506E-015	3.9993E-015
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)anthracene	4.0164E-007	4.7529E-007
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.8606E-006	3.9438E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.1918E-006	2.3863E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.9393E-006	6.0130E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzoic acid	8.5478E-012	1.9295E-011
RCPTR_26	farmer_child	TOCDFDFS	Benzyl alcohol	1.0818E-012	2.6256E-012
RCPTR_26	farmer_child	TOCDFDFS	Beryllium	9.5717E-009	9.8335E-009
RCPTR_26	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	6.9784E-013	1.6951E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Bromodichloromethane	3.5066E-015	8.5139E-015
RCPTR_26	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.2077E-013	2.9326E-013
RCPTR_26	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.3272E-008	5.9990E-008
RCPTR_26	farmer_child	TOCDFDFS	Butylbenzylphthalate	8.6706E-009	9.5546E-009
RCPTR_26	farmer_child	TOCDFDFS	Cadmium	1.6650E-008	1.9849E-008
RCPTR_26	farmer_child	TOCDFDFS	Carbon disulfide	4.6787E-016	1.1347E-015
RCPTR_26	farmer_child	TOCDFDFS	Carbon tetrachloride	1.8439E-015	4.4668E-015
RCPTR_26	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	6.5825E-011	1.4195E-010
RCPTR_26	farmer_child	TOCDFDFS	Chloroaniline, p-	3.2494E-012	7.8751E-012
RCPTR_26	farmer_child	TOCDFDFS	Chlorobenzene	5.4136E-015	1.3092E-014
RCPTR_26	farmer_child	TOCDFDFS	Chloroethane	4.3695E-017	1.0451E-016
RCPTR_26	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.2759E-016	1.7663E-015
RCPTR_26	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.5556E-010	6.1534E-010
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenol, 2-	9.0026E-012	2.1864E-011
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.6758E-010	7.8997E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Chromium	1.1745E-007	1.2004E-007
RCPTR_26	farmer_child	TOCDFDFS	Chromium, hexavalent	1.0829E-007	1.0947E-007
RCPTR_26	farmer_child	TOCDFDFS	Chrysene	1.1217E-006	1.1967E-006
RCPTR_26	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.3670E-008	1.5088E-008
RCPTR_26	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.4434E+002	1.4434E+002
RCPTR_26	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	8.0910E-005	8.1408E-005
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	9.1382E-014	2.1787E-013
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.2581E-013	7.8189E-013
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.1433E-013	5.1529E-013
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6342E-009	1.8766E-009
RCPTR_26	farmer_child	TOCDFDFS	Dichlorodifluoromethane	3.4376E-018	8.3302E-018
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.0442E-016	7.3911E-016
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7814E-016	9.1819E-016
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	3.2735E-016	7.9403E-016
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	5.2629E-016	1.2764E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.6535E-011	7.2588E-011
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	2.9650E-015	7.1832E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4410E-016	8.3515E-016
RCPTR_26	farmer_child	TOCDFDFS	Diethyl phthalate	2.8200E-009	2.9021E-009
RCPTR_26	farmer_child	TOCDFDFS	Dimethyl phthalate	3.2893E-012	7.8629E-012
RCPTR_26	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	6.1650E-012	1.4910E-011
RCPTR_26	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	4.9659E-012	7.9703E-012
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.2577E-012	2.9739E-012
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	9.6087E-013	2.2899E-012
RCPTR_26	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.3067E-013	3.1738E-013
RCPTR_26	farmer_child	TOCDFDFS	Ethylbenzene	6.7194E-015	1.6002E-014
RCPTR_26	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.3811E-010	2.6335E-010
RCPTR_26	farmer_child	TOCDFDFS	Fluoranthene	2.8364E-008	5.2031E-008
RCPTR_26	farmer_child	TOCDFDFS	Fluorene	3.8831E-010	9.2578E-010
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.3846E-013	2.4244E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.0311E-013	3.0717E-013
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	7.1781E-013	7.2949E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8745E-012	1.9007E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1471E-012	1.1678E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.6368E-013	9.8351E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.2929E-012	1.3229E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.1214E-012	1.1473E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.1489E-012	1.1752E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	9.4659E-013	9.6837E-013
RCPTR_26	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.3879E-012	1.9496E-011
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorobenzene	1.6897E-008	3.9500E-008
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.1159E-010	2.5672E-010
RCPTR_26	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.9744E-012	1.1950E-011
RCPTR_26	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.9178E-004	5.9288E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Isophorone	9.3489E-013	2.2695E-012
RCPTR_26	farmer_child	TOCDFDFS	Lead	1.1344E-007	1.1828E-007
RCPTR_26	farmer_child	TOCDFDFS	Mercuric chloride	7.5516E-008	8.8296E-008
RCPTR_26	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.1233E-017	7.5852E-017
RCPTR_26	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	6.0154E-019	1.4605E-018
RCPTR_26	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.6468E-015	8.8581E-015
RCPTR_26	farmer_child	TOCDFDFS	Methyl mercury	1.2619E-009	1.3017E-009
RCPTR_26	farmer_child	TOCDFDFS	Methylene chloride	2.0321E-014	4.9343E-014
RCPTR_26	farmer_child	TOCDFDFS	Naphthalene	6.1538E-012	1.4858E-011
RCPTR_26	farmer_child	TOCDFDFS	Nickel	1.2906E-006	1.3423E-006
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.5785E-011	3.8255E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.7504E-012	9.1035E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 4-	4.8488E-012	1.1763E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitrobenzene	1.5774E-012	3.8307E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 2-	7.1841E-013	1.7440E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.8568E-011	2.8203E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.9154E-013	2.1608E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	8.7720E-013	2.1236E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	7.9480E-014	1.9062E-013
RCPTR_26	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.6916E-013	5.8142E-013
RCPTR_26	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.7127E-013	1.7489E-013
RCPTR_26	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.5981E-012	3.6587E-012
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.3349E-013	3.4295E-013
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2907E-012	1.3263E-012
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorobenzene	3.2457E-010	7.3069E-010
RCPTR_26	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.6051E-011	5.7763E-011
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorophenol	5.1883E-009	6.3881E-009
RCPTR_26	farmer_child	TOCDFDFS	Phenanthrene	1.2241E-012	2.9321E-012
RCPTR_26	farmer_child	TOCDFDFS	Phenol	1.2516E-012	3.0349E-012
RCPTR_26	farmer_child	TOCDFDFS	Pronamide	2.4380E-010	5.8064E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Pyrene	4.4508E-008	6.9787E-008
RCPTR_26	farmer_child	TOCDFDFS	Selenium	4.6888E-008	4.7049E-008
RCPTR_26	farmer_child	TOCDFDFS	Silver	6.3904E-008	6.6688E-008
RCPTR_26	farmer_child	TOCDFDFS	Styrene	6.4285E-014	1.5581E-013
RCPTR_26	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.6898E-012	1.7548E-012
RCPTR_26	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	8.1431E-013	8.5742E-013
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0079E-010	2.3528E-010
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.7555E-012	7.8697E-012
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.2159E-015	5.3709E-015
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.9721E-010	1.7195E-009
RCPTR_26	farmer_child	TOCDFDFS	Thallium (l)	8.5065E-006	8.7322E-006
RCPTR_26	farmer_child	TOCDFDFS	Toluene	1.0958E-014	2.6448E-014
RCPTR_26	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	4.5243E-012	1.0750E-011
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.4305E-015	3.4701E-015
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.5533E-014	3.7707E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethylene	2.5290E-015	6.1307E-015
RCPTR_26	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.3232E-016	8.0573E-016
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	4.4579E-010	1.0334E-009
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0043E-010	2.1160E-010
RCPTR_26	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	5.7514E-014	1.3956E-013
RCPTR_26	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.9663E-013	1.1801E-012
RCPTR_26	farmer_child	TOCDFDFS	VX	6.5302E-012	6.7171E-012
RCPTR_26	farmer_child	TOCDFDFS	Vinyl Chloride	4.2546E-019	1.0324E-018
RCPTR_26	farmer_child	TOCDFDFS	Xylene, m-	1.0056E-013	1.4630E-013
RCPTR_26	farmer_child	TOCDFDFS	Xylene, o-	9.4501E-014	1.4664E-013
RCPTR_26	farmer_child	TOCDFDFS	Xylene, p-	1.1335E-013	1.8428E-013
RCPTR_26	farmer_child	TOCDFLIC	Acenaphthene	5.8535E-011	1.4058E-010
RCPTR_26	farmer_child	TOCDFLIC	Acetone	2.8982E-012	7.0400E-012
RCPTR_26	farmer_child	TOCDFLIC	Acetophenone	3.0470E-013	7.3971E-013
RCPTR_26	farmer_child	TOCDFLIC	Aniline	1.8377E-014	4.4557E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Anthracene	1.0342E-009	2.4808E-009
RCPTR_26	farmer_child	TOCDFLIC	Antimony	3.3727E-007	3.7177E-007
RCPTR_26	farmer_child	TOCDFLIC	Arsenic	3.4633E-007	3.5487E-007
RCPTR_26	farmer_child	TOCDFLIC	Barium	5.5240E-008	5.9539E-008
RCPTR_26	farmer_child	TOCDFLIC	Benzene	3.8818E-015	9.4052E-015
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.4053E-007	2.8439E-007
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.3031E-006	2.3517E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.3164E-006	1.4322E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.5482E-006	3.5908E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzoic acid	7.9011E-012	1.7816E-011
RCPTR_26	farmer_child	TOCDFLIC	Benzyl alcohol	7.9121E-011	1.9203E-010
RCPTR_26	farmer_child	TOCDFLIC	Beryllium	1.8440E-008	1.8943E-008
RCPTR_26	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	4.1636E-013	1.0113E-012
RCPTR_26	farmer_child	TOCDFLIC	Bromodichloromethane	2.4327E-016	5.9065E-016
RCPTR_26	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.3386E-013	5.6789E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.9850E-008	3.5791E-008
RCPTR_26	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.3773E-009	1.5190E-009
RCPTR_26	farmer_child	TOCDFLIC	Cadmium	5.0037E-009	5.9617E-009
RCPTR_26	farmer_child	TOCDFLIC	Carbon disulfide	1.6146E-017	3.9156E-017
RCPTR_26	farmer_child	TOCDFLIC	Carbon tetrachloride	1.2793E-016	3.0989E-016
RCPTR_26	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	3.9399E-011	8.4817E-011
RCPTR_26	farmer_child	TOCDFLIC	Chloroaniline, p-	1.9388E-012	4.6987E-012
RCPTR_26	farmer_child	TOCDFLIC	Chlorobenzene	7.4989E-016	1.8134E-015
RCPTR_26	farmer_child	TOCDFLIC	Chloroethane	2.2380E-017	5.3514E-017
RCPTR_26	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.0078E-016	2.4465E-016
RCPTR_26	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.5250E-010	3.6716E-010
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenol, 2-	5.3713E-012	1.3045E-011
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1967E-010	4.7168E-010
RCPTR_26	farmer_child	TOCDFLIC	Chromium	2.6640E-007	2.7225E-007
RCPTR_26	farmer_child	TOCDFLIC	Chromium, hexavalent	2.4569E-007	2.4836E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Chrysene	6.7422E-007	7.1881E-007
RCPTR_26	farmer_child	TOCDFLIC	Di-n-butyl phthalate	5.3234E-009	5.8690E-009
RCPTR_26	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.6815E+000	2.6815E+000
RCPTR_26	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.8362E-005	4.8642E-005
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.4905E-013	5.9365E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	2.9914E-013	7.1778E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	2.8743E-013	6.9094E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.6558E-009	1.9004E-009
RCPTR_26	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.7599E-018	4.2648E-018
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane 1,1-	4.2166E-017	1.0237E-016
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4931E-016	1.3338E-015
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.6760E-016	4.0653E-016
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.6945E-016	6.5350E-016
RCPTR_26	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	3.0014E-011	5.9481E-011
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.4475E-016	3.5066E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.7661E-017	1.1568E-016
RCPTR_26	farmer_child	TOCDFLIC	Diethyl phthalate	3.3166E-010	3.4117E-010
RCPTR_26	farmer_child	TOCDFLIC	Dimethyl phthalate	4.0176E-012	9.6031E-012
RCPTR_26	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	3.6787E-012	8.8965E-012
RCPTR_26	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.0370E-013	9.6583E-013
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	3.4652E-012	8.1946E-012
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	2.6485E-012	6.3111E-012
RCPTR_26	farmer_child	TOCDFLIC	Ethyl methanesulfonate	7.7964E-014	1.8936E-013
RCPTR_26	farmer_child	TOCDFLIC	Ethylbenzene	4.0947E-015	9.7488E-015
RCPTR_26	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.9388E-010	5.4682E-010
RCPTR_26	farmer_child	TOCDFLIC	Fluoranthene	1.6962E-008	3.1081E-008
RCPTR_26	farmer_child	TOCDFLIC	Fluorene	2.3175E-010	5.5242E-010
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.3660E-012	1.3882E-012
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.6818E-012	4.7426E-012
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.0982E-011	1.1156E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.1345E-011	1.1500E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.8546E-012	6.9754E-012
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.7053E-012	5.8209E-012
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	7.8255E-012	8.0052E-012
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.7924E-012	6.9477E-012
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.9699E-012	7.1281E-012
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.7386E-012	5.8693E-012
RCPTR_26	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.0056E-012	1.1633E-011
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorobenzene	1.0087E-008	2.3572E-008
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.3452E-011	3.0944E-011
RCPTR_26	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.9688E-012	7.1306E-012
RCPTR_26	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.5734E-004	3.5796E-004
RCPTR_26	farmer_child	TOCDFLIC	Isophorone	5.5780E-013	1.3541E-012
RCPTR_26	farmer_child	TOCDFLIC	Lead	5.8307E-008	6.0782E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Mercuric chloride	3.1927E-009	3.7386E-009
RCPTR_26	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	3.0452E-017	7.3955E-017
RCPTR_26	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.7681E-018	4.2927E-018
RCPTR_26	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.2450E-014	7.8820E-014
RCPTR_26	farmer_child	TOCDFLIC	Methyl mercury	5.2497E-011	5.4200E-011
RCPTR_26	farmer_child	TOCDFLIC	Methylene chloride	4.3879E-013	1.0654E-012
RCPTR_26	farmer_child	TOCDFLIC	Naphthalene	1.3891E-012	3.3536E-012
RCPTR_26	farmer_child	TOCDFLIC	Nickel	6.3618E-007	6.6152E-007
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 2-	9.5306E-012	2.3097E-011
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.2644E-012	5.4963E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.8440E-013	1.4178E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrobenzene	9.4112E-013	2.2855E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.1471E-012	5.2123E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.2619E-012	3.4233E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.3196E-013	1.2892E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	5.2342E-013	1.2671E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	4.7376E-014	1.1368E-013
RCPTR_26	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.0342E-012	2.0775E-012
RCPTR_26	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.0180E-012	2.0601E-012
RCPTR_26	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.5245E-011	2.5660E-011
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.7285E-012	3.8331E-012
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.4325E-011	1.4717E-011
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorobenzene	1.9525E-010	4.4045E-010
RCPTR_26	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.5664E-011	3.4810E-011
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorophenol	3.1392E-009	3.8550E-009
RCPTR_26	farmer_child	TOCDFLIC	Phenanthrene	7.3051E-013	1.7496E-012
RCPTR_26	farmer_child	TOCDFLIC	Phenol	7.4677E-013	1.8108E-012
RCPTR_26	farmer_child	TOCDFLIC	Pronamide	7.2765E-011	1.7325E-010
RCPTR_26	farmer_child	TOCDFLIC	Pyrene	2.6590E-008	4.1671E-008
RCPTR_26	farmer_child	TOCDFLIC	Selenium	3.8619E-007	3.8750E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Silver	1.0525E-006	1.0982E-006
RCPTR_26	farmer_child	TOCDFLIC	Styrene	3.6667E-015	8.8867E-015
RCPTR_26	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.3625E-012	3.4908E-012
RCPTR_26	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.1241E-013	9.6041E-013
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.0192E-011	1.4044E-010
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.7564E-013	5.5294E-013
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.5372E-016	3.7260E-016
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.0696E-010	1.0431E-009
RCPTR_26	farmer_child	TOCDFLIC	Thallium (l)	1.3953E-006	1.4322E-006
RCPTR_26	farmer_child	TOCDFLIC	Toluene	4.6346E-012	1.1185E-011
RCPTR_26	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.2611E-012	5.3694E-012
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.4684E-014	3.5621E-014
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	7.9527E-015	1.9305E-014
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethylene	1.2948E-015	3.1388E-015
RCPTR_26	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.7015E-016	4.1252E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	2.6632E-010	6.1693E-010
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	6.0144E-011	1.2647E-010
RCPTR_26	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	2.9446E-014	7.1452E-014
RCPTR_26	farmer_child	TOCDFLIC	VX	2.4654E-012	2.5348E-012
RCPTR_26	farmer_child	TOCDFLIC	Vinyl Chloride	3.8767E-020	9.4075E-020
RCPTR_26	farmer_child	TOCDFLIC	Xylene, m-	3.3990E-014	4.9986E-014
RCPTR_26	farmer_child	TOCDFLIC	Xylene, o-	2.0389E-014	3.1992E-014
RCPTR_26	farmer_child	TOCDFLIC	Xylene, p-	3.8545E-014	6.3353E-014
RCPTR_26	farmer_child	TOCDFLIC	Zinc	8.3856E-008	9.5400E-008
RCPTR_26	farmer_child	TOCDFMPF	Acenaphthene	1.0711E-011	2.5725E-011
RCPTR_26	farmer_child	TOCDFMPF	Acetone	1.2319E-016	2.9923E-016
RCPTR_26	farmer_child	TOCDFMPF	Acetophenone	1.2973E-012	3.1493E-012
RCPTR_26	farmer_child	TOCDFMPF	Aniline	7.8243E-014	1.8970E-013
RCPTR_26	farmer_child	TOCDFMPF	Anthracene	1.0867E-010	2.6069E-010
RCPTR_26	farmer_child	TOCDFMPF	Arsenic	1.6773E-008	1.7186E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Barium	6.1695E-009	6.6494E-009
RCPTR_26	farmer_child	TOCDFMPF	Benzene	6.8126E-016	1.6506E-015
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.2224E-008	2.6277E-008
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.9233E-007	4.0062E-007
RCPTR_26	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.9077E-007	2.0755E-007
RCPTR_26	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	5.2723E-007	5.3357E-007
RCPTR_26	farmer_child	TOCDFMPF	Benzoic acid	1.5146E-012	3.4154E-012
RCPTR_26	farmer_child	TOCDFMPF	Benzyl alcohol	6.2619E-013	1.5198E-012
RCPTR_26	farmer_child	TOCDFMPF	Beryllium	2.3160E-009	2.3791E-009
RCPTR_26	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.7689E-013	4.2967E-013
RCPTR_26	farmer_child	TOCDFMPF	Bromodichloromethane	3.5869E-015	8.7086E-015
RCPTR_26	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2353E-013	2.9997E-013
RCPTR_26	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1346E-008	2.0458E-008
RCPTR_26	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.8231E-010	2.0105E-010
RCPTR_26	farmer_child	TOCDFMPF	Cadmium	1.5905E-008	1.8949E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Carbon disulfide	2.3805E-016	5.7732E-016
RCPTR_26	farmer_child	TOCDFMPF	Carbon tetrachloride	1.8862E-015	4.5691E-015
RCPTR_26	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6843E-011	3.6263E-011
RCPTR_26	farmer_child	TOCDFMPF	Chloroaniline, p-	5.7080E-013	1.3833E-012
RCPTR_26	farmer_child	TOCDFMPF	Chlorobenzene	1.1057E-014	2.6738E-014
RCPTR_26	farmer_child	TOCDFMPF	Chloroethane	3.1462E-017	7.5231E-017
RCPTR_26	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.4859E-015	3.6072E-015
RCPTR_26	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.6800E-011	6.4524E-011
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.9755E-012	4.7976E-012
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.7853E-011	1.4570E-010
RCPTR_26	farmer_child	TOCDFMPF	Chromium	2.8899E-007	2.9533E-007
RCPTR_26	farmer_child	TOCDFMPF	Chromium, hexavalent	2.6653E-007	2.6942E-007
RCPTR_26	farmer_child	TOCDFMPF	Chrysene	6.9611E-008	7.4217E-008
RCPTR_26	farmer_child	TOCDFMPF	Di-n-butyl phthalate	6.2179E-009	6.8554E-009
RCPTR_26	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.4077E+000	2.4077E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.2787E-005	1.2861E-005
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	8.6633E-014	2.0650E-013
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	9.7009E-014	2.3277E-013
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	9.2692E-014	2.2282E-013
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.9502E-010	5.6817E-010
RCPTR_26	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.4742E-018	5.9956E-018
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane 1,1-	6.2170E-016	1.5094E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.7224E-016	1.8751E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.3562E-016	5.7151E-016
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.7881E-016	9.1872E-016
RCPTR_26	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.1743E-011	2.3274E-011
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.1342E-015	5.1702E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.0273E-016	1.7055E-015
RCPTR_26	farmer_child	TOCDFMPF	Diethyl phthalate	7.0767E-010	7.2797E-010
RCPTR_26	farmer_child	TOCDFMPF	Dimethyl phthalate	2.3171E-013	5.5385E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.4496E-012	3.5057E-012
RCPTR_26	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.1589E-012	1.8544E-012
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.7714E-012	1.1283E-011
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.3109E-012	7.8895E-012
RCPTR_26	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.3194E-013	8.0622E-013
RCPTR_26	farmer_child	TOCDFMPF	Ethylbenzene	6.8757E-015	1.6370E-014
RCPTR_26	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.5411E-011	9.4559E-011
RCPTR_26	farmer_child	TOCDFMPF	Fluoranthene	1.3182E-009	2.4156E-009
RCPTR_26	farmer_child	TOCDFMPF	Fluorene	3.5269E-011	8.4070E-011
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.5023E-013	1.5268E-013
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.8308E-013	7.9327E-013
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.2553E-013	7.3705E-013
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9714E-012	1.9983E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1921E-012	1.2131E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.7848E-013	9.9832E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.1159E-012	2.1645E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	7.2184E-012	7.3836E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	6.0717E-012	6.2095E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.3265E-013	7.4935E-013
RCPTR_26	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.8068E-012	6.5232E-012
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorobenzene	5.0163E-009	1.1723E-008
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	9.3466E-012	2.1500E-011
RCPTR_26	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.0869E-012	5.0124E-012
RCPTR_26	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.7639E-005	7.7774E-005
RCPTR_26	farmer_child	TOCDFMPF	Isophorone	9.9542E-014	2.4164E-013
RCPTR_26	farmer_child	TOCDFMPF	Lead	9.1914E-008	9.5815E-008
RCPTR_26	farmer_child	TOCDFMPF	Mercuric chloride	3.4371E-009	4.0244E-009
RCPTR_26	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.2480E-017	5.4595E-017
RCPTR_26	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.3052E-018	3.1689E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.4490E-016	1.3235E-015
RCPTR_26	farmer_child	TOCDFMPF	Methyl mercury	5.6582E-011	5.8414E-011
RCPTR_26	farmer_child	TOCDFMPF	Methylene chloride	1.4295E-016	3.4710E-016
RCPTR_26	farmer_child	TOCDFMPF	Naphthalene	1.1696E-012	2.8236E-012
RCPTR_26	farmer_child	TOCDFMPF	Nickel	3.3318E-007	3.4644E-007
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.1806E-012	2.8612E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 3-	2.2727E-013	5.5166E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.6046E-013	6.3189E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitrobenzene	3.2140E-013	7.8053E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 2-	2.5899E-013	6.2872E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.0173E-012	3.0535E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.2649E-012	5.4890E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1806E-013	2.8580E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	3.0773E-014	7.3841E-014
RCPTR_26	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.5629E-013	1.5962E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.5379E-014	1.5700E-014
RCPTR_26	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.1629E-012	4.2315E-012
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.5296E-012	2.6006E-012
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.7531E-012	1.8010E-012
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorobenzene	1.6600E-010	3.7441E-010
RCPTR_26	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.6588E-012	1.4796E-011
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorophenol	1.8671E-009	2.2931E-009
RCPTR_26	farmer_child	TOCDFMPF	Phenanthrene	7.6762E-014	1.8384E-013
RCPTR_26	farmer_child	TOCDFMPF	Phenol	2.4421E-013	5.9215E-013
RCPTR_26	farmer_child	TOCDFMPF	Pronamide	3.0979E-010	7.3761E-010
RCPTR_26	farmer_child	TOCDFMPF	Pyrene	1.9485E-009	3.0538E-009
RCPTR_26	farmer_child	TOCDFMPF	Selenium	1.2156E-007	1.2198E-007
RCPTR_26	farmer_child	TOCDFMPF	Silver	3.3185E-008	3.4625E-008
RCPTR_26	farmer_child	TOCDFMPF	Styrene	5.5880E-014	1.3543E-013
RCPTR_26	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4582E-012	1.5138E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.1381E-013	6.4610E-013
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.5626E-010	5.9790E-010
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3911E-014	5.7982E-014
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.2665E-015	5.4937E-015
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.5785E-010	4.4319E-010
RCPTR_26	farmer_child	TOCDFMPF	Thallium (l)	2.2393E-006	2.2985E-006
RCPTR_26	farmer_child	TOCDFMPF	Toluene	2.9947E-015	7.2270E-015
RCPTR_26	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.6194E-013	1.8094E-012
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.4632E-015	3.5495E-015
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.1180E-014	2.7140E-014
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethylene	1.8203E-015	4.4126E-015
RCPTR_26	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.3920E-016	5.7993E-016
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1917E-010	2.7607E-010
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.7346E-011	5.7508E-011
RCPTR_26	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	4.1396E-014	1.0045E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	VX	3.4028E-012	3.4986E-012
RCPTR_26	farmer_child	TOCDFMPF	Vinyl Chloride	5.9081E-019	1.4337E-018
RCPTR_26	farmer_child	TOCDFMPF	Xylene, m-	2.6863E-014	3.9476E-014
RCPTR_26	farmer_child	TOCDFMPF	Xylene, o-	2.5322E-014	3.9701E-014
RCPTR_26	farmer_child	TOCDFMPF	Xylene, p-	3.0450E-014	5.0011E-014
RCPTR_26	farmer_child	TOCDHVAC	VX	1.2355E-012	1.2748E-012
RCPTR_26	farmer_child	TOCDLIC2	Acenaphthene	5.8535E-011	1.4058E-010
RCPTR_26	farmer_child	TOCDLIC2	Acetone	2.8982E-012	7.0400E-012
RCPTR_26	farmer_child	TOCDLIC2	Acetophenone	3.0470E-013	7.3971E-013
RCPTR_26	farmer_child	TOCDLIC2	Aniline	1.8377E-014	4.4557E-014
RCPTR_26	farmer_child	TOCDLIC2	Anthracene	1.0342E-009	2.4808E-009
RCPTR_26	farmer_child	TOCDLIC2	Antimony	3.3727E-007	3.7177E-007
RCPTR_26	farmer_child	TOCDLIC2	Arsenic	3.4633E-007	3.5487E-007
RCPTR_26	farmer_child	TOCDLIC2	Barium	5.5240E-008	5.9539E-008
RCPTR_26	farmer_child	TOCDLIC2	Benzene	3.8818E-015	9.4052E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.4053E-007	2.8439E-007
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.3031E-006	2.3517E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.3164E-006	1.4322E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.5482E-006	3.5908E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzoic acid	7.9011E-012	1.7816E-011
RCPTR_26	farmer_child	TOCDLIC2	Benzyl alcohol	7.9121E-011	1.9203E-010
RCPTR_26	farmer_child	TOCDLIC2	Beryllium	1.8440E-008	1.8943E-008
RCPTR_26	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.1636E-013	1.0113E-012
RCPTR_26	farmer_child	TOCDLIC2	Bromodichloromethane	2.4327E-016	5.9065E-016
RCPTR_26	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.3386E-013	5.6789E-013
RCPTR_26	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.9850E-008	3.5791E-008
RCPTR_26	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.3773E-009	1.5190E-009
RCPTR_26	farmer_child	TOCDLIC2	Cadmium	5.0037E-009	5.9617E-009
RCPTR_26	farmer_child	TOCDLIC2	Carbon disulfide	1.6146E-017	3.9156E-017
RCPTR_26	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2793E-016	3.0989E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Chlorine	3.6075E-007	8.7631E-007
RCPTR_26	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.9399E-011	8.4817E-011
RCPTR_26	farmer_child	TOCDLIC2	Chloroaniline, p-	1.9388E-012	4.6987E-012
RCPTR_26	farmer_child	TOCDLIC2	Chlorobenzene	7.4989E-016	1.8134E-015
RCPTR_26	farmer_child	TOCDLIC2	Chloroethane	2.2380E-017	5.3514E-017
RCPTR_26	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.0078E-016	2.4465E-016
RCPTR_26	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.5250E-010	3.6716E-010
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.3713E-012	1.3045E-011
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.1967E-010	4.7168E-010
RCPTR_26	farmer_child	TOCDLIC2	Chromium	2.6640E-007	2.7225E-007
RCPTR_26	farmer_child	TOCDLIC2	Chromium, hexavalent	2.4569E-007	2.4836E-007
RCPTR_26	farmer_child	TOCDLIC2	Chrysene	6.7422E-007	7.1881E-007
RCPTR_26	farmer_child	TOCDLIC2	Di-n-butyl phthalate	5.3234E-009	5.8690E-009
RCPTR_26	farmer_child	TOCDLIC2	Di-n-octylphthalate	2.6815E+000	2.6815E+000
RCPTR_26	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	4.8362E-005	4.8642E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.4905E-013	5.9365E-013
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.9914E-013	7.1778E-013
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.8743E-013	6.9094E-013
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.6558E-009	1.9004E-009
RCPTR_26	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.7599E-018	4.2648E-018
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane 1,1-	4.0794E-017	9.9044E-017
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4931E-016	1.3338E-015
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.6760E-016	4.0653E-016
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.6945E-016	6.5350E-016
RCPTR_26	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.0014E-011	5.9481E-011
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.4475E-016	3.5066E-016
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.7661E-017	1.1568E-016
RCPTR_26	farmer_child	TOCDLIC2	Diethyl phthalate	3.3166E-010	3.4117E-010
RCPTR_26	farmer_child	TOCDLIC2	Dimethyl phthalate	4.0176E-012	9.6031E-012
RCPTR_26	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.6787E-012	8.8965E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.0370E-013	9.6583E-013
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.4652E-012	8.1946E-012
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.6485E-012	6.3111E-012
RCPTR_26	farmer_child	TOCDLIC2	Ethyl methanesulfonate	7.7964E-014	1.8936E-013
RCPTR_26	farmer_child	TOCDLIC2	Ethylbenzene	4.0947E-015	9.7488E-015
RCPTR_26	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.9388E-010	5.4682E-010
RCPTR_26	farmer_child	TOCDLIC2	Fluoranthene	1.6962E-008	3.1081E-008
RCPTR_26	farmer_child	TOCDLIC2	Fluorene	2.3175E-010	5.5242E-010
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.3660E-012	1.3882E-012
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.6157E-011	1.6367E-011
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.7900E-011	3.8500E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1345E-011	1.1500E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.8546E-012	6.9754E-012
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.7053E-012	5.8209E-012
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.8255E-012	8.0052E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.7924E-012	6.9477E-012
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.9699E-012	7.1281E-012
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.7386E-012	5.8693E-012
RCPTR_26	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.0056E-012	1.1633E-011
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorobenzene	1.0087E-008	2.3572E-008
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.3452E-011	3.0944E-011
RCPTR_26	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.9688E-012	7.1306E-012
RCPTR_26	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.5734E-004	3.5796E-004
RCPTR_26	farmer_child	TOCDLIC2	Isophorone	5.5780E-013	1.3541E-012
RCPTR_26	farmer_child	TOCDLIC2	Lead	5.8307E-008	6.0782E-008
RCPTR_26	farmer_child	TOCDLIC2	Mercuric chloride	3.1927E-009	3.7386E-009
RCPTR_26	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	3.0452E-017	7.3955E-017
RCPTR_26	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.8526E-020	2.1493E-019
RCPTR_26	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.2450E-014	7.8820E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Methyl mercury	5.2497E-011	5.4200E-011
RCPTR_26	farmer_child	TOCDLIC2	Methylene chloride	4.3879E-013	1.0654E-012
RCPTR_26	farmer_child	TOCDLIC2	Naphthalene	1.3891E-012	3.3536E-012
RCPTR_26	farmer_child	TOCDLIC2	Nickel	6.3618E-007	6.6152E-007
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 2-	9.5306E-012	2.3097E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.2644E-012	5.4963E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.9273E-012	7.1019E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrobenzene	9.4112E-013	2.2855E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.2863E-013	1.0406E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.1330E-011	1.7147E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.3196E-013	1.2892E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.2342E-013	1.2671E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.7376E-014	1.1368E-013
RCPTR_26	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.0342E-012	2.0775E-012
RCPTR_26	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.0180E-012	2.0601E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.5245E-011	2.5660E-011
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	3.7285E-012	3.8331E-012
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.4325E-011	1.4717E-011
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorobenzene	3.8980E-011	8.7931E-011
RCPTR_26	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.5664E-011	3.4810E-011
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorophenol	1.5724E-008	1.9310E-008
RCPTR_26	farmer_child	TOCDLIC2	Phenanthrene	7.3051E-013	1.7496E-012
RCPTR_26	farmer_child	TOCDLIC2	Phenol	7.4677E-013	1.8108E-012
RCPTR_26	farmer_child	TOCDLIC2	Pronamide	7.2765E-011	1.7325E-010
RCPTR_26	farmer_child	TOCDLIC2	Pyrene	2.6590E-008	4.1671E-008
RCPTR_26	farmer_child	TOCDLIC2	Selenium	3.8619E-007	3.8750E-007
RCPTR_26	farmer_child	TOCDLIC2	Silver	1.0525E-006	1.0982E-006
RCPTR_26	farmer_child	TOCDLIC2	Styrene	3.6667E-015	8.8867E-015
RCPTR_26	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	3.3625E-012	3.4908E-012
RCPTR_26	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	9.1241E-013	9.6041E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.0192E-011	1.4044E-010
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	4.7564E-013	5.5294E-013
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.5372E-016	3.7260E-016
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.0696E-010	1.0431E-009
RCPTR_26	farmer_child	TOCDLIC2	Thallium (l)	1.3953E-006	1.4322E-006
RCPTR_26	farmer_child	TOCDLIC2	Toluene	4.6346E-012	1.1185E-011
RCPTR_26	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.2611E-012	5.3694E-012
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.4684E-014	3.5621E-014
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	7.9527E-015	1.9305E-014
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethylene	1.2948E-015	3.1388E-015
RCPTR_26	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.7015E-016	4.1252E-016
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.6632E-010	6.1693E-010
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	6.0144E-011	1.2647E-010
RCPTR_26	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.9446E-014	7.1452E-014
RCPTR_26	farmer_child	TOCDLIC2	VX	2.5631E-012	2.6352E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Vinyl Chloride	3.8767E-020	9.4075E-020
RCPTR_26	farmer_child	TOCDLIC2	Xylene, m-	3.3990E-014	4.9986E-014
RCPTR_26	farmer_child	TOCDLIC2	Xylene, o-	2.0389E-014	3.1992E-014
RCPTR_26	farmer_child	TOCDLIC2	Xylene, p-	3.8545E-014	6.3353E-014
RCPTR_26	farmer_child	TOCDLIC2	Zinc	8.3856E-008	9.5400E-008
RCPTR_27	farmer_adult	TOCDFBRA	Antimony	3.5104E-006	4.0723E-006
RCPTR_27	farmer_adult	TOCDFBRA	Arsenic	5.9634E-006	6.1737E-006
RCPTR_27	farmer_adult	TOCDFBRA	Barium	4.8741E-007	5.4508E-007
RCPTR_27	farmer_adult	TOCDFBRA	Beryllium	1.5720E-006	1.6623E-006
RCPTR_27	farmer_adult	TOCDFBRA	Cadmium	2.6380E-007	3.5879E-007
RCPTR_27	farmer_adult	TOCDFBRA	Chromium	3.8949E-006	3.9062E-006
RCPTR_27	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.5484E-006	3.6025E-006
RCPTR_27	farmer_adult	TOCDFBRA	Lead	1.5953E-005	1.7359E-005
RCPTR_27	farmer_adult	TOCDFBRA	Mercuric chloride	1.7687E-003	1.8231E-003
RCPTR_27	farmer_adult	TOCDFBRA	Methyl mercury	2.9470E-005	3.0026E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFBRA	Nickel	1.9433E-005	2.0661E-005
RCPTR_27	farmer_adult	TOCDFBRA	Selenium	6.7397E-006	6.7718E-006
RCPTR_27	farmer_adult	TOCDFBRA	Silver	2.2402E-006	2.3794E-006
RCPTR_27	farmer_adult	TOCDFBRA	Thallium (l)	6.0695E-005	6.3260E-005
RCPTR_27	farmer_adult	TOCDFBRA	Zinc	9.9992E-006	1.2345E-005
RCPTR_27	farmer_adult	TOCDFDFS	Acenaphthene	2.6455E-010	3.7540E-009
RCPTR_27	farmer_adult	TOCDFDFS	Acetone	4.6947E-014	7.5993E-013
RCPTR_27	farmer_adult	TOCDFDFS	Acetophenone	1.2273E-012	1.9728E-011
RCPTR_27	farmer_adult	TOCDFDFS	Aniline	7.5115E-014	1.1885E-012
RCPTR_27	farmer_adult	TOCDFDFS	Anthracene	4.7263E-009	6.6255E-008
RCPTR_27	farmer_adult	TOCDFDFS	Antimony	4.4652E-007	5.1810E-007
RCPTR_27	farmer_adult	TOCDFDFS	Aroclor 1254	2.7326E-010	4.8618E-010
RCPTR_27	farmer_adult	TOCDFDFS	Arsenic	8.8494E-007	9.1620E-007
RCPTR_27	farmer_adult	TOCDFDFS	Barium	4.1279E-006	4.6170E-006
RCPTR_27	farmer_adult	TOCDFDFS	Benzene	4.0558E-015	6.3654E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.0246E-006	8.3943E-006
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.0035E-005	7.2535E-005
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.7168E-005	4.3322E-005
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0799E-004	1.1083E-004
RCPTR_27	farmer_adult	TOCDFDFS	Benzoic acid	3.7267E-011	3.0999E-010
RCPTR_27	farmer_adult	TOCDFDFS	Benzyl alcohol	2.6081E-012	4.1781E-011
RCPTR_27	farmer_adult	TOCDFDFS	Beryllium	1.9614E-007	2.0743E-007
RCPTR_27	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.6664E-012	2.6971E-011
RCPTR_27	farmer_adult	TOCDFDFS	Bromodichloromethane	8.4178E-015	1.3548E-013
RCPTR_27	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.8939E-013	4.6664E-012
RCPTR_27	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	9.4419E-008	9.5457E-007
RCPTR_27	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.4912E-007	1.7154E-007
RCPTR_27	farmer_adult	TOCDFDFS	Cadmium	2.9920E-007	4.0709E-007
RCPTR_27	farmer_adult	TOCDFDFS	Carbon disulfide	1.1378E-015	1.8058E-014
RCPTR_27	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.5429E-015	7.1097E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.6341E-010	2.2950E-009
RCPTR_27	farmer_adult	TOCDFDFS	Chloroaniline, p-	7.9635E-012	1.2534E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chlorobenzene	1.3588E-014	2.0843E-013
RCPTR_27	farmer_adult	TOCDFDFS	Chloroethane	1.2307E-016	1.6662E-015
RCPTR_27	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.7493E-015	2.8106E-014
RCPTR_27	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	6.7221E-010	9.8016E-009
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.1544E-011	3.4789E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.0500E-009	1.2768E-008
RCPTR_27	farmer_adult	TOCDFDFS	Chromium	2.5241E-006	2.5314E-006
RCPTR_27	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.2992E-006	2.3343E-006
RCPTR_27	farmer_adult	TOCDFDFS	Chrysene	1.9161E-005	2.1806E-005
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.3996E-007	2.7592E-007
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.7157E+003	2.7157E+003
RCPTR_27	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.5285E-003	1.5491E-003
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.6512E-013	3.4747E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	8.8680E-013	1.2460E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.7286E-013	8.2095E-012
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.7586E-008	3.3724E-008
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	8.4319E-018	1.3258E-016
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.3093E-016	1.1761E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	9.0670E-016	1.4610E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	7.9443E-016	1.2636E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2791E-015	2.0314E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.7293E-010	1.1878E-009
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.2970E-015	1.1433E-013
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	8.2944E-016	1.3290E-014
RCPTR_27	farmer_adult	TOCDFDFS	Diethyl phthalate	5.2110E-008	5.4194E-008
RCPTR_27	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.2944E-012	1.2535E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.5465E-011	2.3738E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.8799E-011	1.3504E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.9142E-012	4.7461E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.7953E-012	3.6520E-011
RCPTR_27	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	3.1235E-013	5.0501E-012
RCPTR_27	farmer_adult	TOCDFDFS	Ethylbenzene	1.9706E-014	2.5524E-013
RCPTR_27	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.0748E-009	4.7147E-009
RCPTR_27	farmer_adult	TOCDFDFS	Fluoranthene	1.9230E-007	8.4870E-007
RCPTR_27	farmer_adult	TOCDFDFS	Fluorene	1.1262E-009	1.4764E-008
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.1904E-012	4.3330E-012
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.4144E-012	5.5609E-012
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2648E-011	1.3067E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.3506E-011	3.4457E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.0124E-011	2.0868E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.6685E-011	1.7398E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.2299E-011	2.3384E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.9358E-011	2.0295E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.9868E-011	2.0823E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6357E-011	1.7146E-011
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.9972E-011	3.1185E-010
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorobenzene	5.5895E-008	6.3114E-007
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.2860E-010	4.1111E-009
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.3409E-011	1.9041E-010
RCPTR_27	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1153E-002	1.1196E-002
RCPTR_27	farmer_adult	TOCDFDFS	Isophorone	2.2482E-012	3.6114E-011
RCPTR_27	farmer_adult	TOCDFDFS	Lead	2.2753E-006	2.4760E-006
RCPTR_27	farmer_adult	TOCDFDFS	Mercuric chloride	1.4122E-006	1.4568E-006
RCPTR_27	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.4754E-017	1.2069E-015
RCPTR_27	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.4445E-018	2.3239E-017
RCPTR_27	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.7109E-015	1.4095E-013
RCPTR_27	farmer_adult	TOCDFDFS	Methyl mercury	2.2531E-008	2.2987E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Methylene chloride	4.8739E-014	7.8515E-013
RCPTR_27	farmer_adult	TOCDFDFS	Naphthalene	1.5726E-011	2.3658E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nickel	2.6730E-005	2.8422E-005
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.8688E-011	6.0886E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 3-	9.0287E-012	1.4486E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.1741E-011	1.8719E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitrobenzene	3.7761E-012	6.0953E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.7270E-012	2.7752E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.3857E-010	4.8307E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.1844E-012	3.4391E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.1768E-012	3.3804E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.2284E-013	3.0429E-012
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.7722E-012	1.0211E-011
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.9420E-012	3.0710E-012
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.4697E-011	6.6943E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.8698E-012	6.2239E-012
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.2589E-011	2.3912E-011
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.4056E-009	1.1711E-008
RCPTR_27	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2258E-010	9.2726E-010
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorophenol	8.3823E-008	1.1427E-007
RCPTR_27	farmer_adult	TOCDFDFS	Phenanthrene	3.3943E-012	4.6734E-011
RCPTR_27	farmer_adult	TOCDFDFS	Phenol	3.0490E-012	4.8300E-011
RCPTR_27	farmer_adult	TOCDFDFS	Pronamide	7.1480E-010	9.2619E-009
RCPTR_27	farmer_adult	TOCDFDFS	Pyrene	2.3329E-007	1.1260E-006
RCPTR_27	farmer_adult	TOCDFDFS	Selenium	1.0001E-006	1.0049E-006
RCPTR_27	farmer_adult	TOCDFDFS	Silver	1.3297E-006	1.4125E-006
RCPTR_27	farmer_adult	TOCDFDFS	Styrene	1.5744E-013	2.4798E-012
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.9289E-011	3.1744E-011
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3825E-011	1.5466E-011
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.5002E-010	3.7628E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1430E-010	1.4257E-010
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.4218E-015	8.5479E-014
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.0456E-008	2.8784E-008
RCPTR_27	farmer_adult	TOCDFDFS	Thallium (l)	1.7792E-004	1.8545E-004
RCPTR_27	farmer_adult	TOCDFDFS	Toluene	2.8121E-014	4.2116E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.3550E-011	1.7152E-010
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.4687E-015	5.5223E-014
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.7371E-014	6.0002E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethylene	6.1796E-015	9.7572E-014
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.1065E-016	1.2823E-014
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.6323E-009	1.6544E-008
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	6.1158E-010	3.4325E-009
RCPTR_27	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.3895E-013	2.2209E-012
RCPTR_27	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.4680E-012	1.8810E-011
RCPTR_27	farmer_adult	TOCDFDFS	VX	1.2072E-010	1.2546E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Vinyl Chloride	1.0273E-018	1.6429E-017
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, m-	1.2864E-012	2.4468E-012
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, o-	1.1107E-012	2.4337E-012
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, p-	1.2429E-012	3.0427E-012
RCPTR_27	farmer_adult	TOCDFLIC	Acenaphthene	1.4850E-010	2.1077E-009
RCPTR_27	farmer_adult	TOCDFLIC	Acetone	6.5119E-012	1.0541E-010
RCPTR_27	farmer_adult	TOCDFLIC	Acetophenone	6.8905E-013	1.1076E-011
RCPTR_27	farmer_adult	TOCDFLIC	Aniline	4.2173E-014	6.6729E-013
RCPTR_27	farmer_adult	TOCDFLIC	Anthracene	2.6525E-009	3.7198E-008
RCPTR_27	farmer_adult	TOCDFLIC	Antimony	6.4730E-006	7.5107E-006
RCPTR_27	farmer_adult	TOCDFLIC	Arsenic	7.0339E-006	7.2824E-006
RCPTR_27	farmer_adult	TOCDFLIC	Barium	1.0806E-006	1.2087E-006
RCPTR_27	farmer_adult	TOCDFLIC	Benzene	8.9753E-015	1.4086E-013
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3729E-006	4.7026E-006
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.9141E-005	4.0533E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0824E-005	2.4276E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.0389E-005	6.1959E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzoic acid	3.2363E-011	2.6912E-010
RCPTR_27	farmer_adult	TOCDFLIC	Benzyl alcohol	1.7950E-010	2.8755E-009
RCPTR_27	farmer_adult	TOCDFLIC	Beryllium	3.6478E-007	3.8577E-007
RCPTR_27	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	9.3558E-013	1.5143E-011
RCPTR_27	farmer_adult	TOCDFLIC	Bromodichloromethane	5.4954E-016	8.8443E-015
RCPTR_27	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.2735E-013	8.5033E-012
RCPTR_27	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.3005E-008	5.3594E-007
RCPTR_27	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2325E-008	2.5708E-008
RCPTR_27	farmer_adult	TOCDFLIC	Cadmium	8.6839E-008	1.1815E-007
RCPTR_27	farmer_adult	TOCDFLIC	Carbon disulfide	3.6946E-017	5.8639E-016
RCPTR_27	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.9656E-016	4.6414E-015
RCPTR_27	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0414E-010	1.2886E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.4711E-012	7.0372E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Chlorobenzene	1.7710E-015	2.7166E-014
RCPTR_27	farmer_adult	TOCDFLIC	Chloroethane	5.9302E-017	8.0272E-016
RCPTR_27	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.2801E-016	3.6634E-015
RCPTR_27	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.7738E-010	5.5031E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.2096E-011	1.9532E-010
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1495E-009	7.1670E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chromium	5.5268E-006	5.5429E-006
RCPTR_27	farmer_adult	TOCDFLIC	Chromium, hexavalent	5.0344E-006	5.1113E-006
RCPTR_27	farmer_adult	TOCDFLIC	Chrysene	1.0739E-005	1.2221E-005
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.6872E-008	9.9898E-008
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.6729E+001	4.6729E+001
RCPTR_27	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.5362E-004	8.6485E-004
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.7961E-013	8.9081E-012
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	7.6594E-013	1.0762E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.2272E-013	1.0358E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6150E-008	3.1986E-008
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.0614E-018	6.3873E-017
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	9.5269E-017	1.5329E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2394E-015	1.9972E-014
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	3.8273E-016	6.0879E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.1623E-016	9.7866E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.1004E-010	9.1365E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.3520E-016	5.2521E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0810E-016	1.7322E-015
RCPTR_27	farmer_adult	TOCDFLIC	Diethyl phthalate	5.6786E-009	5.9056E-009
RCPTR_27	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0675E-011	1.4405E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.6831E-012	1.3328E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	6.6705E-012	1.5318E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.0134E-011	1.2306E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.2451E-012	9.4702E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.7537E-013	2.8354E-012
RCPTR_27	farmer_adult	TOCDFLIC	Ethylbenzene	1.1294E-014	1.4630E-013
RCPTR_27	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.9773E-009	9.2409E-009
RCPTR_27	farmer_adult	TOCDFLIC	Fluoranthene	1.0782E-007	4.7635E-007
RCPTR_27	farmer_adult	TOCDFLIC	Fluorene	6.3213E-010	8.2893E-009
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.2902E-011	2.3676E-011
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.9183E-011	8.1305E-011
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8437E-010	1.9043E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.9179E-010	1.9719E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1469E-010	1.1890E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.4781E-011	9.8811E-011
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2945E-010	1.3574E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1240E-010	1.1784E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1543E-010	1.2097E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.5004E-011	9.9579E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6804E-011	1.7506E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.1368E-008	3.5434E-007
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.8525E-011	4.6621E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.5294E-012	1.0691E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2547E-003	6.2782E-003
RCPTR_27	farmer_adult	TOCDFLIC	Isophorone	1.2623E-012	2.0276E-011
RCPTR_27	farmer_adult	TOCDFLIC	Lead	1.1291E-006	1.2287E-006
RCPTR_27	farmer_adult	TOCDFLIC	Mercuric chloride	5.6566E-008	5.8361E-008
RCPTR_27	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.8586E-017	1.1074E-015
RCPTR_27	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.9953E-018	6.4279E-017
RCPTR_27	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.2939E-014	1.1802E-012
RCPTR_27	farmer_adult	TOCDFLIC	Methyl mercury	8.9509E-010	9.1345E-010
RCPTR_27	farmer_adult	TOCDFLIC	Methylene chloride	9.9033E-013	1.5954E-011
RCPTR_27	farmer_adult	TOCDFLIC	Naphthalene	3.3399E-012	5.0249E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Nickel	1.2717E-005	1.3522E-005
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.1980E-011	3.4592E-010
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.1295E-012	8.2303E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.3314E-012	2.1232E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrobenzene	2.1201E-012	3.4222E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.8568E-012	7.8049E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.7080E-011	5.4811E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2265E-012	1.9309E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.2222E-012	1.8979E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.2465E-013	1.7080E-012
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.3664E-011	3.5170E-011
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.3419E-011	3.4880E-011
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.2614E-010	4.4087E-010
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.1710E-011	6.5433E-011
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.3689E-010	2.5076E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorobenzene	7.9255E-010	6.6475E-009
RCPTR_27	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.9081E-011	5.2626E-010
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorophenol	4.7100E-008	6.4193E-008
RCPTR_27	farmer_adult	TOCDFLIC	Phenanthrene	1.9054E-012	2.6238E-011
RCPTR_27	farmer_adult	TOCDFLIC	Phenol	1.7119E-012	2.7118E-011
RCPTR_27	farmer_adult	TOCDFLIC	Pronamide	2.0066E-010	2.6000E-009
RCPTR_27	farmer_adult	TOCDFLIC	Pyrene	1.3091E-007	6.3213E-007
RCPTR_27	farmer_adult	TOCDFLIC	Selenium	7.9496E-006	7.9874E-006
RCPTR_27	farmer_adult	TOCDFLIC	Silver	2.1138E-005	2.2454E-005
RCPTR_27	farmer_adult	TOCDFLIC	Styrene	8.4500E-015	1.3309E-013
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.4741E-011	5.9336E-011
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.4510E-011	1.6235E-011
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.9652E-010	2.1126E-009
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.4676E-012	9.3134E-012
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.5390E-016	5.5802E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.9442E-009	1.6358E-008
RCPTR_27	farmer_adult	TOCDFLIC	Thallium (l)	2.8167E-005	2.9359E-005
RCPTR_27	farmer_adult	TOCDFLIC	Toluene	1.1190E-011	1.6759E-010
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.3846E-012	8.0605E-011
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.3506E-014	5.3344E-013
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.8005E-014	2.8907E-013
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethylene	2.9771E-015	4.7008E-014
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.9055E-016	6.1779E-015
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.1675E-010	9.2888E-009
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.4356E-010	1.9273E-009
RCPTR_27	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.6942E-014	1.0700E-012
RCPTR_27	farmer_adult	TOCDFLIC	VX	4.2226E-011	4.3884E-011
RCPTR_27	farmer_adult	TOCDFLIC	Vinyl Chloride	8.8078E-020	1.4087E-018
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, m-	4.1466E-013	7.9662E-013
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, o-	2.2788E-013	5.0492E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, p-	4.0096E-013	9.9334E-013
RCPTR_27	farmer_adult	TOCDFLIC	Zinc	1.5483E-006	1.9121E-006
RCPTR_27	farmer_adult	TOCDFMPF	Acenaphthene	2.7241E-011	3.8663E-010
RCPTR_27	farmer_adult	TOCDFMPF	Acetone	2.7748E-016	4.4916E-015
RCPTR_27	farmer_adult	TOCDFMPF	Acetophenone	2.9410E-012	4.7276E-011
RCPTR_27	farmer_adult	TOCDFMPF	Aniline	1.8000E-013	2.8481E-012
RCPTR_27	farmer_adult	TOCDFMPF	Anthracene	2.7943E-010	3.9185E-009
RCPTR_27	farmer_adult	TOCDFMPF	Arsenic	3.4169E-007	3.5376E-007
RCPTR_27	farmer_adult	TOCDFMPF	Barium	1.2106E-007	1.3540E-007
RCPTR_27	farmer_adult	TOCDFMPF	Benzene	1.5791E-015	2.4784E-014
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.1248E-007	4.3565E-007
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.6843E-006	6.9221E-006
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.0262E-006	3.5277E-006
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.9960E-006	9.2301E-006
RCPTR_27	farmer_adult	TOCDFMPF	Benzoic acid	6.2196E-012	5.1721E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Benzyl alcohol	1.4242E-012	2.2815E-011
RCPTR_27	farmer_adult	TOCDFMPF	Beryllium	4.5955E-008	4.8600E-008
RCPTR_27	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.9847E-013	6.4495E-012
RCPTR_27	farmer_adult	TOCDFMPF	Bromodichloromethane	8.1227E-015	1.3073E-013
RCPTR_27	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.7925E-013	4.5028E-012
RCPTR_27	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.0373E-008	3.0711E-007
RCPTR_27	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.9614E-009	3.4100E-009
RCPTR_27	farmer_adult	TOCDFMPF	Cadmium	2.7688E-007	3.7671E-007
RCPTR_27	farmer_adult	TOCDFMPF	Carbon disulfide	5.4610E-016	8.6674E-015
RCPTR_27	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.3835E-015	6.8605E-014
RCPTR_27	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	8.7499E-011	5.5235E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.3196E-012	2.0770E-011
RCPTR_27	farmer_adult	TOCDFMPF	Chlorobenzene	2.6177E-014	4.0154E-013
RCPTR_27	farmer_adult	TOCDFMPF	Chloroethane	8.3577E-017	1.1313E-015
RCPTR_27	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.3701E-015	5.4148E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.6486E-011	9.6951E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenol, 2-	4.4597E-012	7.2015E-011
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.5599E-010	2.2194E-009
RCPTR_27	farmer_adult	TOCDFMPF	Chromium	6.0138E-006	6.0313E-006
RCPTR_27	farmer_adult	TOCDFMPF	Chromium, hexavalent	5.4780E-006	5.5617E-006
RCPTR_27	farmer_adult	TOCDFMPF	Chrysene	1.1119E-006	1.2653E-006
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.0177E-007	1.1703E-007
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.2093E+001	4.2093E+001
RCPTR_27	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.2643E-004	2.2941E-004
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.3699E-013	3.1064E-012
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.4901E-013	3.4989E-012
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.3365E-013	3.3486E-012
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.8385E-009	9.5876E-009
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.7240E-018	9.0019E-017
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.4082E-015	2.2658E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7468E-015	2.8147E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	5.3941E-016	8.5800E-015
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	8.6848E-016	1.3793E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	8.2397E-011	3.5843E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	4.9546E-015	7.7631E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.5979E-015	2.5603E-014
RCPTR_27	farmer_adult	TOCDFMPF	Diethyl phthalate	1.2155E-008	1.2641E-008
RCPTR_27	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.1724E-013	8.3286E-012
RCPTR_27	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.4301E-012	5.2648E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.2842E-011	2.9490E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.3989E-011	1.6987E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.0799E-012	1.1868E-010
RCPTR_27	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	7.4849E-013	1.2102E-011
RCPTR_27	farmer_adult	TOCDFMPF	Ethylbenzene	1.9012E-014	2.4629E-013
RCPTR_27	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.3824E-009	1.6013E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Fluoranthene	8.4019E-009	3.7116E-008
RCPTR_27	farmer_adult	TOCDFMPF	Fluorene	9.6443E-011	1.2646E-009
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.5221E-012	2.6073E-012
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3269E-011	1.3624E-011
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.2197E-011	1.2599E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.3391E-011	3.4331E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.9972E-011	2.0706E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.6271E-011	1.6963E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.5036E-011	3.6738E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1958E-010	1.2536E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.0067E-010	1.0549E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2142E-011	1.2727E-011
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	9.4468E-012	9.8409E-011
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.5639E-008	1.7666E-007
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.3803E-011	3.2473E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.3060E-012	7.5337E-011
RCPTR_27	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3633E-003	1.3684E-003
RCPTR_27	farmer_adult	TOCDFMPF	Isophorone	2.2582E-013	3.6274E-012
RCPTR_27	farmer_adult	TOCDFMPF	Lead	1.7854E-006	1.9429E-006
RCPTR_27	farmer_adult	TOCDFMPF	Mercuric chloride	6.1017E-008	6.2952E-008
RCPTR_27	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.0757E-017	8.1950E-016
RCPTR_27	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.9567E-018	4.7570E-017
RCPTR_27	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2278E-015	1.9867E-014
RCPTR_27	farmer_adult	TOCDFMPF	Methyl mercury	9.6600E-010	9.8580E-010
RCPTR_27	farmer_adult	TOCDFMPF	Methylene chloride	3.2344E-016	5.2104E-015
RCPTR_27	farmer_adult	TOCDFMPF	Naphthalene	2.8191E-012	4.2413E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nickel	6.6802E-006	7.1032E-006
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.7296E-012	4.2959E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.1613E-013	8.2812E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 4-	5.9489E-013	9.4862E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nitrobenzene	7.2583E-013	1.1716E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 2-	5.8731E-013	9.4380E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.4222E-011	4.9028E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.2347E-012	8.2413E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.7637E-013	4.2917E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	8.1180E-014	1.1121E-012
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.5882E-012	2.7040E-012
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.5484E-013	2.6599E-013
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.0437E-011	7.2872E-011
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.1962E-011	4.4494E-011
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.9046E-011	3.0747E-011
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorobenzene	6.7563E-010	5.6645E-009
RCPTR_27	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.9446E-011	2.2423E-010
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorophenol	2.8100E-008	3.8299E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Phenanthrene	2.0072E-013	2.7640E-012
RCPTR_27	farmer_adult	TOCDFMPF	Phenol	5.6121E-013	8.8902E-012
RCPTR_27	farmer_adult	TOCDFMPF	Pronamide	8.5644E-010	1.1097E-008
RCPTR_27	farmer_adult	TOCDFMPF	Pyrene	9.6180E-009	4.6441E-008
RCPTR_27	farmer_adult	TOCDFMPF	Selenium	2.5099E-006	2.5219E-006
RCPTR_27	farmer_adult	TOCDFMPF	Silver	6.6850E-007	7.1010E-007
RCPTR_27	farmer_adult	TOCDFMPF	Styrene	1.2910E-013	2.0334E-012
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3795E-011	2.5792E-011
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	9.7861E-012	1.0949E-011
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.3878E-010	9.0170E-009
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	5.4898E-014	8.7050E-013
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.2310E-015	8.2481E-014
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.5324E-009	6.9689E-009
RCPTR_27	farmer_adult	TOCDFMPF	Thallium (l)	4.5342E-005	4.7261E-005
RCPTR_27	farmer_adult	TOCDFMPF	Toluene	7.2484E-015	1.0856E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.1569E-012	2.7230E-011
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.3471E-015	5.3287E-014
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.5375E-014	4.0740E-013
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethylene	4.1958E-015	6.6251E-014
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.5042E-016	8.7069E-015
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.1126E-010	4.1670E-009
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.5662E-010	8.7863E-010
RCPTR_27	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	9.4344E-014	1.5080E-012
RCPTR_27	farmer_adult	TOCDFMPF	VX	5.8467E-011	6.0761E-011
RCPTR_27	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3457E-018	2.1522E-017
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, m-	3.2818E-013	6.3010E-013
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, o-	2.8347E-013	6.2767E-013
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, p-	3.1733E-013	7.8558E-013
RCPTR_27	farmer_adult	TOCDHVAC	VX	3.5536E-011	3.6937E-011
RCPTR_27	farmer_adult	TOCDLIC2	Acenaphthene	1.4850E-010	2.1077E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Acetone	6.5119E-012	1.0541E-010
RCPTR_27	farmer_adult	TOCDLIC2	Acetophenone	6.8905E-013	1.1076E-011
RCPTR_27	farmer_adult	TOCDLIC2	Aniline	4.2173E-014	6.6729E-013
RCPTR_27	farmer_adult	TOCDLIC2	Anthracene	2.6525E-009	3.7198E-008
RCPTR_27	farmer_adult	TOCDLIC2	Antimony	6.4730E-006	7.5107E-006
RCPTR_27	farmer_adult	TOCDLIC2	Arsenic	7.0339E-006	7.2824E-006
RCPTR_27	farmer_adult	TOCDLIC2	Barium	1.0806E-006	1.2087E-006
RCPTR_27	farmer_adult	TOCDLIC2	Benzene	8.9753E-015	1.4086E-013
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3729E-006	4.7026E-006
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.9141E-005	4.0533E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.0824E-005	2.4276E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.0389E-005	6.1959E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzoic acid	3.2363E-011	2.6912E-010
RCPTR_27	farmer_adult	TOCDLIC2	Benzyl alcohol	1.7950E-010	2.8755E-009
RCPTR_27	farmer_adult	TOCDLIC2	Beryllium	3.6478E-007	3.8577E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.3558E-013	1.5143E-011
RCPTR_27	farmer_adult	TOCDLIC2	Bromodichloromethane	5.4954E-016	8.8443E-015
RCPTR_27	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	5.2735E-013	8.5033E-012
RCPTR_27	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.3005E-008	5.3594E-007
RCPTR_27	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.2325E-008	2.5708E-008
RCPTR_27	farmer_adult	TOCDLIC2	Cadmium	8.6839E-008	1.1815E-007
RCPTR_27	farmer_adult	TOCDLIC2	Carbon disulfide	3.6946E-017	5.8639E-016
RCPTR_27	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.9656E-016	4.6414E-015
RCPTR_27	farmer_adult	TOCDLIC2	Chlorine	8.1022E-007	1.3121E-005
RCPTR_27	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.0414E-010	1.2886E-009
RCPTR_27	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.4711E-012	7.0372E-011
RCPTR_27	farmer_adult	TOCDLIC2	Chlorobenzene	1.7710E-015	2.7166E-014
RCPTR_27	farmer_adult	TOCDLIC2	Chloroethane	5.9302E-017	8.0272E-016
RCPTR_27	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.2801E-016	3.6634E-015
RCPTR_27	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.7738E-010	5.5031E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2096E-011	1.9532E-010
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1495E-009	7.1670E-009
RCPTR_27	farmer_adult	TOCDLIC2	Chromium	5.5268E-006	5.5429E-006
RCPTR_27	farmer_adult	TOCDLIC2	Chromium, hexavalent	5.0344E-006	5.1113E-006
RCPTR_27	farmer_adult	TOCDLIC2	Chrysene	1.0739E-005	1.2221E-005
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	8.6872E-008	9.9898E-008
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.6729E+001	4.6729E+001
RCPTR_27	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.5362E-004	8.6485E-004
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.7961E-013	8.9081E-012
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.6594E-013	1.0762E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.2272E-013	1.0358E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.6150E-008	3.1986E-008
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.0614E-018	6.3873E-017
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	9.2171E-017	1.4831E-015
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2394E-015	1.9972E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.8273E-016	6.0879E-015
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.1623E-016	9.7866E-015
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.1004E-010	9.1365E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.3520E-016	5.2521E-015
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0810E-016	1.7322E-015
RCPTR_27	farmer_adult	TOCDLIC2	Diethyl phthalate	5.6786E-009	5.9056E-009
RCPTR_27	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0675E-011	1.4405E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.6831E-012	1.3328E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.6705E-012	1.5318E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.0134E-011	1.2306E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.2451E-012	9.4702E-011
RCPTR_27	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.7537E-013	2.8354E-012
RCPTR_27	farmer_adult	TOCDLIC2	Ethylbenzene	1.1294E-014	1.4630E-013
RCPTR_27	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	7.9773E-009	9.2409E-009
RCPTR_27	farmer_adult	TOCDLIC2	Fluoranthene	1.0782E-007	4.7635E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Fluorene	6.3213E-010	8.2893E-009
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.2902E-011	2.3676E-011
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.7326E-010	2.8058E-010
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.3624E-010	6.5718E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.9179E-010	1.9719E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1469E-010	1.1890E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.4781E-011	9.8811E-011
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2945E-010	1.3574E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1240E-010	1.1784E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1543E-010	1.2097E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.5004E-011	9.9579E-011
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.6804E-011	1.7506E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.1368E-008	3.5434E-007
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.8525E-011	4.6621E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.5294E-012	1.0691E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2547E-003	6.2782E-003
RCPTR_27	farmer_adult	TOCDLIC2	Isophorone	1.2623E-012	2.0276E-011
RCPTR_27	farmer_adult	TOCDLIC2	Lead	1.1291E-006	1.2287E-006
RCPTR_27	farmer_adult	TOCDLIC2	Mercuric chloride	5.6566E-008	5.8361E-008
RCPTR_27	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.8586E-017	1.1074E-015
RCPTR_27	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.0004E-019	3.2183E-018
RCPTR_27	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.2939E-014	1.1802E-012
RCPTR_27	farmer_adult	TOCDLIC2	Methyl mercury	8.9509E-010	9.1345E-010
RCPTR_27	farmer_adult	TOCDLIC2	Methylene chloride	9.9033E-013	1.5954E-011
RCPTR_27	farmer_adult	TOCDLIC2	Naphthalene	3.3399E-012	5.0249E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nickel	1.2717E-005	1.3522E-005
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.1980E-011	3.4592E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.1295E-012	8.2303E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.6693E-012	1.0635E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Nitrobenzene	2.1201E-012	3.4222E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.6961E-013	1.5581E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3564E-010	2.7455E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2265E-012	1.9309E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2222E-012	1.8979E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.2465E-013	1.7080E-012
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.3664E-011	3.5170E-011
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.3419E-011	3.4880E-011
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.2614E-010	4.4087E-010
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.1710E-011	6.5433E-011
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3689E-010	2.5076E-010
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.5822E-010	1.3271E-009
RCPTR_27	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.9081E-011	5.2626E-010
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorophenol	2.3593E-007	3.2155E-007
RCPTR_27	farmer_adult	TOCDLIC2	Phenanthrene	1.9054E-012	2.6238E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Phenol	1.7119E-012	2.7118E-011
RCPTR_27	farmer_adult	TOCDLIC2	Pronamide	2.0066E-010	2.6000E-009
RCPTR_27	farmer_adult	TOCDLIC2	Pyrene	1.3091E-007	6.3213E-007
RCPTR_27	farmer_adult	TOCDLIC2	Selenium	7.9496E-006	7.9874E-006
RCPTR_27	farmer_adult	TOCDLIC2	Silver	2.1138E-005	2.2454E-005
RCPTR_27	farmer_adult	TOCDLIC2	Styrene	8.4500E-015	1.3309E-013
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	5.4741E-011	5.9336E-011
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4510E-011	1.6235E-011
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.9652E-010	2.1126E-009
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.4676E-012	9.3134E-012
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.5390E-016	5.5802E-015
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.9442E-009	1.6358E-008
RCPTR_27	farmer_adult	TOCDLIC2	Thallium (l)	2.8167E-005	2.9359E-005
RCPTR_27	farmer_adult	TOCDLIC2	Toluene	1.1190E-011	1.6759E-010
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.3846E-012	8.0605E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.3506E-014	5.3344E-013
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.8005E-014	2.8907E-013
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethylene	2.9771E-015	4.7008E-014
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.9055E-016	6.1779E-015
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.1675E-010	9.2888E-009
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.4356E-010	1.9273E-009
RCPTR_27	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.6942E-014	1.0700E-012
RCPTR_27	farmer_adult	TOCDLIC2	VX	4.3899E-011	4.5621E-011
RCPTR_27	farmer_adult	TOCDLIC2	Vinyl Chloride	8.8078E-020	1.4087E-018
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, m-	4.1466E-013	7.9662E-013
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, o-	2.2788E-013	5.0492E-013
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, p-	4.0096E-013	9.9334E-013
RCPTR_27	farmer_adult	TOCDLIC2	Zinc	1.5483E-006	1.9121E-006
RCPTR_27	farmer_child	TOCDFBRA	Antimony	3.7349E-006	4.0723E-006
RCPTR_27	farmer_child	TOCDFBRA	Arsenic	6.0432E-006	6.1737E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFBRA	Barium	5.1011E-007	5.4508E-007
RCPTR_27	farmer_child	TOCDFBRA	Beryllium	1.6233E-006	1.6623E-006
RCPTR_27	farmer_child	TOCDFBRA	Cadmium	3.0630E-007	3.5879E-007
RCPTR_27	farmer_child	TOCDFBRA	Chromium	3.8318E-006	3.9062E-006
RCPTR_27	farmer_child	TOCDFBRA	Chromium, hexavalent	3.5686E-006	3.6025E-006
RCPTR_27	farmer_child	TOCDFBRA	Lead	1.6728E-005	1.7359E-005
RCPTR_27	farmer_child	TOCDFBRA	Mercuric chloride	1.5758E-003	1.8231E-003
RCPTR_27	farmer_child	TOCDFBRA	Methyl mercury	2.9255E-005	3.0026E-005
RCPTR_27	farmer_child	TOCDFBRA	Nickel	1.9963E-005	2.0661E-005
RCPTR_27	farmer_child	TOCDFBRA	Selenium	6.7517E-006	6.7718E-006
RCPTR_27	farmer_child	TOCDFBRA	Silver	2.2921E-006	2.3794E-006
RCPTR_27	farmer_child	TOCDFBRA	Thallium (l)	6.1827E-005	6.3260E-005
RCPTR_27	farmer_child	TOCDFBRA	Zinc	1.1001E-005	1.2345E-005
RCPTR_27	farmer_child	TOCDFDFS	Acenaphthene	1.5659E-009	3.7540E-009
RCPTR_27	farmer_child	TOCDFDFS	Acetone	3.1285E-013	7.5993E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Acetophenone	8.1271E-012	1.9728E-011
RCPTR_27	farmer_child	TOCDFDFS	Aniline	4.9035E-013	1.1885E-012
RCPTR_27	farmer_child	TOCDFDFS	Anthracene	2.7674E-008	6.6255E-008
RCPTR_27	farmer_child	TOCDFDFS	Antimony	4.7512E-007	5.1810E-007
RCPTR_27	farmer_child	TOCDFDFS	Aroclor 1254	3.5267E-010	4.8618E-010
RCPTR_27	farmer_child	TOCDFDFS	Arsenic	8.9680E-007	9.1620E-007
RCPTR_27	farmer_child	TOCDFDFS	Barium	4.3204E-006	4.6170E-006
RCPTR_27	farmer_child	TOCDFDFS	Benzene	2.6283E-014	6.3654E-014
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.2245E-006	8.3943E-006
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.1241E-005	7.2535E-005
RCPTR_27	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.0235E-005	4.3322E-005
RCPTR_27	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.0969E-004	1.1083E-004
RCPTR_27	farmer_child	TOCDFDFS	Benzoic acid	1.3898E-010	3.0999E-010
RCPTR_27	farmer_child	TOCDFDFS	Benzyl alcohol	1.7218E-011	4.1781E-011
RCPTR_27	farmer_child	TOCDFDFS	Beryllium	2.0255E-007	2.0743E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.1104E-011	2.6971E-011
RCPTR_27	farmer_child	TOCDFDFS	Bromodichloromethane	5.5804E-014	1.3548E-013
RCPTR_27	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.9218E-012	4.6664E-012
RCPTR_27	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.2945E-007	9.5457E-007
RCPTR_27	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.5748E-007	1.7154E-007
RCPTR_27	farmer_child	TOCDFDFS	Cadmium	3.4747E-007	4.0709E-007
RCPTR_27	farmer_child	TOCDFDFS	Carbon disulfide	7.4481E-015	1.8058E-014
RCPTR_27	farmer_child	TOCDFDFS	Carbon tetrachloride	2.9364E-014	7.1097E-014
RCPTR_27	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0838E-009	2.2950E-009
RCPTR_27	farmer_child	TOCDFDFS	Chloroaniline, p-	5.1739E-011	1.2534E-010
RCPTR_27	farmer_child	TOCDFDFS	Chlorobenzene	8.6253E-014	2.0843E-013
RCPTR_27	farmer_child	TOCDFDFS	Chloroethane	6.9856E-016	1.6662E-015
RCPTR_27	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.1579E-014	2.8106E-014
RCPTR_27	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.0770E-009	9.8016E-009
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.4325E-010	3.4789E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.0471E-009	1.2768E-008
RCPTR_27	farmer_child	TOCDFDFS	Chromium	2.4831E-006	2.5314E-006
RCPTR_27	farmer_child	TOCDFDFS	Chromium, hexavalent	2.3123E-006	2.3343E-006
RCPTR_27	farmer_child	TOCDFDFS	Chrysene	2.0617E-005	2.1806E-005
RCPTR_27	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.5337E-007	2.7592E-007
RCPTR_27	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.7157E+003	2.7157E+003
RCPTR_27	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5398E-003	1.5491E-003
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.4621E-012	3.4747E-012
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.2029E-012	1.2460E-011
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.4209E-012	8.2095E-012
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9875E-008	3.3724E-008
RCPTR_27	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.4732E-017	1.3258E-016
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.8445E-015	1.1761E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.0174E-015	1.4610E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.2108E-015	1.2636E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.3779E-015	2.0314E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	6.1412E-010	1.1878E-009
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.7215E-014	1.1433E-013
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.4765E-015	1.3290E-014
RCPTR_27	farmer_child	TOCDFDFS	Diethyl phthalate	5.2887E-008	5.4194E-008
RCPTR_27	farmer_child	TOCDFDFS	Dimethyl phthalate	5.2576E-011	1.2535E-010
RCPTR_27	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	9.8226E-011	2.3738E-010
RCPTR_27	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	8.7231E-011	1.3504E-010
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.0155E-011	4.7461E-011
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.5373E-011	3.6520E-011
RCPTR_27	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.0793E-012	5.0501E-012
RCPTR_27	farmer_child	TOCDFDFS	Ethylbenzene	1.0755E-013	2.5524E-013
RCPTR_27	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.3134E-009	4.7147E-009
RCPTR_27	farmer_child	TOCDFDFS	Fluoranthene	4.7217E-007	8.4870E-007
RCPTR_27	farmer_child	TOCDFDFS	Fluorene	6.2125E-009	1.4764E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.2731E-012	4.3330E-012
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.4994E-012	5.5609E-012
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2891E-011	1.3067E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.4058E-011	3.4457E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.0556E-011	2.0868E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.7099E-011	1.7398E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.2930E-011	2.3384E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.9903E-011	2.0295E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.0423E-011	2.0823E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6815E-011	1.7146E-011
RCPTR_27	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.3510E-010	3.1185E-010
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorobenzene	2.7150E-007	6.3114E-007
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.8020E-009	4.1111E-009
RCPTR_27	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.9420E-011	1.9041E-010
RCPTR_27	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1175E-002	1.1196E-002
RCPTR_27	farmer_child	TOCDFDFS	Isophorone	1.4878E-011	3.6114E-011
RCPTR_27	farmer_child	TOCDFDFS	Lead	2.3859E-006	2.4760E-006
RCPTR_27	farmer_child	TOCDFDFS	Mercuric chloride	1.2539E-006	1.4568E-006
RCPTR_27	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.9700E-016	1.2069E-015
RCPTR_27	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	9.5728E-018	2.3239E-017
RCPTR_27	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.8027E-014	1.4095E-013
RCPTR_27	farmer_child	TOCDFDFS	Methyl mercury	2.2355E-008	2.2987E-008
RCPTR_27	farmer_child	TOCDFDFS	Methylene chloride	3.2338E-013	7.8515E-013
RCPTR_27	farmer_child	TOCDFDFS	Naphthalene	9.8094E-011	2.3658E-010
RCPTR_27	farmer_child	TOCDFDFS	Nickel	2.7460E-005	2.8422E-005
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.5133E-010	6.0886E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 3-	5.9687E-011	1.4486E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 4-	7.7174E-011	1.8719E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitrobenzene	2.5100E-011	6.0953E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.1433E-011	2.7752E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.2976E-010	4.8307E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.4196E-011	3.4391E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.3972E-011	3.3804E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.2746E-012	3.0429E-012
RCPTR_27	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0027E-011	1.0211E-011
RCPTR_27	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.0168E-012	3.0710E-012
RCPTR_27	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.6005E-011	6.6943E-011
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.0760E-012	6.2239E-012
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.3358E-011	2.3912E-011
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorobenzene	5.2489E-009	1.1711E-008
RCPTR_27	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.2268E-010	9.2726E-010
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorophenol	9.5177E-008	1.1427E-007
RCPTR_27	farmer_child	TOCDFDFS	Phenanthrene	1.9558E-011	4.6734E-011
RCPTR_27	farmer_child	TOCDFDFS	Phenol	1.9925E-011	4.8300E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Pronamide	3.9024E-009	9.2619E-009
RCPTR_27	farmer_child	TOCDFDFS	Pyrene	7.2383E-007	1.1260E-006
RCPTR_27	farmer_child	TOCDFDFS	Selenium	1.0019E-006	1.0049E-006
RCPTR_27	farmer_child	TOCDFDFS	Silver	1.3606E-006	1.4125E-006
RCPTR_27	farmer_child	TOCDFDFS	Styrene	1.0236E-012	2.4798E-012
RCPTR_27	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	3.0723E-011	3.1744E-011
RCPTR_27	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4784E-011	1.5466E-011
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.6228E-009	3.7628E-009
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2484E-010	1.4257E-010
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.5279E-014	8.5479E-014
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.7291E-008	2.8784E-008
RCPTR_27	farmer_child	TOCDFDFS	Thallium (l)	1.8124E-004	1.8545E-004
RCPTR_27	farmer_child	TOCDFDFS	Toluene	1.7470E-013	4.2116E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	7.2465E-011	1.7152E-010
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.2770E-014	5.5223E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.4721E-013	6.0002E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethylene	4.0264E-014	9.7572E-014
RCPTR_27	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.2907E-015	1.2823E-014
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	7.1935E-009	1.6544E-008
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.6636E-009	3.4325E-009
RCPTR_27	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	9.1541E-013	2.2209E-012
RCPTR_27	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.9356E-012	1.8810E-011
RCPTR_27	farmer_child	TOCDFDFS	VX	1.2249E-010	1.2546E-010
RCPTR_27	farmer_child	TOCDFDFS	Vinyl Chloride	6.7713E-018	1.6429E-017
RCPTR_27	farmer_child	TOCDFDFS	Xylene, m-	1.7191E-012	2.4468E-012
RCPTR_27	farmer_child	TOCDFDFS	Xylene, o-	1.6041E-012	2.4337E-012
RCPTR_27	farmer_child	TOCDFDFS	Xylene, p-	1.9141E-012	3.0427E-012
RCPTR_27	farmer_child	TOCDFLIC	Acenaphthene	8.7917E-010	2.1077E-009
RCPTR_27	farmer_child	TOCDFLIC	Acetone	4.3396E-011	1.0541E-010
RCPTR_27	farmer_child	TOCDFLIC	Acetophenone	4.5630E-012	1.1076E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Aniline	2.7531E-013	6.6729E-013
RCPTR_27	farmer_child	TOCDFLIC	Anthracene	1.5537E-008	3.7198E-008
RCPTR_27	farmer_child	TOCDFLIC	Antimony	6.8876E-006	7.5107E-006
RCPTR_27	farmer_child	TOCDFLIC	Arsenic	7.1282E-006	7.2824E-006
RCPTR_27	farmer_child	TOCDFLIC	Barium	1.1310E-006	1.2087E-006
RCPTR_27	farmer_child	TOCDFLIC	Benzene	5.8163E-014	1.4086E-013
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.0462E-006	4.7026E-006
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.9813E-005	4.0533E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2545E-005	2.4276E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.1331E-005	6.1959E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzoic acid	1.2066E-010	2.6912E-010
RCPTR_27	farmer_child	TOCDFLIC	Benzyl alcohol	1.1850E-009	2.8755E-009
RCPTR_27	farmer_child	TOCDFLIC	Beryllium	3.7670E-007	3.8577E-007
RCPTR_27	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.2342E-012	1.5143E-011
RCPTR_27	farmer_child	TOCDFLIC	Bromodichloromethane	3.6430E-015	8.8443E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.5019E-012	8.5033E-012
RCPTR_27	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.9725E-007	5.3594E-007
RCPTR_27	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3587E-008	2.5708E-008
RCPTR_27	farmer_child	TOCDFLIC	Cadmium	1.0085E-007	1.1815E-007
RCPTR_27	farmer_child	TOCDFLIC	Carbon disulfide	2.4186E-016	5.8639E-016
RCPTR_27	farmer_child	TOCDFLIC	Carbon tetrachloride	1.9170E-015	4.6414E-015
RCPTR_27	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.0860E-010	1.2886E-009
RCPTR_27	farmer_child	TOCDFLIC	Chloroaniline, p-	2.9049E-011	7.0372E-011
RCPTR_27	farmer_child	TOCDFLIC	Chlorobenzene	1.1242E-014	2.7166E-014
RCPTR_27	farmer_child	TOCDFLIC	Chloroethane	3.3656E-016	8.0272E-016
RCPTR_27	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.5092E-015	3.6634E-015
RCPTR_27	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.2890E-009	5.5031E-009
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.0429E-011	1.9532E-010
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.3937E-009	7.1670E-009
RCPTR_27	farmer_child	TOCDFLIC	Chromium	5.4372E-006	5.5429E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Chromium, hexavalent	5.0632E-006	5.1113E-006
RCPTR_27	farmer_child	TOCDFLIC	Chrysene	1.1554E-005	1.2221E-005
RCPTR_27	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.1730E-008	9.9898E-008
RCPTR_27	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.6729E+001	4.6729E+001
RCPTR_27	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.5980E-004	8.6485E-004
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.7484E-012	8.9081E-012
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.4941E-012	1.0762E-011
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.3161E-012	1.0358E-011
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8327E-008	3.1986E-008
RCPTR_27	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.6368E-017	6.3873E-017
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane 1,1-	6.3144E-016	1.5329E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.2257E-015	1.9972E-014
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.5105E-015	6.0879E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.0363E-015	9.7866E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.7245E-010	9.1365E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.1689E-015	5.2521E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.1380E-016	1.7322E-015
RCPTR_27	farmer_child	TOCDFLIC	Diethyl phthalate	5.7633E-009	5.9056E-009
RCPTR_27	farmer_child	TOCDFLIC	Dimethyl phthalate	6.0416E-011	1.4405E-010
RCPTR_27	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.5149E-011	1.3328E-010
RCPTR_27	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	9.8954E-012	1.5318E-011
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.2250E-011	1.2306E-010
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.9862E-011	9.4702E-011
RCPTR_27	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.1674E-012	2.8354E-012
RCPTR_27	farmer_child	TOCDFLIC	Ethylbenzene	6.1646E-014	1.4630E-013
RCPTR_27	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.4485E-009	9.2409E-009
RCPTR_27	farmer_child	TOCDFLIC	Fluoranthene	2.6495E-007	4.7635E-007
RCPTR_27	farmer_child	TOCDFLIC	Fluorene	3.4878E-009	8.2893E-009
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.3351E-011	2.3676E-011
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.0415E-011	8.1305E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8789E-010	1.9043E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.9493E-010	1.9719E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1714E-010	1.1890E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.7122E-011	9.8811E-011
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.3310E-010	1.3574E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1556E-010	1.1784E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1865E-010	1.2097E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.7662E-011	9.9579E-011
RCPTR_27	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	7.5826E-011	1.7506E-010
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorobenzene	1.5242E-007	3.5434E-007
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.0430E-010	4.6621E-010
RCPTR_27	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.4591E-011	1.0691E-010
RCPTR_27	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2670E-003	6.2782E-003
RCPTR_27	farmer_child	TOCDFLIC	Isophorone	8.3534E-012	2.0276E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Lead	1.1840E-006	1.2287E-006
RCPTR_27	farmer_child	TOCDFLIC	Mercuric chloride	5.0194E-008	5.8361E-008
RCPTR_27	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.5599E-016	1.1074E-015
RCPTR_27	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.6478E-017	6.4279E-017
RCPTR_27	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.8588E-013	1.1802E-012
RCPTR_27	farmer_child	TOCDFLIC	Methyl mercury	8.8799E-010	9.1345E-010
RCPTR_27	farmer_child	TOCDFLIC	Methylene chloride	6.5708E-012	1.5954E-011
RCPTR_27	farmer_child	TOCDFLIC	Naphthalene	2.0835E-011	5.0249E-011
RCPTR_27	farmer_child	TOCDFLIC	Nickel	1.3064E-005	1.3522E-005
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.4279E-010	3.4592E-010
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.3911E-011	8.2303E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.7531E-012	2.1232E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrobenzene	1.4092E-011	3.4222E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.2154E-011	7.8049E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.7422E-011	5.4811E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.9702E-012	1.9309E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.8447E-012	1.8979E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.1515E-013	1.7080E-012
RCPTR_27	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.4538E-011	3.5170E-011
RCPTR_27	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.4266E-011	3.4880E-011
RCPTR_27	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.3472E-010	4.4087E-010
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.3878E-011	6.5433E-011
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.4495E-010	2.5076E-010
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorobenzene	2.9761E-009	6.6475E-009
RCPTR_27	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.3959E-010	5.2626E-010
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorophenol	5.3475E-008	6.4193E-008
RCPTR_27	farmer_child	TOCDFLIC	Phenanthrene	1.0980E-011	2.6238E-011
RCPTR_27	farmer_child	TOCDFLIC	Phenol	1.1187E-011	2.7118E-011
RCPTR_27	farmer_child	TOCDFLIC	Pronamide	1.0955E-009	2.6000E-009
RCPTR_27	farmer_child	TOCDFLIC	Pyrene	4.0632E-007	6.3213E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Selenium	7.9637E-006	7.9874E-006
RCPTR_27	farmer_child	TOCDFLIC	Silver	2.1629E-005	2.2454E-005
RCPTR_27	farmer_child	TOCDFLIC	Styrene	5.4936E-014	1.3309E-013
RCPTR_27	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.7424E-011	5.9336E-011
RCPTR_27	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5518E-011	1.6235E-011
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.1112E-010	2.1126E-009
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.1559E-012	9.3134E-012
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.3030E-015	5.5802E-015
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.8278E-009	1.6358E-008
RCPTR_27	farmer_child	TOCDFLIC	Thallium (l)	2.8693E-005	2.9359E-005
RCPTR_27	farmer_child	TOCDFLIC	Toluene	6.9520E-011	1.6759E-010
RCPTR_27	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.4065E-011	8.0605E-011
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.1995E-013	5.3344E-013
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.1910E-013	2.8907E-013
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethylene	1.9398E-014	4.7008E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.5489E-015	6.1779E-015
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.0391E-009	9.2888E-009
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	9.3422E-010	1.9273E-009
RCPTR_27	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.4102E-013	1.0700E-012
RCPTR_27	farmer_child	TOCDFLIC	VX	4.2844E-011	4.3884E-011
RCPTR_27	farmer_child	TOCDFLIC	Vinyl Chloride	5.8061E-019	1.4087E-018
RCPTR_27	farmer_child	TOCDFLIC	Xylene, m-	5.5711E-013	7.9662E-013
RCPTR_27	farmer_child	TOCDFLIC	Xylene, o-	3.3120E-013	5.0492E-013
RCPTR_27	farmer_child	TOCDFLIC	Xylene, p-	6.2189E-013	9.9334E-013
RCPTR_27	farmer_child	TOCDFLIC	Zinc	1.7036E-006	1.9121E-006
RCPTR_27	farmer_child	TOCDFMPF	Acenaphthene	1.6127E-010	3.8663E-010
RCPTR_27	farmer_child	TOCDFMPF	Acetone	1.8491E-015	4.4916E-015
RCPTR_27	farmer_child	TOCDFMPF	Acetophenone	1.9475E-011	4.7276E-011
RCPTR_27	farmer_child	TOCDFMPF	Aniline	1.1751E-012	2.8481E-012
RCPTR_27	farmer_child	TOCDFMPF	Anthracene	1.6367E-009	3.9185E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Arsenic	3.4627E-007	3.5376E-007
RCPTR_27	farmer_child	TOCDFMPF	Barium	1.2670E-007	1.3540E-007
RCPTR_27	farmer_child	TOCDFMPF	Benzene	1.0233E-014	2.4784E-014
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.7485E-007	4.3565E-007
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.7990E-006	6.9221E-006
RCPTR_27	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.2761E-006	3.5277E-006
RCPTR_27	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.1365E-006	9.2301E-006
RCPTR_27	farmer_child	TOCDFMPF	Benzoic acid	2.3189E-011	5.1721E-011
RCPTR_27	farmer_child	TOCDFMPF	Benzyl alcohol	9.4016E-012	2.2815E-011
RCPTR_27	farmer_child	TOCDFMPF	Beryllium	4.7457E-008	4.8600E-008
RCPTR_27	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.6552E-012	6.4495E-012
RCPTR_27	farmer_child	TOCDFMPF	Bromodichloromethane	5.3847E-014	1.3073E-013
RCPTR_27	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.8544E-012	4.5028E-012
RCPTR_27	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.7033E-007	3.0711E-007
RCPTR_27	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.1287E-009	3.4100E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Cadmium	3.2155E-007	3.7671E-007
RCPTR_27	farmer_child	TOCDFMPF	Carbon disulfide	3.5749E-015	8.6674E-015
RCPTR_27	farmer_child	TOCDFMPF	Carbon tetrachloride	2.8335E-014	6.8605E-014
RCPTR_27	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.6087E-010	5.5235E-010
RCPTR_27	farmer_child	TOCDFMPF	Chloroaniline, p-	8.5734E-012	2.0770E-011
RCPTR_27	farmer_child	TOCDFMPF	Chlorobenzene	1.6617E-013	4.0154E-013
RCPTR_27	farmer_child	TOCDFMPF	Chloroethane	4.7433E-016	1.1313E-015
RCPTR_27	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.2308E-014	5.4148E-014
RCPTR_27	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.0327E-010	9.6951E-010
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.9654E-011	7.2015E-011
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0509E-009	2.2194E-009
RCPTR_27	farmer_child	TOCDFMPF	Chromium	5.9163E-006	6.0313E-006
RCPTR_27	farmer_child	TOCDFMPF	Chromium, hexavalent	5.5093E-006	5.5617E-006
RCPTR_27	farmer_child	TOCDFMPF	Chrysene	1.1963E-006	1.2653E-006
RCPTR_27	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.0746E-007	1.1703E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.2093E+001	4.2093E+001
RCPTR_27	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.2807E-004	2.2941E-004
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.3071E-012	3.1064E-012
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.4611E-012	3.4989E-012
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.3953E-012	3.3486E-012
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.4908E-009	9.5876E-009
RCPTR_27	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.7162E-017	9.0019E-017
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane 1,1-	9.3332E-015	2.2658E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1593E-014	2.8147E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.5381E-015	8.5800E-015
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.6885E-015	1.3793E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.8534E-010	3.5843E-010
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.2059E-014	7.7631E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0551E-014	2.5603E-014
RCPTR_27	farmer_child	TOCDFMPF	Diethyl phthalate	1.2336E-008	1.2641E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Dimethyl phthalate	3.4931E-012	8.3286E-012
RCPTR_27	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.1786E-011	5.2648E-011
RCPTR_27	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.9051E-011	2.9490E-011
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.2125E-011	1.6987E-010
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.9955E-011	1.1868E-010
RCPTR_27	farmer_child	TOCDFMPF	Ethyl methanesulfonate	4.9827E-012	1.2102E-011
RCPTR_27	farmer_child	TOCDFMPF	Ethylbenzene	1.0377E-013	2.4629E-013
RCPTR_27	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4640E-009	1.6013E-009
RCPTR_27	farmer_child	TOCDFMPF	Fluoranthene	2.0645E-008	3.7116E-008
RCPTR_27	farmer_child	TOCDFMPF	Fluorene	5.3212E-010	1.2646E-009
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.5715E-012	2.6073E-012
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3475E-011	1.3624E-011
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.2430E-011	1.2599E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.3936E-011	3.4331E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.0399E-011	2.0706E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.6673E-011	1.6963E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.6025E-011	3.6738E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2294E-010	1.2536E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.0347E-010	1.0549E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2482E-011	1.2727E-011
RCPTR_27	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.2625E-011	9.8409E-011
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorobenzene	7.5991E-008	1.7666E-007
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.4230E-010	3.2473E-010
RCPTR_27	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.1424E-011	7.5337E-011
RCPTR_27	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3660E-003	1.3684E-003
RCPTR_27	farmer_child	TOCDFMPF	Isophorone	1.4944E-012	3.6274E-012
RCPTR_27	farmer_child	TOCDFMPF	Lead	1.8723E-006	1.9429E-006
RCPTR_27	farmer_child	TOCDFMPF	Mercuric chloride	5.4146E-008	6.2952E-008
RCPTR_27	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.3746E-016	8.1950E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.9595E-017	4.7570E-017
RCPTR_27	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.1792E-015	1.9867E-014
RCPTR_27	farmer_child	TOCDFMPF	Methyl mercury	9.5834E-010	9.8580E-010
RCPTR_27	farmer_child	TOCDFMPF	Methylene chloride	2.1460E-015	5.2104E-015
RCPTR_27	farmer_child	TOCDFMPF	Naphthalene	1.7586E-011	4.2413E-011
RCPTR_27	farmer_child	TOCDFMPF	Nickel	6.8628E-006	7.1032E-006
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.7733E-011	4.2959E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.4121E-012	8.2812E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.9109E-012	9.4862E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitrobenzene	4.8247E-012	1.1716E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.8881E-012	9.4380E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.3473E-011	4.9028E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.4018E-011	8.2413E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.7739E-012	4.2917E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.6567E-013	1.1121E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.6554E-012	2.7040E-012
RCPTR_27	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.6131E-013	2.6599E-013
RCPTR_27	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.1855E-011	7.2872E-011
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.3436E-011	4.4494E-011
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.0035E-011	3.0747E-011
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorobenzene	2.5362E-009	5.6645E-009
RCPTR_27	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.0209E-010	2.2423E-010
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorophenol	3.1904E-008	3.8299E-008
RCPTR_27	farmer_child	TOCDFMPF	Phenanthrene	1.1567E-012	2.7640E-012
RCPTR_27	farmer_child	TOCDFMPF	Phenol	3.6675E-012	8.8902E-012
RCPTR_27	farmer_child	TOCDFMPF	Pronamide	4.6758E-009	1.1097E-008
RCPTR_27	farmer_child	TOCDFMPF	Pyrene	2.9852E-008	4.6441E-008
RCPTR_27	farmer_child	TOCDFMPF	Selenium	2.5144E-006	2.5219E-006
RCPTR_27	farmer_child	TOCDFMPF	Silver	6.8402E-007	7.1010E-007
RCPTR_27	farmer_child	TOCDFMPF	Styrene	8.3930E-013	2.0334E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.4961E-011	2.5792E-011
RCPTR_27	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.0466E-011	1.0949E-011
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.8888E-009	9.0170E-009
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.5908E-013	8.7050E-013
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.4041E-014	8.2481E-014
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.1870E-009	6.9689E-009
RCPTR_27	farmer_child	TOCDFMPF	Thallium (l)	4.6189E-005	4.7261E-005
RCPTR_27	farmer_child	TOCDFMPF	Toluene	4.5032E-014	1.0856E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1508E-011	2.7230E-011
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.1972E-014	5.3287E-014
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.6785E-013	4.0740E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethylene	2.7339E-014	6.6251E-014
RCPTR_27	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.5923E-015	8.7069E-015
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.8120E-009	4.1670E-009
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.2589E-010	8.7863E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	6.2155E-013	1.5080E-012
RCPTR_27	farmer_child	TOCDFMPF	VX	5.9322E-011	6.0761E-011
RCPTR_27	farmer_child	TOCDFMPF	Vinyl Chloride	8.8705E-018	2.1522E-017
RCPTR_27	farmer_child	TOCDFMPF	Xylene, m-	4.4078E-013	6.3010E-013
RCPTR_27	farmer_child	TOCDFMPF	Xylene, o-	4.1184E-013	6.2767E-013
RCPTR_27	farmer_child	TOCDFMPF	Xylene, p-	4.9196E-013	7.8558E-013
RCPTR_27	farmer_child	TOCDHVAC	VX	3.6058E-011	3.6937E-011
RCPTR_27	farmer_child	TOCDLIC2	Acenaphthene	8.7917E-010	2.1077E-009
RCPTR_27	farmer_child	TOCDLIC2	Acetone	4.3396E-011	1.0541E-010
RCPTR_27	farmer_child	TOCDLIC2	Acetophenone	4.5630E-012	1.1076E-011
RCPTR_27	farmer_child	TOCDLIC2	Aniline	2.7531E-013	6.6729E-013
RCPTR_27	farmer_child	TOCDLIC2	Anthracene	1.5537E-008	3.7198E-008
RCPTR_27	farmer_child	TOCDLIC2	Antimony	6.8876E-006	7.5107E-006
RCPTR_27	farmer_child	TOCDLIC2	Arsenic	7.1282E-006	7.2824E-006
RCPTR_27	farmer_child	TOCDLIC2	Barium	1.1310E-006	1.2087E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Benzene	5.8163E-014	1.4086E-013
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.0462E-006	4.7026E-006
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.9813E-005	4.0533E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2545E-005	2.4276E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.1331E-005	6.1959E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzoic acid	1.2066E-010	2.6912E-010
RCPTR_27	farmer_child	TOCDLIC2	Benzyl alcohol	1.1850E-009	2.8755E-009
RCPTR_27	farmer_child	TOCDLIC2	Beryllium	3.7670E-007	3.8577E-007
RCPTR_27	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.2342E-012	1.5143E-011
RCPTR_27	farmer_child	TOCDLIC2	Bromodichloromethane	3.6430E-015	8.8443E-015
RCPTR_27	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.5019E-012	8.5033E-012
RCPTR_27	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.9725E-007	5.3594E-007
RCPTR_27	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.3587E-008	2.5708E-008
RCPTR_27	farmer_child	TOCDLIC2	Cadmium	1.0085E-007	1.1815E-007
RCPTR_27	farmer_child	TOCDLIC2	Carbon disulfide	2.4186E-016	5.8639E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Carbon tetrachloride	1.9170E-015	4.6414E-015
RCPTR_27	farmer_child	TOCDLIC2	Chlorine	5.4015E-006	1.3121E-005
RCPTR_27	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.0860E-010	1.2886E-009
RCPTR_27	farmer_child	TOCDLIC2	Chloroaniline, p-	2.9049E-011	7.0372E-011
RCPTR_27	farmer_child	TOCDLIC2	Chlorobenzene	1.1242E-014	2.7166E-014
RCPTR_27	farmer_child	TOCDLIC2	Chloroethane	3.3656E-016	8.0272E-016
RCPTR_27	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.5092E-015	3.6634E-015
RCPTR_27	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.2890E-009	5.5031E-009
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.0429E-011	1.9532E-010
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.3937E-009	7.1670E-009
RCPTR_27	farmer_child	TOCDLIC2	Chromium	5.4372E-006	5.5429E-006
RCPTR_27	farmer_child	TOCDLIC2	Chromium, hexavalent	5.0632E-006	5.1113E-006
RCPTR_27	farmer_child	TOCDLIC2	Chrysene	1.1554E-005	1.2221E-005
RCPTR_27	farmer_child	TOCDLIC2	Di-n-butyl phthalate	9.1730E-008	9.9898E-008
RCPTR_27	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.6729E+001	4.6729E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.5980E-004	8.6485E-004
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.7484E-012	8.9081E-012
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.4941E-012	1.0762E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.3161E-012	1.0358E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8327E-008	3.1986E-008
RCPTR_27	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.6368E-017	6.3873E-017
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane 1,1-	6.1090E-016	1.4831E-015
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.2257E-015	1.9972E-014
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.5105E-015	6.0879E-015
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.0363E-015	9.7866E-015
RCPTR_27	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.7245E-010	9.1365E-010
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.1689E-015	5.2521E-015
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.1380E-016	1.7322E-015
RCPTR_27	farmer_child	TOCDLIC2	Diethyl phthalate	5.7633E-009	5.9056E-009
RCPTR_27	farmer_child	TOCDLIC2	Dimethyl phthalate	6.0416E-011	1.4405E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.5149E-011	1.3328E-010
RCPTR_27	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	9.8954E-012	1.5318E-011
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.2250E-011	1.2306E-010
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.9862E-011	9.4702E-011
RCPTR_27	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.1674E-012	2.8354E-012
RCPTR_27	farmer_child	TOCDLIC2	Ethylbenzene	6.1646E-014	1.4630E-013
RCPTR_27	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.4485E-009	9.2409E-009
RCPTR_27	farmer_child	TOCDLIC2	Fluoranthene	2.6495E-007	4.7635E-007
RCPTR_27	farmer_child	TOCDLIC2	Fluorene	3.4878E-009	8.2893E-009
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.3351E-011	2.3676E-011
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.7751E-010	2.8058E-010
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.4840E-010	6.5718E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.9493E-010	1.9719E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1714E-010	1.1890E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.7122E-011	9.8811E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.3310E-010	1.3574E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1556E-010	1.1784E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1865E-010	1.2097E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.7662E-011	9.9579E-011
RCPTR_27	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.5826E-011	1.7506E-010
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorobenzene	1.5242E-007	3.5434E-007
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.0430E-010	4.6621E-010
RCPTR_27	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.4591E-011	1.0691E-010
RCPTR_27	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2670E-003	6.2782E-003
RCPTR_27	farmer_child	TOCDLIC2	Isophorone	8.3534E-012	2.0276E-011
RCPTR_27	farmer_child	TOCDLIC2	Lead	1.1840E-006	1.2287E-006
RCPTR_27	farmer_child	TOCDLIC2	Mercuric chloride	5.0194E-008	5.8361E-008
RCPTR_27	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.5599E-016	1.1074E-015
RCPTR_27	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.3257E-018	3.2183E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.8588E-013	1.1802E-012
RCPTR_27	farmer_child	TOCDLIC2	Methyl mercury	8.8799E-010	9.1345E-010
RCPTR_27	farmer_child	TOCDLIC2	Methylene chloride	6.5708E-012	1.5954E-011
RCPTR_27	farmer_child	TOCDLIC2	Naphthalene	2.0835E-011	5.0249E-011
RCPTR_27	farmer_child	TOCDLIC2	Nickel	1.3064E-005	1.3522E-005
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.4279E-010	3.4592E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.3911E-011	8.2303E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.3845E-011	1.0635E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitrobenzene	1.4092E-011	3.4222E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.4190E-012	1.5581E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.8745E-010	2.7455E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.9702E-012	1.9309E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.8447E-012	1.8979E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.1515E-013	1.7080E-012
RCPTR_27	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.4538E-011	3.5170E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.4266E-011	3.4880E-011
RCPTR_27	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.3472E-010	4.4087E-010
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.3878E-011	6.5433E-011
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.4495E-010	2.5076E-010
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorobenzene	5.9415E-010	1.3271E-009
RCPTR_27	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.3959E-010	5.2626E-010
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorophenol	2.6786E-007	3.2155E-007
RCPTR_27	farmer_child	TOCDLIC2	Phenanthrene	1.0980E-011	2.6238E-011
RCPTR_27	farmer_child	TOCDLIC2	Phenol	1.1187E-011	2.7118E-011
RCPTR_27	farmer_child	TOCDLIC2	Pronamide	1.0955E-009	2.6000E-009
RCPTR_27	farmer_child	TOCDLIC2	Pyrene	4.0632E-007	6.3213E-007
RCPTR_27	farmer_child	TOCDLIC2	Selenium	7.9637E-006	7.9874E-006
RCPTR_27	farmer_child	TOCDLIC2	Silver	2.1629E-005	2.2454E-005
RCPTR_27	farmer_child	TOCDLIC2	Styrene	5.4936E-014	1.3309E-013
RCPTR_27	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	5.7424E-011	5.9336E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5518E-011	1.6235E-011
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.1112E-010	2.1126E-009
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.1559E-012	9.3134E-012
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3030E-015	5.5802E-015
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.8278E-009	1.6358E-008
RCPTR_27	farmer_child	TOCDLIC2	Thallium (l)	2.8693E-005	2.9359E-005
RCPTR_27	farmer_child	TOCDLIC2	Toluene	6.9520E-011	1.6759E-010
RCPTR_27	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.4065E-011	8.0605E-011
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.1995E-013	5.3344E-013
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.1910E-013	2.8907E-013
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethylene	1.9398E-014	4.7008E-014
RCPTR_27	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.5489E-015	6.1779E-015
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.0391E-009	9.2888E-009
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	9.3422E-010	1.9273E-009
RCPTR_27	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.4102E-013	1.0700E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	VX	4.4541E-011	4.5621E-011
RCPTR_27	farmer_child	TOCDLIC2	Vinyl Chloride	5.8061E-019	1.4087E-018
RCPTR_27	farmer_child	TOCDLIC2	Xylene, m-	5.5711E-013	7.9662E-013
RCPTR_27	farmer_child	TOCDLIC2	Xylene, o-	3.3120E-013	5.0492E-013
RCPTR_27	farmer_child	TOCDLIC2	Xylene, p-	6.2189E-013	9.9334E-013
RCPTR_27	farmer_child	TOCDLIC2	Zinc	1.7036E-006	1.9121E-006
RCPTR_28	farmer_adult	TOCDFBRA	Antimony	2.7114E-006	3.1452E-006
RCPTR_28	farmer_adult	TOCDFBRA	Arsenic	4.6060E-006	4.7684E-006
RCPTR_28	farmer_adult	TOCDFBRA	Barium	3.7646E-007	4.2098E-007
RCPTR_28	farmer_adult	TOCDFBRA	Beryllium	1.2142E-006	1.2839E-006
RCPTR_28	farmer_adult	TOCDFBRA	Cadmium	2.0375E-007	2.7708E-007
RCPTR_28	farmer_adult	TOCDFBRA	Chromium	3.0082E-006	3.0169E-006
RCPTR_28	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.7407E-006	2.7825E-006
RCPTR_28	farmer_adult	TOCDFBRA	Lead	1.2322E-005	1.3407E-005
RCPTR_28	farmer_adult	TOCDFBRA	Mercuric chloride	1.2112E-003	1.2480E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFBRA	Methyl mercury	2.0520E-005	2.0896E-005
RCPTR_28	farmer_adult	TOCDFBRA	Nickel	1.5009E-005	1.5958E-005
RCPTR_28	farmer_adult	TOCDFBRA	Selenium	5.2056E-006	5.2303E-006
RCPTR_28	farmer_adult	TOCDFBRA	Silver	1.7302E-006	1.8377E-006
RCPTR_28	farmer_adult	TOCDFBRA	Thallium (l)	4.6880E-005	4.8860E-005
RCPTR_28	farmer_adult	TOCDFBRA	Zinc	7.7231E-006	9.5342E-006
RCPTR_28	farmer_adult	TOCDFDFS	Acenaphthene	2.8416E-010	4.0329E-009
RCPTR_28	farmer_adult	TOCDFDFS	Acetone	5.0434E-014	8.1639E-013
RCPTR_28	farmer_adult	TOCDFDFS	Acetophenone	1.3185E-012	2.1194E-011
RCPTR_28	farmer_adult	TOCDFDFS	Aniline	8.0698E-014	1.2768E-012
RCPTR_28	farmer_adult	TOCDFDFS	Anthracene	5.0746E-009	7.1174E-008
RCPTR_28	farmer_adult	TOCDFDFS	Antimony	4.9790E-007	5.7737E-007
RCPTR_28	farmer_adult	TOCDFDFS	Aroclor 1254	2.8947E-010	5.1820E-010
RCPTR_28	farmer_adult	TOCDFDFS	Arsenic	9.8680E-007	1.0215E-006
RCPTR_28	farmer_adult	TOCDFDFS	Barium	4.6029E-006	5.1460E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Benzene	4.3573E-015	6.8384E-014
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.4464E-006	8.9884E-006
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.4651E-005	7.7285E-005
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.9839E-005	4.6434E-005
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.1525E-004	1.1821E-004
RCPTR_28	farmer_adult	TOCDFDFS	Benzoic acid	4.0114E-011	3.3309E-010
RCPTR_28	farmer_adult	TOCDFDFS	Benzyl alcohol	2.8019E-012	4.4885E-011
RCPTR_28	farmer_adult	TOCDFDFS	Beryllium	2.1868E-007	2.3122E-007
RCPTR_28	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.7902E-012	2.8975E-011
RCPTR_28	farmer_adult	TOCDFDFS	Bromodichloromethane	9.0432E-015	1.4554E-013
RCPTR_28	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.1089E-013	5.0130E-012
RCPTR_28	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.0141E-007	1.0255E-006
RCPTR_28	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.5768E-007	1.8176E-007
RCPTR_28	farmer_adult	TOCDFDFS	Cadmium	3.3360E-007	4.5338E-007
RCPTR_28	farmer_adult	TOCDFDFS	Carbon disulfide	1.2223E-015	1.9400E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.8806E-015	7.6380E-014
RCPTR_28	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.9149E-010	2.4666E-009
RCPTR_28	farmer_adult	TOCDFDFS	Chloroaniline, p-	8.5558E-012	1.3465E-010
RCPTR_28	farmer_adult	TOCDFDFS	Chlorobenzene	1.4598E-014	2.2391E-013
RCPTR_28	farmer_adult	TOCDFDFS	Chloroethane	1.3232E-016	1.7900E-015
RCPTR_28	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.8793E-015	3.0195E-014
RCPTR_28	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	7.2221E-010	1.0530E-008
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.3145E-011	3.7373E-010
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.1995E-009	1.3714E-008
RCPTR_28	farmer_adult	TOCDFDFS	Chromium	2.8135E-006	2.8217E-006
RCPTR_28	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.5639E-006	2.6028E-006
RCPTR_28	farmer_adult	TOCDFDFS	Chrysene	2.0551E-005	2.3383E-005
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.5810E-007	2.9673E-007
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.9301E+003	2.9301E+003
RCPTR_28	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.6603E-003	1.6831E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.8488E-013	3.7329E-012
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	9.5287E-013	1.3386E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.1551E-013	8.8195E-012
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9452E-008	3.6033E-008
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	9.0544E-018	1.4243E-016
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.8524E-016	1.2635E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	9.7407E-016	1.5696E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.5348E-016	1.3575E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.3742E-015	2.1823E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.9416E-010	1.2770E-009
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.8397E-015	1.2283E-013
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	8.9100E-016	1.4277E-014
RCPTR_28	farmer_adult	TOCDFDFS	Diethyl phthalate	5.6221E-008	5.8460E-008
RCPTR_28	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.9758E-012	1.3465E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.6618E-011	2.5502E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.3338E-011	1.4524E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.1919E-012	5.0973E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.0008E-012	3.9230E-011
RCPTR_28	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	3.3555E-013	5.4252E-012
RCPTR_28	farmer_adult	TOCDFDFS	Ethylbenzene	2.1173E-014	2.7420E-013
RCPTR_28	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.3007E-009	4.9877E-009
RCPTR_28	farmer_adult	TOCDFDFS	Fluoranthene	2.0635E-007	9.1146E-007
RCPTR_28	farmer_adult	TOCDFDFS	Fluorene	1.2097E-009	1.5861E-008
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.3734E-012	4.5193E-012
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.7027E-012	5.8532E-012
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.3222E-011	1.3652E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.5337E-011	3.6319E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.1012E-011	2.1776E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.7292E-011	1.8021E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.3119E-011	2.4236E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0082E-011	2.1048E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.0638E-011	2.1623E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6980E-011	1.7794E-011
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.2126E-011	3.3494E-010
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorobenzene	6.0032E-008	6.7801E-007
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.5905E-010	4.4152E-009
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.4414E-011	2.0456E-010
RCPTR_28	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2060E-002	1.2107E-002
RCPTR_28	farmer_adult	TOCDFDFS	Isophorone	2.4154E-012	3.8797E-011
RCPTR_28	farmer_adult	TOCDFDFS	Lead	2.5365E-006	2.7593E-006
RCPTR_28	farmer_adult	TOCDFDFS	Mercuric chloride	1.4986E-006	1.5464E-006
RCPTR_28	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.0307E-017	1.2966E-015
RCPTR_28	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.5517E-018	2.4966E-017
RCPTR_28	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.3581E-015	1.5142E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Methyl mercury	2.3499E-008	2.3988E-008
RCPTR_28	farmer_adult	TOCDFDFS	Methylene chloride	5.2360E-014	8.4348E-013
RCPTR_28	farmer_adult	TOCDFDFS	Naphthalene	1.6895E-011	2.5416E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nickel	2.9806E-005	3.1685E-005
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 2-	4.1561E-011	6.5409E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 3-	9.6991E-012	1.5562E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.2608E-011	2.0109E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitrobenzene	4.0566E-012	6.5481E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.8553E-012	2.9814E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.5731E-010	5.1997E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.3470E-012	3.6946E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.3389E-012	3.6316E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.3762E-013	3.2672E-012
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0069E-011	1.0516E-011
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.0304E-012	3.1620E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.8818E-011	7.1177E-011
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.2323E-012	6.6073E-012
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.3848E-011	2.5241E-011
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.4862E-009	1.2557E-008
RCPTR_28	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2948E-010	9.9394E-010
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorophenol	9.0431E-008	1.2314E-007
RCPTR_28	farmer_adult	TOCDFDFS	Phenanthrene	3.6463E-012	5.0206E-011
RCPTR_28	farmer_adult	TOCDFDFS	Phenol	3.2758E-012	5.1889E-011
RCPTR_28	farmer_adult	TOCDFDFS	Pronamide	7.6827E-010	9.9503E-009
RCPTR_28	farmer_adult	TOCDFDFS	Pyrene	2.5061E-007	1.2096E-006
RCPTR_28	farmer_adult	TOCDFDFS	Selenium	1.1153E-006	1.1206E-006
RCPTR_28	farmer_adult	TOCDFDFS	Silver	1.4828E-006	1.5746E-006
RCPTR_28	farmer_adult	TOCDFDFS	Styrene	1.6914E-013	2.6640E-012
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.1143E-011	3.3755E-011
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4753E-011	1.6506E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.7636E-010	4.0427E-009
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2331E-010	1.5369E-010
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.8230E-015	9.1828E-014
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1273E-008	3.0963E-008
RCPTR_28	farmer_adult	TOCDFDFS	Thallium (l)	1.9840E-004	2.0676E-004
RCPTR_28	farmer_adult	TOCDFDFS	Toluene	3.0214E-014	4.5245E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.4561E-011	1.8427E-010
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.7265E-015	5.9325E-014
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.0148E-014	6.4459E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethylene	6.6388E-015	1.0482E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.7090E-016	1.3776E-014
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7566E-009	1.7776E-008
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	6.5894E-010	3.6894E-009
RCPTR_28	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.4927E-013	2.3859E-012
RCPTR_28	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.5622E-012	2.0192E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	VX	1.3025E-010	1.3534E-010
RCPTR_28	farmer_adult	TOCDFDFS	Vinyl Chloride	1.1033E-018	1.7649E-017
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, m-	1.3210E-012	2.5677E-012
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, o-	1.1415E-012	2.5628E-012
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, p-	1.2785E-012	3.2120E-012
RCPTR_28	farmer_adult	TOCDFLIC	Acenaphthene	1.6119E-010	2.2880E-009
RCPTR_28	farmer_adult	TOCDFLIC	Acetone	7.0693E-012	1.1443E-010
RCPTR_28	farmer_adult	TOCDFLIC	Acetophenone	7.4803E-013	1.2024E-011
RCPTR_28	farmer_adult	TOCDFLIC	Aniline	4.5784E-014	7.2440E-013
RCPTR_28	farmer_adult	TOCDFLIC	Anthracene	2.8780E-009	4.0380E-008
RCPTR_28	farmer_adult	TOCDFLIC	Antimony	7.2965E-006	8.4609E-006
RCPTR_28	farmer_adult	TOCDFLIC	Arsenic	7.9291E-006	8.2079E-006
RCPTR_28	farmer_adult	TOCDFLIC	Barium	1.2181E-006	1.3618E-006
RCPTR_28	farmer_adult	TOCDFLIC	Benzene	9.7439E-015	1.5292E-013
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.6479E-006	5.0892E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.2169E-005	4.3651E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.2560E-005	2.6298E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.5141E-005	6.6798E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzoic acid	3.5206E-011	2.9223E-010
RCPTR_28	farmer_adult	TOCDFLIC	Benzyl alcohol	1.9487E-010	3.1216E-009
RCPTR_28	farmer_adult	TOCDFLIC	Beryllium	4.1113E-007	4.3469E-007
RCPTR_28	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0157E-012	1.6439E-011
RCPTR_28	farmer_adult	TOCDFLIC	Bromodichloromethane	5.9657E-016	9.6012E-015
RCPTR_28	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.7249E-013	9.2311E-012
RCPTR_28	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.7525E-008	5.8179E-007
RCPTR_28	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.3859E-008	2.7530E-008
RCPTR_28	farmer_adult	TOCDFLIC	Cadmium	9.7878E-008	1.3301E-007
RCPTR_28	farmer_adult	TOCDFLIC	Carbon disulfide	4.0110E-017	6.3658E-016
RCPTR_28	farmer_adult	TOCDFLIC	Carbon tetrachloride	3.2196E-016	5.0387E-015
RCPTR_28	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.2225E-010	1.3996E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.8542E-012	7.6395E-011
RCPTR_28	farmer_adult	TOCDFLIC	Chlorobenzene	1.9226E-015	2.9491E-014
RCPTR_28	farmer_adult	TOCDFLIC	Chloroethane	6.4429E-017	8.7147E-016
RCPTR_28	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.4753E-016	3.9769E-015
RCPTR_28	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.0972E-010	5.9741E-009
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3131E-011	2.1204E-010
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2465E-009	7.7790E-009
RCPTR_28	farmer_adult	TOCDFLIC	Chromium	6.2276E-006	6.2457E-006
RCPTR_28	farmer_adult	TOCDFLIC	Chromium, hexavalent	5.6751E-006	5.7614E-006
RCPTR_28	farmer_adult	TOCDFLIC	Chrysene	1.1641E-005	1.3245E-005
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	9.4445E-008	1.0858E-007
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.0960E+001	5.0960E+001
RCPTR_28	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.3703E-004	9.4963E-004
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.3798E-013	9.6707E-012
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.3168E-013	1.1684E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.8471E-013	1.1244E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8219E-008	3.4542E-008
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.4071E-018	6.9338E-017
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.0342E-016	1.6641E-015
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3455E-015	2.1681E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	4.1551E-016	6.6090E-015
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.6901E-016	1.0624E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.2880E-010	9.9262E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.6392E-016	5.7016E-015
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1735E-016	1.8804E-015
RCPTR_28	farmer_adult	TOCDFLIC	Diethyl phthalate	6.1923E-009	6.4387E-009
RCPTR_28	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.1579E-011	1.5637E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.4287E-012	1.4468E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	7.2625E-012	1.6650E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.0967E-011	1.3356E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.8600E-012	1.0280E-010
RCPTR_28	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.9038E-013	3.0780E-012
RCPTR_28	farmer_adult	TOCDFLIC	Ethylbenzene	1.2263E-014	1.5883E-013
RCPTR_28	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.5092E-009	9.8800E-009
RCPTR_28	farmer_adult	TOCDFLIC	Fluoranthene	1.1694E-007	5.1697E-007
RCPTR_28	farmer_adult	TOCDFLIC	Fluorene	6.8617E-010	8.9986E-009
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.4152E-011	2.4951E-011
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.4285E-011	8.6487E-011
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9476E-010	2.0104E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.0443E-010	2.1006E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.2100E-010	1.2537E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.9235E-011	1.0340E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.3558E-010	1.4212E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1781E-010	1.2346E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.2114E-010	1.2691E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.9642E-011	1.0441E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8203E-011	1.9001E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.4046E-008	3.8466E-007
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.2525E-011	5.0596E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.1786E-012	1.1606E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8354E-003	6.8616E-003
RCPTR_28	farmer_adult	TOCDFLIC	Isophorone	1.3704E-012	2.2012E-011
RCPTR_28	farmer_adult	TOCDFLIC	Lead	1.2724E-006	1.3842E-006
RCPTR_28	farmer_adult	TOCDFLIC	Mercuric chloride	6.0659E-008	6.2604E-008
RCPTR_28	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.4456E-017	1.2021E-015
RCPTR_28	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	4.3371E-018	6.9780E-017
RCPTR_28	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.9182E-014	1.2812E-012
RCPTR_28	farmer_adult	TOCDFLIC	Methyl mercury	9.4326E-010	9.6315E-010
RCPTR_28	farmer_adult	TOCDFLIC	Methylene chloride	1.0751E-012	1.7319E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Naphthalene	3.6259E-012	5.4550E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nickel	1.4335E-005	1.5238E-005
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.3861E-011	3.7553E-010
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.5684E-012	8.9347E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.4448E-012	2.3048E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrobenzene	2.3015E-012	3.7151E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 2-	5.2725E-012	8.4729E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.9520E-011	5.9625E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3316E-012	2.0961E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.3271E-012	2.0604E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.3433E-013	1.8532E-012
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.5035E-011	3.6586E-011
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.4769E-011	3.6273E-011
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.5814E-010	4.7377E-010
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.6223E-011	7.0207E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.5275E-010	2.6752E-010
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.4688E-010	7.2029E-009
RCPTR_28	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.3742E-011	5.7005E-010
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorophenol	5.1358E-008	6.9914E-008
RCPTR_28	farmer_adult	TOCDFLIC	Phenanthrene	2.0684E-012	2.8484E-011
RCPTR_28	farmer_adult	TOCDFLIC	Phenol	1.8586E-012	2.9439E-011
RCPTR_28	farmer_adult	TOCDFLIC	Pronamide	2.1794E-010	2.8227E-009
RCPTR_28	farmer_adult	TOCDFLIC	Pyrene	1.4212E-007	6.8620E-007
RCPTR_28	farmer_adult	TOCDFLIC	Selenium	8.9613E-006	9.0038E-006
RCPTR_28	farmer_adult	TOCDFLIC	Silver	2.3828E-005	2.5304E-005
RCPTR_28	farmer_adult	TOCDFLIC	Styrene	9.1734E-015	1.4449E-013
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.8829E-011	6.3770E-011
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5649E-011	1.7512E-011
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.1354E-010	2.2936E-009
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.1430E-012	1.0147E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.8408E-016	6.0577E-015
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.4774E-009	1.7782E-008
RCPTR_28	farmer_adult	TOCDFLIC	Thallium (l)	3.1751E-005	3.3089E-005
RCPTR_28	farmer_adult	TOCDFLIC	Toluene	1.2149E-011	1.8194E-010
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.9317E-012	8.7504E-011
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.6375E-014	5.7909E-013
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.9546E-014	3.1381E-013
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethylene	3.2320E-015	5.1031E-014
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.2399E-016	6.7067E-015
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.9698E-010	1.0086E-008
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.7411E-010	2.0934E-009
RCPTR_28	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.2672E-014	1.1616E-012
RCPTR_28	farmer_adult	TOCDFLIC	VX	4.6049E-011	4.7848E-011
RCPTR_28	farmer_adult	TOCDFLIC	Vinyl Chloride	9.5584E-020	1.5293E-018
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, m-	4.3005E-013	8.4470E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, o-	2.3653E-013	5.3728E-013
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, p-	4.1658E-013	1.0596E-012
RCPTR_28	farmer_adult	TOCDFLIC	Zinc	1.7453E-006	2.1535E-006
RCPTR_28	farmer_adult	TOCDFMPF	Acenaphthene	2.9586E-011	4.1996E-010
RCPTR_28	farmer_adult	TOCDFMPF	Acetone	3.0140E-016	4.8788E-015
RCPTR_28	farmer_adult	TOCDFMPF	Acetophenone	3.1945E-012	5.1351E-011
RCPTR_28	farmer_adult	TOCDFMPF	Aniline	1.9553E-013	3.0936E-012
RCPTR_28	farmer_adult	TOCDFMPF	Anthracene	3.0336E-010	4.2561E-009
RCPTR_28	farmer_adult	TOCDFMPF	Arsenic	3.8506E-007	3.9860E-007
RCPTR_28	farmer_adult	TOCDFMPF	Barium	1.3642E-007	1.5251E-007
RCPTR_28	farmer_adult	TOCDFMPF	Benzene	1.7153E-015	2.6921E-014
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.3813E-007	4.7171E-007
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.2045E-006	7.4577E-006
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.2802E-006	3.8237E-006
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	9.7085E-006	9.9553E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Benzoic acid	6.7700E-012	5.6194E-011
RCPTR_28	farmer_adult	TOCDFMPF	Benzyl alcohol	1.5470E-012	2.4781E-011
RCPTR_28	farmer_adult	TOCDFMPF	Beryllium	5.1779E-008	5.4746E-008
RCPTR_28	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	4.3282E-013	7.0055E-012
RCPTR_28	farmer_adult	TOCDFMPF	Bromodichloromethane	8.8230E-015	1.4200E-013
RCPTR_28	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	3.0332E-013	4.8909E-012
RCPTR_28	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.2982E-008	3.3357E-007
RCPTR_28	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.1658E-009	3.6528E-009
RCPTR_28	farmer_adult	TOCDFMPF	Cadmium	3.1198E-007	4.2397E-007
RCPTR_28	farmer_adult	TOCDFMPF	Carbon disulfide	5.9320E-016	9.4146E-015
RCPTR_28	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.7617E-015	7.4519E-014
RCPTR_28	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	9.5322E-011	6.0025E-010
RCPTR_28	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.4335E-012	2.2560E-011
RCPTR_28	farmer_adult	TOCDFMPF	Chlorobenzene	2.8435E-014	4.3616E-013
RCPTR_28	farmer_adult	TOCDFMPF	Chloroethane	9.0855E-017	1.2289E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.6608E-015	5.8817E-014
RCPTR_28	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.2225E-011	1.0531E-009
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenol, 2-	4.8443E-012	7.8223E-011
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.8626E-010	2.4103E-009
RCPTR_28	farmer_adult	TOCDFMPF	Chromium	6.7743E-006	6.7940E-006
RCPTR_28	farmer_adult	TOCDFMPF	Chromium, hexavalent	6.1733E-006	6.2672E-006
RCPTR_28	farmer_adult	TOCDFMPF	Chrysene	1.2060E-006	1.3721E-006
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.1071E-007	1.2728E-007
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.5934E+001	4.5934E+001
RCPTR_28	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.4867E-004	2.5201E-004
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.5750E-013	3.3743E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.7054E-013	3.8006E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.5384E-013	3.6373E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.4625E-009	1.0359E-008
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.2148E-018	9.7777E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.5296E-015	2.4611E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8974E-015	3.0574E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	5.8593E-016	9.3197E-015
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	9.4341E-016	1.4982E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	8.9813E-011	3.8964E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	5.3822E-015	8.4323E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.7355E-015	2.7810E-014
RCPTR_28	farmer_adult	TOCDFMPF	Diethyl phthalate	1.3263E-008	1.3791E-008
RCPTR_28	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.6986E-013	9.0459E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.7268E-012	5.7188E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.3990E-011	3.2073E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5148E-011	1.8447E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.8561E-012	1.2891E-010
RCPTR_28	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	8.1303E-013	1.3145E-011
RCPTR_28	farmer_adult	TOCDFMPF	Ethylbenzene	2.0655E-014	2.6752E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4750E-009	1.7125E-009
RCPTR_28	farmer_adult	TOCDFMPF	Fluoranthene	9.1174E-009	4.0304E-008
RCPTR_28	farmer_adult	TOCDFMPF	Fluorene	1.0475E-010	1.3737E-009
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.6598E-012	2.7479E-012
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.4127E-011	1.4496E-011
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.2886E-011	1.3302E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.5599E-011	3.6579E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.1073E-011	2.1834E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.7035E-011	1.7749E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.6694E-011	3.8465E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2532E-010	1.3134E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.0564E-010	1.1067E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2734E-011	1.3343E-011
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0239E-011	1.0687E-010
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.6984E-008	1.9189E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.6608E-011	3.5262E-010
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.7668E-012	8.1835E-011
RCPTR_28	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.4908E-003	1.4965E-003
RCPTR_28	farmer_adult	TOCDFMPF	Isophorone	2.4530E-013	3.9401E-012
RCPTR_28	farmer_adult	TOCDFMPF	Lead	2.0114E-006	2.1881E-006
RCPTR_28	farmer_adult	TOCDFMPF	Mercuric chloride	6.5455E-008	6.7553E-008
RCPTR_28	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.5133E-017	8.9015E-016
RCPTR_28	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.2115E-018	5.1670E-017
RCPTR_28	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.3337E-015	2.1580E-014
RCPTR_28	farmer_adult	TOCDFMPF	Methyl mercury	1.0180E-009	1.0395E-009
RCPTR_28	farmer_adult	TOCDFMPF	Methylene chloride	3.5132E-016	5.6596E-015
RCPTR_28	farmer_adult	TOCDFMPF	Naphthalene	3.0623E-012	4.6070E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nickel	7.5280E-006	8.0024E-006
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.9649E-012	4.6662E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.6060E-013	8.9951E-012
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.4590E-013	1.0304E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrobenzene	7.8840E-013	1.2726E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 2-	6.3793E-013	1.0252E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.6422E-011	5.3366E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.6868E-012	8.9518E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.0025E-013	4.6617E-012
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	8.7519E-014	1.2074E-012
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.6931E-012	2.8123E-012
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.6509E-013	2.7657E-013
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.5757E-011	7.8342E-011
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.5047E-011	4.7757E-011
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.0999E-011	3.2810E-011
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorobenzene	7.2215E-010	6.1411E-009
RCPTR_28	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.1441E-011	2.4301E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorophenol	3.0661E-008	4.1738E-008
RCPTR_28	farmer_adult	TOCDFMPF	Phenanthrene	2.1802E-013	3.0023E-012
RCPTR_28	farmer_adult	TOCDFMPF	Phenol	6.0965E-013	9.6566E-012
RCPTR_28	farmer_adult	TOCDFMPF	Pronamide	9.3077E-010	1.2055E-008
RCPTR_28	farmer_adult	TOCDFMPF	Pyrene	1.0448E-008	5.0442E-008
RCPTR_28	farmer_adult	TOCDFMPF	Selenium	2.8285E-006	2.8419E-006
RCPTR_28	farmer_adult	TOCDFMPF	Silver	7.5334E-007	8.0001E-007
RCPTR_28	farmer_adult	TOCDFMPF	Styrene	1.4023E-013	2.2087E-012
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.5582E-011	2.7730E-011
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.0560E-011	1.1816E-011
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.1198E-010	9.7952E-009
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	5.9633E-014	9.4555E-013
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.6804E-015	8.9590E-014
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.7613E-009	7.5803E-009
RCPTR_28	farmer_adult	TOCDFMPF	Thallium (l)	5.1096E-005	5.3249E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Toluene	7.8743E-015	1.1792E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.3431E-012	2.9578E-011
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.6357E-015	5.7881E-014
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.7563E-014	4.4253E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethylene	4.5576E-015	7.1962E-014
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.9789E-016	9.4575E-015
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.4752E-010	4.5271E-009
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7065E-010	9.5490E-010
RCPTR_28	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.0248E-013	1.6380E-012
RCPTR_28	farmer_adult	TOCDFMPF	VX	6.3802E-011	6.6294E-011
RCPTR_28	farmer_adult	TOCDFMPF	Vinyl Chloride	1.4612E-018	2.3377E-017
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, m-	3.4029E-013	6.6824E-013
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, o-	2.9416E-013	6.6804E-013
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, p-	3.2962E-013	8.3823E-013
RCPTR_28	farmer_adult	TOCDHVAC	VX	2.7771E-011	2.8877E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Acenaphthene	1.6119E-010	2.2880E-009
RCPTR_28	farmer_adult	TOCDLIC2	Acetone	7.0693E-012	1.1443E-010
RCPTR_28	farmer_adult	TOCDLIC2	Acetophenone	7.4803E-013	1.2024E-011
RCPTR_28	farmer_adult	TOCDLIC2	Aniline	4.5784E-014	7.2440E-013
RCPTR_28	farmer_adult	TOCDLIC2	Anthracene	2.8780E-009	4.0380E-008
RCPTR_28	farmer_adult	TOCDLIC2	Antimony	7.2965E-006	8.4609E-006
RCPTR_28	farmer_adult	TOCDLIC2	Arsenic	7.9291E-006	8.2079E-006
RCPTR_28	farmer_adult	TOCDLIC2	Barium	1.2181E-006	1.3618E-006
RCPTR_28	farmer_adult	TOCDLIC2	Benzene	9.7439E-015	1.5292E-013
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.6479E-006	5.0892E-006
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.2169E-005	4.3651E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.2560E-005	2.6298E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.5141E-005	6.6798E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzoic acid	3.5206E-011	2.9223E-010
RCPTR_28	farmer_adult	TOCDLIC2	Benzyl alcohol	1.9487E-010	3.1216E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Beryllium	4.1113E-007	4.3469E-007
RCPTR_28	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0157E-012	1.6439E-011
RCPTR_28	farmer_adult	TOCDLIC2	Bromodichloromethane	5.9657E-016	9.6012E-015
RCPTR_28	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	5.7249E-013	9.2311E-012
RCPTR_28	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.7525E-008	5.8179E-007
RCPTR_28	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.3859E-008	2.7530E-008
RCPTR_28	farmer_adult	TOCDLIC2	Cadmium	9.7878E-008	1.3301E-007
RCPTR_28	farmer_adult	TOCDLIC2	Carbon disulfide	4.0110E-017	6.3658E-016
RCPTR_28	farmer_adult	TOCDLIC2	Carbon tetrachloride	3.2196E-016	5.0387E-015
RCPTR_28	farmer_adult	TOCDLIC2	Chlorine	8.7956E-007	1.4244E-005
RCPTR_28	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.2225E-010	1.3996E-009
RCPTR_28	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.8542E-012	7.6395E-011
RCPTR_28	farmer_adult	TOCDLIC2	Chlorobenzene	1.9226E-015	2.9491E-014
RCPTR_28	farmer_adult	TOCDLIC2	Chloroethane	6.4429E-017	8.7147E-016
RCPTR_28	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.4753E-016	3.9769E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.0972E-010	5.9741E-009
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3131E-011	2.1204E-010
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2465E-009	7.7790E-009
RCPTR_28	farmer_adult	TOCDLIC2	Chromium	6.2276E-006	6.2457E-006
RCPTR_28	farmer_adult	TOCDLIC2	Chromium, hexavalent	5.6751E-006	5.7614E-006
RCPTR_28	farmer_adult	TOCDLIC2	Chrysene	1.1641E-005	1.3245E-005
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	9.4445E-008	1.0858E-007
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.0960E+001	5.0960E+001
RCPTR_28	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.3703E-004	9.4963E-004
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.3798E-013	9.6707E-012
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.3168E-013	1.1684E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.8471E-013	1.1244E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8219E-008	3.4542E-008
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.4071E-018	6.9338E-017
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.0006E-016	1.6100E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3455E-015	2.1681E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	4.1551E-016	6.6090E-015
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.6901E-016	1.0624E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.2880E-010	9.9262E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.6392E-016	5.7016E-015
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1735E-016	1.8804E-015
RCPTR_28	farmer_adult	TOCDLIC2	Diethyl phthalate	6.1923E-009	6.4387E-009
RCPTR_28	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.1579E-011	1.5637E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.4287E-012	1.4468E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	7.2625E-012	1.6650E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.0967E-011	1.3356E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.8600E-012	1.0280E-010
RCPTR_28	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.9038E-013	3.0780E-012
RCPTR_28	farmer_adult	TOCDLIC2	Ethylbenzene	1.2263E-014	1.5883E-013
RCPTR_28	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.5092E-009	9.8800E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Fluoranthene	1.1694E-007	5.1697E-007
RCPTR_28	farmer_adult	TOCDLIC2	Fluorene	6.8617E-010	8.9986E-009
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.4152E-011	2.4951E-011
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.9087E-010	2.9846E-010
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.7213E-010	6.9379E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.0443E-010	2.1006E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2100E-010	1.2537E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.9235E-011	1.0340E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.3558E-010	1.4212E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1781E-010	1.2346E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.2114E-010	1.2691E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.9642E-011	1.0441E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8203E-011	1.9001E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.4046E-008	3.8466E-007
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.2525E-011	5.0596E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.1786E-012	1.1606E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8354E-003	6.8616E-003
RCPTR_28	farmer_adult	TOCDLIC2	Isophorone	1.3704E-012	2.2012E-011
RCPTR_28	farmer_adult	TOCDLIC2	Lead	1.2724E-006	1.3842E-006
RCPTR_28	farmer_adult	TOCDLIC2	Mercuric chloride	6.0659E-008	6.2604E-008
RCPTR_28	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.4456E-017	1.2021E-015
RCPTR_28	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.1715E-019	3.4937E-018
RCPTR_28	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.9182E-014	1.2812E-012
RCPTR_28	farmer_adult	TOCDLIC2	Methyl mercury	9.4326E-010	9.6315E-010
RCPTR_28	farmer_adult	TOCDLIC2	Methylene chloride	1.0751E-012	1.7319E-011
RCPTR_28	farmer_adult	TOCDLIC2	Naphthalene	3.6259E-012	5.4550E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nickel	1.4335E-005	1.5238E-005
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.3861E-011	3.7553E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.5684E-012	8.9347E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.2371E-012	1.1545E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitrobenzene	2.3015E-012	3.7151E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0526E-012	1.6915E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4787E-010	2.9867E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3316E-012	2.0961E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.3271E-012	2.0604E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.3433E-013	1.8532E-012
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.5035E-011	3.6586E-011
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.4769E-011	3.6273E-011
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.5814E-010	4.7377E-010
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.6223E-011	7.0207E-011
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.5275E-010	2.6752E-010
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.6907E-010	1.4380E-009
RCPTR_28	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.3742E-011	5.7005E-010
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorophenol	2.5726E-007	3.5021E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Phenanthrene	2.0684E-012	2.8484E-011
RCPTR_28	farmer_adult	TOCDLIC2	Phenol	1.8586E-012	2.9439E-011
RCPTR_28	farmer_adult	TOCDLIC2	Pronamide	2.1794E-010	2.8227E-009
RCPTR_28	farmer_adult	TOCDLIC2	Pyrene	1.4212E-007	6.8620E-007
RCPTR_28	farmer_adult	TOCDLIC2	Selenium	8.9613E-006	9.0038E-006
RCPTR_28	farmer_adult	TOCDLIC2	Silver	2.3828E-005	2.5304E-005
RCPTR_28	farmer_adult	TOCDLIC2	Styrene	9.1734E-015	1.4449E-013
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	5.8829E-011	6.3770E-011
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5649E-011	1.7512E-011
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.1354E-010	2.2936E-009
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.1430E-012	1.0147E-011
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.8408E-016	6.0577E-015
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.4774E-009	1.7782E-008
RCPTR_28	farmer_adult	TOCDLIC2	Thallium (l)	3.1751E-005	3.3089E-005
RCPTR_28	farmer_adult	TOCDLIC2	Toluene	1.2149E-011	1.8194E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.9317E-012	8.7504E-011
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.6375E-014	5.7909E-013
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.9546E-014	3.1381E-013
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethylene	3.2320E-015	5.1031E-014
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.2399E-016	6.7067E-015
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.9698E-010	1.0086E-008
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.7411E-010	2.0934E-009
RCPTR_28	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.2672E-014	1.1616E-012
RCPTR_28	farmer_adult	TOCDLIC2	VX	4.7873E-011	4.9743E-011
RCPTR_28	farmer_adult	TOCDLIC2	Vinyl Chloride	9.5584E-020	1.5293E-018
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, m-	4.3005E-013	8.4470E-013
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, o-	2.3653E-013	5.3728E-013
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, p-	4.1658E-013	1.0596E-012
RCPTR_28	farmer_adult	TOCDLIC2	Zinc	1.7453E-006	2.1535E-006
RCPTR_28	farmer_child	TOCDFBRA	Antimony	2.8847E-006	3.1452E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFBRA	Arsenic	4.6676E-006	4.7684E-006
RCPTR_28	farmer_child	TOCDFBRA	Barium	3.9399E-007	4.2098E-007
RCPTR_28	farmer_child	TOCDFBRA	Beryllium	1.2538E-006	1.2839E-006
RCPTR_28	farmer_child	TOCDFBRA	Cadmium	2.3656E-007	2.7708E-007
RCPTR_28	farmer_child	TOCDFBRA	Chromium	2.9595E-006	3.0169E-006
RCPTR_28	farmer_child	TOCDFBRA	Chromium, hexavalent	2.7563E-006	2.7825E-006
RCPTR_28	farmer_child	TOCDFBRA	Lead	1.2920E-005	1.3407E-005
RCPTR_28	farmer_child	TOCDFBRA	Mercuric chloride	1.0806E-003	1.2480E-003
RCPTR_28	farmer_child	TOCDFBRA	Methyl mercury	2.0374E-005	2.0896E-005
RCPTR_28	farmer_child	TOCDFBRA	Nickel	1.5419E-005	1.5958E-005
RCPTR_28	farmer_child	TOCDFBRA	Selenium	5.2148E-006	5.2303E-006
RCPTR_28	farmer_child	TOCDFBRA	Silver	1.7703E-006	1.8377E-006
RCPTR_28	farmer_child	TOCDFBRA	Thallium (l)	4.7753E-005	4.8860E-005
RCPTR_28	farmer_child	TOCDFBRA	Zinc	8.4962E-006	9.5342E-006
RCPTR_28	farmer_child	TOCDFDFS	Acenaphthene	1.6822E-009	4.0329E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Acetone	3.3609E-013	8.1639E-013
RCPTR_28	farmer_child	TOCDFDFS	Acetophenone	8.7309E-012	2.1194E-011
RCPTR_28	farmer_child	TOCDFDFS	Aniline	5.2678E-013	1.2768E-012
RCPTR_28	farmer_child	TOCDFDFS	Anthracene	2.9728E-008	7.1174E-008
RCPTR_28	farmer_child	TOCDFDFS	Antimony	5.2965E-007	5.7737E-007
RCPTR_28	farmer_child	TOCDFDFS	Aroclor 1254	3.7477E-010	5.1820E-010
RCPTR_28	farmer_child	TOCDFDFS	Arsenic	9.9997E-007	1.0215E-006
RCPTR_28	farmer_child	TOCDFDFS	Barium	4.8167E-006	5.1460E-006
RCPTR_28	farmer_child	TOCDFDFS	Benzene	2.8236E-014	6.8384E-014
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.7336E-006	8.9884E-006
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.5921E-005	7.7285E-005
RCPTR_28	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.3126E-005	4.6434E-005
RCPTR_28	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1703E-004	1.1821E-004
RCPTR_28	farmer_child	TOCDFDFS	Benzoic acid	1.4938E-010	3.3309E-010
RCPTR_28	farmer_child	TOCDFDFS	Benzyl alcohol	1.8497E-011	4.4885E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Beryllium	2.2580E-007	2.3122E-007
RCPTR_28	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.1929E-011	2.8975E-011
RCPTR_28	farmer_child	TOCDFDFS	Bromodichloromethane	5.9950E-014	1.4554E-013
RCPTR_28	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	2.0645E-012	5.0130E-012
RCPTR_28	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.6875E-007	1.0255E-006
RCPTR_28	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.6666E-007	1.8176E-007
RCPTR_28	farmer_child	TOCDFDFS	Cadmium	3.8719E-007	4.5338E-007
RCPTR_28	farmer_child	TOCDFDFS	Carbon disulfide	8.0014E-015	1.9400E-014
RCPTR_28	farmer_child	TOCDFDFS	Carbon tetrachloride	3.1546E-014	7.6380E-014
RCPTR_28	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1654E-009	2.4666E-009
RCPTR_28	farmer_child	TOCDFDFS	Chloroaniline, p-	5.5583E-011	1.3465E-010
RCPTR_28	farmer_child	TOCDFDFS	Chlorobenzene	9.2661E-014	2.2391E-013
RCPTR_28	farmer_child	TOCDFDFS	Chloroethane	7.5056E-016	1.7900E-015
RCPTR_28	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.2439E-014	3.0195E-014
RCPTR_28	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.3799E-009	1.0530E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.5390E-010	3.7373E-010
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.4937E-009	1.3714E-008
RCPTR_28	farmer_child	TOCDFDFS	Chromium	2.7681E-006	2.8217E-006
RCPTR_28	farmer_child	TOCDFDFS	Chromium, hexavalent	2.5784E-006	2.6028E-006
RCPTR_28	farmer_child	TOCDFDFS	Chrysene	2.2109E-005	2.3383E-005
RCPTR_28	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.7251E-007	2.9673E-007
RCPTR_28	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.9301E+003	2.9301E+003
RCPTR_28	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.6728E-003	1.6831E-003
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.5708E-012	3.7329E-012
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.5896E-012	1.3386E-011
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.6752E-012	8.8195E-012
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.1906E-008	3.6033E-008
RCPTR_28	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.8795E-017	1.4243E-016
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.2045E-015	1.2635E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.4645E-015	1.5696E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.5980E-015	1.3575E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.0004E-015	2.1823E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	6.6070E-010	1.2770E-009
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.0724E-014	1.2283E-013
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.8832E-015	1.4277E-014
RCPTR_28	farmer_child	TOCDFDFS	Diethyl phthalate	5.7056E-008	5.8460E-008
RCPTR_28	farmer_child	TOCDFDFS	Dimethyl phthalate	5.6473E-011	1.3465E-010
RCPTR_28	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.0553E-010	2.5502E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	9.3882E-011	1.4524E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.1639E-011	5.0973E-011
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.6512E-011	3.9230E-011
RCPTR_28	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.2337E-012	5.4252E-012
RCPTR_28	farmer_child	TOCDFDFS	Ethylbenzene	1.1554E-013	2.7420E-013
RCPTR_28	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.5569E-009	4.9877E-009
RCPTR_28	farmer_child	TOCDFDFS	Fluoranthene	5.0699E-007	9.1146E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Fluorene	6.6739E-009	1.5861E-008
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.4580E-012	4.5193E-012
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.7901E-012	5.8532E-012
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.3472E-011	1.3652E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.5907E-011	3.6319E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.1456E-011	2.1776E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.7716E-011	1.8021E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.3768E-011	2.4236E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0643E-011	2.1048E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.1210E-011	2.1623E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.7453E-011	1.7794E-011
RCPTR_28	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.4506E-010	3.3494E-010
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorobenzene	2.9166E-007	6.7801E-007
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.9345E-009	4.4152E-009
RCPTR_28	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	8.5329E-011	2.0456E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2084E-002	1.2107E-002
RCPTR_28	farmer_child	TOCDFDFS	Isophorone	1.5984E-011	3.8797E-011
RCPTR_28	farmer_child	TOCDFDFS	Lead	2.6593E-006	2.7593E-006
RCPTR_28	farmer_child	TOCDFDFS	Mercuric chloride	1.3288E-006	1.5464E-006
RCPTR_28	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.3392E-016	1.2966E-015
RCPTR_28	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.0284E-017	2.4966E-017
RCPTR_28	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.2338E-014	1.5142E-013
RCPTR_28	farmer_child	TOCDFDFS	Methyl mercury	2.3310E-008	2.3988E-008
RCPTR_28	farmer_child	TOCDFDFS	Methylene chloride	3.4741E-013	8.4348E-013
RCPTR_28	farmer_child	TOCDFDFS	Naphthalene	1.0538E-010	2.5416E-010
RCPTR_28	farmer_child	TOCDFDFS	Nickel	3.0617E-005	3.1685E-005
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.7000E-010	6.5409E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 3-	6.4121E-011	1.5562E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 4-	8.2902E-011	2.0109E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Nitrobenzene	2.6965E-011	6.5481E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.2282E-011	2.9814E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.5527E-010	5.1997E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.5251E-011	3.6946E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.5011E-011	3.6316E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.3675E-012	3.2672E-012
RCPTR_28	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0328E-011	1.0516E-011
RCPTR_28	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.1067E-012	3.1620E-012
RCPTR_28	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.0192E-011	7.1177E-011
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.4507E-012	6.6073E-012
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.4658E-011	2.5241E-011
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorobenzene	5.6151E-009	1.2557E-008
RCPTR_28	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.5188E-010	9.9394E-010
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorophenol	1.0263E-007	1.2314E-007
RCPTR_28	farmer_child	TOCDFDFS	Phenanthrene	2.1010E-011	5.0206E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Phenol	2.1406E-011	5.1889E-011
RCPTR_28	farmer_child	TOCDFDFS	Pronamide	4.1927E-009	9.9503E-009
RCPTR_28	farmer_child	TOCDFDFS	Pyrene	7.7757E-007	1.2096E-006
RCPTR_28	farmer_child	TOCDFDFS	Selenium	1.1172E-006	1.1206E-006
RCPTR_28	farmer_child	TOCDFDFS	Silver	1.5170E-006	1.5746E-006
RCPTR_28	farmer_child	TOCDFDFS	Styrene	1.0996E-012	2.6640E-012
RCPTR_28	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	3.2668E-011	3.3755E-011
RCPTR_28	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.5777E-011	1.6506E-011
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.7437E-009	4.0427E-009
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.3464E-010	1.5369E-010
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.7898E-014	9.1828E-014
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.8616E-008	3.0963E-008
RCPTR_28	farmer_child	TOCDFDFS	Thallium (l)	2.0209E-004	2.0676E-004
RCPTR_28	farmer_child	TOCDFDFS	Toluene	1.8769E-013	4.5245E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	7.7853E-011	1.8427E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.4462E-014	5.9325E-014
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.6557E-013	6.4459E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethylene	4.3256E-014	1.0482E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.6838E-015	1.3776E-014
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	7.7309E-009	1.7776E-008
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.7891E-009	3.6894E-009
RCPTR_28	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	9.8342E-013	2.3859E-012
RCPTR_28	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.5101E-012	2.0192E-011
RCPTR_28	farmer_child	TOCDFDFS	VX	1.3215E-010	1.3534E-010
RCPTR_28	farmer_child	TOCDFDFS	Vinyl Chloride	7.2739E-018	1.7649E-017
RCPTR_28	farmer_child	TOCDFDFS	Xylene, m-	1.7859E-012	2.5677E-012
RCPTR_28	farmer_child	TOCDFDFS	Xylene, o-	1.6716E-012	2.5628E-012
RCPTR_28	farmer_child	TOCDFDFS	Xylene, p-	1.9996E-012	3.2120E-012
RCPTR_28	farmer_child	TOCDFLIC	Acenaphthene	9.5439E-010	2.2880E-009
RCPTR_28	farmer_child	TOCDFLIC	Acetone	4.7110E-011	1.1443E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Acetophenone	4.9535E-012	1.2024E-011
RCPTR_28	farmer_child	TOCDFLIC	Aniline	2.9887E-013	7.2440E-013
RCPTR_28	farmer_child	TOCDFLIC	Anthracene	1.6865E-008	4.0380E-008
RCPTR_28	farmer_child	TOCDFLIC	Antimony	7.7617E-006	8.4609E-006
RCPTR_28	farmer_child	TOCDFLIC	Arsenic	8.0348E-006	8.2079E-006
RCPTR_28	farmer_child	TOCDFLIC	Barium	1.2747E-006	1.3618E-006
RCPTR_28	farmer_child	TOCDFLIC	Benzene	6.3141E-014	1.5292E-013
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.3777E-006	5.0892E-006
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.2884E-005	4.3651E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.4423E-005	2.6298E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.6135E-005	6.6798E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzoic acid	1.3106E-010	2.9223E-010
RCPTR_28	farmer_child	TOCDFLIC	Benzyl alcohol	1.2864E-009	3.1216E-009
RCPTR_28	farmer_child	TOCDFLIC	Beryllium	4.2451E-007	4.3469E-007
RCPTR_28	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.7677E-012	1.6439E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Bromodichloromethane	3.9548E-015	9.6012E-015
RCPTR_28	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.8017E-012	9.2311E-012
RCPTR_28	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.2267E-007	5.8179E-007
RCPTR_28	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5228E-008	2.7530E-008
RCPTR_28	farmer_child	TOCDFLIC	Cadmium	1.1360E-007	1.3301E-007
RCPTR_28	farmer_child	TOCDFLIC	Carbon disulfide	2.6256E-016	6.3658E-016
RCPTR_28	farmer_child	TOCDFLIC	Carbon tetrachloride	2.0810E-015	5.0387E-015
RCPTR_28	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.6133E-010	1.3996E-009
RCPTR_28	farmer_child	TOCDFLIC	Chloroaniline, p-	3.1535E-011	7.6395E-011
RCPTR_28	farmer_child	TOCDFLIC	Chlorobenzene	1.2204E-014	2.9491E-014
RCPTR_28	farmer_child	TOCDFLIC	Chloroethane	3.6541E-016	8.7147E-016
RCPTR_28	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.6384E-015	3.9769E-015
RCPTR_28	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.4849E-009	5.9741E-009
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.7313E-011	2.1204E-010
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.6828E-009	7.7790E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Chromium	6.1271E-006	6.2457E-006
RCPTR_28	farmer_child	TOCDFLIC	Chromium, hexavalent	5.7074E-006	5.7614E-006
RCPTR_28	farmer_child	TOCDFLIC	Chrysene	1.2524E-005	1.3245E-005
RCPTR_28	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.9718E-008	1.0858E-007
RCPTR_28	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.0960E+001	5.0960E+001
RCPTR_28	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.4396E-004	9.4963E-004
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.0694E-012	9.6707E-012
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.8789E-012	1.1684E-011
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.6856E-012	1.1244E-011
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.0577E-008	3.4542E-008
RCPTR_28	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.8623E-017	6.9338E-017
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane 1,1-	6.8548E-016	1.6641E-015
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9297E-015	2.1681E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.7253E-015	6.6090E-015
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.3818E-015	1.0624E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.1366E-010	9.9262E-010
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.3546E-015	5.7016E-015
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.7488E-016	1.8804E-015
RCPTR_28	farmer_child	TOCDFLIC	Diethyl phthalate	6.2842E-009	6.4387E-009
RCPTR_28	farmer_child	TOCDFLIC	Dimethyl phthalate	6.5577E-011	1.5637E-010
RCPTR_28	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.9872E-011	1.4468E-010
RCPTR_28	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0763E-011	1.6650E-011
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.6688E-011	1.3356E-010
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.3268E-011	1.0280E-010
RCPTR_28	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.2673E-012	3.0780E-012
RCPTR_28	farmer_child	TOCDFLIC	Ethylbenzene	6.6924E-014	1.5883E-013
RCPTR_28	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.0205E-009	9.8800E-009
RCPTR_28	farmer_child	TOCDFLIC	Fluoranthene	2.8750E-007	5.1697E-007
RCPTR_28	farmer_child	TOCDFLIC	Fluorene	3.7863E-009	8.9986E-009
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.4615E-011	2.4951E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.5563E-011	8.6487E-011
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9841E-010	2.0104E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.0769E-010	2.1006E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.2354E-010	1.2537E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0165E-010	1.0340E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.3938E-010	1.4212E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2109E-010	1.2346E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.2449E-010	1.2691E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0241E-010	1.0441E-010
RCPTR_28	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.2276E-011	1.9001E-010
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorobenzene	1.6546E-007	3.8466E-007
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.2163E-010	5.0596E-010
RCPTR_28	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.8413E-011	1.1606E-010
RCPTR_28	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8491E-003	6.8616E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Isophorone	9.0684E-012	2.2012E-011
RCPTR_28	farmer_child	TOCDFLIC	Lead	1.3341E-006	1.3842E-006
RCPTR_28	farmer_child	TOCDFLIC	Mercuric chloride	5.3755E-008	6.2604E-008
RCPTR_28	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.9502E-016	1.2021E-015
RCPTR_28	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.8744E-017	6.9780E-017
RCPTR_28	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.2746E-013	1.2812E-012
RCPTR_28	farmer_child	TOCDFLIC	Methyl mercury	9.3556E-010	9.6315E-010
RCPTR_28	farmer_child	TOCDFLIC	Methylene chloride	7.1332E-012	1.7319E-011
RCPTR_28	farmer_child	TOCDFLIC	Naphthalene	2.2618E-011	5.4550E-011
RCPTR_28	farmer_child	TOCDFLIC	Nickel	1.4725E-005	1.5238E-005
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.5501E-010	3.7553E-010
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.6813E-011	8.9347E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 4-	9.5016E-012	2.3048E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrobenzene	1.5298E-011	3.7151E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.4905E-011	8.4729E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 4-	4.0748E-011	5.9625E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.6525E-012	2.0961E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.5163E-012	2.0604E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.7537E-013	1.8532E-012
RCPTR_28	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.5935E-011	3.6586E-011
RCPTR_28	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.5641E-011	3.6273E-011
RCPTR_28	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.6724E-010	4.7377E-010
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.8543E-011	7.0207E-011
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.6134E-010	2.6752E-010
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorobenzene	3.2173E-009	7.2029E-009
RCPTR_28	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.5884E-010	5.7005E-010
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorophenol	5.8278E-008	6.9914E-008
RCPTR_28	farmer_child	TOCDFLIC	Phenanthrene	1.1920E-011	2.8484E-011
RCPTR_28	farmer_child	TOCDFLIC	Phenol	1.2145E-011	2.9439E-011
RCPTR_28	farmer_child	TOCDFLIC	Pronamide	1.1894E-009	2.8227E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Pyrene	4.4109E-007	6.8620E-007
RCPTR_28	farmer_child	TOCDFLIC	Selenium	8.9772E-006	9.0038E-006
RCPTR_28	farmer_child	TOCDFLIC	Silver	2.4379E-005	2.5304E-005
RCPTR_28	farmer_child	TOCDFLIC	Styrene	5.9638E-014	1.4449E-013
RCPTR_28	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.1714E-011	6.3770E-011
RCPTR_28	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.6738E-011	1.7512E-011
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.8930E-010	2.2936E-009
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.8903E-012	1.0147E-011
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5000E-015	6.0577E-015
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0693E-008	1.7782E-008
RCPTR_28	farmer_child	TOCDFLIC	Thallium (l)	3.2342E-005	3.3089E-005
RCPTR_28	farmer_child	TOCDFLIC	Toluene	7.5471E-011	1.8194E-010
RCPTR_28	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.6981E-011	8.7504E-011
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.3878E-013	5.7909E-013
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.2929E-013	3.1381E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethylene	2.1059E-014	5.1031E-014
RCPTR_28	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.7671E-015	6.7067E-015
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.3865E-009	1.0086E-008
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0153E-009	2.0934E-009
RCPTR_28	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.7877E-013	1.1616E-012
RCPTR_28	farmer_child	TOCDFLIC	VX	4.6720E-011	4.7848E-011
RCPTR_28	farmer_child	TOCDFLIC	Vinyl Chloride	6.3027E-019	1.5293E-018
RCPTR_28	farmer_child	TOCDFLIC	Xylene, m-	5.8469E-013	8.4470E-013
RCPTR_28	farmer_child	TOCDFLIC	Xylene, o-	3.4869E-013	5.3728E-013
RCPTR_28	farmer_child	TOCDFLIC	Xylene, p-	6.5641E-013	1.0596E-012
RCPTR_28	farmer_child	TOCDFLIC	Zinc	1.9195E-006	2.1535E-006
RCPTR_28	farmer_child	TOCDFMPF	Acenaphthene	1.7517E-010	4.1996E-010
RCPTR_28	farmer_child	TOCDFMPF	Acetone	2.0085E-015	4.8788E-015
RCPTR_28	farmer_child	TOCDFMPF	Acetophenone	2.1154E-011	5.1351E-011
RCPTR_28	farmer_child	TOCDFMPF	Aniline	1.2764E-012	3.0936E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Anthracene	1.7776E-009	4.2561E-009
RCPTR_28	farmer_child	TOCDFMPF	Arsenic	3.9020E-007	3.9860E-007
RCPTR_28	farmer_child	TOCDFMPF	Barium	1.4275E-007	1.5251E-007
RCPTR_28	farmer_child	TOCDFMPF	Benzene	1.1116E-014	2.6921E-014
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.0577E-007	4.7171E-007
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)pyrene	7.3266E-006	7.4577E-006
RCPTR_28	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.5511E-006	3.8237E-006
RCPTR_28	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.8565E-006	9.9553E-006
RCPTR_28	farmer_child	TOCDFMPF	Benzoic acid	2.5203E-011	5.6194E-011
RCPTR_28	farmer_child	TOCDFMPF	Benzyl alcohol	1.0212E-011	2.4781E-011
RCPTR_28	farmer_child	TOCDFMPF	Beryllium	5.3464E-008	5.4746E-008
RCPTR_28	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.8841E-012	7.0055E-012
RCPTR_28	farmer_child	TOCDFMPF	Bromodichloromethane	5.8490E-014	1.4200E-013
RCPTR_28	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	2.0143E-012	4.8909E-012
RCPTR_28	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.8501E-007	3.3357E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.3474E-009	3.6528E-009
RCPTR_28	farmer_child	TOCDFMPF	Cadmium	3.6209E-007	4.2397E-007
RCPTR_28	farmer_child	TOCDFMPF	Carbon disulfide	3.8831E-015	9.4146E-015
RCPTR_28	farmer_child	TOCDFMPF	Carbon tetrachloride	3.0778E-014	7.4519E-014
RCPTR_28	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.8363E-010	6.0025E-010
RCPTR_28	farmer_child	TOCDFMPF	Chloroaniline, p-	9.3126E-012	2.2560E-011
RCPTR_28	farmer_child	TOCDFMPF	Chlorobenzene	1.8049E-013	4.3616E-013
RCPTR_28	farmer_child	TOCDFMPF	Chloroethane	5.1529E-016	1.2289E-015
RCPTR_28	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.4231E-014	5.8817E-014
RCPTR_28	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.3804E-010	1.0531E-009
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenol, 2-	3.2211E-011	7.8223E-011
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1411E-009	2.4103E-009
RCPTR_28	farmer_child	TOCDFMPF	Chromium	6.6649E-006	6.7940E-006
RCPTR_28	farmer_child	TOCDFMPF	Chromium, hexavalent	6.2084E-006	6.2672E-006
RCPTR_28	farmer_child	TOCDFMPF	Chrysene	1.2974E-006	1.3721E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.1689E-007	1.2728E-007
RCPTR_28	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.5934E+001	4.5934E+001
RCPTR_28	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.5051E-004	2.5201E-004
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.4199E-012	3.3743E-012
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.5871E-012	3.8006E-012
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.5157E-012	3.6373E-012
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.1696E-009	1.0359E-008
RCPTR_28	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.0363E-017	9.7777E-017
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.0138E-014	2.4611E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2592E-014	3.0574E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.8432E-015	9.3197E-015
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	6.1790E-015	1.4982E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.0163E-010	3.8964E-010
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.4823E-014	8.4323E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.1460E-014	2.7810E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Diethyl phthalate	1.3460E-008	1.3791E-008
RCPTR_28	farmer_child	TOCDFMPF	Dimethyl phthalate	3.7937E-012	9.0459E-012
RCPTR_28	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.3665E-011	5.7188E-011
RCPTR_28	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.0734E-011	3.2073E-011
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.8295E-011	1.8447E-010
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.4255E-011	1.2891E-010
RCPTR_28	farmer_child	TOCDFMPF	Ethyl methanesulfonate	5.4122E-012	1.3145E-011
RCPTR_28	farmer_child	TOCDFMPF	Ethylbenzene	1.1272E-013	2.6752E-013
RCPTR_28	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.5636E-009	1.7125E-009
RCPTR_28	farmer_child	TOCDFMPF	Fluoranthene	2.2415E-008	4.0304E-008
RCPTR_28	farmer_child	TOCDFMPF	Fluorene	5.7798E-010	1.3737E-009
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.7109E-012	2.7479E-012
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.4341E-011	1.4496E-011
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3127E-011	1.3302E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.6168E-011	3.6579E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.1515E-011	2.1834E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.7450E-011	1.7749E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.7723E-011	3.8465E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2882E-010	1.3134E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.0856E-010	1.1067E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3088E-011	1.3343E-011
RCPTR_28	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.6277E-011	1.0687E-010
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorobenzene	8.2539E-008	1.9189E-007
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.5446E-010	3.5262E-010
RCPTR_28	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.4136E-011	8.1835E-011
RCPTR_28	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.4937E-003	1.4965E-003
RCPTR_28	farmer_child	TOCDFMPF	Isophorone	1.6233E-012	3.9401E-012
RCPTR_28	farmer_child	TOCDFMPF	Lead	2.1088E-006	2.1881E-006
RCPTR_28	farmer_child	TOCDFMPF	Mercuric chloride	5.8006E-008	6.7553E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.6655E-016	8.9015E-016
RCPTR_28	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.1284E-017	5.1670E-017
RCPTR_28	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.8843E-015	2.1580E-014
RCPTR_28	farmer_child	TOCDFMPF	Methyl mercury	1.0097E-009	1.0395E-009
RCPTR_28	farmer_child	TOCDFMPF	Methylene chloride	2.3310E-015	5.6596E-015
RCPTR_28	farmer_child	TOCDFMPF	Naphthalene	1.9102E-011	4.6070E-011
RCPTR_28	farmer_child	TOCDFMPF	Nickel	7.7328E-006	8.0024E-006
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.9262E-011	4.6662E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.7062E-012	8.9951E-012
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.2477E-012	1.0304E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrobenzene	5.2406E-012	1.2726E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 2-	4.2233E-012	1.0252E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.6471E-011	5.3366E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.6951E-011	8.9518E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.9268E-012	4.6617E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	5.0516E-013	1.2074E-012
RCPTR_28	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.7623E-012	2.8123E-012
RCPTR_28	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.7175E-013	2.7657E-013
RCPTR_28	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.7263E-011	7.8342E-011
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.6625E-011	4.7757E-011
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.2053E-011	3.2810E-011
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorobenzene	2.7431E-009	6.1411E-009
RCPTR_28	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1035E-010	2.4301E-010
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorophenol	3.4792E-008	4.1738E-008
RCPTR_28	farmer_child	TOCDFMPF	Phenanthrene	1.2564E-012	3.0023E-012
RCPTR_28	farmer_child	TOCDFMPF	Phenol	3.9837E-012	9.6566E-012
RCPTR_28	farmer_child	TOCDFMPF	Pronamide	5.0793E-009	1.2055E-008
RCPTR_28	farmer_child	TOCDFMPF	Pyrene	3.2424E-008	5.0442E-008
RCPTR_28	farmer_child	TOCDFMPF	Selenium	2.8335E-006	2.8419E-006
RCPTR_28	farmer_child	TOCDFMPF	Silver	7.7074E-007	8.0001E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Styrene	9.1166E-013	2.2087E-012
RCPTR_28	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.6837E-011	2.7730E-011
RCPTR_28	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1294E-011	1.1816E-011
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.2250E-009	9.7952E-009
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.9003E-013	9.4555E-013
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.6974E-014	8.9590E-014
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.5585E-009	7.5803E-009
RCPTR_28	farmer_child	TOCDFMPF	Thallium (l)	5.2046E-005	5.3249E-005
RCPTR_28	farmer_child	TOCDFMPF	Toluene	4.8915E-014	1.1792E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2500E-011	2.9578E-011
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.3866E-014	5.7881E-014
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.8232E-013	4.4253E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethylene	2.9696E-014	7.1962E-014
RCPTR_28	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.9020E-015	9.4575E-015
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.9690E-009	4.5271E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.6313E-010	9.5490E-010
RCPTR_28	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	6.7514E-013	1.6380E-012
RCPTR_28	farmer_child	TOCDFMPF	VX	6.4731E-011	6.6294E-011
RCPTR_28	farmer_child	TOCDFMPF	Vinyl Chloride	9.6347E-018	2.3377E-017
RCPTR_28	farmer_child	TOCDFMPF	Xylene, m-	4.6260E-013	6.6824E-013
RCPTR_28	farmer_child	TOCDFMPF	Xylene, o-	4.3360E-013	6.6804E-013
RCPTR_28	farmer_child	TOCDFMPF	Xylene, p-	5.1930E-013	8.3823E-013
RCPTR_28	farmer_child	TOCDHVAC	VX	2.8183E-011	2.8877E-011
RCPTR_28	farmer_child	TOCDLIC2	Acenaphthene	9.5439E-010	2.2880E-009
RCPTR_28	farmer_child	TOCDLIC2	Acetone	4.7110E-011	1.1443E-010
RCPTR_28	farmer_child	TOCDLIC2	Acetophenone	4.9535E-012	1.2024E-011
RCPTR_28	farmer_child	TOCDLIC2	Aniline	2.9887E-013	7.2440E-013
RCPTR_28	farmer_child	TOCDLIC2	Anthracene	1.6865E-008	4.0380E-008
RCPTR_28	farmer_child	TOCDLIC2	Antimony	7.7617E-006	8.4609E-006
RCPTR_28	farmer_child	TOCDLIC2	Arsenic	8.0348E-006	8.2079E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Barium	1.2747E-006	1.3618E-006
RCPTR_28	farmer_child	TOCDLIC2	Benzene	6.3141E-014	1.5292E-013
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.3777E-006	5.0892E-006
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.2884E-005	4.3651E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.4423E-005	2.6298E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.6135E-005	6.6798E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzoic acid	1.3106E-010	2.9223E-010
RCPTR_28	farmer_child	TOCDLIC2	Benzyl alcohol	1.2864E-009	3.1216E-009
RCPTR_28	farmer_child	TOCDLIC2	Beryllium	4.2451E-007	4.3469E-007
RCPTR_28	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.7677E-012	1.6439E-011
RCPTR_28	farmer_child	TOCDLIC2	Bromodichloromethane	3.9548E-015	9.6012E-015
RCPTR_28	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.8017E-012	9.2311E-012
RCPTR_28	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.2267E-007	5.8179E-007
RCPTR_28	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.5228E-008	2.7530E-008
RCPTR_28	farmer_child	TOCDLIC2	Cadmium	1.1360E-007	1.3301E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Carbon disulfide	2.6256E-016	6.3658E-016
RCPTR_28	farmer_child	TOCDLIC2	Carbon tetrachloride	2.0810E-015	5.0387E-015
RCPTR_28	farmer_child	TOCDLIC2	Chlorine	5.8637E-006	1.4244E-005
RCPTR_28	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.6133E-010	1.3996E-009
RCPTR_28	farmer_child	TOCDLIC2	Chloroaniline, p-	3.1535E-011	7.6395E-011
RCPTR_28	farmer_child	TOCDLIC2	Chlorobenzene	1.2204E-014	2.9491E-014
RCPTR_28	farmer_child	TOCDLIC2	Chloroethane	3.6541E-016	8.7147E-016
RCPTR_28	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.6384E-015	3.9769E-015
RCPTR_28	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.4849E-009	5.9741E-009
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.7313E-011	2.1204E-010
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.6828E-009	7.7790E-009
RCPTR_28	farmer_child	TOCDLIC2	Chromium	6.1271E-006	6.2457E-006
RCPTR_28	farmer_child	TOCDLIC2	Chromium, hexavalent	5.7074E-006	5.7614E-006
RCPTR_28	farmer_child	TOCDLIC2	Chrysene	1.2524E-005	1.3245E-005
RCPTR_28	farmer_child	TOCDLIC2	Di-n-butyl phthalate	9.9718E-008	1.0858E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.0960E+001	5.0960E+001
RCPTR_28	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.4396E-004	9.4963E-004
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.0694E-012	9.6707E-012
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.8789E-012	1.1684E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.6856E-012	1.1244E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.0577E-008	3.4542E-008
RCPTR_28	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.8623E-017	6.9338E-017
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane 1,1-	6.6319E-016	1.6100E-015
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9297E-015	2.1681E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.7253E-015	6.6090E-015
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.3818E-015	1.0624E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.1366E-010	9.9262E-010
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.3546E-015	5.7016E-015
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.7488E-016	1.8804E-015
RCPTR_28	farmer_child	TOCDLIC2	Diethyl phthalate	6.2842E-009	6.4387E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Dimethyl phthalate	6.5577E-011	1.5637E-010
RCPTR_28	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.9872E-011	1.4468E-010
RCPTR_28	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.0763E-011	1.6650E-011
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.6688E-011	1.3356E-010
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.3268E-011	1.0280E-010
RCPTR_28	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.2673E-012	3.0780E-012
RCPTR_28	farmer_child	TOCDLIC2	Ethylbenzene	6.6924E-014	1.5883E-013
RCPTR_28	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.0205E-009	9.8800E-009
RCPTR_28	farmer_child	TOCDLIC2	Fluoranthene	2.8750E-007	5.1697E-007
RCPTR_28	farmer_child	TOCDLIC2	Fluorene	3.7863E-009	8.9986E-009
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.4615E-011	2.4951E-011
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.9528E-010	2.9846E-010
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.8470E-010	6.9379E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.0769E-010	2.1006E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2354E-010	1.2537E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0165E-010	1.0340E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.3938E-010	1.4212E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.2109E-010	1.2346E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.2449E-010	1.2691E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.0241E-010	1.0441E-010
RCPTR_28	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.2276E-011	1.9001E-010
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorobenzene	1.6546E-007	3.8466E-007
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.2163E-010	5.0596E-010
RCPTR_28	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.8413E-011	1.1606E-010
RCPTR_28	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8491E-003	6.8616E-003
RCPTR_28	farmer_child	TOCDLIC2	Isophorone	9.0684E-012	2.2012E-011
RCPTR_28	farmer_child	TOCDLIC2	Lead	1.3341E-006	1.3842E-006
RCPTR_28	farmer_child	TOCDLIC2	Mercuric chloride	5.3755E-008	6.2604E-008
RCPTR_28	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.9502E-016	1.2021E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4391E-018	3.4937E-018
RCPTR_28	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.2746E-013	1.2812E-012
RCPTR_28	farmer_child	TOCDLIC2	Methyl mercury	9.3556E-010	9.6315E-010
RCPTR_28	farmer_child	TOCDLIC2	Methylene chloride	7.1332E-012	1.7319E-011
RCPTR_28	farmer_child	TOCDLIC2	Naphthalene	2.2618E-011	5.4550E-011
RCPTR_28	farmer_child	TOCDLIC2	Nickel	1.4725E-005	1.5238E-005
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.5501E-010	3.7553E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.6813E-011	8.9347E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.7595E-011	1.1545E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitrobenzene	1.5298E-011	3.7151E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.9684E-012	1.6915E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.0411E-010	2.9867E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.6525E-012	2.0961E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.5163E-012	2.0604E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.7537E-013	1.8532E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.5935E-011	3.6586E-011
RCPTR_28	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.5641E-011	3.6273E-011
RCPTR_28	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.6724E-010	4.7377E-010
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.8543E-011	7.0207E-011
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.6134E-010	2.6752E-010
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorobenzene	6.4230E-010	1.4380E-009
RCPTR_28	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.5884E-010	5.7005E-010
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorophenol	2.9192E-007	3.5021E-007
RCPTR_28	farmer_child	TOCDLIC2	Phenanthrene	1.1920E-011	2.8484E-011
RCPTR_28	farmer_child	TOCDLIC2	Phenol	1.2145E-011	2.9439E-011
RCPTR_28	farmer_child	TOCDLIC2	Pronamide	1.1894E-009	2.8227E-009
RCPTR_28	farmer_child	TOCDLIC2	Pyrene	4.4109E-007	6.8620E-007
RCPTR_28	farmer_child	TOCDLIC2	Selenium	8.9772E-006	9.0038E-006
RCPTR_28	farmer_child	TOCDLIC2	Silver	2.4379E-005	2.5304E-005
RCPTR_28	farmer_child	TOCDLIC2	Styrene	5.9638E-014	1.4449E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	6.1714E-011	6.3770E-011
RCPTR_28	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6738E-011	1.7512E-011
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.8930E-010	2.2936E-009
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.8903E-012	1.0147E-011
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5000E-015	6.0577E-015
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0693E-008	1.7782E-008
RCPTR_28	farmer_child	TOCDLIC2	Thallium (l)	3.2342E-005	3.3089E-005
RCPTR_28	farmer_child	TOCDLIC2	Toluene	7.5471E-011	1.8194E-010
RCPTR_28	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6981E-011	8.7504E-011
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.3878E-013	5.7909E-013
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.2929E-013	3.1381E-013
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethylene	2.1059E-014	5.1031E-014
RCPTR_28	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.7671E-015	6.7067E-015
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.3865E-009	1.0086E-008
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0153E-009	2.0934E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.7877E-013	1.1616E-012
RCPTR_28	farmer_child	TOCDLIC2	VX	4.8570E-011	4.9743E-011
RCPTR_28	farmer_child	TOCDLIC2	Vinyl Chloride	6.3027E-019	1.5293E-018
RCPTR_28	farmer_child	TOCDLIC2	Xylene, m-	5.8469E-013	8.4470E-013
RCPTR_28	farmer_child	TOCDLIC2	Xylene, o-	3.4869E-013	5.3728E-013
RCPTR_28	farmer_child	TOCDLIC2	Xylene, p-	6.5641E-013	1.0596E-012
RCPTR_28	farmer_child	TOCDLIC2	Zinc	1.9195E-006	2.1535E-006
RCPTR_29	farmer_adult	TOCDFBRA	Antimony	3.5363E-006	4.0970E-006
RCPTR_29	farmer_adult	TOCDFBRA	Arsenic	6.0079E-006	6.2178E-006
RCPTR_29	farmer_adult	TOCDFBRA	Barium	4.9102E-007	5.4856E-007
RCPTR_29	farmer_adult	TOCDFBRA	Beryllium	1.5832E-006	1.6733E-006
RCPTR_29	farmer_adult	TOCDFBRA	Cadmium	2.6570E-007	3.6047E-007
RCPTR_29	farmer_adult	TOCDFBRA	Chromium	3.9206E-006	3.9319E-006
RCPTR_29	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.5749E-006	3.6289E-006
RCPTR_29	farmer_adult	TOCDFBRA	Lead	1.6062E-005	1.7464E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFBRA	Mercuric chloride	1.5472E-003	1.5926E-003
RCPTR_29	farmer_adult	TOCDFBRA	Methyl mercury	2.7595E-005	2.8059E-005
RCPTR_29	farmer_adult	TOCDFBRA	Nickel	1.9577E-005	2.0803E-005
RCPTR_29	farmer_adult	TOCDFBRA	Selenium	6.7901E-006	6.8221E-006
RCPTR_29	farmer_adult	TOCDFBRA	Silver	2.2568E-006	2.3957E-006
RCPTR_29	farmer_adult	TOCDFBRA	Thallium (l)	6.1147E-005	6.3707E-005
RCPTR_29	farmer_adult	TOCDFBRA	Zinc	1.0072E-005	1.2413E-005
RCPTR_29	farmer_adult	TOCDFDFS	Acenaphthene	2.4664E-010	3.4770E-009
RCPTR_29	farmer_adult	TOCDFDFS	Acetone	4.3461E-014	7.0350E-013
RCPTR_29	farmer_adult	TOCDFDFS	Acetophenone	1.1365E-012	1.8264E-011
RCPTR_29	farmer_adult	TOCDFDFS	Aniline	6.9591E-014	1.1003E-012
RCPTR_29	farmer_adult	TOCDFDFS	Anthracene	4.4232E-009	6.1384E-008
RCPTR_29	farmer_adult	TOCDFDFS	Antimony	6.2731E-007	7.2673E-007
RCPTR_29	farmer_adult	TOCDFDFS	Aroclor 1254	2.9393E-010	4.9118E-010
RCPTR_29	farmer_adult	TOCDFDFS	Arsenic	1.2434E-006	1.2868E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Barium	5.7994E-006	6.4788E-006
RCPTR_29	farmer_adult	TOCDFDFS	Benzene	3.7585E-015	5.8932E-014
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.0012E-006	8.2229E-006
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.2028E-005	7.4728E-005
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.6555E-005	4.2365E-005
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0998E-004	1.1324E-004
RCPTR_29	farmer_adult	TOCDFDFS	Benzoic acid	3.4688E-011	2.8716E-010
RCPTR_29	farmer_adult	TOCDFDFS	Benzyl alcohol	2.4152E-012	3.8679E-011
RCPTR_29	farmer_adult	TOCDFDFS	Beryllium	2.7547E-007	2.9115E-007
RCPTR_29	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.5427E-012	2.4968E-011
RCPTR_29	farmer_adult	TOCDFDFS	Bromodichloromethane	7.7946E-015	1.2542E-013
RCPTR_29	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.6794E-013	4.3199E-012
RCPTR_29	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	8.7641E-008	8.8395E-007
RCPTR_29	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.6278E-007	1.8361E-007
RCPTR_29	farmer_adult	TOCDFDFS	Cadmium	4.2025E-007	5.7009E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Carbon disulfide	1.0539E-015	1.6718E-014
RCPTR_29	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.2105E-015	6.5823E-014
RCPTR_29	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.3789E-010	2.1261E-009
RCPTR_29	farmer_adult	TOCDFDFS	Chloroaniline, p-	7.3767E-012	1.1604E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chlorobenzene	1.2606E-014	1.9298E-013
RCPTR_29	farmer_adult	TOCDFDFS	Chloroethane	1.1405E-016	1.5425E-015
RCPTR_29	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.6197E-015	2.6020E-014
RCPTR_29	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	6.2474E-010	9.0763E-009
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.9945E-011	3.2206E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9720E-009	1.1894E-008
RCPTR_29	farmer_adult	TOCDFDFS	Chromium	3.5428E-006	3.5530E-006
RCPTR_29	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.2305E-006	3.2793E-006
RCPTR_29	farmer_adult	TOCDFDFS	Chrysene	1.8744E-005	2.1261E-005
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.2929E-007	2.6262E-007
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.5281E+003	2.5281E+003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.5761E-003	1.6045E-003
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.4711E-013	3.2184E-012
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	8.2459E-013	1.1538E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.3245E-013	7.6020E-012
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.8005E-008	3.3782E-008
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	7.8449E-018	1.2277E-016
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.7680E-016	1.0888E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.3956E-016	1.3526E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	7.3579E-016	1.1698E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1846E-015	1.8806E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.5405E-010	1.1010E-009
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	6.7610E-015	1.0585E-013
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.6870E-016	1.2304E-014
RCPTR_29	farmer_adult	TOCDFDFS	Diethyl phthalate	4.8536E-008	5.0466E-008
RCPTR_29	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.7383E-012	1.1618E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.4321E-011	2.1975E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.5316E-011	1.2590E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.7634E-012	4.4080E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.6266E-012	3.3848E-011
RCPTR_29	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.8916E-013	4.6751E-012
RCPTR_29	farmer_adult	TOCDFDFS	Ethylbenzene	1.8388E-014	2.3643E-013
RCPTR_29	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.5083E-009	5.1047E-009
RCPTR_29	farmer_adult	TOCDFDFS	Fluoranthene	1.8542E-007	7.9355E-007
RCPTR_29	farmer_adult	TOCDFDFS	Fluorene	1.0531E-009	1.3679E-008
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.0036E-012	5.1893E-012
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.0781E-012	6.2648E-012
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.4934E-011	1.5478E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.7258E-011	3.8438E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.3959E-011	2.4914E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.0831E-011	2.1760E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.7772E-011	2.9133E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.4014E-011	2.5187E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.4450E-011	2.5637E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.0204E-011	2.1188E-011
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.8749E-011	2.8969E-010
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorobenzene	5.2572E-008	5.8512E-007
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.1466E-010	3.8237E-009
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.2424E-011	1.7628E-010
RCPTR_29	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0740E-002	1.0800E-002
RCPTR_29	farmer_adult	TOCDFDFS	Isophorone	2.0814E-012	3.3432E-011
RCPTR_29	farmer_adult	TOCDFDFS	Lead	3.1944E-006	3.4732E-006
RCPTR_29	farmer_adult	TOCDFDFS	Mercuric chloride	1.4650E-006	1.5070E-006
RCPTR_29	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.9214E-017	1.1173E-015
RCPTR_29	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.3381E-018	2.1514E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.0642E-015	1.3048E-013
RCPTR_29	farmer_adult	TOCDFDFS	Methyl mercury	2.6940E-008	2.7370E-008
RCPTR_29	farmer_adult	TOCDFDFS	Methylene chloride	4.5128E-014	7.2686E-013
RCPTR_29	farmer_adult	TOCDFDFS	Naphthalene	1.4600E-011	2.1906E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nickel	3.7555E-005	3.9905E-005
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.5871E-011	5.6370E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 3-	8.3646E-012	1.3411E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.0917E-011	1.7334E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitrobenzene	3.4966E-012	5.6427E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.5994E-012	2.5692E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.2218E-010	4.4852E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.0225E-012	3.1837E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.0156E-012	3.1294E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.2273E-013	2.8334E-012
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2639E-011	1.3220E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.8118E-012	3.9830E-012
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.7565E-011	7.0045E-011
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.2117E-012	6.5796E-012
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.4924E-011	2.6354E-011
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.5083E-009	1.1048E-008
RCPTR_29	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3276E-010	8.7769E-010
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorophenol	7.8038E-008	1.0622E-007
RCPTR_29	farmer_adult	TOCDFDFS	Phenanthrene	3.1654E-012	4.3287E-011
RCPTR_29	farmer_adult	TOCDFDFS	Phenol	2.8231E-012	4.4714E-011
RCPTR_29	farmer_adult	TOCDFDFS	Pronamide	6.6509E-010	8.5775E-009
RCPTR_29	farmer_adult	TOCDFDFS	Pyrene	2.2027E-007	1.0471E-006
RCPTR_29	farmer_adult	TOCDFDFS	Selenium	1.4053E-006	1.4119E-006
RCPTR_29	farmer_adult	TOCDFDFS	Silver	1.8683E-006	1.9832E-006
RCPTR_29	farmer_adult	TOCDFDFS	Styrene	1.4592E-013	2.2958E-012
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.0645E-011	3.3104E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4062E-011	1.5648E-011
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.2660E-010	3.4859E-009
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0640E-010	1.3257E-010
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.0370E-015	7.9149E-014
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.7494E-009	2.6717E-008
RCPTR_29	farmer_adult	TOCDFDFS	Thallium (l)	2.4998E-004	2.6044E-004
RCPTR_29	farmer_adult	TOCDFDFS	Toluene	2.6100E-014	3.8995E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.2635E-011	1.5888E-010
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.2134E-015	5.1124E-014
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.4604E-014	5.5547E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethylene	5.7264E-015	9.0332E-014
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.5107E-016	1.1872E-014
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.5150E-009	1.5319E-008
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.6887E-010	3.1803E-009
RCPTR_29	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.2870E-013	2.0561E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.4829E-012	1.7540E-011
RCPTR_29	farmer_adult	TOCDFDFS	VX	1.1238E-010	1.1677E-010
RCPTR_29	farmer_adult	TOCDFDFS	Vinyl Chloride	9.5442E-019	1.5212E-017
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, m-	1.6949E-012	2.7692E-012
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, o-	1.4563E-012	2.6810E-012
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, p-	1.6198E-012	3.2859E-012
RCPTR_29	farmer_adult	TOCDFLIC	Acenaphthene	1.5772E-010	2.2268E-009
RCPTR_29	farmer_adult	TOCDFLIC	Acetone	6.8772E-012	1.1132E-010
RCPTR_29	farmer_adult	TOCDFLIC	Acetophenone	7.2791E-013	1.1698E-011
RCPTR_29	farmer_adult	TOCDFLIC	Aniline	4.4568E-014	7.0474E-013
RCPTR_29	farmer_adult	TOCDFLIC	Anthracene	2.8250E-009	3.9308E-008
RCPTR_29	farmer_adult	TOCDFLIC	Antimony	9.5189E-006	1.1026E-005
RCPTR_29	farmer_adult	TOCDFLIC	Arsenic	1.0345E-005	1.0706E-005
RCPTR_29	farmer_adult	TOCDFLIC	Barium	1.5892E-006	1.7751E-006
RCPTR_29	farmer_adult	TOCDFLIC	Benzene	9.4873E-015	1.4877E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.7710E-006	5.1877E-006
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.4785E-005	4.6426E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.3075E-005	2.6771E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.8605E-005	7.0549E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzoic acid	3.4411E-011	2.8445E-010
RCPTR_29	farmer_adult	TOCDFLIC	Benzyl alcohol	1.8962E-010	3.0368E-009
RCPTR_29	farmer_adult	TOCDFLIC	Beryllium	5.3624E-007	5.6673E-007
RCPTR_29	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	9.8808E-013	1.5992E-011
RCPTR_29	farmer_adult	TOCDFLIC	Bromodichloromethane	5.8048E-016	9.3404E-015
RCPTR_29	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.5700E-013	8.9803E-012
RCPTR_29	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.6083E-008	5.6611E-007
RCPTR_29	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.6679E-008	3.0261E-008
RCPTR_29	farmer_adult	TOCDFLIC	Cadmium	1.2767E-007	1.7315E-007
RCPTR_29	farmer_adult	TOCDFLIC	Carbon disulfide	3.9040E-017	6.1930E-016
RCPTR_29	farmer_adult	TOCDFLIC	Carbon tetrachloride	3.1352E-016	4.9021E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.1706E-010	1.3624E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.7247E-012	7.4322E-011
RCPTR_29	farmer_adult	TOCDFLIC	Chlorobenzene	1.8737E-015	2.8693E-014
RCPTR_29	farmer_adult	TOCDFLIC	Chloroethane	6.2734E-017	8.4785E-016
RCPTR_29	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.4083E-016	3.8689E-015
RCPTR_29	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.9989E-010	5.8131E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.2775E-011	2.0628E-010
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2517E-009	7.6067E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chromium	8.1194E-006	8.1427E-006
RCPTR_29	farmer_adult	TOCDFLIC	Chromium, hexavalent	7.4043E-006	7.5160E-006
RCPTR_29	farmer_adult	TOCDFLIC	Chrysene	1.1854E-005	1.3450E-005
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	9.4329E-008	1.0810E-007
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.9828E+001	4.9828E+001
RCPTR_29	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.8111E-004	9.9738E-004
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.2198E-013	9.4119E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.1205E-013	1.1369E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.6592E-013	1.0941E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.9640E-008	3.5875E-008
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.3049E-018	6.7471E-017
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.0063E-016	1.6189E-015
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3092E-015	2.1092E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	4.0438E-016	6.4295E-015
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.5105E-016	1.0336E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.2367E-010	9.6674E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.5428E-016	5.5469E-015
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1426E-016	1.8294E-015
RCPTR_29	farmer_adult	TOCDFLIC	Diethyl phthalate	6.0574E-009	6.2971E-009
RCPTR_29	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.1408E-011	1.5226E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.1750E-012	1.4076E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	7.1616E-012	1.6294E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1007E-011	1.3028E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.7407E-012	1.0010E-010
RCPTR_29	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.8521E-013	2.9944E-012
RCPTR_29	farmer_adult	TOCDFLIC	Ethylbenzene	1.2008E-014	1.5459E-013
RCPTR_29	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.6284E-009	1.0969E-008
RCPTR_29	farmer_adult	TOCDFLIC	Fluoranthene	1.1766E-007	5.0706E-007
RCPTR_29	farmer_adult	TOCDFLIC	Fluorene	6.7305E-010	8.7597E-009
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.9275E-011	3.0329E-011
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.6610E-011	9.9450E-011
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.3367E-010	2.4190E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.3235E-010	2.3943E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.4627E-010	1.5194E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.2538E-010	1.3087E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.7091E-010	1.7923E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.4796E-010	1.5513E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.5101E-010	1.5827E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.2464E-010	1.3066E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8233E-011	1.8537E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.3558E-008	3.7465E-007
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.2988E-011	4.9410E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.9625E-012	1.1291E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8350E-003	6.8690E-003
RCPTR_29	farmer_adult	TOCDFLIC	Isophorone	1.3332E-012	2.1413E-011
RCPTR_29	farmer_adult	TOCDFLIC	Lead	1.6593E-006	1.8039E-006
RCPTR_29	farmer_adult	TOCDFLIC	Mercuric chloride	6.4902E-008	6.6819E-008
RCPTR_29	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.2442E-017	1.1695E-015
RCPTR_29	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	4.2214E-018	6.7886E-017
RCPTR_29	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.7031E-014	1.2464E-012
RCPTR_29	farmer_adult	TOCDFLIC	Methyl mercury	1.1449E-009	1.1645E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Methylene chloride	1.0460E-012	1.6848E-011
RCPTR_29	farmer_adult	TOCDFLIC	Naphthalene	3.5359E-012	5.3076E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nickel	1.8702E-005	1.9871E-005
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.3242E-011	3.6535E-010
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.4204E-012	8.6922E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.4105E-012	2.2427E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrobenzene	2.2394E-012	3.6142E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 2-	5.1310E-012	8.2428E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.8872E-011	5.8159E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2956E-012	2.0392E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.2913E-012	2.0044E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.3924E-013	1.8114E-012
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.5778E-011	4.7859E-011
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.5510E-011	4.7529E-011
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.9297E-010	5.1064E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	7.2075E-011	7.6343E-011
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.8531E-010	3.0168E-010
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.3298E-010	7.1163E-009
RCPTR_29	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.1900E-011	5.6472E-010
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorophenol	5.0219E-008	6.8271E-008
RCPTR_29	farmer_adult	TOCDFLIC	Phenanthrene	2.0244E-012	2.7722E-011
RCPTR_29	farmer_adult	TOCDFLIC	Phenol	1.8084E-012	2.8639E-011
RCPTR_29	farmer_adult	TOCDFLIC	Pronamide	2.1292E-010	2.7469E-009
RCPTR_29	farmer_adult	TOCDFLIC	Pyrene	1.4053E-007	6.7005E-007
RCPTR_29	farmer_adult	TOCDFLIC	Selenium	1.1692E-005	1.1747E-005
RCPTR_29	farmer_adult	TOCDFLIC	Silver	3.1088E-005	3.2998E-005
RCPTR_29	farmer_adult	TOCDFLIC	Styrene	8.9326E-015	1.4057E-013
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.3404E-011	6.8535E-011
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.6465E-011	1.8342E-011
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0912E-010	2.2327E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.9620E-012	9.9113E-012
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.7473E-016	5.8942E-015
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.3414E-009	1.7339E-008
RCPTR_29	farmer_adult	TOCDFLIC	Thallium (l)	4.1425E-005	4.3156E-005
RCPTR_29	farmer_adult	TOCDFLIC	Toluene	1.1844E-011	1.7702E-010
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.7981E-012	8.5181E-011
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.5406E-014	5.6338E-013
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.9018E-014	3.0529E-013
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethylene	3.1467E-015	4.9647E-014
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.1275E-016	6.5247E-015
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.7215E-010	9.8137E-009
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.6550E-010	2.0381E-009
RCPTR_29	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.0729E-014	1.1300E-012
RCPTR_29	farmer_adult	TOCDFLIC	VX	4.5026E-011	4.6776E-011
RCPTR_29	farmer_adult	TOCDFLIC	Vinyl Chloride	9.3255E-020	1.4880E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, m-	5.7215E-013	9.7553E-013
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, o-	3.1317E-013	6.0575E-013
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, p-	5.4839E-013	1.1740E-012
RCPTR_29	farmer_adult	TOCDFLIC	Zinc	2.2767E-006	2.8050E-006
RCPTR_29	farmer_adult	TOCDFMPF	Acenaphthene	2.8677E-011	4.0483E-010
RCPTR_29	farmer_adult	TOCDFMPF	Acetone	2.9043E-016	4.7011E-015
RCPTR_29	farmer_adult	TOCDFMPF	Acetophenone	3.0791E-012	4.9482E-011
RCPTR_29	farmer_adult	TOCDFMPF	Aniline	1.8853E-013	2.9811E-012
RCPTR_29	farmer_adult	TOCDFMPF	Anthracene	2.9499E-010	4.1038E-009
RCPTR_29	farmer_adult	TOCDFMPF	Arsenic	5.0114E-007	5.1862E-007
RCPTR_29	farmer_adult	TOCDFMPF	Barium	1.7753E-007	1.9831E-007
RCPTR_29	farmer_adult	TOCDFMPF	Benzene	1.6543E-015	2.5942E-014
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.4664E-007	4.7673E-007
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.5931E-006	7.8719E-006
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.3262E-006	3.8587E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.0145E-005	1.0433E-005
RCPTR_29	farmer_adult	TOCDFMPF	Benzoic acid	6.5535E-012	5.4178E-011
RCPTR_29	farmer_adult	TOCDFMPF	Benzyl alcohol	1.4910E-012	2.3879E-011
RCPTR_29	farmer_adult	TOCDFMPF	Beryllium	6.7370E-008	7.1200E-008
RCPTR_29	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	4.1707E-013	6.7504E-012
RCPTR_29	farmer_adult	TOCDFMPF	Bromodichloromethane	8.5034E-015	1.3683E-013
RCPTR_29	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.9231E-013	4.7128E-012
RCPTR_29	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.1852E-008	3.2150E-007
RCPTR_29	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.5176E-009	3.9883E-009
RCPTR_29	farmer_adult	TOCDFMPF	Cadmium	4.0594E-007	5.5054E-007
RCPTR_29	farmer_adult	TOCDFMPF	Carbon disulfide	5.7189E-016	9.0720E-015
RCPTR_29	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.5928E-015	7.1810E-014
RCPTR_29	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	9.2190E-011	5.7873E-010
RCPTR_29	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.3820E-012	2.1739E-011
RCPTR_29	farmer_adult	TOCDFMPF	Chlorobenzene	2.7448E-014	4.2032E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Chloroethane	8.7620E-017	1.1842E-015
RCPTR_29	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.5279E-015	5.6675E-014
RCPTR_29	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.9824E-011	1.0150E-009
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenol, 2-	4.6679E-012	7.5374E-011
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.8439E-010	2.3348E-009
RCPTR_29	farmer_adult	TOCDFMPF	Chromium	8.8104E-006	8.8357E-006
RCPTR_29	farmer_adult	TOCDFMPF	Chromium, hexavalent	8.0344E-006	8.1556E-006
RCPTR_29	farmer_adult	TOCDFMPF	Chrysene	1.2173E-006	1.3812E-006
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.0955E-007	1.2554E-007
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.4472E+001	4.4472E+001
RCPTR_29	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.5833E-004	2.6264E-004
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.4954E-013	3.2528E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.6166E-013	3.6632E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.4541E-013	3.5056E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.8186E-009	1.0671E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.0135E-018	9.4241E-017
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.4741E-015	2.3715E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8286E-015	2.9461E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	5.6482E-016	8.9805E-015
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	9.0936E-016	1.4437E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	8.6944E-011	3.7585E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	5.1899E-015	8.1256E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.6739E-015	2.6799E-014
RCPTR_29	farmer_adult	TOCDFMPF	Diethyl phthalate	1.2847E-008	1.3355E-008
RCPTR_29	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.5388E-013	8.7251E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.5920E-012	5.5106E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.3664E-011	3.1089E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5069E-011	1.7823E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.6166E-012	1.2433E-010
RCPTR_29	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	7.8343E-013	1.2666E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Ethylbenzene	2.0036E-014	2.5791E-013
RCPTR_29	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.6589E-009	1.8891E-009
RCPTR_29	farmer_adult	TOCDFMPF	Fluoranthene	9.0914E-009	3.9162E-008
RCPTR_29	farmer_adult	TOCDFMPF	Fluorene	1.0178E-010	1.3245E-009
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.2098E-012	3.3255E-012
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6099E-011	1.6574E-011
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.5388E-011	1.5932E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.0222E-011	4.1450E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.5359E-011	2.6344E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.1447E-011	2.2387E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.6090E-011	4.8334E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.5682E-010	1.6442E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.3118E-010	1.3750E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5870E-011	1.6636E-011
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0164E-011	1.0328E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.6585E-008	1.8512E-007
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.6609E-011	3.4111E-010
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.5609E-012	7.8858E-011
RCPTR_29	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.4770E-003	1.4844E-003
RCPTR_29	farmer_adult	TOCDFMPF	Isophorone	2.3638E-013	3.7966E-012
RCPTR_29	farmer_adult	TOCDFMPF	Lead	2.6164E-006	2.8446E-006
RCPTR_29	farmer_adult	TOCDFMPF	Mercuric chloride	6.9534E-008	7.1583E-008
RCPTR_29	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.3132E-017	8.5774E-016
RCPTR_29	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.0962E-018	4.9790E-017
RCPTR_29	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2851E-015	2.0794E-014
RCPTR_29	farmer_adult	TOCDFMPF	Methyl mercury	1.2302E-009	1.2512E-009
RCPTR_29	farmer_adult	TOCDFMPF	Methylene chloride	3.3858E-016	5.4535E-015
RCPTR_29	farmer_adult	TOCDFMPF	Naphthalene	2.9579E-012	4.4399E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nickel	9.7971E-006	1.0410E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.8606E-012	4.4967E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.4052E-013	8.6679E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.2466E-013	9.9307E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitrobenzene	7.5985E-013	1.2263E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 2-	6.1492E-013	9.8784E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.5589E-011	5.1552E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.4804E-012	8.6259E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.8938E-013	4.4920E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	8.9999E-014	1.1691E-012
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.5089E-012	3.6686E-012
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.4601E-013	3.6138E-013
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.0923E-011	8.3828E-011
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.8686E-011	5.1568E-011
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.4779E-011	3.6775E-011
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorobenzene	7.9041E-010	6.0121E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.4699E-011	2.3856E-010
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorophenol	2.9686E-008	4.0361E-008
RCPTR_29	farmer_adult	TOCDFMPF	Phenanthrene	2.1137E-013	2.8942E-012
RCPTR_29	farmer_adult	TOCDFMPF	Phenol	5.8754E-013	9.3050E-012
RCPTR_29	farmer_adult	TOCDFMPF	Pronamide	9.0070E-010	1.1619E-008
RCPTR_29	farmer_adult	TOCDFMPF	Pyrene	1.0235E-008	4.8790E-008
RCPTR_29	farmer_adult	TOCDFMPF	Selenium	3.6812E-006	3.6985E-006
RCPTR_29	farmer_adult	TOCDFMPF	Silver	9.8042E-007	1.0407E-006
RCPTR_29	farmer_adult	TOCDFMPF	Styrene	1.3525E-013	2.1284E-012
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.7372E-011	2.9586E-011
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1023E-011	1.2279E-011
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.8460E-010	9.4443E-009
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	5.7496E-014	9.1115E-013
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.4898E-015	8.6344E-014
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.6770E-009	7.3205E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Thallium (l)	6.6499E-005	6.9279E-005
RCPTR_29	farmer_adult	TOCDFMPF	Toluene	7.6038E-015	1.1364E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.2763E-012	2.8519E-011
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.5053E-015	5.5775E-014
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.6564E-014	4.2641E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethylene	4.3953E-015	6.9345E-014
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.7651E-016	9.1134E-015
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.3217E-010	4.3632E-009
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.6510E-010	9.2079E-010
RCPTR_29	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	9.8792E-014	1.5784E-012
RCPTR_29	farmer_adult	TOCDFMPF	VX	6.1770E-011	6.4171E-011
RCPTR_29	farmer_adult	TOCDFMPF	Vinyl Chloride	1.4121E-018	2.2530E-017
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, m-	4.5160E-013	7.6761E-013
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, o-	3.8848E-013	7.4873E-013
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, p-	4.3276E-013	9.2285E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDHVAC	VX	3.4956E-011	3.6323E-011
RCPTR_29	farmer_adult	TOCDLIC2	Acenaphthene	1.5772E-010	2.2268E-009
RCPTR_29	farmer_adult	TOCDLIC2	Acetone	6.8772E-012	1.1132E-010
RCPTR_29	farmer_adult	TOCDLIC2	Acetophenone	7.2791E-013	1.1698E-011
RCPTR_29	farmer_adult	TOCDLIC2	Aniline	4.4568E-014	7.0474E-013
RCPTR_29	farmer_adult	TOCDLIC2	Anthracene	2.8250E-009	3.9308E-008
RCPTR_29	farmer_adult	TOCDLIC2	Antimony	9.5189E-006	1.1026E-005
RCPTR_29	farmer_adult	TOCDLIC2	Arsenic	1.0345E-005	1.0706E-005
RCPTR_29	farmer_adult	TOCDLIC2	Barium	1.5892E-006	1.7751E-006
RCPTR_29	farmer_adult	TOCDLIC2	Benzene	9.4873E-015	1.4877E-013
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.7710E-006	5.1877E-006
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.4785E-005	4.6426E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.3075E-005	2.6771E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.8605E-005	7.0549E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzoic acid	3.4411E-011	2.8445E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Benzyl alcohol	1.8962E-010	3.0368E-009
RCPTR_29	farmer_adult	TOCDLIC2	Beryllium	5.3624E-007	5.6673E-007
RCPTR_29	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.8808E-013	1.5992E-011
RCPTR_29	farmer_adult	TOCDLIC2	Bromodichloromethane	5.8048E-016	9.3404E-015
RCPTR_29	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	5.5700E-013	8.9803E-012
RCPTR_29	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.6083E-008	5.6611E-007
RCPTR_29	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.6679E-008	3.0261E-008
RCPTR_29	farmer_adult	TOCDLIC2	Cadmium	1.2767E-007	1.7315E-007
RCPTR_29	farmer_adult	TOCDLIC2	Carbon disulfide	3.9040E-017	6.1930E-016
RCPTR_29	farmer_adult	TOCDLIC2	Carbon tetrachloride	3.1352E-016	4.9021E-015
RCPTR_29	farmer_adult	TOCDLIC2	Chlorine	8.5566E-007	1.3857E-005
RCPTR_29	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.1706E-010	1.3624E-009
RCPTR_29	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.7247E-012	7.4322E-011
RCPTR_29	farmer_adult	TOCDLIC2	Chlorobenzene	1.8737E-015	2.8693E-014
RCPTR_29	farmer_adult	TOCDLIC2	Chloroethane	6.2734E-017	8.4785E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.4083E-016	3.8689E-015
RCPTR_29	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.9989E-010	5.8131E-009
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2775E-011	2.0628E-010
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2517E-009	7.6067E-009
RCPTR_29	farmer_adult	TOCDLIC2	Chromium	8.1194E-006	8.1427E-006
RCPTR_29	farmer_adult	TOCDLIC2	Chromium, hexavalent	7.4043E-006	7.5160E-006
RCPTR_29	farmer_adult	TOCDLIC2	Chrysene	1.1854E-005	1.3450E-005
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	9.4329E-008	1.0810E-007
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.9828E+001	4.9828E+001
RCPTR_29	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.8111E-004	9.9738E-004
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.2198E-013	9.4119E-012
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.1205E-013	1.1369E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.6592E-013	1.0941E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.9640E-008	3.5875E-008
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.3049E-018	6.7471E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	9.7359E-017	1.5663E-015
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3092E-015	2.1092E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	4.0438E-016	6.4295E-015
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.5105E-016	1.0336E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.2367E-010	9.6674E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.5428E-016	5.5469E-015
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1426E-016	1.8294E-015
RCPTR_29	farmer_adult	TOCDLIC2	Diethyl phthalate	6.0574E-009	6.2971E-009
RCPTR_29	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.1408E-011	1.5226E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.1750E-012	1.4076E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	7.1616E-012	1.6294E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1007E-011	1.3028E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.7407E-012	1.0010E-010
RCPTR_29	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.8521E-013	2.9944E-012
RCPTR_29	farmer_adult	TOCDLIC2	Ethylbenzene	1.2008E-014	1.5459E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.6284E-009	1.0969E-008
RCPTR_29	farmer_adult	TOCDLIC2	Fluoranthene	1.1766E-007	5.0706E-007
RCPTR_29	farmer_adult	TOCDLIC2	Fluorene	6.7305E-010	8.7597E-009
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.9275E-011	3.0329E-011
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.3340E-010	3.4320E-010
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	8.0640E-010	8.3480E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.3235E-010	2.3943E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.4627E-010	1.5194E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.2538E-010	1.3087E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.7091E-010	1.7923E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.4796E-010	1.5513E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.5101E-010	1.5827E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.2464E-010	1.3066E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8233E-011	1.8537E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.3558E-008	3.7465E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.2988E-011	4.9410E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.9625E-012	1.1291E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8350E-003	6.8690E-003
RCPTR_29	farmer_adult	TOCDLIC2	Isophorone	1.3332E-012	2.1413E-011
RCPTR_29	farmer_adult	TOCDLIC2	Lead	1.6593E-006	1.8039E-006
RCPTR_29	farmer_adult	TOCDLIC2	Mercuric chloride	6.4902E-008	6.6819E-008
RCPTR_29	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.2442E-017	1.1695E-015
RCPTR_29	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.1136E-019	3.3989E-018
RCPTR_29	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.7031E-014	1.2464E-012
RCPTR_29	farmer_adult	TOCDLIC2	Methyl mercury	1.1449E-009	1.1645E-009
RCPTR_29	farmer_adult	TOCDLIC2	Methylene chloride	1.0460E-012	1.6848E-011
RCPTR_29	farmer_adult	TOCDLIC2	Naphthalene	3.5359E-012	5.3076E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nickel	1.8702E-005	1.9871E-005
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.3242E-011	3.6535E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.4204E-012	8.6922E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.0656E-012	1.1234E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitrobenzene	2.2394E-012	3.6142E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0243E-012	1.6456E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4462E-010	2.9132E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2956E-012	2.0392E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2913E-012	2.0044E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.3924E-013	1.8114E-012
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.5778E-011	4.7859E-011
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.5510E-011	4.7529E-011
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.9297E-010	5.1064E-010
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.2075E-011	7.6343E-011
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.8531E-010	3.0168E-010
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.8626E-010	1.4207E-009
RCPTR_29	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.1900E-011	5.6472E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorophenol	2.5155E-007	3.4198E-007
RCPTR_29	farmer_adult	TOCDLIC2	Phenanthrene	2.0244E-012	2.7722E-011
RCPTR_29	farmer_adult	TOCDLIC2	Phenol	1.8084E-012	2.8639E-011
RCPTR_29	farmer_adult	TOCDLIC2	Pronamide	2.1292E-010	2.7469E-009
RCPTR_29	farmer_adult	TOCDLIC2	Pyrene	1.4053E-007	6.7005E-007
RCPTR_29	farmer_adult	TOCDLIC2	Selenium	1.1692E-005	1.1747E-005
RCPTR_29	farmer_adult	TOCDLIC2	Silver	3.1088E-005	3.2998E-005
RCPTR_29	farmer_adult	TOCDLIC2	Styrene	8.9326E-015	1.4057E-013
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	6.3404E-011	6.8535E-011
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6465E-011	1.8342E-011
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0912E-010	2.2327E-009
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.9620E-012	9.9113E-012
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.7473E-016	5.8942E-015
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.3414E-009	1.7339E-008
RCPTR_29	farmer_adult	TOCDLIC2	Thallium (l)	4.1425E-005	4.3156E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Toluene	1.1844E-011	1.7702E-010
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.7981E-012	8.5181E-011
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.5406E-014	5.6338E-013
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.9018E-014	3.0529E-013
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethylene	3.1467E-015	4.9647E-014
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.1275E-016	6.5247E-015
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.7215E-010	9.8137E-009
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.6550E-010	2.0381E-009
RCPTR_29	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.0729E-014	1.1300E-012
RCPTR_29	farmer_adult	TOCDLIC2	VX	4.6809E-011	4.8628E-011
RCPTR_29	farmer_adult	TOCDLIC2	Vinyl Chloride	9.3255E-020	1.4880E-018
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, m-	5.7215E-013	9.7553E-013
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, o-	3.1317E-013	6.0575E-013
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, p-	5.4839E-013	1.1740E-012
RCPTR_29	farmer_adult	TOCDLIC2	Zinc	2.2767E-006	2.8050E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFBRA	Antimony	3.7603E-006	4.0970E-006
RCPTR_29	farmer_child	TOCDFBRA	Arsenic	6.0875E-006	6.2178E-006
RCPTR_29	farmer_child	TOCDFBRA	Barium	5.1367E-007	5.4856E-007
RCPTR_29	farmer_child	TOCDFBRA	Beryllium	1.6344E-006	1.6733E-006
RCPTR_29	farmer_child	TOCDFBRA	Cadmium	3.0810E-007	3.6047E-007
RCPTR_29	farmer_child	TOCDFBRA	Chromium	3.8577E-006	3.9319E-006
RCPTR_29	farmer_child	TOCDFBRA	Chromium, hexavalent	3.5951E-006	3.6289E-006
RCPTR_29	farmer_child	TOCDFBRA	Lead	1.6835E-005	1.7464E-005
RCPTR_29	farmer_child	TOCDFBRA	Mercuric chloride	1.3863E-003	1.5926E-003
RCPTR_29	farmer_child	TOCDFBRA	Methyl mercury	2.7415E-005	2.8059E-005
RCPTR_29	farmer_child	TOCDFBRA	Nickel	2.0106E-005	2.0803E-005
RCPTR_29	farmer_child	TOCDFBRA	Selenium	6.8020E-006	6.8221E-006
RCPTR_29	farmer_child	TOCDFBRA	Silver	2.3086E-006	2.3957E-006
RCPTR_29	farmer_child	TOCDFBRA	Thallium (l)	6.2277E-005	6.3707E-005
RCPTR_29	farmer_child	TOCDFBRA	Zinc	1.1071E-005	1.2413E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Acenaphthene	1.4514E-009	3.4770E-009
RCPTR_29	farmer_child	TOCDFDFS	Acetone	2.8962E-013	7.0350E-013
RCPTR_29	farmer_child	TOCDFDFS	Acetophenone	7.5240E-012	1.8264E-011
RCPTR_29	farmer_child	TOCDFDFS	Aniline	4.5399E-013	1.1003E-012
RCPTR_29	farmer_child	TOCDFDFS	Anthracene	2.5668E-008	6.1384E-008
RCPTR_29	farmer_child	TOCDFDFS	Antimony	6.6703E-007	7.2673E-007
RCPTR_29	farmer_child	TOCDFDFS	Aroclor 1254	3.6749E-010	4.9118E-010
RCPTR_29	farmer_child	TOCDFDFS	Arsenic	1.2598E-006	1.2868E-006
RCPTR_29	farmer_child	TOCDFDFS	Barium	6.0668E-006	6.4788E-006
RCPTR_29	farmer_child	TOCDFDFS	Benzene	2.4335E-014	5.8932E-014
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.1262E-006	8.2229E-006
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.3330E-005	7.4728E-005
RCPTR_29	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.9451E-005	4.2365E-005
RCPTR_29	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1193E-004	1.1324E-004
RCPTR_29	farmer_child	TOCDFDFS	Benzoic acid	1.2884E-010	2.8716E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Benzyl alcohol	1.5940E-011	3.8679E-011
RCPTR_29	farmer_child	TOCDFDFS	Beryllium	2.8437E-007	2.9115E-007
RCPTR_29	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.0279E-011	2.4968E-011
RCPTR_29	farmer_child	TOCDFDFS	Bromodichloromethane	5.1662E-014	1.2542E-013
RCPTR_29	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.7791E-012	4.3199E-012
RCPTR_29	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.9038E-007	8.8395E-007
RCPTR_29	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.7055E-007	1.8361E-007
RCPTR_29	farmer_child	TOCDFDFS	Cadmium	4.8729E-007	5.7009E-007
RCPTR_29	farmer_child	TOCDFDFS	Carbon disulfide	6.8957E-015	1.6718E-014
RCPTR_29	farmer_child	TOCDFDFS	Carbon tetrachloride	2.7189E-014	6.5823E-014
RCPTR_29	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0048E-009	2.1261E-009
RCPTR_29	farmer_child	TOCDFDFS	Chloroaniline, p-	4.7901E-011	1.1604E-010
RCPTR_29	farmer_child	TOCDFDFS	Chlorobenzene	7.9874E-014	1.9298E-013
RCPTR_29	farmer_child	TOCDFDFS	Chloroethane	6.4680E-016	1.5425E-015
RCPTR_29	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.0720E-014	2.6020E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Chloronaphthalene,2-	3.7767E-009	9.0763E-009
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.3262E-010	3.2206E-010
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.6724E-009	1.1894E-008
RCPTR_29	farmer_child	TOCDFDFS	Chromium	3.4859E-006	3.5530E-006
RCPTR_29	farmer_child	TOCDFDFS	Chromium, hexavalent	3.2487E-006	3.2793E-006
RCPTR_29	farmer_child	TOCDFDFS	Chrysene	2.0129E-005	2.1261E-005
RCPTR_29	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.4172E-007	2.6262E-007
RCPTR_29	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.5281E+003	2.5281E+003
RCPTR_29	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5917E-003	1.6045E-003
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.3552E-012	3.2184E-012
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.8202E-012	1.1538E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.1690E-012	7.6020E-012
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.0159E-008	3.3782E-008
RCPTR_29	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.0707E-017	1.2277E-016
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.4849E-015	1.0888E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.5708E-015	1.3526E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	4.8243E-015	1.1698E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	7.7563E-015	1.8806E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	5.6990E-010	1.1010E-009
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.3715E-014	1.0585E-013
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.0706E-015	1.2304E-014
RCPTR_29	farmer_child	TOCDFDFS	Diethyl phthalate	4.9256E-008	5.0466E-008
RCPTR_29	farmer_child	TOCDFDFS	Dimethyl phthalate	4.8807E-011	1.1618E-010
RCPTR_29	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	9.0936E-011	2.1975E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	8.1638E-011	1.2590E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.8799E-011	4.4080E-011
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.4270E-011	3.3848E-011
RCPTR_29	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.9249E-012	4.6751E-012
RCPTR_29	farmer_child	TOCDFDFS	Ethylbenzene	9.9706E-014	2.3643E-013
RCPTR_29	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.7307E-009	5.1047E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Fluoranthene	4.4471E-007	7.9355E-007
RCPTR_29	farmer_child	TOCDFDFS	Fluorene	5.7617E-009	1.3679E-008
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.1114E-012	5.1893E-012
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.1865E-012	6.2648E-012
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.5250E-011	1.5478E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.7942E-011	3.8438E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.4513E-011	2.4914E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.1370E-011	2.1760E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.8563E-011	2.9133E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.4695E-011	2.5187E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.5140E-011	2.5637E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.0775E-011	2.1188E-011
RCPTR_29	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2607E-010	2.8969E-010
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorobenzene	2.5218E-007	5.8512E-007
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.6861E-009	3.8237E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.3534E-011	1.7628E-010
RCPTR_29	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0771E-002	1.0800E-002
RCPTR_29	farmer_child	TOCDFDFS	Isophorone	1.3774E-011	3.3432E-011
RCPTR_29	farmer_child	TOCDFDFS	Lead	3.3481E-006	3.4732E-006
RCPTR_29	farmer_child	TOCDFDFS	Mercuric chloride	1.3161E-006	1.5070E-006
RCPTR_29	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.6011E-016	1.1173E-015
RCPTR_29	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	8.8627E-018	2.1514E-017
RCPTR_29	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.3718E-014	1.3048E-013
RCPTR_29	farmer_child	TOCDFDFS	Methyl mercury	2.6774E-008	2.7370E-008
RCPTR_29	farmer_child	TOCDFDFS	Methylene chloride	2.9938E-013	7.2686E-013
RCPTR_29	farmer_child	TOCDFDFS	Naphthalene	9.0852E-011	2.1906E-010
RCPTR_29	farmer_child	TOCDFDFS	Nickel	3.8569E-005	3.9905E-005
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.3272E-010	5.6370E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 3-	5.5261E-011	1.3411E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 4-	7.1491E-011	1.7334E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitrobenzene	2.3237E-011	5.6427E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.0585E-011	2.5692E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.0659E-010	4.4852E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.3142E-011	3.1837E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.2935E-011	3.1294E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.1964E-012	2.8334E-012
RCPTR_29	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2976E-011	1.3220E-011
RCPTR_29	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.9111E-012	3.9830E-012
RCPTR_29	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.9009E-011	7.0045E-011
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.4259E-012	6.5796E-012
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.5756E-011	2.6354E-011
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorobenzene	5.0662E-009	1.1048E-008
RCPTR_29	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.1058E-010	8.7769E-010
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorophenol	8.8549E-008	1.0622E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Phenanthrene	1.8129E-011	4.3287E-011
RCPTR_29	farmer_child	TOCDFDFS	Phenol	1.8446E-011	4.4714E-011
RCPTR_29	farmer_child	TOCDFDFS	Pronamide	3.6160E-009	8.5775E-009
RCPTR_29	farmer_child	TOCDFDFS	Pyrene	6.7463E-007	1.0471E-006
RCPTR_29	farmer_child	TOCDFDFS	Selenium	1.4077E-006	1.4119E-006
RCPTR_29	farmer_child	TOCDFDFS	Silver	1.9111E-006	1.9832E-006
RCPTR_29	farmer_child	TOCDFDFS	Styrene	9.4771E-013	2.2958E-012
RCPTR_29	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	3.2081E-011	3.3104E-011
RCPTR_29	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4989E-011	1.5648E-011
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.5049E-009	3.4859E-009
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1616E-010	1.3257E-010
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.2677E-014	7.9149E-014
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.6077E-008	2.6717E-008
RCPTR_29	farmer_child	TOCDFDFS	Thallium (l)	2.5460E-004	2.6044E-004
RCPTR_29	farmer_child	TOCDFDFS	Toluene	1.6180E-013	3.8995E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	6.7175E-011	1.5888E-010
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.1082E-014	5.1124E-014
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.2886E-013	5.5547E-013
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethylene	3.7280E-014	9.0332E-014
RCPTR_29	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.8985E-015	1.1872E-014
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	6.6632E-009	1.5319E-008
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.5428E-009	3.1803E-009
RCPTR_29	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	8.4750E-013	2.0561E-012
RCPTR_29	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.4714E-012	1.7540E-011
RCPTR_29	farmer_child	TOCDFDFS	VX	1.1402E-010	1.1677E-010
RCPTR_29	farmer_child	TOCDFDFS	Vinyl Chloride	6.2718E-018	1.5212E-017
RCPTR_29	farmer_child	TOCDFDFS	Xylene, m-	2.0956E-012	2.7692E-012
RCPTR_29	farmer_child	TOCDFDFS	Xylene, o-	1.9130E-012	2.6810E-012
RCPTR_29	farmer_child	TOCDFDFS	Xylene, p-	2.2412E-012	3.2859E-012
RCPTR_29	farmer_child	TOCDFLIC	Acenaphthene	9.2937E-010	2.2268E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Acetone	4.5829E-011	1.1132E-010
RCPTR_29	farmer_child	TOCDFLIC	Acetophenone	4.8191E-012	1.1698E-011
RCPTR_29	farmer_child	TOCDFLIC	Aniline	2.9078E-013	7.0474E-013
RCPTR_29	farmer_child	TOCDFLIC	Anthracene	1.6432E-008	3.9308E-008
RCPTR_29	farmer_child	TOCDFLIC	Antimony	1.0121E-005	1.1026E-005
RCPTR_29	farmer_child	TOCDFLIC	Arsenic	1.0482E-005	1.0706E-005
RCPTR_29	farmer_child	TOCDFLIC	Barium	1.6624E-006	1.7751E-006
RCPTR_29	farmer_child	TOCDFLIC	Benzene	6.1434E-014	1.4877E-013
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.4884E-006	5.1877E-006
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.5577E-005	4.6426E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.4917E-005	2.6771E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.9771E-005	7.0549E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzoic acid	1.2766E-010	2.8445E-010
RCPTR_29	farmer_child	TOCDFLIC	Benzyl alcohol	1.2515E-009	3.0368E-009
RCPTR_29	farmer_child	TOCDFLIC	Beryllium	5.5355E-007	5.6673E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.5838E-012	1.5992E-011
RCPTR_29	farmer_child	TOCDFLIC	Bromodichloromethane	3.8475E-015	9.3404E-015
RCPTR_29	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.6984E-012	8.9803E-012
RCPTR_29	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.1403E-007	5.6611E-007
RCPTR_29	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.8015E-008	3.0261E-008
RCPTR_29	farmer_child	TOCDFLIC	Cadmium	1.4802E-007	1.7315E-007
RCPTR_29	farmer_child	TOCDFLIC	Carbon disulfide	2.5544E-016	6.1930E-016
RCPTR_29	farmer_child	TOCDFLIC	Carbon tetrachloride	2.0248E-015	4.9021E-015
RCPTR_29	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.4420E-010	1.3624E-009
RCPTR_29	farmer_child	TOCDFLIC	Chloroaniline, p-	3.0681E-011	7.4322E-011
RCPTR_29	farmer_child	TOCDFLIC	Chlorobenzene	1.1876E-014	2.8693E-014
RCPTR_29	farmer_child	TOCDFLIC	Chloroethane	3.5554E-016	8.4785E-016
RCPTR_29	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.5939E-015	3.8689E-015
RCPTR_29	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.4187E-009	5.8131E-009
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.4941E-011	2.0628E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.6218E-009	7.6067E-009
RCPTR_29	farmer_child	TOCDFLIC	Chromium	7.9892E-006	8.1427E-006
RCPTR_29	farmer_child	TOCDFLIC	Chromium, hexavalent	7.4460E-006	7.5160E-006
RCPTR_29	farmer_child	TOCDFLIC	Chrysene	1.2732E-005	1.3450E-005
RCPTR_29	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.9464E-008	1.0810E-007
RCPTR_29	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.9828E+001	4.9828E+001
RCPTR_29	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.9006E-004	9.9738E-004
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.9628E-012	9.4119E-012
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.7493E-012	1.1369E-011
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.5608E-012	1.0941E-011
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.1966E-008	3.5875E-008
RCPTR_29	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.7862E-017	6.7471E-017
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane 1,1-	6.6687E-016	1.6189E-015
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6872E-015	2.1092E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.6514E-015	6.4295E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.2629E-015	1.0336E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.0079E-010	9.6674E-010
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.2908E-015	5.5469E-015
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.5392E-016	1.8294E-015
RCPTR_29	farmer_child	TOCDFLIC	Diethyl phthalate	6.1468E-009	6.2971E-009
RCPTR_29	farmer_child	TOCDFLIC	Dimethyl phthalate	6.3939E-011	1.5226E-010
RCPTR_29	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.8247E-011	1.4076E-010
RCPTR_29	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0567E-011	1.6294E-011
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.5488E-011	1.3028E-010
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.2187E-011	1.0010E-010
RCPTR_29	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.2329E-012	2.9944E-012
RCPTR_29	farmer_child	TOCDFLIC	Ethylbenzene	6.5184E-014	1.5459E-013
RCPTR_29	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.0128E-008	1.0969E-008
RCPTR_29	farmer_child	TOCDFLIC	Fluoranthene	2.8369E-007	5.0706E-007
RCPTR_29	farmer_child	TOCDFLIC	Fluorene	3.6889E-009	8.7597E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.9886E-011	3.0329E-011
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.8258E-011	9.9450E-011
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.3845E-010	2.4190E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.3646E-010	2.3943E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.4957E-010	1.5194E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.2857E-010	1.3087E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.7575E-010	1.7923E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.5212E-010	1.5513E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.5523E-010	1.5827E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.2814E-010	1.3066E-010
RCPTR_29	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.0565E-011	1.8537E-010
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorobenzene	1.6140E-007	3.7465E-007
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.1750E-010	4.9410E-010
RCPTR_29	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.7103E-011	1.1291E-010
RCPTR_29	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8528E-003	6.8690E-003
RCPTR_29	farmer_child	TOCDFLIC	Isophorone	8.8220E-012	2.1413E-011
RCPTR_29	farmer_child	TOCDFLIC	Lead	1.7390E-006	1.8039E-006
RCPTR_29	farmer_child	TOCDFLIC	Mercuric chloride	5.8096E-008	6.6819E-008
RCPTR_29	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.8158E-016	1.1695E-015
RCPTR_29	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.7965E-017	6.7886E-017
RCPTR_29	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.1313E-013	1.2464E-012
RCPTR_29	farmer_child	TOCDFLIC	Methyl mercury	1.1373E-009	1.1645E-009
RCPTR_29	farmer_child	TOCDFLIC	Methylene chloride	6.9395E-012	1.6848E-011
RCPTR_29	farmer_child	TOCDFLIC	Naphthalene	2.2012E-011	5.3076E-011
RCPTR_29	farmer_child	TOCDFLIC	Nickel	1.9207E-005	1.9871E-005
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.5083E-010	3.6535E-010
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.5816E-011	8.6922E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 4-	9.2485E-012	2.2427E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrobenzene	1.4883E-011	3.6142E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.3959E-011	8.2428E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.9795E-011	5.8159E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.4175E-012	2.0392E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.2852E-012	2.0044E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.6287E-013	1.8114E-012
RCPTR_29	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.6986E-011	4.7859E-011
RCPTR_29	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.6681E-011	4.7529E-011
RCPTR_29	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.0326E-010	5.1064E-010
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	7.4560E-011	7.6343E-011
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.9483E-010	3.0168E-010
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorobenzene	3.2390E-009	7.1163E-009
RCPTR_29	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.6197E-010	5.6472E-010
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorophenol	5.6952E-008	6.8271E-008
RCPTR_29	farmer_child	TOCDFLIC	Phenanthrene	1.1608E-011	2.7722E-011
RCPTR_29	farmer_child	TOCDFLIC	Phenol	1.1815E-011	2.8639E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Pronamide	1.1579E-009	2.7469E-009
RCPTR_29	farmer_child	TOCDFLIC	Pyrene	4.3150E-007	6.7005E-007
RCPTR_29	farmer_child	TOCDFLIC	Selenium	1.1712E-005	1.1747E-005
RCPTR_29	farmer_child	TOCDFLIC	Silver	3.1800E-005	3.2998E-005
RCPTR_29	farmer_child	TOCDFLIC	Styrene	5.8025E-014	1.4057E-013
RCPTR_29	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.6400E-011	6.8535E-011
RCPTR_29	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.7562E-011	1.8342E-011
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.6379E-010	2.2327E-009
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.6890E-012	9.9113E-012
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.4332E-015	5.8942E-015
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0443E-008	1.7339E-008
RCPTR_29	farmer_child	TOCDFLIC	Thallium (l)	4.2189E-005	4.3156E-005
RCPTR_29	farmer_child	TOCDFLIC	Toluene	7.3445E-011	1.7702E-010
RCPTR_29	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.6031E-011	8.5181E-011
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.3231E-013	5.6338E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.2578E-013	3.0529E-013
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethylene	2.0489E-014	4.9647E-014
RCPTR_29	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.6922E-015	6.5247E-015
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.2696E-009	9.8137E-009
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	9.8929E-010	2.0381E-009
RCPTR_29	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.6579E-013	1.1300E-012
RCPTR_29	farmer_child	TOCDFLIC	VX	4.5678E-011	4.6776E-011
RCPTR_29	farmer_child	TOCDFLIC	Vinyl Chloride	6.1341E-019	1.4880E-018
RCPTR_29	farmer_child	TOCDFLIC	Xylene, m-	7.2258E-013	9.7553E-013
RCPTR_29	farmer_child	TOCDFLIC	Xylene, o-	4.2228E-013	6.0575E-013
RCPTR_29	farmer_child	TOCDFLIC	Xylene, p-	7.8171E-013	1.1740E-012
RCPTR_29	farmer_child	TOCDFLIC	Zinc	2.5022E-006	2.8050E-006
RCPTR_29	farmer_child	TOCDFMPF	Acenaphthene	1.6896E-010	4.0483E-010
RCPTR_29	farmer_child	TOCDFMPF	Acetone	1.9354E-015	4.7011E-015
RCPTR_29	farmer_child	TOCDFMPF	Acetophenone	2.0385E-011	4.9482E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Aniline	1.2300E-012	2.9811E-012
RCPTR_29	farmer_child	TOCDFMPF	Anthracene	1.7156E-009	4.1038E-009
RCPTR_29	farmer_child	TOCDFMPF	Arsenic	5.0777E-007	5.1862E-007
RCPTR_29	farmer_child	TOCDFMPF	Barium	1.8571E-007	1.9831E-007
RCPTR_29	farmer_child	TOCDFMPF	Benzene	1.0712E-014	2.5942E-014
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.1251E-007	4.7673E-007
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)pyrene	7.7276E-006	7.8719E-006
RCPTR_29	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.5916E-006	3.8587E-006
RCPTR_29	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.0318E-005	1.0433E-005
RCPTR_29	farmer_child	TOCDFMPF	Benzoic acid	2.4315E-011	5.4178E-011
RCPTR_29	farmer_child	TOCDFMPF	Benzyl alcohol	9.8406E-012	2.3879E-011
RCPTR_29	farmer_child	TOCDFMPF	Beryllium	6.9544E-008	7.1200E-008
RCPTR_29	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.7790E-012	6.7504E-012
RCPTR_29	farmer_child	TOCDFMPF	Bromodichloromethane	5.6361E-014	1.3683E-013
RCPTR_29	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.9409E-012	4.7128E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.7834E-007	3.2150E-007
RCPTR_29	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.6931E-009	3.9883E-009
RCPTR_29	farmer_child	TOCDFMPF	Cadmium	4.7063E-007	5.5054E-007
RCPTR_29	farmer_child	TOCDFMPF	Carbon disulfide	3.7420E-015	9.0720E-015
RCPTR_29	farmer_child	TOCDFMPF	Carbon tetrachloride	2.9661E-014	7.1810E-014
RCPTR_29	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.7364E-010	5.7873E-010
RCPTR_29	farmer_child	TOCDFMPF	Chloroaniline, p-	8.9742E-012	2.1739E-011
RCPTR_29	farmer_child	TOCDFMPF	Chlorobenzene	1.7397E-013	4.2032E-013
RCPTR_29	farmer_child	TOCDFMPF	Chloroethane	4.9660E-016	1.1842E-015
RCPTR_29	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.3349E-014	5.6675E-014
RCPTR_29	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.2231E-010	1.0150E-009
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenol, 2-	3.1038E-011	7.5374E-011
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1118E-009	2.3348E-009
RCPTR_29	farmer_child	TOCDFMPF	Chromium	8.6691E-006	8.8357E-006
RCPTR_29	farmer_child	TOCDFMPF	Chromium, hexavalent	8.0797E-006	8.1556E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Chrysene	1.3075E-006	1.3812E-006
RCPTR_29	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.1551E-007	1.2554E-007
RCPTR_29	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.4472E+001	4.4472E+001
RCPTR_29	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.6070E-004	2.6264E-004
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.3696E-012	3.2528E-012
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.5302E-012	3.6632E-012
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.4613E-012	3.5056E-012
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.5095E-009	1.0671E-008
RCPTR_29	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.8918E-017	9.4241E-017
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane 1,1-	9.7689E-015	2.3715E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2134E-014	2.9461E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.7034E-015	8.9805E-015
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.9543E-015	1.4437E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.9469E-010	3.7585E-010
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.3558E-014	8.1256E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.1044E-014	2.6799E-014
RCPTR_29	farmer_child	TOCDFMPF	Diethyl phthalate	1.3036E-008	1.3355E-008
RCPTR_29	farmer_child	TOCDFMPF	Dimethyl phthalate	3.6640E-012	8.7251E-012
RCPTR_29	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.2804E-011	5.5106E-011
RCPTR_29	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.0163E-011	3.1089E-011
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.5920E-011	1.7823E-010
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.2400E-011	1.2433E-010
RCPTR_29	farmer_child	TOCDFMPF	Ethyl methanesulfonate	5.2151E-012	1.2666E-011
RCPTR_29	farmer_child	TOCDFMPF	Ethylbenzene	1.0875E-013	2.5791E-013
RCPTR_29	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.7447E-009	1.8891E-009
RCPTR_29	farmer_child	TOCDFMPF	Fluoranthene	2.1913E-008	3.9162E-008
RCPTR_29	farmer_child	TOCDFMPF	Fluorene	5.5778E-010	1.3245E-009
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.2769E-012	3.3255E-012
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6375E-011	1.6574E-011
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.5704E-011	1.5932E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.0934E-011	4.1450E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.5931E-011	2.6344E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.1993E-011	2.2387E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.7394E-011	4.8334E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.6123E-010	1.6442E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.3485E-010	1.3750E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.6315E-011	1.6636E-011
RCPTR_29	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.4890E-011	1.0328E-010
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorobenzene	7.9754E-008	1.8512E-007
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.5017E-010	3.4111E-010
RCPTR_29	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.2897E-011	7.8858E-011
RCPTR_29	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.4809E-003	1.4844E-003
RCPTR_29	farmer_child	TOCDFMPF	Isophorone	1.5642E-012	3.7966E-012
RCPTR_29	farmer_child	TOCDFMPF	Lead	2.7422E-006	2.8446E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Mercuric chloride	6.2257E-008	7.1583E-008
RCPTR_29	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.5321E-016	8.5774E-016
RCPTR_29	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.0510E-017	4.9790E-017
RCPTR_29	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.5608E-015	2.0794E-014
RCPTR_29	farmer_child	TOCDFMPF	Methyl mercury	1.2221E-009	1.2512E-009
RCPTR_29	farmer_child	TOCDFMPF	Methylene chloride	2.2462E-015	5.4535E-015
RCPTR_29	farmer_child	TOCDFMPF	Naphthalene	1.8413E-011	4.4399E-011
RCPTR_29	farmer_child	TOCDFMPF	Nickel	1.0062E-005	1.0410E-005
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.8564E-011	4.4967E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.5716E-012	8.6679E-012
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.0953E-012	9.9307E-012
RCPTR_29	farmer_child	TOCDFMPF	Nitrobenzene	5.0499E-012	1.2263E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 2-	4.0697E-012	9.8784E-012
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.5272E-011	5.1552E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.5606E-011	8.6259E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.8567E-012	4.4920E-012
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.9243E-013	1.1691E-012
RCPTR_29	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.6016E-012	3.6686E-012
RCPTR_29	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.5492E-013	3.6138E-013
RCPTR_29	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.2615E-011	8.3828E-011
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.0364E-011	5.1568E-011
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.5940E-011	3.6775E-011
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorobenzene	2.7378E-009	6.0121E-009
RCPTR_29	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1073E-010	2.3856E-010
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorophenol	3.3667E-008	4.0361E-008
RCPTR_29	farmer_child	TOCDFMPF	Phenanthrene	1.2119E-012	2.8942E-012
RCPTR_29	farmer_child	TOCDFMPF	Phenol	3.8387E-012	9.3050E-012
RCPTR_29	farmer_child	TOCDFMPF	Pronamide	4.8982E-009	1.1619E-008
RCPTR_29	farmer_child	TOCDFMPF	Pyrene	3.1421E-008	4.8790E-008
RCPTR_29	farmer_child	TOCDFMPF	Selenium	3.6877E-006	3.6985E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Silver	1.0029E-006	1.0407E-006
RCPTR_29	farmer_child	TOCDFMPF	Styrene	8.7858E-013	2.1284E-012
RCPTR_29	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.8665E-011	2.9586E-011
RCPTR_29	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1757E-011	1.2279E-011
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.0769E-009	9.4443E-009
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.7586E-013	9.1115E-013
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.5644E-014	8.6344E-014
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.4088E-009	7.3205E-009
RCPTR_29	farmer_child	TOCDFMPF	Thallium (l)	6.7726E-005	6.9279E-005
RCPTR_29	farmer_child	TOCDFMPF	Toluene	4.7150E-014	1.1364E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2064E-011	2.8519E-011
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.2999E-014	5.5775E-014
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.7569E-013	4.2641E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethylene	2.8618E-014	6.9345E-014
RCPTR_29	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.7603E-015	9.1134E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.8982E-009	4.3632E-009
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.4693E-010	9.2079E-010
RCPTR_29	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	6.5059E-013	1.5784E-012
RCPTR_29	farmer_child	TOCDFMPF	VX	6.2666E-011	6.4171E-011
RCPTR_29	farmer_child	TOCDFMPF	Vinyl Chloride	9.2880E-018	2.2530E-017
RCPTR_29	farmer_child	TOCDFMPF	Xylene, m-	5.6945E-013	7.6761E-013
RCPTR_29	farmer_child	TOCDFMPF	Xylene, o-	5.2283E-013	7.4873E-013
RCPTR_29	farmer_child	TOCDFMPF	Xylene, p-	6.1554E-013	9.2285E-013
RCPTR_29	farmer_child	TOCDHVAC	VX	3.5466E-011	3.6323E-011
RCPTR_29	farmer_child	TOCDLIC2	Acenaphthene	9.2937E-010	2.2268E-009
RCPTR_29	farmer_child	TOCDLIC2	Acetone	4.5829E-011	1.1132E-010
RCPTR_29	farmer_child	TOCDLIC2	Acetophenone	4.8191E-012	1.1698E-011
RCPTR_29	farmer_child	TOCDLIC2	Aniline	2.9078E-013	7.0474E-013
RCPTR_29	farmer_child	TOCDLIC2	Anthracene	1.6432E-008	3.9308E-008
RCPTR_29	farmer_child	TOCDLIC2	Antimony	1.0121E-005	1.1026E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Arsenic	1.0482E-005	1.0706E-005
RCPTR_29	farmer_child	TOCDLIC2	Barium	1.6624E-006	1.7751E-006
RCPTR_29	farmer_child	TOCDLIC2	Benzene	6.1434E-014	1.4877E-013
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.4884E-006	5.1877E-006
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.5577E-005	4.6426E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.4917E-005	2.6771E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.9771E-005	7.0549E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzoic acid	1.2766E-010	2.8445E-010
RCPTR_29	farmer_child	TOCDLIC2	Benzyl alcohol	1.2515E-009	3.0368E-009
RCPTR_29	farmer_child	TOCDLIC2	Beryllium	5.5355E-007	5.6673E-007
RCPTR_29	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.5838E-012	1.5992E-011
RCPTR_29	farmer_child	TOCDLIC2	Bromodichloromethane	3.8475E-015	9.3404E-015
RCPTR_29	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.6984E-012	8.9803E-012
RCPTR_29	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.1403E-007	5.6611E-007
RCPTR_29	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.8015E-008	3.0261E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Cadmium	1.4802E-007	1.7315E-007
RCPTR_29	farmer_child	TOCDLIC2	Carbon disulfide	2.5544E-016	6.1930E-016
RCPTR_29	farmer_child	TOCDLIC2	Carbon tetrachloride	2.0248E-015	4.9021E-015
RCPTR_29	farmer_child	TOCDLIC2	Chlorine	5.7044E-006	1.3857E-005
RCPTR_29	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.4420E-010	1.3624E-009
RCPTR_29	farmer_child	TOCDLIC2	Chloroaniline, p-	3.0681E-011	7.4322E-011
RCPTR_29	farmer_child	TOCDLIC2	Chlorobenzene	1.1876E-014	2.8693E-014
RCPTR_29	farmer_child	TOCDLIC2	Chloroethane	3.5554E-016	8.4785E-016
RCPTR_29	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.5939E-015	3.8689E-015
RCPTR_29	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.4187E-009	5.8131E-009
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.4941E-011	2.0628E-010
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.6218E-009	7.6067E-009
RCPTR_29	farmer_child	TOCDLIC2	Chromium	7.9892E-006	8.1427E-006
RCPTR_29	farmer_child	TOCDLIC2	Chromium, hexavalent	7.4460E-006	7.5160E-006
RCPTR_29	farmer_child	TOCDLIC2	Chrysene	1.2732E-005	1.3450E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Di-n-butyl phthalate	9.9464E-008	1.0810E-007
RCPTR_29	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.9828E+001	4.9828E+001
RCPTR_29	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.9006E-004	9.9738E-004
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.9628E-012	9.4119E-012
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.7493E-012	1.1369E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.5608E-012	1.0941E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.1966E-008	3.5875E-008
RCPTR_29	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.7862E-017	6.7471E-017
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane 1,1-	6.4518E-016	1.5663E-015
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6872E-015	2.1092E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.6514E-015	6.4295E-015
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.2629E-015	1.0336E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.0079E-010	9.6674E-010
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.2908E-015	5.5469E-015
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.5392E-016	1.8294E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Diethyl phthalate	6.1468E-009	6.2971E-009
RCPTR_29	farmer_child	TOCDLIC2	Dimethyl phthalate	6.3939E-011	1.5226E-010
RCPTR_29	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.8247E-011	1.4076E-010
RCPTR_29	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.0567E-011	1.6294E-011
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.5488E-011	1.3028E-010
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.2187E-011	1.0010E-010
RCPTR_29	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.2329E-012	2.9944E-012
RCPTR_29	farmer_child	TOCDLIC2	Ethylbenzene	6.5184E-014	1.5459E-013
RCPTR_29	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.0128E-008	1.0969E-008
RCPTR_29	farmer_child	TOCDLIC2	Fluoranthene	2.8369E-007	5.0706E-007
RCPTR_29	farmer_child	TOCDLIC2	Fluorene	3.6889E-009	8.7597E-009
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.9886E-011	3.0329E-011
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.3909E-010	3.4320E-010
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	8.2289E-010	8.3480E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.3646E-010	2.3943E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.4957E-010	1.5194E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.2857E-010	1.3087E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.7575E-010	1.7923E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.5212E-010	1.5513E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.5523E-010	1.5827E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.2814E-010	1.3066E-010
RCPTR_29	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.0565E-011	1.8537E-010
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorobenzene	1.6140E-007	3.7465E-007
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.1750E-010	4.9410E-010
RCPTR_29	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.7103E-011	1.1291E-010
RCPTR_29	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8528E-003	6.8690E-003
RCPTR_29	farmer_child	TOCDLIC2	Isophorone	8.8220E-012	2.1413E-011
RCPTR_29	farmer_child	TOCDLIC2	Lead	1.7390E-006	1.8039E-006
RCPTR_29	farmer_child	TOCDLIC2	Mercuric chloride	5.8096E-008	6.6819E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.8158E-016	1.1695E-015
RCPTR_29	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4001E-018	3.3989E-018
RCPTR_29	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.1313E-013	1.2464E-012
RCPTR_29	farmer_child	TOCDLIC2	Methyl mercury	1.1373E-009	1.1645E-009
RCPTR_29	farmer_child	TOCDLIC2	Methylene chloride	6.9395E-012	1.6848E-011
RCPTR_29	farmer_child	TOCDLIC2	Naphthalene	2.2012E-011	5.3076E-011
RCPTR_29	farmer_child	TOCDLIC2	Nickel	1.9207E-005	1.9871E-005
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.5083E-010	3.6535E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.5816E-011	8.6922E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.6326E-011	1.1234E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitrobenzene	1.4883E-011	3.6142E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.7794E-012	1.6456E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.9933E-010	2.9132E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.4175E-012	2.0392E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.2852E-012	2.0044E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.6287E-013	1.8114E-012
RCPTR_29	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.6986E-011	4.7859E-011
RCPTR_29	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.6681E-011	4.7529E-011
RCPTR_29	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.0326E-010	5.1064E-010
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.4560E-011	7.6343E-011
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.9483E-010	3.0168E-010
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorobenzene	6.4663E-010	1.4207E-009
RCPTR_29	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6197E-010	5.6472E-010
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorophenol	2.8528E-007	3.4198E-007
RCPTR_29	farmer_child	TOCDLIC2	Phenanthrene	1.1608E-011	2.7722E-011
RCPTR_29	farmer_child	TOCDLIC2	Phenol	1.1815E-011	2.8639E-011
RCPTR_29	farmer_child	TOCDLIC2	Pronamide	1.1579E-009	2.7469E-009
RCPTR_29	farmer_child	TOCDLIC2	Pyrene	4.3150E-007	6.7005E-007
RCPTR_29	farmer_child	TOCDLIC2	Selenium	1.1712E-005	1.1747E-005
RCPTR_29	farmer_child	TOCDLIC2	Silver	3.1800E-005	3.2998E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Styrene	5.8025E-014	1.4057E-013
RCPTR_29	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	6.6400E-011	6.8535E-011
RCPTR_29	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7562E-011	1.8342E-011
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.6379E-010	2.2327E-009
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.6890E-012	9.9113E-012
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.4332E-015	5.8942E-015
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0443E-008	1.7339E-008
RCPTR_29	farmer_child	TOCDLIC2	Thallium (l)	4.2189E-005	4.3156E-005
RCPTR_29	farmer_child	TOCDLIC2	Toluene	7.3445E-011	1.7702E-010
RCPTR_29	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6031E-011	8.5181E-011
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.3231E-013	5.6338E-013
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.2578E-013	3.0529E-013
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethylene	2.0489E-014	4.9647E-014
RCPTR_29	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.6922E-015	6.5247E-015
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.2696E-009	9.8137E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	9.8929E-010	2.0381E-009
RCPTR_29	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.6579E-013	1.1300E-012
RCPTR_29	farmer_child	TOCDLIC2	VX	4.7488E-011	4.8628E-011
RCPTR_29	farmer_child	TOCDLIC2	Vinyl Chloride	6.1341E-019	1.4880E-018
RCPTR_29	farmer_child	TOCDLIC2	Xylene, m-	7.2258E-013	9.7553E-013
RCPTR_29	farmer_child	TOCDLIC2	Xylene, o-	4.2228E-013	6.0575E-013
RCPTR_29	farmer_child	TOCDLIC2	Xylene, p-	7.8171E-013	1.1740E-012
RCPTR_29	farmer_child	TOCDLIC2	Zinc	2.5022E-006	2.8050E-006
RCPTR_30	farmer_adult	TOCDFBRA	Antimony	4.7456E-007	5.5812E-007
RCPTR_30	farmer_adult	TOCDFBRA	Arsenic	8.0543E-007	8.3671E-007
RCPTR_30	farmer_adult	TOCDFBRA	Barium	6.5870E-008	7.4446E-008
RCPTR_30	farmer_adult	TOCDFBRA	Beryllium	2.1309E-007	2.2652E-007
RCPTR_30	farmer_adult	TOCDFBRA	Cadmium	3.5730E-008	4.9856E-008
RCPTR_30	farmer_adult	TOCDFBRA	Chromium	5.3071E-007	5.3240E-007
RCPTR_30	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.7918E-007	4.8723E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFBRA	Lead	2.1689E-006	2.3779E-006
RCPTR_30	farmer_adult	TOCDFBRA	Mercuric chloride	2.4709E-004	2.5461E-004
RCPTR_30	farmer_adult	TOCDFBRA	Methyl mercury	4.1760E-006	4.2530E-006
RCPTR_30	farmer_adult	TOCDFBRA	Nickel	2.6253E-006	2.8080E-006
RCPTR_30	farmer_adult	TOCDFBRA	Selenium	9.1009E-007	9.1485E-007
RCPTR_30	farmer_adult	TOCDFBRA	Silver	3.0261E-007	3.2331E-007
RCPTR_30	farmer_adult	TOCDFBRA	Thallium (l)	8.1985E-006	8.5800E-006
RCPTR_30	farmer_adult	TOCDFBRA	Zinc	1.3527E-006	1.7016E-006
RCPTR_30	farmer_adult	TOCDFDFS	Acenaphthene	5.4230E-011	7.7966E-010
RCPTR_30	farmer_adult	TOCDFDFS	Acetone	9.7592E-015	1.5798E-013
RCPTR_30	farmer_adult	TOCDFDFS	Acetophenone	2.5492E-013	4.1011E-012
RCPTR_30	farmer_adult	TOCDFDFS	Aniline	1.5572E-014	2.4704E-013
RCPTR_30	farmer_adult	TOCDFDFS	Anthracene	9.6882E-010	1.3760E-008
RCPTR_30	farmer_adult	TOCDFDFS	Antimony	8.7905E-008	1.0309E-007
RCPTR_30	farmer_adult	TOCDFDFS	Aroclor 1254	5.3373E-011	9.7649E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Arsenic	1.7409E-007	1.8072E-007
RCPTR_30	farmer_adult	TOCDFDFS	Barium	8.1244E-007	9.1621E-007
RCPTR_30	farmer_adult	TOCDFDFS	Benzene	8.4002E-016	1.3230E-014
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.1368E-006	1.6318E-006
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.3326E-005	1.3878E-005
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.9506E-006	8.2394E-006
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.0473E-005	2.1115E-005
RCPTR_30	farmer_adult	TOCDFDFS	Benzoic acid	7.2603E-012	6.3956E-011
RCPTR_30	farmer_adult	TOCDFDFS	Benzyl alcohol	5.4148E-013	8.6852E-012
RCPTR_30	farmer_adult	TOCDFDFS	Beryllium	3.8695E-008	4.1090E-008
RCPTR_30	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	3.4640E-013	5.6070E-012
RCPTR_30	farmer_adult	TOCDFDFS	Bromodichloromethane	1.7487E-015	2.8163E-014
RCPTR_30	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	6.0131E-014	9.7006E-013
RCPTR_30	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.9634E-008	1.9845E-007
RCPTR_30	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.9158E-008	3.3825E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Cadmium	5.8990E-008	8.1878E-008
RCPTR_30	farmer_adult	TOCDFDFS	Carbon disulfide	2.3595E-016	3.7535E-015
RCPTR_30	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.4059E-016	1.4777E-014
RCPTR_30	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.9524E-011	4.7109E-010
RCPTR_30	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.6497E-012	2.6051E-011
RCPTR_30	farmer_adult	TOCDFDFS	Chlorobenzene	2.8071E-015	4.3312E-014
RCPTR_30	farmer_adult	TOCDFDFS	Chloroethane	2.5035E-017	3.4583E-016
RCPTR_30	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	3.6331E-016	5.8427E-015
RCPTR_30	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.3809E-010	2.0360E-009
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenol, 2-	4.4771E-012	7.2321E-011
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.9720E-010	2.6253E-009
RCPTR_30	farmer_adult	TOCDFDFS	Chromium	4.9997E-007	5.0153E-007
RCPTR_30	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.5226E-007	4.5972E-007
RCPTR_30	farmer_adult	TOCDFDFS	Chrysene	3.5763E-006	4.1319E-006
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.4284E-008	5.1763E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.9508E+002	4.9508E+002
RCPTR_30	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.8598E-004	2.9035E-004
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.3850E-014	7.2110E-013
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	1.8140E-013	2.5873E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	1.1744E-013	1.7050E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.2272E-009	6.5113E-009
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.7493E-018	2.7559E-017
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.5184E-016	2.4449E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8838E-016	3.0372E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.6479E-016	2.6266E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.6526E-016	4.2224E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.1320E-011	2.4151E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.5109E-015	2.3763E-014
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.7226E-016	2.7626E-015
RCPTR_30	farmer_adult	TOCDFDFS	Diethyl phthalate	9.5056E-009	9.9389E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.9000E-012	2.6026E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.1930E-012	4.9326E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.0897E-011	2.6746E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	7.9775E-013	9.8510E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.6928E-013	7.5803E-012
RCPTR_30	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	6.4920E-014	1.0498E-012
RCPTR_30	farmer_adult	TOCDFDFS	Ethylbenzene	3.9991E-015	5.2964E-014
RCPTR_30	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	8.0166E-010	9.3503E-010
RCPTR_30	farmer_adult	TOCDFDFS	Fluoranthene	3.6901E-008	1.7340E-007
RCPTR_30	farmer_adult	TOCDFDFS	Fluorene	2.2903E-010	3.0643E-009
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.5518E-013	8.8933E-013
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.0731E-012	1.1079E-012
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.5674E-012	2.6677E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.6127E-012	6.8356E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.1020E-012	4.2791E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.4805E-012	3.6513E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.6480E-012	4.9036E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.0274E-012	4.2478E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.1174E-012	4.3414E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.3958E-012	3.5811E-012
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.0148E-012	6.4614E-011
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.1223E-008	1.3081E-007
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	8.5703E-011	8.5127E-010
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.7428E-012	3.9539E-011
RCPTR_30	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.0503E-003	2.0594E-003
RCPTR_30	farmer_adult	TOCDFDFS	Isophorone	4.6689E-013	7.5072E-012
RCPTR_30	farmer_adult	TOCDFDFS	Lead	4.4991E-007	4.9249E-007
RCPTR_30	farmer_adult	TOCDFDFS	Mercuric chloride	2.9401E-007	3.0333E-007
RCPTR_30	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.5535E-017	2.5091E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.0010E-019	4.8310E-018
RCPTR_30	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.8107E-015	2.9301E-014
RCPTR_30	farmer_adult	TOCDFDFS	Methyl mercury	4.6545E-009	4.7499E-009
RCPTR_30	farmer_adult	TOCDFDFS	Methylene chloride	1.0126E-014	1.6322E-013
RCPTR_30	farmer_adult	TOCDFDFS	Naphthalene	3.2417E-012	4.9156E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nickel	5.2595E-006	5.6185E-006
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 2-	8.0172E-012	1.2655E-010
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.8752E-012	3.0114E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.4397E-012	3.8914E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrobenzene	7.8475E-013	1.2671E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 2-	3.5871E-013	5.7691E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 4-	4.3918E-011	9.4746E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.5246E-013	7.1479E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	4.5010E-013	7.0251E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.5595E-014	6.3187E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.0743E-012	2.1802E-012
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.2498E-013	6.5616E-013
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.2420E-011	1.2921E-011
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.1357E-012	1.2126E-012
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.4523E-012	4.7445E-012
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorobenzene	2.9001E-010	2.4324E-009
RCPTR_30	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.5229E-011	1.9252E-010
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorophenol	1.5334E-008	2.1663E-008
RCPTR_30	farmer_adult	TOCDFDFS	Phenanthrene	6.9343E-013	9.7033E-012
RCPTR_30	farmer_adult	TOCDFDFS	Phenol	6.3205E-013	1.0039E-011
RCPTR_30	farmer_adult	TOCDFDFS	Pronamide	1.4491E-010	1.9218E-009
RCPTR_30	farmer_adult	TOCDFDFS	Pyrene	4.6117E-008	2.3174E-007
RCPTR_30	farmer_adult	TOCDFDFS	Selenium	1.9672E-007	1.9773E-007
RCPTR_30	farmer_adult	TOCDFDFS	Silver	2.6163E-007	2.7918E-007
RCPTR_30	farmer_adult	TOCDFDFS	Styrene	3.2625E-014	5.1542E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.6475E-012	6.1735E-012
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.6399E-012	2.9866E-012
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.9712E-011	7.7919E-010
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.0885E-011	2.6763E-011
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1246E-015	1.7768E-014
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.9388E-009	5.7491E-009
RCPTR_30	farmer_adult	TOCDFDFS	Thallium (l)	3.5005E-005	3.6602E-005
RCPTR_30	farmer_adult	TOCDFDFS	Toluene	5.7930E-015	8.7502E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	2.7423E-012	3.5583E-011
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.1967E-016	1.1479E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.7609E-015	1.2473E-013
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethylene	1.2809E-015	2.0281E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.6806E-016	2.6654E-015
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.2273E-010	3.4227E-009
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.1628E-010	7.0272E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.8842E-014	4.6166E-013
RCPTR_30	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.0669E-013	3.9122E-012
RCPTR_30	farmer_adult	TOCDFDFS	VX	2.2016E-011	2.3001E-011
RCPTR_30	farmer_adult	TOCDFDFS	Vinyl Chloride	2.1349E-019	3.4153E-018
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, m-	2.7665E-013	5.1790E-013
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, o-	2.3884E-013	5.1387E-013
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, p-	2.6703E-013	6.4118E-013
RCPTR_30	farmer_adult	TOCDFLIC	Acenaphthene	3.1805E-011	4.5704E-010
RCPTR_30	farmer_adult	TOCDFLIC	Acetone	1.4133E-012	2.2879E-011
RCPTR_30	farmer_adult	TOCDFLIC	Acetophenone	1.4944E-013	2.4040E-012
RCPTR_30	farmer_adult	TOCDFLIC	Aniline	9.1297E-015	1.4481E-013
RCPTR_30	farmer_adult	TOCDFLIC	Anthracene	5.6797E-010	8.0660E-009
RCPTR_30	farmer_adult	TOCDFLIC	Antimony	1.3009E-006	1.5249E-006
RCPTR_30	farmer_adult	TOCDFLIC	Arsenic	1.4127E-006	1.4663E-006
RCPTR_30	farmer_adult	TOCDFLIC	Barium	2.1713E-007	2.4477E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Benzene	1.9412E-015	3.0568E-014
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)anthracene	6.6665E-007	9.5631E-007
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)pyrene	7.7791E-006	8.0959E-006
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	4.0854E-006	4.8389E-006
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.1969E-005	1.2335E-005
RCPTR_30	farmer_adult	TOCDFLIC	Benzoic acid	6.6152E-012	5.8004E-011
RCPTR_30	farmer_adult	TOCDFLIC	Benzyl alcohol	3.8912E-011	6.2408E-010
RCPTR_30	farmer_adult	TOCDFLIC	Beryllium	7.3459E-008	7.7991E-008
RCPTR_30	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.0306E-013	3.2867E-012
RCPTR_30	farmer_adult	TOCDFLIC	Bromodichloromethane	1.1919E-016	1.9196E-015
RCPTR_30	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.1440E-013	1.8456E-012
RCPTR_30	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.1506E-008	1.1633E-007
RCPTR_30	farmer_adult	TOCDFLIC	Butylbenzylphthalate	4.5322E-009	5.2673E-009
RCPTR_30	farmer_adult	TOCDFLIC	Cadmium	1.7477E-008	2.4237E-008
RCPTR_30	farmer_adult	TOCDFLIC	Carbon disulfide	8.0008E-018	1.2726E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Carbon tetrachloride	6.4125E-017	1.0072E-015
RCPTR_30	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.1041E-011	2.7643E-010
RCPTR_30	farmer_adult	TOCDFLIC	Chloroaniline, p-	9.6727E-013	1.5271E-011
RCPTR_30	farmer_adult	TOCDFLIC	Chlorobenzene	3.8212E-016	5.8942E-015
RCPTR_30	farmer_adult	TOCDFLIC	Chloroethane	1.2615E-017	1.7397E-016
RCPTR_30	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.9443E-017	7.9509E-016
RCPTR_30	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	8.0997E-011	1.1935E-009
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.6245E-012	4.2394E-011
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.3332E-010	1.5394E-009
RCPTR_30	farmer_adult	TOCDFLIC	Chromium	1.1173E-006	1.1208E-006
RCPTR_30	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.0110E-006	1.0276E-006
RCPTR_30	farmer_adult	TOCDFLIC	Chrysene	2.1038E-006	2.4282E-006
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.6870E-008	1.9698E-008
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-octylphthalate	8.9892E+000	8.9892E+000
RCPTR_30	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.6711E-004	1.6953E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.4433E-013	1.9303E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.6375E-013	2.3335E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.5482E-013	2.2461E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.1820E-009	6.4549E-009
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	8.7960E-019	1.3862E-017
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.0663E-017	3.3270E-016
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6887E-016	4.3348E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	8.2902E-017	1.3212E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.3345E-016	2.1239E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	4.1562E-011	1.9428E-010
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	7.2482E-017	1.1397E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.3441E-017	3.7594E-016
RCPTR_30	farmer_adult	TOCDFLIC	Diethyl phthalate	1.0929E-009	1.1422E-009
RCPTR_30	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.2795E-012	3.1228E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.8727E-012	2.8915E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.3016E-012	3.1785E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.1552E-012	2.6667E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.5418E-012	2.0524E-011
RCPTR_30	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.8056E-014	6.1540E-013
RCPTR_30	farmer_adult	TOCDFLIC	Ethylbenzene	2.3964E-015	3.1700E-014
RCPTR_30	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.6273E-009	1.9021E-009
RCPTR_30	farmer_adult	TOCDFLIC	Fluoranthene	2.1690E-008	1.0170E-007
RCPTR_30	farmer_adult	TOCDFLIC	Fluorene	1.3438E-010	1.7964E-009
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.8095E-012	4.9977E-012
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.6248E-011	1.6760E-011
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.8553E-011	4.0027E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.9225E-011	4.0515E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.4062E-011	2.5082E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.0258E-011	2.1238E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.7651E-011	2.9160E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.3975E-011	2.5276E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.4543E-011	2.5867E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.0229E-011	2.1324E-011
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.5236E-012	3.7874E-011
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.5879E-009	7.6689E-008
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.0136E-011	1.0080E-010
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.6099E-012	2.3179E-011
RCPTR_30	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2100E-003	1.2150E-003
RCPTR_30	farmer_adult	TOCDFLIC	Isophorone	2.7371E-013	4.4007E-012
RCPTR_30	farmer_adult	TOCDFLIC	Lead	2.2789E-007	2.4939E-007
RCPTR_30	farmer_adult	TOCDFLIC	Mercuric chloride	1.2216E-008	1.2608E-008
RCPTR_30	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.4882E-017	2.4035E-016
RCPTR_30	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	8.6663E-019	1.3951E-017
RCPTR_30	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.5830E-014	2.5615E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Methyl mercury	1.9014E-010	1.9415E-010
RCPTR_30	farmer_adult	TOCDFLIC	Methylene chloride	2.1482E-013	3.4626E-012
RCPTR_30	farmer_adult	TOCDFLIC	Naphthalene	7.1917E-013	1.0901E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nickel	2.5545E-006	2.7283E-006
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 2-	4.7562E-012	7.5068E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.1123E-012	1.7863E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.8879E-013	4.6081E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrobenzene	4.6001E-013	7.4277E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.0533E-012	1.6940E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 4-	5.2556E-012	1.1275E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.6530E-013	4.1901E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.6396E-013	4.1181E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.6552E-014	3.7022E-013
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.2970E-012	7.6660E-012
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.2486E-012	7.6067E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	8.5304E-011	8.8683E-011
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.2432E-011	1.3269E-011
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.8414E-011	5.1573E-011
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.6938E-010	1.4402E-009
RCPTR_30	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4721E-011	1.1395E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorophenol	9.0889E-009	1.2799E-008
RCPTR_30	farmer_adult	TOCDFLIC	Phenanthrene	4.0679E-013	5.6883E-012
RCPTR_30	farmer_adult	TOCDFLIC	Phenol	3.7059E-013	5.8850E-012
RCPTR_30	farmer_adult	TOCDFLIC	Pronamide	4.2544E-011	5.6333E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pyrene	2.7098E-008	1.3590E-007
RCPTR_30	farmer_adult	TOCDFLIC	Selenium	1.5963E-006	1.6045E-006
RCPTR_30	farmer_adult	TOCDFLIC	Silver	4.2460E-006	4.5300E-006
RCPTR_30	farmer_adult	TOCDFLIC	Styrene	1.8285E-015	2.8883E-014
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1001E-011	1.2023E-011
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	2.8954E-012	3.2745E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.0986E-011	4.5687E-010
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.4396E-012	1.8402E-012
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	7.6639E-017	1.2110E-015
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1612E-009	3.4214E-009
RCPTR_30	farmer_adult	TOCDFLIC	Thallium (l)	5.6575E-006	5.9149E-006
RCPTR_30	farmer_adult	TOCDFLIC	Toluene	2.4080E-012	3.6355E-011
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.3520E-012	1.7462E-011
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	7.2588E-015	1.1577E-013
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.9040E-015	6.2739E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethylene	6.4437E-016	1.0201E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	8.4545E-017	1.3407E-015
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.8997E-010	2.0071E-009
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	6.8680E-011	4.1244E-010
RCPTR_30	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.4509E-014	2.3222E-013
RCPTR_30	farmer_adult	TOCDFLIC	VX	8.1258E-012	8.4854E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Vinyl Chloride	1.9107E-020	3.0576E-019
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, m-	9.0899E-014	1.7380E-013
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, o-	4.9966E-014	1.1010E-013
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, p-	8.7880E-014	2.1645E-013
RCPTR_30	farmer_adult	TOCDFLIC	Zinc	3.1134E-007	3.8988E-007
RCPTR_30	farmer_adult	TOCDFMPF	Acenaphthene	5.8294E-012	8.3769E-011
RCPTR_30	farmer_adult	TOCDFMPF	Acetone	6.0173E-017	9.7407E-016
RCPTR_30	farmer_adult	TOCDFMPF	Acetophenone	6.3728E-013	1.0252E-011
RCPTR_30	farmer_adult	TOCDFMPF	Aniline	3.8934E-014	6.1755E-013
RCPTR_30	farmer_adult	TOCDFMPF	Anthracene	5.9782E-011	8.4897E-010
RCPTR_30	farmer_adult	TOCDFMPF	Arsenic	6.8589E-008	7.1193E-008
RCPTR_30	farmer_adult	TOCDFMPF	Barium	2.4311E-008	2.7407E-008
RCPTR_30	farmer_adult	TOCDFMPF	Benzene	3.4125E-016	5.3736E-015
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)anthracene	6.1711E-008	8.8522E-008
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.3276E-006	1.3817E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	5.9317E-007	7.0257E-007
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.7818E-006	1.8362E-006
RCPTR_30	farmer_adult	TOCDFMPF	Benzoic acid	1.2701E-012	1.1138E-011
RCPTR_30	farmer_adult	TOCDFMPF	Benzyl alcohol	3.0847E-013	4.9473E-012
RCPTR_30	farmer_adult	TOCDFMPF	Beryllium	9.2495E-009	9.8203E-009
RCPTR_30	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	8.6410E-014	1.3987E-012
RCPTR_30	farmer_adult	TOCDFMPF	Bromodichloromethane	1.7603E-015	2.8349E-014
RCPTR_30	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	6.0530E-014	9.7647E-013
RCPTR_30	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.5875E-009	6.6602E-008
RCPTR_30	farmer_adult	TOCDFMPF	Butylbenzylphthalate	6.0095E-010	6.9833E-010
RCPTR_30	farmer_adult	TOCDFMPF	Cadmium	5.5695E-008	7.7241E-008
RCPTR_30	farmer_adult	TOCDFMPF	Carbon disulfide	1.1816E-016	1.8794E-015
RCPTR_30	farmer_adult	TOCDFMPF	Carbon tetrachloride	9.4702E-016	1.4874E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.7573E-011	1.1838E-010
RCPTR_30	farmer_adult	TOCDFMPF	Chloroaniline, p-	2.8524E-013	4.5033E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Chlorobenzene	5.6433E-015	8.7048E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chloroethane	1.7764E-017	2.4498E-016
RCPTR_30	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	7.3020E-016	1.1742E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.4258E-011	2.1009E-010
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenol, 2-	9.6683E-013	1.5617E-011
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.2195E-011	4.7631E-010
RCPTR_30	farmer_adult	TOCDFMPF	Chromium	1.2151E-006	1.2189E-006
RCPTR_30	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.0995E-006	1.1176E-006
RCPTR_30	farmer_adult	TOCDFMPF	Chrysene	2.1763E-007	2.5119E-007
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.9744E-008	2.3054E-008
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-octylphthalate	8.0881E+000	8.0882E+000
RCPTR_30	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	4.4284E-005	4.4928E-005
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	5.0287E-014	6.7256E-013
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	5.3189E-014	7.5798E-013
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	5.0009E-014	7.2553E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.5522E-009	1.9333E-009
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.2386E-018	1.9519E-017
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.0516E-016	4.9135E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7861E-016	6.1040E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.1674E-016	1.8605E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.8792E-016	2.9907E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.6287E-011	7.6149E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.0704E-015	1.6831E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.4618E-016	5.5521E-015
RCPTR_30	farmer_adult	TOCDFMPF	Diethyl phthalate	2.3368E-009	2.4422E-009
RCPTR_30	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.3169E-013	1.8040E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	7.3916E-013	1.1413E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	2.5033E-012	6.1136E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.9729E-012	3.6779E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.9306E-012	2.5700E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.6229E-013	2.6244E-012
RCPTR_30	farmer_adult	TOCDFMPF	Ethylbenzene	4.0306E-015	5.3319E-014
RCPTR_30	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.8189E-010	3.2945E-010
RCPTR_30	farmer_adult	TOCDFMPF	Fluoranthene	1.6886E-009	7.9172E-009
RCPTR_30	farmer_adult	TOCDFMPF	Fluorene	2.0484E-011	2.7383E-010
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	5.2964E-013	5.5040E-013
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.7219E-012	2.8078E-012
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.5505E-012	2.6481E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.8268E-012	7.0516E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.1902E-012	4.3680E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.4783E-012	3.6469E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.4855E-012	7.8942E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.5509E-011	2.6895E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.1407E-011	2.2562E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.5858E-012	2.7259E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.9793E-012	2.1272E-011
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.2817E-009	3.8202E-008
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	7.0554E-012	7.0149E-011
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1335E-012	1.6321E-011
RCPTR_30	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6345E-004	2.6455E-004
RCPTR_30	farmer_adult	TOCDFMPF	Isophorone	4.8925E-014	7.8661E-013
RCPTR_30	farmer_adult	TOCDFMPF	Lead	3.6016E-007	3.9415E-007
RCPTR_30	farmer_adult	TOCDFMPF	Mercuric chloride	1.3171E-008	1.3593E-008
RCPTR_30	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	1.1004E-017	1.7772E-016
RCPTR_30	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	6.4081E-019	1.0316E-017
RCPTR_30	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.6625E-016	4.3084E-015
RCPTR_30	farmer_adult	TOCDFMPF	Methyl mercury	2.0521E-010	2.0952E-010
RCPTR_30	farmer_adult	TOCDFMPF	Methylene chloride	7.0101E-017	1.1299E-015
RCPTR_30	farmer_adult	TOCDFMPF	Naphthalene	6.0651E-013	9.1932E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Nickel	1.3412E-006	1.4325E-006
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.9016E-013	9.3146E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.1183E-013	1.7958E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.2893E-013	2.0571E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitrobenzene	1.5736E-013	2.5408E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.2726E-013	2.0467E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 4-	4.6957E-012	1.0075E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.1314E-012	1.7869E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	5.9635E-014	9.3041E-013
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.7279E-014	2.4086E-013
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.6121E-013	5.8961E-013
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.5296E-014	5.8030E-014
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.4092E-011	1.4650E-011
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.4487E-012	9.0176E-012
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.9343E-012	6.3215E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.4434E-010	1.2263E-009
RCPTR_30	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.2726E-012	4.8514E-011
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorophenol	5.4164E-009	7.6282E-009
RCPTR_30	farmer_adult	TOCDFMPF	Phenanthrene	4.2816E-014	5.9870E-013
RCPTR_30	farmer_adult	TOCDFMPF	Phenol	1.2139E-013	1.9276E-012
RCPTR_30	farmer_adult	TOCDFMPF	Pronamide	1.8142E-010	2.4023E-009
RCPTR_30	farmer_adult	TOCDFMPF	Pyrene	1.9891E-009	9.9759E-009
RCPTR_30	farmer_adult	TOCDFMPF	Selenium	5.0374E-007	5.0632E-007
RCPTR_30	farmer_adult	TOCDFMPF	Silver	1.3421E-007	1.4318E-007
RCPTR_30	farmer_adult	TOCDFMPF	Styrene	2.7911E-014	4.4089E-013
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	4.7793E-012	5.2230E-012
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.9514E-012	2.2069E-012
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7477E-010	1.9483E-009
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.1877E-014	1.8875E-013
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.1319E-015	1.7885E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.9417E-010	1.4563E-009
RCPTR_30	farmer_adult	TOCDFMPF	Thallium (l)	9.1023E-006	9.5165E-006
RCPTR_30	farmer_adult	TOCDFMPF	Toluene	1.5585E-015	2.3530E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.5634E-013	5.8939E-012
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	7.2449E-016	1.1555E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	5.4974E-015	8.8347E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethylene	9.0738E-016	1.4365E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.1905E-016	1.8879E-015
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	8.5142E-011	8.9964E-010
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.1276E-011	1.8786E-010
RCPTR_30	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.0430E-014	3.2700E-013
RCPTR_30	farmer_adult	TOCDFMPF	VX	1.1238E-011	1.1736E-011
RCPTR_30	farmer_adult	TOCDFMPF	Vinyl Chloride	2.9167E-019	4.6673E-018
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, m-	7.1972E-014	1.3745E-013
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, o-	6.2179E-014	1.3682E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, p-	6.9575E-014	1.7112E-013
RCPTR_30	farmer_adult	TOCDHVAC	VX	5.1017E-012	5.3427E-012
RCPTR_30	farmer_adult	TOCDLIC2	Acenaphthene	3.1805E-011	4.5704E-010
RCPTR_30	farmer_adult	TOCDLIC2	Acetone	1.4133E-012	2.2879E-011
RCPTR_30	farmer_adult	TOCDLIC2	Acetophenone	1.4944E-013	2.4040E-012
RCPTR_30	farmer_adult	TOCDLIC2	Aniline	9.1297E-015	1.4481E-013
RCPTR_30	farmer_adult	TOCDLIC2	Anthracene	5.6797E-010	8.0660E-009
RCPTR_30	farmer_adult	TOCDLIC2	Antimony	1.3009E-006	1.5249E-006
RCPTR_30	farmer_adult	TOCDLIC2	Arsenic	1.4127E-006	1.4663E-006
RCPTR_30	farmer_adult	TOCDLIC2	Barium	2.1713E-007	2.4477E-007
RCPTR_30	farmer_adult	TOCDLIC2	Benzene	1.9412E-015	3.0568E-014
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)anthracene	6.6665E-007	9.5631E-007
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)pyrene	7.7791E-006	8.0959E-006
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.0854E-006	4.8389E-006
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.1969E-005	1.2335E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Benzoic acid	6.6152E-012	5.8004E-011
RCPTR_30	farmer_adult	TOCDLIC2	Benzyl alcohol	3.8912E-011	6.2408E-010
RCPTR_30	farmer_adult	TOCDLIC2	Beryllium	7.3459E-008	7.7991E-008
RCPTR_30	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	2.0306E-013	3.2867E-012
RCPTR_30	farmer_adult	TOCDLIC2	Bromodichloromethane	1.1919E-016	1.9196E-015
RCPTR_30	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.1440E-013	1.8456E-012
RCPTR_30	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.1506E-008	1.1633E-007
RCPTR_30	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.5322E-009	5.2673E-009
RCPTR_30	farmer_adult	TOCDLIC2	Cadmium	1.7477E-008	2.4237E-008
RCPTR_30	farmer_adult	TOCDLIC2	Carbon disulfide	8.0008E-018	1.2726E-016
RCPTR_30	farmer_adult	TOCDLIC2	Carbon tetrachloride	6.4125E-017	1.0072E-015
RCPTR_30	farmer_adult	TOCDLIC2	Chlorine	1.7586E-007	2.8479E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	4.1041E-011	2.7643E-010
RCPTR_30	farmer_adult	TOCDLIC2	Chloroaniline, p-	9.6727E-013	1.5271E-011
RCPTR_30	farmer_adult	TOCDLIC2	Chlorobenzene	3.8212E-016	5.8942E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Chloroethane	1.2615E-017	1.7397E-016
RCPTR_30	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.9443E-017	7.9509E-016
RCPTR_30	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	8.0997E-011	1.1935E-009
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.6245E-012	4.2394E-011
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.3332E-010	1.5394E-009
RCPTR_30	farmer_adult	TOCDLIC2	Chromium	1.1173E-006	1.1208E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.0110E-006	1.0276E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chrysene	2.1038E-006	2.4282E-006
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.6870E-008	1.9698E-008
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.9892E+000	8.9892E+000
RCPTR_30	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.6711E-004	1.6953E-004
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.4433E-013	1.9303E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.6375E-013	2.3335E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.5482E-013	2.2461E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.1820E-009	6.4549E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	8.7960E-019	1.3862E-017
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.9991E-017	3.2188E-016
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6887E-016	4.3348E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	8.2902E-017	1.3212E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.3345E-016	2.1239E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.1562E-011	1.9428E-010
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	7.2482E-017	1.1397E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.3441E-017	3.7594E-016
RCPTR_30	farmer_adult	TOCDLIC2	Diethyl phthalate	1.0929E-009	1.1422E-009
RCPTR_30	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.2795E-012	3.1228E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.8727E-012	2.8915E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.3016E-012	3.1785E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	2.1552E-012	2.6667E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.5418E-012	2.0524E-011
RCPTR_30	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.8056E-014	6.1540E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Ethylbenzene	2.3964E-015	3.1700E-014
RCPTR_30	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.6273E-009	1.9021E-009
RCPTR_30	farmer_adult	TOCDLIC2	Fluoranthene	2.1690E-008	1.0170E-007
RCPTR_30	farmer_adult	TOCDLIC2	Fluorene	1.3438E-010	1.7964E-009
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.8095E-012	4.9977E-012
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.6071E-011	5.7838E-011
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.3305E-010	1.3813E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.9225E-011	4.0515E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.4062E-011	2.5082E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.0258E-011	2.1238E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.7651E-011	2.9160E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.3975E-011	2.5276E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.4543E-011	2.5867E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.0229E-011	2.1324E-011
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.5236E-012	3.7874E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorobenzene	6.5879E-009	7.6689E-008
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.0136E-011	1.0080E-010
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.6099E-012	2.3179E-011
RCPTR_30	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2100E-003	1.2150E-003
RCPTR_30	farmer_adult	TOCDLIC2	Isophorone	2.7371E-013	4.4007E-012
RCPTR_30	farmer_adult	TOCDLIC2	Lead	2.2789E-007	2.4939E-007
RCPTR_30	farmer_adult	TOCDLIC2	Mercuric chloride	1.2216E-008	1.2608E-008
RCPTR_30	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.4882E-017	2.4035E-016
RCPTR_30	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	4.3390E-020	6.9850E-019
RCPTR_30	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.5830E-014	2.5615E-013
RCPTR_30	farmer_adult	TOCDLIC2	Methyl mercury	1.9014E-010	1.9415E-010
RCPTR_30	farmer_adult	TOCDLIC2	Methylene chloride	2.1482E-013	3.4626E-012
RCPTR_30	farmer_adult	TOCDLIC2	Naphthalene	7.1917E-013	1.0901E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nickel	2.5545E-006	2.7283E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 2-	4.7562E-012	7.5068E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 3-	1.1123E-012	1.7863E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.4466E-012	2.3082E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitrobenzene	4.6001E-013	7.4277E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 2-	2.1028E-013	3.3818E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.6326E-011	5.6476E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.6530E-013	4.1901E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.6396E-013	4.1181E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	2.6552E-014	3.7022E-013
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.2970E-012	7.6660E-012
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.2486E-012	7.6067E-012
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	8.5304E-011	8.8683E-011
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2432E-011	1.3269E-011
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.8414E-011	5.1573E-011
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorobenzene	3.3815E-011	2.8752E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.4721E-011	1.1395E-010
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorophenol	4.5527E-008	6.4112E-008
RCPTR_30	farmer_adult	TOCDLIC2	Phenanthrene	4.0679E-013	5.6883E-012
RCPTR_30	farmer_adult	TOCDLIC2	Phenol	3.7059E-013	5.8850E-012
RCPTR_30	farmer_adult	TOCDLIC2	Pronamide	4.2544E-011	5.6333E-010
RCPTR_30	farmer_adult	TOCDLIC2	Pyrene	2.7098E-008	1.3590E-007
RCPTR_30	farmer_adult	TOCDLIC2	Selenium	1.5963E-006	1.6045E-006
RCPTR_30	farmer_adult	TOCDLIC2	Silver	4.2460E-006	4.5300E-006
RCPTR_30	farmer_adult	TOCDLIC2	Styrene	1.8285E-015	2.8883E-014
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1001E-011	1.2023E-011
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	2.8954E-012	3.2745E-012
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.0986E-011	4.5687E-010
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4396E-012	1.8402E-012
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	7.6639E-017	1.2110E-015
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1612E-009	3.4214E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Thallium (l)	5.6575E-006	5.9149E-006
RCPTR_30	farmer_adult	TOCDLIC2	Toluene	2.4080E-012	3.6355E-011
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.3520E-012	1.7462E-011
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	7.2588E-015	1.1577E-013
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.9040E-015	6.2739E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethylene	6.4437E-016	1.0201E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	8.4545E-017	1.3407E-015
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.8997E-010	2.0071E-009
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	6.8680E-011	4.1244E-010
RCPTR_30	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.4509E-014	2.3222E-013
RCPTR_30	farmer_adult	TOCDLIC2	VX	8.4476E-012	8.8215E-012
RCPTR_30	farmer_adult	TOCDLIC2	Vinyl Chloride	1.9107E-020	3.0576E-019
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, m-	9.0899E-014	1.7380E-013
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, o-	4.9966E-014	1.1010E-013
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, p-	8.7880E-014	2.1645E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Zinc	3.1134E-007	3.8988E-007
RCPTR_30	farmer_child	TOCDFBRA	Antimony	5.0794E-007	5.5812E-007
RCPTR_30	farmer_child	TOCDFBRA	Arsenic	8.1729E-007	8.3671E-007
RCPTR_30	farmer_child	TOCDFBRA	Barium	6.9246E-008	7.4446E-008
RCPTR_30	farmer_child	TOCDFBRA	Beryllium	2.2071E-007	2.2652E-007
RCPTR_30	farmer_child	TOCDFBRA	Cadmium	4.2050E-008	4.9856E-008
RCPTR_30	farmer_child	TOCDFBRA	Chromium	5.2133E-007	5.3240E-007
RCPTR_30	farmer_child	TOCDFBRA	Chromium, hexavalent	4.8219E-007	4.8723E-007
RCPTR_30	farmer_child	TOCDFBRA	Lead	2.2841E-006	2.3779E-006
RCPTR_30	farmer_child	TOCDFBRA	Mercuric chloride	2.2040E-004	2.5461E-004
RCPTR_30	farmer_child	TOCDFBRA	Methyl mercury	4.1463E-006	4.2530E-006
RCPTR_30	farmer_child	TOCDFBRA	Nickel	2.7042E-006	2.8080E-006
RCPTR_30	farmer_child	TOCDFBRA	Selenium	9.1187E-007	9.1485E-007
RCPTR_30	farmer_child	TOCDFBRA	Silver	3.1033E-007	3.2331E-007
RCPTR_30	farmer_child	TOCDFBRA	Thallium (l)	8.3669E-006	8.5800E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFBRA	Zinc	1.5016E-006	1.7016E-006
RCPTR_30	farmer_child	TOCDFDFS	Acenaphthene	3.2478E-010	7.7966E-010
RCPTR_30	farmer_child	TOCDFDFS	Acetone	6.5038E-014	1.5798E-013
RCPTR_30	farmer_child	TOCDFDFS	Acetophenone	1.6893E-012	4.1011E-012
RCPTR_30	farmer_child	TOCDFDFS	Aniline	1.0190E-013	2.4704E-013
RCPTR_30	farmer_child	TOCDFDFS	Anthracene	5.7396E-009	1.3760E-008
RCPTR_30	farmer_child	TOCDFDFS	Antimony	9.3972E-008	1.0309E-007
RCPTR_30	farmer_child	TOCDFDFS	Aroclor 1254	6.9886E-011	9.7649E-011
RCPTR_30	farmer_child	TOCDFDFS	Arsenic	1.7661E-007	1.8072E-007
RCPTR_30	farmer_child	TOCDFDFS	Barium	8.5329E-007	9.1621E-007
RCPTR_30	farmer_child	TOCDFDFS	Benzene	5.4608E-015	1.3230E-014
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.3874E-006	1.6318E-006
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.3592E-005	1.3878E-005
RCPTR_30	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	7.5929E-006	8.2394E-006
RCPTR_30	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.0858E-005	2.1115E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Benzoic acid	2.8405E-011	6.3956E-011
RCPTR_30	farmer_child	TOCDFDFS	Benzyl alcohol	3.5786E-012	8.6852E-012
RCPTR_30	farmer_child	TOCDFDFS	Beryllium	4.0054E-008	4.1090E-008
RCPTR_30	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.3083E-012	5.6070E-012
RCPTR_30	farmer_child	TOCDFDFS	Bromodichloromethane	1.1600E-014	2.8163E-014
RCPTR_30	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	3.9949E-013	9.7006E-013
RCPTR_30	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.1007E-007	1.9845E-007
RCPTR_30	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.0899E-008	3.3825E-008
RCPTR_30	farmer_child	TOCDFDFS	Cadmium	6.9230E-008	8.1878E-008
RCPTR_30	farmer_child	TOCDFDFS	Carbon disulfide	1.5478E-015	3.7535E-015
RCPTR_30	farmer_child	TOCDFDFS	Carbon tetrachloride	6.1007E-015	1.4777E-014
RCPTR_30	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.1929E-010	4.7109E-010
RCPTR_30	farmer_child	TOCDFDFS	Chloroaniline, p-	1.0750E-011	2.6051E-011
RCPTR_30	farmer_child	TOCDFDFS	Chlorobenzene	1.7913E-014	4.3312E-014
RCPTR_30	farmer_child	TOCDFDFS	Chloroethane	1.4467E-016	3.4583E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	2.4068E-015	5.8427E-015
RCPTR_30	farmer_child	TOCDFDFS	Chloronaphthalene,2-	8.4591E-010	2.0360E-009
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.9779E-011	7.2321E-011
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.2282E-009	2.6253E-009
RCPTR_30	farmer_child	TOCDFDFS	Chromium	4.9129E-007	5.0153E-007
RCPTR_30	farmer_child	TOCDFDFS	Chromium, hexavalent	4.5505E-007	4.5972E-007
RCPTR_30	farmer_child	TOCDFDFS	Chrysene	3.8821E-006	4.1319E-006
RCPTR_30	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.7074E-008	5.1763E-008
RCPTR_30	farmer_child	TOCDFDFS	Di-n-octylphthalate	4.9508E+002	4.9508E+002
RCPTR_30	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.8838E-004	2.9035E-004
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.0270E-013	7.2110E-013
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.0787E-012	2.5873E-012
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	7.0952E-013	1.7050E-012
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.7061E-009	6.5113E-009
RCPTR_30	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1375E-017	2.7559E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.0070E-015	2.4449E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2509E-015	3.0372E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0829E-015	2.6266E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7410E-015	4.2224E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.2225E-010	2.4151E-010
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.8096E-015	2.3763E-014
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.1383E-015	2.7626E-015
RCPTR_30	farmer_child	TOCDFDFS	Diethyl phthalate	9.6672E-009	9.9389E-009
RCPTR_30	farmer_child	TOCDFDFS	Dimethyl phthalate	1.0898E-011	2.6026E-011
RCPTR_30	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.0398E-011	4.9326E-011
RCPTR_30	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6807E-011	2.6746E-011
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.1741E-012	9.8510E-012
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.1840E-012	7.5803E-012
RCPTR_30	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.3224E-013	1.0498E-012
RCPTR_30	farmer_child	TOCDFDFS	Ethylbenzene	2.2260E-014	5.2964E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	8.5140E-010	9.3503E-010
RCPTR_30	farmer_child	TOCDFDFS	Fluoranthene	9.5101E-008	1.7340E-007
RCPTR_30	farmer_child	TOCDFDFS	Fluorene	1.2864E-009	3.0643E-009
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.7499E-013	8.8933E-013
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.0933E-012	1.1079E-012
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.6256E-012	2.6677E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.7421E-012	6.8356E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.2048E-012	4.2791E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.5797E-012	3.6513E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.7966E-012	4.9036E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.1554E-012	4.2478E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.2475E-012	4.3414E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.5035E-012	3.5811E-012
RCPTR_30	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.7869E-011	6.4614E-011
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorobenzene	5.6046E-008	1.3081E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.7122E-010	8.5127E-010
RCPTR_30	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.6466E-011	3.9539E-011
RCPTR_30	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.0551E-003	2.0594E-003
RCPTR_30	farmer_child	TOCDFDFS	Isophorone	3.0926E-012	7.5072E-012
RCPTR_30	farmer_child	TOCDFDFS	Lead	4.7338E-007	4.9249E-007
RCPTR_30	farmer_child	TOCDFDFS	Mercuric chloride	2.6090E-007	3.0333E-007
RCPTR_30	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.0332E-016	2.5091E-016
RCPTR_30	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.9899E-018	4.8310E-018
RCPTR_30	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.2063E-014	2.9301E-014
RCPTR_30	farmer_child	TOCDFDFS	Methyl mercury	4.6176E-009	4.7499E-009
RCPTR_30	farmer_child	TOCDFDFS	Methylene chloride	6.7222E-014	1.6322E-013
RCPTR_30	farmer_child	TOCDFDFS	Naphthalene	2.0365E-011	4.9156E-011
RCPTR_30	farmer_child	TOCDFDFS	Nickel	5.4145E-006	5.6185E-006
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.2224E-011	1.2655E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.2407E-011	3.0114E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.6043E-011	3.8914E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrobenzene	5.2178E-012	1.2671E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.3765E-012	5.7691E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 4-	6.2874E-011	9.4746E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.9495E-012	7.1479E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.9022E-012	7.0251E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.6424E-013	6.3187E-013
RCPTR_30	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.1357E-012	2.1802E-012
RCPTR_30	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.4306E-013	6.5616E-013
RCPTR_30	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.2712E-011	1.2921E-011
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.1805E-012	1.2126E-012
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.6223E-012	4.7445E-012
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorobenzene	1.0890E-009	2.4324E-009
RCPTR_30	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.7618E-011	1.9252E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorophenol	1.7694E-008	2.1663E-008
RCPTR_30	farmer_child	TOCDFDFS	Phenanthrene	4.0536E-012	9.7033E-012
RCPTR_30	farmer_child	TOCDFDFS	Phenol	4.1405E-012	1.0039E-011
RCPTR_30	farmer_child	TOCDFDFS	Pronamide	8.0758E-010	1.9218E-009
RCPTR_30	farmer_child	TOCDFDFS	Pyrene	1.4812E-007	2.3174E-007
RCPTR_30	farmer_child	TOCDFDFS	Selenium	1.9710E-007	1.9773E-007
RCPTR_30	farmer_child	TOCDFDFS	Silver	2.6817E-007	2.7918E-007
RCPTR_30	farmer_child	TOCDFDFS	Styrene	2.1268E-013	5.1542E-013
RCPTR_30	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	5.9547E-012	6.1735E-012
RCPTR_30	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.8425E-012	2.9866E-012
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.3431E-010	7.7919E-010
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.3077E-011	2.6763E-011
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.3316E-015	1.7768E-014
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.3598E-009	5.7491E-009
RCPTR_30	farmer_child	TOCDFDFS	Thallium (l)	3.5710E-005	3.6602E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Toluene	3.6266E-014	8.7502E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.4990E-011	3.5583E-011
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.7323E-015	1.1479E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.1384E-014	1.2473E-013
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethylene	8.3667E-015	2.0281E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0994E-015	2.6654E-015
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.4788E-009	3.4227E-009
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.3499E-010	7.0272E-010
RCPTR_30	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.9026E-013	4.6166E-013
RCPTR_30	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.6513E-012	3.9122E-012
RCPTR_30	farmer_child	TOCDFDFS	VX	2.2383E-011	2.3001E-011
RCPTR_30	farmer_child	TOCDFDFS	Vinyl Chloride	1.4076E-018	3.4153E-018
RCPTR_30	farmer_child	TOCDFDFS	Xylene, m-	3.6662E-013	5.1790E-013
RCPTR_30	farmer_child	TOCDFDFS	Xylene, o-	3.4141E-013	5.1387E-013
RCPTR_30	farmer_child	TOCDFDFS	Xylene, p-	4.0656E-013	6.4118E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Acenaphthene	1.9040E-010	4.5704E-010
RCPTR_30	farmer_child	TOCDFLIC	Acetone	9.4189E-012	2.2879E-011
RCPTR_30	farmer_child	TOCDFLIC	Acetophenone	9.9027E-013	2.4040E-012
RCPTR_30	farmer_child	TOCDFLIC	Aniline	5.9732E-014	1.4481E-013
RCPTR_30	farmer_child	TOCDFLIC	Anthracene	3.3645E-009	8.0660E-009
RCPTR_30	farmer_child	TOCDFLIC	Antimony	1.3904E-006	1.5249E-006
RCPTR_30	farmer_child	TOCDFLIC	Arsenic	1.4330E-006	1.4663E-006
RCPTR_30	farmer_child	TOCDFLIC	Barium	2.2801E-007	2.4477E-007
RCPTR_30	farmer_child	TOCDFLIC	Benzene	1.2617E-014	3.0568E-014
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)anthracene	8.1332E-007	9.5631E-007
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)pyrene	7.9319E-006	8.0959E-006
RCPTR_30	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.4610E-006	4.8389E-006
RCPTR_30	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	1.2189E-005	1.2335E-005
RCPTR_30	farmer_child	TOCDFLIC	Benzoic acid	2.5780E-011	5.8004E-011
RCPTR_30	farmer_child	TOCDFLIC	Benzyl alcohol	2.5715E-010	6.2408E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Beryllium	7.6032E-008	7.7991E-008
RCPTR_30	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.3531E-012	3.2867E-012
RCPTR_30	farmer_child	TOCDFLIC	Bromodichloromethane	7.9063E-016	1.9196E-015
RCPTR_30	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.6004E-013	1.8456E-012
RCPTR_30	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.4519E-008	1.1633E-007
RCPTR_30	farmer_child	TOCDFLIC	Butylbenzylphthalate	4.8063E-009	5.2673E-009
RCPTR_30	farmer_child	TOCDFLIC	Cadmium	2.0502E-008	2.4237E-008
RCPTR_30	farmer_child	TOCDFLIC	Carbon disulfide	5.2477E-017	1.2726E-016
RCPTR_30	farmer_child	TOCDFLIC	Carbon tetrachloride	4.1583E-016	1.0072E-015
RCPTR_30	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2883E-010	2.7643E-010
RCPTR_30	farmer_child	TOCDFLIC	Chloroaniline, p-	6.3018E-012	1.5271E-011
RCPTR_30	farmer_child	TOCDFLIC	Chlorobenzene	2.4378E-015	5.8942E-015
RCPTR_30	farmer_child	TOCDFLIC	Chloroethane	7.2794E-017	1.7397E-016
RCPTR_30	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.2753E-016	7.9509E-016
RCPTR_30	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.9591E-010	1.1935E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.7456E-011	4.2394E-011
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.2043E-010	1.5394E-009
RCPTR_30	farmer_child	TOCDFLIC	Chromium	1.0980E-006	1.1208E-006
RCPTR_30	farmer_child	TOCDFLIC	Chromium, hexavalent	1.0172E-006	1.0276E-006
RCPTR_30	farmer_child	TOCDFLIC	Chrysene	2.2823E-006	2.4282E-006
RCPTR_30	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.7925E-008	1.9698E-008
RCPTR_30	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.9892E+000	8.9892E+000
RCPTR_30	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.6844E-004	1.6953E-004
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	8.1040E-013	1.9303E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	9.7293E-013	2.3335E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	9.3476E-013	2.2461E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.6567E-009	6.4549E-009
RCPTR_30	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.7212E-018	1.3862E-017
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3704E-016	3.3270E-016
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7852E-015	4.3348E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.4472E-016	1.3212E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.7577E-016	2.1239E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	9.8517E-011	1.9428E-010
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.7049E-016	1.1397E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5491E-016	3.7594E-016
RCPTR_30	farmer_child	TOCDFLIC	Diethyl phthalate	1.1113E-009	1.1422E-009
RCPTR_30	farmer_child	TOCDFLIC	Dimethyl phthalate	1.3076E-011	3.1228E-011
RCPTR_30	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.1958E-011	2.8915E-011
RCPTR_30	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.0016E-012	3.1785E-012
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.1297E-011	2.6667E-011
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	8.6213E-012	2.0524E-011
RCPTR_30	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.5338E-013	6.1540E-013
RCPTR_30	farmer_child	TOCDFLIC	Ethylbenzene	1.3325E-014	3.1700E-014
RCPTR_30	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.7298E-009	1.9021E-009
RCPTR_30	farmer_child	TOCDFLIC	Fluoranthene	5.5802E-008	1.0170E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Fluorene	7.5420E-010	1.7964E-009
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.9187E-012	4.9977E-012
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.6545E-011	1.6760E-011
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.9409E-011	4.0027E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.9974E-011	4.0515E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.4655E-011	2.5082E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.0827E-011	2.1238E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.8528E-011	2.9160E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.4731E-011	2.5276E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.5312E-011	2.5867E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.0865E-011	2.1324E-011
RCPTR_30	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6334E-011	3.7874E-011
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorobenzene	3.2863E-008	7.6689E-008
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.3947E-011	1.0080E-010
RCPTR_30	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.6542E-012	2.3179E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2126E-003	1.2150E-003
RCPTR_30	farmer_child	TOCDFLIC	Isophorone	1.8128E-012	4.4007E-012
RCPTR_30	farmer_child	TOCDFLIC	Lead	2.3974E-007	2.4939E-007
RCPTR_30	farmer_child	TOCDFLIC	Mercuric chloride	1.0827E-008	1.2608E-008
RCPTR_30	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	9.8968E-017	2.4035E-016
RCPTR_30	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	5.7464E-018	1.3951E-017
RCPTR_30	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0546E-013	2.5615E-013
RCPTR_30	farmer_child	TOCDFLIC	Methyl mercury	1.8859E-010	1.9415E-010
RCPTR_30	farmer_child	TOCDFLIC	Methylene chloride	1.4261E-012	3.4626E-012
RCPTR_30	farmer_child	TOCDFLIC	Naphthalene	4.5164E-012	1.0901E-011
RCPTR_30	farmer_child	TOCDFLIC	Nickel	2.6296E-006	2.7283E-006
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.0979E-011	7.5068E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 3-	7.3594E-012	1.7863E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.8997E-012	4.6081E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Nitrobenzene	3.0586E-012	7.4277E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 2-	6.9780E-012	1.6940E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 4-	7.5004E-012	1.1275E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.7290E-012	4.1901E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.7014E-012	4.1181E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.5472E-013	3.7022E-013
RCPTR_30	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.5111E-012	7.6660E-012
RCPTR_30	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.4563E-012	7.6067E-012
RCPTR_30	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	8.7272E-011	8.8683E-011
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.2919E-011	1.3269E-011
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.0252E-011	5.1573E-011
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorobenzene	6.4333E-010	1.4402E-009
RCPTR_30	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.1729E-011	1.1395E-010
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorophenol	1.0473E-008	1.2799E-008
RCPTR_30	farmer_child	TOCDFLIC	Phenanthrene	2.3765E-012	5.6883E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Phenol	2.4272E-012	5.8850E-012
RCPTR_30	farmer_child	TOCDFLIC	Pronamide	2.3677E-010	5.6333E-010
RCPTR_30	farmer_child	TOCDFLIC	Pyrene	8.6884E-008	1.3590E-007
RCPTR_30	farmer_child	TOCDFLIC	Selenium	1.5994E-006	1.6045E-006
RCPTR_30	farmer_child	TOCDFLIC	Silver	4.3519E-006	4.5300E-006
RCPTR_30	farmer_child	TOCDFLIC	Styrene	1.1918E-014	2.8883E-014
RCPTR_30	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1598E-011	1.2023E-011
RCPTR_30	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.1170E-012	3.2745E-012
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.9609E-010	4.5687E-010
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.5890E-012	1.8402E-012
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.9970E-016	1.2110E-015
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.0041E-009	3.4214E-009
RCPTR_30	farmer_child	TOCDFLIC	Thallium (l)	5.7711E-006	5.9149E-006
RCPTR_30	farmer_child	TOCDFLIC	Toluene	1.5068E-011	3.6355E-011
RCPTR_30	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.3600E-012	1.7462E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.7727E-014	1.1577E-013
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.5846E-014	6.2739E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethylene	4.2086E-015	1.0201E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.5302E-016	1.3407E-015
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	8.6767E-010	2.0071E-009
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.9688E-010	4.1244E-010
RCPTR_30	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	9.5702E-014	2.3222E-013
RCPTR_30	farmer_child	TOCDFLIC	VX	8.2599E-012	8.4854E-012
RCPTR_30	farmer_child	TOCDFLIC	Vinyl Chloride	1.2601E-019	3.0576E-019
RCPTR_30	farmer_child	TOCDFLIC	Xylene, m-	1.2182E-013	1.7380E-013
RCPTR_30	farmer_child	TOCDFLIC	Xylene, o-	7.2392E-014	1.1010E-013
RCPTR_30	farmer_child	TOCDFLIC	Xylene, p-	1.3583E-013	2.1645E-013
RCPTR_30	farmer_child	TOCDFLIC	Zinc	3.4486E-007	3.8988E-007
RCPTR_30	farmer_child	TOCDFMPF	Acenaphthene	3.4897E-011	8.3769E-011
RCPTR_30	farmer_child	TOCDFMPF	Acetone	4.0101E-016	9.7407E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Acetophenone	4.2230E-012	1.0252E-011
RCPTR_30	farmer_child	TOCDFMPF	Aniline	2.5473E-013	6.1755E-013
RCPTR_30	farmer_child	TOCDFMPF	Anthracene	3.5412E-010	8.4897E-010
RCPTR_30	farmer_child	TOCDFMPF	Arsenic	6.9577E-008	7.1193E-008
RCPTR_30	farmer_child	TOCDFMPF	Barium	2.5529E-008	2.7407E-008
RCPTR_30	farmer_child	TOCDFMPF	Benzene	2.2180E-015	5.3736E-015
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)anthracene	7.5287E-008	8.8522E-008
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.3537E-006	1.3817E-006
RCPTR_30	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	6.4770E-007	7.0257E-007
RCPTR_30	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.8144E-006	1.8362E-006
RCPTR_30	farmer_child	TOCDFMPF	Benzoic acid	4.9502E-012	1.1138E-011
RCPTR_30	farmer_child	TOCDFMPF	Benzyl alcohol	2.0385E-012	4.9473E-012
RCPTR_30	farmer_child	TOCDFMPF	Beryllium	9.5736E-009	9.8203E-009
RCPTR_30	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	5.7581E-013	1.3987E-012
RCPTR_30	farmer_child	TOCDFMPF	Bromodichloromethane	1.1676E-014	2.8349E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	4.0212E-013	9.7647E-013
RCPTR_30	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.6940E-008	6.6602E-008
RCPTR_30	farmer_child	TOCDFMPF	Butylbenzylphthalate	6.3727E-010	6.9833E-010
RCPTR_30	farmer_child	TOCDFMPF	Cadmium	6.5335E-008	7.7241E-008
RCPTR_30	farmer_child	TOCDFMPF	Carbon disulfide	7.7500E-016	1.8794E-015
RCPTR_30	farmer_child	TOCDFMPF	Carbon tetrachloride	6.1412E-015	1.4874E-014
RCPTR_30	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.5170E-011	1.1838E-010
RCPTR_30	farmer_child	TOCDFMPF	Chloroaniline, p-	1.8583E-012	4.5033E-012
RCPTR_30	farmer_child	TOCDFMPF	Chlorobenzene	3.6003E-014	8.7048E-014
RCPTR_30	farmer_child	TOCDFMPF	Chloroethane	1.0250E-016	2.4498E-016
RCPTR_30	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	4.8371E-015	1.1742E-014
RCPTR_30	farmer_child	TOCDFMPF	Chloronaphthalene,2-	8.7294E-011	2.1009E-010
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenol, 2-	6.4306E-012	1.5617E-011
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.2291E-010	4.7631E-010
RCPTR_30	farmer_child	TOCDFMPF	Chromium	1.1941E-006	1.2189E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Chromium, hexavalent	1.1063E-006	1.1176E-006
RCPTR_30	farmer_child	TOCDFMPF	Chrysene	2.3610E-007	2.5119E-007
RCPTR_30	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.0978E-008	2.3054E-008
RCPTR_30	farmer_child	TOCDFMPF	Di-n-octylphthalate	8.0881E+000	8.0882E+000
RCPTR_30	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.4638E-005	4.4928E-005
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	2.8236E-013	6.7256E-013
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	3.1604E-013	7.5798E-013
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	3.0194E-013	7.2553E-013
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.6943E-009	1.9333E-009
RCPTR_30	farmer_child	TOCDFMPF	Dichlorodifluoromethane	8.0564E-018	1.9519E-017
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.0238E-015	4.9135E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5139E-015	6.1040E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	7.6705E-016	1.8605E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.2332E-015	2.9907E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.8612E-011	7.6149E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	6.9484E-015	1.6831E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.2877E-015	5.5521E-015
RCPTR_30	farmer_child	TOCDFMPF	Diethyl phthalate	2.3761E-009	2.4422E-009
RCPTR_30	farmer_child	TOCDFMPF	Dimethyl phthalate	7.5538E-013	1.8040E-012
RCPTR_30	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	4.7199E-012	1.1413E-011
RCPTR_30	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.8497E-012	6.1136E-012
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.5581E-011	3.6779E-011
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0795E-011	2.5700E-011
RCPTR_30	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.0805E-012	2.6244E-012
RCPTR_30	farmer_child	TOCDFMPF	Ethylbenzene	2.2413E-014	5.3319E-014
RCPTR_30	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.9963E-010	3.2945E-010
RCPTR_30	farmer_child	TOCDFMPF	Fluoranthene	4.3443E-009	7.9172E-009
RCPTR_30	farmer_child	TOCDFMPF	Fluorene	1.1497E-010	2.7383E-010
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	5.4168E-013	5.5040E-013
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.7717E-012	2.8078E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.6071E-012	2.6481E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.9572E-012	7.0516E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.2935E-012	4.3680E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.5762E-012	3.6469E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.7230E-012	7.8942E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.6314E-011	2.6895E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.2078E-011	2.2562E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.6672E-012	2.7259E-012
RCPTR_30	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	9.1744E-012	2.1272E-011
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorobenzene	1.6370E-008	3.8202E-008
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.0586E-011	7.0149E-011
RCPTR_30	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.7975E-012	1.6321E-011
RCPTR_30	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6403E-004	2.6455E-004
RCPTR_30	farmer_child	TOCDFMPF	Isophorone	3.2404E-013	7.8661E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Lead	3.7890E-007	3.9415E-007
RCPTR_30	farmer_child	TOCDFMPF	Mercuric chloride	1.1674E-008	1.3593E-008
RCPTR_30	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	7.3179E-017	1.7772E-016
RCPTR_30	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.2491E-018	1.0316E-017
RCPTR_30	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.7738E-015	4.3084E-015
RCPTR_30	farmer_child	TOCDFMPF	Methyl mercury	2.0354E-010	2.0952E-010
RCPTR_30	farmer_child	TOCDFMPF	Methylene chloride	4.6535E-016	1.1299E-015
RCPTR_30	farmer_child	TOCDFMPF	Naphthalene	3.8089E-012	9.1932E-012
RCPTR_30	farmer_child	TOCDFMPF	Nickel	1.3806E-006	1.4325E-006
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.8439E-012	9.3146E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 3-	7.3986E-013	1.7958E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 4-	8.4805E-013	2.0571E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitrobenzene	1.0463E-012	2.5408E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 2-	8.4309E-013	2.0467E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 4-	6.7020E-012	1.0075E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	7.3735E-012	1.7869E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	3.8439E-013	9.3041E-013
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.0066E-013	2.4086E-013
RCPTR_30	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.7769E-013	5.8961E-013
RCPTR_30	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.6882E-014	5.8030E-014
RCPTR_30	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.4417E-011	1.4650E-011
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.7799E-012	9.0176E-012
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	6.1595E-012	6.3215E-012
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorobenzene	5.4784E-010	1.2263E-009
RCPTR_30	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.2026E-011	4.8514E-011
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorophenol	6.2413E-009	7.6282E-009
RCPTR_30	farmer_child	TOCDFMPF	Phenanthrene	2.5013E-013	5.9870E-013
RCPTR_30	farmer_child	TOCDFMPF	Phenol	7.9503E-013	1.9276E-012
RCPTR_30	farmer_child	TOCDFMPF	Pronamide	1.0097E-009	2.4023E-009
RCPTR_30	farmer_child	TOCDFMPF	Pyrene	6.3777E-009	9.9759E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Selenium	5.0470E-007	5.0632E-007
RCPTR_30	farmer_child	TOCDFMPF	Silver	1.3755E-007	1.4318E-007
RCPTR_30	farmer_child	TOCDFMPF	Styrene	1.8193E-013	4.4089E-013
RCPTR_30	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	5.0384E-012	5.2230E-012
RCPTR_30	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.1007E-012	2.2069E-012
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.3622E-010	1.9483E-009
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	7.7843E-014	1.8875E-013
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	7.3798E-015	1.7885E-014
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.5299E-010	1.4563E-009
RCPTR_30	farmer_child	TOCDFMPF	Thallium (l)	9.2851E-006	9.5165E-006
RCPTR_30	farmer_child	TOCDFMPF	Toluene	9.7525E-015	2.3530E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.4842E-012	5.8939E-012
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.7636E-015	1.1555E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.6396E-014	8.8347E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethylene	5.9263E-015	1.4365E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.7874E-016	1.8879E-015
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.8891E-010	8.9964E-010
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	8.9672E-011	1.8786E-010
RCPTR_30	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.3476E-013	3.2700E-013
RCPTR_30	farmer_child	TOCDFMPF	VX	1.1424E-011	1.1736E-011
RCPTR_30	farmer_child	TOCDFMPF	Vinyl Chloride	1.9236E-018	4.6673E-018
RCPTR_30	farmer_child	TOCDFMPF	Xylene, m-	9.6391E-014	1.3745E-013
RCPTR_30	farmer_child	TOCDFMPF	Xylene, o-	9.0018E-014	1.3682E-013
RCPTR_30	farmer_child	TOCDFMPF	Xylene, p-	1.0745E-013	1.7112E-013
RCPTR_30	farmer_child	TOCDHVAC	VX	5.1916E-012	5.3427E-012
RCPTR_30	farmer_child	TOCDLIC2	Acenaphthene	1.9040E-010	4.5704E-010
RCPTR_30	farmer_child	TOCDLIC2	Acetone	9.4189E-012	2.2879E-011
RCPTR_30	farmer_child	TOCDLIC2	Acetophenone	9.9027E-013	2.4040E-012
RCPTR_30	farmer_child	TOCDLIC2	Aniline	5.9732E-014	1.4481E-013
RCPTR_30	farmer_child	TOCDLIC2	Anthracene	3.3645E-009	8.0660E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Antimony	1.3904E-006	1.5249E-006
RCPTR_30	farmer_child	TOCDLIC2	Arsenic	1.4330E-006	1.4663E-006
RCPTR_30	farmer_child	TOCDLIC2	Barium	2.2801E-007	2.4477E-007
RCPTR_30	farmer_child	TOCDLIC2	Benzene	1.2617E-014	3.0568E-014
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)anthracene	8.1332E-007	9.5631E-007
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)pyrene	7.9319E-006	8.0959E-006
RCPTR_30	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.4610E-006	4.8389E-006
RCPTR_30	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2189E-005	1.2335E-005
RCPTR_30	farmer_child	TOCDLIC2	Benzoic acid	2.5780E-011	5.8004E-011
RCPTR_30	farmer_child	TOCDLIC2	Benzyl alcohol	2.5715E-010	6.2408E-010
RCPTR_30	farmer_child	TOCDLIC2	Beryllium	7.6032E-008	7.7991E-008
RCPTR_30	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.3531E-012	3.2867E-012
RCPTR_30	farmer_child	TOCDLIC2	Bromodichloromethane	7.9063E-016	1.9196E-015
RCPTR_30	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	7.6004E-013	1.8456E-012
RCPTR_30	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	6.4519E-008	1.1633E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.8063E-009	5.2673E-009
RCPTR_30	farmer_child	TOCDLIC2	Cadmium	2.0502E-008	2.4237E-008
RCPTR_30	farmer_child	TOCDLIC2	Carbon disulfide	5.2477E-017	1.2726E-016
RCPTR_30	farmer_child	TOCDLIC2	Carbon tetrachloride	4.1583E-016	1.0072E-015
RCPTR_30	farmer_child	TOCDLIC2	Chlorine	1.1724E-006	2.8479E-006
RCPTR_30	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.2883E-010	2.7643E-010
RCPTR_30	farmer_child	TOCDLIC2	Chloroaniline, p-	6.3018E-012	1.5271E-011
RCPTR_30	farmer_child	TOCDLIC2	Chlorobenzene	2.4378E-015	5.8942E-015
RCPTR_30	farmer_child	TOCDLIC2	Chloroethane	7.2794E-017	1.7397E-016
RCPTR_30	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.2753E-016	7.9509E-016
RCPTR_30	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.9591E-010	1.1935E-009
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.7456E-011	4.2394E-011
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.2043E-010	1.5394E-009
RCPTR_30	farmer_child	TOCDLIC2	Chromium	1.0980E-006	1.1208E-006
RCPTR_30	farmer_child	TOCDLIC2	Chromium, hexavalent	1.0172E-006	1.0276E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Chrysene	2.2823E-006	2.4282E-006
RCPTR_30	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.7925E-008	1.9698E-008
RCPTR_30	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.9892E+000	8.9892E+000
RCPTR_30	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.6844E-004	1.6953E-004
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	8.1040E-013	1.9303E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	9.7293E-013	2.3335E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	9.3476E-013	2.2461E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.6567E-009	6.4549E-009
RCPTR_30	farmer_child	TOCDLIC2	Dichlorodifluoromethane	5.7212E-018	1.3862E-017
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.3258E-016	3.2188E-016
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7852E-015	4.3348E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.4472E-016	1.3212E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.7577E-016	2.1239E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	9.8517E-011	1.9428E-010
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.7049E-016	1.1397E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5491E-016	3.7594E-016
RCPTR_30	farmer_child	TOCDLIC2	Diethyl phthalate	1.1113E-009	1.1422E-009
RCPTR_30	farmer_child	TOCDLIC2	Dimethyl phthalate	1.3076E-011	3.1228E-011
RCPTR_30	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.1958E-011	2.8915E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.0016E-012	3.1785E-012
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.1297E-011	2.6667E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	8.6213E-012	2.0524E-011
RCPTR_30	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.5338E-013	6.1540E-013
RCPTR_30	farmer_child	TOCDLIC2	Ethylbenzene	1.3325E-014	3.1700E-014
RCPTR_30	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.7298E-009	1.9021E-009
RCPTR_30	farmer_child	TOCDLIC2	Fluoranthene	5.5802E-008	1.0170E-007
RCPTR_30	farmer_child	TOCDLIC2	Fluorene	7.5420E-010	1.7964E-009
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.9187E-012	4.9977E-012
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.7097E-011	5.7838E-011
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.3600E-010	1.3813E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.9974E-011	4.0515E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.4655E-011	2.5082E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.0827E-011	2.1238E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.8528E-011	2.9160E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.4731E-011	2.5276E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.5312E-011	2.5867E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.0865E-011	2.1324E-011
RCPTR_30	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.6334E-011	3.7874E-011
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorobenzene	3.2863E-008	7.6689E-008
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	4.3947E-011	1.0080E-010
RCPTR_30	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.6542E-012	2.3179E-011
RCPTR_30	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2126E-003	1.2150E-003
RCPTR_30	farmer_child	TOCDLIC2	Isophorone	1.8128E-012	4.4007E-012
RCPTR_30	farmer_child	TOCDLIC2	Lead	2.3974E-007	2.4939E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Mercuric chloride	1.0827E-008	1.2608E-008
RCPTR_30	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	9.8968E-017	2.4035E-016
RCPTR_30	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	2.8771E-019	6.9850E-019
RCPTR_30	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0546E-013	2.5615E-013
RCPTR_30	farmer_child	TOCDLIC2	Methyl mercury	1.8859E-010	1.9415E-010
RCPTR_30	farmer_child	TOCDLIC2	Methylene chloride	1.4261E-012	3.4626E-012
RCPTR_30	farmer_child	TOCDLIC2	Naphthalene	4.5164E-012	1.0901E-011
RCPTR_30	farmer_child	TOCDLIC2	Nickel	2.6296E-006	2.7283E-006
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 2-	3.0979E-011	7.5068E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 3-	7.3594E-012	1.7863E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 4-	9.5156E-012	2.3082E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitrobenzene	3.0586E-012	7.4277E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.3931E-012	3.3818E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 4-	3.7570E-011	5.6476E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.7290E-012	4.1901E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.7014E-012	4.1181E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.5472E-013	3.7022E-013
RCPTR_30	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.5111E-012	7.6660E-012
RCPTR_30	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.4563E-012	7.6067E-012
RCPTR_30	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	8.7272E-011	8.8683E-011
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2919E-011	1.3269E-011
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.0252E-011	5.1573E-011
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorobenzene	1.2843E-010	2.8752E-010
RCPTR_30	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.1729E-011	1.1395E-010
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorophenol	5.2458E-008	6.4112E-008
RCPTR_30	farmer_child	TOCDLIC2	Phenanthrene	2.3765E-012	5.6883E-012
RCPTR_30	farmer_child	TOCDLIC2	Phenol	2.4272E-012	5.8850E-012
RCPTR_30	farmer_child	TOCDLIC2	Pronamide	2.3677E-010	5.6333E-010
RCPTR_30	farmer_child	TOCDLIC2	Pyrene	8.6884E-008	1.3590E-007
RCPTR_30	farmer_child	TOCDLIC2	Selenium	1.5994E-006	1.6045E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Silver	4.3519E-006	4.5300E-006
RCPTR_30	farmer_child	TOCDLIC2	Styrene	1.1918E-014	2.8883E-014
RCPTR_30	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1598E-011	1.2023E-011
RCPTR_30	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.1170E-012	3.2745E-012
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.9609E-010	4.5687E-010
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.5890E-012	1.8402E-012
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.9970E-016	1.2110E-015
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.0041E-009	3.4214E-009
RCPTR_30	farmer_child	TOCDLIC2	Thallium (l)	5.7711E-006	5.9149E-006
RCPTR_30	farmer_child	TOCDLIC2	Toluene	1.5068E-011	3.6355E-011
RCPTR_30	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.3600E-012	1.7462E-011
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	4.7727E-014	1.1577E-013
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.5846E-014	6.2739E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethylene	4.2086E-015	1.0201E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.5302E-016	1.3407E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	8.6767E-010	2.0071E-009
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.9688E-010	4.1244E-010
RCPTR_30	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	9.5702E-014	2.3222E-013
RCPTR_30	farmer_child	TOCDLIC2	VX	8.5870E-012	8.8215E-012
RCPTR_30	farmer_child	TOCDLIC2	Vinyl Chloride	1.2601E-019	3.0576E-019
RCPTR_30	farmer_child	TOCDLIC2	Xylene, m-	1.2182E-013	1.7380E-013
RCPTR_30	farmer_child	TOCDLIC2	Xylene, o-	7.2392E-014	1.1010E-013
RCPTR_30	farmer_child	TOCDLIC2	Xylene, p-	1.3583E-013	2.1645E-013
RCPTR_30	farmer_child	TOCDLIC2	Zinc	3.4486E-007	3.8988E-007
RCPTR_31	farmer_adult	TOCDFBRA	Antimony	3.0683E-006	3.5613E-006
RCPTR_31	farmer_adult	TOCDFBRA	Arsenic	5.2121E-006	5.3967E-006
RCPTR_31	farmer_adult	TOCDFBRA	Barium	4.2601E-007	4.7662E-007
RCPTR_31	farmer_adult	TOCDFBRA	Beryllium	1.3741E-006	1.4534E-006
RCPTR_31	farmer_adult	TOCDFBRA	Cadmium	2.3059E-007	3.1394E-007
RCPTR_31	farmer_adult	TOCDFBRA	Chromium	3.4054E-006	3.4153E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.1013E-006	3.1488E-006
RCPTR_31	farmer_adult	TOCDFBRA	Lead	1.3947E-005	1.5180E-005
RCPTR_31	farmer_adult	TOCDFBRA	Mercuric chloride	1.5979E-003	1.6475E-003
RCPTR_31	farmer_adult	TOCDFBRA	Methyl mercury	2.6193E-005	2.6701E-005
RCPTR_31	farmer_adult	TOCDFBRA	Nickel	1.6985E-005	1.8063E-005
RCPTR_31	farmer_adult	TOCDFBRA	Selenium	5.8905E-006	5.9187E-006
RCPTR_31	farmer_adult	TOCDFBRA	Silver	1.9579E-006	2.0801E-006
RCPTR_31	farmer_adult	TOCDFBRA	Thallium (l)	5.3049E-005	5.5300E-005
RCPTR_31	farmer_adult	TOCDFBRA	Zinc	8.7400E-006	1.0799E-005
RCPTR_31	farmer_adult	TOCDFDFS	Acenaphthene	2.2959E-010	3.2619E-009
RCPTR_31	farmer_adult	TOCDFDFS	Acetone	4.0796E-014	6.6037E-013
RCPTR_31	farmer_adult	TOCDFDFS	Acetophenone	1.0664E-012	1.7143E-011
RCPTR_31	farmer_adult	TOCDFDFS	Aniline	6.5264E-014	1.0328E-012
RCPTR_31	farmer_adult	TOCDFDFS	Anthracene	4.0990E-009	5.7566E-008
RCPTR_31	farmer_adult	TOCDFDFS	Antimony	3.5745E-007	4.1499E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Aroclor 1254	2.3098E-010	4.1598E-010
RCPTR_31	farmer_adult	TOCDFDFS	Arsenic	7.0840E-007	7.3353E-007
RCPTR_31	farmer_adult	TOCDFDFS	Barium	3.3045E-006	3.6976E-006
RCPTR_31	farmer_adult	TOCDFDFS	Benzene	3.5237E-015	5.5314E-014
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.1647E-006	7.2197E-006
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.9694E-005	6.1808E-005
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.1933E-005	3.7263E-005
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.2212E-005	9.4577E-005
RCPTR_31	farmer_adult	TOCDFDFS	Benzoic acid	3.2334E-011	2.6932E-010
RCPTR_31	farmer_adult	TOCDFDFS	Benzyl alcohol	2.2663E-012	3.6307E-011
RCPTR_31	farmer_adult	TOCDFDFS	Beryllium	1.5704E-007	1.6611E-007
RCPTR_31	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.4480E-012	2.3437E-011
RCPTR_31	farmer_adult	TOCDFDFS	Bromodichloromethane	7.3146E-015	1.1773E-013
RCPTR_31	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.5147E-013	4.0550E-012
RCPTR_31	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	8.2013E-008	8.2947E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.2568E-007	1.4515E-007
RCPTR_31	farmer_adult	TOCDFDFS	Cadmium	2.3954E-007	3.2626E-007
RCPTR_31	farmer_adult	TOCDFDFS	Carbon disulfide	9.8857E-016	1.5692E-014
RCPTR_31	farmer_adult	TOCDFDFS	Carbon tetrachloride	3.9467E-015	6.1781E-014
RCPTR_31	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.1531E-010	1.9938E-009
RCPTR_31	farmer_adult	TOCDFDFS	Chloroaniline, p-	6.9192E-012	1.0892E-010
RCPTR_31	farmer_adult	TOCDFDFS	Chlorobenzene	1.1803E-014	1.8111E-013
RCPTR_31	farmer_adult	TOCDFDFS	Chloroethane	1.0691E-016	1.4478E-015
RCPTR_31	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.5201E-015	2.4424E-014
RCPTR_31	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	5.8369E-010	8.5170E-009
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.8721E-011	3.0231E-010
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.7686E-009	1.1082E-008
RCPTR_31	farmer_adult	TOCDFDFS	Chromium	2.0212E-006	2.0272E-006
RCPTR_31	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.8405E-006	1.8687E-006
RCPTR_31	farmer_adult	TOCDFDFS	Chrysene	1.6478E-005	1.8765E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.0717E-007	2.3842E-007
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.3547E+003	2.3547E+003
RCPTR_31	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.3040E-003	1.3205E-003
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.3007E-013	3.0192E-012
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	7.6993E-013	1.0827E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.9740E-013	7.1335E-012
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.3569E-008	2.8888E-008
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	7.3209E-018	1.1520E-016
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.3514E-016	1.0220E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.8788E-016	1.2696E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	6.9027E-016	1.0981E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1114E-015	1.7652E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.3672E-010	1.0317E-009
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	6.3398E-015	9.9352E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.2063E-016	1.1548E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Diethyl phthalate	4.5179E-008	4.6990E-008
RCPTR_31	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.0545E-012	1.0890E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.3437E-011	2.0627E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.0901E-011	1.1715E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.3790E-012	4.1220E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.4225E-012	3.1728E-011
RCPTR_31	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.7142E-013	4.3884E-012
RCPTR_31	farmer_adult	TOCDFDFS	Ethylbenzene	1.7097E-014	2.2177E-013
RCPTR_31	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.4252E-009	3.9807E-009
RCPTR_31	farmer_adult	TOCDFDFS	Fluoranthene	1.6582E-007	7.3616E-007
RCPTR_31	farmer_adult	TOCDFDFS	Fluorene	9.7682E-010	1.2828E-008
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.4670E-012	3.5828E-012
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.5380E-012	4.6577E-012
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0489E-011	1.0831E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.8136E-011	2.8918E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.6660E-011	1.7267E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.3668E-011	1.4246E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.8277E-011	1.9166E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.5881E-011	1.6649E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.6329E-011	1.7113E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.3431E-011	1.4079E-011
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.5881E-011	2.7083E-010
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorobenzene	4.8426E-008	5.4830E-007
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.6954E-010	3.5696E-009
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.1649E-011	1.6546E-010
RCPTR_31	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.6206E-003	9.6551E-003
RCPTR_31	farmer_adult	TOCDFDFS	Isophorone	1.9536E-012	3.1382E-011
RCPTR_31	farmer_adult	TOCDFDFS	Lead	1.8219E-006	1.9832E-006
RCPTR_31	farmer_adult	TOCDFDFS	Mercuric chloride	1.2028E-006	1.2415E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.4958E-017	1.0488E-015
RCPTR_31	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2551E-018	2.0194E-017
RCPTR_31	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.5696E-015	1.2248E-013
RCPTR_31	farmer_adult	TOCDFDFS	Methyl mercury	1.8638E-008	1.9033E-008
RCPTR_31	farmer_adult	TOCDFDFS	Methylene chloride	4.2352E-014	6.8228E-013
RCPTR_31	farmer_adult	TOCDFDFS	Naphthalene	1.3658E-011	2.0558E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nickel	2.1397E-005	2.2758E-005
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.3610E-011	5.2908E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 3-	7.8447E-012	1.2588E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.0195E-011	1.6266E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitrobenzene	3.2812E-012	5.2967E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.5006E-012	2.4116E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.0686E-010	4.1932E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.8981E-012	2.9885E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.8914E-012	2.9375E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.9106E-013	2.6417E-012
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	7.9388E-012	8.2932E-012
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.3890E-012	2.4932E-012
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.4990E-011	5.6882E-011
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.9769E-012	5.2786E-012
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8999E-011	2.0117E-011
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1894E-009	1.0144E-008
RCPTR_31	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.0353E-010	8.0278E-010
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorophenol	7.2681E-008	9.9138E-008
RCPTR_31	farmer_adult	TOCDFDFS	Phenanthrene	2.9455E-012	4.0607E-011
RCPTR_31	farmer_adult	TOCDFDFS	Phenol	2.6494E-012	4.1972E-011
RCPTR_31	farmer_adult	TOCDFDFS	Pronamide	6.2046E-010	8.0477E-009
RCPTR_31	farmer_adult	TOCDFDFS	Pyrene	2.0196E-007	9.7766E-007
RCPTR_31	farmer_adult	TOCDFDFS	Selenium	8.0061E-007	8.0444E-007
RCPTR_31	farmer_adult	TOCDFDFS	Silver	1.0645E-006	1.1310E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Styrene	1.3678E-013	2.1549E-012
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.4887E-011	2.6992E-011
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.1808E-011	1.3224E-011
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.0364E-010	3.2693E-009
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	9.9104E-011	1.2367E-010
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	4.7086E-015	7.4277E-014
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.0650E-009	2.4992E-008
RCPTR_31	farmer_adult	TOCDFDFS	Thallium (l)	1.4243E-004	1.4848E-004
RCPTR_31	farmer_adult	TOCDFDFS	Toluene	2.4424E-014	3.6597E-013
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.1757E-011	1.4903E-010
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.0139E-015	4.7987E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.2473E-014	5.2140E-013
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethylene	5.3689E-015	8.4787E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.0432E-016	1.1143E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.4171E-009	1.4375E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.3056E-010	2.9819E-009
RCPTR_31	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.2073E-013	1.9299E-012
RCPTR_31	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.2565E-012	1.6326E-011
RCPTR_31	farmer_adult	TOCDFDFS	VX	1.0467E-010	1.0879E-010
RCPTR_31	farmer_adult	TOCDFDFS	Vinyl Chloride	8.9221E-019	1.4276E-017
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, m-	1.0403E-012	2.0488E-012
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, o-	8.9943E-013	2.0491E-012
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, p-	1.0080E-012	2.5719E-012
RCPTR_31	farmer_adult	TOCDFLIC	Acenaphthene	1.2756E-010	1.8125E-009
RCPTR_31	farmer_adult	TOCDFLIC	Acetone	5.6005E-012	9.0656E-011
RCPTR_31	farmer_adult	TOCDFLIC	Acetophenone	5.9257E-013	9.5260E-012
RCPTR_31	farmer_adult	TOCDFLIC	Aniline	3.6265E-014	5.7389E-013
RCPTR_31	farmer_adult	TOCDFLIC	Anthracene	2.2771E-009	3.1987E-008
RCPTR_31	farmer_adult	TOCDFLIC	Antimony	5.1680E-006	5.9999E-006
RCPTR_31	farmer_adult	TOCDFLIC	Arsenic	5.6156E-006	5.8148E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Barium	8.6275E-007	9.6540E-007
RCPTR_31	farmer_adult	TOCDFLIC	Benzene	7.7175E-015	1.2115E-013
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.8647E-006	4.0061E-006
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.3073E-005	3.4242E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.7720E-005	2.0680E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.1108E-005	5.2412E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzoic acid	2.7786E-011	2.3141E-010
RCPTR_31	farmer_adult	TOCDFLIC	Benzyl alcohol	1.5436E-010	2.4730E-009
RCPTR_31	farmer_adult	TOCDFLIC	Beryllium	2.9127E-007	3.0810E-007
RCPTR_31	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	8.0463E-013	1.3023E-011
RCPTR_31	farmer_adult	TOCDFLIC	Bromodichloromethane	4.7260E-016	7.6063E-015
RCPTR_31	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	4.5352E-013	7.3131E-012
RCPTR_31	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	4.5568E-008	4.6091E-007
RCPTR_31	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8677E-008	2.1585E-008
RCPTR_31	farmer_adult	TOCDFLIC	Cadmium	6.9336E-008	9.4440E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Carbon disulfide	3.1771E-017	5.0431E-016
RCPTR_31	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.5500E-016	3.9917E-015
RCPTR_31	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.7525E-010	1.1080E-009
RCPTR_31	farmer_adult	TOCDFLIC	Chloroaniline, p-	3.8448E-012	6.0522E-011
RCPTR_31	farmer_adult	TOCDFLIC	Chlorobenzene	1.5225E-015	2.3363E-014
RCPTR_31	farmer_adult	TOCDFLIC	Chloroethane	5.0979E-017	6.9035E-016
RCPTR_31	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.9609E-016	3.1506E-015
RCPTR_31	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.2432E-010	4.7326E-009
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.0403E-011	1.6798E-010
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.8197E-010	6.1572E-009
RCPTR_31	farmer_adult	TOCDFLIC	Chromium	4.4140E-006	4.4269E-006
RCPTR_31	farmer_adult	TOCDFLIC	Chromium, hexavalent	4.0192E-006	4.0809E-006
RCPTR_31	farmer_adult	TOCDFLIC	Chrysene	9.1453E-006	1.0415E-005
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.4240E-008	8.5441E-008
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.0084E+001	4.0084E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2188E-004	7.3089E-004
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.8371E-013	7.6605E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.5816E-013	9.2554E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.2107E-013	8.9075E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.2143E-008	2.7150E-008
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.4903E-018	5.4930E-017
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	8.1931E-017	1.3184E-015
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0659E-015	1.7177E-014
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	3.2913E-016	5.2358E-015
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.2993E-016	8.4168E-015
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.8025E-010	7.8537E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	2.8823E-016	4.5169E-015
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	9.2957E-017	1.4897E-015
RCPTR_31	farmer_adult	TOCDFLIC	Diethyl phthalate	4.8708E-009	5.0660E-009
RCPTR_31	farmer_adult	TOCDFLIC	Dimethyl phthalate	9.1578E-012	1.2386E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	7.4667E-012	1.1462E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	5.7143E-012	1.3151E-011
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	8.6636E-012	1.0579E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.2155E-012	8.1431E-011
RCPTR_31	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.5082E-013	2.4385E-012
RCPTR_31	farmer_adult	TOCDFLIC	Ethylbenzene	9.6984E-015	1.2581E-013
RCPTR_31	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.6581E-009	7.7439E-009
RCPTR_31	farmer_adult	TOCDFLIC	Fluoranthene	9.2064E-008	4.0897E-007
RCPTR_31	farmer_adult	TOCDFLIC	Fluorene	5.4269E-010	7.1281E-009
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.8846E-011	1.9472E-011
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.5918E-011	6.7645E-011
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.5204E-010	1.5696E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.5994E-010	1.6435E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	9.4429E-011	9.7855E-011
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	7.7299E-011	8.0560E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.0562E-010	1.1076E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	9.1793E-011	9.6230E-011
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	9.4418E-011	9.8946E-011
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	7.7651E-011	8.1390E-011
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4368E-011	1.5048E-010
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.6901E-008	3.0467E-007
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.1435E-011	4.0066E-010
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.4732E-012	9.1940E-011
RCPTR_31	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3411E-003	5.3599E-003
RCPTR_31	farmer_adult	TOCDFLIC	Isophorone	1.0856E-012	1.7438E-011
RCPTR_31	farmer_adult	TOCDFLIC	Lead	9.0170E-007	9.8156E-007
RCPTR_31	farmer_adult	TOCDFLIC	Mercuric chloride	4.7787E-008	4.9328E-008
RCPTR_31	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	5.8984E-017	9.5237E-016
RCPTR_31	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.4357E-018	5.5282E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.2730E-014	1.0150E-012
RCPTR_31	farmer_adult	TOCDFLIC	Methyl mercury	7.3649E-010	7.5225E-010
RCPTR_31	farmer_adult	TOCDFLIC	Methylene chloride	8.5169E-013	1.3721E-011
RCPTR_31	farmer_adult	TOCDFLIC	Naphthalene	2.8708E-012	4.3215E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nickel	1.0153E-005	1.0798E-005
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.8898E-011	2.9750E-010
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.4110E-012	7.0783E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1443E-012	1.8259E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrobenzene	1.8233E-012	2.9432E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.1767E-012	6.7124E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.3231E-011	4.7081E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0547E-012	1.6606E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.0510E-012	1.6323E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.0593E-013	1.4677E-012
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.7249E-011	2.8463E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.7040E-011	2.8218E-011
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.5919E-010	3.7151E-010
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.1903E-011	5.5050E-011
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.9782E-010	2.0946E-010
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorobenzene	6.6559E-010	5.7010E-009
RCPTR_31	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.7917E-011	4.5111E-010
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorophenol	4.0404E-008	5.5105E-008
RCPTR_31	farmer_adult	TOCDFLIC	Phenanthrene	1.6365E-012	2.2564E-011
RCPTR_31	farmer_adult	TOCDFLIC	Phenol	1.4722E-012	2.3322E-011
RCPTR_31	farmer_adult	TOCDFLIC	Pronamide	1.7238E-010	2.2359E-009
RCPTR_31	farmer_adult	TOCDFLIC	Pyrene	1.1218E-007	5.4321E-007
RCPTR_31	farmer_adult	TOCDFLIC	Selenium	6.3465E-006	6.3769E-006
RCPTR_31	farmer_adult	TOCDFLIC	Silver	1.6876E-005	1.7931E-005
RCPTR_31	farmer_adult	TOCDFLIC	Styrene	7.2657E-015	1.1446E-013
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	4.6129E-011	5.0035E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.2284E-011	1.3758E-011
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6872E-010	1.8166E-009
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.4059E-012	7.9934E-012
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.0419E-016	4.7990E-015
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.0989E-009	1.4055E-008
RCPTR_31	farmer_adult	TOCDFLIC	Thallium (l)	2.2487E-005	2.3443E-005
RCPTR_31	farmer_adult	TOCDFLIC	Toluene	9.6188E-012	1.4413E-010
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.4810E-012	6.9313E-011
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.8813E-014	4.5877E-013
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.5484E-014	2.4861E-013
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethylene	2.5600E-015	4.0428E-014
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.3583E-016	5.3132E-015
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	7.8758E-010	7.9878E-009
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.9490E-010	1.6570E-009
RCPTR_31	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	5.7566E-014	9.2021E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	VX	3.6222E-011	3.7647E-011
RCPTR_31	farmer_adult	TOCDFLIC	Vinyl Chloride	7.5711E-020	1.2115E-018
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, m-	3.3429E-013	6.6279E-013
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, o-	1.8393E-013	4.2219E-013
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, p-	3.2406E-013	8.3352E-013
RCPTR_31	farmer_adult	TOCDFLIC	Zinc	1.2362E-006	1.5279E-006
RCPTR_31	farmer_adult	TOCDFMPF	Acenaphthene	2.3444E-011	3.3312E-010
RCPTR_31	farmer_adult	TOCDFMPF	Acetone	2.3909E-016	3.8702E-015
RCPTR_31	farmer_adult	TOCDFMPF	Acetophenone	2.5340E-012	4.0736E-011
RCPTR_31	farmer_adult	TOCDFMPF	Aniline	1.5508E-013	2.4541E-012
RCPTR_31	farmer_adult	TOCDFMPF	Anthracene	2.4033E-010	3.3760E-009
RCPTR_31	farmer_adult	TOCDFMPF	Arsenic	2.7298E-007	2.8266E-007
RCPTR_31	farmer_adult	TOCDFMPF	Barium	9.6716E-008	1.0822E-007
RCPTR_31	farmer_adult	TOCDFMPF	Benzene	1.3604E-015	2.1355E-014
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.6586E-007	3.7179E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.6573E-006	5.8572E-006
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.5797E-006	3.0105E-006
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.6262E-006	7.8207E-006
RCPTR_31	farmer_adult	TOCDFMPF	Benzoic acid	5.3502E-012	4.4557E-011
RCPTR_31	farmer_adult	TOCDFMPF	Benzyl alcohol	1.2271E-012	1.9658E-011
RCPTR_31	farmer_adult	TOCDFMPF	Beryllium	3.6719E-008	3.8841E-008
RCPTR_31	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.4335E-013	5.5573E-012
RCPTR_31	farmer_adult	TOCDFMPF	Bromodichloromethane	6.9987E-015	1.1264E-013
RCPTR_31	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.4061E-013	3.8799E-012
RCPTR_31	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.6161E-008	2.6461E-007
RCPTR_31	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.4810E-009	2.8673E-009
RCPTR_31	farmer_adult	TOCDFMPF	Cadmium	2.2122E-007	3.0132E-007
RCPTR_31	farmer_adult	TOCDFMPF	Carbon disulfide	4.7049E-016	7.4683E-015
RCPTR_31	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.7762E-015	5.9114E-014
RCPTR_31	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	7.5264E-011	4.7581E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.1369E-012	1.7896E-011
RCPTR_31	farmer_adult	TOCDFMPF	Chlorobenzene	2.2546E-014	3.4599E-013
RCPTR_31	farmer_adult	TOCDFMPF	Chloroethane	7.1983E-017	9.7478E-016
RCPTR_31	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.9038E-015	4.6658E-014
RCPTR_31	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.7246E-011	8.3535E-010
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.8428E-012	6.2053E-011
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.0467E-010	1.9103E-009
RCPTR_31	farmer_adult	TOCDFMPF	Chromium	4.8062E-006	4.8202E-006
RCPTR_31	farmer_adult	TOCDFMPF	Chromium, hexavalent	4.3764E-006	4.4435E-006
RCPTR_31	farmer_adult	TOCDFMPF	Chrysene	9.4860E-007	1.0803E-006
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	8.7138E-008	1.0028E-007
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.6178E+001	3.6178E+001
RCPTR_31	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.9181E-004	1.9420E-004
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.0394E-013	2.6764E-012
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.1438E-013	3.0147E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.0117E-013	2.8852E-012
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.6484E-009	8.1518E-009
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.9283E-018	7.7563E-017
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.2133E-015	1.9524E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5051E-015	2.4254E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	4.6474E-016	7.3930E-015
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	7.4827E-016	1.1885E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	7.0848E-011	3.0869E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	4.2684E-015	6.6891E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.3766E-015	2.2061E-014
RCPTR_31	farmer_adult	TOCDFMPF	Diethyl phthalate	1.0446E-008	1.0865E-008
RCPTR_31	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.3049E-013	7.1751E-012
RCPTR_31	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.9552E-012	4.5365E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.1022E-011	2.5367E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.1981E-011	1.4630E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.8041E-012	1.0224E-010
RCPTR_31	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	6.4495E-013	1.0428E-011
RCPTR_31	farmer_adult	TOCDFMPF	Ethylbenzene	1.6357E-014	2.1219E-013
RCPTR_31	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1554E-009	1.3438E-009
RCPTR_31	farmer_adult	TOCDFMPF	Fluoranthene	7.1871E-009	3.1926E-008
RCPTR_31	farmer_adult	TOCDFMPF	Fluorene	8.2952E-011	1.0896E-009
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.0775E-012	2.1466E-012
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.1060E-011	1.1350E-011
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0070E-011	1.0395E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.7881E-011	2.8651E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.6461E-011	1.7058E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.3281E-011	1.3841E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.8612E-011	3.0003E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.7736E-011	1.0246E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.2414E-011	8.6367E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	9.9331E-012	1.0411E-011
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.0922E-012	8.4748E-011
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.3437E-008	1.5218E-007
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.8916E-011	2.7960E-010
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.5704E-012	6.4913E-011
RCPTR_31	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.1664E-003	1.1705E-003
RCPTR_31	farmer_adult	TOCDFMPF	Isophorone	1.9458E-013	3.1256E-012
RCPTR_31	farmer_adult	TOCDFMPF	Lead	1.4268E-006	1.5531E-006
RCPTR_31	farmer_adult	TOCDFMPF	Mercuric chloride	5.1627E-008	5.3290E-008
RCPTR_31	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.3734E-017	7.0614E-016
RCPTR_31	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.5475E-018	4.0989E-017
RCPTR_31	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.0580E-015	1.7119E-014
RCPTR_31	farmer_adult	TOCDFMPF	Methyl mercury	7.9564E-010	8.1266E-010
RCPTR_31	farmer_adult	TOCDFMPF	Methylene chloride	2.7869E-016	4.4896E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Naphthalene	2.4277E-012	3.6545E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nickel	5.3369E-006	5.6762E-006
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.3514E-012	3.7016E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 3-	4.4467E-013	7.1356E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 4-	5.1226E-013	8.1736E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitrobenzene	6.2540E-013	1.0095E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 2-	5.0602E-013	8.1323E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.0820E-011	4.2194E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.5102E-012	7.1012E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.3811E-013	3.6979E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	6.9101E-014	9.5744E-013
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.0964E-012	2.1898E-012
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.0634E-013	2.1533E-013
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.9464E-011	6.1504E-011
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.5347E-011	3.7490E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.4288E-011	2.5718E-011
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorobenzene	5.6820E-010	4.8670E-009
RCPTR_31	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.4722E-011	1.9256E-010
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorophenol	2.4153E-008	3.2941E-008
RCPTR_31	farmer_adult	TOCDFMPF	Phenanthrene	1.7272E-013	2.3814E-012
RCPTR_31	farmer_adult	TOCDFMPF	Phenol	4.8354E-013	7.6603E-012
RCPTR_31	farmer_adult	TOCDFMPF	Pronamide	7.3715E-010	9.5614E-009
RCPTR_31	farmer_adult	TOCDFMPF	Pyrene	8.2573E-009	3.9984E-008
RCPTR_31	farmer_adult	TOCDFMPF	Selenium	2.0052E-006	2.0148E-006
RCPTR_31	farmer_adult	TOCDFMPF	Silver	5.3407E-007	5.6745E-007
RCPTR_31	farmer_adult	TOCDFMPF	Styrene	1.1122E-013	1.7521E-012
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0083E-011	2.1783E-011
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	8.2983E-012	9.2942E-012
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	7.2148E-010	7.7684E-009
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.7297E-014	7.5008E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.5048E-015	7.1069E-014
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.1765E-009	5.9993E-009
RCPTR_31	farmer_adult	TOCDFMPF	Thallium (l)	3.6224E-005	3.7764E-005
RCPTR_31	farmer_adult	TOCDFMPF	Toluene	6.2425E-015	9.3539E-014
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.8551E-012	2.3460E-011
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.8837E-015	4.5915E-014
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.1863E-014	3.5105E-013
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethylene	3.6147E-015	5.7085E-014
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.7420E-016	7.5023E-015
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	3.5399E-010	3.5902E-009
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.3470E-010	7.5683E-010
RCPTR_31	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	8.1285E-014	1.2994E-012
RCPTR_31	farmer_adult	TOCDFMPF	VX	5.0252E-011	5.2229E-011
RCPTR_31	farmer_adult	TOCDFMPF	Vinyl Chloride	1.1589E-018	1.8545E-017
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, m-	2.6473E-013	5.2488E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, o-	2.2893E-013	5.2551E-013
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, p-	2.5663E-013	6.6010E-013
RCPTR_31	farmer_adult	TOCDHVAC	VX	2.6869E-011	2.7936E-011
RCPTR_31	farmer_adult	TOCDLIC2	Acenaphthene	1.2756E-010	1.8125E-009
RCPTR_31	farmer_adult	TOCDLIC2	Acetone	5.6005E-012	9.0656E-011
RCPTR_31	farmer_adult	TOCDLIC2	Acetophenone	5.9257E-013	9.5260E-012
RCPTR_31	farmer_adult	TOCDLIC2	Aniline	3.6265E-014	5.7389E-013
RCPTR_31	farmer_adult	TOCDLIC2	Anthracene	2.2771E-009	3.1987E-008
RCPTR_31	farmer_adult	TOCDLIC2	Antimony	5.1680E-006	5.9999E-006
RCPTR_31	farmer_adult	TOCDLIC2	Arsenic	5.6156E-006	5.8148E-006
RCPTR_31	farmer_adult	TOCDLIC2	Barium	8.6275E-007	9.6540E-007
RCPTR_31	farmer_adult	TOCDLIC2	Benzene	7.7175E-015	1.2115E-013
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.8647E-006	4.0061E-006
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.3073E-005	3.4242E-005
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.7720E-005	2.0680E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.1108E-005	5.2412E-005
RCPTR_31	farmer_adult	TOCDLIC2	Benzoic acid	2.7786E-011	2.3141E-010
RCPTR_31	farmer_adult	TOCDLIC2	Benzyl alcohol	1.5436E-010	2.4730E-009
RCPTR_31	farmer_adult	TOCDLIC2	Beryllium	2.9127E-007	3.0810E-007
RCPTR_31	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.0463E-013	1.3023E-011
RCPTR_31	farmer_adult	TOCDLIC2	Bromodichloromethane	4.7260E-016	7.6063E-015
RCPTR_31	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	4.5352E-013	7.3131E-012
RCPTR_31	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.5568E-008	4.6091E-007
RCPTR_31	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.8677E-008	2.1585E-008
RCPTR_31	farmer_adult	TOCDLIC2	Cadmium	6.9336E-008	9.4440E-008
RCPTR_31	farmer_adult	TOCDLIC2	Carbon disulfide	3.1771E-017	5.0431E-016
RCPTR_31	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.5500E-016	3.9917E-015
RCPTR_31	farmer_adult	TOCDLIC2	Chlorine	6.9682E-007	1.1284E-005
RCPTR_31	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.7525E-010	1.1080E-009
RCPTR_31	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.8448E-012	6.0522E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Chlorobenzene	1.5225E-015	2.3363E-014
RCPTR_31	farmer_adult	TOCDLIC2	Chloroethane	5.0979E-017	6.9035E-016
RCPTR_31	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.9609E-016	3.1506E-015
RCPTR_31	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.2432E-010	4.7326E-009
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.0403E-011	1.6798E-010
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.8197E-010	6.1572E-009
RCPTR_31	farmer_adult	TOCDLIC2	Chromium	4.4140E-006	4.4269E-006
RCPTR_31	farmer_adult	TOCDLIC2	Chromium, hexavalent	4.0192E-006	4.0809E-006
RCPTR_31	farmer_adult	TOCDLIC2	Chrysene	9.1453E-006	1.0415E-005
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	7.4240E-008	8.5441E-008
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.0084E+001	4.0084E+001
RCPTR_31	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.2188E-004	7.3089E-004
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.8371E-013	7.6605E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.5816E-013	9.2554E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.2107E-013	8.9075E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.2143E-008	2.7150E-008
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.4903E-018	5.4930E-017
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	7.9267E-017	1.2755E-015
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0659E-015	1.7177E-014
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.2913E-016	5.2358E-015
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.2993E-016	8.4168E-015
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.8025E-010	7.8537E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.8823E-016	4.5169E-015
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	9.2957E-017	1.4897E-015
RCPTR_31	farmer_adult	TOCDLIC2	Diethyl phthalate	4.8708E-009	5.0660E-009
RCPTR_31	farmer_adult	TOCDLIC2	Dimethyl phthalate	9.1578E-012	1.2386E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.4667E-012	1.1462E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	5.7143E-012	1.3151E-011
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.6636E-012	1.0579E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.2155E-012	8.1431E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.5082E-013	2.4385E-012
RCPTR_31	farmer_adult	TOCDLIC2	Ethylbenzene	9.6984E-015	1.2581E-013
RCPTR_31	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.6581E-009	7.7439E-009
RCPTR_31	farmer_adult	TOCDLIC2	Fluoranthene	9.2064E-008	4.0897E-007
RCPTR_31	farmer_adult	TOCDLIC2	Fluorene	5.4269E-010	7.1281E-009
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.8846E-011	1.9472E-011
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.2748E-010	2.3344E-010
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.2469E-010	5.4167E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5994E-010	1.6435E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.4429E-011	9.7855E-011
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.7299E-011	8.0560E-011
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0562E-010	1.1076E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	9.1793E-011	9.6230E-011
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	9.4418E-011	9.8946E-011
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.7651E-011	8.1390E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4368E-011	1.5048E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.6901E-008	3.0467E-007
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.1435E-011	4.0066E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.4732E-012	9.1940E-011
RCPTR_31	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3411E-003	5.3599E-003
RCPTR_31	farmer_adult	TOCDLIC2	Isophorone	1.0856E-012	1.7438E-011
RCPTR_31	farmer_adult	TOCDLIC2	Lead	9.0170E-007	9.8156E-007
RCPTR_31	farmer_adult	TOCDLIC2	Mercuric chloride	4.7787E-008	4.9328E-008
RCPTR_31	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	5.8984E-017	9.5237E-016
RCPTR_31	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.7202E-019	2.7678E-018
RCPTR_31	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.2730E-014	1.0150E-012
RCPTR_31	farmer_adult	TOCDLIC2	Methyl mercury	7.3649E-010	7.5225E-010
RCPTR_31	farmer_adult	TOCDLIC2	Methylene chloride	8.5169E-013	1.3721E-011
RCPTR_31	farmer_adult	TOCDLIC2	Naphthalene	2.8708E-012	4.3215E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Nickel	1.0153E-005	1.0798E-005
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.8898E-011	2.9750E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.4110E-012	7.0783E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.7321E-012	9.1462E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrobenzene	1.8233E-012	2.9432E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 2-	8.3383E-013	1.3401E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.1636E-010	2.3583E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0547E-012	1.6606E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.0510E-012	1.6323E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0593E-013	1.4677E-012
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.7249E-011	2.8463E-011
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.7040E-011	2.8218E-011
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.5919E-010	3.7151E-010
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.1903E-011	5.5050E-011
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.9782E-010	2.0946E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.3288E-010	1.1381E-009
RCPTR_31	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.7917E-011	4.5111E-010
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorophenol	2.0239E-007	2.7602E-007
RCPTR_31	farmer_adult	TOCDLIC2	Phenanthrene	1.6365E-012	2.2564E-011
RCPTR_31	farmer_adult	TOCDLIC2	Phenol	1.4722E-012	2.3322E-011
RCPTR_31	farmer_adult	TOCDLIC2	Pronamide	1.7238E-010	2.2359E-009
RCPTR_31	farmer_adult	TOCDLIC2	Pyrene	1.1218E-007	5.4321E-007
RCPTR_31	farmer_adult	TOCDLIC2	Selenium	6.3465E-006	6.3769E-006
RCPTR_31	farmer_adult	TOCDLIC2	Silver	1.6876E-005	1.7931E-005
RCPTR_31	farmer_adult	TOCDLIC2	Styrene	7.2657E-015	1.1446E-013
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	4.6129E-011	5.0035E-011
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2284E-011	1.3758E-011
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.6872E-010	1.8166E-009
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.4059E-012	7.9934E-012
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.0419E-016	4.7990E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.0989E-009	1.4055E-008
RCPTR_31	farmer_adult	TOCDLIC2	Thallium (l)	2.2487E-005	2.3443E-005
RCPTR_31	farmer_adult	TOCDLIC2	Toluene	9.6188E-012	1.4413E-010
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.4810E-012	6.9313E-011
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.8813E-014	4.5877E-013
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.5484E-014	2.4861E-013
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethylene	2.5600E-015	4.0428E-014
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.3583E-016	5.3132E-015
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	7.8758E-010	7.9878E-009
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.9490E-010	1.6570E-009
RCPTR_31	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.7566E-014	9.2021E-013
RCPTR_31	farmer_adult	TOCDLIC2	VX	3.7657E-011	3.9138E-011
RCPTR_31	farmer_adult	TOCDLIC2	Vinyl Chloride	7.5711E-020	1.2115E-018
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, m-	3.3429E-013	6.6279E-013
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, o-	1.8393E-013	4.2219E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, p-	3.2406E-013	8.3352E-013
RCPTR_31	farmer_adult	TOCDLIC2	Zinc	1.2362E-006	1.5279E-006
RCPTR_31	farmer_child	TOCDFBRA	Antimony	3.2653E-006	3.5613E-006
RCPTR_31	farmer_child	TOCDFBRA	Arsenic	5.2821E-006	5.3967E-006
RCPTR_31	farmer_child	TOCDFBRA	Barium	4.4593E-007	4.7662E-007
RCPTR_31	farmer_child	TOCDFBRA	Beryllium	1.4192E-006	1.4534E-006
RCPTR_31	farmer_child	TOCDFBRA	Cadmium	2.6788E-007	3.1394E-007
RCPTR_31	farmer_child	TOCDFBRA	Chromium	3.3500E-006	3.4153E-006
RCPTR_31	farmer_child	TOCDFBRA	Chromium, hexavalent	3.1191E-006	3.1488E-006
RCPTR_31	farmer_child	TOCDFBRA	Lead	1.4627E-005	1.5180E-005
RCPTR_31	farmer_child	TOCDFBRA	Mercuric chloride	1.4218E-003	1.6475E-003
RCPTR_31	farmer_child	TOCDFBRA	Methyl mercury	2.5997E-005	2.6701E-005
RCPTR_31	farmer_child	TOCDFBRA	Nickel	1.7450E-005	1.8063E-005
RCPTR_31	farmer_child	TOCDFBRA	Selenium	5.9010E-006	5.9187E-006
RCPTR_31	farmer_child	TOCDFBRA	Silver	2.0035E-006	2.0801E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFBRA	Thallium (l)	5.4042E-005	5.5300E-005
RCPTR_31	farmer_child	TOCDFBRA	Zinc	9.6187E-006	1.0799E-005
RCPTR_31	farmer_child	TOCDFDFS	Acenaphthene	1.3605E-009	3.2619E-009
RCPTR_31	farmer_child	TOCDFDFS	Acetone	2.7186E-013	6.6037E-013
RCPTR_31	farmer_child	TOCDFDFS	Acetophenone	7.0622E-012	1.7143E-011
RCPTR_31	farmer_child	TOCDFDFS	Aniline	4.2610E-013	1.0328E-012
RCPTR_31	farmer_child	TOCDFDFS	Anthracene	2.4040E-008	5.7566E-008
RCPTR_31	farmer_child	TOCDFDFS	Antimony	3.8044E-007	4.1499E-007
RCPTR_31	farmer_child	TOCDFDFS	Aroclor 1254	2.9998E-010	4.1598E-010
RCPTR_31	farmer_child	TOCDFDFS	Arsenic	7.1793E-007	7.3353E-007
RCPTR_31	farmer_child	TOCDFDFS	Barium	3.4592E-006	3.6976E-006
RCPTR_31	farmer_child	TOCDFDFS	Benzene	2.2839E-014	5.5314E-014
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)anthracene	6.2053E-006	7.2197E-006
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.0714E-005	6.1808E-005
RCPTR_31	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.4590E-005	3.7263E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.3631E-005	9.4577E-005
RCPTR_31	farmer_child	TOCDFDFS	Benzoic acid	1.2072E-010	2.6932E-010
RCPTR_31	farmer_child	TOCDFDFS	Benzyl alcohol	1.4962E-011	3.6307E-011
RCPTR_31	farmer_child	TOCDFDFS	Beryllium	1.6219E-007	1.6611E-007
RCPTR_31	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	9.6489E-012	2.3437E-011
RCPTR_31	farmer_child	TOCDFDFS	Bromodichloromethane	4.8492E-014	1.1773E-013
RCPTR_31	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6700E-012	4.0550E-012
RCPTR_31	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.6004E-007	8.2947E-007
RCPTR_31	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.3294E-007	1.4515E-007
RCPTR_31	farmer_child	TOCDFDFS	Cadmium	2.7834E-007	3.2626E-007
RCPTR_31	farmer_child	TOCDFDFS	Carbon disulfide	6.4721E-015	1.5692E-014
RCPTR_31	farmer_child	TOCDFDFS	Carbon tetrachloride	2.5516E-014	6.1781E-014
RCPTR_31	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	9.4132E-010	1.9938E-009
RCPTR_31	farmer_child	TOCDFDFS	Chloroaniline, p-	4.4959E-011	1.0892E-010
RCPTR_31	farmer_child	TOCDFDFS	Chlorobenzene	7.4947E-014	1.8111E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Chloroethane	6.0699E-016	1.4478E-015
RCPTR_31	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.0062E-014	2.4424E-014
RCPTR_31	farmer_child	TOCDFDFS	Chloronaphthalene,2-	3.5424E-009	8.5170E-009
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.2448E-010	3.0231E-010
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.2421E-009	1.1082E-008
RCPTR_31	farmer_child	TOCDFDFS	Chromium	1.9883E-006	2.0272E-006
RCPTR_31	farmer_child	TOCDFDFS	Chromium, hexavalent	1.8510E-006	1.8687E-006
RCPTR_31	farmer_child	TOCDFDFS	Chrysene	1.7737E-005	1.8765E-005
RCPTR_31	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.1882E-007	2.3842E-007
RCPTR_31	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.3547E+003	2.3547E+003
RCPTR_31	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3131E-003	1.3205E-003
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.2703E-012	3.0192E-012
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.5206E-012	1.0827E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.9723E-012	7.1335E-012
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.5552E-008	2.8888E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Dichlorodifluoromethane	4.7555E-017	1.1520E-016
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.2098E-015	1.0220E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2290E-015	1.2696E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	4.5281E-015	1.0981E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	7.2802E-015	1.7652E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	5.3320E-010	1.0317E-009
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.1028E-014	9.9352E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.7588E-015	1.1548E-014
RCPTR_31	farmer_child	TOCDFDFS	Diethyl phthalate	4.5854E-008	4.6990E-008
RCPTR_31	farmer_child	TOCDFDFS	Dimethyl phthalate	4.5665E-011	1.0890E-010
RCPTR_31	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	8.5355E-011	2.0627E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	7.5608E-011	1.1715E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.7492E-011	4.1220E-011
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.3352E-011	3.1728E-011
RCPTR_31	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.8068E-012	4.3884E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Ethylbenzene	9.3430E-014	2.2177E-013
RCPTR_31	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.6324E-009	3.9807E-009
RCPTR_31	farmer_child	TOCDFDFS	Fluoranthene	4.0900E-007	7.3616E-007
RCPTR_31	farmer_child	TOCDFDFS	Fluorene	5.3967E-009	1.2828E-008
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.5341E-012	3.5828E-012
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.6075E-012	4.6577E-012
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0688E-011	1.0831E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.8590E-011	2.8918E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.7013E-011	1.7267E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.4004E-011	1.4246E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.8793E-011	1.9166E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.6327E-011	1.6649E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.6784E-011	1.7113E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.3807E-011	1.4079E-011
RCPTR_31	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.1723E-010	2.7083E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorobenzene	2.3579E-007	5.4830E-007
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.5630E-009	3.5696E-009
RCPTR_31	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.9011E-011	1.6546E-010
RCPTR_31	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.6386E-003	9.6551E-003
RCPTR_31	farmer_child	TOCDFDFS	Isophorone	1.2929E-011	3.1382E-011
RCPTR_31	farmer_child	TOCDFDFS	Lead	1.9108E-006	1.9832E-006
RCPTR_31	farmer_child	TOCDFDFS	Mercuric chloride	1.0656E-006	1.2415E-006
RCPTR_31	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.3188E-016	1.0488E-015
RCPTR_31	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	8.3184E-018	2.0194E-017
RCPTR_31	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.0425E-014	1.2248E-013
RCPTR_31	farmer_child	TOCDFDFS	Methyl mercury	1.8485E-008	1.9033E-008
RCPTR_31	farmer_child	TOCDFDFS	Methylene chloride	2.8101E-013	6.8228E-013
RCPTR_31	farmer_child	TOCDFDFS	Naphthalene	8.5234E-011	2.0558E-010
RCPTR_31	farmer_child	TOCDFDFS	Nickel	2.1985E-005	2.2758E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.1839E-010	5.2908E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 3-	5.1866E-011	1.2588E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 4-	6.7055E-011	1.6266E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitrobenzene	2.1811E-011	5.2967E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 2-	9.9349E-012	2.4116E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.8610E-010	4.1932E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.2336E-011	2.9885E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.2141E-011	2.9375E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.1050E-012	2.6417E-012
RCPTR_31	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.1444E-012	8.2932E-012
RCPTR_31	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.4494E-012	2.4932E-012
RCPTR_31	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.6092E-011	5.6882E-011
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.1525E-012	5.2786E-012
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.9649E-011	2.0117E-011
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorobenzene	4.5291E-009	1.0144E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.6431E-010	8.0278E-010
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorophenol	8.2548E-008	9.9138E-008
RCPTR_31	farmer_child	TOCDFDFS	Phenanthrene	1.6991E-011	4.0607E-011
RCPTR_31	farmer_child	TOCDFDFS	Phenol	1.7314E-011	4.1972E-011
RCPTR_31	farmer_child	TOCDFDFS	Pronamide	3.3904E-009	8.0477E-009
RCPTR_31	farmer_child	TOCDFDFS	Pyrene	6.2819E-007	9.7766E-007
RCPTR_31	farmer_child	TOCDFDFS	Selenium	8.0204E-007	8.0444E-007
RCPTR_31	farmer_child	TOCDFDFS	Silver	1.0893E-006	1.1310E-006
RCPTR_31	farmer_child	TOCDFDFS	Styrene	8.8942E-013	2.1549E-012
RCPTR_31	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.6116E-011	2.6992E-011
RCPTR_31	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.2636E-011	1.3224E-011
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.4097E-009	3.2693E-009
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0827E-010	1.2367E-010
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.0654E-014	7.4277E-014
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.5005E-008	2.4992E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Thallium (l)	1.4510E-004	1.4848E-004
RCPTR_31	farmer_child	TOCDFDFS	Toluene	1.5180E-013	3.6597E-013
RCPTR_31	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	6.2953E-011	1.4903E-010
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.9786E-014	4.7987E-014
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.1482E-013	5.2140E-013
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethylene	3.4988E-014	8.4787E-014
RCPTR_31	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.5974E-015	1.1143E-014
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	6.2497E-009	1.4375E-008
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.4448E-009	2.9819E-009
RCPTR_31	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	7.9546E-013	1.9299E-012
RCPTR_31	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	6.8766E-012	1.6326E-011
RCPTR_31	farmer_child	TOCDFDFS	VX	1.0621E-010	1.0879E-010
RCPTR_31	farmer_child	TOCDFDFS	Vinyl Chloride	5.8836E-018	1.4276E-017
RCPTR_31	farmer_child	TOCDFDFS	Xylene, m-	1.4164E-012	2.0488E-012
RCPTR_31	farmer_child	TOCDFDFS	Xylene, o-	1.3282E-012	2.0491E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Xylene, p-	1.5912E-012	2.5719E-012
RCPTR_31	farmer_child	TOCDFLIC	Acenaphthene	7.5595E-010	1.8125E-009
RCPTR_31	farmer_child	TOCDFLIC	Acetone	3.7322E-011	9.0656E-011
RCPTR_31	farmer_child	TOCDFLIC	Acetophenone	3.9243E-012	9.5260E-012
RCPTR_31	farmer_child	TOCDFLIC	Aniline	2.3677E-013	5.7389E-013
RCPTR_31	farmer_child	TOCDFLIC	Anthracene	1.3358E-008	3.1987E-008
RCPTR_31	farmer_child	TOCDFLIC	Antimony	5.5003E-006	5.9999E-006
RCPTR_31	farmer_child	TOCDFLIC	Arsenic	5.6911E-006	5.8148E-006
RCPTR_31	farmer_child	TOCDFLIC	Barium	9.0315E-007	9.6540E-007
RCPTR_31	farmer_child	TOCDFLIC	Benzene	5.0021E-014	1.2115E-013
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.4427E-006	4.0061E-006
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.3637E-005	3.4242E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.9195E-005	2.0680E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.1890E-005	5.2412E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzoic acid	1.0373E-010	2.3141E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Benzyl alcohol	1.0191E-009	2.4730E-009
RCPTR_31	farmer_child	TOCDFLIC	Beryllium	3.0082E-007	3.0810E-007
RCPTR_31	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	5.3616E-012	1.3023E-011
RCPTR_31	farmer_child	TOCDFLIC	Bromodichloromethane	3.1331E-015	7.6063E-015
RCPTR_31	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.0118E-012	7.3131E-012
RCPTR_31	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.5563E-007	4.6091E-007
RCPTR_31	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.9762E-008	2.1585E-008
RCPTR_31	farmer_child	TOCDFLIC	Cadmium	8.0568E-008	9.4440E-008
RCPTR_31	farmer_child	TOCDFLIC	Carbon disulfide	2.0800E-016	5.0431E-016
RCPTR_31	farmer_child	TOCDFLIC	Carbon tetrachloride	1.6486E-015	3.9917E-015
RCPTR_31	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	5.2311E-010	1.1080E-009
RCPTR_31	farmer_child	TOCDFLIC	Chloroaniline, p-	2.4982E-011	6.0522E-011
RCPTR_31	farmer_child	TOCDFLIC	Chlorobenzene	9.6679E-015	2.3363E-014
RCPTR_31	farmer_child	TOCDFLIC	Chloroethane	2.8943E-016	6.9035E-016
RCPTR_31	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.2980E-015	3.1506E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.9684E-009	4.7326E-009
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenol, 2-	6.9172E-011	1.6798E-010
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.9121E-009	6.1572E-009
RCPTR_31	farmer_child	TOCDFLIC	Chromium	4.3421E-006	4.4269E-006
RCPTR_31	farmer_child	TOCDFLIC	Chromium, hexavalent	4.0423E-006	4.0809E-006
RCPTR_31	farmer_child	TOCDFLIC	Chrysene	9.8442E-006	1.0415E-005
RCPTR_31	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.8417E-008	8.5441E-008
RCPTR_31	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.0084E+001	4.0084E+001
RCPTR_31	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.2683E-004	7.3089E-004
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.2230E-012	7.6605E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	3.8645E-012	9.2554E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	3.7115E-012	8.9075E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.4010E-008	2.7150E-008
RCPTR_31	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.2675E-017	5.4930E-017
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane 1,1-	5.4305E-016	1.3184E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.0743E-015	1.7177E-014
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.1590E-015	5.2358E-015
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.4713E-015	8.4168E-015
RCPTR_31	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.0593E-010	7.8537E-010
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.8653E-015	4.5169E-015
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.1387E-016	1.4897E-015
RCPTR_31	farmer_child	TOCDFLIC	Diethyl phthalate	4.9436E-009	5.0660E-009
RCPTR_31	farmer_child	TOCDFLIC	Dimethyl phthalate	5.1936E-011	1.2386E-010
RCPTR_31	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	4.7429E-011	1.1462E-010
RCPTR_31	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.4878E-012	1.3151E-011
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.4885E-011	1.0579E-010
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.4267E-011	8.1431E-011
RCPTR_31	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.0040E-012	2.4385E-012
RCPTR_31	farmer_child	TOCDFLIC	Ethylbenzene	5.3003E-014	1.2581E-013
RCPTR_31	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.0630E-009	7.7439E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Fluoranthene	2.2719E-007	4.0897E-007
RCPTR_31	farmer_child	TOCDFLIC	Fluorene	2.9987E-009	7.1281E-009
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.9209E-011	1.9472E-011
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.6920E-011	6.7645E-011
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.5490E-010	1.5696E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.6250E-010	1.6435E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	9.6419E-011	9.7855E-011
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	7.9193E-011	8.0560E-011
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.0861E-010	1.1076E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	9.4370E-011	9.6230E-011
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	9.7049E-011	9.8946E-011
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	7.9823E-011	8.1390E-011
RCPTR_31	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	6.5130E-011	1.5048E-010
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorobenzene	1.3101E-007	3.0467E-007
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.7541E-010	4.0066E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.8348E-011	9.1940E-011
RCPTR_31	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3510E-003	5.3599E-003
RCPTR_31	farmer_child	TOCDFLIC	Isophorone	7.1842E-012	1.7438E-011
RCPTR_31	farmer_child	TOCDFLIC	Lead	9.4572E-007	9.8156E-007
RCPTR_31	farmer_child	TOCDFLIC	Mercuric chloride	4.2320E-008	4.9328E-008
RCPTR_31	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	3.9217E-016	9.5237E-016
RCPTR_31	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.2771E-017	5.5282E-017
RCPTR_31	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.1787E-013	1.0150E-012
RCPTR_31	farmer_child	TOCDFLIC	Methyl mercury	7.3040E-010	7.5225E-010
RCPTR_31	farmer_child	TOCDFLIC	Methylene chloride	5.6511E-012	1.3721E-011
RCPTR_31	farmer_child	TOCDFLIC	Naphthalene	1.7917E-011	4.3215E-011
RCPTR_31	farmer_child	TOCDFLIC	Nickel	1.0431E-005	1.0798E-005
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.2280E-010	2.9750E-010
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.9164E-011	7.0783E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.5272E-012	1.8259E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrobenzene	1.2120E-011	2.9432E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.7653E-011	6.7124E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.2125E-011	4.7081E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.8545E-012	1.6606E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	6.7466E-012	1.6323E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.1378E-013	1.4677E-012
RCPTR_31	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.7954E-011	2.8463E-011
RCPTR_31	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.7723E-011	2.8218E-011
RCPTR_31	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.6637E-010	3.7151E-010
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.3735E-011	5.5050E-011
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.0459E-010	2.0946E-010
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorobenzene	2.5435E-009	5.7010E-009
RCPTR_31	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.0456E-010	4.5111E-010
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorophenol	4.5886E-008	5.5105E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Phenanthrene	9.4412E-012	2.2564E-011
RCPTR_31	farmer_child	TOCDFLIC	Phenol	9.6211E-012	2.3322E-011
RCPTR_31	farmer_child	TOCDFLIC	Pronamide	9.4197E-010	2.2359E-009
RCPTR_31	farmer_child	TOCDFLIC	Pyrene	3.4903E-007	5.4321E-007
RCPTR_31	farmer_child	TOCDFLIC	Selenium	6.3578E-006	6.3769E-006
RCPTR_31	farmer_child	TOCDFLIC	Silver	1.7269E-005	1.7931E-005
RCPTR_31	farmer_child	TOCDFLIC	Styrene	4.7245E-014	1.1446E-013
RCPTR_31	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	4.8410E-011	5.0035E-011
RCPTR_31	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.3145E-011	1.3758E-011
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	7.8330E-010	1.8166E-009
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.9979E-012	7.9934E-012
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.9805E-015	4.7990E-015
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.4389E-009	1.4055E-008
RCPTR_31	farmer_child	TOCDFLIC	Thallium (l)	2.2909E-005	2.3443E-005
RCPTR_31	farmer_child	TOCDFLIC	Toluene	5.9784E-011	1.4413E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.9287E-011	6.9313E-011
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.8916E-013	4.5877E-013
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.0243E-013	2.4861E-013
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethylene	1.6683E-014	4.0428E-014
RCPTR_31	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.1921E-015	5.3132E-015
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.4729E-009	7.9878E-009
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	8.0289E-010	1.6570E-009
RCPTR_31	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	3.7929E-013	9.2021E-013
RCPTR_31	farmer_child	TOCDFLIC	VX	3.6754E-011	3.7647E-011
RCPTR_31	farmer_child	TOCDFLIC	Vinyl Chloride	4.9931E-019	1.2115E-018
RCPTR_31	farmer_child	TOCDFLIC	Xylene, m-	4.5680E-013	6.6279E-013
RCPTR_31	farmer_child	TOCDFLIC	Xylene, o-	2.7279E-013	4.2219E-013
RCPTR_31	farmer_child	TOCDFLIC	Xylene, p-	5.1406E-013	8.3352E-013
RCPTR_31	farmer_child	TOCDFLIC	Zinc	1.3607E-006	1.5279E-006
RCPTR_31	farmer_child	TOCDFMPF	Acenaphthene	1.3894E-010	3.3312E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Acetone	1.5933E-015	3.8702E-015
RCPTR_31	farmer_child	TOCDFMPF	Acetophenone	1.6781E-011	4.0736E-011
RCPTR_31	farmer_child	TOCDFMPF	Aniline	1.0125E-012	2.4541E-012
RCPTR_31	farmer_child	TOCDFMPF	Anthracene	1.4098E-009	3.3760E-009
RCPTR_31	farmer_child	TOCDFMPF	Arsenic	2.7665E-007	2.8266E-007
RCPTR_31	farmer_child	TOCDFMPF	Barium	1.0125E-007	1.0822E-007
RCPTR_31	farmer_child	TOCDFMPF	Benzene	8.8174E-015	2.1355E-014
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.1950E-007	3.7179E-007
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.7537E-006	5.8572E-006
RCPTR_31	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.7944E-006	3.0105E-006
RCPTR_31	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.7429E-006	7.8207E-006
RCPTR_31	farmer_child	TOCDFMPF	Benzoic acid	1.9972E-011	4.4557E-011
RCPTR_31	farmer_child	TOCDFMPF	Benzyl alcohol	8.1010E-012	1.9658E-011
RCPTR_31	farmer_child	TOCDFMPF	Beryllium	3.7924E-008	3.8841E-008
RCPTR_31	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.2879E-012	5.5573E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Bromodichloromethane	4.6398E-014	1.1264E-013
RCPTR_31	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.5979E-012	3.8799E-012
RCPTR_31	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.4676E-007	2.6461E-007
RCPTR_31	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.6251E-009	2.8673E-009
RCPTR_31	farmer_child	TOCDFMPF	Cadmium	2.5706E-007	3.0132E-007
RCPTR_31	farmer_child	TOCDFMPF	Carbon disulfide	3.0803E-015	7.4683E-015
RCPTR_31	farmer_child	TOCDFMPF	Carbon tetrachloride	2.4414E-014	5.9114E-014
RCPTR_31	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.2465E-010	4.7581E-010
RCPTR_31	farmer_child	TOCDFMPF	Chloroaniline, p-	7.3872E-012	1.7896E-011
RCPTR_31	farmer_child	TOCDFMPF	Chlorobenzene	1.4317E-013	3.4599E-013
RCPTR_31	farmer_child	TOCDFMPF	Chloroethane	4.0868E-016	9.7478E-016
RCPTR_31	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.9222E-014	4.6658E-014
RCPTR_31	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.4744E-010	8.3535E-010
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.5552E-011	6.2053E-011
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.0349E-010	1.9103E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Chromium	4.7280E-006	4.8202E-006
RCPTR_31	farmer_child	TOCDFMPF	Chromium, hexavalent	4.4015E-006	4.4435E-006
RCPTR_31	farmer_child	TOCDFMPF	Chrysene	1.0211E-006	1.0803E-006
RCPTR_31	farmer_child	TOCDFMPF	Di-n-butyl phthalate	9.2041E-008	1.0028E-007
RCPTR_31	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.6178E+001	3.6178E+001
RCPTR_31	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.9312E-004	1.9420E-004
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.1260E-012	2.6764E-012
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2588E-012	3.0147E-012
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2022E-012	2.8852E-012
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.2091E-009	8.1518E-009
RCPTR_31	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.2017E-017	7.7563E-017
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane 1,1-	8.0421E-015	1.9524E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.9891E-015	2.4254E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.0486E-015	7.3930E-015
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.9015E-015	1.1885E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.5955E-010	3.0869E-010
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.7623E-014	6.6891E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.0908E-015	2.2061E-014
RCPTR_31	farmer_child	TOCDFMPF	Diethyl phthalate	1.0603E-008	1.0865E-008
RCPTR_31	farmer_child	TOCDFMPF	Dimethyl phthalate	3.0086E-012	7.1751E-012
RCPTR_31	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.8772E-011	4.5365E-011
RCPTR_31	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.6372E-011	2.5367E-011
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.2074E-011	1.4630E-010
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.3025E-011	1.0224E-010
RCPTR_31	farmer_child	TOCDFMPF	Ethyl methanesulfonate	4.2934E-012	1.0428E-011
RCPTR_31	farmer_child	TOCDFMPF	Ethylbenzene	8.9393E-014	2.1219E-013
RCPTR_31	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.2256E-009	1.3438E-009
RCPTR_31	farmer_child	TOCDFMPF	Fluoranthene	1.7735E-008	3.1926E-008
RCPTR_31	farmer_child	TOCDFMPF	Fluorene	4.5836E-010	1.0896E-009
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1176E-012	2.1466E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.1228E-011	1.1350E-011
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0259E-011	1.0395E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.8328E-011	2.8651E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.6808E-011	1.7058E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.3606E-011	1.3841E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.9420E-011	3.0003E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0048E-010	1.0246E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.4710E-011	8.6367E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.0211E-011	1.0411E-011
RCPTR_31	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.6681E-011	8.4748E-011
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorobenzene	6.5440E-008	1.5218E-007
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.2241E-010	2.7960E-010
RCPTR_31	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.7075E-011	6.4913E-011
RCPTR_31	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.1685E-003	1.1705E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Isophorone	1.2877E-012	3.1256E-012
RCPTR_31	farmer_child	TOCDFMPF	Lead	1.4964E-006	1.5531E-006
RCPTR_31	farmer_child	TOCDFMPF	Mercuric chloride	4.5720E-008	5.3290E-008
RCPTR_31	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.9077E-016	7.0614E-016
RCPTR_31	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.6884E-017	4.0989E-017
RCPTR_31	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	7.0477E-015	1.7119E-014
RCPTR_31	farmer_child	TOCDFMPF	Methyl mercury	7.8906E-010	8.1266E-010
RCPTR_31	farmer_child	TOCDFMPF	Methylene chloride	1.8491E-015	4.4896E-015
RCPTR_31	farmer_child	TOCDFMPF	Naphthalene	1.5152E-011	3.6545E-011
RCPTR_31	farmer_child	TOCDFMPF	Nickel	5.4834E-006	5.6762E-006
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.5279E-011	3.7016E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 3-	2.9400E-012	7.1356E-012
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.3695E-012	8.1736E-012
RCPTR_31	farmer_child	TOCDFMPF	Nitrobenzene	4.1572E-012	1.0095E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.3502E-012	8.1323E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.8791E-011	4.2194E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.9312E-011	7.1012E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.5284E-012	3.6979E-012
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.0040E-013	9.5744E-013
RCPTR_31	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.1506E-012	2.1898E-012
RCPTR_31	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.1155E-013	2.1533E-013
RCPTR_31	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.0652E-011	6.1504E-011
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.6594E-011	3.7490E-011
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.5120E-011	2.5718E-011
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorobenzene	2.1714E-009	4.8670E-009
RCPTR_31	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.7315E-011	1.9256E-010
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorophenol	2.7430E-008	3.2941E-008
RCPTR_31	farmer_child	TOCDFMPF	Phenanthrene	9.9644E-013	2.3814E-012
RCPTR_31	farmer_child	TOCDFMPF	Phenol	3.1601E-012	7.6603E-012
RCPTR_31	farmer_child	TOCDFMPF	Pronamide	4.0281E-009	9.5614E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Pyrene	2.5691E-008	3.9984E-008
RCPTR_31	farmer_child	TOCDFMPF	Selenium	2.0087E-006	2.0148E-006
RCPTR_31	farmer_child	TOCDFMPF	Silver	5.4652E-007	5.6745E-007
RCPTR_31	farmer_child	TOCDFMPF	Styrene	7.2317E-013	1.7521E-012
RCPTR_31	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1076E-011	2.1783E-011
RCPTR_31	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	8.8803E-012	9.2942E-012
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.3496E-009	7.7684E-009
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.0940E-013	7.5008E-013
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.9330E-014	7.1069E-014
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.6022E-009	5.9993E-009
RCPTR_31	farmer_child	TOCDFMPF	Thallium (l)	3.6903E-005	3.7764E-005
RCPTR_31	farmer_child	TOCDFMPF	Toluene	3.8800E-014	9.3539E-014
RCPTR_31	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.9125E-012	2.3460E-011
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.8932E-014	4.5915E-014
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.4463E-013	3.5105E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethylene	2.3556E-014	5.7085E-014
RCPTR_31	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.0953E-015	7.5023E-015
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.5609E-009	3.5902E-009
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	3.6672E-010	7.5683E-010
RCPTR_31	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	5.3556E-013	1.2994E-012
RCPTR_31	farmer_child	TOCDFMPF	VX	5.0990E-011	5.2229E-011
RCPTR_31	farmer_child	TOCDFMPF	Vinyl Chloride	7.6428E-018	1.8545E-017
RCPTR_31	farmer_child	TOCDFMPF	Xylene, m-	3.6175E-013	5.2488E-013
RCPTR_31	farmer_child	TOCDFMPF	Xylene, o-	3.3954E-013	5.2551E-013
RCPTR_31	farmer_child	TOCDFMPF	Xylene, p-	4.0710E-013	6.6010E-013
RCPTR_31	farmer_child	TOCDHVAC	VX	2.7267E-011	2.7936E-011
RCPTR_31	farmer_child	TOCDLIC2	Acenaphthene	7.5595E-010	1.8125E-009
RCPTR_31	farmer_child	TOCDLIC2	Acetone	3.7322E-011	9.0656E-011
RCPTR_31	farmer_child	TOCDLIC2	Acetophenone	3.9243E-012	9.5260E-012
RCPTR_31	farmer_child	TOCDLIC2	Aniline	2.3677E-013	5.7389E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Anthracene	1.3358E-008	3.1987E-008
RCPTR_31	farmer_child	TOCDLIC2	Antimony	5.5003E-006	5.9999E-006
RCPTR_31	farmer_child	TOCDLIC2	Arsenic	5.6911E-006	5.8148E-006
RCPTR_31	farmer_child	TOCDLIC2	Barium	9.0315E-007	9.6540E-007
RCPTR_31	farmer_child	TOCDLIC2	Benzene	5.0021E-014	1.2115E-013
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.4427E-006	4.0061E-006
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.3637E-005	3.4242E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.9195E-005	2.0680E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.1890E-005	5.2412E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzoic acid	1.0373E-010	2.3141E-010
RCPTR_31	farmer_child	TOCDLIC2	Benzyl alcohol	1.0191E-009	2.4730E-009
RCPTR_31	farmer_child	TOCDLIC2	Beryllium	3.0082E-007	3.0810E-007
RCPTR_31	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.3616E-012	1.3023E-011
RCPTR_31	farmer_child	TOCDLIC2	Bromodichloromethane	3.1331E-015	7.6063E-015
RCPTR_31	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.0118E-012	7.3131E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.5563E-007	4.6091E-007
RCPTR_31	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.9762E-008	2.1585E-008
RCPTR_31	farmer_child	TOCDLIC2	Cadmium	8.0568E-008	9.4440E-008
RCPTR_31	farmer_child	TOCDLIC2	Carbon disulfide	2.0800E-016	5.0431E-016
RCPTR_31	farmer_child	TOCDLIC2	Carbon tetrachloride	1.6486E-015	3.9917E-015
RCPTR_31	farmer_child	TOCDLIC2	Chlorine	4.6454E-006	1.1284E-005
RCPTR_31	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.2311E-010	1.1080E-009
RCPTR_31	farmer_child	TOCDLIC2	Chloroaniline, p-	2.4982E-011	6.0522E-011
RCPTR_31	farmer_child	TOCDLIC2	Chlorobenzene	9.6679E-015	2.3363E-014
RCPTR_31	farmer_child	TOCDLIC2	Chloroethane	2.8943E-016	6.9035E-016
RCPTR_31	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.2980E-015	3.1506E-015
RCPTR_31	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.9684E-009	4.7326E-009
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.9172E-011	1.6798E-010
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.9121E-009	6.1572E-009
RCPTR_31	farmer_child	TOCDLIC2	Chromium	4.3421E-006	4.4269E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Chromium, hexavalent	4.0423E-006	4.0809E-006
RCPTR_31	farmer_child	TOCDLIC2	Chrysene	9.8442E-006	1.0415E-005
RCPTR_31	farmer_child	TOCDLIC2	Di-n-butyl phthalate	7.8417E-008	8.5441E-008
RCPTR_31	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.0084E+001	4.0084E+001
RCPTR_31	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.2683E-004	7.3089E-004
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.2230E-012	7.6605E-012
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.8645E-012	9.2554E-012
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.7115E-012	8.9075E-012
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.4010E-008	2.7150E-008
RCPTR_31	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.2675E-017	5.4930E-017
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane 1,1-	5.2539E-016	1.2755E-015
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.0743E-015	1.7177E-014
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.1590E-015	5.2358E-015
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.4713E-015	8.4168E-015
RCPTR_31	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.0593E-010	7.8537E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.8653E-015	4.5169E-015
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.1387E-016	1.4897E-015
RCPTR_31	farmer_child	TOCDLIC2	Diethyl phthalate	4.9436E-009	5.0660E-009
RCPTR_31	farmer_child	TOCDLIC2	Dimethyl phthalate	5.1936E-011	1.2386E-010
RCPTR_31	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.7429E-011	1.1462E-010
RCPTR_31	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	8.4878E-012	1.3151E-011
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.4885E-011	1.0579E-010
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.4267E-011	8.1431E-011
RCPTR_31	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.0040E-012	2.4385E-012
RCPTR_31	farmer_child	TOCDLIC2	Ethylbenzene	5.3003E-014	1.2581E-013
RCPTR_31	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	7.0630E-009	7.7439E-009
RCPTR_31	farmer_child	TOCDLIC2	Fluoranthene	2.2719E-007	4.0897E-007
RCPTR_31	farmer_child	TOCDLIC2	Fluorene	2.9987E-009	7.1281E-009
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.9209E-011	1.9472E-011
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3094E-010	2.3344E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.3455E-010	5.4167E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.6250E-010	1.6435E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.6419E-011	9.7855E-011
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.9193E-011	8.0560E-011
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0861E-010	1.1076E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	9.4370E-011	9.6230E-011
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	9.7049E-011	9.8946E-011
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.9823E-011	8.1390E-011
RCPTR_31	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.5130E-011	1.5048E-010
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorobenzene	1.3101E-007	3.0467E-007
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.7541E-010	4.0066E-010
RCPTR_31	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.8348E-011	9.1940E-011
RCPTR_31	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3510E-003	5.3599E-003
RCPTR_31	farmer_child	TOCDLIC2	Isophorone	7.1842E-012	1.7438E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Lead	9.4572E-007	9.8156E-007
RCPTR_31	farmer_child	TOCDLIC2	Mercuric chloride	4.2320E-008	4.9328E-008
RCPTR_31	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	3.9217E-016	9.5237E-016
RCPTR_31	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.1401E-018	2.7678E-018
RCPTR_31	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.1787E-013	1.0150E-012
RCPTR_31	farmer_child	TOCDLIC2	Methyl mercury	7.3040E-010	7.5225E-010
RCPTR_31	farmer_child	TOCDLIC2	Methylene chloride	5.6511E-012	1.3721E-011
RCPTR_31	farmer_child	TOCDLIC2	Naphthalene	1.7917E-011	4.3215E-011
RCPTR_31	farmer_child	TOCDLIC2	Nickel	1.0431E-005	1.0798E-005
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.2280E-010	2.9750E-010
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.9164E-011	7.0783E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.7705E-011	9.1462E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrobenzene	1.2120E-011	2.9432E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.5205E-012	1.3401E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.6092E-010	2.3583E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.8545E-012	1.6606E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.7466E-012	1.6323E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.1378E-013	1.4677E-012
RCPTR_31	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.7954E-011	2.8463E-011
RCPTR_31	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.7723E-011	2.8218E-011
RCPTR_31	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.6637E-010	3.7151E-010
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.3735E-011	5.5050E-011
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.0459E-010	2.0946E-010
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorobenzene	5.0778E-010	1.1381E-009
RCPTR_31	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.0456E-010	4.5111E-010
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorophenol	2.2985E-007	2.7602E-007
RCPTR_31	farmer_child	TOCDLIC2	Phenanthrene	9.4412E-012	2.2564E-011
RCPTR_31	farmer_child	TOCDLIC2	Phenol	9.6211E-012	2.3322E-011
RCPTR_31	farmer_child	TOCDLIC2	Pronamide	9.4197E-010	2.2359E-009
RCPTR_31	farmer_child	TOCDLIC2	Pyrene	3.4903E-007	5.4321E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Selenium	6.3578E-006	6.3769E-006
RCPTR_31	farmer_child	TOCDLIC2	Silver	1.7269E-005	1.7931E-005
RCPTR_31	farmer_child	TOCDLIC2	Styrene	4.7245E-014	1.1446E-013
RCPTR_31	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	4.8410E-011	5.0035E-011
RCPTR_31	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3145E-011	1.3758E-011
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.8330E-010	1.8166E-009
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.9979E-012	7.9934E-012
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9805E-015	4.7990E-015
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.4389E-009	1.4055E-008
RCPTR_31	farmer_child	TOCDLIC2	Thallium (l)	2.2909E-005	2.3443E-005
RCPTR_31	farmer_child	TOCDLIC2	Toluene	5.9784E-011	1.4413E-010
RCPTR_31	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.9287E-011	6.9313E-011
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.8916E-013	4.5877E-013
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.0243E-013	2.4861E-013
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethylene	1.6683E-014	4.0428E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.1921E-015	5.3132E-015
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.4729E-009	7.9878E-009
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	8.0289E-010	1.6570E-009
RCPTR_31	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	3.7929E-013	9.2021E-013
RCPTR_31	farmer_child	TOCDLIC2	VX	3.8209E-011	3.9138E-011
RCPTR_31	farmer_child	TOCDLIC2	Vinyl Chloride	4.9931E-019	1.2115E-018
RCPTR_31	farmer_child	TOCDLIC2	Xylene, m-	4.5680E-013	6.6279E-013
RCPTR_31	farmer_child	TOCDLIC2	Xylene, o-	2.7279E-013	4.2219E-013
RCPTR_31	farmer_child	TOCDLIC2	Xylene, p-	5.1406E-013	8.3352E-013
RCPTR_31	farmer_child	TOCDLIC2	Zinc	1.3607E-006	1.5279E-006
RCPTR_32	farmer_adult	TOCDFBRA	Antimony	4.8644E-006	5.6376E-006
RCPTR_32	farmer_adult	TOCDFBRA	Arsenic	8.2640E-006	8.5534E-006
RCPTR_32	farmer_adult	TOCDFBRA	Barium	6.7542E-007	7.5477E-007
RCPTR_32	farmer_adult	TOCDFBRA	Beryllium	2.1779E-006	2.3022E-006
RCPTR_32	farmer_adult	TOCDFBRA	Cadmium	3.6550E-007	4.9621E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFBRA	Chromium	5.3941E-006	5.4097E-006
RCPTR_32	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.9173E-006	4.9918E-006
RCPTR_32	farmer_adult	TOCDFBRA	Lead	2.2097E-005	2.4032E-005
RCPTR_32	farmer_adult	TOCDFBRA	Mercuric chloride	2.3369E-003	2.4077E-003
RCPTR_32	farmer_adult	TOCDFBRA	Methyl mercury	3.9781E-005	4.0505E-005
RCPTR_32	farmer_adult	TOCDFBRA	Nickel	2.6929E-005	2.8619E-005
RCPTR_32	farmer_adult	TOCDFBRA	Selenium	9.3399E-006	9.3840E-006
RCPTR_32	farmer_adult	TOCDFBRA	Silver	3.1043E-006	3.2959E-006
RCPTR_32	farmer_adult	TOCDFBRA	Thallium (l)	8.4110E-005	8.7639E-005
RCPTR_32	farmer_adult	TOCDFBRA	Zinc	1.3855E-005	1.7083E-005
RCPTR_32	farmer_adult	TOCDFDFS	Acenaphthene	2.9003E-010	4.1023E-009
RCPTR_32	farmer_adult	TOCDFDFS	Acetone	5.1290E-014	8.3022E-013
RCPTR_32	farmer_adult	TOCDFDFS	Acetophenone	1.3410E-012	2.1553E-011
RCPTR_32	farmer_adult	TOCDFDFS	Aniline	8.2099E-014	1.2985E-012
RCPTR_32	farmer_adult	TOCDFDFS	Anthracene	5.1898E-009	7.2410E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Antimony	5.9065E-007	6.8441E-007
RCPTR_32	farmer_adult	TOCDFDFS	Aroclor 1254	3.1929E-010	5.5198E-010
RCPTR_32	farmer_adult	TOCDFDFS	Arsenic	1.1707E-006	1.2116E-006
RCPTR_32	farmer_adult	TOCDFDFS	Barium	5.4605E-006	6.1012E-006
RCPTR_32	farmer_adult	TOCDFDFS	Benzene	4.4336E-015	6.9545E-014
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.8135E-006	9.4157E-006
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)pyrene	8.0291E-005	8.3205E-005
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.1819E-005	4.8596E-005
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.2329E-004	1.2669E-004
RCPTR_32	farmer_adult	TOCDFDFS	Benzoic acid	4.0908E-011	3.3885E-010
RCPTR_32	farmer_adult	TOCDFDFS	Benzyl alcohol	2.8499E-012	4.5647E-011
RCPTR_32	farmer_adult	TOCDFDFS	Beryllium	2.5938E-007	2.7417E-007
RCPTR_32	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.8205E-012	2.9466E-011
RCPTR_32	farmer_adult	TOCDFDFS	Bromodichloromethane	9.1977E-015	1.4801E-013
RCPTR_32	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.1619E-013	5.0980E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.0327E-007	1.0430E-006
RCPTR_32	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.7540E-007	1.9993E-007
RCPTR_32	farmer_adult	TOCDFDFS	Cadmium	3.9570E-007	5.3703E-007
RCPTR_32	farmer_adult	TOCDFDFS	Carbon disulfide	1.2435E-015	1.9729E-014
RCPTR_32	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.9663E-015	7.7677E-014
RCPTR_32	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.9901E-010	2.5093E-009
RCPTR_32	farmer_adult	TOCDFDFS	Chloroaniline, p-	8.7036E-012	1.3694E-010
RCPTR_32	farmer_adult	TOCDFDFS	Chlorobenzene	1.4862E-014	2.2772E-013
RCPTR_32	farmer_adult	TOCDFDFS	Chloroethane	1.3463E-016	1.8204E-015
RCPTR_32	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.9113E-015	3.0707E-014
RCPTR_32	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	7.3594E-010	1.0710E-008
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.3538E-011	3.8007E-010
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.2820E-009	1.3991E-008
RCPTR_32	farmer_adult	TOCDFDFS	Chromium	3.3362E-006	3.3458E-006
RCPTR_32	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.0416E-006	3.0876E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Chrysene	2.1511E-005	2.4432E-005
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.6682E-007	3.0613E-007
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.9883E+003	2.9883E+003
RCPTR_32	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.7529E-003	1.7798E-003
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.9073E-013	3.7972E-012
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	9.7123E-013	1.3615E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.2723E-013	8.9703E-012
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.1451E-008	3.8202E-008
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	9.2317E-018	1.4486E-016
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.9864E-016	1.2849E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	9.9069E-016	1.5962E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.6816E-016	1.3806E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.3978E-015	2.2193E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.9999E-010	1.2994E-009
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.9761E-015	1.2491E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	9.0662E-016	1.4519E-014
RCPTR_32	farmer_adult	TOCDFDFS	Diethyl phthalate	5.7352E-008	5.9630E-008
RCPTR_32	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.0226E-011	1.3702E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.6902E-011	2.5934E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.4948E-011	1.4824E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.3480E-012	5.1925E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.0754E-012	3.9920E-011
RCPTR_32	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	3.4124E-013	5.5172E-012
RCPTR_32	farmer_adult	TOCDFDFS	Ethylbenzene	2.1620E-014	2.7894E-013
RCPTR_32	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.8214E-009	5.5224E-009
RCPTR_32	farmer_adult	TOCDFDFS	Fluoranthene	2.1435E-007	9.3169E-007
RCPTR_32	farmer_adult	TOCDFDFS	Fluorene	1.2366E-009	1.6136E-008
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.1316E-012	5.3128E-012
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.4477E-012	6.6320E-012
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.5409E-011	1.5941E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.9733E-011	4.0913E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.4610E-011	2.5549E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.0861E-011	2.1767E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.7848E-011	2.9202E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.4130E-011	2.5298E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.4673E-011	2.5859E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.0348E-011	2.1329E-011
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.3280E-011	3.4123E-010
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorobenzene	6.1553E-008	6.9002E-007
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.7771E-010	4.5009E-009
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.4664E-011	2.0804E-010
RCPTR_32	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2438E-002	1.2494E-002
RCPTR_32	farmer_adult	TOCDFDFS	Isophorone	2.4564E-012	3.9455E-011
RCPTR_32	farmer_adult	TOCDFDFS	Lead	3.0080E-006	3.2710E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Mercuric chloride	1.6199E-006	1.6689E-006
RCPTR_32	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.1676E-017	1.3186E-015
RCPTR_32	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.5786E-018	2.5389E-017
RCPTR_32	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.5168E-015	1.5398E-013
RCPTR_32	farmer_adult	TOCDFDFS	Methyl mercury	2.7598E-008	2.8099E-008
RCPTR_32	farmer_adult	TOCDFDFS	Methylene chloride	5.3253E-014	8.5779E-013
RCPTR_32	farmer_adult	TOCDFDFS	Naphthalene	1.7207E-011	2.5849E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nickel	3.5359E-005	3.7576E-005
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 2-	4.2299E-011	6.6521E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 3-	9.8673E-012	1.5827E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.2851E-011	2.0453E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitrobenzene	4.1259E-012	6.6591E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.8871E-012	3.0320E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.6247E-010	5.2958E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.3870E-012	3.7572E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.3789E-012	3.6932E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.5162E-013	3.3326E-012
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2425E-011	1.2987E-011
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.7439E-012	3.9093E-012
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.4651E-011	7.7295E-011
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.8111E-012	7.2169E-012
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.6693E-011	2.8235E-011
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.6374E-009	1.2896E-008
RCPTR_32	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4341E-010	1.0225E-009
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorophenol	9.2229E-008	1.2549E-007
RCPTR_32	farmer_adult	TOCDFDFS	Phenanthrene	3.7222E-012	5.1071E-011
RCPTR_32	farmer_adult	TOCDFDFS	Phenol	3.3316E-012	5.2768E-011
RCPTR_32	farmer_adult	TOCDFDFS	Pronamide	7.8334E-010	1.0121E-008
RCPTR_32	farmer_adult	TOCDFDFS	Pyrene	2.5747E-007	1.2330E-006
RCPTR_32	farmer_adult	TOCDFDFS	Selenium	1.3231E-006	1.3293E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Silver	1.7591E-006	1.8675E-006
RCPTR_32	farmer_adult	TOCDFDFS	Styrene	1.7211E-013	2.7093E-012
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.3818E-011	3.6589E-011
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.5771E-011	1.7595E-011
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.8429E-010	4.1127E-009
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2576E-010	1.5665E-010
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.9326E-015	9.3395E-014
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1506E-008	3.1530E-008
RCPTR_32	farmer_adult	TOCDFDFS	Thallium (l)	2.3537E-004	2.4523E-004
RCPTR_32	farmer_adult	TOCDFDFS	Toluene	3.0766E-014	4.6016E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.4863E-011	1.8745E-010
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.7910E-015	6.0332E-014
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.0834E-014	6.5552E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethylene	6.7548E-015	1.0660E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.8604E-016	1.4010E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7887E-009	1.8079E-008
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	6.7175E-010	3.7536E-009
RCPTR_32	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.5185E-013	2.4264E-012
RCPTR_32	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.6641E-012	2.0612E-011
RCPTR_32	farmer_adult	TOCDFDFS	VX	1.3283E-010	1.3801E-010
RCPTR_32	farmer_adult	TOCDFDFS	Vinyl Chloride	1.1240E-018	1.7950E-017
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, m-	1.6501E-012	2.9179E-012
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, o-	1.4213E-012	2.8666E-012
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, p-	1.5857E-012	3.5519E-012
RCPTR_32	farmer_adult	TOCDFLIC	Acenaphthene	1.7171E-010	2.4302E-009
RCPTR_32	farmer_adult	TOCDFLIC	Acetone	7.5070E-012	1.2152E-010
RCPTR_32	farmer_adult	TOCDFLIC	Acetophenone	7.9447E-013	1.2769E-011
RCPTR_32	farmer_adult	TOCDFLIC	Aniline	4.8637E-014	7.6927E-013
RCPTR_32	farmer_adult	TOCDFLIC	Anthracene	3.0708E-009	4.2895E-008
RCPTR_32	farmer_adult	TOCDFLIC	Antimony	8.7176E-006	1.0101E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Arsenic	9.4739E-006	9.8051E-006
RCPTR_32	farmer_adult	TOCDFLIC	Barium	1.4554E-006	1.6261E-006
RCPTR_32	farmer_adult	TOCDFLIC	Benzene	1.0352E-014	1.6239E-013
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.0022E-006	5.5407E-006
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.6923E-005	4.8607E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.4617E-005	2.8619E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	7.2167E-005	7.4109E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzoic acid	3.7507E-011	3.1045E-010
RCPTR_32	farmer_adult	TOCDFLIC	Benzyl alcohol	2.0696E-010	3.3149E-009
RCPTR_32	farmer_adult	TOCDFLIC	Beryllium	4.9114E-007	5.1912E-007
RCPTR_32	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0786E-012	1.7457E-011
RCPTR_32	farmer_adult	TOCDFLIC	Bromodichloromethane	6.3358E-016	1.0196E-014
RCPTR_32	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	6.0798E-013	9.8027E-012
RCPTR_32	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.1154E-008	6.1788E-007
RCPTR_32	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.7285E-008	3.1189E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Cadmium	1.1693E-007	1.5867E-007
RCPTR_32	farmer_adult	TOCDFLIC	Carbon disulfide	4.2606E-017	6.7600E-016
RCPTR_32	farmer_adult	TOCDFLIC	Carbon tetrachloride	3.4209E-016	5.3509E-015
RCPTR_32	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.3673E-010	1.4870E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.1563E-012	8.1127E-011
RCPTR_32	farmer_adult	TOCDFLIC	Chlorobenzene	2.0437E-015	3.1319E-014
RCPTR_32	farmer_adult	TOCDFLIC	Chloroethane	6.8469E-017	9.2548E-016
RCPTR_32	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.6287E-016	4.2232E-015
RCPTR_32	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.3588E-010	6.3448E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3945E-011	2.2517E-010
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3466E-009	8.2836E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chromium	7.4372E-006	7.4587E-006
RCPTR_32	farmer_adult	TOCDFLIC	Chromium, hexavalent	6.7809E-006	6.8834E-006
RCPTR_32	farmer_adult	TOCDFLIC	Chrysene	1.2673E-005	1.4396E-005
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.0181E-007	1.1683E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.4344E+001	5.4344E+001
RCPTR_32	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.0245E-003	1.0394E-003
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.8617E-013	1.0272E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.8502E-013	1.2409E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.3486E-013	1.1942E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.1218E-008	3.7979E-008
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.6899E-018	7.3641E-017
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.0984E-016	1.7672E-015
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4290E-015	2.3024E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	4.4134E-016	7.0183E-015
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.1058E-016	1.1282E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.4388E-010	1.0550E-009
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.8661E-016	6.0548E-015
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2467E-016	1.9969E-015
RCPTR_32	farmer_adult	TOCDFLIC	Diethyl phthalate	6.6050E-009	6.8666E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2378E-011	1.6613E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.0015E-011	1.5365E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	7.7769E-012	1.7745E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1837E-011	1.4203E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.4014E-012	1.0922E-010
RCPTR_32	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.0217E-013	3.2686E-012
RCPTR_32	farmer_adult	TOCDFLIC	Ethylbenzene	1.3070E-014	1.6871E-013
RCPTR_32	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.7937E-009	1.1253E-008
RCPTR_32	farmer_adult	TOCDFLIC	Fluoranthene	1.2647E-007	5.5141E-007
RCPTR_32	farmer_adult	TOCDFLIC	Fluorene	7.3194E-010	9.5591E-009
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.8868E-011	2.9869E-011
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.7689E-011	1.0041E-010
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.3147E-010	2.3931E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.3586E-010	2.4271E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.4441E-010	1.4983E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.2141E-010	1.2663E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.6567E-010	1.7369E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.4365E-010	1.5057E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.4708E-010	1.5412E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.2122E-010	1.2704E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9630E-011	2.0207E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.6414E-008	4.0874E-007
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.6857E-011	5.3837E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.6903E-012	1.2325E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.3482E-003	7.3794E-003
RCPTR_32	farmer_adult	TOCDFLIC	Isophorone	1.4553E-012	2.3375E-011
RCPTR_32	farmer_adult	TOCDFLIC	Lead	1.5198E-006	1.6526E-006
RCPTR_32	farmer_adult	TOCDFLIC	Mercuric chloride	6.7690E-008	6.9769E-008
RCPTR_32	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.9072E-017	1.2766E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	4.6069E-018	7.4102E-017
RCPTR_32	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.4085E-014	1.3605E-012
RCPTR_32	farmer_adult	TOCDFLIC	Methyl mercury	1.1281E-009	1.1494E-009
RCPTR_32	farmer_adult	TOCDFLIC	Methylene chloride	1.1418E-012	1.8391E-011
RCPTR_32	farmer_adult	TOCDFLIC	Naphthalene	3.8556E-012	5.7933E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nickel	1.7128E-005	1.8201E-005
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.5355E-011	3.9880E-010
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.9151E-012	9.4881E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.5371E-012	2.4478E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrobenzene	2.4443E-012	3.9451E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 2-	5.6000E-012	8.9976E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 4-	3.1481E-011	6.3450E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4142E-012	2.2260E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.4095E-012	2.1880E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.4742E-013	1.9727E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.3697E-011	4.5659E-011
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.3408E-011	4.5312E-011
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.1330E-010	5.3126E-010
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	7.4645E-011	7.9092E-011
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.9051E-010	3.0730E-010
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.6008E-010	7.7097E-009
RCPTR_32	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.3969E-011	6.1101E-010
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorophenol	5.4768E-008	7.4473E-008
RCPTR_32	farmer_adult	TOCDFLIC	Phenanthrene	2.2038E-012	3.0255E-011
RCPTR_32	farmer_adult	TOCDFLIC	Phenol	1.9739E-012	3.1262E-011
RCPTR_32	farmer_adult	TOCDFLIC	Pronamide	2.3202E-010	2.9980E-009
RCPTR_32	farmer_adult	TOCDFLIC	Pyrene	1.5229E-007	7.3017E-007
RCPTR_32	farmer_adult	TOCDFLIC	Selenium	1.0707E-005	1.0758E-005
RCPTR_32	farmer_adult	TOCDFLIC	Silver	2.8471E-005	3.0224E-005
RCPTR_32	farmer_adult	TOCDFLIC	Styrene	9.7465E-015	1.5344E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.5966E-011	7.1391E-011
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.7327E-011	1.9341E-011
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.2766E-010	2.4365E-009
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.6835E-012	1.0811E-011
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.0848E-016	6.4334E-015
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.9106E-009	1.8915E-008
RCPTR_32	farmer_adult	TOCDFLIC	Thallium (l)	3.7937E-005	3.9527E-005
RCPTR_32	farmer_adult	TOCDFLIC	Toluene	1.2917E-011	1.9322E-010
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.3939E-012	9.2955E-011
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.8639E-014	6.1496E-013
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.0758E-014	3.3325E-013
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethylene	3.4337E-015	5.4192E-014
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.5041E-016	7.1221E-015
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0607E-009	1.0712E-008
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.9859E-010	2.2244E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.7191E-014	1.2335E-012
RCPTR_32	farmer_adult	TOCDFLIC	VX	4.9107E-011	5.1017E-011
RCPTR_32	farmer_adult	TOCDFLIC	Vinyl Chloride	1.0165E-019	1.6241E-018
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, m-	5.4197E-013	9.8229E-013
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, o-	2.9724E-013	6.1662E-013
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, p-	5.2175E-013	1.2046E-012
RCPTR_32	farmer_adult	TOCDFLIC	Zinc	2.0851E-006	2.5701E-006
RCPTR_32	farmer_adult	TOCDFMPF	Acenaphthene	3.1409E-011	4.4452E-010
RCPTR_32	farmer_adult	TOCDFMPF	Acetone	3.1895E-016	5.1629E-015
RCPTR_32	farmer_adult	TOCDFMPF	Acetophenone	3.3811E-012	5.4342E-011
RCPTR_32	farmer_adult	TOCDFMPF	Aniline	2.0699E-013	3.2739E-012
RCPTR_32	farmer_adult	TOCDFMPF	Anthracene	3.2257E-010	4.5056E-009
RCPTR_32	farmer_adult	TOCDFMPF	Arsenic	4.5984E-007	4.7592E-007
RCPTR_32	farmer_adult	TOCDFMPF	Barium	1.6291E-007	1.8201E-007
RCPTR_32	farmer_adult	TOCDFMPF	Benzene	1.8161E-015	2.8489E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.6982E-007	5.1194E-007
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.9941E-006	8.2812E-006
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.5678E-006	4.1477E-006
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.0724E-005	1.1013E-005
RCPTR_32	farmer_adult	TOCDFMPF	Benzoic acid	7.1870E-012	5.9489E-011
RCPTR_32	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6373E-012	2.6225E-011
RCPTR_32	farmer_adult	TOCDFMPF	Beryllium	6.1823E-008	6.5346E-008
RCPTR_32	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	4.5804E-013	7.4135E-012
RCPTR_32	farmer_adult	TOCDFMPF	Bromodichloromethane	9.3378E-015	1.5027E-013
RCPTR_32	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	3.2101E-013	5.1758E-012
RCPTR_32	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.4942E-008	3.5304E-007
RCPTR_32	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.6121E-009	4.1282E-009
RCPTR_32	farmer_adult	TOCDFMPF	Cadmium	3.7251E-007	5.0550E-007
RCPTR_32	farmer_adult	TOCDFMPF	Carbon disulfide	6.2793E-016	9.9630E-015
RCPTR_32	farmer_adult	TOCDFMPF	Carbon tetrachloride	5.0418E-015	7.8862E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0117E-010	6.3550E-010
RCPTR_32	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.5174E-012	2.3874E-011
RCPTR_32	farmer_adult	TOCDFMPF	Chlorobenzene	3.0120E-014	4.6159E-013
RCPTR_32	farmer_adult	TOCDFMPF	Chloroethane	9.6215E-017	1.3006E-015
RCPTR_32	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.8743E-015	6.2242E-014
RCPTR_32	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.6571E-011	1.1146E-009
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenol, 2-	5.1265E-012	8.2778E-011
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.1589E-010	2.5579E-009
RCPTR_32	farmer_adult	TOCDFMPF	Chromium	8.0860E-006	8.1093E-006
RCPTR_32	farmer_adult	TOCDFMPF	Chromium, hexavalent	7.3723E-006	7.4838E-006
RCPTR_32	farmer_adult	TOCDFMPF	Chrysene	1.3086E-006	1.4866E-006
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.1893E-007	1.3648E-007
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.8807E+001	4.8807E+001
RCPTR_32	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.7109E-004	2.7506E-004
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.7336E-013	3.5716E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.8690E-013	4.0226E-012
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.6913E-013	3.8496E-012
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.3347E-009	1.1355E-008
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.5908E-018	1.0349E-016
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.6188E-015	2.6045E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0081E-015	3.2355E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	6.2020E-016	9.8626E-015
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	9.9855E-016	1.5855E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	9.5389E-011	4.1268E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	5.6980E-015	8.9236E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.8375E-015	2.9431E-014
RCPTR_32	farmer_adult	TOCDFMPF	Diethyl phthalate	1.4096E-008	1.4654E-008
RCPTR_32	farmer_adult	TOCDFMPF	Dimethyl phthalate	7.1370E-013	9.5777E-012
RCPTR_32	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.9447E-012	6.0519E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.4929E-011	3.4065E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.6297E-011	1.9548E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.0499E-011	1.3648E-010
RCPTR_32	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	8.6038E-013	1.3911E-011
RCPTR_32	farmer_adult	TOCDFMPF	Ethylbenzene	2.1939E-014	2.8318E-013
RCPTR_32	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.6939E-009	1.9460E-009
RCPTR_32	farmer_adult	TOCDFMPF	Fluoranthene	9.8283E-009	4.2842E-008
RCPTR_32	farmer_adult	TOCDFMPF	Fluorene	1.1135E-010	1.4542E-009
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.1743E-012	3.2845E-012
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6339E-011	1.6795E-011
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.5290E-011	1.5808E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.0983E-011	4.2176E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.5110E-011	2.6054E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.0818E-011	2.1712E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.4784E-011	4.6953E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.5263E-010	1.5998E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.2810E-010	1.3423E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5473E-011	1.6216E-011
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.1006E-011	1.1326E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.8103E-008	2.0319E-007
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.9500E-011	3.7392E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.1062E-012	8.6604E-011
RCPTR_32	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.5972E-003	1.6040E-003
RCPTR_32	farmer_adult	TOCDFMPF	Isophorone	2.5959E-013	4.1696E-012
RCPTR_32	farmer_adult	TOCDFMPF	Lead	2.4012E-006	2.6110E-006
RCPTR_32	farmer_adult	TOCDFMPF	Mercuric chloride	7.2851E-008	7.5087E-008
RCPTR_32	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.8348E-017	9.4199E-016
RCPTR_32	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.3995E-018	5.4680E-017
RCPTR_32	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.4114E-015	2.2836E-014
RCPTR_32	farmer_adult	TOCDFMPF	Methyl mercury	1.2157E-009	1.2386E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Methylene chloride	3.7181E-016	5.9892E-015
RCPTR_32	farmer_adult	TOCDFMPF	Naphthalene	3.2450E-012	4.8757E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nickel	8.9899E-006	9.5532E-006
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.1397E-012	4.9382E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.9344E-013	9.5192E-012
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.8478E-013	1.0905E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrobenzene	8.3441E-013	1.3468E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 2-	6.7521E-013	1.0849E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.8075E-011	5.6589E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	6.0187E-012	9.4732E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.1779E-013	4.9332E-012
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	9.5774E-014	1.2808E-012
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.3561E-012	3.5069E-012
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.3069E-013	3.4521E-013
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.4651E-011	8.7613E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.0645E-011	5.3662E-011
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.5552E-011	3.7606E-011
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorobenzene	8.1674E-010	6.5513E-009
RCPTR_32	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.5719E-011	2.5961E-010
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorophenol	3.2578E-008	4.4301E-008
RCPTR_32	farmer_adult	TOCDFMPF	Phenanthrene	2.3149E-013	3.1779E-012
RCPTR_32	farmer_adult	TOCDFMPF	Phenol	6.4523E-013	1.0219E-011
RCPTR_32	farmer_adult	TOCDFMPF	Pronamide	9.8743E-010	1.2759E-008
RCPTR_32	farmer_adult	TOCDFMPF	Pyrene	1.1157E-008	5.3490E-008
RCPTR_32	farmer_adult	TOCDFMPF	Selenium	3.3779E-006	3.3938E-006
RCPTR_32	farmer_adult	TOCDFMPF	Silver	8.9964E-007	9.5505E-007
RCPTR_32	farmer_adult	TOCDFMPF	Styrene	1.4847E-013	2.3374E-012
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.8609E-011	3.0961E-011
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1657E-011	1.3012E-011
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.6888E-010	1.0369E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	6.3127E-014	1.0006E-012
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	6.0204E-015	9.4817E-014
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.9354E-009	8.0350E-009
RCPTR_32	farmer_adult	TOCDFMPF	Thallium (l)	6.1020E-005	6.3576E-005
RCPTR_32	farmer_adult	TOCDFMPF	Toluene	8.3429E-015	1.2480E-013
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.4907E-012	3.1311E-011
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.8486E-015	6.1253E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.9171E-014	4.6830E-013
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethylene	4.8253E-015	7.6155E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.3295E-016	1.0008E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.7443E-010	4.7916E-009
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.8117E-010	1.0111E-009
RCPTR_32	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.0847E-013	1.7334E-012
RCPTR_32	farmer_adult	TOCDFMPF	VX	6.7791E-011	7.0429E-011
RCPTR_32	farmer_adult	TOCDFMPF	Vinyl Chloride	1.5486E-018	2.4741E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, m-	4.2856E-013	7.7561E-013
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, o-	3.6941E-013	7.6505E-013
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, p-	4.1253E-013	9.5076E-013
RCPTR_32	farmer_adult	TOCDHVAC	VX	4.0840E-011	4.2435E-011
RCPTR_32	farmer_adult	TOCDLIC2	Acenaphthene	1.7171E-010	2.4302E-009
RCPTR_32	farmer_adult	TOCDLIC2	Acetone	7.5070E-012	1.2152E-010
RCPTR_32	farmer_adult	TOCDLIC2	Acetophenone	7.9447E-013	1.2769E-011
RCPTR_32	farmer_adult	TOCDLIC2	Aniline	4.8637E-014	7.6927E-013
RCPTR_32	farmer_adult	TOCDLIC2	Anthracene	3.0708E-009	4.2895E-008
RCPTR_32	farmer_adult	TOCDLIC2	Antimony	8.7176E-006	1.0101E-005
RCPTR_32	farmer_adult	TOCDLIC2	Arsenic	9.4739E-006	9.8051E-006
RCPTR_32	farmer_adult	TOCDLIC2	Barium	1.4554E-006	1.6261E-006
RCPTR_32	farmer_adult	TOCDLIC2	Benzene	1.0352E-014	1.6239E-013
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.0022E-006	5.5407E-006
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.6923E-005	4.8607E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.4617E-005	2.8619E-005
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	7.2167E-005	7.4109E-005
RCPTR_32	farmer_adult	TOCDLIC2	Benzoic acid	3.7507E-011	3.1045E-010
RCPTR_32	farmer_adult	TOCDLIC2	Benzyl alcohol	2.0696E-010	3.3149E-009
RCPTR_32	farmer_adult	TOCDLIC2	Beryllium	4.9114E-007	5.1912E-007
RCPTR_32	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0786E-012	1.7457E-011
RCPTR_32	farmer_adult	TOCDLIC2	Bromodichloromethane	6.3358E-016	1.0196E-014
RCPTR_32	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	6.0798E-013	9.8027E-012
RCPTR_32	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.1154E-008	6.1788E-007
RCPTR_32	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.7285E-008	3.1189E-008
RCPTR_32	farmer_adult	TOCDLIC2	Cadmium	1.1693E-007	1.5867E-007
RCPTR_32	farmer_adult	TOCDLIC2	Carbon disulfide	4.2606E-017	6.7600E-016
RCPTR_32	farmer_adult	TOCDLIC2	Carbon tetrachloride	3.4209E-016	5.3509E-015
RCPTR_32	farmer_adult	TOCDLIC2	Chlorine	9.3402E-007	1.5126E-005
RCPTR_32	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.3673E-010	1.4870E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.1563E-012	8.1127E-011
RCPTR_32	farmer_adult	TOCDLIC2	Chlorobenzene	2.0437E-015	3.1319E-014
RCPTR_32	farmer_adult	TOCDLIC2	Chloroethane	6.8469E-017	9.2548E-016
RCPTR_32	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.6287E-016	4.2232E-015
RCPTR_32	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.3588E-010	6.3448E-009
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3945E-011	2.2517E-010
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3466E-009	8.2836E-009
RCPTR_32	farmer_adult	TOCDLIC2	Chromium	7.4372E-006	7.4587E-006
RCPTR_32	farmer_adult	TOCDLIC2	Chromium, hexavalent	6.7809E-006	6.8834E-006
RCPTR_32	farmer_adult	TOCDLIC2	Chrysene	1.2673E-005	1.4396E-005
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.0181E-007	1.1683E-007
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.4344E+001	5.4344E+001
RCPTR_32	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.0245E-003	1.0394E-003
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.8617E-013	1.0272E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.8502E-013	1.2409E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.3486E-013	1.1942E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.1218E-008	3.7979E-008
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.6899E-018	7.3641E-017
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.0627E-016	1.7097E-015
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4290E-015	2.3024E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	4.4134E-016	7.0183E-015
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.1058E-016	1.1282E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.4388E-010	1.0550E-009
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.8661E-016	6.0548E-015
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2467E-016	1.9969E-015
RCPTR_32	farmer_adult	TOCDLIC2	Diethyl phthalate	6.6050E-009	6.8666E-009
RCPTR_32	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2378E-011	1.6613E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.0015E-011	1.5365E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	7.7769E-012	1.7745E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1837E-011	1.4203E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.4014E-012	1.0922E-010
RCPTR_32	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.0217E-013	3.2686E-012
RCPTR_32	farmer_adult	TOCDLIC2	Ethylbenzene	1.3070E-014	1.6871E-013
RCPTR_32	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.7937E-009	1.1253E-008
RCPTR_32	farmer_adult	TOCDLIC2	Fluoranthene	1.2647E-007	5.5141E-007
RCPTR_32	farmer_adult	TOCDLIC2	Fluorene	7.3194E-010	9.5591E-009
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.8868E-011	2.9869E-011
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.3712E-010	3.4652E-010
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.9880E-010	8.2585E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.3586E-010	2.4271E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.4441E-010	1.4983E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.2141E-010	1.2663E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.6567E-010	1.7369E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.4365E-010	1.5057E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.4708E-010	1.5412E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.2122E-010	1.2704E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9630E-011	2.0207E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.6414E-008	4.0874E-007
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.6857E-011	5.3837E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.6903E-012	1.2325E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.3482E-003	7.3794E-003
RCPTR_32	farmer_adult	TOCDLIC2	Isophorone	1.4553E-012	2.3375E-011
RCPTR_32	farmer_adult	TOCDLIC2	Lead	1.5198E-006	1.6526E-006
RCPTR_32	farmer_adult	TOCDLIC2	Mercuric chloride	6.7690E-008	6.9769E-008
RCPTR_32	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.9072E-017	1.2766E-015
RCPTR_32	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.3066E-019	3.7101E-018
RCPTR_32	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.4085E-014	1.3605E-012
RCPTR_32	farmer_adult	TOCDLIC2	Methyl mercury	1.1281E-009	1.1494E-009
RCPTR_32	farmer_adult	TOCDLIC2	Methylene chloride	1.1418E-012	1.8391E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Naphthalene	3.8556E-012	5.7933E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nickel	1.7128E-005	1.8201E-005
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.5355E-011	3.9880E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.9151E-012	9.4881E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.6992E-012	1.2261E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitrobenzene	2.4443E-012	3.9451E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.1180E-012	1.7963E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.5769E-010	3.1783E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4142E-012	2.2260E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.4095E-012	2.1880E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.4742E-013	1.9727E-012
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.3697E-011	4.5659E-011
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.3408E-011	4.5312E-011
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.1330E-010	5.3126E-010
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.4645E-011	7.9092E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.9051E-010	3.0730E-010
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.9167E-010	1.5391E-009
RCPTR_32	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.3969E-011	6.1101E-010
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorophenol	2.7434E-007	3.7304E-007
RCPTR_32	farmer_adult	TOCDLIC2	Phenanthrene	2.2038E-012	3.0255E-011
RCPTR_32	farmer_adult	TOCDLIC2	Phenol	1.9739E-012	3.1262E-011
RCPTR_32	farmer_adult	TOCDLIC2	Pronamide	2.3202E-010	2.9980E-009
RCPTR_32	farmer_adult	TOCDLIC2	Pyrene	1.5229E-007	7.3017E-007
RCPTR_32	farmer_adult	TOCDLIC2	Selenium	1.0707E-005	1.0758E-005
RCPTR_32	farmer_adult	TOCDLIC2	Silver	2.8471E-005	3.0224E-005
RCPTR_32	farmer_adult	TOCDLIC2	Styrene	9.7465E-015	1.5344E-013
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	6.5966E-011	7.1391E-011
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7327E-011	1.9341E-011
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.2766E-010	2.4365E-009
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.6835E-012	1.0811E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.0848E-016	6.4334E-015
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.9106E-009	1.8915E-008
RCPTR_32	farmer_adult	TOCDLIC2	Thallium (l)	3.7937E-005	3.9527E-005
RCPTR_32	farmer_adult	TOCDLIC2	Toluene	1.2917E-011	1.9322E-010
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.3939E-012	9.2955E-011
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.8639E-014	6.1496E-013
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.0758E-014	3.3325E-013
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethylene	3.4337E-015	5.4192E-014
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.5041E-016	7.1221E-015
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0607E-009	1.0712E-008
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.9859E-010	2.2244E-009
RCPTR_32	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.7191E-014	1.2335E-012
RCPTR_32	farmer_adult	TOCDLIC2	VX	5.1052E-011	5.3038E-011
RCPTR_32	farmer_adult	TOCDLIC2	Vinyl Chloride	1.0165E-019	1.6241E-018
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, m-	5.4197E-013	9.8229E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, o-	2.9724E-013	6.1662E-013
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, p-	5.2175E-013	1.2046E-012
RCPTR_32	farmer_adult	TOCDLIC2	Zinc	2.0851E-006	2.5701E-006
RCPTR_32	farmer_child	TOCDFBRA	Antimony	5.1733E-006	5.6376E-006
RCPTR_32	farmer_child	TOCDFBRA	Arsenic	8.3737E-006	8.5534E-006
RCPTR_32	farmer_child	TOCDFBRA	Barium	7.0665E-007	7.5477E-007
RCPTR_32	farmer_child	TOCDFBRA	Beryllium	2.2485E-006	2.3022E-006
RCPTR_32	farmer_child	TOCDFBRA	Cadmium	4.2398E-007	4.9621E-007
RCPTR_32	farmer_child	TOCDFBRA	Chromium	5.3073E-006	5.4097E-006
RCPTR_32	farmer_child	TOCDFBRA	Chromium, hexavalent	4.9451E-006	4.9918E-006
RCPTR_32	farmer_child	TOCDFBRA	Lead	2.3164E-005	2.4032E-005
RCPTR_32	farmer_child	TOCDFBRA	Mercuric chloride	2.0857E-003	2.4077E-003
RCPTR_32	farmer_child	TOCDFBRA	Methyl mercury	3.9501E-005	4.0505E-005
RCPTR_32	farmer_child	TOCDFBRA	Nickel	2.7659E-005	2.8619E-005
RCPTR_32	farmer_child	TOCDFBRA	Selenium	9.3563E-006	9.3840E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFBRA	Silver	3.1758E-006	3.2959E-006
RCPTR_32	farmer_child	TOCDFBRA	Thallium (l)	8.5667E-005	8.7639E-005
RCPTR_32	farmer_child	TOCDFBRA	Zinc	1.5233E-005	1.7083E-005
RCPTR_32	farmer_child	TOCDFDFS	Acenaphthene	1.7118E-009	4.1023E-009
RCPTR_32	farmer_child	TOCDFDFS	Acetone	3.4179E-013	8.3022E-013
RCPTR_32	farmer_child	TOCDFDFS	Acetophenone	8.8791E-012	2.1553E-011
RCPTR_32	farmer_child	TOCDFDFS	Aniline	5.3575E-013	1.2985E-012
RCPTR_32	farmer_child	TOCDFDFS	Anthracene	3.0261E-008	7.2410E-008
RCPTR_32	farmer_child	TOCDFDFS	Antimony	6.2811E-007	6.8441E-007
RCPTR_32	farmer_child	TOCDFDFS	Aroclor 1254	4.0607E-010	5.5198E-010
RCPTR_32	farmer_child	TOCDFDFS	Arsenic	1.1862E-006	1.2116E-006
RCPTR_32	farmer_child	TOCDFDFS	Barium	5.7127E-006	6.1012E-006
RCPTR_32	farmer_child	TOCDFDFS	Benzene	2.8717E-014	6.9545E-014
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.1311E-006	9.4157E-006
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)pyrene	8.1697E-005	8.3205E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.5197E-005	4.8596E-005
RCPTR_32	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.2533E-004	1.2669E-004
RCPTR_32	farmer_child	TOCDFDFS	Benzoic acid	1.5203E-010	3.3885E-010
RCPTR_32	farmer_child	TOCDFDFS	Benzyl alcohol	1.8811E-011	4.5647E-011
RCPTR_32	farmer_child	TOCDFDFS	Beryllium	2.6778E-007	2.7417E-007
RCPTR_32	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.2131E-011	2.9466E-011
RCPTR_32	farmer_child	TOCDFDFS	Bromodichloromethane	6.0967E-014	1.4801E-013
RCPTR_32	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	2.0996E-012	5.0980E-012
RCPTR_32	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.7854E-007	1.0430E-006
RCPTR_32	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.8455E-007	1.9993E-007
RCPTR_32	farmer_child	TOCDFDFS	Cadmium	4.5893E-007	5.3703E-007
RCPTR_32	farmer_child	TOCDFDFS	Carbon disulfide	8.1375E-015	1.9729E-014
RCPTR_32	farmer_child	TOCDFDFS	Carbon tetrachloride	3.2084E-014	7.7677E-014
RCPTR_32	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1860E-009	2.5093E-009
RCPTR_32	farmer_child	TOCDFDFS	Chloroaniline, p-	5.6528E-011	1.3694E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Chlorobenzene	9.4248E-014	2.2772E-013
RCPTR_32	farmer_child	TOCDFDFS	Chloroethane	7.6335E-016	1.8204E-015
RCPTR_32	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.2650E-014	3.0707E-014
RCPTR_32	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.4557E-009	1.0710E-008
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.5650E-010	3.8007E-010
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.6489E-009	1.3991E-008
RCPTR_32	farmer_child	TOCDFDFS	Chromium	3.2826E-006	3.3458E-006
RCPTR_32	farmer_child	TOCDFDFS	Chromium, hexavalent	3.0588E-006	3.0876E-006
RCPTR_32	farmer_child	TOCDFDFS	Chrysene	2.3119E-005	2.4432E-005
RCPTR_32	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.8148E-007	3.0613E-007
RCPTR_32	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.9883E+003	2.9883E+003
RCPTR_32	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.7677E-003	1.7798E-003
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.5985E-012	3.7972E-012
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.6866E-012	1.3615E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.7387E-012	8.9703E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.3969E-008	3.8202E-008
RCPTR_32	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.9815E-017	1.4486E-016
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.2928E-015	1.2849E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5741E-015	1.5962E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.6931E-015	1.3806E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.1533E-015	2.2193E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	6.7273E-010	1.2994E-009
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.1587E-014	1.2491E-013
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.9835E-015	1.4519E-014
RCPTR_32	farmer_child	TOCDFDFS	Diethyl phthalate	5.8202E-008	5.9630E-008
RCPTR_32	farmer_child	TOCDFDFS	Dimethyl phthalate	5.7512E-011	1.3702E-010
RCPTR_32	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.0732E-010	2.5934E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	9.6010E-011	1.4824E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.2091E-011	5.1925E-011
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.6816E-011	3.9920E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.2716E-012	5.5172E-012
RCPTR_32	farmer_child	TOCDFDFS	Ethylbenzene	1.1759E-013	2.7894E-013
RCPTR_32	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.0828E-009	5.5224E-009
RCPTR_32	farmer_child	TOCDFDFS	Fluoranthene	5.2020E-007	9.3169E-007
RCPTR_32	farmer_child	TOCDFDFS	Fluorene	6.7934E-009	1.6136E-008
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.2367E-012	5.3128E-012
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.5547E-012	6.6320E-012
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.5718E-011	1.5941E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.0417E-011	4.0913E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.5156E-011	2.5549E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.1387E-011	2.1767E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.8635E-011	2.9202E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.4809E-011	2.5298E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.5362E-011	2.5859E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.0918E-011	2.1329E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.4813E-010	3.4123E-010
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorobenzene	2.9711E-007	6.9002E-007
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.9781E-009	4.5009E-009
RCPTR_32	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	8.6782E-011	2.0804E-010
RCPTR_32	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2468E-002	1.2494E-002
RCPTR_32	farmer_child	TOCDFDFS	Isophorone	1.6255E-011	3.9455E-011
RCPTR_32	farmer_child	TOCDFDFS	Lead	3.1530E-006	3.2710E-006
RCPTR_32	farmer_child	TOCDFDFS	Mercuric chloride	1.4459E-006	1.6689E-006
RCPTR_32	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.4298E-016	1.3186E-015
RCPTR_32	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.0459E-017	2.5389E-017
RCPTR_32	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.3395E-014	1.5398E-013
RCPTR_32	farmer_child	TOCDFDFS	Methyl mercury	2.7404E-008	2.8099E-008
RCPTR_32	farmer_child	TOCDFDFS	Methylene chloride	3.5330E-013	8.5779E-013
RCPTR_32	farmer_child	TOCDFDFS	Naphthalene	1.0719E-010	2.5849E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Nickel	3.6317E-005	3.7576E-005
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.7461E-010	6.6521E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 3-	6.5212E-011	1.5827E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 4-	8.4336E-011	2.0453E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitrobenzene	2.7422E-011	6.6591E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.2491E-011	3.0320E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.6209E-010	5.2958E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.5509E-011	3.7572E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.5265E-011	3.6932E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.4007E-012	3.3326E-012
RCPTR_32	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2751E-011	1.2987E-011
RCPTR_32	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.8398E-012	3.9093E-012
RCPTR_32	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.6191E-011	7.7295E-011
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	7.0474E-012	7.2169E-012
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.7590E-011	2.8235E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorobenzene	5.8362E-009	1.2896E-008
RCPTR_32	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.7127E-010	1.0225E-009
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorophenol	1.0463E-007	1.2549E-007
RCPTR_32	farmer_child	TOCDFDFS	Phenanthrene	2.1381E-011	5.1071E-011
RCPTR_32	farmer_child	TOCDFDFS	Phenol	2.1769E-011	5.2768E-011
RCPTR_32	farmer_child	TOCDFDFS	Pronamide	4.2658E-009	1.0121E-008
RCPTR_32	farmer_child	TOCDFDFS	Pyrene	7.9351E-007	1.2330E-006
RCPTR_32	farmer_child	TOCDFDFS	Selenium	1.3254E-006	1.3293E-006
RCPTR_32	farmer_child	TOCDFDFS	Silver	1.7995E-006	1.8675E-006
RCPTR_32	farmer_child	TOCDFDFS	Styrene	1.1183E-012	2.7093E-012
RCPTR_32	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	3.5436E-011	3.6589E-011
RCPTR_32	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.6837E-011	1.7595E-011
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.7748E-009	4.1127E-009
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.3728E-010	1.5665E-010
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.8551E-014	9.3395E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.8974E-008	3.1530E-008
RCPTR_32	farmer_child	TOCDFDFS	Thallium (l)	2.3972E-004	2.4523E-004
RCPTR_32	farmer_child	TOCDFDFS	Toluene	1.9091E-013	4.6016E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	7.9228E-011	1.8745E-010
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.4878E-014	6.0332E-014
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.7008E-013	6.5552E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethylene	4.3992E-014	1.0660E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.7805E-015	1.4010E-014
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	7.8643E-009	1.8079E-008
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.8211E-009	3.7536E-009
RCPTR_32	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.0001E-012	2.4264E-012
RCPTR_32	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.7305E-012	2.0612E-011
RCPTR_32	farmer_child	TOCDFDFS	VX	1.3477E-010	1.3801E-010
RCPTR_32	farmer_child	TOCDFDFS	Vinyl Chloride	7.3993E-018	1.7950E-017
RCPTR_32	farmer_child	TOCDFDFS	Xylene, m-	2.1229E-012	2.9179E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Xylene, o-	1.9603E-012	2.8666E-012
RCPTR_32	farmer_child	TOCDFDFS	Xylene, p-	2.3190E-012	3.5519E-012
RCPTR_32	farmer_child	TOCDFLIC	Acenaphthene	1.0140E-009	2.4302E-009
RCPTR_32	farmer_child	TOCDFLIC	Acetone	5.0026E-011	1.2152E-010
RCPTR_32	farmer_child	TOCDFLIC	Acetophenone	5.2603E-012	1.2769E-011
RCPTR_32	farmer_child	TOCDFLIC	Aniline	3.1740E-013	7.6927E-013
RCPTR_32	farmer_child	TOCDFLIC	Anthracene	1.7924E-008	4.2895E-008
RCPTR_32	farmer_child	TOCDFLIC	Antimony	9.2703E-006	1.0101E-005
RCPTR_32	farmer_child	TOCDFLIC	Arsenic	9.5995E-006	9.8051E-006
RCPTR_32	farmer_child	TOCDFLIC	Barium	1.5226E-006	1.6261E-006
RCPTR_32	farmer_child	TOCDFLIC	Benzene	6.7056E-014	1.6239E-013
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.7812E-006	5.5407E-006
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.7735E-005	4.8607E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.6611E-005	2.8619E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	7.3332E-005	7.4109E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Benzoic acid	1.3930E-010	3.1045E-010
RCPTR_32	farmer_child	TOCDFLIC	Benzyl alcohol	1.3661E-009	3.3149E-009
RCPTR_32	farmer_child	TOCDFLIC	Beryllium	5.0703E-007	5.1912E-007
RCPTR_32	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.1868E-012	1.7457E-011
RCPTR_32	farmer_child	TOCDFLIC	Bromodichloromethane	4.1998E-015	1.0196E-014
RCPTR_32	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.0371E-012	9.8027E-012
RCPTR_32	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.4272E-007	6.1788E-007
RCPTR_32	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.8741E-008	3.1189E-008
RCPTR_32	farmer_child	TOCDFLIC	Cadmium	1.3561E-007	1.5867E-007
RCPTR_32	farmer_child	TOCDFLIC	Carbon disulfide	2.7883E-016	6.7600E-016
RCPTR_32	farmer_child	TOCDFLIC	Carbon tetrachloride	2.2101E-015	5.3509E-015
RCPTR_32	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.0300E-010	1.4870E-009
RCPTR_32	farmer_child	TOCDFLIC	Chloroaniline, p-	3.3489E-011	8.1127E-011
RCPTR_32	farmer_child	TOCDFLIC	Chlorobenzene	1.2962E-014	3.1319E-014
RCPTR_32	farmer_child	TOCDFLIC	Chloroethane	3.8809E-016	9.2548E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.7399E-015	4.2232E-015
RCPTR_32	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.6396E-009	6.3448E-009
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.2720E-011	2.2517E-010
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.9337E-009	8.2836E-009
RCPTR_32	farmer_child	TOCDFLIC	Chromium	7.3178E-006	7.4587E-006
RCPTR_32	farmer_child	TOCDFLIC	Chromium, hexavalent	6.8192E-006	6.8834E-006
RCPTR_32	farmer_child	TOCDFLIC	Chrysene	1.3622E-005	1.4396E-005
RCPTR_32	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0741E-007	1.1683E-007
RCPTR_32	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.4344E+001	5.4344E+001
RCPTR_32	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.0327E-003	1.0394E-003
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.3238E-012	1.0272E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.1828E-012	1.2409E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.9773E-012	1.1942E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.3740E-008	3.7979E-008
RCPTR_32	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.0405E-017	7.3641E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane 1,1-	7.2793E-016	1.7672E-015
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.4827E-015	2.3024E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.8942E-015	7.0183E-015
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.6532E-015	1.1282E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.4638E-010	1.0550E-009
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.5005E-015	6.0548E-015
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.2292E-016	1.9969E-015
RCPTR_32	farmer_child	TOCDFLIC	Diethyl phthalate	6.7026E-009	6.8666E-009
RCPTR_32	farmer_child	TOCDFLIC	Dimethyl phthalate	6.9720E-011	1.6613E-010
RCPTR_32	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.3581E-011	1.5365E-010
RCPTR_32	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.1495E-011	1.7745E-011
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.0390E-011	1.4203E-010
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.6002E-011	1.0922E-010
RCPTR_32	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.3458E-012	3.2686E-012
RCPTR_32	farmer_child	TOCDFLIC	Ethylbenzene	7.1116E-014	1.6871E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.0338E-008	1.1253E-008
RCPTR_32	farmer_child	TOCDFLIC	Fluoranthene	3.0765E-007	5.5141E-007
RCPTR_32	farmer_child	TOCDFLIC	Fluorene	4.0240E-009	9.5591E-009
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.9448E-011	2.9869E-011
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.9269E-011	1.0041E-010
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.3602E-010	2.3931E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.3983E-010	2.4271E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.4756E-010	1.4983E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.2444E-010	1.2663E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.7033E-010	1.7369E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.4767E-010	1.5057E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.5117E-010	1.5412E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.2460E-010	1.2704E-010
RCPTR_32	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.7671E-011	2.0207E-010
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorobenzene	1.7597E-007	4.0874E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.3643E-010	5.3837E-010
RCPTR_32	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.1415E-011	1.2325E-010
RCPTR_32	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.3645E-003	7.3794E-003
RCPTR_32	farmer_child	TOCDFLIC	Isophorone	9.6300E-012	2.3375E-011
RCPTR_32	farmer_child	TOCDFLIC	Lead	1.5930E-006	1.6526E-006
RCPTR_32	farmer_child	TOCDFLIC	Mercuric chloride	6.0309E-008	6.9769E-008
RCPTR_32	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.2567E-016	1.2766E-015
RCPTR_32	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	3.0525E-017	7.4102E-017
RCPTR_32	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.6012E-013	1.3605E-012
RCPTR_32	farmer_child	TOCDFLIC	Methyl mercury	1.1199E-009	1.1494E-009
RCPTR_32	farmer_child	TOCDFLIC	Methylene chloride	7.5749E-012	1.8391E-011
RCPTR_32	farmer_child	TOCDFLIC	Naphthalene	2.4023E-011	5.7933E-011
RCPTR_32	farmer_child	TOCDFLIC	Nickel	1.7591E-005	1.8201E-005
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.6463E-010	3.9880E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.9095E-011	9.4881E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.0093E-011	2.4478E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrobenzene	1.6246E-011	3.9451E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.7068E-011	8.9976E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 4-	4.3404E-011	6.3450E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.1884E-012	2.2260E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	9.0439E-012	2.1880E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	8.2816E-013	1.9727E-012
RCPTR_32	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.4836E-011	4.5659E-011
RCPTR_32	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.4513E-011	4.5312E-011
RCPTR_32	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.2376E-010	5.3126E-010
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	7.7234E-011	7.9092E-011
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.0028E-010	3.0730E-010
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorobenzene	3.4773E-009	7.7097E-009
RCPTR_32	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.8053E-010	6.1101E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorophenol	6.2117E-008	7.4473E-008
RCPTR_32	farmer_child	TOCDFLIC	Phenanthrene	1.2665E-011	3.0255E-011
RCPTR_32	farmer_child	TOCDFLIC	Phenol	1.2897E-011	3.1262E-011
RCPTR_32	farmer_child	TOCDFLIC	Pronamide	1.2636E-009	2.9980E-009
RCPTR_32	farmer_child	TOCDFLIC	Pyrene	4.6983E-007	7.3017E-007
RCPTR_32	farmer_child	TOCDFLIC	Selenium	1.0726E-005	1.0758E-005
RCPTR_32	farmer_child	TOCDFLIC	Silver	2.9125E-005	3.0224E-005
RCPTR_32	farmer_child	TOCDFLIC	Styrene	6.3335E-014	1.5344E-013
RCPTR_32	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.9134E-011	7.1391E-011
RCPTR_32	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.8504E-011	1.9341E-011
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.0514E-009	2.4365E-009
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.4771E-012	1.0811E-011
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.6555E-015	6.4334E-015
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1388E-008	1.8915E-008
RCPTR_32	farmer_child	TOCDFLIC	Thallium (l)	3.8639E-005	3.9527E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Toluene	8.0159E-011	1.9322E-010
RCPTR_32	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.9304E-011	9.2955E-011
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.5358E-013	6.1496E-013
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.3730E-013	3.3325E-013
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethylene	2.2364E-014	5.4192E-014
RCPTR_32	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.9386E-015	7.1221E-015
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.6601E-009	1.0712E-008
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0795E-009	2.2244E-009
RCPTR_32	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.0843E-013	1.2335E-012
RCPTR_32	farmer_child	TOCDFLIC	VX	4.9819E-011	5.1017E-011
RCPTR_32	farmer_child	TOCDFLIC	Vinyl Chloride	6.6945E-019	1.6241E-018
RCPTR_32	farmer_child	TOCDFLIC	Xylene, m-	7.0618E-013	9.8229E-013
RCPTR_32	farmer_child	TOCDFLIC	Xylene, o-	4.1635E-013	6.1662E-013
RCPTR_32	farmer_child	TOCDFLIC	Xylene, p-	7.7643E-013	1.2046E-012
RCPTR_32	farmer_child	TOCDFLIC	Zinc	2.2921E-006	2.5701E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Acenaphthene	1.8548E-010	4.4452E-010
RCPTR_32	farmer_child	TOCDFMPF	Acetone	2.1255E-015	5.1629E-015
RCPTR_32	farmer_child	TOCDFMPF	Acetophenone	2.2387E-011	5.4342E-011
RCPTR_32	farmer_child	TOCDFMPF	Aniline	1.3508E-012	3.2739E-012
RCPTR_32	farmer_child	TOCDFMPF	Anthracene	1.8827E-009	4.5056E-009
RCPTR_32	farmer_child	TOCDFMPF	Arsenic	4.6594E-007	4.7592E-007
RCPTR_32	farmer_child	TOCDFMPF	Barium	1.7043E-007	1.8201E-007
RCPTR_32	farmer_child	TOCDFMPF	Benzene	1.1764E-014	2.8489E-014
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.4179E-007	5.1194E-007
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)pyrene	8.1326E-006	8.2812E-006
RCPTR_32	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.8568E-006	4.1477E-006
RCPTR_32	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.0898E-005	1.1013E-005
RCPTR_32	farmer_child	TOCDFMPF	Benzoic acid	2.6693E-011	5.9489E-011
RCPTR_32	farmer_child	TOCDFMPF	Benzyl alcohol	1.0807E-011	2.6225E-011
RCPTR_32	farmer_child	TOCDFMPF	Beryllium	6.3823E-008	6.5346E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	3.0520E-012	7.4135E-012
RCPTR_32	farmer_child	TOCDFMPF	Bromodichloromethane	6.1897E-014	1.5027E-013
RCPTR_32	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	2.1316E-012	5.1758E-012
RCPTR_32	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.9582E-007	3.5304E-007
RCPTR_32	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.8046E-009	4.1282E-009
RCPTR_32	farmer_child	TOCDFMPF	Cadmium	4.3201E-007	5.0550E-007
RCPTR_32	farmer_child	TOCDFMPF	Carbon disulfide	4.1094E-015	9.9630E-015
RCPTR_32	farmer_child	TOCDFMPF	Carbon tetrachloride	3.2573E-014	7.8862E-014
RCPTR_32	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	3.0045E-010	6.3550E-010
RCPTR_32	farmer_child	TOCDFMPF	Chloroaniline, p-	9.8554E-012	2.3874E-011
RCPTR_32	farmer_child	TOCDFMPF	Chlorobenzene	1.9104E-013	4.6159E-013
RCPTR_32	farmer_child	TOCDFMPF	Chloroethane	5.4537E-016	1.3006E-015
RCPTR_32	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.5642E-014	6.2242E-014
RCPTR_32	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.6369E-010	1.1146E-009
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenol, 2-	3.4086E-011	8.2778E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.2147E-009	2.5579E-009
RCPTR_32	farmer_child	TOCDFMPF	Chromium	7.9561E-006	8.1093E-006
RCPTR_32	farmer_child	TOCDFMPF	Chromium, hexavalent	7.4140E-006	7.4838E-006
RCPTR_32	farmer_child	TOCDFMPF	Chrysene	1.4065E-006	1.4866E-006
RCPTR_32	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.2547E-007	1.3648E-007
RCPTR_32	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.8807E+001	4.8807E+001
RCPTR_32	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.7327E-004	2.7506E-004
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.5034E-012	3.5716E-012
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.6801E-012	4.0226E-012
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.6045E-012	3.8496E-012
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.0088E-008	1.1355E-008
RCPTR_32	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.2727E-017	1.0349E-016
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.0728E-014	2.6045E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3326E-014	3.2355E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	4.0671E-015	9.8626E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	6.5390E-015	1.5855E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.1372E-010	4.1268E-010
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.6853E-014	8.9236E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.2128E-014	2.9431E-014
RCPTR_32	farmer_child	TOCDFMPF	Diethyl phthalate	1.4304E-008	1.4654E-008
RCPTR_32	farmer_child	TOCDFMPF	Dimethyl phthalate	4.0195E-012	9.5777E-012
RCPTR_32	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.5044E-011	6.0519E-011
RCPTR_32	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.2065E-011	3.4065E-011
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.3123E-011	1.9548E-010
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.7485E-011	1.3648E-010
RCPTR_32	farmer_child	TOCDFMPF	Ethyl methanesulfonate	5.7274E-012	1.3911E-011
RCPTR_32	farmer_child	TOCDFMPF	Ethylbenzene	1.1937E-013	2.8318E-013
RCPTR_32	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.7879E-009	1.9460E-009
RCPTR_32	farmer_child	TOCDFMPF	Fluoranthene	2.3904E-008	4.2842E-008
RCPTR_32	farmer_child	TOCDFMPF	Fluorene	6.1215E-010	1.4542E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.2382E-012	3.2845E-012
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6604E-011	1.6795E-011
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.5591E-011	1.5808E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.1675E-011	4.2176E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.5658E-011	2.6054E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.1338E-011	2.1712E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.6045E-011	4.6953E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.5690E-010	1.5998E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.3166E-010	1.3423E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5905E-011	1.6216E-011
RCPTR_32	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.9143E-011	1.1326E-010
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorobenzene	8.7477E-008	2.0319E-007
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.6422E-010	3.7392E-010
RCPTR_32	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.6128E-011	8.6604E-011
RCPTR_32	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.6007E-003	1.6040E-003
RCPTR_32	farmer_child	TOCDFMPF	Isophorone	1.7178E-012	4.1696E-012
RCPTR_32	farmer_child	TOCDFMPF	Lead	2.5169E-006	2.6110E-006
RCPTR_32	farmer_child	TOCDFMPF	Mercuric chloride	6.4915E-008	7.5087E-008
RCPTR_32	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.8790E-016	9.4199E-016
RCPTR_32	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.2524E-017	5.4680E-017
RCPTR_32	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.4017E-015	2.2836E-014
RCPTR_32	farmer_child	TOCDFMPF	Methyl mercury	1.2069E-009	1.2386E-009
RCPTR_32	farmer_child	TOCDFMPF	Methylene chloride	2.4668E-015	5.9892E-015
RCPTR_32	farmer_child	TOCDFMPF	Naphthalene	2.0219E-011	4.8757E-011
RCPTR_32	farmer_child	TOCDFMPF	Nickel	9.2331E-006	9.5532E-006
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.0386E-011	4.9382E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.9223E-012	9.5192E-012
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.4964E-012	1.0905E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrobenzene	5.5459E-012	1.3468E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 2-	4.4694E-012	1.0849E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.8709E-011	5.6589E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.9104E-011	9.4732E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.0391E-012	4.9332E-012
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	5.3773E-013	1.2808E-012
RCPTR_32	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.4436E-012	3.5069E-012
RCPTR_32	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.3911E-013	3.4521E-013
RCPTR_32	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.6376E-011	8.7613E-011
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.2402E-011	5.3662E-011
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.6747E-011	3.7606E-011
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorobenzene	2.9554E-009	6.5513E-009
RCPTR_32	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1922E-010	2.5961E-010
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorophenol	3.6950E-008	4.4301E-008
RCPTR_32	farmer_child	TOCDFMPF	Phenanthrene	1.3303E-012	3.1779E-012
RCPTR_32	farmer_child	TOCDFMPF	Phenol	4.2157E-012	1.0219E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Pronamide	5.3776E-009	1.2759E-008
RCPTR_32	farmer_child	TOCDFMPF	Pyrene	3.4418E-008	5.3490E-008
RCPTR_32	farmer_child	TOCDFMPF	Selenium	3.3838E-006	3.3938E-006
RCPTR_32	farmer_child	TOCDFMPF	Silver	9.2031E-007	9.5505E-007
RCPTR_32	farmer_child	TOCDFMPF	Styrene	9.6483E-013	2.3374E-012
RCPTR_32	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.9983E-011	3.0961E-011
RCPTR_32	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.2449E-011	1.3012E-011
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.4748E-009	1.0369E-008
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.1277E-013	1.0006E-012
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.9137E-014	9.4817E-014
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.8373E-009	8.0350E-009
RCPTR_32	farmer_child	TOCDFMPF	Thallium (l)	6.2148E-005	6.3576E-005
RCPTR_32	farmer_child	TOCDFMPF	Toluene	5.1774E-014	1.2480E-013
RCPTR_32	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.3239E-011	3.1311E-011
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.5257E-014	6.1253E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.9294E-013	4.6830E-013
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethylene	3.1427E-014	7.6155E-014
RCPTR_32	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.1295E-015	1.0008E-014
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.0845E-009	4.7916E-009
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.9068E-010	1.0111E-009
RCPTR_32	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	7.1448E-013	1.7334E-012
RCPTR_32	farmer_child	TOCDFMPF	VX	6.8775E-011	7.0429E-011
RCPTR_32	farmer_child	TOCDFMPF	Vinyl Chloride	1.0198E-017	2.4741E-017
RCPTR_32	farmer_child	TOCDFMPF	Xylene, m-	5.5799E-013	7.7561E-013
RCPTR_32	farmer_child	TOCDFMPF	Xylene, o-	5.1696E-013	7.6505E-013
RCPTR_32	farmer_child	TOCDFMPF	Xylene, p-	6.1326E-013	9.5076E-013
RCPTR_32	farmer_child	TOCDHVAC	VX	4.1435E-011	4.2435E-011
RCPTR_32	farmer_child	TOCDLIC2	Acenaphthene	1.0140E-009	2.4302E-009
RCPTR_32	farmer_child	TOCDLIC2	Acetone	5.0026E-011	1.2152E-010
RCPTR_32	farmer_child	TOCDLIC2	Acetophenone	5.2603E-012	1.2769E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Aniline	3.1740E-013	7.6927E-013
RCPTR_32	farmer_child	TOCDLIC2	Anthracene	1.7924E-008	4.2895E-008
RCPTR_32	farmer_child	TOCDLIC2	Antimony	9.2703E-006	1.0101E-005
RCPTR_32	farmer_child	TOCDLIC2	Arsenic	9.5995E-006	9.8051E-006
RCPTR_32	farmer_child	TOCDLIC2	Barium	1.5226E-006	1.6261E-006
RCPTR_32	farmer_child	TOCDLIC2	Benzene	6.7056E-014	1.6239E-013
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.7812E-006	5.5407E-006
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.7735E-005	4.8607E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.6611E-005	2.8619E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	7.3332E-005	7.4109E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzoic acid	1.3930E-010	3.1045E-010
RCPTR_32	farmer_child	TOCDLIC2	Benzyl alcohol	1.3661E-009	3.3149E-009
RCPTR_32	farmer_child	TOCDLIC2	Beryllium	5.0703E-007	5.1912E-007
RCPTR_32	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.1868E-012	1.7457E-011
RCPTR_32	farmer_child	TOCDLIC2	Bromodichloromethane	4.1998E-015	1.0196E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	4.0371E-012	9.8027E-012
RCPTR_32	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.4272E-007	6.1788E-007
RCPTR_32	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.8741E-008	3.1189E-008
RCPTR_32	farmer_child	TOCDLIC2	Cadmium	1.3561E-007	1.5867E-007
RCPTR_32	farmer_child	TOCDLIC2	Carbon disulfide	2.7883E-016	6.7600E-016
RCPTR_32	farmer_child	TOCDLIC2	Carbon tetrachloride	2.2101E-015	5.3509E-015
RCPTR_32	farmer_child	TOCDLIC2	Chlorine	6.2268E-006	1.5126E-005
RCPTR_32	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.0300E-010	1.4870E-009
RCPTR_32	farmer_child	TOCDLIC2	Chloroaniline, p-	3.3489E-011	8.1127E-011
RCPTR_32	farmer_child	TOCDLIC2	Chlorobenzene	1.2962E-014	3.1319E-014
RCPTR_32	farmer_child	TOCDLIC2	Chloroethane	3.8809E-016	9.2548E-016
RCPTR_32	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.7399E-015	4.2232E-015
RCPTR_32	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.6396E-009	6.3448E-009
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.2720E-011	2.2517E-010
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.9337E-009	8.2836E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Chromium	7.3178E-006	7.4587E-006
RCPTR_32	farmer_child	TOCDLIC2	Chromium, hexavalent	6.8192E-006	6.8834E-006
RCPTR_32	farmer_child	TOCDLIC2	Chrysene	1.3622E-005	1.4396E-005
RCPTR_32	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.0741E-007	1.1683E-007
RCPTR_32	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.4344E+001	5.4344E+001
RCPTR_32	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.0327E-003	1.0394E-003
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.3238E-012	1.0272E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.1828E-012	1.2409E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.9773E-012	1.1942E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.3740E-008	3.7979E-008
RCPTR_32	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.0405E-017	7.3641E-017
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane 1,1-	7.0426E-016	1.7097E-015
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.4827E-015	2.3024E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.8942E-015	7.0183E-015
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.6532E-015	1.1282E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.4638E-010	1.0550E-009
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.5005E-015	6.0548E-015
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.2292E-016	1.9969E-015
RCPTR_32	farmer_child	TOCDLIC2	Diethyl phthalate	6.7026E-009	6.8666E-009
RCPTR_32	farmer_child	TOCDLIC2	Dimethyl phthalate	6.9720E-011	1.6613E-010
RCPTR_32	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.3581E-011	1.5365E-010
RCPTR_32	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.1495E-011	1.7745E-011
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.0390E-011	1.4203E-010
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.6002E-011	1.0922E-010
RCPTR_32	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.3458E-012	3.2686E-012
RCPTR_32	farmer_child	TOCDLIC2	Ethylbenzene	7.1116E-014	1.6871E-013
RCPTR_32	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.0338E-008	1.1253E-008
RCPTR_32	farmer_child	TOCDLIC2	Fluoranthene	3.0765E-007	5.5141E-007
RCPTR_32	farmer_child	TOCDLIC2	Fluorene	4.0240E-009	9.5591E-009
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.9448E-011	2.9869E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.4258E-010	3.4652E-010
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	8.1450E-010	8.2585E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.3983E-010	2.4271E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.4756E-010	1.4983E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.2444E-010	1.2663E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.7033E-010	1.7369E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.4767E-010	1.5057E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.5117E-010	1.5412E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.2460E-010	1.2704E-010
RCPTR_32	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.7671E-011	2.0207E-010
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorobenzene	1.7597E-007	4.0874E-007
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.3643E-010	5.3837E-010
RCPTR_32	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.1415E-011	1.2325E-010
RCPTR_32	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.3645E-003	7.3794E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Isophorone	9.6300E-012	2.3375E-011
RCPTR_32	farmer_child	TOCDLIC2	Lead	1.5930E-006	1.6526E-006
RCPTR_32	farmer_child	TOCDLIC2	Mercuric chloride	6.0309E-008	6.9769E-008
RCPTR_32	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.2567E-016	1.2766E-015
RCPTR_32	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.5283E-018	3.7101E-018
RCPTR_32	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.6012E-013	1.3605E-012
RCPTR_32	farmer_child	TOCDLIC2	Methyl mercury	1.1199E-009	1.1494E-009
RCPTR_32	farmer_child	TOCDLIC2	Methylene chloride	7.5749E-012	1.8391E-011
RCPTR_32	farmer_child	TOCDLIC2	Naphthalene	2.4023E-011	5.7933E-011
RCPTR_32	farmer_child	TOCDLIC2	Nickel	1.7591E-005	1.8201E-005
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.6463E-010	3.9880E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.9095E-011	9.4881E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.0556E-011	1.2261E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitrobenzene	1.6246E-011	3.9451E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.4001E-012	1.7963E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.1741E-010	3.1783E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.1884E-012	2.2260E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	9.0439E-012	2.1880E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	8.2816E-013	1.9727E-012
RCPTR_32	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.4836E-011	4.5659E-011
RCPTR_32	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.4513E-011	4.5312E-011
RCPTR_32	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.2376E-010	5.3126E-010
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.7234E-011	7.9092E-011
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.0028E-010	3.0730E-010
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorobenzene	6.9420E-010	1.5391E-009
RCPTR_32	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.8053E-010	6.1101E-010
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorophenol	3.1115E-007	3.7304E-007
RCPTR_32	farmer_child	TOCDLIC2	Phenanthrene	1.2665E-011	3.0255E-011
RCPTR_32	farmer_child	TOCDLIC2	Phenol	1.2897E-011	3.1262E-011
RCPTR_32	farmer_child	TOCDLIC2	Pronamide	1.2636E-009	2.9980E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Pyrene	4.6983E-007	7.3017E-007
RCPTR_32	farmer_child	TOCDLIC2	Selenium	1.0726E-005	1.0758E-005
RCPTR_32	farmer_child	TOCDLIC2	Silver	2.9125E-005	3.0224E-005
RCPTR_32	farmer_child	TOCDLIC2	Styrene	6.3335E-014	1.5344E-013
RCPTR_32	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	6.9134E-011	7.1391E-011
RCPTR_32	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.8504E-011	1.9341E-011
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0514E-009	2.4365E-009
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	9.4771E-012	1.0811E-011
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.6555E-015	6.4334E-015
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1388E-008	1.8915E-008
RCPTR_32	farmer_child	TOCDLIC2	Thallium (l)	3.8639E-005	3.9527E-005
RCPTR_32	farmer_child	TOCDLIC2	Toluene	8.0159E-011	1.9322E-010
RCPTR_32	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.9304E-011	9.2955E-011
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.5358E-013	6.1496E-013
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.3730E-013	3.3325E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethylene	2.2364E-014	5.4192E-014
RCPTR_32	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.9386E-015	7.1221E-015
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.6601E-009	1.0712E-008
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0795E-009	2.2244E-009
RCPTR_32	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.0843E-013	1.2335E-012
RCPTR_32	farmer_child	TOCDLIC2	VX	5.1792E-011	5.3038E-011
RCPTR_32	farmer_child	TOCDLIC2	Vinyl Chloride	6.6945E-019	1.6241E-018
RCPTR_32	farmer_child	TOCDLIC2	Xylene, m-	7.0618E-013	9.8229E-013
RCPTR_32	farmer_child	TOCDLIC2	Xylene, o-	4.1635E-013	6.1662E-013
RCPTR_32	farmer_child	TOCDLIC2	Xylene, p-	7.7643E-013	1.2046E-012
RCPTR_32	farmer_child	TOCDLIC2	Zinc	2.2921E-006	2.5701E-006
RCPTR_33	farmer_adult	TOCDFBRA	Antimony	2.8793E-006	3.3388E-006
RCPTR_33	farmer_adult	TOCDFBRA	Arsenic	4.8914E-006	5.0634E-006
RCPTR_33	farmer_adult	TOCDFBRA	Barium	3.9978E-007	4.4694E-007
RCPTR_33	farmer_adult	TOCDFBRA	Beryllium	1.2893E-006	1.3631E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFBRA	Cadmium	2.1636E-007	2.9404E-007
RCPTR_33	farmer_adult	TOCDFBRA	Chromium	3.1939E-006	3.2031E-006
RCPTR_33	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.9105E-006	2.9548E-006
RCPTR_33	farmer_adult	TOCDFBRA	Lead	1.3083E-005	1.4232E-005
RCPTR_33	farmer_adult	TOCDFBRA	Mercuric chloride	1.4118E-003	1.4547E-003
RCPTR_33	farmer_adult	TOCDFBRA	Methyl mercury	2.3908E-005	2.4347E-005
RCPTR_33	farmer_adult	TOCDFBRA	Nickel	1.5939E-005	1.6944E-005
RCPTR_33	farmer_adult	TOCDFBRA	Selenium	5.5282E-006	5.5544E-006
RCPTR_33	farmer_adult	TOCDFBRA	Silver	1.8374E-006	1.9513E-006
RCPTR_33	farmer_adult	TOCDFBRA	Thallium (l)	4.9784E-005	5.1882E-005
RCPTR_33	farmer_adult	TOCDFBRA	Zinc	8.2013E-006	1.0120E-005
RCPTR_33	farmer_adult	TOCDFDFS	Acenaphthene	2.9625E-010	4.1995E-009
RCPTR_33	farmer_adult	TOCDFDFS	Acetone	5.2513E-014	8.5003E-013
RCPTR_33	farmer_adult	TOCDFDFS	Acetophenone	1.3729E-012	2.2067E-011
RCPTR_33	farmer_adult	TOCDFDFS	Aniline	8.4037E-014	1.3294E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Anthracene	5.2939E-009	7.4117E-008
RCPTR_33	farmer_adult	TOCDFDFS	Antimony	5.1767E-007	6.0020E-007
RCPTR_33	farmer_adult	TOCDFDFS	Aroclor 1254	3.0970E-010	5.4788E-010
RCPTR_33	farmer_adult	TOCDFDFS	Arsenic	1.0260E-006	1.0620E-006
RCPTR_33	farmer_adult	TOCDFDFS	Barium	4.7857E-006	5.3496E-006
RCPTR_33	farmer_adult	TOCDFDFS	Benzene	4.5378E-015	7.1203E-014
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.8014E-006	9.4537E-006
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.9212E-005	8.2030E-005
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.1941E-005	4.8831E-005
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.2208E-004	1.2528E-004
RCPTR_33	farmer_adult	TOCDFDFS	Benzoic acid	4.1826E-011	3.4688E-010
RCPTR_33	farmer_adult	TOCDFDFS	Benzyl alcohol	2.9176E-012	4.6735E-011
RCPTR_33	farmer_adult	TOCDFDFS	Beryllium	2.2736E-007	2.4038E-007
RCPTR_33	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.8639E-012	3.0169E-011
RCPTR_33	farmer_adult	TOCDFDFS	Bromodichloromethane	9.4163E-015	1.5154E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.2372E-013	5.2196E-012
RCPTR_33	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.0563E-007	1.0678E-006
RCPTR_33	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.6918E-007	1.9427E-007
RCPTR_33	farmer_adult	TOCDFDFS	Cadmium	3.4684E-007	4.7122E-007
RCPTR_33	farmer_adult	TOCDFDFS	Carbon disulfide	1.2729E-015	2.0199E-014
RCPTR_33	farmer_adult	TOCDFDFS	Carbon tetrachloride	5.0828E-015	7.9528E-014
RCPTR_33	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	4.0817E-010	2.5688E-009
RCPTR_33	farmer_adult	TOCDFDFS	Chloroaniline, p-	8.9095E-012	1.4020E-010
RCPTR_33	farmer_adult	TOCDFDFS	Chlorobenzene	1.5206E-014	2.3315E-013
RCPTR_33	farmer_adult	TOCDFDFS	Chloroethane	1.3782E-016	1.8638E-015
RCPTR_33	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.9568E-015	3.1439E-014
RCPTR_33	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	7.5253E-010	1.0964E-008
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.4099E-011	3.8914E-010
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.3062E-009	1.4295E-008
RCPTR_33	farmer_adult	TOCDFDFS	Chromium	2.9249E-006	2.9334E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.6657E-006	2.7062E-006
RCPTR_33	farmer_adult	TOCDFDFS	Chrysene	2.1616E-005	2.4577E-005
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.7041E-007	3.1063E-007
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.0567E+003	3.0567E+003
RCPTR_33	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.7305E-003	1.7542E-003
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.9701E-013	3.8872E-012
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	9.9299E-013	1.3938E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.4137E-013	9.1835E-012
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.1178E-008	3.8049E-008
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	9.4355E-018	1.4830E-016
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	8.1764E-016	1.3155E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0142E-015	1.6343E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.8874E-016	1.4135E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4309E-015	2.2722E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.0680E-010	1.3301E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	8.1642E-015	1.2789E-013
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	9.2790E-016	1.4866E-014
RCPTR_33	farmer_adult	TOCDFDFS	Diethyl phthalate	5.8654E-008	6.0985E-008
RCPTR_33	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.0415E-011	1.4023E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.7304E-011	2.6553E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.6181E-011	1.5146E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.3932E-012	5.3103E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.1327E-012	4.0856E-011
RCPTR_33	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	3.4938E-013	5.6488E-012
RCPTR_33	farmer_adult	TOCDFDFS	Ethylbenzene	2.2079E-014	2.8554E-013
RCPTR_33	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.6264E-009	5.3424E-009
RCPTR_33	farmer_adult	TOCDFDFS	Fluoranthene	2.1646E-007	9.5072E-007
RCPTR_33	farmer_adult	TOCDFDFS	Fluorene	1.2619E-009	1.6517E-008
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.7780E-012	4.9406E-012
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.1521E-012	6.3188E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.4412E-011	1.4890E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.8051E-011	3.9131E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.2942E-011	2.3790E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.9076E-011	1.9888E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.5489E-011	2.6724E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.2123E-011	2.3188E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.2694E-011	2.3779E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.8687E-011	1.9584E-011
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.3659E-011	3.4896E-010
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorobenzene	6.2688E-008	7.0614E-007
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.8168E-010	4.6008E-009
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.5012E-011	2.1300E-010
RCPTR_33	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2577E-002	1.2626E-002
RCPTR_33	farmer_adult	TOCDFDFS	Isophorone	2.5149E-012	4.0396E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Lead	2.6370E-006	2.8684E-006
RCPTR_33	farmer_adult	TOCDFDFS	Mercuric chloride	1.5917E-006	1.6416E-006
RCPTR_33	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.3619E-017	1.3500E-015
RCPTR_33	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.6159E-018	2.5995E-017
RCPTR_33	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.7438E-015	1.5766E-013
RCPTR_33	farmer_adult	TOCDFDFS	Methyl mercury	2.5679E-008	2.6189E-008
RCPTR_33	farmer_adult	TOCDFDFS	Methylene chloride	5.4520E-014	8.7825E-013
RCPTR_33	farmer_adult	TOCDFDFS	Naphthalene	1.7601E-011	2.6464E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nickel	3.0990E-005	3.2941E-005
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 2-	4.3286E-011	6.8106E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.0100E-011	1.6204E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.3137E-011	2.0939E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitrobenzene	4.2240E-012	6.8180E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.9319E-012	3.1043E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.6843E-010	5.4191E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.4438E-012	3.8469E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.4355E-012	3.7813E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.5069E-013	3.4052E-012
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1197E-011	1.1697E-011
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.3713E-012	3.5185E-012
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.3225E-011	7.5760E-011
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.6476E-012	7.0459E-012
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.5640E-011	2.7131E-011
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.5888E-009	1.3116E-008
RCPTR_33	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3866E-010	1.0388E-009
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorophenol	9.4335E-008	1.2839E-007
RCPTR_33	farmer_adult	TOCDFDFS	Phenanthrene	3.8017E-012	5.2280E-011
RCPTR_33	farmer_adult	TOCDFDFS	Phenol	3.4110E-012	5.4027E-011
RCPTR_33	farmer_adult	TOCDFDFS	Pronamide	8.0076E-010	1.0361E-008
RCPTR_33	farmer_adult	TOCDFDFS	Pyrene	2.6190E-007	1.2605E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Selenium	1.1596E-006	1.1651E-006
RCPTR_33	farmer_adult	TOCDFDFS	Silver	1.5417E-006	1.6371E-006
RCPTR_33	farmer_adult	TOCDFDFS	Styrene	1.7615E-013	2.7738E-012
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.3148E-011	3.5904E-011
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.5622E-011	1.7461E-011
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.9251E-010	4.2099E-009
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2863E-010	1.6026E-010
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.0666E-015	9.5615E-014
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1762E-008	3.2263E-008
RCPTR_33	farmer_adult	TOCDFDFS	Thallium (l)	2.0628E-004	2.1496E-004
RCPTR_33	farmer_adult	TOCDFDFS	Toluene	3.1474E-014	4.7111E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.5182E-011	1.9188E-010
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.8805E-015	6.1771E-014
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.1805E-014	6.7116E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethylene	6.9137E-015	1.0914E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.0693E-016	1.4344E-014
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.8304E-009	1.8510E-008
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	6.8711E-010	3.8424E-009
RCPTR_33	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.5544E-013	2.4842E-012
RCPTR_33	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.6512E-012	2.1049E-011
RCPTR_33	farmer_adult	TOCDFDFS	VX	1.3588E-010	1.4118E-010
RCPTR_33	farmer_adult	TOCDFDFS	Vinyl Chloride	1.1494E-018	1.8377E-017
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, m-	1.4753E-012	2.7734E-012
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, o-	1.2734E-012	2.7532E-012
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, p-	1.4242E-012	3.4374E-012
RCPTR_33	farmer_adult	TOCDFLIC	Acenaphthene	1.6687E-010	2.3660E-009
RCPTR_33	farmer_adult	TOCDFLIC	Acetone	7.3096E-012	1.1832E-010
RCPTR_33	farmer_adult	TOCDFLIC	Acetophenone	7.7350E-013	1.2433E-011
RCPTR_33	farmer_adult	TOCDFLIC	Aniline	4.7347E-014	7.4903E-013
RCPTR_33	farmer_adult	TOCDFLIC	Anthracene	2.9813E-009	4.1758E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Antimony	7.5093E-006	8.7063E-006
RCPTR_33	farmer_adult	TOCDFLIC	Arsenic	8.1604E-006	8.4470E-006
RCPTR_33	farmer_adult	TOCDFLIC	Barium	1.2536E-006	1.4014E-006
RCPTR_33	farmer_adult	TOCDFLIC	Benzene	1.0077E-014	1.5812E-013
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.8197E-006	5.3130E-006
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.4399E-005	4.5972E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.3574E-005	2.7451E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.8469E-005	7.0249E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzoic acid	3.6450E-011	3.0221E-010
RCPTR_33	farmer_adult	TOCDFLIC	Benzyl alcohol	2.0150E-010	3.2277E-009
RCPTR_33	farmer_adult	TOCDFLIC	Beryllium	4.2311E-007	4.4733E-007
RCPTR_33	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0502E-012	1.6998E-011
RCPTR_33	farmer_adult	TOCDFLIC	Bromodichloromethane	6.1688E-016	9.9276E-015
RCPTR_33	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.9196E-013	9.5449E-012
RCPTR_33	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.9506E-008	6.0159E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.5392E-008	2.9190E-008
RCPTR_33	farmer_adult	TOCDFLIC	Cadmium	1.0073E-007	1.3685E-007
RCPTR_33	farmer_adult	TOCDFLIC	Carbon disulfide	4.1478E-017	6.5822E-016
RCPTR_33	farmer_adult	TOCDFLIC	Carbon tetrachloride	3.3298E-016	5.2100E-015
RCPTR_33	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.3009E-010	1.4474E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.0198E-012	7.8993E-011
RCPTR_33	farmer_adult	TOCDFLIC	Chlorobenzene	1.9887E-015	3.0495E-014
RCPTR_33	farmer_adult	TOCDFLIC	Chloroethane	6.6639E-017	9.0112E-016
RCPTR_33	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.5595E-016	4.1121E-015
RCPTR_33	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.2395E-010	6.1775E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3578E-011	2.1925E-010
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2975E-009	8.0520E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chromium	6.4087E-006	6.4273E-006
RCPTR_33	farmer_adult	TOCDFLIC	Chromium, hexavalent	5.8407E-006	5.9294E-006
RCPTR_33	farmer_adult	TOCDFLIC	Chrysene	1.2153E-005	1.3819E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	9.8226E-008	1.1285E-007
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.2783E+001	5.2783E+001
RCPTR_33	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.6910E-004	9.8205E-004
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.6401E-013	1.0000E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.6065E-013	1.2082E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.1197E-013	1.1627E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.9644E-008	3.6199E-008
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.5606E-018	7.1698E-017
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.0694E-016	1.7207E-015
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3913E-015	2.2418E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	4.2967E-016	6.8337E-015
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.9180E-016	1.0985E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.3693E-010	1.0267E-009
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.7635E-016	5.8955E-015
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2136E-016	1.9444E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Diethyl phthalate	6.4144E-009	6.6692E-009
RCPTR_33	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2003E-011	1.6171E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.7501E-012	1.4960E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	7.5341E-012	1.7240E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1411E-011	1.3817E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.1476E-012	1.0632E-010
RCPTR_33	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.9685E-013	3.1826E-012
RCPTR_33	farmer_adult	TOCDFLIC	Ethylbenzene	1.2698E-014	1.6425E-013
RCPTR_33	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.0792E-009	1.0498E-008
RCPTR_33	farmer_adult	TOCDFLIC	Fluoranthene	1.2177E-007	5.3545E-007
RCPTR_33	farmer_adult	TOCDFLIC	Fluorene	7.1072E-010	9.3058E-009
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.6164E-011	2.7047E-011
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.0182E-011	9.2601E-011
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.1051E-010	2.1743E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.1833E-010	2.2448E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.3100E-010	1.3581E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0854E-010	1.1314E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.4821E-010	1.5538E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2867E-010	1.3486E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.3208E-010	1.3838E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0873E-010	1.1394E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8933E-011	1.9658E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.5301E-008	3.9783E-007
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.4711E-011	5.2356E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.4587E-012	1.2001E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.0765E-003	7.1035E-003
RCPTR_33	farmer_adult	TOCDFLIC	Isophorone	1.4170E-012	2.2760E-011
RCPTR_33	farmer_adult	TOCDFLIC	Lead	1.3095E-006	1.4244E-006
RCPTR_33	farmer_adult	TOCDFLIC	Mercuric chloride	6.3933E-008	6.5949E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.6989E-017	1.2430E-015
RCPTR_33	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	4.4850E-018	7.2152E-017
RCPTR_33	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.1874E-014	1.3247E-012
RCPTR_33	farmer_adult	TOCDFLIC	Methyl mercury	1.0221E-009	1.0427E-009
RCPTR_33	farmer_adult	TOCDFLIC	Methylene chloride	1.1117E-012	1.7908E-011
RCPTR_33	farmer_adult	TOCDFLIC	Naphthalene	3.7511E-012	5.6406E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nickel	1.4753E-005	1.5682E-005
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.4678E-011	3.8830E-010
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.7584E-012	9.2385E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.4949E-012	2.3833E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrobenzene	2.3798E-012	3.8414E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 2-	5.4521E-012	8.7609E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 4-	3.0576E-011	6.1705E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3769E-012	2.1674E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.3723E-012	2.1304E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.4066E-013	1.9179E-012
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.8627E-011	4.0347E-011
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.8349E-011	4.0019E-011
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.8366E-010	5.0033E-010
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	7.0077E-011	7.4277E-011
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.6954E-010	2.8521E-010
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.9815E-010	7.4703E-009
RCPTR_33	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.8344E-011	5.9152E-010
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorophenol	5.3195E-008	7.2382E-008
RCPTR_33	farmer_adult	TOCDFLIC	Phenanthrene	2.1415E-012	2.9455E-011
RCPTR_33	farmer_adult	TOCDFLIC	Phenol	1.9218E-012	3.0440E-011
RCPTR_33	farmer_adult	TOCDFLIC	Pronamide	2.2557E-010	2.9188E-009
RCPTR_33	farmer_adult	TOCDFLIC	Pyrene	1.4747E-007	7.1008E-007
RCPTR_33	farmer_adult	TOCDFLIC	Selenium	9.2228E-006	9.2665E-006
RCPTR_33	farmer_adult	TOCDFLIC	Silver	2.4523E-005	2.6041E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Styrene	9.4871E-015	1.4940E-013
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.2126E-011	6.7301E-011
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.6445E-011	1.8384E-011
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.2114E-010	2.3719E-009
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.4342E-012	1.0506E-011
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.9737E-016	6.2639E-015
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.7101E-009	1.8399E-008
RCPTR_33	farmer_adult	TOCDFLIC	Thallium (l)	3.2678E-005	3.4053E-005
RCPTR_33	farmer_adult	TOCDFLIC	Toluene	1.2568E-011	1.8813E-010
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.1797E-012	9.0491E-011
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.7616E-014	5.9878E-013
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.0211E-014	3.2448E-013
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethylene	3.3425E-015	5.2766E-014
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.3846E-016	6.9347E-015
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0316E-009	1.0429E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.8734E-010	2.1651E-009
RCPTR_33	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.5149E-014	1.2010E-012
RCPTR_33	farmer_adult	TOCDFLIC	VX	4.7697E-011	4.9557E-011
RCPTR_33	farmer_adult	TOCDFLIC	Vinyl Chloride	9.8889E-020	1.5813E-018
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, m-	4.7620E-013	9.0495E-013
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, o-	2.6160E-013	5.7258E-013
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, p-	4.6008E-013	1.1250E-012
RCPTR_33	farmer_adult	TOCDFLIC	Zinc	1.7961E-006	2.2158E-006
RCPTR_33	farmer_adult	TOCDFMPF	Acenaphthene	3.0724E-011	4.3563E-010
RCPTR_33	farmer_adult	TOCDFMPF	Acetone	3.1262E-016	5.0605E-015
RCPTR_33	farmer_adult	TOCDFMPF	Acetophenone	3.3137E-012	5.3264E-011
RCPTR_33	farmer_adult	TOCDFMPF	Aniline	2.0284E-013	3.2089E-012
RCPTR_33	farmer_adult	TOCDFMPF	Anthracene	3.1521E-010	4.4152E-009
RCPTR_33	farmer_adult	TOCDFMPF	Arsenic	3.9683E-007	4.1076E-007
RCPTR_33	farmer_adult	TOCDFMPF	Barium	1.4059E-007	1.5715E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Benzene	1.7796E-015	2.7923E-014
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.5506E-007	4.9389E-007
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.6061E-006	7.8754E-006
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.4375E-006	4.0029E-006
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.0232E-005	1.0498E-005
RCPTR_33	farmer_adult	TOCDFMPF	Benzoic acid	7.0311E-012	5.8296E-011
RCPTR_33	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6047E-012	2.5704E-011
RCPTR_33	farmer_adult	TOCDFMPF	Beryllium	5.3360E-008	5.6414E-008
RCPTR_33	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	4.4894E-013	7.2664E-012
RCPTR_33	farmer_adult	TOCDFMPF	Bromodichloromethane	9.1519E-015	1.4728E-013
RCPTR_33	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	3.1463E-013	5.0731E-012
RCPTR_33	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.4225E-008	3.4601E-007
RCPTR_33	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.3775E-009	3.8829E-009
RCPTR_33	farmer_adult	TOCDFMPF	Cadmium	3.2150E-007	4.3679E-007
RCPTR_33	farmer_adult	TOCDFMPF	Carbon disulfide	6.1536E-016	9.7652E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.9400E-015	7.7295E-014
RCPTR_33	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	9.8993E-011	6.2272E-010
RCPTR_33	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.4870E-012	2.3400E-011
RCPTR_33	farmer_adult	TOCDFMPF	Chlorobenzene	2.9505E-014	4.5241E-013
RCPTR_33	farmer_adult	TOCDFMPF	Chloroethane	9.4267E-017	1.2747E-015
RCPTR_33	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.7972E-015	6.1007E-014
RCPTR_33	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.4966E-011	1.0924E-009
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenol, 2-	5.0247E-012	8.1136E-011
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.0324E-010	2.5027E-009
RCPTR_33	farmer_adult	TOCDFMPF	Chromium	6.9806E-006	7.0009E-006
RCPTR_33	farmer_adult	TOCDFMPF	Chromium, hexavalent	6.3620E-006	6.4586E-006
RCPTR_33	farmer_adult	TOCDFMPF	Chrysene	1.2627E-006	1.4358E-006
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.1549E-007	1.3268E-007
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.7726E+001	4.7726E+001
RCPTR_33	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.5788E-004	2.6133E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.6741E-013	3.5002E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.8084E-013	3.9424E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.6348E-013	3.7729E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.9144E-009	1.0886E-008
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.4513E-018	1.0142E-016
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.5866E-015	2.5528E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9681E-015	3.1713E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	6.0781E-016	9.6668E-015
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	9.7861E-016	1.5540E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	9.3298E-011	4.0429E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	5.5835E-015	8.7464E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.8005E-015	2.8846E-014
RCPTR_33	farmer_adult	TOCDFMPF	Diethyl phthalate	1.3782E-008	1.4329E-008
RCPTR_33	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.9655E-013	9.3846E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.8659E-012	5.9318E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.4559E-011	3.3315E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5808E-011	1.9143E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.0248E-011	1.3373E-010
RCPTR_33	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	8.4330E-013	1.3635E-011
RCPTR_33	farmer_adult	TOCDFMPF	Ethylbenzene	2.1454E-014	2.7752E-013
RCPTR_33	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.5775E-009	1.8242E-009
RCPTR_33	farmer_adult	TOCDFMPF	Fluoranthene	9.5225E-009	4.1875E-008
RCPTR_33	farmer_adult	TOCDFMPF	Fluorene	1.0883E-010	1.4250E-009
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.8873E-012	2.9847E-012
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.5150E-011	1.5556E-011
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3957E-011	1.4415E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.8110E-011	3.9181E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.2861E-011	2.3699E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.8665E-011	1.9455E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.0184E-011	4.2126E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.3713E-010	1.4372E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.1539E-010	1.2090E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3921E-011	1.4588E-011
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0681E-011	1.1091E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.7664E-008	1.9908E-007
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.8245E-011	3.6603E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.9830E-012	8.4883E-011
RCPTR_33	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.5480E-003	1.5539E-003
RCPTR_33	farmer_adult	TOCDFMPF	Isophorone	2.5444E-013	4.0868E-012
RCPTR_33	farmer_adult	TOCDFMPF	Lead	2.0727E-006	2.2546E-006
RCPTR_33	farmer_adult	TOCDFMPF	Mercuric chloride	6.9171E-008	7.1353E-008
RCPTR_33	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.7187E-017	9.2330E-016
RCPTR_33	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.3314E-018	5.3595E-017
RCPTR_33	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.3834E-015	2.2383E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Methyl mercury	1.1053E-009	1.1276E-009
RCPTR_33	farmer_adult	TOCDFMPF	Methylene chloride	3.6442E-016	5.8703E-015
RCPTR_33	farmer_adult	TOCDFMPF	Naphthalene	3.1779E-012	4.7787E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nickel	7.7580E-006	8.2464E-006
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.0761E-012	4.8401E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.8155E-013	9.3302E-012
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.7041E-013	1.0688E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrobenzene	8.1779E-013	1.3200E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 2-	6.6174E-013	1.0633E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.7453E-011	5.5400E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.8989E-012	9.2852E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.1146E-013	4.8353E-012
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	9.1906E-014	1.2534E-012
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.9739E-012	3.1063E-012
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.9285E-013	3.0559E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.0189E-011	8.2951E-011
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.7792E-011	5.0656E-011
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.3137E-011	3.5064E-011
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorobenzene	7.6779E-010	6.3886E-009
RCPTR_33	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.3486E-011	2.5293E-010
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorophenol	3.1857E-008	4.3347E-008
RCPTR_33	farmer_adult	TOCDFMPF	Phenanthrene	2.2642E-013	3.1144E-012
RCPTR_33	farmer_adult	TOCDFMPF	Phenol	6.3238E-013	1.0016E-011
RCPTR_33	farmer_adult	TOCDFMPF	Pronamide	9.6635E-010	1.2504E-008
RCPTR_33	farmer_adult	TOCDFMPF	Pyrene	1.0874E-008	5.2361E-008
RCPTR_33	farmer_adult	TOCDFMPF	Selenium	2.9149E-006	2.9287E-006
RCPTR_33	farmer_adult	TOCDFMPF	Silver	7.7636E-007	8.2440E-007
RCPTR_33	farmer_adult	TOCDFMPF	Styrene	1.4548E-013	2.2910E-012
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.7087E-011	2.9343E-011
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1127E-011	1.2439E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.4737E-010	1.0161E-008
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	6.1862E-014	9.8077E-013
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.8952E-015	9.2930E-014
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.8695E-009	7.8679E-009
RCPTR_33	farmer_adult	TOCDFMPF	Thallium (l)	5.2658E-005	5.4874E-005
RCPTR_33	farmer_adult	TOCDFMPF	Toluene	8.1712E-015	1.2231E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.4344E-012	3.0683E-011
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.7715E-015	6.0036E-014
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.8590E-014	4.5901E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethylene	4.7282E-015	7.4643E-014
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.2024E-016	9.8098E-015
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.6453E-010	4.6960E-009
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7724E-010	9.9070E-010
RCPTR_33	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.0630E-013	1.6990E-012
RCPTR_33	farmer_adult	TOCDFMPF	VX	6.6291E-011	6.8876E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Vinyl Chloride	1.5164E-018	2.4249E-017
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, m-	3.7735E-013	7.1752E-013
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, o-	3.2583E-013	7.1362E-013
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, p-	3.6460E-013	8.9215E-013
RCPTR_33	farmer_adult	TOCDHVAC	VX	3.9842E-011	4.1403E-011
RCPTR_33	farmer_adult	TOCDLIC2	Acenaphthene	1.6687E-010	2.3660E-009
RCPTR_33	farmer_adult	TOCDLIC2	Acetone	7.3096E-012	1.1832E-010
RCPTR_33	farmer_adult	TOCDLIC2	Acetophenone	7.7350E-013	1.2433E-011
RCPTR_33	farmer_adult	TOCDLIC2	Aniline	4.7347E-014	7.4903E-013
RCPTR_33	farmer_adult	TOCDLIC2	Anthracene	2.9813E-009	4.1758E-008
RCPTR_33	farmer_adult	TOCDLIC2	Antimony	7.5093E-006	8.7063E-006
RCPTR_33	farmer_adult	TOCDLIC2	Arsenic	8.1604E-006	8.4470E-006
RCPTR_33	farmer_adult	TOCDLIC2	Barium	1.2536E-006	1.4014E-006
RCPTR_33	farmer_adult	TOCDLIC2	Benzene	1.0077E-014	1.5812E-013
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.8197E-006	5.3130E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.4399E-005	4.5972E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.3574E-005	2.7451E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.8469E-005	7.0249E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzoic acid	3.6450E-011	3.0221E-010
RCPTR_33	farmer_adult	TOCDLIC2	Benzyl alcohol	2.0150E-010	3.2277E-009
RCPTR_33	farmer_adult	TOCDLIC2	Beryllium	4.2311E-007	4.4733E-007
RCPTR_33	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0502E-012	1.6998E-011
RCPTR_33	farmer_adult	TOCDLIC2	Bromodichloromethane	6.1688E-016	9.9276E-015
RCPTR_33	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	5.9196E-013	9.5449E-012
RCPTR_33	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.9506E-008	6.0159E-007
RCPTR_33	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.5392E-008	2.9190E-008
RCPTR_33	farmer_adult	TOCDLIC2	Cadmium	1.0073E-007	1.3685E-007
RCPTR_33	farmer_adult	TOCDLIC2	Carbon disulfide	4.1478E-017	6.5822E-016
RCPTR_33	farmer_adult	TOCDLIC2	Carbon tetrachloride	3.3298E-016	5.2100E-015
RCPTR_33	farmer_adult	TOCDLIC2	Chlorine	9.0946E-007	1.4728E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.3009E-010	1.4474E-009
RCPTR_33	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.0198E-012	7.8993E-011
RCPTR_33	farmer_adult	TOCDLIC2	Chlorobenzene	1.9887E-015	3.0495E-014
RCPTR_33	farmer_adult	TOCDLIC2	Chloroethane	6.6639E-017	9.0112E-016
RCPTR_33	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.5595E-016	4.1121E-015
RCPTR_33	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.2395E-010	6.1775E-009
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3578E-011	2.1925E-010
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2975E-009	8.0520E-009
RCPTR_33	farmer_adult	TOCDLIC2	Chromium	6.4087E-006	6.4273E-006
RCPTR_33	farmer_adult	TOCDLIC2	Chromium, hexavalent	5.8407E-006	5.9294E-006
RCPTR_33	farmer_adult	TOCDLIC2	Chrysene	1.2153E-005	1.3819E-005
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	9.8226E-008	1.1285E-007
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.2783E+001	5.2783E+001
RCPTR_33	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.6910E-004	9.8205E-004
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.6401E-013	1.0000E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.6065E-013	1.2082E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.1197E-013	1.1627E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.9644E-008	3.6199E-008
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.5606E-018	7.1698E-017
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.0347E-016	1.6647E-015
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3913E-015	2.2418E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	4.2967E-016	6.8337E-015
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.9180E-016	1.0985E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.3693E-010	1.0267E-009
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.7635E-016	5.8955E-015
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2136E-016	1.9444E-015
RCPTR_33	farmer_adult	TOCDLIC2	Diethyl phthalate	6.4144E-009	6.6692E-009
RCPTR_33	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2003E-011	1.6171E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.7501E-012	1.4960E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	7.5341E-012	1.7240E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1411E-011	1.3817E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.1476E-012	1.0632E-010
RCPTR_33	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.9685E-013	3.1826E-012
RCPTR_33	farmer_adult	TOCDLIC2	Ethylbenzene	1.2698E-014	1.6425E-013
RCPTR_33	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.0792E-009	1.0498E-008
RCPTR_33	farmer_adult	TOCDLIC2	Fluoranthene	1.2177E-007	5.3545E-007
RCPTR_33	farmer_adult	TOCDLIC2	Fluorene	7.1072E-010	9.3058E-009
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.6164E-011	2.7047E-011
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.1122E-010	3.1956E-010
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.2645E-010	7.5035E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.1833E-010	2.2448E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3100E-010	1.3581E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0854E-010	1.1314E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.4821E-010	1.5538E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.2867E-010	1.3486E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.3208E-010	1.3838E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.0873E-010	1.1394E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8933E-011	1.9658E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.5301E-008	3.9783E-007
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.4711E-011	5.2356E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.4587E-012	1.2001E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.0765E-003	7.1035E-003
RCPTR_33	farmer_adult	TOCDLIC2	Isophorone	1.4170E-012	2.2760E-011
RCPTR_33	farmer_adult	TOCDLIC2	Lead	1.3095E-006	1.4244E-006
RCPTR_33	farmer_adult	TOCDLIC2	Mercuric chloride	6.3933E-008	6.5949E-008
RCPTR_33	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.6989E-017	1.2430E-015
RCPTR_33	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.2455E-019	3.6125E-018
RCPTR_33	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.1874E-014	1.3247E-012
RCPTR_33	farmer_adult	TOCDLIC2	Methyl mercury	1.0221E-009	1.0427E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Methylene chloride	1.1117E-012	1.7908E-011
RCPTR_33	farmer_adult	TOCDLIC2	Naphthalene	3.7511E-012	5.6406E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nickel	1.4753E-005	1.5682E-005
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.4678E-011	3.8830E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.7584E-012	9.2385E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.4883E-012	1.1938E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitrobenzene	2.3798E-012	3.8414E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0884E-012	1.7490E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.5316E-010	3.0908E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3769E-012	2.1674E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.3723E-012	2.1304E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.4066E-013	1.9179E-012
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.8627E-011	4.0347E-011
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.8349E-011	4.0019E-011
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.8366E-010	5.0033E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.0077E-011	7.4277E-011
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.6954E-010	2.8521E-010
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.7930E-010	1.4913E-009
RCPTR_33	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.8344E-011	5.9152E-010
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorophenol	2.6646E-007	3.6257E-007
RCPTR_33	farmer_adult	TOCDLIC2	Phenanthrene	2.1415E-012	2.9455E-011
RCPTR_33	farmer_adult	TOCDLIC2	Phenol	1.9218E-012	3.0440E-011
RCPTR_33	farmer_adult	TOCDLIC2	Pronamide	2.2557E-010	2.9188E-009
RCPTR_33	farmer_adult	TOCDLIC2	Pyrene	1.4747E-007	7.1008E-007
RCPTR_33	farmer_adult	TOCDLIC2	Selenium	9.2228E-006	9.2665E-006
RCPTR_33	farmer_adult	TOCDLIC2	Silver	2.4523E-005	2.6041E-005
RCPTR_33	farmer_adult	TOCDLIC2	Styrene	9.4871E-015	1.4940E-013
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	6.2126E-011	6.7301E-011
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6445E-011	1.8384E-011
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.2114E-010	2.3719E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.4342E-012	1.0506E-011
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.9737E-016	6.2639E-015
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.7101E-009	1.8399E-008
RCPTR_33	farmer_adult	TOCDLIC2	Thallium (l)	3.2678E-005	3.4053E-005
RCPTR_33	farmer_adult	TOCDLIC2	Toluene	1.2568E-011	1.8813E-010
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.1797E-012	9.0491E-011
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.7616E-014	5.9878E-013
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.0211E-014	3.2448E-013
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethylene	3.3425E-015	5.2766E-014
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.3846E-016	6.9347E-015
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0316E-009	1.0429E-008
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.8734E-010	2.1651E-009
RCPTR_33	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.5149E-014	1.2010E-012
RCPTR_33	farmer_adult	TOCDLIC2	VX	4.9586E-011	5.1519E-011
RCPTR_33	farmer_adult	TOCDLIC2	Vinyl Chloride	9.8889E-020	1.5813E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, m-	4.7620E-013	9.0495E-013
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, o-	2.6160E-013	5.7258E-013
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, p-	4.6008E-013	1.1250E-012
RCPTR_33	farmer_adult	TOCDLIC2	Zinc	1.7961E-006	2.2158E-006
RCPTR_33	farmer_child	TOCDFBRA	Antimony	3.0629E-006	3.3388E-006
RCPTR_33	farmer_child	TOCDFBRA	Arsenic	4.9566E-006	5.0634E-006
RCPTR_33	farmer_child	TOCDFBRA	Barium	4.1835E-007	4.4694E-007
RCPTR_33	farmer_child	TOCDFBRA	Beryllium	1.3312E-006	1.3631E-006
RCPTR_33	farmer_child	TOCDFBRA	Cadmium	2.5112E-007	2.9404E-007
RCPTR_33	farmer_child	TOCDFBRA	Chromium	3.1423E-006	3.2031E-006
RCPTR_33	farmer_child	TOCDFBRA	Chromium, hexavalent	2.9270E-006	2.9548E-006
RCPTR_33	farmer_child	TOCDFBRA	Lead	1.3716E-005	1.4232E-005
RCPTR_33	farmer_child	TOCDFBRA	Mercuric chloride	1.2595E-003	1.4547E-003
RCPTR_33	farmer_child	TOCDFBRA	Methyl mercury	2.3738E-005	2.4347E-005
RCPTR_33	farmer_child	TOCDFBRA	Nickel	1.6373E-005	1.6944E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFBRA	Selenium	5.5379E-006	5.5544E-006
RCPTR_33	farmer_child	TOCDFBRA	Silver	1.8799E-006	1.9513E-006
RCPTR_33	farmer_child	TOCDFBRA	Thallium (l)	5.0710E-005	5.1882E-005
RCPTR_33	farmer_child	TOCDFBRA	Zinc	9.0202E-006	1.0120E-005
RCPTR_33	farmer_child	TOCDFDFS	Acenaphthene	1.7519E-009	4.1995E-009
RCPTR_33	farmer_child	TOCDFDFS	Acetone	3.4994E-013	8.5003E-013
RCPTR_33	farmer_child	TOCDFDFS	Acetophenone	9.0908E-012	2.2067E-011
RCPTR_33	farmer_child	TOCDFDFS	Aniline	5.4851E-013	1.3294E-012
RCPTR_33	farmer_child	TOCDFDFS	Anthracene	3.0963E-008	7.4117E-008
RCPTR_33	farmer_child	TOCDFDFS	Antimony	5.5064E-007	6.0020E-007
RCPTR_33	farmer_child	TOCDFDFS	Aroclor 1254	3.9853E-010	5.4788E-010
RCPTR_33	farmer_child	TOCDFDFS	Arsenic	1.0397E-006	1.0620E-006
RCPTR_33	farmer_child	TOCDFDFS	Barium	5.0077E-006	5.3496E-006
RCPTR_33	farmer_child	TOCDFDFS	Benzene	2.9400E-014	7.1203E-014
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.1444E-006	9.4537E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)pyrene	8.0571E-005	8.2030E-005
RCPTR_33	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.5375E-005	4.8831E-005
RCPTR_33	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.2400E-004	1.2528E-004
RCPTR_33	farmer_child	TOCDFDFS	Benzoic acid	1.5559E-010	3.4688E-010
RCPTR_33	farmer_child	TOCDFDFS	Benzyl alcohol	1.9259E-011	4.6735E-011
RCPTR_33	farmer_child	TOCDFDFS	Beryllium	2.3475E-007	2.4038E-007
RCPTR_33	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.2420E-011	3.0169E-011
RCPTR_33	farmer_child	TOCDFDFS	Bromodichloromethane	6.2421E-014	1.5154E-013
RCPTR_33	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	2.1496E-012	5.2196E-012
RCPTR_33	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.9224E-007	1.0678E-006
RCPTR_33	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.7854E-007	1.9427E-007
RCPTR_33	farmer_child	TOCDFDFS	Cadmium	4.0249E-007	4.7122E-007
RCPTR_33	farmer_child	TOCDFDFS	Carbon disulfide	8.3313E-015	2.0199E-014
RCPTR_33	farmer_child	TOCDFDFS	Carbon tetrachloride	3.2847E-014	7.9528E-014
RCPTR_33	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.2140E-009	2.5688E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Chloroaniline, p-	5.7875E-011	1.4020E-010
RCPTR_33	farmer_child	TOCDFDFS	Chlorobenzene	9.6486E-014	2.3315E-013
RCPTR_33	farmer_child	TOCDFDFS	Chloroethane	7.8153E-016	1.8638E-015
RCPTR_33	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.2952E-014	3.1439E-014
RCPTR_33	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.5610E-009	1.0964E-008
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.6024E-010	3.8914E-010
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.7773E-009	1.4295E-008
RCPTR_33	farmer_child	TOCDFDFS	Chromium	2.8778E-006	2.9334E-006
RCPTR_33	farmer_child	TOCDFDFS	Chromium, hexavalent	2.6808E-006	2.7062E-006
RCPTR_33	farmer_child	TOCDFDFS	Chrysene	2.3246E-005	2.4577E-005
RCPTR_33	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.8541E-007	3.1063E-007
RCPTR_33	farmer_child	TOCDFDFS	Di-n-octylphthalate	3.0567E+003	3.0567E+003
RCPTR_33	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.7435E-003	1.7542E-003
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.6359E-012	3.8872E-012
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.8208E-012	1.3938E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.8271E-012	9.1835E-012
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.3741E-008	3.8049E-008
RCPTR_33	farmer_child	TOCDFDFS	Dichlorodifluoromethane	6.1226E-017	1.4830E-016
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.4190E-015	1.3155E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.7309E-015	1.6343E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.8288E-015	1.4135E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.3715E-015	2.2722E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	6.8843E-010	1.3301E-009
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.2816E-014	1.2789E-013
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.1259E-015	1.4866E-014
RCPTR_33	farmer_child	TOCDFDFS	Diethyl phthalate	5.9523E-008	6.0985E-008
RCPTR_33	farmer_child	TOCDFDFS	Dimethyl phthalate	5.8828E-011	1.4023E-010
RCPTR_33	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.0988E-010	2.6553E-010
RCPTR_33	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	9.7985E-011	1.5146E-010
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.2559E-011	5.3103E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.7201E-011	4.0856E-011
RCPTR_33	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.3258E-012	5.6488E-012
RCPTR_33	farmer_child	TOCDFDFS	Ethylbenzene	1.2033E-013	2.8554E-013
RCPTR_33	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.8934E-009	5.3424E-009
RCPTR_33	farmer_child	TOCDFDFS	Fluoranthene	5.2953E-007	9.5072E-007
RCPTR_33	farmer_child	TOCDFDFS	Fluorene	6.9512E-009	1.6517E-008
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.8723E-012	4.9406E-012
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.2489E-012	6.3188E-012
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.4690E-011	1.4890E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.8678E-011	3.9131E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.3434E-011	2.3790E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.9547E-011	1.9888E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.6207E-011	2.6724E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.2741E-011	2.3188E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.3325E-011	2.3779E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.9208E-011	1.9584E-011
RCPTR_33	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.5125E-010	3.4896E-010
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorobenzene	3.0386E-007	7.0614E-007
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.0179E-009	4.6008E-009
RCPTR_33	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	8.8849E-011	2.1300E-010
RCPTR_33	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2603E-002	1.2626E-002
RCPTR_33	farmer_child	TOCDFDFS	Isophorone	1.6642E-011	4.0396E-011
RCPTR_33	farmer_child	TOCDFDFS	Lead	2.7646E-006	2.8684E-006
RCPTR_33	farmer_child	TOCDFDFS	Mercuric chloride	1.4145E-006	1.6416E-006
RCPTR_33	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.5593E-016	1.3500E-015
RCPTR_33	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.0708E-017	2.5995E-017
RCPTR_33	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.4907E-014	1.5766E-013
RCPTR_33	farmer_child	TOCDFDFS	Methyl mercury	2.5481E-008	2.6189E-008
RCPTR_33	farmer_child	TOCDFDFS	Methylene chloride	3.6173E-013	8.7825E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Naphthalene	1.0973E-010	2.6464E-010
RCPTR_33	farmer_child	TOCDFDFS	Nickel	3.1832E-005	3.2941E-005
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.8114E-010	6.8106E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 3-	6.6765E-011	1.6204E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 4-	8.6328E-011	2.0939E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitrobenzene	2.8076E-011	6.8180E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.2789E-011	3.1043E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.7042E-010	5.4191E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.5879E-011	3.8469E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.5629E-011	3.7813E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.4271E-012	3.4052E-012
RCPTR_33	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1487E-011	1.1697E-011
RCPTR_33	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.4566E-012	3.5185E-012
RCPTR_33	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.4702E-011	7.5760E-011
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	6.8795E-012	7.0459E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.6507E-011	2.7131E-011
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorobenzene	5.8878E-009	1.3116E-008
RCPTR_33	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.7435E-010	1.0388E-009
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorophenol	1.0704E-007	1.2839E-007
RCPTR_33	farmer_child	TOCDFDFS	Phenanthrene	2.1881E-011	5.2280E-011
RCPTR_33	farmer_child	TOCDFDFS	Phenol	2.2288E-011	5.4027E-011
RCPTR_33	farmer_child	TOCDFDFS	Pronamide	4.3663E-009	1.0361E-008
RCPTR_33	farmer_child	TOCDFDFS	Pyrene	8.1062E-007	1.2605E-006
RCPTR_33	farmer_child	TOCDFDFS	Selenium	1.1616E-006	1.1651E-006
RCPTR_33	farmer_child	TOCDFDFS	Silver	1.5772E-006	1.6371E-006
RCPTR_33	farmer_child	TOCDFDFS	Styrene	1.1450E-012	2.7738E-012
RCPTR_33	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	3.4757E-011	3.5904E-011
RCPTR_33	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.6697E-011	1.7461E-011
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.8162E-009	4.2099E-009
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4043E-010	1.6026E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.9464E-014	9.5615E-014
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.9408E-008	3.2263E-008
RCPTR_33	farmer_child	TOCDFDFS	Thallium (l)	2.1011E-004	2.1496E-004
RCPTR_33	farmer_child	TOCDFDFS	Toluene	1.9544E-013	4.7111E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	8.1083E-011	1.9188E-010
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.5470E-014	6.1771E-014
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.7652E-013	6.7116E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethylene	4.5039E-014	1.0914E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.9182E-015	1.4344E-014
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	8.0509E-009	1.8510E-008
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.8639E-009	3.8424E-009
RCPTR_33	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.0240E-012	2.4842E-012
RCPTR_33	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.8857E-012	2.1049E-011
RCPTR_33	farmer_child	TOCDFDFS	VX	1.3785E-010	1.4118E-010
RCPTR_33	farmer_child	TOCDFDFS	Vinyl Chloride	7.5744E-018	1.8377E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Xylene, m-	1.9595E-012	2.7734E-012
RCPTR_33	farmer_child	TOCDFDFS	Xylene, o-	1.8253E-012	2.7532E-012
RCPTR_33	farmer_child	TOCDFDFS	Xylene, p-	2.1750E-012	3.4374E-012
RCPTR_33	farmer_child	TOCDFLIC	Acenaphthene	9.8703E-010	2.3660E-009
RCPTR_33	farmer_child	TOCDFLIC	Acetone	4.8711E-011	1.1832E-010
RCPTR_33	farmer_child	TOCDFLIC	Acetophenone	5.1219E-012	1.2433E-011
RCPTR_33	farmer_child	TOCDFLIC	Aniline	3.0904E-013	7.4903E-013
RCPTR_33	farmer_child	TOCDFLIC	Anthracene	1.7444E-008	4.1758E-008
RCPTR_33	farmer_child	TOCDFLIC	Antimony	7.9875E-006	8.7063E-006
RCPTR_33	farmer_child	TOCDFLIC	Arsenic	8.2691E-006	8.4470E-006
RCPTR_33	farmer_child	TOCDFLIC	Barium	1.3118E-006	1.4014E-006
RCPTR_33	farmer_child	TOCDFLIC	Benzene	6.5290E-014	1.5812E-013
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.5758E-006	5.3130E-006
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.5157E-005	4.5972E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.5506E-005	2.7451E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.9536E-005	7.0249E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzoic acid	1.3556E-010	3.0221E-010
RCPTR_33	farmer_child	TOCDFLIC	Benzyl alcohol	1.3301E-009	3.2277E-009
RCPTR_33	farmer_child	TOCDFLIC	Beryllium	4.3686E-007	4.4733E-007
RCPTR_33	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.9978E-012	1.6998E-011
RCPTR_33	farmer_child	TOCDFLIC	Bromodichloromethane	4.0893E-015	9.9276E-015
RCPTR_33	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.9309E-012	9.5449E-012
RCPTR_33	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.3367E-007	6.0159E-007
RCPTR_33	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.6809E-008	2.9190E-008
RCPTR_33	farmer_child	TOCDFLIC	Cadmium	1.1689E-007	1.3685E-007
RCPTR_33	farmer_child	TOCDFLIC	Carbon disulfide	2.7149E-016	6.5822E-016
RCPTR_33	farmer_child	TOCDFLIC	Carbon tetrachloride	2.1519E-015	5.2100E-015
RCPTR_33	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.8410E-010	1.4474E-009
RCPTR_33	farmer_child	TOCDFLIC	Chloroaniline, p-	3.2608E-011	7.8993E-011
RCPTR_33	farmer_child	TOCDFLIC	Chlorobenzene	1.2620E-014	3.0495E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Chloroethane	3.7785E-016	9.0112E-016
RCPTR_33	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.6941E-015	4.1121E-015
RCPTR_33	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.5697E-009	6.1775E-009
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.0281E-011	2.1925E-010
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.8165E-009	8.0520E-009
RCPTR_33	farmer_child	TOCDFLIC	Chromium	6.3053E-006	6.4273E-006
RCPTR_33	farmer_child	TOCDFLIC	Chromium, hexavalent	5.8739E-006	5.9294E-006
RCPTR_33	farmer_child	TOCDFLIC	Chrysene	1.3070E-005	1.3819E-005
RCPTR_33	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0368E-007	1.1285E-007
RCPTR_33	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.2783E+001	5.2783E+001
RCPTR_33	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.7622E-004	9.8205E-004
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.2087E-012	1.0000E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.0454E-012	1.2082E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.8455E-012	1.1627E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.2088E-008	3.6199E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.9599E-017	7.1698E-017
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane 1,1-	7.0878E-016	1.7207E-015
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.2333E-015	2.2418E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.8180E-015	6.8337E-015
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.5308E-015	1.0985E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.3148E-010	1.0267E-009
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.4347E-015	5.8955E-015
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.0124E-016	1.9444E-015
RCPTR_33	farmer_child	TOCDFLIC	Diethyl phthalate	6.5094E-009	6.6692E-009
RCPTR_33	farmer_child	TOCDFLIC	Dimethyl phthalate	6.7837E-011	1.6171E-010
RCPTR_33	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.1908E-011	1.4960E-010
RCPTR_33	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.1154E-011	1.7240E-011
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.8686E-011	1.3817E-010
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.4759E-011	1.0632E-010
RCPTR_33	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.3104E-012	3.1826E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Ethylbenzene	6.9217E-014	1.6425E-013
RCPTR_33	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.6083E-009	1.0498E-008
RCPTR_33	farmer_child	TOCDFLIC	Fluoranthene	2.9815E-007	5.3545E-007
RCPTR_33	farmer_child	TOCDFLIC	Fluorene	3.9162E-009	9.3058E-009
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.6677E-011	2.7047E-011
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.1586E-011	9.2601E-011
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.1453E-010	2.1743E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.2190E-010	2.2448E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.3380E-010	1.3581E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.1121E-010	1.1314E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.5237E-010	1.5538E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.3227E-010	1.3486E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.3574E-010	1.3838E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.1175E-010	1.1394E-010
RCPTR_33	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.5185E-011	1.9658E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorobenzene	1.7118E-007	3.9783E-007
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.2957E-010	5.2356E-010
RCPTR_33	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.0060E-011	1.2001E-010
RCPTR_33	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.0906E-003	7.1035E-003
RCPTR_33	farmer_child	TOCDFLIC	Isophorone	9.3767E-012	2.2760E-011
RCPTR_33	farmer_child	TOCDFLIC	Lead	1.3728E-006	1.4244E-006
RCPTR_33	farmer_child	TOCDFLIC	Mercuric chloride	5.6776E-008	6.5949E-008
RCPTR_33	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.1185E-016	1.2430E-015
RCPTR_33	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.9721E-017	7.2152E-017
RCPTR_33	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.4539E-013	1.3247E-012
RCPTR_33	farmer_child	TOCDFLIC	Methyl mercury	1.0141E-009	1.0427E-009
RCPTR_33	farmer_child	TOCDFLIC	Methylene chloride	7.3757E-012	1.7908E-011
RCPTR_33	farmer_child	TOCDFLIC	Naphthalene	2.3389E-011	5.6406E-011
RCPTR_33	farmer_child	TOCDFLIC	Nickel	1.5154E-005	1.5682E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.6029E-010	3.8830E-010
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.8065E-011	9.2385E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 4-	9.8257E-012	2.3833E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrobenzene	1.5819E-011	3.8414E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.6092E-011	8.7609E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 4-	4.2185E-011	6.1705E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.9467E-012	2.1674E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.8059E-012	2.1304E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	8.0349E-013	1.9179E-012
RCPTR_33	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.9625E-011	4.0347E-011
RCPTR_33	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.9317E-011	4.0019E-011
RCPTR_33	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.9337E-010	5.0033E-010
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	7.2523E-011	7.4277E-011
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.7865E-010	2.8521E-010
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorobenzene	3.3492E-009	7.4703E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.6973E-010	5.9152E-010
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorophenol	6.0350E-008	7.2382E-008
RCPTR_33	farmer_child	TOCDFLIC	Phenanthrene	1.2328E-011	2.9455E-011
RCPTR_33	farmer_child	TOCDFLIC	Phenol	1.2558E-011	3.0440E-011
RCPTR_33	farmer_child	TOCDFLIC	Pronamide	1.2300E-009	2.9188E-009
RCPTR_33	farmer_child	TOCDFLIC	Pyrene	4.5662E-007	7.1008E-007
RCPTR_33	farmer_child	TOCDFLIC	Selenium	9.2391E-006	9.2665E-006
RCPTR_33	farmer_child	TOCDFLIC	Silver	2.5089E-005	2.6041E-005
RCPTR_33	farmer_child	TOCDFLIC	Styrene	6.1667E-014	1.4940E-013
RCPTR_33	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.5148E-011	6.7301E-011
RCPTR_33	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.7578E-011	1.8384E-011
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.0233E-009	2.3719E-009
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.2069E-012	1.0506E-011
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5853E-015	6.2639E-015
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1069E-008	1.8399E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Thallium (l)	3.3285E-005	3.4053E-005
RCPTR_33	farmer_child	TOCDFLIC	Toluene	7.8042E-011	1.8813E-010
RCPTR_33	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.8250E-011	9.0491E-011
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.4690E-013	5.9878E-013
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.3369E-013	3.2448E-013
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethylene	2.1775E-014	5.2766E-014
RCPTR_33	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.8612E-015	6.9347E-015
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.5364E-009	1.0429E-008
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0504E-009	2.1651E-009
RCPTR_33	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.9505E-013	1.2010E-012
RCPTR_33	farmer_child	TOCDFLIC	VX	4.8390E-011	4.9557E-011
RCPTR_33	farmer_child	TOCDFLIC	Vinyl Chloride	6.5175E-019	1.5813E-018
RCPTR_33	farmer_child	TOCDFLIC	Xylene, m-	6.3610E-013	9.0495E-013
RCPTR_33	farmer_child	TOCDFLIC	Xylene, o-	3.7758E-013	5.7258E-013
RCPTR_33	farmer_child	TOCDFLIC	Xylene, p-	7.0807E-013	1.1250E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Zinc	1.9753E-006	2.2158E-006
RCPTR_33	farmer_child	TOCDFMPF	Acenaphthene	1.8173E-010	4.3563E-010
RCPTR_33	farmer_child	TOCDFMPF	Acetone	2.0833E-015	5.0605E-015
RCPTR_33	farmer_child	TOCDFMPF	Acetophenone	2.1942E-011	5.3264E-011
RCPTR_33	farmer_child	TOCDFMPF	Aniline	1.3239E-012	3.2089E-012
RCPTR_33	farmer_child	TOCDFMPF	Anthracene	1.8444E-009	4.4152E-009
RCPTR_33	farmer_child	TOCDFMPF	Arsenic	4.0211E-007	4.1076E-007
RCPTR_33	farmer_child	TOCDFMPF	Barium	1.4711E-007	1.5715E-007
RCPTR_33	farmer_child	TOCDFMPF	Benzene	1.1530E-014	2.7923E-014
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.2536E-007	4.9389E-007
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)pyrene	7.7360E-006	7.8754E-006
RCPTR_33	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.7193E-006	4.0029E-006
RCPTR_33	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.0392E-005	1.0498E-005
RCPTR_33	farmer_child	TOCDFMPF	Benzoic acid	2.6150E-011	5.8296E-011
RCPTR_33	farmer_child	TOCDFMPF	Benzyl alcohol	1.0593E-011	2.5704E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Beryllium	5.5093E-008	5.6414E-008
RCPTR_33	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.9915E-012	7.2664E-012
RCPTR_33	farmer_child	TOCDFMPF	Bromodichloromethane	6.0668E-014	1.4728E-013
RCPTR_33	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	2.0893E-012	5.0731E-012
RCPTR_33	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.9191E-007	3.4601E-007
RCPTR_33	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.5660E-009	3.8829E-009
RCPTR_33	farmer_child	TOCDFMPF	Cadmium	3.7308E-007	4.3679E-007
RCPTR_33	farmer_child	TOCDFMPF	Carbon disulfide	4.0278E-015	9.7652E-015
RCPTR_33	farmer_child	TOCDFMPF	Carbon tetrachloride	3.1925E-014	7.7295E-014
RCPTR_33	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.9432E-010	6.2272E-010
RCPTR_33	farmer_child	TOCDFMPF	Chloroaniline, p-	9.6596E-012	2.3400E-011
RCPTR_33	farmer_child	TOCDFMPF	Chlorobenzene	1.8723E-013	4.5241E-013
RCPTR_33	farmer_child	TOCDFMPF	Chloroethane	5.3451E-016	1.2747E-015
RCPTR_33	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.5133E-014	6.1007E-014
RCPTR_33	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.5440E-010	1.0924E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenol, 2-	3.3410E-011	8.1136E-011
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1862E-009	2.5027E-009
RCPTR_33	farmer_child	TOCDFMPF	Chromium	6.8680E-006	7.0009E-006
RCPTR_33	farmer_child	TOCDFMPF	Chromium, hexavalent	6.3981E-006	6.4586E-006
RCPTR_33	farmer_child	TOCDFMPF	Chrysene	1.3580E-006	1.4358E-006
RCPTR_33	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.2190E-007	1.3268E-007
RCPTR_33	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.7726E+001	4.7726E+001
RCPTR_33	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.5978E-004	2.6133E-004
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.4731E-012	3.5002E-012
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.6464E-012	3.9424E-012
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.5723E-012	3.7729E-012
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.6498E-009	1.0886E-008
RCPTR_33	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.1871E-017	1.0142E-016
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.0515E-014	2.5528E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3061E-014	3.1713E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.9863E-015	9.6668E-015
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	6.4092E-015	1.5540E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.0928E-010	4.0429E-010
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.6121E-014	8.7464E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.1887E-014	2.8846E-014
RCPTR_33	farmer_child	TOCDFMPF	Diethyl phthalate	1.3986E-008	1.4329E-008
RCPTR_33	farmer_child	TOCDFMPF	Dimethyl phthalate	3.9367E-012	9.3846E-012
RCPTR_33	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.4546E-011	5.9318E-011
RCPTR_33	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.1554E-011	3.3315E-011
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.1307E-011	1.9143E-010
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.6301E-011	1.3373E-010
RCPTR_33	farmer_child	TOCDFMPF	Ethyl methanesulfonate	5.6137E-012	1.3635E-011
RCPTR_33	farmer_child	TOCDFMPF	Ethylbenzene	1.1695E-013	2.7752E-013
RCPTR_33	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.6695E-009	1.8242E-009
RCPTR_33	farmer_child	TOCDFMPF	Fluoranthene	2.3317E-008	4.1875E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Fluorene	5.9969E-010	1.4250E-009
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.9438E-012	2.9847E-012
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.5386E-011	1.5556E-011
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.4223E-011	1.4415E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.8732E-011	3.9181E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.3348E-011	2.3699E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.9124E-011	1.9455E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.1312E-011	4.2126E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.4095E-010	1.4372E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.1859E-010	1.2090E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4308E-011	1.4588E-011
RCPTR_33	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.8062E-011	1.1091E-010
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorobenzene	8.5660E-008	1.9908E-007
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.6049E-010	3.6603E-010
RCPTR_33	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.5409E-011	8.4883E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.5511E-003	1.5539E-003
RCPTR_33	farmer_child	TOCDFMPF	Isophorone	1.6837E-012	4.0868E-012
RCPTR_33	farmer_child	TOCDFMPF	Lead	2.1730E-006	2.2546E-006
RCPTR_33	farmer_child	TOCDFMPF	Mercuric chloride	6.1426E-008	7.1353E-008
RCPTR_33	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.8020E-016	9.2330E-016
RCPTR_33	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.2077E-017	5.3595E-017
RCPTR_33	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.2152E-015	2.2383E-014
RCPTR_33	farmer_child	TOCDFMPF	Methyl mercury	1.0967E-009	1.1276E-009
RCPTR_33	farmer_child	TOCDFMPF	Methylene chloride	2.4178E-015	5.8703E-015
RCPTR_33	farmer_child	TOCDFMPF	Naphthalene	1.9815E-011	4.7787E-011
RCPTR_33	farmer_child	TOCDFMPF	Nickel	7.9688E-006	8.2464E-006
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.9980E-011	4.8401E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.8443E-012	9.3302E-012
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.4064E-012	1.0688E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Nitrobenzene	5.4358E-012	1.3200E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 2-	4.3806E-012	1.0633E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.7876E-011	5.5400E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.8328E-011	9.2852E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.9986E-012	4.8353E-012
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	5.2510E-013	1.2534E-012
RCPTR_33	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.0507E-012	3.1063E-012
RCPTR_33	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.0024E-013	3.0559E-013
RCPTR_33	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.1797E-011	8.2951E-011
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.9460E-011	5.0656E-011
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.4258E-011	3.5064E-011
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorobenzene	2.8640E-009	6.3886E-009
RCPTR_33	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1533E-010	2.5293E-010
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorophenol	3.6142E-008	4.3347E-008
RCPTR_33	farmer_child	TOCDFMPF	Phenanthrene	1.3035E-012	3.1144E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Phenol	4.1321E-012	1.0016E-011
RCPTR_33	farmer_child	TOCDFMPF	Pronamide	5.2694E-009	1.2504E-008
RCPTR_33	farmer_child	TOCDFMPF	Pyrene	3.3670E-008	5.2361E-008
RCPTR_33	farmer_child	TOCDFMPF	Selenium	2.9201E-006	2.9287E-006
RCPTR_33	farmer_child	TOCDFMPF	Silver	7.9427E-007	8.2440E-007
RCPTR_33	farmer_child	TOCDFMPF	Styrene	9.4563E-013	2.2910E-012
RCPTR_33	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.8404E-011	2.9343E-011
RCPTR_33	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1894E-011	1.2439E-011
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.3837E-009	1.0161E-008
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.0456E-013	9.8077E-013
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.8354E-014	9.2930E-014
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.7336E-009	7.8679E-009
RCPTR_33	farmer_child	TOCDFMPF	Thallium (l)	5.3636E-005	5.4874E-005
RCPTR_33	farmer_child	TOCDFMPF	Toluene	5.0741E-014	1.2231E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2970E-011	3.0683E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.4755E-014	6.0036E-014
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.8911E-013	4.5901E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethylene	3.0802E-014	7.4643E-014
RCPTR_33	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.0474E-015	9.8098E-015
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.0426E-009	4.6960E-009
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.8062E-010	9.9070E-010
RCPTR_33	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	7.0029E-013	1.6990E-012
RCPTR_33	farmer_child	TOCDFMPF	VX	6.7255E-011	6.8876E-011
RCPTR_33	farmer_child	TOCDFMPF	Vinyl Chloride	9.9943E-018	2.4249E-017
RCPTR_33	farmer_child	TOCDFMPF	Xylene, m-	5.0422E-013	7.1752E-013
RCPTR_33	farmer_child	TOCDFMPF	Xylene, o-	4.7045E-013	7.1362E-013
RCPTR_33	farmer_child	TOCDFMPF	Xylene, p-	5.6135E-013	8.9215E-013
RCPTR_33	farmer_child	TOCDHVAC	VX	4.0424E-011	4.1403E-011
RCPTR_33	farmer_child	TOCDLIC2	Acenaphthene	9.8703E-010	2.3660E-009
RCPTR_33	farmer_child	TOCDLIC2	Acetone	4.8711E-011	1.1832E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Acetophenone	5.1219E-012	1.2433E-011
RCPTR_33	farmer_child	TOCDLIC2	Aniline	3.0904E-013	7.4903E-013
RCPTR_33	farmer_child	TOCDLIC2	Anthracene	1.7444E-008	4.1758E-008
RCPTR_33	farmer_child	TOCDLIC2	Antimony	7.9875E-006	8.7063E-006
RCPTR_33	farmer_child	TOCDLIC2	Arsenic	8.2691E-006	8.4470E-006
RCPTR_33	farmer_child	TOCDLIC2	Barium	1.3118E-006	1.4014E-006
RCPTR_33	farmer_child	TOCDLIC2	Benzene	6.5290E-014	1.5812E-013
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.5758E-006	5.3130E-006
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.5157E-005	4.5972E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.5506E-005	2.7451E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.9536E-005	7.0249E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzoic acid	1.3556E-010	3.0221E-010
RCPTR_33	farmer_child	TOCDLIC2	Benzyl alcohol	1.3301E-009	3.2277E-009
RCPTR_33	farmer_child	TOCDLIC2	Beryllium	4.3686E-007	4.4733E-007
RCPTR_33	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.9978E-012	1.6998E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Bromodichloromethane	4.0893E-015	9.9276E-015
RCPTR_33	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.9309E-012	9.5449E-012
RCPTR_33	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3367E-007	6.0159E-007
RCPTR_33	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.6809E-008	2.9190E-008
RCPTR_33	farmer_child	TOCDLIC2	Cadmium	1.1689E-007	1.3685E-007
RCPTR_33	farmer_child	TOCDLIC2	Carbon disulfide	2.7149E-016	6.5822E-016
RCPTR_33	farmer_child	TOCDLIC2	Carbon tetrachloride	2.1519E-015	5.2100E-015
RCPTR_33	farmer_child	TOCDLIC2	Chlorine	6.0631E-006	1.4728E-005
RCPTR_33	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.8410E-010	1.4474E-009
RCPTR_33	farmer_child	TOCDLIC2	Chloroaniline, p-	3.2608E-011	7.8993E-011
RCPTR_33	farmer_child	TOCDLIC2	Chlorobenzene	1.2620E-014	3.0495E-014
RCPTR_33	farmer_child	TOCDLIC2	Chloroethane	3.7785E-016	9.0112E-016
RCPTR_33	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.6941E-015	4.1121E-015
RCPTR_33	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.5697E-009	6.1775E-009
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.0281E-011	2.1925E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.8165E-009	8.0520E-009
RCPTR_33	farmer_child	TOCDLIC2	Chromium	6.3053E-006	6.4273E-006
RCPTR_33	farmer_child	TOCDLIC2	Chromium, hexavalent	5.8739E-006	5.9294E-006
RCPTR_33	farmer_child	TOCDLIC2	Chrysene	1.3070E-005	1.3819E-005
RCPTR_33	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.0368E-007	1.1285E-007
RCPTR_33	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.2783E+001	5.2783E+001
RCPTR_33	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.7622E-004	9.8205E-004
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.2087E-012	1.0000E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.0454E-012	1.2082E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.8455E-012	1.1627E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.2088E-008	3.6199E-008
RCPTR_33	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.9599E-017	7.1698E-017
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane 1,1-	6.8573E-016	1.6647E-015
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.2333E-015	2.2418E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.8180E-015	6.8337E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.5308E-015	1.0985E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.3148E-010	1.0267E-009
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.4347E-015	5.8955E-015
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.0124E-016	1.9444E-015
RCPTR_33	farmer_child	TOCDLIC2	Diethyl phthalate	6.5094E-009	6.6692E-009
RCPTR_33	farmer_child	TOCDLIC2	Dimethyl phthalate	6.7837E-011	1.6171E-010
RCPTR_33	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.1908E-011	1.4960E-010
RCPTR_33	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.1154E-011	1.7240E-011
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.8686E-011	1.3817E-010
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.4759E-011	1.0632E-010
RCPTR_33	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.3104E-012	3.1826E-012
RCPTR_33	farmer_child	TOCDLIC2	Ethylbenzene	6.9217E-014	1.6425E-013
RCPTR_33	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.6083E-009	1.0498E-008
RCPTR_33	farmer_child	TOCDLIC2	Fluoranthene	2.9815E-007	5.3545E-007
RCPTR_33	farmer_child	TOCDLIC2	Fluorene	3.9162E-009	9.3058E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.6677E-011	2.7047E-011
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.1606E-010	3.1956E-010
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.4033E-010	7.5035E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.2190E-010	2.2448E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3380E-010	1.3581E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1121E-010	1.1314E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.5237E-010	1.5538E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.3227E-010	1.3486E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.3574E-010	1.3838E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.1175E-010	1.1394E-010
RCPTR_33	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.5185E-011	1.9658E-010
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorobenzene	1.7118E-007	3.9783E-007
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.2957E-010	5.2356E-010
RCPTR_33	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.0060E-011	1.2001E-010
RCPTR_33	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.0906E-003	7.1035E-003
RCPTR_33	farmer_child	TOCDLIC2	Isophorone	9.3767E-012	2.2760E-011
RCPTR_33	farmer_child	TOCDLIC2	Lead	1.3728E-006	1.4244E-006
RCPTR_33	farmer_child	TOCDLIC2	Mercuric chloride	5.6776E-008	6.5949E-008
RCPTR_33	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.1185E-016	1.2430E-015
RCPTR_33	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4881E-018	3.6125E-018
RCPTR_33	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.4539E-013	1.3247E-012
RCPTR_33	farmer_child	TOCDLIC2	Methyl mercury	1.0141E-009	1.0427E-009
RCPTR_33	farmer_child	TOCDLIC2	Methylene chloride	7.3757E-012	1.7908E-011
RCPTR_33	farmer_child	TOCDLIC2	Naphthalene	2.3389E-011	5.6406E-011
RCPTR_33	farmer_child	TOCDLIC2	Nickel	1.5154E-005	1.5682E-005
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.6029E-010	3.8830E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.8065E-011	9.2385E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.9218E-011	1.1938E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitrobenzene	1.5819E-011	3.8414E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.2054E-012	1.7490E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.1131E-010	3.0908E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.9467E-012	2.1674E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.8059E-012	2.1304E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	8.0349E-013	1.9179E-012
RCPTR_33	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.9625E-011	4.0347E-011
RCPTR_33	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.9317E-011	4.0019E-011
RCPTR_33	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.9337E-010	5.0033E-010
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.2523E-011	7.4277E-011
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.7865E-010	2.8521E-010
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorobenzene	6.6862E-010	1.4913E-009
RCPTR_33	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6973E-010	5.9152E-010
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorophenol	3.0230E-007	3.6257E-007
RCPTR_33	farmer_child	TOCDLIC2	Phenanthrene	1.2328E-011	2.9455E-011
RCPTR_33	farmer_child	TOCDLIC2	Phenol	1.2558E-011	3.0440E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Pronamide	1.2300E-009	2.9188E-009
RCPTR_33	farmer_child	TOCDLIC2	Pyrene	4.5662E-007	7.1008E-007
RCPTR_33	farmer_child	TOCDLIC2	Selenium	9.2391E-006	9.2665E-006
RCPTR_33	farmer_child	TOCDLIC2	Silver	2.5089E-005	2.6041E-005
RCPTR_33	farmer_child	TOCDLIC2	Styrene	6.1667E-014	1.4940E-013
RCPTR_33	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	6.5148E-011	6.7301E-011
RCPTR_33	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7578E-011	1.8384E-011
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0233E-009	2.3719E-009
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	9.2069E-012	1.0506E-011
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5853E-015	6.2639E-015
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1069E-008	1.8399E-008
RCPTR_33	farmer_child	TOCDLIC2	Thallium (l)	3.3285E-005	3.4053E-005
RCPTR_33	farmer_child	TOCDLIC2	Toluene	7.8042E-011	1.8813E-010
RCPTR_33	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.8250E-011	9.0491E-011
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.4690E-013	5.9878E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.3369E-013	3.2448E-013
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethylene	2.1775E-014	5.2766E-014
RCPTR_33	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.8612E-015	6.9347E-015
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.5364E-009	1.0429E-008
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0504E-009	2.1651E-009
RCPTR_33	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.9505E-013	1.2010E-012
RCPTR_33	farmer_child	TOCDLIC2	VX	5.0307E-011	5.1519E-011
RCPTR_33	farmer_child	TOCDLIC2	Vinyl Chloride	6.5175E-019	1.5813E-018
RCPTR_33	farmer_child	TOCDLIC2	Xylene, m-	6.3610E-013	9.0495E-013
RCPTR_33	farmer_child	TOCDLIC2	Xylene, o-	3.7758E-013	5.7258E-013
RCPTR_33	farmer_child	TOCDLIC2	Xylene, p-	7.0807E-013	1.1250E-012
RCPTR_33	farmer_child	TOCDLIC2	Zinc	1.9753E-006	2.2158E-006
RCPTR_34	farmer_adult	TOCDFBRA	Antimony	1.7830E-006	2.0713E-006
RCPTR_34	farmer_adult	TOCDFBRA	Arsenic	3.0287E-006	3.1366E-006
RCPTR_34	farmer_adult	TOCDFBRA	Barium	2.4756E-007	2.7715E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFBRA	Beryllium	7.9868E-007	8.4503E-007
RCPTR_34	farmer_adult	TOCDFBRA	Cadmium	1.3402E-007	1.8275E-007
RCPTR_34	farmer_adult	TOCDFBRA	Chromium	1.9799E-006	1.9857E-006
RCPTR_34	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.8021E-006	1.8299E-006
RCPTR_34	farmer_adult	TOCDFBRA	Lead	8.1077E-006	8.8288E-006
RCPTR_34	farmer_adult	TOCDFBRA	Mercuric chloride	7.8920E-004	8.1307E-004
RCPTR_34	farmer_adult	TOCDFBRA	Methyl mercury	1.3458E-005	1.3702E-005
RCPTR_34	farmer_adult	TOCDFBRA	Nickel	9.8697E-006	1.0500E-005
RCPTR_34	farmer_adult	TOCDFBRA	Selenium	3.4229E-006	3.4393E-006
RCPTR_34	farmer_adult	TOCDFBRA	Silver	1.1377E-006	1.2092E-006
RCPTR_34	farmer_adult	TOCDFBRA	Thallium (l)	3.0826E-005	3.2142E-005
RCPTR_34	farmer_adult	TOCDFBRA	Zinc	5.0792E-006	6.2828E-006
RCPTR_34	farmer_adult	TOCDFDFS	Acenaphthene	1.9673E-010	2.7968E-009
RCPTR_34	farmer_adult	TOCDFDFS	Acetone	3.4981E-014	5.6624E-013
RCPTR_34	farmer_adult	TOCDFDFS	Acetophenone	9.1437E-013	1.4700E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Aniline	5.5950E-014	8.8556E-013
RCPTR_34	farmer_adult	TOCDFDFS	Anthracene	3.5134E-009	4.9359E-008
RCPTR_34	farmer_adult	TOCDFDFS	Antimony	3.4924E-007	4.0535E-007
RCPTR_34	farmer_adult	TOCDFDFS	Aroclor 1254	1.9963E-010	3.5828E-010
RCPTR_34	farmer_adult	TOCDFDFS	Arsenic	6.9213E-007	7.1663E-007
RCPTR_34	farmer_adult	TOCDFDFS	Barium	3.2285E-006	3.6120E-006
RCPTR_34	farmer_adult	TOCDFDFS	Benzene	3.0207E-015	4.7429E-014
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)anthracene	4.4186E-006	6.1835E-006
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.1255E-005	5.3107E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.7269E-005	3.1851E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	7.9081E-005	8.1172E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzoic acid	2.7578E-011	2.3079E-010
RCPTR_34	farmer_adult	TOCDFDFS	Benzyl alcohol	1.9431E-012	3.1132E-011
RCPTR_34	farmer_adult	TOCDFDFS	Beryllium	1.5342E-007	1.6227E-007
RCPTR_34	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.2416E-012	2.0097E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Bromodichloromethane	6.2717E-015	1.0095E-013
RCPTR_34	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.1562E-013	3.4770E-012
RCPTR_34	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	7.0340E-008	7.1126E-007
RCPTR_34	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.0879E-007	1.2550E-007
RCPTR_34	farmer_adult	TOCDFDFS	Cadmium	2.3402E-007	3.1860E-007
RCPTR_34	farmer_adult	TOCDFDFS	Carbon disulfide	8.4752E-016	1.3455E-014
RCPTR_34	farmer_adult	TOCDFDFS	Carbon tetrachloride	3.3832E-015	5.2974E-014
RCPTR_34	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.6849E-010	1.7078E-009
RCPTR_34	farmer_adult	TOCDFDFS	Chloroaniline, p-	5.9313E-012	9.3391E-011
RCPTR_34	farmer_adult	TOCDFDFS	Chlorobenzene	1.0116E-014	1.5530E-013
RCPTR_34	farmer_adult	TOCDFDFS	Chloroethane	9.1496E-017	1.2413E-015
RCPTR_34	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.3033E-015	2.0943E-014
RCPTR_34	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	5.0011E-010	7.3026E-009
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.6052E-011	2.5922E-010
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.5120E-009	9.4980E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Chromium	1.9745E-006	1.9803E-006
RCPTR_34	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.7982E-006	1.8258E-006
RCPTR_34	farmer_adult	TOCDFDFS	Chrysene	1.4062E-005	1.6030E-005
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.7628E-007	2.0308E-007
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.9973E+003	1.9973E+003
RCPTR_34	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1398E-003	1.1559E-003
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.9698E-013	2.5885E-012
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.5945E-013	9.2828E-012
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.2610E-013	6.1163E-012
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.0206E-008	2.4776E-008
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	6.2788E-018	9.8784E-017
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.4458E-016	8.7633E-015
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.7555E-016	1.0886E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	5.9179E-016	9.4155E-015
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.5279E-016	1.5136E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.0130E-010	8.8296E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	5.4346E-015	8.5189E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.1791E-016	9.9023E-015
RCPTR_34	farmer_adult	TOCDFDFS	Diethyl phthalate	3.8325E-008	3.9878E-008
RCPTR_34	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.9047E-012	9.3378E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.1515E-011	1.7687E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	4.3270E-011	1.0008E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	2.9014E-012	3.5349E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.0759E-012	2.7204E-011
RCPTR_34	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.3273E-013	3.7629E-012
RCPTR_34	farmer_adult	TOCDFDFS	Ethylbenzene	1.4638E-014	1.9014E-013
RCPTR_34	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.9705E-009	3.4473E-009
RCPTR_34	farmer_adult	TOCDFDFS	Fluoranthene	1.4167E-007	6.3076E-007
RCPTR_34	farmer_adult	TOCDFDFS	Fluorene	8.3661E-010	1.0999E-008
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.0417E-012	3.1463E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.9443E-012	4.0520E-012
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	9.1869E-012	9.4948E-012
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.4422E-011	2.5122E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.4610E-011	1.5157E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.2079E-011	1.2601E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.6146E-011	1.6944E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.4020E-011	1.4709E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.4397E-011	1.5099E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.1849E-011	1.2429E-011
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.2187E-011	2.3222E-010
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorobenzene	4.1448E-008	4.7008E-007
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.1693E-010	3.0609E-009
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	9.9745E-012	1.4186E-010
RCPTR_34	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.2391E-003	8.2727E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Isophorone	1.6750E-012	2.6909E-011
RCPTR_34	farmer_adult	TOCDFDFS	Lead	1.7798E-006	1.9372E-006
RCPTR_34	farmer_adult	TOCDFDFS	Mercuric chloride	1.0420E-006	1.0752E-006
RCPTR_34	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	5.5698E-017	8.9931E-016
RCPTR_34	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.0762E-018	1.7316E-017
RCPTR_34	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.4906E-015	1.0502E-013
RCPTR_34	farmer_adult	TOCDFDFS	Methyl mercury	1.6372E-008	1.6712E-008
RCPTR_34	farmer_adult	TOCDFDFS	Methylene chloride	3.6314E-014	5.8503E-013
RCPTR_34	farmer_adult	TOCDFDFS	Naphthalene	1.1705E-011	1.7627E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nickel	2.0906E-005	2.2232E-005
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.8814E-011	4.5366E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 3-	6.7264E-012	1.0794E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 4-	8.7449E-012	1.3947E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitrobenzene	2.8135E-012	4.5417E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.2867E-012	2.0679E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.7561E-010	3.5779E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.6270E-012	2.5625E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.6210E-012	2.5187E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.6458E-013	2.2659E-012
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	7.0581E-012	7.3795E-012
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.1246E-012	2.2192E-012
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	4.7321E-011	4.8983E-011
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.2911E-012	4.5538E-012
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6476E-011	1.7455E-011
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.0327E-009	8.7114E-009
RCPTR_34	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.9957E-011	6.8954E-010
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorophenol	6.1667E-008	8.4352E-008
RCPTR_34	farmer_adult	TOCDFDFS	Phenanthrene	2.5232E-012	3.4816E-011
RCPTR_34	farmer_adult	TOCDFDFS	Phenol	2.2712E-012	3.5989E-011
RCPTR_34	farmer_adult	TOCDFDFS	Pronamide	5.3104E-010	6.8996E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Pyrene	1.7267E-007	8.3786E-007
RCPTR_34	farmer_adult	TOCDFDFS	Selenium	7.8222E-007	7.8596E-007
RCPTR_34	farmer_adult	TOCDFDFS	Silver	1.0400E-006	1.1049E-006
RCPTR_34	farmer_adult	TOCDFDFS	Styrene	1.1726E-013	1.8477E-012
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.1428E-011	2.3252E-011
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.0132E-011	1.1352E-011
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.5953E-010	2.8024E-009
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.4076E-011	1.0514E-010
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	4.0378E-015	6.3690E-014
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.7007E-009	2.1358E-008
RCPTR_34	farmer_adult	TOCDFDFS	Thallium (l)	1.3916E-004	1.4506E-004
RCPTR_34	farmer_adult	TOCDFDFS	Toluene	2.0930E-014	3.1379E-013
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.0063E-011	1.2777E-010
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.5839E-015	4.1147E-014
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	2.7842E-014	4.4708E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethylene	4.6028E-015	7.2701E-014
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.0382E-016	9.5547E-015
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.2100E-009	1.2321E-008
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.5157E-010	2.5535E-009
RCPTR_34	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.0351E-013	1.6548E-012
RCPTR_34	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.0861E-012	1.4008E-011
RCPTR_34	farmer_adult	TOCDFDFS	VX	8.8787E-011	9.2320E-011
RCPTR_34	farmer_adult	TOCDFDFS	Vinyl Chloride	7.6523E-019	1.2241E-017
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, m-	9.2823E-013	1.7929E-012
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, o-	8.0198E-013	1.7877E-012
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, p-	8.9798E-013	2.2390E-012
RCPTR_34	farmer_adult	TOCDFLIC	Acenaphthene	1.1329E-010	1.6107E-009
RCPTR_34	farmer_adult	TOCDFLIC	Acetone	4.9771E-012	8.0565E-011
RCPTR_34	farmer_adult	TOCDFLIC	Acetophenone	5.2659E-013	8.4657E-012
RCPTR_34	farmer_adult	TOCDFLIC	Aniline	3.2223E-014	5.1000E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Anthracene	2.0227E-009	2.8426E-008
RCPTR_34	farmer_adult	TOCDFLIC	Antimony	5.1680E-006	5.9978E-006
RCPTR_34	farmer_adult	TOCDFLIC	Arsenic	5.6157E-006	5.8144E-006
RCPTR_34	farmer_adult	TOCDFLIC	Barium	8.6275E-007	9.6515E-007
RCPTR_34	farmer_adult	TOCDFLIC	Benzene	6.8569E-015	1.0766E-013
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.5385E-006	3.5541E-006
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.9379E-005	3.0433E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.5682E-005	1.8317E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.5362E-005	4.6546E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzoic acid	2.4586E-011	2.0554E-010
RCPTR_34	farmer_adult	TOCDFLIC	Benzyl alcohol	1.3717E-010	2.1977E-009
RCPTR_34	farmer_adult	TOCDFLIC	Beryllium	2.9125E-007	3.0804E-007
RCPTR_34	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	7.1506E-013	1.1574E-011
RCPTR_34	farmer_adult	TOCDFLIC	Bromodichloromethane	4.1998E-016	6.7597E-015
RCPTR_34	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	4.0303E-013	6.4991E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	4.0503E-008	4.0961E-007
RCPTR_34	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.6683E-008	1.9268E-008
RCPTR_34	farmer_adult	TOCDFLIC	Cadmium	6.9333E-008	9.4375E-008
RCPTR_34	farmer_adult	TOCDFLIC	Carbon disulfide	2.8230E-017	4.4817E-016
RCPTR_34	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.2656E-016	3.5474E-015
RCPTR_34	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.5487E-010	9.8377E-010
RCPTR_34	farmer_adult	TOCDFLIC	Chloroaniline, p-	3.4160E-012	5.3785E-011
RCPTR_34	farmer_adult	TOCDFLIC	Chlorobenzene	1.3525E-015	2.0762E-014
RCPTR_34	farmer_adult	TOCDFLIC	Chloroethane	4.5235E-017	6.1344E-016
RCPTR_34	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.7425E-016	2.7999E-015
RCPTR_34	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.8803E-010	4.2056E-009
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenol, 2-	9.2447E-012	1.4929E-010
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	8.7008E-010	5.4693E-009
RCPTR_34	farmer_adult	TOCDFLIC	Chromium	4.4131E-006	4.4260E-006
RCPTR_34	farmer_adult	TOCDFLIC	Chromium, hexavalent	4.0193E-006	4.0808E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Chrysene	8.0901E-006	9.2214E-006
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	6.5542E-008	7.5497E-008
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.5312E+001	3.5312E+001
RCPTR_34	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.5284E-004	6.6182E-004
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.1805E-013	6.8071E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	5.8434E-013	8.2247E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	5.5149E-013	7.9156E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.9649E-008	2.4105E-008
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.1021E-018	4.8816E-017
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	7.2809E-017	1.1716E-015
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.4724E-016	1.5265E-014
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	2.9246E-016	4.6530E-015
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.7087E-016	7.4798E-015
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.5911E-010	6.9688E-010
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	2.5609E-016	4.0141E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.2609E-017	1.3239E-015
RCPTR_34	farmer_adult	TOCDFLIC	Diethyl phthalate	4.2911E-009	4.4646E-009
RCPTR_34	farmer_adult	TOCDFLIC	Dimethyl phthalate	8.1351E-012	1.1007E-010
RCPTR_34	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	6.6324E-012	1.0186E-010
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	5.0420E-012	1.1651E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	7.7036E-012	9.4016E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	5.5197E-012	7.2363E-011
RCPTR_34	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.3403E-013	2.1671E-012
RCPTR_34	farmer_adult	TOCDFLIC	Ethylbenzene	8.6074E-015	1.1180E-013
RCPTR_34	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.9550E-009	6.9205E-009
RCPTR_34	farmer_adult	TOCDFLIC	Fluoranthene	8.1530E-008	3.6318E-007
RCPTR_34	farmer_adult	TOCDFLIC	Fluorene	4.8176E-010	6.3342E-009
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.6992E-011	1.7570E-011
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.9048E-011	6.0636E-011
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.3692E-010	1.4145E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.4313E-010	1.4718E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	8.5114E-011	8.8267E-011
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	7.0049E-011	7.3059E-011
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	9.5692E-011	1.0040E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	8.3125E-011	8.7196E-011
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	8.5423E-011	8.9575E-011
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	7.0284E-011	7.3713E-011
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.2761E-011	1.3372E-010
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.3866E-008	2.7072E-007
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	3.6806E-011	3.5605E-010
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.7462E-012	8.1700E-011
RCPTR_34	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7447E-003	4.7634E-003
RCPTR_34	farmer_adult	TOCDFLIC	Isophorone	9.6468E-013	1.5497E-011
RCPTR_34	farmer_adult	TOCDFLIC	Lead	9.0157E-007	9.8123E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Mercuric chloride	4.2748E-008	4.4119E-008
RCPTR_34	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	5.2418E-017	8.4636E-016
RCPTR_34	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.0533E-018	4.9128E-017
RCPTR_34	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.5747E-014	9.0201E-013
RCPTR_34	farmer_adult	TOCDFLIC	Methyl mercury	6.6468E-010	6.7871E-010
RCPTR_34	farmer_adult	TOCDFLIC	Methylene chloride	7.5686E-013	1.2193E-011
RCPTR_34	farmer_adult	TOCDFLIC	Naphthalene	2.5501E-012	3.8403E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nickel	1.0153E-005	1.0797E-005
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.6792E-011	2.6438E-010
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 3-	3.9199E-012	6.2904E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.0172E-012	1.6227E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrobenzene	1.6203E-012	2.6156E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.7117E-012	5.9653E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.0478E-011	4.1674E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.3707E-013	1.4757E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	9.3367E-013	1.4506E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	9.4366E-014	1.3045E-012
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.4798E-011	2.5921E-011
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.4613E-011	2.5703E-011
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.1956E-010	3.3070E-010
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.6238E-011	4.9065E-011
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.7693E-010	1.8743E-010
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorobenzene	5.9620E-010	5.0712E-009
RCPTR_34	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.1900E-011	4.0133E-010
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorophenol	3.5601E-008	4.8666E-008
RCPTR_34	farmer_adult	TOCDFLIC	Phenanthrene	1.4531E-012	2.0051E-011
RCPTR_34	farmer_adult	TOCDFLIC	Phenol	1.3081E-012	2.0726E-011
RCPTR_34	farmer_adult	TOCDFLIC	Pronamide	1.5296E-010	1.9868E-009
RCPTR_34	farmer_adult	TOCDFLIC	Pyrene	9.9439E-008	4.8251E-007
RCPTR_34	farmer_adult	TOCDFLIC	Selenium	6.3467E-006	6.3770E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Silver	1.6876E-005	1.7928E-005
RCPTR_34	farmer_adult	TOCDFLIC	Styrene	6.4559E-015	1.0172E-013
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	4.1056E-011	4.4552E-011
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0907E-011	1.2222E-011
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.4954E-010	1.6140E-009
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.6440E-012	7.0548E-012
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.7034E-016	4.2649E-015
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.4971E-009	1.2456E-008
RCPTR_34	farmer_adult	TOCDFLIC	Thallium (l)	2.2488E-005	2.3441E-005
RCPTR_34	farmer_adult	TOCDFLIC	Toluene	8.5436E-012	1.2808E-010
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.8642E-012	6.1591E-011
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.5603E-014	4.0770E-013
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.3759E-014	2.2094E-013
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethylene	2.2746E-015	3.5928E-014
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.9840E-016	4.7217E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	6.9750E-010	7.0963E-009
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.6050E-010	1.4710E-009
RCPTR_34	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	5.1155E-014	8.1778E-013
RCPTR_34	farmer_adult	TOCDFLIC	VX	3.1910E-011	3.3177E-011
RCPTR_34	farmer_adult	TOCDFLIC	Vinyl Chloride	6.7294E-020	1.0767E-018
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, m-	3.0499E-013	5.9693E-013
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, o-	1.6773E-013	3.7948E-013
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, p-	2.9536E-013	7.4811E-013
RCPTR_34	farmer_adult	TOCDFLIC	Zinc	1.2362E-006	1.5271E-006
RCPTR_34	farmer_adult	TOCDFMPF	Acenaphthene	2.0768E-011	2.9528E-010
RCPTR_34	farmer_adult	TOCDFMPF	Acetone	2.1194E-016	3.4308E-015
RCPTR_34	farmer_adult	TOCDFMPF	Acetophenone	2.2461E-012	3.6110E-011
RCPTR_34	farmer_adult	TOCDFMPF	Aniline	1.3744E-013	2.1754E-012
RCPTR_34	farmer_adult	TOCDFMPF	Anthracene	2.1294E-010	2.9925E-009
RCPTR_34	farmer_adult	TOCDFMPF	Arsenic	2.7255E-007	2.8219E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Barium	9.6561E-008	1.0802E-007
RCPTR_34	farmer_adult	TOCDFMPF	Benzene	1.2056E-015	1.8930E-014
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.3499E-007	3.2900E-007
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.0128E-006	5.1927E-006
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.2770E-006	2.6597E-006
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	6.7518E-006	6.9281E-006
RCPTR_34	farmer_adult	TOCDFMPF	Benzoic acid	4.7217E-012	3.9477E-011
RCPTR_34	farmer_adult	TOCDFMPF	Benzyl alcohol	1.0876E-012	1.7426E-011
RCPTR_34	farmer_adult	TOCDFMPF	Beryllium	3.6658E-008	3.8771E-008
RCPTR_34	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.0436E-013	4.9263E-012
RCPTR_34	farmer_adult	TOCDFMPF	Bromodichloromethane	6.2037E-015	9.9851E-014
RCPTR_34	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.1328E-013	3.4393E-012
RCPTR_34	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.3194E-008	2.3457E-007
RCPTR_34	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.2110E-009	2.5535E-009
RCPTR_34	farmer_adult	TOCDFMPF	Cadmium	2.2086E-007	3.0063E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Carbon disulfide	4.1700E-016	6.6202E-015
RCPTR_34	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.3466E-015	5.2400E-014
RCPTR_34	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	6.6334E-011	4.2140E-010
RCPTR_34	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.0076E-012	1.5864E-011
RCPTR_34	farmer_adult	TOCDFMPF	Chlorobenzene	1.9979E-014	3.0669E-013
RCPTR_34	farmer_adult	TOCDFMPF	Chloroethane	6.3710E-017	8.6399E-016
RCPTR_34	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.5739E-015	4.1359E-014
RCPTR_34	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.0711E-011	7.4046E-010
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.4063E-012	5.5006E-011
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.6926E-010	1.6926E-009
RCPTR_34	farmer_adult	TOCDFMPF	Chromium	4.7975E-006	4.8115E-006
RCPTR_34	farmer_adult	TOCDFMPF	Chromium, hexavalent	4.3695E-006	4.4363E-006
RCPTR_34	farmer_adult	TOCDFMPF	Chrysene	8.3695E-007	9.5401E-007
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	7.6723E-008	8.8378E-008
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.1784E+001	3.1784E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.7303E-004	1.7542E-004
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.8054E-013	2.3722E-012
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.8985E-013	2.6722E-012
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.7818E-013	2.5574E-012
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	5.8847E-009	7.2194E-009
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.3692E-018	6.8756E-017
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.0755E-015	1.7307E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3341E-015	2.1499E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	4.1191E-016	6.5535E-015
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	6.6319E-016	1.0535E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	6.2371E-011	2.7321E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.7828E-015	5.9294E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.2203E-015	1.9556E-014
RCPTR_34	farmer_adult	TOCDFMPF	Diethyl phthalate	9.1781E-009	9.5492E-009
RCPTR_34	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.7006E-013	6.3601E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.6183E-012	4.0212E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	9.6995E-012	2.2415E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.0627E-011	1.2969E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	6.9129E-012	9.0629E-011
RCPTR_34	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	5.7170E-013	9.2436E-012
RCPTR_34	farmer_adult	TOCDFMPF	Ethylbenzene	1.4480E-014	1.8808E-013
RCPTR_34	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0310E-009	1.1981E-009
RCPTR_34	farmer_adult	TOCDFMPF	Fluoranthene	6.3483E-009	2.8280E-008
RCPTR_34	farmer_adult	TOCDFMPF	Fluorene	7.3452E-011	9.6575E-010
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.8694E-012	1.9330E-012
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	9.8853E-012	1.0151E-011
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.0493E-012	9.3492E-012
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.4896E-011	2.5600E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.4807E-011	1.5356E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2013E-011	1.2529E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.5873E-011	2.7148E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	8.8339E-011	9.2667E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	7.4420E-011	7.8038E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.9735E-012	9.4114E-012
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.1685E-012	7.5119E-011
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.1891E-008	1.3488E-007
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.5621E-011	2.4784E-010
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.0467E-012	5.7537E-011
RCPTR_34	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0334E-003	1.0375E-003
RCPTR_34	farmer_adult	TOCDFMPF	Isophorone	1.7247E-013	2.7707E-012
RCPTR_34	farmer_adult	TOCDFMPF	Lead	1.4243E-006	1.5501E-006
RCPTR_34	farmer_adult	TOCDFMPF	Mercuric chloride	4.6076E-008	4.7553E-008
RCPTR_34	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.8767E-017	6.2595E-016
RCPTR_34	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.2581E-018	3.6334E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.3784E-016	1.5175E-014
RCPTR_34	farmer_adult	TOCDFMPF	Methyl mercury	7.1663E-010	7.3175E-010
RCPTR_34	farmer_adult	TOCDFMPF	Methylene chloride	2.4703E-016	3.9798E-015
RCPTR_34	farmer_adult	TOCDFMPF	Naphthalene	2.1510E-012	3.2394E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nickel	5.3284E-006	5.6663E-006
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.0840E-012	3.2812E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 3-	3.9417E-013	6.3253E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 4-	4.5418E-013	7.2455E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitrobenzene	5.5438E-013	8.9491E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 2-	4.4854E-013	7.2088E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.8303E-011	3.7250E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.9970E-012	6.2947E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.1099E-013	3.2779E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	6.1413E-014	8.4888E-013
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.9045E-012	1.9908E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.8749E-013	1.9580E-013
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.2774E-011	5.4615E-011
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.1414E-011	3.3334E-011
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.1674E-011	2.2961E-011
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorobenzene	5.0782E-010	4.3184E-009
RCPTR_34	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.2104E-011	1.7088E-010
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorophenol	2.1224E-008	2.9014E-008
RCPTR_34	farmer_adult	TOCDFMPF	Phenanthrene	1.5297E-013	2.1109E-012
RCPTR_34	farmer_adult	TOCDFMPF	Phenol	4.2855E-013	6.7904E-012
RCPTR_34	farmer_adult	TOCDFMPF	Pronamide	6.5241E-010	8.4746E-009
RCPTR_34	farmer_adult	TOCDFMPF	Pyrene	7.3005E-009	3.5426E-008
RCPTR_34	farmer_adult	TOCDFMPF	Selenium	2.0020E-006	2.0115E-006
RCPTR_34	farmer_adult	TOCDFMPF	Silver	5.3322E-007	5.6646E-007
RCPTR_34	farmer_adult	TOCDFMPF	Styrene	9.8568E-014	1.5531E-012
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7831E-011	1.9350E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.3501E-012	8.2363E-012
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	6.3781E-010	6.8845E-009
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.1920E-014	6.6490E-013
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.9934E-015	6.2999E-014
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.9145E-009	5.3032E-009
RCPTR_34	farmer_adult	TOCDFMPF	Thallium (l)	3.6166E-005	3.7700E-005
RCPTR_34	farmer_adult	TOCDFMPF	Toluene	5.5307E-015	8.2915E-014
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.6421E-012	2.0794E-011
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.5559E-015	4.0701E-014
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.9379E-014	3.1118E-013
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethylene	3.2037E-015	5.0602E-014
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.2028E-016	6.6503E-015
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	3.1269E-010	3.1814E-009
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1867E-010	6.7015E-010
RCPTR_34	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	7.2049E-014	1.1518E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	VX	4.4149E-011	4.5902E-011
RCPTR_34	farmer_adult	TOCDFMPF	Vinyl Chloride	1.0275E-018	1.6439E-017
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, m-	2.4112E-013	4.7174E-013
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, o-	2.0842E-013	4.7133E-013
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, p-	2.3350E-013	5.9116E-013
RCPTR_34	farmer_adult	TOCDHVAC	VX	1.7610E-011	1.8333E-011
RCPTR_34	farmer_adult	TOCDLIC2	Acenaphthene	1.1329E-010	1.6107E-009
RCPTR_34	farmer_adult	TOCDLIC2	Acetone	4.9771E-012	8.0565E-011
RCPTR_34	farmer_adult	TOCDLIC2	Acetophenone	5.2659E-013	8.4657E-012
RCPTR_34	farmer_adult	TOCDLIC2	Aniline	3.2223E-014	5.1000E-013
RCPTR_34	farmer_adult	TOCDLIC2	Anthracene	2.0227E-009	2.8426E-008
RCPTR_34	farmer_adult	TOCDLIC2	Antimony	5.1680E-006	5.9978E-006
RCPTR_34	farmer_adult	TOCDLIC2	Arsenic	5.6157E-006	5.8144E-006
RCPTR_34	farmer_adult	TOCDLIC2	Barium	8.6275E-007	9.6515E-007
RCPTR_34	farmer_adult	TOCDLIC2	Benzene	6.8569E-015	1.0766E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.5385E-006	3.5541E-006
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.9379E-005	3.0433E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.5682E-005	1.8317E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.5362E-005	4.6546E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzoic acid	2.4586E-011	2.0554E-010
RCPTR_34	farmer_adult	TOCDLIC2	Benzyl alcohol	1.3717E-010	2.1977E-009
RCPTR_34	farmer_adult	TOCDLIC2	Beryllium	2.9125E-007	3.0804E-007
RCPTR_34	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	7.1506E-013	1.1574E-011
RCPTR_34	farmer_adult	TOCDLIC2	Bromodichloromethane	4.1998E-016	6.7597E-015
RCPTR_34	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	4.0303E-013	6.4991E-012
RCPTR_34	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.0503E-008	4.0961E-007
RCPTR_34	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.6683E-008	1.9268E-008
RCPTR_34	farmer_adult	TOCDLIC2	Cadmium	6.9333E-008	9.4375E-008
RCPTR_34	farmer_adult	TOCDLIC2	Carbon disulfide	2.8230E-017	4.4817E-016
RCPTR_34	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.2656E-016	3.5474E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Chlorine	6.1925E-007	1.0028E-005
RCPTR_34	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.5487E-010	9.8377E-010
RCPTR_34	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.4160E-012	5.3785E-011
RCPTR_34	farmer_adult	TOCDLIC2	Chlorobenzene	1.3525E-015	2.0762E-014
RCPTR_34	farmer_adult	TOCDLIC2	Chloroethane	4.5235E-017	6.1344E-016
RCPTR_34	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.7425E-016	2.7999E-015
RCPTR_34	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.8803E-010	4.2056E-009
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenol, 2-	9.2447E-012	1.4929E-010
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	8.7008E-010	5.4693E-009
RCPTR_34	farmer_adult	TOCDLIC2	Chromium	4.4131E-006	4.4260E-006
RCPTR_34	farmer_adult	TOCDLIC2	Chromium, hexavalent	4.0193E-006	4.0808E-006
RCPTR_34	farmer_adult	TOCDLIC2	Chrysene	8.0901E-006	9.2214E-006
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	6.5542E-008	7.5497E-008
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-octylphthalate	3.5312E+001	3.5312E+001
RCPTR_34	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.5284E-004	6.6182E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.1805E-013	6.8071E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	5.8434E-013	8.2247E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	5.5149E-013	7.9156E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.9649E-008	2.4105E-008
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.1021E-018	4.8816E-017
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	7.0441E-017	1.1335E-015
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.4724E-016	1.5265E-014
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.9246E-016	4.6530E-015
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.7087E-016	7.4798E-015
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.5911E-010	6.9688E-010
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.5609E-016	4.0141E-015
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.2609E-017	1.3239E-015
RCPTR_34	farmer_adult	TOCDLIC2	Diethyl phthalate	4.2911E-009	4.4646E-009
RCPTR_34	farmer_adult	TOCDLIC2	Dimethyl phthalate	8.1351E-012	1.1007E-010
RCPTR_34	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	6.6324E-012	1.0186E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	5.0420E-012	1.1651E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	7.7036E-012	9.4016E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.5197E-012	7.2363E-011
RCPTR_34	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.3403E-013	2.1671E-012
RCPTR_34	farmer_adult	TOCDLIC2	Ethylbenzene	8.6074E-015	1.1180E-013
RCPTR_34	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.9550E-009	6.9205E-009
RCPTR_34	farmer_adult	TOCDLIC2	Fluoranthene	8.1530E-008	3.6318E-007
RCPTR_34	farmer_adult	TOCDLIC2	Fluorene	4.8176E-010	6.3342E-009
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.6992E-011	1.7570E-011
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.0377E-010	2.0926E-010
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.7250E-010	4.8815E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4313E-010	1.4718E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.5114E-011	8.8267E-011
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.0049E-011	7.3059E-011
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.5692E-011	1.0040E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	8.3125E-011	8.7196E-011
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	8.5423E-011	8.9575E-011
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.0284E-011	7.3713E-011
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2761E-011	1.3372E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.3866E-008	2.7072E-007
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.6806E-011	3.5605E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.7462E-012	8.1700E-011
RCPTR_34	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7447E-003	4.7634E-003
RCPTR_34	farmer_adult	TOCDLIC2	Isophorone	9.6468E-013	1.5497E-011
RCPTR_34	farmer_adult	TOCDLIC2	Lead	9.0157E-007	9.8123E-007
RCPTR_34	farmer_adult	TOCDLIC2	Mercuric chloride	4.2748E-008	4.4119E-008
RCPTR_34	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	5.2418E-017	8.4636E-016
RCPTR_34	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.5287E-019	2.4598E-018
RCPTR_34	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.5747E-014	9.0201E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Methyl mercury	6.6468E-010	6.7871E-010
RCPTR_34	farmer_adult	TOCDLIC2	Methylene chloride	7.5686E-013	1.2193E-011
RCPTR_34	farmer_adult	TOCDLIC2	Naphthalene	2.5501E-012	3.8403E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nickel	1.0153E-005	1.0797E-005
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.6792E-011	2.6438E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.9199E-012	6.2904E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.0951E-012	8.1282E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrobenzene	1.6203E-012	2.6156E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 2-	7.4099E-013	1.1909E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.0258E-010	2.0875E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.3707E-013	1.4757E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	9.3367E-013	1.4506E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	9.4366E-014	1.3045E-012
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.4798E-011	2.5921E-011
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.4613E-011	2.5703E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.1956E-010	3.3070E-010
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.6238E-011	4.9065E-011
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.7693E-010	1.8743E-010
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.1902E-010	1.0124E-009
RCPTR_34	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.1900E-011	4.0133E-010
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorophenol	1.7833E-007	2.4377E-007
RCPTR_34	farmer_adult	TOCDLIC2	Phenanthrene	1.4531E-012	2.0051E-011
RCPTR_34	farmer_adult	TOCDLIC2	Phenol	1.3081E-012	2.0726E-011
RCPTR_34	farmer_adult	TOCDLIC2	Pronamide	1.5296E-010	1.9868E-009
RCPTR_34	farmer_adult	TOCDLIC2	Pyrene	9.9439E-008	4.8251E-007
RCPTR_34	farmer_adult	TOCDLIC2	Selenium	6.3467E-006	6.3770E-006
RCPTR_34	farmer_adult	TOCDLIC2	Silver	1.6876E-005	1.7928E-005
RCPTR_34	farmer_adult	TOCDLIC2	Styrene	6.4559E-015	1.0172E-013
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	4.1056E-011	4.4552E-011
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.0907E-011	1.2222E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.4954E-010	1.6140E-009
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	5.6440E-012	7.0548E-012
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.7034E-016	4.2649E-015
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.4971E-009	1.2456E-008
RCPTR_34	farmer_adult	TOCDLIC2	Thallium (l)	2.2488E-005	2.3441E-005
RCPTR_34	farmer_adult	TOCDLIC2	Toluene	8.5436E-012	1.2808E-010
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.8642E-012	6.1591E-011
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.5603E-014	4.0770E-013
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.3759E-014	2.2094E-013
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethylene	2.2746E-015	3.5928E-014
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.9840E-016	4.7217E-015
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.9750E-010	7.0963E-009
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.6050E-010	1.4710E-009
RCPTR_34	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.1155E-014	8.1778E-013
RCPTR_34	farmer_adult	TOCDLIC2	VX	3.3174E-011	3.4491E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Vinyl Chloride	6.7294E-020	1.0767E-018
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, m-	3.0499E-013	5.9693E-013
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, o-	1.6773E-013	3.7948E-013
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, p-	2.9536E-013	7.4811E-013
RCPTR_34	farmer_adult	TOCDLIC2	Zinc	1.2362E-006	1.5271E-006
RCPTR_34	farmer_child	TOCDFBRA	Antimony	1.8982E-006	2.0713E-006
RCPTR_34	farmer_child	TOCDFBRA	Arsenic	3.0696E-006	3.1366E-006
RCPTR_34	farmer_child	TOCDFBRA	Barium	2.5921E-007	2.7715E-007
RCPTR_34	farmer_child	TOCDFBRA	Beryllium	8.2499E-007	8.4503E-007
RCPTR_34	farmer_child	TOCDFBRA	Cadmium	1.5582E-007	1.8275E-007
RCPTR_34	farmer_child	TOCDFBRA	Chromium	1.9475E-006	1.9857E-006
RCPTR_34	farmer_child	TOCDFBRA	Chromium, hexavalent	1.8125E-006	1.8299E-006
RCPTR_34	farmer_child	TOCDFBRA	Lead	8.5052E-006	8.8288E-006
RCPTR_34	farmer_child	TOCDFBRA	Mercuric chloride	7.0445E-004	8.1307E-004
RCPTR_34	farmer_child	TOCDFBRA	Methyl mercury	1.3363E-005	1.3702E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFBRA	Nickel	1.0142E-005	1.0500E-005
RCPTR_34	farmer_child	TOCDFBRA	Selenium	3.4290E-006	3.4393E-006
RCPTR_34	farmer_child	TOCDFBRA	Silver	1.1644E-006	1.2092E-006
RCPTR_34	farmer_child	TOCDFBRA	Thallium (l)	3.1407E-005	3.2142E-005
RCPTR_34	farmer_child	TOCDFBRA	Zinc	5.5930E-006	6.2828E-006
RCPTR_34	farmer_child	TOCDFDFS	Acenaphthene	1.1664E-009	2.7968E-009
RCPTR_34	farmer_child	TOCDFDFS	Acetone	2.3311E-013	5.6624E-013
RCPTR_34	farmer_child	TOCDFDFS	Acetophenone	6.0556E-012	1.4700E-011
RCPTR_34	farmer_child	TOCDFDFS	Aniline	3.6535E-013	8.8556E-013
RCPTR_34	farmer_child	TOCDFDFS	Anthracene	2.0613E-008	4.9359E-008
RCPTR_34	farmer_child	TOCDFDFS	Antimony	3.7166E-007	4.0535E-007
RCPTR_34	farmer_child	TOCDFDFS	Aroclor 1254	2.5880E-010	3.5828E-010
RCPTR_34	farmer_child	TOCDFDFS	Arsenic	7.0142E-007	7.1663E-007
RCPTR_34	farmer_child	TOCDFDFS	Barium	3.3795E-006	3.6120E-006
RCPTR_34	farmer_child	TOCDFDFS	Benzene	1.9583E-014	4.7429E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)anthracene	5.3123E-006	6.1835E-006
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)pyrene	5.2148E-005	5.3107E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.9553E-005	3.1851E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	8.0336E-005	8.1172E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzoic acid	1.0336E-010	2.3079E-010
RCPTR_34	farmer_child	TOCDFDFS	Benzyl alcohol	1.2829E-011	3.1132E-011
RCPTR_34	farmer_child	TOCDFDFS	Beryllium	1.5844E-007	1.6227E-007
RCPTR_34	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	8.2735E-012	2.0097E-011
RCPTR_34	farmer_child	TOCDFDFS	Bromodichloromethane	4.1580E-014	1.0095E-013
RCPTR_34	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.4319E-012	3.4770E-012
RCPTR_34	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.9449E-007	7.1126E-007
RCPTR_34	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.1502E-007	1.2550E-007
RCPTR_34	farmer_child	TOCDFDFS	Cadmium	2.7187E-007	3.1860E-007
RCPTR_34	farmer_child	TOCDFDFS	Carbon disulfide	5.5495E-015	1.3455E-014
RCPTR_34	farmer_child	TOCDFDFS	Carbon tetrachloride	2.1878E-014	5.2974E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	8.0527E-010	1.7078E-009
RCPTR_34	farmer_child	TOCDFDFS	Chloroaniline, p-	3.8549E-011	9.3391E-011
RCPTR_34	farmer_child	TOCDFDFS	Chlorobenzene	6.4260E-014	1.5530E-013
RCPTR_34	farmer_child	TOCDFDFS	Chloroethane	5.2030E-016	1.2413E-015
RCPTR_34	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	8.6277E-015	2.0943E-014
RCPTR_34	farmer_child	TOCDFDFS	Chloronaphthalene,2-	3.0371E-009	7.3026E-009
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.0674E-010	2.5922E-010
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.4903E-009	9.4980E-009
RCPTR_34	farmer_child	TOCDFDFS	Chromium	1.9424E-006	1.9803E-006
RCPTR_34	farmer_child	TOCDFDFS	Chromium, hexavalent	1.8085E-006	1.8258E-006
RCPTR_34	farmer_child	TOCDFDFS	Chrysene	1.5145E-005	1.6030E-005
RCPTR_34	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.8627E-007	2.0308E-007
RCPTR_34	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.9973E+003	1.9973E+003
RCPTR_34	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1487E-003	1.1559E-003
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.0889E-012	2.5885E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.8755E-012	9.2828E-012
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.5482E-012	6.1163E-012
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.1910E-008	2.4776E-008
RCPTR_34	farmer_child	TOCDFDFS	Dichlorodifluoromethane	4.0778E-017	9.8784E-017
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.6097E-015	8.7633E-015
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4836E-015	1.0886E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	3.8825E-015	9.4155E-015
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.2423E-015	1.5136E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	4.5552E-010	8.8296E-010
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	3.5179E-014	8.5189E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.0805E-015	9.9023E-015
RCPTR_34	farmer_child	TOCDFDFS	Diethyl phthalate	3.8904E-008	3.9878E-008
RCPTR_34	farmer_child	TOCDFDFS	Dimethyl phthalate	3.9155E-011	9.3378E-011
RCPTR_34	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	7.3182E-011	1.7687E-010
RCPTR_34	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	6.4455E-011	1.0008E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.5003E-011	3.5349E-011
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.1448E-011	2.7204E-011
RCPTR_34	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.5493E-012	3.7629E-012
RCPTR_34	farmer_child	TOCDFDFS	Ethylbenzene	8.0090E-014	1.9014E-013
RCPTR_34	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.1483E-009	3.4473E-009
RCPTR_34	farmer_child	TOCDFDFS	Fluoranthene	3.5020E-007	6.3076E-007
RCPTR_34	farmer_child	TOCDFDFS	Fluorene	4.6265E-009	1.0999E-008
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.1024E-012	3.1463E-012
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.0068E-012	4.0520E-012
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	9.3656E-012	9.4948E-012
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.4828E-011	2.5122E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.4928E-011	1.5157E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.2382E-011	1.2601E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.6609E-011	1.6944E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.4420E-011	1.4709E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.4804E-011	1.5099E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.2186E-011	1.2429E-011
RCPTR_34	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0052E-010	2.3222E-010
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorobenzene	2.0210E-007	4.7008E-007
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.3403E-009	3.0609E-009
RCPTR_34	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.9161E-011	1.4186E-010
RCPTR_34	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.2566E-003	8.2727E-003
RCPTR_34	farmer_child	TOCDFDFS	Isophorone	1.1086E-011	2.6909E-011
RCPTR_34	farmer_child	TOCDFDFS	Lead	1.8665E-006	1.9372E-006
RCPTR_34	farmer_child	TOCDFDFS	Mercuric chloride	9.2411E-007	1.0752E-006
RCPTR_34	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.7032E-016	8.9931E-016
RCPTR_34	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	7.1327E-018	1.7316E-017
RCPTR_34	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.3237E-014	1.0502E-013
RCPTR_34	farmer_child	TOCDFDFS	Methyl mercury	1.6241E-008	1.6712E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Methylene chloride	2.4096E-013	5.8503E-013
RCPTR_34	farmer_child	TOCDFDFS	Naphthalene	7.3079E-011	1.7627E-010
RCPTR_34	farmer_child	TOCDFDFS	Nickel	2.1479E-005	2.2232E-005
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.8726E-010	4.5366E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 3-	4.4473E-011	1.0794E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 4-	5.7500E-011	1.3947E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitrobenzene	1.8702E-011	4.5417E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 2-	8.5188E-012	2.0679E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.4355E-010	3.5779E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0577E-011	2.5625E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.0410E-011	2.5187E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	9.4826E-013	2.2659E-012
RCPTR_34	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	7.2446E-012	7.3795E-012
RCPTR_34	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.1794E-012	2.2192E-012
RCPTR_34	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	4.8289E-011	4.8983E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.4441E-012	4.5538E-012
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7045E-011	1.7455E-011
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorobenzene	3.8965E-009	8.7114E-009
RCPTR_34	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.1357E-010	6.8954E-010
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorophenol	7.0127E-008	8.4352E-008
RCPTR_34	farmer_child	TOCDFDFS	Phenanthrene	1.4567E-011	3.4816E-011
RCPTR_34	farmer_child	TOCDFDFS	Phenol	1.4846E-011	3.5989E-011
RCPTR_34	farmer_child	TOCDFDFS	Pronamide	2.9062E-009	6.8996E-009
RCPTR_34	farmer_child	TOCDFDFS	Pyrene	5.3818E-007	8.3786E-007
RCPTR_34	farmer_child	TOCDFDFS	Selenium	7.8362E-007	7.8596E-007
RCPTR_34	farmer_child	TOCDFDFS	Silver	1.0642E-006	1.1049E-006
RCPTR_34	farmer_child	TOCDFDFS	Styrene	7.6262E-013	1.8477E-012
RCPTR_34	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.2493E-011	2.3252E-011
RCPTR_34	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.0845E-011	1.1352E-011
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2079E-009	2.8024E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	9.1934E-011	1.0514E-010
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.6285E-014	6.3690E-014
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.2794E-008	2.1358E-008
RCPTR_34	farmer_child	TOCDFDFS	Thallium (l)	1.4176E-004	1.4506E-004
RCPTR_34	farmer_child	TOCDFDFS	Toluene	1.3015E-013	3.1379E-013
RCPTR_34	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	5.3962E-011	1.2777E-010
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.6966E-014	4.1147E-014
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.8420E-013	4.4708E-013
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethylene	3.0000E-014	7.2701E-014
RCPTR_34	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.9420E-015	9.5547E-015
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	5.3537E-009	1.2321E-008
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.2355E-009	2.5535E-009
RCPTR_34	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	6.8207E-013	1.6548E-012
RCPTR_34	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.9052E-012	1.4008E-011
RCPTR_34	farmer_child	TOCDFDFS	VX	9.0104E-011	9.2320E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Vinyl Chloride	5.0452E-018	1.2241E-017
RCPTR_34	farmer_child	TOCDFDFS	Xylene, m-	1.2507E-012	1.7929E-012
RCPTR_34	farmer_child	TOCDFDFS	Xylene, o-	1.1696E-012	1.7877E-012
RCPTR_34	farmer_child	TOCDFDFS	Xylene, p-	1.3981E-012	2.2390E-012
RCPTR_34	farmer_child	TOCDFLIC	Acenaphthene	6.7174E-010	1.6107E-009
RCPTR_34	farmer_child	TOCDFLIC	Acetone	3.3167E-011	8.0565E-011
RCPTR_34	farmer_child	TOCDFLIC	Acetophenone	3.4874E-012	8.4657E-012
RCPTR_34	farmer_child	TOCDFLIC	Aniline	2.1041E-013	5.1000E-013
RCPTR_34	farmer_child	TOCDFLIC	Anthracene	1.1870E-008	2.8426E-008
RCPTR_34	farmer_child	TOCDFLIC	Antimony	5.4995E-006	5.9978E-006
RCPTR_34	farmer_child	TOCDFLIC	Arsenic	5.6911E-006	5.8144E-006
RCPTR_34	farmer_child	TOCDFLIC	Barium	9.0306E-007	9.6515E-007
RCPTR_34	farmer_child	TOCDFLIC	Benzene	4.4451E-014	1.0766E-013
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.0528E-006	3.5541E-006
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.9887E-005	3.0433E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.6995E-005	1.8317E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.6072E-005	4.6546E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzoic acid	9.2074E-011	2.0554E-010
RCPTR_34	farmer_child	TOCDFLIC	Benzyl alcohol	9.0565E-010	2.1977E-009
RCPTR_34	farmer_child	TOCDFLIC	Beryllium	3.0078E-007	3.0804E-007
RCPTR_34	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	4.7648E-012	1.1574E-011
RCPTR_34	farmer_child	TOCDFLIC	Bromodichloromethane	2.7843E-015	6.7597E-015
RCPTR_34	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.6765E-012	6.4991E-012
RCPTR_34	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.2718E-007	4.0961E-007
RCPTR_34	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.7647E-008	1.9268E-008
RCPTR_34	farmer_child	TOCDFLIC	Cadmium	8.0537E-008	9.4375E-008
RCPTR_34	farmer_child	TOCDFLIC	Carbon disulfide	1.8485E-016	4.4817E-016
RCPTR_34	farmer_child	TOCDFLIC	Carbon tetrachloride	1.4650E-015	3.5474E-015
RCPTR_34	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	4.6401E-010	9.8377E-010
RCPTR_34	farmer_child	TOCDFLIC	Chloroaniline, p-	2.2201E-011	5.3785E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Chlorobenzene	8.5913E-015	2.0762E-014
RCPTR_34	farmer_child	TOCDFLIC	Chloroethane	2.5714E-016	6.1344E-016
RCPTR_34	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.1535E-015	2.7999E-015
RCPTR_34	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.7491E-009	4.2056E-009
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenol, 2-	6.1472E-011	1.4929E-010
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.5853E-009	5.4693E-009
RCPTR_34	farmer_child	TOCDFLIC	Chromium	4.3414E-006	4.4260E-006
RCPTR_34	farmer_child	TOCDFLIC	Chromium, hexavalent	4.0423E-006	4.0808E-006
RCPTR_34	farmer_child	TOCDFLIC	Chrysene	8.7127E-006	9.2214E-006
RCPTR_34	farmer_child	TOCDFLIC	Di-n-butyl phthalate	6.9254E-008	7.5497E-008
RCPTR_34	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.5312E+001	3.5312E+001
RCPTR_34	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.5778E-004	6.6182E-004
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.8635E-012	6.8071E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	3.4338E-012	8.2247E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	3.2979E-012	7.9156E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.1311E-008	2.4105E-008
RCPTR_34	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.0151E-017	4.8816E-017
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane 1,1-	4.8260E-016	1.1716E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.2869E-015	1.5265E-014
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.9187E-015	4.6530E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.0848E-015	7.4798E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	3.5967E-010	6.9688E-010
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.6576E-015	4.0141E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.4554E-016	1.3239E-015
RCPTR_34	farmer_child	TOCDFLIC	Diethyl phthalate	4.3558E-009	4.4646E-009
RCPTR_34	farmer_child	TOCDFLIC	Dimethyl phthalate	4.6152E-011	1.1007E-010
RCPTR_34	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	4.2147E-011	1.0186E-010
RCPTR_34	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	7.5068E-012	1.1651E-011
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	3.9893E-011	9.4016E-011
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.0449E-011	7.2363E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Ethyl methanesulfonate	8.9225E-013	2.1671E-012
RCPTR_34	farmer_child	TOCDFLIC	Ethylbenzene	4.7092E-014	1.1180E-013
RCPTR_34	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.3151E-009	6.9205E-009
RCPTR_34	farmer_child	TOCDFLIC	Fluoranthene	2.0162E-007	3.6318E-007
RCPTR_34	farmer_child	TOCDFLIC	Fluorene	2.6644E-009	6.3342E-009
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.7327E-011	1.7570E-011
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.9970E-011	6.0636E-011
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.3955E-010	1.4145E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.4548E-010	1.4718E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	8.6946E-011	8.8267E-011
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	7.1797E-011	7.3059E-011
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	9.8431E-011	1.0040E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	8.5489E-011	8.7196E-011
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	8.7835E-011	8.9575E-011
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	7.2276E-011	7.3713E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.7872E-011	1.3372E-010
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorobenzene	1.1639E-007	2.7072E-007
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.5587E-010	3.5605E-010
RCPTR_34	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.4073E-011	8.1700E-011
RCPTR_34	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7545E-003	4.7634E-003
RCPTR_34	farmer_child	TOCDFLIC	Isophorone	6.3845E-012	1.5497E-011
RCPTR_34	farmer_child	TOCDFLIC	Lead	9.4548E-007	9.8123E-007
RCPTR_34	farmer_child	TOCDFLIC	Mercuric chloride	3.7883E-008	4.4119E-008
RCPTR_34	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	3.4852E-016	8.4636E-016
RCPTR_34	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.0237E-017	4.9128E-017
RCPTR_34	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.7136E-013	9.0201E-013
RCPTR_34	farmer_child	TOCDFLIC	Methyl mercury	6.5926E-010	6.7871E-010
RCPTR_34	farmer_child	TOCDFLIC	Methylene chloride	5.0220E-012	1.2193E-011
RCPTR_34	farmer_child	TOCDFLIC	Naphthalene	1.5921E-011	3.8403E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Nickel	1.0431E-005	1.0797E-005
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.0913E-010	2.6438E-010
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.5918E-011	6.2904E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.6896E-012	1.6227E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrobenzene	1.0771E-011	2.6156E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.4575E-011	5.9653E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.8383E-011	4.1674E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.0913E-012	1.4757E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	5.9953E-012	1.4506E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	5.4569E-013	1.3045E-012
RCPTR_34	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.5450E-011	2.5921E-011
RCPTR_34	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.5245E-011	2.5703E-011
RCPTR_34	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.2604E-010	3.3070E-010
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.7884E-011	4.9065E-011
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.8304E-010	1.8743E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorobenzene	2.2651E-009	5.0712E-009
RCPTR_34	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.8222E-010	4.0133E-010
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorophenol	4.0474E-008	4.8666E-008
RCPTR_34	farmer_child	TOCDFLIC	Phenanthrene	8.3891E-012	2.0051E-011
RCPTR_34	farmer_child	TOCDFLIC	Phenol	8.5500E-012	2.0726E-011
RCPTR_34	farmer_child	TOCDFLIC	Pronamide	8.3688E-010	1.9868E-009
RCPTR_34	farmer_child	TOCDFLIC	Pyrene	3.0993E-007	4.8251E-007
RCPTR_34	farmer_child	TOCDFLIC	Selenium	6.3580E-006	6.3770E-006
RCPTR_34	farmer_child	TOCDFLIC	Silver	1.7269E-005	1.7928E-005
RCPTR_34	farmer_child	TOCDFLIC	Styrene	4.1985E-014	1.0172E-013
RCPTR_34	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	4.3098E-011	4.4552E-011
RCPTR_34	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.1676E-011	1.2222E-011
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.9571E-010	1.6140E-009
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.1702E-012	7.0548E-012
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.7601E-015	4.2649E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.4654E-009	1.2456E-008
RCPTR_34	farmer_child	TOCDFLIC	Thallium (l)	2.2908E-005	2.3441E-005
RCPTR_34	farmer_child	TOCDFLIC	Toluene	5.3125E-011	1.2808E-010
RCPTR_34	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.6020E-011	6.1591E-011
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.6811E-013	4.0770E-013
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	9.1026E-014	2.2094E-013
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethylene	1.4825E-014	3.5928E-014
RCPTR_34	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.9481E-015	4.7217E-015
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.0839E-009	7.0963E-009
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	7.1195E-010	1.4710E-009
RCPTR_34	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	3.3707E-013	8.1778E-013
RCPTR_34	farmer_child	TOCDFLIC	VX	3.2383E-011	3.3177E-011
RCPTR_34	farmer_child	TOCDFLIC	Vinyl Chloride	4.4374E-019	1.0767E-018
RCPTR_34	farmer_child	TOCDFLIC	Xylene, m-	4.1387E-013	5.9693E-013
RCPTR_34	farmer_child	TOCDFLIC	Xylene, o-	2.4670E-013	3.7948E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Xylene, p-	4.6421E-013	7.4811E-013
RCPTR_34	farmer_child	TOCDFLIC	Zinc	1.3604E-006	1.5271E-006
RCPTR_34	farmer_child	TOCDFMPF	Acenaphthene	1.2315E-010	2.9528E-010
RCPTR_34	farmer_child	TOCDFMPF	Acetone	1.4124E-015	3.4308E-015
RCPTR_34	farmer_child	TOCDFMPF	Acetophenone	1.4876E-011	3.6110E-011
RCPTR_34	farmer_child	TOCDFMPF	Aniline	8.9749E-013	2.1754E-012
RCPTR_34	farmer_child	TOCDFMPF	Anthracene	1.2496E-009	2.9925E-009
RCPTR_34	farmer_child	TOCDFMPF	Arsenic	2.7620E-007	2.8219E-007
RCPTR_34	farmer_child	TOCDFMPF	Barium	1.0107E-007	1.0802E-007
RCPTR_34	farmer_child	TOCDFMPF	Benzene	7.8158E-015	1.8930E-014
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.8259E-007	3.2900E-007
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.0996E-006	5.1927E-006
RCPTR_34	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.4678E-006	2.6597E-006
RCPTR_34	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	6.8575E-006	6.9281E-006
RCPTR_34	farmer_child	TOCDFMPF	Benzoic acid	1.7683E-011	3.9477E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Benzyl alcohol	7.1810E-012	1.7426E-011
RCPTR_34	farmer_child	TOCDFMPF	Beryllium	3.7857E-008	3.8771E-008
RCPTR_34	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.0281E-012	4.9263E-012
RCPTR_34	farmer_child	TOCDFMPF	Bromodichloromethane	4.1129E-014	9.9851E-014
RCPTR_34	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.4164E-012	3.4393E-012
RCPTR_34	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3010E-007	2.3457E-007
RCPTR_34	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.3387E-009	2.5535E-009
RCPTR_34	farmer_child	TOCDFMPF	Cadmium	2.5655E-007	3.0063E-007
RCPTR_34	farmer_child	TOCDFMPF	Carbon disulfide	2.7305E-015	6.6202E-015
RCPTR_34	farmer_child	TOCDFMPF	Carbon tetrachloride	2.1641E-014	5.2400E-014
RCPTR_34	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.9875E-010	4.2140E-010
RCPTR_34	farmer_child	TOCDFMPF	Chloroaniline, p-	6.5482E-012	1.5864E-011
RCPTR_34	farmer_child	TOCDFMPF	Chlorobenzene	1.2691E-013	3.0669E-013
RCPTR_34	farmer_child	TOCDFMPF	Chloroethane	3.6217E-016	8.6399E-016
RCPTR_34	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.7039E-014	4.1359E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.0795E-010	7.4046E-010
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.2650E-011	5.5006E-011
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.0008E-010	1.6926E-009
RCPTR_34	farmer_child	TOCDFMPF	Chromium	4.7196E-006	4.8115E-006
RCPTR_34	farmer_child	TOCDFMPF	Chromium, hexavalent	4.3944E-006	4.4363E-006
RCPTR_34	farmer_child	TOCDFMPF	Chrysene	9.0137E-007	9.5401E-007
RCPTR_34	farmer_child	TOCDFMPF	Di-n-butyl phthalate	8.1070E-008	8.8378E-008
RCPTR_34	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.1784E+001	3.1784E+001
RCPTR_34	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.7434E-004	1.7542E-004
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.9793E-013	2.3722E-012
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.1156E-012	2.6722E-012
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.0655E-012	2.5574E-012
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.3825E-009	7.2194E-009
RCPTR_34	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.8382E-017	6.8756E-017
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane 1,1-	7.1288E-015	1.7307E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.8547E-015	2.1499E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.7024E-015	6.5535E-015
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.3448E-015	1.0535E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.4100E-010	2.7321E-010
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.4486E-014	5.9294E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.0585E-015	1.9556E-014
RCPTR_34	farmer_child	TOCDFMPF	Diethyl phthalate	9.3165E-009	9.5492E-009
RCPTR_34	farmer_child	TOCDFMPF	Dimethyl phthalate	2.6667E-012	6.3601E-012
RCPTR_34	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.6639E-011	4.0212E-011
RCPTR_34	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.4442E-011	2.2415E-011
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.5032E-011	1.2969E-010
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.8134E-011	9.0629E-011
RCPTR_34	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.8058E-012	9.2436E-012
RCPTR_34	farmer_child	TOCDFMPF	Ethylbenzene	7.9223E-014	1.8808E-013
RCPTR_34	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0933E-009	1.1981E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Fluoranthene	1.5699E-008	2.8280E-008
RCPTR_34	farmer_child	TOCDFMPF	Fluorene	4.0623E-010	9.6575E-010
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9063E-012	1.9330E-012
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.0040E-011	1.0151E-011
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.2234E-012	9.3492E-012
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.5305E-011	2.5600E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.5126E-011	1.5356E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2313E-011	1.2529E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.6614E-011	2.7148E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.0853E-011	9.2667E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	7.6522E-011	7.8038E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	9.2279E-012	9.4114E-012
RCPTR_34	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.2511E-011	7.5119E-011
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorobenzene	5.7989E-008	1.3488E-007
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.0850E-010	2.4784E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.3996E-011	5.7537E-011
RCPTR_34	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0355E-003	1.0375E-003
RCPTR_34	farmer_child	TOCDFMPF	Isophorone	1.1415E-012	2.7707E-012
RCPTR_34	farmer_child	TOCDFMPF	Lead	1.4937E-006	1.5501E-006
RCPTR_34	farmer_child	TOCDFMPF	Mercuric chloride	4.0832E-008	4.7553E-008
RCPTR_34	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.5776E-016	6.2595E-016
RCPTR_34	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.4967E-017	3.6334E-017
RCPTR_34	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.2474E-015	1.5175E-014
RCPTR_34	farmer_child	TOCDFMPF	Methyl mercury	7.1079E-010	7.3175E-010
RCPTR_34	farmer_child	TOCDFMPF	Methylene chloride	1.6391E-015	3.9798E-015
RCPTR_34	farmer_child	TOCDFMPF	Naphthalene	1.3430E-011	3.2394E-011
RCPTR_34	farmer_child	TOCDFMPF	Nickel	5.4743E-006	5.6663E-006
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.3544E-011	3.2812E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 3-	2.6062E-012	6.3253E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.9870E-012	7.2455E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitrobenzene	3.6851E-012	8.9491E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 2-	2.9698E-012	7.2088E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.5369E-011	3.7250E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.5982E-011	6.2947E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3548E-012	3.2779E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	3.5509E-013	8.4888E-013
RCPTR_34	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.9546E-012	1.9908E-012
RCPTR_34	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.9231E-013	1.9580E-013
RCPTR_34	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.3846E-011	5.4615E-011
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.2532E-011	3.3334E-011
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.2423E-011	2.2961E-011
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorobenzene	1.9290E-009	4.3184E-009
RCPTR_34	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.7589E-011	1.7088E-010
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorophenol	2.4129E-008	2.9014E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Phenanthrene	8.8316E-013	2.1109E-012
RCPTR_34	farmer_child	TOCDFMPF	Phenol	2.8012E-012	6.7904E-012
RCPTR_34	farmer_child	TOCDFMPF	Pronamide	3.5697E-009	8.4746E-009
RCPTR_34	farmer_child	TOCDFMPF	Pyrene	2.2755E-008	3.5426E-008
RCPTR_34	farmer_child	TOCDFMPF	Selenium	2.0055E-006	2.0115E-006
RCPTR_34	farmer_child	TOCDFMPF	Silver	5.4562E-007	5.6646E-007
RCPTR_34	farmer_child	TOCDFMPF	Styrene	6.4103E-013	1.5531E-012
RCPTR_34	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8718E-011	1.9350E-011
RCPTR_34	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.8680E-012	8.2363E-012
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.9675E-009	6.8845E-009
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.7426E-013	6.6490E-013
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.5999E-014	6.2999E-014
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.1783E-009	5.3032E-009
RCPTR_34	farmer_child	TOCDFMPF	Thallium (l)	3.6843E-005	3.7700E-005
RCPTR_34	farmer_child	TOCDFMPF	Toluene	3.4391E-014	8.2915E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.7846E-012	2.0794E-011
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.6782E-014	4.0701E-014
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.2821E-013	3.1118E-013
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethylene	2.0881E-014	5.0602E-014
RCPTR_34	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.7438E-015	6.6503E-015
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.3826E-009	3.1814E-009
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	3.2434E-010	6.7015E-010
RCPTR_34	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	4.7474E-013	1.1518E-012
RCPTR_34	farmer_child	TOCDFMPF	VX	4.4803E-011	4.5902E-011
RCPTR_34	farmer_child	TOCDFMPF	Vinyl Chloride	6.7751E-018	1.6439E-017
RCPTR_34	farmer_child	TOCDFMPF	Xylene, m-	3.2713E-013	4.7174E-013
RCPTR_34	farmer_child	TOCDFMPF	Xylene, o-	3.0647E-013	4.7133E-013
RCPTR_34	farmer_child	TOCDFMPF	Xylene, p-	3.6689E-013	5.9116E-013
RCPTR_34	farmer_child	TOCDHVAC	VX	1.7880E-011	1.8333E-011
RCPTR_34	farmer_child	TOCDLIC2	Acenaphthene	6.7174E-010	1.6107E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Acetone	3.3167E-011	8.0565E-011
RCPTR_34	farmer_child	TOCDLIC2	Acetophenone	3.4874E-012	8.4657E-012
RCPTR_34	farmer_child	TOCDLIC2	Aniline	2.1041E-013	5.1000E-013
RCPTR_34	farmer_child	TOCDLIC2	Anthracene	1.1870E-008	2.8426E-008
RCPTR_34	farmer_child	TOCDLIC2	Antimony	5.4995E-006	5.9978E-006
RCPTR_34	farmer_child	TOCDLIC2	Arsenic	5.6911E-006	5.8144E-006
RCPTR_34	farmer_child	TOCDLIC2	Barium	9.0306E-007	9.6515E-007
RCPTR_34	farmer_child	TOCDLIC2	Benzene	4.4451E-014	1.0766E-013
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.0528E-006	3.5541E-006
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.9887E-005	3.0433E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.6995E-005	1.8317E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.6072E-005	4.6546E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzoic acid	9.2074E-011	2.0554E-010
RCPTR_34	farmer_child	TOCDLIC2	Benzyl alcohol	9.0565E-010	2.1977E-009
RCPTR_34	farmer_child	TOCDLIC2	Beryllium	3.0078E-007	3.0804E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.7648E-012	1.1574E-011
RCPTR_34	farmer_child	TOCDLIC2	Bromodichloromethane	2.7843E-015	6.7597E-015
RCPTR_34	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.6765E-012	6.4991E-012
RCPTR_34	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.2718E-007	4.0961E-007
RCPTR_34	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.7647E-008	1.9268E-008
RCPTR_34	farmer_child	TOCDLIC2	Cadmium	8.0537E-008	9.4375E-008
RCPTR_34	farmer_child	TOCDLIC2	Carbon disulfide	1.8485E-016	4.4817E-016
RCPTR_34	farmer_child	TOCDLIC2	Carbon tetrachloride	1.4650E-015	3.5474E-015
RCPTR_34	farmer_child	TOCDLIC2	Chlorine	4.1284E-006	1.0028E-005
RCPTR_34	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.6401E-010	9.8377E-010
RCPTR_34	farmer_child	TOCDLIC2	Chloroaniline, p-	2.2201E-011	5.3785E-011
RCPTR_34	farmer_child	TOCDLIC2	Chlorobenzene	8.5913E-015	2.0762E-014
RCPTR_34	farmer_child	TOCDLIC2	Chloroethane	2.5714E-016	6.1344E-016
RCPTR_34	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.1535E-015	2.7999E-015
RCPTR_34	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.7491E-009	4.2056E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.1472E-011	1.4929E-010
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.5853E-009	5.4693E-009
RCPTR_34	farmer_child	TOCDLIC2	Chromium	4.3414E-006	4.4260E-006
RCPTR_34	farmer_child	TOCDLIC2	Chromium, hexavalent	4.0423E-006	4.0808E-006
RCPTR_34	farmer_child	TOCDLIC2	Chrysene	8.7127E-006	9.2214E-006
RCPTR_34	farmer_child	TOCDLIC2	Di-n-butyl phthalate	6.9254E-008	7.5497E-008
RCPTR_34	farmer_child	TOCDLIC2	Di-n-octylphthalate	3.5312E+001	3.5312E+001
RCPTR_34	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.5778E-004	6.6182E-004
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.8635E-012	6.8071E-012
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.4338E-012	8.2247E-012
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.2979E-012	7.9156E-012
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.1311E-008	2.4105E-008
RCPTR_34	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.0151E-017	4.8816E-017
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane 1,1-	4.6691E-016	1.1335E-015
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.2869E-015	1.5265E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.9187E-015	4.6530E-015
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.0848E-015	7.4798E-015
RCPTR_34	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.5967E-010	6.9688E-010
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.6576E-015	4.0141E-015
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.4554E-016	1.3239E-015
RCPTR_34	farmer_child	TOCDLIC2	Diethyl phthalate	4.3558E-009	4.4646E-009
RCPTR_34	farmer_child	TOCDLIC2	Dimethyl phthalate	4.6152E-011	1.1007E-010
RCPTR_34	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.2147E-011	1.0186E-010
RCPTR_34	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	7.5068E-012	1.1651E-011
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.9893E-011	9.4016E-011
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.0449E-011	7.2363E-011
RCPTR_34	farmer_child	TOCDLIC2	Ethyl methanesulfonate	8.9225E-013	2.1671E-012
RCPTR_34	farmer_child	TOCDLIC2	Ethylbenzene	4.7092E-014	1.1180E-013
RCPTR_34	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.3151E-009	6.9205E-009
RCPTR_34	farmer_child	TOCDLIC2	Fluoranthene	2.0162E-007	3.6318E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Fluorene	2.6644E-009	6.3342E-009
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.7327E-011	1.7570E-011
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.0696E-010	2.0926E-010
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.8159E-010	4.8815E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4548E-010	1.4718E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.6946E-011	8.8267E-011
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.1797E-011	7.3059E-011
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.8431E-011	1.0040E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	8.5489E-011	8.7196E-011
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	8.7835E-011	8.9575E-011
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.2276E-011	7.3713E-011
RCPTR_34	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.7872E-011	1.3372E-010
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorobenzene	1.1639E-007	2.7072E-007
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.5587E-010	3.5605E-010
RCPTR_34	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.4073E-011	8.1700E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7545E-003	4.7634E-003
RCPTR_34	farmer_child	TOCDLIC2	Isophorone	6.3845E-012	1.5497E-011
RCPTR_34	farmer_child	TOCDLIC2	Lead	9.4548E-007	9.8123E-007
RCPTR_34	farmer_child	TOCDLIC2	Mercuric chloride	3.7883E-008	4.4119E-008
RCPTR_34	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	3.4852E-016	8.4636E-016
RCPTR_34	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.0132E-018	2.4598E-018
RCPTR_34	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.7136E-013	9.0201E-013
RCPTR_34	farmer_child	TOCDLIC2	Methyl mercury	6.5926E-010	6.7871E-010
RCPTR_34	farmer_child	TOCDLIC2	Methylene chloride	5.0220E-012	1.2193E-011
RCPTR_34	farmer_child	TOCDLIC2	Naphthalene	1.5921E-011	3.8403E-011
RCPTR_34	farmer_child	TOCDLIC2	Nickel	1.0431E-005	1.0797E-005
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.0913E-010	2.6438E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.5918E-011	6.2904E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.3509E-011	8.1282E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Nitrobenzene	1.0771E-011	2.6156E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.9060E-012	1.1909E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.4217E-010	2.0875E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.0913E-012	1.4757E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.9953E-012	1.4506E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.4569E-013	1.3045E-012
RCPTR_34	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.5450E-011	2.5921E-011
RCPTR_34	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5245E-011	2.5703E-011
RCPTR_34	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.2604E-010	3.3070E-010
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.7884E-011	4.9065E-011
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.8304E-010	1.8743E-010
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorobenzene	4.5220E-010	1.0124E-009
RCPTR_34	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.8222E-010	4.0133E-010
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorophenol	2.0274E-007	2.4377E-007
RCPTR_34	farmer_child	TOCDLIC2	Phenanthrene	8.3891E-012	2.0051E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Phenol	8.5500E-012	2.0726E-011
RCPTR_34	farmer_child	TOCDLIC2	Pronamide	8.3688E-010	1.9868E-009
RCPTR_34	farmer_child	TOCDLIC2	Pyrene	3.0993E-007	4.8251E-007
RCPTR_34	farmer_child	TOCDLIC2	Selenium	6.3580E-006	6.3770E-006
RCPTR_34	farmer_child	TOCDLIC2	Silver	1.7269E-005	1.7928E-005
RCPTR_34	farmer_child	TOCDLIC2	Styrene	4.1985E-014	1.0172E-013
RCPTR_34	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	4.3098E-011	4.4552E-011
RCPTR_34	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.1676E-011	1.2222E-011
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.9571E-010	1.6140E-009
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.1702E-012	7.0548E-012
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.7601E-015	4.2649E-015
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	7.4654E-009	1.2456E-008
RCPTR_34	farmer_child	TOCDLIC2	Thallium (l)	2.2908E-005	2.3441E-005
RCPTR_34	farmer_child	TOCDLIC2	Toluene	5.3125E-011	1.2808E-010
RCPTR_34	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.6020E-011	6.1591E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.6811E-013	4.0770E-013
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	9.1026E-014	2.2094E-013
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethylene	1.4825E-014	3.5928E-014
RCPTR_34	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.9481E-015	4.7217E-015
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.0839E-009	7.0963E-009
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	7.1195E-010	1.4710E-009
RCPTR_34	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	3.3707E-013	8.1778E-013
RCPTR_34	farmer_child	TOCDLIC2	VX	3.3665E-011	3.4491E-011
RCPTR_34	farmer_child	TOCDLIC2	Vinyl Chloride	4.4374E-019	1.0767E-018
RCPTR_34	farmer_child	TOCDLIC2	Xylene, m-	4.1387E-013	5.9693E-013
RCPTR_34	farmer_child	TOCDLIC2	Xylene, o-	2.4670E-013	3.7948E-013
RCPTR_34	farmer_child	TOCDLIC2	Xylene, p-	4.6421E-013	7.4811E-013
RCPTR_34	farmer_child	TOCDLIC2	Zinc	1.3604E-006	1.5271E-006
RCPTR_35	farmer_adult	TOCDFBRA	Antimony	2.4474E-006	2.8405E-006
RCPTR_35	farmer_adult	TOCDFBRA	Arsenic	4.1574E-006	4.3045E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFBRA	Barium	3.3981E-007	3.8015E-007
RCPTR_35	farmer_adult	TOCDFBRA	Beryllium	1.0961E-006	1.1593E-006
RCPTR_35	farmer_adult	TOCDFBRA	Cadmium	1.8393E-007	2.5038E-007
RCPTR_35	farmer_adult	TOCDFBRA	Chromium	2.7161E-006	2.7241E-006
RCPTR_35	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.4737E-006	2.5116E-006
RCPTR_35	farmer_adult	TOCDFBRA	Lead	1.1124E-005	1.2107E-005
RCPTR_35	farmer_adult	TOCDFBRA	Mercuric chloride	1.0924E-003	1.1256E-003
RCPTR_35	farmer_adult	TOCDFBRA	Methyl mercury	1.8523E-005	1.8862E-005
RCPTR_35	farmer_adult	TOCDFBRA	Nickel	1.3548E-005	1.4407E-005
RCPTR_35	farmer_adult	TOCDFBRA	Selenium	4.6985E-006	4.7210E-006
RCPTR_35	farmer_adult	TOCDFBRA	Silver	1.5617E-006	1.6591E-006
RCPTR_35	farmer_adult	TOCDFBRA	Thallium (l)	4.2314E-005	4.4108E-005
RCPTR_35	farmer_adult	TOCDFBRA	Zinc	6.9713E-006	8.6125E-006
RCPTR_35	farmer_adult	TOCDFDFS	Acenaphthene	2.6069E-010	3.7021E-009
RCPTR_35	farmer_adult	TOCDFDFS	Acetone	4.6300E-014	7.4947E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Acetophenone	1.2103E-012	1.9457E-011
RCPTR_35	farmer_adult	TOCDFDFS	Aniline	7.4074E-014	1.1721E-012
RCPTR_35	farmer_adult	TOCDFDFS	Anthracene	4.6553E-009	6.5337E-008
RCPTR_35	farmer_adult	TOCDFDFS	Antimony	4.5501E-007	5.2786E-007
RCPTR_35	farmer_adult	TOCDFDFS	Aroclor 1254	2.6466E-010	4.7464E-010
RCPTR_35	farmer_adult	TOCDFDFS	Arsenic	9.0178E-007	9.3359E-007
RCPTR_35	farmer_adult	TOCDFDFS	Barium	4.2064E-006	4.7042E-006
RCPTR_35	farmer_adult	TOCDFDFS	Benzene	3.9995E-015	6.2778E-014
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.8897E-006	8.2236E-006
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.8206E-005	7.0628E-005
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.6389E-005	4.2445E-005
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0530E-004	1.0802E-004
RCPTR_35	farmer_adult	TOCDFDFS	Benzoic acid	3.6720E-011	3.0569E-010
RCPTR_35	farmer_adult	TOCDFDFS	Benzyl alcohol	2.5721E-012	4.1206E-011
RCPTR_35	farmer_adult	TOCDFDFS	Beryllium	1.9986E-007	2.1135E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.6434E-012	2.6600E-011
RCPTR_35	farmer_adult	TOCDFDFS	Bromodichloromethane	8.3017E-015	1.3361E-013
RCPTR_35	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.8541E-013	4.6021E-012
RCPTR_35	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	9.3093E-008	9.4141E-007
RCPTR_35	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.4415E-007	1.6626E-007
RCPTR_35	farmer_adult	TOCDFDFS	Cadmium	3.0488E-007	4.1468E-007
RCPTR_35	farmer_adult	TOCDFDFS	Carbon disulfide	1.1220E-015	1.7809E-014
RCPTR_35	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.4797E-015	7.0118E-014
RCPTR_35	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.5810E-010	2.2631E-009
RCPTR_35	farmer_adult	TOCDFDFS	Chloroaniline, p-	7.8532E-012	1.2361E-010
RCPTR_35	farmer_adult	TOCDFDFS	Chlorobenzene	1.3397E-014	2.0555E-013
RCPTR_35	farmer_adult	TOCDFDFS	Chloroethane	1.2135E-016	1.6432E-015
RCPTR_35	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.7252E-015	2.7720E-014
RCPTR_35	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	6.6264E-010	9.6664E-009
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.1247E-011	3.4310E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.0124E-009	1.2583E-008
RCPTR_35	farmer_adult	TOCDFDFS	Chromium	2.5718E-006	2.5793E-006
RCPTR_35	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.3429E-006	2.3787E-006
RCPTR_35	farmer_adult	TOCDFDFS	Chrysene	1.8771E-005	2.1371E-005
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.3569E-007	2.7115E-007
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.6750E+003	2.6750E+003
RCPTR_35	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.5166E-003	1.5375E-003
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.6125E-013	3.4267E-012
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	8.7410E-013	1.2288E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.6469E-013	8.0962E-012
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6908E-008	3.2951E-008
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	8.3112E-018	1.3075E-016
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.2085E-016	1.1599E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9420E-016	1.4409E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	7.8344E-016	1.2462E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2614E-015	2.0034E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.6888E-010	1.1711E-009
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.1958E-015	1.1276E-013
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	8.1792E-016	1.3107E-014
RCPTR_35	farmer_adult	TOCDFDFS	Diethyl phthalate	5.1326E-008	5.3382E-008
RCPTR_35	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.1501E-012	1.2361E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.5251E-011	2.3411E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.7855E-011	1.3304E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.8437E-012	4.6791E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.7520E-012	3.6012E-011
RCPTR_35	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	3.0805E-013	4.9805E-012
RCPTR_35	farmer_adult	TOCDFDFS	Ethylbenzene	1.9415E-014	2.5171E-013
RCPTR_35	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.9321E-009	4.5629E-009
RCPTR_35	farmer_adult	TOCDFDFS	Fluoranthene	1.8871E-007	8.3603E-007
RCPTR_35	farmer_adult	TOCDFDFS	Fluorene	1.1094E-009	1.4560E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.0018E-012	4.1363E-012
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.2149E-012	5.3536E-012
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2098E-011	1.2494E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.2312E-011	3.3216E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.9226E-011	1.9930E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.5831E-011	1.6503E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.1165E-011	2.2195E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.8385E-011	1.9274E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.8891E-011	1.9799E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.5544E-011	1.6293E-011
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.9438E-011	3.0744E-010
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorobenzene	5.5020E-008	6.2235E-007
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.2054E-010	4.0524E-009
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.3222E-011	1.8779E-010
RCPTR_35	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1011E-002	1.1055E-002
RCPTR_35	farmer_adult	TOCDFDFS	Isophorone	2.2173E-012	3.5617E-011
RCPTR_35	farmer_adult	TOCDFDFS	Lead	2.3184E-006	2.5226E-006
RCPTR_35	farmer_adult	TOCDFDFS	Mercuric chloride	1.3745E-006	1.4184E-006
RCPTR_35	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.3724E-017	1.1903E-015
RCPTR_35	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.4245E-018	2.2919E-017
RCPTR_35	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.5910E-015	1.3901E-013
RCPTR_35	farmer_adult	TOCDFDFS	Methyl mercury	2.1514E-008	2.1963E-008
RCPTR_35	farmer_adult	TOCDFDFS	Methylene chloride	4.8067E-014	7.7435E-013
RCPTR_35	farmer_adult	TOCDFDFS	Naphthalene	1.5504E-011	2.3332E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nickel	2.7238E-005	2.8960E-005
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.8149E-011	6.0047E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 3-	8.9037E-012	1.4287E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.1574E-011	1.8461E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitrobenzene	3.7240E-012	6.0114E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.7031E-012	2.7370E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.3500E-010	4.7613E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.1542E-012	3.3917E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.1467E-012	3.3339E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.1784E-013	2.9991E-012
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.2219E-012	9.6343E-012
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.7755E-012	2.8968E-012
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.2891E-011	6.5061E-011
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.6967E-012	6.0414E-012
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.1806E-011	2.3088E-011
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.3622E-009	1.1526E-008
RCPTR_35	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1865E-010	9.1226E-010
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorophenol	8.2567E-008	1.1259E-007
RCPTR_35	farmer_adult	TOCDFDFS	Phenanthrene	3.3446E-012	4.6088E-011
RCPTR_35	farmer_adult	TOCDFDFS	Phenol	3.0069E-012	4.7635E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Pronamide	7.0448E-010	9.1339E-009
RCPTR_35	farmer_adult	TOCDFDFS	Pyrene	2.2952E-007	1.1099E-006
RCPTR_35	farmer_adult	TOCDFDFS	Selenium	1.0192E-006	1.0240E-006
RCPTR_35	farmer_adult	TOCDFDFS	Silver	1.3550E-006	1.4392E-006
RCPTR_35	farmer_adult	TOCDFDFS	Styrene	1.5525E-013	2.4456E-012
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.8465E-011	3.0865E-011
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3483E-011	1.5093E-011
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.4484E-010	3.7106E-009
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1258E-010	1.4047E-010
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.3450E-015	8.4300E-014
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.0298E-008	2.8374E-008
RCPTR_35	farmer_adult	TOCDFDFS	Thallium (l)	1.8131E-004	1.8897E-004
RCPTR_35	farmer_adult	TOCDFDFS	Toluene	2.7725E-014	4.1536E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	1.3351E-011	1.6915E-010
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.4207E-015	5.4462E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.6856E-014	5.9176E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethylene	6.0938E-015	9.6229E-014
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.9941E-016	1.2647E-014
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.6090E-009	1.6315E-008
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	6.0259E-010	3.3846E-009
RCPTR_35	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.3703E-013	2.1903E-012
RCPTR_35	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.4334E-012	1.8536E-011
RCPTR_35	farmer_adult	TOCDFDFS	VX	1.1891E-010	1.2359E-010
RCPTR_35	farmer_adult	TOCDFDFS	Vinyl Chloride	1.0128E-018	1.6202E-017
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, m-	1.2104E-012	2.3549E-012
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, o-	1.0460E-012	2.3507E-012
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, p-	1.1716E-012	2.9465E-012
RCPTR_35	farmer_adult	TOCDFLIC	Acenaphthene	1.4829E-010	2.1063E-009
RCPTR_35	farmer_adult	TOCDFLIC	Acetone	6.5079E-012	1.0534E-010
RCPTR_35	farmer_adult	TOCDFLIC	Acetophenone	6.8860E-013	1.1069E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Aniline	4.2143E-014	6.6687E-013
RCPTR_35	farmer_adult	TOCDFLIC	Anthracene	2.6477E-009	3.7171E-008
RCPTR_35	farmer_adult	TOCDFLIC	Antimony	6.6837E-006	7.7533E-006
RCPTR_35	farmer_adult	TOCDFLIC	Arsenic	7.2629E-006	7.5190E-006
RCPTR_35	farmer_adult	TOCDFLIC	Barium	1.1158E-006	1.2478E-006
RCPTR_35	farmer_adult	TOCDFLIC	Benzene	8.9687E-015	1.4078E-013
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3425E-006	4.6695E-006
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.8637E-005	4.0003E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0668E-005	2.4110E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.9684E-005	6.1211E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzoic acid	3.2323E-011	2.6894E-010
RCPTR_35	farmer_adult	TOCDFLIC	Benzyl alcohol	1.7938E-010	2.8737E-009
RCPTR_35	farmer_adult	TOCDFLIC	Beryllium	3.7663E-007	3.9827E-007
RCPTR_35	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	9.3500E-013	1.5134E-011
RCPTR_35	farmer_adult	TOCDFLIC	Bromodichloromethane	5.4918E-016	8.8388E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.2701E-013	8.4980E-012
RCPTR_35	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.2957E-008	5.3559E-007
RCPTR_35	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.1869E-008	2.5248E-008
RCPTR_35	farmer_adult	TOCDFLIC	Cadmium	8.9662E-008	1.2194E-007
RCPTR_35	farmer_adult	TOCDFLIC	Carbon disulfide	3.6921E-017	5.8602E-016
RCPTR_35	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.9634E-016	4.6385E-015
RCPTR_35	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0391E-010	1.2877E-009
RCPTR_35	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.4680E-012	7.0328E-011
RCPTR_35	farmer_adult	TOCDFLIC	Chlorobenzene	1.7695E-015	2.7149E-014
RCPTR_35	farmer_adult	TOCDFLIC	Chloroethane	5.9258E-017	8.0222E-016
RCPTR_35	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.2786E-016	3.6611E-015
RCPTR_35	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.7699E-010	5.4995E-009
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.2088E-011	1.9520E-010
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1438E-009	7.1576E-009
RCPTR_35	farmer_adult	TOCDFLIC	Chromium	5.7059E-006	5.7225E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Chromium, hexavalent	5.1983E-006	5.2776E-006
RCPTR_35	farmer_adult	TOCDFLIC	Chrysene	1.0665E-005	1.2142E-005
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.6506E-008	9.9523E-008
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.6668E+001	4.6668E+001
RCPTR_35	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.5843E-004	8.7001E-004
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.7868E-013	8.9020E-012
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	7.6509E-013	1.0755E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.2195E-013	1.0351E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5855E-008	3.1677E-008
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.0566E-018	6.3831E-017
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	9.5208E-017	1.5320E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2386E-015	1.9960E-014
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	3.8248E-016	6.0841E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.1582E-016	9.7805E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.0977E-010	9.1294E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.3496E-016	5.2488E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0802E-016	1.7311E-015
RCPTR_35	farmer_adult	TOCDFLIC	Diethyl phthalate	5.6709E-009	5.8978E-009
RCPTR_35	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0650E-011	1.4394E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.6774E-012	1.3319E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	6.6542E-012	1.5296E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.0084E-011	1.2294E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.2286E-012	9.4631E-011
RCPTR_35	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.7526E-013	2.8336E-012
RCPTR_35	farmer_adult	TOCDFLIC	Ethylbenzene	1.1277E-014	1.4620E-013
RCPTR_35	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.8000E-009	9.0620E-009
RCPTR_35	farmer_adult	TOCDFLIC	Fluoranthene	1.0726E-007	4.7553E-007
RCPTR_35	farmer_adult	TOCDFLIC	Fluorene	6.3104E-010	8.2834E-009
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.2150E-011	2.2888E-011
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.7269E-011	7.9302E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.7861E-010	1.8441E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.8740E-010	1.9259E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1097E-010	1.1500E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.1042E-011	9.4885E-011
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2439E-010	1.3042E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.0808E-010	1.1330E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1113E-010	1.1645E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.1410E-011	9.5805E-011
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6727E-011	1.7489E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.1293E-008	3.5406E-007
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.8254E-011	4.6568E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.5240E-012	1.0684E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2605E-003	6.2846E-003
RCPTR_35	farmer_adult	TOCDFLIC	Isophorone	1.2615E-012	2.0264E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Lead	1.1658E-006	1.2685E-006
RCPTR_35	farmer_adult	TOCDFLIC	Mercuric chloride	5.5779E-008	5.7570E-008
RCPTR_35	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.8542E-017	1.1067E-015
RCPTR_35	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.9926E-018	6.4239E-017
RCPTR_35	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.2894E-014	1.1794E-012
RCPTR_35	farmer_adult	TOCDFLIC	Methyl mercury	8.6554E-010	8.8386E-010
RCPTR_35	farmer_adult	TOCDFLIC	Methylene chloride	9.8970E-013	1.5944E-011
RCPTR_35	farmer_adult	TOCDFLIC	Naphthalene	3.3367E-012	5.0217E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nickel	1.3131E-005	1.3961E-005
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.1962E-011	3.4571E-010
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.1259E-012	8.2252E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.3300E-012	2.1218E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrobenzene	2.1187E-012	3.4201E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.8536E-012	7.8000E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.7044E-011	5.4758E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2257E-012	1.9297E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.2214E-012	1.8968E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.2348E-013	1.7058E-012
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.2151E-011	3.3583E-011
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.1907E-011	3.3296E-011
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.1984E-010	4.3425E-010
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.0696E-011	6.4367E-011
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.3171E-010	2.4532E-010
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorobenzene	7.7814E-010	6.6295E-009
RCPTR_35	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.7742E-011	5.2464E-010
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorophenol	4.7039E-008	6.4122E-008
RCPTR_35	farmer_adult	TOCDFLIC	Phenanthrene	1.9026E-012	2.6221E-011
RCPTR_35	farmer_adult	TOCDFLIC	Phenol	1.7108E-012	2.7101E-011
RCPTR_35	farmer_adult	TOCDFLIC	Pronamide	2.0042E-010	2.5983E-009
RCPTR_35	farmer_adult	TOCDFLIC	Pyrene	1.3054E-007	6.3142E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Selenium	8.2084E-006	8.2474E-006
RCPTR_35	farmer_adult	TOCDFLIC	Silver	2.1827E-005	2.3183E-005
RCPTR_35	farmer_adult	TOCDFLIC	Styrene	8.4437E-015	1.3301E-013
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.3920E-011	5.8470E-011
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.4343E-011	1.6058E-011
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.9622E-010	2.1111E-009
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.4579E-012	9.3026E-012
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.5354E-016	5.5767E-015
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.9355E-009	1.6342E-008
RCPTR_35	farmer_adult	TOCDFLIC	Thallium (l)	2.9084E-005	3.0313E-005
RCPTR_35	farmer_adult	TOCDFLIC	Toluene	1.1180E-011	1.6749E-010
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.3737E-012	8.0548E-011
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.3483E-014	5.3311E-013
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.7993E-014	2.8889E-013
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethylene	2.9750E-015	4.6979E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.9027E-016	6.1741E-015
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.1590E-010	9.2827E-009
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.4315E-010	1.9260E-009
RCPTR_35	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.6896E-014	1.0693E-012
RCPTR_35	farmer_adult	TOCDFLIC	VX	4.2172E-011	4.3828E-011
RCPTR_35	farmer_adult	TOCDFLIC	Vinyl Chloride	8.7990E-020	1.4078E-018
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, m-	3.9477E-013	7.7650E-013
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, o-	2.1714E-013	4.9401E-013
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, p-	3.8245E-013	9.7446E-013
RCPTR_35	farmer_adult	TOCDFLIC	Zinc	1.5987E-006	1.9737E-006
RCPTR_35	farmer_adult	TOCDFMPF	Acenaphthene	2.7203E-011	3.8637E-010
RCPTR_35	farmer_adult	TOCDFMPF	Acetone	2.7731E-016	4.4888E-015
RCPTR_35	farmer_adult	TOCDFMPF	Acetophenone	2.9391E-012	4.7246E-011
RCPTR_35	farmer_adult	TOCDFMPF	Aniline	1.7987E-013	2.8463E-012
RCPTR_35	farmer_adult	TOCDFMPF	Anthracene	2.7891E-010	3.9157E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Arsenic	3.5261E-007	3.6504E-007
RCPTR_35	farmer_adult	TOCDFMPF	Barium	1.2492E-007	1.3970E-007
RCPTR_35	farmer_adult	TOCDFMPF	Benzene	1.5780E-015	2.4768E-014
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.0965E-007	4.3257E-007
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.5978E-006	6.8310E-006
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.0033E-006	3.5034E-006
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.8904E-006	9.1180E-006
RCPTR_35	farmer_adult	TOCDFMPF	Benzoic acid	6.2118E-012	5.1685E-011
RCPTR_35	farmer_adult	TOCDFMPF	Benzyl alcohol	1.4232E-012	2.2800E-011
RCPTR_35	farmer_adult	TOCDFMPF	Beryllium	4.7421E-008	5.0145E-008
RCPTR_35	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.9822E-013	6.4455E-012
RCPTR_35	farmer_adult	TOCDFMPF	Bromodichloromethane	8.1174E-015	1.3065E-013
RCPTR_35	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.7907E-013	4.5000E-012
RCPTR_35	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.0346E-008	3.0691E-007
RCPTR_35	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.9005E-009	3.3486E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Cadmium	2.8571E-007	3.8857E-007
RCPTR_35	farmer_adult	TOCDFMPF	Carbon disulfide	5.4572E-016	8.6620E-015
RCPTR_35	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.3802E-015	6.8562E-014
RCPTR_35	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	8.7400E-011	5.5197E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.3187E-012	2.0757E-011
RCPTR_35	farmer_adult	TOCDFMPF	Chlorobenzene	2.6154E-014	4.0129E-013
RCPTR_35	farmer_adult	TOCDFMPF	Chloroethane	8.3515E-017	1.1306E-015
RCPTR_35	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.3680E-015	5.4115E-014
RCPTR_35	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.6416E-011	9.6888E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenol, 2-	4.4570E-012	7.1970E-011
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.5422E-010	2.2165E-009
RCPTR_35	farmer_adult	TOCDFMPF	Chromium	6.2050E-006	6.2230E-006
RCPTR_35	farmer_adult	TOCDFMPF	Chromium, hexavalent	5.6531E-006	5.7393E-006
RCPTR_35	farmer_adult	TOCDFMPF	Chrysene	1.1041E-006	1.2571E-006
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.0134E-007	1.1659E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.2038E+001	4.2038E+001
RCPTR_35	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.2768E-004	2.3075E-004
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.3667E-013	3.1043E-012
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.4874E-013	3.4966E-012
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.3340E-013	3.3464E-012
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.7495E-009	9.4942E-009
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.7172E-018	8.9960E-017
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.4073E-015	2.2644E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7457E-015	2.8130E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	5.3904E-016	8.5747E-015
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	8.6790E-016	1.3784E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	8.2292E-011	3.5815E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	4.9511E-015	7.7582E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.5967E-015	2.5587E-014
RCPTR_35	farmer_adult	TOCDFMPF	Diethyl phthalate	1.2138E-008	1.2624E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.1579E-013	8.3223E-012
RCPTR_35	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.4279E-012	5.2616E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.2810E-011	2.9448E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.3921E-011	1.6970E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.0591E-012	1.1859E-010
RCPTR_35	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	7.4803E-013	1.2094E-011
RCPTR_35	farmer_adult	TOCDFMPF	Ethylbenzene	1.8983E-014	2.4612E-013
RCPTR_35	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.3515E-009	1.5701E-009
RCPTR_35	farmer_adult	TOCDFMPF	Fluoranthene	8.3578E-009	3.7052E-008
RCPTR_35	farmer_adult	TOCDFMPF	Fluorene	9.6275E-011	1.2638E-009
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.4388E-012	2.5201E-012
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.2946E-011	1.3287E-011
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1814E-011	1.2198E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.2622E-011	3.3526E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.9321E-011	2.0023E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.5626E-011	1.6285E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.3659E-011	3.5292E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1495E-010	1.2050E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.6891E-011	1.0153E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1680E-011	1.2242E-011
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	9.4031E-012	9.8310E-011
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.5601E-008	1.7652E-007
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.3613E-011	3.2436E-010
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.3021E-012	7.5289E-011
RCPTR_35	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3645E-003	1.3698E-003
RCPTR_35	farmer_adult	TOCDFMPF	Isophorone	2.2568E-013	3.6252E-012
RCPTR_35	farmer_adult	TOCDFMPF	Lead	1.8423E-006	2.0045E-006
RCPTR_35	farmer_adult	TOCDFMPF	Mercuric chloride	6.0163E-008	6.2094E-008
RCPTR_35	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.0725E-017	8.1899E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.9547E-018	4.7540E-017
RCPTR_35	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2271E-015	1.9855E-014
RCPTR_35	farmer_adult	TOCDFMPF	Methyl mercury	9.3392E-010	9.5367E-010
RCPTR_35	farmer_adult	TOCDFMPF	Methylene chloride	3.2323E-016	5.2072E-015
RCPTR_35	farmer_adult	TOCDFMPF	Naphthalene	2.8164E-012	4.2386E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nickel	6.8936E-006	7.3293E-006
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.7275E-012	4.2932E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.1576E-013	8.2761E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 4-	5.9423E-013	9.4800E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitrobenzene	7.2536E-013	1.1709E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 2-	5.8692E-013	9.4321E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.4190E-011	4.8980E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.2314E-012	8.2362E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.7619E-013	4.2890E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	8.0412E-014	1.1107E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.4712E-012	2.5813E-012
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.4325E-013	2.5384E-013
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.9390E-011	7.1772E-011
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.1268E-011	4.3764E-011
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.8407E-011	3.0076E-011
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorobenzene	6.6327E-010	5.6491E-009
RCPTR_35	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.8871E-011	2.2353E-010
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorophenol	2.8064E-008	3.8256E-008
RCPTR_35	farmer_adult	TOCDFMPF	Phenanthrene	2.0043E-013	2.7621E-012
RCPTR_35	farmer_adult	TOCDFMPF	Phenol	5.6085E-013	8.8846E-012
RCPTR_35	farmer_adult	TOCDFMPF	Pronamide	8.5542E-010	1.1090E-008
RCPTR_35	farmer_adult	TOCDFMPF	Pyrene	9.5907E-009	4.6388E-008
RCPTR_35	farmer_adult	TOCDFMPF	Selenium	2.5901E-006	2.6024E-006
RCPTR_35	farmer_adult	TOCDFMPF	Silver	6.8985E-007	7.3271E-007
RCPTR_35	farmer_adult	TOCDFMPF	Styrene	1.2900E-013	2.0321E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3436E-011	2.5414E-011
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	9.6727E-012	1.0829E-011
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.3752E-010	9.0107E-009
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	5.4860E-014	8.6996E-013
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.2257E-015	8.2428E-014
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.5287E-009	6.9625E-009
RCPTR_35	farmer_adult	TOCDFMPF	Thallium (l)	4.6790E-005	4.8768E-005
RCPTR_35	farmer_adult	TOCDFMPF	Toluene	7.2418E-015	1.0849E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.1532E-012	2.7211E-011
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.3447E-015	5.3254E-014
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.5358E-014	4.0715E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethylene	4.1928E-015	6.6209E-014
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.5002E-016	8.7014E-015
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.1088E-010	4.1643E-009
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.5643E-010	8.7799E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	9.4280E-014	1.5070E-012
RCPTR_35	farmer_adult	TOCDFMPF	VX	5.8391E-011	6.0684E-011
RCPTR_35	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3443E-018	2.1509E-017
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, m-	3.1236E-013	6.1409E-013
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, o-	2.7003E-013	6.1402E-013
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, p-	3.0259E-013	7.7055E-013
RCPTR_35	farmer_adult	TOCDHVAC	VX	2.4697E-011	2.5690E-011
RCPTR_35	farmer_adult	TOCDLIC2	Acenaphthene	1.4829E-010	2.1063E-009
RCPTR_35	farmer_adult	TOCDLIC2	Acetone	6.5079E-012	1.0534E-010
RCPTR_35	farmer_adult	TOCDLIC2	Acetophenone	6.8860E-013	1.1069E-011
RCPTR_35	farmer_adult	TOCDLIC2	Aniline	4.2143E-014	6.6687E-013
RCPTR_35	farmer_adult	TOCDLIC2	Anthracene	2.6477E-009	3.7171E-008
RCPTR_35	farmer_adult	TOCDLIC2	Antimony	6.6837E-006	7.7533E-006
RCPTR_35	farmer_adult	TOCDLIC2	Arsenic	7.2629E-006	7.5190E-006
RCPTR_35	farmer_adult	TOCDLIC2	Barium	1.1158E-006	1.2478E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Benzene	8.9687E-015	1.4078E-013
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3425E-006	4.6695E-006
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.8637E-005	4.0003E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.0668E-005	2.4110E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.9684E-005	6.1211E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzoic acid	3.2323E-011	2.6894E-010
RCPTR_35	farmer_adult	TOCDLIC2	Benzyl alcohol	1.7938E-010	2.8737E-009
RCPTR_35	farmer_adult	TOCDLIC2	Beryllium	3.7663E-007	3.9827E-007
RCPTR_35	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.3500E-013	1.5134E-011
RCPTR_35	farmer_adult	TOCDLIC2	Bromodichloromethane	5.4918E-016	8.8388E-015
RCPTR_35	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	5.2701E-013	8.4980E-012
RCPTR_35	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.2957E-008	5.3559E-007
RCPTR_35	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.1869E-008	2.5248E-008
RCPTR_35	farmer_adult	TOCDLIC2	Cadmium	8.9662E-008	1.2194E-007
RCPTR_35	farmer_adult	TOCDLIC2	Carbon disulfide	3.6921E-017	5.8602E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.9634E-016	4.6385E-015
RCPTR_35	farmer_adult	TOCDLIC2	Chlorine	8.0972E-007	1.3113E-005
RCPTR_35	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.0391E-010	1.2877E-009
RCPTR_35	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.4680E-012	7.0328E-011
RCPTR_35	farmer_adult	TOCDLIC2	Chlorobenzene	1.7695E-015	2.7149E-014
RCPTR_35	farmer_adult	TOCDLIC2	Chloroethane	5.9258E-017	8.0222E-016
RCPTR_35	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.2786E-016	3.6611E-015
RCPTR_35	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.7699E-010	5.4995E-009
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2088E-011	1.9520E-010
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1438E-009	7.1576E-009
RCPTR_35	farmer_adult	TOCDLIC2	Chromium	5.7059E-006	5.7225E-006
RCPTR_35	farmer_adult	TOCDLIC2	Chromium, hexavalent	5.1983E-006	5.2776E-006
RCPTR_35	farmer_adult	TOCDLIC2	Chrysene	1.0665E-005	1.2142E-005
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	8.6506E-008	9.9523E-008
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.6668E+001	4.6668E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.5843E-004	8.7001E-004
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.7868E-013	8.9020E-012
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.6509E-013	1.0755E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.2195E-013	1.0351E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5855E-008	3.1677E-008
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.0566E-018	6.3831E-017
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	9.2112E-017	1.4821E-015
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2386E-015	1.9960E-014
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.8248E-016	6.0841E-015
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.1582E-016	9.7805E-015
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.0977E-010	9.1294E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.3496E-016	5.2488E-015
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0802E-016	1.7311E-015
RCPTR_35	farmer_adult	TOCDLIC2	Diethyl phthalate	5.6709E-009	5.8978E-009
RCPTR_35	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0650E-011	1.4394E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.6774E-012	1.3319E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.6542E-012	1.5296E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.0084E-011	1.2294E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.2286E-012	9.4631E-011
RCPTR_35	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.7526E-013	2.8336E-012
RCPTR_35	farmer_adult	TOCDLIC2	Ethylbenzene	1.1277E-014	1.4620E-013
RCPTR_35	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	7.8000E-009	9.0620E-009
RCPTR_35	farmer_adult	TOCDLIC2	Fluoranthene	1.0726E-007	4.7553E-007
RCPTR_35	farmer_adult	TOCDLIC2	Fluorene	6.3104E-010	8.2834E-009
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.2150E-011	2.2888E-011
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.6666E-010	2.7367E-010
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.1638E-010	6.3638E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.8740E-010	1.9259E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1097E-010	1.1500E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.1042E-011	9.4885E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2439E-010	1.3042E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.0808E-010	1.1330E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1113E-010	1.1645E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.1410E-011	9.5805E-011
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.6727E-011	1.7489E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.1293E-008	3.5406E-007
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.8254E-011	4.6568E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.5240E-012	1.0684E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2605E-003	6.2846E-003
RCPTR_35	farmer_adult	TOCDLIC2	Isophorone	1.2615E-012	2.0264E-011
RCPTR_35	farmer_adult	TOCDLIC2	Lead	1.1658E-006	1.2685E-006
RCPTR_35	farmer_adult	TOCDLIC2	Mercuric chloride	5.5779E-008	5.7570E-008
RCPTR_35	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.8542E-017	1.1067E-015
RCPTR_35	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.9990E-019	3.2163E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.2894E-014	1.1794E-012
RCPTR_35	farmer_adult	TOCDLIC2	Methyl mercury	8.6554E-010	8.8386E-010
RCPTR_35	farmer_adult	TOCDLIC2	Methylene chloride	9.8970E-013	1.5944E-011
RCPTR_35	farmer_adult	TOCDLIC2	Naphthalene	3.3367E-012	5.0217E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nickel	1.3131E-005	1.3961E-005
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.1962E-011	3.4571E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.1259E-012	8.2252E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.6620E-012	1.0628E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitrobenzene	2.1187E-012	3.4201E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.6896E-013	1.5572E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3546E-010	2.7429E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2257E-012	1.9297E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2214E-012	1.8968E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.2348E-013	1.7058E-012
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.2151E-011	3.3583E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.1907E-011	3.3296E-011
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.1984E-010	4.3425E-010
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.0696E-011	6.4367E-011
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3171E-010	2.4532E-010
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.5535E-010	1.3235E-009
RCPTR_35	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.7742E-011	5.2464E-010
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorophenol	2.3562E-007	3.2119E-007
RCPTR_35	farmer_adult	TOCDLIC2	Phenanthrene	1.9026E-012	2.6221E-011
RCPTR_35	farmer_adult	TOCDLIC2	Phenol	1.7108E-012	2.7101E-011
RCPTR_35	farmer_adult	TOCDLIC2	Pronamide	2.0042E-010	2.5983E-009
RCPTR_35	farmer_adult	TOCDLIC2	Pyrene	1.3054E-007	6.3142E-007
RCPTR_35	farmer_adult	TOCDLIC2	Selenium	8.2084E-006	8.2474E-006
RCPTR_35	farmer_adult	TOCDLIC2	Silver	2.1827E-005	2.3183E-005
RCPTR_35	farmer_adult	TOCDLIC2	Styrene	8.4437E-015	1.3301E-013
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	5.3920E-011	5.8470E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4343E-011	1.6058E-011
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.9622E-010	2.1111E-009
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.4579E-012	9.3026E-012
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.5354E-016	5.5767E-015
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.9355E-009	1.6342E-008
RCPTR_35	farmer_adult	TOCDLIC2	Thallium (l)	2.9084E-005	3.0313E-005
RCPTR_35	farmer_adult	TOCDLIC2	Toluene	1.1180E-011	1.6749E-010
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.3737E-012	8.0548E-011
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.3483E-014	5.3311E-013
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.7993E-014	2.8889E-013
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethylene	2.9750E-015	4.6979E-014
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.9027E-016	6.1741E-015
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.1590E-010	9.2827E-009
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.4315E-010	1.9260E-009
RCPTR_35	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.6896E-014	1.0693E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	VX	4.3842E-011	4.5564E-011
RCPTR_35	farmer_adult	TOCDLIC2	Vinyl Chloride	8.7990E-020	1.4078E-018
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, m-	3.9477E-013	7.7650E-013
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, o-	2.1714E-013	4.9401E-013
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, p-	3.8245E-013	9.7446E-013
RCPTR_35	farmer_adult	TOCDLIC2	Zinc	1.5987E-006	1.9737E-006
RCPTR_35	farmer_child	TOCDFBRA	Antimony	2.6044E-006	2.8405E-006
RCPTR_35	farmer_child	TOCDFBRA	Arsenic	4.2132E-006	4.3045E-006
RCPTR_35	farmer_child	TOCDFBRA	Barium	3.5568E-007	3.8015E-007
RCPTR_35	farmer_child	TOCDFBRA	Beryllium	1.1319E-006	1.1593E-006
RCPTR_35	farmer_child	TOCDFBRA	Cadmium	2.1366E-007	2.5038E-007
RCPTR_35	farmer_child	TOCDFBRA	Chromium	2.6720E-006	2.7241E-006
RCPTR_35	farmer_child	TOCDFBRA	Chromium, hexavalent	2.4879E-006	2.5116E-006
RCPTR_35	farmer_child	TOCDFBRA	Lead	1.1666E-005	1.2107E-005
RCPTR_35	farmer_child	TOCDFBRA	Mercuric chloride	9.7467E-004	1.1256E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFBRA	Methyl mercury	1.8392E-005	1.8862E-005
RCPTR_35	farmer_child	TOCDFBRA	Nickel	1.3919E-005	1.4407E-005
RCPTR_35	farmer_child	TOCDFBRA	Selenium	4.7069E-006	4.7210E-006
RCPTR_35	farmer_child	TOCDFBRA	Silver	1.5980E-006	1.6591E-006
RCPTR_35	farmer_child	TOCDFBRA	Thallium (l)	4.3106E-005	4.4108E-005
RCPTR_35	farmer_child	TOCDFBRA	Zinc	7.6719E-006	8.6125E-006
RCPTR_35	farmer_child	TOCDFDFS	Acenaphthene	1.5442E-009	3.7021E-009
RCPTR_35	farmer_child	TOCDFDFS	Acetone	3.0854E-013	7.4947E-013
RCPTR_35	farmer_child	TOCDFDFS	Acetophenone	8.0152E-012	1.9457E-011
RCPTR_35	farmer_child	TOCDFDFS	Aniline	4.8360E-013	1.1721E-012
RCPTR_35	farmer_child	TOCDFDFS	Anthracene	2.7288E-008	6.5337E-008
RCPTR_35	farmer_child	TOCDFDFS	Antimony	4.8411E-007	5.2786E-007
RCPTR_35	farmer_child	TOCDFDFS	Aroclor 1254	3.4297E-010	4.7464E-010
RCPTR_35	farmer_child	TOCDFDFS	Arsenic	9.1385E-007	9.3359E-007
RCPTR_35	farmer_child	TOCDFDFS	Barium	4.4023E-006	4.7042E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Benzene	2.5921E-014	6.2778E-014
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.0715E-006	8.2236E-006
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.9374E-005	7.0628E-005
RCPTR_35	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.9407E-005	4.2445E-005
RCPTR_35	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.0693E-004	1.0802E-004
RCPTR_35	farmer_child	TOCDFDFS	Benzoic acid	1.3703E-010	3.0569E-010
RCPTR_35	farmer_child	TOCDFDFS	Benzyl alcohol	1.6980E-011	4.1206E-011
RCPTR_35	farmer_child	TOCDFDFS	Beryllium	2.0639E-007	2.1135E-007
RCPTR_35	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.0951E-011	2.6600E-011
RCPTR_35	farmer_child	TOCDFDFS	Bromodichloromethane	5.5035E-014	1.3361E-013
RCPTR_35	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.8953E-012	4.6021E-012
RCPTR_35	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.2213E-007	9.4141E-007
RCPTR_35	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.5240E-007	1.6626E-007
RCPTR_35	farmer_child	TOCDFDFS	Cadmium	3.5401E-007	4.1468E-007
RCPTR_35	farmer_child	TOCDFDFS	Carbon disulfide	7.3455E-015	1.7809E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Carbon tetrachloride	2.8959E-014	7.0118E-014
RCPTR_35	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0686E-009	2.2631E-009
RCPTR_35	farmer_child	TOCDFDFS	Chloroaniline, p-	5.1026E-011	1.2361E-010
RCPTR_35	farmer_child	TOCDFDFS	Chlorobenzene	8.5062E-014	2.0555E-013
RCPTR_35	farmer_child	TOCDFDFS	Chloroethane	6.8892E-016	1.6432E-015
RCPTR_35	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.1420E-014	2.7720E-014
RCPTR_35	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.0206E-009	9.6664E-009
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.4128E-010	3.4310E-010
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.9546E-009	1.2583E-008
RCPTR_35	farmer_child	TOCDFDFS	Chromium	2.5301E-006	2.5793E-006
RCPTR_35	farmer_child	TOCDFDFS	Chromium, hexavalent	2.3563E-006	2.3787E-006
RCPTR_35	farmer_child	TOCDFDFS	Chrysene	2.0202E-005	2.1371E-005
RCPTR_35	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.4892E-007	2.7115E-007
RCPTR_35	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.6750E+003	2.6750E+003
RCPTR_35	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5281E-003	1.5375E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.4418E-012	3.4267E-012
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.1308E-012	1.2288E-011
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.3735E-012	8.0962E-012
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9161E-008	3.2951E-008
RCPTR_35	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.3974E-017	1.3075E-016
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.7778E-015	1.1599E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.9346E-015	1.4409E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.1391E-015	1.2462E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.2625E-015	2.0034E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	6.0537E-010	1.1711E-009
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.6565E-014	1.1276E-013
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.4010E-015	1.3107E-014
RCPTR_35	farmer_child	TOCDFDFS	Diethyl phthalate	5.2093E-008	5.3382E-008
RCPTR_35	farmer_child	TOCDFDFS	Dimethyl phthalate	5.1836E-011	1.2361E-010
RCPTR_35	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	9.6873E-011	2.3411E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	8.5896E-011	1.3304E-010
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.9861E-011	4.6791E-011
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.5156E-011	3.6012E-011
RCPTR_35	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.0506E-012	4.9805E-012
RCPTR_35	farmer_child	TOCDFDFS	Ethylbenzene	1.0605E-013	2.5171E-013
RCPTR_35	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.1674E-009	4.5629E-009
RCPTR_35	farmer_child	TOCDFDFS	Fluoranthene	4.6471E-007	8.3603E-007
RCPTR_35	farmer_child	TOCDFDFS	Fluorene	6.1257E-009	1.4560E-008
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.0799E-012	4.1363E-012
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.2954E-012	5.3536E-012
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2328E-011	1.2494E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.2836E-011	3.3216E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.9635E-011	1.9930E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.6221E-011	1.6503E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.1763E-011	2.2195E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.8901E-011	1.9274E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.9418E-011	1.9799E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.5979E-011	1.6293E-011
RCPTR_35	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.3312E-010	3.0744E-010
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorobenzene	2.6766E-007	6.2235E-007
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.7750E-009	4.0524E-009
RCPTR_35	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.8325E-011	1.8779E-010
RCPTR_35	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1034E-002	1.1055E-002
RCPTR_35	farmer_child	TOCDFDFS	Isophorone	1.4674E-011	3.5617E-011
RCPTR_35	farmer_child	TOCDFDFS	Lead	2.4310E-006	2.5226E-006
RCPTR_35	farmer_child	TOCDFDFS	Mercuric chloride	1.2186E-006	1.4184E-006
RCPTR_35	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.9016E-016	1.1903E-015
RCPTR_35	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	9.4409E-018	2.2919E-017
RCPTR_35	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.7228E-014	1.3901E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Methyl mercury	2.1340E-008	2.1963E-008
RCPTR_35	farmer_child	TOCDFDFS	Methylene chloride	3.1893E-013	7.7435E-013
RCPTR_35	farmer_child	TOCDFDFS	Naphthalene	9.6738E-011	2.3332E-010
RCPTR_35	farmer_child	TOCDFDFS	Nickel	2.7982E-005	2.8960E-005
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.4786E-010	6.0047E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 3-	5.8865E-011	1.4287E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 4-	7.6106E-011	1.8461E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitrobenzene	2.4754E-011	6.0114E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.1276E-011	2.7370E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.2493E-010	4.7613E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.4000E-011	3.3917E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.3780E-011	3.3339E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.2551E-012	2.9991E-012
RCPTR_35	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.4612E-012	9.6343E-012
RCPTR_35	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.8459E-012	2.8968E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.4155E-011	6.5061E-011
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.8974E-012	6.0414E-012
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.2552E-011	2.3088E-011
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorobenzene	5.1526E-009	1.1526E-008
RCPTR_35	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.1462E-010	9.1226E-010
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorophenol	9.3765E-008	1.1259E-007
RCPTR_35	farmer_child	TOCDFDFS	Phenanthrene	1.9285E-011	4.6088E-011
RCPTR_35	farmer_child	TOCDFDFS	Phenol	1.9651E-011	4.7635E-011
RCPTR_35	farmer_child	TOCDFDFS	Pronamide	3.8482E-009	9.1339E-009
RCPTR_35	farmer_child	TOCDFDFS	Pyrene	7.1329E-007	1.1099E-006
RCPTR_35	farmer_child	TOCDFDFS	Selenium	1.0210E-006	1.0240E-006
RCPTR_35	farmer_child	TOCDFDFS	Silver	1.3864E-006	1.4392E-006
RCPTR_35	farmer_child	TOCDFDFS	Styrene	1.0094E-012	2.4456E-012
RCPTR_35	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.9867E-011	3.0865E-011
RCPTR_35	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4424E-011	1.5093E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.6001E-009	3.7106E-009
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2298E-010	1.4047E-010
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.4791E-014	8.4300E-014
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.7040E-008	2.8374E-008
RCPTR_35	farmer_child	TOCDFDFS	Thallium (l)	1.8469E-004	1.8897E-004
RCPTR_35	farmer_child	TOCDFDFS	Toluene	1.7229E-013	4.1536E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	7.1455E-011	1.6915E-010
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.2457E-014	5.4462E-014
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.4380E-013	5.9176E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethylene	3.9709E-014	9.6229E-014
RCPTR_35	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.2178E-015	1.2647E-014
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	7.0936E-009	1.6315E-008
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.6401E-009	3.3846E-009
RCPTR_35	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	9.0280E-013	2.1903E-012
RCPTR_35	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.8119E-012	1.8536E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	VX	1.2065E-010	1.2359E-010
RCPTR_35	farmer_child	TOCDFDFS	Vinyl Chloride	6.6777E-018	1.6202E-017
RCPTR_35	farmer_child	TOCDFDFS	Xylene, m-	1.6372E-012	2.3549E-012
RCPTR_35	farmer_child	TOCDFDFS	Xylene, o-	1.5326E-012	2.3507E-012
RCPTR_35	farmer_child	TOCDFDFS	Xylene, p-	1.8335E-012	2.9465E-012
RCPTR_35	farmer_child	TOCDFLIC	Acenaphthene	8.7851E-010	2.1063E-009
RCPTR_35	farmer_child	TOCDFLIC	Acetone	4.3369E-011	1.0534E-010
RCPTR_35	farmer_child	TOCDFLIC	Acetophenone	4.5601E-012	1.1069E-011
RCPTR_35	farmer_child	TOCDFLIC	Aniline	2.7513E-013	6.6687E-013
RCPTR_35	farmer_child	TOCDFLIC	Anthracene	1.5524E-008	3.7171E-008
RCPTR_35	farmer_child	TOCDFLIC	Antimony	7.1110E-006	7.7533E-006
RCPTR_35	farmer_child	TOCDFLIC	Arsenic	7.3601E-006	7.5190E-006
RCPTR_35	farmer_child	TOCDFLIC	Barium	1.1678E-006	1.2478E-006
RCPTR_35	farmer_child	TOCDFLIC	Benzene	5.8126E-014	1.4078E-013
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.0144E-006	4.6695E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.9296E-005	4.0003E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2383E-005	2.4110E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.0600E-005	6.1211E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzoic acid	1.2057E-010	2.6894E-010
RCPTR_35	farmer_child	TOCDFLIC	Benzyl alcohol	1.1842E-009	2.8737E-009
RCPTR_35	farmer_child	TOCDFLIC	Beryllium	3.8892E-007	3.9827E-007
RCPTR_35	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.2303E-012	1.5134E-011
RCPTR_35	farmer_child	TOCDFLIC	Bromodichloromethane	3.6408E-015	8.8388E-015
RCPTR_35	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.4998E-012	8.4980E-012
RCPTR_35	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.9705E-007	5.3559E-007
RCPTR_35	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3129E-008	2.5248E-008
RCPTR_35	farmer_child	TOCDFLIC	Cadmium	1.0410E-007	1.2194E-007
RCPTR_35	farmer_child	TOCDFLIC	Carbon disulfide	2.4171E-016	5.8602E-016
RCPTR_35	farmer_child	TOCDFLIC	Carbon tetrachloride	1.9157E-015	4.6385E-015
RCPTR_35	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.0812E-010	1.2877E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Chloroaniline, p-	2.9030E-011	7.0328E-011
RCPTR_35	farmer_child	TOCDFLIC	Chlorobenzene	1.1235E-014	2.7149E-014
RCPTR_35	farmer_child	TOCDFLIC	Chloroethane	3.3634E-016	8.0222E-016
RCPTR_35	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.5083E-015	3.6611E-015
RCPTR_35	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.2874E-009	5.4995E-009
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.0380E-011	1.9520E-010
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.3866E-009	7.1576E-009
RCPTR_35	farmer_child	TOCDFLIC	Chromium	5.6135E-006	5.7225E-006
RCPTR_35	farmer_child	TOCDFLIC	Chromium, hexavalent	5.2280E-006	5.2776E-006
RCPTR_35	farmer_child	TOCDFLIC	Chrysene	1.1477E-005	1.2142E-005
RCPTR_35	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.1361E-008	9.9523E-008
RCPTR_35	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.6668E+001	4.6668E+001
RCPTR_35	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.6480E-004	8.7001E-004
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.7455E-012	8.9020E-012
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.4909E-012	1.0755E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.3131E-012	1.0351E-011
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8026E-008	3.1677E-008
RCPTR_35	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.6349E-017	6.3831E-017
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane 1,1-	6.3104E-016	1.5320E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.2206E-015	1.9960E-014
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.5089E-015	6.0841E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.0338E-015	9.7805E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.7202E-010	9.1294E-010
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.1676E-015	5.2488E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.1334E-016	1.7311E-015
RCPTR_35	farmer_child	TOCDFLIC	Diethyl phthalate	5.7555E-009	5.8978E-009
RCPTR_35	farmer_child	TOCDFLIC	Dimethyl phthalate	6.0360E-011	1.4394E-010
RCPTR_35	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.5115E-011	1.3319E-010
RCPTR_35	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	9.8770E-012	1.5296E-011
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.2174E-011	1.2294E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.9825E-011	9.4631E-011
RCPTR_35	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.1667E-012	2.8336E-012
RCPTR_35	farmer_child	TOCDFLIC	Ethylbenzene	6.1597E-014	1.4620E-013
RCPTR_35	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.2707E-009	9.0620E-009
RCPTR_35	farmer_child	TOCDFLIC	Fluoranthene	2.6428E-007	4.7553E-007
RCPTR_35	farmer_child	TOCDFLIC	Fluorene	3.4850E-009	8.2834E-009
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.2578E-011	2.2888E-011
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.8449E-011	7.9302E-011
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8198E-010	1.8441E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.9042E-010	1.9259E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1331E-010	1.1500E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.3274E-011	9.4885E-011
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2789E-010	1.3042E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1111E-010	1.1330E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1422E-010	1.1645E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.3963E-011	9.5805E-011
RCPTR_35	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	7.5713E-011	1.7489E-010
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorobenzene	1.5227E-007	3.5406E-007
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.0393E-010	4.6568E-010
RCPTR_35	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.4563E-011	1.0684E-010
RCPTR_35	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2731E-003	6.2846E-003
RCPTR_35	farmer_child	TOCDFLIC	Isophorone	8.3483E-012	2.0264E-011
RCPTR_35	farmer_child	TOCDFLIC	Lead	1.2224E-006	1.2685E-006
RCPTR_35	farmer_child	TOCDFLIC	Mercuric chloride	4.9423E-008	5.7570E-008
RCPTR_35	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.5571E-016	1.1067E-015
RCPTR_35	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.6461E-017	6.4239E-017
RCPTR_35	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.8558E-013	1.1794E-012
RCPTR_35	farmer_child	TOCDFLIC	Methyl mercury	8.5845E-010	8.8386E-010
RCPTR_35	farmer_child	TOCDFLIC	Methylene chloride	6.5667E-012	1.5944E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Naphthalene	2.0821E-011	5.0217E-011
RCPTR_35	farmer_child	TOCDFLIC	Nickel	1.3489E-005	1.3961E-005
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.4270E-010	3.4571E-010
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.3890E-011	8.2252E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.7471E-012	2.1218E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrobenzene	1.4084E-011	3.4201E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.2133E-011	7.8000E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.7380E-011	5.4758E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.9652E-012	1.9297E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.8398E-012	1.8968E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.1362E-013	1.7058E-012
RCPTR_35	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.2982E-011	3.3583E-011
RCPTR_35	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.2712E-011	3.3296E-011
RCPTR_35	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.2823E-010	4.3425E-010
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.2834E-011	6.4367E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.3963E-010	2.4532E-010
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorobenzene	2.9604E-009	6.6295E-009
RCPTR_35	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.3814E-010	5.2464E-010
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorophenol	5.3410E-008	6.4122E-008
RCPTR_35	farmer_child	TOCDFLIC	Phenanthrene	1.0972E-011	2.6221E-011
RCPTR_35	farmer_child	TOCDFLIC	Phenol	1.1180E-011	2.7101E-011
RCPTR_35	farmer_child	TOCDFLIC	Pronamide	1.0947E-009	2.5983E-009
RCPTR_35	farmer_child	TOCDFLIC	Pyrene	4.0577E-007	6.3142E-007
RCPTR_35	farmer_child	TOCDFLIC	Selenium	8.2229E-006	8.2474E-006
RCPTR_35	farmer_child	TOCDFLIC	Silver	2.2332E-005	2.3183E-005
RCPTR_35	farmer_child	TOCDFLIC	Styrene	5.4901E-014	1.3301E-013
RCPTR_35	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.6577E-011	5.8470E-011
RCPTR_35	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5345E-011	1.6058E-011
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.1038E-010	2.1111E-009
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.1459E-012	9.3026E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.3015E-015	5.5767E-015
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.8167E-009	1.6342E-008
RCPTR_35	farmer_child	TOCDFLIC	Thallium (l)	2.9626E-005	3.0313E-005
RCPTR_35	farmer_child	TOCDFLIC	Toluene	6.9473E-011	1.6749E-010
RCPTR_35	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.4037E-011	8.0548E-011
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.1982E-013	5.3311E-013
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.1902E-013	2.8889E-013
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethylene	1.9386E-014	4.6979E-014
RCPTR_35	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.5473E-015	6.1741E-015
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.0363E-009	9.2827E-009
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	9.3345E-010	1.9260E-009
RCPTR_35	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.4074E-013	1.0693E-012
RCPTR_35	farmer_child	TOCDFLIC	VX	4.2789E-011	4.3828E-011
RCPTR_35	farmer_child	TOCDFLIC	Vinyl Chloride	5.8022E-019	1.4078E-018
RCPTR_35	farmer_child	TOCDFLIC	Xylene, m-	5.3714E-013	7.7650E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Xylene, o-	3.2040E-013	4.9401E-013
RCPTR_35	farmer_child	TOCDFLIC	Xylene, p-	6.0324E-013	9.7446E-013
RCPTR_35	farmer_child	TOCDFLIC	Zinc	1.7588E-006	1.9737E-006
RCPTR_35	farmer_child	TOCDFMPF	Acenaphthene	1.6115E-010	3.8637E-010
RCPTR_35	farmer_child	TOCDFMPF	Acetone	1.8480E-015	4.4888E-015
RCPTR_35	farmer_child	TOCDFMPF	Acetophenone	1.9463E-011	4.7246E-011
RCPTR_35	farmer_child	TOCDFMPF	Aniline	1.1743E-012	2.8463E-012
RCPTR_35	farmer_child	TOCDFMPF	Anthracene	1.6353E-009	3.9157E-009
RCPTR_35	farmer_child	TOCDFMPF	Arsenic	3.5733E-007	3.6504E-007
RCPTR_35	farmer_child	TOCDFMPF	Barium	1.3074E-007	1.3970E-007
RCPTR_35	farmer_child	TOCDFMPF	Benzene	1.0227E-014	2.4768E-014
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.7189E-007	4.3257E-007
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.7102E-006	6.8310E-006
RCPTR_35	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.2525E-006	3.5034E-006
RCPTR_35	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.0269E-006	9.1180E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Benzoic acid	2.3171E-011	5.1685E-011
RCPTR_35	farmer_child	TOCDFMPF	Benzyl alcohol	9.3958E-012	2.2800E-011
RCPTR_35	farmer_child	TOCDFMPF	Beryllium	4.8968E-008	5.0145E-008
RCPTR_35	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.6535E-012	6.4455E-012
RCPTR_35	farmer_child	TOCDFMPF	Bromodichloromethane	5.3814E-014	1.3065E-013
RCPTR_35	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.8532E-012	4.5000E-012
RCPTR_35	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.7022E-007	3.0691E-007
RCPTR_35	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.0676E-009	3.3486E-009
RCPTR_35	farmer_child	TOCDFMPF	Cadmium	3.3173E-007	3.8857E-007
RCPTR_35	farmer_child	TOCDFMPF	Carbon disulfide	3.5726E-015	8.6620E-015
RCPTR_35	farmer_child	TOCDFMPF	Carbon tetrachloride	2.8316E-014	6.8562E-014
RCPTR_35	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.6066E-010	5.5197E-010
RCPTR_35	farmer_child	TOCDFMPF	Chloroaniline, p-	8.5680E-012	2.0757E-011
RCPTR_35	farmer_child	TOCDFMPF	Chlorobenzene	1.6606E-013	4.0129E-013
RCPTR_35	farmer_child	TOCDFMPF	Chloroethane	4.7402E-016	1.1306E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.2294E-014	5.4115E-014
RCPTR_35	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.0299E-010	9.6888E-010
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.9636E-011	7.1970E-011
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0487E-009	2.2165E-009
RCPTR_35	farmer_child	TOCDFMPF	Chromium	6.1045E-006	6.2230E-006
RCPTR_35	farmer_child	TOCDFMPF	Chromium, hexavalent	5.6853E-006	5.7393E-006
RCPTR_35	farmer_child	TOCDFMPF	Chrysene	1.1883E-006	1.2571E-006
RCPTR_35	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.0703E-007	1.1659E-007
RCPTR_35	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.2038E+001	4.2038E+001
RCPTR_35	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.2937E-004	2.3075E-004
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.3061E-012	3.1043E-012
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.4600E-012	3.4966E-012
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.3944E-012	3.3464E-012
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.4002E-009	9.4942E-009
RCPTR_35	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.7135E-017	8.9960E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane 1,1-	9.3274E-015	2.2644E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1586E-014	2.8130E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.5359E-015	8.5747E-015
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.6850E-015	1.3784E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.8517E-010	3.5815E-010
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.2039E-014	7.7582E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0544E-014	2.5587E-014
RCPTR_35	farmer_child	TOCDFMPF	Diethyl phthalate	1.2320E-008	1.2624E-008
RCPTR_35	farmer_child	TOCDFMPF	Dimethyl phthalate	3.4899E-012	8.3223E-012
RCPTR_35	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.1772E-011	5.2616E-011
RCPTR_35	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.9015E-011	2.9448E-011
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.2020E-011	1.6970E-010
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.9909E-011	1.1859E-010
RCPTR_35	farmer_child	TOCDFMPF	Ethyl methanesulfonate	4.9796E-012	1.2094E-011
RCPTR_35	farmer_child	TOCDFMPF	Ethylbenzene	1.0369E-013	2.4612E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4330E-009	1.5701E-009
RCPTR_35	farmer_child	TOCDFMPF	Fluoranthene	2.0592E-008	3.7052E-008
RCPTR_35	farmer_child	TOCDFMPF	Fluorene	5.3168E-010	1.2638E-009
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.4860E-012	2.5201E-012
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3144E-011	1.3287E-011
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.2037E-011	1.2198E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.3146E-011	3.3526E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.9729E-011	2.0023E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.6009E-011	1.6285E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.4608E-011	3.5292E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1817E-010	1.2050E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.9587E-011	1.0153E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2006E-011	1.2242E-011
RCPTR_35	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.2561E-011	9.8310E-011
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorobenzene	7.5916E-008	1.7652E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.4205E-010	3.2436E-010
RCPTR_35	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.1404E-011	7.5289E-011
RCPTR_35	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3673E-003	1.3698E-003
RCPTR_35	farmer_child	TOCDFMPF	Isophorone	1.4935E-012	3.6252E-012
RCPTR_35	farmer_child	TOCDFMPF	Lead	1.9317E-006	2.0045E-006
RCPTR_35	farmer_child	TOCDFMPF	Mercuric chloride	5.3309E-008	6.2094E-008
RCPTR_35	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.3725E-016	8.1899E-016
RCPTR_35	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.9583E-017	4.7540E-017
RCPTR_35	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.1742E-015	1.9855E-014
RCPTR_35	farmer_child	TOCDFMPF	Methyl mercury	9.2628E-010	9.5367E-010
RCPTR_35	farmer_child	TOCDFMPF	Methylene chloride	2.1447E-015	5.2072E-015
RCPTR_35	farmer_child	TOCDFMPF	Naphthalene	1.7574E-011	4.2386E-011
RCPTR_35	farmer_child	TOCDFMPF	Nickel	7.0817E-006	7.3293E-006
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.7722E-011	4.2932E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.4099E-012	8.2761E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.9081E-012	9.4800E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitrobenzene	4.8217E-012	1.1709E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.8857E-012	9.4321E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.3435E-011	4.8980E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.3997E-011	8.2362E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.7727E-012	4.2890E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.6466E-013	1.1107E-012
RCPTR_35	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.5351E-012	2.5813E-012
RCPTR_35	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.4939E-013	2.5384E-013
RCPTR_35	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.0778E-011	7.1772E-011
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.2721E-011	4.3764E-011
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.9378E-011	3.0076E-011
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorobenzene	2.5227E-009	5.6491E-009
RCPTR_35	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.0147E-010	2.2353E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorophenol	3.1865E-008	3.8256E-008
RCPTR_35	farmer_child	TOCDFMPF	Phenanthrene	1.1558E-012	2.7621E-012
RCPTR_35	farmer_child	TOCDFMPF	Phenol	3.6652E-012	8.8846E-012
RCPTR_35	farmer_child	TOCDFMPF	Pronamide	4.6724E-009	1.1090E-008
RCPTR_35	farmer_child	TOCDFMPF	Pyrene	2.9811E-008	4.6388E-008
RCPTR_35	farmer_child	TOCDFMPF	Selenium	2.5947E-006	2.6024E-006
RCPTR_35	farmer_child	TOCDFMPF	Silver	7.0584E-007	7.3271E-007
RCPTR_35	farmer_child	TOCDFMPF	Styrene	8.3876E-013	2.0321E-012
RCPTR_35	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.4591E-011	2.5414E-011
RCPTR_35	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.0349E-011	1.0829E-011
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.8857E-009	9.0107E-009
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.5885E-013	8.6996E-013
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.4018E-014	8.2428E-014
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.1823E-009	6.9625E-009
RCPTR_35	farmer_child	TOCDFMPF	Thallium (l)	4.7663E-005	4.8768E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Toluene	4.5002E-014	1.0849E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1498E-011	2.7211E-011
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.1958E-014	5.3254E-014
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.6775E-013	4.0715E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethylene	2.7321E-014	6.6209E-014
RCPTR_35	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.5901E-015	8.7014E-015
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.8107E-009	4.1643E-009
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.2553E-010	8.7799E-010
RCPTR_35	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	6.2116E-013	1.5070E-012
RCPTR_35	farmer_child	TOCDFMPF	VX	5.9246E-011	6.0684E-011
RCPTR_35	farmer_child	TOCDFMPF	Vinyl Chloride	8.8645E-018	2.1509E-017
RCPTR_35	farmer_child	TOCDFMPF	Xylene, m-	4.2489E-013	6.1409E-013
RCPTR_35	farmer_child	TOCDFMPF	Xylene, o-	3.9832E-013	6.1402E-013
RCPTR_35	farmer_child	TOCDFMPF	Xylene, p-	4.7712E-013	7.7055E-013
RCPTR_35	farmer_child	TOCDHVAC	VX	2.5068E-011	2.5690E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Acenaphthene	8.7851E-010	2.1063E-009
RCPTR_35	farmer_child	TOCDLIC2	Acetone	4.3369E-011	1.0534E-010
RCPTR_35	farmer_child	TOCDLIC2	Acetophenone	4.5601E-012	1.1069E-011
RCPTR_35	farmer_child	TOCDLIC2	Aniline	2.7513E-013	6.6687E-013
RCPTR_35	farmer_child	TOCDLIC2	Anthracene	1.5524E-008	3.7171E-008
RCPTR_35	farmer_child	TOCDLIC2	Antimony	7.1110E-006	7.7533E-006
RCPTR_35	farmer_child	TOCDLIC2	Arsenic	7.3601E-006	7.5190E-006
RCPTR_35	farmer_child	TOCDLIC2	Barium	1.1678E-006	1.2478E-006
RCPTR_35	farmer_child	TOCDLIC2	Benzene	5.8126E-014	1.4078E-013
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.0144E-006	4.6695E-006
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.9296E-005	4.0003E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2383E-005	2.4110E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.0600E-005	6.1211E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzoic acid	1.2057E-010	2.6894E-010
RCPTR_35	farmer_child	TOCDLIC2	Benzyl alcohol	1.1842E-009	2.8737E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Beryllium	3.8892E-007	3.9827E-007
RCPTR_35	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.2303E-012	1.5134E-011
RCPTR_35	farmer_child	TOCDLIC2	Bromodichloromethane	3.6408E-015	8.8388E-015
RCPTR_35	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.4998E-012	8.4980E-012
RCPTR_35	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.9705E-007	5.3559E-007
RCPTR_35	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.3129E-008	2.5248E-008
RCPTR_35	farmer_child	TOCDLIC2	Cadmium	1.0410E-007	1.2194E-007
RCPTR_35	farmer_child	TOCDLIC2	Carbon disulfide	2.4171E-016	5.8602E-016
RCPTR_35	farmer_child	TOCDLIC2	Carbon tetrachloride	1.9157E-015	4.6385E-015
RCPTR_35	farmer_child	TOCDLIC2	Chlorine	5.3981E-006	1.3113E-005
RCPTR_35	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.0812E-010	1.2877E-009
RCPTR_35	farmer_child	TOCDLIC2	Chloroaniline, p-	2.9030E-011	7.0328E-011
RCPTR_35	farmer_child	TOCDLIC2	Chlorobenzene	1.1235E-014	2.7149E-014
RCPTR_35	farmer_child	TOCDLIC2	Chloroethane	3.3634E-016	8.0222E-016
RCPTR_35	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.5083E-015	3.6611E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.2874E-009	5.4995E-009
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.0380E-011	1.9520E-010
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.3866E-009	7.1576E-009
RCPTR_35	farmer_child	TOCDLIC2	Chromium	5.6135E-006	5.7225E-006
RCPTR_35	farmer_child	TOCDLIC2	Chromium, hexavalent	5.2280E-006	5.2776E-006
RCPTR_35	farmer_child	TOCDLIC2	Chrysene	1.1477E-005	1.2142E-005
RCPTR_35	farmer_child	TOCDLIC2	Di-n-butyl phthalate	9.1361E-008	9.9523E-008
RCPTR_35	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.6668E+001	4.6668E+001
RCPTR_35	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.6480E-004	8.7001E-004
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.7455E-012	8.9020E-012
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.4909E-012	1.0755E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.3131E-012	1.0351E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8026E-008	3.1677E-008
RCPTR_35	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.6349E-017	6.3831E-017
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane 1,1-	6.1052E-016	1.4821E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.2206E-015	1.9960E-014
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.5089E-015	6.0841E-015
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.0338E-015	9.7805E-015
RCPTR_35	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.7202E-010	9.1294E-010
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.1676E-015	5.2488E-015
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.1334E-016	1.7311E-015
RCPTR_35	farmer_child	TOCDLIC2	Diethyl phthalate	5.7555E-009	5.8978E-009
RCPTR_35	farmer_child	TOCDLIC2	Dimethyl phthalate	6.0360E-011	1.4394E-010
RCPTR_35	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.5115E-011	1.3319E-010
RCPTR_35	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	9.8770E-012	1.5296E-011
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.2174E-011	1.2294E-010
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.9825E-011	9.4631E-011
RCPTR_35	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.1667E-012	2.8336E-012
RCPTR_35	farmer_child	TOCDLIC2	Ethylbenzene	6.1597E-014	1.4620E-013
RCPTR_35	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.2707E-009	9.0620E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Fluoranthene	2.6428E-007	4.7553E-007
RCPTR_35	farmer_child	TOCDLIC2	Fluorene	3.4850E-009	8.2834E-009
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.2578E-011	2.2888E-011
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.7073E-010	2.7367E-010
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.2799E-010	6.3638E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.9042E-010	1.9259E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1331E-010	1.1500E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.3274E-011	9.4885E-011
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2789E-010	1.3042E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1111E-010	1.1330E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1422E-010	1.1645E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.3963E-011	9.5805E-011
RCPTR_35	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.5713E-011	1.7489E-010
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorobenzene	1.5227E-007	3.5406E-007
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.0393E-010	4.6568E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.4563E-011	1.0684E-010
RCPTR_35	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2731E-003	6.2846E-003
RCPTR_35	farmer_child	TOCDLIC2	Isophorone	8.3483E-012	2.0264E-011
RCPTR_35	farmer_child	TOCDLIC2	Lead	1.2224E-006	1.2685E-006
RCPTR_35	farmer_child	TOCDLIC2	Mercuric chloride	4.9423E-008	5.7570E-008
RCPTR_35	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.5571E-016	1.1067E-015
RCPTR_35	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.3249E-018	3.2163E-018
RCPTR_35	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.8558E-013	1.1794E-012
RCPTR_35	farmer_child	TOCDLIC2	Methyl mercury	8.5845E-010	8.8386E-010
RCPTR_35	farmer_child	TOCDLIC2	Methylene chloride	6.5667E-012	1.5944E-011
RCPTR_35	farmer_child	TOCDLIC2	Naphthalene	2.0821E-011	5.0217E-011
RCPTR_35	farmer_child	TOCDLIC2	Nickel	1.3489E-005	1.3961E-005
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.4270E-010	3.4571E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.3890E-011	8.2252E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.3815E-011	1.0628E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitrobenzene	1.4084E-011	3.4201E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.4150E-012	1.5572E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.8724E-010	2.7429E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.9652E-012	1.9297E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.8398E-012	1.8968E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.1362E-013	1.7058E-012
RCPTR_35	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.2982E-011	3.3583E-011
RCPTR_35	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.2712E-011	3.3296E-011
RCPTR_35	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.2823E-010	4.3425E-010
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.2834E-011	6.4367E-011
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3963E-010	2.4532E-010
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorobenzene	5.9100E-010	1.3235E-009
RCPTR_35	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.3814E-010	5.2464E-010
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorophenol	2.6753E-007	3.2119E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Phenanthrene	1.0972E-011	2.6221E-011
RCPTR_35	farmer_child	TOCDLIC2	Phenol	1.1180E-011	2.7101E-011
RCPTR_35	farmer_child	TOCDLIC2	Pronamide	1.0947E-009	2.5983E-009
RCPTR_35	farmer_child	TOCDLIC2	Pyrene	4.0577E-007	6.3142E-007
RCPTR_35	farmer_child	TOCDLIC2	Selenium	8.2229E-006	8.2474E-006
RCPTR_35	farmer_child	TOCDLIC2	Silver	2.2332E-005	2.3183E-005
RCPTR_35	farmer_child	TOCDLIC2	Styrene	5.4901E-014	1.3301E-013
RCPTR_35	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	5.6577E-011	5.8470E-011
RCPTR_35	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5345E-011	1.6058E-011
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.1038E-010	2.1111E-009
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.1459E-012	9.3026E-012
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3015E-015	5.5767E-015
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.8167E-009	1.6342E-008
RCPTR_35	farmer_child	TOCDLIC2	Thallium (l)	2.9626E-005	3.0313E-005
RCPTR_35	farmer_child	TOCDLIC2	Toluene	6.9473E-011	1.6749E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.4037E-011	8.0548E-011
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.1982E-013	5.3311E-013
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.1902E-013	2.8889E-013
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethylene	1.9386E-014	4.6979E-014
RCPTR_35	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.5473E-015	6.1741E-015
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.0363E-009	9.2827E-009
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	9.3345E-010	1.9260E-009
RCPTR_35	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.4074E-013	1.0693E-012
RCPTR_35	farmer_child	TOCDLIC2	VX	4.4484E-011	4.5564E-011
RCPTR_35	farmer_child	TOCDLIC2	Vinyl Chloride	5.8022E-019	1.4078E-018
RCPTR_35	farmer_child	TOCDLIC2	Xylene, m-	5.3714E-013	7.7650E-013
RCPTR_35	farmer_child	TOCDLIC2	Xylene, o-	3.2040E-013	4.9401E-013
RCPTR_35	farmer_child	TOCDLIC2	Xylene, p-	6.0324E-013	9.7446E-013
RCPTR_35	farmer_child	TOCDLIC2	Zinc	1.7588E-006	1.9737E-006
RCPTR_36	farmer_adult	TOCDFBRA	Antimony	1.0341E-006	1.2015E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFBRA	Arsenic	1.7566E-006	1.8192E-006
RCPTR_36	farmer_adult	TOCDFBRA	Barium	1.4358E-007	1.6076E-007
RCPTR_36	farmer_adult	TOCDFBRA	Beryllium	4.6324E-007	4.9015E-007
RCPTR_36	farmer_adult	TOCDFBRA	Cadmium	7.7731E-008	1.0603E-007
RCPTR_36	farmer_adult	TOCDFBRA	Chromium	1.1484E-006	1.1518E-006
RCPTR_36	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.0452E-006	1.0613E-006
RCPTR_36	farmer_adult	TOCDFBRA	Lead	4.7027E-006	5.1214E-006
RCPTR_36	farmer_adult	TOCDFBRA	Mercuric chloride	7.2758E-004	7.5227E-004
RCPTR_36	farmer_adult	TOCDFBRA	Methyl mercury	1.0180E-005	1.0433E-005
RCPTR_36	farmer_adult	TOCDFBRA	Nickel	5.7243E-006	6.0902E-006
RCPTR_36	farmer_adult	TOCDFBRA	Selenium	1.9852E-006	1.9947E-006
RCPTR_36	farmer_adult	TOCDFBRA	Silver	6.5987E-007	7.0134E-007
RCPTR_36	farmer_adult	TOCDFBRA	Thallium (l)	1.7879E-005	1.8643E-005
RCPTR_36	farmer_adult	TOCDFBRA	Zinc	2.9459E-006	3.6448E-006
RCPTR_36	farmer_adult	TOCDFDFS	Acenaphthene	1.4817E-010	2.1104E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Acetone	2.6400E-014	4.2734E-013
RCPTR_36	farmer_adult	TOCDFDFS	Acetophenone	6.9003E-013	1.1094E-011
RCPTR_36	farmer_adult	TOCDFDFS	Aniline	4.2227E-014	6.6834E-013
RCPTR_36	farmer_adult	TOCDFDFS	Anthracene	2.6392E-009	3.7239E-008
RCPTR_36	farmer_adult	TOCDFDFS	Antimony	1.6851E-007	1.9576E-007
RCPTR_36	farmer_adult	TOCDFDFS	Aroclor 1254	1.3562E-010	2.5529E-010
RCPTR_36	farmer_adult	TOCDFDFS	Arsenic	3.3395E-007	3.4584E-007
RCPTR_36	farmer_adult	TOCDFDFS	Barium	1.5578E-006	1.7440E-006
RCPTR_36	farmer_adult	TOCDFDFS	Benzene	2.2798E-015	3.5795E-014
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)anthracene	3.2216E-006	4.5407E-006
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.6375E-005	3.7595E-005
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.0108E-005	2.3514E-005
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	5.6614E-005	5.7898E-005
RCPTR_36	farmer_adult	TOCDFDFS	Benzoic acid	2.0995E-011	1.7436E-010
RCPTR_36	farmer_adult	TOCDFDFS	Benzyl alcohol	1.4665E-012	2.3495E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Beryllium	7.4040E-008	7.8336E-008
RCPTR_36	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	9.3705E-013	1.5167E-011
RCPTR_36	farmer_adult	TOCDFDFS	Bromodichloromethane	4.7331E-015	7.6183E-014
RCPTR_36	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.6273E-013	2.6241E-012
RCPTR_36	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	5.2987E-008	5.3668E-007
RCPTR_36	farmer_adult	TOCDFDFS	Butylbenzylphthalate	7.2899E-008	8.5470E-008
RCPTR_36	farmer_adult	TOCDFDFS	Cadmium	1.1293E-007	1.5400E-007
RCPTR_36	farmer_adult	TOCDFDFS	Carbon disulfide	6.3966E-016	1.0155E-014
RCPTR_36	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.5533E-015	3.9980E-014
RCPTR_36	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.0523E-010	1.2915E-009
RCPTR_36	farmer_adult	TOCDFDFS	Chloroaniline, p-	4.4776E-012	7.0483E-011
RCPTR_36	farmer_adult	TOCDFDFS	Chlorobenzene	7.6332E-015	1.1720E-013
RCPTR_36	farmer_adult	TOCDFDFS	Chloroethane	6.9298E-017	9.3704E-016
RCPTR_36	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.8368E-016	1.5805E-014
RCPTR_36	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.7731E-010	5.5111E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.2115E-011	1.9563E-010
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1259E-009	7.1529E-009
RCPTR_36	farmer_adult	TOCDFDFS	Chromium	9.5321E-007	9.5601E-007
RCPTR_36	farmer_adult	TOCDFDFS	Chromium, hexavalent	8.6762E-007	8.8099E-007
RCPTR_36	farmer_adult	TOCDFDFS	Chrysene	1.0415E-005	1.1868E-005
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.3307E-007	1.5327E-007
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.5384E+003	1.5384E+003
RCPTR_36	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	8.0427E-004	8.1213E-004
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.4864E-013	1.9535E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.9776E-013	7.0058E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.2158E-013	4.6160E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4503E-008	1.7909E-008
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	4.7244E-018	7.4538E-017
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.1100E-016	6.6136E-015
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0982E-016	8.2159E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	4.4667E-016	7.1059E-015
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	7.1922E-016	1.1423E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.5423E-010	6.6868E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	4.1023E-015	6.4293E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.6608E-016	7.4730E-015
RCPTR_36	farmer_adult	TOCDFDFS	Diethyl phthalate	2.9507E-008	3.0679E-008
RCPTR_36	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.1729E-012	7.0433E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	8.7001E-012	1.3349E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	3.2997E-011	7.5866E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	2.1406E-012	2.6627E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.5569E-012	2.0521E-011
RCPTR_36	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.7565E-013	2.8399E-012
RCPTR_36	farmer_adult	TOCDFDFS	Ethylbenzene	1.1039E-014	1.4349E-013
RCPTR_36	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9629E-009	2.3209E-009
RCPTR_36	farmer_adult	TOCDFDFS	Fluoranthene	1.0550E-007	4.7440E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Fluorene	6.2978E-010	8.2990E-009
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.8410E-012	1.8952E-012
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.5657E-012	2.6235E-012
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	5.6376E-012	5.7985E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6048E-011	1.6439E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.8749E-012	9.1655E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.8919E-012	7.1625E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	9.2427E-012	9.6808E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	8.0695E-012	8.4496E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.3771E-012	8.7679E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.8602E-012	7.1818E-012
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.6447E-011	1.7496E-010
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.1151E-008	3.5463E-007
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.3362E-010	2.3045E-009
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.5471E-012	1.0708E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.1743E-003	6.1907E-003
RCPTR_36	farmer_adult	TOCDFDFS	Isophorone	1.2644E-012	2.0308E-011
RCPTR_36	farmer_adult	TOCDFDFS	Lead	8.5909E-007	9.3550E-007
RCPTR_36	farmer_adult	TOCDFDFS	Mercuric chloride	7.2118E-007	7.4592E-007
RCPTR_36	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	4.2033E-017	6.7871E-016
RCPTR_36	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	8.1196E-019	1.3068E-017
RCPTR_36	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.8985E-015	7.9259E-014
RCPTR_36	farmer_adult	TOCDFDFS	Methyl mercury	9.8669E-009	1.0120E-008
RCPTR_36	farmer_adult	TOCDFDFS	Methylene chloride	2.7406E-014	4.4152E-013
RCPTR_36	farmer_adult	TOCDFDFS	Naphthalene	8.8306E-012	1.3303E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nickel	1.0087E-005	1.0731E-005
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.1737E-011	3.4237E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 3-	5.0748E-012	8.1459E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 4-	6.5807E-012	1.0524E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Nitrobenzene	2.1231E-012	3.4276E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 2-	9.7092E-013	1.5606E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.3500E-010	2.7249E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.2286E-012	1.9340E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.2245E-012	1.9010E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.1788E-013	1.7037E-012
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.8247E-012	3.9863E-012
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1481E-012	1.1957E-012
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3100E-011	3.4170E-011
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.9631E-012	3.1429E-012
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0911E-011	1.1556E-011
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.9531E-010	6.4904E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	6.0086E-011	5.1259E-010
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorophenol	4.7469E-008	6.4590E-008
RCPTR_36	farmer_adult	TOCDFDFS	Phenanthrene	1.9012E-012	2.6273E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Phenol	1.7148E-012	2.7161E-011
RCPTR_36	farmer_adult	TOCDFDFS	Pronamide	4.0135E-010	5.2077E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pyrene	1.2981E-007	6.3162E-007
RCPTR_36	farmer_adult	TOCDFDFS	Selenium	3.7741E-007	3.7922E-007
RCPTR_36	farmer_adult	TOCDFDFS	Silver	5.0180E-007	5.3329E-007
RCPTR_36	farmer_adult	TOCDFDFS	Styrene	8.8486E-014	1.3944E-012
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4952E-011	1.6243E-011
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	7.2506E-012	8.1408E-012
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.9643E-010	2.1156E-009
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.4737E-011	8.0637E-011
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.0413E-015	4.8061E-014
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.9076E-009	1.6214E-008
RCPTR_36	farmer_adult	TOCDFDFS	Thallium (l)	6.7142E-005	7.0008E-005
RCPTR_36	farmer_adult	TOCDFDFS	Toluene	1.5796E-014	2.3682E-013
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,3-	7.5962E-012	9.6430E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.9499E-015	3.1053E-014
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	2.1014E-014	3.3741E-013
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethylene	3.4734E-015	5.4867E-014
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.5569E-016	7.2109E-015
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	9.2036E-010	9.3057E-009
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	3.4545E-010	1.9317E-009
RCPTR_36	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	7.8116E-014	1.2489E-012
RCPTR_36	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.6781E-013	1.0518E-011
RCPTR_36	farmer_adult	TOCDFDFS	VX	6.8386E-011	7.1053E-011
RCPTR_36	farmer_adult	TOCDFDFS	Vinyl Chloride	5.7618E-019	9.2371E-018
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, m-	4.8806E-013	1.1406E-012
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, o-	4.2481E-013	1.1688E-012
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, p-	4.7990E-013	1.4920E-012
RCPTR_36	farmer_adult	TOCDFLIC	Acenaphthene	8.3982E-011	1.1969E-009
RCPTR_36	farmer_adult	TOCDFLIC	Acetone	3.6992E-012	5.9879E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Acetophenone	3.9135E-013	6.2920E-012
RCPTR_36	farmer_adult	TOCDFLIC	Aniline	2.3948E-014	3.7905E-013
RCPTR_36	farmer_adult	TOCDFLIC	Anthracene	1.4954E-009	2.1119E-008
RCPTR_36	farmer_adult	TOCDFLIC	Antimony	2.3634E-006	2.7467E-006
RCPTR_36	farmer_adult	TOCDFLIC	Arsenic	2.5680E-006	2.6597E-006
RCPTR_36	farmer_adult	TOCDFLIC	Barium	3.9455E-007	4.4183E-007
RCPTR_36	farmer_adult	TOCDFLIC	Benzene	5.0959E-015	8.0018E-014
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.8149E-006	2.5623E-006
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.0427E-005	2.1109E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.1341E-005	1.3270E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.1825E-005	3.2536E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzoic acid	1.8399E-011	1.5289E-010
RCPTR_36	farmer_adult	TOCDFLIC	Benzyl alcohol	1.0195E-010	1.6335E-009
RCPTR_36	farmer_adult	TOCDFLIC	Beryllium	1.3323E-007	1.4098E-007
RCPTR_36	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	5.3146E-013	8.6021E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Bromodichloromethane	3.1213E-016	5.0241E-015
RCPTR_36	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.9954E-013	4.8304E-012
RCPTR_36	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	3.0046E-008	3.0438E-007
RCPTR_36	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.0930E-008	1.2847E-008
RCPTR_36	farmer_adult	TOCDFLIC	Cadmium	3.1714E-008	4.3278E-008
RCPTR_36	farmer_adult	TOCDFLIC	Carbon disulfide	2.0981E-017	3.3310E-016
RCPTR_36	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.6836E-016	2.6365E-015
RCPTR_36	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.1632E-010	7.3239E-010
RCPTR_36	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.5394E-012	3.9975E-011
RCPTR_36	farmer_adult	TOCDFLIC	Chlorobenzene	1.0048E-015	1.5431E-014
RCPTR_36	farmer_adult	TOCDFLIC	Chloroethane	3.3720E-017	4.5603E-016
RCPTR_36	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.2952E-016	2.0810E-015
RCPTR_36	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.1392E-010	3.1256E-009
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenol, 2-	6.8713E-012	1.1096E-010
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.3636E-010	4.0546E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Chromium	2.0198E-006	2.0257E-006
RCPTR_36	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.8380E-006	1.8664E-006
RCPTR_36	farmer_adult	TOCDFLIC	Chrysene	5.8771E-006	6.6996E-006
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	4.8543E-008	5.5936E-008
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.6694E+001	2.6694E+001
RCPTR_36	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.5102E-004	4.5519E-004
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	3.8470E-013	5.0590E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	4.3415E-013	6.1128E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	4.0971E-013	5.8830E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.3822E-008	1.7092E-008
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.2983E-018	3.6275E-017
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	5.4113E-017	8.7079E-016
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.0399E-016	1.1345E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	2.1737E-016	3.4583E-015
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.5001E-016	5.5594E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.1973E-010	5.1942E-010
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.9035E-016	2.9834E-015
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.1361E-017	9.8394E-016
RCPTR_36	farmer_adult	TOCDFLIC	Diethyl phthalate	3.2424E-009	3.3713E-009
RCPTR_36	farmer_adult	TOCDFLIC	Dimethyl phthalate	5.9975E-012	8.1760E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	4.9341E-012	7.5711E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.7742E-012	8.6861E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	5.5896E-012	6.9736E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	4.0735E-012	5.3753E-011
RCPTR_36	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	9.9620E-014	1.6107E-012
RCPTR_36	farmer_adult	TOCDFLIC	Ethylbenzene	6.3875E-015	8.3082E-014
RCPTR_36	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.8453E-009	4.5592E-009
RCPTR_36	farmer_adult	TOCDFLIC	Fluoranthene	5.9617E-008	2.6883E-007
RCPTR_36	farmer_adult	TOCDFLIC	Fluorene	3.5687E-010	4.7066E-009
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0003E-011	1.0293E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.7508E-011	3.8334E-011
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.1792E-011	8.4086E-011
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.1893E-011	9.4090E-011
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.0299E-011	5.1923E-011
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.8716E-011	4.0222E-011
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.3077E-011	5.5591E-011
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.6377E-011	4.8559E-011
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.8220E-011	5.0467E-011
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.9460E-011	4.1307E-011
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.2995E-012	9.9201E-011
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.7643E-008	2.0111E-007
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	2.6666E-011	2.6394E-010
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.2799E-012	6.0732E-011
RCPTR_36	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.4876E-003	3.4962E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Isophorone	7.1709E-013	1.1518E-011
RCPTR_36	farmer_adult	TOCDFLIC	Lead	4.1254E-007	4.4933E-007
RCPTR_36	farmer_adult	TOCDFLIC	Mercuric chloride	2.9044E-008	3.0050E-008
RCPTR_36	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.8957E-017	6.2905E-016
RCPTR_36	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.2686E-018	3.6513E-017
RCPTR_36	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.1434E-014	6.7041E-013
RCPTR_36	farmer_adult	TOCDFLIC	Methyl mercury	3.8969E-010	3.9998E-010
RCPTR_36	farmer_adult	TOCDFLIC	Methylene chloride	5.6252E-013	9.0626E-012
RCPTR_36	farmer_adult	TOCDFLIC	Naphthalene	1.8942E-012	2.8542E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nickel	4.6428E-006	4.9401E-006
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.2474E-011	1.9649E-010
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.9124E-012	4.6752E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.5375E-013	1.2058E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrobenzene	1.2041E-012	1.9440E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.7582E-012	4.4336E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5454E-011	3.1207E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.9682E-013	1.0969E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	6.9446E-013	1.0782E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	6.6402E-014	9.6584E-013
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2961E-011	1.3506E-011
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.2826E-011	1.3354E-011
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.1891E-010	2.2594E-010
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.1258E-011	3.3160E-011
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1452E-010	1.2131E-010
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.9335E-010	3.7193E-009
RCPTR_36	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.3953E-011	2.9366E-010
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorophenol	2.6898E-008	3.6608E-008
RCPTR_36	farmer_adult	TOCDFLIC	Phenanthrene	1.0776E-012	1.4900E-011
RCPTR_36	farmer_adult	TOCDFLIC	Phenol	9.7254E-013	1.5405E-011
RCPTR_36	farmer_adult	TOCDFLIC	Pronamide	1.1376E-010	1.4767E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Pyrene	7.3491E-008	3.5809E-007
RCPTR_36	farmer_adult	TOCDFLIC	Selenium	2.9022E-006	2.9162E-006
RCPTR_36	farmer_adult	TOCDFLIC	Silver	7.7174E-006	8.2033E-006
RCPTR_36	farmer_adult	TOCDFLIC	Styrene	4.7971E-015	7.5603E-014
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	2.8058E-011	3.0492E-011
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.6508E-012	8.5950E-012
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1132E-010	1.1998E-009
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.2652E-012	5.3138E-012
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.0051E-016	3.1694E-015
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.3872E-009	9.3026E-009
RCPTR_36	farmer_adult	TOCDFLIC	Thallium (l)	1.0283E-005	1.0724E-005
RCPTR_36	farmer_adult	TOCDFLIC	Toluene	6.3483E-012	9.5195E-011
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.6062E-012	4.5768E-011
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.9026E-014	3.0302E-013
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.0227E-014	1.6421E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethylene	1.6903E-015	2.6703E-014
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.2176E-016	3.5094E-015
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	5.2179E-010	5.2776E-009
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.9578E-010	1.0955E-009
RCPTR_36	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.8015E-014	6.0780E-013
RCPTR_36	farmer_adult	TOCDFLIC	VX	2.4122E-011	2.5063E-011
RCPTR_36	farmer_adult	TOCDFLIC	Vinyl Chloride	4.9895E-020	8.0011E-019
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, m-	1.5427E-013	3.7125E-013
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, o-	8.5542E-014	2.4292E-013
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, p-	1.5212E-013	4.8862E-013
RCPTR_36	farmer_adult	TOCDFLIC	Zinc	5.6538E-007	6.9973E-007
RCPTR_36	farmer_adult	TOCDFMPF	Acenaphthene	1.5453E-011	2.2024E-010
RCPTR_36	farmer_adult	TOCDFMPF	Acetone	1.5811E-016	2.5594E-015
RCPTR_36	farmer_adult	TOCDFMPF	Acetophenone	1.6755E-012	2.6938E-011
RCPTR_36	farmer_adult	TOCDFMPF	Aniline	1.0253E-013	1.6229E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Anthracene	1.5802E-010	2.2316E-009
RCPTR_36	farmer_adult	TOCDFMPF	Arsenic	1.2540E-007	1.2989E-007
RCPTR_36	farmer_adult	TOCDFMPF	Barium	4.4432E-008	4.9762E-008
RCPTR_36	farmer_adult	TOCDFMPF	Benzene	8.9934E-016	1.4122E-014
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.6860E-007	2.3805E-007
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.4985E-006	3.6154E-006
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.6525E-006	1.9336E-006
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	4.7542E-006	4.8607E-006
RCPTR_36	farmer_adult	TOCDFMPF	Benzoic acid	3.5457E-012	2.9473E-011
RCPTR_36	farmer_adult	TOCDFMPF	Benzyl alcohol	8.1141E-013	1.3000E-011
RCPTR_36	farmer_adult	TOCDFMPF	Beryllium	1.6873E-008	1.7856E-008
RCPTR_36	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.2705E-013	3.6751E-012
RCPTR_36	farmer_adult	TOCDFMPF	Bromodichloromethane	4.6278E-015	7.4490E-014
RCPTR_36	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5911E-013	2.5658E-012
RCPTR_36	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.7271E-008	1.7495E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.4546E-009	1.7095E-009
RCPTR_36	farmer_adult	TOCDFMPF	Cadmium	1.0165E-007	1.3874E-007
RCPTR_36	farmer_adult	TOCDFMPF	Carbon disulfide	3.1108E-016	4.9388E-015
RCPTR_36	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.4962E-015	3.9091E-014
RCPTR_36	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	4.9989E-011	3.1487E-010
RCPTR_36	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.5177E-013	1.1835E-011
RCPTR_36	farmer_adult	TOCDFMPF	Chlorobenzene	1.4898E-014	2.2879E-013
RCPTR_36	farmer_adult	TOCDFMPF	Chloroethane	4.7665E-017	6.4469E-016
RCPTR_36	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.9203E-015	3.0855E-014
RCPTR_36	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.7802E-011	5.5236E-010
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.5413E-012	4.1036E-011
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.9763E-010	1.2594E-009
RCPTR_36	farmer_adult	TOCDFMPF	Chromium	2.2095E-006	2.2160E-006
RCPTR_36	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.0104E-006	2.0415E-006
RCPTR_36	farmer_adult	TOCDFMPF	Chrysene	6.1009E-007	6.9552E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	5.7012E-008	6.5700E-008
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.4103E+001	2.4103E+001
RCPTR_36	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.1997E-004	1.2108E-004
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.3455E-013	1.7696E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4157E-013	1.9934E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3286E-013	1.9078E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.1549E-009	5.1379E-009
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.2492E-018	5.1283E-017
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.0232E-016	1.2911E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.9523E-016	1.6039E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.0730E-016	4.8890E-015
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.9481E-016	7.8593E-015
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	4.7089E-011	2.0438E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.8222E-015	4.4235E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.0979E-016	1.4589E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Diethyl phthalate	6.9570E-009	7.2339E-009
RCPTR_36	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.4783E-013	4.7418E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.9551E-012	3.0001E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.2843E-012	1.6770E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	7.7400E-012	9.6558E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	5.1205E-012	6.7572E-011
RCPTR_36	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.2651E-013	6.8958E-012
RCPTR_36	farmer_adult	TOCDFMPF	Ethylbenzene	1.0785E-014	1.4029E-013
RCPTR_36	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.6859E-010	7.9263E-010
RCPTR_36	farmer_adult	TOCDFMPF	Fluoranthene	4.6583E-009	2.1010E-008
RCPTR_36	farmer_adult	TOCDFMPF	Fluorene	5.4610E-011	7.2027E-010
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1060E-012	1.1382E-012
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.3068E-012	6.4463E-012
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.4325E-012	5.5853E-012
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6053E-011	1.6437E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.7946E-012	9.0791E-012
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.6772E-012	6.9375E-012
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.4432E-011	1.5116E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.9561E-011	5.1896E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.2239E-011	4.4209E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.0659E-012	5.3034E-012
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	5.2435E-012	5.5936E-011
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorobenzene	8.8219E-009	1.0057E-007
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.8631E-011	1.8441E-010
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.0251E-012	4.2930E-011
RCPTR_36	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.6208E-004	7.6398E-004
RCPTR_36	farmer_adult	TOCDFMPF	Isophorone	1.2868E-013	2.0670E-012
RCPTR_36	farmer_adult	TOCDFMPF	Lead	6.5579E-007	7.1432E-007
RCPTR_36	farmer_adult	TOCDFMPF	Mercuric chloride	3.1437E-008	3.2525E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.8919E-017	4.6697E-016
RCPTR_36	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.6841E-018	2.7105E-017
RCPTR_36	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.9965E-016	1.1321E-014
RCPTR_36	farmer_adult	TOCDFMPF	Methyl mercury	4.2231E-010	4.3345E-010
RCPTR_36	farmer_adult	TOCDFMPF	Methylene chloride	1.8429E-016	2.9690E-015
RCPTR_36	farmer_adult	TOCDFMPF	Naphthalene	1.6037E-012	2.4165E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nickel	2.4518E-006	2.6089E-006
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.5539E-012	2.4477E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 3-	2.9395E-013	4.7187E-012
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 4-	3.3782E-013	5.4042E-012
RCPTR_36	farmer_adult	TOCDFMPF	Nitrobenzene	4.1352E-013	6.6761E-012
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 2-	3.3457E-013	5.3779E-012
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.3857E-011	2.7992E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.9833E-012	4.6961E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.5751E-013	2.4455E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	4.3384E-014	6.3084E-013
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.0017E-012	1.0438E-012
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.8317E-014	1.0237E-013
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.6292E-011	3.7459E-011
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.1320E-011	2.2618E-011
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4089E-011	1.4925E-011
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.3650E-010	3.1793E-009
RCPTR_36	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.4524E-011	1.2551E-010
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorophenol	1.6086E-008	2.1898E-008
RCPTR_36	farmer_adult	TOCDFMPF	Phenanthrene	1.1386E-013	1.5745E-012
RCPTR_36	farmer_adult	TOCDFMPF	Phenol	3.1981E-013	5.0658E-012
RCPTR_36	farmer_adult	TOCDFMPF	Pronamide	4.8697E-010	6.3224E-009
RCPTR_36	farmer_adult	TOCDFMPF	Pyrene	5.4148E-009	2.6388E-008
RCPTR_36	farmer_adult	TOCDFMPF	Selenium	9.2113E-007	9.2557E-007
RCPTR_36	farmer_adult	TOCDFMPF	Silver	2.4535E-007	2.6080E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Styrene	7.3514E-014	1.1586E-012
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.2233E-011	1.3294E-011
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.1748E-012	5.8136E-012
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.7650E-010	5.1366E-009
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.1271E-014	4.9602E-013
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.9728E-015	4.6992E-014
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4466E-009	3.9746E-009
RCPTR_36	farmer_adult	TOCDFMPF	Thallium (l)	1.6641E-005	1.7354E-005
RCPTR_36	farmer_adult	TOCDFMPF	Toluene	4.1248E-015	6.1854E-014
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2219E-012	1.5509E-011
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.9065E-015	3.0363E-014
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.4457E-014	2.3215E-013
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethylene	2.3895E-015	3.7750E-014
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.1350E-016	4.9612E-015
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.3474E-010	2.3749E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	8.9485E-011	5.0090E-010
RCPTR_36	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.3742E-014	8.5926E-013
RCPTR_36	farmer_adult	TOCDFMPF	VX	3.3479E-011	3.4787E-011
RCPTR_36	farmer_adult	TOCDFMPF	Vinyl Chloride	7.6466E-019	1.2262E-017
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, m-	1.2278E-013	2.9482E-013
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, o-	1.0699E-013	3.0312E-013
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, p-	1.2104E-013	3.8785E-013
RCPTR_36	farmer_adult	TOCDHVAC	VX	1.8993E-011	1.9737E-011
RCPTR_36	farmer_adult	TOCDLIC2	Acenaphthene	8.3982E-011	1.1969E-009
RCPTR_36	farmer_adult	TOCDLIC2	Acetone	3.6992E-012	5.9879E-011
RCPTR_36	farmer_adult	TOCDLIC2	Acetophenone	3.9135E-013	6.2920E-012
RCPTR_36	farmer_adult	TOCDLIC2	Aniline	2.3948E-014	3.7905E-013
RCPTR_36	farmer_adult	TOCDLIC2	Anthracene	1.4954E-009	2.1119E-008
RCPTR_36	farmer_adult	TOCDLIC2	Antimony	2.3634E-006	2.7467E-006
RCPTR_36	farmer_adult	TOCDLIC2	Arsenic	2.5680E-006	2.6597E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Barium	3.9455E-007	4.4183E-007
RCPTR_36	farmer_adult	TOCDLIC2	Benzene	5.0959E-015	8.0018E-014
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.8149E-006	2.5623E-006
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.0427E-005	2.1109E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.1341E-005	1.3270E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	3.1825E-005	3.2536E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzoic acid	1.8399E-011	1.5289E-010
RCPTR_36	farmer_adult	TOCDLIC2	Benzyl alcohol	1.0195E-010	1.6335E-009
RCPTR_36	farmer_adult	TOCDLIC2	Beryllium	1.3323E-007	1.4098E-007
RCPTR_36	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.3146E-013	8.6021E-012
RCPTR_36	farmer_adult	TOCDLIC2	Bromodichloromethane	3.1213E-016	5.0241E-015
RCPTR_36	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.9954E-013	4.8304E-012
RCPTR_36	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.0046E-008	3.0438E-007
RCPTR_36	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.0930E-008	1.2847E-008
RCPTR_36	farmer_adult	TOCDLIC2	Cadmium	3.1714E-008	4.3278E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Carbon disulfide	2.0981E-017	3.3310E-016
RCPTR_36	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6836E-016	2.6365E-015
RCPTR_36	farmer_adult	TOCDLIC2	Chlorine	4.6026E-007	7.4535E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.1632E-010	7.3239E-010
RCPTR_36	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.5394E-012	3.9975E-011
RCPTR_36	farmer_adult	TOCDLIC2	Chlorobenzene	1.0048E-015	1.5431E-014
RCPTR_36	farmer_adult	TOCDLIC2	Chloroethane	3.3720E-017	4.5603E-016
RCPTR_36	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.2952E-016	2.0810E-015
RCPTR_36	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.1392E-010	3.1256E-009
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenol, 2-	6.8713E-012	1.1096E-010
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.3636E-010	4.0546E-009
RCPTR_36	farmer_adult	TOCDLIC2	Chromium	2.0198E-006	2.0257E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.8380E-006	1.8664E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chrysene	5.8771E-006	6.6996E-006
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	4.8543E-008	5.5936E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-octylphthalate	2.6694E+001	2.6694E+001
RCPTR_36	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.5102E-004	4.5519E-004
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.8470E-013	5.0590E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.3415E-013	6.1128E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.0971E-013	5.8830E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.3822E-008	1.7092E-008
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.2983E-018	3.6275E-017
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.2353E-017	8.4247E-016
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.0399E-016	1.1345E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.1737E-016	3.4583E-015
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.5001E-016	5.5594E-015
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.1973E-010	5.1942E-010
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.9035E-016	2.9834E-015
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.1361E-017	9.8394E-016
RCPTR_36	farmer_adult	TOCDLIC2	Diethyl phthalate	3.2424E-009	3.3713E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Dimethyl phthalate	5.9975E-012	8.1760E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	4.9341E-012	7.5711E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.7742E-012	8.6861E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.5896E-012	6.9736E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.0735E-012	5.3753E-011
RCPTR_36	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	9.9620E-014	1.6107E-012
RCPTR_36	farmer_adult	TOCDLIC2	Ethylbenzene	6.3875E-015	8.3082E-014
RCPTR_36	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.8453E-009	4.5592E-009
RCPTR_36	farmer_adult	TOCDLIC2	Fluoranthene	5.9617E-008	2.6883E-007
RCPTR_36	farmer_adult	TOCDLIC2	Fluorene	3.5687E-010	4.7066E-009
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.0003E-011	1.0293E-011
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.2944E-010	1.3229E-010
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.8226E-010	2.9018E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	9.1893E-011	9.4090E-011
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.0299E-011	5.1923E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.8716E-011	4.0222E-011
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.3077E-011	5.5591E-011
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.6377E-011	4.8559E-011
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.8220E-011	5.0467E-011
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.9460E-011	4.1307E-011
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.2995E-012	9.9201E-011
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.7643E-008	2.0111E-007
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.6666E-011	2.6394E-010
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.2799E-012	6.0732E-011
RCPTR_36	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.4876E-003	3.4962E-003
RCPTR_36	farmer_adult	TOCDLIC2	Isophorone	7.1709E-013	1.1518E-011
RCPTR_36	farmer_adult	TOCDLIC2	Lead	4.1254E-007	4.4933E-007
RCPTR_36	farmer_adult	TOCDLIC2	Mercuric chloride	2.9044E-008	3.0050E-008
RCPTR_36	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.8957E-017	6.2905E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.1358E-019	1.8282E-018
RCPTR_36	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.1434E-014	6.7041E-013
RCPTR_36	farmer_adult	TOCDLIC2	Methyl mercury	3.8969E-010	3.9998E-010
RCPTR_36	farmer_adult	TOCDLIC2	Methylene chloride	5.6252E-013	9.0626E-012
RCPTR_36	farmer_adult	TOCDLIC2	Naphthalene	1.8942E-012	2.8542E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nickel	4.6428E-006	4.9401E-006
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.2474E-011	1.9649E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 3-	2.9124E-012	4.6752E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.7756E-012	6.0401E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrobenzene	1.2041E-012	1.9440E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 2-	5.5065E-013	8.8511E-012
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 4-	7.7410E-011	1.5632E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.9682E-013	1.0969E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	6.9446E-013	1.0782E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	6.6402E-014	9.6584E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2961E-011	1.3506E-011
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.2826E-011	1.3354E-011
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.1891E-010	2.2594E-010
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	3.1258E-011	3.3160E-011
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.1452E-010	1.2131E-010
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.8527E-011	7.4251E-010
RCPTR_36	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.3953E-011	2.9366E-010
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorophenol	1.3473E-007	1.8337E-007
RCPTR_36	farmer_adult	TOCDLIC2	Phenanthrene	1.0776E-012	1.4900E-011
RCPTR_36	farmer_adult	TOCDLIC2	Phenol	9.7254E-013	1.5405E-011
RCPTR_36	farmer_adult	TOCDLIC2	Pronamide	1.1376E-010	1.4767E-009
RCPTR_36	farmer_adult	TOCDLIC2	Pyrene	7.3491E-008	3.5809E-007
RCPTR_36	farmer_adult	TOCDLIC2	Selenium	2.9022E-006	2.9162E-006
RCPTR_36	farmer_adult	TOCDLIC2	Silver	7.7174E-006	8.2033E-006
RCPTR_36	farmer_adult	TOCDLIC2	Styrene	4.7971E-015	7.5603E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.8058E-011	3.0492E-011
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.6508E-012	8.5950E-012
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1132E-010	1.1998E-009
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	4.2652E-012	5.3138E-012
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.0051E-016	3.1694E-015
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.3872E-009	9.3026E-009
RCPTR_36	farmer_adult	TOCDLIC2	Thallium (l)	1.0283E-005	1.0724E-005
RCPTR_36	farmer_adult	TOCDLIC2	Toluene	6.3483E-012	9.5195E-011
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6062E-012	4.5768E-011
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.9026E-014	3.0302E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.0227E-014	1.6421E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethylene	1.6903E-015	2.6703E-014
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.2176E-016	3.5094E-015
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.2179E-010	5.2776E-009
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.9578E-010	1.0955E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.8015E-014	6.0780E-013
RCPTR_36	farmer_adult	TOCDLIC2	VX	2.5077E-011	2.6056E-011
RCPTR_36	farmer_adult	TOCDLIC2	Vinyl Chloride	4.9895E-020	8.0011E-019
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, m-	1.5427E-013	3.7125E-013
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, o-	8.5542E-014	2.4292E-013
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, p-	1.5212E-013	4.8862E-013
RCPTR_36	farmer_adult	TOCDLIC2	Zinc	5.6538E-007	6.9973E-007
RCPTR_36	farmer_child	TOCDFBRA	Antimony	1.1010E-006	1.2015E-006
RCPTR_36	farmer_child	TOCDFBRA	Arsenic	1.7803E-006	1.8192E-006
RCPTR_36	farmer_child	TOCDFBRA	Barium	1.5034E-007	1.6076E-007
RCPTR_36	farmer_child	TOCDFBRA	Beryllium	4.7852E-007	4.9015E-007
RCPTR_36	farmer_child	TOCDFBRA	Cadmium	9.0392E-008	1.0603E-007
RCPTR_36	farmer_child	TOCDFBRA	Chromium	1.1296E-006	1.1518E-006
RCPTR_36	farmer_child	TOCDFBRA	Chromium, hexavalent	1.0512E-006	1.0613E-006
RCPTR_36	farmer_child	TOCDFBRA	Lead	4.9335E-006	5.1214E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFBRA	Mercuric chloride	6.3992E-004	7.5227E-004
RCPTR_36	farmer_child	TOCDFBRA	Methyl mercury	1.0082E-005	1.0433E-005
RCPTR_36	farmer_child	TOCDFBRA	Nickel	5.8823E-006	6.0902E-006
RCPTR_36	farmer_child	TOCDFBRA	Selenium	1.9888E-006	1.9947E-006
RCPTR_36	farmer_child	TOCDFBRA	Silver	6.7534E-007	7.0134E-007
RCPTR_36	farmer_child	TOCDFBRA	Thallium (l)	1.8216E-005	1.8643E-005
RCPTR_36	farmer_child	TOCDFBRA	Zinc	3.2442E-006	3.6448E-006
RCPTR_36	farmer_child	TOCDFDFS	Acenaphthene	8.7999E-010	2.1104E-009
RCPTR_36	farmer_child	TOCDFDFS	Acetone	1.7593E-013	4.2734E-013
RCPTR_36	farmer_child	TOCDFDFS	Acetophenone	4.5701E-012	1.1094E-011
RCPTR_36	farmer_child	TOCDFDFS	Aniline	2.7573E-013	6.6834E-013
RCPTR_36	farmer_child	TOCDFDFS	Anthracene	1.5544E-008	3.7239E-008
RCPTR_36	farmer_child	TOCDFDFS	Antimony	1.7940E-007	1.9576E-007
RCPTR_36	farmer_child	TOCDFDFS	Aroclor 1254	1.8025E-010	2.5529E-010
RCPTR_36	farmer_child	TOCDFDFS	Arsenic	3.3846E-007	3.4584E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Barium	1.6311E-006	1.7440E-006
RCPTR_36	farmer_child	TOCDFDFS	Benzene	1.4779E-014	3.5795E-014
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)anthracene	3.8895E-006	4.5407E-006
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.6964E-005	3.7595E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.1806E-005	2.3514E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.7384E-005	5.7898E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzoic acid	7.8190E-011	1.7436E-010
RCPTR_36	farmer_child	TOCDFDFS	Benzyl alcohol	9.6820E-012	2.3495E-011
RCPTR_36	farmer_child	TOCDFDFS	Beryllium	7.6479E-008	7.8336E-008
RCPTR_36	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	6.2440E-012	1.5167E-011
RCPTR_36	farmer_child	TOCDFDFS	Bromodichloromethane	3.1380E-014	7.6183E-014
RCPTR_36	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.0807E-012	2.6241E-012
RCPTR_36	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.9761E-007	5.3668E-007
RCPTR_36	farmer_child	TOCDFDFS	Butylbenzylphthalate	7.7587E-008	8.5470E-008
RCPTR_36	farmer_child	TOCDFDFS	Cadmium	1.3131E-007	1.5400E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Carbon disulfide	4.1882E-015	1.0155E-014
RCPTR_36	farmer_child	TOCDFDFS	Carbon tetrachloride	1.6511E-014	3.9980E-014
RCPTR_36	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	6.1033E-010	1.2915E-009
RCPTR_36	farmer_child	TOCDFDFS	Chloroaniline, p-	2.9094E-011	7.0483E-011
RCPTR_36	farmer_child	TOCDFDFS	Chlorobenzene	4.8495E-014	1.1720E-013
RCPTR_36	farmer_child	TOCDFDFS	Chloroethane	3.9292E-016	9.3704E-016
RCPTR_36	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.5114E-015	1.5805E-014
RCPTR_36	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.2920E-009	5.5111E-009
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenol, 2-	8.0557E-011	1.9563E-010
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.3736E-009	7.1529E-009
RCPTR_36	farmer_child	TOCDFDFS	Chromium	9.3763E-007	9.5601E-007
RCPTR_36	farmer_child	TOCDFDFS	Chromium, hexavalent	8.7262E-007	8.8099E-007
RCPTR_36	farmer_child	TOCDFDFS	Chrysene	1.1215E-005	1.1868E-005
RCPTR_36	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.4060E-007	1.5327E-007
RCPTR_36	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.5384E+003	1.5384E+003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	8.0860E-004	8.1213E-004
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	8.2177E-013	1.9535E-012
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.9249E-012	7.0058E-012
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.9232E-012	4.6160E-012
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5773E-008	1.7909E-008
RCPTR_36	farmer_child	TOCDFDFS	Dichlorodifluoromethane	3.0761E-017	7.4538E-017
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.7242E-015	6.6136E-015
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.3838E-015	8.2159E-015
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.9302E-015	7.1059E-015
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.7112E-015	1.1423E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.4609E-010	6.6868E-010
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	2.6550E-014	6.4293E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.0793E-015	7.4730E-015
RCPTR_36	farmer_child	TOCDFDFS	Diethyl phthalate	2.9944E-008	3.0679E-008
RCPTR_36	farmer_child	TOCDFDFS	Dimethyl phthalate	2.9511E-011	7.0433E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	5.5240E-011	1.3349E-010
RCPTR_36	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	4.8985E-011	7.5866E-011
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.1273E-011	2.6627E-011
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	8.6295E-012	2.0521E-011
RCPTR_36	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.1693E-012	2.8399E-012
RCPTR_36	farmer_child	TOCDFDFS	Ethylbenzene	6.0436E-014	1.4349E-013
RCPTR_36	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.0964E-009	2.3209E-009
RCPTR_36	farmer_child	TOCDFDFS	Fluoranthene	2.6279E-007	4.7440E-007
RCPTR_36	farmer_child	TOCDFDFS	Fluorene	3.4900E-009	8.2990E-009
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.8725E-012	1.8952E-012
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.5992E-012	2.6235E-012
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	5.7310E-012	5.7985E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6275E-011	1.6439E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.0437E-012	9.1655E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.0491E-012	7.1625E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	9.4973E-012	9.6808E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	8.2903E-012	8.4496E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.6041E-012	8.7679E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	7.0470E-012	7.1818E-012
RCPTR_36	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.5563E-011	1.7496E-010
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorobenzene	1.5239E-007	3.5463E-007
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.0059E-009	2.3045E-009
RCPTR_36	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.4668E-011	1.0708E-010
RCPTR_36	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.1829E-003	6.1907E-003
RCPTR_36	farmer_child	TOCDFDFS	Isophorone	8.3668E-012	2.0308E-011
RCPTR_36	farmer_child	TOCDFDFS	Lead	9.0121E-007	9.3550E-007
RCPTR_36	farmer_child	TOCDFDFS	Mercuric chloride	6.3333E-007	7.4592E-007
RCPTR_36	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.7948E-016	6.7871E-016
RCPTR_36	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	5.3828E-018	1.3068E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.2631E-014	7.9259E-014
RCPTR_36	farmer_child	TOCDFDFS	Methyl mercury	9.7689E-009	1.0120E-008
RCPTR_36	farmer_child	TOCDFDFS	Methylene chloride	1.8185E-013	4.4152E-013
RCPTR_36	farmer_child	TOCDFDFS	Naphthalene	5.5150E-011	1.3303E-010
RCPTR_36	farmer_child	TOCDFDFS	Nickel	1.0365E-005	1.0731E-005
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.4131E-010	3.4237E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.3562E-011	8.1459E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 4-	4.3376E-011	1.0524E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitrobenzene	1.4114E-011	3.4276E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 2-	6.4290E-012	1.5606E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.8628E-010	2.7249E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.9831E-012	1.9340E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.8575E-012	1.9010E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	7.0931E-013	1.7037E-012
RCPTR_36	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.9185E-012	3.9863E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1757E-012	1.1957E-012
RCPTR_36	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3723E-011	3.4170E-011
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.0678E-012	3.1429E-012
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1286E-011	1.1556E-011
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorobenzene	2.8565E-009	6.4904E-009
RCPTR_36	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.2885E-010	5.1259E-010
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorophenol	5.3855E-008	6.4590E-008
RCPTR_36	farmer_child	TOCDFDFS	Phenanthrene	1.0990E-011	2.6273E-011
RCPTR_36	farmer_child	TOCDFDFS	Phenol	1.1205E-011	2.7161E-011
RCPTR_36	farmer_child	TOCDFDFS	Pronamide	2.1939E-009	5.2077E-009
RCPTR_36	farmer_child	TOCDFDFS	Pyrene	4.0555E-007	6.3162E-007
RCPTR_36	farmer_child	TOCDFDFS	Selenium	3.7809E-007	3.7922E-007
RCPTR_36	farmer_child	TOCDFDFS	Silver	5.1354E-007	5.3329E-007
RCPTR_36	farmer_child	TOCDFDFS	Styrene	5.7554E-013	1.3944E-012
RCPTR_36	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.5706E-011	1.6243E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	7.7709E-012	8.1408E-012
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.1216E-010	2.1156E-009
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	7.0666E-011	8.0637E-011
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9831E-014	4.8061E-014
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.7515E-009	1.6214E-008
RCPTR_36	farmer_child	TOCDFDFS	Thallium (l)	6.8406E-005	7.0008E-005
RCPTR_36	farmer_child	TOCDFDFS	Toluene	9.8226E-014	2.3682E-013
RCPTR_36	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,3-	4.0727E-011	9.6430E-011
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.2804E-014	3.1053E-014
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.3901E-013	3.3741E-013
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethylene	2.2641E-014	5.4867E-014
RCPTR_36	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.9750E-015	7.2109E-015
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	4.0476E-009	9.3057E-009
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	9.3705E-010	1.9317E-009
RCPTR_36	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	5.1475E-013	1.2489E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.4042E-012	1.0518E-011
RCPTR_36	farmer_child	TOCDFDFS	VX	6.9381E-011	7.1053E-011
RCPTR_36	farmer_child	TOCDFDFS	Vinyl Chloride	3.8062E-018	9.2371E-018
RCPTR_36	farmer_child	TOCDFDFS	Xylene, m-	7.3143E-013	1.1406E-012
RCPTR_36	farmer_child	TOCDFDFS	Xylene, o-	7.0226E-013	1.1688E-012
RCPTR_36	farmer_child	TOCDFDFS	Xylene, p-	8.5735E-013	1.4920E-012
RCPTR_36	farmer_child	TOCDFLIC	Acenaphthene	4.9905E-010	1.1969E-009
RCPTR_36	farmer_child	TOCDFLIC	Acetone	2.4651E-011	5.9879E-011
RCPTR_36	farmer_child	TOCDFLIC	Acetophenone	2.5920E-012	6.2920E-012
RCPTR_36	farmer_child	TOCDFLIC	Aniline	1.5638E-013	3.7905E-013
RCPTR_36	farmer_child	TOCDFLIC	Anthracene	8.8144E-009	2.1119E-008
RCPTR_36	farmer_child	TOCDFLIC	Antimony	2.5165E-006	2.7467E-006
RCPTR_36	farmer_child	TOCDFLIC	Arsenic	2.6028E-006	2.6597E-006
RCPTR_36	farmer_child	TOCDFLIC	Barium	4.1316E-007	4.4183E-007
RCPTR_36	farmer_child	TOCDFLIC	Benzene	3.3038E-014	8.0018E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.1934E-006	2.5623E-006
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.0756E-005	2.1109E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.2303E-005	1.3270E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.2251E-005	3.2536E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzoic acid	6.8559E-011	1.5289E-010
RCPTR_36	farmer_child	TOCDFLIC	Benzyl alcohol	6.7312E-010	1.6335E-009
RCPTR_36	farmer_child	TOCDFLIC	Beryllium	1.3763E-007	1.4098E-007
RCPTR_36	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	3.5414E-012	8.6021E-012
RCPTR_36	farmer_child	TOCDFLIC	Bromodichloromethane	2.0694E-015	5.0241E-015
RCPTR_36	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.9893E-012	4.8304E-012
RCPTR_36	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6879E-007	3.0438E-007
RCPTR_36	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.1645E-008	1.2847E-008
RCPTR_36	farmer_child	TOCDFLIC	Cadmium	3.6888E-008	4.3278E-008
RCPTR_36	farmer_child	TOCDFLIC	Carbon disulfide	1.3738E-016	3.3310E-016
RCPTR_36	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0889E-015	2.6365E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	3.4608E-010	7.3239E-010
RCPTR_36	farmer_child	TOCDFLIC	Chloroaniline, p-	1.6501E-011	3.9975E-011
RCPTR_36	farmer_child	TOCDFLIC	Chlorobenzene	6.3850E-015	1.5431E-014
RCPTR_36	farmer_child	TOCDFLIC	Chloroethane	1.9122E-016	4.5603E-016
RCPTR_36	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	8.5733E-016	2.0810E-015
RCPTR_36	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.2998E-009	3.1256E-009
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenol, 2-	4.5689E-011	1.1096E-010
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.9112E-009	4.0546E-009
RCPTR_36	farmer_child	TOCDFLIC	Chromium	1.9867E-006	2.0257E-006
RCPTR_36	farmer_child	TOCDFLIC	Chromium, hexavalent	1.8486E-006	1.8664E-006
RCPTR_36	farmer_child	TOCDFLIC	Chrysene	6.3297E-006	6.6996E-006
RCPTR_36	farmer_child	TOCDFLIC	Di-n-butyl phthalate	5.1300E-008	5.5936E-008
RCPTR_36	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.6694E+001	2.6694E+001
RCPTR_36	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.5332E-004	4.5519E-004
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.1280E-012	5.0590E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	2.5520E-012	6.1128E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	2.4510E-012	5.8830E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.5042E-008	1.7092E-008
RCPTR_36	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.4970E-017	3.6275E-017
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane 1,1-	3.5869E-016	8.7079E-016
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6726E-015	1.1345E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.4261E-015	3.4583E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.2928E-015	5.5594E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	2.6879E-010	5.1942E-010
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.2320E-015	2.9834E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.0543E-016	9.8394E-016
RCPTR_36	farmer_child	TOCDFLIC	Diethyl phthalate	3.2905E-009	3.3713E-009
RCPTR_36	farmer_child	TOCDFLIC	Dimethyl phthalate	3.4253E-011	8.1760E-011
RCPTR_36	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	3.1330E-011	7.5711E-011
RCPTR_36	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.6061E-012	8.6861E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	2.9513E-011	6.9736E-011
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	2.2601E-011	5.3753E-011
RCPTR_36	farmer_child	TOCDFLIC	Ethyl methanesulfonate	6.6316E-013	1.6107E-012
RCPTR_36	farmer_child	TOCDFLIC	Ethylbenzene	3.4990E-014	8.3082E-014
RCPTR_36	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.1115E-009	4.5592E-009
RCPTR_36	farmer_child	TOCDFLIC	Fluoranthene	1.4882E-007	2.6883E-007
RCPTR_36	farmer_child	TOCDFLIC	Fluorene	1.9791E-009	4.7066E-009
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0171E-011	1.0293E-011
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.7987E-011	3.8334E-011
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.3124E-011	8.4086E-011
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.3168E-011	9.4090E-011
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.1242E-011	5.1923E-011
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.9591E-011	4.0222E-011
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.4538E-011	5.5591E-011
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.7644E-011	4.8559E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.9525E-011	5.0467E-011
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.0533E-011	4.1307E-011
RCPTR_36	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.2828E-011	9.9201E-011
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorobenzene	8.6407E-008	2.0111E-007
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.1516E-010	2.6394E-010
RCPTR_36	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.5333E-011	6.0732E-011
RCPTR_36	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.4921E-003	3.4962E-003
RCPTR_36	farmer_child	TOCDFLIC	Isophorone	4.7453E-012	1.1518E-011
RCPTR_36	farmer_child	TOCDFLIC	Lead	4.3282E-007	4.4933E-007
RCPTR_36	farmer_child	TOCDFLIC	Mercuric chloride	2.5473E-008	3.0050E-008
RCPTR_36	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	2.5903E-016	6.2905E-016
RCPTR_36	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.5040E-017	3.6513E-017
RCPTR_36	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.7601E-013	6.7041E-013
RCPTR_36	farmer_child	TOCDFLIC	Methyl mercury	3.8571E-010	3.9998E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Methylene chloride	3.7326E-012	9.0626E-012
RCPTR_36	farmer_child	TOCDFLIC	Naphthalene	1.1832E-011	2.8542E-011
RCPTR_36	farmer_child	TOCDFLIC	Nickel	4.7712E-006	4.9401E-006
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 2-	8.1104E-011	1.9649E-010
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.9262E-011	4.6752E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.9697E-012	1.2058E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrobenzene	8.0051E-012	1.9440E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.8265E-011	4.4336E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.1329E-011	3.1207E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.5277E-012	1.0969E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	4.4564E-012	1.0782E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	4.0184E-013	9.6584E-013
RCPTR_36	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.3277E-011	1.3506E-011
RCPTR_36	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.3132E-011	1.3354E-011
RCPTR_36	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.2301E-010	2.2594E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.2365E-011	3.3160E-011
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1847E-010	1.2131E-010
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorobenzene	1.6338E-009	3.7193E-009
RCPTR_36	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.3081E-010	2.9366E-010
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorophenol	3.0519E-008	3.6608E-008
RCPTR_36	farmer_child	TOCDFLIC	Phenanthrene	6.2327E-012	1.4900E-011
RCPTR_36	farmer_child	TOCDFLIC	Phenol	6.3550E-012	1.5405E-011
RCPTR_36	farmer_child	TOCDFLIC	Pronamide	6.2208E-010	1.4767E-009
RCPTR_36	farmer_child	TOCDFLIC	Pyrene	2.2987E-007	3.5809E-007
RCPTR_36	farmer_child	TOCDFLIC	Selenium	2.9074E-006	2.9162E-006
RCPTR_36	farmer_child	TOCDFLIC	Silver	7.8986E-006	8.2033E-006
RCPTR_36	farmer_child	TOCDFLIC	Styrene	3.1204E-014	7.5603E-014
RCPTR_36	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.9479E-011	3.0492E-011
RCPTR_36	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	8.2027E-012	8.5950E-012
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.1726E-010	1.1998E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.6563E-012	5.3138E-012
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.3077E-015	3.1694E-015
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.5933E-009	9.3026E-009
RCPTR_36	farmer_child	TOCDFLIC	Thallium (l)	1.0478E-005	1.0724E-005
RCPTR_36	farmer_child	TOCDFLIC	Toluene	3.9483E-011	9.5195E-011
RCPTR_36	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.9330E-011	4.5768E-011
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.2494E-013	3.0302E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	6.7655E-014	1.6421E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethylene	1.1019E-014	2.6703E-014
RCPTR_36	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.4479E-015	3.5094E-015
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	2.2955E-009	5.2776E-009
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	5.3132E-010	1.0955E-009
RCPTR_36	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	2.5052E-013	6.0780E-013
RCPTR_36	farmer_child	TOCDFLIC	VX	2.4473E-011	2.5063E-011
RCPTR_36	farmer_child	TOCDFLIC	Vinyl Chloride	3.2969E-019	8.0011E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Xylene, m-	2.3519E-013	3.7125E-013
RCPTR_36	farmer_child	TOCDFLIC	Xylene, o-	1.4424E-013	2.4292E-013
RCPTR_36	farmer_child	TOCDFLIC	Xylene, p-	2.7761E-013	4.8862E-013
RCPTR_36	farmer_child	TOCDFLIC	Zinc	6.2273E-007	6.9973E-007
RCPTR_36	farmer_child	TOCDFMPF	Acenaphthene	9.1828E-011	2.2024E-010
RCPTR_36	farmer_child	TOCDFMPF	Acetone	1.0537E-015	2.5594E-015
RCPTR_36	farmer_child	TOCDFMPF	Acetophenone	1.1097E-011	2.6938E-011
RCPTR_36	farmer_child	TOCDFMPF	Aniline	6.6953E-013	1.6229E-012
RCPTR_36	farmer_child	TOCDFMPF	Anthracene	9.3139E-010	2.2316E-009
RCPTR_36	farmer_child	TOCDFMPF	Arsenic	1.2710E-007	1.2989E-007
RCPTR_36	farmer_child	TOCDFMPF	Barium	4.6530E-008	4.9762E-008
RCPTR_36	farmer_child	TOCDFMPF	Benzene	5.8307E-015	1.4122E-014
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.0377E-007	2.3805E-007
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.5548E-006	3.6154E-006
RCPTR_36	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.7926E-006	1.9336E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	4.8181E-006	4.8607E-006
RCPTR_36	farmer_child	TOCDFMPF	Benzoic acid	1.3215E-011	2.9473E-011
RCPTR_36	farmer_child	TOCDFMPF	Benzyl alcohol	5.3571E-012	1.3000E-011
RCPTR_36	farmer_child	TOCDFMPF	Beryllium	1.7431E-008	1.7856E-008
RCPTR_36	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.5130E-012	3.6751E-012
RCPTR_36	farmer_child	TOCDFMPF	Bromodichloromethane	3.0683E-014	7.4490E-014
RCPTR_36	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.0567E-012	2.5658E-012
RCPTR_36	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	9.7020E-008	1.7495E-007
RCPTR_36	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.5497E-009	1.7095E-009
RCPTR_36	farmer_child	TOCDFMPF	Cadmium	1.1825E-007	1.3874E-007
RCPTR_36	farmer_child	TOCDFMPF	Carbon disulfide	2.0370E-015	4.9388E-015
RCPTR_36	farmer_child	TOCDFMPF	Carbon tetrachloride	1.6144E-014	3.9091E-014
RCPTR_36	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4878E-010	3.1487E-010
RCPTR_36	farmer_child	TOCDFMPF	Chloroaniline, p-	4.8851E-012	1.1835E-011
RCPTR_36	farmer_child	TOCDFMPF	Chlorobenzene	9.4668E-014	2.2879E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Chloroethane	2.7032E-016	6.4469E-016
RCPTR_36	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.2711E-014	3.0855E-014
RCPTR_36	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.2971E-010	5.5236E-010
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.6898E-011	4.1036E-011
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.9363E-010	1.2594E-009
RCPTR_36	farmer_child	TOCDFMPF	Chromium	2.1733E-006	2.2160E-006
RCPTR_36	farmer_child	TOCDFMPF	Chromium, hexavalent	2.0221E-006	2.0415E-006
RCPTR_36	farmer_child	TOCDFMPF	Chrysene	6.5711E-007	6.9552E-007
RCPTR_36	farmer_child	TOCDFMPF	Di-n-butyl phthalate	6.0252E-008	6.5700E-008
RCPTR_36	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.4103E+001	2.4103E+001
RCPTR_36	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.2058E-004	1.2108E-004
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.4434E-013	1.7696E-012
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.3222E-013	1.9934E-012
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.9482E-013	1.9078E-012
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.5215E-009	5.1379E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.1163E-017	5.1283E-017
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.3182E-015	1.2911E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.6057E-015	1.6039E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.0160E-015	4.8890E-015
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.2414E-015	7.8593E-015
RCPTR_36	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.0575E-010	2.0438E-010
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.8267E-014	4.4235E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.0112E-015	1.4589E-014
RCPTR_36	farmer_child	TOCDFMPF	Diethyl phthalate	7.0603E-009	7.2339E-009
RCPTR_36	farmer_child	TOCDFMPF	Dimethyl phthalate	1.9866E-012	4.7418E-012
RCPTR_36	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.2415E-011	3.0001E-011
RCPTR_36	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.0822E-011	1.6770E-011
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.0864E-011	9.6558E-011
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	2.8412E-011	6.7572E-011
RCPTR_36	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.8392E-012	6.8958E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Ethylbenzene	5.9084E-014	1.4029E-013
RCPTR_36	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.1485E-010	7.9263E-010
RCPTR_36	farmer_child	TOCDFMPF	Fluoranthene	1.1630E-008	2.1010E-008
RCPTR_36	farmer_child	TOCDFMPF	Fluorene	3.0287E-010	7.2027E-010
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1247E-012	1.1382E-012
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.3878E-012	6.4463E-012
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.5212E-012	5.5853E-012
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6276E-011	1.6437E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.9599E-012	9.0791E-012
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.8284E-012	6.9375E-012
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.4830E-011	1.5116E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.0917E-011	5.1896E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.3383E-011	4.4209E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.2039E-012	5.3034E-012
RCPTR_36	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.4149E-011	5.5936E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorobenzene	4.3211E-008	1.0057E-007
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	8.0457E-011	1.8441E-010
RCPTR_36	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.7907E-011	4.2930E-011
RCPTR_36	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.6307E-004	7.6398E-004
RCPTR_36	farmer_child	TOCDFMPF	Isophorone	8.5156E-013	2.0670E-012
RCPTR_36	farmer_child	TOCDFMPF	Lead	6.8805E-007	7.1432E-007
RCPTR_36	farmer_child	TOCDFMPF	Mercuric chloride	2.7574E-008	3.2525E-008
RCPTR_36	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.9229E-016	4.6697E-016
RCPTR_36	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.1165E-017	2.7105E-017
RCPTR_36	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.6607E-015	1.1321E-014
RCPTR_36	farmer_child	TOCDFMPF	Methyl mercury	4.1801E-010	4.3345E-010
RCPTR_36	farmer_child	TOCDFMPF	Methylene chloride	1.2228E-015	2.9690E-015
RCPTR_36	farmer_child	TOCDFMPF	Naphthalene	1.0018E-011	2.4165E-011
RCPTR_36	farmer_child	TOCDFMPF	Nickel	2.5196E-006	2.6089E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.0103E-011	2.4477E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.9441E-012	4.7187E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.2273E-012	5.4042E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitrobenzene	2.7491E-012	6.6761E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 2-	2.2154E-012	5.3779E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.9128E-011	2.7992E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.9385E-011	4.6961E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.0108E-012	2.4455E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	2.6247E-013	6.3084E-013
RCPTR_36	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.0261E-012	1.0438E-012
RCPTR_36	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0067E-013	1.0237E-013
RCPTR_36	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.6972E-011	3.7459E-011
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.2076E-011	2.2618E-011
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4575E-011	1.4925E-011
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorobenzene	1.3967E-009	3.1793E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.5917E-011	1.2551E-010
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorophenol	1.8254E-008	2.1898E-008
RCPTR_36	farmer_child	TOCDFMPF	Phenanthrene	6.5859E-013	1.5745E-012
RCPTR_36	farmer_child	TOCDFMPF	Phenol	2.0898E-012	5.0658E-012
RCPTR_36	farmer_child	TOCDFMPF	Pronamide	2.6633E-009	6.3224E-009
RCPTR_36	farmer_child	TOCDFMPF	Pyrene	1.6939E-008	2.6388E-008
RCPTR_36	farmer_child	TOCDFMPF	Selenium	9.2278E-007	9.2557E-007
RCPTR_36	farmer_child	TOCDFMPF	Silver	2.5111E-007	2.6080E-007
RCPTR_36	farmer_child	TOCDFMPF	Styrene	4.7820E-013	1.1586E-012
RCPTR_36	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.2853E-011	1.3294E-011
RCPTR_36	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	5.5481E-012	5.8136E-012
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.2145E-009	5.1366E-009
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.0460E-013	4.9602E-013
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9390E-014	4.6992E-014
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.3894E-009	3.9746E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Thallium (l)	1.6956E-005	1.7354E-005
RCPTR_36	farmer_child	TOCDFMPF	Toluene	2.5655E-014	6.1854E-014
RCPTR_36	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.5503E-012	1.5509E-011
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2519E-014	3.0363E-014
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.5644E-014	2.3215E-013
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethylene	1.5577E-014	3.7750E-014
RCPTR_36	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.0469E-015	4.9612E-015
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0329E-009	2.3749E-009
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.4292E-010	5.0090E-010
RCPTR_36	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.5416E-013	8.5926E-013
RCPTR_36	farmer_child	TOCDFMPF	VX	3.3967E-011	3.4787E-011
RCPTR_36	farmer_child	TOCDFMPF	Vinyl Chloride	5.0525E-018	1.2262E-017
RCPTR_36	farmer_child	TOCDFMPF	Xylene, m-	1.8694E-013	2.9482E-013
RCPTR_36	farmer_child	TOCDFMPF	Xylene, o-	1.8014E-013	3.0312E-013
RCPTR_36	farmer_child	TOCDFMPF	Xylene, p-	2.2054E-013	3.8785E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDHVAC	VX	1.9271E-011	1.9737E-011
RCPTR_36	farmer_child	TOCDLIC2	Acenaphthene	4.9905E-010	1.1969E-009
RCPTR_36	farmer_child	TOCDLIC2	Acetone	2.4651E-011	5.9879E-011
RCPTR_36	farmer_child	TOCDLIC2	Acetophenone	2.5920E-012	6.2920E-012
RCPTR_36	farmer_child	TOCDLIC2	Aniline	1.5638E-013	3.7905E-013
RCPTR_36	farmer_child	TOCDLIC2	Anthracene	8.8144E-009	2.1119E-008
RCPTR_36	farmer_child	TOCDLIC2	Antimony	2.5165E-006	2.7467E-006
RCPTR_36	farmer_child	TOCDLIC2	Arsenic	2.6028E-006	2.6597E-006
RCPTR_36	farmer_child	TOCDLIC2	Barium	4.1316E-007	4.4183E-007
RCPTR_36	farmer_child	TOCDLIC2	Benzene	3.3038E-014	8.0018E-014
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.1934E-006	2.5623E-006
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.0756E-005	2.1109E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.2303E-005	1.3270E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.2251E-005	3.2536E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzoic acid	6.8559E-011	1.5289E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Benzyl alcohol	6.7312E-010	1.6335E-009
RCPTR_36	farmer_child	TOCDLIC2	Beryllium	1.3763E-007	1.4098E-007
RCPTR_36	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.5414E-012	8.6021E-012
RCPTR_36	farmer_child	TOCDLIC2	Bromodichloromethane	2.0694E-015	5.0241E-015
RCPTR_36	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.9893E-012	4.8304E-012
RCPTR_36	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.6879E-007	3.0438E-007
RCPTR_36	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.1645E-008	1.2847E-008
RCPTR_36	farmer_child	TOCDLIC2	Cadmium	3.6888E-008	4.3278E-008
RCPTR_36	farmer_child	TOCDLIC2	Carbon disulfide	1.3738E-016	3.3310E-016
RCPTR_36	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0889E-015	2.6365E-015
RCPTR_36	farmer_child	TOCDLIC2	Chlorine	3.0684E-006	7.4535E-006
RCPTR_36	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.4608E-010	7.3239E-010
RCPTR_36	farmer_child	TOCDLIC2	Chloroaniline, p-	1.6501E-011	3.9975E-011
RCPTR_36	farmer_child	TOCDLIC2	Chlorobenzene	6.3850E-015	1.5431E-014
RCPTR_36	farmer_child	TOCDLIC2	Chloroethane	1.9122E-016	4.5603E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	8.5733E-016	2.0810E-015
RCPTR_36	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.2998E-009	3.1256E-009
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.5689E-011	1.1096E-010
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.9112E-009	4.0546E-009
RCPTR_36	farmer_child	TOCDLIC2	Chromium	1.9867E-006	2.0257E-006
RCPTR_36	farmer_child	TOCDLIC2	Chromium, hexavalent	1.8486E-006	1.8664E-006
RCPTR_36	farmer_child	TOCDLIC2	Chrysene	6.3297E-006	6.6996E-006
RCPTR_36	farmer_child	TOCDLIC2	Di-n-butyl phthalate	5.1300E-008	5.5936E-008
RCPTR_36	farmer_child	TOCDLIC2	Di-n-octylphthalate	2.6694E+001	2.6694E+001
RCPTR_36	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	4.5332E-004	4.5519E-004
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.1280E-012	5.0590E-012
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.5520E-012	6.1128E-012
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.4510E-012	5.8830E-012
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.5042E-008	1.7092E-008
RCPTR_36	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.4970E-017	3.6275E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.4702E-016	8.4247E-016
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6726E-015	1.1345E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.4261E-015	3.4583E-015
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.2928E-015	5.5594E-015
RCPTR_36	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.6879E-010	5.1942E-010
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.2320E-015	2.9834E-015
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.0543E-016	9.8394E-016
RCPTR_36	farmer_child	TOCDLIC2	Diethyl phthalate	3.2905E-009	3.3713E-009
RCPTR_36	farmer_child	TOCDLIC2	Dimethyl phthalate	3.4253E-011	8.1760E-011
RCPTR_36	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.1330E-011	7.5711E-011
RCPTR_36	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.6061E-012	8.6861E-012
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.9513E-011	6.9736E-011
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.2601E-011	5.3753E-011
RCPTR_36	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.6316E-013	1.6107E-012
RCPTR_36	farmer_child	TOCDLIC2	Ethylbenzene	3.4990E-014	8.3082E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.1115E-009	4.5592E-009
RCPTR_36	farmer_child	TOCDLIC2	Fluoranthene	1.4882E-007	2.6883E-007
RCPTR_36	farmer_child	TOCDLIC2	Fluorene	1.9791E-009	4.7066E-009
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.0171E-011	1.0293E-011
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.3109E-010	1.3229E-010
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.8686E-010	2.9018E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	9.3168E-011	9.4090E-011
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.1242E-011	5.1923E-011
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.9591E-011	4.0222E-011
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.4538E-011	5.5591E-011
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.7644E-011	4.8559E-011
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.9525E-011	5.0467E-011
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.0533E-011	4.1307E-011
RCPTR_36	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.2828E-011	9.9201E-011
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorobenzene	8.6407E-008	2.0111E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.1516E-010	2.6394E-010
RCPTR_36	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.5333E-011	6.0732E-011
RCPTR_36	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.4921E-003	3.4962E-003
RCPTR_36	farmer_child	TOCDLIC2	Isophorone	4.7453E-012	1.1518E-011
RCPTR_36	farmer_child	TOCDLIC2	Lead	4.3282E-007	4.4933E-007
RCPTR_36	farmer_child	TOCDLIC2	Mercuric chloride	2.5473E-008	3.0050E-008
RCPTR_36	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.5903E-016	6.2905E-016
RCPTR_36	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.5302E-019	1.8282E-018
RCPTR_36	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.7601E-013	6.7041E-013
RCPTR_36	farmer_child	TOCDLIC2	Methyl mercury	3.8571E-010	3.9998E-010
RCPTR_36	farmer_child	TOCDLIC2	Methylene chloride	3.7326E-012	9.0626E-012
RCPTR_36	farmer_child	TOCDLIC2	Naphthalene	1.1832E-011	2.8542E-011
RCPTR_36	farmer_child	TOCDLIC2	Nickel	4.7712E-006	4.9401E-006
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 2-	8.1104E-011	1.9649E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.9262E-011	4.6752E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.4894E-011	6.0401E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrobenzene	8.0051E-012	1.9440E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.6463E-012	8.8511E-012
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.0684E-010	1.5632E-010
RCPTR_36	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.5277E-012	1.0969E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.4564E-012	1.0782E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.0184E-013	9.6584E-013
RCPTR_36	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.3277E-011	1.3506E-011
RCPTR_36	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.3132E-011	1.3354E-011
RCPTR_36	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.2301E-010	2.2594E-010
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	3.2365E-011	3.3160E-011
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.1847E-010	1.2131E-010
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorobenzene	3.2616E-010	7.4251E-010
RCPTR_36	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.3081E-010	2.9366E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorophenol	1.5287E-007	1.8337E-007
RCPTR_36	farmer_child	TOCDLIC2	Phenanthrene	6.2327E-012	1.4900E-011
RCPTR_36	farmer_child	TOCDLIC2	Phenol	6.3550E-012	1.5405E-011
RCPTR_36	farmer_child	TOCDLIC2	Pronamide	6.2208E-010	1.4767E-009
RCPTR_36	farmer_child	TOCDLIC2	Pyrene	2.2987E-007	3.5809E-007
RCPTR_36	farmer_child	TOCDLIC2	Selenium	2.9074E-006	2.9162E-006
RCPTR_36	farmer_child	TOCDLIC2	Silver	7.8986E-006	8.2033E-006
RCPTR_36	farmer_child	TOCDLIC2	Styrene	3.1204E-014	7.5603E-014
RCPTR_36	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.9479E-011	3.0492E-011
RCPTR_36	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	8.2027E-012	8.5950E-012
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.1726E-010	1.1998E-009
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	4.6563E-012	5.3138E-012
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3077E-015	3.1694E-015
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.5933E-009	9.3026E-009
RCPTR_36	farmer_child	TOCDLIC2	Thallium (l)	1.0478E-005	1.0724E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Toluene	3.9483E-011	9.5195E-011
RCPTR_36	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.9330E-011	4.5768E-011
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.2494E-013	3.0302E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.7655E-014	1.6421E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethylene	1.1019E-014	2.6703E-014
RCPTR_36	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.4479E-015	3.5094E-015
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.2955E-009	5.2776E-009
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.3132E-010	1.0955E-009
RCPTR_36	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.5052E-013	6.0780E-013
RCPTR_36	farmer_child	TOCDLIC2	VX	2.5442E-011	2.6056E-011
RCPTR_36	farmer_child	TOCDLIC2	Vinyl Chloride	3.2969E-019	8.0011E-019
RCPTR_36	farmer_child	TOCDLIC2	Xylene, m-	2.3519E-013	3.7125E-013
RCPTR_36	farmer_child	TOCDLIC2	Xylene, o-	1.4424E-013	2.4292E-013
RCPTR_36	farmer_child	TOCDLIC2	Xylene, p-	2.7761E-013	4.8862E-013
RCPTR_36	farmer_child	TOCDLIC2	Zinc	6.2273E-007	6.9973E-007