**PORK CONCENTRATIONS**

Date : 12/11/2001

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Cadmium | 3.4081E-010 | 1.1454E-009 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Mercuric chloride | 1.8276E-007 | 1.9119E-007 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Methyl mercury | 7.1111E-010 | 7.9734E-010 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Selenium | 3.7590E-007 | 4.1122E-007 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFBRA | Zinc | 1.0898E-008 | 3.1174E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Acenaphthene | 6.5877E-012 | 1.0507E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Acetone | 1.1517E-015 | 1.8650E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Acetophenone | 3.0137E-014 | 4.8760E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Aniline | 1.8090E-015 | 2.9209E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Anthracene | 1.2644E-010 | 2.0166E-009 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Aroclor 1254 | 1.3145E-012 | 1.0144E-011 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Benzene | 9.8127E-017 | 1.5828E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 2.7384E-008 | 1.1949E-007 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 2.1582E-007 | 3.2446E-007 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 1.3764E-007 | 3.9438E-007 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 3.5581E-007 | 4.8295E-007 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Benzoic acid | 5.0560E-013 | 7.2695E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Benzyl alcohol | 6.3576E-014 | 1.0282E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 4.1061E-014 | 6.6492E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Bromodichloromethane | 2.0805E-016 | 3.3666E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 7.2161E-015 | 1.1680E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.2339E-009 | 3.2853E-008 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 4.5970E-010 | 1.1420E-009 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Cadmium | 5.7696E-010 | 1.8535E-009 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Carbon disulfide | 2.7746E-017 | 4.4819E-016 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 1.1152E-016 | 1.7983E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.0280E-012 | 5.3972E-011 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 1.9230E-013 | 3.1029E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chlorobenzene | 3.2838E-016 | 5.2821E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chloroethane | 2.6934E-018 | 4.2592E-017 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 4.3113E-017 | 6.9750E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 1.7445E-011 | 2.7918E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 5.3554E-013 | 8.6695E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 2.7057E-011 | 3.7613E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Chrysene | 7.2202E-008 | 1.7650E-007 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 8.0995E-010 | 1.9705E-009 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 8.5217E+000 | 8.5217E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 4.3164E-006 | 4.8692E-006 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 5.7760E-015 | 9.1012E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 2.0779E-014 | 3.3063E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 1.3524E-014 | 2.1572E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 9.1528E-011 | 2.5756E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 2.0439E-019 | 3.2986E-018 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 1.7998E-017 | 2.9123E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.2277E-017 | 3.6054E-016 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 1.9456E-017 | 3.1437E-016 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.1201E-017 | 5.0404E-016 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 2.2175E-012 | 2.5777E-011 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 1.7671E-016 | 2.8498E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.0330E-017 | 3.2881E-016 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Diethyl phthalate | 1.6722E-010 | 2.3086E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 1.9379E-013 | 3.0632E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 3.6844E-013 | 5.9256E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 2.9146E-013 | 2.1743E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 7.4230E-014 | 1.1563E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 5.6787E-014 | 8.9328E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 7.6564E-015 | 1.2396E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Ethylbenzene | 4.1433E-016 | 6.5131E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 1.2709E-011 | 3.5525E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Fluoranthene | 2.2038E-009 | 2.5010E-008 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Fluorene | 2.6836E-011 | 4.2397E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 1.4941E-014 | 2.2267E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 1.8941E-014 | 2.6374E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 4.4989E-014 | 6.6426E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 1.1885E-013 | 1.6647E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 7.2812E-014 | 1.1013E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 6.1158E-014 | 9.7107E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 8.4884E-014 | 1.3878E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 7.3812E-014 | 1.2030E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 7.5834E-014 | 1.2307E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 6.2388E-014 | 1.0147E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 6.3373E-013 | 9.7473E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 1.4849E-009 | 2.3109E-008 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 8.6707E-012 | 1.3206E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 3.3526E-013 | 5.3454E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 3.3834E-005 | 3.5011E-005 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Isophorone | 5.5208E-014 | 8.9314E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Mercuric chloride | 2.3647E-010 | 2.4741E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 1.8357E-018 | 2.9716E-017 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 3.5318E-020 | 5.7149E-019 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.1375E-016 | 3.4612E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Methyl mercury | 8.8938E-013 | 1.0013E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Methylene chloride | 1.1954E-015 | 1.9345E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Naphthalene | 3.8718E-013 | 6.2145E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 9.3383E-013 | 1.5069E-011 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 2.2077E-013 | 3.5712E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 2.8538E-013 | 4.6137E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitrobenzene | 9.3304E-014 | 1.5104E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 4.2471E-014 | 6.8713E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 1.0971E-012 | 7.1636E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 5.3358E-014 | 8.6100E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 5.3876E-014 | 8.6795E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 4.6336E-015 | 7.4200E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5839E-014 | 5.8337E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 1.0754E-014 | 1.7462E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 2.4212E-013 | 3.4508E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 2.5287E-014 | 4.1297E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 9.5338E-014 | 1.5644E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 2.5443E-011 | 3.8361E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 1.8616E-012 | 2.7410E-011 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Pentachlorophenol | 3.2625E-010 | 1.3828E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Phenanthrene | 9.0639E-014 | 1.4426E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Phenol | 7.3745E-014 | 1.1909E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Pronamide | 1.5503E-011 | 2.4388E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Pyrene | 4.7073E-009 | 3.5210E-008 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Selenium | 8.4520E-008 | 9.1853E-008 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Styrene | 3.9267E-015 | 6.3375E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 1.4033E-013 | 2.4885E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 7.6765E-014 | 1.4782E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 7.5208E-012 | 1.1587E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 4.1192E-013 | 1.3102E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.3313E-016 | 2.1492E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 6.4910E-011 | 6.1083E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Toluene | 6.6127E-016 | 1.0603E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.0668E-013 | 4.8185E-012 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 8.5637E-017 | 1.3839E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 9.2282E-016 | 1.4928E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichloroethylene | 1.5144E-016 | 2.4448E-015 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 1.9962E-017 | 3.2233E-016 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 2.9377E-011 | 4.4473E-010 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 6.4051E-012 | 8.3433E-011 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 3.4278E-015 | 5.5422E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 2.8989E-014 | 4.5764E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | VX | 3.8224E-013 | 4.9922E-013 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Vinyl Chloride | 2.5002E-020 | 4.0434E-019 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Xylene, m- | 4.7776E-015 | 3.4989E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Xylene, o- | 4.6124E-015 | 3.8886E-014 |
| RCPTR_22 | farmer_adult | TOCDFDFS | Xylene, p- | 5.6676E-015 | 5.2420E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Acenaphthene | 4.0622E-012 | 6.4755E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Acetone | 1.7536E-013 | 2.8396E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Acetophenone | 1.8574E-014 | 3.0051E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Aniline | 1.1150E-015 | 1.8001E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Anthracene | 7.7961E-011 | 1.2429E-009 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Benzene | 2.3840E-016 | 3.8450E-015 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 1.7165E-008 | 7.3770E-008 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 1.3554E-007 | 2.0012E-007 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 8.6934E-008 | 2.4445E-007 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 2.2286E-007 | 2.9724E-007 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Benzoic acid | 4.8426E-013 | 6.9300E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Benzyl alcohol | 4.8032E-012 | 7.7674E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 2.5306E-014 | 4.0979E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Bromodichloromethane | 1.4909E-017 | 2.4126E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 1.4435E-014 | 2.3363E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.9930E-009 | 2.0247E-008 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 7.6543E-011 | 1.8948E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Cadmium | 1.7648E-010 | 5.6196E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Carbon disulfide | 9.8910E-019 | 1.5976E-017 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 7.9928E-018 | 1.2887E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.5022E-012 | 3.3283E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 1.1853E-013 | 1.9124E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chlorobenzene | 4.6994E-017 | 7.5574E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chloroethane | 1.4259E-018 | 2.2526E-017 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 6.1686E-018 | 9.9794E-017 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.0757E-011 | 1.7206E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 3.3006E-013 | 5.3430E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.6757E-011 | 2.3189E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Chrysene | 4.5606E-008 | 1.0948E-007 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 3.3317E-010 | 7.9452E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 1.6781E-001 | 1.6781E-001 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 2.7361E-006 | 3.0504E-006 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 1.6272E-014 | 2.5614E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 1.9716E-014 | 3.1350E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 1.8742E-014 | 2.9877E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 9.7638E-011 | 2.7042E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.0809E-019 | 1.7445E-018 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 2.5751E-018 | 4.1667E-017 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.3428E-017 | 5.4100E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.0290E-017 | 1.6625E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.6502E-017 | 2.6656E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 1.8964E-012 | 2.1786E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 8.9121E-018 | 1.4370E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 2.9088E-018 | 4.7045E-017 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Diethyl phthalate | 2.0831E-011 | 2.8437E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 2.4464E-013 | 3.8644E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 2.2714E-013 | 3.6520E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 3.7144E-014 | 2.7156E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 2.1143E-013 | 3.2915E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 1.6180E-013 | 2.5430E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 4.7186E-015 | 7.6399E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Ethylbenzene | 2.6100E-016 | 4.0984E-015 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 2.7593E-011 | 7.6992E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Fluoranthene | 1.3669E-009 | 1.5420E-008 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Fluorene | 1.6554E-011 | 2.6131E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 8.7394E-014 | 1.2838E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 3.0155E-013 | 4.1303E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 7.0411E-013 | 1.0242E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 7.4263E-013 | 1.0239E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 4.4460E-013 | 6.6312E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 3.6726E-013 | 5.7687E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 5.2230E-013 | 8.4665E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 4.5482E-013 | 7.3480E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 4.6863E-013 | 7.5358E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 3.8503E-013 | 6.2060E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 3.9110E-013 | 6.0078E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 9.1630E-010 | 1.4243E-008 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.0811E-012 | 1.6443E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.0677E-013 | 3.2945E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 2.1668E-005 | 2.2337E-005 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Isophorone | 3.4027E-014 | 5.5044E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.0411E-011 | 1.0893E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 1.8488E-018 | 2.9928E-017 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.0723E-019 | 1.7351E-018 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 1.9647E-015 | 3.1813E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Methyl mercury | 3.8835E-014 | 4.3767E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Methylene chloride | 2.6662E-014 | 4.3148E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Naphthalene | 9.0301E-014 | 1.4489E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 5.8246E-013 | 9.3978E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 1.3769E-013 | 2.2272E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 3.5530E-014 | 5.7443E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitrobenzene | 5.7504E-014 | 9.3086E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 1.3112E-013 | 2.1212E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 1.4035E-013 | 8.9566E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.2890E-014 | 5.3064E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 3.3212E-014 | 5.3492E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 2.8539E-015 | 4.5728E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 1.2911E-013 | 2.0849E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 1.2769E-013 | 2.0575E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 1.7676E-012 | 2.4858E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 2.9364E-013 | 4.7467E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.0949E-012 | 1.7792E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 1.5836E-011 | 2.3921E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.1582E-012 | 1.7091E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Pentachlorophenol | 2.0793E-010 | 8.5910E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Phenanthrene | 5.5897E-014 | 8.8912E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Phenol | 4.5455E-014 | 7.3394E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Pronamide | 4.7831E-012 | 7.5158E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Pyrene | 2.9079E-009 | 2.1705E-008 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Selenium | 7.1001E-007 | 7.7065E-007 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Styrene | 2.3137E-016 | 3.7338E-015 |
| RCPTR_22 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 2.9017E-013 | 5.1006E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 8.9401E-014 | 1.7078E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 4.6447E-012 | 7.1422E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 3.0616E-014 | 9.4989E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 9.5407E-018 | 1.5401E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 4.1257E-011 | 3.8173E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Toluene | 2.8896E-013 | 4.6316E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.5709E-013 | 2.4643E-012 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 9.0813E-016 | 1.4674E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 4.8805E-016 | 7.8947E-015 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichloroethylene | 8.0100E-017 | 1.2929E-015 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.0558E-017 | 1.7046E-016 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.8160E-011 | 2.7414E-010 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 3.9830E-012 | 5.1456E-011 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 1.8129E-015 | 2.9309E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | VX | 1.5289E-013 | 1.9776E-013 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Vinyl Chloride | 2.3533E-021 | 3.8059E-020 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Xylene, m- | 1.6524E-015 | 1.2568E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Xylene, o- | 1.0203E-015 | 8.8988E-015 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Xylene, p- | 1.9789E-015 | 1.8870E-014 |
| RCPTR_22 | farmer_adult | TOCDFLIC | Zinc | 2.6679E-009 | 7.2377E-009 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Acenaphthene | 7.4196E-013 | 1.1827E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Acetone | 7.4398E-018 | 1.2048E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Acetophenone | 7.8935E-014 | 1.2771E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Aniline | 4.7384E-015 | 7.6501E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Anthracene | 8.1771E-012 | 1.3036E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Benzene | 4.1764E-017 | 6.7357E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 1.5834E-009 | 6.8048E-009 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 2.3054E-008 | 3.4056E-008 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 1.2578E-008 | 3.5372E-008 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 3.3070E-008 | 4.4135E-008 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Benzoic acid | 9.2661E-014 | 1.3261E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Benzyl alcohol | 3.7945E-014 | 6.1361E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.0732E-014 | 1.7378E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Bromodichloromethane | 2.1942E-016 | 3.5506E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 7.6105E-015 | 1.2318E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.1371E-009 | 1.1552E-008 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 1.0116E-011 | 2.5026E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Cadmium | 5.6120E-010 | 1.7876E-009 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Carbon disulfide | 1.4557E-017 | 2.3512E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 1.1763E-016 | 1.8966E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.0678E-012 | 1.4204E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 3.4833E-014 | 5.6197E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chlorobenzene | 6.9162E-016 | 1.1122E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chloroethane | 2.0009E-018 | 3.1609E-017 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 9.0784E-017 | 1.4687E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 1.8869E-012 | 3.0182E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 1.2117E-013 | 1.9614E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.1668E-012 | 7.1499E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Chrysene | 4.7015E-009 | 1.1288E-008 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 3.8855E-010 | 9.2668E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 1.5045E-001 | 1.5045E-001 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 7.2244E-007 | 8.0575E-007 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 5.6499E-015 | 8.8934E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 6.3820E-015 | 1.0148E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 6.0329E-015 | 9.6174E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 2.9145E-011 | 8.0712E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 1.5168E-019 | 2.4479E-018 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 3.7897E-017 | 6.1321E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.6909E-017 | 7.5917E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 1.4440E-017 | 2.3329E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.3157E-017 | 3.7405E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 7.4066E-013 | 8.5099E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 1.3116E-016 | 2.1149E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 4.2809E-017 | 6.9236E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Diethyl phthalate | 4.4380E-011 | 6.0592E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 1.4083E-014 | 2.2247E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 8.9340E-014 | 1.4364E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 7.1189E-014 | 5.2055E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 2.9059E-013 | 4.5238E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 2.0189E-013 | 3.1731E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 2.0053E-014 | 3.2467E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Ethylbenzene | 4.3747E-016 | 6.8694E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 4.7647E-012 | 1.3284E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Fluoranthene | 1.0604E-010 | 1.1963E-009 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Fluorene | 2.5146E-012 | 3.9694E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 9.6058E-015 | 1.4118E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 5.0395E-014 | 6.9071E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 4.6487E-014 | 6.7657E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 1.2893E-013 | 1.7787E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 7.7269E-014 | 1.1531E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 6.2960E-014 | 9.8933E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 1.4114E-013 | 2.2885E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 4.8306E-013 | 7.8064E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 4.0798E-013 | 6.5623E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 4.9126E-014 | 7.9205E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.1890E-013 | 3.3626E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 4.5486E-010 | 7.0702E-009 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 7.4982E-013 | 1.1404E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.4508E-013 | 2.3116E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 4.7008E-006 | 4.8465E-006 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Isophorone | 6.0610E-015 | 9.8049E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Mercuric chloride | 1.1181E-011 | 1.1699E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 1.3623E-018 | 2.2053E-017 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 7.9015E-020 | 1.2785E-018 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.2930E-017 | 5.3322E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Methyl mercury | 4.1740E-014 | 4.7037E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Methylene chloride | 8.6701E-018 | 1.4031E-016 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Naphthalene | 7.5890E-014 | 1.2177E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 7.2022E-014 | 1.1620E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 1.3794E-014 | 2.2313E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 1.5806E-014 | 2.5554E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitrobenzene | 1.9602E-014 | 3.1731E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 1.5787E-014 | 2.5540E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 1.2497E-013 | 7.9767E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.3977E-013 | 2.2551E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 7.4775E-015 | 1.2044E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 1.8503E-015 | 2.9646E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 9.9179E-015 | 1.6020E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 9.7292E-016 | 1.5681E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 2.9114E-013 | 4.0957E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 1.9895E-013 | 3.2167E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 1.3382E-013 | 2.1751E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 1.3438E-011 | 2.0295E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 4.9142E-013 | 7.2503E-012 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Pentachlorophenol | 1.2348E-010 | 5.1031E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Phenanthrene | 5.8628E-015 | 9.3257E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Phenol | 1.4837E-014 | 2.3957E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Pronamide | 2.0327E-011 | 3.1940E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Pyrene | 2.1271E-010 | 1.5877E-009 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Selenium | 2.2355E-007 | 2.4266E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Styrene | 3.5196E-015 | 5.6798E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 1.2565E-013 | 2.2089E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 6.0052E-014 | 1.1472E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 1.9738E-011 | 3.0352E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.4861E-015 | 2.4002E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.4041E-016 | 2.2666E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.7498E-011 | 1.6193E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Toluene | 1.8637E-016 | 2.9872E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 5.2839E-014 | 8.2890E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 9.0324E-017 | 1.4595E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 6.8485E-016 | 1.1078E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichloroethylene | 1.1240E-016 | 1.8143E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.4816E-017 | 2.3921E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 8.1112E-012 | 1.2245E-010 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.8078E-012 | 2.3356E-011 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 2.5440E-015 | 4.1129E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | VX | 2.1070E-013 | 2.7257E-013 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Vinyl Chloride | 3.5798E-020 | 5.7894E-019 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Xylene, m- | 1.3043E-015 | 9.8952E-015 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Xylene, o- | 1.2654E-015 | 1.1011E-014 |
| RCPTR_22 | farmer_adult | TOCDFMPF | Xylene, p- | 1.5611E-015 | 1.4855E-014 |
| RCPTR_22 | farmer_adult | TOCDHVAC | VX | 7.0732E-014 | 9.6090E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Acenaphthene | 4.0622E-012 | 6.4755E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Acetone | 1.7536E-013 | 2.8396E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Acetophenone | 1.8574E-014 | 3.0051E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Aniline | 1.1150E-015 | 1.8001E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Anthracene | 7.7961E-011 | 1.2429E-009 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Benzene | 2.3840E-016 | 3.8450E-015 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 1.7165E-008 | 7.3770E-008 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 1.3554E-007 | 2.0012E-007 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 8.6934E-008 | 2.4445E-007 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 2.2286E-007 | 2.9724E-007 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Benzoic acid | 4.8426E-013 | 6.9300E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 4.8032E-012 | 7.7674E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 2.5306E-014 | 4.0979E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 1.4909E-017 | 2.4126E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 1.4435E-014 | 2.3363E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.9930E-009 | 2.0247E-008 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 7.6543E-011 | 1.8948E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Cadmium | 1.7648E-010 | 5.6196E-010 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Carbon disulfide | 9.8910E-019 | 1.5976E-017 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 7.9928E-018 | 1.2887E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.5022E-012 | 3.3283E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 1.1853E-013 | 1.9124E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chlorobenzene | 4.6994E-017 | 7.5574E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chloroethane | 1.4259E-018 | 2.2526E-017 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 6.1686E-018 | 9.9794E-017 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.0757E-011 | 1.7206E-010 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 3.3006E-013 | 5.3430E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.6757E-011 | 2.3189E-010 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Chrysene | 4.5606E-008 | 1.0948E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 3.3317E-010 | 7.9452E-010 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 1.6781E-001 | 1.6781E-001 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 2.7361E-006 | 3.0504E-006 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.6272E-014 | 2.5614E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 1.9716E-014 | 3.1350E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 1.8742E-014 | 2.9877E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 9.7638E-011 | 2.7042E-010 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.0809E-019 | 1.7445E-018 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 2.4913E-018 | 4.0312E-017 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.3428E-017 | 5.4100E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.0290E-017 | 1.6625E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.6502E-017 | 2.6656E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 1.8964E-012 | 2.1786E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 8.9121E-018 | 1.4370E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 2.9088E-018 | 4.7045E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 2.0831E-011 | 2.8437E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 2.4464E-013 | 3.8644E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 2.2714E-013 | 3.6520E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 3.7144E-014 | 2.7156E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.1143E-013 | 3.2915E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.6180E-013 | 2.5430E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 4.7186E-015 | 7.6399E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Ethylbenzene | 2.6100E-016 | 4.0984E-015 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 2.7593E-011 | 7.6992E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Fluoranthene | 1.3669E-009 | 1.5420E-008 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Fluorene | 1.6554E-011 | 2.6131E-010 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 8.7394E-014 | 1.2838E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.0406E-012 | 1.4254E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 2.4299E-012 | 3.5344E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 7.4263E-013 | 1.0239E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 4.4460E-013 | 6.6312E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 3.6726E-013 | 5.7687E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 5.2230E-013 | 8.4665E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 4.5482E-013 | 7.3480E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 4.6863E-013 | 7.5358E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 3.8503E-013 | 6.2060E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 3.9110E-013 | 6.0078E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 9.1630E-010 | 1.4243E-008 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.0811E-012 | 1.6443E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.0677E-013 | 3.2945E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 2.1668E-005 | 2.2337E-005 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Isophorone | 3.4027E-014 | 5.5044E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.0411E-011 | 1.0893E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 1.8488E-018 | 2.9928E-017 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 5.3689E-021 | 8.6875E-020 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 1.9647E-015 | 3.1813E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Methyl mercury | 3.8835E-014 | 4.3767E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Methylene chloride | 2.6662E-014 | 4.3148E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Naphthalene | 9.0301E-014 | 1.4489E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 5.8246E-013 | 9.3978E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 1.3769E-013 | 2.2272E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 1.7797E-013 | 2.8774E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitrobenzene | 5.7504E-014 | 9.3086E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 2.6176E-014 | 4.2348E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 7.0301E-013 | 4.4864E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.2890E-014 | 5.3064E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.3212E-014 | 5.3492E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 2.8539E-015 | 4.5728E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 1.2911E-013 | 2.0849E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 1.2769E-013 | 2.0575E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 1.7676E-012 | 2.4858E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 2.9364E-013 | 4.7467E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.0949E-012 | 1.7792E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 3.1614E-012 | 4.7754E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.1582E-012 | 1.7091E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 1.0415E-009 | 4.3033E-009 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Phenanthrene | 5.5897E-014 | 8.8912E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Phenol | 4.5455E-014 | 7.3394E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Pronamide | 4.7831E-012 | 7.5158E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Pyrene | 2.9079E-009 | 2.1705E-008 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Selenium | 7.1001E-007 | 7.7065E-007 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Styrene | 2.3137E-016 | 3.7338E-015 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 2.9017E-013 | 5.1006E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 8.9401E-014 | 1.7078E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 4.6447E-012 | 7.1422E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 3.0616E-014 | 9.4989E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 9.5407E-018 | 1.5401E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 4.1257E-011 | 3.8173E-010 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Toluene | 2.8896E-013 | 4.6316E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.5709E-013 | 2.4643E-012 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 9.0813E-016 | 1.4674E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 4.8805E-016 | 7.8947E-015 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichloroethylene | 8.0100E-017 | 1.2929E-015 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.0558E-017 | 1.7046E-016 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.8160E-011 | 2.7414E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 3.9830E-012 | 5.1456E-011 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 1.8129E-015 | 2.9309E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | VX | 1.5894E-013 | 2.0560E-013 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 2.3533E-021 | 3.8059E-020 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Xylene, m- | 1.6524E-015 | 1.2568E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Xylene, o- | 1.0203E-015 | 8.8988E-015 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Xylene, p- | 1.9789E-015 | 1.8870E-014 |
| RCPTR_22 | farmer_adult | TOCDLIC2 | Zinc | 2.6679E-009 | 7.2377E-009 |
| RCPTR_22 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Cadmium | 7.0079E-010 | 1.1454E-009 |
| RCPTR_22 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Mercuric chloride | 1.5284E-007 | 1.9119E-007 |
| RCPTR_22 | farmer_child | TOCDFBRA | Methyl mercury | 6.7777E-010 | 7.9734E-010 |
| RCPTR_22 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Selenium | 3.8907E-007 | 4.1122E-007 |
| RCPTR_22 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFBRA | Zinc | 1.9553E-008 | 3.1174E-008 |
| RCPTR_22 | farmer_child | TOCDFDFS | Acenaphthene | 4.3316E-011 | 1.0507E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Acetone | 7.6775E-015 | 1.8650E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Acetophenone | 2.0075E-013 | 4.8760E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Aniline | 1.2028E-014 | 2.9209E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Anthracene | 8.3141E-010 | 2.0166E-009 |
| RCPTR_22 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Aroclor 1254 | 4.6075E-012 | 1.0144E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Benzene | 6.5185E-016 | 1.5828E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 7.4025E-008 | 1.1949E-007 |
| RCPTR_22 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 2.6823E-007 | 3.2446E-007 |
| RCPTR_22 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 2.6560E-007 | 3.9438E-007 |
| RCPTR_22 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 4.3208E-007 | 4.8295E-007 |
| RCPTR_22 | farmer_child | TOCDFDFS | Benzoic acid | 3.0282E-012 | 7.2695E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Benzyl alcohol | 4.2331E-013 | 1.0282E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 2.7373E-013 | 6.6492E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Bromodichloromethane | 1.3860E-015 | 3.3666E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 4.8084E-014 | 1.1680E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 1.8214E-008 | 3.2853E-008 |
| RCPTR_22 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 7.1414E-010 | 1.1420E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | Cadmium | 1.1481E-009 | 1.8535E-009 |
| RCPTR_22 | farmer_child | TOCDFDFS | Carbon disulfide | 1.8455E-016 | 4.4819E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Carbon tetrachloride | 7.4061E-016 | 1.7983E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 2.2655E-011 | 5.3972E-011 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chloroaniline, p- | 1.2778E-012 | 3.1029E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chlorobenzene | 2.1758E-015 | 5.2821E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chloroethane | 1.7573E-017 | 4.2592E-017 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 2.8717E-016 | 6.9750E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 1.1506E-010 | 2.7918E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 3.5691E-012 | 8.6695E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 1.5724E-010 | 3.7613E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Chrysene | 1.2960E-007 | 1.7650E-007 |
| RCPTR_22 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 1.2428E-009 | 1.9705E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 8.5217E+000 | 8.5217E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 4.6205E-006 | 4.8692E-006 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 3.7564E-014 | 9.1012E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 1.3634E-013 | 3.3063E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 8.8933E-014 | 2.1572E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 1.5345E-010 | 2.5756E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 1.3584E-018 | 3.2986E-018 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 1.1990E-016 | 2.9123E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 1.4843E-016 | 3.6054E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 1.2944E-016 | 3.1437E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 2.0754E-016 | 5.0404E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 1.1004E-011 | 2.5777E-011 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 1.1736E-015 | 2.8498E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 1.3538E-016 | 3.2881E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Diethyl phthalate | 1.9095E-010 | 2.3086E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | Dimethyl phthalate | 1.2639E-012 | 3.0632E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 2.4410E-012 | 5.9256E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 9.9365E-013 | 2.1743E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 4.7777E-013 | 1.1563E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 3.6875E-013 | 8.9328E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 5.1033E-014 | 1.2396E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Ethylbenzene | 2.6888E-015 | 6.5131E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.1218E-011 | 3.5525E-011 |
| RCPTR_22 | farmer_child | TOCDFDFS | Fluoranthene | 1.1928E-008 | 2.5010E-008 |
| RCPTR_22 | farmer_child | TOCDFDFS | Fluorene | 1.7495E-010 | 4.2397E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 1.9190E-014 | 2.2267E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 2.3256E-014 | 2.6374E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 5.7434E-014 | 6.6426E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 1.4648E-013 | 1.6647E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 9.4486E-014 | 1.1013E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 8.2039E-014 | 9.7107E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.1620E-013 | 1.3878E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.0081E-013 | 1.2030E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.0327E-013 | 1.2307E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 8.5089E-014 | 1.0147E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 4.0326E-012 | 9.7473E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Hexachlorobenzene | 9.5897E-009 | 2.3109E-008 |
| RCPTR_22 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 5.4687E-011 | 1.3206E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 2.2038E-012 | 5.3454E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 3.4449E-005 | 3.5011E-005 |
| RCPTR_22 | farmer_child | TOCDFDFS | Isophorone | 3.6771E-013 | 8.9314E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Mercuric chloride | 1.9763E-010 | 2.4741E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 1.2234E-017 | 2.9716E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 2.3528E-019 | 5.7149E-019 |
| RCPTR_22 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 1.4249E-015 | 3.4612E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Methyl mercury | 8.4609E-013 | 1.0013E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Methylene chloride | 7.9642E-015 | 1.9345E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Naphthalene | 2.5605E-012 | 6.2145E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 6.2054E-012 | 1.5069E-011 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 1.4703E-012 | 3.5712E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 1.8996E-012 | 4.6137E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitrobenzene | 6.2181E-013 | 1.5104E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 2.8289E-013 | 6.8713E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 3.3595E-012 | 7.1636E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 3.5457E-013 | 8.6100E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 3.5748E-013 | 8.6795E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 3.0578E-014 | 7.4200E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 4.8893E-014 | 5.8337E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 1.4644E-014 | 1.7462E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 3.0209E-013 | 3.4508E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 3.4608E-014 | 4.1297E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.3088E-013 | 1.5644E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Pentachlorobenzene | 1.5902E-010 | 3.8361E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 1.1390E-011 | 2.7410E-011 |
| RCPTR_22 | farmer_child | TOCDFDFS | Pentachlorophenol | 7.2029E-010 | 1.3828E-009 |
| RCPTR_22 | farmer_child | TOCDFDFS | Phenanthrene | 5.9485E-013 | 1.4426E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Phenol | 4.9038E-013 | 1.1909E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Pronamide | 1.0068E-010 | 2.4388E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Pyrene | 2.1468E-008 | 3.5210E-008 |
| RCPTR_22 | farmer_child | TOCDFDFS | Selenium | 8.7255E-008 | 9.1853E-008 |
| RCPTR_22 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Styrene | 2.6098E-014 | 6.3375E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 2.0370E-013 | 2.4885E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.1829E-013 | 1.4782E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 4.7930E-011 | 1.1587E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 7.4694E-013 | 1.3102E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 8.8501E-016 | 2.1492E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 2.6851E-010 | 6.1083E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFDFS | Toluene | 4.3690E-015 | 1.0603E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 1.9893E-012 | 4.8185E-012 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 5.6983E-016 | 1.3839E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 6.1461E-015 | 1.4928E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trichloroethylene | 1.0068E-015 | 2.4448E-015 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 1.3273E-016 | 3.2233E-016 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 1.8428E-010 | 4.4473E-010 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 3.5132E-011 | 8.3433E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 2.2819E-014 | 5.5422E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 1.8885E-013 | 4.5764E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | VX | 4.2587E-013 | 4.9922E-013 |
| RCPTR_22 | farmer_child | TOCDFDFS | Vinyl Chloride | 1.6647E-019 | 4.0434E-019 |
| RCPTR_22 | farmer_child | TOCDFDFS | Xylene, m- | 1.6045E-014 | 3.4989E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Xylene, o- | 1.7395E-014 | 3.8886E-014 |
| RCPTR_22 | farmer_child | TOCDFDFS | Xylene, p- | 2.3104E-014 | 5.2420E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Acenaphthene | 2.6698E-011 | 6.4755E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Acetone | 1.1690E-012 | 2.8396E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Acetophenone | 1.2372E-013 | 3.0051E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Aniline | 7.4127E-015 | 1.8001E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Anthracene | 5.1243E-010 | 1.2429E-009 |
| RCPTR_22 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | Benzene | 1.5835E-015 | 3.8450E-015 |
| RCPTR_22 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 4.5827E-008 | 7.3770E-008 |
| RCPTR_22 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 1.6669E-007 | 2.0012E-007 |
| RCPTR_22 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 1.6544E-007 | 2.4445E-007 |
| RCPTR_22 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 2.6748E-007 | 2.9724E-007 |
| RCPTR_22 | farmer_child | TOCDFLIC | Benzoic acid | 2.8882E-012 | 6.9300E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Benzyl alcohol | 3.1980E-011 | 7.7674E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 1.6870E-013 | 4.0979E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Bromodichloromethane | 9.9324E-017 | 2.4126E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 9.6182E-014 | 2.3363E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.1225E-008 | 2.0247E-008 |
| RCPTR_22 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 1.1866E-010 | 1.8948E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Cadmium | 3.4895E-010 | 5.6196E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Carbon disulfide | 6.5783E-018 | 1.5976E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | Carbon tetrachloride | 5.3074E-017 | 1.2887E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 1.3982E-011 | 3.3283E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chloroaniline, p- | 7.8753E-013 | 1.9124E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chlorobenzene | 3.1132E-016 | 7.5574E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chloroethane | 9.2950E-018 | 2.2526E-017 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 4.1086E-017 | 9.9794E-017 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 7.0914E-011 | 1.7206E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 2.1996E-012 | 5.3430E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 9.6990E-011 | 2.3189E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Chrysene | 8.0756E-008 | 1.0948E-007 |
| RCPTR_22 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 5.0523E-010 | 7.9452E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 1.6781E-001 | 1.6781E-001 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 2.9090E-006 | 3.0504E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.0573E-013 | 2.5614E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 1.2928E-013 | 3.1350E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 1.2318E-013 | 2.9877E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 1.6208E-010 | 2.7042E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 7.1837E-019 | 1.7445E-018 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 1.7154E-017 | 4.1667E-017 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.2273E-016 | 5.4100E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 6.8455E-017 | 1.6625E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.0976E-016 | 2.6656E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 9.3142E-012 | 2.1786E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 5.9181E-017 | 1.4370E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 1.9369E-017 | 4.7045E-017 |
| RCPTR_22 | farmer_child | TOCDFLIC | Diethyl phthalate | 2.3668E-011 | 2.8437E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dimethyl phthalate | 1.5946E-012 | 3.8644E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 1.5044E-012 | 3.6520E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 1.2457E-013 | 2.7156E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 1.3601E-012 | 3.2915E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.0499E-012 | 2.5430E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 3.1452E-014 | 7.6399E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Ethylbenzene | 1.6922E-015 | 4.0984E-015 |
| RCPTR_22 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 4.6016E-011 | 7.6992E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Fluoranthene | 7.3586E-009 | 1.5420E-008 |
| RCPTR_22 | farmer_child | TOCDFLIC | Fluorene | 1.0783E-010 | 2.6131E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.1117E-013 | 1.2838E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 3.6627E-013 | 4.1303E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 8.8991E-013 | 1.0242E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 9.0586E-013 | 1.0239E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 5.7153E-013 | 6.6312E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 4.8901E-013 | 5.7687E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 7.1077E-013 | 8.4665E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 6.1743E-013 | 7.3480E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 6.3417E-013 | 7.5358E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 5.2187E-013 | 6.2060E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 2.4858E-012 | 6.0078E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Hexachlorobenzene | 5.9112E-009 | 1.4243E-008 |
| RCPTR_22 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 6.8104E-012 | 1.6443E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 1.3583E-012 | 3.2945E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 2.2017E-005 | 2.2337E-005 |
| RCPTR_22 | farmer_child | TOCDFLIC | Isophorone | 2.2662E-013 | 5.5044E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Mercuric chloride | 8.6996E-012 | 1.0893E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 1.2321E-017 | 2.9928E-017 |
| RCPTR_22 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 7.1436E-019 | 1.7351E-018 |
| RCPTR_22 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 1.3096E-014 | 3.1813E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | Methyl mercury | 3.6927E-014 | 4.3767E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Methylene chloride | 1.7764E-013 | 4.3148E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Naphthalene | 5.9699E-013 | 1.4489E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 3.8701E-012 | 9.3978E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 9.1697E-013 | 2.2272E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 2.3651E-013 | 5.7443E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitrobenzene | 3.8322E-013 | 9.3086E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 8.7333E-013 | 2.1212E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 4.2204E-013 | 8.9566E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 2.1852E-013 | 5.3064E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 2.2032E-013 | 5.3492E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 1.8843E-014 | 4.5728E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 1.7517E-013 | 2.0849E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 1.7296E-013 | 2.0575E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 2.1859E-012 | 2.4858E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 3.9904E-013 | 4.7467E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.4930E-012 | 1.7792E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Pentachlorobenzene | 9.9141E-011 | 2.3921E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 7.1004E-012 | 1.7091E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Pentachlorophenol | 4.5078E-010 | 8.5910E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Phenanthrene | 3.6664E-013 | 8.8912E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Phenol | 3.0222E-013 | 7.3394E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | Pronamide | 3.1029E-011 | 7.5158E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Pyrene | 1.3236E-008 | 2.1705E-008 |
| RCPTR_22 | farmer_child | TOCDFLIC | Selenium | 7.3263E-007 | 7.7065E-007 |
| RCPTR_22 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Styrene | 1.5376E-015 | 3.7338E-015 |
| RCPTR_22 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 4.1856E-013 | 5.1006E-013 |
| RCPTR_22 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.3696E-013 | 1.7078E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 2.9549E-011 | 7.1422E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 5.4623E-014 | 9.4989E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 6.3421E-017 | 1.5401E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 1.6823E-010 | 3.8173E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFLIC | Toluene | 1.9085E-012 | 4.6316E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.0176E-012 | 2.4643E-012 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 6.0422E-015 | 1.4674E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 3.2503E-015 | 7.8947E-015 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichloroethylene | 5.3243E-016 | 1.2929E-015 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 7.0195E-017 | 1.7046E-016 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.1363E-010 | 2.7414E-010 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 2.1688E-011 | 5.1456E-011 |
| RCPTR_22 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 1.2068E-014 | 2.9309E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | VX | 1.6962E-013 | 1.9776E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFLIC | Vinyl Chloride | 1.5669E-020 | 3.8059E-020 |
| RCPTR_22 | farmer_child | TOCDFLIC | Xylene, m- | 5.7232E-015 | 1.2568E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Xylene, o- | 3.9585E-015 | 8.8988E-015 |
| RCPTR_22 | farmer_child | TOCDFLIC | Xylene, p- | 8.2785E-015 | 1.8870E-014 |
| RCPTR_22 | farmer_child | TOCDFLIC | Zinc | 4.6186E-009 | 7.2377E-009 |
| RCPTR_22 | farmer_child | TOCDFMPF | Acenaphthene | 4.8762E-012 | 1.1827E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Acetone | 4.9596E-017 | 1.2048E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Acetophenone | 5.2578E-013 | 1.2771E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Aniline | 3.1502E-014 | 7.6501E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Anthracene | 5.3747E-011 | 1.3036E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Benzene | 2.7739E-016 | 6.7357E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 4.2273E-009 | 6.8048E-009 |
| RCPTR_22 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 2.8361E-008 | 3.4056E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 2.3939E-008 | 3.5372E-008 |
| RCPTR_22 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 3.9708E-008 | 4.4135E-008 |
| RCPTR_22 | farmer_child | TOCDFMPF | Benzoic acid | 5.5266E-013 | 1.3261E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Benzyl alcohol | 2.5264E-013 | 6.1361E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 7.1539E-014 | 1.7378E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Bromodichloromethane | 1.4618E-015 | 3.5506E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 5.0711E-014 | 1.2318E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 6.4045E-009 | 1.1552E-008 |
| RCPTR_22 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 1.5677E-011 | 2.5026E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Cadmium | 1.1099E-009 | 1.7876E-009 |
| RCPTR_22 | farmer_child | TOCDFMPF | Carbon disulfide | 9.6813E-017 | 2.3512E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Carbon tetrachloride | 7.8109E-016 | 1.8966E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 5.9670E-012 | 1.4204E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chloroaniline, p- | 2.3143E-013 | 5.6197E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Chlorobenzene | 4.5817E-015 | 1.1122E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chloroethane | 1.3043E-017 | 3.1609E-017 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 6.0466E-016 | 1.4687E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 1.2439E-011 | 3.0182E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 8.0749E-013 | 1.9614E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 2.9905E-011 | 7.1499E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Chrysene | 8.3260E-009 | 1.1288E-008 |
| RCPTR_22 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 5.8924E-010 | 9.2668E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 1.5045E-001 | 1.5045E-001 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 7.6827E-007 | 8.0575E-007 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 3.6710E-014 | 8.8934E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 4.1849E-014 | 1.0148E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 3.9651E-014 | 9.6174E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 4.8377E-011 | 8.0712E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.0081E-018 | 2.4479E-018 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 2.5246E-016 | 6.1321E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.1254E-016 | 7.5917E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 9.6060E-017 | 2.3329E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 1.5402E-016 | 3.7405E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 3.6382E-012 | 8.5099E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 8.7097E-016 | 2.1149E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 2.8506E-016 | 6.9236E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Diethyl phthalate | 5.0426E-011 | 6.0592E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dimethyl phthalate | 9.1799E-014 | 2.2247E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 5.9174E-013 | 1.4364E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 2.3877E-013 | 5.2055E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 1.8693E-012 | 4.5238E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 1.3100E-012 | 3.1731E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 1.3366E-013 | 3.2467E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Ethylbenzene | 2.8362E-015 | 6.8694E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 7.9420E-012 | 1.3284E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Fluoranthene | 5.7089E-010 | 1.1963E-009 |
| RCPTR_22 | farmer_child | TOCDFMPF | Fluorene | 1.6381E-011 | 3.9694E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.2223E-014 | 1.4118E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 6.1237E-014 | 6.9071E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 5.8777E-014 | 6.7657E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 1.5733E-013 | 1.7787E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 9.9365E-014 | 1.1531E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 8.3855E-014 | 9.8933E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 1.9211E-013 | 2.2885E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 6.5588E-013 | 7.8064E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 5.5219E-013 | 6.5623E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 6.6599E-014 | 7.9205E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 1.3913E-012 | 3.3626E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Hexachlorobenzene | 2.9344E-009 | 7.0702E-009 |
| RCPTR_22 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 4.7232E-012 | 1.1404E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 9.5308E-013 | 2.3116E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 4.7769E-006 | 4.8465E-006 |
| RCPTR_22 | farmer_child | TOCDFMPF | Isophorone | 4.0367E-014 | 9.8049E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Mercuric chloride | 9.3432E-012 | 1.1699E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 9.0786E-018 | 2.2053E-017 |
| RCPTR_22 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 5.2638E-019 | 1.2785E-018 |
| RCPTR_22 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 2.1951E-016 | 5.3322E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Methyl mercury | 3.9691E-014 | 4.7037E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Methylene chloride | 5.7765E-017 | 1.4031E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Naphthalene | 5.0172E-013 | 1.2177E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 4.7854E-013 | 1.1620E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 9.1866E-014 | 2.2313E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.0521E-013 | 2.5554E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitrobenzene | 1.3063E-013 | 3.1731E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.0515E-013 | 2.5540E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 3.7585E-013 | 7.9767E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 9.2867E-013 | 2.2551E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 4.9605E-014 | 1.2044E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 1.2217E-014 | 2.9646E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.3459E-014 | 1.6020E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.3181E-015 | 1.5681E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 3.6012E-013 | 4.0957E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 2.7040E-013 | 3.2167E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 1.8250E-013 | 2.1751E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Pentachlorobenzene | 8.4114E-011 | 2.0295E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 3.0121E-012 | 7.2503E-012 |
| RCPTR_22 | farmer_child | TOCDFMPF | Pentachlorophenol | 2.6775E-010 | 5.1031E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Phenanthrene | 3.8456E-014 | 9.3257E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Phenol | 9.8651E-014 | 2.3957E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Pronamide | 1.3186E-010 | 3.1940E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Pyrene | 9.6824E-010 | 1.5877E-009 |
| RCPTR_22 | farmer_child | TOCDFMPF | Selenium | 2.3068E-007 | 2.4266E-007 |
| RCPTR_22 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Styrene | 2.3390E-014 | 5.6798E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 1.8126E-013 | 2.2089E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 9.2001E-014 | 1.1472E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 1.2558E-010 | 3.0352E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 9.8833E-015 | 2.4002E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 9.3337E-016 | 2.2666E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 7.1362E-011 | 1.6193E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDFMPF | Toluene | 1.2309E-015 | 2.9872E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 3.4227E-013 | 8.2890E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 6.0096E-016 | 1.4595E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 4.5611E-015 | 1.1078E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichloroethylene | 7.4713E-016 | 1.8143E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 9.8501E-017 | 2.3921E-016 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 5.0754E-011 | 1.2245E-010 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 9.8440E-012 | 2.3356E-011 |
| RCPTR_22 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 1.6934E-014 | 4.1129E-014 |
| RCPTR_22 | farmer_child | TOCDFMPF | VX | 2.3377E-013 | 2.7257E-013 |
| RCPTR_22 | farmer_child | TOCDFMPF | Vinyl Chloride | 2.3836E-019 | 5.7894E-019 |
| RCPTR_22 | farmer_child | TOCDFMPF | Xylene, m- | 4.5082E-015 | 9.8952E-015 |
| RCPTR_22 | farmer_child | TOCDFMPF | Xylene, o- | 4.9001E-015 | 1.1011E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDFMPF | Xylene, p- | 6.5191E-015 | 1.4855E-014 |
| RCPTR_22 | farmer_child | TOCDHVAC | VX | 8.0189E-014 | 9.6090E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Acenaphthene | 2.6698E-011 | 6.4755E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Acetone | 1.1690E-012 | 2.8396E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Acetophenone | 1.2372E-013 | 3.0051E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Aniline | 7.4127E-015 | 1.8001E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Anthracene | 5.1243E-010 | 1.2429E-009 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Benzene | 1.5835E-015 | 3.8450E-015 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 4.5827E-008 | 7.3770E-008 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 1.6669E-007 | 2.0012E-007 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 1.6544E-007 | 2.4445E-007 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 2.6748E-007 | 2.9724E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Benzoic acid | 2.8882E-012 | 6.9300E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Benzyl alcohol | 3.1980E-011 | 7.7674E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 1.6870E-013 | 4.0979E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Bromodichloromethane | 9.9324E-017 | 2.4126E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 9.6182E-014 | 2.3363E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.1225E-008 | 2.0247E-008 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 1.1866E-010 | 1.8948E-010 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Cadmium | 3.4895E-010 | 5.6196E-010 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Carbon disulfide | 6.5783E-018 | 1.5976E-017 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 5.3074E-017 | 1.2887E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 1.3982E-011 | 3.3283E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 7.8753E-013 | 1.9124E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chlorobenzene | 3.1132E-016 | 7.5574E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Chloroethane | 9.2950E-018 | 2.2526E-017 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 4.1086E-017 | 9.9794E-017 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 7.0914E-011 | 1.7206E-010 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 2.1996E-012 | 5.3430E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 9.6990E-011 | 2.3189E-010 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Chrysene | 8.0756E-008 | 1.0948E-007 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 5.0523E-010 | 7.9452E-010 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 1.6781E-001 | 1.6781E-001 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 2.9090E-006 | 3.0504E-006 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.0573E-013 | 2.5614E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 1.2928E-013 | 3.1350E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 1.2318E-013 | 2.9877E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 1.6208E-010 | 2.7042E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 7.1837E-019 | 1.7445E-018 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 1.6596E-017 | 4.0312E-017 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.2273E-016 | 5.4100E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 6.8455E-017 | 1.6625E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.0976E-016 | 2.6656E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 9.3142E-012 | 2.1786E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 5.9181E-017 | 1.4370E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 1.9369E-017 | 4.7045E-017 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Diethyl phthalate | 2.3668E-011 | 2.8437E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 1.5946E-012 | 3.8644E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 1.5044E-012 | 3.6520E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 1.2457E-013 | 2.7156E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 1.3601E-012 | 3.2915E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.0499E-012 | 2.5430E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 3.1452E-014 | 7.6399E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Ethylbenzene | 1.6922E-015 | 4.0984E-015 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 4.6016E-011 | 7.6992E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Fluoranthene | 7.3586E-009 | 1.5420E-008 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Fluorene | 1.0783E-010 | 2.6131E-010 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.1117E-013 | 1.2838E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.2640E-012 | 1.4254E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 3.0711E-012 | 3.5344E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 9.0586E-013 | 1.0239E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 5.7153E-013 | 6.6312E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 4.8901E-013 | 5.7687E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 7.1077E-013 | 8.4665E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 6.1743E-013 | 7.3480E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 6.3417E-013 | 7.5358E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 5.2187E-013 | 6.2060E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 2.4858E-012 | 6.0078E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 5.9112E-009 | 1.4243E-008 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 6.8104E-012 | 1.6443E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 1.3583E-012 | 3.2945E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 2.2017E-005 | 2.2337E-005 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Isophorone | 2.2662E-013 | 5.5044E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Mercuric chloride | 8.6996E-012 | 1.0893E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 1.2321E-017 | 2.9928E-017 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 3.5766E-020 | 8.6875E-020 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 1.3096E-014 | 3.1813E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Methyl mercury | 3.6927E-014 | 4.3767E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Methylene chloride | 1.7764E-013 | 4.3148E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Naphthalene | 5.9699E-013 | 1.4489E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 3.8701E-012 | 9.3978E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 9.1697E-013 | 2.2272E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 1.1847E-012 | 2.8774E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitrobenzene | 3.8322E-013 | 9.3086E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 1.7435E-013 | 4.2348E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 2.1140E-012 | 4.4864E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 2.1852E-013 | 5.3064E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 2.2032E-013 | 5.3492E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 1.8843E-014 | 4.5728E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 1.7517E-013 | 2.0849E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 1.7296E-013 | 2.0575E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 2.1859E-012 | 2.4858E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 3.9904E-013 | 4.7467E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.4930E-012 | 1.7792E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 1.9792E-011 | 4.7754E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 7.1004E-012 | 1.7091E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Pentachlorophenol | 2.2580E-009 | 4.3033E-009 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Phenanthrene | 3.6664E-013 | 8.8912E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Phenol | 3.0222E-013 | 7.3394E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Pronamide | 3.1029E-011 | 7.5158E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Pyrene | 1.3236E-008 | 2.1705E-008 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Selenium | 7.3263E-007 | 7.7065E-007 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Styrene | 1.5376E-015 | 3.7338E-015 |
| RCPTR_22 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 4.1856E-013 | 5.1006E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.3696E-013 | 1.7078E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 2.9549E-011 | 7.1422E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 5.4623E-014 | 9.4989E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 6.3421E-017 | 1.5401E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 1.6823E-010 | 3.8173E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Toluene | 1.9085E-012 | 4.6316E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.0176E-012 | 2.4643E-012 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 6.0422E-015 | 1.4674E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 3.2503E-015 | 7.8947E-015 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichloroethylene | 5.3243E-016 | 1.2929E-015 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 7.0195E-017 | 1.7046E-016 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.1363E-010 | 2.7414E-010 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 2.1688E-011 | 5.1456E-011 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 1.2068E-014 | 2.9309E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | VX | 1.7634E-013 | 2.0560E-013 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Vinyl Chloride | 1.5669E-020 | 3.8059E-020 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Xylene, m- | 5.7232E-015 | 1.2568E-014 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Xylene, o- | 3.9585E-015 | 8.8988E-015 |
| RCPTR_22 | farmer_child | TOCDLIC2 | Xylene, p- | 8.2785E-015 | 1.8870E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_22 | farmer_child | TOCDLIC2 | Zinc | 4.6186E-009 | 7.2377E-009 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Cadmium | 9.3981E-010 | 2.8420E-009 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Mercuric chloride | 3.2184E-007 | 3.3663E-007 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Methyl mercury | 1.2957E-009 | 1.4470E-009 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Selenium | 1.0720E-006 | 1.1556E-006 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFBRA | Zinc | 3.0339E-008 | 7.8276E-008 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Acenaphthene | 1.1711E-011 | 1.8654E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Acetone | 2.0445E-015 | 3.3108E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Acetophenone | 5.3505E-014 | 8.6562E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Aniline | 3.2122E-015 | 5.1854E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Anthracene | 2.2478E-010 | 3.5803E-009 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Aroclor 1254 | 2.4682E-012 | 1.8145E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Benzene | 1.7426E-016 | 2.8100E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 5.1373E-008 | 2.1523E-007 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 4.1772E-007 | 6.1558E-007 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 2.6146E-007 | 7.1871E-007 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 6.8587E-007 | 9.1992E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Benzoic acid | 9.0601E-013 | 1.2914E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.1288E-013 | 1.8253E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 7.2895E-014 | 1.1804E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Bromodichloromethane | 3.6937E-016 | 5.9767E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.2811E-014 | 2.0735E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 5.7414E-009 | 5.8323E-008 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 8.9359E-010 | 2.1055E-009 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Cadmium | 1.6612E-009 | 4.9162E-009 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Carbon disulfide | 4.9267E-017 | 7.9566E-016 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 1.9805E-016 | 3.1926E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 7.2535E-012 | 9.5918E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 3.4149E-013 | 5.5086E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chlorobenzene | 5.8330E-016 | 9.3774E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chloroethane | 4.7908E-018 | 7.5620E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 7.6544E-017 | 1.2383E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.1002E-011 | 4.9564E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 9.5075E-013 | 1.5391E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 4.8655E-011 | 6.6835E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Chrysene | 1.3696E-007 | 3.2296E-007 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.5444E-009 | 3.6051E-009 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 1.6308E+001 | 1.6308E+001 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 8.6900E-006 | 1.0094E-005 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.0278E-014 | 1.6159E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 3.6944E-014 | 5.8701E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.4041E-014 | 3.8299E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 1.7564E-010 | 4.7119E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 3.6298E-019 | 5.8561E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.1953E-017 | 5.1700E-016 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.9550E-017 | 6.4006E-016 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 3.4546E-017 | 5.5809E-016 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 5.5402E-017 | 8.9481E-016 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 4.0291E-012 | 4.5853E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.1382E-016 | 5.0592E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 3.6096E-017 | 5.8373E-016 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Diethyl phthalate | 3.1945E-010 | 4.3243E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 3.4482E-013 | 5.4388E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 6.5445E-013 | 1.0520E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 5.4111E-013 | 3.8836E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.3231E-013 | 2.0532E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.0108E-013 | 1.5861E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.3592E-014 | 2.2007E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Ethylbenzene | 7.3743E-016 | 1.1564E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.4713E-011 | 6.5262E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Fluoranthene | 3.9778E-009 | 4.4469E-008 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Fluorene | 4.7745E-011 | 7.5277E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 2.9344E-014 | 4.3112E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 3.6914E-014 | 5.0833E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 8.8224E-014 | 1.2848E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.3102E-013 | 3.1978E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.4275E-013 | 2.1270E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.2064E-013 | 1.8822E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.6672E-013 | 2.6738E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.4487E-013 | 2.3164E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.4864E-013 | 2.3671E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.2236E-013 | 1.9526E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.1305E-012 | 1.7309E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 2.6443E-009 | 4.1032E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.5483E-011 | 2.3453E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 5.9593E-013 | 9.4902E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 6.5726E-005 | 6.8717E-005 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Isophorone | 9.8018E-014 | 1.5856E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Mercuric chloride | 4.2242E-010 | 4.4190E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.2589E-018 | 5.2754E-017 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 6.2703E-020 | 1.0145E-018 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.7947E-016 | 6.1445E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Methyl mercury | 1.6462E-012 | 1.8455E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Methylene chloride | 2.1222E-015 | 3.4343E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Naphthalene | 6.8788E-013 | 1.1033E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.6583E-012 | 2.6751E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 3.9197E-013 | 6.3399E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 5.0673E-013 | 8.1906E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.6565E-013 | 2.6814E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 7.5403E-014 | 1.2198E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.0443E-012 | 1.2814E-011 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 9.4752E-014 | 1.5285E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 9.5685E-014 | 1.5409E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 8.2638E-015 | 1.3176E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 7.1095E-014 | 1.1351E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.1342E-014 | 3.3990E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 4.6436E-013 | 6.5258E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 4.8064E-014 | 7.7033E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.8243E-013 | 2.9372E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 4.5597E-011 | 6.8143E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 3.3456E-012 | 4.8700E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Pentachlorophenol | 6.1473E-010 | 2.4904E-009 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Phenanthrene | 1.6115E-013 | 2.5613E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Phenol | 1.3095E-013 | 2.1141E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Pronamide | 2.7590E-011 | 4.3302E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Pyrene | 8.4050E-009 | 6.2560E-008 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Selenium | 2.4952E-007 | 2.6822E-007 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Styrene | 6.9730E-015 | 1.1251E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 2.6447E-013 | 4.5964E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.4303E-013 | 2.7007E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.3407E-011 | 2.0576E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 7.8011E-013 | 2.3748E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.3642E-016 | 3.8154E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.1926E-010 | 1.0884E-009 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFDFS | Toluene | 1.1749E-015 | 1.8824E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 5.4585E-013 | 8.5555E-012 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.5206E-016 | 2.4568E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.6384E-015 | 2.6502E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichloroethylene | 2.6893E-016 | 4.3403E-015 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 3.5447E-017 | 5.7223E-016 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 5.2436E-011 | 7.8979E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.1556E-011 | 1.4830E-010 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 6.0862E-015 | 9.8389E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 5.1675E-014 | 8.1267E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | VX | 7.3044E-013 | 9.3811E-013 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Vinyl Chloride | 4.4393E-020 | 7.1781E-019 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Xylene, m- | 9.2836E-015 | 6.2917E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Xylene, o- | 8.8677E-015 | 6.9713E-014 |
| RCPTR_23 | farmer_adult | TOCDFDFS | Xylene, p- | 1.0807E-014 | 9.3804E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Acenaphthene | 6.8276E-012 | 1.0873E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Acetone | 2.9442E-013 | 4.7676E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Acetophenone | 3.1187E-014 | 5.0454E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Aniline | 1.8724E-015 | 3.0224E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Anthracene | 1.3105E-010 | 2.0869E-009 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Benzene | 4.0037E-016 | 6.4557E-015 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 3.0149E-008 | 1.2552E-007 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 2.4511E-007 | 3.5838E-007 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.5394E-007 | 4.1985E-007 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 4.0203E-007 | 5.3501E-007 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Benzoic acid | 8.1846E-013 | 1.1641E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Benzyl alcohol | 8.0651E-012 | 1.3041E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 4.2488E-014 | 6.8802E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.5034E-017 | 4.0506E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.4236E-014 | 3.9225E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 3.3464E-009 | 3.3995E-008 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.4002E-010 | 3.2982E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Cadmium | 4.9478E-010 | 1.4600E-009 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.6609E-018 | 2.6823E-017 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.3423E-017 | 2.1637E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 4.2432E-012 | 5.5923E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 1.9906E-013 | 3.2108E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chlorobenzene | 7.8937E-017 | 1.2689E-015 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chloroethane | 2.3973E-018 | 3.7823E-017 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.0358E-017 | 1.6755E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.8074E-011 | 2.8890E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 5.5417E-013 | 8.9708E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 2.8420E-011 | 3.8962E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Chrysene | 8.0646E-008 | 1.8871E-007 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 5.8925E-010 | 1.3641E-009 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 2.9652E-001 | 2.9652E-001 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 5.1081E-006 | 5.8913E-006 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 2.7369E-014 | 4.3009E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.3139E-014 | 5.2639E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.1498E-014 | 5.0166E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 1.7491E-010 | 4.6634E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.8155E-019 | 2.9289E-018 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 4.3237E-018 | 6.9957E-017 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.6128E-017 | 9.0833E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.7279E-017 | 2.7913E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.7711E-017 | 4.4755E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 3.2360E-012 | 3.6630E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.4967E-017 | 2.4127E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 4.8843E-018 | 7.8986E-017 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Diethyl phthalate | 3.6769E-011 | 4.9540E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.1152E-013 | 6.4890E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 3.8152E-013 | 6.1318E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 6.4379E-014 | 4.5796E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 3.5627E-013 | 5.5277E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 2.7224E-013 | 4.2702E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 7.9225E-015 | 1.2827E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Ethylbenzene | 4.3906E-016 | 6.8819E-015 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 5.0593E-011 | 1.3368E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Fluoranthene | 2.3250E-009 | 2.5924E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Fluorene | 2.7840E-011 | 4.3878E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.6544E-013 | 2.4154E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 5.6004E-013 | 7.6563E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.3280E-012 | 1.9214E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.3732E-012 | 1.8876E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 8.3954E-013 | 1.2434E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 7.0424E-013 | 1.0936E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 9.9564E-013 | 1.5909E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 8.6569E-013 | 1.3791E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 8.8936E-013 | 1.4108E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 7.3169E-013 | 1.1632E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 6.5932E-013 | 1.0090E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.5421E-009 | 2.3917E-008 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.8242E-012 | 2.7617E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 3.4746E-013 | 5.5316E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 3.8909E-005 | 4.0578E-005 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Isophorone | 5.7133E-014 | 9.2418E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.7626E-011 | 1.8439E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.1041E-018 | 5.0248E-017 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.8005E-019 | 2.9133E-018 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.2986E-015 | 5.3412E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Methyl mercury | 6.8355E-014 | 7.6674E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Methylene chloride | 4.4766E-014 | 7.2443E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Naphthalene | 1.5170E-013 | 2.4328E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 9.7818E-013 | 1.5779E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.3120E-013 | 3.7394E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 5.9667E-014 | 9.6446E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitrobenzene | 9.6550E-014 | 1.5629E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.2015E-013 | 3.5615E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 2.4365E-013 | 1.5118E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 5.5232E-014 | 8.9094E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 5.5778E-014 | 8.9813E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 4.8144E-015 | 7.6798E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.5084E-013 | 3.9913E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4826E-013 | 3.9408E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.1933E-012 | 4.4610E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 5.2701E-013 | 8.4094E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.9896E-012 | 3.1900E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 2.6860E-011 | 4.0189E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.9702E-012 | 2.8722E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Pentachlorophenol | 3.6365E-010 | 1.4569E-009 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Phenanthrene | 9.3959E-014 | 1.4929E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Phenol | 7.6330E-014 | 1.2323E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Pronamide | 8.0450E-012 | 1.2620E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Pyrene | 4.9041E-009 | 3.6468E-008 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Selenium | 2.0369E-006 | 2.1888E-006 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Styrene | 3.8855E-016 | 6.2690E-015 |
| RCPTR_23 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 5.1585E-013 | 8.9321E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.5681E-013 | 2.9508E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 7.8219E-012 | 1.1994E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 5.3726E-014 | 1.6181E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.6023E-017 | 2.5858E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 7.0948E-011 | 6.4258E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Toluene | 4.8547E-013 | 7.7766E-012 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.6429E-013 | 4.1380E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.5249E-015 | 2.4638E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 8.1947E-016 | 1.3255E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.3451E-016 | 2.1708E-015 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.7730E-017 | 2.8621E-016 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.0605E-011 | 4.6039E-010 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 6.7633E-012 | 8.6468E-011 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.0441E-015 | 4.9210E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | VX | 2.6989E-013 | 3.4524E-013 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Vinyl Chloride | 3.9518E-021 | 6.3900E-020 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Xylene, m- | 3.1015E-015 | 2.1428E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Xylene, o- | 1.8896E-015 | 1.5117E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Xylene, p- | 3.6270E-015 | 3.1987E-014 |
| RCPTR_23 | farmer_adult | TOCDFLIC | Zinc | 7.5288E-009 | 1.8971E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Acenaphthene | 1.2514E-012 | 1.9929E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Acetone | 1.2535E-017 | 2.0298E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Acetophenone | 1.3300E-013 | 2.1517E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Aniline | 7.9850E-015 | 1.2889E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Anthracene | 1.3793E-011 | 2.1965E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Benzene | 7.0383E-017 | 1.1349E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 2.7899E-009 | 1.1617E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 4.1810E-008 | 6.1147E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 2.2343E-008 | 6.0951E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 5.9823E-008 | 7.9635E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Benzoic acid | 1.5715E-013 | 2.2352E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Benzyl alcohol | 6.3936E-014 | 1.0338E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.8081E-014 | 2.9279E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Bromodichloromethane | 3.6971E-016 | 5.9822E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.2823E-014 | 2.0754E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.9160E-009 | 1.9464E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 1.8553E-011 | 4.3698E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Cadmium | 1.5766E-009 | 4.6523E-009 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.4530E-017 | 3.9614E-016 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 1.9824E-016 | 3.1955E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.8171E-012 | 2.3950E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 5.8701E-014 | 9.4685E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.1658E-015 | 1.8740E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chloroethane | 3.3758E-018 | 5.3261E-017 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.5297E-016 | 2.4745E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.1815E-012 | 5.0854E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.0415E-013 | 3.3047E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 8.7930E-012 | 1.2055E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Chrysene | 8.3399E-009 | 1.9520E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 6.8944E-010 | 1.5964E-009 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 2.6674E-001 | 2.6674E-001 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.3532E-006 | 1.5611E-006 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 9.5358E-015 | 1.4986E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.0765E-014 | 1.7099E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.0174E-014 | 1.6205E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 5.2367E-011 | 1.3963E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.5565E-019 | 4.1245E-018 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 6.3854E-017 | 1.0332E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 7.9037E-017 | 1.2791E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.4332E-017 | 3.9307E-016 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.9022E-017 | 6.3022E-016 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.2682E-012 | 1.4358E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.2104E-016 | 3.5632E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 7.2135E-017 | 1.1665E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Diethyl phthalate | 7.8598E-011 | 1.0591E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.3773E-014 | 3.7487E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.5058E-013 | 2.4202E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.2380E-013 | 8.8090E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 4.9137E-013 | 7.6238E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 3.4089E-013 | 5.3470E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 3.3786E-014 | 5.4702E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Ethylbenzene | 7.3849E-016 | 1.1575E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 8.7578E-012 | 2.3137E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Fluoranthene | 1.8099E-010 | 2.0182E-009 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Fluorene | 4.2438E-012 | 6.6885E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.8207E-014 | 2.6589E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 9.3772E-014 | 1.2823E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 8.7801E-014 | 1.2707E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.3887E-013 | 3.2845E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.4611E-013 | 2.1644E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.2084E-013 | 1.8768E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.6933E-013 | 4.3041E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 9.2043E-013 | 1.4664E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 7.7514E-013 | 1.2298E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 9.3462E-014 | 1.4859E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 3.7031E-013 | 5.6669E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 7.6819E-010 | 1.1914E-008 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.2696E-012 | 1.9220E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.4465E-013 | 3.8949E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 8.4693E-006 | 8.8335E-006 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Isophorone | 1.0212E-014 | 1.6520E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Mercuric chloride | 1.8993E-011 | 1.9869E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.2953E-018 | 3.7155E-017 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.3314E-019 | 2.1542E-018 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 5.5482E-017 | 8.9839E-016 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Methyl mercury | 7.3675E-014 | 8.2639E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Methylene chloride | 1.4608E-017 | 2.3640E-016 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Naphthalene | 1.2794E-013 | 2.0517E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.2137E-013 | 1.9579E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.3243E-014 | 3.7594E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 2.6637E-014 | 4.3055E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.3027E-014 | 5.3463E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 2.6600E-014 | 4.3031E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.1768E-013 | 1.3511E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.3554E-013 | 3.7995E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.2602E-014 | 2.0292E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.1322E-015 | 4.9963E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.9277E-014 | 3.0677E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.8924E-015 | 3.0043E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 5.2730E-013 | 7.3680E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 3.5801E-013 | 5.7134E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.4374E-013 | 3.9084E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.2870E-011 | 3.4216E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 8.3878E-013 | 1.2226E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.1669E-010 | 8.6844E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Phenanthrene | 9.8895E-015 | 1.5713E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Phenol | 2.5002E-014 | 4.0364E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Pronamide | 3.4308E-011 | 5.3820E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Pyrene | 3.5998E-010 | 2.6769E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Selenium | 6.4274E-007 | 6.9066E-007 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Styrene | 5.9313E-015 | 9.5697E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.2400E-013 | 3.8791E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.0565E-013 | 1.9882E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 3.3356E-011 | 5.1149E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.5043E-015 | 4.0440E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.3664E-016 | 3.8189E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.0194E-011 | 2.7353E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Toluene | 3.1420E-016 | 5.0332E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 8.9205E-014 | 1.3967E-012 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.5220E-016 | 2.4591E-015 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.1539E-015 | 1.8665E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichloroethylene | 1.8942E-016 | 3.0569E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.4967E-017 | 4.0303E-016 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.3718E-011 | 2.0636E-010 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.0803E-012 | 3.9385E-011 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 4.2866E-015 | 6.9296E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | VX | 3.7319E-013 | 4.7743E-013 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Vinyl Chloride | 6.0324E-020 | 9.7543E-019 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Xylene, m- | 2.4523E-015 | 1.6927E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Xylene, o- | 2.3480E-015 | 1.8768E-014 |
| RCPTR_23 | farmer_adult | TOCDFMPF | Xylene, p- | 2.8671E-015 | 2.5266E-014 |
| RCPTR_23 | farmer_adult | TOCDHVAC | VX | 1.3847E-013 | 1.8353E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Acenaphthene | 6.8276E-012 | 1.0873E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Acetone | 2.9442E-013 | 4.7676E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Acetophenone | 3.1187E-014 | 5.0454E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Aniline | 1.8724E-015 | 3.0224E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Anthracene | 1.3105E-010 | 2.0869E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Benzene | 4.0037E-016 | 6.4557E-015 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 3.0149E-008 | 1.2552E-007 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 2.4511E-007 | 3.5838E-007 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.5394E-007 | 4.1985E-007 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 4.0203E-007 | 5.3501E-007 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Benzoic acid | 8.1846E-013 | 1.1641E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 8.0651E-012 | 1.3041E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 4.2488E-014 | 6.8802E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.5034E-017 | 4.0506E-016 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.4236E-014 | 3.9225E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 3.3464E-009 | 3.3995E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.4002E-010 | 3.2982E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Cadmium | 4.9478E-010 | 1.4600E-009 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.6609E-018 | 2.6823E-017 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.3423E-017 | 2.1637E-016 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 4.2432E-012 | 5.5923E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 1.9906E-013 | 3.2108E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chlorobenzene | 7.8937E-017 | 1.2689E-015 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chloroethane | 2.3973E-018 | 3.7823E-017 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.0358E-017 | 1.6755E-016 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.8074E-011 | 2.8890E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 5.5417E-013 | 8.9708E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 2.8420E-011 | 3.8962E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Chrysene | 8.0646E-008 | 1.8871E-007 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 5.8925E-010 | 1.3641E-009 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 2.9652E-001 | 2.9652E-001 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 5.1081E-006 | 5.8913E-006 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.7369E-014 | 4.3009E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.3139E-014 | 5.2639E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.1498E-014 | 5.0166E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 1.7491E-010 | 4.6634E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.8155E-019 | 2.9289E-018 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 4.1831E-018 | 6.7682E-017 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.6128E-017 | 9.0833E-016 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.7279E-017 | 2.7913E-016 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.7711E-017 | 4.4755E-016 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 3.2360E-012 | 3.6630E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.4967E-017 | 2.4127E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 4.8843E-018 | 7.8986E-017 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 3.6769E-011 | 4.9540E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.1152E-013 | 6.4890E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 3.8152E-013 | 6.1318E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 6.4379E-014 | 4.5796E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 3.5627E-013 | 5.5277E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.7224E-013 | 4.2702E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 7.9225E-015 | 1.2827E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Ethylbenzene | 4.3906E-016 | 6.8819E-015 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 5.0593E-011 | 1.3368E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.3250E-009 | 2.5924E-008 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Fluorene | 2.7840E-011 | 4.3878E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.6544E-013 | 2.4154E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.9327E-012 | 2.6422E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 4.5829E-012 | 6.6307E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.3732E-012 | 1.8876E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 8.3954E-013 | 1.2434E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 7.0424E-013 | 1.0936E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 9.9564E-013 | 1.5909E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 8.6569E-013 | 1.3791E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 8.8936E-013 | 1.4108E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 7.3169E-013 | 1.1632E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 6.5932E-013 | 1.0090E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.5421E-009 | 2.3917E-008 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.8242E-012 | 2.7617E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 3.4746E-013 | 5.5316E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 3.8909E-005 | 4.0578E-005 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Isophorone | 5.7133E-014 | 9.2418E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.7626E-011 | 1.8439E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.1041E-018 | 5.0248E-017 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 9.0148E-021 | 1.4586E-019 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.2986E-015 | 5.3412E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Methyl mercury | 6.8355E-014 | 7.6674E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Methylene chloride | 4.4766E-014 | 7.2443E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Naphthalene | 1.5170E-013 | 2.4328E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 9.7818E-013 | 1.5779E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.3120E-013 | 3.7394E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 2.9888E-013 | 4.8310E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitrobenzene | 9.6550E-014 | 1.5629E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 4.3951E-014 | 7.1101E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.2204E-012 | 7.5727E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 5.5232E-014 | 8.9094E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 5.5778E-014 | 8.9813E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 4.8144E-015 | 7.6798E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.5084E-013 | 3.9913E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4826E-013 | 3.9408E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.1933E-012 | 4.4610E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 5.2701E-013 | 8.4094E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.9896E-012 | 3.1900E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 5.3623E-012 | 8.0232E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.9702E-012 | 2.8722E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 1.8216E-009 | 7.2979E-009 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Phenanthrene | 9.3959E-014 | 1.4929E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Phenol | 7.6330E-014 | 1.2323E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Pronamide | 8.0450E-012 | 1.2620E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Pyrene | 4.9041E-009 | 3.6468E-008 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Selenium | 2.0369E-006 | 2.1888E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Styrene | 3.8855E-016 | 6.2690E-015 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 5.1585E-013 | 8.9321E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.5681E-013 | 2.9508E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 7.8219E-012 | 1.1994E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 5.3726E-014 | 1.6181E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.6023E-017 | 2.5858E-016 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 7.0948E-011 | 6.4258E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Toluene | 4.8547E-013 | 7.7766E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.6429E-013 | 4.1380E-012 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.5249E-015 | 2.4638E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 8.1947E-016 | 1.3255E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.3451E-016 | 2.1708E-015 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.7730E-017 | 2.8621E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.0605E-011 | 4.6039E-010 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 6.7633E-012 | 8.6468E-011 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.0441E-015 | 4.9210E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | VX | 2.8058E-013 | 3.5891E-013 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 3.9518E-021 | 6.3900E-020 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Xylene, m- | 3.1015E-015 | 2.1428E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Xylene, o- | 1.8896E-015 | 1.5117E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Xylene, p- | 3.6270E-015 | 3.1987E-014 |
| RCPTR_23 | farmer_adult | TOCDLIC2 | Zinc | 7.5288E-009 | 1.8971E-008 |
| RCPTR_23 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Cadmium | 1.7909E-009 | 2.8420E-009 |
| RCPTR_23 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Mercuric chloride | 2.6934E-007 | 3.3663E-007 |
| RCPTR_23 | farmer_child | TOCDFBRA | Methyl mercury | 1.2372E-009 | 1.4470E-009 |
| RCPTR_23 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Selenium | 1.1032E-006 | 1.1556E-006 |
| RCPTR_23 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFBRA | Zinc | 5.0802E-008 | 7.8276E-008 |
| RCPTR_23 | farmer_child | TOCDFDFS | Acenaphthene | 7.6912E-011 | 1.8654E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Acetone | 1.3630E-014 | 3.3108E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Acetophenone | 3.5638E-013 | 8.6562E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Aniline | 2.1353E-014 | 5.1854E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Anthracene | 1.4763E-009 | 3.5803E-009 |
| RCPTR_23 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Aroclor 1254 | 8.3149E-012 | 1.8145E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Benzene | 1.1573E-015 | 2.8100E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.3434E-007 | 2.1523E-007 |
| RCPTR_23 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 5.1316E-007 | 6.1558E-007 |
| RCPTR_23 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 4.8935E-007 | 7.1871E-007 |
| RCPTR_23 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 8.2628E-007 | 9.1992E-007 |
| RCPTR_23 | farmer_child | TOCDFDFS | Benzoic acid | 5.3842E-012 | 1.2914E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Benzyl alcohol | 7.5151E-013 | 1.8253E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 4.8593E-013 | 1.1804E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.4606E-015 | 5.9767E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 8.5362E-014 | 2.0735E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.2335E-008 | 5.8323E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.3456E-009 | 2.1055E-009 |
| RCPTR_23 | farmer_child | TOCDFDFS | Cadmium | 3.1176E-009 | 4.9162E-009 |
| RCPTR_23 | farmer_child | TOCDFDFS | Carbon disulfide | 3.2763E-016 | 7.9566E-016 |
| RCPTR_23 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.3148E-015 | 3.1926E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.0320E-011 | 9.5918E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.2686E-012 | 5.5086E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chlorobenzene | 3.8630E-015 | 9.3774E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chloroethane | 3.1206E-017 | 7.5620E-017 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 5.0980E-016 | 1.2383E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.0429E-010 | 4.9564E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 6.3361E-012 | 1.5391E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 2.7977E-010 | 6.6835E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Chrysene | 2.3932E-007 | 3.2296E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.3129E-009 | 3.6051E-009 |
| RCPTR_23 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 1.6308E+001 | 1.6308E+001 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 9.4622E-006 | 1.0094E-005 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 6.6710E-014 | 1.6159E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.4209E-013 | 5.8701E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.5791E-013 | 3.8299E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.8586E-010 | 4.7119E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.4116E-018 | 5.8561E-018 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.1285E-016 | 5.1700E-016 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.6351E-016 | 6.4006E-016 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.2980E-016 | 5.5809E-016 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.6846E-016 | 8.9481E-016 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 1.9627E-011 | 4.5853E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.0836E-015 | 5.0592E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.4034E-016 | 5.8373E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Diethyl phthalate | 3.6159E-010 | 4.3243E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.2446E-012 | 5.4388E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 4.3337E-012 | 1.0520E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 1.7877E-012 | 3.8836E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 8.4870E-013 | 2.0532E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 6.5491E-013 | 1.5861E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 9.0597E-014 | 2.2007E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Ethylbenzene | 4.7753E-015 | 1.1564E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.9836E-011 | 6.5262E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Fluoranthene | 2.1242E-008 | 4.4469E-008 |
| RCPTR_23 | farmer_child | TOCDFDFS | Fluorene | 3.1068E-010 | 7.5277E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.7330E-014 | 4.3112E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.4994E-014 | 5.0833E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.1159E-013 | 1.2848E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.8252E-013 | 3.1978E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.8338E-013 | 2.1270E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.5990E-013 | 1.8822E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.2521E-013 | 2.6738E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.9527E-013 | 2.3164E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.9980E-013 | 2.3671E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.6471E-013 | 1.9526E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 7.1644E-012 | 1.7309E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.7032E-008 | 4.1032E-008 |
| RCPTR_23 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 9.7175E-011 | 2.3453E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 3.9130E-012 | 9.4902E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 6.7289E-005 | 6.8717E-005 |
| RCPTR_23 | farmer_child | TOCDFDFS | Isophorone | 6.5279E-013 | 1.5856E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Mercuric chloride | 3.5328E-010 | 4.4190E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.1718E-017 | 5.2754E-017 |
| RCPTR_23 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 4.1769E-019 | 1.0145E-018 |
| RCPTR_23 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.5295E-015 | 6.1445E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Methyl mercury | 1.5692E-012 | 1.8455E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Methylene chloride | 1.4139E-014 | 3.4343E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Naphthalene | 4.5460E-012 | 1.1033E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.1017E-011 | 2.6751E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 2.6102E-012 | 6.3399E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 3.3724E-012 | 8.1906E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitrobenzene | 1.1039E-012 | 2.6814E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 5.0222E-013 | 1.2198E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 6.0608E-012 | 1.2814E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 6.2947E-013 | 1.5285E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 6.3466E-013 | 1.5409E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 5.4322E-014 | 1.3176E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 9.5707E-014 | 1.1351E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.8677E-014 | 3.3990E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.7399E-013 | 6.5258E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 6.4930E-014 | 7.7033E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.4716E-013 | 2.9372E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Pentachlorobenzene | 2.8273E-010 | 6.8143E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.0260E-011 | 4.8700E-011 |
| RCPTR_23 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.3143E-009 | 2.4904E-009 |
| RCPTR_23 | farmer_child | TOCDFDFS | Phenanthrene | 1.0563E-012 | 2.5613E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Phenol | 8.7057E-013 | 2.1141E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Pronamide | 1.7879E-010 | 4.3302E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Pyrene | 3.8162E-008 | 6.2560E-008 |
| RCPTR_23 | farmer_child | TOCDFDFS | Selenium | 2.5650E-007 | 2.6822E-007 |
| RCPTR_23 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Styrene | 4.6332E-014 | 1.1251E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.7843E-013 | 4.5964E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.1727E-013 | 2.7007E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 8.5144E-011 | 2.0576E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.3749E-012 | 2.3748E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.5712E-015 | 3.8154E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 4.8071E-010 | 1.0884E-009 |
| RCPTR_23 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFDFS | Toluene | 7.7571E-015 | 1.8824E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.5330E-012 | 8.5555E-012 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.0116E-015 | 2.4568E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.0911E-014 | 2.6502E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trichloroethylene | 1.7873E-015 | 4.3403E-015 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.3564E-016 | 5.7223E-016 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.2743E-010 | 7.8979E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 6.2555E-011 | 1.4830E-010 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 4.0510E-014 | 9.8389E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.3548E-013 | 8.1267E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | VX | 8.0789E-013 | 9.3811E-013 |
| RCPTR_23 | farmer_child | TOCDFDFS | Vinyl Chloride | 2.9554E-019 | 7.1781E-019 |
| RCPTR_23 | farmer_child | TOCDFDFS | Xylene, m- | 2.9286E-014 | 6.2917E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Xylene, o- | 3.1560E-014 | 6.9713E-014 |
| RCPTR_23 | farmer_child | TOCDFDFS | Xylene, p- | 4.1761E-014 | 9.3804E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Acenaphthene | 4.4831E-011 | 1.0873E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Acetone | 1.9627E-012 | 4.7676E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Acetophenone | 2.0772E-013 | 5.0454E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Aniline | 1.2446E-014 | 3.0224E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Anthracene | 8.6051E-010 | 2.0869E-009 |
| RCPTR_23 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Benzene | 2.6587E-015 | 6.4557E-015 |
| RCPTR_23 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 7.8439E-008 | 1.2552E-007 |
| RCPTR_23 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 2.9975E-007 | 3.5838E-007 |
| RCPTR_23 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 2.8647E-007 | 4.1985E-007 |
| RCPTR_23 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 4.8181E-007 | 5.3501E-007 |
| RCPTR_23 | farmer_child | TOCDFLIC | Benzoic acid | 4.8545E-012 | 1.1641E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Benzyl alcohol | 5.3694E-011 | 1.3041E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 2.8324E-013 | 6.8802E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.6676E-016 | 4.0506E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.6149E-013 | 3.9225E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.8847E-008 | 3.3995E-008 |
| RCPTR_23 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.1081E-010 | 3.2982E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Cadmium | 9.2664E-010 | 1.4600E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | Carbon disulfide | 1.1045E-017 | 2.6823E-017 |
| RCPTR_23 | farmer_child | TOCDFLIC | Carbon tetrachloride | 8.9112E-017 | 2.1637E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.3517E-011 | 5.5923E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.3223E-012 | 3.2108E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chlorobenzene | 5.2272E-016 | 1.2689E-015 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chloroethane | 1.5609E-017 | 3.7823E-017 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 6.8982E-017 | 1.6755E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.1908E-010 | 2.8890E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 3.6931E-012 | 8.9708E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.6313E-010 | 3.8962E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Chrysene | 1.4012E-007 | 1.8871E-007 |
| RCPTR_23 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 8.7822E-010 | 1.3641E-009 |
| RCPTR_23 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 2.9652E-001 | 2.9652E-001 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 5.5390E-006 | 5.8913E-006 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.7756E-013 | 4.3009E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.1710E-013 | 5.2639E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.0684E-013 | 5.0166E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.8360E-010 | 4.6634E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.2062E-018 | 2.9289E-018 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 2.8801E-017 | 6.9957E-017 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.7395E-016 | 9.0833E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.1494E-016 | 2.7913E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.8429E-016 | 4.4755E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.5690E-011 | 3.6630E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 9.9366E-017 | 2.4127E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.2520E-017 | 7.8986E-017 |
| RCPTR_23 | farmer_child | TOCDFLIC | Diethyl phthalate | 4.1532E-011 | 4.9540E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dimethyl phthalate | 2.6781E-012 | 6.4890E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.5261E-012 | 6.1318E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.1116E-013 | 4.5796E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.2849E-012 | 5.5277E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.7633E-012 | 4.2702E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 5.2806E-014 | 1.2827E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Ethylbenzene | 2.8419E-015 | 6.8819E-015 |
| RCPTR_23 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 8.1580E-011 | 1.3368E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Fluoranthene | 1.2387E-008 | 2.5924E-008 |
| RCPTR_23 | farmer_child | TOCDFLIC | Fluorene | 1.8110E-010 | 4.3878E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.0958E-013 | 2.4154E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 6.7939E-013 | 7.6563E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.6725E-012 | 1.9214E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.6717E-012 | 1.8876E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.0741E-012 | 1.2434E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 9.3041E-013 | 1.0936E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.3415E-012 | 1.5909E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.1638E-012 | 1.3791E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.1923E-012 | 1.4108E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 9.8235E-013 | 1.1632E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.1763E-012 | 1.0090E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Hexachlorobenzene | 9.9285E-009 | 2.3917E-008 |
| RCPTR_23 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.1444E-011 | 2.7617E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.2809E-012 | 5.5316E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 3.9781E-005 | 4.0578E-005 |
| RCPTR_23 | farmer_child | TOCDFLIC | Isophorone | 3.8049E-013 | 9.2418E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Mercuric chloride | 1.4740E-011 | 1.8439E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.0686E-017 | 5.0248E-017 |
| RCPTR_23 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.1994E-018 | 2.9133E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.1988E-014 | 5.3412E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Methyl mercury | 6.5138E-014 | 7.6674E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Methylene chloride | 2.9825E-013 | 7.2443E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Naphthalene | 1.0024E-012 | 2.4328E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 6.4980E-012 | 1.5779E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.5396E-012 | 3.7394E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 3.9710E-013 | 9.6446E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitrobenzene | 6.4342E-013 | 1.5629E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.4663E-012 | 3.5615E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 7.1660E-013 | 1.5118E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.6691E-013 | 8.9094E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 3.6993E-013 | 8.9813E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.1660E-014 | 7.6798E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.3688E-013 | 3.9913E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3284E-013 | 3.9408E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.9317E-012 | 4.4610E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 7.0979E-013 | 8.4094E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.6878E-012 | 3.1900E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.6673E-010 | 4.0189E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.1947E-011 | 2.8722E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Pentachlorophenol | 7.7139E-010 | 1.4569E-009 |
| RCPTR_23 | farmer_child | TOCDFLIC | Phenanthrene | 6.1569E-013 | 1.4929E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Phenol | 5.0744E-013 | 1.2323E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Pronamide | 5.2111E-011 | 1.2620E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Pyrene | 2.2248E-008 | 3.6468E-008 |
| RCPTR_23 | farmer_child | TOCDFLIC | Selenium | 2.0936E-006 | 2.1888E-006 |
| RCPTR_23 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Styrene | 2.5816E-015 | 6.2690E-015 |
| RCPTR_23 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 7.3619E-013 | 8.9321E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.3762E-013 | 2.9508E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 4.9636E-011 | 1.1994E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 9.4034E-014 | 1.6181E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.0649E-016 | 2.5858E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 2.8414E-010 | 6.4258E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFLIC | Toluene | 3.2047E-012 | 7.7766E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.7090E-012 | 4.1380E-012 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.0145E-014 | 2.4638E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 5.4573E-015 | 1.3255E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichloroethylene | 8.9395E-016 | 2.1708E-015 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.1786E-016 | 2.8621E-016 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.9089E-010 | 4.6039E-010 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 3.6489E-011 | 8.6468E-011 |
| RCPTR_23 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.0261E-014 | 4.9210E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFLIC | VX | 2.9799E-013 | 3.4524E-013 |
| RCPTR_23 | farmer_child | TOCDFLIC | Vinyl Chloride | 2.6309E-020 | 6.3900E-020 |
| RCPTR_23 | farmer_child | TOCDFLIC | Xylene, m- | 9.9363E-015 | 2.1428E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Xylene, o- | 6.8228E-015 | 1.5117E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Xylene, p- | 1.4204E-014 | 3.1987E-014 |
| RCPTR_23 | farmer_child | TOCDFLIC | Zinc | 1.2413E-008 | 1.8971E-008 |
| RCPTR_23 | farmer_child | TOCDFMPF | Acenaphthene | 8.2170E-012 | 1.9929E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Acetone | 8.3561E-017 | 2.0298E-016 |
| RCPTR_23 | farmer_child | TOCDFMPF | Acetophenone | 8.8586E-013 | 2.1517E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Aniline | 5.3077E-014 | 1.2889E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Anthracene | 9.0572E-011 | 2.1965E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Benzene | 4.6738E-016 | 1.1349E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 7.2595E-009 | 1.1617E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 5.1138E-008 | 6.1147E-008 |
| RCPTR_23 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 4.1585E-008 | 6.0951E-008 |
| RCPTR_23 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 7.1708E-008 | 7.9635E-008 |
| RCPTR_23 | farmer_child | TOCDFMPF | Benzoic acid | 9.3217E-013 | 2.2352E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Benzyl alcohol | 4.2566E-013 | 1.0338E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.2053E-013 | 2.9279E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.4629E-015 | 5.9822E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 8.5441E-014 | 2.0754E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.0791E-008 | 1.9464E-008 |
| RCPTR_23 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 2.7931E-011 | 4.3698E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Cadmium | 2.9528E-009 | 4.6523E-009 |
| RCPTR_23 | farmer_child | TOCDFMPF | Carbon disulfide | 1.6312E-016 | 3.9614E-016 |
| RCPTR_23 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.3161E-015 | 3.1955E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.0071E-011 | 2.3950E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | Chloroaniline, p- | 3.8993E-013 | 9.4685E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chlorobenzene | 7.7199E-015 | 1.8740E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chloroethane | 2.1980E-017 | 5.3261E-017 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.0188E-015 | 2.4745E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.0961E-011 | 5.0854E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.3605E-012 | 3.3047E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.0473E-011 | 1.2055E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Chrysene | 1.4492E-008 | 1.9520E-008 |
| RCPTR_23 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.0277E-009 | 1.5964E-009 |
| RCPTR_23 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 2.6674E-001 | 2.6674E-001 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.4675E-006 | 1.5611E-006 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 6.1868E-014 | 1.4986E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 7.0521E-014 | 1.7099E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 6.6815E-014 | 1.6205E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 8.4913E-011 | 1.3963E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.6985E-018 | 4.1245E-018 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 4.2535E-016 | 1.0332E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.2659E-016 | 1.2791E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.6185E-016 | 3.9307E-016 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.5951E-016 | 6.3022E-016 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 6.1501E-012 | 1.4358E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.4675E-015 | 3.5632E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 4.8028E-016 | 1.1665E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Diethyl phthalate | 8.8785E-011 | 1.0591E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.5471E-013 | 3.7487E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 9.9704E-013 | 2.4202E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 4.0616E-013 | 8.8090E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.1514E-012 | 7.6238E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.2079E-012 | 5.3470E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.2520E-013 | 5.4702E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Ethylbenzene | 4.7800E-015 | 1.1575E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.4121E-011 | 2.3137E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Fluoranthene | 9.6434E-010 | 2.0182E-009 |
| RCPTR_23 | farmer_child | TOCDFMPF | Fluorene | 2.7606E-011 | 6.6885E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.3070E-014 | 2.6589E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.1377E-013 | 1.2823E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.1059E-013 | 1.2707E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.9085E-013 | 3.2845E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.8696E-013 | 2.1644E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.5966E-013 | 1.8768E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.6293E-013 | 4.3041E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.2375E-012 | 1.4664E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.0392E-012 | 1.2298E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.2549E-013 | 1.4859E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.3456E-012 | 5.6669E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Hexachlorobenzene | 4.9458E-009 | 1.1914E-008 |
| RCPTR_23 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 7.9641E-012 | 1.9220E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.6060E-012 | 3.8949E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 8.6596E-006 | 8.8335E-006 |
| RCPTR_23 | farmer_child | TOCDFMPF | Isophorone | 6.8013E-014 | 1.6520E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Mercuric chloride | 1.5882E-011 | 1.9869E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.5296E-017 | 3.7155E-017 |
| RCPTR_23 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 8.8687E-019 | 2.1542E-018 |
| RCPTR_23 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.6984E-016 | 8.9839E-016 |
| RCPTR_23 | farmer_child | TOCDFMPF | Methyl mercury | 7.0208E-014 | 8.2639E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | Methylene chloride | 9.7325E-017 | 2.3640E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | Naphthalene | 8.4539E-013 | 2.0517E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 8.0629E-013 | 1.9579E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.5478E-013 | 3.7594E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.7728E-013 | 4.3055E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitrobenzene | 2.2010E-013 | 5.3463E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.7716E-013 | 4.3031E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 6.4038E-013 | 1.3511E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.5647E-012 | 3.7995E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 8.3580E-014 | 2.0292E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.0598E-014 | 4.9963E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.5892E-014 | 3.0677E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.5373E-015 | 3.0043E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 6.4932E-013 | 7.3680E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.8221E-013 | 5.7134E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.2930E-013 | 3.9084E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.4195E-010 | 3.4216E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.0858E-012 | 1.2226E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Pentachlorophenol | 4.5976E-010 | 8.6844E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Phenanthrene | 6.4804E-014 | 1.5713E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Phenol | 1.6621E-013 | 4.0364E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Pronamide | 2.2223E-010 | 5.3820E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Pyrene | 1.6331E-009 | 2.6769E-009 |
| RCPTR_23 | farmer_child | TOCDFMPF | Selenium | 6.6061E-007 | 6.9066E-007 |
| RCPTR_23 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Styrene | 3.9409E-014 | 9.5697E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.1971E-013 | 3.8791E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.6010E-013 | 1.9882E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.1167E-010 | 5.1149E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.6652E-014 | 4.0440E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.5726E-015 | 3.8189E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.2095E-010 | 2.7353E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDFMPF | Toluene | 2.0741E-015 | 5.0332E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 5.7684E-013 | 1.3967E-012 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.0126E-015 | 2.4591E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 7.6847E-015 | 1.8665E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichloroethylene | 1.2588E-015 | 3.0569E-015 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.6596E-016 | 4.0303E-016 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 8.5564E-011 | 2.0636E-010 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.6620E-011 | 3.9385E-011 |
| RCPTR_23 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 2.8531E-014 | 6.9296E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | VX | 4.1207E-013 | 4.7743E-013 |
| RCPTR_23 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.0161E-019 | 9.7543E-019 |
| RCPTR_23 | farmer_child | TOCDFMPF | Xylene, m- | 7.8504E-015 | 1.6927E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDFMPF | Xylene, o- | 8.4719E-015 | 1.8768E-014 |
| RCPTR_23 | farmer_child | TOCDFMPF | Xylene, p- | 1.1221E-014 | 2.5266E-014 |
| RCPTR_23 | farmer_child | TOCDHVAC | VX | 1.5527E-013 | 1.8353E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Acenaphthene | 4.4831E-011 | 1.0873E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Acetone | 1.9627E-012 | 4.7676E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Acetophenone | 2.0772E-013 | 5.0454E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Aniline | 1.2446E-014 | 3.0224E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Anthracene | 8.6051E-010 | 2.0869E-009 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Benzene | 2.6587E-015 | 6.4557E-015 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 7.8439E-008 | 1.2552E-007 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 2.9975E-007 | 3.5838E-007 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 2.8647E-007 | 4.1985E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 4.8181E-007 | 5.3501E-007 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Benzoic acid | 4.8545E-012 | 1.1641E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Benzyl alcohol | 5.3694E-011 | 1.3041E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 2.8324E-013 | 6.8802E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.6676E-016 | 4.0506E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.6149E-013 | 3.9225E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.8847E-008 | 3.3995E-008 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.1081E-010 | 3.2982E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Cadmium | 9.2664E-010 | 1.4600E-009 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.1045E-017 | 2.6823E-017 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 8.9112E-017 | 2.1637E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.3517E-011 | 5.5923E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.3223E-012 | 3.2108E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Chlorobenzene | 5.2272E-016 | 1.2689E-015 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chloroethane | 1.5609E-017 | 3.7823E-017 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 6.8982E-017 | 1.6755E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.1908E-010 | 2.8890E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 3.6931E-012 | 8.9708E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.6313E-010 | 3.8962E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Chrysene | 1.4012E-007 | 1.8871E-007 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 8.7822E-010 | 1.3641E-009 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 2.9652E-001 | 2.9652E-001 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 5.5390E-006 | 5.8913E-006 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.7756E-013 | 4.3009E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.1710E-013 | 5.2639E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.0684E-013 | 5.0166E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.8360E-010 | 4.6634E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.2062E-018 | 2.9289E-018 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 2.7865E-017 | 6.7682E-017 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.7395E-016 | 9.0833E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.1494E-016 | 2.7913E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.8429E-016 | 4.4755E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.5690E-011 | 3.6630E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 9.9366E-017 | 2.4127E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.2520E-017 | 7.8986E-017 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Diethyl phthalate | 4.1532E-011 | 4.9540E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 2.6781E-012 | 6.4890E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.5261E-012 | 6.1318E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.1116E-013 | 4.5796E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.2849E-012 | 5.5277E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.7633E-012 | 4.2702E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 5.2806E-014 | 1.2827E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Ethylbenzene | 2.8419E-015 | 6.8819E-015 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 8.1580E-011 | 1.3368E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Fluoranthene | 1.2387E-008 | 2.5924E-008 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Fluorene | 1.8110E-010 | 4.3878E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.0958E-013 | 2.4154E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.3446E-012 | 2.6422E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.7717E-012 | 6.6307E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.6717E-012 | 1.8876E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.0741E-012 | 1.2434E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 9.3041E-013 | 1.0936E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.3415E-012 | 1.5909E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.1638E-012 | 1.3791E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.1923E-012 | 1.4108E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 9.8235E-013 | 1.1632E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.1763E-012 | 1.0090E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 9.9285E-009 | 2.3917E-008 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.1444E-011 | 2.7617E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.2809E-012 | 5.5316E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 3.9781E-005 | 4.0578E-005 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Isophorone | 3.8049E-013 | 9.2418E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.4740E-011 | 1.8439E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.0686E-017 | 5.0248E-017 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 6.0051E-020 | 1.4586E-019 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.1988E-014 | 5.3412E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Methyl mercury | 6.5138E-014 | 7.6674E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Methylene chloride | 2.9825E-013 | 7.2443E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Naphthalene | 1.0024E-012 | 2.4328E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 6.4980E-012 | 1.5779E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.5396E-012 | 3.7394E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 1.9891E-012 | 4.8310E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitrobenzene | 6.4342E-013 | 1.5629E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 2.9273E-013 | 7.1101E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 3.5895E-012 | 7.5727E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.6691E-013 | 8.9094E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.6993E-013 | 8.9813E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.1660E-014 | 7.6798E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.3688E-013 | 3.9913E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3284E-013 | 3.9408E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.9317E-012 | 4.4610E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 7.0979E-013 | 8.4094E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.6878E-012 | 3.1900E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 3.3285E-011 | 8.0232E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.1947E-011 | 2.8722E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Pentachlorophenol | 3.8640E-009 | 7.2979E-009 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Phenanthrene | 6.1569E-013 | 1.4929E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Phenol | 5.0744E-013 | 1.2323E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Pronamide | 5.2111E-011 | 1.2620E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Pyrene | 2.2248E-008 | 3.6468E-008 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Selenium | 2.0936E-006 | 2.1888E-006 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Styrene | 2.5816E-015 | 6.2690E-015 |
| RCPTR_23 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 7.3619E-013 | 8.9321E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.3762E-013 | 2.9508E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 4.9636E-011 | 1.1994E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 9.4034E-014 | 1.6181E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.0649E-016 | 2.5858E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 2.8414E-010 | 6.4258E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Toluene | 3.2047E-012 | 7.7766E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.7090E-012 | 4.1380E-012 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.0145E-014 | 2.4638E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 5.4573E-015 | 1.3255E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichloroethylene | 8.9395E-016 | 2.1708E-015 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.1786E-016 | 2.8621E-016 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.9089E-010 | 4.6039E-010 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 3.6489E-011 | 8.6468E-011 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.0261E-014 | 4.9210E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | VX | 3.0979E-013 | 3.5891E-013 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Vinyl Chloride | 2.6309E-020 | 6.3900E-020 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Xylene, m- | 9.9363E-015 | 2.1428E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Xylene, o- | 6.8228E-015 | 1.5117E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_23 | farmer_child | TOCDLIC2 | Xylene, p- | 1.4204E-014 | 3.1987E-014 |
| RCPTR_23 | farmer_child | TOCDLIC2 | Zinc | 1.2413E-008 | 1.8971E-008 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Cadmium | 9.9003E-010 | 2.9736E-009 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Mercuric chloride | 3.9209E-007 | 4.1016E-007 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Methyl mercury | 1.5397E-009 | 1.7245E-009 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Selenium | 1.1316E-006 | 1.2187E-006 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFBRA | Zinc | 3.1978E-008 | 8.1967E-008 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Acenaphthene | 1.4132E-011 | 2.2500E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Acetone | 2.4660E-015 | 3.9933E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Acetophenone | 6.4537E-014 | 1.0441E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Aniline | 3.8748E-015 | 6.2544E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Anthracene | 2.7122E-010 | 4.3185E-009 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Aroclor 1254 | 2.9574E-012 | 2.1861E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Benzene | 2.1022E-016 | 3.3893E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 6.2673E-008 | 2.5939E-007 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 5.0710E-007 | 7.3225E-007 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 3.2141E-007 | 8.6890E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 8.3047E-007 | 1.0902E-006 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Benzoic acid | 1.0986E-012 | 1.5582E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.3615E-013 | 2.2015E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 8.7922E-014 | 1.4237E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Bromodichloromethane | 4.4553E-016 | 7.2088E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.5452E-014 | 2.5009E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 6.9245E-009 | 7.0345E-008 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.0631E-009 | 2.5228E-009 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Cadmium | 1.6594E-009 | 4.8997E-009 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Carbon disulfide | 5.9429E-017 | 9.5968E-016 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 2.3891E-016 | 3.8507E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 8.8220E-012 | 1.1576E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 4.1195E-013 | 6.6443E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chlorobenzene | 7.0372E-016 | 1.1311E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Chloroethane | 5.7851E-018 | 9.1216E-017 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 9.2327E-017 | 1.4935E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.7410E-011 | 5.9783E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 1.1468E-012 | 1.8563E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 5.8934E-011 | 8.0637E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Chrysene | 1.6845E-007 | 3.9049E-007 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.9219E-009 | 4.4065E-009 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 2.0518E+001 | 2.0518E+001 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.0546E-005 | 1.1946E-005 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.2410E-014 | 1.9492E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 4.4592E-014 | 7.0805E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.9014E-014 | 4.6196E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.1431E-010 | 5.6862E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 4.3779E-019 | 7.0632E-018 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.8541E-017 | 6.2358E-016 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.7704E-017 | 7.7200E-016 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 4.1671E-017 | 6.7314E-016 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 6.6830E-017 | 1.0793E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 4.9255E-012 | 5.5371E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.7858E-016 | 6.1022E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 4.3538E-017 | 7.0407E-016 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Diethyl phthalate | 4.0148E-010 | 5.3774E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 4.1610E-013 | 6.5601E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 7.8963E-013 | 1.2689E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 6.6793E-013 | 4.6994E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.5957E-013 | 2.4764E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.2201E-013 | 1.9131E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.6394E-014 | 2.6543E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Ethylbenzene | 8.9045E-016 | 1.3949E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.9248E-011 | 7.8037E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Fluoranthene | 4.8241E-009 | 5.3649E-008 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Fluorene | 5.7635E-011 | 9.0799E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.2771E-014 | 4.7315E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.2515E-014 | 5.7350E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 9.9096E-014 | 1.4171E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.6743E-013 | 3.6306E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.5976E-013 | 2.3411E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.3177E-013 | 2.0312E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.8295E-013 | 2.9090E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.5931E-013 | 2.5248E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.6415E-013 | 2.5897E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.3487E-013 | 2.1326E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.3648E-012 | 2.0879E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 3.1930E-009 | 4.9494E-008 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.8690E-011 | 2.8289E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 7.1933E-013 | 1.1447E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 8.1818E-005 | 8.4800E-005 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Isophorone | 1.1823E-013 | 1.9124E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Mercuric chloride | 5.0542E-010 | 5.2877E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.9308E-018 | 6.3629E-017 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 7.5630E-020 | 1.2237E-018 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 4.5769E-016 | 7.4111E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Methyl mercury | 1.9304E-012 | 2.1693E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Methylene chloride | 2.5597E-015 | 4.1422E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Naphthalene | 8.2997E-013 | 1.3308E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 2.0004E-012 | 3.2266E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 4.7279E-013 | 7.6468E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 6.1113E-013 | 9.8790E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.9979E-013 | 3.2341E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 9.0950E-014 | 1.4713E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.5348E-012 | 1.5525E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 1.1430E-013 | 1.8436E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 1.1544E-013 | 1.8585E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 9.9463E-015 | 1.5890E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 7.6154E-014 | 1.2062E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.2841E-014 | 3.6099E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.5368E-013 | 7.6602E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 5.7077E-014 | 9.0541E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.1298E-013 | 3.3959E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 5.4709E-011 | 8.2161E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 4.0090E-012 | 5.8713E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Pentachlorophenol | 7.6698E-010 | 3.0293E-009 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Phenanthrene | 1.9449E-013 | 3.0894E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Phenol | 1.5796E-013 | 2.5500E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Pronamide | 3.3318E-011 | 5.2233E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Pyrene | 1.0159E-008 | 7.5466E-008 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Selenium | 2.4940E-007 | 2.6802E-007 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Styrene | 8.4115E-015 | 1.3570E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.1568E-013 | 5.4427E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.7230E-013 | 3.2308E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.6205E-011 | 2.4821E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 9.7604E-013 | 2.8995E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.8516E-016 | 4.6020E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.4668E-010 | 1.3156E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Toluene | 1.4177E-015 | 2.2705E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 6.5917E-013 | 1.0320E-011 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.8342E-016 | 2.9633E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.9762E-015 | 3.1965E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichloroethylene | 3.2440E-016 | 5.2351E-015 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 4.2759E-017 | 6.9020E-016 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 6.3447E-011 | 9.5280E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.4070E-011 | 1.7900E-010 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 7.3413E-015 | 1.1867E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 6.2115E-014 | 9.7992E-013 |
| RCPTR_24 | farmer_adult | TOCDFDFS | VX | 9.1831E-013 | 1.1688E-012 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Vinyl Chloride | 5.3540E-020 | 8.6578E-019 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Xylene, m- | 1.0314E-014 | 7.5003E-014 |
| RCPTR_24 | farmer_adult | TOCDFDFS | Xylene, o- | 9.9444E-015 | 8.3332E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFDFS | Xylene, p- | 1.2212E-014 | 1.1232E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Acenaphthene | 8.2506E-012 | 1.3133E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Acetone | 3.5562E-013 | 5.7587E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Acetophenone | 3.7671E-014 | 6.0942E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Aniline | 2.2619E-015 | 3.6507E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Anthracene | 1.5834E-010 | 2.5207E-009 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Benzene | 4.8367E-016 | 7.7977E-015 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 3.6781E-008 | 1.5145E-007 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 2.9749E-007 | 4.2666E-007 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.8913E-007 | 5.0803E-007 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 4.8675E-007 | 6.3456E-007 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Benzoic acid | 9.9348E-013 | 1.4065E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Benzyl alcohol | 9.7422E-012 | 1.5752E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 5.1320E-014 | 8.3104E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Bromodichloromethane | 3.0238E-017 | 4.8926E-016 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.9274E-014 | 4.7379E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 4.0418E-009 | 4.1061E-008 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.6667E-010 | 3.9563E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Cadmium | 4.9241E-010 | 1.4503E-009 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Carbon disulfide | 2.0064E-018 | 3.2399E-017 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.6216E-017 | 2.6135E-016 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 5.1651E-012 | 6.7587E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 2.4047E-013 | 3.8783E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chlorobenzene | 9.5368E-017 | 1.5327E-015 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chloroethane | 2.8988E-018 | 4.5689E-017 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.2511E-017 | 2.0238E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 2.1840E-011 | 3.4896E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 6.6937E-013 | 1.0836E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.4460E-011 | 4.7074E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Chrysene | 9.9131E-008 | 2.2835E-007 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 7.3232E-010 | 1.6679E-009 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 3.7228E-001 | 3.7229E-001 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 6.1963E-006 | 6.9752E-006 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 3.3090E-014 | 5.1953E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 4.0054E-014 | 6.3584E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.8066E-014 | 6.0596E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.1336E-010 | 5.6326E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 2.1928E-019 | 3.5378E-018 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 5.2226E-018 | 8.4499E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.7796E-017 | 1.0971E-015 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 2.0873E-017 | 3.3716E-016 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 3.3475E-017 | 5.4058E-016 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 3.9576E-012 | 4.4294E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.8081E-017 | 2.9143E-016 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 5.8997E-018 | 9.5406E-017 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Diethyl phthalate | 4.6117E-011 | 6.1543E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.9727E-013 | 7.8380E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 4.6097E-013 | 7.4066E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 7.9433E-014 | 5.5482E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 4.3026E-013 | 6.6765E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 3.2905E-013 | 5.1580E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 9.5695E-015 | 1.5493E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Ethylbenzene | 5.3088E-016 | 8.3131E-015 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 5.9919E-011 | 1.6004E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Fluoranthene | 2.8222E-009 | 3.1319E-008 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Fluorene | 3.3653E-011 | 5.3001E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.8498E-013 | 2.6535E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 6.4577E-013 | 8.6495E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.4935E-012 | 2.1215E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.5914E-012 | 2.1461E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 9.4072E-013 | 1.3700E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 7.6980E-013 | 1.1808E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.0936E-012 | 1.7324E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 9.5292E-013 | 1.5045E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 9.8326E-013 | 1.5450E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 8.0732E-013 | 1.2716E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 7.9696E-013 | 1.2187E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.8647E-009 | 2.8890E-008 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 2.2050E-012 | 3.3359E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 4.1999E-013 | 6.6818E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 4.8360E-005 | 5.0019E-005 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Isophorone | 6.9012E-014 | 1.1163E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Mercuric chloride | 2.1123E-011 | 2.2099E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.7494E-018 | 6.0693E-017 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 2.1748E-019 | 3.5188E-018 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.9843E-015 | 6.4515E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Methyl mercury | 8.0288E-014 | 9.0277E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Methylene chloride | 5.4073E-014 | 8.7502E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Naphthalene | 1.8329E-013 | 2.9385E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 1.1816E-012 | 1.9059E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.7927E-013 | 4.5168E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 7.2063E-014 | 1.1649E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitrobenzene | 1.1662E-013 | 1.8878E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.6593E-013 | 4.3018E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 3.0188E-013 | 1.8336E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 6.6724E-014 | 1.0761E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 6.7389E-014 | 1.0848E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 5.8031E-015 | 9.2750E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.6874E-013 | 4.2409E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6575E-013 | 4.1850E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.8097E-012 | 5.2428E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 6.2638E-013 | 9.8977E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.3256E-012 | 3.6941E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 3.2275E-011 | 4.8526E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.3645E-012 | 3.4677E-011 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Pentachlorophenol | 4.5313E-010 | 1.7737E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Phenanthrene | 1.1355E-013 | 1.8033E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Phenol | 9.2208E-014 | 1.4884E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Pronamide | 9.7285E-012 | 1.5245E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Pyrene | 5.9351E-009 | 4.4053E-008 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Selenium | 2.0283E-006 | 2.1790E-006 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Styrene | 4.6938E-016 | 7.5722E-015 |
| RCPTR_24 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 6.1624E-013 | 1.0591E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.8902E-013 | 3.5344E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 9.4664E-012 | 1.4489E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 6.7114E-014 | 1.9766E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.9354E-017 | 3.1234E-016 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 8.7254E-011 | 7.7772E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Toluene | 5.8660E-013 | 9.3933E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 3.1955E-013 | 4.9985E-012 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.8420E-015 | 2.9759E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 9.8985E-016 | 1.6010E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.6249E-016 | 2.6221E-015 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 2.1418E-017 | 3.4570E-016 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.7077E-011 | 5.5620E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 8.2409E-012 | 1.0451E-010 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.6771E-015 | 5.9439E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | VX | 3.3862E-013 | 4.2963E-013 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Vinyl Chloride | 4.7729E-021 | 7.7182E-020 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Xylene, m- | 3.4507E-015 | 2.5587E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Xylene, o- | 2.1225E-015 | 1.8100E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Xylene, p- | 4.1057E-015 | 3.8361E-014 |
| RCPTR_24 | farmer_adult | TOCDFLIC | Zinc | 7.4940E-009 | 1.8850E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Acenaphthene | 1.5111E-012 | 2.4054E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Acetone | 1.5130E-017 | 2.4500E-016 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Acetophenone | 1.6054E-013 | 2.5971E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Aniline | 9.6389E-015 | 1.5558E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Anthracene | 1.6653E-011 | 2.6512E-010 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Benzene | 8.4965E-017 | 1.3698E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.4002E-009 | 1.4005E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 5.0681E-008 | 7.2699E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 2.7424E-008 | 7.3688E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 7.2339E-008 | 9.4321E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Benzoic acid | 1.9062E-013 | 2.6989E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Benzyl alcohol | 7.7175E-014 | 1.2478E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 2.1824E-014 | 3.5339E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Bromodichloromethane | 4.4625E-016 | 7.2205E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.5478E-014 | 2.5050E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.3124E-009 | 2.3492E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.2051E-011 | 5.2361E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Cadmium | 1.5679E-009 | 4.6184E-009 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.9610E-017 | 4.7814E-016 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 2.3932E-016 | 3.8570E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.2102E-012 | 2.8925E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 7.0862E-014 | 1.1429E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.4074E-015 | 2.2619E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chloroethane | 4.0790E-018 | 6.4291E-017 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.8464E-016 | 2.9867E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.8417E-012 | 6.1382E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.4641E-013 | 3.9888E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 1.0654E-011 | 1.4555E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Chrysene | 1.0241E-008 | 2.3598E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 8.5607E-010 | 1.9503E-009 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 3.3463E-001 | 3.3463E-001 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.6400E-006 | 1.8467E-006 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 1.1521E-014 | 1.8089E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.3001E-014 | 2.0639E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.2287E-014 | 1.9560E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 6.3804E-011 | 1.6850E-010 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 3.0855E-019 | 4.9782E-018 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 7.7074E-017 | 1.2470E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 9.5399E-017 | 1.5438E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.9371E-017 | 4.7443E-016 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 4.7104E-017 | 7.6068E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.5499E-012 | 1.7349E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.6684E-016 | 4.3009E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 8.7068E-017 | 1.4080E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Diethyl phthalate | 9.8502E-011 | 1.3147E-010 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.8706E-014 | 4.5247E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.8181E-013 | 2.9213E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.5263E-013 | 1.0664E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 5.9296E-013 | 9.2015E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 4.1171E-013 | 6.4540E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 4.0780E-014 | 6.6026E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Ethylbenzene | 8.9226E-016 | 1.3972E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.0356E-011 | 2.7670E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Fluoranthene | 2.1952E-010 | 2.4364E-009 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Fluorene | 5.1262E-012 | 8.0734E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.0314E-014 | 2.9145E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.0793E-013 | 1.4458E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 9.8534E-014 | 1.3999E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.7634E-013 | 3.7272E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.6337E-013 | 2.3796E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.3177E-013 | 2.0216E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.9514E-013 | 4.6761E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.0108E-012 | 1.5962E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 8.5505E-013 | 1.3438E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.0289E-013 | 1.6208E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 4.4728E-013 | 6.8402E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 9.2817E-010 | 1.4381E-008 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.5334E-012 | 2.3199E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.9550E-013 | 4.7013E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.0518E-005 | 1.0880E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Isophorone | 1.2327E-014 | 1.9939E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Mercuric chloride | 2.2741E-011 | 2.3793E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.7704E-018 | 4.4846E-017 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.6070E-019 | 2.6001E-018 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 6.6967E-017 | 1.0843E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Methyl mercury | 8.6425E-014 | 9.7180E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Methylene chloride | 1.7633E-017 | 2.8533E-016 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Naphthalene | 1.5447E-013 | 2.4764E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.4651E-013 | 2.3632E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.8055E-014 | 4.5376E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 3.2147E-014 | 5.1967E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.9864E-014 | 6.4529E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 3.2106E-014 | 5.1938E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.6950E-013 | 1.6375E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.8435E-013 | 4.5860E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.5214E-014 | 2.4492E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.7725E-015 | 6.0297E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.0599E-014 | 3.2512E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.0204E-015 | 3.1823E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 6.2823E-013 | 8.6467E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.2493E-013 | 6.7157E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.8445E-013 | 4.5191E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.7457E-011 | 4.1284E-010 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 1.0057E-012 | 1.4751E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.6979E-010 | 1.0564E-009 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Phenanthrene | 1.1943E-014 | 1.8967E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Phenol | 3.0182E-014 | 4.8720E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Pronamide | 4.1457E-011 | 6.4965E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Pyrene | 4.3533E-010 | 3.2313E-009 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Selenium | 6.3953E-007 | 6.8705E-007 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Styrene | 7.1599E-015 | 1.1551E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.6726E-013 | 4.5941E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.2721E-013 | 2.3791E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 4.0340E-011 | 6.1745E-010 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 3.0230E-015 | 4.8811E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.8562E-016 | 4.6094E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.7105E-011 | 3.3081E-010 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Toluene | 3.7938E-016 | 6.0752E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 1.0778E-013 | 1.6860E-012 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.8372E-016 | 2.9681E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.3929E-015 | 2.2529E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichloroethylene | 2.2865E-016 | 3.6897E-015 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 3.0138E-017 | 4.8646E-016 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.6607E-011 | 2.4913E-010 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.7504E-012 | 4.7571E-011 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 5.1743E-015 | 8.3640E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | VX | 4.6785E-013 | 5.9367E-013 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Vinyl Chloride | 7.2805E-020 | 1.1773E-018 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Xylene, m- | 2.7226E-015 | 2.0193E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Xylene, o- | 2.6322E-015 | 2.2452E-014 |
| RCPTR_24 | farmer_adult | TOCDFMPF | Xylene, p- | 3.2396E-015 | 3.0275E-014 |
| RCPTR_24 | farmer_adult | TOCDHVAC | VX | 1.8957E-013 | 2.4711E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Acenaphthene | 8.2506E-012 | 1.3133E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Acetone | 3.5562E-013 | 5.7587E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Acetophenone | 3.7671E-014 | 6.0942E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Aniline | 2.2619E-015 | 3.6507E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Anthracene | 1.5834E-010 | 2.5207E-009 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Benzene | 4.8367E-016 | 7.7977E-015 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 3.6781E-008 | 1.5145E-007 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 2.9749E-007 | 4.2666E-007 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.8913E-007 | 5.0803E-007 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 4.8675E-007 | 6.3456E-007 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Benzoic acid | 9.9348E-013 | 1.4065E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 9.7422E-012 | 1.5752E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 5.1320E-014 | 8.3104E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 3.0238E-017 | 4.8926E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.9274E-014 | 4.7379E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 4.0418E-009 | 4.1061E-008 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.6667E-010 | 3.9563E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Cadmium | 4.9241E-010 | 1.4503E-009 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Carbon disulfide | 2.0064E-018 | 3.2399E-017 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.6216E-017 | 2.6135E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 5.1651E-012 | 6.7587E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 2.4047E-013 | 3.8783E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chlorobenzene | 9.5368E-017 | 1.5327E-015 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chloroethane | 2.8988E-018 | 4.5689E-017 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.2511E-017 | 2.0238E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 2.1840E-011 | 3.4896E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 6.6937E-013 | 1.0836E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.4460E-011 | 4.7074E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Chrysene | 9.9131E-008 | 2.2835E-007 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 7.3232E-010 | 1.6679E-009 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 3.7228E-001 | 3.7229E-001 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 6.1963E-006 | 6.9752E-006 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 3.3090E-014 | 5.1953E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 4.0054E-014 | 6.3584E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.8066E-014 | 6.0596E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.1336E-010 | 5.6326E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 2.1928E-019 | 3.5378E-018 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 5.0527E-018 | 8.1751E-017 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.7796E-017 | 1.0971E-015 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 2.0873E-017 | 3.3716E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 3.3475E-017 | 5.4058E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 3.9576E-012 | 4.4294E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.8081E-017 | 2.9143E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 5.8997E-018 | 9.5406E-017 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 4.6117E-011 | 6.1543E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.9727E-013 | 7.8380E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 4.6097E-013 | 7.4066E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 7.9433E-014 | 5.5482E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 4.3026E-013 | 6.6765E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 3.2905E-013 | 5.1580E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 9.5695E-015 | 1.5493E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Ethylbenzene | 5.3088E-016 | 8.3131E-015 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 5.9919E-011 | 1.6004E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.8222E-009 | 3.1319E-008 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Fluorene | 3.3653E-011 | 5.3001E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.8498E-013 | 2.6535E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.2285E-012 | 2.9849E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.1540E-012 | 7.3213E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.5914E-012 | 2.1461E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 9.4072E-013 | 1.3700E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 7.6980E-013 | 1.1808E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.0936E-012 | 1.7324E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 9.5292E-013 | 1.5045E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 9.8326E-013 | 1.5450E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 8.0732E-013 | 1.2716E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 7.9696E-013 | 1.2187E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.8647E-009 | 2.8890E-008 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 2.2050E-012 | 3.3359E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 4.1999E-013 | 6.6818E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 4.8360E-005 | 5.0019E-005 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Isophorone | 6.9012E-014 | 1.1163E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Mercuric chloride | 2.1123E-011 | 2.2099E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.7494E-018 | 6.0693E-017 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 1.0889E-020 | 1.7618E-019 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.9843E-015 | 6.4515E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Methyl mercury | 8.0288E-014 | 9.0277E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Methylene chloride | 5.4073E-014 | 8.7502E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Naphthalene | 1.8329E-013 | 2.9385E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 1.1816E-012 | 1.9059E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.7927E-013 | 4.5168E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 3.6097E-013 | 5.8352E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitrobenzene | 1.1662E-013 | 1.8878E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 5.3089E-014 | 8.5881E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.5122E-012 | 9.1848E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 6.6724E-014 | 1.0761E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 6.7389E-014 | 1.0848E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 5.8031E-015 | 9.2750E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.6874E-013 | 4.2409E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6575E-013 | 4.1850E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.8097E-012 | 5.2428E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 6.2638E-013 | 9.8977E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.3256E-012 | 3.6941E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 6.4433E-012 | 9.6876E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.3645E-012 | 3.4677E-011 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.2698E-009 | 8.8845E-009 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Phenanthrene | 1.1355E-013 | 1.8033E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Phenol | 9.2208E-014 | 1.4884E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Pronamide | 9.7285E-012 | 1.5245E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Pyrene | 5.9351E-009 | 4.4053E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Selenium | 2.0283E-006 | 2.1790E-006 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Styrene | 4.6938E-016 | 7.5722E-015 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 6.1624E-013 | 1.0591E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.8902E-013 | 3.5344E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 9.4664E-012 | 1.4489E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 6.7114E-014 | 1.9766E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.9354E-017 | 3.1234E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 8.7254E-011 | 7.7772E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Toluene | 5.8660E-013 | 9.3933E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 3.1955E-013 | 4.9985E-012 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.8420E-015 | 2.9759E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 9.8985E-016 | 1.6010E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.6249E-016 | 2.6221E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 2.1418E-017 | 3.4570E-016 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.7077E-011 | 5.5620E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 8.2409E-012 | 1.0451E-010 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.6771E-015 | 5.9439E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | VX | 3.5203E-013 | 4.4664E-013 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 4.7729E-021 | 7.7182E-020 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Xylene, m- | 3.4507E-015 | 2.5587E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Xylene, o- | 2.1225E-015 | 1.8100E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Xylene, p- | 4.1057E-015 | 3.8361E-014 |
| RCPTR_24 | farmer_adult | TOCDLIC2 | Zinc | 7.4940E-009 | 1.8850E-008 |
| RCPTR_24 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Cadmium | 1.8775E-009 | 2.9736E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Mercuric chloride | 3.2796E-007 | 4.1016E-007 |
| RCPTR_24 | farmer_child | TOCDFBRA | Methyl mercury | 1.4682E-009 | 1.7245E-009 |
| RCPTR_24 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Selenium | 1.1641E-006 | 1.2187E-006 |
| RCPTR_24 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFBRA | Zinc | 5.3317E-008 | 8.1967E-008 |
| RCPTR_24 | farmer_child | TOCDFDFS | Acenaphthene | 9.2774E-011 | 2.2500E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Acetone | 1.6439E-014 | 3.9933E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Acetophenone | 4.2985E-013 | 1.0441E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Aniline | 2.5755E-014 | 6.2544E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Anthracene | 1.7807E-009 | 4.3185E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Aroclor 1254 | 1.0007E-011 | 2.1861E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Benzene | 1.3958E-015 | 3.3893E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.6228E-007 | 2.5939E-007 |
| RCPTR_24 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 6.1571E-007 | 7.3225E-007 |
| RCPTR_24 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 5.9428E-007 | 8.6890E-007 |
| RCPTR_24 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 9.8627E-007 | 1.0902E-006 |
| RCPTR_24 | farmer_child | TOCDFDFS | Benzoic acid | 6.5000E-012 | 1.5582E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Benzyl alcohol | 9.0643E-013 | 2.2015E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 5.8611E-013 | 1.4237E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.9679E-015 | 7.2088E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 1.0296E-013 | 2.5009E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.9000E-008 | 7.0345E-008 |
| RCPTR_24 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.6075E-009 | 2.5228E-009 |
| RCPTR_24 | farmer_child | TOCDFDFS | Cadmium | 3.1092E-009 | 4.8997E-009 |
| RCPTR_24 | farmer_child | TOCDFDFS | Carbon disulfide | 3.9518E-016 | 9.5968E-016 |
| RCPTR_24 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.5859E-015 | 3.8507E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.8705E-011 | 1.1576E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.7363E-012 | 6.6443E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chlorobenzene | 4.6596E-015 | 1.1311E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chloroethane | 3.7646E-017 | 9.1216E-017 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 6.1489E-016 | 1.4935E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.4642E-010 | 5.9783E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 7.6422E-012 | 1.8563E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.3769E-010 | 8.0637E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Chrysene | 2.9064E-007 | 3.9049E-007 |
| RCPTR_24 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.8485E-009 | 4.4065E-009 |
| RCPTR_24 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 2.0518E+001 | 2.0518E+001 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.1317E-005 | 1.1946E-005 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 8.0476E-014 | 1.9492E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.9203E-013 | 7.0805E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.9048E-013 | 4.6196E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.4645E-010 | 5.6862E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.9087E-018 | 7.0632E-018 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.5673E-016 | 6.2358E-016 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.1783E-016 | 7.7200E-016 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.7717E-016 | 6.7314E-016 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 4.4442E-016 | 1.0793E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 2.3739E-011 | 5.5371E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.5132E-015 | 6.1022E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.8988E-016 | 7.0407E-016 |
| RCPTR_24 | farmer_child | TOCDFDFS | Diethyl phthalate | 4.5230E-010 | 5.3774E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.7075E-012 | 6.5601E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 5.2274E-012 | 1.2689E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 2.1715E-012 | 4.6994E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 1.0236E-012 | 2.4764E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 7.8999E-013 | 1.9131E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 1.0927E-013 | 2.6543E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Ethylbenzene | 5.7607E-015 | 1.3949E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 4.7444E-011 | 7.8037E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Fluoranthene | 2.5642E-008 | 5.3649E-008 |
| RCPTR_24 | farmer_child | TOCDFDFS | Fluorene | 3.7477E-010 | 9.0799E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 4.1208E-014 | 4.7315E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.1127E-014 | 5.7350E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.2383E-013 | 1.4171E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.2292E-013 | 3.6306E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 2.0295E-013 | 2.3411E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.7321E-013 | 2.0312E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.4568E-013 | 2.9090E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 2.1342E-013 | 2.5248E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.1923E-013 | 2.5897E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.8040E-013 | 2.1326E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 8.6425E-012 | 2.0879E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Hexachlorobenzene | 2.0547E-008 | 4.9494E-008 |
| RCPTR_24 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 1.1722E-010 | 2.8289E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.7202E-012 | 1.1447E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 8.3376E-005 | 8.4800E-005 |
| RCPTR_24 | farmer_child | TOCDFDFS | Isophorone | 7.8737E-013 | 1.9124E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Mercuric chloride | 4.2252E-010 | 5.2877E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.6195E-017 | 6.3629E-017 |
| RCPTR_24 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 5.0379E-019 | 1.2237E-018 |
| RCPTR_24 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.0510E-015 | 7.4111E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Methyl mercury | 1.8380E-012 | 2.1693E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Methylene chloride | 1.7053E-014 | 4.1422E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Naphthalene | 5.4834E-012 | 1.3308E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.3288E-011 | 3.2266E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 3.1483E-012 | 7.6468E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 4.0675E-012 | 9.8790E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitrobenzene | 1.3314E-012 | 3.2341E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 6.0575E-013 | 1.4713E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 7.3793E-012 | 1.5525E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 7.5926E-013 | 1.8436E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 7.6552E-013 | 1.8585E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 6.5499E-014 | 1.5890E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 1.0195E-013 | 1.2062E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 3.0531E-014 | 3.6099E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.7736E-013 | 7.6602E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 7.6560E-014 | 9.0541E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.8662E-013 | 3.3959E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Pentachlorobenzene | 3.4072E-010 | 8.2161E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.4411E-011 | 5.8713E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.6107E-009 | 3.0293E-009 |
| RCPTR_24 | farmer_child | TOCDFDFS | Phenanthrene | 1.2741E-012 | 3.0894E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Phenol | 1.0501E-012 | 2.5500E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Pronamide | 2.1569E-010 | 5.2233E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Pyrene | 4.6044E-008 | 7.5466E-008 |
| RCPTR_24 | farmer_child | TOCDFDFS | Selenium | 2.5635E-007 | 2.6802E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Styrene | 5.5885E-014 | 1.3570E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 4.4916E-013 | 5.4427E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.6042E-013 | 3.2308E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.0273E-010 | 2.4821E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.6934E-012 | 2.8995E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.8951E-015 | 4.6020E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 5.8263E-010 | 1.3156E-009 |
| RCPTR_24 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFDFS | Toluene | 9.3568E-015 | 2.2705E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 4.2621E-012 | 1.0320E-011 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.2202E-015 | 2.9633E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.3160E-014 | 3.1965E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trichloroethylene | 2.1558E-015 | 5.2351E-015 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.8422E-016 | 6.9020E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.9513E-010 | 9.5280E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 7.5582E-011 | 1.7900E-010 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 4.8861E-014 | 1.1867E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 4.0441E-013 | 9.7992E-013 |
| RCPTR_24 | farmer_child | TOCDFDFS | VX | 1.0117E-012 | 1.1688E-012 |
| RCPTR_24 | farmer_child | TOCDFDFS | Vinyl Chloride | 3.5646E-019 | 8.6578E-019 |
| RCPTR_24 | farmer_child | TOCDFDFS | Xylene, m- | 3.4440E-014 | 7.5003E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Xylene, o- | 3.7314E-014 | 8.3332E-014 |
| RCPTR_24 | farmer_child | TOCDFDFS | Xylene, p- | 4.9546E-014 | 1.1232E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Acenaphthene | 5.4154E-011 | 1.3133E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Acetone | 2.3707E-012 | 5.7587E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Acetophenone | 2.5090E-013 | 6.0942E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Aniline | 1.5033E-014 | 3.6507E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Anthracene | 1.0394E-009 | 2.5207E-009 |
| RCPTR_24 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Benzene | 3.2114E-015 | 7.7977E-015 |
| RCPTR_24 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 9.4845E-008 | 1.5145E-007 |
| RCPTR_24 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 3.5980E-007 | 4.2666E-007 |
| RCPTR_24 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.4807E-007 | 5.0803E-007 |
| RCPTR_24 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 5.7542E-007 | 6.3456E-007 |
| RCPTR_24 | farmer_child | TOCDFLIC | Benzoic acid | 5.8685E-012 | 1.4065E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Benzyl alcohol | 6.4856E-011 | 1.5752E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 3.4211E-013 | 8.3104E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Bromodichloromethane | 2.0143E-016 | 4.8926E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.9506E-013 | 4.7379E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.2764E-008 | 4.1061E-008 |
| RCPTR_24 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.5206E-010 | 3.9563E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | Cadmium | 9.2101E-010 | 1.4503E-009 |
| RCPTR_24 | farmer_child | TOCDFLIC | Carbon disulfide | 1.3341E-017 | 3.2399E-017 |
| RCPTR_24 | farmer_child | TOCDFLIC | Carbon tetrachloride | 1.0764E-016 | 2.6135E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.8445E-011 | 6.7587E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.5972E-012 | 3.8783E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chlorobenzene | 6.3141E-016 | 1.5327E-015 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chloroethane | 1.8857E-017 | 4.5689E-017 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 8.3322E-017 | 2.0238E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.4384E-010 | 3.4896E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 4.4608E-012 | 1.0836E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.9717E-010 | 4.7074E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Chrysene | 1.7024E-007 | 2.2835E-007 |
| RCPTR_24 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.0812E-009 | 1.6679E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 3.7229E-001 | 3.7229E-001 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 6.6248E-006 | 6.9752E-006 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 2.1451E-013 | 5.1953E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.6225E-013 | 6.3584E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.4986E-013 | 6.0596E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.4385E-010 | 5.6326E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.4569E-018 | 3.5378E-018 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 3.4788E-017 | 8.4499E-017 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.5169E-016 | 1.0971E-015 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.3883E-016 | 3.3716E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.2260E-016 | 5.4058E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.9001E-011 | 4.4294E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 1.2002E-016 | 2.9143E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.9281E-017 | 9.5406E-017 |
| RCPTR_24 | farmer_child | TOCDFLIC | Diethyl phthalate | 5.1870E-011 | 6.1543E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | Dimethyl phthalate | 3.2350E-012 | 7.8380E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 3.0513E-012 | 7.4066E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.5673E-013 | 5.5482E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.7598E-012 | 6.6765E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 2.1300E-012 | 5.1580E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 6.3783E-014 | 1.5493E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Ethylbenzene | 3.4332E-015 | 8.3131E-015 |
| RCPTR_24 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 9.7259E-011 | 1.6004E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Fluoranthene | 1.4972E-008 | 3.1319E-008 |
| RCPTR_24 | farmer_child | TOCDFLIC | Fluorene | 2.1877E-010 | 5.3001E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.3160E-013 | 2.6535E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 7.7301E-013 | 8.6495E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.8581E-012 | 2.1215E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.9132E-012 | 2.1461E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.1901E-012 | 1.3700E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 1.0086E-012 | 1.1808E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.4648E-012 | 1.7324E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.2733E-012 | 1.5045E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.3096E-012 | 1.5450E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.0770E-012 | 1.2716E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 5.0450E-012 | 1.2187E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Hexachlorobenzene | 1.1994E-008 | 2.8890E-008 |
| RCPTR_24 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.3824E-011 | 3.3359E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.7553E-012 | 6.6818E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 4.9227E-005 | 5.0019E-005 |
| RCPTR_24 | farmer_child | TOCDFLIC | Isophorone | 4.5959E-013 | 1.1163E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Mercuric chloride | 1.7657E-011 | 2.2099E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.4986E-017 | 6.0693E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.4487E-018 | 3.5188E-018 |
| RCPTR_24 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.6559E-014 | 6.4515E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Methyl mercury | 7.6425E-014 | 9.0277E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Methylene chloride | 3.6024E-013 | 8.7502E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Naphthalene | 1.2108E-012 | 2.9385E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 7.8489E-012 | 1.9059E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.8596E-012 | 4.5168E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 4.7964E-013 | 1.1649E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitrobenzene | 7.7716E-013 | 1.8878E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.7711E-012 | 4.3018E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 8.7314E-013 | 1.8336E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 4.4319E-013 | 1.0761E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 4.4685E-013 | 1.0848E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.8229E-014 | 9.2750E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5888E-013 | 4.2409E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.5435E-013 | 4.1850E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.6444E-012 | 5.2428E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 8.3796E-013 | 9.8977E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 3.1216E-012 | 3.6941E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Pentachlorobenzene | 2.0122E-010 | 4.8526E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.4415E-011 | 3.4677E-011 |
| RCPTR_24 | farmer_child | TOCDFLIC | Pentachlorophenol | 9.4562E-010 | 1.7737E-009 |
| RCPTR_24 | farmer_child | TOCDFLIC | Phenanthrene | 7.4374E-013 | 1.8033E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Phenol | 6.1293E-013 | 1.4884E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Pronamide | 6.2954E-011 | 1.5245E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Pyrene | 2.6880E-008 | 4.4053E-008 |
| RCPTR_24 | farmer_child | TOCDFLIC | Selenium | 2.0845E-006 | 2.1790E-006 |
| RCPTR_24 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Styrene | 3.1183E-015 | 7.5722E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 8.7483E-013 | 1.0591E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.8511E-013 | 3.5344E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 5.9972E-011 | 1.4489E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.1580E-013 | 1.9766E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.2862E-016 | 3.1234E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 3.4476E-010 | 7.7772E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFLIC | Toluene | 3.8710E-012 | 9.3933E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.0646E-012 | 4.9985E-012 |
| RCPTR_24 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.2254E-014 | 2.9759E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 6.5917E-015 | 1.6010E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Trichloroethylene | 1.0798E-015 | 2.6221E-015 |
| RCPTR_24 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.4236E-016 | 3.4570E-016 |
| RCPTR_24 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.3068E-010 | 5.5620E-010 |
| RCPTR_24 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 4.4145E-011 | 1.0451E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.4473E-014 | 5.9439E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | VX | 3.7256E-013 | 4.2963E-013 |
| RCPTR_24 | farmer_child | TOCDFLIC | Vinyl Chloride | 3.1778E-020 | 7.7182E-020 |
| RCPTR_24 | farmer_child | TOCDFLIC | Xylene, m- | 1.1706E-014 | 2.5587E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Xylene, o- | 8.0811E-015 | 1.8100E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Xylene, p- | 1.6881E-014 | 3.8361E-014 |
| RCPTR_24 | farmer_child | TOCDFLIC | Zinc | 1.2341E-008 | 1.8850E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Acenaphthene | 9.9186E-012 | 2.4054E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Acetone | 1.0086E-016 | 2.4500E-016 |
| RCPTR_24 | farmer_child | TOCDFMPF | Acetophenone | 1.0692E-012 | 2.5971E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Aniline | 6.4065E-014 | 1.5558E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Anthracene | 1.0932E-010 | 2.6512E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Benzene | 5.6414E-016 | 1.3698E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 8.7702E-009 | 1.4005E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 6.1302E-008 | 7.2699E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 5.0482E-008 | 7.3688E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 8.5526E-008 | 9.4321E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Benzoic acid | 1.1261E-012 | 2.6989E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Benzyl alcohol | 5.1377E-013 | 1.2478E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.4548E-013 | 3.5339E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.9727E-015 | 7.2205E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 1.0313E-013 | 2.5050E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.3024E-008 | 2.3492E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.3355E-011 | 5.2361E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Cadmium | 2.9328E-009 | 4.6184E-009 |
| RCPTR_24 | farmer_child | TOCDFMPF | Carbon disulfide | 1.9689E-016 | 4.7814E-016 |
| RCPTR_24 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.5885E-015 | 3.8570E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.2173E-011 | 2.8925E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chloroaniline, p- | 4.7066E-013 | 1.1429E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chlorobenzene | 9.3182E-015 | 2.2619E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chloroethane | 2.6535E-017 | 6.4291E-017 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.2297E-015 | 2.9867E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.5301E-011 | 6.1382E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.6421E-012 | 3.9888E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 6.0961E-011 | 1.4555E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Chrysene | 1.7592E-008 | 2.3598E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.2642E-009 | 1.9503E-009 |
| RCPTR_24 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 3.3463E-001 | 3.3463E-001 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.7537E-006 | 1.8467E-006 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 7.4686E-014 | 1.8089E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 8.5127E-014 | 2.0639E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 8.0652E-014 | 1.9560E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.0285E-010 | 1.6850E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 2.0501E-018 | 4.9782E-018 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 5.1340E-016 | 1.2470E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.3559E-016 | 1.5438E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.9535E-016 | 4.7443E-016 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.1323E-016 | 7.6068E-016 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 7.4422E-012 | 1.7349E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.7713E-015 | 4.3009E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.7970E-016 | 1.4080E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.1080E-010 | 1.3147E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.8675E-013 | 4.5247E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 1.2035E-012 | 2.9213E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 4.9343E-013 | 1.0664E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.8035E-012 | 9.2015E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.6652E-012 | 6.4540E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.7181E-013 | 6.6026E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Ethylbenzene | 5.7704E-015 | 1.3972E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.6814E-011 | 2.7670E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Fluoranthene | 1.1648E-009 | 2.4364E-009 |
| RCPTR_24 | farmer_child | TOCDFMPF | Fluorene | 3.3324E-011 | 8.0734E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.5437E-014 | 2.9145E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.2921E-013 | 1.4458E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.2260E-013 | 1.3999E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.3227E-013 | 3.7272E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.0670E-013 | 2.3796E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.7266E-013 | 2.0216E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.9536E-013 | 4.6761E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.3508E-012 | 1.5962E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.1389E-012 | 1.3438E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.3727E-013 | 1.6208E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.8315E-012 | 6.8402E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Hexachlorobenzene | 5.9705E-009 | 1.4381E-008 |
| RCPTR_24 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 9.6136E-012 | 2.3199E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.9386E-012 | 4.7013E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.0707E-005 | 1.0880E-005 |
| RCPTR_24 | farmer_child | TOCDFMPF | Isophorone | 8.2092E-014 | 1.9939E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Mercuric chloride | 1.9010E-011 | 2.3793E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.8462E-017 | 4.4846E-017 |
| RCPTR_24 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 1.0704E-018 | 2.6001E-018 |
| RCPTR_24 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 4.4640E-016 | 1.0843E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Methyl mercury | 8.2266E-014 | 9.7180E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | Methylene chloride | 1.1747E-016 | 2.8533E-016 |
| RCPTR_24 | farmer_child | TOCDFMPF | Naphthalene | 1.0204E-012 | 2.4764E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 9.7321E-013 | 2.3632E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.8682E-013 | 4.5376E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 2.1397E-013 | 5.1967E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitrobenzene | 2.6566E-013 | 6.4529E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 2.1383E-013 | 5.1938E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 7.7969E-013 | 1.6375E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.8886E-012 | 4.5860E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 1.0088E-013 | 2.4492E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.4853E-014 | 6.0297E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.7511E-014 | 3.2512E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6943E-015 | 3.1823E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 7.6594E-013 | 8.6467E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 5.6853E-013 | 6.7157E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.8185E-013 | 4.5191E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.7118E-010 | 4.1284E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 6.1318E-012 | 1.4751E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Pentachlorophenol | 5.6317E-010 | 1.0564E-009 |
| RCPTR_24 | farmer_child | TOCDFMPF | Phenanthrene | 7.8225E-014 | 1.8967E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Phenol | 2.0062E-013 | 4.8720E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Pronamide | 2.6828E-010 | 6.4965E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Pyrene | 1.9717E-009 | 3.2313E-009 |
| RCPTR_24 | farmer_child | TOCDFMPF | Selenium | 6.5725E-007 | 6.8705E-007 |
| RCPTR_24 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Styrene | 4.7567E-014 | 1.1551E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.7946E-013 | 4.5941E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.9190E-013 | 2.3791E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.5557E-010 | 6.1745E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.0099E-014 | 4.8811E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.8982E-015 | 4.6094E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.4664E-010 | 3.3081E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDFMPF | Toluene | 2.5036E-015 | 6.0752E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 6.9636E-013 | 1.6860E-012 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.2222E-015 | 2.9681E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 9.2755E-015 | 2.2529E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichloroethylene | 1.5194E-015 | 3.6897E-015 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.0032E-016 | 4.8646E-016 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.0332E-010 | 2.4913E-010 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 2.0093E-011 | 4.7571E-011 |
| RCPTR_24 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 3.4438E-014 | 8.3640E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | VX | 5.1477E-013 | 5.9367E-013 |
| RCPTR_24 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.8474E-019 | 1.1773E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDFMPF | Xylene, m- | 9.2381E-015 | 2.0193E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | Xylene, o- | 1.0024E-014 | 2.2452E-014 |
| RCPTR_24 | farmer_child | TOCDFMPF | Xylene, p- | 1.3322E-014 | 3.0275E-014 |
| RCPTR_24 | farmer_child | TOCDHVAC | VX | 2.1103E-013 | 2.4711E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Acenaphthene | 5.4154E-011 | 1.3133E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Acetone | 2.3707E-012 | 5.7587E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Acetophenone | 2.5090E-013 | 6.0942E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Aniline | 1.5033E-014 | 3.6507E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Anthracene | 1.0394E-009 | 2.5207E-009 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Benzene | 3.2114E-015 | 7.7977E-015 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 9.4845E-008 | 1.5145E-007 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 3.5980E-007 | 4.2666E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.4807E-007 | 5.0803E-007 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 5.7542E-007 | 6.3456E-007 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Benzoic acid | 5.8685E-012 | 1.4065E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Benzyl alcohol | 6.4856E-011 | 1.5752E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.4211E-013 | 8.3104E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Bromodichloromethane | 2.0143E-016 | 4.8926E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.9506E-013 | 4.7379E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.2764E-008 | 4.1061E-008 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.5206E-010 | 3.9563E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Cadmium | 9.2101E-010 | 1.4503E-009 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.3341E-017 | 3.2399E-017 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 1.0764E-016 | 2.6135E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.8445E-011 | 6.7587E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.5972E-012 | 3.8783E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chlorobenzene | 6.3141E-016 | 1.5327E-015 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chloroethane | 1.8857E-017 | 4.5689E-017 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 8.3322E-017 | 2.0238E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.4384E-010 | 3.4896E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 4.4608E-012 | 1.0836E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.9717E-010 | 4.7074E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Chrysene | 1.7024E-007 | 2.2835E-007 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.0812E-009 | 1.6679E-009 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 3.7229E-001 | 3.7229E-001 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 6.6248E-006 | 6.9752E-006 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.1451E-013 | 5.1953E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.6225E-013 | 6.3584E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.4986E-013 | 6.0596E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.4385E-010 | 5.6326E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.4569E-018 | 3.5378E-018 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 3.3657E-017 | 8.1751E-017 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.5169E-016 | 1.0971E-015 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.3883E-016 | 3.3716E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.2260E-016 | 5.4058E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.9001E-011 | 4.4294E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 1.2002E-016 | 2.9143E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.9281E-017 | 9.5406E-017 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Diethyl phthalate | 5.1870E-011 | 6.1543E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 3.2350E-012 | 7.8380E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 3.0513E-012 | 7.4066E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.5673E-013 | 5.5482E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.7598E-012 | 6.6765E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.1300E-012 | 5.1580E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 6.3783E-014 | 1.5493E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Ethylbenzene | 3.4332E-015 | 8.3131E-015 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 9.7259E-011 | 1.6004E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Fluoranthene | 1.4972E-008 | 3.1319E-008 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Fluorene | 2.1877E-010 | 5.3001E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.3160E-013 | 2.6535E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.6676E-012 | 2.9849E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 6.4122E-012 | 7.3213E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.9132E-012 | 2.1461E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.1901E-012 | 1.3700E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 1.0086E-012 | 1.1808E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.4648E-012 | 1.7324E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.2733E-012 | 1.5045E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.3096E-012 | 1.5450E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.0770E-012 | 1.2716E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 5.0450E-012 | 1.2187E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 1.1994E-008 | 2.8890E-008 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.3824E-011 | 3.3359E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.7553E-012 | 6.6818E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 4.9227E-005 | 5.0019E-005 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Isophorone | 4.5959E-013 | 1.1163E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.7657E-011 | 2.2099E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.4986E-017 | 6.0693E-017 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 7.2534E-020 | 1.7618E-019 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.6559E-014 | 6.4515E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Methyl mercury | 7.6425E-014 | 9.0277E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Methylene chloride | 3.6024E-013 | 8.7502E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | Naphthalene | 1.2108E-012 | 2.9385E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 7.8489E-012 | 1.9059E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.8596E-012 | 4.5168E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 2.4026E-012 | 5.8352E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitrobenzene | 7.7716E-013 | 1.8878E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 3.5358E-013 | 8.5881E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 4.3737E-012 | 9.1848E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 4.4319E-013 | 1.0761E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 4.4685E-013 | 1.0848E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.8229E-014 | 9.2750E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5888E-013 | 4.2409E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.5435E-013 | 4.1850E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.6444E-012 | 5.2428E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 8.3796E-013 | 9.8977E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 3.1216E-012 | 3.6941E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 4.0170E-011 | 9.6876E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.4415E-011 | 3.4677E-011 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Pentachlorophenol | 4.7367E-009 | 8.8845E-009 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Phenanthrene | 7.4374E-013 | 1.8033E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Phenol | 6.1293E-013 | 1.4884E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Pronamide | 6.2954E-011 | 1.5245E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Pyrene | 2.6880E-008 | 4.4053E-008 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Selenium | 2.0845E-006 | 2.1790E-006 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Styrene | 3.1183E-015 | 7.5722E-015 |
| RCPTR_24 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 8.7483E-013 | 1.0591E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.8511E-013 | 3.5344E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 5.9972E-011 | 1.4489E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.1580E-013 | 1.9766E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.2862E-016 | 3.1234E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 3.4476E-010 | 7.7772E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Toluene | 3.8710E-012 | 9.3933E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.0646E-012 | 4.9985E-012 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.2254E-014 | 2.9759E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 6.5917E-015 | 1.6010E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichloroethylene | 1.0798E-015 | 2.6221E-015 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.4236E-016 | 3.4570E-016 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.3068E-010 | 5.5620E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 4.4145E-011 | 1.0451E-010 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.4473E-014 | 5.9439E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | VX | 3.8732E-013 | 4.4664E-013 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Vinyl Chloride | 3.1778E-020 | 7.7182E-020 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Xylene, m- | 1.1706E-014 | 2.5587E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_24 | farmer_child | TOCDLIC2 | Xylene, o- | 8.0811E-015 | 1.8100E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Xylene, p- | 1.6881E-014 | 3.8361E-014 |
| RCPTR_24 | farmer_child | TOCDLIC2 | Zinc | 1.2341E-008 | 1.8850E-008 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Cadmium | 1.7855E-008 | 4.8410E-008 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Mercuric chloride | 4.0782E-006 | 4.2646E-006 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Methyl mercury | 1.7266E-008 | 1.9173E-008 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Selenium | 2.0993E-005 | 2.2335E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFBRA | Zinc | 5.8144E-007 | 1.3515E-006 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Acenaphthene | 1.0784E-010 | 1.7102E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Acetone | 1.8739E-014 | 3.0344E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Acetophenone | 4.9053E-013 | 7.9337E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Aniline | 2.9467E-014 | 4.7528E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Anthracene | 2.0700E-009 | 3.2824E-008 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Aroclor 1254 | 2.6432E-011 | 1.7014E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Benzene | 1.5991E-015 | 2.5756E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 5.5492E-007 | 2.0622E-006 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 4.8518E-006 | 6.7460E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 2.9263E-006 | 7.1411E-006 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 7.8829E-006 | 1.0163E-005 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Benzoic acid | 8.5804E-012 | 1.1863E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.0350E-012 | 1.6729E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 6.6811E-013 | 1.0819E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Bromodichloromethane | 3.3861E-015 | 5.4778E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.1743E-013 | 1.9004E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 5.2630E-008 | 5.3456E-007 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.0363E-008 | 2.1482E-008 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Cadmium | 2.8026E-008 | 7.5953E-008 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Carbon disulfide | 4.5189E-016 | 7.2927E-015 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 1.8175E-015 | 2.9263E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 6.9862E-011 | 8.8249E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 3.1333E-012 | 5.0491E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Chlorobenzene | 5.3571E-015 | 8.5957E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chloroethane | 4.4216E-017 | 6.9338E-016 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 7.0175E-016 | 1.1349E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 2.8517E-010 | 4.5437E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 8.7147E-012 | 1.4106E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 4.6534E-010 | 6.1450E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Chrysene | 1.5282E-006 | 3.2468E-006 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.7570E-008 | 3.6462E-008 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 1.8833E+002 | 1.8833E+002 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.0656E-004 | 1.2715E-004 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 9.4975E-014 | 1.4818E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 3.4040E-013 | 5.3818E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.2135E-013 | 3.5112E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.0053E-009 | 4.7272E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 3.3306E-018 | 5.3676E-017 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 2.9293E-016 | 4.7385E-015 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.6256E-016 | 5.8663E-015 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 3.1684E-016 | 5.1152E-015 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 5.0815E-016 | 8.2015E-015 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 3.9973E-011 | 4.2330E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 2.8798E-015 | 4.6372E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 3.3096E-016 | 5.3502E-015 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Diethyl phthalate | 3.6716E-009 | 4.7071E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 3.1844E-012 | 4.9872E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 6.0105E-012 | 9.6430E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 5.7306E-012 | 3.6366E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.2280E-012 | 1.8834E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 9.3478E-013 | 1.4545E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.2458E-013 | 2.0170E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Ethylbenzene | 6.8192E-015 | 1.0605E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.8603E-010 | 6.5838E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Fluoranthene | 3.8501E-008 | 4.0970E-007 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Fluorene | 4.4089E-010 | 6.9026E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.3749E-013 | 4.7601E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.2379E-013 | 5.6303E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.0141E-012 | 1.4186E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.6429E-012 | 3.5247E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.6369E-012 | 2.3379E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.3860E-012 | 2.0661E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.9009E-012 | 2.9039E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.6508E-012 | 2.5147E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.6920E-012 | 2.5675E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.3936E-012 | 2.1188E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.0527E-011 | 1.5881E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 2.4493E-008 | 3.7633E-007 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.4461E-010 | 2.1522E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 5.4870E-012 | 8.7005E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 7.7317E-004 | 8.1712E-004 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Isophorone | 8.9863E-013 | 1.4532E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Mercuric chloride | 3.9277E-009 | 4.1071E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 2.9872E-017 | 4.8351E-016 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 5.7483E-019 | 9.2986E-018 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.4780E-015 | 5.6316E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Methyl mercury | 1.6753E-011 | 1.8588E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Methylene chloride | 1.9454E-014 | 3.1476E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Naphthalene | 6.3217E-012 | 1.0114E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.5216E-011 | 2.4520E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 3.5938E-012 | 5.8107E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 4.6472E-012 | 7.5072E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.5184E-012 | 2.4575E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 6.9129E-013 | 1.1180E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.1921E-011 | 1.2063E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 8.6934E-013 | 1.4010E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 8.7834E-013 | 1.4124E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 7.6704E-014 | 1.2086E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 8.1938E-013 | 1.2482E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4611E-013 | 3.7397E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.2305E-012 | 7.0433E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 5.2842E-013 | 8.0276E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.0196E-012 | 3.0852E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 4.2882E-010 | 6.2563E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 3.1706E-011 | 4.4739E-010 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Pentachlorophenol | 6.8050E-009 | 2.3996E-008 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Phenanthrene | 1.4848E-012 | 2.3482E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Phenol | 1.2012E-012 | 1.9378E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Pronamide | 2.5505E-010 | 3.9709E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Pyrene | 7.8555E-008 | 5.7497E-007 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Selenium | 4.3121E-006 | 4.5874E-006 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Styrene | 6.3975E-014 | 1.0312E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 2.8542E-012 | 4.6838E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.5068E-012 | 2.6857E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.2468E-010 | 1.8876E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 8.7588E-012 | 2.3375E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.1690E-015 | 3.4971E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.2255E-009 | 1.0108E-008 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Toluene | 1.0801E-014 | 1.7256E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 5.0481E-012 | 7.8458E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.3945E-015 | 2.2518E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.5021E-014 | 2.4290E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichloroethylene | 2.4671E-015 | 3.9782E-014 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 3.2517E-016 | 5.2449E-015 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 4.8990E-010 | 7.2479E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.1201E-010 | 1.3653E-009 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 5.5809E-014 | 9.0178E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 4.7861E-013 | 7.4537E-012 |
| RCPTR_25 | farmer_adult | TOCDFDFS | VX | 8.4027E-012 | 1.0306E-011 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Vinyl Chloride | 4.0707E-019 | 6.5791E-018 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Xylene, m- | 1.0363E-013 | 5.9519E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFDFS | Xylene, o- | 9.6970E-014 | 6.5463E-013 |
| RCPTR_25 | farmer_adult | TOCDFDFS | Xylene, p- | 1.1629E-013 | 8.7697E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Acenaphthene | 6.8711E-011 | 1.0897E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Acetone | 2.9501E-012 | 4.7771E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Acetophenone | 3.1257E-013 | 5.0555E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Aniline | 1.8777E-014 | 3.0285E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Anthracene | 1.3188E-009 | 2.0916E-008 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Benzene | 4.0162E-015 | 6.4690E-014 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 3.5125E-007 | 1.3082E-006 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 3.0445E-006 | 4.1995E-006 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.8554E-006 | 4.5257E-006 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 4.9427E-006 | 6.3087E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Benzoic acid | 8.4611E-012 | 1.1690E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Benzyl alcohol | 8.0843E-011 | 1.3067E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 4.2573E-013 | 6.8938E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.5089E-016 | 4.0587E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.4288E-013 | 3.9303E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 3.3535E-008 | 3.4063E-007 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.7280E-009 | 3.6306E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Cadmium | 8.6165E-009 | 2.3330E-008 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.6654E-017 | 2.6877E-016 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.3466E-016 | 2.1682E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 4.4578E-011 | 5.6240E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 1.9966E-012 | 3.2174E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chlorobenzene | 7.9247E-016 | 1.2716E-014 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chloroethane | 2.4182E-017 | 3.7914E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.0381E-016 | 1.6789E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.8171E-010 | 2.8953E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 5.5532E-012 | 8.9886E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 2.9628E-010 | 3.9154E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Chrysene | 9.6946E-007 | 2.0557E-006 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 7.2294E-009 | 1.4994E-008 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 3.6969E+000 | 3.6969E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 6.6833E-005 | 7.8730E-005 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 2.7635E-013 | 4.3116E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.3372E-013 | 5.2760E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.1697E-013 | 5.0279E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.1420E-009 | 5.0675E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.8209E-018 | 2.9349E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 4.3332E-017 | 7.0096E-016 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.6249E-016 | 9.1013E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.7325E-016 | 2.7970E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.7785E-016 | 4.4845E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 3.4966E-011 | 3.6957E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.5014E-016 | 2.4177E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 4.8958E-017 | 7.9145E-016 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Diethyl phthalate | 4.5637E-010 | 5.8434E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.1521E-012 | 6.5048E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 3.8302E-012 | 6.1447E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 7.3949E-013 | 4.6832E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 3.6100E-012 | 5.5427E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 2.7505E-012 | 4.2809E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 7.9387E-014 | 1.2853E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Ethylbenzene | 4.4364E-015 | 6.8993E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 6.2243E-010 | 1.4556E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Fluoranthene | 2.4508E-008 | 2.6099E-007 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Fluorene | 2.8092E-010 | 4.3984E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.9937E-012 | 2.7865E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 6.7907E-012 | 8.9268E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.6019E-011 | 2.2197E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.6617E-011 | 2.1947E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.0095E-011 | 1.4294E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 8.4305E-012 | 1.2487E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.1847E-011 | 1.8021E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.0300E-011 | 1.5623E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.0584E-011 | 1.5986E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 8.7068E-012 | 1.3179E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 6.7027E-012 | 1.0119E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.5605E-008 | 2.3980E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.8596E-011 | 2.7703E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 3.4969E-012 | 5.5441E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 4.9229E-004 | 5.1768E-004 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Isophorone | 5.7263E-013 | 9.2602E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.7834E-010 | 1.8651E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.1106E-017 | 5.0348E-016 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.8045E-018 | 2.9191E-017 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.3052E-014 | 5.3518E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Methyl mercury | 7.4545E-013 | 8.2896E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Methylene chloride | 4.4863E-013 | 7.2588E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Naphthalene | 1.5239E-012 | 2.4380E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 9.8112E-012 | 1.5811E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.3173E-012 | 3.7469E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 5.9816E-013 | 9.6640E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitrobenzene | 9.6753E-013 | 1.5660E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.2065E-012 | 3.5686E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 2.8335E-012 | 1.5540E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 5.5398E-013 | 8.9276E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 5.5972E-013 | 8.9999E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 4.8751E-014 | 7.7001E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.9973E-012 | 4.5453E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9675E-012 | 4.4898E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.8392E-011 | 5.1351E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 6.1909E-012 | 9.3777E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.3411E-011 | 3.5651E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 2.7487E-010 | 4.0326E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.0292E-011 | 2.8834E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Pentachlorophenol | 4.3578E-009 | 1.5312E-008 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Phenanthrene | 9.4611E-013 | 1.4963E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Phenol | 7.6543E-013 | 1.2348E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Pronamide | 8.1270E-011 | 1.2652E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Pyrene | 5.0045E-008 | 3.6632E-007 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Selenium | 3.6314E-005 | 3.8629E-005 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Styrene | 3.8970E-015 | 6.2818E-014 |
| RCPTR_25 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 5.9672E-012 | 9.7821E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.7795E-012 | 3.1718E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 7.9462E-011 | 1.2029E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 6.5242E-013 | 1.7354E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.6070E-016 | 2.5911E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 7.9250E-010 | 6.5202E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFLIC | Toluene | 4.8781E-012 | 7.7933E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.6711E-012 | 4.1485E-011 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.5289E-014 | 2.4688E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 8.2134E-015 | 1.3282E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.3490E-015 | 2.1753E-014 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.7780E-016 | 2.8679E-015 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.1234E-010 | 4.6187E-009 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 7.1483E-011 | 8.7011E-010 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.0516E-014 | 4.9309E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | VX | 3.3527E-012 | 4.1077E-012 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Vinyl Chloride | 3.9613E-020 | 6.4028E-019 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Xylene, m- | 3.6296E-014 | 2.1992E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Xylene, o- | 2.1741E-014 | 1.5428E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Xylene, p- | 4.1191E-014 | 3.2535E-013 |
| RCPTR_25 | farmer_adult | TOCDFLIC | Zinc | 1.3200E-007 | 3.0644E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Acenaphthene | 1.2494E-011 | 1.9815E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Acetone | 1.2460E-016 | 2.0177E-015 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Acetophenone | 1.3224E-012 | 2.1389E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Aniline | 7.9442E-014 | 1.2813E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Anthracene | 1.3771E-010 | 2.1840E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Benzene | 7.0043E-016 | 1.1282E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.2267E-008 | 1.2015E-007 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 5.1579E-007 | 7.1185E-007 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 2.6732E-007 | 6.5207E-007 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 7.3051E-007 | 9.3305E-007 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Benzoic acid | 1.6118E-012 | 2.2269E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Benzyl alcohol | 6.3580E-013 | 1.0277E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.7974E-013 | 2.9104E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Bromodichloromethane | 3.6759E-015 | 5.9466E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.2748E-013 | 2.0630E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.9048E-008 | 1.9348E-007 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.2753E-010 | 4.7760E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Cadmium | 2.7377E-008 | 7.4132E-008 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.4401E-016 | 3.9379E-015 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 1.9730E-015 | 3.1767E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.8939E-011 | 2.3895E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 5.8412E-013 | 9.4127E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.1611E-014 | 1.8630E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chloroethane | 3.3782E-017 | 5.2967E-016 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.5210E-015 | 2.4598E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.1733E-011 | 5.0562E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.0295E-012 | 3.2851E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 9.0951E-011 | 1.2019E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Chrysene | 9.9519E-008 | 2.1105E-007 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 8.3947E-009 | 1.7411E-008 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 3.2998E+000 | 3.2999E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.7587E-005 | 2.0736E-005 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 9.5526E-014 | 1.4904E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.0754E-013 | 1.7003E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.0158E-013 | 1.6113E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 6.3680E-010 | 1.5061E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.5439E-018 | 4.1001E-017 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 6.3489E-016 | 1.0270E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 7.8580E-016 | 1.2715E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.4203E-016 | 3.9074E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.8817E-016 | 6.2650E-015 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.3596E-011 | 1.4372E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.1999E-015 | 3.5423E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 7.1732E-016 | 1.1596E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Diethyl phthalate | 9.6800E-010 | 1.2395E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.3797E-013 | 3.7280E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.4998E-012 | 2.4061E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.4110E-012 | 8.9370E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 4.9398E-012 | 7.5840E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 3.4169E-012 | 5.3180E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 3.3587E-013 | 5.4377E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Ethylbenzene | 7.4028E-015 | 1.1513E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.0709E-010 | 2.5014E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Fluoranthene | 1.8930E-009 | 2.0158E-008 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Fluorene | 4.2484E-011 | 6.6517E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.1842E-013 | 3.0547E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.1308E-012 | 1.4877E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.0541E-012 | 1.4616E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.8745E-012 | 3.7991E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.7487E-012 | 2.4776E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.4408E-012 | 2.1351E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.1915E-012 | 4.8563E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.0906E-011 | 1.6547E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 9.1848E-012 | 1.3878E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.1074E-012 | 1.6768E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 3.7350E-012 | 5.6385E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 7.7121E-009 | 1.1851E-007 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.2840E-011 | 1.9127E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.4427E-012 | 3.8728E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.0636E-004 | 1.1189E-004 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Isophorone | 1.0155E-013 | 1.6422E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Mercuric chloride | 1.9072E-010 | 1.9944E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.2818E-017 | 3.6934E-016 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.3237E-018 | 2.1414E-017 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 5.5153E-016 | 8.9304E-015 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Methyl mercury | 7.9831E-013 | 8.8760E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Methylene chloride | 1.4524E-016 | 2.3499E-015 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Naphthalene | 1.2750E-012 | 2.0398E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.2078E-012 | 1.9463E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.3113E-013 | 3.7371E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 2.6492E-013 | 4.2800E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.2835E-013 | 5.3144E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 2.6448E-013 | 4.2775E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.5117E-012 | 1.3778E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.3438E-012 | 3.7771E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.2546E-013 | 2.0173E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.1471E-014 | 4.9699E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.2956E-013 | 3.4823E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.2544E-014 | 3.4119E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 6.2988E-012 | 8.4288E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.1785E-012 | 6.3306E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.8509E-012 | 4.3425E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.3226E-010 | 3.4061E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 8.5742E-012 | 1.2177E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.5765E-009 | 9.0551E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Phenanthrene | 9.8794E-014 | 1.5625E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Phenol | 2.4873E-013 | 4.0126E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Pronamide | 3.4384E-010 | 5.3527E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Pyrene | 3.6445E-009 | 2.6677E-008 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Selenium | 1.1425E-005 | 1.2154E-005 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Styrene | 5.9017E-014 | 9.5132E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.5739E-012 | 4.2197E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.1904E-012 | 2.1218E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 3.3619E-010 | 5.0891E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.4913E-014 | 4.0201E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.3545E-015 | 3.7964E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.3462E-010 | 2.7535E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Toluene | 3.1322E-015 | 5.0041E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 8.9447E-013 | 1.3892E-011 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.5139E-015 | 2.4445E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.1474E-014 | 1.8554E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichloroethylene | 1.8846E-015 | 3.0389E-014 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.4839E-016 | 4.0065E-015 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.3889E-010 | 2.0539E-009 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.2299E-011 | 3.9319E-010 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 4.2631E-014 | 6.8885E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | VX | 4.6001E-012 | 5.6363E-012 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Vinyl Chloride | 5.9990E-019 | 9.6965E-018 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Xylene, m- | 2.8570E-014 | 1.7245E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Xylene, o- | 2.6885E-014 | 1.9011E-013 |
| RCPTR_25 | farmer_adult | TOCDFMPF | Xylene, p- | 3.2396E-014 | 2.5505E-013 |
| RCPTR_25 | farmer_adult | TOCDHVAC | VX | 2.4804E-012 | 3.0441E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Acenaphthene | 6.8711E-011 | 1.0897E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Acetone | 2.9501E-012 | 4.7771E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Acetophenone | 3.1257E-013 | 5.0555E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Aniline | 1.8777E-014 | 3.0285E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Anthracene | 1.3188E-009 | 2.0916E-008 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Benzene | 4.0162E-015 | 6.4690E-014 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 3.5125E-007 | 1.3082E-006 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 3.0445E-006 | 4.1995E-006 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.8554E-006 | 4.5257E-006 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 4.9427E-006 | 6.3087E-006 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Benzoic acid | 8.4611E-012 | 1.1690E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 8.0843E-011 | 1.3067E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 4.2573E-013 | 6.8938E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.5089E-016 | 4.0587E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.4288E-013 | 3.9303E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 3.3535E-008 | 3.4063E-007 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.7280E-009 | 3.6306E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Cadmium | 8.6165E-009 | 2.3330E-008 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.6654E-017 | 2.6877E-016 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.3466E-016 | 2.1682E-015 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 4.4578E-011 | 5.6240E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 1.9966E-012 | 3.2174E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chlorobenzene | 7.9247E-016 | 1.2716E-014 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chloroethane | 2.4182E-017 | 3.7914E-016 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.0381E-016 | 1.6789E-015 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.8171E-010 | 2.8953E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 5.5532E-012 | 8.9886E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 2.9628E-010 | 3.9154E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Chrysene | 9.6946E-007 | 2.0557E-006 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 7.2294E-009 | 1.4994E-008 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 3.6969E+000 | 3.6969E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 6.6833E-005 | 7.8730E-005 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.7635E-013 | 4.3116E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.3372E-013 | 5.2760E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.1697E-013 | 5.0279E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.1420E-009 | 5.0675E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.8209E-018 | 2.9349E-017 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 4.1923E-017 | 6.7817E-016 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.6249E-016 | 9.1013E-015 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.7325E-016 | 2.7970E-015 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.7785E-016 | 4.4845E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 3.4966E-011 | 3.6957E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.5014E-016 | 2.4177E-015 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 4.8958E-017 | 7.9145E-016 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 4.5637E-010 | 5.8434E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.1521E-012 | 6.5048E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 3.8302E-012 | 6.1447E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 7.3949E-013 | 4.6832E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 3.6100E-012 | 5.5427E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.7505E-012 | 4.2809E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 7.9387E-014 | 1.2853E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Ethylbenzene | 4.4364E-015 | 6.8993E-014 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 6.2243E-010 | 1.4556E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.4508E-008 | 2.6099E-007 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Fluorene | 2.8092E-010 | 4.3984E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.9937E-012 | 2.7865E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.3434E-011 | 3.0806E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.5281E-011 | 7.6600E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.6617E-011 | 2.1947E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.0095E-011 | 1.4294E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 8.4305E-012 | 1.2487E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.1847E-011 | 1.8021E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.0300E-011 | 1.5623E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.0584E-011 | 1.5986E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 8.7068E-012 | 1.3179E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 6.7027E-012 | 1.0119E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.5605E-008 | 2.3980E-007 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.8596E-011 | 2.7703E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 3.4969E-012 | 5.5441E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 4.9229E-004 | 5.1768E-004 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Isophorone | 5.7263E-013 | 9.2602E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.7834E-010 | 1.8651E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.1106E-017 | 5.0348E-016 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 9.0348E-020 | 1.4615E-018 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.3052E-014 | 5.3518E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Methyl mercury | 7.4545E-013 | 8.2896E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Methylene chloride | 4.4863E-013 | 7.2588E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Naphthalene | 1.5239E-012 | 2.4380E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 9.8112E-012 | 1.5811E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.3173E-012 | 3.7469E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 2.9963E-012 | 4.8408E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitrobenzene | 9.6753E-013 | 1.5660E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 4.4050E-013 | 7.1243E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.4193E-011 | 7.7841E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 5.5398E-013 | 8.9276E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 5.5972E-013 | 8.9999E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 4.8751E-014 | 7.7001E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.9973E-012 | 4.5453E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9675E-012 | 4.4898E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.8392E-011 | 5.1351E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 6.1909E-012 | 9.3777E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.3411E-011 | 3.5651E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 5.4875E-011 | 8.0506E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.0292E-011 | 2.8834E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.1829E-008 | 7.6701E-008 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Phenanthrene | 9.4611E-013 | 1.4963E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Phenol | 7.6543E-013 | 1.2348E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Pronamide | 8.1270E-011 | 1.2652E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Pyrene | 5.0045E-008 | 3.6632E-007 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Selenium | 3.6314E-005 | 3.8629E-005 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Styrene | 3.8970E-015 | 6.2818E-014 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 5.9672E-012 | 9.7821E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.7795E-012 | 3.1718E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 7.9462E-011 | 1.2029E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 6.5242E-013 | 1.7354E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.6070E-016 | 2.5911E-015 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 7.9250E-010 | 6.5202E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Toluene | 4.8781E-012 | 7.7933E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.6711E-012 | 4.1485E-011 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.5289E-014 | 2.4688E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 8.2134E-015 | 1.3282E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.3490E-015 | 2.1753E-014 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.7780E-016 | 2.8679E-015 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.1234E-010 | 4.6187E-009 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 7.1483E-011 | 8.7011E-010 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.0516E-014 | 4.9309E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | VX | 3.4855E-012 | 4.2704E-012 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 3.9613E-020 | 6.4028E-019 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Xylene, m- | 3.6296E-014 | 2.1992E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Xylene, o- | 2.1741E-014 | 1.5428E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Xylene, p- | 4.1191E-014 | 3.2535E-013 |
| RCPTR_25 | farmer_adult | TOCDLIC2 | Zinc | 1.3200E-007 | 3.0644E-007 |
| RCPTR_25 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFBRA | Cadmium | 3.1526E-008 | 4.8410E-008 |
| RCPTR_25 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Mercuric chloride | 3.4165E-006 | 4.2646E-006 |
| RCPTR_25 | farmer_child | TOCDFBRA | Methyl mercury | 1.6528E-008 | 1.9173E-008 |
| RCPTR_25 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Selenium | 2.1494E-005 | 2.2335E-005 |
| RCPTR_25 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFBRA | Zinc | 9.1013E-007 | 1.3515E-006 |
| RCPTR_25 | farmer_child | TOCDFDFS | Acenaphthene | 7.0542E-010 | 1.7102E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Acetone | 1.2492E-013 | 3.0344E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Acetophenone | 3.2664E-012 | 7.9337E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Aniline | 1.9573E-013 | 4.7528E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Anthracene | 1.3540E-008 | 3.2824E-008 |
| RCPTR_25 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Aroclor 1254 | 8.0028E-011 | 1.7014E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Benzene | 1.0608E-014 | 2.5756E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.3182E-006 | 2.0622E-006 |
| RCPTR_25 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 5.7655E-006 | 6.7460E-006 |
| RCPTR_25 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 5.0270E-006 | 7.1411E-006 |
| RCPTR_25 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 9.2508E-006 | 1.0163E-005 |
| RCPTR_25 | farmer_child | TOCDFDFS | Benzoic acid | 4.9624E-011 | 1.1863E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Benzyl alcohol | 6.8881E-012 | 1.6729E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 4.4537E-012 | 1.0819E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.2553E-014 | 5.4778E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 7.8238E-013 | 1.9004E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 2.9637E-007 | 5.3456E-007 |
| RCPTR_25 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.4510E-008 | 2.1482E-008 |
| RCPTR_25 | farmer_child | TOCDFDFS | Cadmium | 4.9470E-008 | 7.5953E-008 |
| RCPTR_25 | farmer_child | TOCDFDFS | Carbon disulfide | 3.0031E-015 | 7.2927E-015 |
| RCPTR_25 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.2053E-014 | 2.9263E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 3.7293E-010 | 8.8249E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.0795E-011 | 5.0491E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chlorobenzene | 3.5416E-014 | 8.5957E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chloroethane | 2.8632E-016 | 6.9338E-016 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 4.6726E-015 | 1.1349E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 1.8734E-009 | 4.5437E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 5.8072E-011 | 1.4106E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 2.5835E-009 | 6.1450E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Chrysene | 2.4740E-006 | 3.2468E-006 |
| RCPTR_25 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.4615E-008 | 3.6462E-008 |
| RCPTR_25 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 1.8833E+002 | 1.8833E+002 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.1789E-004 | 1.2715E-004 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 6.1219E-013 | 1.4818E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.2206E-012 | 5.3818E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.4483E-012 | 3.5112E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.0204E-009 | 4.7272E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.2107E-017 | 5.3676E-017 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 1.9509E-015 | 4.7385E-015 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.4152E-015 | 5.8663E-015 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.1064E-015 | 5.1152E-015 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.3774E-015 | 8.2015E-015 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 1.8293E-010 | 4.2330E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 1.9100E-014 | 4.6372E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.2029E-015 | 5.3502E-015 |
| RCPTR_25 | farmer_child | TOCDFDFS | Diethyl phthalate | 4.0578E-009 | 4.7071E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.0596E-011 | 4.9872E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 3.9732E-011 | 9.6430E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 1.7156E-011 | 3.6366E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 7.7940E-012 | 1.8834E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 6.0107E-012 | 1.4545E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 8.3034E-013 | 2.0170E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Ethylbenzene | 4.3827E-014 | 1.0605E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 4.2489E-010 | 6.5838E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Fluoranthene | 1.9677E-007 | 4.0970E-007 |
| RCPTR_25 | farmer_child | TOCDFDFS | Fluorene | 2.8507E-009 | 6.9026E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 4.1784E-013 | 4.7601E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.0462E-013 | 5.6303E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.2489E-012 | 1.4186E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.1546E-012 | 3.5247E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 2.0441E-012 | 2.3379E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.7811E-012 | 2.0661E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.4837E-012 | 2.9039E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 2.1525E-012 | 2.5147E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.2006E-012 | 2.5675E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.8149E-012 | 2.1188E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 6.5829E-011 | 1.5881E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.5636E-007 | 3.7633E-007 |
| RCPTR_25 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 8.9333E-010 | 2.1522E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 3.5889E-011 | 8.7005E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 7.9613E-004 | 8.1712E-004 |
| RCPTR_25 | farmer_child | TOCDFDFS | Isophorone | 5.9832E-012 | 1.4532E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Mercuric chloride | 3.2910E-009 | 4.1071E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 1.9905E-016 | 4.8351E-016 |
| RCPTR_25 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 3.8283E-018 | 9.2986E-018 |
| RCPTR_25 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.3184E-014 | 5.6316E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Methyl mercury | 1.6043E-011 | 1.8588E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Methylene chloride | 1.2959E-013 | 3.1476E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Naphthalene | 4.1682E-011 | 1.0114E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.0099E-010 | 2.4520E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 2.3924E-011 | 5.8107E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 3.0912E-011 | 7.5072E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitrobenzene | 1.0117E-011 | 2.4575E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 4.6031E-012 | 1.1180E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 5.8733E-011 | 1.2063E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 5.7702E-012 | 1.4010E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 5.8182E-012 | 1.4124E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 4.9884E-013 | 1.2086E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 1.0682E-012 | 1.2482E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 3.2027E-013 | 3.7397E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.2863E-012 | 7.0433E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 6.8815E-013 | 8.0276E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.6394E-012 | 3.0852E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Pentachlorobenzene | 2.6022E-009 | 6.2563E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 1.8673E-010 | 4.4739E-010 |
| RCPTR_25 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.3216E-008 | 2.3996E-008 |
| RCPTR_25 | farmer_child | TOCDFDFS | Phenanthrene | 9.6887E-012 | 2.3482E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Phenol | 7.9800E-012 | 1.9378E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Pronamide | 1.6409E-009 | 3.9709E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Pyrene | 3.5133E-007 | 5.7497E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Selenium | 4.4147E-006 | 4.5874E-006 |
| RCPTR_25 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Styrene | 4.2471E-013 | 1.0312E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.9225E-012 | 4.6838E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.1958E-012 | 2.6857E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 7.8217E-010 | 1.8876E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.4210E-011 | 2.3375E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.4403E-014 | 3.4971E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 4.5382E-009 | 1.0108E-008 |
| RCPTR_25 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFDFS | Toluene | 7.1128E-014 | 1.7256E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.2426E-011 | 7.8458E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 9.2726E-015 | 2.2518E-014 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.0001E-013 | 2.4290E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trichloroethylene | 1.6384E-014 | 3.9782E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.1600E-015 | 5.2449E-015 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.0103E-009 | 7.2479E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 5.7942E-010 | 1.3653E-009 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 3.7131E-013 | 9.0178E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.0799E-012 | 7.4537E-012 |
| RCPTR_25 | farmer_child | TOCDFDFS | VX | 9.1125E-012 | 1.0306E-011 |
| RCPTR_25 | farmer_child | TOCDFDFS | Vinyl Chloride | 2.7089E-018 | 6.5791E-018 |
| RCPTR_25 | farmer_child | TOCDFDFS | Xylene, m- | 2.8696E-013 | 5.9519E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Xylene, o- | 3.0495E-013 | 6.5463E-013 |
| RCPTR_25 | farmer_child | TOCDFDFS | Xylene, p- | 3.9998E-013 | 8.7697E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Acenaphthene | 4.4950E-010 | 1.0897E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Acetone | 1.9666E-011 | 4.7771E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Acetophenone | 2.0814E-012 | 5.0555E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Aniline | 1.2472E-013 | 3.0285E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Anthracene | 8.6279E-009 | 2.0916E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Benzene | 2.6644E-014 | 6.4690E-014 |
| RCPTR_25 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 8.3581E-007 | 1.3082E-006 |
| RCPTR_25 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 3.6016E-006 | 4.1995E-006 |
| RCPTR_25 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.1862E-006 | 4.5257E-006 |
| RCPTR_25 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 5.7621E-006 | 6.3087E-006 |
| RCPTR_25 | farmer_child | TOCDFLIC | Benzoic acid | 4.8902E-011 | 1.1690E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Benzyl alcohol | 5.3804E-010 | 1.3067E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 2.8380E-012 | 6.8938E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.6710E-015 | 4.0587E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.6181E-012 | 3.9303E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.8885E-007 | 3.4063E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.4376E-009 | 3.6306E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Cadmium | 1.5200E-008 | 2.3330E-008 |
| RCPTR_25 | farmer_child | TOCDFLIC | Carbon disulfide | 1.1068E-016 | 2.6877E-016 |
| RCPTR_25 | farmer_child | TOCDFLIC | Carbon tetrachloride | 8.9305E-016 | 2.1682E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.3770E-010 | 5.6240E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.3251E-011 | 3.2174E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chlorobenzene | 5.2391E-015 | 1.2716E-014 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chloroethane | 1.5656E-016 | 3.7914E-016 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 6.9122E-016 | 1.6789E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.1937E-009 | 2.8953E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 3.7005E-011 | 8.9886E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.6460E-009 | 3.9154E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Chrysene | 1.5672E-006 | 2.0557E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.0125E-008 | 1.4994E-008 |
| RCPTR_25 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 3.6969E+000 | 3.6969E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 7.3378E-005 | 7.8730E-005 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.7813E-012 | 4.3116E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.1769E-012 | 5.2760E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.0739E-012 | 5.0279E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.2330E-009 | 5.0675E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.2088E-017 | 2.9349E-017 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 2.8859E-016 | 7.0096E-016 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.7470E-015 | 9.1013E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.1517E-015 | 2.7970E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.8467E-015 | 4.4845E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.5976E-010 | 3.6957E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 9.9581E-016 | 2.4177E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.2587E-016 | 7.9145E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Diethyl phthalate | 5.0410E-010 | 5.8434E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dimethyl phthalate | 2.6863E-011 | 6.5048E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.5318E-011 | 6.1447E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.2103E-012 | 4.6832E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.2935E-011 | 5.5427E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.7690E-011 | 4.2809E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 5.2911E-013 | 1.2853E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Ethylbenzene | 2.8512E-014 | 6.8993E-014 |
| RCPTR_25 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 9.3315E-010 | 1.4556E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Fluoranthene | 1.2534E-007 | 2.6099E-007 |
| RCPTR_25 | farmer_child | TOCDFLIC | Fluorene | 1.8165E-009 | 4.3984E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.4536E-012 | 2.7865E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 8.0307E-012 | 8.9268E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.9605E-011 | 2.2197E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.9710E-011 | 2.1947E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.2534E-011 | 1.4294E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 1.0787E-011 | 1.2487E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.5434E-011 | 1.8021E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.3391E-011 | 1.5623E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.3722E-011 | 1.5986E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.1305E-011 | 1.3179E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.1942E-011 | 1.0119E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Hexachlorobenzene | 9.9635E-008 | 2.3980E-007 |
| RCPTR_25 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.1498E-010 | 2.7703E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.2869E-011 | 5.5441E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.0556E-004 | 5.1768E-004 |
| RCPTR_25 | farmer_child | TOCDFLIC | Isophorone | 3.8126E-012 | 9.2602E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Mercuric chloride | 1.4937E-010 | 1.8651E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.0728E-016 | 5.0348E-016 |
| RCPTR_25 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.2018E-017 | 2.9191E-017 |
| RCPTR_25 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.2032E-013 | 5.3518E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Methyl mercury | 7.1316E-013 | 8.2896E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Methylene chloride | 2.9884E-012 | 7.2588E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Naphthalene | 1.0048E-011 | 2.4380E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 6.5119E-011 | 1.5811E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.5427E-011 | 3.7469E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 3.9792E-012 | 9.6640E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitrobenzene | 6.4470E-012 | 1.5660E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.4693E-011 | 3.5686E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 7.5723E-012 | 1.5540E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.6769E-012 | 8.9276E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 3.7075E-012 | 8.9999E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.1774E-013 | 7.7001E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.8955E-012 | 4.5453E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.8504E-012 | 4.4898E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.5940E-011 | 5.1351E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 8.0464E-012 | 9.3777E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 3.0531E-011 | 3.5651E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.6763E-009 | 4.0326E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.2026E-010 | 2.8834E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Pentachlorophenol | 8.4432E-009 | 1.5312E-008 |
| RCPTR_25 | farmer_child | TOCDFLIC | Phenanthrene | 6.1738E-012 | 1.4963E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Phenol | 5.0850E-012 | 1.2348E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Pronamide | 5.2280E-010 | 1.2652E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Pyrene | 2.2383E-007 | 3.6632E-007 |
| RCPTR_25 | farmer_child | TOCDFLIC | Selenium | 3.7178E-005 | 3.8629E-005 |
| RCPTR_25 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Styrene | 2.5871E-014 | 6.2818E-014 |
| RCPTR_25 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 8.1948E-012 | 9.7821E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.5932E-012 | 3.1718E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 4.9843E-010 | 1.2029E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.0563E-012 | 1.7354E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.0671E-015 | 2.5911E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 2.9286E-009 | 6.5202E-009 |
| RCPTR_25 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFLIC | Toluene | 3.2124E-011 | 7.7933E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.7147E-011 | 4.1485E-011 |
| RCPTR_25 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.0166E-013 | 2.4688E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 5.4683E-014 | 1.3282E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Trichloroethylene | 8.9584E-015 | 2.1753E-014 |
| RCPTR_25 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.1811E-015 | 2.8679E-015 |
| RCPTR_25 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.9184E-009 | 4.6187E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 3.6933E-010 | 8.7011E-010 |
| RCPTR_25 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.0303E-013 | 4.9309E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | VX | 3.6343E-012 | 4.1077E-012 |
| RCPTR_25 | farmer_child | TOCDFLIC | Vinyl Chloride | 2.6363E-019 | 6.4028E-019 |
| RCPTR_25 | farmer_child | TOCDFLIC | Xylene, m- | 1.0478E-013 | 2.1992E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Xylene, o- | 7.1171E-014 | 1.5428E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Xylene, p- | 1.4717E-013 | 3.2535E-013 |
| RCPTR_25 | farmer_child | TOCDFLIC | Zinc | 2.0646E-007 | 3.0644E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Acenaphthene | 8.1735E-011 | 1.9815E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Acetone | 8.3064E-016 | 2.0177E-015 |
| RCPTR_25 | farmer_child | TOCDFMPF | Acetophenone | 8.8061E-012 | 2.1389E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Aniline | 5.2768E-013 | 1.2813E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Anthracene | 9.0093E-010 | 2.1840E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | Benzene | 4.6468E-015 | 1.1282E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 7.6769E-008 | 1.2015E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 6.1036E-007 | 7.1185E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 4.5908E-007 | 6.5207E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 8.5201E-007 | 9.3305E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Benzoic acid | 9.3158E-012 | 2.2269E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Benzyl alcohol | 4.2315E-012 | 1.0277E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.1981E-012 | 2.9104E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.4483E-014 | 5.9466E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 8.4934E-013 | 2.0630E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.0727E-007 | 1.9348E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.2079E-010 | 4.7760E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Cadmium | 4.8296E-008 | 7.4132E-008 |
| RCPTR_25 | farmer_child | TOCDFMPF | Carbon disulfide | 1.6216E-015 | 3.9379E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.3085E-014 | 3.1767E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.0099E-010 | 2.3895E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chloroaniline, p- | 3.8767E-012 | 9.4127E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chlorobenzene | 7.6762E-014 | 1.8630E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chloroethane | 2.1872E-016 | 5.2967E-016 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.0127E-014 | 2.4598E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.0847E-010 | 5.0562E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.3524E-011 | 3.2851E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.0527E-010 | 1.2019E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Chrysene | 1.6090E-007 | 2.1105E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.1757E-008 | 1.7411E-008 |
| RCPTR_25 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 3.2998E+000 | 3.2999E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.9319E-005 | 2.0736E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 6.1573E-013 | 1.4904E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 7.0154E-013 | 1.7003E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 6.6461E-013 | 1.6113E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 9.6101E-010 | 1.5061E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.6886E-017 | 4.1001E-017 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 4.2284E-015 | 1.0270E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.2346E-015 | 1.2715E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.6090E-015 | 3.9074E-015 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.5799E-015 | 6.2650E-015 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 6.2123E-011 | 1.4372E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.4590E-014 | 3.5423E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 4.7745E-015 | 1.1596E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.0693E-009 | 1.2395E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.5396E-012 | 3.7280E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 9.9140E-012 | 2.4061E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 4.2178E-012 | 8.9370E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.1382E-011 | 7.5840E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.1976E-011 | 5.3180E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.2386E-012 | 5.4377E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Ethylbenzene | 4.7577E-014 | 1.1513E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.6044E-010 | 2.5014E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Fluoranthene | 9.6806E-009 | 2.0158E-008 |
| RCPTR_25 | farmer_child | TOCDFMPF | Fluorene | 2.7471E-010 | 6.6517E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.6892E-013 | 3.0547E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.3380E-012 | 1.4877E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.2907E-012 | 1.4616E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.4110E-012 | 3.7991E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.1721E-012 | 2.4776E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.8441E-012 | 2.1351E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 4.1589E-012 | 4.8563E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.4182E-011 | 1.6547E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.1911E-011 | 1.3878E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.4382E-012 | 1.6768E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.3371E-011 | 5.6385E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Hexachlorobenzene | 4.9239E-008 | 1.1851E-007 |
| RCPTR_25 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 7.9386E-011 | 1.9127E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.5975E-011 | 3.8728E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.0925E-004 | 1.1189E-004 |
| RCPTR_25 | farmer_child | TOCDFMPF | Isophorone | 6.7611E-013 | 1.6422E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Mercuric chloride | 1.5974E-010 | 1.9944E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.5205E-016 | 3.6934E-016 |
| RCPTR_25 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 8.8162E-018 | 2.1414E-017 |
| RCPTR_25 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.6764E-015 | 8.9304E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | Methyl mercury | 7.6378E-013 | 8.8760E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | Methylene chloride | 9.6748E-016 | 2.3499E-015 |
| RCPTR_25 | farmer_child | TOCDFMPF | Naphthalene | 8.4068E-012 | 2.0398E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 8.0161E-012 | 1.9463E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.5387E-012 | 3.7371E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.7623E-012 | 4.2800E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitrobenzene | 2.1879E-012 | 5.3144E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.7611E-012 | 4.2775E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 6.7135E-012 | 1.3778E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.5556E-011 | 3.7771E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 8.3100E-013 | 2.0173E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.0508E-013 | 4.9699E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.9842E-013 | 3.4823E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9258E-014 | 3.4119E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 7.5394E-012 | 8.4288E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 5.4315E-012 | 6.3306E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.7185E-012 | 4.3425E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.4159E-009 | 3.4061E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.0791E-011 | 1.2177E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Pentachlorophenol | 4.9927E-009 | 9.0551E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Phenanthrene | 6.4467E-013 | 1.5625E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Phenol | 1.6524E-012 | 4.0126E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | Pronamide | 2.2119E-009 | 5.3527E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Pyrene | 1.6301E-008 | 2.6677E-008 |
| RCPTR_25 | farmer_child | TOCDFMPF | Selenium | 1.1697E-005 | 1.2154E-005 |
| RCPTR_25 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Styrene | 3.9180E-013 | 9.5132E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.5349E-012 | 4.2197E-012 |
| RCPTR_25 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.7347E-012 | 2.1218E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.1087E-009 | 5.0891E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.6555E-013 | 4.0201E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.5635E-014 | 3.7964E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.2367E-009 | 2.7535E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDFMPF | Toluene | 2.0627E-014 | 5.0041E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 5.7418E-012 | 1.3892E-011 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.0066E-014 | 2.4445E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 7.6393E-014 | 1.8554E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichloroethylene | 1.2515E-014 | 3.0389E-014 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.6500E-015 | 4.0065E-015 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 8.5307E-010 | 2.0539E-009 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.6689E-010 | 3.9319E-010 |
| RCPTR_25 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 2.8364E-013 | 6.8885E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | VX | 4.9865E-012 | 5.6363E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDFMPF | Vinyl Chloride | 3.9924E-018 | 9.6965E-018 |
| RCPTR_25 | farmer_child | TOCDFMPF | Xylene, m- | 8.2229E-014 | 1.7245E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | Xylene, o- | 8.7760E-014 | 1.9011E-013 |
| RCPTR_25 | farmer_child | TOCDFMPF | Xylene, p- | 1.1543E-013 | 2.5505E-013 |
| RCPTR_25 | farmer_child | TOCDHVAC | VX | 2.6906E-012 | 3.0441E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Acenaphthene | 4.4950E-010 | 1.0897E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Acetone | 1.9666E-011 | 4.7771E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Acetophenone | 2.0814E-012 | 5.0555E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Aniline | 1.2472E-013 | 3.0285E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Anthracene | 8.6279E-009 | 2.0916E-008 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Benzene | 2.6644E-014 | 6.4690E-014 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 8.3581E-007 | 1.3082E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 3.6016E-006 | 4.1995E-006 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.1862E-006 | 4.5257E-006 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 5.7621E-006 | 6.3087E-006 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Benzoic acid | 4.8902E-011 | 1.1690E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Benzyl alcohol | 5.3804E-010 | 1.3067E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 2.8380E-012 | 6.8938E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.6710E-015 | 4.0587E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.6181E-012 | 3.9303E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.8885E-007 | 3.4063E-007 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.4376E-009 | 3.6306E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Cadmium | 1.5200E-008 | 2.3330E-008 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.1068E-016 | 2.6877E-016 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 8.9305E-016 | 2.1682E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.3770E-010 | 5.6240E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.3251E-011 | 3.2174E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chlorobenzene | 5.2391E-015 | 1.2716E-014 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chloroethane | 1.5656E-016 | 3.7914E-016 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 6.9122E-016 | 1.6789E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.1937E-009 | 2.8953E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 3.7005E-011 | 8.9886E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.6460E-009 | 3.9154E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Chrysene | 1.5672E-006 | 2.0557E-006 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.0125E-008 | 1.4994E-008 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 3.6969E+000 | 3.6969E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 7.3378E-005 | 7.8730E-005 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.7813E-012 | 4.3116E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.1769E-012 | 5.2760E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.0739E-012 | 5.0279E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.2330E-009 | 5.0675E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.2088E-017 | 2.9349E-017 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 2.7921E-016 | 6.7817E-016 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.7470E-015 | 9.1013E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.1517E-015 | 2.7970E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.8467E-015 | 4.4845E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.5976E-010 | 3.6957E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 9.9581E-016 | 2.4177E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.2587E-016 | 7.9145E-016 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Diethyl phthalate | 5.0410E-010 | 5.8434E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 2.6863E-011 | 6.5048E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.5318E-011 | 6.1447E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.2103E-012 | 4.6832E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.2935E-011 | 5.5427E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.7690E-011 | 4.2809E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 5.2911E-013 | 1.2853E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Ethylbenzene | 2.8512E-014 | 6.8993E-014 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 9.3315E-010 | 1.4556E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Fluoranthene | 1.2534E-007 | 2.6099E-007 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Fluorene | 1.8165E-009 | 4.3984E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.4536E-012 | 2.7865E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.7714E-011 | 3.0806E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 6.7657E-011 | 7.6600E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.9710E-011 | 2.1947E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.2534E-011 | 1.4294E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 1.0787E-011 | 1.2487E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.5434E-011 | 1.8021E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.3391E-011 | 1.5623E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.3722E-011 | 1.5986E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.1305E-011 | 1.3179E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.1942E-011 | 1.0119E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 9.9635E-008 | 2.3980E-007 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.1498E-010 | 2.7703E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.2869E-011 | 5.5441E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.0556E-004 | 5.1768E-004 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Isophorone | 3.8126E-012 | 9.2602E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.4937E-010 | 1.8651E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.0728E-016 | 5.0348E-016 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 6.0172E-019 | 1.4615E-018 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.2032E-013 | 5.3518E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Methyl mercury | 7.1316E-013 | 8.2896E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | Methylene chloride | 2.9884E-012 | 7.2588E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Naphthalene | 1.0048E-011 | 2.4380E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 6.5119E-011 | 1.5811E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.5427E-011 | 3.7469E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 1.9932E-011 | 4.8408E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitrobenzene | 6.4470E-012 | 1.5660E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 2.9332E-012 | 7.1243E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 3.7930E-011 | 7.7841E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.6769E-012 | 8.9276E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.7075E-012 | 8.9999E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.1774E-013 | 7.7001E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.8955E-012 | 4.5453E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.8504E-012 | 4.4898E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.5940E-011 | 5.1351E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 8.0464E-012 | 9.3777E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 3.0531E-011 | 3.5651E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 3.3465E-010 | 8.0506E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.2026E-010 | 2.8834E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Pentachlorophenol | 4.2293E-008 | 7.6701E-008 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Phenanthrene | 6.1738E-012 | 1.4963E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Phenol | 5.0850E-012 | 1.2348E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Pronamide | 5.2280E-010 | 1.2652E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Pyrene | 2.2383E-007 | 3.6632E-007 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Selenium | 3.7178E-005 | 3.8629E-005 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Styrene | 2.5871E-014 | 6.2818E-014 |
| RCPTR_25 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 8.1948E-012 | 9.7821E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.5932E-012 | 3.1718E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 4.9843E-010 | 1.2029E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.0563E-012 | 1.7354E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.0671E-015 | 2.5911E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 2.9286E-009 | 6.5202E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Toluene | 3.2124E-011 | 7.7933E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.7147E-011 | 4.1485E-011 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.0166E-013 | 2.4688E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 5.4683E-014 | 1.3282E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichloroethylene | 8.9584E-015 | 2.1753E-014 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.1811E-015 | 2.8679E-015 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.9184E-009 | 4.6187E-009 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 3.6933E-010 | 8.7011E-010 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.0303E-013 | 4.9309E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | VX | 3.7783E-012 | 4.2704E-012 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Vinyl Chloride | 2.6363E-019 | 6.4028E-019 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_25 | farmer_child | TOCDLIC2 | Xylene, m- | 1.0478E-013 | 2.1992E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Xylene, o- | 7.1171E-014 | 1.5428E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Xylene, p- | 1.4717E-013 | 3.2535E-013 |
| RCPTR_25 | farmer_child | TOCDLIC2 | Zinc | 2.0646E-007 | 3.0644E-007 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Cadmium | 7.0246E-010 | 2.1162E-009 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Mercuric chloride | 2.3334E-007 | 2.4407E-007 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Methyl mercury | 9.3761E-010 | 1.0473E-009 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFBRA | Selenium | 8.0219E-007 | 8.6425E-007 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFBRA | Zinc | 2.2684E-008 | 5.8312E-008 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Acenaphthene | 8.1796E-012 | 1.3017E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Acetone | 1.4267E-015 | 2.3102E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Acetophenone | 3.7337E-014 | 6.0402E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Aniline | 2.2419E-015 | 3.6183E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Anthracene | 1.5698E-010 | 2.4984E-009 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Aroclor 1254 | 1.7392E-012 | 1.2676E-011 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Benzene | 1.2163E-016 | 1.9608E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 3.6891E-008 | 1.5070E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 3.0102E-007 | 4.3132E-007 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 1.8996E-007 | 5.0671E-007 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 4.9221E-007 | 6.4253E-007 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Benzoic acid | 6.3769E-013 | 9.0164E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Benzyl alcohol | 7.8772E-014 | 1.2736E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 5.0865E-014 | 8.2366E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Bromodichloromethane | 2.5775E-016 | 4.1705E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 8.9397E-015 | 1.4468E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 4.0061E-009 | 4.0697E-008 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 6.3113E-010 | 1.4756E-009 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Cadmium | 1.1177E-009 | 3.2751E-009 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Carbon disulfide | 3.4384E-017 | 5.5520E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 1.3823E-016 | 2.2278E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 5.1298E-012 | 6.6998E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 2.3835E-013 | 3.8439E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chlorobenzene | 4.0721E-016 | 6.5436E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chloroethane | 3.3492E-018 | 5.2773E-017 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 5.3415E-017 | 8.6404E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 2.1650E-011 | 3.4587E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 6.6343E-013 | 1.0739E-011 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.4242E-011 | 4.6665E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Chrysene | 9.9516E-008 | 2.2798E-007 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.1380E-009 | 2.5754E-009 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 1.2170E+001 | 1.2170E+001 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 6.3680E-006 | 7.2988E-006 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 7.1855E-015 | 1.1277E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 2.5811E-014 | 4.0964E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 1.6793E-014 | 2.6727E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 1.2697E-010 | 3.3195E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 2.5330E-019 | 4.0863E-018 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 2.2297E-017 | 3.6076E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.7599E-017 | 4.4662E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 2.4110E-017 | 3.8943E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.8666E-017 | 6.2439E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 2.8730E-012 | 3.2057E-011 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 2.1904E-016 | 3.5303E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.5189E-017 | 4.0732E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Diethyl phthalate | 2.3799E-010 | 3.1682E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 2.4091E-013 | 3.7953E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 4.5692E-013 | 7.3409E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 3.9234E-013 | 2.7247E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 9.2428E-014 | 1.4328E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 7.0648E-014 | 1.1068E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 9.4846E-015 | 1.5356E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Ethylbenzene | 5.1561E-016 | 8.0704E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 1.7361E-011 | 4.5587E-011 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Fluoranthene | 2.8064E-009 | 3.1053E-008 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Fluorene | 3.3368E-011 | 5.2532E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 1.9408E-014 | 2.7828E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 2.5180E-014 | 3.3768E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 5.8687E-014 | 8.3354E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 1.5833E-013 | 2.1369E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 9.4580E-014 | 1.3762E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 7.8009E-014 | 1.1932E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.0821E-013 | 1.7070E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 9.4220E-014 | 1.4816E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 9.7078E-014 | 1.5196E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 7.9761E-014 | 1.2514E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 7.9079E-013 | 1.2080E-011 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 1.8492E-009 | 2.8635E-008 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.0833E-011 | 1.6368E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.1634E-013 | 6.6226E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 4.8783E-005 | 5.0767E-005 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Isophorone | 6.8401E-014 | 1.1064E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Mercuric chloride | 2.9268E-010 | 3.0619E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 2.2741E-018 | 3.6811E-017 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 4.3755E-020 | 7.0793E-019 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.6479E-016 | 4.2875E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Methyl mercury | 1.1284E-012 | 1.2667E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Methylene chloride | 1.4809E-015 | 2.3964E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | Naphthalene | 4.8029E-013 | 7.6989E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.1574E-012 | 1.8667E-011 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 2.7353E-013 | 4.4239E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 3.5358E-013 | 5.7153E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.1559E-013 | 1.8710E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 5.2618E-014 | 8.5119E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 1.4910E-012 | 9.0059E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 6.6135E-014 | 1.0666E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 6.6796E-014 | 1.0752E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 5.7624E-015 | 9.1938E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 4.5095E-014 | 7.0837E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 1.3527E-014 | 2.1202E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 3.2729E-013 | 4.5017E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 3.3643E-014 | 5.3007E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.2561E-013 | 1.9888E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 3.1729E-011 | 4.7540E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.3269E-012 | 3.3975E-011 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Pentachlorophenol | 4.5273E-010 | 1.7616E-009 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Phenanthrene | 1.1258E-013 | 1.7873E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Phenol | 9.1393E-014 | 1.4752E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Pronamide | 1.9292E-011 | 3.0219E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Pyrene | 5.8889E-009 | 4.3670E-008 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Selenium | 1.6836E-007 | 1.8075E-007 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Styrene | 4.8668E-015 | 7.8509E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 1.8570E-013 | 3.1796E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.0110E-013 | 1.8834E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 9.3888E-012 | 1.4361E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 5.7705E-013 | 1.6898E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.6499E-016 | 2.6624E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 8.5878E-011 | 7.6214E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Toluene | 8.2042E-016 | 1.3136E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.8169E-013 | 5.9707E-012 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.0612E-016 | 1.7144E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.1433E-015 | 1.8493E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichloroethylene | 1.8769E-016 | 3.0286E-015 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.4739E-017 | 3.9930E-016 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.6777E-011 | 5.5129E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 8.1868E-012 | 1.0361E-010 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 4.2473E-015 | 6.8654E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.5971E-014 | 5.6694E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | VX | 5.4442E-013 | 6.8933E-013 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Vinyl Chloride | 3.0976E-020 | 5.0088E-019 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFDFS | Xylene, m- | 6.0969E-015 | 4.3521E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Xylene, o- | 5.8632E-015 | 4.8320E-014 |
| RCPTR_26 | farmer_adult | TOCDFDFS | Xylene, p- | 7.1860E-015 | 6.5100E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Acenaphthene | 4.8813E-012 | 7.7666E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Acetone | 2.1029E-013 | 3.4053E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Acetophenone | 2.2277E-014 | 3.6038E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Aniline | 1.3377E-015 | 2.1588E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Anthracene | 9.3676E-011 | 1.4907E-009 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Benzene | 2.8605E-016 | 4.6112E-015 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 2.2132E-008 | 8.9920E-008 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 1.8040E-007 | 2.5648E-007 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.1431E-007 | 3.0279E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 2.9469E-007 | 3.8159E-007 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Benzoic acid | 5.8961E-013 | 8.3195E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Benzyl alcohol | 5.7612E-012 | 9.3150E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 3.0348E-014 | 4.9143E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Bromodichloromethane | 1.7882E-017 | 2.8932E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 1.7311E-014 | 2.8017E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.3901E-009 | 2.4281E-008 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.0094E-010 | 2.3633E-010 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Cadmium | 3.3592E-010 | 9.8203E-010 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.1866E-018 | 1.9159E-017 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 9.5906E-018 | 1.5455E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 3.0712E-012 | 3.9984E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 1.4222E-013 | 2.2934E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chlorobenzene | 5.6408E-017 | 9.0635E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Chloroethane | 1.7155E-018 | 2.7019E-017 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 7.3986E-018 | 1.1968E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.2920E-011 | 2.0636E-010 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 3.9583E-013 | 6.4075E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 2.0469E-011 | 2.7846E-010 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Chrysene | 5.9892E-008 | 1.3625E-007 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 4.4374E-010 | 9.9695E-010 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 2.2609E-001 | 2.2609E-001 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 3.8213E-006 | 4.3460E-006 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 1.9585E-014 | 3.0724E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 2.3699E-014 | 3.7601E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 2.2521E-014 | 3.5834E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 1.2918E-010 | 3.3601E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.2968E-019 | 2.0921E-018 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 3.0884E-018 | 4.9968E-017 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.0092E-017 | 6.4879E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.2344E-017 | 1.9938E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.9797E-017 | 3.1967E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 2.3611E-012 | 2.6213E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.0694E-017 | 1.7234E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.4889E-018 | 5.6418E-017 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Diethyl phthalate | 2.7991E-011 | 3.7113E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 2.9428E-013 | 4.6352E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 2.7265E-013 | 4.3799E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 4.7740E-014 | 3.2886E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 2.5473E-013 | 3.9484E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 1.9476E-013 | 3.0503E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 5.6589E-015 | 9.1620E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Ethylbenzene | 3.1423E-016 | 4.9162E-015 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 3.6270E-011 | 9.5467E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Fluoranthene | 1.6785E-009 | 1.8529E-008 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Fluorene | 1.9916E-011 | 3.1343E-010 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.1128E-013 | 1.5835E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 3.8937E-013 | 5.1782E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 8.9880E-013 | 1.2666E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 9.5951E-013 | 1.2849E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 5.6579E-013 | 8.1732E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 4.6213E-013 | 7.0283E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 6.5615E-013 | 1.0307E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 5.7180E-013 | 8.9523E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 5.9016E-013 | 9.1962E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 4.8450E-013 | 7.5676E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.7203E-013 | 7.2077E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.1039E-009 | 1.7085E-008 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.3063E-012 | 1.9729E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.4848E-013 | 3.9514E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 2.9501E-005 | 3.0619E-005 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Isophorone | 4.0811E-014 | 6.6011E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.2495E-011 | 1.3073E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 2.2172E-018 | 3.5891E-017 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.2861E-019 | 2.0808E-018 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.3561E-015 | 3.8151E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Methyl mercury | 4.7856E-014 | 5.3761E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Methylene chloride | 3.1976E-014 | 5.1744E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Naphthalene | 1.0842E-013 | 1.7377E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 6.9883E-013 | 1.1270E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 1.6515E-013 | 2.6710E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 4.2616E-014 | 6.8887E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitrobenzene | 6.8964E-014 | 1.1163E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 1.5726E-013 | 2.5439E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 1.8173E-013 | 1.0875E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.9461E-014 | 6.3638E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 3.9857E-014 | 6.4152E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 3.4357E-015 | 5.4851E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 1.6112E-013 | 2.5204E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 1.5933E-013 | 2.4873E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 2.2983E-012 | 3.1418E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 3.7673E-013 | 5.9099E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.3978E-012 | 2.2038E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 1.9124E-011 | 2.8699E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.4019E-012 | 2.0509E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Pentachlorophenol | 2.7380E-010 | 1.0547E-009 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Phenanthrene | 6.7186E-014 | 1.0664E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Phenol | 5.4532E-014 | 8.8018E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Pronamide | 5.7582E-012 | 9.0153E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Pyrene | 3.5169E-009 | 2.6057E-008 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Selenium | 1.3866E-006 | 1.4883E-006 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Styrene | 2.7759E-016 | 4.4778E-015 |
| RCPTR_26 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 3.7004E-013 | 6.3141E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.1330E-013 | 2.1043E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 5.6067E-012 | 8.5688E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 4.0622E-014 | 1.1782E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.1446E-017 | 1.8470E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 5.2265E-011 | 4.6056E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Toluene | 3.4699E-013 | 5.5548E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.8915E-013 | 2.9560E-012 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.0894E-015 | 1.7598E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 5.8536E-016 | 9.4677E-015 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichloroethylene | 9.6099E-017 | 1.5506E-015 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.2666E-017 | 2.0443E-016 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.1972E-011 | 3.2895E-010 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 4.9036E-012 | 6.1834E-011 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 2.1746E-015 | 3.5149E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | VX | 2.0555E-013 | 2.5937E-013 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Vinyl Chloride | 2.8225E-021 | 4.5641E-020 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Xylene, m- | 2.0708E-015 | 1.5161E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Xylene, o- | 1.2714E-015 | 1.0719E-014 |
| RCPTR_26 | farmer_adult | TOCDFLIC | Xylene, p- | 2.4559E-015 | 2.2712E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFLIC | Zinc | 5.1154E-009 | 1.2775E-008 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Acenaphthene | 8.9320E-013 | 1.4212E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Acetone | 8.9385E-018 | 1.4474E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Acetophenone | 9.4847E-014 | 1.5343E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Aniline | 5.6952E-015 | 9.1913E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Anthracene | 9.8434E-012 | 1.5664E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Benzene | 5.0203E-017 | 8.0928E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 2.0447E-009 | 8.3088E-009 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 3.0723E-008 | 4.3696E-008 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 1.6562E-008 | 4.3886E-008 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 4.3781E-008 | 5.6717E-008 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Benzoic acid | 1.1302E-013 | 1.5949E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Benzyl alcohol | 4.5596E-014 | 7.3722E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.2893E-014 | 2.0878E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Bromodichloromethane | 2.6365E-016 | 4.2658E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 9.1442E-015 | 1.4799E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.3662E-009 | 1.3879E-008 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 1.3356E-011 | 3.1262E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Cadmium | 1.0677E-009 | 3.1208E-009 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Carbon disulfide | 1.7495E-017 | 2.8248E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 1.4141E-016 | 2.2787E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.3129E-012 | 1.7096E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 4.1870E-014 | 6.7519E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chlorobenzene | 8.3168E-016 | 1.3363E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chloroethane | 2.4117E-018 | 3.7984E-017 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.0909E-016 | 1.7645E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 2.2705E-012 | 3.6265E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 1.4558E-013 | 2.3566E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 6.3225E-012 | 8.6016E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Chrysene | 6.1830E-009 | 1.4070E-008 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 5.1826E-010 | 1.1647E-009 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 2.0301E-001 | 2.0301E-001 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.0103E-006 | 1.1491E-006 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 6.8125E-015 | 1.0687E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 7.6856E-015 | 1.2194E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 7.2627E-015 | 1.1556E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 3.8611E-011 | 1.0045E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 1.8231E-019 | 2.9411E-018 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 4.5536E-017 | 7.3674E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.6362E-017 | 9.1209E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 1.7354E-017 | 2.8029E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.7831E-017 | 4.4941E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 9.2375E-013 | 1.0258E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 1.5767E-016 | 2.5409E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.1441E-017 | 8.3183E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Diethyl phthalate | 5.9724E-011 | 7.9202E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 1.6972E-014 | 2.6733E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.0744E-013 | 1.7259E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 9.1643E-014 | 6.3151E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 3.5074E-013 | 5.4366E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 2.4346E-013 | 3.8132E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 2.4093E-014 | 3.9008E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Ethylbenzene | 5.2765E-016 | 8.2552E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 6.2697E-012 | 1.6498E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Fluoranthene | 1.3044E-010 | 1.4402E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Fluorene | 3.0309E-012 | 4.7700E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.2237E-014 | 1.7420E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 6.5119E-014 | 8.6642E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 5.9371E-014 | 8.3706E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 1.6671E-013 | 2.2334E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 9.8382E-014 | 1.4218E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 7.9250E-014 | 1.2056E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 1.7738E-013 | 2.7869E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 6.0755E-013 | 9.5142E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 5.1400E-013 | 8.0113E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 6.1845E-014 | 9.6619E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.6468E-013 | 4.0416E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 5.4897E-010 | 8.4969E-009 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 9.0764E-013 | 1.3708E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.7467E-013 | 2.7776E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 6.4095E-006 | 6.6527E-006 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Isophorone | 7.2830E-015 | 1.1780E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Mercuric chloride | 1.3443E-011 | 1.4064E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 1.6368E-018 | 2.6495E-017 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 9.4941E-020 | 1.5361E-018 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.9564E-017 | 6.4063E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Methyl mercury | 5.1510E-014 | 5.7862E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Methylene chloride | 1.0417E-017 | 1.6857E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Naphthalene | 9.1285E-014 | 1.4631E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 8.6570E-014 | 1.3962E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 1.6576E-014 | 2.6808E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 1.8993E-014 | 3.0702E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitrobenzene | 2.3552E-014 | 3.8123E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 1.8969E-014 | 3.0685E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 1.6207E-013 | 9.7028E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.6801E-013 | 2.7094E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 8.9901E-015 | 1.4470E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 2.2316E-015 | 3.5626E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.2379E-014 | 1.9367E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.2142E-015 | 1.8958E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 3.7895E-013 | 5.1820E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 2.5555E-013 | 4.0097E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 1.7102E-013 | 2.6968E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 1.6257E-011 | 2.4394E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.9588E-013 | 8.7163E-012 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Pentachlorophenol | 1.6285E-010 | 6.2760E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Phenanthrene | 7.0599E-015 | 1.1206E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Phenol | 1.7833E-014 | 2.8783E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Pronamide | 2.4515E-011 | 3.8383E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Pyrene | 2.5772E-010 | 1.9096E-009 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Selenium | 4.3647E-007 | 4.6846E-007 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Styrene | 4.2305E-015 | 6.8241E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 1.6045E-013 | 2.7381E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 7.6213E-014 | 1.4156E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.3870E-011 | 3.6482E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.7861E-015 | 2.8837E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.6876E-016 | 2.7232E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 2.2204E-011 | 1.9572E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Toluene | 2.2421E-016 | 3.5892E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 6.3738E-014 | 9.9612E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.0855E-016 | 1.7536E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 8.2293E-016 | 1.3310E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichloroethylene | 1.3510E-016 | 2.1799E-015 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.7807E-017 | 2.8740E-016 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 9.8317E-012 | 1.4720E-010 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 2.2295E-012 | 2.8118E-011 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 3.0571E-015 | 4.9414E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | VX | 2.8370E-013 | 3.5803E-013 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Vinyl Chloride | 4.3015E-020 | 6.9556E-019 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Xylene, m- | 1.6361E-015 | 1.1957E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Xylene, o- | 1.5784E-015 | 1.3288E-014 |
| RCPTR_26 | farmer_adult | TOCDFMPF | Xylene, p- | 1.9395E-015 | 1.7912E-014 |
| RCPTR_26 | farmer_adult | TOCDHVAC | VX | 1.0297E-013 | 1.3343E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Acenaphthene | 4.8813E-012 | 7.7666E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Acetone | 2.1029E-013 | 3.4053E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Acetophenone | 2.2277E-014 | 3.6038E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Aniline | 1.3377E-015 | 2.1588E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Anthracene | 9.3676E-011 | 1.4907E-009 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Benzene | 2.8605E-016 | 4.6112E-015 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 2.2132E-008 | 8.9920E-008 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 1.8040E-007 | 2.5648E-007 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.1431E-007 | 3.0279E-007 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 2.9469E-007 | 3.8159E-007 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Benzoic acid | 5.8961E-013 | 8.3195E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 5.7612E-012 | 9.3150E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.0348E-014 | 4.9143E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 1.7882E-017 | 2.8932E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 1.7311E-014 | 2.8017E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.3901E-009 | 2.4281E-008 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.0094E-010 | 2.3633E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Cadmium | 3.3592E-010 | 9.8203E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.1866E-018 | 1.9159E-017 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 9.5906E-018 | 1.5455E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 3.0712E-012 | 3.9984E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 1.4222E-013 | 2.2934E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chlorobenzene | 5.6408E-017 | 9.0635E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chloroethane | 1.7155E-018 | 2.7019E-017 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 7.3986E-018 | 1.1968E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.2920E-011 | 2.0636E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 3.9583E-013 | 6.4075E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 2.0469E-011 | 2.7846E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Chrysene | 5.9892E-008 | 1.3625E-007 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 4.4374E-010 | 9.9695E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 2.2609E-001 | 2.2609E-001 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 3.8213E-006 | 4.3460E-006 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.9585E-014 | 3.0724E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.3699E-014 | 3.7601E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 2.2521E-014 | 3.5834E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 1.2918E-010 | 3.3601E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.2968E-019 | 2.0921E-018 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 2.9880E-018 | 4.8343E-017 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.0092E-017 | 6.4879E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.2344E-017 | 1.9938E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.9797E-017 | 3.1967E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 2.3611E-012 | 2.6213E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.0694E-017 | 1.7234E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.4889E-018 | 5.6418E-017 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 2.7991E-011 | 3.7113E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 2.9428E-013 | 4.6352E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 2.7265E-013 | 4.3799E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 4.7740E-014 | 3.2886E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.5473E-013 | 3.9484E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.9476E-013 | 3.0503E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 5.6589E-015 | 9.1620E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Ethylbenzene | 3.1423E-016 | 4.9162E-015 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 3.6270E-011 | 9.5467E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Fluoranthene | 1.6785E-009 | 1.8529E-008 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Fluorene | 1.9916E-011 | 3.1343E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.1128E-013 | 1.5835E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.3437E-012 | 1.7870E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 3.1017E-012 | 4.3712E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 9.5951E-013 | 1.2849E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 5.6579E-013 | 8.1732E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 4.6213E-013 | 7.0283E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 6.5615E-013 | 1.0307E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 5.7180E-013 | 8.9523E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 5.9016E-013 | 9.1962E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 4.8450E-013 | 7.5676E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.7203E-013 | 7.2077E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.1039E-009 | 1.7085E-008 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.3063E-012 | 1.9729E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.4848E-013 | 3.9514E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 2.9501E-005 | 3.0619E-005 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Isophorone | 4.0811E-014 | 6.6011E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.2495E-011 | 1.3073E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.2172E-018 | 3.5891E-017 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 6.4392E-021 | 1.0418E-019 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.3561E-015 | 3.8151E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Methyl mercury | 4.7856E-014 | 5.3761E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Methylene chloride | 3.1976E-014 | 5.1744E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Naphthalene | 1.0842E-013 | 1.7377E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 6.9883E-013 | 1.1270E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 1.6515E-013 | 2.6710E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 2.1347E-013 | 3.4506E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitrobenzene | 6.8964E-014 | 1.1163E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 3.1394E-014 | 5.0785E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 9.1028E-013 | 5.4475E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.9461E-014 | 6.3638E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.9857E-014 | 6.4152E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 3.4357E-015 | 5.4851E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 1.6112E-013 | 2.5204E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 1.5933E-013 | 2.4873E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 2.2983E-012 | 3.1418E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 3.7673E-013 | 5.9099E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.3978E-012 | 2.2038E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 3.8178E-012 | 5.7295E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.4019E-012 | 2.0509E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 1.3715E-009 | 5.2831E-009 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Phenanthrene | 6.7186E-014 | 1.0664E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Phenol | 5.4532E-014 | 8.8018E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Pronamide | 5.7582E-012 | 9.0153E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Pyrene | 3.5169E-009 | 2.6057E-008 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Selenium | 1.3866E-006 | 1.4883E-006 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Styrene | 2.7759E-016 | 4.4778E-015 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 3.7004E-013 | 6.3141E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.1330E-013 | 2.1043E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 5.6067E-012 | 8.5688E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 4.0622E-014 | 1.1782E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.1446E-017 | 1.8470E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 5.2265E-011 | 4.6056E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Toluene | 3.4699E-013 | 5.5548E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.8915E-013 | 2.9560E-012 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.0894E-015 | 1.7598E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 5.8536E-016 | 9.4677E-015 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichloroethylene | 9.6099E-017 | 1.5506E-015 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.2666E-017 | 2.0443E-016 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.1972E-011 | 3.2895E-010 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 4.9036E-012 | 6.1834E-011 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.1746E-015 | 3.5149E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | VX | 2.1369E-013 | 2.6964E-013 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 2.8225E-021 | 4.5641E-020 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Xylene, m- | 2.0708E-015 | 1.5161E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Xylene, o- | 1.2714E-015 | 1.0719E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Xylene, p- | 2.4559E-015 | 2.2712E-014 |
| RCPTR_26 | farmer_adult | TOCDLIC2 | Zinc | 5.1154E-009 | 1.2775E-008 |
| RCPTR_26 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Cadmium | 1.3350E-009 | 2.1162E-009 |
| RCPTR_26 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Mercuric chloride | 1.9527E-007 | 2.4407E-007 |
| RCPTR_26 | farmer_child | TOCDFBRA | Methyl mercury | 8.9518E-010 | 1.0473E-009 |
| RCPTR_26 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Selenium | 8.2533E-007 | 8.6425E-007 |
| RCPTR_26 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFBRA | Zinc | 3.7892E-008 | 5.8312E-008 |
| RCPTR_26 | farmer_child | TOCDFDFS | Acenaphthene | 5.3676E-011 | 1.3017E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Acetone | 9.5105E-015 | 2.3102E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | Acetophenone | 2.4868E-013 | 6.0402E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Aniline | 1.4900E-014 | 3.6183E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | Anthracene | 1.0303E-009 | 2.4984E-009 |
| RCPTR_26 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Aroclor 1254 | 5.8179E-012 | 1.2676E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Benzene | 8.0755E-016 | 1.9608E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 9.4518E-008 | 1.5070E-007 |
| RCPTR_26 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 3.6387E-007 | 4.3132E-007 |
| RCPTR_26 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 3.4783E-007 | 5.0671E-007 |
| RCPTR_26 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 5.8239E-007 | 6.4253E-007 |
| RCPTR_26 | farmer_child | TOCDFDFS | Benzoic acid | 3.7625E-012 | 9.0164E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Benzyl alcohol | 5.2440E-013 | 1.2736E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 3.3908E-013 | 8.2366E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Bromodichloromethane | 1.7170E-015 | 4.1705E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 5.9565E-014 | 1.4468E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 2.2562E-008 | 4.0697E-008 |
| RCPTR_26 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 9.4609E-010 | 1.4756E-009 |
| RCPTR_26 | farmer_child | TOCDFDFS | Cadmium | 2.0830E-009 | 3.2751E-009 |
| RCPTR_26 | farmer_child | TOCDFDFS | Carbon disulfide | 2.2862E-016 | 5.5520E-016 |
| RCPTR_26 | farmer_child | TOCDFDFS | Carbon tetrachloride | 9.1752E-016 | 2.2278E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 2.8203E-011 | 6.6998E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chloroaniline, p- | 1.5830E-012 | 3.8439E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chlorobenzene | 2.6957E-015 | 6.5436E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chloroethane | 2.1782E-017 | 5.2773E-017 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 3.5573E-016 | 8.6404E-016 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 1.4257E-010 | 3.4587E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 4.4212E-012 | 1.0739E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 1.9551E-010 | 4.6665E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Chrysene | 1.7021E-007 | 2.2798E-007 |
| RCPTR_26 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 1.6741E-009 | 2.5754E-009 |
| RCPTR_26 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 1.2170E+001 | 1.2170E+001 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 6.8801E-006 | 7.2988E-006 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 4.6563E-014 | 1.1277E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 1.6896E-013 | 4.0964E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.1021E-013 | 2.6727E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.0341E-010 | 3.3195E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 1.6828E-018 | 4.0863E-018 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 1.4852E-016 | 3.6076E-016 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 1.8387E-016 | 4.4662E-016 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 1.6035E-016 | 3.8943E-016 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 2.5711E-016 | 6.2439E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 1.3757E-011 | 3.2057E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 1.4540E-015 | 3.5303E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 1.6770E-016 | 4.0732E-016 |
| RCPTR_26 | farmer_child | TOCDFDFS | Diethyl phthalate | 2.6739E-010 | 3.1682E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dimethyl phthalate | 1.5665E-012 | 3.7953E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 3.0243E-012 | 7.3409E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 1.2622E-012 | 2.7247E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 5.9230E-013 | 1.4328E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 4.5709E-013 | 1.1068E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 6.3217E-014 | 1.5356E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Ethylbenzene | 3.3331E-015 | 8.0704E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.7887E-011 | 4.5587E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Fluoranthene | 1.4850E-008 | 3.1053E-008 |
| RCPTR_26 | farmer_child | TOCDFDFS | Fluorene | 2.1684E-010 | 5.2532E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 2.4292E-014 | 2.7828E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 3.0165E-014 | 3.3768E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 7.3007E-014 | 8.3354E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 1.9045E-013 | 2.1369E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.1958E-013 | 1.3762E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.0200E-013 | 1.1932E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.4452E-013 | 1.7070E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.2554E-013 | 1.4816E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.2896E-013 | 1.5196E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.0612E-013 | 1.2514E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 5.0011E-012 | 1.2080E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.1889E-008 | 2.8635E-008 |
| RCPTR_26 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 6.7836E-011 | 1.6368E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 2.7309E-012 | 6.6226E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 4.9820E-005 | 5.0767E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Isophorone | 4.5551E-013 | 1.1064E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Mercuric chloride | 2.4472E-010 | 3.0619E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 1.5155E-017 | 3.6811E-017 |
| RCPTR_26 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 2.9146E-019 | 7.0793E-019 |
| RCPTR_26 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 1.7651E-015 | 4.2875E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Methyl mercury | 1.0750E-012 | 1.2667E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Methylene chloride | 9.8658E-015 | 2.3964E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | Naphthalene | 3.1724E-012 | 7.6989E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 7.6875E-012 | 1.8667E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 1.8214E-012 | 4.4239E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 2.3532E-012 | 5.7153E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitrobenzene | 7.7027E-013 | 1.8710E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 3.5044E-013 | 8.5119E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 4.2936E-012 | 9.0059E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 4.3926E-013 | 1.0666E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 4.4288E-013 | 1.0752E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 3.7901E-014 | 9.1938E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 6.0032E-014 | 7.0837E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 1.7978E-014 | 2.1202E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 3.9886E-013 | 4.5017E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 4.4917E-014 | 5.3007E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.6823E-013 | 1.9888E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Pentachlorobenzene | 1.9719E-010 | 4.7540E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 1.4130E-011 | 3.3975E-011 |
| RCPTR_26 | farmer_child | TOCDFDFS | Pentachlorophenol | 9.4086E-010 | 1.7616E-009 |
| RCPTR_26 | farmer_child | TOCDFDFS | Phenanthrene | 7.3717E-013 | 1.7873E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Phenol | 6.0749E-013 | 1.4752E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Pronamide | 1.2480E-010 | 3.0219E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Pyrene | 2.6649E-008 | 4.3670E-008 |
| RCPTR_26 | farmer_child | TOCDFDFS | Selenium | 1.7298E-007 | 1.8075E-007 |
| RCPTR_26 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Styrene | 3.2331E-014 | 7.8509E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 2.6293E-013 | 3.1796E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.5209E-013 | 1.8834E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 5.9446E-011 | 1.4361E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 9.9206E-013 | 1.6898E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.0964E-015 | 2.6624E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 3.3809E-010 | 7.6214E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFDFS | Toluene | 5.4134E-015 | 1.3136E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 2.4661E-012 | 5.9707E-012 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 7.0590E-016 | 1.7144E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 7.6137E-015 | 1.8493E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFDFS | Trichloroethylene | 1.2472E-015 | 3.0286E-015 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 1.6443E-016 | 3.9930E-016 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 2.2866E-010 | 5.5129E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 4.3773E-011 | 1.0361E-010 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 2.8268E-014 | 6.8654E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 2.3399E-013 | 5.6694E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | VX | 5.9846E-013 | 6.8933E-013 |
| RCPTR_26 | farmer_child | TOCDFDFS | Vinyl Chloride | 2.0622E-019 | 5.0088E-019 |
| RCPTR_26 | farmer_child | TOCDFDFS | Xylene, m- | 2.0054E-014 | 4.3521E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | Xylene, o- | 2.1697E-014 | 4.8320E-014 |
| RCPTR_26 | farmer_child | TOCDFDFS | Xylene, p- | 2.8785E-014 | 6.5100E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Acenaphthene | 3.2026E-011 | 7.7666E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Acetone | 1.4019E-012 | 3.4053E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Acetophenone | 1.4837E-013 | 3.6038E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Aniline | 8.8901E-015 | 2.1588E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Anthracene | 6.1470E-010 | 1.4907E-009 |
| RCPTR_26 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Benzene | 1.8991E-015 | 4.6112E-015 |
| RCPTR_26 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 5.6457E-008 | 8.9920E-008 |
| RCPTR_26 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 2.1710E-007 | 2.5648E-007 |
| RCPTR_26 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 2.0825E-007 | 3.0279E-007 |
| RCPTR_26 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 3.4682E-007 | 3.8159E-007 |
| RCPTR_26 | farmer_child | TOCDFLIC | Benzoic acid | 3.4724E-012 | 8.3195E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Benzyl alcohol | 3.8352E-011 | 9.3150E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 2.0231E-013 | 4.9143E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.1911E-016 | 2.8932E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.1534E-013 | 2.8017E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.3461E-008 | 2.4281E-008 |
| RCPTR_26 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 1.5143E-010 | 2.3633E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Cadmium | 6.2501E-010 | 9.8203E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Carbon disulfide | 7.8892E-018 | 1.9159E-017 |
| RCPTR_26 | farmer_child | TOCDFLIC | Carbon tetrachloride | 6.3653E-017 | 1.5455E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 1.6838E-011 | 3.9984E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chloroaniline, p- | 9.4450E-013 | 2.2934E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chlorobenzene | 3.7339E-016 | 9.0635E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chloroethane | 1.1152E-017 | 2.7019E-017 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 4.9272E-017 | 1.1968E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 8.5063E-011 | 2.0636E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 2.6379E-012 | 6.4075E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.1669E-010 | 2.7846E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Chrysene | 1.0191E-007 | 1.3625E-007 |
| RCPTR_26 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 6.5006E-010 | 9.9695E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 2.2609E-001 | 2.2609E-001 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 4.1100E-006 | 4.3460E-006 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.2686E-013 | 3.0724E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 1.5509E-013 | 3.7601E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 1.4776E-013 | 3.5834E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.0632E-010 | 3.3601E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 8.6154E-019 | 2.0921E-018 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 2.0572E-017 | 4.9968E-017 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.6710E-016 | 6.4879E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 8.2097E-017 | 1.9938E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.3163E-016 | 3.1967E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.1257E-011 | 2.6213E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 7.0977E-017 | 1.7234E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 2.3228E-017 | 5.6418E-017 |
| RCPTR_26 | farmer_child | TOCDFLIC | Diethyl phthalate | 3.1393E-011 | 3.7113E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dimethyl phthalate | 1.9132E-012 | 4.6352E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 1.8044E-012 | 4.3799E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 1.5258E-013 | 3.2886E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 1.6323E-012 | 3.9484E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.2597E-012 | 3.0503E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 3.7718E-014 | 9.1620E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Ethylbenzene | 2.0305E-015 | 4.9162E-015 |
| RCPTR_26 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 5.8347E-011 | 9.5467E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Fluoranthene | 8.8633E-009 | 1.8529E-008 |
| RCPTR_26 | farmer_child | TOCDFLIC | Fluorene | 1.2938E-010 | 3.1343E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.3858E-013 | 1.5835E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 4.6393E-013 | 5.1782E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.1123E-012 | 1.2666E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.1483E-012 | 1.2849E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 7.1190E-013 | 8.1732E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 6.0195E-013 | 7.0283E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 8.7377E-013 | 1.0307E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 7.5964E-013 | 8.9523E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 7.8155E-013 | 9.1962E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 6.4266E-013 | 7.5676E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 2.9841E-012 | 7.2077E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Hexachlorobenzene | 7.0939E-009 | 1.7085E-008 |
| RCPTR_26 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 8.1771E-012 | 1.9729E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 1.6295E-012 | 3.9514E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 3.0085E-005 | 3.0619E-005 |
| RCPTR_26 | farmer_child | TOCDFLIC | Isophorone | 2.7178E-013 | 6.6011E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Mercuric chloride | 1.0447E-011 | 1.3073E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 1.4776E-017 | 3.5891E-017 |
| RCPTR_26 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 8.5669E-019 | 2.0808E-018 |
| RCPTR_26 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 1.5706E-014 | 3.8151E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Methyl mercury | 4.5572E-014 | 5.3761E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Methylene chloride | 2.1303E-013 | 5.1744E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Naphthalene | 7.1605E-013 | 1.7377E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 4.6415E-012 | 1.1270E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.0997E-012 | 2.6710E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 2.8364E-013 | 6.8887E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitrobenzene | 4.5957E-013 | 1.1163E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.0473E-012 | 2.5439E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 5.1954E-013 | 1.0875E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 2.6208E-013 | 6.3638E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 2.6425E-013 | 6.4152E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 2.2611E-014 | 5.4851E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.1387E-013 | 2.5204E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.1118E-013 | 2.4873E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 2.7896E-012 | 3.1418E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 5.0148E-013 | 5.9099E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.8666E-012 | 2.2038E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.1903E-010 | 2.8699E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 8.5280E-012 | 2.0509E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Pentachlorophenol | 5.6503E-010 | 1.0547E-009 |
| RCPTR_26 | farmer_child | TOCDFLIC | Phenanthrene | 4.3984E-013 | 1.0664E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Phenol | 3.6246E-013 | 8.8018E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Pronamide | 3.7233E-011 | 9.0153E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Pyrene | 1.5902E-008 | 2.6057E-008 |
| RCPTR_26 | farmer_child | TOCDFLIC | Selenium | 1.4245E-006 | 1.4883E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Styrene | 1.8440E-015 | 4.4778E-015 |
| RCPTR_26 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 5.2266E-013 | 6.3141E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.7006E-013 | 2.1043E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 3.5473E-011 | 8.5688E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 6.9412E-014 | 1.1782E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 7.6060E-017 | 1.8470E-016 |
| RCPTR_26 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 2.0454E-010 | 4.6056E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFLIC | Toluene | 2.2892E-012 | 5.5548E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.2210E-012 | 2.9560E-012 |
| RCPTR_26 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 7.2462E-015 | 1.7598E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 3.8980E-015 | 9.4677E-015 |
| RCPTR_26 | farmer_child | TOCDFLIC | Trichloroethylene | 6.3854E-016 | 1.5506E-015 |
| RCPTR_26 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 8.4184E-017 | 2.0443E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.3646E-010 | 3.2895E-010 |
| RCPTR_26 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 2.6135E-011 | 6.1834E-011 |
| RCPTR_26 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 1.4472E-014 | 3.5149E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | VX | 2.2562E-013 | 2.5937E-013 |
| RCPTR_26 | farmer_child | TOCDFLIC | Vinyl Chloride | 1.8792E-020 | 4.5641E-020 |
| RCPTR_26 | farmer_child | TOCDFLIC | Xylene, m- | 6.9527E-015 | 1.5161E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Xylene, o- | 4.7950E-015 | 1.0719E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Xylene, p- | 1.0011E-014 | 2.2712E-014 |
| RCPTR_26 | farmer_child | TOCDFLIC | Zinc | 8.3850E-009 | 1.2775E-008 |
| RCPTR_26 | farmer_child | TOCDFMPF | Acenaphthene | 5.8603E-012 | 1.4212E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Acetone | 5.9586E-017 | 1.4474E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Acetophenone | 6.3170E-013 | 1.5343E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Aniline | 3.7850E-014 | 9.1913E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Anthracene | 6.4593E-011 | 1.5664E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Benzene | 3.3330E-016 | 8.0928E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 5.2166E-009 | 8.3088E-009 |
| RCPTR_26 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 3.6980E-008 | 4.3696E-008 |
| RCPTR_26 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 3.0180E-008 | 4.3886E-008 |
| RCPTR_26 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 5.1541E-008 | 5.6717E-008 |
| RCPTR_26 | farmer_child | TOCDFMPF | Benzoic acid | 6.6567E-013 | 1.5949E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Benzyl alcohol | 3.0354E-013 | 7.3722E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 8.5950E-014 | 2.0878E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Bromodichloromethane | 1.7562E-015 | 4.2658E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 6.0927E-014 | 1.4799E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 7.6946E-009 | 1.3879E-008 |
| RCPTR_26 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 2.0034E-011 | 3.1262E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Cadmium | 1.9863E-009 | 3.1208E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | Carbon disulfide | 1.1632E-016 | 2.8248E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Carbon tetrachloride | 9.3851E-016 | 2.2787E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 7.1990E-012 | 1.7096E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chloroaniline, p- | 2.7807E-013 | 6.7519E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chlorobenzene | 5.5053E-015 | 1.3363E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chloroethane | 1.5678E-017 | 3.7984E-017 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 7.2648E-016 | 1.7645E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 1.4949E-011 | 3.6265E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 9.7016E-013 | 2.3566E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 3.6044E-011 | 8.6016E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Chrysene | 1.0524E-008 | 1.4070E-008 |
| RCPTR_26 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 7.5935E-010 | 1.1647E-009 |
| RCPTR_26 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 2.0301E-001 | 2.0301E-001 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.0867E-006 | 1.1491E-006 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 4.4130E-014 | 1.0687E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 5.0297E-014 | 1.2194E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 4.7652E-014 | 1.1556E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 6.1673E-011 | 1.0045E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.2112E-018 | 2.9411E-018 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 3.0332E-016 | 7.3674E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.7550E-016 | 9.1209E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.1542E-016 | 2.8029E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 1.8506E-016 | 4.4941E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 4.4049E-012 | 1.0258E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.0465E-015 | 2.5409E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 3.4248E-016 | 8.3183E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Diethyl phthalate | 6.6988E-011 | 7.9202E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.1034E-013 | 2.6733E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 7.1103E-013 | 1.7259E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 2.9298E-013 | 6.3151E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 2.2475E-012 | 5.4366E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 1.5748E-012 | 3.8132E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 1.6058E-013 | 3.9008E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Ethylbenzene | 3.4096E-015 | 8.2552E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.0084E-011 | 1.6498E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Fluoranthene | 6.8887E-010 | 1.4402E-009 |
| RCPTR_26 | farmer_child | TOCDFMPF | Fluorene | 1.9690E-011 | 4.7700E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.5243E-014 | 1.7420E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 7.7614E-014 | 8.6642E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 7.3498E-014 | 8.3706E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 1.9957E-013 | 2.2334E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.2382E-013 | 1.4218E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.0325E-013 | 1.2056E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.3625E-013 | 2.7869E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 8.0726E-013 | 9.5142E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 6.8080E-013 | 8.0113E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 8.2046E-014 | 9.6619E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 1.6733E-012 | 4.0416E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Hexachlorobenzene | 3.5279E-009 | 8.4969E-009 |
| RCPTR_26 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 5.6814E-012 | 1.3708E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.1454E-012 | 2.7776E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 6.5365E-006 | 6.6527E-006 |
| RCPTR_26 | farmer_child | TOCDFMPF | Isophorone | 4.8500E-014 | 1.1780E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Mercuric chloride | 1.1239E-011 | 1.4064E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.0907E-017 | 2.6495E-017 |
| RCPTR_26 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 6.3242E-019 | 1.5361E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 2.6373E-016 | 6.4063E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Methyl mercury | 4.9053E-014 | 5.7862E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Methylene chloride | 6.9401E-017 | 1.6857E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Naphthalene | 6.0289E-013 | 1.4631E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 5.7497E-013 | 1.3962E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.1037E-013 | 2.6808E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.2641E-013 | 3.0702E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitrobenzene | 1.5695E-013 | 3.8123E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.2633E-013 | 3.0685E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 4.6349E-013 | 9.7028E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.1158E-012 | 2.7094E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 5.9603E-014 | 1.4470E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 1.4686E-014 | 3.5626E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.6434E-014 | 1.9367E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.6095E-015 | 1.8958E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 4.6006E-013 | 5.1820E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 3.4021E-013 | 4.0097E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.2841E-013 | 2.6968E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.0117E-010 | 2.4394E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 3.6243E-012 | 8.7163E-012 |
| RCPTR_26 | farmer_child | TOCDFMPF | Pentachlorophenol | 3.3618E-010 | 6.2760E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Phenanthrene | 4.6219E-014 | 1.1206E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Phenol | 1.1853E-013 | 2.8783E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Pronamide | 1.5852E-010 | 3.8383E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Pyrene | 1.1654E-009 | 1.9096E-009 |
| RCPTR_26 | farmer_child | TOCDFMPF | Selenium | 4.4840E-007 | 4.6846E-007 |
| RCPTR_26 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Styrene | 2.8103E-014 | 6.8241E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.2664E-013 | 2.7381E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.1441E-013 | 1.4156E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 1.5103E-010 | 3.6482E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.1875E-014 | 2.8837E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.1214E-015 | 2.7232E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 8.6917E-011 | 1.9572E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDFMPF | Toluene | 1.4792E-015 | 3.5892E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 4.1147E-013 | 9.9612E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 7.2205E-016 | 1.7536E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 5.4799E-015 | 1.3310E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichloroethylene | 8.9768E-016 | 2.1799E-015 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.1835E-016 | 2.8740E-016 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 6.1064E-011 | 1.4720E-010 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.1885E-011 | 2.8118E-011 |
| RCPTR_26 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 2.0346E-014 | 4.9414E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDFMPF | VX | 3.1142E-013 | 3.5803E-013 |
| RCPTR_26 | farmer_child | TOCDFMPF | Vinyl Chloride | 2.8638E-019 | 6.9556E-019 |
| RCPTR_26 | farmer_child | TOCDFMPF | Xylene, m- | 5.4854E-015 | 1.1957E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Xylene, o- | 5.9453E-015 | 1.3288E-014 |
| RCPTR_26 | farmer_child | TOCDFMPF | Xylene, p- | 7.8963E-015 | 1.7912E-014 |
| RCPTR_26 | farmer_child | TOCDHVAC | VX | 1.1433E-013 | 1.3343E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Acenaphthene | 3.2026E-011 | 7.7666E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Acetone | 1.4019E-012 | 3.4053E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Acetophenone | 1.4837E-013 | 3.6038E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Aniline | 8.8901E-015 | 2.1588E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Anthracene | 6.1470E-010 | 1.4907E-009 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Benzene | 1.8991E-015 | 4.6112E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 5.6457E-008 | 8.9920E-008 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 2.1710E-007 | 2.5648E-007 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 2.0825E-007 | 3.0279E-007 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 3.4682E-007 | 3.8159E-007 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Benzoic acid | 3.4724E-012 | 8.3195E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Benzyl alcohol | 3.8352E-011 | 9.3150E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 2.0231E-013 | 4.9143E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.1911E-016 | 2.8932E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.1534E-013 | 2.8017E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.3461E-008 | 2.4281E-008 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 1.5143E-010 | 2.3633E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Cadmium | 6.2501E-010 | 9.8203E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Carbon disulfide | 7.8892E-018 | 1.9159E-017 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 6.3653E-017 | 1.5455E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 1.6838E-011 | 3.9984E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 9.4450E-013 | 2.2934E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chlorobenzene | 3.7339E-016 | 9.0635E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chloroethane | 1.1152E-017 | 2.7019E-017 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 4.9272E-017 | 1.1968E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 8.5063E-011 | 2.0636E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 2.6379E-012 | 6.4075E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.1669E-010 | 2.7846E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Chrysene | 1.0191E-007 | 1.3625E-007 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 6.5006E-010 | 9.9695E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 2.2609E-001 | 2.2609E-001 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 4.1100E-006 | 4.3460E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.2686E-013 | 3.0724E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 1.5509E-013 | 3.7601E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 1.4776E-013 | 3.5834E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.0632E-010 | 3.3601E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 8.6154E-019 | 2.0921E-018 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 1.9903E-017 | 4.8343E-017 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.6710E-016 | 6.4879E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 8.2097E-017 | 1.9938E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.3163E-016 | 3.1967E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.1257E-011 | 2.6213E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 7.0977E-017 | 1.7234E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 2.3228E-017 | 5.6418E-017 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Diethyl phthalate | 3.1393E-011 | 3.7113E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 1.9132E-012 | 4.6352E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 1.8044E-012 | 4.3799E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 1.5258E-013 | 3.2886E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 1.6323E-012 | 3.9484E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.2597E-012 | 3.0503E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 3.7718E-014 | 9.1620E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Ethylbenzene | 2.0305E-015 | 4.9162E-015 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 5.8347E-011 | 9.5467E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Fluoranthene | 8.8633E-009 | 1.8529E-008 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Fluorene | 1.2938E-010 | 3.1343E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.3858E-013 | 1.5835E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.6010E-012 | 1.7870E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 3.8387E-012 | 4.3712E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.1483E-012 | 1.2849E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 7.1190E-013 | 8.1732E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 6.0195E-013 | 7.0283E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 8.7377E-013 | 1.0307E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 7.5964E-013 | 8.9523E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 7.8155E-013 | 9.1962E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 6.4266E-013 | 7.5676E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 2.9841E-012 | 7.2077E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 7.0939E-009 | 1.7085E-008 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 8.1771E-012 | 1.9729E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 1.6295E-012 | 3.9514E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 3.0085E-005 | 3.0619E-005 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Isophorone | 2.7178E-013 | 6.6011E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.0447E-011 | 1.3073E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 1.4776E-017 | 3.5891E-017 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 4.2892E-020 | 1.0418E-019 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 1.5706E-014 | 3.8151E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | Methyl mercury | 4.5572E-014 | 5.3761E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Methylene chloride | 2.1303E-013 | 5.1744E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Naphthalene | 7.1605E-013 | 1.7377E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 4.6415E-012 | 1.1270E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.0997E-012 | 2.6710E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 1.4208E-012 | 3.4506E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitrobenzene | 4.5957E-013 | 1.1163E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 2.0909E-013 | 5.0785E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 2.6024E-012 | 5.4475E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 2.6208E-013 | 6.3638E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 2.6425E-013 | 6.4152E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 2.2611E-014 | 5.4851E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.1387E-013 | 2.5204E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.1118E-013 | 2.4873E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 2.7896E-012 | 3.1418E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 5.0148E-013 | 5.9099E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.8666E-012 | 2.2038E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 2.3762E-011 | 5.7295E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 8.5280E-012 | 2.0509E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Pentachlorophenol | 2.8303E-009 | 5.2831E-009 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Phenanthrene | 4.3984E-013 | 1.0664E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Phenol | 3.6246E-013 | 8.8018E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Pronamide | 3.7233E-011 | 9.0153E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Pyrene | 1.5902E-008 | 2.6057E-008 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Selenium | 1.4245E-006 | 1.4883E-006 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Styrene | 1.8440E-015 | 4.4778E-015 |
| RCPTR_26 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 5.2266E-013 | 6.3141E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.7006E-013 | 2.1043E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 3.5473E-011 | 8.5688E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 6.9412E-014 | 1.1782E-013 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 7.6060E-017 | 1.8470E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 2.0454E-010 | 4.6056E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Toluene | 2.2892E-012 | 5.5548E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.2210E-012 | 2.9560E-012 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 7.2462E-015 | 1.7598E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 3.8980E-015 | 9.4677E-015 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichloroethylene | 6.3854E-016 | 1.5506E-015 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 8.4184E-017 | 2.0443E-016 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.3646E-010 | 3.2895E-010 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 2.6135E-011 | 6.1834E-011 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 1.4472E-014 | 3.5149E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | VX | 2.3456E-013 | 2.6964E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_26 | farmer_child | TOCDLIC2 | Vinyl Chloride | 1.8792E-020 | 4.5641E-020 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Xylene, m- | 6.9527E-015 | 1.5161E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Xylene, o- | 4.7950E-015 | 1.0719E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Xylene, p- | 1.0011E-014 | 2.2712E-014 |
| RCPTR_26 | farmer_child | TOCDLIC2 | Zinc | 8.3850E-009 | 1.2775E-008 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Cadmium | 2.0623E-008 | 5.6022E-008 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Mercuric chloride | 5.6988E-006 | 5.9602E-006 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Methyl mercury | 2.3375E-008 | 2.6049E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Selenium | 2.4234E-005 | 2.5789E-005 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFBRA | Zinc | 6.7145E-007 | 1.5636E-006 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Acenaphthene | 1.3057E-010 | 2.0716E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Acetone | 2.2700E-014 | 3.6759E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Acetophenone | 5.9421E-013 | 9.6108E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Aniline | 3.5695E-014 | 5.7575E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Anthracene | 2.5057E-009 | 3.9761E-008 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Aroclor 1254 | 3.0299E-011 | 2.0429E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Benzene | 1.9370E-015 | 3.1201E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 6.5428E-007 | 2.4619E-006 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 5.5652E-006 | 7.5912E-006 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 3.4596E-006 | 8.4855E-006 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 9.0277E-006 | 1.1341E-005 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Benzoic acid | 1.0396E-011 | 1.4371E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.2537E-012 | 2.0266E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 8.0934E-013 | 1.3106E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Bromodichloromethane | 4.1019E-015 | 6.6358E-014 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.4226E-013 | 2.3021E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 6.3744E-008 | 6.4754E-007 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.1511E-008 | 2.4942E-008 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Cadmium | 2.3394E-008 | 6.3602E-008 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Carbon disulfide | 5.4739E-016 | 8.8343E-015 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 2.2015E-015 | 3.5449E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 8.4692E-011 | 1.0691E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 3.7955E-012 | 6.1165E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chlorobenzene | 6.4887E-015 | 1.0413E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chloroethane | 5.3570E-017 | 8.3997E-016 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 8.5009E-016 | 1.3748E-014 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.4538E-010 | 5.5041E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 1.0557E-011 | 1.7088E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 5.6107E-010 | 7.4413E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Chrysene | 1.8097E-006 | 3.8456E-006 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 2.1088E-008 | 4.3955E-008 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 2.2897E+002 | 2.2898E+002 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.2071E-004 | 1.3803E-004 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.1501E-013 | 1.7950E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 4.1226E-013 | 6.5194E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.6808E-013 | 4.2534E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.3297E-009 | 5.5836E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 4.0330E-018 | 6.5021E-017 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.5484E-016 | 5.7402E-015 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.3919E-016 | 7.1064E-015 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 3.8381E-016 | 6.1965E-015 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 6.1556E-016 | 9.9353E-015 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 4.8475E-011 | 5.1283E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.4885E-015 | 5.6175E-014 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 4.0090E-016 | 6.4811E-015 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Diethyl phthalate | 4.4626E-009 | 5.7169E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 3.8523E-012 | 6.0408E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 7.2813E-012 | 1.1681E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 6.9311E-012 | 4.4041E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.4817E-012 | 2.2808E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.1309E-012 | 1.7618E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.5092E-013 | 2.4434E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Ethylbenzene | 8.2564E-015 | 1.2846E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.1520E-010 | 7.6390E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Fluoranthene | 4.6362E-008 | 4.9575E-007 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Fluorene | 5.3374E-010 | 8.3613E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.3791E-013 | 4.6467E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.4709E-013 | 5.7691E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.0254E-012 | 1.3972E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.8140E-012 | 3.6549E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.6456E-012 | 2.2955E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.3358E-012 | 1.9576E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.8488E-012 | 2.7960E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.6115E-012 | 2.4295E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.6644E-012 | 2.4977E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.3660E-012 | 2.0546E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.2713E-011 | 1.9234E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 2.9642E-008 | 4.5584E-007 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.7447E-010 | 2.6064E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 6.6474E-012 | 1.0540E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 9.1998E-004 | 9.5691E-004 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Isophorone | 1.0886E-012 | 1.7604E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Mercuric chloride | 4.6655E-009 | 4.8800E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.6186E-017 | 5.8572E-016 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 6.9631E-019 | 1.1264E-017 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 4.2132E-015 | 6.8220E-014 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Methyl mercury | 1.8725E-011 | 2.0919E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | Methylene chloride | 2.3566E-014 | 3.8130E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Naphthalene | 7.6568E-012 | 1.2251E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.8430E-011 | 2.9703E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 4.3533E-012 | 7.0391E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 5.6275E-012 | 9.0939E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.8393E-012 | 2.9771E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 8.3740E-013 | 1.3544E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.6615E-011 | 1.4619E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 1.0531E-012 | 1.6972E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 1.0640E-012 | 1.7109E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 9.2211E-014 | 1.4634E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 7.6309E-013 | 1.1493E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.2885E-013 | 3.4400E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.8704E-012 | 7.7744E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 5.9254E-013 | 8.9548E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.1965E-012 | 3.3357E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 5.1049E-010 | 7.5699E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 3.7573E-011 | 5.4113E-010 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Pentachlorophenol | 8.2680E-009 | 2.9093E-008 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Phenanthrene | 1.7979E-012 | 2.8446E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Phenol | 1.4551E-012 | 2.3474E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Pronamide | 3.0890E-010 | 4.8102E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Pyrene | 9.4990E-008 | 6.9610E-007 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Selenium | 3.5963E-006 | 3.8273E-006 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Styrene | 7.7494E-014 | 1.2492E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.2434E-012 | 5.3242E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.7505E-012 | 3.1301E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.5098E-010 | 2.2866E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.0645E-011 | 2.8350E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.6268E-015 | 4.2363E-014 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.4864E-009 | 1.2247E-008 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Toluene | 1.3082E-014 | 2.0904E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 6.1128E-012 | 9.5041E-011 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.6893E-015 | 2.7278E-014 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.8196E-014 | 2.9425E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichloroethylene | 2.9885E-015 | 4.8192E-014 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 3.9389E-016 | 6.3537E-015 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 5.9364E-010 | 8.7802E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.3580E-010 | 1.6540E-009 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 6.7604E-014 | 1.0924E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 5.7427E-013 | 9.0225E-012 |
| RCPTR_27 | farmer_adult | TOCDFDFS | VX | 1.0216E-011 | 1.2521E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFDFS | Vinyl Chloride | 4.9298E-019 | 7.9698E-018 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Xylene, m- | 1.0337E-013 | 6.9885E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Xylene, o- | 9.8645E-014 | 7.7418E-013 |
| RCPTR_27 | farmer_adult | TOCDFDFS | Xylene, p- | 1.2024E-013 | 1.0417E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Acenaphthene | 7.3309E-011 | 1.1631E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Acetone | 3.1488E-012 | 5.0988E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Acetophenone | 3.3362E-013 | 5.3960E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Aniline | 2.0041E-014 | 3.2325E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Anthracene | 1.4068E-009 | 2.2324E-008 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Benzene | 4.2865E-015 | 6.9046E-014 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 3.6685E-007 | 1.3811E-006 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 3.1151E-006 | 4.2429E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.9403E-006 | 4.7592E-006 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 5.0526E-006 | 6.3349E-006 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Benzoic acid | 9.0265E-012 | 1.2477E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Benzyl alcohol | 8.6286E-011 | 1.3948E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 4.5441E-013 | 7.3581E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.6778E-016 | 4.3320E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.5923E-013 | 4.1951E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 3.5789E-008 | 3.6356E-007 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.7282E-009 | 3.7549E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Cadmium | 6.7897E-009 | 1.8459E-008 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.7775E-017 | 2.8687E-016 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.4372E-016 | 2.3142E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 4.7559E-011 | 6.0025E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 2.1310E-012 | 3.4341E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Chlorobenzene | 8.4574E-016 | 1.3572E-014 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chloroethane | 2.5810E-017 | 4.0468E-016 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.1080E-016 | 1.7919E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.9391E-010 | 3.0903E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 5.9272E-012 | 9.5940E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.1495E-010 | 4.1778E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Chrysene | 1.0151E-006 | 2.1565E-006 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 7.6381E-009 | 1.5921E-008 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 3.9399E+000 | 3.9400E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 6.7516E-005 | 7.6973E-005 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 2.9484E-013 | 4.6019E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.5610E-013 | 5.6313E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.3823E-013 | 5.3665E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.2121E-009 | 5.3058E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.9430E-018 | 3.1326E-017 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 4.6250E-017 | 7.4818E-016 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.0037E-016 | 9.7143E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.8491E-016 | 2.9853E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.9656E-016 | 4.7866E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 3.7294E-011 | 3.9443E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.6025E-016 | 2.5805E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 5.2252E-017 | 8.4475E-016 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Diethyl phthalate | 4.8630E-010 | 6.2288E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.4269E-012 | 6.9423E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 4.0881E-012 | 6.5586E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 7.8637E-013 | 4.9955E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 3.8417E-012 | 5.9147E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 2.9326E-012 | 4.5689E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 8.4734E-014 | 1.3718E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Ethylbenzene | 4.7327E-015 | 7.3637E-014 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 6.1898E-010 | 1.5050E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Fluoranthene | 2.6024E-008 | 2.7832E-007 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Fluorene | 2.9966E-010 | 4.6945E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.8481E-012 | 2.5360E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 6.5434E-012 | 8.4240E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.4959E-011 | 2.0337E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.6121E-011 | 2.0895E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 9.3864E-012 | 1.3067E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 7.5935E-012 | 1.1111E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.0745E-011 | 1.6235E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 9.3690E-012 | 1.4111E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 9.6825E-012 | 1.4516E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 7.9444E-012 | 1.1937E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 7.1368E-012 | 1.0799E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.6642E-008 | 2.5593E-007 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.9785E-011 | 2.9563E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 3.7323E-012 | 5.9175E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.1624E-004 | 5.3640E-004 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Isophorone | 6.1120E-013 | 9.8839E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.8773E-010 | 1.9637E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.3201E-017 | 5.3739E-016 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.9260E-018 | 3.1157E-017 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.5279E-014 | 5.7123E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Methyl mercury | 7.5049E-013 | 8.3882E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Methylene chloride | 4.7885E-013 | 7.7477E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Naphthalene | 1.6263E-012 | 2.6021E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 1.0471E-011 | 1.6876E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.4733E-012 | 3.9993E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 6.3828E-013 | 1.0315E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitrobenzene | 1.0327E-012 | 1.6715E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.3551E-012 | 3.8090E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 3.0205E-012 | 1.6583E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 5.9129E-013 | 9.5289E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 5.9741E-013 | 9.6061E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 5.1747E-014 | 8.2159E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.6296E-012 | 3.9560E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6004E-012 | 3.9047E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.8699E-011 | 5.1184E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 6.2390E-012 | 9.4239E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.3077E-011 | 3.5026E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 2.8972E-010 | 4.3005E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.1318E-011 | 3.0741E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Pentachlorophenol | 4.6452E-009 | 1.6338E-008 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Phenanthrene | 1.0094E-012 | 1.5971E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Phenol | 8.1697E-013 | 1.3179E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Pronamide | 8.6716E-011 | 1.3504E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Pyrene | 5.3329E-008 | 3.9081E-007 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Selenium | 2.8585E-005 | 3.0421E-005 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Styrene | 4.1592E-015 | 6.7049E-014 |
| RCPTR_27 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 6.0726E-012 | 9.9670E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.8401E-012 | 3.2906E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 8.4772E-011 | 1.2838E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 6.9542E-013 | 1.8513E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.7148E-016 | 2.7656E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 8.4482E-010 | 6.9583E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Toluene | 5.2059E-012 | 8.3182E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.8493E-012 | 4.4278E-011 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.6318E-014 | 2.6350E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 8.7665E-015 | 1.4176E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.4398E-015 | 2.3218E-014 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.8977E-016 | 3.0610E-015 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.3332E-010 | 4.9297E-009 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 7.6258E-011 | 9.2867E-010 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.2570E-014 | 5.2630E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | VX | 3.5733E-012 | 4.3791E-012 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Vinyl Chloride | 4.2272E-020 | 6.8340E-019 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Xylene, m- | 3.3567E-014 | 2.2956E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Xylene, o- | 2.0410E-014 | 1.6188E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFLIC | Xylene, p- | 3.9150E-014 | 3.4245E-013 |
| RCPTR_27 | farmer_adult | TOCDFLIC | Zinc | 1.0399E-007 | 2.4233E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Acenaphthene | 1.3448E-011 | 2.1336E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Acetone | 1.3417E-016 | 2.1726E-015 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Acetophenone | 1.4239E-012 | 2.3031E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Aniline | 8.5537E-014 | 1.3797E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Anthracene | 1.4819E-010 | 2.3516E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Benzene | 7.5417E-016 | 1.2148E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.3984E-008 | 1.2793E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 5.3193E-007 | 7.2457E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 2.8194E-007 | 6.9155E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 7.5263E-007 | 9.4375E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Benzoic acid | 1.7347E-012 | 2.3978E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Benzyl alcohol | 6.8461E-013 | 1.1066E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.9354E-013 | 3.1339E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Bromodichloromethane | 3.9581E-015 | 6.4032E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.3727E-013 | 2.2214E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.0508E-008 | 2.0833E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.2921E-010 | 4.9792E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Cadmium | 2.1648E-008 | 5.8856E-008 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.6274E-016 | 4.2403E-015 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 2.1244E-015 | 3.4206E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.0385E-011 | 2.5729E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 6.2894E-013 | 1.0135E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.2501E-014 | 2.0061E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chloroethane | 3.6375E-017 | 5.7033E-016 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.6377E-015 | 2.6486E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.4162E-011 | 5.4443E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.1853E-012 | 3.5373E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 9.7533E-011 | 1.2938E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Chrysene | 1.0509E-007 | 2.2327E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 8.9480E-009 | 1.8651E-008 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 3.5490E+000 | 3.5491E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.7907E-005 | 2.0419E-005 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 1.0282E-013 | 1.6048E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.1577E-013 | 1.8308E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.0935E-013 | 1.7349E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 6.6300E-010 | 1.5902E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.7383E-018 | 4.4149E-017 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 6.8362E-016 | 1.1059E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 8.4612E-016 | 1.3691E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.6060E-016 | 4.2074E-015 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 4.1796E-016 | 6.7459E-015 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.4630E-011 | 1.5474E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.3686E-015 | 3.8142E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 7.7234E-016 | 1.2486E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Diethyl phthalate | 1.0409E-009 | 1.3333E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.5596E-013 | 4.0139E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.6149E-012 | 2.5908E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.5139E-012 | 9.6175E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 5.3030E-012 | 8.1643E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 3.6752E-012 | 5.7258E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 3.6166E-013 | 5.8552E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Ethylbenzene | 7.9669E-015 | 1.2396E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.0724E-010 | 2.6070E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Fluoranthene | 2.0277E-009 | 2.1686E-008 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Fluorene | 4.5717E-011 | 7.1621E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.0352E-013 | 2.7930E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.0964E-012 | 1.4117E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 9.8962E-013 | 1.3455E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.8065E-012 | 3.6380E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.6345E-012 | 2.2756E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.3035E-012 | 1.9074E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.9081E-012 | 4.3942E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 9.9663E-012 | 1.5012E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 8.4432E-012 | 1.2659E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.0153E-012 | 1.5257E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 4.0118E-012 | 6.0704E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 8.2969E-009 | 1.2760E-007 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.3781E-011 | 2.0591E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.6301E-012 | 4.1701E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.1252E-004 | 1.1692E-004 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Isophorone | 1.0934E-013 | 1.7682E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Mercuric chloride | 2.0245E-010 | 2.1176E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.4570E-017 | 3.9770E-016 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.4253E-018 | 2.3058E-017 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 5.9388E-016 | 9.6160E-015 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Methyl mercury | 8.0952E-013 | 9.0476E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Methylene chloride | 1.5639E-016 | 2.5304E-015 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Naphthalene | 1.3727E-012 | 2.1964E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.3004E-012 | 2.0958E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.4886E-013 | 4.0240E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 2.8518E-013 | 4.6086E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.5355E-013 | 5.7225E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 2.8478E-013 | 4.6059E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.7018E-012 | 1.4833E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.5237E-012 | 4.0671E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.3509E-013 | 2.1722E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.3695E-014 | 5.3495E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.0217E-013 | 3.0416E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.9830E-014 | 2.9778E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 6.3963E-012 | 8.4606E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.2420E-012 | 6.4077E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.8293E-012 | 4.2944E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.4688E-010 | 3.6644E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 9.0832E-012 | 1.3097E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.7714E-009 | 9.7475E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Phenanthrene | 1.0634E-013 | 1.6824E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Phenol | 2.6783E-013 | 4.3206E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Pronamide | 3.7012E-010 | 5.7636E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Pyrene | 3.9179E-009 | 2.8712E-008 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Selenium | 9.0252E-006 | 9.6048E-006 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Styrene | 6.3544E-014 | 1.0244E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.6394E-012 | 4.3321E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.2409E-012 | 2.2191E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 3.6182E-010 | 5.4796E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.6824E-014 | 4.3287E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.5347E-015 | 4.0878E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.5992E-010 | 2.9645E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Toluene | 3.3722E-015 | 5.3882E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 9.6254E-013 | 1.4958E-011 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.6300E-015 | 2.6322E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.2355E-014 | 1.9979E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichloroethylene | 2.0292E-015 | 3.2722E-014 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.6745E-016 | 4.3141E-015 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.4953E-010 | 2.2115E-009 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.4764E-011 | 4.2336E-010 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 4.5903E-014 | 7.4173E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | VX | 4.9476E-012 | 6.0634E-012 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Vinyl Chloride | 6.4582E-019 | 1.0441E-017 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Xylene, m- | 2.6555E-014 | 1.8148E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Xylene, o- | 2.5376E-014 | 2.0113E-013 |
| RCPTR_27 | farmer_adult | TOCDFMPF | Xylene, p- | 3.0966E-014 | 2.7071E-013 |
| RCPTR_27 | farmer_adult | TOCDHVAC | VX | 3.0073E-012 | 3.6885E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Acenaphthene | 7.3309E-011 | 1.1631E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Acetone | 3.1488E-012 | 5.0988E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Acetophenone | 3.3362E-013 | 5.3960E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Aniline | 2.0041E-014 | 3.2325E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Anthracene | 1.4068E-009 | 2.2324E-008 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Benzene | 4.2865E-015 | 6.9046E-014 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 3.6685E-007 | 1.3811E-006 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 3.1151E-006 | 4.2429E-006 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.9403E-006 | 4.7592E-006 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 5.0526E-006 | 6.3349E-006 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Benzoic acid | 9.0265E-012 | 1.2477E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 8.6286E-011 | 1.3948E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 4.5441E-013 | 7.3581E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.6778E-016 | 4.3320E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.5923E-013 | 4.1951E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 3.5789E-008 | 3.6356E-007 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.7282E-009 | 3.7549E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Cadmium | 6.7897E-009 | 1.8459E-008 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.7775E-017 | 2.8687E-016 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.4372E-016 | 2.3142E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 4.7559E-011 | 6.0025E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 2.1310E-012 | 3.4341E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chlorobenzene | 8.4574E-016 | 1.3572E-014 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chloroethane | 2.5810E-017 | 4.0468E-016 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.1080E-016 | 1.7919E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.9391E-010 | 3.0903E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 5.9272E-012 | 9.5940E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.1495E-010 | 4.1778E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Chrysene | 1.0151E-006 | 2.1565E-006 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 7.6381E-009 | 1.5921E-008 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 3.9399E+000 | 3.9400E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 6.7516E-005 | 7.6973E-005 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.9484E-013 | 4.6019E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.5610E-013 | 5.6313E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.3823E-013 | 5.3665E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.2121E-009 | 5.3058E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.9430E-018 | 3.1326E-017 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 4.4746E-017 | 7.2384E-016 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.0037E-016 | 9.7143E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.8491E-016 | 2.9853E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.9656E-016 | 4.7866E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 3.7294E-011 | 3.9443E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.6025E-016 | 2.5805E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 5.2252E-017 | 8.4475E-016 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 4.8630E-010 | 6.2288E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.4269E-012 | 6.9423E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 4.0881E-012 | 6.5586E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 7.8637E-013 | 4.9955E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 3.8417E-012 | 5.9147E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.9326E-012 | 4.5689E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 8.4734E-014 | 1.3718E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Ethylbenzene | 4.7327E-015 | 7.3637E-014 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 6.1898E-010 | 1.5050E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.6024E-008 | 2.7832E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Fluorene | 2.9966E-010 | 4.6945E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.8481E-012 | 2.5360E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.2581E-011 | 2.9071E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.1624E-011 | 7.0181E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.6121E-011 | 2.0895E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 9.3864E-012 | 1.3067E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 7.5935E-012 | 1.1111E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.0745E-011 | 1.6235E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 9.3690E-012 | 1.4111E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 9.6825E-012 | 1.4516E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 7.9444E-012 | 1.1937E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 7.1368E-012 | 1.0799E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.6642E-008 | 2.5593E-007 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.9785E-011 | 2.9563E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 3.7323E-012 | 5.9175E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.1624E-004 | 5.3640E-004 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Isophorone | 6.1120E-013 | 9.8839E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.8773E-010 | 1.9637E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.3201E-017 | 5.3739E-016 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 9.6429E-020 | 1.5599E-018 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.5279E-014 | 5.7123E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Methyl mercury | 7.5049E-013 | 8.3882E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Methylene chloride | 4.7885E-013 | 7.7477E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Naphthalene | 1.6263E-012 | 2.6021E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 1.0471E-011 | 1.6876E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.4733E-012 | 3.9993E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 3.1972E-012 | 5.1667E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitrobenzene | 1.0327E-012 | 1.6715E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 4.7016E-013 | 7.6041E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.5130E-011 | 8.3065E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 5.9129E-013 | 9.5289E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 5.9741E-013 | 9.6061E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 5.1747E-014 | 8.2159E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.6296E-012 | 3.9560E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6004E-012 | 3.9047E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.8699E-011 | 5.1184E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 6.2390E-012 | 9.4239E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.3077E-011 | 3.5026E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 5.7839E-011 | 8.5855E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.1318E-011 | 3.0741E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.3268E-008 | 8.1836E-008 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Phenanthrene | 1.0094E-012 | 1.5971E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Phenol | 8.1697E-013 | 1.3179E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Pronamide | 8.6716E-011 | 1.3504E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Pyrene | 5.3329E-008 | 3.9081E-007 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Selenium | 2.8585E-005 | 3.0421E-005 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Styrene | 4.1592E-015 | 6.7049E-014 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 6.0726E-012 | 9.9670E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.8401E-012 | 3.2906E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 8.4772E-011 | 1.2838E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 6.9542E-013 | 1.8513E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.7148E-016 | 2.7656E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 8.4482E-010 | 6.9583E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Toluene | 5.2059E-012 | 8.3182E-011 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.8493E-012 | 4.4278E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.6318E-014 | 2.6350E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 8.7665E-015 | 1.4176E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.4398E-015 | 2.3218E-014 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.8977E-016 | 3.0610E-015 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.3332E-010 | 4.9297E-009 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 7.6258E-011 | 9.2867E-010 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.2570E-014 | 5.2630E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | VX | 3.7148E-012 | 4.5526E-012 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 4.2272E-020 | 6.8340E-019 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Xylene, m- | 3.3567E-014 | 2.2956E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Xylene, o- | 2.0410E-014 | 1.6188E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Xylene, p- | 3.9150E-014 | 3.4245E-013 |
| RCPTR_27 | farmer_adult | TOCDLIC2 | Zinc | 1.0399E-007 | 2.4233E-007 |
| RCPTR_27 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Cadmium | 3.6461E-008 | 5.6022E-008 |
| RCPTR_27 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Mercuric chloride | 4.7710E-006 | 5.9602E-006 |
| RCPTR_27 | farmer_child | TOCDFBRA | Methyl mercury | 2.2341E-008 | 2.6049E-008 |
| RCPTR_27 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Selenium | 2.4814E-005 | 2.5789E-005 |
| RCPTR_27 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFBRA | Zinc | 1.0523E-006 | 1.5636E-006 |
| RCPTR_27 | farmer_child | TOCDFDFS | Acenaphthene | 8.5448E-010 | 2.0716E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Acetone | 1.5132E-013 | 3.6759E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Acetophenone | 3.9569E-012 | 9.6108E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Aniline | 2.3710E-013 | 5.7575E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Anthracene | 1.6401E-008 | 3.9761E-008 |
| RCPTR_27 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Aroclor 1254 | 9.5190E-011 | 2.0429E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Benzene | 1.2851E-014 | 3.1201E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.5696E-006 | 2.4619E-006 |
| RCPTR_27 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 6.5425E-006 | 7.5912E-006 |
| RCPTR_27 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 5.9645E-006 | 8.4855E-006 |
| RCPTR_27 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 1.0415E-005 | 1.1341E-005 |
| RCPTR_27 | farmer_child | TOCDFDFS | Benzoic acid | 6.0116E-011 | 1.4371E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Benzyl alcohol | 8.3442E-012 | 2.0266E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 5.3952E-012 | 1.3106E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.7320E-014 | 6.6358E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 9.4777E-013 | 2.3021E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.5900E-007 | 6.4754E-007 |
| RCPTR_27 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.6520E-008 | 2.4942E-008 |
| RCPTR_27 | farmer_child | TOCDFDFS | Cadmium | 4.1384E-008 | 6.3602E-008 |
| RCPTR_27 | farmer_child | TOCDFDFS | Carbon disulfide | 3.6380E-015 | 8.8343E-015 |
| RCPTR_27 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.4601E-014 | 3.5449E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.5182E-010 | 1.0691E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.5191E-011 | 6.1165E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chlorobenzene | 4.2902E-014 | 1.0413E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chloroethane | 3.4685E-016 | 8.3997E-016 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 5.6604E-015 | 1.3748E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.2693E-009 | 5.5041E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 7.0348E-011 | 1.7088E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.1270E-009 | 7.4413E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Chrysene | 2.9301E-006 | 3.8456E-006 |
| RCPTR_27 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.9616E-008 | 4.3955E-008 |
| RCPTR_27 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 2.2897E+002 | 2.2898E+002 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.3024E-004 | 1.3803E-004 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 7.4156E-013 | 1.7950E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.6899E-012 | 6.5194E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.7544E-012 | 4.2534E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.5432E-009 | 5.5836E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.6778E-017 | 6.5021E-017 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.3633E-015 | 5.7402E-015 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.9257E-015 | 7.1064E-015 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.5516E-015 | 6.1965E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 4.0913E-015 | 9.9353E-015 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 2.2165E-010 | 5.1283E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.3138E-014 | 5.6175E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.6685E-015 | 6.4811E-015 |
| RCPTR_27 | farmer_child | TOCDFDFS | Diethyl phthalate | 4.9304E-009 | 5.7169E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.4945E-011 | 6.0408E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 4.8131E-011 | 1.1681E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 2.0771E-011 | 4.4041E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 9.4352E-012 | 2.2808E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 7.2798E-012 | 1.7618E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 1.0059E-012 | 2.4434E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Ethylbenzene | 5.3087E-014 | 1.2846E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 4.8254E-010 | 7.6390E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Fluoranthene | 2.3797E-007 | 4.9575E-007 |
| RCPTR_27 | farmer_child | TOCDFDFS | Fluorene | 3.4530E-009 | 8.3613E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 4.1144E-013 | 4.6467E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.2245E-013 | 5.7691E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.2412E-012 | 1.3972E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.3019E-012 | 3.6549E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 2.0231E-012 | 2.2955E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.6970E-012 | 1.9576E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.3992E-012 | 2.7960E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 2.0866E-012 | 2.4295E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.1485E-012 | 2.4977E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.7660E-012 | 2.0546E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 7.9706E-011 | 1.9234E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.8939E-007 | 4.5584E-007 |
| RCPTR_27 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 1.0815E-009 | 2.6064E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.3476E-011 | 1.0540E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 9.3928E-004 | 9.5691E-004 |
| RCPTR_27 | farmer_child | TOCDFDFS | Isophorone | 7.2481E-012 | 1.7604E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Mercuric chloride | 3.9042E-009 | 4.8800E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.4113E-016 | 5.8572E-016 |
| RCPTR_27 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 4.6376E-018 | 1.1264E-017 |
| RCPTR_27 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.8084E-014 | 6.8220E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Methyl mercury | 1.7876E-011 | 2.0919E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Methylene chloride | 1.5698E-013 | 3.8130E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Naphthalene | 5.0492E-011 | 1.2251E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.2233E-010 | 2.9703E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 2.8982E-011 | 7.0391E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 3.7444E-011 | 9.0939E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitrobenzene | 1.2256E-011 | 2.9771E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 5.5762E-012 | 1.3544E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 7.1209E-011 | 1.4619E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 6.9900E-012 | 1.6972E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 7.0481E-012 | 1.7109E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 6.0358E-013 | 1.4634E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 9.8717E-013 | 1.1493E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9564E-013 | 3.4400E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.9793E-012 | 7.7744E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 7.6892E-013 | 8.9548E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.8591E-012 | 3.3357E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Pentachlorobenzene | 3.1433E-009 | 7.5699E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.2537E-010 | 5.4113E-010 |
| RCPTR_27 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.6035E-008 | 2.9093E-008 |
| RCPTR_27 | farmer_child | TOCDFDFS | Phenanthrene | 1.1736E-011 | 2.8446E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Phenol | 9.6669E-012 | 2.3474E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Pronamide | 1.9877E-009 | 4.8102E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Pyrene | 4.2529E-007 | 6.9610E-007 |
| RCPTR_27 | farmer_child | TOCDFDFS | Selenium | 3.6825E-006 | 3.8273E-006 |
| RCPTR_27 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Styrene | 5.1449E-013 | 1.2492E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 4.4584E-012 | 5.3242E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.5568E-012 | 3.1301E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 9.4746E-010 | 2.2866E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.7248E-011 | 2.8350E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.7446E-014 | 4.2363E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 5.4994E-009 | 1.2247E-008 |
| RCPTR_27 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFDFS | Toluene | 8.6162E-014 | 2.0904E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.9278E-011 | 9.5041E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.1233E-014 | 2.7278E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.2115E-013 | 2.9425E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trichloroethylene | 1.9847E-014 | 4.8192E-014 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.6166E-015 | 6.3537E-015 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.6468E-009 | 8.7802E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 7.0202E-010 | 1.6540E-009 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 4.4980E-013 | 1.0924E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.7250E-012 | 9.0225E-012 |
| RCPTR_27 | farmer_child | TOCDFDFS | VX | 1.1076E-011 | 1.2521E-011 |
| RCPTR_27 | farmer_child | TOCDFDFS | Vinyl Chloride | 3.2814E-018 | 7.9698E-018 |
| RCPTR_27 | farmer_child | TOCDFDFS | Xylene, m- | 3.2545E-013 | 6.9885E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Xylene, o- | 3.5058E-013 | 7.7418E-013 |
| RCPTR_27 | farmer_child | TOCDFDFS | Xylene, p- | 4.6390E-013 | 1.0417E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Acenaphthene | 4.7975E-010 | 1.1631E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Acetone | 2.0990E-011 | 5.0988E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Acetophenone | 2.2216E-012 | 5.3960E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Aniline | 1.3312E-013 | 3.2325E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Anthracene | 9.2081E-009 | 2.2324E-008 |
| RCPTR_27 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Benzene | 2.8438E-014 | 6.9046E-014 |
| RCPTR_27 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 8.8041E-007 | 1.3811E-006 |
| RCPTR_27 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 3.6591E-006 | 4.2429E-006 |
| RCPTR_27 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.3452E-006 | 4.7592E-006 |
| RCPTR_27 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 5.8218E-006 | 6.3349E-006 |
| RCPTR_27 | farmer_child | TOCDFLIC | Benzoic acid | 5.2191E-011 | 1.2477E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Benzyl alcohol | 5.7427E-010 | 1.3948E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 3.0291E-012 | 7.3581E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.7835E-015 | 4.3320E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.7271E-012 | 4.1951E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.0156E-007 | 3.6356E-007 |
| RCPTR_27 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.4840E-009 | 3.7549E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Cadmium | 1.2011E-008 | 1.8459E-008 |
| RCPTR_27 | farmer_child | TOCDFLIC | Carbon disulfide | 1.1813E-016 | 2.8687E-016 |
| RCPTR_27 | farmer_child | TOCDFLIC | Carbon tetrachloride | 9.5319E-016 | 2.3142E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.5368E-010 | 6.0025E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.4144E-011 | 3.4341E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chlorobenzene | 5.5919E-015 | 1.3572E-014 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chloroethane | 1.6711E-016 | 4.0468E-016 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 7.3777E-016 | 1.7919E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.2741E-009 | 3.0903E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 3.9497E-011 | 9.5940E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.7556E-009 | 4.1778E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Chrysene | 1.6432E-006 | 2.1565E-006 |
| RCPTR_27 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.0727E-008 | 1.5921E-008 |
| RCPTR_27 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 3.9400E+000 | 3.9400E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 7.2719E-005 | 7.6973E-005 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.9011E-012 | 4.6019E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.3235E-012 | 5.6313E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.2135E-012 | 5.3665E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.3659E-009 | 5.3058E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.2901E-017 | 3.1326E-017 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 3.0803E-016 | 7.4818E-016 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.9994E-015 | 9.7143E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.2293E-015 | 2.9853E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.9711E-015 | 4.7866E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.7049E-010 | 3.9443E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 1.0629E-015 | 2.5805E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.4781E-016 | 8.4475E-016 |
| RCPTR_27 | farmer_child | TOCDFLIC | Diethyl phthalate | 5.3724E-010 | 6.2288E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dimethyl phthalate | 2.8667E-011 | 6.9423E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.7023E-011 | 6.5586E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.3562E-012 | 4.9955E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.4467E-011 | 5.9147E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.8878E-011 | 4.5689E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 5.6475E-013 | 1.3718E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Ethylbenzene | 3.0430E-014 | 7.3637E-014 |
| RCPTR_27 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 9.4941E-010 | 1.5050E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Fluoranthene | 1.3360E-007 | 2.7832E-007 |
| RCPTR_27 | farmer_child | TOCDFLIC | Fluorene | 1.9387E-009 | 4.6945E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.2471E-012 | 2.5360E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 7.6351E-012 | 8.4240E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.8081E-011 | 2.0337E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.8891E-011 | 2.0895E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.1524E-011 | 1.3067E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 9.6364E-012 | 1.1111E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.3936E-011 | 1.6235E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.2123E-011 | 1.4111E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.2490E-011 | 1.4516E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.0264E-011 | 1.1937E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.4750E-011 | 1.0799E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Hexachlorobenzene | 1.0633E-007 | 2.5593E-007 |
| RCPTR_27 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.2266E-010 | 2.9563E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.4410E-011 | 5.9175E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.2678E-004 | 5.3640E-004 |
| RCPTR_27 | farmer_child | TOCDFLIC | Isophorone | 4.0694E-012 | 9.8839E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Mercuric chloride | 1.5709E-010 | 1.9637E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.2124E-016 | 5.3739E-016 |
| RCPTR_27 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.2827E-017 | 3.1157E-017 |
| RCPTR_27 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.3516E-013 | 5.7123E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Methyl mercury | 7.1634E-013 | 8.3882E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Methylene chloride | 3.1897E-012 | 7.7477E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Naphthalene | 1.0724E-011 | 2.6021E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 6.9504E-011 | 1.6876E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.6466E-011 | 3.9993E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 4.2471E-012 | 1.0315E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitrobenzene | 6.8812E-012 | 1.6715E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.5682E-011 | 3.8090E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 8.0785E-012 | 1.6583E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.9245E-012 | 9.5289E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 3.9572E-012 | 9.6061E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.3886E-013 | 8.2159E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.3992E-012 | 3.9560E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3569E-012 | 3.9047E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.5971E-011 | 5.1184E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 8.0933E-012 | 9.4239E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 3.0027E-011 | 3.5026E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.7855E-009 | 4.3005E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.2802E-010 | 3.0741E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Pentachlorophenol | 9.0058E-009 | 1.6338E-008 |
| RCPTR_27 | farmer_child | TOCDFLIC | Phenanthrene | 6.5892E-012 | 1.5971E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Phenol | 5.4275E-012 | 1.3179E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Pronamide | 5.5799E-010 | 1.3504E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Pyrene | 2.3877E-007 | 3.9081E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Selenium | 2.9270E-005 | 3.0421E-005 |
| RCPTR_27 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Styrene | 2.7614E-014 | 6.7049E-014 |
| RCPTR_27 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 8.3466E-012 | 9.9670E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.6878E-012 | 3.2906E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 5.3195E-010 | 1.2838E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.1265E-012 | 1.8513E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.1390E-015 | 2.7656E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 3.1248E-009 | 6.9583E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFLIC | Toluene | 3.4287E-011 | 8.3182E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.8300E-011 | 4.4278E-011 |
| RCPTR_27 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.0850E-013 | 2.6350E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 5.8366E-014 | 1.4176E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Trichloroethylene | 9.5617E-015 | 2.3218E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.2606E-015 | 3.0610E-015 |
| RCPTR_27 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.0475E-009 | 4.9297E-009 |
| RCPTR_27 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 3.9416E-010 | 9.2867E-010 |
| RCPTR_27 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.1670E-013 | 5.2630E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | VX | 3.8738E-012 | 4.3791E-012 |
| RCPTR_27 | farmer_child | TOCDFLIC | Vinyl Chloride | 2.8138E-019 | 6.8340E-019 |
| RCPTR_27 | farmer_child | TOCDFLIC | Xylene, m- | 1.0666E-013 | 2.2956E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Xylene, o- | 7.3169E-014 | 1.6188E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Xylene, p- | 1.5226E-013 | 3.4245E-013 |
| RCPTR_27 | farmer_child | TOCDFLIC | Zinc | 1.6304E-007 | 2.4233E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Acenaphthene | 8.8005E-011 | 2.1336E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Acetone | 8.9441E-016 | 2.1726E-015 |
| RCPTR_27 | farmer_child | TOCDFMPF | Acetophenone | 9.4822E-012 | 2.3031E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Aniline | 5.6819E-013 | 1.3797E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Anthracene | 9.7000E-010 | 2.3516E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Benzene | 5.0035E-015 | 1.2148E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 8.1556E-008 | 1.2793E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 6.2485E-007 | 7.2457E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 4.8609E-007 | 6.9155E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 8.6728E-007 | 9.4375E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Benzoic acid | 1.0030E-011 | 2.3978E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Benzyl alcohol | 4.5564E-012 | 1.1066E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.2901E-012 | 3.1339E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.6362E-014 | 6.4032E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 9.1455E-013 | 2.2214E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.1550E-007 | 2.0833E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.2942E-010 | 4.9792E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | Cadmium | 3.8296E-008 | 5.8856E-008 |
| RCPTR_27 | farmer_child | TOCDFMPF | Carbon disulfide | 1.7461E-015 | 4.2403E-015 |
| RCPTR_27 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.4089E-014 | 3.4206E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.0874E-010 | 2.5729E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chloroaniline, p- | 4.1743E-012 | 1.0135E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chlorobenzene | 8.2654E-014 | 2.0061E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chloroethane | 2.3551E-016 | 5.7033E-016 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.0905E-014 | 2.6486E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.2447E-010 | 5.4443E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.4562E-011 | 3.5373E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.4366E-010 | 1.2938E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Chrysene | 1.7013E-007 | 2.2327E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.2567E-008 | 1.8651E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 3.5491E+000 | 3.5491E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.9289E-005 | 2.0419E-005 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 6.6296E-013 | 1.6048E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 7.5537E-013 | 1.8308E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 7.1561E-013 | 1.7349E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.0088E-009 | 1.5902E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.8182E-017 | 4.4149E-017 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 4.5530E-015 | 1.1059E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.6365E-015 | 1.3691E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.7325E-015 | 4.2074E-015 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.7780E-015 | 6.7459E-015 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 6.6883E-011 | 1.5474E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.5710E-014 | 3.8142E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.1410E-015 | 1.2486E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.1500E-009 | 1.3333E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.6575E-012 | 4.0139E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 1.0675E-011 | 2.5908E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 4.5361E-012 | 9.6175E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.3774E-011 | 8.1643E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.3659E-011 | 5.7258E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.4104E-012 | 5.8552E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Ethylbenzene | 5.1226E-014 | 1.2396E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.6448E-010 | 2.6070E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Fluoranthene | 1.0409E-008 | 2.1686E-008 |
| RCPTR_27 | farmer_child | TOCDFMPF | Fluorene | 2.9577E-010 | 7.1621E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.4747E-013 | 2.7930E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.2795E-012 | 1.4117E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.1962E-012 | 1.3455E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.2890E-012 | 3.6380E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.0069E-012 | 2.2756E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.6543E-012 | 1.9074E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.7716E-012 | 4.3942E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.2897E-011 | 1.5012E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.0892E-011 | 1.2659E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.3118E-012 | 1.5257E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.5155E-011 | 6.0704E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Hexachlorobenzene | 5.3012E-008 | 1.2760E-007 |
| RCPTR_27 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 8.5437E-011 | 2.0591E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.7201E-011 | 4.1701E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.1482E-004 | 1.1692E-004 |
| RCPTR_27 | farmer_child | TOCDFMPF | Isophorone | 7.2802E-013 | 1.7682E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Mercuric chloride | 1.6940E-010 | 2.1176E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.6373E-016 | 3.9770E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 9.4930E-018 | 2.3058E-017 |
| RCPTR_27 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.9586E-015 | 9.6160E-015 |
| RCPTR_27 | farmer_child | TOCDFMPF | Methyl mercury | 7.7268E-013 | 9.0476E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | Methylene chloride | 1.0418E-015 | 2.5304E-015 |
| RCPTR_27 | farmer_child | TOCDFMPF | Naphthalene | 9.0520E-012 | 2.1964E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 8.6315E-012 | 2.0958E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.6568E-012 | 4.0240E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.8976E-012 | 4.6086E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitrobenzene | 2.3559E-012 | 5.7225E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.8963E-012 | 4.6059E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 7.2262E-012 | 1.4833E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.6751E-011 | 4.0671E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 8.9480E-013 | 2.1722E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.2064E-013 | 5.3495E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.6135E-013 | 3.0416E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.5600E-014 | 2.9778E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 7.5986E-012 | 8.4606E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 5.5029E-012 | 6.4077E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.6815E-012 | 4.2944E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.5214E-009 | 3.6644E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.4541E-011 | 1.3097E-010 |
| RCPTR_27 | farmer_child | TOCDFMPF | Pentachlorophenol | 5.3731E-009 | 9.7475E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Phenanthrene | 6.9412E-013 | 1.6824E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Phenol | 1.7793E-012 | 4.3206E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Pronamide | 2.3816E-009 | 5.7636E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Pyrene | 1.7542E-008 | 2.8712E-008 |
| RCPTR_27 | farmer_child | TOCDFMPF | Selenium | 9.2413E-006 | 9.6048E-006 |
| RCPTR_27 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Styrene | 4.2188E-013 | 1.0244E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.6278E-012 | 4.3321E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.8126E-012 | 2.2191E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.2705E-009 | 5.4796E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.7826E-013 | 4.3287E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.6835E-014 | 4.0878E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.3313E-009 | 2.9645E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDFMPF | Toluene | 2.2210E-014 | 5.3882E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 6.1821E-012 | 1.4958E-011 |
| RCPTR_27 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.0839E-014 | 2.6322E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 8.2258E-014 | 1.9979E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | Trichloroethylene | 1.3476E-014 | 3.2722E-014 |
| RCPTR_27 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.7766E-015 | 4.3141E-015 |
| RCPTR_27 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 9.1854E-010 | 2.2115E-009 |
| RCPTR_27 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.7969E-010 | 4.2336E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 3.0541E-013 | 7.4173E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | VX | 5.3637E-012 | 6.0634E-012 |
| RCPTR_27 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.2988E-018 | 1.0441E-017 |
| RCPTR_27 | farmer_child | TOCDFMPF | Xylene, m- | 8.4334E-014 | 1.8148E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | Xylene, o- | 9.0925E-014 | 2.0113E-013 |
| RCPTR_27 | farmer_child | TOCDFMPF | Xylene, p- | 1.2038E-013 | 2.7071E-013 |
| RCPTR_27 | farmer_child | TOCDHVAC | VX | 3.2613E-012 | 3.6885E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Acenaphthene | 4.7975E-010 | 1.1631E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Acetone | 2.0990E-011 | 5.0988E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Acetophenone | 2.2216E-012 | 5.3960E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Aniline | 1.3312E-013 | 3.2325E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Anthracene | 9.2081E-009 | 2.2324E-008 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | Benzene | 2.8438E-014 | 6.9046E-014 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 8.8041E-007 | 1.3811E-006 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 3.6591E-006 | 4.2429E-006 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.3452E-006 | 4.7592E-006 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 5.8218E-006 | 6.3349E-006 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Benzoic acid | 5.2191E-011 | 1.2477E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Benzyl alcohol | 5.7427E-010 | 1.3948E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.0291E-012 | 7.3581E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.7835E-015 | 4.3320E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.7271E-012 | 4.1951E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.0156E-007 | 3.6356E-007 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.4840E-009 | 3.7549E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Cadmium | 1.2011E-008 | 1.8459E-008 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.1813E-016 | 2.8687E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 9.5319E-016 | 2.3142E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.5368E-010 | 6.0025E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.4144E-011 | 3.4341E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chlorobenzene | 5.5919E-015 | 1.3572E-014 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chloroethane | 1.6711E-016 | 4.0468E-016 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 7.3777E-016 | 1.7919E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.2741E-009 | 3.0903E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 3.9497E-011 | 9.5940E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.7556E-009 | 4.1778E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Chrysene | 1.6432E-006 | 2.1565E-006 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.0727E-008 | 1.5921E-008 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 3.9400E+000 | 3.9400E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 7.2719E-005 | 7.6973E-005 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.9011E-012 | 4.6019E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.3235E-012 | 5.6313E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.2135E-012 | 5.3665E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.3659E-009 | 5.3058E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.2901E-017 | 3.1326E-017 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 2.9801E-016 | 7.2384E-016 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.9994E-015 | 9.7143E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.2293E-015 | 2.9853E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.9711E-015 | 4.7866E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.7049E-010 | 3.9443E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 1.0629E-015 | 2.5805E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.4781E-016 | 8.4475E-016 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Diethyl phthalate | 5.3724E-010 | 6.2288E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 2.8667E-011 | 6.9423E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.7023E-011 | 6.5586E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.3562E-012 | 4.9955E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.4467E-011 | 5.9147E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.8878E-011 | 4.5689E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 5.6475E-013 | 1.3718E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Ethylbenzene | 3.0430E-014 | 7.3637E-014 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 9.4941E-010 | 1.5050E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Fluoranthene | 1.3360E-007 | 2.7832E-007 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Fluorene | 1.9387E-009 | 4.6945E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.2471E-012 | 2.5360E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.6349E-011 | 2.9071E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 6.2397E-011 | 7.0181E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.8891E-011 | 2.0895E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.1524E-011 | 1.3067E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 9.6364E-012 | 1.1111E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.3936E-011 | 1.6235E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.2123E-011 | 1.4111E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.2490E-011 | 1.4516E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.0264E-011 | 1.1937E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.4750E-011 | 1.0799E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 1.0633E-007 | 2.5593E-007 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.2266E-010 | 2.9563E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.4410E-011 | 5.9175E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.2678E-004 | 5.3640E-004 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Isophorone | 4.0694E-012 | 9.8839E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.5709E-010 | 1.9637E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.2124E-016 | 5.3739E-016 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 6.4224E-019 | 1.5599E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.3516E-013 | 5.7123E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Methyl mercury | 7.1634E-013 | 8.3882E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Methylene chloride | 3.1897E-012 | 7.7477E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Naphthalene | 1.0724E-011 | 2.6021E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 6.9504E-011 | 1.6876E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.6466E-011 | 3.9993E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 2.1274E-011 | 5.1667E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitrobenzene | 6.8812E-012 | 1.6715E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 3.1307E-012 | 7.6041E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 4.0466E-011 | 8.3065E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.9245E-012 | 9.5289E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.9572E-012 | 9.6061E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.3886E-013 | 8.2159E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.3992E-012 | 3.9560E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3569E-012 | 3.9047E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.5971E-011 | 5.1184E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 8.0933E-012 | 9.4239E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 3.0027E-011 | 3.5026E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 3.5646E-010 | 8.5855E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.2802E-010 | 3.0741E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Pentachlorophenol | 4.5111E-008 | 8.1836E-008 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Phenanthrene | 6.5892E-012 | 1.5971E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Phenol | 5.4275E-012 | 1.3179E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Pronamide | 5.5799E-010 | 1.3504E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Pyrene | 2.3877E-007 | 3.9081E-007 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Selenium | 2.9270E-005 | 3.0421E-005 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Styrene | 2.7614E-014 | 6.7049E-014 |
| RCPTR_27 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 8.3466E-012 | 9.9670E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.6878E-012 | 3.2906E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 5.3195E-010 | 1.2838E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.1265E-012 | 1.8513E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.1390E-015 | 2.7656E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 3.1248E-009 | 6.9583E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Toluene | 3.4287E-011 | 8.3182E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.8300E-011 | 4.4278E-011 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.0850E-013 | 2.6350E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 5.8366E-014 | 1.4176E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichloroethylene | 9.5617E-015 | 2.3218E-014 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.2606E-015 | 3.0610E-015 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.0475E-009 | 4.9297E-009 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 3.9416E-010 | 9.2867E-010 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.1670E-013 | 5.2630E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_27 | farmer_child | TOCDLIC2 | VX | 4.0272E-012 | 4.5526E-012 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Vinyl Chloride | 2.8138E-019 | 6.8340E-019 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Xylene, m- | 1.0666E-013 | 2.2956E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Xylene, o- | 7.3169E-014 | 1.6188E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Xylene, p- | 1.5226E-013 | 3.4245E-013 |
| RCPTR_27 | farmer_child | TOCDLIC2 | Zinc | 1.6304E-007 | 2.4233E-007 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Cadmium | 1.5927E-008 | 4.3255E-008 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Mercuric chloride | 3.8632E-006 | 4.0402E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFBRA | Methyl mercury | 1.5983E-008 | 1.7794E-008 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Selenium | 1.8718E-005 | 1.9918E-005 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFBRA | Zinc | 5.1859E-007 | 1.2073E-006 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Acenaphthene | 1.4028E-010 | 2.2255E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Acetone | 2.4387E-014 | 3.9490E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Acetophenone | 6.3835E-013 | 1.0325E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Aniline | 3.8347E-014 | 6.1852E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Anthracene | 2.6918E-009 | 4.2715E-008 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Aroclor 1254 | 3.2360E-011 | 2.1927E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | Benzene | 2.0809E-015 | 3.3519E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 7.0197E-007 | 2.6410E-006 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 5.9521E-006 | 8.0867E-006 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 3.7154E-006 | 9.1021E-006 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 9.6514E-006 | 1.2066E-005 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Benzoic acid | 1.1176E-011 | 1.5440E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.3469E-012 | 2.1771E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 8.6947E-013 | 1.4079E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Bromodichloromethane | 4.4066E-015 | 7.1288E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.5283E-013 | 2.4732E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 6.8478E-008 | 6.9564E-007 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.2248E-008 | 2.6670E-008 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Cadmium | 2.6070E-008 | 7.0713E-008 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Carbon disulfide | 5.8807E-016 | 9.4906E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 2.3651E-015 | 3.8082E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 9.1075E-011 | 1.1486E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 4.0776E-012 | 6.5709E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chlorobenzene | 6.9709E-015 | 1.1186E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chloroethane | 5.7558E-017 | 9.0238E-016 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 9.1325E-016 | 1.4770E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.7105E-010 | 5.9130E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 1.1341E-011 | 1.8357E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 6.0279E-010 | 7.9941E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Chrysene | 1.9439E-006 | 4.1239E-006 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 2.2704E-008 | 4.7267E-008 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 2.4706E+002 | 2.4706E+002 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.3089E-004 | 1.5012E-004 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.2356E-013 | 1.9284E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 4.4292E-013 | 7.0038E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.8801E-013 | 4.5694E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.4960E-009 | 5.9848E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 4.3325E-018 | 6.9851E-017 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.8121E-016 | 6.1666E-015 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.7182E-016 | 7.6344E-015 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 4.1232E-016 | 6.6569E-015 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 6.6130E-016 | 1.0673E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 5.2158E-011 | 5.5101E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.7477E-015 | 6.0349E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 4.3068E-016 | 6.9626E-015 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Diethyl phthalate | 4.8144E-009 | 6.1619E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 4.1382E-012 | 6.4895E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 7.8226E-012 | 1.2549E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 7.4627E-012 | 4.7329E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.5912E-012 | 2.4501E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.2149E-012 | 1.8927E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.6213E-013 | 2.6249E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Ethylbenzene | 8.8705E-015 | 1.3801E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.3493E-010 | 8.1659E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Fluoranthene | 4.9810E-008 | 5.3254E-007 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Fluorene | 5.7341E-010 | 8.9825E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.5305E-013 | 4.8281E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.7150E-013 | 6.0490E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.0733E-012 | 1.4542E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.9722E-012 | 3.8401E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.7206E-012 | 2.3875E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.3856E-012 | 2.0220E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.9208E-012 | 2.8966E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.6754E-012 | 2.5185E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.7328E-012 | 2.5926E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.4213E-012 | 2.1314E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.3656E-011 | 2.0663E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 3.1845E-008 | 4.8971E-007 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.8739E-010 | 2.8000E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 7.1420E-012 | 1.1323E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 9.9411E-004 | 1.0351E-003 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Isophorone | 1.1695E-012 | 1.8912E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Mercuric chloride | 4.9983E-009 | 5.2283E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.8875E-017 | 6.2923E-016 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 7.4804E-019 | 1.2101E-017 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 4.5262E-015 | 7.3289E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | Methyl mercury | 1.9899E-011 | 2.2252E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Methylene chloride | 2.5317E-014 | 4.0963E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Naphthalene | 8.2258E-012 | 1.3162E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.9799E-011 | 3.1910E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 4.6767E-012 | 7.5620E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 6.0453E-012 | 9.7695E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.9759E-012 | 3.1982E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 8.9961E-013 | 1.4550E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.8679E-011 | 1.5713E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 1.1314E-012 | 1.8233E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 1.1431E-012 | 1.8381E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 9.8968E-014 | 1.5720E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 7.8625E-013 | 1.1803E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.3572E-013 | 3.5321E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.2537E-012 | 8.2534E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 6.3088E-013 | 9.5173E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.3271E-012 | 3.5272E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 5.4720E-010 | 8.1311E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 4.0253E-011 | 5.8122E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Pentachlorophenol | 8.9144E-009 | 3.1287E-008 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Phenanthrene | 1.9316E-012 | 3.0559E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Phenol | 1.5632E-012 | 2.5218E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Pronamide | 3.3188E-010 | 5.1676E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Pyrene | 1.0206E-007 | 7.4778E-007 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Selenium | 4.0102E-006 | 4.2667E-006 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Styrene | 8.3252E-014 | 1.3420E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.4597E-012 | 5.6738E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.8730E-012 | 3.3475E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.6224E-010 | 2.4565E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.1480E-011 | 3.0501E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.8219E-015 | 4.5511E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.6003E-009 | 1.3160E-008 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Toluene | 1.4055E-014 | 2.2457E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 6.5677E-012 | 1.0210E-010 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.8148E-015 | 2.9305E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.9548E-014 | 3.1611E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichloroethylene | 3.2106E-015 | 5.1772E-014 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 4.2315E-016 | 6.8257E-015 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 6.3799E-010 | 9.4328E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.4605E-010 | 1.7771E-009 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 7.2627E-014 | 1.1736E-012 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 6.1615E-013 | 9.6918E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFDFS | VX | 1.1022E-011 | 1.3499E-011 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Vinyl Chloride | 5.2959E-019 | 8.5618E-018 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Xylene, m- | 1.0787E-013 | 7.4758E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Xylene, o- | 1.0327E-013 | 8.2899E-013 |
| RCPTR_28 | farmer_adult | TOCDFDFS | Xylene, p- | 1.2620E-013 | 1.1162E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Acenaphthene | 7.9585E-011 | 1.2627E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Acetone | 3.4182E-012 | 5.5352E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Acetophenone | 3.6217E-013 | 5.8578E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Aniline | 2.1756E-014 | 3.5092E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Anthracene | 1.5272E-009 | 2.4234E-008 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Benzene | 4.6534E-015 | 7.4956E-014 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 3.9780E-007 | 1.4972E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 3.3675E-006 | 4.5680E-006 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 2.1061E-006 | 5.1591E-006 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 5.4596E-006 | 6.8119E-006 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Benzoic acid | 9.8055E-012 | 1.3545E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Benzyl alcohol | 9.3672E-011 | 1.5141E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 4.9330E-013 | 7.9879E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.9070E-016 | 4.7028E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.8142E-013 | 4.5541E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 3.8851E-008 | 3.9467E-007 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.8585E-009 | 4.0577E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Cadmium | 7.6488E-009 | 2.0744E-008 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.9297E-017 | 3.1143E-016 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.5603E-016 | 2.5123E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 5.1684E-011 | 6.5168E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 2.3134E-012 | 3.7280E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chlorobenzene | 9.1814E-016 | 1.4733E-014 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chloroethane | 2.8023E-017 | 4.3932E-016 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.2028E-016 | 1.9453E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 2.1052E-010 | 3.3548E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 6.4345E-012 | 1.0415E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.4194E-010 | 4.5354E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Chrysene | 1.1020E-006 | 2.3370E-006 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 8.3119E-009 | 1.7302E-008 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 4.2967E+000 | 4.2967E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 7.3989E-005 | 8.4598E-005 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 3.2010E-013 | 4.9957E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.8660E-013 | 6.1133E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.6720E-013 | 5.8258E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.3954E-009 | 5.7474E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 2.1092E-018 | 3.4006E-017 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 5.0209E-017 | 8.1221E-016 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.5175E-016 | 1.0546E-014 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 2.0074E-016 | 3.2408E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 3.2195E-016 | 5.1962E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 4.0552E-011 | 4.2826E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.7397E-016 | 2.8014E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 5.6724E-017 | 9.1705E-016 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Diethyl phthalate | 5.3027E-010 | 6.7854E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.8055E-012 | 7.5364E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 4.4382E-012 | 7.1199E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 8.5572E-013 | 5.4251E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 4.1691E-012 | 6.4207E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 3.1835E-012 | 4.9599E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 9.1986E-014 | 1.4892E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Ethylbenzene | 5.1382E-015 | 7.9940E-014 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 6.6475E-010 | 1.6258E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Fluoranthene | 2.8255E-008 | 3.0212E-007 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Fluorene | 3.2532E-010 | 5.0962E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.9511E-012 | 2.6619E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 6.9739E-012 | 8.9250E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.5821E-011 | 2.1384E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.7209E-011 | 2.2184E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 9.9161E-012 | 1.3730E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 7.9570E-012 | 1.1591E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.1278E-011 | 1.6989E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 9.8408E-012 | 1.4776E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.0185E-011 | 1.5220E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 8.3510E-012 | 1.2509E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 7.7464E-012 | 1.1723E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.8067E-008 | 2.7784E-007 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 2.1473E-011 | 3.2093E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 4.0521E-012 | 6.4240E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.6380E-004 | 5.8642E-004 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Isophorone | 6.6351E-013 | 1.0730E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Mercuric chloride | 2.0324E-010 | 2.1260E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.6042E-017 | 5.8338E-016 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 2.0908E-018 | 3.3823E-017 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.8298E-014 | 6.2012E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Methyl mercury | 8.0599E-013 | 9.0169E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Methylene chloride | 5.1983E-013 | 8.4107E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | Naphthalene | 1.7655E-012 | 2.8249E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 1.1367E-011 | 1.8320E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.6850E-012 | 4.3416E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 6.9288E-013 | 1.1197E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitrobenzene | 1.1211E-012 | 1.8145E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.5566E-012 | 4.1350E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 3.2895E-012 | 1.8013E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 6.4191E-013 | 1.0344E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 6.4856E-013 | 1.0428E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 5.6124E-014 | 8.9185E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.7365E-012 | 4.1026E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.7053E-012 | 4.0486E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.1667E-011 | 5.4916E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 6.7136E-012 | 1.0122E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.4709E-011 | 3.7428E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 3.1383E-010 | 4.6679E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.3079E-011 | 3.3366E-010 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Pentachlorophenol | 5.0620E-009 | 1.7755E-008 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Phenanthrene | 1.0959E-012 | 1.7338E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Phenol | 8.8691E-013 | 1.4307E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Pronamide | 9.4150E-011 | 1.4659E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Pyrene | 5.7899E-008 | 4.2424E-007 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Selenium | 3.2223E-005 | 3.4283E-005 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Styrene | 4.5153E-015 | 7.2787E-014 |
| RCPTR_28 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 6.5465E-012 | 1.0734E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.9899E-012 | 3.5564E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 9.2049E-011 | 1.3937E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 7.5801E-013 | 2.0128E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.8616E-016 | 3.0023E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 9.1924E-010 | 7.5559E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Toluene | 5.6516E-012 | 9.0301E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 3.0934E-012 | 4.8067E-011 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.7715E-014 | 2.8606E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 9.5169E-015 | 1.5389E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.5630E-015 | 2.5205E-014 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 2.0601E-016 | 3.3230E-015 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.6200E-010 | 5.3518E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 8.2883E-011 | 1.0083E-009 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.5358E-014 | 5.7134E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | VX | 3.8966E-012 | 4.7714E-012 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Vinyl Chloride | 4.5888E-020 | 7.4188E-019 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Xylene, m- | 3.5390E-014 | 2.4816E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFLIC | Xylene, o- | 2.1590E-014 | 1.7516E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Xylene, p- | 4.1523E-014 | 3.7078E-013 |
| RCPTR_28 | farmer_adult | TOCDFLIC | Zinc | 1.1716E-007 | 2.7240E-007 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Acenaphthene | 1.4607E-011 | 2.3176E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Acetone | 1.4574E-016 | 2.3599E-015 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Acetophenone | 1.5467E-012 | 2.5016E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Aniline | 9.2912E-014 | 1.4986E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Anthracene | 1.6097E-010 | 2.5543E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Benzene | 8.1919E-016 | 1.3195E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.6871E-008 | 1.3877E-007 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 5.7531E-007 | 7.8043E-007 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 3.0621E-007 | 7.5008E-007 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 8.1366E-007 | 1.0152E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Benzoic acid | 1.8855E-012 | 2.6046E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Benzyl alcohol | 7.4363E-013 | 1.2020E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 2.1022E-013 | 3.4041E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Bromodichloromethane | 4.2993E-015 | 6.9552E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.4911E-013 | 2.4129E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.2275E-008 | 2.2629E-007 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.4659E-010 | 5.3834E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Cadmium | 2.4380E-008 | 6.6118E-008 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.8539E-016 | 4.6058E-015 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 2.3075E-015 | 3.7155E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.2166E-011 | 2.7949E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 6.8318E-013 | 1.1009E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.3579E-014 | 2.1790E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chloroethane | 3.9517E-017 | 6.1950E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.7789E-015 | 2.8770E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.7109E-011 | 5.9137E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.3737E-012 | 3.8422E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 1.0595E-010 | 1.4053E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Chrysene | 1.1416E-007 | 2.4209E-007 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 9.7433E-009 | 2.0281E-008 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 3.8729E+000 | 3.8730E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.9634E-005 | 2.2451E-005 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 1.1169E-013 | 1.7431E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.2576E-013 | 1.9886E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.1878E-013 | 1.8845E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 7.1833E-010 | 1.7235E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.9743E-018 | 4.7954E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 7.4256E-016 | 1.2012E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 9.1907E-016 | 1.4871E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.8307E-016 | 4.5701E-015 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 4.5400E-016 | 7.3275E-015 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.5918E-011 | 1.6811E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.5729E-015 | 4.1431E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 8.3892E-016 | 1.3563E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Diethyl phthalate | 1.1358E-009 | 1.4533E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.7801E-013 | 4.3599E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.7542E-012 | 2.8142E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.6484E-012 | 1.0451E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 5.7581E-012 | 8.8678E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 3.9919E-012 | 6.2193E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 3.9284E-013 | 6.3599E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Ethylbenzene | 8.6545E-015 | 1.3465E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.1522E-010 | 2.8178E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Fluoranthene | 2.2028E-009 | 2.3554E-008 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Fluorene | 4.9661E-011 | 7.7795E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.1487E-013 | 2.9317E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.1688E-012 | 1.4959E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.0468E-012 | 1.4149E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.9967E-012 | 3.8632E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.7269E-012 | 2.3912E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.3659E-012 | 1.9897E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.0523E-012 | 4.5980E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.0468E-011 | 1.5719E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 8.8816E-012 | 1.3273E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.0672E-012 | 1.5987E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 4.3570E-012 | 6.5937E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 9.0127E-009 | 1.3860E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.4965E-011 | 2.2366E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.8572E-012 | 4.5296E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.2296E-004 | 1.2790E-004 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Isophorone | 1.1877E-013 | 1.9207E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Mercuric chloride | 2.1929E-010 | 2.2938E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.6688E-017 | 4.3198E-016 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.5482E-018 | 2.5045E-017 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 6.4507E-016 | 1.0445E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Methyl mercury | 8.6970E-013 | 9.7297E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Methylene chloride | 1.6987E-016 | 2.7485E-015 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Naphthalene | 1.4910E-012 | 2.3857E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.4125E-012 | 2.2764E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.7031E-013 | 4.3709E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 3.0975E-013 | 5.0058E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.8403E-013 | 6.2158E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 3.0933E-013 | 5.0030E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.9442E-012 | 1.6122E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.7413E-012 | 4.4177E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.4674E-013 | 2.3594E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.6565E-014 | 5.8104E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.1035E-013 | 3.1537E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.0626E-014 | 3.0869E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 6.8898E-012 | 9.0807E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.5666E-012 | 6.8850E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.0304E-012 | 4.5902E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.6757E-010 | 3.9797E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 9.8387E-012 | 1.4224E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Pentachlorophenol | 3.0220E-009 | 1.0599E-008 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Phenanthrene | 1.1551E-013 | 1.8274E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Phenol | 2.9092E-013 | 4.6931E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Pronamide | 4.0208E-010 | 6.2605E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Pyrene | 4.2561E-009 | 3.1186E-008 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Selenium | 1.0171E-005 | 1.0821E-005 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Styrene | 6.9023E-014 | 1.1127E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.8466E-012 | 4.6675E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.3426E-012 | 2.3996E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 3.9311E-010 | 5.9521E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.9137E-014 | 4.7019E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.7531E-015 | 4.4402E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.9187E-010 | 3.2210E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDFMPF | Toluene | 3.6630E-015 | 5.8527E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 1.0456E-012 | 1.6247E-011 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.7706E-015 | 2.8591E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.3420E-014 | 2.1701E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichloroethylene | 2.2041E-015 | 3.5542E-014 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.9050E-016 | 4.6860E-015 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.6249E-010 | 2.4022E-009 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.7807E-011 | 4.5990E-010 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 4.9860E-014 | 8.0568E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | VX | 5.3987E-012 | 6.6107E-012 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Vinyl Chloride | 7.0147E-019 | 1.1341E-017 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Xylene, m- | 2.7998E-014 | 1.9628E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Xylene, o- | 2.6845E-014 | 2.1775E-013 |
| RCPTR_28 | farmer_adult | TOCDFMPF | Xylene, p- | 3.2848E-014 | 2.9326E-013 |
| RCPTR_28 | farmer_adult | TOCDHVAC | VX | 2.3504E-012 | 2.8883E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Acenaphthene | 7.9585E-011 | 1.2627E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Acetone | 3.4182E-012 | 5.5352E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Acetophenone | 3.6217E-013 | 5.8578E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Aniline | 2.1756E-014 | 3.5092E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Anthracene | 1.5272E-009 | 2.4234E-008 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Benzene | 4.6534E-015 | 7.4956E-014 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 3.9780E-007 | 1.4972E-006 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 3.3675E-006 | 4.5680E-006 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 2.1061E-006 | 5.1591E-006 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 5.4596E-006 | 6.8119E-006 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Benzoic acid | 9.8055E-012 | 1.3545E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 9.3672E-011 | 1.5141E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 4.9330E-013 | 7.9879E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.9070E-016 | 4.7028E-015 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.8142E-013 | 4.5541E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 3.8851E-008 | 3.9467E-007 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.8585E-009 | 4.0577E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Cadmium | 7.6488E-009 | 2.0744E-008 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.9297E-017 | 3.1143E-016 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.5603E-016 | 2.5123E-015 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 5.1684E-011 | 6.5168E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 2.3134E-012 | 3.7280E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chlorobenzene | 9.1814E-016 | 1.4733E-014 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chloroethane | 2.8023E-017 | 4.3932E-016 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.2028E-016 | 1.9453E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 2.1052E-010 | 3.3548E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 6.4345E-012 | 1.0415E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.4194E-010 | 4.5354E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Chrysene | 1.1020E-006 | 2.3370E-006 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 8.3119E-009 | 1.7302E-008 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 4.2967E+000 | 4.2967E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 7.3989E-005 | 8.4598E-005 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 3.2010E-013 | 4.9957E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.8660E-013 | 6.1133E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.6720E-013 | 5.8258E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.3954E-009 | 5.7474E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 2.1092E-018 | 3.4006E-017 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 4.8576E-017 | 7.8580E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.5175E-016 | 1.0546E-014 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 2.0074E-016 | 3.2408E-015 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 3.2195E-016 | 5.1962E-015 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 4.0552E-011 | 4.2826E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.7397E-016 | 2.8014E-015 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 5.6724E-017 | 9.1705E-016 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 5.3027E-010 | 6.7854E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.8055E-012 | 7.5364E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 4.4382E-012 | 7.1199E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 8.5572E-013 | 5.4251E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 4.1691E-012 | 6.4207E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 3.1835E-012 | 4.9599E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 9.1986E-014 | 1.4892E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Ethylbenzene | 5.1382E-015 | 7.9940E-014 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 6.6475E-010 | 1.6258E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.8255E-008 | 3.0212E-007 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Fluorene | 3.2532E-010 | 5.0962E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.9511E-012 | 2.6619E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.4067E-011 | 3.0800E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.4599E-011 | 7.3795E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.7209E-011 | 2.2184E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 9.9161E-012 | 1.3730E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 7.9570E-012 | 1.1591E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.1278E-011 | 1.6989E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 9.8408E-012 | 1.4776E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.0185E-011 | 1.5220E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 8.3510E-012 | 1.2509E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 7.7464E-012 | 1.1723E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.8067E-008 | 2.7784E-007 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 2.1473E-011 | 3.2093E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 4.0521E-012 | 6.4240E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.6380E-004 | 5.8642E-004 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Isophorone | 6.6351E-013 | 1.0730E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Mercuric chloride | 2.0324E-010 | 2.1260E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.6042E-017 | 5.8338E-016 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 1.0468E-019 | 1.6935E-018 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.8298E-014 | 6.2012E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Methyl mercury | 8.0599E-013 | 9.0169E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Methylene chloride | 5.1983E-013 | 8.4107E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Naphthalene | 1.7655E-012 | 2.8249E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 1.1367E-011 | 1.8320E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.6850E-012 | 4.3416E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 3.4707E-012 | 5.6089E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitrobenzene | 1.1211E-012 | 1.8145E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 5.1040E-013 | 8.2549E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.6477E-011 | 9.0226E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 6.4191E-013 | 1.0344E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 6.4856E-013 | 1.0428E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 5.6124E-014 | 8.9185E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.7365E-012 | 4.1026E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.7053E-012 | 4.0486E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.1667E-011 | 5.4916E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 6.7136E-012 | 1.0122E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.4709E-011 | 3.7428E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 6.2653E-011 | 9.3189E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.3079E-011 | 3.3366E-010 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.5356E-008 | 8.8936E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Phenanthrene | 1.0959E-012 | 1.7338E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Phenol | 8.8691E-013 | 1.4307E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Pronamide | 9.4150E-011 | 1.4659E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Pyrene | 5.7899E-008 | 4.2424E-007 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Selenium | 3.2223E-005 | 3.4283E-005 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Styrene | 4.5153E-015 | 7.2787E-014 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 6.5465E-012 | 1.0734E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.9899E-012 | 3.5564E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 9.2049E-011 | 1.3937E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 7.5801E-013 | 2.0128E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.8616E-016 | 3.0023E-015 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 9.1924E-010 | 7.5559E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Toluene | 5.6516E-012 | 9.0301E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 3.0934E-012 | 4.8067E-011 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.7715E-014 | 2.8606E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 9.5169E-015 | 1.5389E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.5630E-015 | 2.5205E-014 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 2.0601E-016 | 3.3230E-015 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.6200E-010 | 5.3518E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 8.2883E-011 | 1.0083E-009 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.5358E-014 | 5.7134E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | VX | 4.0509E-012 | 4.9603E-012 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 4.5888E-020 | 7.4188E-019 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Xylene, m- | 3.5390E-014 | 2.4816E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Xylene, o- | 2.1590E-014 | 1.7516E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Xylene, p- | 4.1523E-014 | 3.7078E-013 |
| RCPTR_28 | farmer_adult | TOCDLIC2 | Zinc | 1.1716E-007 | 2.7240E-007 |
| RCPTR_28 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Cadmium | 2.8155E-008 | 4.3255E-008 |
| RCPTR_28 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Mercuric chloride | 3.2348E-006 | 4.0402E-006 |
| RCPTR_28 | farmer_child | TOCDFBRA | Methyl mercury | 1.5283E-008 | 1.7794E-008 |
| RCPTR_28 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Selenium | 1.9166E-005 | 1.9918E-005 |
| RCPTR_28 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFBRA | Zinc | 8.1257E-007 | 1.2073E-006 |
| RCPTR_28 | farmer_child | TOCDFDFS | Acenaphthene | 9.1796E-010 | 2.2255E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Acetone | 1.6257E-013 | 3.9490E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Acetophenone | 4.2509E-012 | 1.0325E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Aniline | 2.5472E-013 | 6.1852E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Anthracene | 1.7619E-008 | 4.2715E-008 |
| RCPTR_28 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Aroclor 1254 | 1.0207E-010 | 2.1927E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Benzene | 1.3806E-014 | 3.3519E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.6838E-006 | 2.6410E-006 |
| RCPTR_28 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 6.9817E-006 | 8.0867E-006 |
| RCPTR_28 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 6.4001E-006 | 9.1021E-006 |
| RCPTR_28 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 1.1100E-005 | 1.2066E-005 |
| RCPTR_28 | farmer_child | TOCDFDFS | Benzoic acid | 6.4589E-011 | 1.5440E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Benzyl alcohol | 8.9641E-012 | 2.1771E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 5.7960E-012 | 1.4079E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.9350E-014 | 7.1288E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 1.0182E-012 | 2.4732E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.8567E-007 | 6.9564E-007 |
| RCPTR_28 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.7627E-008 | 2.6670E-008 |
| RCPTR_28 | farmer_child | TOCDFDFS | Cadmium | 4.6044E-008 | 7.0713E-008 |
| RCPTR_28 | farmer_child | TOCDFDFS | Carbon disulfide | 3.9082E-015 | 9.4906E-015 |
| RCPTR_28 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.5686E-014 | 3.8082E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.8548E-010 | 1.1486E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.7063E-011 | 6.5709E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chlorobenzene | 4.6090E-014 | 1.1186E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chloroethane | 3.7263E-016 | 9.0238E-016 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 6.0809E-015 | 1.4770E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.4379E-009 | 5.9130E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 7.5575E-011 | 1.8357E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.3594E-009 | 7.9941E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Chrysene | 3.1436E-006 | 4.1239E-006 |
| RCPTR_28 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 3.1865E-008 | 4.7267E-008 |
| RCPTR_28 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 2.4706E+002 | 2.4706E+002 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.4147E-004 | 1.5012E-004 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 7.9666E-013 | 1.9284E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.8898E-012 | 7.0038E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.8848E-012 | 4.5694E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.7971E-009 | 5.9848E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.8767E-017 | 6.9851E-017 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.5389E-015 | 6.1666E-015 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.1431E-015 | 7.6344E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.7412E-015 | 6.6569E-015 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 4.3953E-015 | 1.0673E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 2.3820E-010 | 5.5101E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.4857E-014 | 6.0349E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.8667E-015 | 6.9626E-015 |
| RCPTR_28 | farmer_child | TOCDFDFS | Diethyl phthalate | 5.3170E-009 | 6.1619E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.6797E-011 | 6.4895E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 5.1707E-011 | 1.2549E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 2.2331E-011 | 4.7329E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 1.0136E-011 | 2.4501E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 7.8205E-012 | 1.8927E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 1.0806E-012 | 2.6249E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Ethylbenzene | 5.7032E-014 | 1.3801E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 5.1456E-010 | 8.1659E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Fluoranthene | 2.5563E-007 | 5.3254E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Fluorene | 3.7096E-009 | 8.9825E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 4.2832E-013 | 4.8281E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.4894E-013 | 6.0490E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.2944E-012 | 1.4542E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.4758E-012 | 3.8401E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 2.1080E-012 | 2.3875E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.7553E-012 | 2.0220E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.4878E-012 | 2.8966E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 2.1651E-012 | 2.5185E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.2323E-012 | 2.5926E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.8338E-012 | 2.1314E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 8.5625E-011 | 2.0663E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Hexachlorobenzene | 2.0346E-007 | 4.8971E-007 |
| RCPTR_28 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 1.1618E-009 | 2.8000E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.6706E-011 | 1.1323E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 1.0155E-003 | 1.0351E-003 |
| RCPTR_28 | farmer_child | TOCDFDFS | Isophorone | 7.7865E-012 | 1.8912E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Mercuric chloride | 4.1820E-009 | 5.2283E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.5905E-016 | 6.2923E-016 |
| RCPTR_28 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 4.9821E-018 | 1.2101E-017 |
| RCPTR_28 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.0171E-014 | 7.3289E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Methyl mercury | 1.8989E-011 | 2.2252E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Methylene chloride | 1.6864E-013 | 4.0963E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Naphthalene | 5.4244E-011 | 1.3162E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.3142E-010 | 3.1910E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 3.1135E-011 | 7.5620E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 4.0226E-011 | 9.7695E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Nitrobenzene | 1.3167E-011 | 3.1982E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 5.9904E-012 | 1.4550E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 7.6586E-011 | 1.5713E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 7.5093E-012 | 1.8233E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 7.5718E-012 | 1.8381E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 6.4833E-013 | 1.5720E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 1.0149E-012 | 1.1803E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 3.0387E-013 | 3.5321E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 7.4184E-012 | 8.2534E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 8.1769E-013 | 9.5173E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 3.0252E-012 | 3.5272E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Pentachlorobenzene | 3.3756E-009 | 8.1311E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.4200E-010 | 5.8122E-010 |
| RCPTR_28 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.7258E-008 | 3.1287E-008 |
| RCPTR_28 | farmer_child | TOCDFDFS | Phenanthrene | 1.2608E-011 | 3.0559E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Phenol | 1.0385E-011 | 2.5218E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Pronamide | 2.1354E-009 | 5.1676E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Pyrene | 4.5687E-007 | 7.4778E-007 |
| RCPTR_28 | farmer_child | TOCDFDFS | Selenium | 4.1059E-006 | 4.2667E-006 |
| RCPTR_28 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Styrene | 5.5271E-013 | 1.3420E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 4.7525E-012 | 5.6738E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.7347E-012 | 3.3475E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.0179E-009 | 2.4565E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.8574E-011 | 3.0501E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.8743E-014 | 4.5511E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 5.9114E-009 | 1.3160E-008 |
| RCPTR_28 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFDFS | Toluene | 9.2564E-014 | 2.2457E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 4.2197E-011 | 1.0210E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.2067E-014 | 2.9305E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.3015E-013 | 3.1611E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trichloroethylene | 2.1321E-014 | 5.1772E-014 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.8110E-015 | 6.8257E-015 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.9180E-009 | 9.4328E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 7.5433E-010 | 1.7771E-009 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 4.8322E-013 | 1.1736E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 4.0009E-012 | 9.6918E-012 |
| RCPTR_28 | farmer_child | TOCDFDFS | VX | 1.1945E-011 | 1.3499E-011 |
| RCPTR_28 | farmer_child | TOCDFDFS | Vinyl Chloride | 3.5252E-018 | 8.5618E-018 |
| RCPTR_28 | farmer_child | TOCDFDFS | Xylene, m- | 3.4645E-013 | 7.4758E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Xylene, o- | 3.7393E-013 | 8.2899E-013 |
| RCPTR_28 | farmer_child | TOCDFDFS | Xylene, p- | 4.9540E-013 | 1.1162E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Acenaphthene | 5.2081E-010 | 1.2627E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Acetone | 2.2787E-011 | 5.5352E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Acetophenone | 2.4118E-012 | 5.8578E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Aniline | 1.4452E-013 | 3.5092E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | Anthracene | 9.9961E-009 | 2.4234E-008 |
| RCPTR_28 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Benzene | 3.0872E-014 | 7.4956E-014 |
| RCPTR_28 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 9.5448E-007 | 1.4972E-006 |
| RCPTR_28 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 3.9466E-006 | 4.5680E-006 |
| RCPTR_28 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.6277E-006 | 5.1591E-006 |
| RCPTR_28 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 6.2708E-006 | 6.8119E-006 |
| RCPTR_28 | farmer_child | TOCDFLIC | Benzoic acid | 5.6664E-011 | 1.3545E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Benzyl alcohol | 6.2342E-010 | 1.5141E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 3.2884E-012 | 7.9879E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.9362E-015 | 4.7028E-015 |
| RCPTR_28 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.8749E-012 | 4.5541E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.1881E-007 | 3.9467E-007 |
| RCPTR_28 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.6787E-009 | 4.0577E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Cadmium | 1.3508E-008 | 2.0744E-008 |
| RCPTR_28 | farmer_child | TOCDFLIC | Carbon disulfide | 1.2825E-016 | 3.1143E-016 |
| RCPTR_28 | farmer_child | TOCDFLIC | Carbon tetrachloride | 1.0348E-015 | 2.5123E-015 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.7545E-010 | 6.5168E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.5354E-011 | 3.7280E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chlorobenzene | 6.0705E-015 | 1.4733E-014 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chloroethane | 1.8141E-016 | 4.3932E-016 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 8.0092E-016 | 1.9453E-015 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.3832E-009 | 3.3548E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 4.2878E-011 | 1.0415E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.9059E-009 | 4.5354E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Chrysene | 1.7817E-006 | 2.3370E-006 |
| RCPTR_28 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.1665E-008 | 1.7302E-008 |
| RCPTR_28 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 4.2967E+000 | 4.2967E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 7.9826E-005 | 8.4598E-005 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 2.0639E-012 | 4.9957E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.5223E-012 | 6.1133E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.4030E-012 | 5.8258E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.6455E-009 | 5.7474E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.4005E-017 | 3.4006E-017 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 3.3439E-016 | 8.1221E-016 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.3417E-015 | 1.0546E-014 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.3345E-015 | 3.2408E-015 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.1398E-015 | 5.1962E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.8515E-010 | 4.2826E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 1.1538E-015 | 2.8014E-015 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.7758E-016 | 9.1705E-016 |
| RCPTR_28 | farmer_child | TOCDFLIC | Diethyl phthalate | 5.8557E-010 | 6.7854E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dimethyl phthalate | 3.1120E-011 | 7.5364E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.9336E-011 | 7.1199E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.5598E-012 | 5.4251E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.6560E-011 | 6.4207E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 2.0494E-011 | 4.9599E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 6.1308E-013 | 1.4892E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Ethylbenzene | 3.3035E-014 | 7.9940E-014 |
| RCPTR_28 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 1.0232E-009 | 1.6258E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Fluoranthene | 1.4502E-007 | 3.0212E-007 |
| RCPTR_28 | farmer_child | TOCDFLIC | Fluorene | 2.1046E-009 | 5.0962E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.3634E-012 | 2.6619E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 8.1066E-012 | 8.9250E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.9050E-011 | 2.1384E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 2.0096E-011 | 2.2184E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.2132E-011 | 1.3730E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 1.0068E-011 | 1.1591E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.4597E-011 | 1.6989E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.2707E-011 | 1.4776E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.3110E-011 | 1.5220E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.0766E-011 | 1.2509E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.8578E-011 | 1.1723E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Hexachlorobenzene | 1.1543E-007 | 2.7784E-007 |
| RCPTR_28 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.3315E-010 | 3.2093E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.6499E-011 | 6.4240E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.7562E-004 | 5.8642E-004 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Isophorone | 4.4177E-012 | 1.0730E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Mercuric chloride | 1.7004E-010 | 2.1260E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.4017E-016 | 5.8338E-016 |
| RCPTR_28 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.3925E-017 | 3.3823E-017 |
| RCPTR_28 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.5529E-013 | 6.2012E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | Methyl mercury | 7.6898E-013 | 9.0169E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | Methylene chloride | 3.4627E-012 | 8.4107E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Naphthalene | 1.1642E-011 | 2.8249E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 7.5452E-011 | 1.8320E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.7875E-011 | 4.3416E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 4.6105E-012 | 1.1197E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitrobenzene | 7.4701E-012 | 1.8145E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.7024E-011 | 4.1350E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 8.7804E-012 | 1.8013E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 4.2604E-012 | 1.0344E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 4.2959E-012 | 1.0428E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.6780E-013 | 8.9185E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5291E-012 | 4.1026E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.4844E-012 | 4.0486E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.9383E-011 | 5.4916E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 8.6980E-012 | 1.0122E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 3.2107E-011 | 3.7428E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.9377E-009 | 4.6679E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.3891E-010 | 3.3366E-010 |
| RCPTR_28 | farmer_child | TOCDFLIC | Pentachlorophenol | 9.7958E-009 | 1.7755E-008 |
| RCPTR_28 | farmer_child | TOCDFLIC | Phenanthrene | 7.1532E-012 | 1.7338E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Phenol | 5.8920E-012 | 1.4307E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Pronamide | 6.0575E-010 | 1.4659E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Pyrene | 2.5920E-007 | 4.2424E-007 |
| RCPTR_28 | farmer_child | TOCDFLIC | Selenium | 3.2991E-005 | 3.4283E-005 |
| RCPTR_28 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Styrene | 2.9977E-014 | 7.2787E-014 |
| RCPTR_28 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 8.9917E-012 | 1.0734E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.9054E-012 | 3.5564E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 5.7750E-010 | 1.3937E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.2260E-012 | 2.0128E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.2364E-015 | 3.0023E-015 |
| RCPTR_28 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 3.3944E-009 | 7.5559E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFLIC | Toluene | 3.7221E-011 | 9.0301E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.9866E-011 | 4.8067E-011 |
| RCPTR_28 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.1779E-013 | 2.8606E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 6.3362E-014 | 1.5389E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFLIC | Trichloroethylene | 1.0380E-014 | 2.5205E-014 |
| RCPTR_28 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.3685E-015 | 3.3230E-015 |
| RCPTR_28 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.2229E-009 | 5.3518E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 4.2800E-010 | 1.0083E-009 |
| RCPTR_28 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.3525E-013 | 5.7134E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | VX | 4.2228E-012 | 4.7714E-012 |
| RCPTR_28 | farmer_child | TOCDFLIC | Vinyl Chloride | 3.0546E-019 | 7.4188E-019 |
| RCPTR_28 | farmer_child | TOCDFLIC | Xylene, m- | 1.1474E-013 | 2.4816E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | Xylene, o- | 7.8864E-014 | 1.7516E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | Xylene, p- | 1.6432E-013 | 3.7078E-013 |
| RCPTR_28 | farmer_child | TOCDFLIC | Zinc | 1.8343E-007 | 2.7240E-007 |
| RCPTR_28 | farmer_child | TOCDFMPF | Acenaphthene | 9.5592E-011 | 2.3176E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Acetone | 9.7151E-016 | 2.3599E-015 |
| RCPTR_28 | farmer_child | TOCDFMPF | Acetophenone | 1.0300E-011 | 2.5016E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Aniline | 6.1717E-013 | 1.4986E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Anthracene | 1.0536E-009 | 2.5543E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Benzene | 5.4348E-015 | 1.3195E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 8.8466E-008 | 1.3877E-007 |
| RCPTR_28 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 6.7425E-007 | 7.8043E-007 |
| RCPTR_28 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 5.2743E-007 | 7.5008E-007 |
| RCPTR_28 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 9.3458E-007 | 1.0152E-006 |
| RCPTR_28 | farmer_child | TOCDFMPF | Benzoic acid | 1.0896E-011 | 2.6046E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Benzyl alcohol | 4.9491E-012 | 1.2020E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.4014E-012 | 3.4041E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.8635E-014 | 6.9552E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 9.9339E-013 | 2.4129E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.2545E-007 | 2.2629E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.5540E-010 | 5.3834E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Cadmium | 4.3055E-008 | 6.6118E-008 |
| RCPTR_28 | farmer_child | TOCDFMPF | Carbon disulfide | 1.8967E-015 | 4.6058E-015 |
| RCPTR_28 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.5304E-014 | 3.7155E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.1814E-010 | 2.7949E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chloroaniline, p- | 4.5342E-012 | 1.1009E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chlorobenzene | 8.9779E-014 | 2.1790E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chloroethane | 2.5582E-016 | 6.1950E-016 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.1845E-014 | 2.8770E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.4382E-010 | 5.9137E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.5818E-011 | 3.8422E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.9054E-010 | 1.4053E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Chrysene | 1.8456E-007 | 2.4209E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.3673E-008 | 2.0281E-008 |
| RCPTR_28 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 3.8730E+000 | 3.8730E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 2.1184E-005 | 2.2451E-005 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 7.2012E-013 | 1.7431E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 8.2050E-013 | 1.9886E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 7.7730E-013 | 1.8845E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.0932E-009 | 1.7235E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.9749E-017 | 4.7954E-017 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 4.9455E-015 | 1.2012E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.1224E-015 | 1.4871E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.8819E-015 | 4.5701E-015 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.0174E-015 | 7.3275E-015 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 7.2676E-011 | 1.6811E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.7065E-014 | 4.1431E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.5842E-015 | 1.3563E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.2542E-009 | 1.4533E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.8003E-012 | 4.3599E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 1.1595E-011 | 2.8142E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 4.9311E-012 | 1.0451E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.6683E-011 | 8.8678E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.5698E-011 | 6.2193E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.6182E-012 | 6.3599E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Ethylbenzene | 5.5643E-014 | 1.3465E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.7734E-010 | 2.8178E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Fluoranthene | 1.1306E-008 | 2.3554E-008 |
| RCPTR_28 | farmer_child | TOCDFMPF | Fluorene | 3.2127E-010 | 7.7795E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.6029E-013 | 2.9317E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.3587E-012 | 1.4959E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.2605E-012 | 1.4149E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.4995E-012 | 3.8632E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.1128E-012 | 2.3912E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.7283E-012 | 1.9897E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.9505E-012 | 4.5980E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.3517E-011 | 1.5719E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.1433E-011 | 1.3273E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.3760E-012 | 1.5987E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.7323E-011 | 6.5937E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Hexachlorobenzene | 5.7582E-008 | 1.3860E-007 |
| RCPTR_28 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 9.2798E-011 | 2.2366E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.8685E-011 | 4.5296E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.2554E-004 | 1.2790E-004 |
| RCPTR_28 | farmer_child | TOCDFMPF | Isophorone | 7.9078E-013 | 1.9207E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Mercuric chloride | 1.8346E-010 | 2.2938E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.7784E-016 | 4.3198E-016 |
| RCPTR_28 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 1.0311E-017 | 2.5045E-017 |
| RCPTR_28 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 4.2999E-015 | 1.0445E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Methyl mercury | 8.2977E-013 | 9.7297E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | Methylene chloride | 1.1316E-015 | 2.7485E-015 |
| RCPTR_28 | farmer_child | TOCDFMPF | Naphthalene | 9.8324E-012 | 2.3857E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 9.3756E-012 | 2.2764E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.7996E-012 | 4.3709E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 2.0611E-012 | 5.0058E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitrobenzene | 2.5590E-012 | 6.2158E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 2.0598E-012 | 5.0030E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 7.8586E-012 | 1.6122E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.8195E-011 | 4.4177E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 9.7195E-013 | 2.3594E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.3962E-013 | 5.8104E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.7129E-013 | 3.1537E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6567E-014 | 3.0869E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 8.1658E-012 | 9.0807E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 5.9164E-012 | 6.8850E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.9377E-012 | 4.5902E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.6520E-009 | 3.9797E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.9216E-011 | 1.4224E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Pentachlorophenol | 5.8480E-009 | 1.0599E-008 |
| RCPTR_28 | farmer_child | TOCDFMPF | Phenanthrene | 7.5396E-013 | 1.8274E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Phenol | 1.9327E-012 | 4.6931E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Pronamide | 2.5869E-009 | 6.2605E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Pyrene | 1.9054E-008 | 3.1186E-008 |
| RCPTR_28 | farmer_child | TOCDFMPF | Selenium | 1.0413E-005 | 1.0821E-005 |
| RCPTR_28 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Styrene | 4.5825E-013 | 1.1127E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.9099E-012 | 4.6675E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.9603E-012 | 2.3996E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.4663E-009 | 5.9521E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.9363E-013 | 4.7019E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.8286E-014 | 4.4402E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.4470E-009 | 3.2210E-009 |
| RCPTR_28 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDFMPF | Toluene | 2.4124E-014 | 5.8527E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 6.7151E-012 | 1.6247E-011 |
| RCPTR_28 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.1773E-014 | 2.8591E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 8.9350E-014 | 2.1701E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | Trichloroethylene | 1.4638E-014 | 3.5542E-014 |
| RCPTR_28 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.9298E-015 | 4.6860E-015 |
| RCPTR_28 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 9.9780E-010 | 2.4022E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.9523E-010 | 4.5990E-010 |
| RCPTR_28 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 3.3174E-013 | 8.0568E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | VX | 5.8508E-012 | 6.6107E-012 |
| RCPTR_28 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.6694E-018 | 1.1341E-017 |
| RCPTR_28 | farmer_child | TOCDFMPF | Xylene, m- | 9.0759E-014 | 1.9628E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | Xylene, o- | 9.8044E-014 | 2.1775E-013 |
| RCPTR_28 | farmer_child | TOCDFMPF | Xylene, p- | 1.2997E-013 | 2.9326E-013 |
| RCPTR_28 | farmer_child | TOCDHVAC | VX | 2.5510E-012 | 2.8883E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Acenaphthene | 5.2081E-010 | 1.2627E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Acetone | 2.2787E-011 | 5.5352E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Acetophenone | 2.4118E-012 | 5.8578E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Aniline | 1.4452E-013 | 3.5092E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Anthracene | 9.9961E-009 | 2.4234E-008 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Benzene | 3.0872E-014 | 7.4956E-014 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 9.5448E-007 | 1.4972E-006 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 3.9466E-006 | 4.5680E-006 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.6277E-006 | 5.1591E-006 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 6.2708E-006 | 6.8119E-006 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Benzoic acid | 5.6664E-011 | 1.3545E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Benzyl alcohol | 6.2342E-010 | 1.5141E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.2884E-012 | 7.9879E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.9362E-015 | 4.7028E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.8749E-012 | 4.5541E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.1881E-007 | 3.9467E-007 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.6787E-009 | 4.0577E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Cadmium | 1.3508E-008 | 2.0744E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.2825E-016 | 3.1143E-016 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 1.0348E-015 | 2.5123E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.7545E-010 | 6.5168E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.5354E-011 | 3.7280E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chlorobenzene | 6.0705E-015 | 1.4733E-014 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chloroethane | 1.8141E-016 | 4.3932E-016 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 8.0092E-016 | 1.9453E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.3832E-009 | 3.3548E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 4.2878E-011 | 1.0415E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.9059E-009 | 4.5354E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Chrysene | 1.7817E-006 | 2.3370E-006 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.1665E-008 | 1.7302E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 4.2967E+000 | 4.2967E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 7.9826E-005 | 8.4598E-005 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.0639E-012 | 4.9957E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.5223E-012 | 6.1133E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.4030E-012 | 5.8258E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.6455E-009 | 5.7474E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.4005E-017 | 3.4006E-017 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 3.2352E-016 | 7.8580E-016 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.3417E-015 | 1.0546E-014 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.3345E-015 | 3.2408E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.1398E-015 | 5.1962E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.8515E-010 | 4.2826E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 1.1538E-015 | 2.8014E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.7758E-016 | 9.1705E-016 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Diethyl phthalate | 5.8557E-010 | 6.7854E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 3.1120E-011 | 7.5364E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.9336E-011 | 7.1199E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.5598E-012 | 5.4251E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.6560E-011 | 6.4207E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.0494E-011 | 4.9599E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 6.1308E-013 | 1.4892E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Ethylbenzene | 3.3035E-014 | 7.9940E-014 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 1.0232E-009 | 1.6258E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Fluoranthene | 1.4502E-007 | 3.0212E-007 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Fluorene | 2.1046E-009 | 5.0962E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.3634E-012 | 2.6619E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.7976E-011 | 3.0800E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 6.5743E-011 | 7.3795E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 2.0096E-011 | 2.2184E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.2132E-011 | 1.3730E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 1.0068E-011 | 1.1591E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.4597E-011 | 1.6989E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.2707E-011 | 1.4776E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.3110E-011 | 1.5220E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.0766E-011 | 1.2509E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.8578E-011 | 1.1723E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 1.1543E-007 | 2.7784E-007 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.3315E-010 | 3.2093E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.6499E-011 | 6.4240E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.7562E-004 | 5.8642E-004 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Isophorone | 4.4177E-012 | 1.0730E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.7004E-010 | 2.1260E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.4017E-016 | 5.8338E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 6.9721E-019 | 1.6935E-018 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.5529E-013 | 6.2012E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Methyl mercury | 7.6898E-013 | 9.0169E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Methylene chloride | 3.4627E-012 | 8.4107E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Naphthalene | 1.1642E-011 | 2.8249E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 7.5452E-011 | 1.8320E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.7875E-011 | 4.3416E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 2.3094E-011 | 5.6089E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitrobenzene | 7.4701E-012 | 1.8145E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 3.3987E-012 | 8.2549E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 4.3982E-011 | 9.0226E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 4.2604E-012 | 1.0344E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 4.2959E-012 | 1.0428E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.6780E-013 | 8.9185E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5291E-012 | 4.1026E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.4844E-012 | 4.0486E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.9383E-011 | 5.4916E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 8.6980E-012 | 1.0122E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 3.2107E-011 | 3.7428E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 3.8683E-010 | 9.3189E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.3891E-010 | 3.3366E-010 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Pentachlorophenol | 4.9068E-008 | 8.8936E-008 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Phenanthrene | 7.1532E-012 | 1.7338E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Phenol | 5.8920E-012 | 1.4307E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Pronamide | 6.0575E-010 | 1.4659E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Pyrene | 2.5920E-007 | 4.2424E-007 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Selenium | 3.2991E-005 | 3.4283E-005 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Styrene | 2.9977E-014 | 7.2787E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 8.9917E-012 | 1.0734E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.9054E-012 | 3.5564E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 5.7750E-010 | 1.3937E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.2260E-012 | 2.0128E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.2364E-015 | 3.0023E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 3.3944E-009 | 7.5559E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Toluene | 3.7221E-011 | 9.0301E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.9866E-011 | 4.8067E-011 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.1779E-013 | 2.8606E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 6.3362E-014 | 1.5389E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichloroethylene | 1.0380E-014 | 2.5205E-014 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.3685E-015 | 3.3230E-015 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.2229E-009 | 5.3518E-009 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 4.2800E-010 | 1.0083E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_28 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.3525E-013 | 5.7134E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | VX | 4.3901E-012 | 4.9603E-012 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Vinyl Chloride | 3.0546E-019 | 7.4188E-019 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Xylene, m- | 1.1474E-013 | 2.4816E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Xylene, o- | 7.8864E-014 | 1.7516E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Xylene, p- | 1.6432E-013 | 3.7078E-013 |
| RCPTR_28 | farmer_child | TOCDLIC2 | Zinc | 1.8343E-007 | 2.7240E-007 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Cadmium | 2.0748E-008 | 5.6069E-008 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFBRA | Mercuric chloride | 4.7758E-006 | 4.9939E-006 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Methyl mercury | 2.0353E-008 | 2.2585E-008 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Selenium | 2.4415E-005 | 2.5966E-005 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFBRA | Zinc | 6.7580E-007 | 1.5659E-006 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Acenaphthene | 1.2097E-010 | 1.9179E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Acetone | 2.1015E-014 | 3.4029E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Acetophenone | 5.5011E-013 | 8.8972E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Aniline | 3.3047E-014 | 5.3300E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Anthracene | 2.3223E-009 | 3.6812E-008 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Aroclor 1254 | 3.0227E-011 | 1.9141E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Benzene | 1.7934E-015 | 2.8884E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 6.3086E-007 | 2.3256E-006 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 5.5657E-006 | 7.7538E-006 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 3.3295E-006 | 8.0753E-006 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 9.0425E-006 | 1.1707E-005 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Benzoic acid | 9.6373E-012 | 1.3305E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.1607E-012 | 1.8761E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 7.4925E-013 | 1.2132E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Bromodichloromethane | 3.7974E-015 | 6.1431E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.3170E-013 | 2.1312E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 5.9025E-008 | 5.9948E-007 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.1969E-008 | 2.4447E-008 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Cadmium | 3.2815E-008 | 8.8659E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | Carbon disulfide | 5.0678E-016 | 8.1783E-015 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 2.0383E-015 | 3.2817E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 7.8519E-011 | 9.8983E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 3.5140E-012 | 5.6623E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chlorobenzene | 6.0084E-015 | 9.6396E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chloroethane | 4.9602E-017 | 7.7760E-016 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 7.8698E-016 | 1.2727E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.1987E-010 | 5.0955E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 9.7731E-012 | 1.5819E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 5.2349E-010 | 6.8929E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Chrysene | 1.7379E-006 | 3.6762E-006 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.9934E-008 | 4.1125E-008 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 2.1316E+002 | 2.1316E+002 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.2145E-004 | 1.4544E-004 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.0656E-013 | 1.6618E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 3.8186E-013 | 6.0355E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.4830E-013 | 3.9377E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.2924E-009 | 5.3552E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 3.7356E-018 | 6.0195E-017 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.2850E-016 | 5.3139E-015 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.0659E-016 | 6.5787E-015 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 3.5533E-016 | 5.7364E-015 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 5.6988E-016 | 9.1975E-015 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 4.4983E-011 | 4.7486E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.2298E-015 | 5.2004E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 3.7117E-016 | 5.9999E-015 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Diethyl phthalate | 4.1553E-009 | 5.3165E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 3.5736E-012 | 5.5931E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 6.7410E-012 | 1.0814E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 6.4714E-012 | 4.0827E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.3793E-012 | 2.1124E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.0491E-012 | 1.6312E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.3971E-013 | 2.2619E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Ethylbenzene | 7.6516E-015 | 1.1893E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.3087E-010 | 7.4901E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Fluoranthene | 4.3351E-008 | 4.5969E-007 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Fluorene | 4.9469E-010 | 7.7411E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.9782E-013 | 5.6293E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.9451E-013 | 6.5991E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.1931E-012 | 1.6749E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.0778E-012 | 4.1209E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.9279E-012 | 2.7614E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.6451E-012 | 2.4559E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.2520E-012 | 3.4405E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.9542E-012 | 2.9775E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.0003E-012 | 3.0362E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.6485E-012 | 2.5071E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.1823E-011 | 1.7811E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 2.7487E-008 | 4.2205E-007 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.6248E-010 | 2.4139E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 6.1547E-012 | 9.7572E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 8.7703E-004 | 9.2823E-004 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Isophorone | 1.0078E-012 | 1.6297E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Mercuric chloride | 4.4282E-009 | 4.6300E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.3500E-017 | 5.4222E-016 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 6.4465E-019 | 1.0428E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.9004E-015 | 6.3155E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Methyl mercury | 1.9222E-011 | 2.1287E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Methylene chloride | 2.1817E-014 | 3.5299E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Naphthalene | 7.0906E-012 | 1.1342E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.7065E-011 | 2.7498E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 4.0303E-012 | 6.5164E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 5.2122E-012 | 8.4189E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.7028E-012 | 2.7560E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 7.7526E-013 | 1.2538E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.4745E-011 | 1.3544E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 9.7496E-013 | 1.5712E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 9.8507E-013 | 1.5839E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 8.6224E-014 | 1.3556E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 9.7849E-013 | 1.4911E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9398E-013 | 4.4684E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.0216E-012 | 8.1242E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 6.0788E-013 | 9.2254E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.3389E-012 | 3.5700E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 4.8346E-010 | 7.0187E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 3.5796E-011 | 5.0196E-010 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Pentachlorophenol | 7.6906E-009 | 2.6969E-008 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Phenanthrene | 1.6657E-012 | 2.6335E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Phenol | 1.3471E-012 | 2.1731E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Pronamide | 2.8616E-010 | 4.4533E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Pyrene | 8.8216E-008 | 6.4498E-007 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Selenium | 5.0528E-006 | 5.3736E-006 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Styrene | 7.1749E-014 | 1.1565E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.2716E-012 | 5.3556E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.7170E-012 | 3.0506E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.3993E-010 | 2.1170E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 9.9037E-012 | 2.6295E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.4327E-015 | 3.9219E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.3812E-009 | 1.1342E-008 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Toluene | 1.2115E-014 | 1.9352E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 5.6642E-012 | 8.7989E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.5639E-015 | 2.5253E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.6846E-014 | 2.7240E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichloroethylene | 2.7669E-015 | 4.4613E-014 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 3.6467E-016 | 5.8819E-015 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 5.4987E-010 | 8.1286E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.2592E-010 | 1.5314E-009 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 6.2588E-014 | 1.0113E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 5.3821E-013 | 8.3606E-012 |
| RCPTR_29 | farmer_adult | TOCDFDFS | VX | 9.5092E-012 | 1.1644E-011 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Vinyl Chloride | 4.5655E-019 | 7.3781E-018 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Xylene, m- | 1.2208E-013 | 6.7334E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Xylene, o- | 1.1372E-013 | 7.3910E-013 |
| RCPTR_29 | farmer_adult | TOCDFDFS | Xylene, p- | 1.3587E-013 | 9.8893E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Acenaphthene | 7.7473E-011 | 1.2284E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Acetone | 3.3253E-012 | 5.3848E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Acetophenone | 3.5234E-013 | 5.6986E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Aniline | 2.1167E-014 | 3.4138E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Anthracene | 1.4871E-009 | 2.3577E-008 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Benzene | 4.5274E-015 | 7.2919E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 4.0022E-007 | 1.4808E-006 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 3.4928E-006 | 4.8231E-006 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 2.1157E-006 | 5.1342E-006 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 5.6701E-006 | 7.2575E-006 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Benzoic acid | 9.5503E-012 | 1.3178E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Benzyl alcohol | 9.1129E-011 | 1.4730E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 4.7989E-013 | 7.7708E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.8281E-016 | 4.5750E-015 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.7378E-013 | 4.4303E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 3.7802E-008 | 3.8396E-007 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.9923E-009 | 4.1380E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Cadmium | 9.9679E-009 | 2.6916E-008 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.8774E-017 | 3.0296E-016 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.5180E-016 | 2.4440E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 5.0347E-011 | 6.3404E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 2.2507E-012 | 3.6267E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chlorobenzene | 8.9337E-016 | 1.4333E-014 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chloroethane | 2.7266E-017 | 4.2738E-016 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.1702E-016 | 1.8924E-015 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 2.0487E-010 | 3.2637E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 6.2597E-012 | 1.0132E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.3481E-010 | 4.4144E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Chrysene | 1.1051E-006 | 2.3344E-006 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 8.2287E-009 | 1.6982E-008 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 4.2013E+000 | 4.2013E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 7.6193E-005 | 8.9894E-005 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 3.1164E-013 | 4.8602E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.7627E-013 | 5.9473E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.5737E-013 | 5.6676E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.4510E-009 | 5.7565E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 2.0528E-018 | 3.3083E-017 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 4.8845E-017 | 7.9014E-016 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.3405E-016 | 1.0259E-014 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.9529E-016 | 3.1528E-015 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 3.1321E-016 | 5.0550E-015 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 3.9535E-011 | 4.1671E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.6926E-016 | 2.7252E-015 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 5.5188E-017 | 8.9213E-016 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Diethyl phthalate | 5.1859E-010 | 6.6283E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.6828E-012 | 7.3325E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 4.3178E-012 | 6.9264E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 8.3855E-013 | 5.2839E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 4.0740E-012 | 6.2484E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 3.1022E-012 | 4.8257E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 8.9486E-014 | 1.4488E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Ethylbenzene | 5.0031E-015 | 7.7772E-014 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 7.1846E-010 | 1.6585E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Fluoranthene | 2.7715E-008 | 2.9431E-007 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Fluorene | 3.1679E-010 | 4.9581E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.3348E-012 | 3.2714E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 7.8897E-012 | 1.0406E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.8732E-011 | 2.6025E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.9277E-011 | 2.5532E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.1814E-011 | 1.6764E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 9.9282E-012 | 1.4721E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.3929E-011 | 2.1187E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.2104E-011 | 1.8358E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.2423E-011 | 1.8766E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.0225E-011 | 1.5478E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 7.5642E-012 | 1.1407E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.7601E-008 | 2.7032E-007 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 2.0992E-011 | 3.1231E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 3.9425E-012 | 6.2495E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.6001E-004 | 5.8924E-004 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Isophorone | 6.4548E-013 | 1.0438E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Mercuric chloride | 2.0179E-010 | 2.1101E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.5063E-017 | 5.6753E-016 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 2.0341E-018 | 3.2904E-017 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.7257E-014 | 6.0327E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Methyl mercury | 8.5463E-013 | 9.4898E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | Methylene chloride | 5.0571E-013 | 8.1822E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Naphthalene | 1.7180E-012 | 2.7481E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 1.1060E-011 | 1.7823E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.6122E-012 | 4.2236E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 6.7432E-013 | 1.0893E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitrobenzene | 1.0906E-012 | 1.7652E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.4873E-012 | 4.0226E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 3.2125E-012 | 1.7536E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 6.2448E-013 | 1.0063E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 6.3096E-013 | 1.0145E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 5.5048E-014 | 8.6807E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5476E-012 | 5.3809E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.5132E-012 | 5.3160E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.4153E-011 | 5.9126E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 7.1148E-012 | 1.0766E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.7039E-011 | 4.1139E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 3.1104E-010 | 4.5468E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.2986E-011 | 3.2513E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Pentachlorophenol | 4.9458E-009 | 1.7294E-008 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Phenanthrene | 1.0668E-012 | 1.6867E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Phenol | 8.6283E-013 | 1.3919E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Pronamide | 9.1646E-011 | 1.4262E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Pyrene | 5.6474E-008 | 4.1301E-007 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Selenium | 4.2039E-005 | 4.4706E-005 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Styrene | 4.3930E-015 | 7.0810E-014 |
| RCPTR_29 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 6.8389E-012 | 1.1187E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.0305E-012 | 3.6096E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 8.9631E-011 | 1.3559E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 7.4079E-013 | 1.9615E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.8116E-016 | 2.9208E-015 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 8.9726E-010 | 7.3536E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Toluene | 5.4995E-012 | 8.7848E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 3.0124E-012 | 4.6764E-011 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.7234E-014 | 2.7828E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 9.2584E-015 | 1.4971E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.5207E-015 | 2.4520E-014 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 2.0043E-016 | 3.2327E-015 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.5234E-010 | 5.2065E-009 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 8.0753E-011 | 9.8097E-010 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.4399E-014 | 5.5581E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | VX | 3.8097E-012 | 4.6608E-012 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Vinyl Chloride | 4.4655E-020 | 7.2173E-019 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFLIC | Xylene, m- | 4.2477E-014 | 2.4947E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Xylene, o- | 2.5351E-014 | 1.7475E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Xylene, p- | 4.7886E-014 | 3.6820E-013 |
| RCPTR_29 | farmer_adult | TOCDFLIC | Zinc | 1.5274E-007 | 3.5365E-007 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Acenaphthene | 1.4085E-011 | 2.2332E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Acetone | 1.4043E-016 | 2.2740E-015 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Acetophenone | 1.4904E-012 | 2.4105E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Aniline | 8.9535E-014 | 1.4441E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Anthracene | 1.5525E-010 | 2.4615E-009 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Benzene | 7.8944E-016 | 1.2715E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.6765E-008 | 1.3600E-007 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 5.9182E-007 | 8.1773E-007 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 3.0484E-007 | 7.3971E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 8.3814E-007 | 1.0736E-006 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Benzoic acid | 1.8189E-012 | 2.5100E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Benzyl alcohol | 7.1657E-013 | 1.1582E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 2.0256E-013 | 3.2801E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Bromodichloromethane | 4.1428E-015 | 6.7019E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.4368E-013 | 2.3250E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.1468E-008 | 2.1805E-007 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.6239E-010 | 5.4437E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Cadmium | 3.1694E-008 | 8.5584E-008 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.7501E-016 | 4.4381E-015 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 2.2237E-015 | 3.5802E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.1386E-011 | 2.6934E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 6.5834E-013 | 1.0608E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.3087E-014 | 2.0997E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Chloroethane | 3.8084E-017 | 5.9695E-016 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.7142E-015 | 2.7722E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.5771E-011 | 5.6984E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.2873E-012 | 3.7023E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 1.0277E-010 | 1.3548E-009 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Chrysene | 1.1344E-007 | 2.3965E-007 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 9.5545E-009 | 1.9718E-008 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 3.7496E+000 | 3.7497E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 2.0051E-005 | 2.3680E-005 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 1.0770E-013 | 1.6797E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.2123E-013 | 1.9162E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.1450E-013 | 1.8159E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 7.2873E-010 | 1.7108E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.8673E-018 | 4.6209E-017 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 7.1553E-016 | 1.1575E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 8.8561E-016 | 1.4330E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.7277E-016 | 4.4037E-015 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 4.3748E-016 | 7.0606E-015 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.5370E-011 | 1.6202E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.4794E-015 | 3.9922E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 8.0845E-016 | 1.3069E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Diethyl phthalate | 1.0998E-009 | 1.4058E-009 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.6834E-013 | 4.2017E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.6904E-012 | 2.7117E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.5998E-012 | 1.0082E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 5.5738E-012 | 8.5480E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 3.8531E-012 | 5.9936E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 3.7853E-013 | 6.1283E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Ethylbenzene | 8.3469E-015 | 1.2975E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.2364E-010 | 2.8502E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Fluoranthene | 2.1404E-009 | 2.2727E-008 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Fluorene | 4.7900E-011 | 7.4967E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.5594E-013 | 3.5886E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.3144E-012 | 1.7351E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.2333E-012 | 1.7147E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.3360E-012 | 4.4219E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.0476E-012 | 2.9076E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.6979E-012 | 2.5188E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.7549E-012 | 5.7134E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.2823E-011 | 1.9456E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.0787E-011 | 1.6301E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.3014E-012 | 1.9706E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 4.2144E-012 | 6.3551E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 8.6969E-009 | 1.3356E-007 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.4492E-011 | 2.1559E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.7534E-012 | 4.3647E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.2099E-004 | 1.2735E-004 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Isophorone | 1.1445E-013 | 1.8507E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Mercuric chloride | 2.1577E-010 | 2.2563E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.5717E-017 | 4.1625E-016 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.4919E-018 | 2.4133E-017 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 6.2158E-016 | 1.0065E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Methyl mercury | 9.1540E-013 | 1.0163E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Methylene chloride | 1.6369E-016 | 2.6484E-015 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Naphthalene | 1.4371E-012 | 2.2989E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.3612E-012 | 2.1935E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.6049E-013 | 4.2117E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 2.9859E-013 | 4.8237E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.7005E-013 | 5.9894E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 2.9808E-013 | 4.8208E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.8473E-012 | 1.5545E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.6416E-012 | 4.2568E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.4140E-013 | 2.2735E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.5530E-014 | 5.6018E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.7191E-013 | 4.1257E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6710E-014 | 4.0429E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 7.2454E-012 | 9.7075E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.8030E-012 | 7.2691E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.2938E-012 | 5.0126E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.6279E-010 | 3.8398E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 9.7118E-012 | 1.3729E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.9238E-009 | 1.0225E-008 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Phenanthrene | 1.1137E-013 | 1.7609E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Phenol | 2.8034E-013 | 4.5222E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Pronamide | 3.8766E-010 | 6.0327E-009 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Pyrene | 4.1120E-009 | 3.0072E-008 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Selenium | 1.3236E-005 | 1.4076E-005 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Styrene | 6.6516E-014 | 1.0721E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.9503E-012 | 4.8264E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.3584E-012 | 2.4147E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 3.7914E-010 | 5.7356E-009 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.8078E-014 | 4.5307E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.6537E-015 | 4.2786E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.7880E-010 | 3.1049E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Toluene | 3.5305E-015 | 5.6397E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 1.0086E-012 | 1.5657E-011 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.7062E-015 | 2.7550E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.2932E-014 | 2.0911E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichloroethylene | 2.1241E-015 | 3.4248E-014 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.7995E-016 | 4.5153E-015 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.5665E-010 | 2.3148E-009 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.6482E-011 | 4.4320E-010 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 4.8047E-014 | 7.7634E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | VX | 5.2265E-012 | 6.3944E-012 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Vinyl Chloride | 6.7614E-019 | 1.0928E-017 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Xylene, m- | 3.3454E-014 | 1.9561E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Xylene, o- | 3.1365E-014 | 2.1532E-013 |
| RCPTR_29 | farmer_adult | TOCDFMPF | Xylene, p- | 3.7679E-014 | 2.8861E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDHVAC | VX | 2.9579E-012 | 3.6227E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Acenaphthene | 7.7473E-011 | 1.2284E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Acetone | 3.3253E-012 | 5.3848E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Acetophenone | 3.5234E-013 | 5.6986E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Aniline | 2.1167E-014 | 3.4138E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Anthracene | 1.4871E-009 | 2.3577E-008 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Benzene | 4.5274E-015 | 7.2919E-014 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 4.0022E-007 | 1.4808E-006 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 3.4928E-006 | 4.8231E-006 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 2.1157E-006 | 5.1342E-006 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 5.6701E-006 | 7.2575E-006 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Benzoic acid | 9.5503E-012 | 1.3178E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 9.1129E-011 | 1.4730E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 4.7989E-013 | 7.7708E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.8281E-016 | 4.5750E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.7378E-013 | 4.4303E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 3.7802E-008 | 3.8396E-007 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.9923E-009 | 4.1380E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Cadmium | 9.9679E-009 | 2.6916E-008 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.8774E-017 | 3.0296E-016 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.5180E-016 | 2.4440E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 5.0347E-011 | 6.3404E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 2.2507E-012 | 3.6267E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chlorobenzene | 8.9337E-016 | 1.4333E-014 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chloroethane | 2.7266E-017 | 4.2738E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.1702E-016 | 1.8924E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 2.0487E-010 | 3.2637E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 6.2597E-012 | 1.0132E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.3481E-010 | 4.4144E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Chrysene | 1.1051E-006 | 2.3344E-006 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 8.2287E-009 | 1.6982E-008 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 4.2013E+000 | 4.2013E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 7.6193E-005 | 8.9894E-005 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 3.1164E-013 | 4.8602E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.7627E-013 | 5.9473E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.5737E-013 | 5.6676E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.4510E-009 | 5.7565E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 2.0528E-018 | 3.3083E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 4.7257E-017 | 7.6444E-016 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.3405E-016 | 1.0259E-014 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.9529E-016 | 3.1528E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 3.1321E-016 | 5.0550E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 3.9535E-011 | 4.1671E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.6926E-016 | 2.7252E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 5.5188E-017 | 8.9213E-016 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 5.1859E-010 | 6.6283E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.6828E-012 | 7.3325E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 4.3178E-012 | 6.9264E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 8.3855E-013 | 5.2839E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 4.0740E-012 | 6.2484E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 3.1022E-012 | 4.8257E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 8.9486E-014 | 1.4488E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Ethylbenzene | 5.0031E-015 | 7.7772E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 7.1846E-010 | 1.6585E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.7715E-008 | 2.9431E-007 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Fluorene | 3.1679E-010 | 4.9581E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.3348E-012 | 3.2714E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.7227E-011 | 3.5910E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 6.4643E-011 | 8.9812E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.9277E-011 | 2.5532E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.1814E-011 | 1.6764E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 9.9282E-012 | 1.4721E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.3929E-011 | 2.1187E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.2104E-011 | 1.8358E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.2423E-011 | 1.8766E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.0225E-011 | 1.5478E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 7.5642E-012 | 1.1407E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.7601E-008 | 2.7032E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 2.0992E-011 | 3.1231E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 3.9425E-012 | 6.2495E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.6001E-004 | 5.8924E-004 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Isophorone | 6.4548E-013 | 1.0438E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Mercuric chloride | 2.0179E-010 | 2.1101E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.5063E-017 | 5.6753E-016 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 1.0184E-019 | 1.6474E-018 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.7257E-014 | 6.0327E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Methyl mercury | 8.5463E-013 | 9.4898E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Methylene chloride | 5.0571E-013 | 8.1822E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Naphthalene | 1.7180E-012 | 2.7481E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 1.1060E-011 | 1.7823E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.6122E-012 | 4.2236E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 3.3777E-012 | 5.4566E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitrobenzene | 1.0906E-012 | 1.7652E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 4.9655E-013 | 8.0306E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.6092E-011 | 8.7837E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 6.2448E-013 | 1.0063E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 6.3096E-013 | 1.0145E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 5.5048E-014 | 8.6807E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5476E-012 | 5.3809E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.5132E-012 | 5.3160E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.4153E-011 | 5.9126E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 7.1148E-012 | 1.0766E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.7039E-011 | 4.1139E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 6.2095E-011 | 9.0771E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.2986E-011 | 3.2513E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.4774E-008 | 8.6627E-008 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Phenanthrene | 1.0668E-012 | 1.6867E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Phenol | 8.6283E-013 | 1.3919E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Pronamide | 9.1646E-011 | 1.4262E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Pyrene | 5.6474E-008 | 4.1301E-007 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Selenium | 4.2039E-005 | 4.4706E-005 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Styrene | 4.3930E-015 | 7.0810E-014 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 6.8389E-012 | 1.1187E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.0305E-012 | 3.6096E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 8.9631E-011 | 1.3559E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 7.4079E-013 | 1.9615E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.8116E-016 | 2.9208E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 8.9726E-010 | 7.3536E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_adult | TOCDLIC2 | Toluene | 5.4995E-012 | 8.7848E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 3.0124E-012 | 4.6764E-011 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.7234E-014 | 2.7828E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 9.2584E-015 | 1.4971E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.5207E-015 | 2.4520E-014 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 2.0043E-016 | 3.2327E-015 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.5234E-010 | 5.2065E-009 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 8.0753E-011 | 9.8097E-010 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.4399E-014 | 5.5581E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | VX | 3.9606E-012 | 4.8453E-012 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 4.4655E-020 | 7.2173E-019 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Xylene, m- | 4.2477E-014 | 2.4947E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Xylene, o- | 2.5351E-014 | 1.7475E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Xylene, p- | 4.7886E-014 | 3.6820E-013 |
| RCPTR_29 | farmer_adult | TOCDLIC2 | Zinc | 1.5274E-007 | 3.5365E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Cadmium | 3.6551E-008 | 5.6069E-008 |
| RCPTR_29 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Mercuric chloride | 4.0015E-006 | 4.9939E-006 |
| RCPTR_29 | farmer_child | TOCDFBRA | Methyl mercury | 1.9490E-008 | 2.2585E-008 |
| RCPTR_29 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Selenium | 2.4993E-005 | 2.5966E-005 |
| RCPTR_29 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFBRA | Zinc | 1.0558E-006 | 1.5659E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Acenaphthene | 7.9113E-010 | 1.9179E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Acetone | 1.4009E-013 | 3.4029E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | Acetophenone | 3.6631E-012 | 8.8972E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Aniline | 2.1950E-013 | 5.3300E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | Anthracene | 1.5186E-008 | 3.6812E-008 |
| RCPTR_29 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Aroclor 1254 | 9.0341E-011 | 1.9141E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Benzene | 1.1897E-014 | 2.8884E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.4890E-006 | 2.3256E-006 |
| RCPTR_29 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 6.6212E-006 | 7.7538E-006 |
| RCPTR_29 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 5.6948E-006 | 8.0753E-006 |
| RCPTR_29 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 1.0641E-005 | 1.1707E-005 |
| RCPTR_29 | farmer_child | TOCDFDFS | Benzoic acid | 5.5665E-011 | 1.3305E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Benzyl alcohol | 7.7246E-012 | 1.8761E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 4.9946E-012 | 1.2132E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.5292E-014 | 6.1431E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 8.7739E-013 | 2.1312E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.3236E-007 | 5.9948E-007 |
| RCPTR_29 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.6622E-008 | 2.4447E-008 |
| RCPTR_29 | farmer_child | TOCDFDFS | Cadmium | 5.7801E-008 | 8.8659E-008 |
| RCPTR_29 | farmer_child | TOCDFDFS | Carbon disulfide | 3.3679E-015 | 8.1783E-015 |
| RCPTR_29 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.3517E-014 | 3.2817E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.1839E-010 | 9.8983E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.3321E-011 | 5.6623E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chlorobenzene | 3.9718E-014 | 9.6396E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chloroethane | 3.2111E-016 | 7.7760E-016 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 5.2401E-015 | 1.2727E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.1009E-009 | 5.0955E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 6.5125E-011 | 1.5819E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 2.8989E-009 | 6.8929E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Chrysene | 2.8046E-006 | 3.6762E-006 |
| RCPTR_29 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.7837E-008 | 4.1125E-008 |
| RCPTR_29 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 2.1316E+002 | 2.1316E+002 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.3465E-004 | 1.4544E-004 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 6.8659E-013 | 1.6618E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.4904E-012 | 6.0355E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.6242E-012 | 3.9377E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.4346E-009 | 5.3552E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.4792E-017 | 6.0195E-017 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.1878E-015 | 5.3139E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.7085E-015 | 6.5787E-015 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.3622E-015 | 5.7364E-015 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.7875E-015 | 9.1975E-015 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 2.0530E-010 | 4.7486E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.1420E-014 | 5.2004E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.4704E-015 | 5.9999E-015 |
| RCPTR_29 | farmer_child | TOCDFDFS | Diethyl phthalate | 4.5884E-009 | 5.3165E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.3100E-011 | 5.5931E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 4.4558E-011 | 1.0814E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 1.9284E-011 | 4.0827E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 8.7428E-012 | 2.1124E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 6.7415E-012 | 1.6312E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 9.3118E-013 | 2.2619E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Ethylbenzene | 4.9153E-014 | 1.1893E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 4.8681E-010 | 7.4901E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Fluoranthene | 2.2087E-007 | 4.5969E-007 |
| RCPTR_29 | farmer_child | TOCDFDFS | Fluorene | 3.1972E-009 | 7.7411E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 4.9360E-013 | 5.6293E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.9053E-013 | 6.5991E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.4728E-012 | 1.6749E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.6831E-012 | 4.1209E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 2.4120E-012 | 2.7614E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 2.1161E-012 | 2.4559E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.9426E-012 | 3.4405E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 2.5485E-012 | 2.9775E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.6020E-012 | 3.0362E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 2.1473E-012 | 2.5071E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 7.3841E-011 | 1.7811E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.7537E-007 | 4.2205E-007 |
| RCPTR_29 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 1.0021E-009 | 2.4139E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.0248E-011 | 9.7572E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 9.0378E-004 | 9.2823E-004 |
| RCPTR_29 | farmer_child | TOCDFDFS | Isophorone | 6.7099E-012 | 1.6297E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Mercuric chloride | 3.7118E-009 | 4.6300E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.2323E-016 | 5.4222E-016 |
| RCPTR_29 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 4.2933E-018 | 1.0428E-017 |
| RCPTR_29 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.5999E-014 | 6.3155E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Methyl mercury | 1.8424E-011 | 2.1287E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Methylene chloride | 1.4533E-013 | 3.5299E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | Naphthalene | 4.6745E-011 | 1.1342E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.1325E-010 | 2.7498E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 2.6830E-011 | 6.5164E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 3.4666E-011 | 8.4189E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitrobenzene | 1.1346E-011 | 2.7560E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 5.1621E-012 | 1.2538E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 6.6027E-011 | 1.3544E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 6.4710E-012 | 1.5712E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 6.5248E-012 | 1.5839E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 5.5962E-013 | 1.3556E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 1.2759E-012 | 1.4911E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 3.8264E-013 | 4.4684E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 7.2462E-012 | 8.1242E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 7.9108E-013 | 9.2254E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 3.0550E-012 | 3.5700E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Pentachlorobenzene | 2.9207E-009 | 7.0187E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.0965E-010 | 5.0196E-010 |
| RCPTR_29 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.4881E-008 | 2.6969E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Phenanthrene | 1.0866E-011 | 2.6335E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Phenol | 8.9491E-012 | 2.1731E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Pronamide | 1.8403E-009 | 4.4533E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Pyrene | 3.9415E-007 | 6.4498E-007 |
| RCPTR_29 | farmer_child | TOCDFDFS | Selenium | 5.1724E-006 | 5.3736E-006 |
| RCPTR_29 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Styrene | 4.7629E-013 | 1.1565E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 4.4884E-012 | 5.3556E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.4964E-012 | 3.0506E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 8.7726E-010 | 2.1170E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.6017E-011 | 2.6295E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.6152E-014 | 3.9219E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 5.0962E-009 | 1.1342E-008 |
| RCPTR_29 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFDFS | Toluene | 7.9768E-014 | 1.9352E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.6367E-011 | 8.7989E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.0399E-014 | 2.5253E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.1215E-013 | 2.7240E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trichloroethylene | 1.8373E-014 | 4.4613E-014 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.4223E-015 | 5.8819E-015 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.3763E-009 | 8.1286E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 6.5010E-010 | 1.5314E-009 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 4.1640E-013 | 1.0113E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.4556E-012 | 8.3606E-012 |
| RCPTR_29 | farmer_child | TOCDFDFS | VX | 1.0305E-011 | 1.1644E-011 |
| RCPTR_29 | farmer_child | TOCDFDFS | Vinyl Chloride | 3.0379E-018 | 7.3781E-018 |
| RCPTR_29 | farmer_child | TOCDFDFS | Xylene, m- | 3.2767E-013 | 6.7334E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | Xylene, o- | 3.4695E-013 | 7.3910E-013 |
| RCPTR_29 | farmer_child | TOCDFDFS | Xylene, p- | 4.5401E-013 | 9.8893E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Acenaphthene | 5.0671E-010 | 1.2284E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Acetone | 2.2167E-011 | 5.3848E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Acetophenone | 2.3462E-012 | 5.6986E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Aniline | 1.4059E-013 | 3.4138E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Anthracene | 9.7260E-009 | 2.3577E-008 |
| RCPTR_29 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Benzene | 3.0034E-014 | 7.2919E-014 |
| RCPTR_29 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 9.4740E-007 | 1.4808E-006 |
| RCPTR_29 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 4.1345E-006 | 4.8231E-006 |
| RCPTR_29 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.6201E-006 | 5.1342E-006 |
| RCPTR_29 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 6.6223E-006 | 7.2575E-006 |
| RCPTR_29 | farmer_child | TOCDFLIC | Benzoic acid | 5.5136E-011 | 1.3178E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Benzyl alcohol | 6.0648E-010 | 1.4730E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 3.1990E-012 | 7.7708E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.8836E-015 | 4.5750E-015 |
| RCPTR_29 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.8239E-012 | 4.4303E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.1287E-007 | 3.8396E-007 |
| RCPTR_29 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.7925E-009 | 4.1380E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Cadmium | 1.7551E-008 | 2.6916E-008 |
| RCPTR_29 | farmer_child | TOCDFLIC | Carbon disulfide | 1.2476E-016 | 3.0296E-016 |
| RCPTR_29 | farmer_child | TOCDFLIC | Carbon tetrachloride | 1.0067E-015 | 2.4440E-015 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.6803E-010 | 6.3404E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.4937E-011 | 3.6267E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chlorobenzene | 5.9057E-015 | 1.4333E-014 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chloroethane | 1.7649E-016 | 4.2738E-016 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 7.7915E-016 | 1.8924E-015 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.3456E-009 | 3.2637E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 4.1712E-011 | 1.0132E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.8563E-009 | 4.4144E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Chrysene | 1.7816E-006 | 2.3344E-006 |
| RCPTR_29 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.1493E-008 | 1.6982E-008 |
| RCPTR_29 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 4.2013E+000 | 4.2013E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 8.3731E-005 | 8.9894E-005 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 2.0080E-012 | 4.8602E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.4540E-012 | 5.9473E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.3378E-012 | 5.6676E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.6838E-009 | 5.7565E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.3625E-017 | 3.3083E-017 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 3.2531E-016 | 7.9014E-016 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.2237E-015 | 1.0259E-014 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.2983E-015 | 3.1528E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.0817E-015 | 5.0550E-015 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.8020E-010 | 4.1671E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 1.1225E-015 | 2.7252E-015 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.6732E-016 | 8.9213E-016 |
| RCPTR_29 | farmer_child | TOCDFLIC | Diethyl phthalate | 5.7238E-010 | 6.6283E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dimethyl phthalate | 3.0283E-011 | 7.3325E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.8539E-011 | 6.9264E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.4964E-012 | 5.2839E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.5858E-011 | 6.2484E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.9943E-011 | 4.8257E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 5.9642E-013 | 1.4488E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Ethylbenzene | 3.2142E-014 | 7.7772E-014 |
| RCPTR_29 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 1.0690E-009 | 1.6585E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Fluoranthene | 1.4138E-007 | 2.9431E-007 |
| RCPTR_29 | farmer_child | TOCDFLIC | Fluorene | 2.0477E-009 | 4.9581E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.8781E-012 | 3.2714E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 9.3504E-012 | 1.0406E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 2.2966E-011 | 2.6025E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 2.2907E-011 | 2.5532E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.4689E-011 | 1.6764E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 1.2712E-011 | 1.4721E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.8146E-011 | 2.1187E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.5736E-011 | 1.8358E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.6107E-011 | 1.8766E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.3276E-011 | 1.5478E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.7286E-011 | 1.1407E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Hexachlorobenzene | 1.1232E-007 | 2.7032E-007 |
| RCPTR_29 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.2964E-010 | 3.1231E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.5779E-011 | 6.2495E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.7528E-004 | 5.8924E-004 |
| RCPTR_29 | farmer_child | TOCDFLIC | Isophorone | 4.2977E-012 | 1.0438E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Mercuric chloride | 1.6905E-010 | 2.1101E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.3364E-016 | 5.6753E-016 |
| RCPTR_29 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.3547E-017 | 3.2904E-017 |
| RCPTR_29 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.4835E-013 | 6.0327E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Methyl mercury | 8.1814E-013 | 9.4898E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Methylene chloride | 3.3686E-012 | 8.1822E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Naphthalene | 1.1326E-011 | 2.7481E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 7.3404E-011 | 1.7823E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.7390E-011 | 4.2236E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 4.4855E-012 | 1.0893E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitrobenzene | 7.2672E-012 | 1.7652E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.6562E-011 | 4.0226E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 8.5542E-012 | 1.7536E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 4.1447E-012 | 1.0063E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 4.1791E-012 | 1.0145E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.5826E-013 | 8.6807E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 4.6113E-012 | 5.3809E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 4.5588E-012 | 5.3160E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 5.2873E-011 | 5.9126E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 9.2404E-012 | 1.0766E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 3.5241E-011 | 4.1139E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.8908E-009 | 4.5468E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.3567E-010 | 3.2513E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Pentachlorophenol | 9.5510E-009 | 1.7294E-008 |
| RCPTR_29 | farmer_child | TOCDFLIC | Phenanthrene | 6.9595E-012 | 1.6867E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Phenol | 5.7319E-012 | 1.3919E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Pronamide | 5.8935E-010 | 1.4262E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Pyrene | 2.5239E-007 | 4.1301E-007 |
| RCPTR_29 | farmer_child | TOCDFLIC | Selenium | 4.3034E-005 | 4.4706E-005 |
| RCPTR_29 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Styrene | 2.9163E-014 | 7.0810E-014 |
| RCPTR_29 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 9.3779E-012 | 1.1187E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.9534E-012 | 3.6096E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 5.6189E-010 | 1.3559E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.1960E-012 | 1.9615E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.2029E-015 | 2.9208E-015 |
| RCPTR_29 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 3.3051E-009 | 7.3536E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFLIC | Toluene | 3.6211E-011 | 8.7848E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.9329E-011 | 4.6764E-011 |
| RCPTR_29 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.1459E-013 | 2.7828E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 6.1640E-014 | 1.4971E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Trichloroethylene | 1.0098E-014 | 2.4520E-014 |
| RCPTR_29 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.3313E-015 | 3.2327E-015 |
| RCPTR_29 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.1627E-009 | 5.2065E-009 |
| RCPTR_29 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 4.1649E-010 | 9.8097E-010 |
| RCPTR_29 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.2886E-013 | 5.5581E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | VX | 4.1271E-012 | 4.6608E-012 |
| RCPTR_29 | farmer_child | TOCDFLIC | Vinyl Chloride | 2.9717E-019 | 7.2173E-019 |
| RCPTR_29 | farmer_child | TOCDFLIC | Xylene, m- | 1.1967E-013 | 2.4947E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Xylene, o- | 8.1069E-014 | 1.7475E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Xylene, p- | 1.6734E-013 | 3.6820E-013 |
| RCPTR_29 | farmer_child | TOCDFLIC | Zinc | 2.3850E-007 | 3.5365E-007 |
| RCPTR_29 | farmer_child | TOCDFMPF | Acenaphthene | 9.2120E-011 | 2.2332E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Acetone | 9.3613E-016 | 2.2740E-015 |
| RCPTR_29 | farmer_child | TOCDFMPF | Acetophenone | 9.9246E-012 | 2.4105E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Aniline | 5.9470E-013 | 1.4441E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Anthracene | 1.0154E-009 | 2.4615E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Benzene | 5.2370E-015 | 1.2715E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 8.7012E-008 | 1.3600E-007 |
| RCPTR_29 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 7.0079E-007 | 8.1773E-007 |
| RCPTR_29 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 5.2158E-007 | 7.3971E-007 |
| RCPTR_29 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 9.7941E-007 | 1.0736E-006 |
| RCPTR_29 | farmer_child | TOCDFMPF | Benzoic acid | 1.0501E-011 | 2.5100E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Benzyl alcohol | 4.7689E-012 | 1.1582E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.3503E-012 | 3.2801E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.7592E-014 | 6.7019E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 9.5721E-013 | 2.3250E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.2089E-007 | 2.1805E-007 |
| RCPTR_29 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.6755E-010 | 5.4437E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Cadmium | 5.5805E-008 | 8.5584E-008 |
| RCPTR_29 | farmer_child | TOCDFMPF | Carbon disulfide | 1.8276E-015 | 4.4381E-015 |
| RCPTR_29 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.4747E-014 | 3.5802E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.1386E-010 | 2.6934E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chloroaniline, p- | 4.3691E-012 | 1.0608E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chlorobenzene | 8.6512E-014 | 2.0997E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chloroethane | 2.4651E-016 | 5.9695E-016 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.1414E-014 | 2.7722E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.3495E-010 | 5.6984E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.5242E-011 | 3.7023E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.6971E-010 | 1.3548E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Chrysene | 1.8290E-007 | 2.3965E-007 |
| RCPTR_29 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.3345E-008 | 1.9718E-008 |
| RCPTR_29 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 3.7497E+000 | 3.7497E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 2.2048E-005 | 2.3680E-005 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 6.9397E-013 | 1.6797E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 7.9067E-013 | 1.9162E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 7.4904E-013 | 1.8159E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.0950E-009 | 1.7108E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.9031E-017 | 4.6209E-017 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 4.7654E-015 | 1.1575E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.8995E-015 | 1.4330E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.8134E-015 | 4.4037E-015 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.9076E-015 | 7.0606E-015 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 7.0061E-011 | 1.6202E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.6443E-014 | 3.9922E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.3809E-015 | 1.3069E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.2140E-009 | 1.4058E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.7353E-012 | 4.2017E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 1.1173E-011 | 2.7117E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 4.7631E-012 | 1.0082E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.5374E-011 | 8.5480E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.4769E-011 | 5.9936E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.5229E-012 | 6.1283E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Ethylbenzene | 5.3624E-014 | 1.2975E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.8383E-010 | 2.8502E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Fluoranthene | 1.0918E-008 | 2.2727E-008 |
| RCPTR_29 | farmer_child | TOCDFMPF | Fluorene | 3.0962E-010 | 7.4967E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 3.1564E-013 | 3.5886E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.5586E-012 | 1.7351E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.5128E-012 | 1.7147E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.9661E-012 | 4.4219E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.5471E-012 | 2.9076E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 2.1747E-012 | 2.5188E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 4.8929E-012 | 5.7134E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.6676E-011 | 1.9456E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.3991E-011 | 1.6301E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.6901E-012 | 1.9706E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.6344E-011 | 6.3551E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Hexachlorobenzene | 5.5499E-008 | 1.3356E-007 |
| RCPTR_29 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 8.9490E-011 | 2.1559E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.8004E-011 | 4.3647E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.2432E-004 | 1.2735E-004 |
| RCPTR_29 | farmer_child | TOCDFMPF | Isophorone | 7.6198E-013 | 1.8507E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Mercuric chloride | 1.8077E-010 | 2.2563E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.7136E-016 | 4.1625E-016 |
| RCPTR_29 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 9.9359E-018 | 2.4133E-017 |
| RCPTR_29 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 4.1433E-015 | 1.0065E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Methyl mercury | 8.7639E-013 | 1.0163E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Methylene chloride | 1.0904E-015 | 2.6484E-015 |
| RCPTR_29 | farmer_child | TOCDFMPF | Naphthalene | 9.4747E-012 | 2.2989E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 9.0343E-012 | 2.1935E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.7341E-012 | 4.2117E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.9862E-012 | 4.8237E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitrobenzene | 2.4658E-012 | 5.9894E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.9848E-012 | 4.8208E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 7.5828E-012 | 1.5545E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.7532E-011 | 4.2568E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 9.3655E-013 | 2.2735E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.3119E-013 | 5.6018E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 3.5353E-013 | 4.1257E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 3.4667E-014 | 4.0429E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 8.6794E-012 | 9.7075E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 6.2389E-012 | 7.2691E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 4.2936E-012 | 5.0126E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.5968E-009 | 3.8398E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.7290E-011 | 1.3729E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Pentachlorophenol | 5.6468E-009 | 1.0225E-008 |
| RCPTR_29 | farmer_child | TOCDFMPF | Phenanthrene | 7.2658E-013 | 1.7609E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Phenol | 1.8623E-012 | 4.5222E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Pronamide | 2.4930E-009 | 6.0327E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Pyrene | 1.8377E-008 | 3.0072E-008 |
| RCPTR_29 | farmer_child | TOCDFMPF | Selenium | 1.3549E-005 | 1.4076E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Styrene | 4.4156E-013 | 1.0721E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 4.0458E-012 | 4.8264E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.9758E-012 | 2.4147E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.3768E-009 | 5.7356E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.8658E-013 | 4.5307E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.7621E-014 | 4.2786E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.3955E-009 | 3.1049E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDFMPF | Toluene | 2.3247E-014 | 5.6397E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 6.4716E-012 | 1.5657E-011 |
| RCPTR_29 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.1345E-014 | 2.7550E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 8.6096E-014 | 2.0911E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | Trichloroethylene | 1.4105E-014 | 3.4248E-014 |
| RCPTR_29 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.8595E-015 | 4.5153E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 9.6153E-010 | 2.3148E-009 |
| RCPTR_29 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.8817E-010 | 4.4320E-010 |
| RCPTR_29 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 3.1966E-013 | 7.7634E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | VX | 5.6621E-012 | 6.3944E-012 |
| RCPTR_29 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.4995E-018 | 1.0928E-017 |
| RCPTR_29 | farmer_child | TOCDFMPF | Xylene, m- | 9.3928E-014 | 1.9561E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | Xylene, o- | 9.9971E-014 | 2.1532E-013 |
| RCPTR_29 | farmer_child | TOCDFMPF | Xylene, p- | 1.3126E-013 | 2.8861E-013 |
| RCPTR_29 | farmer_child | TOCDHVAC | VX | 3.2059E-012 | 3.6227E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Acenaphthene | 5.0671E-010 | 1.2284E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Acetone | 2.2167E-011 | 5.3848E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Acetophenone | 2.3462E-012 | 5.6986E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Aniline | 1.4059E-013 | 3.4138E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Anthracene | 9.7260E-009 | 2.3577E-008 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Benzene | 3.0034E-014 | 7.2919E-014 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 9.4740E-007 | 1.4808E-006 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 4.1345E-006 | 4.8231E-006 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.6201E-006 | 5.1342E-006 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 6.6223E-006 | 7.2575E-006 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Benzoic acid | 5.5136E-011 | 1.3178E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Benzyl alcohol | 6.0648E-010 | 1.4730E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.1990E-012 | 7.7708E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.8836E-015 | 4.5750E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.8239E-012 | 4.4303E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.1287E-007 | 3.8396E-007 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.7925E-009 | 4.1380E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Cadmium | 1.7551E-008 | 2.6916E-008 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.2476E-016 | 3.0296E-016 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 1.0067E-015 | 2.4440E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.6803E-010 | 6.3404E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.4937E-011 | 3.6267E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chlorobenzene | 5.9057E-015 | 1.4333E-014 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chloroethane | 1.7649E-016 | 4.2738E-016 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 7.7915E-016 | 1.8924E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.3456E-009 | 3.2637E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 4.1712E-011 | 1.0132E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.8563E-009 | 4.4144E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Chrysene | 1.7816E-006 | 2.3344E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.1493E-008 | 1.6982E-008 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 4.2013E+000 | 4.2013E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 8.3731E-005 | 8.9894E-005 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.0080E-012 | 4.8602E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.4540E-012 | 5.9473E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.3378E-012 | 5.6676E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.6838E-009 | 5.7565E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.3625E-017 | 3.3083E-017 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 3.1473E-016 | 7.6444E-016 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.2237E-015 | 1.0259E-014 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.2983E-015 | 3.1528E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.0817E-015 | 5.0550E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.8020E-010 | 4.1671E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 1.1225E-015 | 2.7252E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.6732E-016 | 8.9213E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Diethyl phthalate | 5.7238E-010 | 6.6283E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 3.0283E-011 | 7.3325E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.8539E-011 | 6.9264E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.4964E-012 | 5.2839E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.5858E-011 | 6.2484E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.9943E-011 | 4.8257E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 5.9642E-013 | 1.4488E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Ethylbenzene | 3.2142E-014 | 7.7772E-014 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 1.0690E-009 | 1.6585E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Fluoranthene | 1.4138E-007 | 2.9431E-007 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Fluorene | 2.0477E-009 | 4.9581E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.8781E-012 | 3.2714E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 3.2268E-011 | 3.5910E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 7.9254E-011 | 8.9812E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 2.2907E-011 | 2.5532E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.4689E-011 | 1.6764E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 1.2712E-011 | 1.4721E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.8146E-011 | 2.1187E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.5736E-011 | 1.8358E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.6107E-011 | 1.8766E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.3276E-011 | 1.5478E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.7286E-011 | 1.1407E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 1.1232E-007 | 2.7032E-007 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.2964E-010 | 3.1231E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.5779E-011 | 6.2495E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.7528E-004 | 5.8924E-004 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Isophorone | 4.2977E-012 | 1.0438E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.6905E-010 | 2.1101E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.3364E-016 | 5.6753E-016 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 6.7827E-019 | 1.6474E-018 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.4835E-013 | 6.0327E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Methyl mercury | 8.1814E-013 | 9.4898E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Methylene chloride | 3.3686E-012 | 8.1822E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Naphthalene | 1.1326E-011 | 2.7481E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 7.3404E-011 | 1.7823E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.7390E-011 | 4.2236E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 2.2468E-011 | 5.4566E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitrobenzene | 7.2672E-012 | 1.7652E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 3.3063E-012 | 8.0306E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 4.2849E-011 | 8.7837E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 4.1447E-012 | 1.0063E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 4.1791E-012 | 1.0145E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.5826E-013 | 8.6807E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 4.6113E-012 | 5.3809E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 4.5588E-012 | 5.3160E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 5.2873E-011 | 5.9126E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 9.2404E-012 | 1.0766E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 3.5241E-011 | 4.1139E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 3.7746E-010 | 9.0771E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.3567E-010 | 3.2513E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Pentachlorophenol | 4.7842E-008 | 8.6627E-008 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Phenanthrene | 6.9595E-012 | 1.6867E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Phenol | 5.7319E-012 | 1.3919E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Pronamide | 5.8935E-010 | 1.4262E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Pyrene | 2.5239E-007 | 4.1301E-007 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Selenium | 4.3034E-005 | 4.4706E-005 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Styrene | 2.9163E-014 | 7.0810E-014 |
| RCPTR_29 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 9.3779E-012 | 1.1187E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.9534E-012 | 3.6096E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 5.6189E-010 | 1.3559E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.1960E-012 | 1.9615E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.2029E-015 | 2.9208E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 3.3051E-009 | 7.3536E-009 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Toluene | 3.6211E-011 | 8.7848E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.9329E-011 | 4.6764E-011 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.1459E-013 | 2.7828E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 6.1640E-014 | 1.4971E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichloroethylene | 1.0098E-014 | 2.4520E-014 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.3313E-015 | 3.2327E-015 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.1627E-009 | 5.2065E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 4.1649E-010 | 9.8097E-010 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.2886E-013 | 5.5581E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | VX | 4.2906E-012 | 4.8453E-012 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Vinyl Chloride | 2.9717E-019 | 7.2173E-019 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Xylene, m- | 1.1967E-013 | 2.4947E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Xylene, o- | 8.1069E-014 | 1.7475E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Xylene, p- | 1.6734E-013 | 3.6820E-013 |
| RCPTR_29 | farmer_child | TOCDLIC2 | Zinc | 2.3850E-007 | 3.5365E-007 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Cadmium | 2.8254E-009 | 8.0896E-009 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Mercuric chloride | 7.8855E-007 | 8.2473E-007 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Methyl mercury | 3.2307E-009 | 3.6007E-009 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Selenium | 3.2738E-006 | 3.5049E-006 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFBRA | Zinc | 9.1617E-008 | 2.2428E-007 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Acenaphthene | 2.7079E-011 | 4.3061E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Acetone | 4.7191E-015 | 7.6418E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Acetophenone | 1.2351E-013 | 1.9980E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Aniline | 7.4169E-015 | 1.1969E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Anthracene | 5.1973E-010 | 8.2648E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Aroclor 1254 | 5.9846E-012 | 4.2166E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Benzene | 4.0241E-016 | 6.4861E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 1.2619E-007 | 5.0377E-007 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 1.0509E-006 | 1.4983E-006 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 6.5326E-007 | 1.7059E-006 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 1.7160E-006 | 2.2408E-006 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Benzoic acid | 2.1202E-012 | 2.9836E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Benzyl alcohol | 2.6058E-013 | 4.2130E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 1.6825E-013 | 2.7245E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Bromodichloromethane | 8.5264E-016 | 1.3795E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 2.9572E-014 | 4.7859E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 1.3252E-008 | 1.3462E-007 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 2.2227E-009 | 5.0185E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | Cadmium | 4.6535E-009 | 1.3183E-008 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Carbon disulfide | 1.1375E-016 | 1.8365E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 4.5735E-016 | 7.3691E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 1.7098E-011 | 2.2175E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 7.8856E-013 | 1.2715E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chlorobenzene | 1.3474E-015 | 2.1645E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chloroethane | 1.1090E-017 | 1.7458E-016 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 1.7670E-016 | 2.8581E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 7.1660E-011 | 1.1441E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 2.1946E-012 | 3.5524E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 1.1416E-010 | 1.5445E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Chrysene | 3.4190E-007 | 7.6965E-007 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 3.9080E-009 | 8.6637E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 4.1743E+001 | 4.1743E+001 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 2.2459E-005 | 2.6133E-005 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 2.3801E-014 | 3.7306E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 8.5454E-014 | 1.3551E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 5.5591E-014 | 8.8411E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 4.4027E-010 | 1.1210E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 8.3809E-019 | 1.3517E-017 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 7.3759E-017 | 1.1933E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 9.1294E-017 | 1.4774E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 7.9759E-017 | 1.2882E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 1.2791E-016 | 2.0654E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 9.6204E-012 | 1.0616E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 7.2470E-016 | 1.1678E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 8.3327E-017 | 1.3474E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Diethyl phthalate | 8.1578E-010 | 1.0765E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 7.9806E-013 | 1.2556E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 1.5119E-012 | 2.4283E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 1.3286E-012 | 9.0436E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 3.0662E-013 | 4.7403E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 2.3409E-013 | 3.6617E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 3.1374E-014 | 5.0795E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Ethylbenzene | 1.7081E-015 | 2.6698E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 6.1254E-011 | 1.5477E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Fluoranthene | 9.3766E-009 | 1.0283E-007 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Fluorene | 1.1052E-010 | 1.7378E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 7.0313E-014 | 1.0068E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 8.9846E-014 | 1.2064E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 2.1199E-013 | 3.0084E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 5.6306E-013 | 7.6013E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 3.4204E-013 | 4.9663E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 2.8561E-013 | 4.3463E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 3.9449E-013 | 6.1761E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 3.4308E-013 | 5.3550E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 3.5266E-013 | 5.4814E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 2.9007E-013 | 4.5181E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 2.6242E-012 | 3.9967E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 6.1283E-009 | 9.4732E-008 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 3.5974E-011 | 5.4156E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 1.3781E-012 | 2.1907E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 1.6874E-004 | 1.7657E-004 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Isophorone | 2.2627E-013 | 3.6597E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Mercuric chloride | 9.7485E-010 | 1.0197E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 7.5223E-018 | 1.2176E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 1.4474E-019 | 2.3417E-018 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 8.7588E-016 | 1.4182E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Methyl mercury | 3.8731E-012 | 4.3320E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Methylene chloride | 4.8987E-015 | 7.9268E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Naphthalene | 1.5894E-012 | 2.5467E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 3.8293E-012 | 6.1748E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 9.0485E-013 | 1.4633E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 1.1698E-012 | 1.8905E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitrobenzene | 3.8235E-013 | 6.1890E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 1.7406E-013 | 2.8156E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 5.0542E-012 | 2.9912E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 2.1880E-013 | 3.5282E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 2.2100E-013 | 3.5567E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 1.9131E-014 | 3.0418E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 1.6683E-013 | 2.6015E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 5.0069E-014 | 7.7896E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 1.1434E-012 | 1.5678E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 1.1704E-013 | 1.8289E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 4.4121E-013 | 6.9287E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 1.0581E-010 | 1.5734E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 7.7776E-012 | 1.1246E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Pentachlorophenol | 1.5424E-009 | 5.8718E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Phenanthrene | 3.7273E-013 | 5.9125E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Phenol | 3.0235E-013 | 4.8799E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Pronamide | 6.3904E-011 | 9.9970E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Pyrene | 1.9547E-008 | 1.4454E-007 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Selenium | 7.0759E-007 | 7.5660E-007 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Styrene | 1.6101E-014 | 2.5969E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 6.4149E-013 | 1.0873E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 3.4573E-013 | 6.3728E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 3.1129E-011 | 4.7511E-010 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.9704E-012 | 5.6513E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 5.4587E-016 | 8.8067E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 2.8919E-010 | 2.5261E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Toluene | 2.7152E-015 | 4.3452E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 1.2645E-012 | 1.9752E-011 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 3.5106E-016 | 5.6708E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 3.7821E-015 | 6.1170E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichloroethylene | 6.2096E-016 | 1.0018E-014 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 8.1845E-017 | 1.3208E-015 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 1.2201E-010 | 1.8239E-009 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 2.7315E-011 | 3.4294E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 1.4051E-014 | 2.2710E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 1.1944E-013 | 1.8759E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | VX | 1.8662E-012 | 2.3456E-012 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Vinyl Chloride | 1.0248E-019 | 1.6568E-018 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Xylene, m- | 2.1951E-014 | 1.4574E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Xylene, o- | 2.0906E-014 | 1.6135E-013 |
| RCPTR_30 | farmer_adult | TOCDFDFS | Xylene, p- | 2.5429E-014 | 2.1700E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Acenaphthene | 1.5875E-011 | 2.5242E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Acetone | 6.8343E-013 | 1.1067E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Acetophenone | 7.2401E-014 | 1.1712E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Aniline | 4.3478E-015 | 7.0160E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Anthracene | 3.0469E-010 | 4.8447E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | Benzene | 9.2980E-016 | 1.4986E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 7.4138E-008 | 2.9509E-007 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 6.1593E-007 | 8.7269E-007 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 3.8461E-007 | 1.0000E-006 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 1.0050E-006 | 1.3034E-006 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Benzoic acid | 1.9247E-012 | 2.7046E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Benzyl alcohol | 1.8724E-011 | 3.0273E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 9.8628E-014 | 1.5971E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Bromodichloromethane | 5.8115E-017 | 9.4026E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 5.6261E-014 | 9.1053E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 7.7681E-009 | 7.8911E-008 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 3.4792E-010 | 7.8827E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Cadmium | 1.3782E-009 | 3.8975E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Carbon disulfide | 3.8566E-018 | 6.2264E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 3.1174E-017 | 5.0227E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 1.0047E-011 | 1.3001E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 4.6227E-013 | 7.4534E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chlorobenzene | 1.8337E-016 | 2.9456E-015 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chloroethane | 5.5804E-018 | 8.7813E-017 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 2.4045E-017 | 3.8893E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 4.2011E-011 | 6.7067E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 1.2864E-012 | 2.0824E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 6.6989E-011 | 9.0543E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Chrysene | 2.0133E-007 | 4.5112E-007 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 1.4900E-009 | 3.2883E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 7.5793E-001 | 7.5793E-001 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 1.3170E-005 | 1.5212E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 6.3726E-014 | 9.9856E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 7.7080E-014 | 1.2221E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 7.3241E-014 | 1.1646E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 4.3819E-010 | 1.1130E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 4.2155E-019 | 6.7990E-018 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 1.0037E-017 | 1.6239E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 1.3030E-016 | 2.1085E-015 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 4.0120E-017 | 6.4795E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 6.4343E-017 | 1.0389E-015 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 7.7550E-012 | 8.5272E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 3.4759E-017 | 5.6007E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 1.1339E-017 | 1.8335E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Diethyl phthalate | 9.3782E-011 | 1.2343E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 9.5767E-013 | 1.5065E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 8.8632E-013 | 1.4234E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 1.5834E-013 | 1.0720E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 8.3005E-013 | 1.2834E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 6.3391E-013 | 9.9142E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 1.8391E-014 | 2.9775E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Ethylbenzene | 1.0226E-015 | 1.5978E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 1.2528E-010 | 3.1795E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Fluoranthene | 5.5040E-009 | 6.0277E-008 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Fluorene | 6.4801E-011 | 1.0187E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 3.9565E-013 | 5.6301E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 1.3614E-012 | 1.8152E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 3.1855E-012 | 4.4914E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 3.3433E-012 | 4.4838E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 2.0080E-012 | 2.8983E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 1.6629E-012 | 2.5190E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 2.3505E-012 | 3.6676E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 2.0456E-012 | 3.1821E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 2.1058E-012 | 3.2614E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.7309E-012 | 2.6866E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 1.5385E-012 | 2.3429E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 3.5934E-009 | 5.5532E-008 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 4.2606E-012 | 6.4132E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 8.0803E-013 | 1.2842E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 9.9716E-005 | 1.0407E-004 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Isophorone | 1.3264E-013 | 2.1453E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Mercuric chloride | 4.0884E-011 | 4.2767E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 7.2058E-018 | 1.1664E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 4.1798E-019 | 6.7625E-018 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 7.6571E-015 | 1.2398E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | Methyl mercury | 1.6120E-013 | 1.8046E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Methylene chloride | 1.0392E-013 | 1.6816E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Naphthalene | 3.5249E-013 | 5.6475E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 2.2715E-012 | 3.6628E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 5.3674E-013 | 8.6803E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 1.3852E-013 | 2.2388E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitrobenzene | 2.2413E-013 | 3.6279E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 5.1109E-013 | 8.2673E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 6.0315E-013 | 3.5469E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 1.2826E-013 | 2.0682E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 1.2956E-013 | 2.0849E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 1.1205E-014 | 1.7830E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 5.8662E-013 | 9.1169E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 5.8046E-013 | 9.0010E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 7.8604E-012 | 1.0724E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 1.2838E-012 | 1.9998E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 4.8118E-012 | 7.5326E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 6.2636E-011 | 9.3318E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 4.6017E-012 | 6.6699E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Pentachlorophenol | 9.1262E-010 | 3.4504E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Phenanthrene | 2.1853E-013 | 3.4659E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Phenol | 1.7724E-013 | 2.8605E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Pronamide | 1.8736E-011 | 2.9301E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Pyrene | 1.1465E-008 | 8.4726E-008 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Selenium | 5.7418E-006 | 6.1381E-006 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Styrene | 9.0229E-016 | 1.4552E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 1.2525E-012 | 2.1180E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 3.7969E-013 | 6.9857E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 1.8259E-011 | 2.7851E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.3566E-013 | 3.8654E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 3.7206E-017 | 6.0026E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 1.7249E-010 | 1.4994E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Toluene | 1.1282E-012 | 1.8053E-011 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 6.1557E-013 | 9.6075E-012 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 3.5406E-015 | 5.7192E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 1.9024E-015 | 3.0769E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichloroethylene | 3.1235E-016 | 5.0392E-015 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 4.1170E-017 | 6.6438E-016 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 7.1588E-011 | 1.0692E-009 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 1.6055E-011 | 2.0107E-010 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 7.0676E-015 | 1.1423E-013 |
| RCPTR_30 | farmer_adult | TOCDFLIC | VX | 6.8870E-013 | 8.6361E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFLIC | Vinyl Chloride | 9.1741E-021 | 1.4833E-019 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Xylene, m- | 7.3257E-015 | 4.9866E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Xylene, o- | 4.4533E-015 | 3.5158E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Xylene, p- | 8.5359E-015 | 7.4367E-014 |
| RCPTR_30 | farmer_adult | TOCDFLIC | Zinc | 2.1043E-008 | 5.0909E-008 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Acenaphthene | 2.9097E-012 | 4.6264E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Acetone | 2.9097E-017 | 4.7117E-016 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Acetophenone | 3.0876E-013 | 4.9946E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Aniline | 1.8541E-014 | 2.9920E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Anthracene | 3.2069E-011 | 5.0992E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Benzene | 1.6345E-016 | 2.6344E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 6.8619E-009 | 2.7313E-008 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 1.0509E-007 | 1.4895E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 5.5835E-008 | 1.4519E-007 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 1.4959E-007 | 1.9407E-007 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Benzoic acid | 3.6956E-013 | 5.1933E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Benzyl alcohol | 1.4844E-013 | 2.3998E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 4.1971E-014 | 6.7963E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Bromodichloromethane | 8.5827E-016 | 1.3886E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 2.9767E-014 | 4.8175E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 4.4475E-009 | 4.5180E-008 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 4.6115E-011 | 1.0445E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Cadmium | 4.3920E-009 | 1.2422E-008 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Carbon disulfide | 5.6956E-017 | 9.1954E-016 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 4.6039E-016 | 7.4178E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 4.3026E-012 | 5.5679E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 1.3632E-013 | 2.1979E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Chlorobenzene | 2.7082E-015 | 4.3502E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chloroethane | 7.8579E-018 | 1.2365E-016 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 3.5511E-016 | 5.7440E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 7.3950E-012 | 1.1806E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 4.7390E-013 | 7.6711E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 2.0727E-011 | 2.8015E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Chrysene | 2.0825E-008 | 4.6668E-008 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 1.7437E-009 | 3.8486E-009 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 6.8195E-001 | 6.8196E-001 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 3.4896E-006 | 4.0317E-006 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 2.2203E-014 | 3.4792E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 2.5038E-014 | 3.9696E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 2.3658E-014 | 3.7619E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.3122E-010 | 3.3330E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 5.9361E-019 | 9.5741E-018 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 1.4824E-016 | 2.3982E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 1.8348E-016 | 2.9691E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 5.6495E-017 | 9.1242E-016 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 9.0605E-017 | 1.4629E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 3.0394E-012 | 3.3424E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 5.1334E-016 | 8.2714E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 1.6746E-016 | 2.7078E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Diethyl phthalate | 2.0051E-010 | 2.6391E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 5.5324E-014 | 8.7030E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 3.4983E-013 | 5.6183E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 3.0453E-013 | 2.0619E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 1.1448E-012 | 1.7701E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 7.9375E-013 | 1.2414E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 7.8429E-014 | 1.2698E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Ethylbenzene | 1.7199E-015 | 2.6875E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 2.1693E-011 | 5.5039E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Fluoranthene | 4.2849E-010 | 4.6927E-009 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Fluorene | 9.8780E-012 | 1.5528E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 4.3572E-014 | 6.2024E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 2.2807E-013 | 3.0419E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 2.1073E-013 | 2.9724E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 5.8185E-013 | 7.8061E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 3.4967E-013 | 5.0487E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 2.8553E-013 | 4.3265E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 6.3627E-013 | 9.9301E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 2.1764E-012 | 3.3863E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.8366E-012 | 2.8450E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 2.2124E-013 | 3.4347E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 8.6411E-013 | 1.3159E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 1.7900E-009 | 2.7662E-008 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 2.9652E-012 | 4.4632E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 5.6894E-013 | 9.0421E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 2.1710E-005 | 2.2660E-005 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Isophorone | 2.3709E-014 | 3.8347E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Mercuric chloride | 4.4056E-011 | 4.6085E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 5.3281E-018 | 8.6246E-017 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 3.0907E-019 | 5.0004E-018 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 1.2879E-016 | 2.0854E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Methyl mercury | 1.7379E-013 | 1.9454E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Methylene chloride | 3.3912E-017 | 5.4875E-016 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Naphthalene | 2.9727E-013 | 4.7628E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 2.8185E-013 | 4.5448E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 5.3960E-014 | 8.7266E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 6.1838E-014 | 9.9943E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitrobenzene | 7.6668E-014 | 1.2410E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 6.1751E-014 | 9.9886E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 5.3894E-013 | 3.1699E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 5.4698E-013 | 8.8198E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 2.9271E-014 | 4.7104E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 7.2901E-015 | 1.1600E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 4.5120E-014 | 7.0139E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 4.4284E-015 | 6.8685E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 1.2984E-012 | 1.7719E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 8.7236E-013 | 1.3591E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 5.8970E-013 | 9.2328E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 5.3333E-011 | 7.9448E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 1.9592E-012 | 2.8393E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Pentachlorophenol | 5.4390E-010 | 2.0568E-009 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Phenanthrene | 2.3000E-014 | 3.6479E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Phenol | 5.8056E-014 | 9.3697E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Pronamide | 7.9902E-011 | 1.2496E-009 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Pyrene | 8.4157E-010 | 6.2193E-009 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Selenium | 1.8119E-006 | 1.9370E-006 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Styrene | 1.3773E-014 | 2.2214E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 5.4401E-013 | 9.2003E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 2.5586E-013 | 4.7077E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 7.7864E-011 | 1.1877E-009 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 5.8149E-015 | 9.3873E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 5.4947E-016 | 8.8649E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 7.3414E-011 | 6.3826E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Toluene | 7.3017E-016 | 1.1684E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 2.0778E-013 | 3.2429E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 3.5338E-016 | 5.7083E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 2.6789E-015 | 4.3327E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichloroethylene | 4.3984E-016 | 7.0960E-015 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 5.7973E-017 | 9.3555E-016 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 3.2087E-011 | 4.7926E-010 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 7.3125E-012 | 9.1586E-011 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 9.9522E-015 | 1.6085E-013 |
| RCPTR_30 | farmer_adult | TOCDFMPF | VX | 9.5250E-013 | 1.1945E-012 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Vinyl Chloride | 1.4004E-019 | 2.2642E-018 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Xylene, m- | 5.7952E-015 | 3.9394E-014 |
| RCPTR_30 | farmer_adult | TOCDFMPF | Xylene, o- | 5.5361E-015 | 4.3652E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDFMPF | Xylene, p- | 6.7503E-015 | 5.8743E-014 |
| RCPTR_30 | farmer_adult | TOCDHVAC | VX | 4.3280E-013 | 5.4998E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Acenaphthene | 1.5875E-011 | 2.5242E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Acetone | 6.8343E-013 | 1.1067E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Acetophenone | 7.2401E-014 | 1.1712E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Aniline | 4.3478E-015 | 7.0160E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Anthracene | 3.0469E-010 | 4.8447E-009 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Benzene | 9.2980E-016 | 1.4986E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 7.4138E-008 | 2.9509E-007 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 6.1593E-007 | 8.7269E-007 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 3.8461E-007 | 1.0000E-006 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 1.0050E-006 | 1.3034E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Benzoic acid | 1.9247E-012 | 2.7046E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 1.8724E-011 | 3.0273E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 9.8628E-014 | 1.5971E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 5.8115E-017 | 9.4026E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 5.6261E-014 | 9.1053E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 7.7681E-009 | 7.8911E-008 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 3.4792E-010 | 7.8827E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Cadmium | 1.3782E-009 | 3.8975E-009 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Carbon disulfide | 3.8566E-018 | 6.2264E-017 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 3.1174E-017 | 5.0227E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 1.0047E-011 | 1.3001E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 4.6227E-013 | 7.4534E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chlorobenzene | 1.8337E-016 | 2.9456E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chloroethane | 5.5804E-018 | 8.7813E-017 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 2.4045E-017 | 3.8893E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 4.2011E-011 | 6.7067E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 1.2864E-012 | 2.0824E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 6.6989E-011 | 9.0543E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Chrysene | 2.0133E-007 | 4.5112E-007 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 1.4900E-009 | 3.2883E-009 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 7.5793E-001 | 7.5793E-001 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 1.3170E-005 | 1.5212E-005 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 6.3726E-014 | 9.9856E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 7.7080E-014 | 1.2221E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 7.3241E-014 | 1.1646E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 4.3819E-010 | 1.1130E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 4.2155E-019 | 6.7990E-018 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 9.7109E-018 | 1.5711E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 1.3030E-016 | 2.1085E-015 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 4.0120E-017 | 6.4795E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 6.4343E-017 | 1.0389E-015 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 7.7550E-012 | 8.5272E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 3.4759E-017 | 5.6007E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 1.1339E-017 | 1.8335E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 9.3782E-011 | 1.2343E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 9.5767E-013 | 1.5065E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 8.8632E-013 | 1.4234E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 1.5834E-013 | 1.0720E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 8.3005E-013 | 1.2834E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 6.3391E-013 | 9.9142E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 1.8391E-014 | 2.9775E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Ethylbenzene | 1.0226E-015 | 1.5978E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 1.2528E-010 | 3.1795E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Fluoranthene | 5.5040E-009 | 6.0277E-008 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Fluorene | 6.4801E-011 | 1.0187E-009 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 3.9565E-013 | 5.6301E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 4.6983E-012 | 6.2641E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 1.0993E-011 | 1.5500E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 3.3433E-012 | 4.4838E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 2.0080E-012 | 2.8983E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 1.6629E-012 | 2.5190E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 2.3505E-012 | 3.6676E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 2.0456E-012 | 3.1821E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 2.1058E-012 | 3.2614E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.7309E-012 | 2.6866E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 1.5385E-012 | 2.3429E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 3.5934E-009 | 5.5532E-008 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 4.2606E-012 | 6.4132E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 8.0803E-013 | 1.2842E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 9.9716E-005 | 1.0407E-004 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Isophorone | 1.3264E-013 | 2.1453E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Mercuric chloride | 4.0884E-011 | 4.2767E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 7.2058E-018 | 1.1664E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 2.0928E-020 | 3.3858E-019 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 7.6571E-015 | 1.2398E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Methyl mercury | 1.6120E-013 | 1.8046E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Methylene chloride | 1.0392E-013 | 1.6816E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Naphthalene | 3.5249E-013 | 5.6475E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 2.2715E-012 | 3.6628E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 5.3674E-013 | 8.6803E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 6.9387E-013 | 1.1214E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitrobenzene | 2.2413E-013 | 3.6279E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 1.0203E-013 | 1.6505E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 3.0212E-012 | 1.7766E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 1.2826E-013 | 2.0682E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 1.2956E-013 | 2.0849E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 1.1205E-014 | 1.7830E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 5.8662E-013 | 9.1169E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 5.8046E-013 | 9.0010E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 7.8604E-012 | 1.0724E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 1.2838E-012 | 1.9998E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 4.8118E-012 | 7.5326E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 1.2504E-011 | 1.8630E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 4.6017E-012 | 6.6699E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 4.5714E-009 | 1.7284E-008 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Phenanthrene | 2.1853E-013 | 3.4659E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Phenol | 1.7724E-013 | 2.8605E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Pronamide | 1.8736E-011 | 2.9301E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Pyrene | 1.1465E-008 | 8.4726E-008 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Selenium | 5.7418E-006 | 6.1381E-006 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Styrene | 9.0229E-016 | 1.4552E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 1.2525E-012 | 2.1180E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 3.7969E-013 | 6.9857E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 1.8259E-011 | 2.7851E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.3566E-013 | 3.8654E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 3.7206E-017 | 6.0026E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 1.7249E-010 | 1.4994E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Toluene | 1.1282E-012 | 1.8053E-011 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 6.1557E-013 | 9.6075E-012 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 3.5406E-015 | 5.7192E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 1.9024E-015 | 3.0769E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichloroethylene | 3.1235E-016 | 5.0392E-015 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 4.1170E-017 | 6.6438E-016 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 7.1588E-011 | 1.0692E-009 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 1.6055E-011 | 2.0107E-010 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 7.0676E-015 | 1.1423E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | VX | 7.1598E-013 | 8.9781E-013 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 9.1741E-021 | 1.4833E-019 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Xylene, m- | 7.3257E-015 | 4.9866E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Xylene, o- | 4.4533E-015 | 3.5158E-014 |
| RCPTR_30 | farmer_adult | TOCDLIC2 | Xylene, p- | 8.5359E-015 | 7.4367E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_adult | TOCDLIC2 | Zinc | 2.1043E-008 | 5.0909E-008 |
| RCPTR_30 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Cadmium | 5.1807E-009 | 8.0896E-009 |
| RCPTR_30 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Mercuric chloride | 6.6016E-007 | 8.2473E-007 |
| RCPTR_30 | farmer_child | TOCDFBRA | Methyl mercury | 3.0876E-009 | 3.6007E-009 |
| RCPTR_30 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Selenium | 3.3600E-006 | 3.5049E-006 |
| RCPTR_30 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFBRA | Zinc | 1.4825E-007 | 2.2428E-007 |
| RCPTR_30 | farmer_child | TOCDFDFS | Acenaphthene | 1.7757E-010 | 4.3061E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Acetone | 3.1459E-014 | 7.6418E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Acetophenone | 8.2259E-013 | 1.9980E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Aniline | 4.9288E-014 | 1.1969E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Anthracene | 3.4084E-009 | 8.2648E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Aroclor 1254 | 1.9478E-011 | 4.2166E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Benzene | 2.6713E-015 | 6.4861E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 3.1738E-007 | 5.0377E-007 |
| RCPTR_30 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 1.2667E-006 | 1.4983E-006 |
| RCPTR_30 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 1.1779E-006 | 1.7059E-006 |
| RCPTR_30 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 2.0308E-006 | 2.2408E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Benzoic acid | 1.2456E-011 | 2.9836E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Benzyl alcohol | 1.7346E-012 | 4.2130E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 1.1216E-012 | 2.7245E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Bromodichloromethane | 5.6795E-015 | 1.3795E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 1.9703E-013 | 4.7859E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 7.4634E-008 | 1.3462E-007 |
| RCPTR_30 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 3.2654E-009 | 5.0185E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Cadmium | 8.4700E-009 | 1.3183E-008 |
| RCPTR_30 | farmer_child | TOCDFDFS | Carbon disulfide | 7.5625E-016 | 1.8365E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Carbon tetrachloride | 3.0351E-015 | 7.3691E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 9.3421E-011 | 2.2175E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chloroaniline, p- | 5.2365E-012 | 1.2715E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chlorobenzene | 8.9175E-015 | 2.1645E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chloroethane | 7.2061E-017 | 1.7458E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 1.1767E-015 | 2.8581E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 4.7163E-010 | 1.1441E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 1.4625E-011 | 3.5524E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 6.4760E-010 | 1.5445E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Chrysene | 5.7730E-007 | 7.6965E-007 |
| RCPTR_30 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 5.6816E-009 | 8.6637E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 4.1743E+001 | 4.1743E+001 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 2.4481E-005 | 2.6133E-005 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 1.5405E-013 | 3.7306E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 5.5896E-013 | 1.3551E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 3.6458E-013 | 8.8411E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 6.9414E-010 | 1.1210E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 5.5666E-018 | 1.3517E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 4.9130E-016 | 1.1933E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.0822E-016 | 1.4774E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 5.3043E-016 | 1.2882E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 8.5049E-016 | 2.0654E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 4.5623E-011 | 1.0616E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 4.8096E-015 | 1.1678E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 5.5474E-016 | 1.3474E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Diethyl phthalate | 9.1303E-010 | 1.0765E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dimethyl phthalate | 5.1830E-012 | 1.2556E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 1.0004E-011 | 2.4283E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 4.2059E-012 | 9.0436E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 1.9601E-012 | 4.7403E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 1.5124E-012 | 3.6617E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 2.0911E-013 | 5.0795E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Ethylbenzene | 1.1028E-014 | 2.6698E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 9.6129E-011 | 1.5477E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Fluoranthene | 4.9221E-008 | 1.0283E-007 |
| RCPTR_30 | farmer_child | TOCDFDFS | Fluorene | 7.1741E-010 | 1.7378E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 8.7928E-014 | 1.0068E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 1.0772E-013 | 1.2064E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 2.6357E-013 | 3.0084E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 6.7741E-013 | 7.6013E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 4.3184E-013 | 4.9663E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 3.7217E-013 | 4.3463E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 5.2414E-013 | 6.1761E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 4.5483E-013 | 5.3550E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 4.6622E-013 | 5.4814E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 3.8403E-013 | 4.5181E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.6551E-011 | 3.9967E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Hexachlorobenzene | 3.9338E-008 | 9.4732E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 2.2453E-010 | 5.4156E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 9.0344E-012 | 2.1907E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 1.7283E-004 | 1.7657E-004 |
| RCPTR_30 | farmer_child | TOCDFDFS | Isophorone | 1.5068E-012 | 3.6597E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Mercuric chloride | 8.1561E-010 | 1.0197E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 5.0129E-017 | 1.2176E-016 |
| RCPTR_30 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 9.6410E-019 | 2.3417E-018 |
| RCPTR_30 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 5.8385E-015 | 1.4182E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Methyl mercury | 3.6956E-012 | 4.3320E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Methylene chloride | 3.2635E-014 | 7.9268E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Naphthalene | 1.0495E-011 | 2.5467E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 2.5430E-011 | 6.1748E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 6.0249E-012 | 1.4633E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 7.7842E-012 | 1.8905E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitrobenzene | 2.5479E-012 | 6.1890E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 1.1592E-012 | 2.8156E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 1.4325E-011 | 2.9912E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 1.4530E-012 | 3.5282E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 1.4650E-012 | 3.5567E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 1.2544E-013 | 3.0418E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 2.2098E-013 | 2.6015E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 6.6209E-014 | 7.7896E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 1.3906E-012 | 1.5678E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 1.5538E-013 | 1.8289E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 5.8759E-013 | 6.9287E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Pentachlorobenzene | 6.5314E-010 | 1.5734E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 4.6819E-011 | 1.1246E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Pentachlorophenol | 3.1570E-009 | 5.8718E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Phenanthrene | 2.4388E-012 | 5.9125E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Phenol | 2.0095E-012 | 4.8799E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Pronamide | 4.1290E-010 | 9.9970E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Pyrene | 8.8227E-008 | 1.4454E-007 |
| RCPTR_30 | farmer_child | TOCDFDFS | Selenium | 7.2587E-007 | 7.5660E-007 |
| RCPTR_30 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFDFS | Styrene | 1.0695E-013 | 2.5969E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 9.0182E-013 | 1.0873E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 5.1612E-013 | 6.3728E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.9671E-010 | 4.7511E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 3.3432E-012 | 5.6513E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 3.6267E-015 | 8.8067E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.1235E-009 | 2.5261E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFDFS | Toluene | 1.7908E-014 | 4.3452E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 8.1593E-012 | 1.9752E-011 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 2.3350E-015 | 5.6708E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 2.5185E-014 | 6.1170E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichloroethylene | 4.1256E-015 | 1.0018E-014 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 5.4392E-016 | 1.3208E-015 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 7.5673E-010 | 1.8239E-009 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.4503E-010 | 3.4294E-010 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 9.3506E-014 | 2.2710E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 7.7450E-013 | 1.8759E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | VX | 2.0450E-012 | 2.3456E-012 |
| RCPTR_30 | farmer_child | TOCDFDFS | Vinyl Chloride | 6.8217E-019 | 1.6568E-018 |
| RCPTR_30 | farmer_child | TOCDFDFS | Xylene, m- | 6.8119E-014 | 1.4574E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Xylene, o- | 7.3282E-014 | 1.6135E-013 |
| RCPTR_30 | farmer_child | TOCDFDFS | Xylene, p- | 9.6874E-014 | 2.1700E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Acenaphthene | 1.0409E-010 | 2.5242E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Acetone | 4.5559E-012 | 1.1067E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Acetophenone | 4.8219E-013 | 1.1712E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Aniline | 2.8892E-014 | 7.0160E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Anthracene | 1.9980E-009 | 4.8447E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Benzene | 6.1720E-015 | 1.4986E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 1.8602E-007 | 2.9509E-007 |
| RCPTR_30 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 7.3978E-007 | 8.7269E-007 |
| RCPTR_30 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 6.9132E-007 | 1.0000E-006 |
| RCPTR_30 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 1.1840E-006 | 1.3034E-006 |
| RCPTR_30 | farmer_child | TOCDFLIC | Benzoic acid | 1.1293E-011 | 2.7046E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Benzyl alcohol | 1.2464E-010 | 3.0273E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 6.5747E-013 | 1.5971E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Bromodichloromethane | 3.8711E-016 | 9.4026E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 3.7486E-013 | 9.1053E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 4.3749E-008 | 7.8911E-008 |
| RCPTR_30 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 5.1214E-010 | 7.8827E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Cadmium | 2.5054E-009 | 3.8975E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | Carbon disulfide | 2.5639E-017 | 6.2264E-017 |
| RCPTR_30 | farmer_child | TOCDFLIC | Carbon tetrachloride | 2.0687E-016 | 5.0227E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 5.4787E-011 | 1.3001E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chloroaniline, p- | 3.0696E-012 | 7.4534E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chlorobenzene | 1.2135E-015 | 2.9456E-015 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chloroethane | 3.6249E-017 | 8.7813E-017 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 1.6013E-016 | 3.8893E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 2.7647E-010 | 6.7067E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 8.5727E-012 | 2.0824E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.7968E-010 | 9.0543E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Chrysene | 3.3880E-007 | 4.5112E-007 |
| RCPTR_30 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 2.1607E-009 | 3.2883E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 7.5793E-001 | 7.5793E-001 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 1.4293E-005 | 1.5212E-005 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 4.1237E-013 | 9.9856E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 5.0409E-013 | 1.2221E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 4.8027E-013 | 1.1646E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 6.8984E-010 | 1.1130E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 2.8000E-018 | 6.7990E-018 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 6.6857E-017 | 1.6239E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 8.6805E-016 | 2.1085E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 2.6681E-016 | 6.4795E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 4.2780E-016 | 1.0389E-015 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 3.6665E-011 | 8.5272E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 2.3067E-016 | 5.6007E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 7.5490E-017 | 1.8335E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Diethyl phthalate | 1.0484E-010 | 1.2343E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dimethyl phthalate | 6.2190E-012 | 1.5065E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 5.8644E-012 | 1.4234E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 4.9907E-013 | 1.0720E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 5.3070E-012 | 1.2834E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 4.0950E-012 | 9.9142E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 1.2258E-013 | 2.9775E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Ethylbenzene | 6.6002E-015 | 1.5978E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 1.9714E-010 | 3.1795E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Fluoranthene | 2.8858E-008 | 6.0277E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Fluorene | 4.2055E-010 | 1.0187E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 4.9273E-013 | 5.6301E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 1.6248E-012 | 1.8152E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 3.9436E-012 | 4.4914E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 4.0051E-012 | 4.4838E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 2.5251E-012 | 2.8983E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 2.1602E-012 | 2.5190E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 3.1158E-012 | 3.6676E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 2.7056E-012 | 3.1821E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 2.7771E-012 | 3.2614E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 2.2861E-012 | 2.6866E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 9.7023E-012 | 2.3429E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Hexachlorobenzene | 2.3060E-008 | 5.5532E-008 |
| RCPTR_30 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 2.6590E-011 | 6.4132E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 5.2960E-012 | 1.2842E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 1.0199E-004 | 1.0407E-004 |
| RCPTR_30 | farmer_child | TOCDFLIC | Isophorone | 8.8324E-013 | 2.1453E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Mercuric chloride | 3.4200E-011 | 4.2767E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 4.8019E-017 | 1.1664E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 2.7841E-018 | 6.7625E-018 |
| RCPTR_30 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 5.1041E-014 | 1.2398E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Methyl mercury | 1.5375E-013 | 1.8046E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Methylene chloride | 6.9232E-013 | 1.6816E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Naphthalene | 2.3272E-012 | 5.6475E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 1.5085E-011 | 3.6628E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 3.5739E-012 | 8.6803E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 9.2180E-013 | 2.2388E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Nitrobenzene | 1.4936E-012 | 3.6279E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 3.4037E-012 | 8.2673E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 1.7010E-012 | 3.5469E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 8.5174E-013 | 2.0682E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 8.5879E-013 | 2.0849E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 7.3522E-014 | 1.7830E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 7.7524E-013 | 9.1169E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 7.6585E-013 | 9.0010E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 9.5283E-012 | 1.0724E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 1.7006E-012 | 1.9998E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 6.3944E-012 | 7.5326E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Pentachlorobenzene | 3.8730E-010 | 9.3318E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.7761E-011 | 6.6699E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Pentachlorophenol | 1.8591E-009 | 3.4504E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | Phenanthrene | 1.4296E-012 | 3.4659E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Phenol | 1.1780E-012 | 2.8605E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | Pronamide | 1.2103E-010 | 2.9301E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Pyrene | 5.1721E-008 | 8.4726E-008 |
| RCPTR_30 | farmer_child | TOCDFLIC | Selenium | 5.8896E-006 | 6.1381E-006 |
| RCPTR_30 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Styrene | 5.9930E-015 | 1.4552E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 1.7578E-012 | 2.1180E-012 |
| RCPTR_30 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 5.6606E-013 | 6.9857E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 1.1532E-010 | 2.7851E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 2.2922E-013 | 3.8654E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 2.4719E-016 | 6.0026E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 6.6736E-010 | 1.4994E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFLIC | Toluene | 7.4401E-012 | 1.8053E-011 |
| RCPTR_30 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 3.9691E-012 | 9.6075E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 2.3550E-014 | 5.7192E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 1.2668E-014 | 3.0769E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Trichloroethylene | 2.0752E-015 | 5.0392E-015 |
| RCPTR_30 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 2.7359E-016 | 6.6438E-016 |
| RCPTR_30 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 4.4365E-010 | 1.0692E-009 |
| RCPTR_30 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 8.5056E-011 | 2.0107E-010 |
| RCPTR_30 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 4.7034E-014 | 1.1423E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | VX | 7.5393E-013 | 8.6361E-013 |
| RCPTR_30 | farmer_child | TOCDFLIC | Vinyl Chloride | 6.1072E-020 | 1.4833E-019 |
| RCPTR_30 | farmer_child | TOCDFLIC | Xylene, m- | 2.3191E-014 | 4.9866E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Xylene, o- | 1.5905E-014 | 3.5158E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Xylene, p- | 3.3087E-014 | 7.4367E-014 |
| RCPTR_30 | farmer_child | TOCDFLIC | Zinc | 3.3792E-008 | 5.0909E-008 |
| RCPTR_30 | farmer_child | TOCDFMPF | Acenaphthene | 1.9079E-011 | 4.6264E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Acetone | 1.9397E-016 | 4.7117E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Acetophenone | 2.0563E-012 | 4.9946E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Aniline | 1.2321E-013 | 2.9920E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Anthracene | 2.1029E-010 | 5.0992E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Benzene | 1.0850E-015 | 2.6344E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 1.7218E-008 | 2.7313E-008 |
| RCPTR_30 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 1.2625E-007 | 1.4895E-007 |
| RCPTR_30 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 1.0037E-007 | 1.4519E-007 |
| RCPTR_30 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 1.7627E-007 | 1.9407E-007 |
| RCPTR_30 | farmer_child | TOCDFMPF | Benzoic acid | 2.1686E-012 | 5.1933E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Benzyl alcohol | 9.8808E-013 | 2.3998E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 2.7979E-013 | 6.7963E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Bromodichloromethane | 5.7170E-015 | 1.3886E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 1.9833E-013 | 4.8175E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.5048E-008 | 4.5180E-008 |
| RCPTR_30 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 6.7872E-011 | 1.0445E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Cadmium | 7.9847E-009 | 1.2422E-008 |
| RCPTR_30 | farmer_child | TOCDFMPF | Carbon disulfide | 3.7865E-016 | 9.1954E-016 |
| RCPTR_30 | farmer_child | TOCDFMPF | Carbon tetrachloride | 3.0551E-015 | 7.4178E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.3463E-011 | 5.5679E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chloroaniline, p- | 9.0519E-013 | 2.1979E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chlorobenzene | 1.7922E-014 | 4.3502E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chloroethane | 5.1044E-017 | 1.2365E-016 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 2.3649E-015 | 5.7440E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 4.8665E-011 | 1.1806E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 3.1581E-012 | 7.6711E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 1.1748E-010 | 2.8015E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Chrysene | 3.5047E-008 | 4.6668E-008 |
| RCPTR_30 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 2.5287E-009 | 3.8486E-009 |
| RCPTR_30 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 6.8196E-001 | 6.8196E-001 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 3.7878E-006 | 4.0317E-006 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 1.4368E-013 | 3.4792E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 1.6375E-013 | 3.9696E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 1.5513E-013 | 3.7619E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 2.0658E-010 | 3.3330E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 3.9428E-018 | 9.5741E-018 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 9.8737E-016 | 2.3982E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 1.2224E-015 | 2.9691E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 3.7571E-016 | 9.1242E-016 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 6.0241E-016 | 1.4629E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 1.4371E-011 | 3.3424E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 3.4067E-015 | 8.2714E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 1.1149E-015 | 2.7078E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Diethyl phthalate | 2.2416E-010 | 2.6391E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dimethyl phthalate | 3.5927E-013 | 8.7030E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 2.3147E-012 | 5.6183E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 9.5995E-013 | 2.0619E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 7.3193E-012 | 1.7701E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 5.1275E-012 | 1.2414E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 5.2274E-013 | 1.2698E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Ethylbenzene | 1.1101E-014 | 2.6875E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 3.4129E-011 | 5.5039E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Fluoranthene | 2.2466E-009 | 4.6927E-009 |
| RCPTR_30 | farmer_child | TOCDFMPF | Fluorene | 6.4107E-011 | 1.5528E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 5.4275E-014 | 6.2024E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 2.7226E-013 | 3.0419E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 2.6095E-013 | 2.9724E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 6.9718E-013 | 7.8061E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 4.3982E-013 | 5.0487E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 3.7099E-013 | 4.3265E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 8.4356E-013 | 9.9301E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 2.8791E-012 | 3.3863E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 2.4224E-012 | 2.8450E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 2.9225E-013 | 3.4347E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 5.4493E-012 | 1.3159E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Hexachlorobenzene | 1.1487E-008 | 2.7662E-008 |
| RCPTR_30 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 1.8505E-011 | 4.4632E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 3.7290E-012 | 9.0421E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 2.2206E-005 | 2.2660E-005 |
| RCPTR_30 | farmer_child | TOCDFMPF | Isophorone | 1.5788E-013 | 3.8347E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Mercuric chloride | 3.6854E-011 | 4.6085E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 3.5506E-017 | 8.6246E-017 |
| RCPTR_30 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 2.0587E-018 | 5.0004E-018 |
| RCPTR_30 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 8.5849E-016 | 2.0854E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Methyl mercury | 1.6576E-013 | 1.9454E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Methylene chloride | 2.2592E-016 | 5.4875E-016 |
| RCPTR_30 | farmer_child | TOCDFMPF | Naphthalene | 1.9627E-012 | 4.7628E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 1.8717E-012 | 4.5448E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 3.5929E-013 | 8.7266E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 4.1151E-013 | 9.9943E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitrobenzene | 5.1090E-013 | 1.2410E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 4.1124E-013 | 9.9886E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 1.5201E-012 | 3.1699E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 3.6323E-012 | 8.8198E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 1.9403E-013 | 4.7104E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 4.7832E-014 | 1.1600E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 5.9637E-014 | 7.0139E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 5.8437E-015 | 6.8685E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 1.5742E-012 | 1.7719E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 1.1557E-012 | 1.3591E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 7.8373E-013 | 9.2328E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Pentachlorobenzene | 3.2974E-010 | 7.9448E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 1.1817E-011 | 2.8393E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Pentachlorophenol | 1.1081E-009 | 2.0568E-009 |
| RCPTR_30 | farmer_child | TOCDFMPF | Phenanthrene | 1.5047E-013 | 3.6479E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Phenol | 3.8584E-013 | 9.3697E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Pronamide | 5.1612E-010 | 1.2496E-009 |
| RCPTR_30 | farmer_child | TOCDFMPF | Pyrene | 3.7966E-009 | 6.2193E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Selenium | 1.8585E-006 | 1.9370E-006 |
| RCPTR_30 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Styrene | 9.1483E-014 | 2.2214E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 7.6357E-013 | 9.2003E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 3.8146E-013 | 4.7077E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 4.9179E-010 | 1.1877E-009 |
| RCPTR_30 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 3.8656E-014 | 9.3873E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 3.6507E-015 | 8.8649E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 2.8407E-010 | 6.3826E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDFMPF | Toluene | 4.8154E-015 | 1.1684E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 1.3397E-012 | 3.2429E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 2.3505E-015 | 5.7083E-015 |
| RCPTR_30 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 1.7839E-014 | 4.3327E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | Trichloroethylene | 2.9222E-015 | 7.0960E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 3.8526E-016 | 9.3555E-016 |
| RCPTR_30 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.9886E-010 | 4.7926E-010 |
| RCPTR_30 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.8742E-011 | 9.1586E-011 |
| RCPTR_30 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 6.6231E-014 | 1.6085E-013 |
| RCPTR_30 | farmer_child | TOCDFMPF | VX | 1.0427E-012 | 1.1945E-012 |
| RCPTR_30 | farmer_child | TOCDFMPF | Vinyl Chloride | 9.3225E-019 | 2.2642E-018 |
| RCPTR_30 | farmer_child | TOCDFMPF | Xylene, m- | 1.8326E-014 | 3.9394E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | Xylene, o- | 1.9751E-014 | 4.3652E-014 |
| RCPTR_30 | farmer_child | TOCDFMPF | Xylene, p- | 2.6141E-014 | 5.8743E-014 |
| RCPTR_30 | farmer_child | TOCDHVAC | VX | 4.7650E-013 | 5.4998E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Acenaphthene | 1.0409E-010 | 2.5242E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Acetone | 4.5559E-012 | 1.1067E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Acetophenone | 4.8219E-013 | 1.1712E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Aniline | 2.8892E-014 | 7.0160E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Anthracene | 1.9980E-009 | 4.8447E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Benzene | 6.1720E-015 | 1.4986E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 1.8602E-007 | 2.9509E-007 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 7.3978E-007 | 8.7269E-007 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 6.9132E-007 | 1.0000E-006 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 1.1840E-006 | 1.3034E-006 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Benzoic acid | 1.1293E-011 | 2.7046E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Benzyl alcohol | 1.2464E-010 | 3.0273E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 6.5747E-013 | 1.5971E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Bromodichloromethane | 3.8711E-016 | 9.4026E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 3.7486E-013 | 9.1053E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 4.3749E-008 | 7.8911E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 5.1214E-010 | 7.8827E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Cadmium | 2.5054E-009 | 3.8975E-009 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Carbon disulfide | 2.5639E-017 | 6.2264E-017 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 2.0687E-016 | 5.0227E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 5.4787E-011 | 1.3001E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 3.0696E-012 | 7.4534E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chlorobenzene | 1.2135E-015 | 2.9456E-015 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chloroethane | 3.6249E-017 | 8.7813E-017 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 1.6013E-016 | 3.8893E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 2.7647E-010 | 6.7067E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 8.5727E-012 | 2.0824E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.7968E-010 | 9.0543E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Chrysene | 3.3880E-007 | 4.5112E-007 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 2.1607E-009 | 3.2883E-009 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 7.5793E-001 | 7.5793E-001 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 1.4293E-005 | 1.5212E-005 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 4.1237E-013 | 9.9856E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 5.0409E-013 | 1.2221E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 4.8027E-013 | 1.1646E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 6.8984E-010 | 1.1130E-009 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 2.8000E-018 | 6.7990E-018 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 6.4682E-017 | 1.5711E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 8.6805E-016 | 2.1085E-015 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 2.6681E-016 | 6.4795E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 4.2780E-016 | 1.0389E-015 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 3.6665E-011 | 8.5272E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 2.3067E-016 | 5.6007E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 7.5490E-017 | 1.8335E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Diethyl phthalate | 1.0484E-010 | 1.2343E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 6.2190E-012 | 1.5065E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 5.8644E-012 | 1.4234E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 4.9907E-013 | 1.0720E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 5.3070E-012 | 1.2834E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 4.0950E-012 | 9.9142E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 1.2258E-013 | 2.9775E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Ethylbenzene | 6.6002E-015 | 1.5978E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 1.9714E-010 | 3.1795E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Fluoranthene | 2.8858E-008 | 6.0277E-008 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Fluorene | 4.2055E-010 | 1.0187E-009 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 4.9273E-013 | 5.6301E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 5.6073E-012 | 6.2641E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 1.3609E-011 | 1.5500E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 4.0051E-012 | 4.4838E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 2.5251E-012 | 2.8983E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 2.1602E-012 | 2.5190E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 3.1158E-012 | 3.6676E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 2.7056E-012 | 3.1821E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 2.7771E-012 | 3.2614E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 2.2861E-012 | 2.6866E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 9.7023E-012 | 2.3429E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 2.3060E-008 | 5.5532E-008 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 2.6590E-011 | 6.4132E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 5.2960E-012 | 1.2842E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 1.0199E-004 | 1.0407E-004 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Isophorone | 8.8324E-013 | 2.1453E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Mercuric chloride | 3.4200E-011 | 4.2767E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 4.8019E-017 | 1.1664E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 1.3940E-019 | 3.3858E-019 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 5.1041E-014 | 1.2398E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Methyl mercury | 1.5375E-013 | 1.8046E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Methylene chloride | 6.9232E-013 | 1.6816E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Naphthalene | 2.3272E-012 | 5.6475E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 1.5085E-011 | 3.6628E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 3.5739E-012 | 8.6803E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 4.6174E-012 | 1.1214E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitrobenzene | 1.4936E-012 | 3.6279E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 6.7951E-013 | 1.6505E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 8.5204E-012 | 1.7766E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 8.5174E-013 | 2.0682E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 8.5879E-013 | 2.0849E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 7.3522E-014 | 1.7830E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 7.7524E-013 | 9.1169E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 7.6585E-013 | 9.0010E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 9.5283E-012 | 1.0724E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 1.7006E-012 | 1.9998E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 6.3944E-012 | 7.5326E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 7.7320E-011 | 1.8630E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.7761E-011 | 6.6699E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Pentachlorophenol | 9.3123E-009 | 1.7284E-008 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Phenanthrene | 1.4296E-012 | 3.4659E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Phenol | 1.1780E-012 | 2.8605E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Pronamide | 1.2103E-010 | 2.9301E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Pyrene | 5.1721E-008 | 8.4726E-008 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Selenium | 5.8896E-006 | 6.1381E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Styrene | 5.9930E-015 | 1.4552E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 1.7578E-012 | 2.1180E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 5.6606E-013 | 6.9857E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 1.1532E-010 | 2.7851E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 2.2922E-013 | 3.8654E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 2.4719E-016 | 6.0026E-016 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 6.6736E-010 | 1.4994E-009 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Toluene | 7.4401E-012 | 1.8053E-011 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 3.9691E-012 | 9.6075E-012 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 2.3550E-014 | 5.7192E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 1.2668E-014 | 3.0769E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichloroethylene | 2.0752E-015 | 5.0392E-015 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 2.7359E-016 | 6.6438E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 4.4365E-010 | 1.0692E-009 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 8.5056E-011 | 2.0107E-010 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 4.7034E-014 | 1.1423E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | VX | 7.8379E-013 | 8.9781E-013 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Vinyl Chloride | 6.1072E-020 | 1.4833E-019 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Xylene, m- | 2.3191E-014 | 4.9866E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Xylene, o- | 1.5905E-014 | 3.5158E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Xylene, p- | 3.3087E-014 | 7.4367E-014 |
| RCPTR_30 | farmer_child | TOCDLIC2 | Zinc | 3.3792E-008 | 5.0909E-008 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Cadmium | 1.8035E-008 | 4.9097E-008 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Mercuric chloride | 5.1981E-006 | 5.4367E-006 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Methyl mercury | 2.1138E-008 | 2.3579E-008 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Selenium | 2.1181E-005 | 2.2545E-005 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFBRA | Zinc | 5.8710E-007 | 1.3699E-006 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Acenaphthene | 1.1345E-010 | 1.8002E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Acetone | 1.9726E-014 | 3.1943E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Acetophenone | 5.1635E-013 | 8.3516E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Aniline | 3.1017E-014 | 5.0031E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Anthracene | 2.1770E-009 | 3.4551E-008 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Aroclor 1254 | 2.5979E-011 | 1.7716E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Benzene | 1.6832E-015 | 2.7113E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 5.6424E-007 | 2.1318E-006 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 4.7675E-006 | 6.4810E-006 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 2.9839E-006 | 7.3372E-006 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 7.7321E-006 | 9.6632E-006 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Benzoic acid | 9.0303E-012 | 1.2488E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.0895E-012 | 1.7611E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 7.0330E-013 | 1.1389E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Bromodichloromethane | 3.5645E-015 | 5.7664E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.2362E-013 | 2.0005E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 5.5391E-008 | 5.6269E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 9.7929E-009 | 2.1457E-008 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Cadmium | 1.8738E-008 | 5.1058E-008 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Carbon disulfide | 4.7567E-016 | 7.6769E-015 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 1.9130E-015 | 3.0804E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 7.3556E-011 | 9.2899E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 3.2982E-012 | 5.3151E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chlorobenzene | 5.6383E-015 | 9.0484E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chloroethane | 4.6548E-017 | 7.2991E-016 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 7.3871E-016 | 1.1947E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.0010E-010 | 4.7830E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 9.1738E-012 | 1.4849E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 4.8682E-010 | 6.4656E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Chrysene | 1.5614E-006 | 3.3225E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.8240E-008 | 3.8108E-008 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 1.9854E+002 | 1.9854E+002 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.0340E-004 | 1.1733E-004 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 9.9918E-014 | 1.5598E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 3.5820E-013 | 5.6652E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.3293E-013 | 3.6961E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.0016E-009 | 4.8215E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 3.5043E-018 | 5.6502E-017 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.0835E-016 | 4.9881E-015 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.8165E-016 | 6.1754E-015 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 3.3352E-016 | 5.3847E-015 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 5.3490E-016 | 8.6335E-015 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 4.2087E-011 | 4.4560E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.0313E-015 | 4.8815E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 3.4836E-016 | 5.6320E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Diethyl phthalate | 3.8693E-009 | 4.9593E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 3.3463E-012 | 5.2492E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 6.3272E-012 | 1.0151E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 6.0096E-012 | 3.8257E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.2864E-012 | 1.9818E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 9.8236E-013 | 1.5309E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.3115E-013 | 2.1232E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Ethylbenzene | 7.1730E-015 | 1.1163E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.6768E-010 | 6.5718E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Fluoranthene | 4.0210E-008 | 4.3067E-007 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Fluorene | 4.6370E-010 | 7.2657E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 2.8052E-013 | 3.8347E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 3.7592E-013 | 4.8193E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 8.5337E-013 | 1.1557E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.3713E-012 | 3.0622E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.3676E-012 | 1.8973E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.0981E-012 | 1.6030E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.5235E-012 | 2.2998E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.3293E-012 | 2.0001E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.3756E-012 | 2.0600E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.1280E-012 | 1.6931E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.1039E-011 | 1.6713E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 2.5749E-008 | 3.9611E-007 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.5145E-010 | 2.2648E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 5.7762E-012 | 9.1588E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 7.9482E-004 | 8.2452E-004 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Isophorone | 9.4597E-013 | 1.5298E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Mercuric chloride | 4.0376E-009 | 4.2235E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.1445E-017 | 5.0898E-016 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 6.0508E-019 | 9.7885E-018 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.6612E-015 | 5.9282E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Methyl mercury | 1.5979E-011 | 1.7881E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Methylene chloride | 2.0479E-014 | 3.3134E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Naphthalene | 6.6531E-012 | 1.0646E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.6015E-011 | 2.5811E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 3.7828E-012 | 6.1168E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 4.8898E-012 | 7.9024E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.5983E-012 | 2.5870E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 7.2768E-013 | 1.1769E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.3091E-011 | 1.2700E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 9.1515E-013 | 1.4748E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 9.2462E-013 | 1.4868E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 7.9994E-014 | 1.2715E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 6.2146E-013 | 9.3369E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 1.8629E-013 | 2.7939E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.0072E-012 | 6.6105E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 5.0547E-013 | 7.6357E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.8608E-012 | 2.8242E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 4.4191E-010 | 6.5764E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 3.2492E-011 | 4.7007E-010 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Pentachlorophenol | 7.1714E-009 | 2.5268E-008 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Phenanthrene | 1.5621E-012 | 2.4718E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Phenol | 1.2645E-012 | 2.0398E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Pronamide | 2.6838E-010 | 4.1800E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Pyrene | 8.2493E-008 | 6.0480E-007 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Selenium | 2.8789E-006 | 3.0645E-006 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Styrene | 6.7339E-014 | 1.0856E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 2.7755E-012 | 4.5599E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.5054E-012 | 2.6958E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.3117E-010 | 1.9870E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 9.2318E-012 | 2.4618E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.2825E-015 | 3.6813E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.2900E-009 | 1.0640E-008 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Toluene | 1.1368E-014 | 1.8165E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 5.3108E-012 | 8.2588E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.4679E-015 | 2.3704E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.5812E-014 | 2.5569E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichloroethylene | 2.5969E-015 | 4.1878E-014 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 3.4227E-016 | 5.5212E-015 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 5.1575E-010 | 7.6298E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.1793E-010 | 1.4373E-009 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 5.8746E-014 | 9.4928E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 4.9802E-013 | 7.8392E-012 |
| RCPTR_31 | farmer_adult | TOCDFDFS | VX | 8.8579E-012 | 1.0862E-011 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Vinyl Chloride | 4.2836E-019 | 6.9255E-018 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Xylene, m- | 8.5772E-014 | 6.0323E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Xylene, o- | 8.2277E-014 | 6.6931E-013 |
| RCPTR_31 | farmer_adult | TOCDFDFS | Xylene, p- | 1.0071E-013 | 9.0146E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Acenaphthene | 6.3039E-011 | 1.0003E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Acetone | 2.7080E-012 | 4.3851E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Acetophenone | 2.8692E-013 | 4.6407E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Aniline | 1.7235E-014 | 2.7801E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Anthracene | 1.2096E-009 | 1.9199E-008 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Benzene | 3.6864E-015 | 5.9382E-014 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 3.1326E-007 | 1.1840E-006 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 2.6440E-006 | 3.5910E-006 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.6568E-006 | 4.0743E-006 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 4.2878E-006 | 5.3522E-006 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Benzoic acid | 7.7594E-012 | 1.0730E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Benzyl alcohol | 7.4209E-011 | 1.1995E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 3.9080E-013 | 6.3283E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.3030E-016 | 3.7257E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.2295E-013 | 3.6079E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 3.0779E-008 | 3.1267E-007 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.4579E-009 | 3.2000E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Cadmium | 5.4239E-009 | 1.4779E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.5287E-017 | 2.4672E-016 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.2360E-016 | 1.9903E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 4.0877E-011 | 5.1621E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 1.8327E-012 | 2.9534E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chlorobenzene | 7.2732E-016 | 1.1672E-014 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chloroethane | 2.2195E-017 | 3.4803E-016 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 9.5292E-017 | 1.5411E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.6676E-010 | 2.6577E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 5.0976E-012 | 8.2512E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 2.7048E-010 | 3.5927E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Chrysene | 8.6707E-007 | 1.8448E-006 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 6.5385E-009 | 1.3661E-008 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 3.3797E+000 | 3.3797E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 5.7302E-005 | 6.4889E-005 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 2.5352E-013 | 3.9577E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.0622E-013 | 4.8431E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 2.9086E-013 | 4.6153E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 1.8824E-009 | 4.5369E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.6709E-018 | 2.6941E-017 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 3.9777E-017 | 6.4346E-016 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.1633E-016 | 8.3547E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.5903E-016 | 2.5675E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.5505E-016 | 4.1166E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 3.2041E-011 | 3.3919E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.3782E-016 | 2.2193E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 4.4938E-017 | 7.2651E-016 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Diethyl phthalate | 4.1715E-010 | 5.3462E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 3.8060E-012 | 5.9705E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 3.5158E-012 | 5.6406E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 6.7470E-013 | 4.2947E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 3.3012E-012 | 5.0865E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 2.5212E-012 | 3.9293E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 7.2874E-014 | 1.1798E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Ethylbenzene | 4.0693E-015 | 6.3330E-014 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 5.2136E-010 | 1.2826E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Fluoranthene | 2.2340E-008 | 2.3930E-007 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Fluorene | 2.5766E-010 | 4.0373E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.5256E-012 | 2.0825E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 5.4632E-012 | 6.9933E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.2376E-011 | 1.6735E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.3487E-011 | 1.7392E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 7.7555E-012 | 1.0746E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 6.2131E-012 | 9.0603E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 8.8121E-012 | 1.3293E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 7.6901E-012 | 1.1563E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 7.9615E-012 | 1.1914E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 6.5270E-012 | 9.7906E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 6.1332E-012 | 9.2870E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.4308E-008 | 2.2010E-007 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.6999E-011 | 2.5423E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 3.2097E-012 | 5.0893E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 4.4144E-004 | 4.5761E-004 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Isophorone | 5.2565E-013 | 8.5005E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.6087E-010 | 1.6828E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 2.8554E-017 | 4.6217E-016 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.6564E-018 | 2.6796E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.0341E-014 | 4.9128E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Methyl mercury | 6.3508E-013 | 7.1087E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Methylene chloride | 4.1182E-013 | 6.6632E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Naphthalene | 1.3985E-012 | 2.2379E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 9.0052E-012 | 1.4514E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.1271E-012 | 3.4395E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 5.4890E-013 | 8.8709E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitrobenzene | 8.8813E-013 | 1.4375E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.0254E-012 | 3.2758E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 2.5929E-012 | 1.4257E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 5.0852E-013 | 8.1952E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 5.1378E-013 | 8.2616E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 4.4438E-014 | 7.0652E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.1336E-012 | 3.2031E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.1091E-012 | 3.1607E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.2724E-011 | 4.3168E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 5.2766E-012 | 7.9684E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.9399E-011 | 2.9431E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 2.4832E-010 | 3.6978E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.8255E-011 | 2.6431E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Pentachlorophenol | 3.9863E-009 | 1.4042E-008 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Phenanthrene | 8.6802E-013 | 1.3735E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Phenol | 7.0262E-013 | 1.1335E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Pronamide | 7.4565E-011 | 1.1613E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Pyrene | 4.5837E-008 | 3.3606E-007 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Selenium | 2.2821E-005 | 2.4293E-005 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Styrene | 3.5770E-015 | 5.7664E-014 |
| RCPTR_31 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 5.1503E-012 | 8.4609E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.5676E-012 | 2.8073E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 7.2886E-011 | 1.1041E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 5.9670E-013 | 1.5908E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.4747E-016 | 2.3785E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 7.2551E-010 | 5.9833E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Toluene | 4.4769E-012 | 7.1539E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.4499E-012 | 3.8080E-011 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.4034E-014 | 2.2662E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 7.5395E-015 | 1.2192E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.2382E-015 | 1.9968E-014 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.6320E-016 | 2.6326E-015 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.8660E-010 | 4.2396E-009 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 6.5538E-011 | 7.9864E-010 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 2.8011E-014 | 4.5263E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFLIC | VX | 3.0653E-012 | 3.7583E-012 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Vinyl Chloride | 3.6353E-020 | 5.8774E-019 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Xylene, m- | 2.7700E-014 | 1.9626E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Xylene, o- | 1.6922E-014 | 1.3859E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Xylene, p- | 3.2582E-014 | 2.9343E-013 |
| RCPTR_31 | farmer_adult | TOCDFLIC | Zinc | 8.3053E-008 | 1.9396E-007 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Acenaphthene | 1.1586E-011 | 1.8384E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Acetone | 1.1561E-016 | 1.8721E-015 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Acetophenone | 1.2269E-012 | 1.9845E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Aniline | 7.3703E-014 | 1.1888E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Anthracene | 1.2767E-010 | 2.0263E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Benzene | 6.4982E-016 | 1.0468E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 2.9072E-008 | 1.0988E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 4.5226E-007 | 6.1424E-007 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 2.4120E-007 | 5.9312E-007 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 6.3981E-007 | 7.9863E-007 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Benzoic acid | 1.4941E-012 | 2.0660E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Benzyl alcohol | 5.8990E-013 | 9.5353E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.6676E-013 | 2.7004E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Bromodichloromethane | 3.4105E-015 | 5.5174E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.1828E-013 | 1.9141E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.7670E-008 | 1.7951E-007 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 1.9366E-010 | 4.2508E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Cadmium | 1.7305E-008 | 4.7154E-008 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.2639E-016 | 3.6537E-015 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 1.8304E-015 | 2.9474E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.7554E-011 | 2.2169E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 5.4193E-013 | 8.7333E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.0771E-014 | 1.7285E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chloroethane | 3.1340E-017 | 4.9143E-016 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.4112E-015 | 2.2822E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 2.9434E-011 | 4.6912E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 1.8830E-012 | 3.0479E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 8.3917E-011 | 1.1147E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Chrysene | 8.9936E-008 | 1.9135E-007 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 7.6744E-009 | 1.6034E-008 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 3.0504E+000 | 3.0504E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.5225E-005 | 1.7242E-005 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 8.8575E-014 | 1.3827E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 9.9743E-014 | 1.5775E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 9.4211E-014 | 1.4949E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 5.6521E-010 | 1.3622E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.3593E-018 | 3.8041E-017 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 5.8905E-016 | 9.5289E-015 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 7.2907E-016 | 1.1797E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.2455E-016 | 3.6253E-015 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.6014E-016 | 5.8127E-015 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.2594E-011 | 1.3332E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.0409E-015 | 3.2866E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 6.6549E-016 | 1.0759E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Diethyl phthalate | 8.9467E-010 | 1.1466E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.2047E-013 | 3.4585E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.3915E-012 | 2.2324E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.3014E-012 | 8.2839E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 4.5654E-012 | 7.0344E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 3.1656E-012 | 4.9336E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 3.1163E-013 | 5.0452E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Ethylbenzene | 6.8632E-015 | 1.0681E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 9.0472E-011 | 2.2258E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Fluoranthene | 1.7439E-009 | 1.8681E-008 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Fluorene | 3.9384E-011 | 6.1712E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.6818E-013 | 2.2957E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 9.1664E-013 | 1.1733E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 8.1962E-013 | 1.1083E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.3511E-012 | 3.0319E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.3520E-012 | 1.8732E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.0675E-012 | 1.5566E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.3871E-012 | 3.6009E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 8.1880E-012 | 1.2312E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 6.9493E-012 | 1.0399E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 8.3493E-013 | 1.2524E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 3.4542E-012 | 5.2304E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 7.1468E-009 | 1.0994E-007 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.1863E-011 | 1.7742E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.2662E-012 | 3.5932E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 9.6399E-005 | 9.9932E-005 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Isophorone | 9.4217E-014 | 1.5236E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Mercuric chloride | 1.7380E-010 | 1.8180E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.1171E-017 | 3.4268E-016 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.2281E-018 | 1.9868E-017 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 5.1172E-016 | 8.2858E-015 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Methyl mercury | 6.8611E-013 | 7.6798E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Methylene chloride | 1.3476E-016 | 2.1803E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | Naphthalene | 1.1827E-012 | 1.8925E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.1204E-012 | 1.8058E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.1443E-013 | 3.4673E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 2.4571E-013 | 3.9710E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.0464E-013 | 4.9308E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 2.4539E-013 | 3.9688E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.3238E-012 | 1.2777E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.1746E-012 | 3.5045E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.1640E-013 | 1.8717E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 2.8989E-014 | 4.6091E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.6414E-013 | 2.4642E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.6094E-014 | 2.4118E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 5.4175E-012 | 7.1464E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 3.5935E-012 | 5.4266E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.3818E-012 | 3.6136E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.1199E-010 | 3.1568E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 7.7922E-012 | 1.1282E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.3830E-009 | 8.3940E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Phenanthrene | 9.1612E-014 | 1.4496E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Phenol | 2.3078E-013 | 3.7229E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Pronamide | 3.1886E-010 | 4.9662E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Pyrene | 3.3739E-009 | 2.4736E-008 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Selenium | 7.2103E-006 | 7.6753E-006 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Styrene | 5.4752E-014 | 8.8265E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.2423E-012 | 3.6835E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.0590E-012 | 1.8965E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 3.1168E-010 | 4.7215E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.3113E-014 | 3.7299E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.1839E-015 | 3.5223E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.0969E-010 | 2.5540E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Toluene | 2.9055E-015 | 4.6428E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 8.2918E-013 | 1.2888E-011 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.4045E-015 | 2.2681E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.0646E-014 | 1.7215E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichloroethylene | 1.7484E-015 | 2.8195E-014 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.3044E-016 | 3.7173E-015 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.2882E-010 | 1.9056E-009 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 2.9934E-011 | 3.6477E-010 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 3.9552E-014 | 6.3913E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | VX | 4.2526E-012 | 5.2140E-012 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Vinyl Chloride | 5.5645E-019 | 8.9964E-018 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Xylene, m- | 2.1936E-014 | 1.5543E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDFMPF | Xylene, o- | 2.1063E-014 | 1.7251E-013 |
| RCPTR_31 | farmer_adult | TOCDFMPF | Xylene, p- | 2.5803E-014 | 2.3238E-013 |
| RCPTR_31 | farmer_adult | TOCDHVAC | VX | 2.2741E-012 | 2.7927E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Acenaphthene | 6.3039E-011 | 1.0003E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Acetone | 2.7080E-012 | 4.3851E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Acetophenone | 2.8692E-013 | 4.6407E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Aniline | 1.7235E-014 | 2.7801E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Anthracene | 1.2096E-009 | 1.9199E-008 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Benzene | 3.6864E-015 | 5.9382E-014 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 3.1326E-007 | 1.1840E-006 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 2.6440E-006 | 3.5910E-006 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.6568E-006 | 4.0743E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 4.2878E-006 | 5.3522E-006 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Benzoic acid | 7.7594E-012 | 1.0730E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 7.4209E-011 | 1.1995E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.9080E-013 | 6.3283E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.3030E-016 | 3.7257E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.2295E-013 | 3.6079E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 3.0779E-008 | 3.1267E-007 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.4579E-009 | 3.2000E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Cadmium | 5.4239E-009 | 1.4779E-008 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.5287E-017 | 2.4672E-016 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.2360E-016 | 1.9903E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 4.0877E-011 | 5.1621E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 1.8327E-012 | 2.9534E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chlorobenzene | 7.2732E-016 | 1.1672E-014 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chloroethane | 2.2195E-017 | 3.4803E-016 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 9.5292E-017 | 1.5411E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.6676E-010 | 2.6577E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 5.0976E-012 | 8.2512E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 2.7048E-010 | 3.5927E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Chrysene | 8.6707E-007 | 1.8448E-006 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 6.5385E-009 | 1.3661E-008 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 3.3797E+000 | 3.3797E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 5.7302E-005 | 6.4889E-005 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.5352E-013 | 3.9577E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.0622E-013 | 4.8431E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 2.9086E-013 | 4.6153E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 1.8824E-009 | 4.5369E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.6709E-018 | 2.6941E-017 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 3.8483E-017 | 6.2253E-016 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.1633E-016 | 8.3547E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.5903E-016 | 2.5675E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.5505E-016 | 4.1166E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 3.2041E-011 | 3.3919E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.3782E-016 | 2.2193E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 4.4938E-017 | 7.2651E-016 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 4.1715E-010 | 5.3462E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 3.8060E-012 | 5.9705E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 3.5158E-012 | 5.6406E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 6.7470E-013 | 4.2947E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 3.3012E-012 | 5.0865E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.5212E-012 | 3.9293E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 7.2874E-014 | 1.1798E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Ethylbenzene | 4.0693E-015 | 6.3330E-014 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 5.2136E-010 | 1.2826E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.2340E-008 | 2.3930E-007 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Fluorene | 2.5766E-010 | 4.0373E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.5256E-012 | 2.0825E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.8853E-011 | 2.4134E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 4.2708E-011 | 5.7751E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.3487E-011 | 1.7392E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 7.7555E-012 | 1.0746E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 6.2131E-012 | 9.0603E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 8.8121E-012 | 1.3293E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 7.6901E-012 | 1.1563E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 7.9615E-012 | 1.1914E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 6.5270E-012 | 9.7906E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 6.1332E-012 | 9.2870E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.4308E-008 | 2.2010E-007 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.6999E-011 | 2.5423E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 3.2097E-012 | 5.0893E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 4.4144E-004 | 4.5761E-004 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Isophorone | 5.2565E-013 | 8.5005E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.6087E-010 | 1.6828E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.8554E-017 | 4.6217E-016 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 8.2932E-020 | 1.3416E-018 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.0341E-014 | 4.9128E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Methyl mercury | 6.3508E-013 | 7.1087E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Methylene chloride | 4.1182E-013 | 6.6632E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Naphthalene | 1.3985E-012 | 2.2379E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 9.0052E-012 | 1.4514E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.1271E-012 | 3.4395E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 2.7495E-012 | 4.4435E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitrobenzene | 8.8813E-013 | 1.4375E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 4.0435E-013 | 6.5398E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.2988E-011 | 7.1414E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 5.0852E-013 | 8.1952E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 5.1378E-013 | 8.2616E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 4.4438E-014 | 7.0652E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.1336E-012 | 3.2031E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.1091E-012 | 3.1607E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.2724E-011 | 4.3168E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 5.2766E-012 | 7.9684E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.9399E-011 | 2.9431E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 4.9574E-011 | 7.3821E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.8255E-011 | 2.6431E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 1.9968E-008 | 7.0338E-008 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Phenanthrene | 8.6802E-013 | 1.3735E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Phenol | 7.0262E-013 | 1.1335E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Pronamide | 7.4565E-011 | 1.1613E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Pyrene | 4.5837E-008 | 3.3606E-007 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Selenium | 2.2821E-005 | 2.4293E-005 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Styrene | 3.5770E-015 | 5.7664E-014 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 5.1503E-012 | 8.4609E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.5676E-012 | 2.8073E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 7.2886E-011 | 1.1041E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 5.9670E-013 | 1.5908E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.4747E-016 | 2.3785E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 7.2551E-010 | 5.9833E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Toluene | 4.4769E-012 | 7.1539E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.4499E-012 | 3.8080E-011 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.4034E-014 | 2.2662E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 7.5395E-015 | 1.2192E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.2382E-015 | 1.9968E-014 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.6320E-016 | 2.6326E-015 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.8660E-010 | 4.2396E-009 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 6.5538E-011 | 7.9864E-010 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.8011E-014 | 4.5263E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | VX | 3.1867E-012 | 3.9072E-012 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 3.6353E-020 | 5.8774E-019 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Xylene, m- | 2.7700E-014 | 1.9626E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Xylene, o- | 1.6922E-014 | 1.3859E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_adult | TOCDLIC2 | Xylene, p- | 3.2582E-014 | 2.9343E-013 |
| RCPTR_31 | farmer_adult | TOCDLIC2 | Zinc | 8.3053E-008 | 1.9396E-007 |
| RCPTR_31 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Cadmium | 3.1932E-008 | 4.9097E-008 |
| RCPTR_31 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Mercuric chloride | 4.3511E-006 | 5.4367E-006 |
| RCPTR_31 | farmer_child | TOCDFBRA | Methyl mercury | 2.0194E-008 | 2.3579E-008 |
| RCPTR_31 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Selenium | 2.1690E-005 | 2.2545E-005 |
| RCPTR_31 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFBRA | Zinc | 9.2125E-007 | 1.3699E-006 |
| RCPTR_31 | farmer_child | TOCDFDFS | Acenaphthene | 7.4251E-010 | 1.8002E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Acetone | 1.3150E-013 | 3.1943E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Acetophenone | 3.4385E-012 | 8.3516E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Aniline | 2.0604E-013 | 5.0031E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Anthracene | 1.4251E-008 | 3.4551E-008 |
| RCPTR_31 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Aroclor 1254 | 8.2362E-011 | 1.7716E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Benzene | 1.1167E-014 | 2.7113E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.3580E-006 | 2.1318E-006 |
| RCPTR_31 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 5.5940E-006 | 6.4810E-006 |
| RCPTR_31 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 5.1536E-006 | 7.3372E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 8.8905E-006 | 9.6632E-006 |
| RCPTR_31 | farmer_child | TOCDFDFS | Benzoic acid | 5.2236E-011 | 1.2488E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Benzyl alcohol | 7.2510E-012 | 1.7611E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 4.6883E-012 | 1.1389E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.3741E-014 | 5.7664E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 8.2360E-013 | 2.0005E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.1196E-007 | 5.6269E-007 |
| RCPTR_31 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.4143E-008 | 2.1457E-008 |
| RCPTR_31 | farmer_child | TOCDFDFS | Cadmium | 3.3199E-008 | 5.1058E-008 |
| RCPTR_31 | farmer_child | TOCDFDFS | Carbon disulfide | 3.1613E-015 | 7.6769E-015 |
| RCPTR_31 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.2688E-014 | 3.0804E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 3.9259E-010 | 9.2899E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.1891E-011 | 5.3151E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chlorobenzene | 3.7281E-014 | 9.0484E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Chloroethane | 3.0141E-016 | 7.2991E-016 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 4.9188E-015 | 1.1947E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 1.9720E-009 | 4.7830E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 6.1131E-011 | 1.4849E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 2.7166E-009 | 6.4656E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Chrysene | 2.5306E-006 | 3.3225E-006 |
| RCPTR_31 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.5650E-008 | 3.8108E-008 |
| RCPTR_31 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 1.9854E+002 | 1.9854E+002 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.1107E-004 | 1.1733E-004 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 6.4438E-013 | 1.5598E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.3374E-012 | 5.6652E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.5245E-012 | 3.6961E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.0533E-009 | 4.8215E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.3269E-017 | 5.6502E-017 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.0537E-015 | 4.9881E-015 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.5424E-015 | 6.1754E-015 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.2173E-015 | 5.3847E-015 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.5553E-015 | 8.6335E-015 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 1.9258E-010 | 4.4560E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.0106E-014 | 4.8815E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.3189E-015 | 5.6320E-015 |
| RCPTR_31 | farmer_child | TOCDFDFS | Diethyl phthalate | 4.2758E-009 | 4.9593E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.1675E-011 | 5.2492E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 4.1825E-011 | 1.0151E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 1.8036E-011 | 3.8257E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 8.1977E-012 | 1.9818E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 6.3256E-012 | 1.5309E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 8.7409E-013 | 2.1232E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Ethylbenzene | 4.6130E-014 | 1.1163E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 4.1294E-010 | 6.5718E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Fluoranthene | 2.0669E-007 | 4.3067E-007 |
| RCPTR_31 | farmer_child | TOCDFDFS | Fluorene | 3.0005E-009 | 7.2657E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.4024E-013 | 3.8347E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.3746E-013 | 4.8193E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.0289E-012 | 1.1557E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.7722E-012 | 3.0622E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.6753E-012 | 1.8973E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.3914E-012 | 1.6030E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.9746E-012 | 2.2998E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.7189E-012 | 2.0001E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.7732E-012 | 2.0600E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.4563E-012 | 1.6931E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 6.9254E-011 | 1.6713E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.6456E-007 | 3.9611E-007 |
| RCPTR_31 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 9.3961E-010 | 2.2648E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 3.7779E-011 | 9.1588E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 8.1034E-004 | 8.2452E-004 |
| RCPTR_31 | farmer_child | TOCDFDFS | Isophorone | 6.2984E-012 | 1.5298E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Mercuric chloride | 3.3778E-009 | 4.2235E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.0954E-016 | 5.0898E-016 |
| RCPTR_31 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 4.0300E-018 | 9.7885E-018 |
| RCPTR_31 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.4405E-014 | 5.9282E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Methyl mercury | 1.5244E-011 | 1.7881E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Methylene chloride | 1.3641E-013 | 3.3134E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Naphthalene | 4.3876E-011 | 1.0646E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.0630E-010 | 2.5811E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 2.5185E-011 | 6.1168E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 3.2538E-011 | 7.9024E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitrobenzene | 1.0650E-011 | 2.5870E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 4.8456E-012 | 1.1769E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 6.1842E-011 | 1.2700E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 6.0742E-012 | 1.4748E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 6.1247E-012 | 1.4868E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 5.2436E-013 | 1.2715E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 8.0262E-013 | 9.3369E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4029E-013 | 2.7939E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.9410E-012 | 6.6105E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 6.5574E-013 | 7.6357E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.4212E-012 | 2.8242E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Pentachlorobenzene | 2.7297E-009 | 6.5764E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 1.9569E-010 | 4.7007E-010 |
| RCPTR_31 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.3920E-008 | 2.5268E-008 |
| RCPTR_31 | farmer_child | TOCDFDFS | Phenanthrene | 1.0198E-011 | 2.4718E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Phenol | 8.4004E-012 | 2.0398E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Pronamide | 1.7272E-009 | 4.1800E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Pyrene | 3.6949E-007 | 6.0480E-007 |
| RCPTR_31 | farmer_child | TOCDFDFS | Selenium | 2.9481E-006 | 3.0645E-006 |
| RCPTR_31 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Styrene | 4.4708E-013 | 1.0856E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.8174E-012 | 4.5599E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.2011E-012 | 2.6958E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 8.2329E-010 | 1.9870E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.4970E-011 | 2.4618E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.5160E-014 | 3.6813E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 4.7772E-009 | 1.0640E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFDFS | Toluene | 7.4873E-014 | 1.8165E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.4131E-011 | 8.2588E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 9.7610E-015 | 2.3704E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.0528E-013 | 2.5569E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichloroethylene | 1.7246E-014 | 4.1878E-014 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.2737E-015 | 5.5212E-015 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.1689E-009 | 7.6298E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 6.0997E-010 | 1.4373E-009 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 3.9087E-013 | 9.4928E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.2359E-012 | 7.8392E-012 |
| RCPTR_31 | farmer_child | TOCDFDFS | VX | 9.6052E-012 | 1.0862E-011 |
| RCPTR_31 | farmer_child | TOCDFDFS | Vinyl Chloride | 2.8515E-018 | 6.9255E-018 |
| RCPTR_31 | farmer_child | TOCDFDFS | Xylene, m- | 2.7875E-013 | 6.0323E-013 |
| RCPTR_31 | farmer_child | TOCDFDFS | Xylene, o- | 3.0121E-013 | 6.6931E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFDFS | Xylene, p- | 3.9935E-013 | 9.0146E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Acenaphthene | 4.1259E-010 | 1.0003E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Acetone | 1.8052E-011 | 4.3851E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Acetophenone | 1.9107E-012 | 4.6407E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Aniline | 1.1449E-013 | 2.7801E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Anthracene | 7.9190E-009 | 1.9199E-008 |
| RCPTR_31 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Benzene | 2.4458E-014 | 5.9382E-014 |
| RCPTR_31 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 7.5414E-007 | 1.1840E-006 |
| RCPTR_31 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 3.1008E-006 | 3.5910E-006 |
| RCPTR_31 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 2.8617E-006 | 4.0743E-006 |
| RCPTR_31 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 4.9263E-006 | 5.3522E-006 |
| RCPTR_31 | farmer_child | TOCDFLIC | Benzoic acid | 4.4882E-011 | 1.0730E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Benzyl alcohol | 4.9389E-010 | 1.1995E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 2.6052E-012 | 6.3283E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.5339E-015 | 3.7257E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.4854E-012 | 3.6079E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.7335E-007 | 3.1267E-007 |
| RCPTR_31 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.1076E-009 | 3.2000E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Cadmium | 9.6098E-009 | 1.4779E-008 |
| RCPTR_31 | farmer_child | TOCDFLIC | Carbon disulfide | 1.0160E-016 | 2.4672E-016 |
| RCPTR_31 | farmer_child | TOCDFLIC | Carbon tetrachloride | 8.1977E-016 | 1.9903E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.1815E-010 | 5.1621E-010 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.2164E-011 | 2.9534E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chlorobenzene | 4.8092E-015 | 1.1672E-014 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chloroethane | 1.4372E-016 | 3.4803E-016 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 6.3451E-016 | 1.5411E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.0958E-009 | 2.6577E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 3.3969E-011 | 8.2512E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.5095E-009 | 3.5927E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Chrysene | 1.4051E-006 | 1.8448E-006 |
| RCPTR_31 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 9.1947E-009 | 1.3661E-008 |
| RCPTR_31 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 3.3797E+000 | 3.3797E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 6.1476E-005 | 6.4889E-005 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.6350E-012 | 3.9577E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 1.9982E-012 | 4.8431E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 1.9037E-012 | 4.6153E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.8724E-009 | 4.5369E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.1095E-017 | 2.6941E-017 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 2.6492E-016 | 6.4346E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.4396E-015 | 8.3547E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.0573E-015 | 2.5675E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.6952E-015 | 4.1166E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.4659E-010 | 3.3919E-010 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 9.1411E-016 | 2.2193E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 2.9913E-016 | 7.2651E-016 |
| RCPTR_31 | farmer_child | TOCDFLIC | Diethyl phthalate | 4.6096E-010 | 5.3462E-010 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dimethyl phthalate | 2.4653E-011 | 5.9705E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.3241E-011 | 5.6406E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.0248E-012 | 4.2947E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.1040E-011 | 5.0865E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.6235E-011 | 3.9293E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 4.8570E-013 | 1.1798E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Ethylbenzene | 2.6170E-014 | 6.3330E-014 |
| RCPTR_31 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 8.0528E-010 | 1.2826E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Fluoranthene | 1.1485E-007 | 2.3930E-007 |
| RCPTR_31 | farmer_child | TOCDFLIC | Fluorene | 1.6673E-009 | 4.0373E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.8486E-012 | 2.0825E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 6.3514E-012 | 6.9933E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.4906E-011 | 1.6735E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.5753E-011 | 1.7392E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 9.4923E-012 | 1.0746E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 7.8669E-012 | 9.0603E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.1416E-011 | 1.3293E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 9.9396E-012 | 1.1563E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.0258E-011 | 1.1914E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 8.4228E-012 | 9.7906E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 3.8481E-011 | 9.2870E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Hexachlorobenzene | 9.1442E-008 | 2.2010E-007 |
| RCPTR_31 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.0548E-010 | 2.5423E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.0993E-011 | 5.0893E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 4.4989E-004 | 4.5761E-004 |
| RCPTR_31 | farmer_child | TOCDFLIC | Isophorone | 3.4998E-012 | 8.5005E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Mercuric chloride | 1.3458E-010 | 1.6828E-010 |
| RCPTR_31 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 1.9027E-016 | 4.6217E-016 |
| RCPTR_31 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.1032E-017 | 2.6796E-017 |
| RCPTR_31 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.0225E-013 | 4.9128E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Methyl mercury | 6.0577E-013 | 7.1087E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Methylene chloride | 2.7433E-012 | 6.6632E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Naphthalene | 9.2232E-012 | 2.2379E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 5.9775E-011 | 1.4514E-010 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.4161E-011 | 3.4395E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 3.6526E-012 | 8.8709E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitrobenzene | 5.9181E-012 | 1.4375E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.3487E-011 | 3.2758E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 6.9429E-012 | 1.4257E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.3752E-012 | 8.1952E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 3.4033E-012 | 8.2616E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 2.9136E-013 | 7.0652E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.7542E-012 | 3.2031E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.7190E-012 | 3.1607E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.8807E-011 | 4.3168E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 6.8439E-012 | 7.9684E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.5234E-011 | 2.9431E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.5348E-009 | 3.6978E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.1002E-010 | 2.6431E-010 |
| RCPTR_31 | farmer_child | TOCDFLIC | Pentachlorophenol | 7.7366E-009 | 1.4042E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Phenanthrene | 5.6668E-012 | 1.3735E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Phenol | 4.6678E-012 | 1.1335E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Pronamide | 4.7987E-010 | 1.1613E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Pyrene | 2.0531E-007 | 3.3606E-007 |
| RCPTR_31 | farmer_child | TOCDFLIC | Selenium | 2.3370E-005 | 2.4293E-005 |
| RCPTR_31 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Styrene | 2.3749E-014 | 5.7664E-014 |
| RCPTR_31 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 7.0834E-012 | 8.4609E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.2921E-012 | 2.8073E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 4.5748E-010 | 1.1041E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 9.6745E-013 | 1.5908E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 9.7953E-016 | 2.3785E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 2.6864E-009 | 5.9833E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFLIC | Toluene | 2.9487E-011 | 7.1539E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.5738E-011 | 3.8080E-011 |
| RCPTR_31 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 9.3317E-014 | 2.2662E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 5.0197E-014 | 1.2192E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Trichloroethylene | 8.2234E-015 | 1.9968E-014 |
| RCPTR_31 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.0842E-015 | 2.6326E-015 |
| RCPTR_31 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.7609E-009 | 4.2396E-009 |
| RCPTR_31 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 3.3895E-010 | 7.9864E-010 |
| RCPTR_31 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 1.8637E-013 | 4.5263E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | VX | 3.3238E-012 | 3.7583E-012 |
| RCPTR_31 | farmer_child | TOCDFLIC | Vinyl Chloride | 2.4199E-019 | 5.8774E-019 |
| RCPTR_31 | farmer_child | TOCDFLIC | Xylene, m- | 9.0565E-014 | 1.9626E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Xylene, o- | 6.2297E-014 | 1.3859E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Xylene, p- | 1.2986E-013 | 2.9343E-013 |
| RCPTR_31 | farmer_child | TOCDFLIC | Zinc | 1.3040E-007 | 1.9396E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Acenaphthene | 7.5829E-011 | 1.8384E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Acetone | 7.7068E-016 | 1.8721E-015 |
| RCPTR_31 | farmer_child | TOCDFMPF | Acetophenone | 8.1705E-012 | 1.9845E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Aniline | 4.8959E-013 | 1.1888E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Anthracene | 8.3579E-010 | 2.0263E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Benzene | 4.3113E-015 | 1.0468E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 6.9988E-008 | 1.0988E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 5.3040E-007 | 6.1424E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 4.1660E-007 | 5.9312E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 7.3508E-007 | 7.9863E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Benzoic acid | 8.6420E-012 | 2.0660E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Benzyl alcohol | 3.9260E-012 | 9.5353E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.1117E-012 | 2.7004E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.2716E-014 | 5.5174E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 7.8803E-013 | 1.9141E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 9.9520E-008 | 1.7951E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 2.7997E-010 | 4.2508E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Cadmium | 3.0660E-008 | 4.7154E-008 |
| RCPTR_31 | farmer_child | TOCDFMPF | Carbon disulfide | 1.5046E-015 | 3.6537E-015 |
| RCPTR_31 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.2140E-014 | 2.9474E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 9.3684E-011 | 2.2169E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chloroaniline, p- | 3.5969E-012 | 8.7333E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chlorobenzene | 7.1219E-014 | 1.7285E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chloroethane | 2.0293E-016 | 4.9143E-016 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 9.3964E-015 | 2.2822E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 1.9341E-010 | 4.6912E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.2548E-011 | 3.0479E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 4.6833E-010 | 1.1147E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Chrysene | 1.4574E-007 | 1.9135E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.0792E-008 | 1.6034E-008 |
| RCPTR_31 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 3.0504E+000 | 3.0504E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.6334E-005 | 1.7242E-005 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 5.7123E-013 | 1.3827E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 6.5087E-013 | 1.5775E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 6.1660E-013 | 1.4949E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 8.6244E-010 | 1.3622E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.5667E-017 | 3.8041E-017 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 3.9231E-015 | 9.5289E-015 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.8568E-015 | 1.1797E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.4929E-015 | 3.6253E-015 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.3937E-015 | 5.8127E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 5.7619E-011 | 1.3332E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.3537E-014 | 3.2866E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 4.4298E-015 | 1.0759E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Diethyl phthalate | 9.8862E-010 | 1.1466E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.4281E-012 | 3.4585E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 9.1983E-012 | 2.2324E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 3.9055E-012 | 8.2839E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 2.9097E-011 | 7.0344E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.0385E-011 | 4.9336E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.0770E-012 | 5.0452E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Ethylbenzene | 4.4138E-014 | 1.0681E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.3974E-010 | 2.2258E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Fluoranthene | 8.9654E-009 | 1.8681E-008 |
| RCPTR_31 | farmer_child | TOCDFMPF | Fluorene | 2.5485E-010 | 6.1712E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.0379E-013 | 2.2957E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.0657E-012 | 1.1733E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 9.8720E-013 | 1.1083E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.7461E-012 | 3.0319E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.6547E-012 | 1.8732E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.3516E-012 | 1.5566E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.0924E-012 | 3.6009E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.0583E-011 | 1.2312E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 8.9534E-012 | 1.0399E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.0774E-012 | 1.2524E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.1672E-011 | 5.2304E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Hexachlorobenzene | 4.5676E-008 | 1.0994E-007 |
| RCPTR_31 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 7.3606E-011 | 1.7742E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.4822E-011 | 3.5932E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 9.8245E-005 | 9.9932E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Isophorone | 6.2731E-013 | 1.5236E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Mercuric chloride | 1.4539E-010 | 1.8180E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.4108E-016 | 3.4268E-016 |
| RCPTR_31 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 8.1797E-018 | 1.9868E-017 |
| RCPTR_31 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.4110E-015 | 8.2858E-015 |
| RCPTR_31 | farmer_child | TOCDFMPF | Methyl mercury | 6.5444E-013 | 7.6798E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | Methylene chloride | 8.9764E-016 | 2.1803E-015 |
| RCPTR_31 | farmer_child | TOCDFMPF | Naphthalene | 7.7997E-012 | 1.8925E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 7.4374E-012 | 1.8058E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.4276E-012 | 3.4673E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.6350E-012 | 3.9710E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitrobenzene | 2.0300E-012 | 4.9308E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.6340E-012 | 3.9688E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 6.2223E-012 | 1.2777E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.4433E-011 | 3.5045E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 7.7102E-013 | 1.8717E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 1.9007E-013 | 4.6091E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.1188E-013 | 2.4642E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.0748E-014 | 2.4118E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 6.4245E-012 | 7.1464E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.6607E-012 | 5.4266E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.0983E-012 | 3.6136E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.3102E-009 | 3.1568E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 4.6962E-011 | 1.1282E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Pentachlorophenol | 4.6248E-009 | 8.3940E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Phenanthrene | 5.9809E-013 | 1.4496E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Phenol | 1.5332E-012 | 3.7229E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Pronamide | 2.0521E-009 | 4.9662E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Pyrene | 1.5112E-008 | 2.4736E-008 |
| RCPTR_31 | farmer_child | TOCDFMPF | Selenium | 7.3837E-006 | 7.6753E-006 |
| RCPTR_31 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Styrene | 3.6351E-013 | 8.8265E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.0838E-012 | 3.6835E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.5485E-012 | 1.8965E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 1.9563E-009 | 4.7215E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.5360E-013 | 3.7299E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.4506E-014 | 3.5223E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.1467E-009 | 2.5540E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDFMPF | Toluene | 1.9137E-014 | 4.6428E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 5.3266E-012 | 1.2888E-011 |
| RCPTR_31 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 9.3395E-015 | 2.2681E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 7.0879E-014 | 1.7215E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDFMPF | Trichloroethylene | 1.1612E-014 | 2.8195E-014 |
| RCPTR_31 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.5308E-015 | 3.7173E-015 |
| RCPTR_31 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 7.9144E-010 | 1.9056E-009 |
| RCPTR_31 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.5481E-010 | 3.6477E-010 |
| RCPTR_31 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 2.6316E-013 | 6.3913E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | VX | 4.6112E-012 | 5.2140E-012 |
| RCPTR_31 | farmer_child | TOCDFMPF | Vinyl Chloride | 3.7041E-018 | 8.9964E-018 |
| RCPTR_31 | farmer_child | TOCDFMPF | Xylene, m- | 7.1722E-014 | 1.5543E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | Xylene, o- | 7.7544E-014 | 1.7251E-013 |
| RCPTR_31 | farmer_child | TOCDFMPF | Xylene, p- | 1.0285E-013 | 2.3238E-013 |
| RCPTR_31 | farmer_child | TOCDHVAC | VX | 2.4675E-012 | 2.7927E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Acenaphthene | 4.1259E-010 | 1.0003E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Acetone | 1.8052E-011 | 4.3851E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Acetophenone | 1.9107E-012 | 4.6407E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Aniline | 1.1449E-013 | 2.7801E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Anthracene | 7.9190E-009 | 1.9199E-008 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Benzene | 2.4458E-014 | 5.9382E-014 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 7.5414E-007 | 1.1840E-006 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 3.1008E-006 | 3.5910E-006 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 2.8617E-006 | 4.0743E-006 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 4.9263E-006 | 5.3522E-006 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Benzoic acid | 4.4882E-011 | 1.0730E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Benzyl alcohol | 4.9389E-010 | 1.1995E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 2.6052E-012 | 6.3283E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.5339E-015 | 3.7257E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.4854E-012 | 3.6079E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.7335E-007 | 3.1267E-007 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.1076E-009 | 3.2000E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Cadmium | 9.6098E-009 | 1.4779E-008 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.0160E-016 | 2.4672E-016 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 8.1977E-016 | 1.9903E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.1815E-010 | 5.1621E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.2164E-011 | 2.9534E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chlorobenzene | 4.8092E-015 | 1.1672E-014 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chloroethane | 1.4372E-016 | 3.4803E-016 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 6.3451E-016 | 1.5411E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.0958E-009 | 2.6577E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 3.3969E-011 | 8.2512E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.5095E-009 | 3.5927E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Chrysene | 1.4051E-006 | 1.8448E-006 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 9.1947E-009 | 1.3661E-008 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 3.3797E+000 | 3.3797E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 6.1476E-005 | 6.4889E-005 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.6350E-012 | 3.9577E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 1.9982E-012 | 4.8431E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 1.9037E-012 | 4.6153E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.8724E-009 | 4.5369E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.1095E-017 | 2.6941E-017 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 2.5630E-016 | 6.2253E-016 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.4396E-015 | 8.3547E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.0573E-015 | 2.5675E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.6952E-015 | 4.1166E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.4659E-010 | 3.3919E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 9.1411E-016 | 2.2193E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 2.9913E-016 | 7.2651E-016 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Diethyl phthalate | 4.6096E-010 | 5.3462E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 2.4653E-011 | 5.9705E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.3241E-011 | 5.6406E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.0248E-012 | 4.2947E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.1040E-011 | 5.0865E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.6235E-011 | 3.9293E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 4.8570E-013 | 1.1798E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Ethylbenzene | 2.6170E-014 | 6.3330E-014 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 8.0528E-010 | 1.2826E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Fluoranthene | 1.1485E-007 | 2.3930E-007 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Fluorene | 1.6673E-009 | 4.0373E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.8486E-012 | 2.0825E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.1919E-011 | 2.4134E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.1441E-011 | 5.7751E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.5753E-011 | 1.7392E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 9.4923E-012 | 1.0746E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 7.8669E-012 | 9.0603E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.1416E-011 | 1.3293E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 9.9396E-012 | 1.1563E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.0258E-011 | 1.1914E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 8.4228E-012 | 9.7906E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 3.8481E-011 | 9.2870E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 9.1442E-008 | 2.2010E-007 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.0548E-010 | 2.5423E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.0993E-011 | 5.0893E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 4.4989E-004 | 4.5761E-004 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Isophorone | 3.4998E-012 | 8.5005E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.3458E-010 | 1.6828E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 1.9027E-016 | 4.6217E-016 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 5.5235E-019 | 1.3416E-018 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.0225E-013 | 4.9128E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Methyl mercury | 6.0577E-013 | 7.1087E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Methylene chloride | 2.7433E-012 | 6.6632E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Naphthalene | 9.2232E-012 | 2.2379E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 5.9775E-011 | 1.4514E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.4161E-011 | 3.4395E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 1.8296E-011 | 4.4435E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitrobenzene | 5.9181E-012 | 1.4375E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 2.6925E-012 | 6.5398E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 3.4778E-011 | 7.1414E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.3752E-012 | 8.1952E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.4033E-012 | 8.2616E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 2.9136E-013 | 7.0652E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.7542E-012 | 3.2031E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.7190E-012 | 3.1607E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.8807E-011 | 4.3168E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 6.8439E-012 | 7.9684E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.5234E-011 | 2.9431E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 3.0640E-010 | 7.3821E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.1002E-010 | 2.6431E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Pentachlorophenol | 3.8753E-008 | 7.0338E-008 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Phenanthrene | 5.6668E-012 | 1.3735E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Phenol | 4.6678E-012 | 1.1335E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Pronamide | 4.7987E-010 | 1.1613E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Pyrene | 2.0531E-007 | 3.3606E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Selenium | 2.3370E-005 | 2.4293E-005 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Styrene | 2.3749E-014 | 5.7664E-014 |
| RCPTR_31 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 7.0834E-012 | 8.4609E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.2921E-012 | 2.8073E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 4.5748E-010 | 1.1041E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 9.6745E-013 | 1.5908E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 9.7953E-016 | 2.3785E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 2.6864E-009 | 5.9833E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Toluene | 2.9487E-011 | 7.1539E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.5738E-011 | 3.8080E-011 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 9.3317E-014 | 2.2662E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 5.0197E-014 | 1.2192E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichloroethylene | 8.2234E-015 | 1.9968E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.0842E-015 | 2.6326E-015 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.7609E-009 | 4.2396E-009 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 3.3895E-010 | 7.9864E-010 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 1.8637E-013 | 4.5263E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | VX | 3.4554E-012 | 3.9072E-012 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Vinyl Chloride | 2.4199E-019 | 5.8774E-019 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Xylene, m- | 9.0565E-014 | 1.9626E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Xylene, o- | 6.2297E-014 | 1.3859E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Xylene, p- | 1.2986E-013 | 2.9343E-013 |
| RCPTR_31 | farmer_child | TOCDLIC2 | Zinc | 1.3040E-007 | 1.9396E-007 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Cadmium | 2.8550E-008 | 7.7262E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Mercuric chloride | 7.4326E-006 | 7.7730E-006 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Methyl mercury | 3.0850E-008 | 3.4333E-008 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Selenium | 3.3583E-005 | 3.5722E-005 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFBRA | Zinc | 9.2983E-007 | 2.1574E-006 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Acenaphthene | 1.4271E-010 | 2.2633E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Acetone | 2.4800E-014 | 4.0159E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Acetophenone | 6.4919E-013 | 1.0500E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Aniline | 3.8999E-014 | 6.2901E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Anthracene | 2.7390E-009 | 4.3441E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Aroclor 1254 | 3.4233E-011 | 2.2438E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Benzene | 2.1163E-015 | 3.4087E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 7.2918E-007 | 2.7141E-006 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 6.3047E-006 | 8.6660E-006 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 3.8555E-006 | 9.3903E-006 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 1.0232E-005 | 1.3006E-005 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Benzoic acid | 1.1373E-011 | 1.5702E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.3698E-012 | 2.2140E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 8.8421E-013 | 1.4318E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Bromodichloromethane | 4.4814E-015 | 7.2496E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.5542E-013 | 2.5151E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 6.9648E-008 | 7.0745E-007 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.3254E-008 | 2.7948E-008 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Cadmium | 3.0904E-008 | 8.3575E-008 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Carbon disulfide | 5.9806E-016 | 9.6515E-015 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 2.4054E-015 | 3.8728E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 9.2689E-011 | 1.1682E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 4.1469E-012 | 6.6823E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chlorobenzene | 7.0900E-015 | 1.1376E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chloroethane | 5.8540E-017 | 9.1768E-016 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 9.2874E-016 | 1.5020E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.7742E-010 | 6.0134E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 1.1534E-011 | 1.8669E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 6.1549E-010 | 8.1322E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Chrysene | 2.0149E-006 | 4.2645E-006 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 2.3340E-008 | 4.8332E-008 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 2.5196E+002 | 2.5196E+002 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.3703E-004 | 1.5969E-004 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.2571E-013 | 1.9611E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 4.5055E-013 | 7.1227E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.9297E-013 | 4.6470E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.6208E-009 | 6.1996E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 4.4072E-018 | 7.1037E-017 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.8767E-016 | 6.2712E-015 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.7982E-016 | 7.7638E-015 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 4.1933E-016 | 6.7697E-015 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 6.7253E-016 | 1.0854E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 5.3107E-011 | 5.6042E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.8114E-015 | 6.1372E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 4.3800E-016 | 7.0807E-015 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Diethyl phthalate | 4.9105E-009 | 6.2809E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 4.2128E-012 | 6.6001E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 7.9554E-012 | 1.2762E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 7.6225E-012 | 4.8166E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.6228E-012 | 2.4922E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.2368E-012 | 1.9249E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.6488E-013 | 2.6694E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Ethylbenzene | 9.0259E-015 | 1.4035E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.6437E-010 | 8.5588E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Fluoranthene | 5.0916E-008 | 5.4202E-007 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Fluorene | 5.8349E-010 | 9.1352E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 4.1079E-013 | 5.7188E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.2858E-013 | 6.9181E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.2400E-012 | 1.7112E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.3104E-012 | 4.3544E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.9960E-012 | 2.8157E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.6578E-012 | 2.4484E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.2824E-012 | 3.4648E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.9853E-012 | 3.0050E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.0420E-012 | 3.0776E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.6791E-012 | 2.5361E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.3920E-011 | 2.1017E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 3.2414E-008 | 4.9804E-007 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.9115E-010 | 2.8481E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 7.2635E-012 | 1.1515E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 1.0219E-003 | 1.0702E-003 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Isophorone | 1.1893E-012 | 1.9233E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Mercuric chloride | 5.1495E-009 | 5.3854E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.9534E-017 | 6.3990E-016 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 7.6075E-019 | 1.2306E-017 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 4.6030E-015 | 7.4531E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Methyl mercury | 2.1385E-011 | 2.3798E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Methylene chloride | 2.5747E-014 | 4.1657E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Naphthalene | 8.3667E-012 | 1.3385E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 2.0137E-011 | 3.2451E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 4.7561E-012 | 7.6902E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 6.1493E-012 | 9.9353E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitrobenzene | 2.0095E-012 | 3.2524E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 9.1489E-013 | 1.4797E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.9229E-011 | 1.5986E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 1.1506E-012 | 1.8542E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 1.1625E-012 | 1.8692E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 1.0117E-013 | 1.5992E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 9.6522E-013 | 1.4606E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.8972E-013 | 4.3742E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.7170E-012 | 8.9580E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 6.7770E-013 | 1.0249E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.5525E-012 | 3.8806E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 5.6310E-010 | 8.2755E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 4.1551E-011 | 5.9169E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Pentachlorophenol | 9.0875E-009 | 3.1839E-008 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Phenanthrene | 1.9651E-012 | 3.1078E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Phenol | 1.5898E-012 | 2.5645E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Pronamide | 3.3763E-010 | 5.2554E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Pyrene | 1.0396E-007 | 7.6080E-007 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Selenium | 4.7575E-006 | 5.0600E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Styrene | 8.4669E-014 | 1.3648E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.6820E-012 | 6.0299E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.9635E-012 | 3.4974E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.6508E-010 | 2.4983E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.1704E-011 | 3.1048E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.8703E-015 | 4.6283E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.6306E-009 | 1.3386E-008 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Toluene | 1.4295E-014 | 2.2838E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 6.6822E-012 | 1.0384E-010 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.8456E-015 | 2.9802E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.9880E-014 | 3.2146E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichloroethylene | 3.2652E-015 | 5.2650E-014 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 4.3035E-016 | 6.9414E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 6.4899E-010 | 9.5929E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.4865E-010 | 1.8073E-009 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 7.3861E-014 | 1.1935E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 6.3060E-013 | 9.8611E-012 |
| RCPTR_32 | farmer_adult | TOCDFDFS | VX | 1.1240E-011 | 1.3759E-011 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Vinyl Chloride | 5.3867E-019 | 8.7071E-018 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Xylene, m- | 1.2575E-013 | 7.7631E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Xylene, o- | 1.1865E-013 | 8.5668E-013 |
| RCPTR_32 | farmer_adult | TOCDFDFS | Xylene, p- | 1.4329E-013 | 1.1500E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Acenaphthene | 8.4544E-011 | 1.3409E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Acetone | 3.6299E-012 | 5.8779E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Acetophenone | 3.8460E-013 | 6.2205E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Aniline | 2.3104E-014 | 3.7265E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Anthracene | 1.6225E-009 | 2.5736E-008 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Benzene | 4.9418E-015 | 7.9597E-014 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 4.3019E-007 | 1.6038E-006 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 3.7010E-006 | 5.0653E-006 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 2.2764E-006 | 5.5452E-006 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 6.0040E-006 | 7.5897E-006 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Benzoic acid | 1.0422E-011 | 1.4385E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Benzyl alcohol | 9.9474E-011 | 1.6079E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 5.2384E-013 | 8.4825E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Bromodichloromethane | 3.0871E-016 | 4.9940E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.9885E-013 | 4.8361E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 4.1260E-008 | 4.1912E-007 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 2.0779E-009 | 4.4168E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | Cadmium | 9.1316E-009 | 2.4688E-008 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Carbon disulfide | 2.0492E-017 | 3.3071E-016 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.6570E-016 | 2.6678E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 5.4943E-011 | 6.9209E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 2.4568E-012 | 3.9588E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chlorobenzene | 9.7511E-016 | 1.5646E-014 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chloroethane | 2.9762E-017 | 4.6652E-016 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.2773E-016 | 2.0657E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 2.2360E-010 | 3.5625E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 6.8329E-012 | 1.1060E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.6442E-010 | 4.8176E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Chrysene | 1.1901E-006 | 2.5169E-006 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 8.9186E-009 | 1.8470E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 4.5820E+000 | 4.5821E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 8.0395E-005 | 9.2988E-005 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 3.4007E-013 | 5.3052E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 4.1065E-013 | 6.4919E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.9003E-013 | 6.1866E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.6140E-009 | 6.1980E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 2.2403E-018 | 3.6113E-017 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 5.3318E-017 | 8.6250E-016 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.9211E-016 | 1.1199E-014 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 2.1317E-016 | 3.4415E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 3.4189E-016 | 5.5180E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 4.3136E-011 | 4.5485E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.8475E-016 | 2.9748E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 6.0240E-017 | 9.7383E-016 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Diethyl phthalate | 5.6552E-010 | 7.2297E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 5.1077E-012 | 8.0036E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 4.7132E-012 | 7.5608E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 9.1303E-013 | 5.7654E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 4.4376E-012 | 6.8195E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 3.3837E-012 | 5.2674E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 9.7682E-014 | 1.5814E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Ethylbenzene | 5.4592E-015 | 8.4892E-014 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 7.4644E-010 | 1.7698E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Fluoranthene | 3.0142E-008 | 3.2106E-007 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Fluorene | 3.4565E-010 | 5.4120E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.3149E-012 | 3.2047E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 8.0243E-012 | 1.0437E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.8661E-011 | 2.5605E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.9695E-011 | 2.5758E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.1736E-011 | 1.6469E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 9.6637E-012 | 1.4215E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.3618E-011 | 2.0620E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.1855E-011 | 1.7896E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.2212E-011 | 1.8355E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.0035E-011 | 1.5115E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 8.2426E-012 | 1.2451E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.9201E-008 | 2.9506E-007 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 2.2862E-011 | 3.4086E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 4.3034E-012 | 6.8218E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 6.0463E-004 | 6.3149E-004 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Isophorone | 7.0460E-013 | 1.1394E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Mercuric chloride | 2.1808E-010 | 2.2808E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.8274E-017 | 6.1951E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 2.2203E-018 | 3.5918E-017 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 4.0669E-014 | 6.5851E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Methyl mercury | 8.9519E-013 | 9.9751E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Methylene chloride | 5.5202E-013 | 8.9315E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Naphthalene | 1.8751E-012 | 2.9998E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 1.2072E-011 | 1.9455E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.8513E-012 | 4.6104E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 7.3593E-013 | 1.1891E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitrobenzene | 1.1905E-012 | 1.9269E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.7150E-012 | 4.3910E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 3.5041E-012 | 1.9139E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 6.8167E-013 | 1.0985E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 6.8874E-013 | 1.1074E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 5.9850E-014 | 9.4732E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.3966E-012 | 5.1250E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3612E-012 | 5.0608E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.6298E-011 | 6.1515E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 7.4589E-012 | 1.1263E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.7921E-011 | 4.2379E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 3.3647E-010 | 4.9602E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.4807E-011 | 3.5462E-010 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Pentachlorophenol | 5.3946E-009 | 1.8874E-008 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Phenanthrene | 1.1642E-012 | 1.8412E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Phenol | 9.4184E-013 | 1.5193E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Pronamide | 1.0002E-010 | 1.5567E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Pyrene | 6.1575E-008 | 4.5069E-007 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Selenium | 3.8500E-005 | 4.0947E-005 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Styrene | 4.7951E-015 | 7.7294E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 7.2181E-012 | 1.1816E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.1672E-012 | 3.8611E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 9.7805E-011 | 1.4801E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 8.0799E-013 | 2.1405E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.9772E-016 | 3.1882E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 9.7865E-010 | 8.0262E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Toluene | 6.0025E-012 | 9.5893E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 3.2869E-012 | 5.1045E-011 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.8812E-014 | 3.0377E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 1.0106E-014 | 1.6342E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.6599E-015 | 2.6765E-014 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 2.1877E-016 | 3.5288E-015 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.8457E-010 | 5.6833E-009 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 8.8121E-011 | 1.0708E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.7548E-014 | 6.0672E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | VX | 4.1551E-012 | 5.0841E-012 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Vinyl Chloride | 4.8737E-020 | 7.8783E-019 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Xylene, m- | 4.2046E-014 | 2.6799E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Xylene, o- | 2.5338E-014 | 1.8842E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Xylene, p- | 4.8249E-014 | 3.9789E-013 |
| RCPTR_32 | farmer_adult | TOCDFLIC | Zinc | 1.3991E-007 | 3.2433E-007 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Acenaphthene | 1.5464E-011 | 2.4526E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Acetone | 1.5422E-016 | 2.4974E-015 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Acetophenone | 1.6368E-012 | 2.6473E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Aniline | 9.8328E-014 | 1.5859E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Anthracene | 1.7043E-010 | 2.7032E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Benzene | 8.6695E-016 | 1.3964E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.9743E-008 | 1.4815E-007 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 6.3036E-007 | 8.6295E-007 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 3.2987E-007 | 8.0353E-007 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 8.9209E-007 | 1.1281E-006 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Benzoic acid | 1.9970E-012 | 2.7565E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Benzyl alcohol | 7.8695E-013 | 1.2720E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 2.2246E-013 | 3.6023E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Bromodichloromethane | 4.5498E-015 | 7.3602E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.5779E-013 | 2.5534E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.3575E-008 | 2.3947E-007 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.7496E-010 | 5.8416E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Cadmium | 2.9092E-008 | 7.8654E-008 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Carbon disulfide | 3.0202E-016 | 4.8740E-015 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 2.4421E-015 | 3.9319E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.3481E-011 | 2.9579E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 7.2299E-013 | 1.1650E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.4371E-014 | 2.3059E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chloroethane | 4.1824E-017 | 6.5559E-016 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.8826E-015 | 3.0445E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.9278E-011 | 6.2582E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.5120E-012 | 4.0660E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 1.1253E-010 | 1.4875E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Chrysene | 1.2287E-007 | 2.5986E-007 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 1.0418E-008 | 2.1575E-008 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 4.1152E+000 | 4.1152E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 2.1269E-005 | 2.4611E-005 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 1.1825E-013 | 1.8447E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.3312E-013 | 2.1045E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.2573E-013 | 1.9943E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 7.8139E-010 | 1.8525E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 3.1482E-018 | 5.0748E-017 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 7.8581E-016 | 1.2712E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 9.7260E-016 | 1.5737E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.9956E-016 | 4.8362E-015 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 4.8045E-016 | 7.7542E-015 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.6873E-011 | 1.7792E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.7229E-015 | 4.3843E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 8.8782E-016 | 1.4353E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Diethyl phthalate | 1.2069E-009 | 1.5429E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.9446E-013 | 4.6141E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.8565E-012 | 2.9781E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.7526E-012 | 1.1068E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 6.1079E-012 | 9.3860E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 4.2283E-012 | 6.5820E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 4.1571E-013 | 6.7303E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Ethylbenzene | 9.1633E-015 | 1.4249E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.2904E-010 | 3.0579E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Fluoranthene | 2.3419E-009 | 2.4944E-008 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Fluorene | 5.2582E-011 | 8.2329E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.5452E-013 | 3.5247E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.3419E-012 | 1.7460E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.2325E-012 | 1.6917E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.4218E-012 | 4.4766E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.0404E-012 | 2.8642E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.6568E-012 | 2.4377E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.6806E-012 | 5.5739E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.2593E-011 | 1.9014E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.0634E-011 | 1.5985E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.2806E-012 | 1.9293E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 4.6201E-012 | 6.9786E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 9.5452E-009 | 1.4668E-007 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.5879E-011 | 2.3673E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 3.0238E-012 | 4.7934E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.3141E-004 | 1.3727E-004 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Isophorone | 1.2569E-013 | 2.0325E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Mercuric chloride | 2.3453E-010 | 2.4528E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.8243E-017 | 4.5714E-016 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.6384E-018 | 2.6504E-017 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 6.8264E-016 | 1.1053E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Methyl mercury | 9.6335E-013 | 1.0734E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | Methylene chloride | 1.7977E-016 | 2.9086E-015 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Naphthalene | 1.5781E-012 | 2.5247E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.4949E-012 | 2.4090E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.8607E-013 | 4.6255E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 3.2786E-013 | 5.2974E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitrobenzene | 4.0640E-013 | 6.5778E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 3.2736E-013 | 5.2944E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 3.1250E-012 | 1.7070E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.9010E-012 | 4.6750E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.5529E-013 | 2.4968E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.8860E-014 | 6.1504E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.6086E-013 | 3.9368E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.5605E-014 | 3.8559E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 7.6341E-012 | 1.0145E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 5.0594E-012 | 7.6404E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.4159E-012 | 5.1851E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.8592E-010 | 4.2143E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 1.0541E-011 | 1.5065E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Pentachlorophenol | 3.2090E-009 | 1.1228E-008 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Phenanthrene | 1.2228E-013 | 1.9339E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Phenol | 3.0787E-013 | 4.9664E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Pronamide | 4.2565E-010 | 6.6252E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Pyrene | 4.5107E-009 | 3.3015E-008 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Selenium | 1.2146E-005 | 1.2918E-005 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Styrene | 7.3047E-014 | 1.1775E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.1295E-012 | 5.1232E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.4577E-012 | 2.5970E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 4.1624E-010 | 6.2989E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 3.0835E-014 | 4.9757E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.9140E-015 | 4.6989E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 4.1572E-010 | 3.4096E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Toluene | 3.8769E-015 | 6.1936E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 1.1072E-012 | 1.7194E-011 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.8738E-015 | 3.0256E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.4202E-014 | 2.2965E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichloroethylene | 2.3326E-015 | 3.7612E-014 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 3.0744E-016 | 4.9589E-015 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.7202E-010 | 2.5422E-009 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 4.0055E-011 | 4.8673E-010 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 5.2765E-014 | 8.5260E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | VX | 5.7360E-012 | 7.0186E-012 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Vinyl Chloride | 7.4244E-019 | 1.2001E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDFMPF | Xylene, m- | 3.3212E-014 | 2.1129E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Xylene, o- | 3.1451E-014 | 2.3348E-013 |
| RCPTR_32 | farmer_adult | TOCDFMPF | Xylene, p- | 3.8096E-014 | 3.1368E-013 |
| RCPTR_32 | farmer_adult | TOCDHVAC | VX | 3.4558E-012 | 4.2316E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Acenaphthene | 8.4544E-011 | 1.3409E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Acetone | 3.6299E-012 | 5.8779E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Acetophenone | 3.8460E-013 | 6.2205E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Aniline | 2.3104E-014 | 3.7265E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Anthracene | 1.6225E-009 | 2.5736E-008 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Benzene | 4.9418E-015 | 7.9597E-014 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 4.3019E-007 | 1.6038E-006 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 3.7010E-006 | 5.0653E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 2.2764E-006 | 5.5452E-006 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 6.0040E-006 | 7.5897E-006 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Benzoic acid | 1.0422E-011 | 1.4385E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 9.9474E-011 | 1.6079E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 5.2384E-013 | 8.4825E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 3.0871E-016 | 4.9940E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.9885E-013 | 4.8361E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 4.1260E-008 | 4.1912E-007 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 2.0779E-009 | 4.4168E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Cadmium | 9.1316E-009 | 2.4688E-008 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Carbon disulfide | 2.0492E-017 | 3.3071E-016 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.6570E-016 | 2.6678E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 5.4943E-011 | 6.9209E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 2.4568E-012 | 3.9588E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chlorobenzene | 9.7511E-016 | 1.5646E-014 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chloroethane | 2.9762E-017 | 4.6652E-016 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.2773E-016 | 2.0657E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 2.2360E-010 | 3.5625E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 6.8329E-012 | 1.1060E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.6442E-010 | 4.8176E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Chrysene | 1.1901E-006 | 2.5169E-006 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 8.9186E-009 | 1.8470E-008 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 4.5820E+000 | 4.5821E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 8.0395E-005 | 9.2988E-005 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 3.4007E-013 | 5.3052E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 4.1065E-013 | 6.4919E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.9003E-013 | 6.1866E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.6140E-009 | 6.1980E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 2.2403E-018 | 3.6113E-017 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 5.1584E-017 | 8.3445E-016 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.9211E-016 | 1.1199E-014 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 2.1317E-016 | 3.4415E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 3.4189E-016 | 5.5180E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 4.3136E-011 | 4.5485E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.8475E-016 | 2.9748E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 6.0240E-017 | 9.7383E-016 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 5.6552E-010 | 7.2297E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 5.1077E-012 | 8.0036E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 4.7132E-012 | 7.5608E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 9.1303E-013 | 5.7654E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 4.4376E-012 | 6.8195E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 3.3837E-012 | 5.2674E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 9.7682E-014 | 1.5814E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Ethylbenzene | 5.4592E-015 | 8.4892E-014 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 7.4644E-010 | 1.7698E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Fluoranthene | 3.0142E-008 | 3.2106E-007 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Fluorene | 3.4565E-010 | 5.4120E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.3149E-012 | 3.2047E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.7692E-011 | 3.6016E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 6.4399E-011 | 8.8361E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.9695E-011 | 2.5758E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.1736E-011 | 1.6469E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 9.6637E-012 | 1.4215E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.3618E-011 | 2.0620E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.1855E-011 | 1.7896E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.2212E-011 | 1.8355E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.0035E-011 | 1.5115E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 8.2426E-012 | 1.2451E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.9201E-008 | 2.9506E-007 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 2.2862E-011 | 3.4086E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 4.3034E-012 | 6.8218E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 6.0463E-004 | 6.3149E-004 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Isophorone | 7.0460E-013 | 1.1394E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Mercuric chloride | 2.1808E-010 | 2.2808E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.8274E-017 | 6.1951E-016 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 1.1117E-019 | 1.7983E-018 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 4.0669E-014 | 6.5851E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Methyl mercury | 8.9519E-013 | 9.9751E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Methylene chloride | 5.5202E-013 | 8.9315E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | Naphthalene | 1.8751E-012 | 2.9998E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 1.2072E-011 | 1.9455E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.8513E-012 | 4.6104E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 3.6863E-012 | 5.9563E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitrobenzene | 1.1905E-012 | 1.9269E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 5.4201E-013 | 8.7661E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.7552E-011 | 9.5868E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 6.8167E-013 | 1.0985E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 6.8874E-013 | 1.1074E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 5.9850E-014 | 9.4732E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.3966E-012 | 5.1250E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3612E-012 | 5.0608E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.6298E-011 | 6.1515E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 7.4589E-012 | 1.1263E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.7921E-011 | 4.2379E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 6.7171E-011 | 9.9023E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.4807E-011 | 3.5462E-010 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.7022E-008 | 9.4539E-008 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Phenanthrene | 1.1642E-012 | 1.8412E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Phenol | 9.4184E-013 | 1.5193E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Pronamide | 1.0002E-010 | 1.5567E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Pyrene | 6.1575E-008 | 4.5069E-007 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Selenium | 3.8500E-005 | 4.0947E-005 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Styrene | 4.7951E-015 | 7.7294E-014 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 7.2181E-012 | 1.1816E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.1672E-012 | 3.8611E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 9.7805E-011 | 1.4801E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 8.0799E-013 | 2.1405E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.9772E-016 | 3.1882E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 9.7865E-010 | 8.0262E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Toluene | 6.0025E-012 | 9.5893E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 3.2869E-012 | 5.1045E-011 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.8812E-014 | 3.0377E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 1.0106E-014 | 1.6342E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.6599E-015 | 2.6765E-014 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 2.1877E-016 | 3.5288E-015 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.8457E-010 | 5.6833E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 8.8121E-011 | 1.0708E-009 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.7548E-014 | 6.0672E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | VX | 4.3196E-012 | 5.2854E-012 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 4.8737E-020 | 7.8783E-019 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Xylene, m- | 4.2046E-014 | 2.6799E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_adult | TOCDLIC2 | Xylene, o- | 2.5338E-014 | 1.8842E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Xylene, p- | 4.8249E-014 | 3.9789E-013 |
| RCPTR_32 | farmer_adult | TOCDLIC2 | Zinc | 1.3991E-007 | 3.2433E-007 |
| RCPTR_32 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Cadmium | 5.0345E-008 | 7.7262E-008 |
| RCPTR_32 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Mercuric chloride | 6.2241E-006 | 7.7730E-006 |
| RCPTR_32 | farmer_child | TOCDFBRA | Methyl mercury | 2.9503E-008 | 3.4333E-008 |
| RCPTR_32 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Selenium | 3.4381E-005 | 3.5722E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFBRA | Zinc | 1.4539E-006 | 2.1574E-006 |
| RCPTR_32 | farmer_child | TOCDFDFS | Acenaphthene | 9.3358E-010 | 2.2633E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Acetone | 1.6532E-013 | 4.0159E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Acetophenone | 4.3230E-012 | 1.0500E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Aniline | 2.5904E-013 | 6.2901E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Anthracene | 1.7919E-008 | 4.3441E-008 |
| RCPTR_32 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Aroclor 1254 | 1.0515E-010 | 2.2438E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Benzene | 1.4040E-014 | 3.4087E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.7343E-006 | 2.7141E-006 |
| RCPTR_32 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 7.4437E-006 | 8.6660E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 6.6140E-006 | 9.3903E-006 |
| RCPTR_32 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 1.1896E-005 | 1.3006E-005 |
| RCPTR_32 | farmer_child | TOCDFDFS | Benzoic acid | 6.5692E-011 | 1.5702E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Benzyl alcohol | 9.1161E-012 | 2.2140E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 5.8943E-012 | 1.4318E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.9847E-014 | 7.2496E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 1.0354E-012 | 2.5151E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.9222E-007 | 7.0745E-007 |
| RCPTR_32 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.8734E-008 | 2.7948E-008 |
| RCPTR_32 | farmer_child | TOCDFDFS | Cadmium | 5.4470E-008 | 8.3575E-008 |
| RCPTR_32 | farmer_child | TOCDFDFS | Carbon disulfide | 3.9745E-015 | 9.6515E-015 |
| RCPTR_32 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.5952E-014 | 3.8728E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.9378E-010 | 1.1682E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.7522E-011 | 6.6823E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Chlorobenzene | 4.6872E-014 | 1.1376E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chloroethane | 3.7895E-016 | 9.1768E-016 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 6.1840E-015 | 1.5020E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.4793E-009 | 6.0134E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 7.6856E-011 | 1.8669E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.4188E-009 | 8.1322E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Chrysene | 3.2529E-006 | 4.2645E-006 |
| RCPTR_32 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 3.2661E-008 | 4.8332E-008 |
| RCPTR_32 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 2.5196E+002 | 2.5196E+002 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.4949E-004 | 1.5969E-004 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 8.1022E-013 | 1.9611E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.9389E-012 | 7.1227E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.9168E-012 | 4.6470E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.9555E-009 | 6.1996E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.9256E-017 | 7.1037E-017 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.5819E-015 | 6.2712E-015 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.1964E-015 | 7.7638E-015 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.7877E-015 | 6.7697E-015 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 4.4698E-015 | 1.0854E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 2.4231E-010 | 5.6042E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.5278E-014 | 6.1372E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.9154E-015 | 7.0807E-015 |
| RCPTR_32 | farmer_child | TOCDFDFS | Diethyl phthalate | 5.4216E-009 | 6.2809E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.7256E-011 | 6.6001E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 5.2584E-011 | 1.2762E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 2.2743E-011 | 4.8166E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 1.0312E-011 | 2.4922E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 7.9545E-012 | 1.9249E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 1.0989E-012 | 2.6694E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | Ethylbenzene | 5.8004E-014 | 1.4035E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 5.4768E-010 | 8.5588E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Fluoranthene | 2.6031E-007 | 5.4202E-007 |
| RCPTR_32 | farmer_child | TOCDFDFS | Fluorene | 3.7728E-009 | 9.1352E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 5.0423E-013 | 5.7188E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 6.2334E-013 | 6.9181E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.5136E-012 | 1.7112E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.9162E-012 | 4.3544E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 2.4721E-012 | 2.8157E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 2.1170E-012 | 2.4484E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.9694E-012 | 3.4648E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 2.5775E-012 | 3.0050E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.6436E-012 | 3.0776E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 2.1769E-012 | 2.5361E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 8.7109E-011 | 2.1017E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Hexachlorobenzene | 2.0694E-007 | 4.9804E-007 |
| RCPTR_32 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 1.1820E-009 | 2.8481E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.7499E-011 | 1.1515E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 1.0471E-003 | 1.0702E-003 |
| RCPTR_32 | farmer_child | TOCDFDFS | Isophorone | 7.9185E-012 | 1.9233E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Mercuric chloride | 4.3123E-009 | 5.3854E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.6344E-016 | 6.3990E-016 |
| RCPTR_32 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 5.0666E-018 | 1.2306E-017 |
| RCPTR_32 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.0682E-014 | 7.4531E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Methyl mercury | 2.0452E-011 | 2.3798E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Methylene chloride | 1.7150E-013 | 4.1657E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Naphthalene | 5.5165E-011 | 1.3385E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.3365E-010 | 3.2451E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 3.1663E-011 | 7.6902E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 4.0909E-011 | 9.9353E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitrobenzene | 1.3390E-011 | 3.2524E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 6.0920E-012 | 1.4797E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 7.7948E-011 | 1.5986E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 7.6366E-012 | 1.8542E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 7.7001E-012 | 1.8692E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 6.5984E-013 | 1.5992E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 1.2526E-012 | 1.4606E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 3.7538E-013 | 4.3742E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 8.0223E-012 | 8.9580E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 8.7982E-013 | 1.0249E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 3.3250E-012 | 3.8806E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Pentachlorobenzene | 3.4394E-009 | 8.2755E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.4672E-010 | 5.9169E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.7573E-008 | 3.1839E-008 |
| RCPTR_32 | farmer_child | TOCDFDFS | Phenanthrene | 1.2823E-011 | 3.1078E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Phenol | 1.0561E-011 | 2.5645E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Pronamide | 2.1717E-009 | 5.2554E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Pyrene | 4.6488E-007 | 7.6080E-007 |
| RCPTR_32 | farmer_child | TOCDFDFS | Selenium | 4.8703E-006 | 5.0600E-006 |
| RCPTR_32 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Styrene | 5.6209E-013 | 1.3648E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 5.0530E-012 | 6.0299E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.8599E-012 | 3.4974E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.0352E-009 | 2.4983E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.8918E-011 | 3.1048E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.9061E-014 | 4.6283E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 6.0147E-009 | 1.3386E-008 |
| RCPTR_32 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFDFS | Toluene | 9.4135E-014 | 2.2838E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 4.2916E-011 | 1.0384E-010 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.2272E-014 | 2.9802E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.3235E-013 | 3.2146E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichloroethylene | 2.1683E-014 | 5.2650E-014 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.8586E-015 | 6.9414E-015 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.9846E-009 | 9.5929E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 7.6725E-010 | 1.8073E-009 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 4.9141E-013 | 1.1935E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 4.0731E-012 | 9.8611E-012 |
| RCPTR_32 | farmer_child | TOCDFDFS | VX | 1.2179E-011 | 1.3759E-011 |
| RCPTR_32 | farmer_child | TOCDFDFS | Vinyl Chloride | 3.5850E-018 | 8.7071E-018 |
| RCPTR_32 | farmer_child | TOCDFDFS | Xylene, m- | 3.6837E-013 | 7.7631E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFDFS | Xylene, o- | 3.9389E-013 | 8.5668E-013 |
| RCPTR_32 | farmer_child | TOCDFDFS | Xylene, p- | 5.1874E-013 | 1.1500E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Acenaphthene | 5.5309E-010 | 1.3409E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Acetone | 2.4198E-011 | 5.8779E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Acetophenone | 2.5611E-012 | 6.2205E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Aniline | 1.5347E-013 | 3.7265E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Anthracene | 1.0616E-008 | 2.5736E-008 |
| RCPTR_32 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Benzene | 3.2784E-014 | 7.9597E-014 |
| RCPTR_32 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 1.0244E-006 | 1.6038E-006 |
| RCPTR_32 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 4.3591E-006 | 5.0653E-006 |
| RCPTR_32 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.9056E-006 | 5.5452E-006 |
| RCPTR_32 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 6.9552E-006 | 7.5897E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Benzoic acid | 6.0182E-011 | 1.4385E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Benzyl alcohol | 6.6203E-010 | 1.6079E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 3.4920E-012 | 8.4825E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Bromodichloromethane | 2.0561E-015 | 4.9940E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.9910E-012 | 4.8361E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.3236E-007 | 4.1912E-007 |
| RCPTR_32 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.9502E-009 | 4.4168E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Cadmium | 1.6092E-008 | 2.4688E-008 |
| RCPTR_32 | farmer_child | TOCDFLIC | Carbon disulfide | 1.3619E-016 | 3.3071E-016 |
| RCPTR_32 | farmer_child | TOCDFLIC | Carbon tetrachloride | 1.0989E-015 | 2.6678E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.9256E-010 | 6.9209E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.6305E-011 | 3.9588E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chlorobenzene | 6.4465E-015 | 1.5646E-014 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chloroethane | 1.9265E-016 | 4.6652E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 8.5051E-016 | 2.0657E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.4688E-009 | 3.5625E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 4.5532E-011 | 1.1060E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 2.0252E-009 | 4.8176E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Chrysene | 1.9202E-006 | 2.5169E-006 |
| RCPTR_32 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.2481E-008 | 1.8470E-008 |
| RCPTR_32 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 4.5820E+000 | 4.5821E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 8.7323E-005 | 9.2988E-005 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 2.1918E-012 | 5.3052E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.6786E-012 | 6.4919E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.5518E-012 | 6.1866E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.9506E-009 | 6.1980E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.4873E-017 | 3.6113E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 3.5510E-016 | 8.6250E-016 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.6105E-015 | 1.1199E-014 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.4172E-015 | 3.4415E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.2723E-015 | 5.5180E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.9668E-010 | 4.5485E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 1.2253E-015 | 2.9748E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 4.0096E-016 | 9.7383E-016 |
| RCPTR_32 | farmer_child | TOCDFLIC | Diethyl phthalate | 6.2424E-010 | 7.2297E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dimethyl phthalate | 3.3052E-011 | 8.0036E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 3.1153E-011 | 7.5608E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.7227E-012 | 5.7654E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.8216E-011 | 6.8195E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 2.1766E-011 | 5.2674E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 6.5104E-013 | 1.5814E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Ethylbenzene | 3.5084E-014 | 8.4892E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 1.1281E-009 | 1.7698E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Fluoranthene | 1.5418E-007 | 3.2106E-007 |
| RCPTR_32 | farmer_child | TOCDFLIC | Fluorene | 2.2351E-009 | 5.4120E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.8311E-012 | 3.2047E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 9.4246E-012 | 1.0437E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 2.2692E-011 | 2.5605E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 2.3213E-011 | 2.5758E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.4485E-011 | 1.6469E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 1.2308E-011 | 1.4215E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.7687E-011 | 2.0620E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.5363E-011 | 1.7896E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.5780E-011 | 1.8355E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.2986E-011 | 1.5115E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 5.1603E-011 | 1.2451E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Hexachlorobenzene | 1.2259E-007 | 2.9506E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.4146E-010 | 3.4086E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.8140E-011 | 6.8218E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 6.1867E-004 | 6.3149E-004 |
| RCPTR_32 | farmer_child | TOCDFLIC | Isophorone | 4.6913E-012 | 1.1394E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Mercuric chloride | 1.8258E-010 | 2.2808E-010 |
| RCPTR_32 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.5504E-016 | 6.1951E-016 |
| RCPTR_32 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.4788E-017 | 3.5918E-017 |
| RCPTR_32 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.7109E-013 | 6.5851E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Methyl mercury | 8.5562E-013 | 9.9751E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Methylene chloride | 3.6771E-012 | 8.9315E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Naphthalene | 1.2363E-011 | 2.9998E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 8.0125E-011 | 1.9455E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.8982E-011 | 4.6104E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 4.8961E-012 | 1.1891E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitrobenzene | 7.9327E-012 | 1.9269E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.8079E-011 | 4.3910E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 9.3350E-012 | 1.9139E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 4.5242E-012 | 1.0985E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 4.5619E-012 | 1.1074E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.9083E-013 | 9.4732E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 4.3995E-012 | 5.1250E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 4.3470E-012 | 5.0608E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 5.5161E-011 | 6.1515E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 9.6737E-012 | 1.1263E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 3.6331E-011 | 4.2379E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Pentachlorobenzene | 2.0609E-009 | 4.9602E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.4781E-010 | 3.5462E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Pentachlorophenol | 1.0422E-008 | 1.8874E-008 |
| RCPTR_32 | farmer_child | TOCDFLIC | Phenanthrene | 7.5965E-012 | 1.8412E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Phenol | 6.2569E-012 | 1.5193E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Pronamide | 6.4330E-010 | 1.5567E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Pyrene | 2.7539E-007 | 4.5069E-007 |
| RCPTR_32 | farmer_child | TOCDFLIC | Selenium | 3.9413E-005 | 4.0947E-005 |
| RCPTR_32 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFLIC | Styrene | 3.1833E-014 | 7.7294E-014 |
| RCPTR_32 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 9.9030E-012 | 1.1816E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 3.1572E-012 | 3.8611E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 6.1332E-010 | 1.4801E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.3049E-012 | 2.1405E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.3130E-015 | 3.1882E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 3.6070E-009 | 8.0262E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFLIC | Toluene | 3.9527E-011 | 9.5893E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.1098E-011 | 5.1045E-011 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.2509E-013 | 3.0377E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 6.7285E-014 | 1.6342E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichloroethylene | 1.1023E-014 | 2.6765E-014 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.4532E-015 | 3.5288E-015 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.3607E-009 | 5.6833E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 4.5460E-010 | 1.0708E-009 |
| RCPTR_32 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.4982E-013 | 6.0672E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | VX | 4.5015E-012 | 5.0841E-012 |
| RCPTR_32 | farmer_child | TOCDFLIC | Vinyl Chloride | 3.2438E-019 | 7.8783E-019 |
| RCPTR_32 | farmer_child | TOCDFLIC | Xylene, m- | 1.2631E-013 | 2.6799E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Xylene, o- | 8.6159E-014 | 1.8842E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Xylene, p- | 1.7865E-013 | 3.9789E-013 |
| RCPTR_32 | farmer_child | TOCDFLIC | Zinc | 2.1863E-007 | 3.2433E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Acenaphthene | 1.0116E-010 | 2.4526E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Acetone | 1.0281E-015 | 2.4974E-015 |
| RCPTR_32 | farmer_child | TOCDFMPF | Acetophenone | 1.0899E-011 | 2.6473E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Aniline | 6.5312E-013 | 1.5859E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Anthracene | 1.1151E-009 | 2.7032E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Benzene | 5.7514E-015 | 1.3964E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 9.4634E-008 | 1.4815E-007 |
| RCPTR_32 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 7.4255E-007 | 8.6295E-007 |
| RCPTR_32 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 5.6594E-007 | 8.0353E-007 |
| RCPTR_32 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 1.0336E-006 | 1.1281E-006 |
| RCPTR_32 | farmer_child | TOCDFMPF | Benzoic acid | 1.1532E-011 | 2.7565E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Benzyl alcohol | 5.2374E-012 | 1.2720E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.4830E-012 | 3.6023E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Bromodichloromethane | 3.0303E-014 | 7.3602E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 1.0512E-012 | 2.5534E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.3276E-007 | 2.3947E-007 |
| RCPTR_32 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.9027E-010 | 5.8416E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Cadmium | 5.1267E-008 | 7.8654E-008 |
| RCPTR_32 | farmer_child | TOCDFMPF | Carbon disulfide | 2.0071E-015 | 4.8740E-015 |
| RCPTR_32 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.6195E-014 | 3.9319E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.2504E-010 | 2.9579E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chloroaniline, p- | 4.7983E-012 | 1.1650E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chlorobenzene | 9.5009E-014 | 2.3059E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chloroethane | 2.7072E-016 | 6.5559E-016 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.2535E-014 | 3.0445E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.5803E-010 | 6.2582E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.6739E-011 | 4.0660E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 6.2533E-010 | 1.4875E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Chrysene | 1.9826E-007 | 2.5986E-007 |
| RCPTR_32 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.4579E-008 | 2.1575E-008 |
| RCPTR_32 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 4.1152E+000 | 4.1152E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 2.3108E-005 | 2.4611E-005 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 7.6211E-013 | 1.8447E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 8.6832E-013 | 2.1045E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 8.2260E-013 | 1.9943E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.1809E-009 | 1.8525E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 2.0900E-017 | 5.0748E-017 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 5.2335E-015 | 1.2712E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.4790E-015 | 1.5737E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.9915E-015 | 4.8362E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.1932E-015 | 7.7542E-015 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 7.6936E-011 | 1.7792E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.8059E-014 | 4.3843E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.9094E-015 | 1.4353E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.3322E-009 | 1.5429E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.9055E-012 | 4.6141E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 1.2271E-011 | 2.9781E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 5.2266E-012 | 1.1068E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.8835E-011 | 9.3860E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.7199E-011 | 6.5820E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.7707E-012 | 6.7303E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Ethylbenzene | 5.8888E-014 | 1.4249E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.9496E-010 | 3.0579E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Fluoranthene | 1.1979E-008 | 2.4944E-008 |
| RCPTR_32 | farmer_child | TOCDFMPF | Fluorene | 3.4001E-010 | 8.2329E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 3.1134E-013 | 3.5247E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.5765E-012 | 1.7460E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.4991E-012 | 1.6917E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 4.0339E-012 | 4.4766E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.5189E-012 | 2.8642E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 2.1104E-012 | 2.4377E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 4.7808E-012 | 5.5739E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.6322E-011 | 1.9014E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.3743E-011 | 1.5985E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.6574E-012 | 1.9293E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.8923E-011 | 6.9786E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Hexachlorobenzene | 6.0944E-008 | 1.4668E-007 |
| RCPTR_32 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 9.8244E-011 | 2.3673E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.9773E-011 | 4.7934E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.3447E-004 | 1.3727E-004 |
| RCPTR_32 | farmer_child | TOCDFMPF | Isophorone | 8.3683E-013 | 2.0325E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Mercuric chloride | 1.9635E-010 | 2.4528E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.8820E-016 | 4.5714E-016 |
| RCPTR_32 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 1.0912E-017 | 2.6504E-017 |
| RCPTR_32 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 4.5503E-015 | 1.1053E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Methyl mercury | 9.2080E-013 | 1.0734E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Methylene chloride | 1.1975E-015 | 2.9086E-015 |
| RCPTR_32 | farmer_child | TOCDFMPF | Naphthalene | 1.0405E-011 | 2.5247E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 9.9217E-012 | 2.4090E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.9044E-012 | 4.6255E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 2.1812E-012 | 5.2974E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitrobenzene | 2.7080E-012 | 6.5778E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 2.1798E-012 | 5.2944E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 8.3257E-012 | 1.7070E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.9254E-011 | 4.6750E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 1.0286E-012 | 2.4968E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.5374E-013 | 6.1504E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 3.3793E-013 | 3.9368E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3118E-014 | 3.8559E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 9.0967E-012 | 1.0145E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 6.5621E-012 | 7.6404E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 4.4450E-012 | 5.1851E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.7510E-009 | 4.2143E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 6.2793E-011 | 1.5065E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Pentachlorophenol | 6.1995E-009 | 1.1228E-008 |
| RCPTR_32 | farmer_child | TOCDFMPF | Phenanthrene | 7.9792E-013 | 1.9339E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Phenol | 2.0453E-012 | 4.9664E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Pronamide | 2.7378E-009 | 6.6252E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Pyrene | 2.0173E-008 | 3.3015E-008 |
| RCPTR_32 | farmer_child | TOCDFMPF | Selenium | 1.2434E-005 | 1.2918E-005 |
| RCPTR_32 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Styrene | 4.8494E-013 | 1.1775E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 4.2937E-012 | 5.1232E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 2.1235E-012 | 2.5970E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.6102E-009 | 6.2989E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.0490E-013 | 4.9757E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.9351E-014 | 4.6989E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.5323E-009 | 3.4096E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDFMPF | Toluene | 2.5530E-014 | 6.1936E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 7.1068E-012 | 1.7194E-011 |
| RCPTR_32 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.2459E-014 | 3.0256E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 9.4553E-014 | 2.2965E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | Trichloroethylene | 1.5490E-014 | 3.7612E-014 |
| RCPTR_32 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.0422E-015 | 4.9589E-015 |
| RCPTR_32 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.0560E-009 | 2.5422E-009 |
| RCPTR_32 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 2.0664E-010 | 4.8673E-010 |
| RCPTR_32 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 3.5106E-013 | 8.5260E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | VX | 6.2144E-012 | 7.0186E-012 |
| RCPTR_32 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.9414E-018 | 1.2001E-017 |
| RCPTR_32 | farmer_child | TOCDFMPF | Xylene, m- | 9.9627E-014 | 2.1129E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | Xylene, o- | 1.0680E-013 | 2.3348E-013 |
| RCPTR_32 | farmer_child | TOCDFMPF | Xylene, p- | 1.4087E-013 | 3.1368E-013 |
| RCPTR_32 | farmer_child | TOCDHVAC | VX | 3.7451E-012 | 4.2316E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Acenaphthene | 5.5309E-010 | 1.3409E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Acetone | 2.4198E-011 | 5.8779E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Acetophenone | 2.5611E-012 | 6.2205E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Aniline | 1.5347E-013 | 3.7265E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Anthracene | 1.0616E-008 | 2.5736E-008 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Benzene | 3.2784E-014 | 7.9597E-014 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 1.0244E-006 | 1.6038E-006 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 4.3591E-006 | 5.0653E-006 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.9056E-006 | 5.5452E-006 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 6.9552E-006 | 7.5897E-006 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Benzoic acid | 6.0182E-011 | 1.4385E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Benzyl alcohol | 6.6203E-010 | 1.6079E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.4920E-012 | 8.4825E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Bromodichloromethane | 2.0561E-015 | 4.9940E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.9910E-012 | 4.8361E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.3236E-007 | 4.1912E-007 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.9502E-009 | 4.4168E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Cadmium | 1.6092E-008 | 2.4688E-008 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.3619E-016 | 3.3071E-016 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 1.0989E-015 | 2.6678E-015 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.9256E-010 | 6.9209E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.6305E-011 | 3.9588E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chlorobenzene | 6.4465E-015 | 1.5646E-014 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chloroethane | 1.9265E-016 | 4.6652E-016 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 8.5051E-016 | 2.0657E-015 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.4688E-009 | 3.5625E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 4.5532E-011 | 1.1060E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 2.0252E-009 | 4.8176E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Chrysene | 1.9202E-006 | 2.5169E-006 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.2481E-008 | 1.8470E-008 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 4.5820E+000 | 4.5821E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 8.7323E-005 | 9.2988E-005 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.1918E-012 | 5.3052E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.6786E-012 | 6.4919E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.5518E-012 | 6.1866E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.9506E-009 | 6.1980E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.4873E-017 | 3.6113E-017 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 3.4355E-016 | 8.3445E-016 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.6105E-015 | 1.1199E-014 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.4172E-015 | 3.4415E-015 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.2723E-015 | 5.5180E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.9668E-010 | 4.5485E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 1.2253E-015 | 2.9748E-015 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 4.0096E-016 | 9.7383E-016 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Diethyl phthalate | 6.2424E-010 | 7.2297E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 3.3052E-011 | 8.0036E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 3.1153E-011 | 7.5608E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.7227E-012 | 5.7654E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.8216E-011 | 6.8195E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.1766E-011 | 5.2674E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 6.5104E-013 | 1.5814E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Ethylbenzene | 3.5084E-014 | 8.4892E-014 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 1.1281E-009 | 1.7698E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Fluoranthene | 1.5418E-007 | 3.2106E-007 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Fluorene | 2.2351E-009 | 5.4120E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.8311E-012 | 3.2047E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 3.2524E-011 | 3.6016E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 7.8310E-011 | 8.8361E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 2.3213E-011 | 2.5758E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.4485E-011 | 1.6469E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 1.2308E-011 | 1.4215E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.7687E-011 | 2.0620E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.5363E-011 | 1.7896E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.5780E-011 | 1.8355E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.2986E-011 | 1.5115E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 5.1603E-011 | 1.2451E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 1.2259E-007 | 2.9506E-007 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.4146E-010 | 3.4086E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.8140E-011 | 6.8218E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 6.1867E-004 | 6.3149E-004 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Isophorone | 4.6913E-012 | 1.1394E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.8258E-010 | 2.2808E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.5504E-016 | 6.1951E-016 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 7.4038E-019 | 1.7983E-018 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.7109E-013 | 6.5851E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Methyl mercury | 8.5562E-013 | 9.9751E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Methylene chloride | 3.6771E-012 | 8.9315E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Naphthalene | 1.2363E-011 | 2.9998E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 8.0125E-011 | 1.9455E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.8982E-011 | 4.6104E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 2.4525E-011 | 5.9563E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitrobenzene | 7.9327E-012 | 1.9269E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 3.6091E-012 | 8.7661E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 4.6760E-011 | 9.5868E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 4.5242E-012 | 1.0985E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 4.5619E-012 | 1.1074E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.9083E-013 | 9.4732E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 4.3995E-012 | 5.1250E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 4.3470E-012 | 5.0608E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 5.5161E-011 | 6.1515E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 9.6737E-012 | 1.1263E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 3.6331E-011 | 4.2379E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 4.1142E-010 | 9.9023E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.4781E-010 | 3.5462E-010 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Pentachlorophenol | 5.2202E-008 | 9.4539E-008 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Phenanthrene | 7.5965E-012 | 1.8412E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Phenol | 6.2569E-012 | 1.5193E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Pronamide | 6.4330E-010 | 1.5567E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Pyrene | 2.7539E-007 | 4.5069E-007 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Selenium | 3.9413E-005 | 4.0947E-005 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Styrene | 3.1833E-014 | 7.7294E-014 |
| RCPTR_32 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 9.9030E-012 | 1.1816E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 3.1572E-012 | 3.8611E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 6.1332E-010 | 1.4801E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.3049E-012 | 2.1405E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.3130E-015 | 3.1882E-015 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 3.6070E-009 | 8.0262E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Toluene | 3.9527E-011 | 9.5893E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.1098E-011 | 5.1045E-011 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.2509E-013 | 3.0377E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 6.7285E-014 | 1.6342E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichloroethylene | 1.1023E-014 | 2.6765E-014 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.4532E-015 | 3.5288E-015 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.3607E-009 | 5.6833E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 4.5460E-010 | 1.0708E-009 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.4982E-013 | 6.0672E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | VX | 4.6798E-012 | 5.2854E-012 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Vinyl Chloride | 3.2438E-019 | 7.8783E-019 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Xylene, m- | 1.2631E-013 | 2.6799E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Xylene, o- | 8.6159E-014 | 1.8842E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Xylene, p- | 1.7865E-013 | 3.9789E-013 |
| RCPTR_32 | farmer_child | TOCDLIC2 | Zinc | 2.1863E-007 | 3.2433E-007 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFBRA | Cadmium | 1.6908E-008 | 4.5858E-008 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Mercuric chloride | 4.5046E-006 | 4.7110E-006 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Methyl mercury | 1.8639E-008 | 2.0751E-008 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Selenium | 1.9878E-005 | 2.1149E-005 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFBRA | Zinc | 5.5058E-007 | 1.2801E-006 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Acenaphthene | 1.4608E-010 | 2.3173E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Acetone | 2.5392E-014 | 4.1117E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Acetophenone | 6.6467E-013 | 1.0750E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Aniline | 3.9928E-014 | 6.4401E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Anthracene | 2.8033E-009 | 4.4476E-008 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Aroclor 1254 | 3.4141E-011 | 2.2877E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Benzene | 2.1667E-015 | 3.4900E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 7.3634E-007 | 2.7595E-006 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 6.2843E-006 | 8.5682E-006 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 3.8966E-006 | 9.5236E-006 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 1.0193E-005 | 1.2809E-005 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Benzoic acid | 1.1640E-011 | 1.6076E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.4024E-012 | 2.2669E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 9.0530E-013 | 1.4659E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Bromodichloromethane | 4.5883E-015 | 7.4226E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.5913E-013 | 2.5751E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 7.1303E-008 | 7.2431E-007 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.3021E-008 | 2.8047E-008 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Cadmium | 2.7101E-008 | 7.3457E-008 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Carbon disulfide | 6.1231E-016 | 9.8818E-015 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 2.4627E-015 | 3.9652E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 9.4873E-011 | 1.1960E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 4.2457E-012 | 6.8417E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chlorobenzene | 7.2585E-015 | 1.1647E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chloroethane | 5.9934E-017 | 9.3957E-016 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 9.5089E-016 | 1.5378E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.8637E-010 | 6.1568E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 1.1809E-011 | 1.9114E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 6.2855E-010 | 8.3245E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Chrysene | 2.0380E-006 | 4.3183E-006 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 2.3743E-008 | 4.9322E-008 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 2.5773E+002 | 2.5773E+002 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.3646E-004 | 1.5642E-004 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.2868E-013 | 2.0079E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 4.6122E-013 | 7.2925E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.9991E-013 | 4.7578E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.6278E-009 | 6.2703E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 4.5114E-018 | 7.2730E-017 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.9692E-016 | 6.4208E-015 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.9127E-016 | 7.9490E-015 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 4.2932E-016 | 6.9312E-015 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 6.8856E-016 | 1.1113E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 5.4349E-011 | 5.7376E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.9022E-015 | 6.2836E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 4.4843E-016 | 7.2496E-015 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Diethyl phthalate | 5.0224E-009 | 6.4255E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 4.3103E-012 | 6.7572E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 8.1451E-012 | 1.3067E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 7.7860E-012 | 4.9296E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.6584E-012 | 2.5513E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.2654E-012 | 1.9707E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.6881E-013 | 2.7330E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Ethylbenzene | 9.2381E-015 | 1.4370E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.5669E-010 | 8.5875E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Fluoranthene | 5.1960E-008 | 5.5465E-007 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Fluorene | 5.9718E-010 | 9.3528E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.8454E-013 | 5.2903E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.0714E-013 | 6.5492E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.1662E-012 | 1.5898E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.1899E-012 | 4.1455E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.8721E-012 | 2.6121E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.5238E-012 | 2.2326E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.1072E-012 | 3.1844E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.8363E-012 | 2.7664E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.8956E-012 | 2.8427E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.5561E-012 | 2.3389E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.4230E-011 | 2.1516E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 3.3168E-008 | 5.0990E-007 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.9531E-010 | 2.9156E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 7.4366E-012 | 1.1789E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 1.0368E-003 | 1.0794E-003 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Isophorone | 1.2177E-012 | 1.9692E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Mercuric chloride | 5.2259E-009 | 5.4660E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 4.0477E-017 | 6.5516E-016 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 7.7888E-019 | 1.2600E-017 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 4.7128E-015 | 7.6309E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Methyl mercury | 2.1096E-011 | 2.3552E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Methylene chloride | 2.6361E-014 | 4.2651E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Naphthalene | 8.5654E-012 | 1.3704E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 2.0616E-011 | 3.3225E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 4.8695E-012 | 7.8737E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 6.2950E-012 | 1.0172E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitrobenzene | 2.0574E-012 | 3.3300E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 9.3670E-013 | 1.5150E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.9903E-011 | 1.6365E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 1.1780E-012 | 1.8984E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 1.1903E-012 | 1.9138E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 1.0322E-013 | 1.6370E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 8.7253E-013 | 1.3133E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.6170E-013 | 3.9312E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.6317E-012 | 8.7807E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 6.6897E-013 | 1.0098E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.4846E-012 | 3.7688E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 5.7193E-010 | 8.4683E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 4.2114E-011 | 6.0537E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Pentachlorophenol | 9.2966E-009 | 3.2591E-008 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Phenanthrene | 2.0115E-012 | 3.1819E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Phenol | 1.6277E-012 | 2.6257E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Pronamide | 3.4562E-010 | 5.3807E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Pyrene | 1.0633E-007 | 7.7872E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Selenium | 4.1695E-006 | 4.4358E-006 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Styrene | 8.6685E-014 | 1.3974E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.6573E-012 | 5.9937E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.9702E-012 | 3.5166E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.6896E-010 | 2.5578E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.1973E-011 | 3.1778E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.9384E-015 | 4.7386E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.6681E-009 | 1.3704E-008 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Toluene | 1.4635E-014 | 2.3382E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 6.8396E-012 | 1.0631E-010 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.8896E-015 | 3.0513E-014 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 2.0354E-014 | 3.2913E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichloroethylene | 3.3430E-015 | 5.3905E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 4.4060E-016 | 7.1070E-015 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 6.6441E-010 | 9.8217E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.5215E-010 | 1.8504E-009 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 7.5621E-014 | 1.2219E-012 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 6.4285E-013 | 1.0093E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | VX | 1.1497E-011 | 1.4076E-011 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Vinyl Chloride | 5.5145E-019 | 8.9147E-018 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Xylene, m- | 1.1754E-013 | 7.8362E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Xylene, o- | 1.1196E-013 | 8.6760E-013 |
| RCPTR_33 | farmer_adult | TOCDFDFS | Xylene, p- | 1.3627E-013 | 1.1670E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Acenaphthene | 8.2302E-011 | 1.3056E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Acetone | 3.5344E-012 | 5.7233E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Acetophenone | 3.7449E-013 | 6.0569E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Aniline | 2.2496E-014 | 3.6285E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Anthracene | 1.5794E-009 | 2.5058E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Benzene | 4.8117E-015 | 7.7504E-014 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 4.1422E-007 | 1.5533E-006 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 3.5285E-006 | 4.8030E-006 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 2.1926E-006 | 5.3593E-006 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 5.7220E-006 | 7.1757E-006 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Benzoic acid | 1.0142E-011 | 1.4006E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Benzyl alcohol | 9.6857E-011 | 1.5656E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 5.1007E-013 | 8.2594E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Bromodichloromethane | 3.0059E-016 | 4.8627E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.9099E-013 | 4.7089E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 4.0173E-008 | 4.0809E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.9604E-009 | 4.2357E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Cadmium | 7.8707E-009 | 2.1332E-008 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.9953E-017 | 3.2201E-016 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.6133E-016 | 2.5977E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 5.3464E-011 | 6.7386E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 2.3921E-012 | 3.8547E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chlorobenzene | 9.4939E-016 | 1.5234E-014 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chloroethane | 2.8977E-017 | 4.5425E-016 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.2437E-016 | 2.0114E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 2.1769E-010 | 3.4688E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 6.6532E-012 | 1.0769E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.5406E-010 | 4.6901E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Chrysene | 1.1469E-006 | 2.4296E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 8.6294E-009 | 1.7927E-008 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 4.4504E+000 | 4.4504E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 7.6549E-005 | 8.7456E-005 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 3.3104E-013 | 5.1656E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.9979E-013 | 6.3211E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.7972E-013 | 6.0239E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.5030E-009 | 5.9781E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 2.1811E-018 | 3.5163E-017 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 5.1916E-017 | 8.3982E-016 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.7391E-016 | 1.0904E-014 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 2.0756E-016 | 3.3510E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 3.3290E-016 | 5.3729E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 4.1960E-011 | 4.4284E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.7989E-016 | 2.8966E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 5.8654E-017 | 9.4822E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Diethyl phthalate | 5.4925E-010 | 7.0256E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.9706E-012 | 7.7928E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 4.5892E-012 | 7.3619E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 8.8647E-013 | 5.6112E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 4.3146E-012 | 6.6394E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 3.2929E-012 | 5.1286E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 9.5113E-014 | 1.5399E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Ethylbenzene | 5.3139E-015 | 8.2658E-014 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 7.0238E-010 | 1.6972E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Fluoranthene | 2.9267E-008 | 3.1248E-007 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Fluorene | 3.3645E-010 | 5.2696E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.1074E-012 | 2.8923E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 7.4402E-012 | 9.5836E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.7048E-011 | 2.3183E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.8320E-011 | 2.3753E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.0700E-011 | 1.4896E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 8.6767E-012 | 1.2691E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.2269E-011 | 1.8521E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.0695E-011 | 1.6095E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.1048E-011 | 1.6549E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 9.0666E-012 | 1.3612E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 8.0159E-012 | 1.2122E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.8687E-008 | 2.8729E-007 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 2.2225E-011 | 3.3186E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 4.1900E-012 | 6.6424E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.8378E-004 | 6.0703E-004 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Isophorone | 6.8607E-013 | 1.1095E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Mercuric chloride | 2.1098E-010 | 2.2068E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.7267E-017 | 6.0321E-016 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 2.1619E-018 | 3.4973E-017 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.9600E-014 | 6.4120E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Methyl mercury | 8.4793E-013 | 9.4714E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Methylene chloride | 5.3750E-013 | 8.6966E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Naphthalene | 1.8256E-012 | 2.9209E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 1.1754E-011 | 1.8943E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.7763E-012 | 4.4891E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 7.1649E-013 | 1.1578E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitrobenzene | 1.1592E-012 | 1.8762E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.6436E-012 | 4.2755E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 3.4056E-012 | 1.8629E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 6.6373E-013 | 1.0696E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 6.7062E-013 | 1.0783E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 5.8125E-014 | 9.2226E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.0110E-012 | 4.5263E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9779E-012 | 4.4679E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.3845E-011 | 5.7969E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 7.0641E-012 | 1.0657E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.6173E-011 | 3.9676E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 3.2569E-010 | 4.8278E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.3974E-011 | 3.4511E-010 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Pentachlorophenol | 5.2417E-009 | 1.8366E-008 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Phenanthrene | 1.1333E-012 | 1.7927E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Phenol | 9.1707E-013 | 1.4794E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Pronamide | 9.7364E-011 | 1.5158E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Pyrene | 5.9901E-008 | 4.3873E-007 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Selenium | 3.3163E-005 | 3.5280E-005 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Styrene | 4.6688E-015 | 7.5261E-014 |
| RCPTR_33 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 6.8679E-012 | 1.1254E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.0776E-012 | 3.7087E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 9.5199E-011 | 1.4411E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 7.8498E-013 | 2.0824E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.9250E-016 | 3.1044E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 9.5147E-010 | 7.8137E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Toluene | 5.8441E-012 | 9.3371E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 3.1993E-012 | 4.9702E-011 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.8317E-014 | 2.9578E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 9.8404E-015 | 1.5912E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.6162E-015 | 2.6061E-014 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 2.1302E-016 | 3.4360E-015 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.7437E-010 | 5.5337E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 8.5742E-011 | 1.0426E-009 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.6560E-014 | 5.9076E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | VX | 4.0359E-012 | 4.9404E-012 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Vinyl Chloride | 4.7451E-020 | 7.6710E-019 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Xylene, m- | 3.8244E-014 | 2.5825E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Xylene, o- | 2.3215E-014 | 1.8201E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Xylene, p- | 4.4470E-014 | 3.8492E-013 |
| RCPTR_33 | farmer_adult | TOCDFLIC | Zinc | 1.2057E-007 | 2.8015E-007 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Acenaphthene | 1.5154E-011 | 2.4039E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Acetone | 1.5116E-016 | 2.4478E-015 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Acetophenone | 1.6043E-012 | 2.5948E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Aniline | 9.6374E-014 | 1.5544E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Anthracene | 1.6699E-010 | 2.6495E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | Benzene | 8.4972E-016 | 1.3687E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.8508E-008 | 1.4440E-007 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 6.0453E-007 | 8.2281E-007 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 3.1975E-007 | 7.8154E-007 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 8.5518E-007 | 1.0723E-006 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Benzoic acid | 1.9564E-012 | 2.7017E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Benzyl alcohol | 7.7133E-013 | 1.2468E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 2.1805E-013 | 3.5308E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Bromodichloromethane | 4.4594E-015 | 7.2142E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.5466E-013 | 2.5028E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.3106E-008 | 2.3471E-007 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.6080E-010 | 5.6359E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Cadmium | 2.5121E-008 | 6.8086E-008 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.9602E-016 | 4.7773E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 2.3935E-015 | 3.8539E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.3002E-011 | 2.8991E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 7.0863E-013 | 1.1419E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.4085E-014 | 2.2601E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chloroethane | 4.0990E-017 | 6.4258E-016 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.8452E-015 | 2.9841E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.8494E-011 | 6.1339E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.4621E-012 | 3.9853E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 1.1005E-010 | 1.4578E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Chrysene | 1.1917E-007 | 2.5244E-007 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 1.0146E-008 | 2.1079E-008 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 4.0240E+000 | 4.0241E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 2.0371E-005 | 2.3271E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 1.1587E-013 | 1.8080E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.3046E-013 | 2.0627E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.2322E-013 | 1.9547E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 7.5278E-010 | 1.7980E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 3.0853E-018 | 4.9740E-017 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 7.7022E-016 | 1.2459E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 9.5330E-016 | 1.5425E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.9361E-016 | 4.7403E-015 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 4.7091E-016 | 7.6004E-015 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.6522E-011 | 1.7438E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.6688E-015 | 4.2973E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 8.7018E-016 | 1.4068E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Diethyl phthalate | 1.1801E-009 | 1.5095E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.8846E-013 | 4.5224E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.8196E-012 | 2.9190E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.7130E-012 | 1.0843E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 5.9777E-012 | 9.1987E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 4.1420E-012 | 6.4511E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 4.0747E-013 | 6.5968E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Ethylbenzene | 8.9786E-015 | 1.3966E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.2206E-010 | 2.9500E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Fluoranthene | 2.2888E-009 | 2.4438E-008 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Fluorene | 5.1521E-011 | 8.0693E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.3256E-013 | 3.1914E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.2499E-012 | 1.6098E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.1303E-012 | 1.5369E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.1980E-012 | 4.1458E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.8672E-012 | 2.5992E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.4921E-012 | 2.1821E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.3267E-012 | 5.0215E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.1398E-011 | 1.7152E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 9.6528E-012 | 1.4458E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.1609E-012 | 1.7428E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 4.5226E-012 | 6.8395E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 9.3511E-009 | 1.4376E-007 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.5538E-011 | 2.3201E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.9637E-012 | 4.6983E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.2770E-004 | 1.3279E-004 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Isophorone | 1.2319E-013 | 1.9922E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Mercuric chloride | 2.2833E-010 | 2.3883E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.7682E-017 | 4.4807E-016 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.6059E-018 | 2.5978E-017 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 6.6910E-016 | 1.0834E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | Methyl mercury | 9.1744E-013 | 1.0248E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Methylene chloride | 1.7620E-016 | 2.8509E-015 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Naphthalene | 1.5467E-012 | 2.4746E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.4651E-012 | 2.3612E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.8038E-013 | 4.5337E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 3.2131E-013 | 5.1923E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.9833E-013 | 6.4472E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 3.2086E-013 | 5.1893E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 3.0577E-012 | 1.6726E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.8435E-012 | 4.5822E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.5221E-013 | 2.4473E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.7986E-014 | 6.0273E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.3182E-013 | 3.4846E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.2741E-014 | 3.4117E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 7.2697E-012 | 9.6107E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.8181E-012 | 7.2682E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.2180E-012 | 4.8781E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.7852E-010 | 4.1289E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 1.0251E-011 | 1.4758E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Pentachlorophenol | 3.1390E-009 | 1.0999E-008 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Phenanthrene | 1.1983E-013 | 1.8955E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Phenol | 3.0176E-013 | 4.8679E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Pronamide | 4.1711E-010 | 6.4937E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Pyrene | 4.4171E-009 | 3.2352E-008 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Selenium | 1.0481E-005 | 1.1151E-005 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Styrene | 7.1595E-014 | 1.1541E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.9947E-012 | 4.9071E-012 |
| RCPTR_33 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.4059E-012 | 2.5096E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 4.0784E-010 | 6.1738E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 3.0222E-014 | 4.8770E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.8558E-015 | 4.6056E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 4.0688E-010 | 3.3413E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Toluene | 3.7996E-015 | 6.0707E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 1.0848E-012 | 1.6853E-011 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.8365E-015 | 2.9656E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.3920E-014 | 2.2510E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichloroethylene | 2.2863E-015 | 3.6866E-014 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 3.0133E-016 | 4.8605E-015 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.6857E-010 | 2.4917E-009 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.9233E-011 | 4.7705E-010 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 5.1717E-014 | 8.3568E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | VX | 5.6092E-012 | 6.8664E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDFMPF | Vinyl Chloride | 7.2763E-019 | 1.1763E-017 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Xylene, m- | 3.0318E-014 | 2.0487E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Xylene, o- | 2.8929E-014 | 2.2695E-013 |
| RCPTR_33 | farmer_adult | TOCDFMPF | Xylene, p- | 3.5260E-014 | 3.0537E-013 |
| RCPTR_33 | farmer_adult | TOCDHVAC | VX | 3.3715E-012 | 4.1304E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Acenaphthene | 8.2302E-011 | 1.3056E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Acetone | 3.5344E-012 | 5.7233E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Acetophenone | 3.7449E-013 | 6.0569E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Aniline | 2.2496E-014 | 3.6285E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Anthracene | 1.5794E-009 | 2.5058E-008 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Benzene | 4.8117E-015 | 7.7504E-014 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 4.1422E-007 | 1.5533E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 3.5285E-006 | 4.8030E-006 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 2.1926E-006 | 5.3593E-006 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 5.7220E-006 | 7.1757E-006 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Benzoic acid | 1.0142E-011 | 1.4006E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 9.6857E-011 | 1.5656E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 5.1007E-013 | 8.2594E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 3.0059E-016 | 4.8627E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.9099E-013 | 4.7089E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 4.0173E-008 | 4.0809E-007 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.9604E-009 | 4.2357E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Cadmium | 7.8707E-009 | 2.1332E-008 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.9953E-017 | 3.2201E-016 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.6133E-016 | 2.5977E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 5.3464E-011 | 6.7386E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 2.3921E-012 | 3.8547E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chlorobenzene | 9.4939E-016 | 1.5234E-014 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chloroethane | 2.8977E-017 | 4.5425E-016 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.2437E-016 | 2.0114E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 2.1769E-010 | 3.4688E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 6.6532E-012 | 1.0769E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.5406E-010 | 4.6901E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Chrysene | 1.1469E-006 | 2.4296E-006 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 8.6294E-009 | 1.7927E-008 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 4.4504E+000 | 4.4504E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 7.6549E-005 | 8.7456E-005 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 3.3104E-013 | 5.1656E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.9979E-013 | 6.3211E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.7972E-013 | 6.0239E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.5030E-009 | 5.9781E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 2.1811E-018 | 3.5163E-017 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 5.0227E-017 | 8.1251E-016 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.7391E-016 | 1.0904E-014 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 2.0756E-016 | 3.3510E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 3.3290E-016 | 5.3729E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 4.1960E-011 | 4.4284E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.7989E-016 | 2.8966E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 5.8654E-017 | 9.4822E-016 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 5.4925E-010 | 7.0256E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.9706E-012 | 7.7928E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 4.5892E-012 | 7.3619E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 8.8647E-013 | 5.6112E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 4.3146E-012 | 6.6394E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 3.2929E-012 | 5.1286E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 9.5113E-014 | 1.5399E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Ethylbenzene | 5.3139E-015 | 8.2658E-014 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 7.0238E-010 | 1.6972E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.9267E-008 | 3.1248E-007 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Fluorene | 3.3645E-010 | 5.2696E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.1074E-012 | 2.8923E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.5676E-011 | 3.3073E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.8832E-011 | 8.0004E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.8320E-011 | 2.3753E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.0700E-011 | 1.4896E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 8.6767E-012 | 1.2691E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.2269E-011 | 1.8521E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.0695E-011 | 1.6095E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.1048E-011 | 1.6549E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 9.0666E-012 | 1.3612E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 8.0159E-012 | 1.2122E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.8687E-008 | 2.8729E-007 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 2.2225E-011 | 3.3186E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 4.1900E-012 | 6.6424E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.8378E-004 | 6.0703E-004 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Isophorone | 6.8607E-013 | 1.1095E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Mercuric chloride | 2.1098E-010 | 2.2068E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.7267E-017 | 6.0321E-016 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 1.0824E-019 | 1.7510E-018 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.9600E-014 | 6.4120E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Methyl mercury | 8.4793E-013 | 9.4714E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | Methylene chloride | 5.3750E-013 | 8.6966E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Naphthalene | 1.8256E-012 | 2.9209E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 1.1754E-011 | 1.8943E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.7763E-012 | 4.4891E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 3.5889E-012 | 5.7996E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitrobenzene | 1.1592E-012 | 1.8762E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 5.2775E-013 | 8.5355E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.7059E-011 | 9.3315E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 6.6373E-013 | 1.0696E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 6.7062E-013 | 1.0783E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 5.8125E-014 | 9.2226E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.0110E-012 | 4.5263E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9779E-012 | 4.4679E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.3845E-011 | 5.7969E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 7.0641E-012 | 1.0657E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.6173E-011 | 3.9676E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 6.5019E-011 | 9.6380E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.3974E-011 | 3.4511E-010 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.6256E-008 | 9.1998E-008 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Phenanthrene | 1.1333E-012 | 1.7927E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Phenol | 9.1707E-013 | 1.4794E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Pronamide | 9.7364E-011 | 1.5158E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Pyrene | 5.9901E-008 | 4.3873E-007 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Selenium | 3.3163E-005 | 3.5280E-005 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Styrene | 4.6688E-015 | 7.5261E-014 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 6.8679E-012 | 1.1254E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.0776E-012 | 3.7087E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 9.5199E-011 | 1.4411E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 7.8498E-013 | 2.0824E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.9250E-016 | 3.1044E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 9.5147E-010 | 7.8137E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Toluene | 5.8441E-012 | 9.3371E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 3.1993E-012 | 4.9702E-011 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.8317E-014 | 2.9578E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 9.8404E-015 | 1.5912E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.6162E-015 | 2.6061E-014 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 2.1302E-016 | 3.4360E-015 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.7437E-010 | 5.5337E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 8.5742E-011 | 1.0426E-009 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.6560E-014 | 5.9076E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | VX | 4.1957E-012 | 5.1361E-012 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 4.7451E-020 | 7.6710E-019 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_adult | TOCDLIC2 | Xylene, m- | 3.8244E-014 | 2.5825E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Xylene, o- | 2.3215E-014 | 1.8201E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Xylene, p- | 4.4470E-014 | 3.8492E-013 |
| RCPTR_33 | farmer_adult | TOCDLIC2 | Zinc | 1.2057E-007 | 2.8015E-007 |
| RCPTR_33 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Cadmium | 2.9861E-008 | 4.5858E-008 |
| RCPTR_33 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Mercuric chloride | 3.7720E-006 | 4.7110E-006 |
| RCPTR_33 | farmer_child | TOCDFBRA | Methyl mercury | 1.7822E-008 | 2.0751E-008 |
| RCPTR_33 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFBRA | Selenium | 2.0352E-005 | 2.1149E-005 |
| RCPTR_33 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFBRA | Zinc | 8.6201E-007 | 1.2801E-006 |
| RCPTR_33 | farmer_child | TOCDFDFS | Acenaphthene | 9.5582E-010 | 2.3173E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Acetone | 1.6927E-013 | 4.1117E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Acetophenone | 4.4261E-012 | 1.0750E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Aniline | 2.6522E-013 | 6.4401E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Anthracene | 1.8346E-008 | 4.4476E-008 |
| RCPTR_33 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Aroclor 1254 | 1.0673E-010 | 2.2877E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Benzene | 1.4375E-014 | 3.4900E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.7608E-006 | 2.7595E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 7.3860E-006 | 8.5682E-006 |
| RCPTR_33 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 6.7011E-006 | 9.5236E-006 |
| RCPTR_33 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 1.1762E-005 | 1.2809E-005 |
| RCPTR_33 | farmer_child | TOCDFDFS | Benzoic acid | 6.7256E-011 | 1.6076E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Benzyl alcohol | 9.3336E-012 | 2.2669E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 6.0349E-012 | 1.4659E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Bromodichloromethane | 3.0559E-014 | 7.4226E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 1.0601E-012 | 2.5751E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 4.0157E-007 | 7.2431E-007 |
| RCPTR_33 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.8625E-008 | 2.8047E-008 |
| RCPTR_33 | farmer_child | TOCDFDFS | Cadmium | 4.7842E-008 | 7.3457E-008 |
| RCPTR_33 | farmer_child | TOCDFDFS | Carbon disulfide | 4.0693E-015 | 9.8818E-015 |
| RCPTR_33 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.6332E-014 | 3.9652E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 5.0553E-010 | 1.1960E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.8178E-011 | 6.8417E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chlorobenzene | 4.7990E-014 | 1.1647E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chloroethane | 3.8799E-016 | 9.3957E-016 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 6.3315E-015 | 1.5378E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.5384E-009 | 6.1568E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 7.8689E-011 | 1.9114E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.4987E-009 | 8.3245E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Chrysene | 3.2929E-006 | 4.3183E-006 |
| RCPTR_33 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 3.3282E-008 | 4.9322E-008 |
| RCPTR_33 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 2.5773E+002 | 2.5773E+002 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.4744E-004 | 1.5642E-004 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 8.2951E-013 | 2.0079E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 3.0089E-012 | 7.2925E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.9625E-012 | 4.7578E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.9862E-009 | 6.2703E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.9953E-017 | 7.2730E-017 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.6435E-015 | 6.4208E-015 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.2726E-015 | 7.9490E-015 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.8542E-015 | 6.9312E-015 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 4.5764E-015 | 1.1113E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 2.4806E-010 | 5.7376E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.5881E-014 | 6.2836E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.9849E-015 | 7.2496E-015 |
| RCPTR_33 | farmer_child | TOCDFDFS | Diethyl phthalate | 5.5457E-009 | 6.4255E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.7903E-011 | 6.7572E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 5.3838E-011 | 1.3067E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 2.3267E-011 | 4.9296E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 1.0555E-011 | 2.5513E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 8.1433E-012 | 1.9707E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 1.1251E-012 | 2.7330E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Ethylbenzene | 5.9384E-014 | 1.4370E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 5.4393E-010 | 8.5875E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Fluoranthene | 2.6629E-007 | 5.5465E-007 |
| RCPTR_33 | farmer_child | TOCDFDFS | Fluorene | 3.8626E-009 | 9.3528E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 4.6836E-013 | 5.2903E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.9293E-013 | 6.5492E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.4121E-012 | 1.5898E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.7444E-012 | 4.1455E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 2.3019E-012 | 2.6121E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.9355E-012 | 2.2326E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.7331E-012 | 3.1844E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 2.3764E-012 | 2.7664E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.4458E-012 | 2.8427E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 2.0108E-012 | 2.3389E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 8.9165E-011 | 2.1516E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Hexachlorobenzene | 2.1185E-007 | 5.0990E-007 |
| RCPTR_33 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 1.2098E-009 | 2.9156E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.8632E-011 | 1.1789E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 1.0591E-003 | 1.0794E-003 |
| RCPTR_33 | farmer_child | TOCDFDFS | Isophorone | 8.1074E-012 | 1.9692E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Mercuric chloride | 4.3736E-009 | 5.4660E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.6972E-016 | 6.5516E-016 |
| RCPTR_33 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 5.1875E-018 | 1.2600E-017 |
| RCPTR_33 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.1414E-014 | 7.6309E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Methyl mercury | 2.0146E-011 | 2.3552E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Methylene chloride | 1.7559E-013 | 4.2651E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | Naphthalene | 5.6480E-011 | 1.3704E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.3684E-010 | 3.3225E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 3.2418E-011 | 7.8737E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 4.1884E-011 | 1.0172E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitrobenzene | 1.3709E-011 | 3.3300E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 6.2373E-012 | 1.5150E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 7.9784E-011 | 1.6365E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 7.8188E-012 | 1.8984E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 7.8838E-012 | 1.9138E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 6.7522E-013 | 1.6370E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 1.1283E-012 | 1.3133E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 3.3792E-013 | 3.9312E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 7.8834E-012 | 8.7807E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 8.6739E-013 | 1.0098E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 3.2316E-012 | 3.7688E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Pentachlorobenzene | 3.5169E-009 | 8.4683E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.5218E-010 | 6.0537E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.7984E-008 | 3.2591E-008 |
| RCPTR_33 | farmer_child | TOCDFDFS | Phenanthrene | 1.3128E-011 | 3.1819E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Phenol | 1.0813E-011 | 2.6257E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Pronamide | 2.2234E-009 | 5.3807E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Pyrene | 4.7580E-007 | 7.7872E-007 |
| RCPTR_33 | farmer_child | TOCDFDFS | Selenium | 4.2688E-006 | 4.4358E-006 |
| RCPTR_33 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Styrene | 5.7549E-013 | 1.3974E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 5.0215E-012 | 5.9937E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.8739E-012 | 3.5166E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.0599E-009 | 2.5578E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.9359E-011 | 3.1778E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.9515E-014 | 4.7386E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 6.1569E-009 | 1.3704E-008 |
| RCPTR_33 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFDFS | Toluene | 9.6380E-014 | 2.3382E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 4.3937E-011 | 1.0631E-010 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.2564E-014 | 3.0513E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.3551E-013 | 3.2913E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichloroethylene | 2.2200E-014 | 5.3905E-014 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.9268E-015 | 7.1070E-015 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 4.0796E-009 | 9.8217E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 7.8550E-010 | 1.8504E-009 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 5.0313E-013 | 1.2219E-012 |
| RCPTR_33 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 4.1672E-012 | 1.0093E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | VX | 1.2459E-011 | 1.4076E-011 |
| RCPTR_33 | farmer_child | TOCDFDFS | Vinyl Chloride | 3.6705E-018 | 8.9147E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFDFS | Xylene, m- | 3.6595E-013 | 7.8362E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Xylene, o- | 3.9378E-013 | 8.6760E-013 |
| RCPTR_33 | farmer_child | TOCDFDFS | Xylene, p- | 5.2069E-013 | 1.1670E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Acenaphthene | 5.3852E-010 | 1.3056E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Acetone | 2.3561E-011 | 5.7233E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Acetophenone | 2.4937E-012 | 6.0569E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Aniline | 1.4943E-013 | 3.6285E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | Anthracene | 1.0336E-008 | 2.5058E-008 |
| RCPTR_33 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Benzene | 3.1922E-014 | 7.7504E-014 |
| RCPTR_33 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 9.9098E-007 | 1.5533E-006 |
| RCPTR_33 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 4.1432E-006 | 4.8030E-006 |
| RCPTR_33 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.7709E-006 | 5.3593E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 6.5940E-006 | 7.1757E-006 |
| RCPTR_33 | farmer_child | TOCDFLIC | Benzoic acid | 5.8594E-011 | 1.4006E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Benzyl alcohol | 6.4462E-010 | 1.5656E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 3.4002E-012 | 8.2594E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Bromodichloromethane | 2.0020E-015 | 4.8627E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.9386E-012 | 4.7089E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.2625E-007 | 4.0809E-007 |
| RCPTR_33 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.8090E-009 | 4.2357E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Cadmium | 1.3894E-008 | 2.1332E-008 |
| RCPTR_33 | farmer_child | TOCDFLIC | Carbon disulfide | 1.3260E-016 | 3.2201E-016 |
| RCPTR_33 | farmer_child | TOCDFLIC | Carbon tetrachloride | 1.0700E-015 | 2.5977E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.8484E-010 | 6.7386E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.5876E-011 | 3.8547E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chlorobenzene | 6.2769E-015 | 1.5234E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Chloroethane | 1.8758E-016 | 4.5425E-016 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 8.2814E-016 | 2.0114E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.4302E-009 | 3.4688E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 4.4335E-011 | 1.0769E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.9712E-009 | 4.6901E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Chrysene | 1.8528E-006 | 2.4296E-006 |
| RCPTR_33 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.2097E-008 | 1.7927E-008 |
| RCPTR_33 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 4.4504E+000 | 4.4504E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 8.2550E-005 | 8.7456E-005 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 2.1341E-012 | 5.1656E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.6081E-012 | 6.3211E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.4847E-012 | 6.0239E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.7990E-009 | 5.9781E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.4481E-017 | 3.5163E-017 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 3.4576E-016 | 8.3982E-016 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.4893E-015 | 1.0904E-014 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.3799E-015 | 3.3510E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.2125E-015 | 5.3729E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.9147E-010 | 4.4284E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 1.1931E-015 | 2.8966E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.9041E-016 | 9.4822E-016 |
| RCPTR_33 | farmer_child | TOCDFLIC | Diethyl phthalate | 6.0643E-010 | 7.0256E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dimethyl phthalate | 3.2180E-011 | 7.7928E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 3.0334E-011 | 7.3619E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.6485E-012 | 5.6112E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.7467E-011 | 6.6394E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 2.1192E-011 | 5.1286E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 6.3392E-013 | 1.5399E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Ethylbenzene | 3.4159E-014 | 8.2658E-014 |
| RCPTR_33 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 1.0734E-009 | 1.6972E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Fluoranthene | 1.5002E-007 | 3.1248E-007 |
| RCPTR_33 | farmer_child | TOCDFLIC | Fluorene | 2.1762E-009 | 5.2696E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.5627E-012 | 2.8923E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 8.6845E-012 | 9.5836E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 2.0610E-011 | 2.3183E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 2.1473E-011 | 2.3753E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.3137E-011 | 1.4896E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 1.1008E-011 | 1.2691E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.5902E-011 | 1.8521E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.3831E-011 | 1.6095E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.4243E-011 | 1.6549E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 1.1707E-011 | 1.3612E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 5.0236E-011 | 1.2122E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Hexachlorobenzene | 1.1936E-007 | 2.8729E-007 |
| RCPTR_33 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.3770E-010 | 3.3186E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.7400E-011 | 6.6424E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.9593E-004 | 6.0703E-004 |
| RCPTR_33 | farmer_child | TOCDFLIC | Isophorone | 4.5679E-012 | 1.1095E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Mercuric chloride | 1.7656E-010 | 2.2068E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.4834E-016 | 6.0321E-016 |
| RCPTR_33 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.4399E-017 | 3.4973E-017 |
| RCPTR_33 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.6396E-013 | 6.4120E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | Methyl mercury | 8.0956E-013 | 9.4714E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | Methylene chloride | 3.5804E-012 | 8.6966E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Naphthalene | 1.2038E-011 | 2.9209E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 7.8018E-011 | 1.8943E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.8483E-011 | 4.4891E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 4.7673E-012 | 1.1578E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitrobenzene | 7.7241E-012 | 1.8762E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.7603E-011 | 4.2755E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 9.0832E-012 | 1.8629E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 4.4053E-012 | 1.0696E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 4.4419E-012 | 1.0783E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.8040E-013 | 9.2226E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.8903E-012 | 4.5263E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.8421E-012 | 4.4679E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 5.2072E-011 | 5.7969E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 9.1558E-012 | 1.0657E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 3.4027E-011 | 3.9676E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Pentachlorobenzene | 2.0047E-009 | 4.8278E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.4374E-010 | 3.4511E-010 |
| RCPTR_33 | farmer_child | TOCDFLIC | Pentachlorophenol | 1.0136E-008 | 1.8366E-008 |
| RCPTR_33 | farmer_child | TOCDFLIC | Phenanthrene | 7.3965E-012 | 1.7927E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Phenol | 6.0923E-012 | 1.4794E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Pronamide | 6.2636E-010 | 1.5158E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Pyrene | 2.6806E-007 | 4.3873E-007 |
| RCPTR_33 | farmer_child | TOCDFLIC | Selenium | 3.3952E-005 | 3.5280E-005 |
| RCPTR_33 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Styrene | 3.0996E-014 | 7.5261E-014 |
| RCPTR_33 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 9.4289E-012 | 1.1254E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 3.0309E-012 | 3.7087E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 5.9716E-010 | 1.4411E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.2689E-012 | 2.0824E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.2785E-015 | 3.1044E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 3.5107E-009 | 7.8137E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFLIC | Toluene | 3.8487E-011 | 9.3371E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.0542E-011 | 4.9702E-011 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.2180E-013 | 2.9578E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 6.5515E-014 | 1.5912E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichloroethylene | 1.0733E-014 | 2.6061E-014 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.4150E-015 | 3.4360E-015 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.2985E-009 | 5.5337E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 4.4259E-010 | 1.0426E-009 |
| RCPTR_33 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.4325E-013 | 5.9076E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | VX | 4.3732E-012 | 4.9404E-012 |
| RCPTR_33 | farmer_child | TOCDFLIC | Vinyl Chloride | 3.1584E-019 | 7.6710E-019 |
| RCPTR_33 | farmer_child | TOCDFLIC | Xylene, m- | 1.2029E-013 | 2.5825E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | Xylene, o- | 8.2436E-014 | 1.8201E-013 |
| RCPTR_33 | farmer_child | TOCDFLIC | Xylene, p- | 1.7144E-013 | 3.8492E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFLIC | Zinc | 1.8869E-007 | 2.8015E-007 |
| RCPTR_33 | farmer_child | TOCDFMPF | Acenaphthene | 9.9154E-011 | 2.4039E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Acetone | 1.0077E-015 | 2.4478E-015 |
| RCPTR_33 | farmer_child | TOCDFMPF | Acetophenone | 1.0683E-011 | 2.5948E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Aniline | 6.4016E-013 | 1.5544E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Anthracene | 1.0929E-009 | 2.6495E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Benzene | 5.6372E-015 | 1.3687E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 9.2128E-008 | 1.4440E-007 |
| RCPTR_33 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 7.0982E-007 | 8.2281E-007 |
| RCPTR_33 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 5.4991E-007 | 7.8154E-007 |
| RCPTR_33 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 9.8544E-007 | 1.0723E-006 |
| RCPTR_33 | farmer_child | TOCDFMPF | Benzoic acid | 1.1303E-011 | 2.7017E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Benzyl alcohol | 5.1335E-012 | 1.2468E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.4535E-012 | 3.5308E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.9701E-014 | 7.2142E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 1.0304E-012 | 2.5028E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.3013E-007 | 2.3471E-007 |
| RCPTR_33 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.7373E-010 | 5.6359E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Cadmium | 4.4344E-008 | 6.8086E-008 |
| RCPTR_33 | farmer_child | TOCDFMPF | Carbon disulfide | 1.9673E-015 | 4.7773E-015 |
| RCPTR_33 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.5874E-014 | 3.8539E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.2254E-010 | 2.8991E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chloroaniline, p- | 4.7030E-012 | 1.1419E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chlorobenzene | 9.3123E-014 | 2.2601E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chloroethane | 2.6535E-016 | 6.4258E-016 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.2286E-014 | 2.9841E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.5290E-010 | 6.1339E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.6407E-011 | 3.9853E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 6.1268E-010 | 1.4578E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Chrysene | 1.9251E-007 | 2.5244E-007 |
| RCPTR_33 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.4224E-008 | 2.1079E-008 |
| RCPTR_33 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 4.0241E+000 | 4.0241E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 2.1967E-005 | 2.3271E-005 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 7.4696E-013 | 1.8080E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 8.5107E-013 | 2.0627E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 8.0626E-013 | 1.9547E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.1426E-009 | 1.7980E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 2.0485E-017 | 4.9740E-017 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 5.1297E-015 | 1.2459E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.3504E-015 | 1.5425E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.9520E-015 | 4.7403E-015 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.1298E-015 | 7.6004E-015 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 7.5394E-011 | 1.7438E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.7700E-014 | 4.2973E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.7921E-015 | 1.4068E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.3030E-009 | 1.5095E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.8675E-012 | 4.5224E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 1.2027E-011 | 2.9190E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 5.1180E-012 | 1.0843E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.8054E-011 | 9.1987E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.6656E-011 | 6.4511E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.7157E-012 | 6.5968E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Ethylbenzene | 5.7717E-014 | 1.3966E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.8656E-010 | 2.9500E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Fluoranthene | 1.1732E-008 | 2.4438E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Fluorene | 3.3325E-010 | 8.0693E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.8278E-013 | 3.1914E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.4588E-012 | 1.6098E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.3663E-012 | 1.5369E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.7479E-012 | 4.1458E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 2.2924E-012 | 2.5992E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.8929E-012 | 2.1821E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 4.3115E-012 | 5.0215E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.4740E-011 | 1.7152E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.2444E-011 | 1.4458E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.4990E-012 | 1.7428E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.8344E-011 | 6.8395E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Hexachlorobenzene | 5.9729E-008 | 1.4376E-007 |
| RCPTR_33 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 9.6269E-011 | 2.3201E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.9381E-011 | 4.6983E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.3036E-004 | 1.3279E-004 |
| RCPTR_33 | farmer_child | TOCDFMPF | Isophorone | 8.2023E-013 | 1.9922E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Mercuric chloride | 1.9108E-010 | 2.3883E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.8446E-016 | 4.4807E-016 |
| RCPTR_33 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 1.0695E-017 | 2.5978E-017 |
| RCPTR_33 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 4.4600E-015 | 1.0834E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Methyl mercury | 8.7592E-013 | 1.0248E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Methylene chloride | 1.1737E-015 | 2.8509E-015 |
| RCPTR_33 | farmer_child | TOCDFMPF | Naphthalene | 1.0199E-011 | 2.4746E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 9.7247E-012 | 2.3612E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.8666E-012 | 4.5337E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 2.1379E-012 | 5.1923E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Nitrobenzene | 2.6543E-012 | 6.4472E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 2.1365E-012 | 5.1893E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 8.1551E-012 | 1.6726E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.8872E-011 | 4.5822E-011 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 1.0081E-012 | 2.4473E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.4861E-013 | 6.0273E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.9950E-013 | 3.4846E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.9339E-014 | 3.4117E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 8.6332E-012 | 9.6107E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 6.2446E-012 | 7.2682E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 4.1836E-012 | 4.8781E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.7145E-009 | 4.1289E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 6.1467E-011 | 1.4758E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Pentachlorophenol | 6.0703E-009 | 1.0999E-008 |
| RCPTR_33 | farmer_child | TOCDFMPF | Phenanthrene | 7.8206E-013 | 1.8955E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Phenol | 2.0047E-012 | 4.8679E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Pronamide | 2.6833E-009 | 6.4937E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Pyrene | 1.9767E-008 | 3.2352E-008 |
| RCPTR_33 | farmer_child | TOCDFMPF | Selenium | 1.0731E-005 | 1.1151E-005 |
| RCPTR_33 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Styrene | 4.7531E-013 | 1.1541E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 4.1114E-012 | 4.9071E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 2.0509E-012 | 2.5096E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.5582E-009 | 6.1738E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.0084E-013 | 4.8770E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.8967E-014 | 4.6056E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.5013E-009 | 3.3413E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDFMPF | Toluene | 2.5023E-014 | 6.0707E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 6.9654E-012 | 1.6853E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.2212E-014 | 2.9656E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 9.2677E-014 | 2.2510E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | Trichloroethylene | 1.5183E-014 | 3.6866E-014 |
| RCPTR_33 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.0016E-015 | 4.8605E-015 |
| RCPTR_33 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.0350E-009 | 2.4917E-009 |
| RCPTR_33 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 2.0251E-010 | 4.7705E-010 |
| RCPTR_33 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 3.4409E-013 | 8.3568E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | VX | 6.0781E-012 | 6.8664E-012 |
| RCPTR_33 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.8433E-018 | 1.1763E-017 |
| RCPTR_33 | farmer_child | TOCDFMPF | Xylene, m- | 9.5416E-014 | 2.0487E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | Xylene, o- | 1.0278E-013 | 2.2695E-013 |
| RCPTR_33 | farmer_child | TOCDFMPF | Xylene, p- | 1.3600E-013 | 3.0537E-013 |
| RCPTR_33 | farmer_child | TOCDHVAC | VX | 3.6545E-012 | 4.1304E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Acenaphthene | 5.3852E-010 | 1.3056E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Acetone | 2.3561E-011 | 5.7233E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Acetophenone | 2.4937E-012 | 6.0569E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Aniline | 1.4943E-013 | 3.6285E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Anthracene | 1.0336E-008 | 2.5058E-008 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Benzene | 3.1922E-014 | 7.7504E-014 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 9.9098E-007 | 1.5533E-006 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 4.1432E-006 | 4.8030E-006 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.7709E-006 | 5.3593E-006 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 6.5940E-006 | 7.1757E-006 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Benzoic acid | 5.8594E-011 | 1.4006E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Benzyl alcohol | 6.4462E-010 | 1.5656E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.4002E-012 | 8.2594E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Bromodichloromethane | 2.0020E-015 | 4.8627E-015 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.9386E-012 | 4.7089E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.2625E-007 | 4.0809E-007 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.8090E-009 | 4.2357E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Cadmium | 1.3894E-008 | 2.1332E-008 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.3260E-016 | 3.2201E-016 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 1.0700E-015 | 2.5977E-015 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.8484E-010 | 6.7386E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.5876E-011 | 3.8547E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chlorobenzene | 6.2769E-015 | 1.5234E-014 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chloroethane | 1.8758E-016 | 4.5425E-016 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 8.2814E-016 | 2.0114E-015 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.4302E-009 | 3.4688E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 4.4335E-011 | 1.0769E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.9712E-009 | 4.6901E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Chrysene | 1.8528E-006 | 2.4296E-006 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.2097E-008 | 1.7927E-008 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 4.4504E+000 | 4.4504E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 8.2550E-005 | 8.7456E-005 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.1341E-012 | 5.1656E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.6081E-012 | 6.3211E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.4847E-012 | 6.0239E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.7990E-009 | 5.9781E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.4481E-017 | 3.5163E-017 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 3.3452E-016 | 8.1251E-016 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.4893E-015 | 1.0904E-014 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.3799E-015 | 3.3510E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.2125E-015 | 5.3729E-015 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.9147E-010 | 4.4284E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 1.1931E-015 | 2.8966E-015 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.9041E-016 | 9.4822E-016 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Diethyl phthalate | 6.0643E-010 | 7.0256E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 3.2180E-011 | 7.7928E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 3.0334E-011 | 7.3619E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.6485E-012 | 5.6112E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.7467E-011 | 6.6394E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.1192E-011 | 5.1286E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 6.3392E-013 | 1.5399E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Ethylbenzene | 3.4159E-014 | 8.2658E-014 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 1.0734E-009 | 1.6972E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Fluoranthene | 1.5002E-007 | 3.1248E-007 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Fluorene | 2.1762E-009 | 5.2696E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.5627E-012 | 2.8923E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.9970E-011 | 3.3073E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 7.1123E-011 | 8.0004E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 2.1473E-011 | 2.3753E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.3137E-011 | 1.4896E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 1.1008E-011 | 1.2691E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.5902E-011 | 1.8521E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.3831E-011 | 1.6095E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.4243E-011 | 1.6549E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 1.1707E-011 | 1.3612E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 5.0236E-011 | 1.2122E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 1.1936E-007 | 2.8729E-007 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.3770E-010 | 3.3186E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.7400E-011 | 6.6424E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.9593E-004 | 6.0703E-004 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Isophorone | 4.5679E-012 | 1.1095E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.7656E-010 | 2.2068E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.4834E-016 | 6.0321E-016 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 7.2091E-019 | 1.7510E-018 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.6396E-013 | 6.4120E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Methyl mercury | 8.0956E-013 | 9.4714E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Methylene chloride | 3.5804E-012 | 8.6966E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Naphthalene | 1.2038E-011 | 2.9209E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 7.8018E-011 | 1.8943E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.8483E-011 | 4.4891E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 2.3880E-011 | 5.7996E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitrobenzene | 7.7241E-012 | 1.8762E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 3.5142E-012 | 8.5355E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 4.5498E-011 | 9.3315E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 4.4053E-012 | 1.0696E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 4.4419E-012 | 1.0783E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.8040E-013 | 9.2226E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.8903E-012 | 4.5263E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.8421E-012 | 4.4679E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 5.2072E-011 | 5.7969E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 9.1558E-012 | 1.0657E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 3.4027E-011 | 3.9676E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 4.0022E-010 | 9.6380E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.4374E-010 | 3.4511E-010 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Pentachlorophenol | 5.0774E-008 | 9.1998E-008 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Phenanthrene | 7.3965E-012 | 1.7927E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Phenol | 6.0923E-012 | 1.4794E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Pronamide | 6.2636E-010 | 1.5158E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Pyrene | 2.6806E-007 | 4.3873E-007 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Selenium | 3.3952E-005 | 3.5280E-005 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Styrene | 3.0996E-014 | 7.5261E-014 |
| RCPTR_33 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 9.4289E-012 | 1.1254E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 3.0309E-012 | 3.7087E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 5.9716E-010 | 1.4411E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.2689E-012 | 2.0824E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.2785E-015 | 3.1044E-015 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 3.5107E-009 | 7.8137E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Toluene | 3.8487E-011 | 9.3371E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.0542E-011 | 4.9702E-011 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.2180E-013 | 2.9578E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 6.5515E-014 | 1.5912E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichloroethylene | 1.0733E-014 | 2.6061E-014 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.4150E-015 | 3.4360E-015 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.2985E-009 | 5.5337E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 4.4259E-010 | 1.0426E-009 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.4325E-013 | 5.9076E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | VX | 4.5464E-012 | 5.1361E-012 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Vinyl Chloride | 3.1584E-019 | 7.6710E-019 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Xylene, m- | 1.2029E-013 | 2.5825E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Xylene, o- | 8.2436E-014 | 1.8201E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Xylene, p- | 1.7144E-013 | 3.8492E-013 |
| RCPTR_33 | farmer_child | TOCDLIC2 | Zinc | 1.8869E-007 | 2.8015E-007 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Cadmium | 1.0489E-008 | 2.8651E-008 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Mercuric chloride | 2.5067E-006 | 2.6216E-006 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Methyl mercury | 1.0392E-008 | 1.1567E-008 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Selenium | 1.2308E-005 | 1.3106E-005 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFBRA | Zinc | 3.4137E-007 | 7.9907E-007 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Acenaphthene | 9.7262E-011 | 1.5436E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Acetone | 1.6914E-014 | 2.7390E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Acetophenone | 4.4275E-013 | 7.1612E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Aniline | 2.6595E-014 | 4.2900E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Anthracene | 1.8665E-009 | 2.9626E-008 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Aroclor 1254 | 2.2317E-011 | 1.5196E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Benzene | 1.4432E-015 | 2.3248E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 4.8228E-007 | 1.8285E-006 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 4.0807E-006 | 5.5809E-006 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 2.5454E-006 | 6.2875E-006 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 6.6234E-006 | 8.3311E-006 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Benzoic acid | 7.7306E-012 | 1.0707E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Benzyl alcohol | 9.3417E-013 | 1.5100E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 6.0306E-013 | 9.7652E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Bromodichloromethane | 3.0564E-015 | 4.9445E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.0600E-013 | 1.7154E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 4.7496E-008 | 4.8249E-007 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 8.4277E-009 | 1.8434E-008 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Cadmium | 1.8303E-008 | 4.9823E-008 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Carbon disulfide | 4.0785E-016 | 6.5826E-015 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 1.6403E-015 | 2.6413E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 6.2913E-011 | 7.9641E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 2.8279E-012 | 4.5575E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chlorobenzene | 4.8342E-015 | 7.7586E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chloroethane | 3.9899E-017 | 6.2586E-016 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 6.3341E-016 | 1.0244E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 2.5729E-010 | 4.1012E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 7.8662E-012 | 1.2733E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 4.1689E-010 | 5.5435E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Chrysene | 1.3318E-006 | 2.8472E-006 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.5512E-008 | 3.2550E-008 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 1.6840E+002 | 1.6840E+002 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 8.9708E-005 | 1.0328E-004 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 8.5647E-014 | 1.3375E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 3.0708E-013 | 4.8577E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 1.9969E-013 | 3.1693E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 1.7108E-009 | 4.1339E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 3.0048E-018 | 4.8448E-017 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 2.6440E-016 | 4.2771E-015 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.2725E-016 | 5.2951E-015 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 2.8597E-016 | 4.6171E-015 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 4.5864E-016 | 7.4029E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 3.5946E-011 | 3.8195E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 2.5991E-015 | 4.1857E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.9871E-016 | 4.8292E-015 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Diethyl phthalate | 3.2828E-009 | 4.2174E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 2.8689E-012 | 4.5010E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 5.4248E-012 | 8.7040E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 5.1199E-012 | 3.2771E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.1031E-012 | 1.6994E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 8.4215E-013 | 1.3127E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.1245E-013 | 1.8206E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Ethylbenzene | 6.1484E-015 | 9.5717E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.3070E-010 | 5.6495E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Fluoranthene | 3.4421E-008 | 3.6926E-007 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Fluorene | 3.9750E-010 | 6.2300E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 2.4631E-013 | 3.3932E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 3.2678E-013 | 4.2216E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 7.4785E-013 | 1.0207E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.0582E-012 | 2.6768E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.2000E-012 | 1.6772E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 9.7181E-013 | 1.4280E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.3463E-012 | 2.0428E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.1738E-012 | 1.7753E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.2128E-012 | 1.8259E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 9.9519E-013 | 1.5017E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 9.4626E-012 | 1.4331E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 2.2071E-008 | 3.3964E-007 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.2983E-010 | 1.9419E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.9517E-012 | 7.8532E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 6.7872E-004 | 7.0766E-004 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Isophorone | 8.1112E-013 | 1.3117E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Mercuric chloride | 3.4713E-009 | 3.6310E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 2.6963E-017 | 4.3643E-016 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 5.1883E-019 | 8.3932E-018 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 3.1394E-015 | 5.0832E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Methyl mercury | 1.3820E-011 | 1.5454E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Methylene chloride | 1.7560E-014 | 2.8411E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Naphthalene | 5.7042E-012 | 9.1286E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.3732E-011 | 2.2132E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 3.2436E-012 | 5.2449E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 4.1930E-012 | 6.7760E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.3705E-012 | 2.2183E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 6.2395E-013 | 1.0092E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 1.9650E-011 | 1.0875E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 7.8466E-013 | 1.2646E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 7.9276E-013 | 1.2749E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 6.8631E-014 | 1.0903E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 5.5397E-013 | 8.3707E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 1.6611E-013 | 2.5052E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 4.3081E-012 | 5.7166E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 4.3543E-013 | 6.6013E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.6113E-012 | 2.4548E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 3.7953E-010 | 5.6396E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.7917E-011 | 4.0313E-010 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Pentachlorophenol | 6.0939E-009 | 2.1611E-008 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Phenanthrene | 1.3392E-012 | 2.1195E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Phenol | 1.0842E-012 | 1.7491E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Pronamide | 2.3004E-010 | 3.5841E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Pyrene | 7.0688E-008 | 5.1858E-007 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Selenium | 2.8127E-006 | 2.9938E-006 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Styrene | 5.7738E-014 | 9.3082E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 2.3874E-012 | 3.9331E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.2914E-012 | 2.3177E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.1240E-010 | 1.7037E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 7.8399E-012 | 2.1033E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.9572E-015 | 3.1566E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.1000E-009 | 9.1176E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Toluene | 9.7460E-015 | 1.5575E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 4.5521E-012 | 7.0814E-011 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.2586E-015 | 2.0326E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.3558E-014 | 2.1925E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichloroethylene | 2.2267E-015 | 3.5908E-014 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.9348E-016 | 4.7342E-015 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 4.4180E-010 | 6.5418E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.0084E-010 | 1.2321E-009 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 5.0372E-014 | 8.1397E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 4.2748E-013 | 6.7224E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | VX | 7.5146E-012 | 9.2326E-012 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Vinyl Chloride | 3.6731E-019 | 5.9384E-018 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Xylene, m- | 7.5433E-014 | 5.1913E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Xylene, o- | 7.2154E-014 | 5.7551E-013 |
| RCPTR_34 | farmer_adult | TOCDFDFS | Xylene, p- | 8.8110E-014 | 7.7473E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Acenaphthene | 5.6014E-011 | 8.8896E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Acetone | 2.4066E-012 | 3.8970E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Acetophenone | 2.5498E-013 | 4.1242E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Aniline | 1.5316E-014 | 2.4706E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Anthracene | 1.0749E-009 | 1.7062E-008 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Benzene | 3.2759E-015 | 5.2772E-014 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 2.7752E-007 | 1.0522E-006 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 2.3437E-006 | 3.1978E-006 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.4655E-006 | 3.6177E-006 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 3.8032E-006 | 4.7701E-006 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Benzoic acid | 6.8866E-012 | 9.5347E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Benzyl alcohol | 6.5948E-011 | 1.0660E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 3.4730E-013 | 5.6239E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.0467E-016 | 3.3110E-015 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 1.9813E-013 | 3.2063E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.7353E-008 | 2.7787E-007 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.2972E-009 | 2.8459E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Cadmium | 5.4220E-009 | 1.4755E-008 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.3585E-017 | 2.1926E-016 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.0984E-016 | 1.7687E-015 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 3.6253E-011 | 4.5868E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 1.6286E-012 | 2.6247E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chlorobenzene | 6.4632E-016 | 1.0373E-014 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chloroethane | 1.9719E-017 | 3.0929E-016 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 8.4684E-017 | 1.3696E-015 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.4818E-010 | 2.3619E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 4.5302E-012 | 7.3327E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 2.4009E-010 | 3.1925E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Chrysene | 7.6690E-007 | 1.6379E-006 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 5.7707E-009 | 1.2101E-008 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 2.9773E+000 | 2.9773E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 5.1483E-005 | 5.9044E-005 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 2.2524E-013 | 3.5171E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 2.7208E-013 | 4.3039E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 2.5845E-013 | 4.1016E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 1.6672E-009 | 4.0296E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.4849E-018 | 2.3942E-017 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 3.5349E-017 | 5.7183E-016 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.5886E-016 | 7.4247E-015 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.4132E-016 | 2.2817E-015 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.2665E-016 | 3.6584E-015 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 2.8384E-011 | 3.0135E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.2247E-016 | 1.9723E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.9936E-017 | 6.4565E-016 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Diethyl phthalate | 3.6756E-010 | 4.7194E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 3.3818E-012 | 5.3059E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 3.1242E-012 | 5.0127E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 5.9644E-013 | 3.8135E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 2.9336E-012 | 4.5203E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 2.2401E-012 | 3.4919E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 6.4762E-014 | 1.0485E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Ethylbenzene | 3.6153E-015 | 5.6279E-014 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 4.6436E-010 | 1.1413E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Fluoranthene | 1.9824E-008 | 2.1265E-007 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Fluorene | 2.2893E-010 | 3.5879E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.3769E-012 | 1.8907E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 4.8960E-012 | 6.3034E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.1154E-011 | 1.5173E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.2074E-011 | 1.5654E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 6.9966E-012 | 9.7495E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 5.6394E-012 | 8.2665E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 7.9900E-012 | 1.2104E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 6.9690E-012 | 1.0523E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 7.2072E-012 | 1.0831E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 5.9115E-012 | 8.9049E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 5.4490E-012 | 8.2532E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.2711E-008 | 1.9560E-007 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.5103E-011 | 2.2593E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.8519E-012 | 4.5227E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 3.9116E-004 | 4.0728E-004 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Isophorone | 4.6713E-013 | 7.5543E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.4322E-010 | 1.4982E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 2.5375E-017 | 4.1073E-016 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.4720E-018 | 2.3813E-017 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.6964E-014 | 4.3659E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Methyl mercury | 5.6748E-013 | 6.3493E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Methylene chloride | 3.6598E-013 | 5.9216E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Naphthalene | 1.2428E-012 | 1.9888E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 8.0026E-012 | 1.2898E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 1.8903E-012 | 3.0567E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 4.8782E-013 | 7.8835E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitrobenzene | 7.8927E-013 | 1.2775E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 1.8000E-012 | 2.9112E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 2.2902E-012 | 1.2656E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 4.5190E-013 | 7.2830E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 4.5657E-013 | 7.3420E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 3.9503E-014 | 6.2789E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 1.9466E-012 | 2.9359E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 1.9246E-012 | 2.8974E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 2.9118E-011 | 3.8560E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 4.6999E-012 | 7.1179E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.7340E-011 | 2.6389E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 2.2090E-010 | 3.2864E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.6243E-011 | 2.3491E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Pentachlorophenol | 3.5169E-009 | 1.2453E-008 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Phenanthrene | 7.7128E-013 | 1.2206E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Phenol | 6.2439E-013 | 1.0073E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Pronamide | 6.6245E-011 | 1.0321E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Pyrene | 4.0711E-008 | 2.9864E-007 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Selenium | 2.2822E-005 | 2.4290E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Styrene | 3.1787E-015 | 5.1246E-014 |
| RCPTR_34 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 4.5831E-012 | 7.5463E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.3925E-012 | 2.4985E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 6.4738E-011 | 9.8118E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 5.2617E-013 | 1.4096E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.3106E-016 | 2.1138E-015 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 6.4185E-010 | 5.3144E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Toluene | 3.9782E-012 | 6.3576E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.1765E-012 | 3.3840E-011 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.2471E-014 | 2.0140E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 6.7002E-015 | 1.0835E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.1004E-015 | 1.7745E-014 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.4503E-016 | 2.3396E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.5449E-010 | 3.7675E-009 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 5.8110E-011 | 7.0961E-010 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 2.4893E-014 | 4.0225E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | VX | 2.7007E-012 | 3.3166E-012 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Vinyl Chloride | 3.2307E-020 | 5.2232E-019 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Xylene, m- | 2.5029E-014 | 1.7483E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Xylene, o- | 1.5262E-014 | 1.2338E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Xylene, p- | 2.9339E-014 | 2.6115E-013 |
| RCPTR_34 | farmer_adult | TOCDFLIC | Zinc | 8.3033E-008 | 1.9367E-007 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Acenaphthene | 1.0269E-011 | 1.6297E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Acetone | 1.0248E-016 | 1.6595E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Acetophenone | 1.0876E-012 | 1.7592E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Aniline | 6.5331E-014 | 1.0538E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Anthracene | 1.1316E-010 | 1.7962E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Benzene | 5.7601E-016 | 9.2789E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 2.5689E-008 | 9.7398E-008 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 3.9988E-007 | 5.4566E-007 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 2.1279E-007 | 5.2531E-007 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 5.6606E-007 | 7.1005E-007 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Benzoic acid | 1.3226E-012 | 1.8312E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Benzyl alcohol | 5.2290E-013 | 8.4525E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.4783E-013 | 2.3937E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Bromodichloromethane | 3.0232E-015 | 4.8909E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.0485E-013 | 1.6968E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.5664E-008 | 1.5912E-007 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 1.7190E-010 | 3.7710E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Cadmium | 1.7272E-008 | 4.7000E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.0067E-016 | 3.2388E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 1.6225E-015 | 2.6127E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.5529E-011 | 1.9648E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 4.8037E-013 | 7.7415E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chlorobenzene | 9.5472E-015 | 1.5323E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chloroethane | 2.7773E-017 | 4.3562E-016 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.2509E-015 | 2.0231E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 2.6088E-011 | 4.1584E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 1.6692E-012 | 2.7018E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 7.4301E-011 | 9.8800E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Chrysene | 7.9338E-008 | 1.6946E-007 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 6.7551E-009 | 1.4166E-008 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 2.6799E+000 | 2.6799E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.3644E-005 | 1.5651E-005 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 7.8494E-014 | 1.2257E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 8.8400E-014 | 1.3984E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 8.3500E-014 | 1.3252E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 4.9929E-010 | 1.2068E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.0914E-018 | 3.3721E-017 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 5.2216E-016 | 8.4469E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 6.4628E-016 | 1.0457E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 1.9904E-016 | 3.2137E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 3.1923E-016 | 5.1527E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.1127E-011 | 1.1815E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 1.8091E-015 | 2.9134E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.8991E-016 | 9.5372E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Diethyl phthalate | 7.8614E-010 | 1.0095E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 1.9541E-013 | 3.0658E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.2334E-012 | 1.9789E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.1474E-012 | 7.3371E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 4.0468E-012 | 6.2356E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 2.8056E-012 | 4.3733E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 2.7624E-013 | 4.4723E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Ethylbenzene | 6.0820E-015 | 9.4680E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 8.0387E-011 | 1.9756E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Fluoranthene | 1.5436E-009 | 1.6558E-008 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Fluorene | 3.4904E-011 | 5.4704E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.5148E-013 | 2.0803E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 8.1963E-013 | 1.0554E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 7.3721E-013 | 1.0029E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.1000E-012 | 2.7229E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.2172E-012 | 1.6963E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 9.6709E-013 | 1.4177E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.1603E-012 | 3.2726E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 7.4059E-012 | 1.1184E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 6.2786E-012 | 9.4362E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 7.5473E-013 | 1.1370E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 3.0611E-012 | 4.6364E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 6.3332E-009 | 9.7457E-008 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.0513E-011 | 1.5727E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.0084E-012 | 3.1852E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 8.5190E-005 | 8.8706E-005 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Isophorone | 8.3517E-014 | 1.3506E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Mercuric chloride | 1.5435E-010 | 1.6145E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 1.8767E-017 | 3.0377E-016 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.0887E-018 | 1.7612E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 4.5361E-016 | 7.3449E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Methyl mercury | 6.1163E-013 | 6.8432E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Methylene chloride | 1.1945E-016 | 1.9327E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Naphthalene | 1.0483E-012 | 1.6776E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 9.9318E-013 | 1.6008E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 1.9008E-013 | 3.0736E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 2.1782E-013 | 3.5201E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitrobenzene | 2.7005E-013 | 4.3709E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 2.1752E-013 | 3.5181E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.0470E-012 | 1.1313E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.9275E-012 | 3.1065E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.0317E-013 | 1.6591E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 2.5706E-014 | 4.0858E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.4950E-013 | 2.2549E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.4661E-014 | 2.2073E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 4.8088E-012 | 6.3685E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 3.1929E-012 | 4.8359E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.1241E-012 | 3.2327E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 1.8811E-010 | 2.7985E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 6.9159E-012 | 1.0002E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.0967E-009 | 7.4251E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Phenanthrene | 8.1196E-014 | 1.2850E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Phenol | 2.0456E-013 | 3.3002E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Pronamide | 2.8256E-010 | 4.4022E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Pyrene | 2.9890E-009 | 2.1927E-008 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Selenium | 7.1988E-006 | 7.6619E-006 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Styrene | 4.8533E-014 | 7.8242E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 1.9904E-012 | 3.2774E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 9.3837E-013 | 1.6837E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.7613E-010 | 4.1852E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.0488E-014 | 3.3063E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.9359E-015 | 3.1223E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 2.7326E-010 | 2.2627E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Toluene | 2.5753E-015 | 4.1156E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 7.3480E-013 | 1.1425E-011 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.2450E-015 | 2.0105E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 9.4369E-015 | 1.5260E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichloroethylene | 1.5498E-015 | 2.4993E-014 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.0427E-016 | 3.2952E-015 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.1409E-010 | 1.6891E-009 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 2.6473E-011 | 3.2329E-010 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 3.5060E-014 | 5.6655E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDFMPF | VX | 3.7365E-012 | 4.5888E-012 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Vinyl Chloride | 4.9327E-019 | 7.9748E-018 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Xylene, m- | 1.9782E-014 | 1.3812E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Xylene, o- | 1.8958E-014 | 1.5321E-013 |
| RCPTR_34 | farmer_adult | TOCDFMPF | Xylene, p- | 2.3186E-014 | 2.0631E-013 |
| RCPTR_34 | farmer_adult | TOCDHVAC | VX | 1.4910E-012 | 1.8425E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Acenaphthene | 5.6014E-011 | 8.8896E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Acetone | 2.4066E-012 | 3.8970E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Acetophenone | 2.5498E-013 | 4.1242E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Aniline | 1.5316E-014 | 2.4706E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Anthracene | 1.0749E-009 | 1.7062E-008 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Benzene | 3.2759E-015 | 5.2772E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 2.7752E-007 | 1.0522E-006 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 2.3437E-006 | 3.1978E-006 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.4655E-006 | 3.6177E-006 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 3.8032E-006 | 4.7701E-006 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Benzoic acid | 6.8866E-012 | 9.5347E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 6.5948E-011 | 1.0660E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.4730E-013 | 5.6239E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.0467E-016 | 3.3110E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 1.9813E-013 | 3.2063E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.7353E-008 | 2.7787E-007 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.2972E-009 | 2.8459E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Cadmium | 5.4220E-009 | 1.4755E-008 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.3585E-017 | 2.1926E-016 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.0984E-016 | 1.7687E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 3.6253E-011 | 4.5868E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 1.6286E-012 | 2.6247E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chlorobenzene | 6.4632E-016 | 1.0373E-014 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chloroethane | 1.9719E-017 | 3.0929E-016 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 8.4684E-017 | 1.3696E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.4818E-010 | 2.3619E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 4.5302E-012 | 7.3327E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 2.4009E-010 | 3.1925E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Chrysene | 7.6690E-007 | 1.6379E-006 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 5.7707E-009 | 1.2101E-008 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 2.9773E+000 | 2.9773E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 5.1483E-005 | 5.9044E-005 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.2524E-013 | 3.5171E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.7208E-013 | 4.3039E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 2.5845E-013 | 4.1016E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 1.6672E-009 | 4.0296E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.4849E-018 | 2.3942E-017 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 3.4199E-017 | 5.5324E-016 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.5886E-016 | 7.4247E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.4132E-016 | 2.2817E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.2665E-016 | 3.6584E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 2.8384E-011 | 3.0135E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.2247E-016 | 1.9723E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.9936E-017 | 6.4565E-016 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 3.6756E-010 | 4.7194E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 3.3818E-012 | 5.3059E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 3.1242E-012 | 5.0127E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 5.9644E-013 | 3.8135E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.9336E-012 | 4.5203E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.2401E-012 | 3.4919E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 6.4762E-014 | 1.0485E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Ethylbenzene | 3.6153E-015 | 5.6279E-014 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 4.6436E-010 | 1.1413E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Fluoranthene | 1.9824E-008 | 2.1265E-007 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Fluorene | 2.2893E-010 | 3.5879E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.3769E-012 | 1.8907E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.6896E-011 | 2.1753E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 3.8493E-011 | 5.2362E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.2074E-011 | 1.5654E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 6.9966E-012 | 9.7495E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 5.6394E-012 | 8.2665E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 7.9900E-012 | 1.2104E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 6.9690E-012 | 1.0523E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 7.2072E-012 | 1.0831E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 5.9115E-012 | 8.9049E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 5.4490E-012 | 8.2532E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.2711E-008 | 1.9560E-007 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.5103E-011 | 2.2593E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.8519E-012 | 4.5227E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 3.9116E-004 | 4.0728E-004 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Isophorone | 4.6713E-013 | 7.5543E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.4322E-010 | 1.4982E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.5375E-017 | 4.1073E-016 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 7.3700E-020 | 1.1923E-018 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.6964E-014 | 4.3659E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | Methyl mercury | 5.6748E-013 | 6.3493E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Methylene chloride | 3.6598E-013 | 5.9216E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Naphthalene | 1.2428E-012 | 1.9888E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 8.0026E-012 | 1.2898E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 1.8903E-012 | 3.0567E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 2.4435E-012 | 3.9489E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitrobenzene | 7.8927E-013 | 1.2775E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 3.5934E-013 | 5.8119E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.1472E-011 | 6.3395E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 4.5190E-013 | 7.2830E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 4.5657E-013 | 7.3420E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 3.9503E-014 | 6.2789E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 1.9466E-012 | 2.9359E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 1.9246E-012 | 2.8974E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 2.9118E-011 | 3.8560E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 4.6999E-012 | 7.1179E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.7340E-011 | 2.6389E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 4.4099E-011 | 6.5608E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.6243E-011 | 2.3491E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 1.7616E-008 | 6.2380E-008 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Phenanthrene | 7.7128E-013 | 1.2206E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Phenol | 6.2439E-013 | 1.0073E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Pronamide | 6.6245E-011 | 1.0321E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Pyrene | 4.0711E-008 | 2.9864E-007 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Selenium | 2.2822E-005 | 2.4290E-005 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Styrene | 3.1787E-015 | 5.1246E-014 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 4.5831E-012 | 7.5463E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.3925E-012 | 2.4985E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 6.4738E-011 | 9.8118E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 5.2617E-013 | 1.4096E-012 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.3106E-016 | 2.1138E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 6.4185E-010 | 5.3144E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Toluene | 3.9782E-012 | 6.3576E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.1765E-012 | 3.3840E-011 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.2471E-014 | 2.0140E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 6.7002E-015 | 1.0835E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.1004E-015 | 1.7745E-014 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.4503E-016 | 2.3396E-015 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.5449E-010 | 3.7675E-009 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 5.8110E-011 | 7.0961E-010 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.4893E-014 | 4.0225E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | VX | 2.8076E-012 | 3.4479E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 3.2307E-020 | 5.2232E-019 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Xylene, m- | 2.5029E-014 | 1.7483E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Xylene, o- | 1.5262E-014 | 1.2338E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Xylene, p- | 2.9339E-014 | 2.6115E-013 |
| RCPTR_34 | farmer_adult | TOCDLIC2 | Zinc | 8.3033E-008 | 1.9367E-007 |
| RCPTR_34 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Cadmium | 1.8615E-008 | 2.8651E-008 |
| RCPTR_34 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Mercuric chloride | 2.0991E-006 | 2.6216E-006 |
| RCPTR_34 | farmer_child | TOCDFBRA | Methyl mercury | 9.9381E-009 | 1.1567E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Selenium | 1.2606E-005 | 1.3106E-005 |
| RCPTR_34 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFBRA | Zinc | 5.3675E-007 | 7.9907E-007 |
| RCPTR_34 | farmer_child | TOCDFDFS | Acenaphthene | 6.3666E-010 | 1.5436E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Acetone | 1.1275E-013 | 2.7390E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Acetophenone | 2.9484E-012 | 7.1612E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Aniline | 1.7667E-013 | 4.2900E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Anthracene | 1.2220E-008 | 2.9626E-008 |
| RCPTR_34 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Aroclor 1254 | 7.0667E-011 | 1.5196E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Benzene | 9.5753E-015 | 2.3248E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.1640E-006 | 1.8285E-006 |
| RCPTR_34 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 4.8043E-006 | 5.5809E-006 |
| RCPTR_34 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 4.4104E-006 | 6.2875E-006 |
| RCPTR_34 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 7.6478E-006 | 8.3311E-006 |
| RCPTR_34 | farmer_child | TOCDFDFS | Benzoic acid | 4.4778E-011 | 1.0707E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Benzyl alcohol | 6.2174E-012 | 1.5100E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 4.0201E-012 | 9.7652E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.0357E-014 | 4.9445E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 7.0620E-013 | 1.7154E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 2.6750E-007 | 4.8249E-007 |
| RCPTR_34 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.2159E-008 | 1.8434E-008 |
| RCPTR_34 | farmer_child | TOCDFDFS | Cadmium | 3.2406E-008 | 4.9823E-008 |
| RCPTR_34 | farmer_child | TOCDFDFS | Carbon disulfide | 2.7107E-015 | 6.5826E-015 |
| RCPTR_34 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.0879E-014 | 2.6413E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 3.3647E-010 | 7.9641E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chloroaniline, p- | 1.8770E-011 | 4.5575E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chlorobenzene | 3.1967E-014 | 7.7586E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chloroethane | 2.5843E-016 | 6.2586E-016 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 4.2176E-015 | 1.0244E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 1.6908E-009 | 4.1012E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 5.2418E-011 | 1.2733E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 2.3288E-009 | 5.5435E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Chrysene | 2.1658E-006 | 2.8472E-006 |
| RCPTR_34 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.1866E-008 | 3.2550E-008 |
| RCPTR_34 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 1.6840E+002 | 1.6840E+002 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 9.7176E-005 | 1.0328E-004 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 5.5250E-013 | 1.3375E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.0042E-012 | 4.8577E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.3072E-012 | 3.1693E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.6145E-009 | 4.1339E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 1.9953E-017 | 4.8448E-017 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 1.7609E-015 | 4.2771E-015 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.1800E-015 | 5.2951E-015 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 1.9013E-015 | 4.6171E-015 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.0485E-015 | 7.4029E-015 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 1.6499E-010 | 3.8195E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 1.7240E-014 | 4.1857E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 1.9883E-015 | 4.8292E-015 |
| RCPTR_34 | farmer_child | TOCDFDFS | Diethyl phthalate | 3.6313E-009 | 4.2174E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dimethyl phthalate | 1.8585E-011 | 4.5010E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 3.5863E-011 | 8.7040E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 1.5432E-011 | 3.2771E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 7.0293E-012 | 1.6994E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 5.4238E-012 | 1.3127E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 7.4950E-013 | 1.8206E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Ethylbenzene | 3.9553E-014 | 9.5717E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.5536E-010 | 5.6495E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Fluoranthene | 1.7719E-007 | 3.6926E-007 |
| RCPTR_34 | farmer_child | TOCDFDFS | Fluorene | 2.5727E-009 | 6.2300E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.0026E-013 | 3.3932E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 3.8215E-013 | 4.2216E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 9.0624E-013 | 1.0207E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.4171E-012 | 2.6768E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.4772E-012 | 1.6772E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.2368E-012 | 1.4280E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.7510E-012 | 2.0428E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.5231E-012 | 1.7753E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.5689E-012 | 1.8259E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.2894E-012 | 1.5017E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 5.9380E-011 | 1.4331E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.4110E-007 | 3.3964E-007 |
| RCPTR_34 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 8.0565E-010 | 1.9419E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 3.2393E-011 | 7.8532E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 6.9384E-004 | 7.0766E-004 |
| RCPTR_34 | farmer_child | TOCDFDFS | Isophorone | 5.4007E-012 | 1.3117E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Mercuric chloride | 2.9044E-009 | 3.6310E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 1.7967E-016 | 4.3643E-016 |
| RCPTR_34 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 3.4556E-018 | 8.3932E-018 |
| RCPTR_34 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.0926E-014 | 5.0832E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Methyl mercury | 1.3188E-011 | 1.5454E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | Methylene chloride | 1.1697E-013 | 2.8411E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Naphthalene | 3.7622E-011 | 9.1286E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 9.1152E-011 | 2.2132E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 2.1595E-011 | 5.2449E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 2.7900E-011 | 6.7760E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitrobenzene | 9.1323E-012 | 2.2183E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 4.1549E-012 | 1.0092E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 5.2878E-011 | 1.0875E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 5.2083E-012 | 1.2646E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 5.2516E-012 | 1.2749E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 4.4966E-013 | 1.0903E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 7.1824E-013 | 8.3707E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.1507E-013 | 2.5052E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.1284E-012 | 5.7166E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 5.6626E-013 | 6.6013E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.1019E-012 | 2.4548E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Pentachlorobenzene | 2.3413E-009 | 5.6396E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 1.6785E-010 | 4.0313E-010 |
| RCPTR_34 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.1881E-008 | 2.1611E-008 |
| RCPTR_34 | farmer_child | TOCDFDFS | Phenanthrene | 8.7443E-012 | 2.1195E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Phenol | 7.2030E-012 | 1.7491E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Pronamide | 1.4809E-009 | 3.5841E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Pyrene | 3.1680E-007 | 5.1858E-007 |
| RCPTR_34 | farmer_child | TOCDFDFS | Selenium | 2.8803E-006 | 2.9938E-006 |
| RCPTR_34 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Styrene | 3.8335E-013 | 9.3082E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.2899E-012 | 3.9331E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.8912E-012 | 2.3177E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 7.0587E-010 | 1.7037E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.2760E-011 | 2.1033E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.3000E-014 | 3.1566E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 4.0901E-009 | 9.1176E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFDFS | Toluene | 6.4199E-014 | 1.5575E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 2.9264E-011 | 7.0814E-011 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 8.3696E-015 | 2.0326E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 9.0269E-014 | 2.1925E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichloroethylene | 1.4788E-014 | 3.5908E-014 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 1.9496E-015 | 4.7342E-015 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 2.7168E-009 | 6.5418E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 5.2274E-010 | 1.2321E-009 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 3.3515E-013 | 8.1397E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 2.7751E-012 | 6.7224E-012 |
| RCPTR_34 | farmer_child | TOCDFDFS | VX | 8.1553E-012 | 9.2326E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFDFS | Vinyl Chloride | 2.4450E-018 | 5.9384E-018 |
| RCPTR_34 | farmer_child | TOCDFDFS | Xylene, m- | 2.4091E-013 | 5.1913E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Xylene, o- | 2.5988E-013 | 5.7551E-013 |
| RCPTR_34 | farmer_child | TOCDFDFS | Xylene, p- | 3.4418E-013 | 7.7473E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Acenaphthene | 3.6666E-010 | 8.8896E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Acetone | 1.6043E-011 | 3.8970E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Acetophenone | 1.6980E-012 | 4.1242E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Aniline | 1.0175E-013 | 2.4706E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Anthracene | 7.0375E-009 | 1.7062E-008 |
| RCPTR_34 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Benzene | 2.1735E-014 | 5.2772E-014 |
| RCPTR_34 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 6.6976E-007 | 1.0522E-006 |
| RCPTR_34 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 2.7557E-006 | 3.1978E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 2.5382E-006 | 3.6177E-006 |
| RCPTR_34 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 4.3833E-006 | 4.7701E-006 |
| RCPTR_34 | farmer_child | TOCDFLIC | Benzoic acid | 3.9877E-011 | 9.5347E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Benzyl alcohol | 4.3892E-010 | 1.0660E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 2.3152E-012 | 5.6239E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.3632E-015 | 3.3110E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.3200E-012 | 3.2063E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.5405E-007 | 2.7787E-007 |
| RCPTR_34 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 1.8748E-009 | 2.8459E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Cadmium | 9.5976E-009 | 1.4755E-008 |
| RCPTR_34 | farmer_child | TOCDFLIC | Carbon disulfide | 9.0290E-017 | 2.1926E-016 |
| RCPTR_34 | farmer_child | TOCDFLIC | Carbon tetrachloride | 7.2852E-016 | 1.7687E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 1.9380E-010 | 4.5868E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.0810E-011 | 2.6247E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Chlorobenzene | 4.2738E-015 | 1.0373E-014 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chloroethane | 1.2771E-016 | 3.0929E-016 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 5.6388E-016 | 1.3696E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 9.7377E-010 | 2.3619E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 3.0188E-011 | 7.3327E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.3412E-009 | 3.1925E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Chrysene | 1.2463E-006 | 1.6379E-006 |
| RCPTR_34 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 8.1315E-009 | 1.2101E-008 |
| RCPTR_34 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 2.9773E+000 | 2.9773E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 5.5643E-005 | 5.9044E-005 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.4529E-012 | 3.5171E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 1.7758E-012 | 4.3039E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 1.6917E-012 | 4.1016E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.5482E-009 | 4.0296E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 9.8602E-018 | 2.3942E-017 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 2.3543E-016 | 5.7183E-016 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.0567E-015 | 7.4247E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 9.3957E-016 | 2.2817E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.5065E-015 | 3.6584E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.3018E-010 | 3.0135E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 8.1235E-016 | 1.9723E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 2.6583E-016 | 6.4565E-016 |
| RCPTR_34 | farmer_child | TOCDFLIC | Diethyl phthalate | 4.0649E-010 | 4.7194E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dimethyl phthalate | 2.1909E-011 | 5.3059E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.0654E-011 | 5.0127E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 1.7962E-012 | 3.8135E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 1.8698E-011 | 4.5203E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.4428E-011 | 3.4919E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 4.3164E-013 | 1.0485E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Ethylbenzene | 2.3256E-014 | 5.6279E-014 |
| RCPTR_34 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 7.1682E-010 | 1.1413E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Fluoranthene | 1.0204E-007 | 2.1265E-007 |
| RCPTR_34 | farmer_child | TOCDFLIC | Fluorene | 1.4816E-009 | 3.5879E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.6750E-012 | 1.8907E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 5.7130E-012 | 6.3034E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.3487E-011 | 1.5173E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.4151E-011 | 1.5654E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 8.5957E-012 | 9.7495E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 7.1654E-012 | 8.2665E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.0380E-011 | 1.2104E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 9.0332E-012 | 1.0523E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 9.3124E-012 | 1.0831E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 7.6504E-012 | 8.9049E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 3.4197E-011 | 8.2532E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Hexachlorobenzene | 8.1260E-008 | 1.9560E-007 |
| RCPTR_34 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 9.3731E-011 | 2.2593E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 1.8656E-011 | 4.5227E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 3.9958E-004 | 4.0728E-004 |
| RCPTR_34 | farmer_child | TOCDFLIC | Isophorone | 3.1103E-012 | 7.5543E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Mercuric chloride | 1.1982E-010 | 1.4982E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 1.6909E-016 | 4.1073E-016 |
| RCPTR_34 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 9.8041E-018 | 2.3813E-017 |
| RCPTR_34 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 1.7973E-013 | 4.3659E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Methyl mercury | 5.4139E-013 | 6.3493E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Methylene chloride | 2.4379E-012 | 5.9216E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Naphthalene | 8.1965E-012 | 1.9888E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 5.3122E-011 | 1.2898E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.2585E-011 | 3.0567E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 3.2460E-012 | 7.8835E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitrobenzene | 5.2593E-012 | 1.2775E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.1986E-011 | 2.9112E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 6.1560E-012 | 1.2656E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 2.9995E-012 | 7.2830E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 3.0244E-012 | 7.3420E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 2.5894E-013 | 6.2789E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.5206E-012 | 2.9359E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4888E-012 | 2.8974E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.4618E-011 | 3.8560E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 6.1077E-012 | 7.1179E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.2603E-011 | 2.6389E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.3642E-009 | 3.2864E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 9.7793E-011 | 2.3491E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Pentachlorophenol | 6.8497E-009 | 1.2453E-008 |
| RCPTR_34 | farmer_child | TOCDFLIC | Phenanthrene | 5.0359E-012 | 1.2206E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Phenol | 4.1482E-012 | 1.0073E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Pronamide | 4.2644E-010 | 1.0321E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Pyrene | 1.8244E-007 | 2.9864E-007 |
| RCPTR_34 | farmer_child | TOCDFLIC | Selenium | 2.3369E-005 | 2.4290E-005 |
| RCPTR_34 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Styrene | 2.1105E-014 | 5.1246E-014 |
| RCPTR_34 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 6.3133E-012 | 7.5463E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.0389E-012 | 2.4985E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 4.0652E-010 | 9.8118E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 8.5564E-013 | 1.4096E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 8.7050E-016 | 2.1138E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 2.3845E-009 | 5.3144E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFLIC | Toluene | 2.6205E-011 | 6.3576E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.3985E-011 | 3.3840E-011 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 8.2930E-014 | 2.0140E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 4.4610E-014 | 1.0835E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichloroethylene | 7.3080E-015 | 1.7745E-014 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 9.6347E-016 | 2.3396E-015 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.5647E-009 | 3.7675E-009 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 3.0109E-010 | 7.0961E-010 |
| RCPTR_34 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 1.6563E-013 | 4.0225E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | VX | 2.9304E-012 | 3.3166E-012 |
| RCPTR_34 | farmer_child | TOCDFLIC | Vinyl Chloride | 2.1506E-019 | 5.2232E-019 |
| RCPTR_34 | farmer_child | TOCDFLIC | Xylene, m- | 8.0896E-014 | 1.7483E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Xylene, o- | 5.5586E-014 | 1.2338E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFLIC | Xylene, p- | 1.1579E-013 | 2.6115E-013 |
| RCPTR_34 | farmer_child | TOCDFLIC | Zinc | 1.3026E-007 | 1.9367E-007 |
| RCPTR_34 | farmer_child | TOCDFMPF | Acenaphthene | 6.7217E-011 | 1.6297E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Acetone | 6.8317E-016 | 1.6595E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Acetophenone | 7.2427E-012 | 1.7592E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Aniline | 4.3399E-013 | 1.0538E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Anthracene | 7.4087E-010 | 1.7962E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Benzene | 3.8217E-015 | 9.2789E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 6.1999E-008 | 9.7398E-008 |
| RCPTR_34 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 4.7020E-007 | 5.4566E-007 |
| RCPTR_34 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 3.6855E-007 | 5.2531E-007 |
| RCPTR_34 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 6.5244E-007 | 7.1005E-007 |
| RCPTR_34 | farmer_child | TOCDFMPF | Benzoic acid | 7.6589E-012 | 1.8312E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Benzyl alcohol | 3.4802E-012 | 8.4525E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 9.8543E-013 | 2.3937E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.0136E-014 | 4.8909E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 6.9855E-013 | 1.6968E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 8.8220E-008 | 1.5912E-007 |
| RCPTR_34 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 2.4843E-010 | 3.7710E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Cadmium | 3.0573E-008 | 4.7000E-008 |
| RCPTR_34 | farmer_child | TOCDFMPF | Carbon disulfide | 1.3337E-015 | 3.2388E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.0761E-014 | 2.6127E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 8.3014E-011 | 1.9648E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chloroaniline, p- | 3.1884E-012 | 7.7415E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chlorobenzene | 6.3131E-014 | 1.5323E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chloroethane | 1.7988E-016 | 4.3562E-016 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 8.3294E-015 | 2.0231E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 1.7145E-010 | 4.1584E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.1123E-011 | 2.7018E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 4.1506E-010 | 9.8800E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Chrysene | 1.2893E-007 | 1.6946E-007 |
| RCPTR_34 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 9.5190E-009 | 1.4166E-008 |
| RCPTR_34 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 2.6799E+000 | 2.6799E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.4748E-005 | 1.5651E-005 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 5.0634E-013 | 1.2257E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 5.7694E-013 | 1.3984E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 5.4657E-013 | 1.3252E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 7.6316E-010 | 1.2068E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.3888E-017 | 3.3721E-017 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 3.4777E-015 | 8.4469E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.3053E-015 | 1.0457E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.3233E-015 | 3.2137E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.1218E-015 | 5.1527E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 5.1039E-011 | 1.1815E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.2000E-014 | 2.9134E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 3.9268E-015 | 9.5372E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Diethyl phthalate | 8.6943E-010 | 1.0095E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.2659E-012 | 3.0658E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 8.1537E-012 | 1.9789E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 3.4558E-012 | 7.3371E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 2.5793E-011 | 6.2356E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 1.8069E-011 | 4.3733E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 1.8411E-012 | 4.4723E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Ethylbenzene | 3.9124E-014 | 9.4680E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.2409E-010 | 1.9756E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Fluoranthene | 7.9455E-009 | 1.6558E-008 |
| RCPTR_34 | farmer_child | TOCDFMPF | Fluorene | 2.2590E-010 | 5.4704E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.8428E-013 | 2.0803E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 9.5647E-013 | 1.0554E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 8.9147E-013 | 1.0029E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.4614E-012 | 2.7229E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.4955E-012 | 1.6963E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.2289E-012 | 1.4177E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.8066E-012 | 3.2726E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 9.5998E-012 | 1.1184E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 8.1129E-012 | 9.4362E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 9.7678E-013 | 1.1370E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 1.9211E-011 | 4.6364E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Hexachlorobenzene | 4.0487E-008 | 9.7457E-008 |
| RCPTR_34 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 6.5245E-011 | 1.5727E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.3138E-011 | 3.1852E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 8.7027E-005 | 8.8706E-005 |
| RCPTR_34 | farmer_child | TOCDFMPF | Isophorone | 5.5607E-013 | 1.3506E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Mercuric chloride | 1.2913E-010 | 1.6145E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.2506E-016 | 3.0377E-016 |
| RCPTR_34 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 7.2509E-018 | 1.7612E-017 |
| RCPTR_34 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.0237E-015 | 7.3449E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Methyl mercury | 5.8352E-013 | 6.8432E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | Methylene chloride | 7.9571E-016 | 1.9327E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Naphthalene | 6.9139E-012 | 1.6776E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 6.5928E-012 | 1.6008E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.2655E-012 | 3.0736E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.4494E-012 | 3.5201E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitrobenzene | 1.7995E-012 | 4.3709E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.4485E-012 | 3.5181E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 5.5028E-012 | 1.1313E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.2794E-011 | 3.1065E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 6.8346E-013 | 1.6591E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 1.6850E-013 | 4.0858E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.9359E-013 | 2.2549E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.8960E-014 | 2.2073E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 5.7172E-012 | 6.3685E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.1495E-012 | 4.8359E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.7689E-012 | 3.2327E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.1616E-009 | 2.7985E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 4.1638E-011 | 1.0002E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Pentachlorophenol | 4.0839E-009 | 7.4251E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Phenanthrene | 5.3016E-013 | 1.2850E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Phenol | 1.3591E-012 | 3.3002E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Pronamide | 1.8190E-009 | 4.4022E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Pyrene | 1.3395E-008 | 2.1927E-008 |
| RCPTR_34 | farmer_child | TOCDFMPF | Selenium | 7.3715E-006 | 7.6619E-006 |
| RCPTR_34 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Styrene | 3.2223E-013 | 7.8242E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.7419E-012 | 3.2774E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.3739E-012 | 1.6837E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 1.7340E-009 | 4.1852E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.3616E-013 | 3.3063E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.2859E-014 | 3.1223E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.0152E-009 | 2.2627E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDFMPF | Toluene | 1.6964E-014 | 4.1156E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 4.7216E-012 | 1.1425E-011 |
| RCPTR_34 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 8.2789E-015 | 2.0105E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 6.2830E-014 | 1.5260E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | Trichloroethylene | 1.0293E-014 | 2.4993E-014 |
| RCPTR_34 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.3570E-015 | 3.2952E-015 |
| RCPTR_34 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 7.0148E-010 | 1.6891E-009 |
| RCPTR_34 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.3717E-010 | 3.2329E-010 |
| RCPTR_34 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 2.3328E-013 | 5.6655E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | VX | 4.0544E-012 | 4.5888E-012 |
| RCPTR_34 | farmer_child | TOCDFMPF | Vinyl Chloride | 3.2835E-018 | 7.9748E-018 |
| RCPTR_34 | farmer_child | TOCDFMPF | Xylene, m- | 6.3915E-014 | 1.3812E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | Xylene, o- | 6.9025E-014 | 1.5321E-013 |
| RCPTR_34 | farmer_child | TOCDFMPF | Xylene, p- | 9.1481E-014 | 2.0631E-013 |
| RCPTR_34 | farmer_child | TOCDHVAC | VX | 1.6221E-012 | 1.8425E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Acenaphthene | 3.6666E-010 | 8.8896E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Acetone | 1.6043E-011 | 3.8970E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Acetophenone | 1.6980E-012 | 4.1242E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Aniline | 1.0175E-013 | 2.4706E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Anthracene | 7.0375E-009 | 1.7062E-008 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Benzene | 2.1735E-014 | 5.2772E-014 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 6.6976E-007 | 1.0522E-006 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 2.7557E-006 | 3.1978E-006 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 2.5382E-006 | 3.6177E-006 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 4.3833E-006 | 4.7701E-006 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Benzoic acid | 3.9877E-011 | 9.5347E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Benzyl alcohol | 4.3892E-010 | 1.0660E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 2.3152E-012 | 5.6239E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.3632E-015 | 3.3110E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.3200E-012 | 3.2063E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.5405E-007 | 2.7787E-007 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 1.8748E-009 | 2.8459E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Cadmium | 9.5976E-009 | 1.4755E-008 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Carbon disulfide | 9.0290E-017 | 2.1926E-016 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 7.2852E-016 | 1.7687E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 1.9380E-010 | 4.5868E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.0810E-011 | 2.6247E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chlorobenzene | 4.2738E-015 | 1.0373E-014 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chloroethane | 1.2771E-016 | 3.0929E-016 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 5.6388E-016 | 1.3696E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 9.7377E-010 | 2.3619E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 3.0188E-011 | 7.3327E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.3412E-009 | 3.1925E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Chrysene | 1.2463E-006 | 1.6379E-006 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 8.1315E-009 | 1.2101E-008 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 2.9773E+000 | 2.9773E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 5.5643E-005 | 5.9044E-005 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.4529E-012 | 3.5171E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 1.7758E-012 | 4.3039E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 1.6917E-012 | 4.1016E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.5482E-009 | 4.0296E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 9.8602E-018 | 2.3942E-017 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 2.2777E-016 | 5.5324E-016 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.0567E-015 | 7.4247E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 9.3957E-016 | 2.2817E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.5065E-015 | 3.6584E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.3018E-010 | 3.0135E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 8.1235E-016 | 1.9723E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 2.6583E-016 | 6.4565E-016 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Diethyl phthalate | 4.0649E-010 | 4.7194E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 2.1909E-011 | 5.3059E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.0654E-011 | 5.0127E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 1.7962E-012 | 3.8135E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 1.8698E-011 | 4.5203E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.4428E-011 | 3.4919E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 4.3164E-013 | 1.0485E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Ethylbenzene | 2.3256E-014 | 5.6279E-014 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 7.1682E-010 | 1.1413E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Fluoranthene | 1.0204E-007 | 2.1265E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Fluorene | 1.4816E-009 | 3.5879E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.6750E-012 | 1.8907E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.9716E-011 | 2.1753E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 4.6545E-011 | 5.2362E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.4151E-011 | 1.5654E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 8.5957E-012 | 9.7495E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 7.1654E-012 | 8.2665E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.0380E-011 | 1.2104E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 9.0332E-012 | 1.0523E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 9.3124E-012 | 1.0831E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 7.6504E-012 | 8.9049E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 3.4197E-011 | 8.2532E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 8.1260E-008 | 1.9560E-007 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 9.3731E-011 | 2.2593E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 1.8656E-011 | 4.5227E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 3.9958E-004 | 4.0728E-004 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Isophorone | 3.1103E-012 | 7.5543E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.1982E-010 | 1.4982E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 1.6909E-016 | 4.1073E-016 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 4.9087E-019 | 1.1923E-018 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 1.7973E-013 | 4.3659E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Methyl mercury | 5.4139E-013 | 6.3493E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Methylene chloride | 2.4379E-012 | 5.9216E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Naphthalene | 8.1965E-012 | 1.9888E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 5.3122E-011 | 1.2898E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.2585E-011 | 3.0567E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 1.6260E-011 | 3.9489E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitrobenzene | 5.2593E-012 | 1.2775E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 2.3928E-012 | 5.8119E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 3.0836E-011 | 6.3395E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 2.9995E-012 | 7.2830E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.0244E-012 | 7.3420E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 2.5894E-013 | 6.2789E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.5206E-012 | 2.9359E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4888E-012 | 2.8974E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.4618E-011 | 3.8560E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 6.1077E-012 | 7.1179E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.2603E-011 | 2.6389E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 2.7234E-010 | 6.5608E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 9.7793E-011 | 2.3491E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Pentachlorophenol | 3.4311E-008 | 6.2380E-008 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Phenanthrene | 5.0359E-012 | 1.2206E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Phenol | 4.1482E-012 | 1.0073E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Pronamide | 4.2644E-010 | 1.0321E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Pyrene | 1.8244E-007 | 2.9864E-007 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Selenium | 2.3369E-005 | 2.4290E-005 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Styrene | 2.1105E-014 | 5.1246E-014 |
| RCPTR_34 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 6.3133E-012 | 7.5463E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.0389E-012 | 2.4985E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 4.0652E-010 | 9.8118E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 8.5564E-013 | 1.4096E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 8.7050E-016 | 2.1138E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 2.3845E-009 | 5.3144E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Toluene | 2.6205E-011 | 6.3576E-011 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.3985E-011 | 3.3840E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 8.2930E-014 | 2.0140E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 4.4610E-014 | 1.0835E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichloroethylene | 7.3080E-015 | 1.7745E-014 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 9.6347E-016 | 2.3396E-015 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.5647E-009 | 3.7675E-009 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 3.0109E-010 | 7.0961E-010 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 1.6563E-013 | 4.0225E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | VX | 3.0464E-012 | 3.4479E-012 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Vinyl Chloride | 2.1506E-019 | 5.2232E-019 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Xylene, m- | 8.0896E-014 | 1.7483E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Xylene, o- | 5.5586E-014 | 1.2338E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Xylene, p- | 1.1579E-013 | 2.6115E-013 |
| RCPTR_34 | farmer_child | TOCDLIC2 | Zinc | 1.3026E-007 | 1.9367E-007 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Cadmium | 1.4384E-008 | 3.9148E-008 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Mercuric chloride | 3.4825E-006 | 3.6421E-006 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Methyl mercury | 1.4408E-008 | 1.6041E-008 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Selenium | 1.6895E-005 | 1.7982E-005 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFBRA | Zinc | 4.6827E-007 | 1.0923E-006 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Acenaphthene | 1.2876E-010 | 2.0431E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Acetone | 2.2388E-014 | 3.6253E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Acetophenone | 5.8603E-013 | 9.4785E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Aniline | 3.5203E-014 | 5.6782E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Anthracene | 2.4709E-009 | 3.9213E-008 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Aroclor 1254 | 2.9622E-011 | 2.0121E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Benzene | 1.9103E-015 | 3.0771E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 6.4212E-007 | 2.4224E-006 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 5.4380E-006 | 7.4006E-006 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 3.3957E-006 | 8.3418E-006 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 8.8201E-006 | 1.1042E-005 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Benzoic acid | 1.0251E-011 | 1.4173E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Benzyl alcohol | 1.2365E-012 | 1.9987E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 7.9820E-013 | 1.2925E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Bromodichloromethane | 4.0454E-015 | 6.5445E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 1.4030E-013 | 2.2704E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 6.2865E-008 | 6.3862E-007 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 1.1196E-008 | 2.4437E-008 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Cadmium | 2.3834E-008 | 6.4753E-008 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Carbon disulfide | 5.3985E-016 | 8.7127E-015 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 2.1712E-015 | 3.4961E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 8.3500E-011 | 1.0544E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 3.7433E-012 | 6.0323E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chlorobenzene | 6.3992E-015 | 1.0269E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chloroethane | 5.2831E-017 | 8.2840E-016 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 8.3839E-016 | 1.3559E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 3.4060E-010 | 5.4283E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 1.0412E-011 | 1.6853E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 5.5281E-010 | 7.3383E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Chrysene | 1.7767E-006 | 3.7785E-006 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 2.0738E-008 | 4.3288E-008 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 2.2554E+002 | 2.2554E+002 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 1.1955E-004 | 1.3717E-004 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 1.1341E-013 | 1.7703E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 4.0656E-013 | 6.4297E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 2.6437E-013 | 4.1949E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 2.2808E-009 | 5.4842E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 3.9773E-018 | 6.4126E-017 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 3.4996E-016 | 5.6612E-015 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.3315E-016 | 7.0086E-015 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 3.7852E-016 | 6.1112E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 6.0708E-016 | 9.7985E-015 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 4.7784E-011 | 5.0575E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 3.4404E-015 | 5.5402E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 3.9537E-016 | 6.3919E-015 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Diethyl phthalate | 4.3956E-009 | 5.6327E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 3.7984E-012 | 5.9575E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 7.1810E-012 | 1.1521E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 6.8265E-012 | 4.3426E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 1.4604E-012 | 2.2493E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 1.1151E-012 | 1.7375E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 1.4884E-013 | 2.4097E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Ethylbenzene | 8.1416E-015 | 1.2669E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 3.0623E-010 | 7.4844E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Fluoranthene | 4.5667E-008 | 4.8883E-007 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Fluorene | 5.2631E-010 | 8.2461E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.2341E-013 | 4.4300E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 4.3151E-013 | 5.5441E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 9.8302E-013 | 1.3340E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 2.7199E-012 | 3.5192E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.5761E-012 | 2.1906E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.2703E-012 | 1.8568E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.7609E-012 | 2.6597E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.5359E-012 | 2.3125E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 1.5883E-012 | 2.3802E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.3028E-012 | 1.9569E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 1.2532E-011 | 1.8969E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 2.9227E-008 | 4.4956E-007 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 1.7195E-010 | 2.5704E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 6.5557E-012 | 1.0395E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 9.0767E-004 | 9.4524E-004 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Isophorone | 1.0736E-012 | 1.7362E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Mercuric chloride | 4.5888E-009 | 4.7999E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 3.5688E-017 | 5.7766E-016 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 6.8672E-019 | 1.1109E-017 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 4.1552E-015 | 6.7281E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Methyl mercury | 1.8248E-011 | 2.0408E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Methylene chloride | 2.3242E-014 | 3.7605E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Naphthalene | 7.5511E-012 | 1.2083E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.8176E-011 | 2.9294E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 4.2933E-012 | 6.9422E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 5.5498E-012 | 8.9687E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.8140E-012 | 2.9361E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 8.2587E-013 | 1.3357E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 2.6225E-011 | 1.4415E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 1.0386E-012 | 1.6738E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 1.0494E-012 | 1.6874E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 9.0840E-014 | 1.4431E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 7.2125E-013 | 1.0845E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.1624E-013 | 3.2455E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 5.7196E-012 | 7.5588E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 5.7735E-013 | 8.7223E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.1305E-012 | 3.2339E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 5.0219E-010 | 7.4644E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 3.6937E-011 | 5.3356E-010 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Pentachlorophenol | 8.1456E-009 | 2.8684E-008 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Phenanthrene | 1.7730E-012 | 2.8054E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Phenol | 1.4351E-012 | 2.3151E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Pronamide | 3.0461E-010 | 4.7440E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Pyrene | 9.3645E-008 | 6.8645E-007 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Selenium | 3.6647E-006 | 3.8998E-006 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Styrene | 7.6426E-014 | 1.2320E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 3.1668E-012 | 5.2010E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.7148E-012 | 3.0690E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 1.4888E-010 | 2.2551E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.0486E-011 | 2.7949E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 2.5905E-015 | 4.1780E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 1.4648E-009 | 1.2077E-008 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Toluene | 1.2902E-014 | 2.0616E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 6.0279E-012 | 9.3732E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 1.6660E-015 | 2.6903E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.7946E-014 | 2.9020E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichloroethylene | 2.9473E-015 | 4.7528E-014 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 3.8846E-016 | 6.2662E-015 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 5.8540E-010 | 8.6593E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 1.3388E-010 | 1.6312E-009 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 6.6673E-014 | 1.0774E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 5.6561E-013 | 8.8974E-012 |
| RCPTR_35 | farmer_adult | TOCDFDFS | VX | 1.0063E-011 | 1.2337E-011 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Vinyl Chloride | 4.8617E-019 | 7.8600E-018 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Xylene, m- | 9.8898E-014 | 6.8618E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Xylene, o- | 9.4697E-014 | 7.6094E-013 |
| RCPTR_35 | farmer_adult | TOCDFDFS | Xylene, p- | 1.1574E-013 | 1.0245E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Acenaphthene | 7.3257E-011 | 1.1624E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Acetone | 3.1468E-012 | 5.0957E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Acetophenone | 3.3341E-013 | 5.3927E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Aniline | 2.0028E-014 | 3.2305E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Anthracene | 1.4057E-009 | 2.2310E-008 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Benzene | 4.2838E-015 | 6.9004E-014 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 3.6494E-007 | 1.3771E-006 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 3.0855E-006 | 4.1919E-006 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.9306E-006 | 4.7415E-006 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 5.0037E-006 | 6.2506E-006 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Benzoic acid | 9.0195E-012 | 1.2469E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Benzyl alcohol | 8.6233E-011 | 1.3939E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 4.5413E-013 | 7.3536E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Bromodichloromethane | 2.6762E-016 | 4.3294E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 2.5907E-013 | 4.1925E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 3.5766E-008 | 3.6333E-007 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 1.7036E-009 | 3.7282E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Cadmium | 7.0091E-009 | 1.9039E-008 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.7764E-017 | 2.8670E-016 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 1.4363E-016 | 2.3128E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 4.7521E-011 | 5.9987E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 2.1297E-012 | 3.4320E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chlorobenzene | 8.4519E-016 | 1.3563E-014 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chloroethane | 2.5793E-017 | 4.0443E-016 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 1.1073E-016 | 1.7908E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.9378E-010 | 3.0884E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 5.9236E-012 | 9.5881E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 3.1448E-010 | 4.1750E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Chrysene | 1.0102E-006 | 2.1474E-006 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 7.6153E-009 | 1.5892E-008 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 3.9348E+000 | 3.9349E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 6.7779E-005 | 7.7525E-005 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 2.9463E-013 | 4.5990E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 3.5586E-013 | 5.6278E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 3.3801E-013 | 5.3632E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 2.1953E-009 | 5.2815E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.9416E-018 | 3.1306E-017 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 4.6222E-017 | 7.4771E-016 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.9999E-016 | 9.7083E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.8479E-016 | 2.9835E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 2.9638E-016 | 4.7836E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 3.7260E-011 | 3.9418E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 1.6015E-016 | 2.5789E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 5.2219E-017 | 8.4423E-016 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Diethyl phthalate | 4.8566E-010 | 6.2216E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 4.4232E-012 | 6.9379E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 4.0856E-012 | 6.5545E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 7.8512E-013 | 4.9917E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 3.8370E-012 | 5.9107E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 2.9301E-012 | 4.5660E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 8.4681E-014 | 1.3710E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Ethylbenzene | 4.7292E-015 | 7.3591E-014 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 6.0944E-010 | 1.4943E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Fluoranthene | 2.5979E-008 | 2.7810E-007 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Fluorene | 2.9943E-010 | 4.6915E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 1.7913E-012 | 2.4475E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 6.3984E-012 | 8.1990E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.4524E-011 | 1.9658E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.5788E-011 | 2.0378E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 9.1042E-012 | 1.2624E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 7.3098E-012 | 1.0664E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.0362E-011 | 1.5631E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 9.0405E-012 | 1.3595E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 9.3557E-012 | 1.4002E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 7.6714E-012 | 1.1508E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 7.1288E-012 | 1.0792E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 1.6628E-008 | 2.5577E-007 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.9760E-011 | 2.9543E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 3.7299E-012 | 5.9139E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.1637E-004 | 5.3715E-004 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Isophorone | 6.1082E-013 | 9.8778E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.8710E-010 | 1.9571E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 3.3180E-017 | 5.3706E-016 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.9248E-018 | 3.1137E-017 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 3.5257E-014 | 5.7088E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Methyl mercury | 7.4103E-013 | 8.2914E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Methylene chloride | 4.7855E-013 | 7.7429E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Naphthalene | 1.6252E-012 | 2.6005E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 1.0464E-011 | 1.6865E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 2.4718E-012 | 3.9968E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 6.3785E-013 | 1.0308E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitrobenzene | 1.0320E-012 | 1.6704E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 2.3536E-012 | 3.8066E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 3.0171E-012 | 1.6571E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 5.9092E-013 | 9.5230E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 5.9704E-013 | 9.6002E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 5.1658E-014 | 8.2102E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 2.5150E-012 | 3.7763E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4864E-012 | 3.7266E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 3.8214E-011 | 5.0426E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 6.1607E-012 | 9.3009E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.2680E-011 | 3.4401E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 2.8881E-010 | 4.2971E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 2.1237E-011 | 3.0716E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Pentachlorophenol | 4.6397E-009 | 1.6325E-008 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Phenanthrene | 1.0087E-012 | 1.5961E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Phenol | 8.1647E-013 | 1.3171E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Pronamide | 8.6655E-011 | 1.3495E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Pyrene | 5.3277E-008 | 3.9053E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Selenium | 2.9516E-005 | 3.1408E-005 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Styrene | 4.1566E-015 | 6.7007E-014 |
| RCPTR_35 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 6.0089E-012 | 9.8659E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.8269E-012 | 3.2695E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 8.4709E-011 | 1.2830E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 6.9457E-013 | 1.8497E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.7137E-016 | 2.7639E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 8.4393E-010 | 6.9536E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Toluene | 5.2024E-012 | 8.3130E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 2.8471E-012 | 4.4250E-011 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 1.6308E-014 | 2.6334E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 8.7611E-015 | 1.4167E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichloroethylene | 1.4389E-015 | 2.3203E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.8965E-016 | 3.0591E-015 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 3.3309E-010 | 4.9266E-009 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 7.6196E-011 | 9.2808E-010 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 3.2550E-014 | 5.2597E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | VX | 3.5687E-012 | 4.3740E-012 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Vinyl Chloride | 4.2244E-020 | 6.8297E-019 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Xylene, m- | 3.2519E-014 | 2.2839E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Xylene, o- | 1.9843E-014 | 1.6122E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Xylene, p- | 3.8169E-014 | 3.4128E-013 |
| RCPTR_35 | farmer_adult | TOCDFLIC | Zinc | 1.0735E-007 | 2.4996E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Acenaphthene | 1.3438E-011 | 2.1323E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Acetone | 1.3409E-016 | 2.1713E-015 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Acetophenone | 1.4231E-012 | 2.3017E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Aniline | 8.5483E-014 | 1.3788E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Anthracene | 1.4808E-010 | 2.3501E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Benzene | 7.5369E-016 | 1.2141E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 3.3806E-008 | 1.2756E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 5.2685E-007 | 7.1582E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 2.8052E-007 | 6.8897E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 7.4531E-007 | 9.3112E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Benzoic acid | 1.7334E-012 | 2.3963E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Benzyl alcohol | 6.8418E-013 | 1.1059E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.9342E-013 | 3.1320E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Bromodichloromethane | 3.9556E-015 | 6.3992E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 1.3719E-013 | 2.2200E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 2.0495E-008 | 2.0820E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 2.2593E-010 | 4.9437E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | Cadmium | 2.2335E-008 | 6.0667E-008 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Carbon disulfide | 2.6257E-016 | 4.2376E-015 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 2.1230E-015 | 3.4185E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 2.0369E-011 | 2.5713E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 6.2855E-013 | 1.0129E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chlorobenzene | 1.2493E-014 | 2.0048E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chloroethane | 3.6351E-017 | 5.6998E-016 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 1.6367E-015 | 2.6470E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 3.4140E-011 | 5.4409E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 2.1840E-012 | 3.5351E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 9.7387E-011 | 1.2929E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Chrysene | 1.0459E-007 | 2.2232E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 8.9211E-009 | 1.8617E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 3.5444E+000 | 3.5445E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 1.7975E-005 | 2.0563E-005 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 1.0274E-013 | 1.6038E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 1.1569E-013 | 1.8296E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 1.0927E-013 | 1.7339E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 6.5795E-010 | 1.5829E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 2.7365E-018 | 4.4121E-017 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 6.8320E-016 | 1.1052E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 8.4560E-016 | 1.3682E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 2.6044E-016 | 4.2048E-015 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 4.1770E-016 | 6.7418E-015 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 1.4617E-011 | 1.5464E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 2.3672E-015 | 3.8119E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 7.7185E-016 | 1.2478E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Diethyl phthalate | 1.0396E-009 | 1.3317E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 2.5574E-013 | 4.0113E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 1.6139E-012 | 2.5892E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 1.5115E-012 | 9.6100E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 5.2965E-012 | 8.1588E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 3.6721E-012 | 5.7221E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 3.6143E-013 | 5.8515E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Ethylbenzene | 7.9610E-015 | 1.2388E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.0558E-010 | 2.5883E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Fluoranthene | 2.0242E-009 | 2.1669E-008 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Fluorene | 4.5683E-011 | 7.1576E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.9722E-013 | 2.6949E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.0720E-012 | 1.3738E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 9.6065E-013 | 1.3004E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 2.7481E-012 | 3.5475E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.5851E-012 | 2.1981E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.2545E-012 | 1.8304E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 2.8036E-012 | 4.2297E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 9.6147E-012 | 1.4459E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 8.1566E-012 | 1.2208E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 9.8018E-013 | 1.4705E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 4.0073E-012 | 6.0664E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 8.2902E-009 | 1.2752E-007 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 1.3764E-011 | 2.0578E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 2.6285E-012 | 4.1675E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.1254E-004 | 1.1708E-004 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Isophorone | 1.0928E-013 | 1.7671E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Mercuric chloride | 2.0176E-010 | 2.1105E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 2.4555E-017 | 3.9745E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 1.4244E-018 | 2.3043E-017 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 5.9351E-016 | 9.6100E-015 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Methyl mercury | 7.9924E-013 | 8.9426E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Methylene chloride | 1.5629E-016 | 2.5288E-015 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Naphthalene | 1.3718E-012 | 2.1950E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 1.2995E-012 | 2.0945E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 2.4870E-013 | 4.0215E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 2.8499E-013 | 4.6057E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitrobenzene | 3.5333E-013 | 5.7189E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 2.8461E-013 | 4.6031E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 2.6987E-012 | 1.4823E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 2.5221E-012 | 4.0646E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 1.3500E-013 | 2.1708E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 3.3636E-014 | 5.3458E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.9331E-013 | 2.9027E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 1.8955E-014 | 2.8412E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 6.3156E-012 | 8.3344E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 4.1884E-012 | 6.3235E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 2.7803E-012 | 4.2173E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 2.4610E-010 | 3.6615E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 9.0483E-012 | 1.3086E-010 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Pentachlorophenol | 2.7681E-009 | 9.7398E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Phenanthrene | 1.0626E-013 | 1.6813E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Phenol | 2.6766E-013 | 4.3180E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Pronamide | 3.6986E-010 | 5.7600E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Pyrene | 3.9141E-009 | 2.8691E-008 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Selenium | 9.3135E-006 | 9.9106E-006 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Styrene | 6.3504E-014 | 1.0237E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 2.6115E-012 | 4.2878E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.2320E-012 | 2.2048E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 3.6155E-010 | 5.4762E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 2.6807E-014 | 4.3260E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 2.5330E-015 | 4.0853E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 3.5954E-010 | 2.9625E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Toluene | 3.3700E-015 | 5.3849E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 9.6181E-013 | 1.4948E-011 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 1.6290E-015 | 2.6306E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 1.2347E-014 | 1.9967E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichloroethylene | 2.0279E-015 | 3.2701E-014 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 2.6728E-016 | 4.3114E-015 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 1.4943E-010 | 2.2101E-009 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 3.4736E-011 | 4.2309E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 4.5874E-014 | 7.4127E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | VX | 4.9412E-012 | 6.0563E-012 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Vinyl Chloride | 6.4539E-019 | 1.0434E-017 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Xylene, m- | 2.5721E-014 | 1.8055E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Xylene, o- | 2.4666E-014 | 2.0032E-013 |
| RCPTR_35 | farmer_adult | TOCDFMPF | Xylene, p- | 3.0186E-014 | 2.6978E-013 |
| RCPTR_35 | farmer_adult | TOCDHVAC | VX | 2.0906E-012 | 2.5736E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Acenaphthene | 7.3257E-011 | 1.1624E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Acetone | 3.1468E-012 | 5.0957E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Acetophenone | 3.3341E-013 | 5.3927E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Aniline | 2.0028E-014 | 3.2305E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Anthracene | 1.4057E-009 | 2.2310E-008 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | Benzene | 4.2838E-015 | 6.9004E-014 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 3.6494E-007 | 1.3771E-006 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 3.0855E-006 | 4.1919E-006 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.9306E-006 | 4.7415E-006 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 5.0037E-006 | 6.2506E-006 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Benzoic acid | 9.0195E-012 | 1.2469E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 8.6233E-011 | 1.3939E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 4.5413E-013 | 7.3536E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 2.6762E-016 | 4.3294E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 2.5907E-013 | 4.1925E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 3.5766E-008 | 3.6333E-007 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 1.7036E-009 | 3.7282E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Cadmium | 7.0091E-009 | 1.9039E-008 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.7764E-017 | 2.8670E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 1.4363E-016 | 2.3128E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 4.7521E-011 | 5.9987E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 2.1297E-012 | 3.4320E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chlorobenzene | 8.4519E-016 | 1.3563E-014 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chloroethane | 2.5793E-017 | 4.0443E-016 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 1.1073E-016 | 1.7908E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.9378E-010 | 3.0884E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 5.9236E-012 | 9.5881E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 3.1448E-010 | 4.1750E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Chrysene | 1.0102E-006 | 2.1474E-006 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 7.6153E-009 | 1.5892E-008 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 3.9348E+000 | 3.9349E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 6.7779E-005 | 7.7525E-005 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 2.9463E-013 | 4.5990E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 3.5586E-013 | 5.6278E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 3.3801E-013 | 5.3632E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 2.1953E-009 | 5.2815E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.9416E-018 | 3.1306E-017 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 4.4718E-017 | 7.2340E-016 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.9999E-016 | 9.7083E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.8479E-016 | 2.9835E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 2.9638E-016 | 4.7836E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 3.7260E-011 | 3.9418E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 1.6015E-016 | 2.5789E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 5.2219E-017 | 8.4423E-016 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 4.8566E-010 | 6.2216E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 4.4232E-012 | 6.9379E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 4.0856E-012 | 6.5545E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 7.8512E-013 | 4.9917E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 3.8370E-012 | 5.9107E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 2.9301E-012 | 4.5660E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 8.4681E-014 | 1.3710E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Ethylbenzene | 4.7292E-015 | 7.3591E-014 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 6.0944E-010 | 1.4943E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Fluoranthene | 2.5979E-008 | 2.7810E-007 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Fluorene | 2.9943E-010 | 4.6915E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 1.7913E-012 | 2.4475E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.2081E-011 | 2.8295E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 5.0121E-011 | 6.7840E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.5788E-011 | 2.0378E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 9.1042E-012 | 1.2624E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 7.3098E-012 | 1.0664E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.0362E-011 | 1.5631E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 9.0405E-012 | 1.3595E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 9.3557E-012 | 1.4002E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 7.6714E-012 | 1.1508E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 7.1288E-012 | 1.0792E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 1.6628E-008 | 2.5577E-007 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.9760E-011 | 2.9543E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 3.7299E-012 | 5.9139E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.1637E-004 | 5.3715E-004 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Isophorone | 6.1082E-013 | 9.8778E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.8710E-010 | 1.9571E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 3.3180E-017 | 5.3706E-016 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 9.6369E-020 | 1.5590E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 3.5257E-014 | 5.7088E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Methyl mercury | 7.4103E-013 | 8.2914E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Methylene chloride | 4.7855E-013 | 7.7429E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Naphthalene | 1.6252E-012 | 2.6005E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 1.0464E-011 | 1.6865E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 2.4718E-012 | 3.9968E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 3.1951E-012 | 5.1635E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitrobenzene | 1.0320E-012 | 1.6704E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 4.6987E-013 | 7.5994E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 1.5113E-011 | 8.3006E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 5.9092E-013 | 9.5230E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 5.9704E-013 | 9.6002E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 5.1658E-014 | 8.2102E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 2.5150E-012 | 3.7763E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4864E-012 | 3.7266E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 3.8214E-011 | 5.0426E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 6.1607E-012 | 9.3009E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.2680E-011 | 3.4401E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 5.7657E-011 | 8.5787E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 2.1237E-011 | 3.0716E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 2.3241E-008 | 8.1772E-008 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Phenanthrene | 1.0087E-012 | 1.5961E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Phenol | 8.1647E-013 | 1.3171E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Pronamide | 8.6655E-011 | 1.3495E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Pyrene | 5.3277E-008 | 3.9053E-007 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Selenium | 2.9516E-005 | 3.1408E-005 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Styrene | 4.1566E-015 | 6.7007E-014 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 6.0089E-012 | 9.8659E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.8269E-012 | 3.2695E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 8.4709E-011 | 1.2830E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 6.9457E-013 | 1.8497E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.7137E-016 | 2.7639E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 8.4393E-010 | 6.9536E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Toluene | 5.2024E-012 | 8.3130E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 2.8471E-012 | 4.4250E-011 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.6308E-014 | 2.6334E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 8.7611E-015 | 1.4167E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichloroethylene | 1.4389E-015 | 2.3203E-014 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.8965E-016 | 3.0591E-015 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 3.3309E-010 | 4.9266E-009 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 7.6196E-011 | 9.2808E-010 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 3.2550E-014 | 5.2597E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_adult | TOCDLIC2 | VX | 3.7100E-012 | 4.5473E-012 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 4.2244E-020 | 6.8297E-019 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Xylene, m- | 3.2519E-014 | 2.2839E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Xylene, o- | 1.9843E-014 | 1.6122E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Xylene, p- | 3.8169E-014 | 3.4128E-013 |
| RCPTR_35 | farmer_adult | TOCDLIC2 | Zinc | 1.0735E-007 | 2.4996E-007 |
| RCPTR_35 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Cadmium | 2.5464E-008 | 3.9148E-008 |
| RCPTR_35 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Mercuric chloride | 2.9161E-006 | 3.6421E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFBRA | Methyl mercury | 1.3777E-008 | 1.6041E-008 |
| RCPTR_35 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Selenium | 1.7301E-005 | 1.7982E-005 |
| RCPTR_35 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFBRA | Zinc | 7.3467E-007 | 1.0923E-006 |
| RCPTR_35 | farmer_child | TOCDFDFS | Acenaphthene | 8.4271E-010 | 2.0431E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Acetone | 1.4924E-013 | 3.6253E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Acetophenone | 3.9025E-012 | 9.4785E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Aniline | 2.3384E-013 | 5.6782E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Anthracene | 1.6175E-008 | 3.9213E-008 |
| RCPTR_35 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Aroclor 1254 | 9.3615E-011 | 2.0121E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | Benzene | 1.2674E-014 | 3.0771E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 1.5436E-006 | 2.4224E-006 |
| RCPTR_35 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 6.3847E-006 | 7.4006E-006 |
| RCPTR_35 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 5.8608E-006 | 8.3418E-006 |
| RCPTR_35 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 1.0153E-005 | 1.1042E-005 |
| RCPTR_35 | farmer_child | TOCDFDFS | Benzoic acid | 5.9286E-011 | 1.4173E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Benzyl alcohol | 8.2294E-012 | 1.9987E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 5.3209E-012 | 1.2925E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Bromodichloromethane | 2.6944E-014 | 6.5445E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 9.3473E-013 | 2.2704E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.5406E-007 | 6.3862E-007 |
| RCPTR_35 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 1.6134E-008 | 2.4437E-008 |
| RCPTR_35 | farmer_child | TOCDFDFS | Cadmium | 4.2142E-008 | 6.4753E-008 |
| RCPTR_35 | farmer_child | TOCDFDFS | Carbon disulfide | 3.5879E-015 | 8.7127E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | Carbon tetrachloride | 1.4400E-014 | 3.4961E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.4558E-010 | 1.0544E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chloroaniline, p- | 2.4844E-011 | 6.0323E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chlorobenzene | 4.2312E-014 | 1.0269E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chloroethane | 3.4208E-016 | 8.2840E-016 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 5.5825E-015 | 1.3559E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 2.2381E-009 | 5.4283E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 6.9380E-011 | 1.6853E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.0834E-009 | 7.3383E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Chrysene | 2.8783E-006 | 3.7785E-006 |
| RCPTR_35 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 2.9148E-008 | 4.3288E-008 |
| RCPTR_35 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 2.2554E+002 | 2.2554E+002 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 1.2925E-004 | 1.3717E-004 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 7.3134E-013 | 1.7703E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 2.6529E-012 | 6.4297E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 1.7302E-012 | 4.1949E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 3.4755E-009 | 5.4842E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 2.6409E-017 | 6.4126E-017 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 2.3308E-015 | 5.6612E-015 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.8854E-015 | 7.0086E-015 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 2.5165E-015 | 6.1112E-015 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 4.0350E-015 | 9.7985E-015 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 2.1858E-010 | 5.0575E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 2.2819E-014 | 5.5402E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.6318E-015 | 6.3919E-015 |
| RCPTR_35 | farmer_child | TOCDFDFS | Diethyl phthalate | 4.8570E-009 | 5.6327E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dimethyl phthalate | 2.4600E-011 | 5.9575E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 4.7469E-011 | 1.1521E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 2.0476E-011 | 4.3426E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 9.3044E-012 | 2.2493E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 7.1793E-012 | 1.7375E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 9.9203E-013 | 2.4097E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Ethylbenzene | 5.2355E-014 | 1.2669E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 4.7115E-010 | 7.4844E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Fluoranthene | 2.3462E-007 | 4.8883E-007 |
| RCPTR_35 | farmer_child | TOCDFDFS | Fluorene | 3.4054E-009 | 8.2461E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 3.9278E-013 | 4.4300E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 5.0286E-013 | 5.5441E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 1.1868E-012 | 1.3340E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 3.1837E-012 | 3.5192E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 1.9331E-012 | 2.1906E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 1.6110E-012 | 1.8568E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 2.2832E-012 | 2.6597E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 1.9869E-012 | 2.3125E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 2.0483E-012 | 2.3802E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 1.6828E-012 | 1.9569E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 7.8602E-011 | 1.8969E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.8677E-007 | 4.4956E-007 |
| RCPTR_35 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 1.0665E-009 | 2.5704E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 4.2877E-011 | 1.0395E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 9.2730E-004 | 9.4524E-004 |
| RCPTR_35 | farmer_child | TOCDFDFS | Isophorone | 7.1483E-012 | 1.7362E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Mercuric chloride | 3.8393E-009 | 4.7999E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 2.3781E-016 | 5.7766E-016 |
| RCPTR_35 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 4.5738E-018 | 1.1109E-017 |
| RCPTR_35 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.7698E-014 | 6.7281E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | Methyl mercury | 1.7412E-011 | 2.0408E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Methylene chloride | 1.5482E-013 | 3.7605E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Naphthalene | 4.9797E-011 | 1.2083E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 1.2065E-010 | 2.9294E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 2.8583E-011 | 6.9422E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 3.6928E-011 | 8.9687E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitrobenzene | 1.2087E-011 | 2.9361E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 5.4994E-012 | 1.3357E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 7.0205E-011 | 1.4415E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 6.8938E-012 | 1.6738E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 6.9511E-012 | 1.6874E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 5.9517E-013 | 1.4431E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 9.3202E-013 | 1.0845E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 2.7906E-013 | 3.2455E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 6.7908E-012 | 7.5588E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 7.4904E-013 | 8.7223E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 2.7723E-012 | 3.2339E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Pentachlorobenzene | 3.0987E-009 | 7.4644E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.2215E-010 | 5.3356E-010 |
| RCPTR_35 | farmer_child | TOCDFDFS | Pentachlorophenol | 1.5805E-008 | 2.8684E-008 |
| RCPTR_35 | farmer_child | TOCDFDFS | Phenanthrene | 1.1574E-011 | 2.8054E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Phenol | 9.5339E-012 | 2.3151E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Pronamide | 1.9603E-009 | 4.7440E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Pyrene | 4.1938E-007 | 6.8645E-007 |
| RCPTR_35 | farmer_child | TOCDFDFS | Selenium | 3.7524E-006 | 3.8998E-006 |
| RCPTR_35 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Styrene | 5.0741E-013 | 1.2320E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 4.3546E-012 | 5.2010E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 2.5062E-012 | 3.0690E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 9.3440E-010 | 2.2551E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 1.6999E-011 | 2.7949E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.7206E-014 | 4.1780E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 5.4226E-009 | 1.2077E-008 |
| RCPTR_35 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFDFS | Toluene | 8.4976E-014 | 2.0616E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.8737E-011 | 9.3732E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 1.1078E-014 | 2.6903E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 1.1948E-013 | 2.9020E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichloroethylene | 1.9574E-014 | 4.7528E-014 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.5805E-015 | 6.2662E-015 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.5965E-009 | 8.6593E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 6.9231E-010 | 1.6312E-009 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 4.4361E-013 | 1.0774E-012 |
| RCPTR_35 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.6729E-012 | 8.8974E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFDFS | VX | 1.0911E-011 | 1.2337E-011 |
| RCPTR_35 | farmer_child | TOCDFDFS | Vinyl Chloride | 3.2362E-018 | 7.8600E-018 |
| RCPTR_35 | farmer_child | TOCDFDFS | Xylene, m- | 3.1792E-013 | 6.8618E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Xylene, o- | 3.4317E-013 | 7.6094E-013 |
| RCPTR_35 | farmer_child | TOCDFDFS | Xylene, p- | 4.5468E-013 | 1.0245E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Acenaphthene | 4.7944E-010 | 1.1624E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Acetone | 2.0977E-011 | 5.0957E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Acetophenone | 2.2202E-012 | 5.3927E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Aniline | 1.3304E-013 | 3.2305E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | Anthracene | 9.2022E-009 | 2.2310E-008 |
| RCPTR_35 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Benzene | 2.8421E-014 | 6.9004E-014 |
| RCPTR_35 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 8.7746E-007 | 1.3771E-006 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 3.6192E-006 | 4.1919E-006 |
| RCPTR_35 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 3.3316E-006 | 4.7415E-006 |
| RCPTR_35 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 5.7517E-006 | 6.2506E-006 |
| RCPTR_35 | farmer_child | TOCDFLIC | Benzoic acid | 5.2157E-011 | 1.2469E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Benzyl alcohol | 5.7392E-010 | 1.3939E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 3.0273E-012 | 7.3536E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.7824E-015 | 4.3294E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 1.7260E-012 | 4.1925E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.0143E-007 | 3.6333E-007 |
| RCPTR_35 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 2.4587E-009 | 3.7282E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Cadmium | 1.2391E-008 | 1.9039E-008 |
| RCPTR_35 | farmer_child | TOCDFLIC | Carbon disulfide | 1.1806E-016 | 2.8670E-016 |
| RCPTR_35 | farmer_child | TOCDFLIC | Carbon tetrachloride | 9.5260E-016 | 2.3128E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.5352E-010 | 5.9987E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | Chloroaniline, p- | 1.4135E-011 | 3.4320E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chlorobenzene | 5.5884E-015 | 1.3563E-014 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chloroethane | 1.6700E-016 | 4.0443E-016 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 7.3732E-016 | 1.7908E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 1.2733E-009 | 3.0884E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 3.9473E-011 | 9.5881E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.7542E-009 | 4.1750E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Chrysene | 1.6360E-006 | 2.1474E-006 |
| RCPTR_35 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 1.0702E-008 | 1.5892E-008 |
| RCPTR_35 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 3.9349E+000 | 3.9349E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 7.3141E-005 | 7.7525E-005 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.8999E-012 | 4.5990E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 2.3220E-012 | 5.6278E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 2.2121E-012 | 5.3632E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 3.3463E-009 | 5.2815E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 1.2893E-017 | 3.1306E-017 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 3.0784E-016 | 7.4771E-016 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.9969E-015 | 9.7083E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 1.2286E-015 | 2.9835E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.9699E-015 | 4.7836E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 1.7037E-010 | 3.9418E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 1.0622E-015 | 2.5789E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 3.4760E-016 | 8.4423E-016 |
| RCPTR_35 | farmer_child | TOCDFLIC | Diethyl phthalate | 5.3657E-010 | 6.2216E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dimethyl phthalate | 2.8648E-011 | 6.9379E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 2.7007E-011 | 6.5545E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 2.3539E-012 | 4.9917E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 2.4450E-011 | 5.9107E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.8866E-011 | 4.5660E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 5.6440E-013 | 1.3710E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Ethylbenzene | 3.0411E-014 | 7.3591E-014 |
| RCPTR_35 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 9.3943E-010 | 1.4943E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Fluoranthene | 1.3348E-007 | 2.7810E-007 |
| RCPTR_35 | farmer_child | TOCDFLIC | Fluorene | 1.9374E-009 | 4.6915E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 2.1719E-012 | 2.4475E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 7.4437E-012 | 8.1990E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 1.7504E-011 | 1.9658E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 1.8452E-011 | 2.0378E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 1.1149E-011 | 1.2624E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 9.2583E-012 | 1.0664E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 1.3424E-011 | 1.5631E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 1.1685E-011 | 1.3595E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 1.2055E-011 | 1.4002E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 9.9002E-012 | 1.1508E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.4718E-011 | 1.0792E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Hexachlorobenzene | 1.0626E-007 | 2.5577E-007 |
| RCPTR_35 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 1.2257E-010 | 2.9543E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.4394E-011 | 5.9139E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 5.2723E-004 | 5.3715E-004 |
| RCPTR_35 | farmer_child | TOCDFLIC | Isophorone | 4.0669E-012 | 9.8778E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Mercuric chloride | 1.5652E-010 | 1.9571E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 2.2110E-016 | 5.3706E-016 |
| RCPTR_35 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 1.2820E-017 | 3.1137E-017 |
| RCPTR_35 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.3501E-013 | 5.7088E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | Methyl mercury | 7.0695E-013 | 8.2914E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | Methylene chloride | 3.1877E-012 | 7.7429E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | Naphthalene | 1.0718E-011 | 2.6005E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 6.9461E-011 | 1.6865E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 1.6456E-011 | 3.9968E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 4.2444E-012 | 1.0308E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitrobenzene | 6.8770E-012 | 1.6704E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 1.5672E-011 | 3.8066E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 8.0720E-012 | 1.6571E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.9221E-012 | 9.5230E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 3.9547E-012 | 9.6002E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 3.3859E-013 | 8.2102E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 3.2469E-012 | 3.7763E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 3.2057E-012 | 3.7266E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 4.5327E-011 | 5.0426E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 7.9890E-012 | 9.3009E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 2.9498E-011 | 3.4401E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.7837E-009 | 4.2971E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.2787E-010 | 3.0716E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Pentachlorophenol | 8.9976E-009 | 1.6325E-008 |
| RCPTR_35 | farmer_child | TOCDFLIC | Phenanthrene | 6.5851E-012 | 1.5961E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Phenol | 5.4242E-012 | 1.3171E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Pronamide | 5.5763E-010 | 1.3495E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Pyrene | 2.3859E-007 | 3.9053E-007 |
| RCPTR_35 | farmer_child | TOCDFLIC | Selenium | 3.0221E-005 | 3.1408E-005 |
| RCPTR_35 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Styrene | 2.7596E-014 | 6.7007E-014 |
| RCPTR_35 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 8.2610E-012 | 9.8659E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 2.6700E-012 | 3.2695E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 5.3162E-010 | 1.2830E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 1.1254E-012 | 1.8497E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 1.1382E-015 | 2.7639E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 3.1225E-009 | 6.9536E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFLIC | Toluene | 3.4265E-011 | 8.3130E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.8288E-011 | 4.4250E-011 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 1.0844E-013 | 2.6334E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 5.8330E-014 | 1.4167E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichloroethylene | 9.5558E-015 | 2.3203E-014 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.2598E-015 | 3.0591E-015 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 2.0462E-009 | 4.9266E-009 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 3.9390E-010 | 9.2808E-010 |
| RCPTR_35 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 2.1657E-013 | 5.2597E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | VX | 3.8690E-012 | 4.3740E-012 |
| RCPTR_35 | farmer_child | TOCDFLIC | Vinyl Chloride | 2.8120E-019 | 6.8297E-019 |
| RCPTR_35 | farmer_child | TOCDFLIC | Xylene, m- | 1.0557E-013 | 2.2839E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFLIC | Xylene, o- | 7.2569E-014 | 1.6122E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | Xylene, p- | 1.5121E-013 | 3.4128E-013 |
| RCPTR_35 | farmer_child | TOCDFLIC | Zinc | 1.6823E-007 | 2.4996E-007 |
| RCPTR_35 | farmer_child | TOCDFMPF | Acenaphthene | 8.7949E-011 | 2.1323E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Acetone | 8.9386E-016 | 2.1713E-015 |
| RCPTR_35 | farmer_child | TOCDFMPF | Acetophenone | 9.4763E-012 | 2.3017E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Aniline | 5.6784E-013 | 1.3788E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Anthracene | 9.6938E-010 | 2.3501E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Benzene | 5.0004E-015 | 1.2141E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 8.1281E-008 | 1.2756E-007 |
| RCPTR_35 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 6.1800E-007 | 7.1582E-007 |
| RCPTR_35 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 4.8409E-007 | 6.8897E-007 |
| RCPTR_35 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 8.5677E-007 | 9.3112E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Benzoic acid | 1.0024E-011 | 2.3963E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Benzyl alcohol | 4.5535E-012 | 1.1059E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 1.2893E-012 | 3.1320E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Bromodichloromethane | 2.6346E-014 | 6.3992E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 9.1398E-013 | 2.2200E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.1543E-007 | 2.0820E-007 |
| RCPTR_35 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 3.2604E-010 | 4.9437E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Cadmium | 3.9486E-008 | 6.0667E-008 |
| RCPTR_35 | farmer_child | TOCDFMPF | Carbon disulfide | 1.7451E-015 | 4.2376E-015 |
| RCPTR_35 | farmer_child | TOCDFMPF | Carbon tetrachloride | 1.4080E-014 | 3.4185E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.0867E-010 | 2.5713E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chloroaniline, p- | 4.1717E-012 | 1.0129E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chlorobenzene | 8.2602E-014 | 2.0048E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chloroethane | 2.3536E-016 | 5.6998E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 1.0898E-014 | 2.6470E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 2.2433E-010 | 5.4409E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 1.4553E-011 | 3.5351E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.4323E-010 | 1.2929E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Chrysene | 1.6938E-007 | 2.2232E-007 |
| RCPTR_35 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 1.2537E-008 | 1.8617E-008 |
| RCPTR_35 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 3.5445E+000 | 3.5445E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.9399E-005 | 2.0563E-005 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 6.6254E-013 | 1.6038E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 7.5490E-013 | 1.8296E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 7.1516E-013 | 1.7339E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 1.0029E-009 | 1.5829E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.8171E-017 | 4.4121E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 4.5502E-015 | 1.1052E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 5.6330E-015 | 1.3682E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 1.7315E-015 | 4.2048E-015 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.7762E-015 | 6.7418E-015 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 6.6838E-011 | 1.5464E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 1.5701E-014 | 3.8119E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 5.1378E-015 | 1.2478E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Diethyl phthalate | 1.1485E-009 | 1.3317E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dimethyl phthalate | 1.6564E-012 | 4.0113E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 1.0668E-011 | 2.5892E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 4.5318E-012 | 9.6100E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 3.3749E-011 | 8.1588E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 2.3643E-011 | 5.7221E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 2.4089E-012 | 5.8515E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Ethylbenzene | 5.1193E-014 | 1.2388E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 1.6274E-010 | 2.5883E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Fluoranthene | 1.0400E-008 | 2.1669E-008 |
| RCPTR_35 | farmer_child | TOCDFMPF | Fluorene | 2.9558E-010 | 7.1576E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 2.3914E-013 | 2.6949E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 1.2472E-012 | 1.3738E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 1.1579E-012 | 1.3004E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 3.2120E-012 | 3.5475E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 1.9412E-012 | 2.1981E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 1.5890E-012 | 1.8304E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 3.6323E-012 | 4.2297E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 1.2428E-011 | 1.4459E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 1.0510E-011 | 1.2208E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 1.2650E-012 | 1.4705E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.5137E-011 | 6.0664E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Hexachlorobenzene | 5.2977E-008 | 1.2752E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 8.5375E-011 | 2.0578E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.7191E-011 | 4.1675E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 1.1491E-004 | 1.1708E-004 |
| RCPTR_35 | farmer_child | TOCDFMPF | Isophorone | 7.2757E-013 | 1.7671E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Mercuric chloride | 1.6879E-010 | 2.1105E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 1.6362E-016 | 3.9745E-016 |
| RCPTR_35 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 9.4871E-018 | 2.3043E-017 |
| RCPTR_35 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.9562E-015 | 9.6100E-015 |
| RCPTR_35 | farmer_child | TOCDFMPF | Methyl mercury | 7.6250E-013 | 8.9426E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | Methylene chloride | 1.0411E-015 | 2.5288E-015 |
| RCPTR_35 | farmer_child | TOCDFMPF | Naphthalene | 9.0463E-012 | 2.1950E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 8.6261E-012 | 2.0945E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 1.6558E-012 | 4.0215E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.8964E-012 | 4.6057E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitrobenzene | 2.3544E-012 | 5.7189E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.8952E-012 | 4.6031E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 7.2203E-012 | 1.4823E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.6740E-011 | 4.0646E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 8.9425E-013 | 2.1708E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 2.2046E-013 | 5.3458E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 2.4957E-013 | 2.9027E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 2.4440E-014 | 2.8412E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 7.4915E-012 | 8.3344E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 5.4315E-012 | 6.3235E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 3.6162E-012 | 4.2173E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Pentachlorobenzene | 1.5199E-009 | 3.6615E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.4478E-011 | 1.3086E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Pentachlorophenol | 5.3682E-009 | 9.7398E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Phenanthrene | 6.9368E-013 | 1.6813E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Phenol | 1.7782E-012 | 4.3180E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Pronamide | 2.3801E-009 | 5.7600E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Pyrene | 1.7529E-008 | 2.8691E-008 |
| RCPTR_35 | farmer_child | TOCDFMPF | Selenium | 9.5362E-006 | 9.9106E-006 |
| RCPTR_35 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDFMPF | Styrene | 4.2161E-013 | 1.0237E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 3.5903E-012 | 4.2878E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 1.8005E-012 | 2.2048E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.2690E-009 | 5.4762E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.7815E-013 | 4.3260E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.6824E-014 | 4.0853E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 1.3303E-009 | 2.9625E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDFMPF | Toluene | 2.2196E-014 | 5.3849E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 6.1781E-012 | 1.4948E-011 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 1.0832E-014 | 2.6306E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 8.2207E-014 | 1.9967E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichloroethylene | 1.3467E-014 | 3.2701E-014 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.7755E-015 | 4.3114E-015 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 9.1796E-010 | 2.2101E-009 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.7957E-010 | 4.2309E-010 |
| RCPTR_35 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 3.0522E-013 | 7.4127E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | VX | 5.3571E-012 | 6.0563E-012 |
| RCPTR_35 | farmer_child | TOCDFMPF | Vinyl Chloride | 4.2961E-018 | 1.0434E-017 |
| RCPTR_35 | farmer_child | TOCDFMPF | Xylene, m- | 8.3465E-014 | 1.8055E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | Xylene, o- | 9.0174E-014 | 2.0032E-013 |
| RCPTR_35 | farmer_child | TOCDFMPF | Xylene, p- | 1.1954E-013 | 2.6978E-013 |
| RCPTR_35 | farmer_child | TOCDHVAC | VX | 2.2707E-012 | 2.5736E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Acenaphthene | 4.7944E-010 | 1.1624E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Acetone | 2.0977E-011 | 5.0957E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Acetophenone | 2.2202E-012 | 5.3927E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Aniline | 1.3304E-013 | 3.2305E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Anthracene | 9.2022E-009 | 2.2310E-008 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Benzene | 2.8421E-014 | 6.9004E-014 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 8.7746E-007 | 1.3771E-006 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 3.6192E-006 | 4.1919E-006 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 3.3316E-006 | 4.7415E-006 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 5.7517E-006 | 6.2506E-006 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Benzoic acid | 5.2157E-011 | 1.2469E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Benzyl alcohol | 5.7392E-010 | 1.3939E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 3.0273E-012 | 7.3536E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.7824E-015 | 4.3294E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 1.7260E-012 | 4.1925E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.0143E-007 | 3.6333E-007 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 2.4587E-009 | 3.7282E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Cadmium | 1.2391E-008 | 1.9039E-008 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Carbon disulfide | 1.1806E-016 | 2.8670E-016 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 9.5260E-016 | 2.3128E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.5352E-010 | 5.9987E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 1.4135E-011 | 3.4320E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chlorobenzene | 5.5884E-015 | 1.3563E-014 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chloroethane | 1.6700E-016 | 4.0443E-016 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 7.3732E-016 | 1.7908E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 1.2733E-009 | 3.0884E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 3.9473E-011 | 9.5881E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.7542E-009 | 4.1750E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Chrysene | 1.6360E-006 | 2.1474E-006 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 1.0702E-008 | 1.5892E-008 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 3.9349E+000 | 3.9349E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 7.3141E-005 | 7.7525E-005 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.8999E-012 | 4.5990E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.3220E-012 | 5.6278E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 2.2121E-012 | 5.3632E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 3.3463E-009 | 5.2815E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 1.2893E-017 | 3.1306E-017 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 2.9783E-016 | 7.2340E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.9969E-015 | 9.7083E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 1.2286E-015 | 2.9835E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.9699E-015 | 4.7836E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 1.7037E-010 | 3.9418E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 1.0622E-015 | 2.5789E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 3.4760E-016 | 8.4423E-016 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Diethyl phthalate | 5.3657E-010 | 6.2216E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 2.8648E-011 | 6.9379E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 2.7007E-011 | 6.5545E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 2.3539E-012 | 4.9917E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.4450E-011 | 5.9107E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.8866E-011 | 4.5660E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 5.6440E-013 | 1.3710E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Ethylbenzene | 3.0411E-014 | 7.3591E-014 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 9.3943E-010 | 1.4943E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Fluoranthene | 1.3348E-007 | 2.7810E-007 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Fluorene | 1.9374E-009 | 4.6915E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 2.1719E-012 | 2.4475E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 2.5688E-011 | 2.8295E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 6.0407E-011 | 6.7840E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 1.8452E-011 | 2.0378E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 1.1149E-011 | 1.2624E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 9.2583E-012 | 1.0664E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 1.3424E-011 | 1.5631E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 1.1685E-011 | 1.3595E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 1.2055E-011 | 1.4002E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 9.9002E-012 | 1.1508E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.4718E-011 | 1.0792E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 1.0626E-007 | 2.5577E-007 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 1.2257E-010 | 2.9543E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.4394E-011 | 5.9139E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 5.2723E-004 | 5.3715E-004 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Isophorone | 4.0669E-012 | 9.8778E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Mercuric chloride | 1.5652E-010 | 1.9571E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 2.2110E-016 | 5.3706E-016 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 6.4185E-019 | 1.5590E-018 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.3501E-013 | 5.7088E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Methyl mercury | 7.0695E-013 | 8.2914E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Methylene chloride | 3.1877E-012 | 7.7429E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Naphthalene | 1.0718E-011 | 2.6005E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 6.9461E-011 | 1.6865E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 1.6456E-011 | 3.9968E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 2.1261E-011 | 5.1635E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitrobenzene | 6.8770E-012 | 1.6704E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 3.1288E-012 | 7.5994E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 4.0433E-011 | 8.3006E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.9221E-012 | 9.5230E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.9547E-012 | 9.6002E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 3.3859E-013 | 8.2102E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 3.2469E-012 | 3.7763E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 3.2057E-012 | 3.7266E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 4.5327E-011 | 5.0426E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 7.9890E-012 | 9.3009E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 2.9498E-011 | 3.4401E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 3.5609E-010 | 8.5787E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.2787E-010 | 3.0716E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Pentachlorophenol | 4.5070E-008 | 8.1772E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Phenanthrene | 6.5851E-012 | 1.5961E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Phenol | 5.4242E-012 | 1.3171E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Pronamide | 5.5763E-010 | 1.3495E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Pyrene | 2.3859E-007 | 3.9053E-007 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Selenium | 3.0221E-005 | 3.1408E-005 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Styrene | 2.7596E-014 | 6.7007E-014 |
| RCPTR_35 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 8.2610E-012 | 9.8659E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 2.6700E-012 | 3.2695E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 5.3162E-010 | 1.2830E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 1.1254E-012 | 1.8497E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 1.1382E-015 | 2.7639E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 3.1225E-009 | 6.9536E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Toluene | 3.4265E-011 | 8.3130E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.8288E-011 | 4.4250E-011 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 1.0844E-013 | 2.6334E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 5.8330E-014 | 1.4167E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichloroethylene | 9.5558E-015 | 2.3203E-014 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.2598E-015 | 3.0591E-015 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 2.0462E-009 | 4.9266E-009 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 3.9390E-010 | 9.2808E-010 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 2.1657E-013 | 5.2597E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | VX | 4.0223E-012 | 4.5473E-012 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Vinyl Chloride | 2.8120E-019 | 6.8297E-019 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Xylene, m- | 1.0557E-013 | 2.2839E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Xylene, o- | 7.2569E-014 | 1.6122E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Xylene, p- | 1.5121E-013 | 3.4128E-013 |
| RCPTR_35 | farmer_child | TOCDLIC2 | Zinc | 1.6823E-007 | 2.4996E-007 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Cadmium | 6.0845E-009 | 1.6631E-008 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Mercuric chloride | 2.5688E-006 | 2.6876E-006 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Methyl mercury | 9.7334E-009 | 1.0949E-008 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Selenium | 7.1387E-006 | 7.6017E-006 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFBRA | Zinc | 1.9801E-007 | 4.6379E-007 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Acenaphthene | 7.3399E-011 | 1.1649E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Acetone | 1.2765E-014 | 2.0671E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Acetophenone | 3.3414E-013 | 5.4046E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Aniline | 2.0072E-014 | 3.2376E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Anthracene | 1.4082E-009 | 2.2358E-008 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Aroclor 1254 | 1.6113E-011 | 1.1390E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Benzene | 1.0892E-015 | 1.7545E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Benzo(a)anthracene | 3.5882E-007 | 1.3650E-006 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Benzo(a)pyrene | 2.9655E-006 | 3.9542E-006 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Benzo(b)fluoranthene | 1.9038E-006 | 4.6851E-006 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Benzo(k)fluoranthene | 4.8014E-006 | 5.8499E-006 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Benzoic acid | 5.8508E-012 | 8.0820E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Benzyl alcohol | 7.0503E-013 | 1.1396E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Bis(2-chlorethyl)ether | 4.5513E-013 | 7.3698E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Bromodichloromethane | 2.3066E-015 | 3.7316E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Bromoform (Tribromomethane) | 7.9998E-014 | 1.2946E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Bromophenyl-phenylether, 4- | 3.5840E-008 | 3.6412E-007 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Butylbenzylphthalate | 5.9105E-009 | 1.3441E-008 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Cadmium | 8.8388E-009 | 2.4143E-008 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Carbon disulfide | 3.0782E-016 | 4.9679E-015 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Carbon tetrachloride | 1.2380E-015 | 1.9934E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chloro-3-methylphenol, 4- | 4.7702E-011 | 6.0127E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chloroaniline, p- | 2.1344E-012 | 3.4395E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chlorobenzene | 3.6486E-015 | 5.8555E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chloroethane | 3.0132E-017 | 4.7236E-016 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chloroform (Trichloromethane) | 4.7804E-016 | 7.7312E-015 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chloronaphthalene,2- | 1.9419E-010 | 3.0952E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Chlorophenol, 2- | 5.9366E-012 | 9.6092E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chlorophenyl-phenylether, 4- | 3.1426E-010 | 4.1832E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Chrysene | 9.9755E-007 | 2.1166E-006 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Di-n-butyl phthalate | 1.1790E-008 | 2.4638E-008 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Di-n-octylphthalate | 1.2971E+002 | 1.2971E+002 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dibenz(a,h)anthracene | 6.4724E-005 | 7.1345E-005 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,2- | 6.4656E-014 | 1.0094E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichlorobenzene, 1,3- | 2.3180E-013 | 3.6661E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichlorobenzene,1,4- | 1.5073E-013 | 2.3919E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichlorobenzidine, 3,3'- | 1.2587E-009 | 3.0641E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichlorodifluoromethane | 2.2671E-018 | 3.6563E-017 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichloroethane 1,1- | 1.9954E-016 | 3.2279E-015 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.4697E-016 | 3.9962E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichloroethylene 1,1- | 2.1583E-016 | 3.4846E-015 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichloroethylene-1,2 (trans) | 3.4615E-016 | 5.5870E-015 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichlorophenol, 2,4- | 2.7327E-011 | 2.8845E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichloropropane, 1,2- | 1.9617E-015 | 3.1590E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dichloropropene, 1,3- (cis) | 2.2542E-016 | 3.6446E-015 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Diethyl phthalate | 2.5270E-009 | 3.2324E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dimethyl phthalate | 2.1636E-012 | 3.3967E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dimethylphenol, 2,4- | 4.0949E-012 | 6.5690E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dinitrophenol, 2,4- | 3.9010E-012 | 2.4769E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,4- | 8.3012E-013 | 1.2822E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Dinitrotoluene, 2,6- | 6.3523E-013 | 9.9065E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Ethyl methanesulfonate | 8.4868E-014 | 1.3740E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Ethylbenzene | 4.6412E-015 | 7.2239E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 1.6029E-010 | 4.1128E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Fluoranthene | 2.5939E-008 | 2.7849E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Fluorene | 2.9998E-010 | 4.7017E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 1.5077E-013 | 1.9902E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 2.1499E-013 | 2.6620E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 4.6438E-013 | 6.0704E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 1.3698E-012 | 1.7151E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 7.3873E-013 | 9.9236E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 5.6063E-013 | 7.9689E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 7.8756E-013 | 1.1700E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 6.9068E-013 | 1.0225E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 7.2212E-013 | 1.0633E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 5.8934E-013 | 8.7006E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 7.1292E-012 | 1.0814E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Hexachlorobenzene | 1.6656E-008 | 2.5632E-007 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Hexachlorocyclopentadiene | 9.7746E-011 | 1.4653E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Hexachloroethane (Perchloroethane) | 3.7387E-012 | 5.9270E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 5.1287E-004 | 5.2697E-004 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Isophorone | 6.1217E-013 | 9.8996E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Mercuric chloride | 2.5720E-009 | 2.6911E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Methyl bromide (Bromomethane) | 2.0349E-017 | 3.2937E-016 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Methyl chloride (Chloromethane) | 3.9155E-019 | 6.3344E-018 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 2.3693E-015 | 3.8363E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Methyl mercury | 9.6626E-012 | 1.0880E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Methylene chloride | 1.3252E-014 | 2.1442E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Naphthalene | 4.3052E-012 | 6.8894E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitroaniline, 2- | 1.0363E-011 | 1.6703E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitroaniline, 3- | 2.4479E-012 | 3.9584E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitroaniline, 4- | 3.1634E-012 | 5.1137E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitrobenzene | 1.0343E-012 | 1.6741E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitrophenol, 2- | 4.7089E-013 | 7.6162E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitrophenol, 4- | 1.5041E-011 | 8.2280E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitroso-di-n-butylamine, n- | 5.9225E-013 | 9.5440E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitrosodiphenylamine, N- | 5.9839E-013 | 9.6214E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Nitrosodipropylamine, n- | 5.1465E-014 | 8.2252E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 3.0144E-013 | 4.4382E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 9.0146E-014 | 1.3260E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 3.0498E-012 | 3.9566E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 3.0739E-013 | 4.6125E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.0981E-012 | 1.6537E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Pentachlorobenzene | 2.8212E-010 | 4.2519E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 2.0669E-011 | 3.0384E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Pentachlorophenol | 4.6777E-009 | 1.6389E-008 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Phenanthrene | 1.0107E-012 | 1.5996E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Phenol | 8.1829E-013 | 1.3200E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Pronamide | 1.7369E-010 | 2.7050E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Pyrene | 5.3339E-008 | 3.9123E-007 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Selenium | 1.3571E-006 | 1.4451E-006 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Styrene | 4.3576E-014 | 7.0249E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | TetraCDD, 2,3,7,8- | 1.7081E-012 | 2.8022E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | TetraCDF, 2,3,7,8- | 9.4447E-013 | 1.6931E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 8.4900E-011 | 1.2859E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 6.0251E-012 | 1.5982E-011 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 1.4768E-015 | 2.3822E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 8.3854E-010 | 6.8894E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Toluene | 7.3561E-015 | 1.1755E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichlorobenzene, 1,2,3- | 3.4367E-012 | 5.3445E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,1- | 9.4991E-016 | 1.5340E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichloroethane, 1,1,2- | 1.0232E-014 | 1.6547E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichloroethylene | 1.6805E-015 | 2.7100E-014 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 2.2149E-016 | 3.5729E-015 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,5- | 3.3404E-010 | 4.9377E-009 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichlorophenol, 2,4,6- | 7.6500E-011 | 9.3027E-010 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trichloropropane, 1,2,3- | 3.8016E-014 | 6.1430E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Trinitrotoluene, 2,4,6- | 3.1988E-013 | 5.0700E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | VX | 5.7865E-012 | 7.0831E-012 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Vinyl Chloride | 2.7714E-019 | 4.4816E-018 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Xylene, m- | 4.5820E-014 | 3.8068E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Xylene, o- | 4.5018E-014 | 4.2490E-013 |
| RCPTR_36 | farmer_adult | TOCDFDFS | Xylene, p- | 5.6154E-014 | 5.7434E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Acenaphthene | 4.1626E-011 | 6.6070E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Acetone | 1.7887E-012 | 2.8964E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Acetophenone | 1.8951E-013 | 3.0653E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Aniline | 1.1384E-014 | 1.8363E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Anthracene | 7.9857E-010 | 1.2680E-008 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Benzene | 2.4349E-015 | 3.9223E-014 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Benzo(a)anthracene | 2.0276E-007 | 7.7288E-007 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Benzo(a)pyrene | 1.6700E-006 | 2.2224E-006 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Benzo(b)fluoranthene | 1.0759E-006 | 2.6509E-006 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Benzo(k)fluoranthene | 2.7036E-006 | 3.2843E-006 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Benzoic acid | 5.1301E-012 | 7.0877E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Benzyl alcohol | 4.9016E-011 | 7.9231E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Bis(2-chlorethyl)ether | 2.5813E-013 | 4.1799E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Bromodichloromethane | 1.5212E-016 | 2.4609E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Bromoform (Tribromomethane) | 1.4726E-013 | 2.3831E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Bromophenyl-phenylether, 4- | 2.0327E-008 | 2.0652E-007 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Butylbenzylphthalate | 8.9126E-010 | 2.0391E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Cadmium | 2.4829E-009 | 6.7926E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Carbon disulfide | 1.0097E-017 | 1.6296E-016 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Carbon tetrachloride | 8.1639E-017 | 1.3146E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chloro-3-methylphenol, 4- | 2.7049E-011 | 3.4101E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chloroaniline, p- | 1.2105E-012 | 1.9508E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chlorobenzene | 4.8038E-016 | 7.7096E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chloroethane | 1.4664E-017 | 2.2989E-016 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chloroform (Trichloromethane) | 6.2942E-017 | 1.0179E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chloronaphthalene,2- | 1.1013E-010 | 1.7555E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chlorophenol, 2- | 3.3670E-012 | 5.4500E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chlorophenyl-phenylether, 4- | 1.7811E-010 | 2.3724E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Chrysene | 5.6385E-007 | 1.1971E-006 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Di-n-butyl phthalate | 4.3048E-009 | 9.0058E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Di-n-octylphthalate | 2.2507E+000 | 2.2507E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dibenz(a,h)anthracene | 3.6396E-005 | 3.9906E-005 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,2- | 1.6743E-013 | 2.6141E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichlorobenzene, 1,3- | 2.0225E-013 | 3.1989E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichlorobenzene,1,4- | 1.9210E-013 | 3.0485E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichlorobenzidine, 3,3'- | 1.2032E-009 | 2.9365E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichlorodifluoromethane | 1.1033E-018 | 1.7794E-017 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichloroethane 1,1- | 2.6273E-017 | 4.2501E-016 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.4104E-016 | 5.5184E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichloroethylene 1,1- | 1.0504E-016 | 1.6959E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.6847E-016 | 2.7191E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichlorophenol, 2,4- | 2.1223E-011 | 2.2410E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichloropropane, 1,2- | 9.1030E-017 | 1.4659E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dichloropropene, 1,3- (cis) | 2.9680E-017 | 4.7987E-016 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Diethyl phthalate | 2.7770E-010 | 3.5528E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dimethyl phthalate | 2.5114E-012 | 3.9433E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dimethylphenol, 2,4- | 2.3224E-012 | 3.7257E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dinitrophenol, 2,4- | 4.4652E-013 | 2.8375E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,4- | 2.1737E-012 | 3.3588E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Dinitrotoluene, 2,6- | 1.6638E-012 | 2.5952E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Ethyl methanesulfonate | 4.8134E-014 | 7.7928E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Ethylbenzene | 2.6872E-015 | 4.1829E-014 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 3.1601E-010 | 8.1658E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Fluoranthene | 1.4698E-008 | 1.5793E-007 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Fluorene | 1.7012E-010 | 2.6666E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 8.2123E-013 | 1.0788E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 3.1495E-012 | 3.8819E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 6.7540E-012 | 8.7862E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 7.8608E-012 | 9.8037E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 4.1983E-012 | 5.6152E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 3.1583E-012 | 4.4729E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 4.5426E-012 | 6.7363E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 3.9871E-012 | 5.8915E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 4.1753E-012 | 6.1359E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 3.4050E-012 | 5.0173E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 4.0418E-012 | 6.1333E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Hexachlorobenzene | 9.4451E-009 | 1.4537E-007 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Hexachlorocyclopentadiene | 1.1194E-011 | 1.6789E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Hexachloroethane (Perchloroethane) | 2.1204E-012 | 3.3616E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 2.8998E-004 | 2.9745E-004 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Isophorone | 3.4720E-013 | 5.6147E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Mercuric chloride | 1.0447E-010 | 1.0931E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Methyl bromide (Bromomethane) | 1.8860E-017 | 3.0527E-016 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Methyl chloride (Chloromethane) | 1.0940E-018 | 1.7699E-017 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 2.0041E-014 | 3.2449E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Methyl mercury | 3.8957E-013 | 4.3907E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Methylene chloride | 2.7201E-013 | 4.4012E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Naphthalene | 9.2369E-013 | 1.4782E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitroaniline, 2- | 5.9477E-012 | 9.5865E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitroaniline, 3- | 1.4049E-012 | 2.2718E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitroaniline, 4- | 3.6245E-013 | 5.8592E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitrobenzene | 5.8662E-013 | 9.4950E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitrophenol, 2- | 1.3378E-012 | 2.1637E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitrophenol, 4- | 1.7221E-012 | 9.4264E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitroso-di-n-butylamine, n- | 3.3590E-013 | 5.4130E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitrosodiphenylamine, N- | 3.3938E-013 | 5.4569E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Nitrosodipropylamine, n- | 2.9165E-014 | 4.6648E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 1.0237E-012 | 1.5031E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 1.0092E-012 | 1.4806E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 2.0210E-011 | 2.6171E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 3.2540E-012 | 4.8812E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.1577E-011 | 1.7426E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Pentachlorobenzene | 1.6162E-010 | 2.4400E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 1.1835E-011 | 1.7436E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Pentachlorophenol | 2.6509E-009 | 9.2929E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Phenanthrene | 5.7320E-013 | 9.0722E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Phenol | 4.6410E-013 | 7.4868E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Pronamide | 4.9252E-011 | 7.6708E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Pyrene | 3.0243E-008 | 2.2187E-007 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Selenium | 1.0436E-005 | 1.1114E-005 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Styrene | 2.3626E-015 | 3.8088E-014 |
| RCPTR_36 | farmer_adult | TOCDFLIC | TetraCDD, 2,3,7,8- | 3.2180E-012 | 5.2812E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.0002E-012 | 1.7943E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 4.8146E-011 | 7.2929E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 3.9701E-013 | 1.0536E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 9.7387E-017 | 1.5710E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 4.8099E-010 | 3.9538E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Toluene | 2.9569E-012 | 4.7252E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.6176E-012 | 2.5152E-011 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,1- | 9.2692E-015 | 1.4969E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichloroethane, 1,1,2- | 4.9799E-015 | 8.0529E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichloroethylene | 8.1786E-016 | 1.3189E-014 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 1.0779E-016 | 1.7389E-015 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.8944E-010 | 2.8005E-009 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichlorophenol, 2,4,6- | 4.3377E-011 | 5.2760E-010 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Trichloropropane, 1,2,3- | 1.8501E-014 | 2.9897E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | VX | 2.0411E-012 | 2.4988E-012 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Vinyl Chloride | 2.4006E-020 | 3.8820E-019 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Xylene, m- | 1.4816E-014 | 1.2615E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Xylene, o- | 9.2969E-015 | 8.9658E-014 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Xylene, p- | 1.8281E-014 | 1.9057E-013 |
| RCPTR_36 | farmer_adult | TOCDFLIC | Zinc | 3.8008E-008 | 8.9099E-008 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Acenaphthene | 7.6595E-012 | 1.2157E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Acetone | 7.6453E-017 | 1.2380E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Acetophenone | 8.1137E-013 | 1.3124E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Aniline | 4.8739E-014 | 7.8618E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Anthracene | 8.4383E-011 | 1.3399E-009 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Benzene | 4.2972E-016 | 6.9222E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Benzo(a)anthracene | 1.8835E-008 | 7.1812E-008 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Benzo(a)pyrene | 2.8595E-007 | 3.8069E-007 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Benzo(b)fluoranthene | 1.5675E-007 | 3.8634E-007 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Benzo(k)fluoranthene | 4.0385E-007 | 4.9080E-007 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Benzoic acid | 9.8886E-013 | 1.3663E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Benzyl alcohol | 3.9010E-013 | 6.3057E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Bis(2-chlorethyl)ether | 1.1028E-013 | 1.7858E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Bromodichloromethane | 2.2554E-015 | 3.6487E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Bromoform (Tribromomethane) | 7.8220E-014 | 1.2658E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Bromophenyl-phenylether, 4- | 1.1684E-008 | 1.1871E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Butylbenzylphthalate | 1.1856E-010 | 2.7122E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Cadmium | 7.9591E-009 | 2.1783E-008 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Carbon disulfide | 1.4971E-016 | 2.4162E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Carbon tetrachloride | 1.2104E-015 | 1.9491E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chloro-3-methylphenol, 4- | 1.1628E-011 | 1.4662E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chloroaniline, p- | 3.5838E-013 | 5.7753E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chlorobenzene | 7.1224E-015 | 1.1431E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chloroethane | 2.0730E-017 | 3.2499E-016 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chloroform (Trichloromethane) | 9.3322E-016 | 1.5093E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chloronaphthalene,2- | 1.9463E-011 | 3.1023E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chlorophenol, 2- | 1.2453E-012 | 2.0156E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chlorophenyl-phenylether, 4- | 5.5321E-011 | 7.3694E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Chrysene | 5.8532E-008 | 1.2431E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Di-n-butyl phthalate | 5.0557E-009 | 1.0580E-008 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Di-n-octylphthalate | 2.0323E+000 | 2.0323E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dibenz(a,h)anthracene | 9.6792E-006 | 1.0617E-005 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,2- | 5.8565E-014 | 9.1440E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichlorobenzene, 1,3- | 6.5954E-014 | 1.0432E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichlorobenzene,1,4- | 6.2297E-014 | 9.8859E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichlorobenzidine, 3,3'- | 3.6161E-010 | 8.8271E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichlorodifluoromethane | 1.5597E-018 | 2.5156E-017 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichloroethane 1,1- | 3.8954E-016 | 6.3015E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 4.8213E-016 | 7.8014E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichloroethylene 1,1- | 1.4849E-016 | 2.3975E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichloroethylene-1,2 (trans) | 2.3816E-016 | 3.8440E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichlorophenol, 2,4- | 8.3496E-012 | 8.8186E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichloropropane, 1,2- | 1.3497E-015 | 2.1734E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dichloropropene, 1,3- (cis) | 4.4006E-016 | 7.1149E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Diethyl phthalate | 5.9584E-010 | 7.6243E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dimethyl phthalate | 1.4565E-013 | 2.2870E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dimethylphenol, 2,4- | 9.2028E-013 | 1.4763E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dinitrophenol, 2,4- | 8.6193E-013 | 5.4793E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,4- | 3.0097E-012 | 4.6507E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Dinitrotoluene, 2,6- | 2.0915E-012 | 3.2623E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Ethyl methanesulfonate | 2.0608E-013 | 3.3364E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Ethylbenzene | 4.5375E-015 | 7.0633E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 5.4919E-011 | 1.4189E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Fluoranthene | 1.1487E-009 | 1.2343E-008 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Fluorene | 2.6034E-011 | 4.0809E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 9.0805E-014 | 1.1937E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 5.2956E-013 | 6.5311E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 4.4859E-013 | 5.8395E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 1.3731E-012 | 1.7134E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 7.3404E-013 | 9.8239E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 5.4471E-013 | 7.7191E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 1.2350E-012 | 1.8323E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 4.2604E-012 | 6.2982E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 3.6570E-012 | 5.3766E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 4.3709E-013 | 6.4434E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 2.2790E-012 | 3.4583E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Hexachlorobenzene | 4.7234E-009 | 7.2701E-008 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Hexachlorocyclopentadiene | 7.8209E-012 | 1.1730E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Hexachloroethane (Perchloroethane) | 1.4989E-012 | 2.3762E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 6.3359E-005 | 6.5000E-005 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Isophorone | 6.2306E-014 | 1.0076E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Mercuric chloride | 1.1302E-010 | 1.1825E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Methyl bromide (Bromomethane) | 1.4000E-017 | 2.2662E-016 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Methyl chloride (Chloromethane) | 8.1214E-019 | 1.3139E-017 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 3.3840E-016 | 5.4794E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Methyl mercury | 4.2162E-013 | 4.7517E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Methylene chloride | 8.9114E-017 | 1.4419E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Naphthalene | 7.8205E-013 | 1.2515E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitroaniline, 2- | 7.4091E-013 | 1.1942E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitroaniline, 3- | 1.4180E-013 | 2.2930E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitroaniline, 4- | 1.6244E-013 | 2.6260E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitrobenzene | 2.0146E-013 | 3.2608E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitrophenol, 2- | 1.6227E-013 | 2.6246E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitrophenol, 4- | 1.5444E-012 | 8.4572E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitroso-di-n-butylamine, n- | 1.4381E-012 | 2.3175E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitrosodiphenylamine, N- | 7.6979E-014 | 1.2377E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Nitrosodipropylamine, n- | 1.9050E-014 | 3.0468E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 7.9122E-014 | 1.1624E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 7.7368E-015 | 1.1357E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 3.3504E-012 | 4.3400E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 2.2193E-012 | 3.3298E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 1.4241E-012 | 2.1441E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Pentachlorobenzene | 1.3815E-010 | 2.0855E-009 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 5.0583E-012 | 7.4513E-011 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Pentachlorophenol | 1.5856E-009 | 5.5607E-009 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Phenanthrene | 6.0569E-014 | 9.5864E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Phenol | 1.5262E-013 | 2.4620E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Pronamide | 2.1086E-010 | 3.2841E-009 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Pyrene | 2.2286E-009 | 1.6351E-008 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Selenium | 3.3124E-006 | 3.5277E-006 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Styrene | 3.6206E-014 | 5.8370E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | TetraCDD, 2,3,7,8- | 1.4029E-012 | 2.3028E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | TetraCDF, 2,3,7,8- | 6.7652E-013 | 1.2138E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 2.0612E-010 | 3.1223E-009 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.5284E-014 | 2.4666E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 1.4439E-015 | 2.3293E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 2.0548E-010 | 1.6896E-009 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Toluene | 1.9213E-015 | 3.0703E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichlorobenzene, 1,2,4- | 5.4815E-013 | 8.5230E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,1- | 9.2880E-016 | 1.4999E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichloroethane, 1,1,2- | 7.0401E-015 | 1.1384E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichloroethylene | 1.1562E-015 | 1.8645E-014 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.5239E-016 | 2.4582E-015 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,5- | 8.5241E-011 | 1.2602E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.9832E-011 | 2.4126E-010 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Trichloropropane, 1,2,3- | 2.6156E-014 | 4.2266E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | VX | 2.8329E-012 | 3.4687E-012 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Vinyl Chloride | 3.6789E-019 | 5.9493E-018 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Xylene, m- | 1.1771E-014 | 1.0005E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Xylene, o- | 1.1606E-014 | 1.1176E-013 |
| RCPTR_36 | farmer_adult | TOCDFMPF | Xylene, p- | 1.4517E-014 | 1.5113E-013 |
| RCPTR_36 | farmer_adult | TOCDHVAC | VX | 1.6072E-012 | 1.9688E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Acenaphthene | 4.1626E-011 | 6.6070E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Acetone | 1.7887E-012 | 2.8964E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Acetophenone | 1.8951E-013 | 3.0653E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Aniline | 1.1384E-014 | 1.8363E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Anthracene | 7.9857E-010 | 1.2680E-008 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Benzene | 2.4349E-015 | 3.9223E-014 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Benzo(a)anthracene | 2.0276E-007 | 7.7288E-007 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Benzo(a)pyrene | 1.6700E-006 | 2.2224E-006 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Benzo(b)fluoranthene | 1.0759E-006 | 2.6509E-006 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Benzo(k)fluoranthene | 2.7036E-006 | 3.2843E-006 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Benzoic acid | 5.1301E-012 | 7.0877E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Benzyl alcohol | 4.9016E-011 | 7.9231E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Bis(2-chlorethyl)ether | 2.5813E-013 | 4.1799E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Bromodichloromethane | 1.5212E-016 | 2.4609E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Bromoform (Tribromomethane) | 1.4726E-013 | 2.3831E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Bromophenyl-phenylether, 4- | 2.0327E-008 | 2.0652E-007 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Butylbenzylphthalate | 8.9126E-010 | 2.0391E-009 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Cadmium | 2.4829E-009 | 6.7926E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | Carbon disulfide | 1.0097E-017 | 1.6296E-016 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Carbon tetrachloride | 8.1639E-017 | 1.3146E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chloro-3-methylphenol, 4- | 2.7049E-011 | 3.4101E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chloroaniline, p- | 1.2105E-012 | 1.9508E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chlorobenzene | 4.8038E-016 | 7.7096E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chloroethane | 1.4664E-017 | 2.2989E-016 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chloroform (Trichloromethane) | 6.2942E-017 | 1.0179E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chloronaphthalene,2- | 1.1013E-010 | 1.7555E-009 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chlorophenol, 2- | 3.3670E-012 | 5.4500E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 1.7811E-010 | 2.3724E-009 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Chrysene | 5.6385E-007 | 1.1971E-006 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Di-n-butyl phthalate | 4.3048E-009 | 9.0058E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | Di-n-octylphthalate | 2.2507E+000 | 2.2507E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dibenz(a,h)anthracene | 3.6396E-005 | 3.9906E-005 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.6743E-013 | 2.6141E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichlorobenzene, 1,3- | 2.0225E-013 | 3.1989E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichlorobenzene,1,4- | 1.9210E-013 | 3.0485E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 1.2032E-009 | 2.9365E-009 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichlorodifluoromethane | 1.1033E-018 | 1.7794E-017 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichloroethane 1,1- | 2.5418E-017 | 4.1119E-016 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.4104E-016 | 5.5184E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichloroethylene 1,1- | 1.0504E-016 | 1.6959E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.6847E-016 | 2.7191E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichlorophenol, 2,4- | 2.1223E-011 | 2.2410E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichloropropane, 1,2- | 9.1030E-017 | 1.4659E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 2.9680E-017 | 4.7987E-016 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Diethyl phthalate | 2.7770E-010 | 3.5528E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dimethyl phthalate | 2.5114E-012 | 3.9433E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dimethylphenol, 2,4- | 2.3224E-012 | 3.7257E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dinitrophenol, 2,4- | 4.4652E-013 | 2.8375E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,4- | 2.1737E-012 | 3.3588E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.6638E-012 | 2.5952E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Ethyl methanesulfonate | 4.8134E-014 | 7.7928E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Ethylbenzene | 2.6872E-015 | 4.1829E-014 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 3.1601E-010 | 8.1658E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Fluoranthene | 1.4698E-008 | 1.5793E-007 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Fluorene | 1.7012E-010 | 2.6666E-009 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 8.2123E-013 | 1.0788E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.0869E-011 | 1.3396E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 2.3308E-011 | 3.0321E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 7.8608E-012 | 9.8037E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 4.1983E-012 | 5.6152E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 3.1583E-012 | 4.4729E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 4.5426E-012 | 6.7363E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 3.9871E-012 | 5.8915E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 4.1753E-012 | 6.1359E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 3.4050E-012 | 5.0173E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 4.0418E-012 | 6.1333E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Hexachlorobenzene | 9.4451E-009 | 1.4537E-007 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Hexachlorocyclopentadiene | 1.1194E-011 | 1.6789E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 2.1204E-012 | 3.3616E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 2.8998E-004 | 2.9745E-004 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Isophorone | 3.4720E-013 | 5.6147E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Mercuric chloride | 1.0447E-010 | 1.0931E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Methyl bromide (Bromomethane) | 1.8860E-017 | 3.0527E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | Methyl chloride (Chloromethane) | 5.4776E-020 | 8.8615E-019 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 2.0041E-014 | 3.2449E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Methyl mercury | 3.8957E-013 | 4.3907E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Methylene chloride | 2.7201E-013 | 4.4012E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Naphthalene | 9.2369E-013 | 1.4782E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitroaniline, 2- | 5.9477E-012 | 9.5865E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitroaniline, 3- | 1.4049E-012 | 2.2718E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitroaniline, 4- | 1.8155E-012 | 2.9349E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitrobenzene | 5.8662E-013 | 9.4950E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitrophenol, 2- | 2.6707E-013 | 4.3196E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitrophenol, 4- | 8.6263E-012 | 4.7217E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 3.3590E-013 | 5.4130E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitrosodiphenylamine, N- | 3.3938E-013 | 5.4569E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Nitrosodipropylamine, n- | 2.9165E-014 | 4.6648E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 1.0237E-012 | 1.5031E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 1.0092E-012 | 1.4806E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 2.0210E-011 | 2.6171E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 3.2540E-012 | 4.8812E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.1577E-011 | 1.7426E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Pentachlorobenzene | 3.2265E-011 | 4.8712E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 1.1835E-011 | 1.7436E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Pentachlorophenol | 1.3279E-008 | 4.6549E-008 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Phenanthrene | 5.7320E-013 | 9.0722E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Phenol | 4.6410E-013 | 7.4868E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Pronamide | 4.9252E-011 | 7.6708E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Pyrene | 3.0243E-008 | 2.2187E-007 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Selenium | 1.0436E-005 | 1.1114E-005 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Styrene | 2.3626E-015 | 3.8088E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | TetraCDD, 2,3,7,8- | 3.2180E-012 | 5.2812E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.0002E-012 | 1.7943E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 4.8146E-011 | 7.2929E-010 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 3.9701E-013 | 1.0536E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 9.7387E-017 | 1.5710E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 4.8099E-010 | 3.9538E-009 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Toluene | 2.9569E-012 | 4.7252E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.6176E-012 | 2.5152E-011 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,1- | 9.2692E-015 | 1.4969E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichloroethane, 1,1,2- | 4.9799E-015 | 8.0529E-014 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichloroethylene | 8.1786E-016 | 1.3189E-014 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 1.0779E-016 | 1.7389E-015 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.8944E-010 | 2.8005E-009 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichlorophenol, 2,4,6- | 4.3377E-011 | 5.2760E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_adult | TOCDLIC2 | Trichloropropane, 1,2,3- | 1.8501E-014 | 2.9897E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | VX | 2.1219E-012 | 2.5978E-012 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Vinyl Chloride | 2.4006E-020 | 3.8820E-019 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Xylene, m- | 1.4816E-014 | 1.2615E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Xylene, o- | 9.2969E-015 | 8.9658E-014 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Xylene, p- | 1.8281E-014 | 1.9057E-013 |
| RCPTR_36 | farmer_adult | TOCDLIC2 | Zinc | 3.8008E-008 | 8.9099E-008 |
| RCPTR_36 | farmer_child | TOCDFBRA | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Cadmium | 1.0803E-008 | 1.6631E-008 |
| RCPTR_36 | farmer_child | TOCDFBRA | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Lead | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFBRA | Mercuric chloride | 2.1471E-006 | 2.6876E-006 |
| RCPTR_36 | farmer_child | TOCDFBRA | Methyl mercury | 9.2634E-009 | 1.0949E-008 |
| RCPTR_36 | farmer_child | TOCDFBRA | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Selenium | 7.3113E-006 | 7.6017E-006 |
| RCPTR_36 | farmer_child | TOCDFBRA | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFBRA | Zinc | 3.1146E-007 | 4.6379E-007 |
| RCPTR_36 | farmer_child | TOCDFDFS | Acenaphthene | 4.8048E-010 | 1.1649E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Acetone | 8.5096E-014 | 2.0671E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Acetophenone | 2.2251E-012 | 5.4046E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Aniline | 1.3333E-013 | 3.2376E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Anthracene | 9.2217E-009 | 2.2358E-008 |
| RCPTR_36 | farmer_child | TOCDFDFS | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Aroclor 1254 | 5.2583E-011 | 1.1390E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Arsenic | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Benzene | 7.2265E-015 | 1.7545E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Benzo(a)anthracene | 8.6832E-007 | 1.3650E-006 |
| RCPTR_36 | farmer_child | TOCDFDFS | Benzo(a)pyrene | 3.4424E-006 | 3.9542E-006 |
| RCPTR_36 | farmer_child | TOCDFDFS | Benzo(b)fluoranthene | 3.2900E-006 | 4.6851E-006 |
| RCPTR_36 | farmer_child | TOCDFDFS | Benzo(k)fluoranthene | 5.4304E-006 | 5.8499E-006 |
| RCPTR_36 | farmer_child | TOCDFDFS | Benzoic acid | 3.3810E-011 | 8.0820E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Benzyl alcohol | 4.6923E-012 | 1.1396E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Bis(2-chlorethyl)ether | 3.0339E-012 | 7.3698E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Bromodichloromethane | 1.5363E-014 | 3.7316E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Bromoform (Tribromomethane) | 5.3297E-013 | 1.2946E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Bromophenyl-phenylether, 4- | 2.0187E-007 | 3.6412E-007 |
| RCPTR_36 | farmer_child | TOCDFDFS | Butylbenzylphthalate | 8.7192E-009 | 1.3441E-008 |
| RCPTR_36 | farmer_child | TOCDFDFS | Cadmium | 1.5686E-008 | 2.4143E-008 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | Carbon disulfide | 2.0458E-015 | 4.9679E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Carbon tetrachloride | 8.2107E-015 | 1.9934E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chloro-3-methylphenol, 4- | 2.5415E-010 | 6.0127E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chloroaniline, p- | 1.4166E-011 | 3.4395E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chlorobenzene | 2.4126E-014 | 5.8555E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chloroethane | 1.9506E-016 | 4.7236E-016 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chloroform (Trichloromethane) | 3.1831E-015 | 7.7312E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chloronaphthalene,2- | 1.2761E-009 | 3.0952E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chlorophenol, 2- | 3.9560E-011 | 9.6092E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chlorophenyl-phenylether, 4- | 1.7572E-009 | 4.1832E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Chrysene | 1.6134E-006 | 2.1166E-006 |
| RCPTR_36 | farmer_child | TOCDFDFS | Di-n-butyl phthalate | 1.6581E-008 | 2.4638E-008 |
| RCPTR_36 | farmer_child | TOCDFDFS | Di-n-octylphthalate | 1.2971E+002 | 1.2971E+002 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | Dibenz(a,h)anthracene | 6.8367E-005 | 7.1345E-005 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,2- | 4.1699E-013 | 1.0094E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichlorobenzene, 1,3- | 1.5126E-012 | 3.6661E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichlorobenzene,1,4- | 9.8655E-013 | 2.3919E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichlorobenzidine, 3,3'- | 1.9320E-009 | 3.0641E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichlorodifluoromethane | 1.5058E-017 | 3.6563E-017 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichloroethane 1,1- | 1.3290E-015 | 3.2279E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichloroethane, 1,2- (Ethylene Dichloride) | 1.6452E-015 | 3.9962E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichloroethylene 1,1- | 1.4349E-015 | 3.4846E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichloroethylene-1,2 (trans) | 2.3007E-015 | 5.5870E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichlorophenol, 2,4- | 1.2471E-010 | 2.8845E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichloropropane, 1,2- | 1.3011E-014 | 3.1590E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dichloropropene, 1,3- (cis) | 1.5006E-015 | 3.6446E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Diethyl phthalate | 2.7901E-009 | 3.2324E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dimethyl phthalate | 1.4024E-011 | 3.3967E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | Dimethylphenol, 2,4- | 2.7067E-011 | 6.5690E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dinitrophenol, 2,4- | 1.1683E-011 | 2.4769E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,4- | 5.3024E-012 | 1.2822E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Dinitrotoluene, 2,6- | 4.0929E-012 | 9.9065E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Ethyl methanesulfonate | 5.6564E-013 | 1.3740E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Ethylbenzene | 2.9851E-014 | 7.2239E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Ethylhexyl phthalate, bis-2- | 2.5390E-010 | 4.1128E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Fluoranthene | 1.3362E-007 | 2.7849E-007 |
| RCPTR_36 | farmer_child | TOCDFDFS | Fluorene | 1.9416E-009 | 4.7017E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | HeptaCDD, 1,2,3,4,6,7,8- | 1.7876E-013 | 1.9902E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,6,7,8- | 2.4472E-013 | 2.6620E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | HeptaCDF, 1,2,3,4,7,8,9- | 5.4720E-013 | 6.0704E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,4,7,8- | 1.5701E-012 | 1.7151E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,6,7,8- | 8.8605E-013 | 9.9236E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | HexaCDD, 1,2,3,7,8,9- | 6.9786E-013 | 7.9689E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,4,7,8- | 1.0098E-012 | 1.1700E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,6,7,8- | 8.8339E-013 | 1.0225E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | HexaCDF, 1,2,3,7,8,9- | 9.2032E-013 | 1.0633E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | HexaCDF, 2,3,4,6,7,8- | 7.5241E-013 | 8.7006E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Hexachloro-1,3-butadiene (Perchlorobutad | 4.4802E-011 | 1.0814E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Hexachlorobenzene | 1.0648E-007 | 2.5632E-007 |
| RCPTR_36 | farmer_child | TOCDFDFS | Hexachlorocyclopentadiene | 6.0779E-010 | 1.4653E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Hexachloroethane (Perchloroethane) | 2.4449E-011 | 5.9270E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Indeno(1,2,3-cd) pyrene | 5.2024E-004 | 5.2697E-004 |
| RCPTR_36 | farmer_child | TOCDFDFS | Isophorone | 4.0759E-012 | 9.8996E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Mercuric chloride | 2.1495E-009 | 2.6911E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Methyl bromide (Bromomethane) | 1.3560E-016 | 3.2937E-016 |
| RCPTR_36 | farmer_child | TOCDFDFS | Methyl chloride (Chloromethane) | 2.6079E-018 | 6.3344E-018 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | Methyl ethyl ketone (2-Butanone) | 1.5793E-014 | 3.8363E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Methyl mercury | 9.1917E-012 | 1.0880E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Methylene chloride | 8.8277E-014 | 2.1442E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Naphthalene | 2.8393E-011 | 6.8894E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitroaniline, 2- | 6.8792E-011 | 1.6703E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitroaniline, 3- | 1.6297E-011 | 3.9584E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitroaniline, 4- | 2.1055E-011 | 5.1137E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitrobenzene | 6.8921E-012 | 1.6741E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitrophenol, 2- | 3.1357E-012 | 7.6162E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitrophenol, 4- | 4.0117E-011 | 8.2280E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitroso-di-n-butylamine, n- | 3.9308E-012 | 9.5440E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitrosodiphenylamine, N- | 3.9635E-012 | 9.6214E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Nitrosodipropylamine, n- | 3.3903E-013 | 8.2252E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | OctaCDD, 1,2,3,4,6,7,8,9- | 3.8406E-013 | 4.4382E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | OctaCDF, 1,2,3,4,6,7,8,9- | 1.1477E-013 | 1.3260E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | PentaCDD, 1,2,3,7,8- | 3.5780E-012 | 3.9566E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | PentaCDF, 1,2,3,7,8- | 3.9697E-013 | 4.6125E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | PentaCDF, 2,3,4,7,8- | 1.4212E-012 | 1.6537E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Pentachlorobenzene | 1.7626E-009 | 4.2519E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Pentachloronitrobenzene (PCNB) | 1.2628E-010 | 3.0384E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Pentachlorophenol | 9.0452E-009 | 1.6389E-008 |
| RCPTR_36 | farmer_child | TOCDFDFS | Phenanthrene | 6.5993E-012 | 1.5996E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Phenol | 5.4361E-012 | 1.3200E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Pronamide | 1.1177E-009 | 2.7050E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Pyrene | 2.3900E-007 | 3.9123E-007 |
| RCPTR_36 | farmer_child | TOCDFDFS | Selenium | 1.3899E-006 | 1.4451E-006 |
| RCPTR_36 | farmer_child | TOCDFDFS | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Styrene | 2.8932E-013 | 7.0249E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | TetraCDD, 2,3,7,8- | 2.3470E-012 | 2.8022E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | TetraCDF, 2,3,7,8- | 1.3820E-012 | 1.6931E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Tetrachlorobenzene, 1,2,4,5- | 5.3279E-010 | 1.2859E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Tetrachloroethane, 1,1,2,2- | 9.7384E-012 | 1.5982E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Tetrachloroethylene (Perchloroethylene) | 9.8105E-015 | 2.3822E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Tetrachlorophenol, 2,3,4,6- | 3.0952E-009 | 6.8894E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFDFS | Toluene | 4.8452E-014 | 1.1755E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichlorobenzene, 1,2,3- | 2.2087E-011 | 5.3445E-011 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,1- | 6.3166E-015 | 1.5340E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichloroethane, 1,1,2- | 6.8126E-014 | 1.6547E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichloroethylene | 1.1161E-014 | 2.7100E-014 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichlorofluoromethane (Freon 11) | 1.4714E-015 | 3.5729E-015 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,5- | 2.0510E-009 | 4.9377E-009 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichlorophenol, 2,4,6- | 3.9491E-010 | 9.3027E-010 |
| RCPTR_36 | farmer_child | TOCDFDFS | Trichloropropane, 1,2,3- | 2.5294E-013 | 6.1430E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFDFS | Trinitrotoluene, 2,4,6- | 2.0914E-012 | 5.0700E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | VX | 6.2701E-012 | 7.0831E-012 |
| RCPTR_36 | farmer_child | TOCDFDFS | Vinyl Chloride | 1.8452E-018 | 4.4816E-018 |
| RCPTR_36 | farmer_child | TOCDFDFS | Xylene, m- | 1.7070E-013 | 3.8068E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Xylene, o- | 1.8669E-013 | 4.2490E-013 |
| RCPTR_36 | farmer_child | TOCDFDFS | Xylene, p- | 2.4941E-013 | 5.7434E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | Acenaphthene | 2.7251E-010 | 6.6070E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Acetone | 1.1924E-011 | 2.8964E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Acetophenone | 1.2620E-012 | 3.0653E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Aniline | 7.5622E-014 | 1.8363E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | Anthracene | 5.2301E-009 | 1.2680E-008 |
| RCPTR_36 | farmer_child | TOCDFLIC | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Benzene | 1.6155E-014 | 3.9223E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | Benzo(a)anthracene | 4.9144E-007 | 7.7288E-007 |
| RCPTR_36 | farmer_child | TOCDFLIC | Benzo(a)pyrene | 1.9365E-006 | 2.2224E-006 |
| RCPTR_36 | farmer_child | TOCDFLIC | Benzo(b)fluoranthene | 1.8609E-006 | 2.6509E-006 |
| RCPTR_36 | farmer_child | TOCDFLIC | Benzo(k)fluoranthene | 3.0520E-006 | 3.2843E-006 |
| RCPTR_36 | farmer_child | TOCDFLIC | Benzoic acid | 2.9650E-011 | 7.0877E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Benzyl alcohol | 3.2622E-010 | 7.9231E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Bis(2-chlorethyl)ether | 1.7207E-012 | 4.1799E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Bromodichloromethane | 1.0132E-015 | 2.4609E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Bromoform (Tribromomethane) | 9.8109E-013 | 2.3831E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Bromophenyl-phenylether, 4- | 1.1449E-007 | 2.0652E-007 |
| RCPTR_36 | farmer_child | TOCDFLIC | Butylbenzylphthalate | 1.3194E-009 | 2.0391E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Cadmium | 4.4112E-009 | 6.7926E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Carbon disulfide | 6.7108E-017 | 1.6296E-016 |
| RCPTR_36 | farmer_child | TOCDFLIC | Carbon tetrachloride | 5.4147E-016 | 1.3146E-015 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | Chloro-3-methylphenol, 4- | 1.4414E-010 | 3.4101E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chloroaniline, p- | 8.0344E-012 | 1.9508E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chlorobenzene | 3.1765E-015 | 7.7096E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chloroethane | 9.4930E-017 | 2.2989E-016 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chloroform (Trichloromethane) | 4.1910E-016 | 1.0179E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chloronaphthalene,2- | 7.2375E-010 | 1.7555E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chlorophenol, 2- | 2.2437E-011 | 5.4500E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chlorophenyl-phenylether, 4- | 9.9648E-010 | 2.3724E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Chrysene | 9.1236E-007 | 1.1971E-006 |
| RCPTR_36 | farmer_child | TOCDFLIC | Di-n-butyl phthalate | 6.0580E-009 | 9.0058E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Di-n-octylphthalate | 2.2507E+000 | 2.2507E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dibenz(a,h)anthracene | 3.8327E-005 | 3.9906E-005 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,2- | 1.0799E-012 | 2.6141E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | Dichlorobenzene, 1,3- | 1.3198E-012 | 3.1989E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichlorobenzene,1,4- | 1.2574E-012 | 3.0485E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichlorobenzidine, 3,3'- | 1.8497E-009 | 2.9365E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichlorodifluoromethane | 7.3282E-018 | 1.7794E-017 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichloroethane 1,1- | 1.7498E-016 | 4.2501E-016 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.2719E-015 | 5.5184E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichloroethylene 1,1- | 6.9833E-016 | 1.6959E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichloroethylene-1,2 (trans) | 1.1197E-015 | 2.7191E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichlorophenol, 2,4- | 9.6886E-011 | 2.2410E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichloropropane, 1,2- | 6.0378E-016 | 1.4659E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dichloropropene, 1,3- (cis) | 1.9758E-016 | 4.7987E-016 |
| RCPTR_36 | farmer_child | TOCDFLIC | Diethyl phthalate | 3.0663E-010 | 3.5528E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dimethyl phthalate | 1.6281E-011 | 3.9433E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dimethylphenol, 2,4- | 1.5351E-011 | 3.7257E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dinitrophenol, 2,4- | 1.3382E-012 | 2.8375E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,4- | 1.3890E-011 | 3.3588E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Dinitrotoluene, 2,6- | 1.0722E-011 | 2.5952E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Ethyl methanesulfonate | 3.2081E-013 | 7.7928E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | Ethylbenzene | 1.7285E-014 | 4.1829E-014 |
| RCPTR_36 | farmer_child | TOCDFLIC | Ethylhexyl phthalate, bis-2- | 5.0269E-010 | 8.1658E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Fluoranthene | 7.5768E-008 | 1.5793E-007 |
| RCPTR_36 | farmer_child | TOCDFLIC | Fluorene | 1.1012E-009 | 2.6666E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | HeptaCDD, 1,2,3,4,6,7,8- | 9.7066E-013 | 1.0788E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,6,7,8- | 3.5747E-012 | 3.8819E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HeptaCDF, 1,2,3,4,7,8,9- | 7.9337E-012 | 8.7862E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,4,7,8- | 8.9882E-012 | 9.8037E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,6,7,8- | 5.0213E-012 | 5.6152E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HexaCDD, 1,2,3,7,8,9- | 3.9219E-012 | 4.4729E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,4,7,8- | 5.8173E-012 | 6.7363E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,6,7,8- | 5.0931E-012 | 5.8915E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | HexaCDF, 1,2,3,7,8,9- | 5.3143E-012 | 6.1359E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | HexaCDF, 2,3,4,6,7,8- | 4.3416E-012 | 5.0173E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Hexachloro-1,3-butadiene (Perchlorobutad | 2.5408E-011 | 6.1333E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Hexachlorobenzene | 6.0392E-008 | 1.4537E-007 |
| RCPTR_36 | farmer_child | TOCDFLIC | Hexachlorocyclopentadiene | 6.9633E-011 | 1.6789E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Hexachloroethane (Perchloroethane) | 1.3866E-011 | 3.3616E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Indeno(1,2,3-cd) pyrene | 2.9388E-004 | 2.9745E-004 |
| RCPTR_36 | farmer_child | TOCDFLIC | Isophorone | 2.3117E-012 | 5.6147E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Mercuric chloride | 8.7295E-011 | 1.0931E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Methyl bromide (Bromomethane) | 1.2568E-016 | 3.0527E-016 |
| RCPTR_36 | farmer_child | TOCDFLIC | Methyl chloride (Chloromethane) | 7.2868E-018 | 1.7699E-017 |
| RCPTR_36 | farmer_child | TOCDFLIC | Methyl ethyl ketone (2-Butanone) | 1.3359E-013 | 3.2449E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | Methyl mercury | 3.7043E-013 | 4.3907E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | Methylene chloride | 1.8120E-012 | 4.4012E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Naphthalene | 6.0920E-012 | 1.4782E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitroaniline, 2- | 3.9482E-011 | 9.5865E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitroaniline, 3- | 9.3537E-012 | 2.2718E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitroaniline, 4- | 2.4125E-012 | 5.8592E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitrobenzene | 3.9090E-012 | 9.4950E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitrophenol, 2- | 8.9084E-012 | 2.1637E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitrophenol, 4- | 4.5954E-012 | 9.4264E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitroso-di-n-butylamine, n- | 2.2294E-012 | 5.4130E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitrosodiphenylamine, N- | 2.2479E-012 | 5.4569E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Nitrosodipropylamine, n- | 1.9226E-013 | 4.6648E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | OctaCDD, 1,2,3,4,6,7,8,9- | 1.3019E-012 | 1.5031E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | OctaCDF, 1,2,3,4,6,7,8,9- | 1.2826E-012 | 1.4806E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | PentaCDD, 1,2,3,7,8- | 2.3682E-011 | 2.6171E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | PentaCDF, 1,2,3,7,8- | 4.2014E-012 | 4.8812E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | PentaCDF, 2,3,4,7,8- | 1.4979E-011 | 1.7426E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Pentachlorobenzene | 1.0113E-009 | 2.4400E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Pentachloronitrobenzene (PCNB) | 7.2446E-011 | 1.7436E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Pentachlorophenol | 5.1280E-009 | 9.2929E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Phenanthrene | 3.7429E-012 | 9.0722E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Phenol | 3.0832E-012 | 7.4868E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Pronamide | 3.1696E-010 | 7.6708E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Pyrene | 1.3554E-007 | 2.2187E-007 |
| RCPTR_36 | farmer_child | TOCDFLIC | Selenium | 1.0689E-005 | 1.1114E-005 |
| RCPTR_36 | farmer_child | TOCDFLIC | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Styrene | 1.5686E-014 | 3.8088E-014 |
| RCPTR_36 | farmer_child | TOCDFLIC | TetraCDD, 2,3,7,8- | 4.4227E-012 | 5.2812E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | TetraCDF, 2,3,7,8- | 1.4643E-012 | 1.7943E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Tetrachlorobenzene, 1,2,4,5- | 3.0217E-010 | 7.2929E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | Tetrachloroethane, 1,1,2,2- | 6.4189E-013 | 1.0536E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Tetrachloroethylene (Perchloroethylene) | 6.4697E-016 | 1.5710E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Tetrachlorophenol, 2,3,4,6- | 1.7762E-009 | 3.9538E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFLIC | Toluene | 1.9477E-011 | 4.7252E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichlorobenzene, 1,2,4- | 1.0394E-011 | 2.5152E-011 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,1- | 6.1637E-014 | 1.4969E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichloroethane, 1,1,2- | 3.3156E-014 | 8.0529E-014 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichloroethylene | 5.4316E-015 | 1.3189E-014 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichlorofluoromethane (Freon 11) | 7.1609E-016 | 1.7389E-015 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,5- | 1.1632E-009 | 2.8005E-009 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichlorophenol, 2,4,6- | 2.2397E-010 | 5.2760E-010 |
| RCPTR_36 | farmer_child | TOCDFLIC | Trichloropropane, 1,2,3- | 1.2310E-013 | 2.9897E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | VX | 2.2118E-012 | 2.4988E-012 |
| RCPTR_36 | farmer_child | TOCDFLIC | Vinyl Chloride | 1.5983E-019 | 3.8820E-019 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFLIC | Xylene, m- | 5.6339E-014 | 1.2615E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | Xylene, o- | 3.9267E-014 | 8.9658E-014 |
| RCPTR_36 | farmer_child | TOCDFLIC | Xylene, p- | 8.2537E-014 | 1.9057E-013 |
| RCPTR_36 | farmer_child | TOCDFLIC | Zinc | 5.9817E-008 | 8.9099E-008 |
| RCPTR_36 | farmer_child | TOCDFMPF | Acenaphthene | 5.0144E-011 | 1.2157E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Acetone | 5.0965E-016 | 1.2380E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Acetophenone | 5.4032E-012 | 1.3124E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Aniline | 3.2376E-013 | 7.8618E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Anthracene | 5.5266E-010 | 1.3399E-009 |
| RCPTR_36 | farmer_child | TOCDFMPF | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Benzene | 2.8511E-015 | 6.9222E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Benzo(a)anthracene | 4.5661E-008 | 7.1812E-008 |
| RCPTR_36 | farmer_child | TOCDFMPF | Benzo(a)pyrene | 3.3165E-007 | 3.8069E-007 |
| RCPTR_36 | farmer_child | TOCDFMPF | Benzo(b)fluoranthene | 2.7118E-007 | 3.8634E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Benzo(k)fluoranthene | 4.5601E-007 | 4.9080E-007 |
| RCPTR_36 | farmer_child | TOCDFMPF | Benzoic acid | 5.7158E-012 | 1.3663E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Benzyl alcohol | 2.5963E-012 | 6.3057E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Bis(2-chlorethyl)ether | 7.3514E-013 | 1.7858E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Bromodichloromethane | 1.5022E-014 | 3.6487E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Bromoform (Tribromomethane) | 5.2113E-013 | 1.2658E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Bromophenyl-phenylether, 4- | 6.5810E-008 | 1.1871E-007 |
| RCPTR_36 | farmer_child | TOCDFMPF | Butylbenzylphthalate | 1.7549E-010 | 2.7122E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Cadmium | 1.4144E-008 | 2.1783E-008 |
| RCPTR_36 | farmer_child | TOCDFMPF | Carbon disulfide | 9.9498E-016 | 2.4162E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Carbon tetrachloride | 8.0282E-015 | 1.9491E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chloro-3-methylphenol, 4- | 6.1973E-011 | 1.4662E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chloroaniline, p- | 2.3786E-012 | 5.7753E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chlorobenzene | 4.7097E-014 | 1.1431E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Chloroethane | 1.3420E-016 | 3.2499E-016 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chloroform (Trichloromethane) | 6.2139E-015 | 1.5093E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chloronaphthalene,2- | 1.2790E-010 | 3.1023E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chlorophenol, 2- | 8.2980E-012 | 2.0156E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chlorophenyl-phenylether, 4- | 3.0953E-010 | 7.3694E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Chrysene | 9.4731E-008 | 1.2431E-007 |
| RCPTR_36 | farmer_child | TOCDFMPF | Di-n-butyl phthalate | 7.1159E-009 | 1.0580E-008 |
| RCPTR_36 | farmer_child | TOCDFMPF | Di-n-octylphthalate | 2.0323E+000 | 2.0323E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dibenz(a,h)anthracene | 1.0195E-005 | 1.0617E-005 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,2- | 3.7775E-013 | 9.1440E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichlorobenzene, 1,3- | 4.3041E-013 | 1.0432E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichlorobenzene,1,4- | 4.0776E-013 | 9.8859E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichlorobenzidine, 3,3'- | 5.5595E-010 | 8.8271E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Dichlorodifluoromethane | 1.0360E-017 | 2.5156E-017 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichloroethane 1,1- | 2.5944E-015 | 6.3015E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichloroethane, 1,2- (Ethylene Dichloride) | 3.2118E-015 | 7.8014E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichloroethylene 1,1- | 9.8723E-016 | 2.3975E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichloroethylene-1,2 (trans) | 1.5829E-015 | 3.8440E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichlorophenol, 2,4- | 3.8124E-011 | 8.8186E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichloropropane, 1,2- | 8.9520E-015 | 2.1734E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dichloropropene, 1,3- (cis) | 2.9294E-015 | 7.1149E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Diethyl phthalate | 6.5797E-010 | 7.6243E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dimethyl phthalate | 9.4425E-013 | 2.2870E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dimethylphenol, 2,4- | 6.0830E-012 | 1.4763E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dinitrophenol, 2,4- | 2.5840E-012 | 5.4793E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,4- | 1.9232E-011 | 4.6507E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Dinitrotoluene, 2,6- | 1.3478E-011 | 3.2623E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Ethyl methanesulfonate | 1.3735E-012 | 3.3364E-012 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Ethylbenzene | 2.9187E-014 | 7.0633E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Ethylhexyl phthalate, bis-2- | 8.7354E-011 | 1.4189E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Fluoranthene | 5.9217E-009 | 1.2343E-008 |
| RCPTR_36 | farmer_child | TOCDFMPF | Fluorene | 1.6852E-010 | 4.0809E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | HeptaCDD, 1,2,3,4,6,7,8- | 1.0737E-013 | 1.1937E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,6,7,8- | 6.0129E-013 | 6.5311E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | HeptaCDF, 1,2,3,4,7,8,9- | 5.2717E-013 | 5.8395E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,4,7,8- | 1.5706E-012 | 1.7134E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,6,7,8- | 8.7830E-013 | 9.8239E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | HexaCDD, 1,2,3,7,8,9- | 6.7668E-013 | 7.7191E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,4,7,8- | 1.5821E-012 | 1.8323E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,6,7,8- | 5.4439E-012 | 6.2982E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | HexaCDF, 1,2,3,7,8,9- | 4.6559E-012 | 5.3766E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | HexaCDF, 2,3,4,6,7,8- | 5.5749E-013 | 6.4434E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Hexachloro-1,3-butadiene (Perchlorobutad | 1.4327E-011 | 3.4583E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Hexachlorobenzene | 3.0202E-008 | 7.2701E-008 |
| RCPTR_36 | farmer_child | TOCDFMPF | Hexachlorocyclopentadiene | 4.8652E-011 | 1.1730E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Hexachloroethane (Perchloroethane) | 9.8019E-012 | 2.3762E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Indeno(1,2,3-cd) pyrene | 6.4216E-005 | 6.5000E-005 |
| RCPTR_36 | farmer_child | TOCDFMPF | Isophorone | 4.1484E-013 | 1.0076E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Mercuric chloride | 9.4438E-011 | 1.1825E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Methyl bromide (Bromomethane) | 9.3295E-017 | 2.2662E-016 |
| RCPTR_36 | farmer_child | TOCDFMPF | Methyl chloride (Chloromethane) | 5.4093E-018 | 1.3139E-017 |
| RCPTR_36 | farmer_child | TOCDFMPF | Methyl ethyl ketone (2-Butanone) | 2.2557E-015 | 5.4794E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Methyl mercury | 4.0091E-013 | 4.7517E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Methylene chloride | 5.9361E-016 | 1.4419E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Naphthalene | 5.1579E-012 | 1.2515E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nickel | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Nitroaniline, 2- | 4.9183E-012 | 1.1942E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitroaniline, 3- | 9.4406E-013 | 2.2930E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitroaniline, 4- | 1.0812E-012 | 2.6260E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitrobenzene | 1.3424E-012 | 3.2608E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitrophenol, 2- | 1.0806E-012 | 2.6246E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitrophenol, 4- | 4.1225E-012 | 8.4572E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitroso-di-n-butylamine, n- | 9.5449E-012 | 2.3175E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitrosodiphenylamine, N- | 5.0988E-013 | 1.2377E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Nitrosodipropylamine, n- | 1.2557E-013 | 3.0468E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | OctaCDD, 1,2,3,4,6,7,8,9- | 1.0066E-013 | 1.1624E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | OctaCDF, 1,2,3,4,6,7,8,9- | 9.8366E-015 | 1.1357E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | PentaCDD, 1,2,3,7,8- | 3.9268E-012 | 4.3400E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | PentaCDF, 1,2,3,7,8- | 2.8659E-012 | 3.3298E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | PentaCDF, 2,3,4,7,8- | 1.8429E-012 | 2.1441E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Pentachlorobenzene | 8.6442E-010 | 2.0855E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Pentachloronitrobenzene (PCNB) | 3.0961E-011 | 7.4513E-011 |
| RCPTR_36 | farmer_child | TOCDFMPF | Pentachlorophenol | 3.0681E-009 | 5.5607E-009 |
| RCPTR_36 | farmer_child | TOCDFMPF | Phenanthrene | 3.9550E-013 | 9.5864E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Phenol | 1.0139E-012 | 2.4620E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Pronamide | 1.3570E-009 | 3.2841E-009 |
| RCPTR_36 | farmer_child | TOCDFMPF | Pyrene | 9.9885E-009 | 1.6351E-008 |
| RCPTR_36 | farmer_child | TOCDFMPF | Selenium | 3.3927E-006 | 3.5277E-006 |
| RCPTR_36 | farmer_child | TOCDFMPF | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Styrene | 2.4039E-013 | 5.8370E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | TetraCDD, 2,3,7,8- | 1.9284E-012 | 2.3028E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | TetraCDF, 2,3,7,8- | 9.9051E-013 | 1.2138E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Tetrachlorobenzene, 1,2,4,5- | 1.2937E-009 | 3.1223E-009 |
| RCPTR_36 | farmer_child | TOCDFMPF | Tetrachloroethane, 1,1,1,2- | 1.0157E-013 | 2.4666E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Tetrachloroethylene (Perchloroethylene) | 9.5924E-015 | 2.3293E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Tetrachlorophenol, 2,3,4,6- | 7.5899E-010 | 1.6896E-009 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDFMPF | Thallium (l) | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDFMPF | Toluene | 1.2655E-014 | 3.0703E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichlorobenzene, 1,2,4- | 3.5223E-012 | 8.5230E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,1- | 6.1762E-015 | 1.4999E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichloroethane, 1,1,2- | 4.6872E-014 | 1.1384E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichloroethylene | 7.6787E-015 | 1.8645E-014 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichlorofluoromethane (Freon 11) | 1.0123E-015 | 2.4582E-015 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,5- | 5.2344E-010 | 1.2602E-009 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichlorophenol, 2,4,6- | 1.0241E-010 | 2.4126E-010 |
| RCPTR_36 | farmer_child | TOCDFMPF | Trichloropropane, 1,2,3- | 1.7403E-013 | 4.2266E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | VX | 3.0700E-012 | 3.4687E-012 |
| RCPTR_36 | farmer_child | TOCDFMPF | Vinyl Chloride | 2.4494E-018 | 5.9493E-018 |
| RCPTR_36 | farmer_child | TOCDFMPF | Xylene, m- | 4.4695E-014 | 1.0005E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Xylene, o- | 4.8957E-014 | 1.1176E-013 |
| RCPTR_36 | farmer_child | TOCDFMPF | Xylene, p- | 6.5466E-014 | 1.5113E-013 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDHVAC | VX | 1.7421E-012 | 1.9688E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Acenaphthene | 2.7251E-010 | 6.6070E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Acetone | 1.1924E-011 | 2.8964E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Acetophenone | 1.2620E-012 | 3.0653E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Aniline | 7.5622E-014 | 1.8363E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Anthracene | 5.2301E-009 | 1.2680E-008 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Antimony | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Arsenic | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Barium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Benzene | 1.6155E-014 | 3.9223E-014 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Benzo(a)anthracene | 4.9144E-007 | 7.7288E-007 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Benzo(a)pyrene | 1.9365E-006 | 2.2224E-006 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Benzo(b)fluoranthene | 1.8609E-006 | 2.6509E-006 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Benzo(k)fluoranthene | 3.0520E-006 | 3.2843E-006 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Benzoic acid | 2.9650E-011 | 7.0877E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Benzyl alcohol | 3.2622E-010 | 7.9231E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Beryllium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Bis(2-chlorethyl)ether | 1.7207E-012 | 4.1799E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Bromodichloromethane | 1.0132E-015 | 2.4609E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Bromoform (Tribromomethane) | 9.8109E-013 | 2.3831E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Bromophenyl-phenylether, 4- | 1.1449E-007 | 2.0652E-007 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Butylbenzylphthalate | 1.3194E-009 | 2.0391E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Cadmium | 4.4112E-009 | 6.7926E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Carbon disulfide | 6.7108E-017 | 1.6296E-016 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Carbon tetrachloride | 5.4147E-016 | 1.3146E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chlorine | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chloro-3-methylphenol, 4- | 1.4414E-010 | 3.4101E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chloroaniline, p- | 8.0344E-012 | 1.9508E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chlorobenzene | 3.1765E-015 | 7.7096E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chloroethane | 9.4930E-017 | 2.2989E-016 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Chloroform (Trichloromethane) | 4.1910E-016 | 1.0179E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chloronaphthalene,2- | 7.2375E-010 | 1.7555E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chlorophenol, 2- | 2.2437E-011 | 5.4500E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chlorophenyl-phenylether, 4- | 9.9648E-010 | 2.3724E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chromium | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chromium, hexavalent | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Chrysene | 9.1236E-007 | 1.1971E-006 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Di-n-butyl phthalate | 6.0580E-009 | 9.0058E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Di-n-octylphthalate | 2.2507E+000 | 2.2507E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dibenz(a,h)anthracene | 3.8327E-005 | 3.9906E-005 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,2- | 1.0799E-012 | 2.6141E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichlorobenzene, 1,3- | 1.3198E-012 | 3.1989E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichlorobenzene,1,4- | 1.2574E-012 | 3.0485E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichlorobenzidine, 3,3'- | 1.8497E-009 | 2.9365E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichlorodifluoromethane | 7.3282E-018 | 1.7794E-017 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichloroethane 1,1- | 1.6929E-016 | 4.1119E-016 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichloroethane, 1,2- (Ethylene Dichloride) | 2.2719E-015 | 5.5184E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichloroethylene 1,1- | 6.9833E-016 | 1.6959E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichloroethylene-1,2 (trans) | 1.1197E-015 | 2.7191E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichlorophenol, 2,4- | 9.6886E-011 | 2.2410E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichloropropane, 1,2- | 6.0378E-016 | 1.4659E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dichloropropene, 1,3- (cis) | 1.9758E-016 | 4.7987E-016 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Diethyl phthalate | 3.0663E-010 | 3.5528E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dimethyl phthalate | 1.6281E-011 | 3.9433E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dimethylphenol, 2,4- | 1.5351E-011 | 3.7257E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dinitrophenol, 2,4- | 1.3382E-012 | 2.8375E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,4- | 1.3890E-011 | 3.3588E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Dinitrotoluene, 2,6- | 1.0722E-011 | 2.5952E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Ethyl methanesulfonate | 3.2081E-013 | 7.7928E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Ethylbenzene | 1.7285E-014 | 4.1829E-014 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Ethylhexyl phthalate, bis-2- | 5.0269E-010 | 8.1658E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Fluoranthene | 7.5768E-008 | 1.5793E-007 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Fluorene | 1.1012E-009 | 2.6666E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HeptaCDD, 1,2,3,4,6,7,8- | 9.7066E-013 | 1.0788E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,6,7,8- | 1.2336E-011 | 1.3396E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HeptaCDF, 1,2,3,4,7,8,9- | 2.7379E-011 | 3.0321E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,4,7,8- | 8.9882E-012 | 9.8037E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,6,7,8- | 5.0213E-012 | 5.6152E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HexaCDD, 1,2,3,7,8,9- | 3.9219E-012 | 4.4729E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,4,7,8- | 5.8173E-012 | 6.7363E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,6,7,8- | 5.0931E-012 | 5.8915E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HexaCDF, 1,2,3,7,8,9- | 5.3143E-012 | 6.1359E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | HexaCDF, 2,3,4,6,7,8- | 4.3416E-012 | 5.0173E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Hexachloro-1,3-butadiene (Perchlorobutad | 2.5408E-011 | 6.1333E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Hexachlorobenzene | 6.0392E-008 | 1.4537E-007 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Hexachlorocyclopentadiene | 6.9633E-011 | 1.6789E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Hexachloroethane (Perchloroethane) | 1.3866E-011 | 3.3616E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Hydrogen chloride | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Indeno(1,2,3-cd) pyrene | 2.9388E-004 | 2.9745E-004 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Isophorone | 2.3117E-012 | 5.6147E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Lead | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Mercuric chloride | 8.7295E-011 | 1.0931E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Methyl bromide (Bromomethane) | 1.2568E-016 | 3.0527E-016 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Methyl chloride (Chloromethane) | 3.6483E-019 | 8.8615E-019 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Methyl ethyl ketone (2-Butanone) | 1.3359E-013 | 3.2449E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Methyl mercury | 3.7043E-013 | 4.3907E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Methylene chloride | 1.8120E-012 | 4.4012E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Naphthalene | 6.0920E-012 | 1.4782E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nickel | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitroaniline, 2- | 3.9482E-011 | 9.5865E-011 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitroaniline, 3- | 9.3537E-012 | 2.2718E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitroaniline, 4- | 1.2084E-011 | 2.9349E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitrobenzene | 3.9090E-012 | 9.4950E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitrophenol, 2- | 1.7785E-012 | 4.3196E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitrophenol, 4- | 2.3019E-011 | 4.7217E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitroso-di-n-butylamine, n- | 2.2294E-012 | 5.4130E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitrosodiphenylamine, N- | 2.2479E-012 | 5.4569E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Nitrosodipropylamine, n- | 1.9226E-013 | 4.6648E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | OctaCDD, 1,2,3,4,6,7,8,9- | 1.3019E-012 | 1.5031E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | OctaCDF, 1,2,3,4,6,7,8,9- | 1.2826E-012 | 1.4806E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | PentaCDD, 1,2,3,7,8- | 2.3682E-011 | 2.6171E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | PentaCDF, 1,2,3,7,8- | 4.2014E-012 | 4.8812E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | PentaCDF, 2,3,4,7,8- | 1.4979E-011 | 1.7426E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Pentachlorobenzene | 2.0190E-010 | 4.8712E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Pentachloronitrobenzene (PCNB) | 7.2446E-011 | 1.7436E-010 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Pentachlorophenol | 2.5687E-008 | 4.6549E-008 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Phenanthrene | 3.7429E-012 | 9.0722E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Phenol | 3.0832E-012 | 7.4868E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Pronamide | 3.1696E-010 | 7.6708E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Pyrene | 1.3554E-007 | 2.2187E-007 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Selenium | 1.0689E-005 | 1.1114E-005 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Silver | 0.0000E+000 | 0.0000E+000 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Styrene | 1.5686E-014 | 3.8088E-014 |
| RCPTR_36 | farmer_child | TOCDLIC2 | TetraCDD, 2,3,7,8- | 4.4227E-012 | 5.2812E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | TetraCDF, 2,3,7,8- | 1.4643E-012 | 1.7943E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Tetrachlorobenzene, 1,2,4,5- | 3.0217E-010 | 7.2929E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Tetrachloroethane, 1,1,2,2- | 6.4189E-013 | 1.0536E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Tetrachloroethylene (Perchloroethylene) | 6.4697E-016 | 1.5710E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Tetrachlorophenol, 2,3,4,6- | 1.7762E-009 | 3.9538E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Thallium (l) | 0.0000E+000 | 0.0000E+000 |

| RECEPTOR NAME | SCENARIO | SOURCE | COPC | Cancer(Average) Pork Concentration mg COPC/kg FW tissue | Hazard(Maximum) Pork Concentration mg COPC/kg FW tissue |
|---|---|---|---|---|---|
| RCPTR_36 | farmer_child | TOCDLIC2 | Toluene | 1.9477E-011 | 4.7252E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichlorobenzene, 1,2,4- | 1.0394E-011 | 2.5152E-011 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,1- | 6.1637E-014 | 1.4969E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichloroethane, 1,1,2- | 3.3156E-014 | 8.0529E-014 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichloroethylene | 5.4316E-015 | 1.3189E-014 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichlorofluoromethane (Freon 11) | 7.1609E-016 | 1.7389E-015 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,5- | 1.1632E-009 | 2.8005E-009 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichlorophenol, 2,4,6- | 2.2397E-010 | 5.2760E-010 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Trichloropropane, 1,2,3- | 1.2310E-013 | 2.9897E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | VX | 2.2994E-012 | 2.5978E-012 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Vinyl Chloride | 1.5983E-019 | 3.8820E-019 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Xylene, m- | 5.6339E-014 | 1.2615E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Xylene, o- | 3.9267E-014 | 8.9658E-014 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Xylene, p- | 8.2537E-014 | 1.9057E-013 |
| RCPTR_36 | farmer_child | TOCDLIC2 | Zinc | 5.9817E-008 | 8.9099E-008 |