BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFBRA	Antimony	8.1807E-008	1.0674E-007
RCPTR_37	farmer_adult	TOCDFBRA	Arsenic	1.3740E-007	1.4544E-007
RCPTR_37	farmer_adult	TOCDFBRA	Barium	1.1317E-008	1.3863E-008
RCPTR_37	farmer_adult	TOCDFBRA	Beryllium	3.7784E-008	4.2264E-008
RCPTR_37	farmer_adult	TOCDFBRA	Cadmium	6.1942E-009	9.5637E-009
RCPTR_37	farmer_adult	TOCDFBRA	Chromium	9.9090E-007	9.9751E-007
RCPTR_37	farmer_adult	TOCDFBRA	Chromium, hexavalent	8.1677E-007	8.4015E-007
RCPTR_37	farmer_adult	TOCDFBRA	Lead	3.9641E-007	4.6625E-007
RCPTR_37	farmer_adult	TOCDFBRA	Mercuric chloride	1.0987E-004	1.1472E-004
RCPTR_37	farmer_adult	TOCDFBRA	Methyl mercury	9.9585E-007	1.0416E-006
RCPTR_37	farmer_adult	TOCDFBRA	Nickel	4.4893E-007	4.9882E-007
RCPTR_37	farmer_adult	TOCDFBRA	Selenium	1.5500E-007	1.5628E-007
RCPTR_37	farmer_adult	TOCDFBRA	Silver	5.1901E-008	5.9820E-008
RCPTR_37	farmer_adult	TOCDFBRA	Thallium (l)	1.4012E-006	1.5181E-006
RCPTR_37	farmer_adult	TOCDFBRA	Zinc	2.3305E-007	3.1769E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Acenaphthene	6.6482E-011	8.7032E-010
RCPTR_37	farmer_adult	TOCDFDFS	Acetone	6.8944E-016	9.6404E-015
RCPTR_37	farmer_adult	TOCDFDFS	Acetophenone	3.4642E-013	4.8275E-012
RCPTR_37	farmer_adult	TOCDFDFS	Aniline	2.0001E-014	2.7653E-013
RCPTR_37	farmer_adult	TOCDFDFS	Anthracene	1.1782E-009	1.5350E-008
RCPTR_37	farmer_adult	TOCDFDFS	Antimony	6.4716E-009	8.4413E-009
RCPTR_37	farmer_adult	TOCDFDFS	Aroclor 1254	9.6259E-011	2.3499E-010
RCPTR_37	farmer_adult	TOCDFDFS	Arsenic	1.2681E-008	1.3423E-008
RCPTR_37	farmer_adult	TOCDFDFS	Barium	8.2403E-009	1.0092E-008
RCPTR_37	farmer_adult	TOCDFDFS	Benzene	2.5021E-015	3.4454E-014
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(a)anthracene	8.0782E-007	1.3962E-006
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(a)pyrene	8.7183E-006	9.2567E-006
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.9229E-006	6.4364E-006
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.3642E-005	1.4239E-005
RCPTR_37	farmer_adult	TOCDFDFS	Benzoic acid	3.3390E-013	3.1387E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Benzyl alcohol	4.5087E-013	6.2720E-012
RCPTR_37	farmer_adult	TOCDFDFS	Beryllium	6.8596E-009	7.6720E-009
RCPTR_37	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.4906E-013	6.2790E-012
RCPTR_37	farmer_adult	TOCDFDFS	Bromodichloromethane	8.0061E-016	1.1163E-014
RCPTR_37	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.2797E-013	1.7860E-012
RCPTR_37	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.5328E-008	2.4103E-007
RCPTR_37	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.6816E-009	6.0658E-009
RCPTR_37	farmer_adult	TOCDFDFS	Cadmium	2.3930E-009	3.6932E-009
RCPTR_37	farmer_adult	TOCDFDFS	Carbon disulfide	4.4448E-016	6.1547E-015
RCPTR_37	farmer_adult	TOCDFDFS	Carbon tetrachloride	7.0899E-016	9.7493E-015
RCPTR_37	farmer_adult	TOCDFDFS	Chlorine	1.3910E-014	1.9455E-013
RCPTR_37	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.6682E-011	5.1161E-010
RCPTR_37	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.1142E-012	2.9150E-011
RCPTR_37	farmer_adult	TOCDFDFS	Chlorobenzene	4.1889E-015	5.7028E-014
RCPTR_37	farmer_adult	TOCDFDFS	Chloroethane	1.2583E-017	1.6007E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	5.5279E-016	7.7009E-015
RCPTR_37	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.7146E-010	2.2744E-009
RCPTR_37	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.7986E-012	8.0982E-011
RCPTR_37	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.6560E-010	2.8340E-009
RCPTR_37	farmer_adult	TOCDFDFS	Chromium	2.3697E-007	2.3855E-007
RCPTR_37	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.9537E-007	2.0096E-007
RCPTR_37	farmer_adult	TOCDFDFS	Chrysene	2.5578E-006	3.2178E-006
RCPTR_37	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.0945E-008	2.6283E-008
RCPTR_37	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.1218E+002	1.1218E+002
RCPTR_37	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.9255E-004	1.9612E-004
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.9293E-013	3.6693E-012
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.4168E-013	4.4435E-012
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.2560E-013	4.2792E-012
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.1950E-008	1.6678E-008
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	9.7377E-019	1.3445E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.3114E-016	3.2225E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8694E-016	4.0034E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.8004E-017	1.2199E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4158E-016	1.9609E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.2195E-011	3.5082E-010
RCPTR_37	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	8.0196E-016	1.1033E-014
RCPTR_37	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.6161E-016	3.6409E-015
RCPTR_37	farmer_adult	TOCDFDFS	Diethyl phthalate	1.3660E-008	1.4574E-008
RCPTR_37	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.6737E-012	7.2518E-011
RCPTR_37	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.0547E-012	5.5176E-011
RCPTR_37	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	8.7596E-012	2.6529E-011
RCPTR_37	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.1477E-012	5.0469E-011
RCPTR_37	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.1053E-012	3.8980E-011
RCPTR_37	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.4110E-014	1.1754E-012
RCPTR_37	farmer_adult	TOCDFDFS	Ethylbenzene	2.7941E-015	3.4786E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	7.7683E-010	1.0202E-009
RCPTR_37	farmer_adult	TOCDFDFS	Fluoranthene	3.2245E-008	1.9033E-007
RCPTR_37	farmer_adult	TOCDFDFS	Fluorene	2.7205E-010	3.4135E-009
RCPTR_37	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.1204E-013	3.3038E-013
RCPTR_37	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.9284E-013	3.0585E-013
RCPTR_37	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	8.5164E-013	9.0001E-013
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.7829E-012	8.1551E-012
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.1595E-012	4.4302E-012
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.9664E-012	3.2004E-012
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.0878E-012	2.2856E-012
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.9029E-012	2.0818E-012
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.2936E-012	2.5068E-012
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.7480E-012	1.9114E-012
RCPTR_37	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.4396E-012	7.1359E-011
RCPTR_37	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.2602E-008	1.4543E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.7896E-011	1.8923E-010
RCPTR_37	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.3814E-012	4.4155E-011
RCPTR_37	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.4910E-003	1.4984E-003
RCPTR_37	farmer_adult	TOCDFDFS	Isophorone	6.0345E-013	8.4052E-012
RCPTR_37	farmer_adult	TOCDFDFS	Lead	4.2771E-008	5.0298E-008
RCPTR_37	farmer_adult	TOCDFDFS	Mercuric chloride	3.3983E-008	3.5491E-008
RCPTR_37	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.0075E-017	1.4070E-016
RCPTR_37	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.9893E-018	2.7738E-017
RCPTR_37	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.9433E-015	6.9107E-014
RCPTR_37	farmer_adult	TOCDFDFS	Methyl mercury	3.0135E-010	3.1557E-010
RCPTR_37	farmer_adult	TOCDFDFS	Methylene chloride	2.9796E-016	4.1565E-015
RCPTR_37	farmer_adult	TOCDFDFS	Mustard	3.5195E-014	4.8960E-013
RCPTR_37	farmer_adult	TOCDFDFS	Naphthalene	2.6302E-012	3.5457E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nickel	8.8261E-007	9.8058E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.0388E-011	1.4328E-010
RCPTR_37	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.4497E-012	3.4111E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.1696E-012	4.4063E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nitrobenzene	1.0161E-012	1.4189E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.6357E-013	6.4594E-012
RCPTR_37	farmer_adult	TOCDFDFS	Nitrophenol, 4-	3.5286E-011	9.2280E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.8029E-013	8.0005E-012
RCPTR_37	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.7420E-013	7.8608E-012
RCPTR_37	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.3020E-014	7.0277E-013
RCPTR_37	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.3942E-013	4.7713E-013
RCPTR_37	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.6112E-013	4.9995E-013
RCPTR_37	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.5092E-011	1.6036E-011
RCPTR_37	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.8484E-012	2.0625E-012
RCPTR_37	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.1032E-012	7.9117E-012
RCPTR_37	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.1515E-011	5.3093E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.1513E-011	2.0905E-010
RCPTR_37	farmer_adult	TOCDFDFS	Pentachlorophenol	5.8979E-008	9.4090E-008
RCPTR_37	farmer_adult	TOCDFDFS	Phenanthrene	8.4036E-013	1.0823E-011
RCPTR_37	farmer_adult	TOCDFDFS	Phenol	8.1236E-013	1.1236E-011
RCPTR_37	farmer_adult	TOCDFDFS	Pronamide	8.6086E-011	1.0705E-009
RCPTR_37	farmer_adult	TOCDFDFS	Pyrene	4.8476E-008	2.7631E-007
RCPTR_37	farmer_adult	TOCDFDFS	Selenium	1.4306E-008	1.4424E-008
RCPTR_37	farmer_adult	TOCDFDFS	Silver	9.4657E-008	1.0908E-007
RCPTR_37	farmer_adult	TOCDFDFS	Styrene	3.0301E-014	4.1803E-013
RCPTR_37	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	4.6483E-012	5.4031E-012
RCPTR_37	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4617E-012	1.7916E-012
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.7494E-011	8.6352E-010
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	9.3992E-012	1.3238E-011
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.4841E-016	1.1723E-014
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.6114E-009	5.8828E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Thallium (l)	1.2655E-005	1.3709E-005
RCPTR_37	farmer_adult	TOCDFDFS	Toluene	1.1649E-015	1.5664E-014
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.7001E-012	3.3152E-011
RCPTR_37	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.0486E-016	9.7758E-015
RCPTR_37	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.1604E-015	5.7939E-014
RCPTR_37	farmer_adult	TOCDFDFS	Trichloroethylene	6.8179E-016	9.4172E-015
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.4095E-017	1.3008E-015
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.5379E-010	3.7881E-009
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.4519E-010	3.8109E-009
RCPTR_37	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.5430E-014	2.1443E-013
RCPTR_37	farmer_adult	TOCDFDFS	Vinyl Chloride	2.1987E-019	3.0602E-018
RCPTR_37	farmer_adult	TOCDFDFS	Xylene, m-	2.1665E-014	7.0311E-014
RCPTR_37	farmer_adult	TOCDFDFS	Xylene, o-	1.6943E-014	6.5393E-014
RCPTR_37	farmer_adult	TOCDFDFS	Xylene, p-	2.2444E-014	9.7889E-014
RCPTR_37	farmer_adult	TOCDFDFS	Zinc	4.0561E-008	5.5273E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Acenaphthene	1.3343E-011	1.7473E-010
RCPTR_37	farmer_adult	TOCDFLIC	Acetone	4.5011E-016	6.2939E-015
RCPTR_37	farmer_adult	TOCDFLIC	Acetophenone	6.6152E-014	9.2188E-013
RCPTR_37	farmer_adult	TOCDFLIC	Aniline	4.0153E-015	5.5517E-014
RCPTR_37	farmer_adult	TOCDFLIC	Anthracene	2.3644E-010	3.0817E-009
RCPTR_37	farmer_adult	TOCDFLIC	Antimony	3.0223E-007	3.9448E-007
RCPTR_37	farmer_adult	TOCDFLIC	Arsenic	5.5890E-007	5.9166E-007
RCPTR_37	farmer_adult	TOCDFLIC	Barium	4.5024E-008	5.5170E-008
RCPTR_37	farmer_adult	TOCDFLIC	Benzene	2.5114E-015	3.4584E-014
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.6121E-007	2.7921E-007
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.7342E-006	1.8407E-006
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	9.8331E-007	1.2867E-006
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.7159E-006	2.8330E-006
RCPTR_37	farmer_adult	TOCDFLIC	Benzoic acid	2.3147E-013	2.1768E-012
RCPTR_37	farmer_adult	TOCDFLIC	Benzyl alcohol	1.4483E-011	2.0147E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Beryllium	7.8833E-008	8.8195E-008
RCPTR_37	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	9.0156E-014	1.2606E-012
RCPTR_37	farmer_adult	TOCDFLIC	Bromodichloromethane	8.9570E-017	1.2489E-015
RCPTR_37	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.6200E-013	2.2609E-012
RCPTR_37	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.0845E-009	4.8389E-008
RCPTR_37	farmer_adult	TOCDFLIC	Butylbenzylphthalate	9.2549E-010	1.2033E-009
RCPTR_37	farmer_adult	TOCDFLIC	Cadmium	9.2972E-009	1.4363E-008
RCPTR_37	farmer_adult	TOCDFLIC	Carbon disulfide	5.8820E-016	8.1451E-015
RCPTR_37	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.1716E-014	1.6111E-013
RCPTR_37	farmer_adult	TOCDFLIC	Chlorine	9.6093E-008	1.3440E-006
RCPTR_37	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3381E-011	1.0271E-010
RCPTR_37	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.2444E-013	5.8522E-012
RCPTR_37	farmer_adult	TOCDFLIC	Chlorobenzene	4.7642E-015	6.4866E-014
RCPTR_37	farmer_adult	TOCDFLIC	Chloroethane	5.2249E-018	6.6471E-017
RCPTR_37	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.6445E-015	6.4703E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.4418E-011	4.5662E-010
RCPTR_37	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.1642E-012	1.6258E-011
RCPTR_37	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.3226E-011	5.6879E-010
RCPTR_37	farmer_adult	TOCDFLIC	Chromium	4.0196E-007	4.0465E-007
RCPTR_37	farmer_adult	TOCDFLIC	Chromium, hexavalent	3.3123E-007	3.4073E-007
RCPTR_37	farmer_adult	TOCDFLIC	Chrysene	5.1112E-007	6.4332E-007
RCPTR_37	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	6.4801E-010	8.1365E-010
RCPTR_37	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.4773E+000	3.4773E+000
RCPTR_37	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	3.8250E-005	3.8920E-005
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.8791E-014	7.3666E-013
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.8583E-014	8.9209E-013
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.5356E-014	8.5910E-013
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.1902E-009	1.6642E-009
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.8469E-019	5.3124E-018
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.5527E-017	2.1647E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1916E-016	1.6625E-015
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	5.9114E-018	8.1944E-017
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.8794E-017	8.1433E-016
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.2478E-011	7.0424E-011
RCPTR_37	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.3302E-016	4.5815E-015
RCPTR_37	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1200E-016	1.5588E-015
RCPTR_37	farmer_adult	TOCDFLIC	Diethyl phthalate	4.2342E-010	4.5178E-010
RCPTR_37	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0786E-011	1.3795E-010
RCPTR_37	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.1403E-013	1.1077E-011
RCPTR_37	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.7560E-012	5.3236E-012
RCPTR_37	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	8.3130E-013	1.0131E-011
RCPTR_37	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.2302E-013	7.8254E-012
RCPTR_37	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.6886E-014	2.3598E-013
RCPTR_37	farmer_adult	TOCDFLIC	Ethylbenzene	1.2168E-015	1.5155E-014
RCPTR_37	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.1754E-009	1.5498E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Fluoranthene	6.4560E-009	3.8192E-008
RCPTR_37	farmer_adult	TOCDFLIC	Fluorene	5.4593E-011	6.8529E-010
RCPTR_37	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.5408E-012	2.6874E-012
RCPTR_37	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.1018E-012	9.4969E-012
RCPTR_37	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9678E-011	2.0775E-011
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.3672E-011	2.4784E-011
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.2809E-011	1.3630E-011
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.7571E-012	1.0519E-011
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.0370E-011	2.2295E-011
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.7820E-011	1.9492E-011
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.8569E-011	2.0290E-011
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.5180E-011	1.6595E-011
RCPTR_37	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.2906E-012	1.4324E-011
RCPTR_37	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.5280E-009	2.9195E-008
RCPTR_37	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	3.5848E-012	3.7982E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.7881E-013	8.8648E-012
RCPTR_37	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.9821E-004	2.9958E-004
RCPTR_37	farmer_adult	TOCDFLIC	Isophorone	1.2115E-013	1.6875E-012
RCPTR_37	farmer_adult	TOCDFLIC	Lead	2.1084E-007	2.4803E-007
RCPTR_37	farmer_adult	TOCDFLIC	Mercuric chloride	7.9491E-008	8.3036E-008
RCPTR_37	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.6008E-018	9.2185E-017
RCPTR_37	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.1663E-017	1.6262E-016
RCPTR_37	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.1539E-015	1.2797E-013
RCPTR_37	farmer_adult	TOCDFLIC	Methyl mercury	6.9167E-010	7.2510E-010
RCPTR_37	farmer_adult	TOCDFLIC	Methylene chloride	1.1971E-015	1.6699E-014
RCPTR_37	farmer_adult	TOCDFLIC	Mustard	1.2426E-014	1.7286E-013
RCPTR_37	farmer_adult	TOCDFLIC	Naphthalene	8.1597E-014	1.1001E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nickel	8.9147E-007	9.9071E-007
RCPTR_37	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.0855E-012	2.8766E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.9183E-013	6.8487E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitroaniline, 4-	6.3628E-013	8.8467E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrobenzene	2.0399E-013	2.8486E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrophenol, 2-	9.3068E-014	1.2968E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrophenol, 4-	7.0783E-013	1.8521E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.1650E-013	1.6062E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.1528E-013	1.5782E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.0609E-014	1.4106E-013
RCPTR_37	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.2432E-012	3.5195E-012
RCPTR_37	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.1858E-012	3.4523E-012
RCPTR_37	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.7289E-011	6.0846E-011
RCPTR_37	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	8.8017E-012	9.8231E-012
RCPTR_37	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.1982E-011	3.5629E-011
RCPTR_37	farmer_adult	TOCDFLIC	Pentachlorobenzene	5.1360E-011	5.3349E-010
RCPTR_37	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.2777E-012	4.1931E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Pentachlorophenol	2.3619E-009	3.7692E-009
RCPTR_37	farmer_adult	TOCDFLIC	Phenanthrene	1.6866E-013	2.1728E-012
RCPTR_37	farmer_adult	TOCDFLIC	Phenol	1.6309E-013	2.2557E-012
RCPTR_37	farmer_adult	TOCDFLIC	Pronamide	1.7278E-011	2.1491E-010
RCPTR_37	farmer_adult	TOCDFLIC	Pyrene	9.7217E-009	5.5462E-008
RCPTR_37	farmer_adult	TOCDFLIC	Selenium	3.4635E-007	3.4923E-007
RCPTR_37	farmer_adult	TOCDFLIC	Silver	8.9479E-007	1.0315E-006
RCPTR_37	farmer_adult	TOCDFLIC	Styrene	1.8747E-012	2.5864E-011
RCPTR_37	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.5316E-012	8.7594E-012
RCPTR_37	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	2.9953E-012	3.6743E-012
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.5551E-011	1.7336E-010
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.0058E-016	8.3128E-015
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.2484E-016	3.1071E-015
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.2324E-010	1.1808E-009
RCPTR_37	farmer_adult	TOCDFLIC	Thallium (l)	1.1880E-006	1.2873E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Toluene	4.5117E-015	6.0675E-014
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.4183E-013	6.6556E-012
RCPTR_37	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.8991E-015	2.6340E-014
RCPTR_37	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.7277E-015	2.4060E-014
RCPTR_37	farmer_adult	TOCDFLIC	Trichloroethylene	2.8312E-016	3.9107E-015
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.7178E-017	5.1398E-016
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	7.1011E-011	7.6050E-010
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.1763E-011	1.5220E-010
RCPTR_37	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.4076E-015	8.9045E-014
RCPTR_37	farmer_adult	TOCDFLIC	Vinyl Chloride	2.7365E-019	3.8092E-018
RCPTR_37	farmer_adult	TOCDFLIC	Xylene, m-	1.8396E-014	6.1628E-014
RCPTR_37	farmer_adult	TOCDFLIC	Xylene, o-	1.6506E-014	6.5793E-014
RCPTR_37	farmer_adult	TOCDFLIC	Xylene, p-	1.9147E-014	8.6197E-014
RCPTR_37	farmer_adult	TOCDFLIC	Zinc	3.5195E-007	4.7997E-007
RCPTR_37	farmer_adult	TOCDFMPF	Acenaphthene	2.0419E-011	2.6739E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Acetone	1.6459E-015	2.3014E-014
RCPTR_37	farmer_adult	TOCDFMPF	Acetophenone	1.0606E-013	1.4780E-012
RCPTR_37	farmer_adult	TOCDFMPF	Aniline	6.1448E-015	8.4962E-014
RCPTR_37	farmer_adult	TOCDFMPF	Anthracene	3.6184E-010	4.7161E-009
RCPTR_37	farmer_adult	TOCDFMPF	Antimony	4.1407E-009	5.4054E-009
RCPTR_37	farmer_adult	TOCDFMPF	Aroclor 1254	5.4014E-011	1.3285E-010
RCPTR_37	farmer_adult	TOCDFMPF	Arsenic	2.9208E-008	3.0921E-008
RCPTR_37	farmer_adult	TOCDFMPF	Barium	3.2076E-008	3.9310E-008
RCPTR_37	farmer_adult	TOCDFMPF	Benzene	2.2470E-015	3.0942E-014
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.4665E-007	4.2726E-007
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(a)pyrene	2.6540E-006	2.8172E-006
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.5043E-006	1.9687E-006
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	4.1561E-006	4.3356E-006
RCPTR_37	farmer_adult	TOCDFMPF	Benzoic acid	1.0252E-012	9.6428E-012
RCPTR_37	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3852E-013	1.9270E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Beryllium	2.7019E-009	3.0229E-009
RCPTR_37	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.3797E-013	1.9292E-012
RCPTR_37	farmer_adult	TOCDFMPF	Bromodichloromethane	2.7241E-015	3.7983E-014
RCPTR_37	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	9.4732E-014	1.3221E-012
RCPTR_37	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.7811E-009	7.4053E-008
RCPTR_37	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.4171E-009	1.8423E-009
RCPTR_37	farmer_adult	TOCDFMPF	Cadmium	4.2677E-008	6.5946E-008
RCPTR_37	farmer_adult	TOCDFMPF	Carbon disulfide	2.1528E-016	2.9811E-015
RCPTR_37	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.0429E-015	2.8094E-014
RCPTR_37	farmer_adult	TOCDFMPF	Chlorine	1.7722E-008	2.4787E-007
RCPTR_37	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.0470E-011	1.5717E-010
RCPTR_37	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.4955E-013	8.9560E-012
RCPTR_37	farmer_adult	TOCDFMPF	Chlorobenzene	8.5568E-015	1.1650E-013
RCPTR_37	farmer_adult	TOCDFMPF	Chloroethane	5.1539E-017	6.5572E-016
RCPTR_37	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.4621E-015	2.0369E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.2670E-011	6.9880E-010
RCPTR_37	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.7816E-012	2.4881E-011
RCPTR_37	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1204E-010	8.7043E-010
RCPTR_37	farmer_adult	TOCDFMPF	Chromium	7.6691E-008	7.7204E-008
RCPTR_37	farmer_adult	TOCDFMPF	Chromium, hexavalent	6.3187E-008	6.5001E-008
RCPTR_37	farmer_adult	TOCDFMPF	Chrysene	7.8190E-007	9.8427E-007
RCPTR_37	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	6.4133E-009	8.0535E-009
RCPTR_37	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.4408E+001	3.4408E+001
RCPTR_37	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	5.8534E-005	5.9564E-005
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.9966E-014	1.1273E-012
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0495E-013	1.3652E-012
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.0002E-013	1.3147E-012
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.6532E-009	5.1085E-009
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.1674E-018	4.3741E-017
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.7221E-016	6.5834E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.8620E-016	8.1787E-015
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.7978E-016	2.4921E-015
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.8924E-016	4.0061E-015
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.9087E-011	1.0776E-010
RCPTR_37	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.6383E-015	2.2539E-014
RCPTR_37	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.3443E-016	7.4381E-015
RCPTR_37	farmer_adult	TOCDFMPF	Diethyl phthalate	4.1898E-009	4.4707E-009
RCPTR_37	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.1530E-012	1.4746E-011
RCPTR_37	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.2457E-012	1.6953E-011
RCPTR_37	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	2.6810E-012	8.1308E-012
RCPTR_37	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.2722E-012	1.5504E-011
RCPTR_37	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.5342E-013	1.1976E-011
RCPTR_37	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.5842E-014	3.6114E-013
RCPTR_37	farmer_adult	TOCDFMPF	Ethylbenzene	5.7056E-015	7.1063E-014
RCPTR_37	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.1298E-010	2.8078E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Fluoranthene	9.8778E-009	5.8446E-008
RCPTR_37	farmer_adult	TOCDFMPF	Fluorene	8.3543E-011	1.0487E-009
RCPTR_37	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	9.9392E-012	1.0514E-011
RCPTR_37	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.4354E-011	1.4979E-011
RCPTR_37	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.3114E-011	2.4405E-011
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.7798E-012	7.0990E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.8571E-012	3.0407E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.3152E-012	2.4964E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.0422E-012	4.4247E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.7266E-012	1.8888E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.5507E-012	1.6945E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3796E-012	1.5084E-012
RCPTR_37	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.9750E-012	2.1921E-011
RCPTR_37	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.8685E-009	4.4679E-008
RCPTR_37	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.4860E-012	5.8126E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.0388E-012	1.3566E-011
RCPTR_37	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	4.5612E-004	4.5824E-004
RCPTR_37	farmer_adult	TOCDFMPF	Isophorone	1.8540E-013	2.5824E-012
RCPTR_37	farmer_adult	TOCDFMPF	Lead	2.4472E-008	2.8793E-008
RCPTR_37	farmer_adult	TOCDFMPF	Mercuric chloride	1.3534E-006	1.4137E-006
RCPTR_37	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.4193E-017	4.7752E-016
RCPTR_37	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.9929E-018	2.7788E-017
RCPTR_37	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.8584E-015	2.5980E-014
RCPTR_37	farmer_adult	TOCDFMPF	Methyl mercury	1.1790E-008	1.2359E-008
RCPTR_37	farmer_adult	TOCDFMPF	Methylene chloride	9.4249E-016	1.3148E-014
RCPTR_37	farmer_adult	TOCDFMPF	Mustard	8.8511E-014	1.2313E-012
RCPTR_37	farmer_adult	TOCDFMPF	Naphthalene	8.0798E-013	1.0894E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nickel	5.6201E-007	6.2462E-007
RCPTR_37	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.1858E-012	4.3943E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.5131E-013	1.0462E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nitroaniline, 4-	9.7198E-013	1.3514E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nitrobenzene	3.1218E-013	4.3595E-012
RCPTR_37	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.4243E-013	1.9846E-012
RCPTR_37	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.0806E-011	2.8286E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7829E-013	2.4581E-012
RCPTR_37	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.7641E-013	2.4152E-012
RCPTR_37	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.6239E-014	2.1587E-013
RCPTR_37	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.0735E-010	2.2505E-010
RCPTR_37	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.6310E-010	3.9353E-010
RCPTR_37	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.0007E-012	3.1872E-012
RCPTR_37	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.8297E-012	4.2745E-012
RCPTR_37	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.1504E-012	2.3958E-012
RCPTR_37	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.5699E-011	1.6300E-010
RCPTR_37	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.5383E-012	6.4057E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Pentachlorophenol	1.8060E-008	2.8828E-008
RCPTR_37	farmer_adult	TOCDFMPF	Phenanthrene	2.5810E-013	3.3251E-012
RCPTR_37	farmer_adult	TOCDFMPF	Phenol	2.4959E-013	3.4521E-012
RCPTR_37	farmer_adult	TOCDFMPF	Pronamide	2.6440E-011	3.2889E-010
RCPTR_37	farmer_adult	TOCDFMPF	Pyrene	1.4876E-008	8.4875E-008
RCPTR_37	farmer_adult	TOCDFMPF	Selenium	6.1055E-009	6.1562E-009
RCPTR_37	farmer_adult	TOCDFMPF	Silver	1.2132E-007	1.3988E-007
RCPTR_37	farmer_adult	TOCDFMPF	Styrene	4.2795E-014	5.9042E-013
RCPTR_37	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	9.0239E-013	1.0496E-012
RCPTR_37	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.9710E-012	3.6447E-012
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.3795E-011	2.6530E-010
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.8265E-014	2.5282E-013
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.7330E-015	2.3949E-014
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.9349E-010	1.8035E-009
RCPTR_37	farmer_adult	TOCDFMPF	Thallium (l)	3.6543E-008	3.9598E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Toluene	3.0302E-015	4.0753E-014
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.2914E-013	1.0185E-011
RCPTR_37	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.1159E-015	1.5478E-014
RCPTR_37	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.4992E-015	1.1837E-013
RCPTR_37	farmer_adult	TOCDFMPF	Trichloroethylene	1.3928E-015	1.9239E-014
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.8408E-015	5.3099E-014
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0865E-010	1.1638E-009
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.3293E-011	2.3291E-010
RCPTR_37	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.1522E-014	4.3806E-013
RCPTR_37	farmer_adult	TOCDFMPF	Vinyl Chloride	7.5169E-019	1.0463E-017
RCPTR_37	farmer_adult	TOCDFMPF	Xylene, m-	1.8494E-014	6.1815E-014
RCPTR_37	farmer_adult	TOCDFMPF	Xylene, o-	1.6592E-014	6.5979E-014
RCPTR_37	farmer_adult	TOCDFMPF	Xylene, p-	1.9243E-014	8.6428E-014
RCPTR_37	farmer_adult	TOCDFMPF	Zinc	1.0073E-007	1.3740E-007
RCPTR_37	farmer_adult	TOCDHVAC	Mustard	2.9446E-014	4.0964E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Acenaphthene	1.3343E-011	1.7473E-010
RCPTR_37	farmer_adult	TOCDLIC2	Acetone	4.5011E-016	6.2939E-015
RCPTR_37	farmer_adult	TOCDLIC2	Acetophenone	6.6152E-014	9.2188E-013
RCPTR_37	farmer_adult	TOCDLIC2	Aniline	4.0153E-015	5.5517E-014
RCPTR_37	farmer_adult	TOCDLIC2	Anthracene	2.3644E-010	3.0817E-009
RCPTR_37	farmer_adult	TOCDLIC2	Antimony	3.0223E-007	3.9448E-007
RCPTR_37	farmer_adult	TOCDLIC2	Arsenic	5.5890E-007	5.9166E-007
RCPTR_37	farmer_adult	TOCDLIC2	Barium	4.5024E-008	5.5170E-008
RCPTR_37	farmer_adult	TOCDLIC2	Benzene	2.5114E-015	3.4584E-014
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.6121E-007	2.7921E-007
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.7342E-006	1.8407E-006
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	9.8331E-007	1.2867E-006
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.7159E-006	2.8330E-006
RCPTR_37	farmer_adult	TOCDLIC2	Benzoic acid	2.3147E-013	2.1768E-012
RCPTR_37	farmer_adult	TOCDLIC2	Benzyl alcohol	1.4483E-011	2.0147E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Beryllium	7.8833E-008	8.8195E-008
RCPTR_37	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.0156E-014	1.2606E-012
RCPTR_37	farmer_adult	TOCDLIC2	Bromodichloromethane	8.9570E-017	1.2489E-015
RCPTR_37	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.6200E-013	2.2609E-012
RCPTR_37	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.0845E-009	4.8389E-008
RCPTR_37	farmer_adult	TOCDLIC2	Butylbenzylphthalate	9.2549E-010	1.2033E-009
RCPTR_37	farmer_adult	TOCDLIC2	Cadmium	9.2972E-009	1.4363E-008
RCPTR_37	farmer_adult	TOCDLIC2	Carbon disulfide	5.8820E-016	8.1451E-015
RCPTR_37	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.1716E-014	1.6111E-013
RCPTR_37	farmer_adult	TOCDLIC2	Chlorine	9.6093E-008	1.3440E-006
RCPTR_37	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.3381E-011	1.0271E-010
RCPTR_37	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.2444E-013	5.8522E-012
RCPTR_37	farmer_adult	TOCDLIC2	Chlorobenzene	4.7642E-015	6.4866E-014
RCPTR_37	farmer_adult	TOCDLIC2	Chloroethane	5.2249E-018	6.6471E-017
RCPTR_37	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.6445E-015	6.4703E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.4418E-011	4.5662E-010
RCPTR_37	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.1642E-012	1.6258E-011
RCPTR_37	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.3226E-011	5.6879E-010
RCPTR_37	farmer_adult	TOCDLIC2	Chromium	4.0196E-007	4.0465E-007
RCPTR_37	farmer_adult	TOCDLIC2	Chromium, hexavalent	3.3123E-007	3.4073E-007
RCPTR_37	farmer_adult	TOCDLIC2	Chrysene	5.1112E-007	6.4332E-007
RCPTR_37	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	6.4801E-010	8.1365E-010
RCPTR_37	farmer_adult	TOCDLIC2	Di-n-octylphthalate	3.4773E+000	3.4773E+000
RCPTR_37	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	3.8250E-005	3.8920E-005
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.8791E-014	7.3666E-013
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.8583E-014	8.9209E-013
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.5356E-014	8.5910E-013
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1902E-009	1.6642E-009
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.8469E-019	5.3124E-018
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.5527E-017	2.1647E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1916E-016	1.6625E-015
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	5.9114E-018	8.1944E-017
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.8794E-017	8.1433E-016
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.2478E-011	7.0424E-011
RCPTR_37	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.3302E-016	4.5815E-015
RCPTR_37	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1200E-016	1.5588E-015
RCPTR_37	farmer_adult	TOCDLIC2	Diethyl phthalate	4.2342E-010	4.5178E-010
RCPTR_37	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0786E-011	1.3795E-010
RCPTR_37	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.1403E-013	1.1077E-011
RCPTR_37	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.7560E-012	5.3236E-012
RCPTR_37	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.3130E-013	1.0131E-011
RCPTR_37	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.2302E-013	7.8254E-012
RCPTR_37	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.6886E-014	2.3598E-013
RCPTR_37	farmer_adult	TOCDLIC2	Ethylbenzene	1.2168E-015	1.5155E-014
RCPTR_37	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.1754E-009	1.5498E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Fluoranthene	6.4560E-009	3.8192E-008
RCPTR_37	farmer_adult	TOCDLIC2	Fluorene	5.4593E-011	6.8529E-010
RCPTR_37	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5408E-012	2.6874E-012
RCPTR_37	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	9.1018E-012	9.4969E-012
RCPTR_37	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.9678E-011	2.0775E-011
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.3672E-011	2.4784E-011
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2809E-011	1.3630E-011
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.7571E-012	1.0519E-011
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.0370E-011	2.2295E-011
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.7820E-011	1.9492E-011
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.8569E-011	2.0290E-011
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.5180E-011	1.6595E-011
RCPTR_37	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2906E-012	1.4324E-011
RCPTR_37	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.5280E-009	2.9195E-008
RCPTR_37	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.5848E-012	3.7982E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.7881E-013	8.8648E-012
RCPTR_37	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.9821E-004	2.9958E-004
RCPTR_37	farmer_adult	TOCDLIC2	Isophorone	1.2115E-013	1.6875E-012
RCPTR_37	farmer_adult	TOCDLIC2	Lead	2.1084E-007	2.4803E-007
RCPTR_37	farmer_adult	TOCDLIC2	Mercuric chloride	7.9491E-008	8.3036E-008
RCPTR_37	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.6008E-018	9.2185E-017
RCPTR_37	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.1663E-017	1.6262E-016
RCPTR_37	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.1539E-015	1.2797E-013
RCPTR_37	farmer_adult	TOCDLIC2	Methyl mercury	6.9167E-010	7.2510E-010
RCPTR_37	farmer_adult	TOCDLIC2	Methylene chloride	1.1971E-015	1.6699E-014
RCPTR_37	farmer_adult	TOCDLIC2	Mustard	1.2918E-014	1.7970E-013
RCPTR_37	farmer_adult	TOCDLIC2	Naphthalene	8.1597E-014	1.1001E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nickel	8.9147E-007	9.9071E-007
RCPTR_37	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.0855E-012	2.8766E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.9183E-013	6.8487E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.3628E-013	8.8467E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrobenzene	2.0399E-013	2.8486E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.3068E-014	1.2968E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrophenol, 4-	7.0783E-012	1.8521E-011
RCPTR_37	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1650E-013	1.6062E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1528E-013	1.5782E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0609E-014	1.4106E-013
RCPTR_37	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.2432E-012	3.5195E-012
RCPTR_37	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.1858E-012	3.4523E-012
RCPTR_37	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.7289E-011	6.0846E-011
RCPTR_37	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.8017E-012	9.8231E-012
RCPTR_37	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1982E-011	3.5629E-011
RCPTR_37	farmer_adult	TOCDLIC2	Pentachlorobenzene	5.1360E-011	5.3349E-010
RCPTR_37	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.2777E-012	4.1931E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Pentachlorophenol	2.3619E-009	3.7692E-009
RCPTR_37	farmer_adult	TOCDLIC2	Phenanthrene	1.6866E-013	2.1728E-012
RCPTR_37	farmer_adult	TOCDLIC2	Phenol	1.6309E-013	2.2557E-012
RCPTR_37	farmer_adult	TOCDLIC2	Pronamide	1.7278E-011	2.1491E-010
RCPTR_37	farmer_adult	TOCDLIC2	Pyrene	9.7217E-009	5.5462E-008
RCPTR_37	farmer_adult	TOCDLIC2	Selenium	3.4635E-007	3.4923E-007
RCPTR_37	farmer_adult	TOCDLIC2	Silver	8.9479E-007	1.0315E-006
RCPTR_37	farmer_adult	TOCDLIC2	Styrene	1.8747E-012	2.5864E-011
RCPTR_37	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	7.5316E-012	8.7594E-012
RCPTR_37	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	2.9953E-012	3.6743E-012
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.5551E-011	1.7336E-010
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.0058E-016	8.3128E-015
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.2484E-016	3.1071E-015
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.2324E-010	1.1808E-009
RCPTR_37	farmer_adult	TOCDLIC2	Thallium (l)	1.1880E-006	1.2873E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Toluene	4.5117E-015	6.0675E-014
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.4183E-013	6.6556E-012
RCPTR_37	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.8991E-015	2.6340E-014
RCPTR_37	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.7277E-015	2.4060E-014
RCPTR_37	farmer_adult	TOCDLIC2	Trichloroethylene	2.8312E-016	3.9107E-015
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.7178E-017	5.1398E-016
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	7.1011E-011	7.6050E-010
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.1763E-011	1.5220E-010
RCPTR_37	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.4076E-015	8.9045E-014
RCPTR_37	farmer_adult	TOCDLIC2	Vinyl Chloride	2.7365E-019	3.8092E-018
RCPTR_37	farmer_adult	TOCDLIC2	Xylene, m-	3.8227E-014	1.2807E-013
RCPTR_37	farmer_adult	TOCDLIC2	Xylene, o-	3.4301E-014	1.3672E-013
RCPTR_37	farmer_adult	TOCDLIC2	Xylene, p-	3.9789E-014	1.7912E-013
RCPTR_37	farmer_adult	TOCDLIC2	Zinc	3.5195E-007	4.7997E-007
RCPTR_37	farmer_child	TOCDFBRA	Antimony	9.3114E-008	1.0674E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFBRA	Arsenic	1.4094E-007	1.4544E-007
RCPTR_37	farmer_child	TOCDFBRA	Barium	1.2461E-008	1.3863E-008
RCPTR_37	farmer_child	TOCDFBRA	Beryllium	4.0174E-008	4.2264E-008
RCPTR_37	farmer_child	TOCDFBRA	Cadmium	7.8407E-009	9.5637E-009
RCPTR_37	farmer_child	TOCDFBRA	Chromium	9.5400E-007	9.9751E-007
RCPTR_37	farmer_child	TOCDFBRA	Chromium, hexavalent	8.2698E-007	8.4015E-007
RCPTR_37	farmer_child	TOCDFBRA	Lead	4.3218E-007	4.6625E-007
RCPTR_37	farmer_child	TOCDFBRA	Mercuric chloride	9.1555E-005	1.1472E-004
RCPTR_37	farmer_child	TOCDFBRA	Methyl mercury	9.7020E-007	1.0416E-006
RCPTR_37	farmer_child	TOCDFBRA	Nickel	4.7273E-007	4.9882E-007
RCPTR_37	farmer_child	TOCDFBRA	Selenium	1.5556E-007	1.5628E-007
RCPTR_37	farmer_child	TOCDFBRA	Silver	5.5357E-008	5.9820E-008
RCPTR_37	farmer_child	TOCDFBRA	Thallium (l)	1.4578E-006	1.5181E-006
RCPTR_37	farmer_child	TOCDFBRA	Zinc	2.7312E-007	3.1769E-007
RCPTR_37	farmer_child	TOCDFDFS	Acenaphthene	4.1725E-010	8.7032E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Acetone	4.5954E-015	9.6404E-015
RCPTR_37	farmer_child	TOCDFDFS	Acetophenone	2.3018E-012	4.8275E-012
RCPTR_37	farmer_child	TOCDFDFS	Aniline	1.3194E-013	2.7653E-013
RCPTR_37	farmer_child	TOCDFDFS	Anthracene	7.3625E-009	1.5350E-008
RCPTR_37	farmer_child	TOCDFDFS	Antimony	7.3649E-009	8.4413E-009
RCPTR_37	farmer_child	TOCDFDFS	Aroclor 1254	1.5680E-010	2.3499E-010
RCPTR_37	farmer_child	TOCDFDFS	Arsenic	1.3008E-008	1.3423E-008
RCPTR_37	farmer_child	TOCDFDFS	Barium	9.0724E-009	1.0092E-008
RCPTR_37	farmer_child	TOCDFDFS	Benzene	1.6445E-014	3.4454E-014
RCPTR_37	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.1209E-006	1.3962E-006
RCPTR_37	farmer_child	TOCDFDFS	Benzo(a)pyrene	8.9953E-006	9.2567E-006
RCPTR_37	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	5.7196E-006	6.4364E-006
RCPTR_37	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.3993E-005	1.4239E-005
RCPTR_37	farmer_child	TOCDFDFS	Benzoic acid	1.5578E-012	3.1387E-012
RCPTR_37	farmer_child	TOCDFDFS	Benzyl alcohol	2.9910E-012	6.2720E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Beryllium	7.2930E-009	7.6720E-009
RCPTR_37	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.9930E-012	6.2790E-012
RCPTR_37	farmer_child	TOCDFDFS	Bromodichloromethane	5.3225E-015	1.1163E-014
RCPTR_37	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	8.5148E-013	1.7860E-012
RCPTR_37	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.4001E-007	2.4103E-007
RCPTR_37	farmer_child	TOCDFDFS	Butylbenzylphthalate	5.2857E-009	6.0658E-009
RCPTR_37	farmer_child	TOCDFDFS	Cadmium	3.0283E-009	3.6932E-009
RCPTR_37	farmer_child	TOCDFDFS	Carbon disulfide	2.9363E-015	6.1547E-015
RCPTR_37	farmer_child	TOCDFDFS	Carbon tetrachloride	4.6539E-015	9.7493E-015
RCPTR_37	farmer_child	TOCDFDFS	Chlorine	9.2735E-014	1.9455E-013
RCPTR_37	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.6084E-010	5.1161E-010
RCPTR_37	farmer_child	TOCDFDFS	Chloroaniline, p-	1.3912E-011	2.9150E-011
RCPTR_37	farmer_child	TOCDFDFS	Chlorobenzene	2.7246E-014	5.7028E-014
RCPTR_37	farmer_child	TOCDFDFS	Chloroethane	7.6940E-017	1.6007E-016
RCPTR_37	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.6720E-015	7.7009E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.0891E-009	2.2744E-009
RCPTR_37	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.8606E-011	8.0982E-011
RCPTR_37	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.4427E-009	2.8340E-009
RCPTR_37	farmer_child	TOCDFDFS	Chromium	2.2816E-007	2.3855E-007
RCPTR_37	farmer_child	TOCDFDFS	Chromium, hexavalent	1.9781E-007	2.0096E-007
RCPTR_37	farmer_child	TOCDFDFS	Chrysene	2.9295E-006	3.2178E-006
RCPTR_37	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.3274E-008	2.6283E-008
RCPTR_37	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.1218E+002	1.1218E+002
RCPTR_37	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.9456E-004	1.9612E-004
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.7663E-012	3.6693E-012
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.1316E-012	4.4435E-012
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.0508E-012	4.2792E-012
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4013E-008	1.6678E-008
RCPTR_37	farmer_child	TOCDFDFS	Dichlorodifluoromethane	6.4159E-018	1.3445E-017
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.5365E-015	3.2225E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9087E-015	4.0034E-015
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.8192E-016	1.2199E-015
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.3549E-016	1.9609E-015
RCPTR_37	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.8814E-010	3.5082E-010
RCPTR_37	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.2663E-015	1.1033E-014
RCPTR_37	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.7362E-015	3.6409E-015
RCPTR_37	farmer_child	TOCDFDFS	Diethyl phthalate	1.4059E-008	1.4574E-008
RCPTR_37	farmer_child	TOCDFDFS	Dimethyl phthalate	3.4843E-011	7.2518E-011
RCPTR_37	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.6362E-011	5.5176E-011
RCPTR_37	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6513E-011	2.6529E-011
RCPTR_37	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.4361E-011	5.0469E-011
RCPTR_37	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.8760E-011	3.8980E-011
RCPTR_37	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.6032E-013	1.1754E-012
RCPTR_37	farmer_child	TOCDFDFS	Ethylbenzene	1.6754E-014	3.4786E-014
RCPTR_37	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	8.8302E-010	1.0202E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Fluoranthene	1.0703E-007	1.9033E-007
RCPTR_37	farmer_child	TOCDFDFS	Fluorene	1.6429E-009	3.4135E-009
RCPTR_37	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.2213E-013	3.3038E-013
RCPTR_37	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.0001E-013	3.0585E-013
RCPTR_37	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	8.7828E-013	9.0001E-013
RCPTR_37	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.9877E-012	8.1551E-012
RCPTR_37	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.3087E-012	4.4302E-012
RCPTR_37	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.0954E-012	3.2004E-012
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.1969E-012	2.2856E-012
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0015E-012	2.0818E-012
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.4111E-012	2.5068E-012
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.8380E-012	1.9114E-012
RCPTR_37	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.4768E-011	7.1359E-011
RCPTR_37	farmer_child	TOCDFDFS	Hexachlorobenzene	7.0679E-008	1.4543E-007
RCPTR_37	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	9.2658E-011	1.8923E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.1174E-011	4.4155E-011
RCPTR_37	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.4950E-003	1.4984E-003
RCPTR_37	farmer_child	TOCDFDFS	Isophorone	4.0079E-012	8.4052E-012
RCPTR_37	farmer_child	TOCDFDFS	Lead	4.6626E-008	5.0298E-008
RCPTR_37	farmer_child	TOCDFDFS	Mercuric chloride	2.8284E-008	3.5491E-008
RCPTR_37	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	6.7077E-017	1.4070E-016
RCPTR_37	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.3225E-017	2.7738E-017
RCPTR_37	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.2942E-014	6.9107E-014
RCPTR_37	farmer_child	TOCDFDFS	Methyl mercury	2.9337E-010	3.1557E-010
RCPTR_37	farmer_child	TOCDFDFS	Methylene chloride	1.9817E-015	4.1565E-015
RCPTR_37	farmer_child	TOCDFDFS	Mustard	2.3348E-013	4.8960E-013
RCPTR_37	farmer_child	TOCDFDFS	Naphthalene	1.6955E-011	3.5457E-011
RCPTR_37	farmer_child	TOCDFDFS	Nickel	9.2934E-007	9.8058E-007
RCPTR_37	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.8376E-011	1.4328E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.6266E-011	3.4111E-011
RCPTR_37	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.1014E-011	4.4063E-011
RCPTR_37	farmer_child	TOCDFDFS	Nitrobenzene	6.7643E-012	1.4189E-011
RCPTR_37	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.0799E-012	6.4594E-012
RCPTR_37	farmer_child	TOCDFDFS	Nitrophenol, 4-	6.0156E-011	9.2280E-011
RCPTR_37	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.8182E-012	8.0005E-012
RCPTR_37	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.7539E-012	7.8608E-012
RCPTR_37	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.3655E-013	7.0277E-013
RCPTR_37	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.6017E-013	4.7713E-013
RCPTR_37	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.8248E-013	4.9995E-013
RCPTR_37	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.5614E-011	1.6036E-011
RCPTR_37	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.9668E-012	2.0625E-012
RCPTR_37	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.5497E-012	7.9117E-012
RCPTR_37	farmer_child	TOCDFDFS	Pentachlorobenzene	2.6072E-010	5.3093E-010
RCPTR_37	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.0335E-010	2.0905E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Pentachlorophenol	7.4300E-008	9.4090E-008
RCPTR_37	farmer_child	TOCDFDFS	Phenanthrene	5.1963E-012	1.0823E-011
RCPTR_37	farmer_child	TOCDFDFS	Phenol	5.3607E-012	1.1236E-011
RCPTR_37	farmer_child	TOCDFDFS	Pronamide	5.1564E-010	1.0705E-009
RCPTR_37	farmer_child	TOCDFDFS	Pyrene	1.7667E-007	2.7631E-007
RCPTR_37	farmer_child	TOCDFDFS	Selenium	1.4357E-008	1.4424E-008
RCPTR_37	farmer_child	TOCDFDFS	Silver	1.0095E-007	1.0908E-007
RCPTR_37	farmer_child	TOCDFDFS	Styrene	1.9949E-013	4.1803E-013
RCPTR_37	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	5.0675E-012	5.4031E-012
RCPTR_37	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.6452E-012	1.7916E-012
RCPTR_37	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.2049E-010	8.6352E-010
RCPTR_37	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1075E-011	1.3238E-011
RCPTR_37	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.5937E-015	1.1723E-014
RCPTR_37	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.4753E-009	5.8828E-009
RCPTR_37	farmer_child	TOCDFDFS	Thallium (l)	1.3165E-005	1.3709E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Toluene	7.4917E-015	1.5664E-014
RCPTR_37	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.5988E-011	3.3152E-011
RCPTR_37	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.6631E-015	9.7758E-015
RCPTR_37	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.7628E-014	5.7939E-014
RCPTR_37	farmer_child	TOCDFDFS	Trichloroethylene	4.4936E-015	9.4172E-015
RCPTR_37	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.2067E-016	1.3008E-015
RCPTR_37	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.8524E-009	3.7881E-009
RCPTR_37	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.9702E-009	3.8109E-009
RCPTR_37	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.0227E-013	2.1443E-013
RCPTR_37	farmer_child	TOCDFDFS	Vinyl Chloride	1.4593E-018	3.0602E-018
RCPTR_37	farmer_child	TOCDFDFS	Xylene, m-	4.2893E-014	7.0311E-014
RCPTR_37	farmer_child	TOCDFDFS	Xylene, o-	3.8085E-014	6.5393E-014
RCPTR_37	farmer_child	TOCDFDFS	Xylene, p-	5.5366E-014	9.7889E-014
RCPTR_37	farmer_child	TOCDFDFS	Zinc	4.7526E-008	5.5273E-008
RCPTR_37	farmer_child	TOCDFLIC	Acenaphthene	8.3765E-011	1.7473E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Acetone	3.0001E-015	6.2939E-015
RCPTR_37	farmer_child	TOCDFLIC	Acetophenone	4.3956E-013	9.2188E-013
RCPTR_37	farmer_child	TOCDFLIC	Aniline	2.6489E-014	5.5517E-014
RCPTR_37	farmer_child	TOCDFLIC	Anthracene	1.4780E-009	3.0817E-009
RCPTR_37	farmer_child	TOCDFLIC	Antimony	3.4407E-007	3.9448E-007
RCPTR_37	farmer_child	TOCDFLIC	Arsenic	5.7331E-007	5.9166E-007
RCPTR_37	farmer_child	TOCDFLIC	Barium	4.9584E-008	5.5170E-008
RCPTR_37	farmer_child	TOCDFLIC	Benzene	1.6507E-014	3.4584E-014
RCPTR_37	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.2400E-007	2.7921E-007
RCPTR_37	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.7890E-006	1.8407E-006
RCPTR_37	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.1430E-006	1.2867E-006
RCPTR_37	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.7848E-006	2.8330E-006
RCPTR_37	farmer_child	TOCDFLIC	Benzoic acid	1.0803E-012	2.1768E-012
RCPTR_37	farmer_child	TOCDFLIC	Benzyl alcohol	9.6078E-011	2.0147E-010
RCPTR_37	farmer_child	TOCDFLIC	Beryllium	8.3828E-008	8.8195E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.0090E-013	1.2606E-012
RCPTR_37	farmer_child	TOCDFLIC	Bromodichloromethane	5.9547E-016	1.2489E-015
RCPTR_37	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.0779E-012	2.2609E-012
RCPTR_37	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.8109E-008	4.8389E-008
RCPTR_37	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.0467E-009	1.2033E-009
RCPTR_37	farmer_child	TOCDFLIC	Cadmium	1.1772E-008	1.4363E-008
RCPTR_37	farmer_child	TOCDFLIC	Carbon disulfide	3.8858E-015	8.1451E-015
RCPTR_37	farmer_child	TOCDFLIC	Carbon tetrachloride	7.6905E-014	1.6111E-013
RCPTR_37	farmer_child	TOCDFLIC	Chlorine	6.4062E-007	1.3440E-006
RCPTR_37	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	5.2360E-011	1.0271E-010
RCPTR_37	farmer_child	TOCDFLIC	Chloroaniline, p-	2.7930E-012	5.8522E-012
RCPTR_37	farmer_child	TOCDFLIC	Chlorobenzene	3.0991E-014	6.4866E-014
RCPTR_37	farmer_child	TOCDFLIC	Chloroethane	3.1951E-017	6.6471E-017
RCPTR_37	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.0852E-014	6.4703E-014
RCPTR_37	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.1865E-010	4.5662E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Chlorophenol, 2-	7.7508E-012	1.6258E-011
RCPTR_37	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.8947E-010	5.6879E-010
RCPTR_37	farmer_child	TOCDFLIC	Chromium	3.8697E-007	4.0465E-007
RCPTR_37	farmer_child	TOCDFLIC	Chromium, hexavalent	3.3538E-007	3.4073E-007
RCPTR_37	farmer_child	TOCDFLIC	Chrysene	5.8558E-007	6.4332E-007
RCPTR_37	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.2029E-010	8.1365E-010
RCPTR_37	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.4773E+000	3.4773E+000
RCPTR_37	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.8628E-005	3.8920E-005
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.5459E-013	7.3666E-013
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.2793E-013	8.9209E-013
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.1172E-013	8.5910E-013
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.3970E-009	1.6642E-009
RCPTR_37	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.5350E-018	5.3124E-018
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.0321E-016	2.1647E-016
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9263E-016	1.6625E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.9089E-017	8.1944E-017
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.8848E-016	8.1433E-016
RCPTR_37	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	3.7764E-011	7.0424E-011
RCPTR_37	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.1869E-015	4.5815E-015
RCPTR_37	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.4335E-016	1.5588E-015
RCPTR_37	farmer_child	TOCDFLIC	Diethyl phthalate	4.3580E-010	4.5178E-010
RCPTR_37	farmer_child	TOCDFLIC	Dimethyl phthalate	6.6274E-011	1.3795E-010
RCPTR_37	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.2927E-012	1.1077E-011
RCPTR_37	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.3128E-012	5.3236E-012
RCPTR_37	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.8894E-012	1.0131E-011
RCPTR_37	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.7659E-012	7.8254E-012
RCPTR_37	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.1249E-013	2.3598E-013
RCPTR_37	farmer_child	TOCDFLIC	Ethylbenzene	7.2988E-015	1.5155E-014
RCPTR_37	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.3387E-009	1.5498E-009
RCPTR_37	farmer_child	TOCDFLIC	Fluoranthene	2.1470E-008	3.8192E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Fluorene	3.2981E-010	6.8529E-010
RCPTR_37	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.6214E-012	2.6874E-012
RCPTR_37	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.3193E-012	9.4969E-012
RCPTR_37	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.0282E-011	2.0775E-011
RCPTR_37	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.4284E-011	2.4784E-011
RCPTR_37	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.3262E-011	1.3630E-011
RCPTR_37	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0177E-011	1.0519E-011
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.1432E-011	2.2295E-011
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.8741E-011	1.9492E-011
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.9518E-011	2.0290E-011
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.5960E-011	1.6595E-011
RCPTR_37	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	6.9781E-012	1.4324E-011
RCPTR_37	farmer_child	TOCDFLIC	Hexachlorobenzene	1.4188E-008	2.9195E-008
RCPTR_37	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.8595E-011	3.7982E-011
RCPTR_37	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.2509E-012	8.8648E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.9896E-004	2.9958E-004
RCPTR_37	farmer_child	TOCDFLIC	Isophorone	8.0464E-013	1.6875E-012
RCPTR_37	farmer_child	TOCDFLIC	Lead	2.2989E-007	2.4803E-007
RCPTR_37	farmer_child	TOCDFLIC	Mercuric chloride	6.6093E-008	8.3036E-008
RCPTR_37	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.3947E-017	9.2185E-017
RCPTR_37	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	7.7535E-017	1.6262E-016
RCPTR_37	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.1002E-014	1.2797E-013
RCPTR_37	farmer_child	TOCDFLIC	Methyl mercury	6.7291E-010	7.2510E-010
RCPTR_37	farmer_child	TOCDFLIC	Methylene chloride	7.9618E-015	1.6699E-014
RCPTR_37	farmer_child	TOCDFLIC	Mustard	8.2433E-014	1.7286E-013
RCPTR_37	farmer_child	TOCDFLIC	Naphthalene	5.2605E-013	1.1001E-012
RCPTR_37	farmer_child	TOCDFLIC	Nickel	9.3881E-007	9.9071E-007
RCPTR_37	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.3728E-011	2.8766E-011
RCPTR_37	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.2658E-012	6.8487E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.2190E-012	8.8467E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrobenzene	1.3580E-012	2.8486E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrophenol, 2-	6.1835E-013	1.2968E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.2072E-012	1.8521E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.6656E-013	1.6062E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.5364E-013	1.5782E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.7532E-014	1.4106E-013
RCPTR_37	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.3953E-012	3.5195E-012
RCPTR_37	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.3324E-012	3.4523E-012
RCPTR_37	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.9257E-011	6.0846E-011
RCPTR_37	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	9.3666E-012	9.8231E-012
RCPTR_37	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.3996E-011	3.5629E-011
RCPTR_37	farmer_child	TOCDFLIC	Pentachlorobenzene	2.6175E-010	5.3349E-010
RCPTR_37	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.0708E-011	4.1931E-011
RCPTR_37	farmer_child	TOCDFLIC	Pentachlorophenol	2.9760E-009	3.7692E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Phenanthrene	1.0432E-012	2.1728E-012
RCPTR_37	farmer_child	TOCDFLIC	Phenol	1.0762E-012	2.2557E-012
RCPTR_37	farmer_child	TOCDFLIC	Pronamide	1.0352E-010	2.1491E-010
RCPTR_37	farmer_child	TOCDFLIC	Pyrene	3.5457E-008	5.5462E-008
RCPTR_37	farmer_child	TOCDFLIC	Selenium	3.4760E-007	3.4923E-007
RCPTR_37	farmer_child	TOCDFLIC	Silver	9.5446E-007	1.0315E-006
RCPTR_37	farmer_child	TOCDFLIC	Styrene	1.2343E-011	2.5864E-011
RCPTR_37	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	8.2136E-012	8.7594E-012
RCPTR_37	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.3730E-012	3.6743E-012
RCPTR_37	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	8.4412E-011	1.7336E-010
RCPTR_37	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	3.9660E-015	8.3128E-015
RCPTR_37	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.4825E-015	3.1071E-015
RCPTR_37	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.9746E-010	1.1808E-009
RCPTR_37	farmer_child	TOCDFLIC	Thallium (l)	1.2361E-006	1.2873E-006
RCPTR_37	farmer_child	TOCDFLIC	Toluene	2.9020E-014	6.0675E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.2097E-012	6.6556E-012
RCPTR_37	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.2564E-014	2.6340E-014
RCPTR_37	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.1473E-014	2.4060E-014
RCPTR_37	farmer_child	TOCDFLIC	Trichloroethylene	1.8661E-015	3.9107E-015
RCPTR_37	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.4524E-016	5.1398E-016
RCPTR_37	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.7188E-010	7.6050E-010
RCPTR_37	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	7.8681E-011	1.5220E-010
RCPTR_37	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.2468E-014	8.9045E-014
RCPTR_37	farmer_child	TOCDFLIC	Vinyl Chloride	1.8164E-018	3.8092E-018
RCPTR_37	farmer_child	TOCDFLIC	Xylene, m-	3.7261E-014	6.1628E-014
RCPTR_37	farmer_child	TOCDFLIC	Xylene, o-	3.8013E-014	6.5793E-014
RCPTR_37	farmer_child	TOCDFLIC	Xylene, p-	4.8405E-014	8.6197E-014
RCPTR_37	farmer_child	TOCDFLIC	Zinc	4.1256E-007	4.7997E-007
RCPTR_37	farmer_child	TOCDFMPF	Acenaphthene	1.2819E-010	2.6739E-010
RCPTR_37	farmer_child	TOCDFMPF	Acetone	1.0970E-014	2.3014E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Acetophenone	7.0473E-013	1.4780E-012
RCPTR_37	farmer_child	TOCDFMPF	Aniline	4.0538E-014	8.4962E-014
RCPTR_37	farmer_child	TOCDFMPF	Anthracene	2.2619E-009	4.7161E-009
RCPTR_37	farmer_child	TOCDFMPF	Antimony	4.7143E-009	5.4054E-009
RCPTR_37	farmer_child	TOCDFMPF	Aroclor 1254	8.8416E-011	1.3285E-010
RCPTR_37	farmer_child	TOCDFMPF	Arsenic	2.9962E-008	3.0921E-008
RCPTR_37	farmer_child	TOCDFMPF	Barium	3.5327E-008	3.9310E-008
RCPTR_37	farmer_child	TOCDFMPF	Benzene	1.4769E-014	3.0942E-014
RCPTR_37	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.4276E-007	4.2726E-007
RCPTR_37	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.7380E-006	2.8172E-006
RCPTR_37	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.7487E-006	1.9687E-006
RCPTR_37	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	4.2616E-006	4.3356E-006
RCPTR_37	farmer_child	TOCDFMPF	Benzoic acid	4.7856E-012	9.6428E-012
RCPTR_37	farmer_child	TOCDFMPF	Benzyl alcohol	9.1897E-013	1.9270E-012
RCPTR_37	farmer_child	TOCDFMPF	Beryllium	2.8732E-009	3.0229E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	9.1960E-013	1.9292E-012
RCPTR_37	farmer_child	TOCDFMPF	Bromodichloromethane	1.8110E-014	3.7983E-014
RCPTR_37	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	6.3032E-013	1.3221E-012
RCPTR_37	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.3017E-008	7.4053E-008
RCPTR_37	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.6026E-009	1.8423E-009
RCPTR_37	farmer_child	TOCDFMPF	Cadmium	5.4047E-008	6.5946E-008
RCPTR_37	farmer_child	TOCDFMPF	Carbon disulfide	1.4222E-015	2.9811E-015
RCPTR_37	farmer_child	TOCDFMPF	Carbon tetrachloride	1.3411E-014	2.8094E-014
RCPTR_37	farmer_child	TOCDFMPF	Chlorine	1.1815E-007	2.4787E-007
RCPTR_37	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.0123E-011	1.5717E-010
RCPTR_37	farmer_child	TOCDFMPF	Chloroaniline, p-	4.2742E-012	8.9560E-012
RCPTR_37	farmer_child	TOCDFMPF	Chlorobenzene	5.5661E-014	1.1650E-013
RCPTR_37	farmer_child	TOCDFMPF	Chloroethane	3.1519E-016	6.5572E-016
RCPTR_37	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	9.7126E-015	2.0369E-014
RCPTR_37	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.3462E-010	6.9880E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.1862E-011	2.4881E-011
RCPTR_37	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.4298E-010	8.7043E-010
RCPTR_37	farmer_child	TOCDFMPF	Chromium	7.3830E-008	7.7204E-008
RCPTR_37	farmer_child	TOCDFMPF	Chromium, hexavalent	6.3979E-008	6.5001E-008
RCPTR_37	farmer_child	TOCDFMPF	Chrysene	8.9588E-007	9.8427E-007
RCPTR_37	farmer_child	TOCDFMPF	Di-n-butyl phthalate	7.1291E-009	8.0535E-009
RCPTR_37	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.4408E+001	3.4408E+001
RCPTR_37	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	5.9114E-005	5.9564E-005
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.4265E-013	1.1273E-012
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.5489E-013	1.3652E-012
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.3008E-013	1.3147E-012
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.2882E-009	5.1085E-009
RCPTR_37	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.0872E-017	4.3741E-017
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.1389E-015	6.5834E-015
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8993E-015	8.1787E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.1888E-015	2.4921E-015
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.9111E-015	4.0061E-015
RCPTR_37	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.7783E-011	1.0776E-010
RCPTR_37	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.0759E-014	2.2539E-014
RCPTR_37	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.5470E-015	7.4381E-015
RCPTR_37	farmer_child	TOCDFMPF	Diethyl phthalate	4.3124E-009	4.4707E-009
RCPTR_37	farmer_child	TOCDFMPF	Dimethyl phthalate	7.0846E-012	1.4746E-011
RCPTR_37	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	8.0997E-012	1.6953E-011
RCPTR_37	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	5.0591E-012	8.1308E-012
RCPTR_37	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.4826E-012	1.5504E-011
RCPTR_37	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.7632E-012	1.1976E-011
RCPTR_37	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.7215E-013	3.6114E-013
RCPTR_37	farmer_child	TOCDFMPF	Ethylbenzene	3.4226E-014	7.1063E-014
RCPTR_37	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.4257E-010	2.8078E-010
RCPTR_37	farmer_child	TOCDFMPF	Fluoranthene	3.2855E-008	5.8446E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Fluorene	5.0473E-010	1.0487E-009
RCPTR_37	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.0255E-011	1.0514E-011
RCPTR_37	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.4698E-011	1.4979E-011
RCPTR_37	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.3825E-011	2.4405E-011
RCPTR_37	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.9554E-012	7.0990E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.9583E-012	3.0407E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.4150E-012	2.4964E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.2531E-012	4.4247E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.8160E-012	1.8888E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6300E-012	1.6945E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4506E-012	1.5084E-012
RCPTR_37	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0679E-011	2.1921E-011
RCPTR_37	farmer_child	TOCDFMPF	Hexachlorobenzene	2.1712E-008	4.4679E-008
RCPTR_37	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.8456E-011	5.8126E-011
RCPTR_37	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.5054E-012	1.3566E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	4.5728E-004	4.5824E-004
RCPTR_37	farmer_child	TOCDFMPF	Isophorone	1.2314E-012	2.5824E-012
RCPTR_37	farmer_child	TOCDFMPF	Lead	2.6685E-008	2.8793E-008
RCPTR_37	farmer_child	TOCDFMPF	Mercuric chloride	1.1254E-006	1.4137E-006
RCPTR_37	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.2765E-016	4.7752E-016
RCPTR_37	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.3249E-017	2.7788E-017
RCPTR_37	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2384E-014	2.5980E-014
RCPTR_37	farmer_child	TOCDFMPF	Methyl mercury	1.1471E-008	1.2359E-008
RCPTR_37	farmer_child	TOCDFMPF	Methylene chloride	6.2684E-015	1.3148E-014
RCPTR_37	farmer_child	TOCDFMPF	Mustard	5.8719E-013	1.2313E-012
RCPTR_37	farmer_child	TOCDFMPF	Naphthalene	5.2092E-012	1.0894E-011
RCPTR_37	farmer_child	TOCDFMPF	Nickel	5.9188E-007	6.2462E-007
RCPTR_37	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.0971E-011	4.3943E-011
RCPTR_37	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.9888E-012	1.0462E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.4450E-012	1.3514E-011
RCPTR_37	farmer_child	TOCDFMPF	Nitrobenzene	2.0783E-012	4.3595E-012
RCPTR_37	farmer_child	TOCDFMPF	Nitrophenol, 2-	9.4629E-013	1.9846E-012
RCPTR_37	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.8434E-011	2.8286E-011
RCPTR_37	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.1731E-012	2.4581E-012
RCPTR_37	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1533E-012	2.4152E-012
RCPTR_37	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.0335E-013	2.1587E-013
RCPTR_37	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.1709E-010	2.2505E-010
RCPTR_37	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.7984E-010	3.9353E-010
RCPTR_37	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.1039E-012	3.1872E-012
RCPTR_37	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.0757E-012	4.2745E-012
RCPTR_37	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.2859E-012	2.3958E-012
RCPTR_37	farmer_child	TOCDFMPF	Pentachlorobenzene	7.9976E-011	1.6300E-010
RCPTR_37	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.1637E-011	6.4057E-011
RCPTR_37	farmer_child	TOCDFMPF	Pentachlorophenol	2.2759E-008	2.8828E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Phenanthrene	1.5964E-012	3.3251E-012
RCPTR_37	farmer_child	TOCDFMPF	Phenol	1.6470E-012	3.4521E-012
RCPTR_37	farmer_child	TOCDFMPF	Pronamide	1.5842E-010	3.2889E-010
RCPTR_37	farmer_child	TOCDFMPF	Pyrene	5.4260E-008	8.4875E-008
RCPTR_37	farmer_child	TOCDFMPF	Selenium	6.1276E-009	6.1562E-009
RCPTR_37	farmer_child	TOCDFMPF	Silver	1.2942E-007	1.3988E-007
RCPTR_37	farmer_child	TOCDFMPF	Styrene	2.8176E-013	5.9042E-013
RCPTR_37	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	9.8413E-013	1.0496E-012
RCPTR_37	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.3457E-012	3.6447E-012
RCPTR_37	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.2918E-010	2.6530E-010
RCPTR_37	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.2062E-013	2.5282E-013
RCPTR_37	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.1427E-014	2.3949E-014
RCPTR_37	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.0652E-009	1.8035E-009
RCPTR_37	farmer_child	TOCDFMPF	Thallium (l)	3.8022E-008	3.9598E-008
RCPTR_37	farmer_child	TOCDFMPF	Toluene	1.9491E-014	4.0753E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.9119E-012	1.0185E-011
RCPTR_37	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.3830E-015	1.5478E-014
RCPTR_37	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.6441E-014	1.1837E-013
RCPTR_37	farmer_child	TOCDFMPF	Trichloroethylene	9.1801E-015	1.9239E-014
RCPTR_37	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.5336E-014	5.3099E-014
RCPTR_37	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.6909E-010	1.1638E-009
RCPTR_37	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.2040E-010	2.3291E-010
RCPTR_37	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.0892E-013	4.3806E-013
RCPTR_37	farmer_child	TOCDFMPF	Vinyl Chloride	4.9896E-018	1.0463E-017
RCPTR_37	farmer_child	TOCDFMPF	Xylene, m-	3.7398E-014	6.1815E-014
RCPTR_37	farmer_child	TOCDFMPF	Xylene, o-	3.8143E-014	6.5979E-014
RCPTR_37	farmer_child	TOCDFMPF	Xylene, p-	4.8561E-014	8.6428E-014
RCPTR_37	farmer_child	TOCDFMPF	Zinc	1.1809E-007	1.3740E-007
RCPTR_37	farmer_child	TOCDHVAC	Mustard	1.9535E-013	4.0964E-013
RCPTR_37	farmer_child	TOCDLIC2	Acenaphthene	8.3765E-011	1.7473E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Acetone	3.0001E-015	6.2939E-015
RCPTR_37	farmer_child	TOCDLIC2	Acetophenone	4.3956E-013	9.2188E-013
RCPTR_37	farmer_child	TOCDLIC2	Aniline	2.6489E-014	5.5517E-014
RCPTR_37	farmer_child	TOCDLIC2	Anthracene	1.4780E-009	3.0817E-009
RCPTR_37	farmer_child	TOCDLIC2	Antimony	3.4407E-007	3.9448E-007
RCPTR_37	farmer_child	TOCDLIC2	Arsenic	5.7331E-007	5.9166E-007
RCPTR_37	farmer_child	TOCDLIC2	Barium	4.9584E-008	5.5170E-008
RCPTR_37	farmer_child	TOCDLIC2	Benzene	1.6507E-014	3.4584E-014
RCPTR_37	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.2400E-007	2.7921E-007
RCPTR_37	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.7890E-006	1.8407E-006
RCPTR_37	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.1430E-006	1.2867E-006
RCPTR_37	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.7848E-006	2.8330E-006
RCPTR_37	farmer_child	TOCDLIC2	Benzoic acid	1.0803E-012	2.1768E-012
RCPTR_37	farmer_child	TOCDLIC2	Benzyl alcohol	9.6078E-011	2.0147E-010
RCPTR_37	farmer_child	TOCDLIC2	Beryllium	8.3828E-008	8.8195E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.0090E-013	1.2606E-012
RCPTR_37	farmer_child	TOCDLIC2	Bromodichloromethane	5.9547E-016	1.2489E-015
RCPTR_37	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0779E-012	2.2609E-012
RCPTR_37	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.8109E-008	4.8389E-008
RCPTR_37	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.0467E-009	1.2033E-009
RCPTR_37	farmer_child	TOCDLIC2	Cadmium	1.1772E-008	1.4363E-008
RCPTR_37	farmer_child	TOCDLIC2	Carbon disulfide	3.8858E-015	8.1451E-015
RCPTR_37	farmer_child	TOCDLIC2	Carbon tetrachloride	7.6905E-014	1.6111E-013
RCPTR_37	farmer_child	TOCDLIC2	Chlorine	6.4062E-007	1.3440E-006
RCPTR_37	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.2360E-011	1.0271E-010
RCPTR_37	farmer_child	TOCDLIC2	Chloroaniline, p-	2.7930E-012	5.8522E-012
RCPTR_37	farmer_child	TOCDLIC2	Chlorobenzene	3.0991E-014	6.4866E-014
RCPTR_37	farmer_child	TOCDLIC2	Chloroethane	3.1951E-017	6.6471E-017
RCPTR_37	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.0852E-014	6.4703E-014
RCPTR_37	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.1865E-010	4.5662E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Chlorophenol, 2-	7.7508E-012	1.6258E-011
RCPTR_37	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.8947E-010	5.6879E-010
RCPTR_37	farmer_child	TOCDLIC2	Chromium	3.8697E-007	4.0465E-007
RCPTR_37	farmer_child	TOCDLIC2	Chromium, hexavalent	3.3538E-007	3.4073E-007
RCPTR_37	farmer_child	TOCDLIC2	Chrysene	5.8558E-007	6.4332E-007
RCPTR_37	farmer_child	TOCDLIC2	Di-n-butyl phthalate	7.2029E-010	8.1365E-010
RCPTR_37	farmer_child	TOCDLIC2	Di-n-octylphthalate	3.4773E+000	3.4773E+000
RCPTR_37	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.8628E-005	3.8920E-005
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.5459E-013	7.3666E-013
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.2793E-013	8.9209E-013
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.1172E-013	8.5910E-013
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.3970E-009	1.6642E-009
RCPTR_37	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.5350E-018	5.3124E-018
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.0321E-016	2.1647E-016
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9263E-016	1.6625E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	3.9089E-017	8.1944E-017
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.8848E-016	8.1433E-016
RCPTR_37	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.7764E-011	7.0424E-011
RCPTR_37	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.1869E-015	4.5815E-015
RCPTR_37	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.4335E-016	1.5588E-015
RCPTR_37	farmer_child	TOCDLIC2	Diethyl phthalate	4.3580E-010	4.5178E-010
RCPTR_37	farmer_child	TOCDLIC2	Dimethyl phthalate	6.6274E-011	1.3795E-010
RCPTR_37	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.2927E-012	1.1077E-011
RCPTR_37	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.3128E-012	5.3236E-012
RCPTR_37	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.8894E-012	1.0131E-011
RCPTR_37	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.7659E-012	7.8254E-012
RCPTR_37	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.1249E-013	2.3598E-013
RCPTR_37	farmer_child	TOCDLIC2	Ethylbenzene	7.2988E-015	1.5155E-014
RCPTR_37	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.3387E-009	1.5498E-009
RCPTR_37	farmer_child	TOCDLIC2	Fluoranthene	2.1470E-008	3.8192E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Fluorene	3.2981E-010	6.8529E-010
RCPTR_37	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.6214E-012	2.6874E-012
RCPTR_37	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	9.3193E-012	9.4969E-012
RCPTR_37	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.0282E-011	2.0775E-011
RCPTR_37	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.4284E-011	2.4784E-011
RCPTR_37	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3262E-011	1.3630E-011
RCPTR_37	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0177E-011	1.0519E-011
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.1432E-011	2.2295E-011
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.8741E-011	1.9492E-011
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.9518E-011	2.0290E-011
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.5960E-011	1.6595E-011
RCPTR_37	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.9781E-012	1.4324E-011
RCPTR_37	farmer_child	TOCDLIC2	Hexachlorobenzene	1.4188E-008	2.9195E-008
RCPTR_37	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.8595E-011	3.7982E-011
RCPTR_37	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.2509E-012	8.8648E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.9896E-004	2.9958E-004
RCPTR_37	farmer_child	TOCDLIC2	Isophorone	8.0464E-013	1.6875E-012
RCPTR_37	farmer_child	TOCDLIC2	Lead	2.2989E-007	2.4803E-007
RCPTR_37	farmer_child	TOCDLIC2	Mercuric chloride	6.6093E-008	8.3036E-008
RCPTR_37	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.3947E-017	9.2185E-017
RCPTR_37	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.7535E-017	1.6262E-016
RCPTR_37	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.1002E-014	1.2797E-013
RCPTR_37	farmer_child	TOCDLIC2	Methyl mercury	6.7291E-010	7.2510E-010
RCPTR_37	farmer_child	TOCDLIC2	Methylene chloride	7.9618E-015	1.6699E-014
RCPTR_37	farmer_child	TOCDLIC2	Mustard	8.5697E-014	1.7970E-013
RCPTR_37	farmer_child	TOCDLIC2	Naphthalene	5.2605E-013	1.1001E-012
RCPTR_37	farmer_child	TOCDLIC2	Nickel	9.3881E-007	9.9071E-007
RCPTR_37	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.3728E-011	2.8766E-011
RCPTR_37	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.2658E-012	6.8487E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.2190E-012	8.8467E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrobenzene	1.3580E-012	2.8486E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.1835E-013	1.2968E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.2072E-011	1.8521E-011
RCPTR_37	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.6656E-013	1.6062E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.5364E-013	1.5782E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.7532E-014	1.4106E-013
RCPTR_37	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.3953E-012	3.5195E-012
RCPTR_37	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.3324E-012	3.4523E-012
RCPTR_37	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.9257E-011	6.0846E-011
RCPTR_37	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.3666E-012	9.8231E-012
RCPTR_37	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.3996E-011	3.5629E-011
RCPTR_37	farmer_child	TOCDLIC2	Pentachlorobenzene	2.6175E-010	5.3349E-010
RCPTR_37	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.0708E-011	4.1931E-011
RCPTR_37	farmer_child	TOCDLIC2	Pentachlorophenol	2.9760E-009	3.7692E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Phenanthrene	1.0432E-012	2.1728E-012
RCPTR_37	farmer_child	TOCDLIC2	Phenol	1.0762E-012	2.2557E-012
RCPTR_37	farmer_child	TOCDLIC2	Pronamide	1.0352E-010	2.1491E-010
RCPTR_37	farmer_child	TOCDLIC2	Pyrene	3.5457E-008	5.5462E-008
RCPTR_37	farmer_child	TOCDLIC2	Selenium	3.4760E-007	3.4923E-007
RCPTR_37	farmer_child	TOCDLIC2	Silver	9.5446E-007	1.0315E-006
RCPTR_37	farmer_child	TOCDLIC2	Styrene	1.2343E-011	2.5864E-011
RCPTR_37	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	8.2136E-012	8.7594E-012
RCPTR_37	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.3730E-012	3.6743E-012
RCPTR_37	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.4412E-011	1.7336E-010
RCPTR_37	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	3.9660E-015	8.3128E-015
RCPTR_37	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4825E-015	3.1071E-015
RCPTR_37	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.9746E-010	1.1808E-009
RCPTR_37	farmer_child	TOCDLIC2	Thallium (l)	1.2361E-006	1.2873E-006
RCPTR_37	farmer_child	TOCDLIC2	Toluene	2.9020E-014	6.0675E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.2097E-012	6.6556E-012
RCPTR_37	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.2564E-014	2.6340E-014
RCPTR_37	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.1473E-014	2.4060E-014
RCPTR_37	farmer_child	TOCDLIC2	Trichloroethylene	1.8661E-015	3.9107E-015
RCPTR_37	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.4524E-016	5.1398E-016
RCPTR_37	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.7188E-010	7.6050E-010
RCPTR_37	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	7.8681E-011	1.5220E-010
RCPTR_37	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.2468E-014	8.9045E-014
RCPTR_37	farmer_child	TOCDLIC2	Vinyl Chloride	1.8164E-018	3.8092E-018
RCPTR_37	farmer_child	TOCDLIC2	Xylene, m-	7.7430E-014	1.2807E-013
RCPTR_37	farmer_child	TOCDLIC2	Xylene, o-	7.8994E-014	1.3672E-013
RCPTR_37	farmer_child	TOCDLIC2	Xylene, p-	1.0059E-013	1.7912E-013
RCPTR_37	farmer_child	TOCDLIC2	Zinc	4.1256E-007	4.7997E-007
RCPTR_38	farmer_adult	TOCDFBRA	Antimony	2.4270E-007	3.1615E-007
RCPTR_38	farmer_adult	TOCDFBRA	Arsenic	4.0769E-007	4.3139E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFBRA	Barium	3.3575E-008	4.1077E-008
RCPTR_38	farmer_adult	TOCDFBRA	Beryllium	1.1205E-007	1.2524E-007
RCPTR_38	farmer_adult	TOCDFBRA	Cadmium	1.8373E-008	2.8300E-008
RCPTR_38	farmer_adult	TOCDFBRA	Chromium	2.9364E-006	2.9559E-006
RCPTR_38	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.4235E-006	2.4924E-006
RCPTR_38	farmer_adult	TOCDFBRA	Lead	1.1751E-006	1.3808E-006
RCPTR_38	farmer_adult	TOCDFBRA	Mercuric chloride	2.3188E-004	2.4162E-004
RCPTR_38	farmer_adult	TOCDFBRA	Methyl mercury	2.4708E-006	2.5625E-006
RCPTR_38	farmer_adult	TOCDFBRA	Nickel	1.3320E-006	1.4790E-006
RCPTR_38	farmer_adult	TOCDFBRA	Selenium	4.5992E-007	4.6370E-007
RCPTR_38	farmer_adult	TOCDFBRA	Silver	1.5399E-007	1.7732E-007
RCPTR_38	farmer_adult	TOCDFBRA	Thallium (l)	4.1575E-006	4.5018E-006
RCPTR_38	farmer_adult	TOCDFBRA	Zinc	6.9137E-007	9.4072E-007
RCPTR_38	farmer_adult	TOCDFDFS	Acenaphthene	1.0287E-010	1.3450E-009
RCPTR_38	farmer_adult	TOCDFDFS	Acetone	1.0654E-015	1.4897E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Acetophenone	5.3539E-013	7.4606E-012
RCPTR_38	farmer_adult	TOCDFDFS	Aniline	3.0909E-014	4.2733E-013
RCPTR_38	farmer_adult	TOCDFDFS	Anthracene	1.8253E-009	2.3726E-008
RCPTR_38	farmer_adult	TOCDFDFS	Antimony	1.3727E-008	1.7888E-008
RCPTR_38	farmer_adult	TOCDFDFS	Aroclor 1254	1.6204E-010	3.7651E-010
RCPTR_38	farmer_adult	TOCDFDFS	Arsenic	2.6901E-008	2.8467E-008
RCPTR_38	farmer_adult	TOCDFDFS	Barium	1.7479E-008	2.1391E-008
RCPTR_38	farmer_adult	TOCDFDFS	Benzene	3.8668E-015	5.3242E-014
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.2890E-006	2.2056E-006
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.4236E-005	1.5169E-005
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.7930E-006	1.0162E-005
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.2137E-005	2.3237E-005
RCPTR_38	farmer_adult	TOCDFDFS	Benzoic acid	5.1479E-013	4.8496E-012
RCPTR_38	farmer_adult	TOCDFDFS	Benzyl alcohol	6.9696E-013	9.6952E-012
RCPTR_38	farmer_adult	TOCDFDFS	Beryllium	1.4547E-008	1.6262E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.9399E-013	9.7036E-012
RCPTR_38	farmer_adult	TOCDFDFS	Bromodichloromethane	1.2372E-015	1.7251E-014
RCPTR_38	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.9776E-013	2.7599E-012
RCPTR_38	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.9185E-008	3.7256E-007
RCPTR_38	farmer_adult	TOCDFDFS	Butylbenzylphthalate	8.0027E-009	1.0147E-008
RCPTR_38	farmer_adult	TOCDFDFS	Cadmium	5.0752E-009	7.8218E-009
RCPTR_38	farmer_adult	TOCDFDFS	Carbon disulfide	6.8689E-016	9.5109E-015
RCPTR_38	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.0957E-015	1.5066E-014
RCPTR_38	farmer_adult	TOCDFDFS	Chlorine	2.1504E-014	3.0076E-013
RCPTR_38	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0261E-010	7.9030E-010
RCPTR_38	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.2680E-012	4.5059E-011
RCPTR_38	farmer_adult	TOCDFDFS	Chlorobenzene	6.4748E-015	8.8127E-014
RCPTR_38	farmer_adult	TOCDFDFS	Chloroethane	1.9426E-017	2.4733E-016
RCPTR_38	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	8.5421E-016	1.1900E-014
RCPTR_38	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.6509E-010	3.5149E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.9613E-012	1.2515E-010
RCPTR_38	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.7110E-010	4.3855E-009
RCPTR_38	farmer_adult	TOCDFDFS	Chromium	5.0230E-007	5.0564E-007
RCPTR_38	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.1444E-007	4.2625E-007
RCPTR_38	farmer_adult	TOCDFDFS	Chrysene	4.0356E-006	5.0742E-006
RCPTR_38	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.2559E-008	4.0815E-008
RCPTR_38	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.7169E+002	1.7169E+002
RCPTR_38	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.1098E-004	3.1849E-004
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.5301E-013	5.6705E-012
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.2821E-013	6.8667E-012
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.0334E-013	6.6128E-012
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.9321E-008	2.6709E-008
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.5067E-018	2.0779E-017
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.5719E-016	4.9798E-015
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4343E-016	6.1865E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.3599E-016	1.8851E-015
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.1878E-016	3.0302E-015
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	9.5584E-011	5.4175E-010
RCPTR_38	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.2393E-015	1.7049E-014
RCPTR_38	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.0437E-016	5.6263E-015
RCPTR_38	farmer_adult	TOCDFDFS	Diethyl phthalate	2.0915E-008	2.2328E-008
RCPTR_38	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.8031E-012	1.1213E-010
RCPTR_38	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.2649E-012	8.5274E-011
RCPTR_38	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.3507E-011	4.0973E-011
RCPTR_38	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.4837E-012	7.8096E-011
RCPTR_38	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.8168E-012	6.0277E-011
RCPTR_38	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.3001E-013	1.8168E-012
RCPTR_38	farmer_adult	TOCDFDFS	Ethylbenzene	4.3223E-015	5.3760E-014
RCPTR_38	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.3433E-009	1.7209E-009
RCPTR_38	farmer_adult	TOCDFDFS	Fluoranthene	5.0427E-008	2.9484E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Fluorene	4.2117E-010	5.2758E-009
RCPTR_38	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.8418E-013	6.2331E-013
RCPTR_38	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.1504E-013	5.4196E-013
RCPTR_38	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.5751E-012	1.6776E-012
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3568E-011	1.4312E-011
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.7608E-012	8.3265E-012
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.8521E-012	6.3523E-012
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.1024E-012	4.5038E-012
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.7206E-012	4.0824E-012
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.4408E-012	4.8683E-012
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.3997E-012	3.7286E-012
RCPTR_38	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0052E-011	1.1037E-010
RCPTR_38	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.9535E-008	2.2480E-007
RCPTR_38	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.8028E-011	2.9278E-010
RCPTR_38	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.2218E-012	6.8229E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3200E-003	2.3355E-003
RCPTR_38	farmer_adult	TOCDFDFS	Isophorone	9.3258E-013	1.2990E-011
RCPTR_38	farmer_adult	TOCDFDFS	Lead	9.0680E-008	1.0657E-007
RCPTR_38	farmer_adult	TOCDFDFS	Mercuric chloride	5.5016E-008	5.7371E-008
RCPTR_38	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.5569E-017	2.1743E-016
RCPTR_38	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.0746E-018	4.2864E-017
RCPTR_38	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.6388E-015	1.0679E-013
RCPTR_38	farmer_adult	TOCDFDFS	Methyl mercury	5.5267E-010	5.7487E-010
RCPTR_38	farmer_adult	TOCDFDFS	Methylene chloride	4.6044E-016	6.4230E-015
RCPTR_38	farmer_adult	TOCDFDFS	Mustard	5.4385E-014	7.5660E-013
RCPTR_38	farmer_adult	TOCDFDFS	Naphthalene	4.0659E-012	5.4794E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nickel	1.8722E-006	2.0792E-006
RCPTR_38	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.6062E-011	2.2148E-010
RCPTR_38	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.7869E-012	5.2724E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.9051E-012	6.8115E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitrobenzene	1.5703E-012	2.1927E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.1647E-013	9.9825E-012
RCPTR_38	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.4095E-011	1.4218E-010
RCPTR_38	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.9661E-013	1.2363E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.8712E-013	1.2147E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.3899E-014	1.0880E-012
RCPTR_38	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.0897E-013	9.9166E-013
RCPTR_38	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.5626E-013	1.0414E-012
RCPTR_38	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.4962E-011	2.6630E-011
RCPTR_38	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.0859E-012	3.4451E-012
RCPTR_38	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2277E-011	1.3679E-011
RCPTR_38	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.4715E-011	8.2556E-010
RCPTR_38	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.5622E-011	3.2542E-010
RCPTR_38	farmer_adult	TOCDFDFS	Pentachlorophenol	9.0323E-008	1.4459E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Phenanthrene	1.3002E-012	1.6726E-011
RCPTR_38	farmer_adult	TOCDFDFS	Phenol	1.2555E-012	1.7367E-011
RCPTR_38	farmer_adult	TOCDFDFS	Pronamide	1.3306E-010	1.6545E-009
RCPTR_38	farmer_adult	TOCDFDFS	Pyrene	7.5208E-008	4.2741E-007
RCPTR_38	farmer_adult	TOCDFDFS	Selenium	3.0347E-008	3.0597E-008
RCPTR_38	farmer_adult	TOCDFDFS	Silver	2.0079E-007	2.3126E-007
RCPTR_38	farmer_adult	TOCDFDFS	Styrene	4.6831E-014	6.4598E-013
RCPTR_38	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	7.6876E-012	8.9186E-012
RCPTR_38	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.3669E-012	2.8916E-012
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1975E-010	1.3344E-009
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4391E-011	2.0324E-011
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3122E-015	1.8116E-014
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.4741E-009	9.0757E-009
RCPTR_38	farmer_adult	TOCDFDFS	Thallium (l)	2.6845E-005	2.9071E-005
RCPTR_38	farmer_adult	TOCDFDFS	Toluene	1.8005E-015	2.4206E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.1788E-012	5.1237E-011
RCPTR_38	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.0893E-015	1.5107E-014
RCPTR_38	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.4291E-015	8.9533E-014
RCPTR_38	farmer_adult	TOCDFDFS	Trichloroethylene	1.0537E-015	1.4552E-014
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.4542E-016	2.0102E-015
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.4556E-010	5.8538E-009
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.3857E-010	5.8863E-009
RCPTR_38	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.3846E-014	3.3136E-013
RCPTR_38	farmer_adult	TOCDFDFS	Vinyl Chloride	3.4009E-019	4.7293E-018
RCPTR_38	farmer_adult	TOCDFDFS	Xylene, m-	4.4958E-014	1.2013E-013
RCPTR_38	farmer_adult	TOCDFDFS	Xylene, o-	3.4697E-014	1.0957E-013
RCPTR_38	farmer_adult	TOCDFDFS	Xylene, p-	4.5368E-014	1.6195E-013
RCPTR_38	farmer_adult	TOCDFDFS	Zinc	8.6032E-008	1.1711E-007
RCPTR_38	farmer_adult	TOCDFLIC	Acenaphthene	2.0233E-011	2.6456E-010
RCPTR_38	farmer_adult	TOCDFLIC	Acetone	6.8146E-016	9.5288E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Acetophenone	1.0017E-013	1.3958E-012
RCPTR_38	farmer_adult	TOCDFLIC	Aniline	6.0798E-015	8.4054E-014
RCPTR_38	farmer_adult	TOCDFLIC	Anthracene	3.5898E-010	4.6668E-009
RCPTR_38	farmer_adult	TOCDFLIC	Antimony	6.6081E-007	8.6113E-007
RCPTR_38	farmer_adult	TOCDFLIC	Arsenic	1.2222E-006	1.2933E-006
RCPTR_38	farmer_adult	TOCDFLIC	Barium	9.8448E-008	1.2048E-007
RCPTR_38	farmer_adult	TOCDFLIC	Benzene	3.8028E-015	5.2360E-014
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.5314E-007	4.3336E-007
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.7927E-006	2.9753E-006
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.5310E-006	1.9967E-006
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.3439E-006	4.5584E-006
RCPTR_38	farmer_adult	TOCDFLIC	Benzoic acid	3.4984E-013	3.2953E-012
RCPTR_38	farmer_adult	TOCDFLIC	Benzyl alcohol	2.1934E-011	3.0512E-010
RCPTR_38	farmer_adult	TOCDFLIC	Beryllium	1.7230E-007	1.9262E-007
RCPTR_38	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.3651E-013	1.9087E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Bromodichloromethane	1.3561E-016	1.8908E-015
RCPTR_38	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.4527E-013	3.4230E-012
RCPTR_38	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	7.7072E-009	7.3282E-008
RCPTR_38	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.5666E-009	1.9883E-009
RCPTR_38	farmer_adult	TOCDFLIC	Cadmium	2.0324E-008	3.1323E-008
RCPTR_38	farmer_adult	TOCDFLIC	Carbon disulfide	8.9059E-016	1.2331E-014
RCPTR_38	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.7740E-014	2.4391E-013
RCPTR_38	farmer_adult	TOCDFLIC	Chlorine	1.4554E-007	2.0356E-006
RCPTR_38	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0187E-011	1.5545E-010
RCPTR_38	farmer_adult	TOCDFLIC	Chloroaniline, p-	6.4281E-013	8.8629E-012
RCPTR_38	farmer_adult	TOCDFLIC	Chlorobenzene	7.2154E-015	9.8208E-014
RCPTR_38	farmer_adult	TOCDFLIC	Chloroethane	7.9041E-018	1.0063E-016
RCPTR_38	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.0317E-015	9.7959E-014
RCPTR_38	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	5.2142E-011	6.9136E-010
RCPTR_38	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.7627E-012	2.4617E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1227E-010	8.6256E-010
RCPTR_38	farmer_adult	TOCDFLIC	Chromium	8.7788E-007	8.8371E-007
RCPTR_38	farmer_adult	TOCDFLIC	Chromium, hexavalent	7.2432E-007	7.4495E-007
RCPTR_38	farmer_adult	TOCDFLIC	Chrysene	7.9296E-007	9.9707E-007
RCPTR_38	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	9.8942E-010	1.2404E-009
RCPTR_38	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.2215E+000	5.2215E+000
RCPTR_38	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.0956E-005	6.2404E-005
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	8.9101E-014	1.1154E-012
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.0390E-013	1.3507E-012
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	9.9004E-014	1.3007E-012
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.8960E-009	2.6222E-009
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.8323E-019	8.0437E-018
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.3507E-017	3.2773E-016
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8041E-016	2.5170E-015
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	8.9500E-018	1.2406E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.9014E-017	1.2329E-015
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.8806E-011	1.0657E-010
RCPTR_38	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.0421E-016	6.9363E-015
RCPTR_38	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.6962E-016	2.3601E-015
RCPTR_38	farmer_adult	TOCDFLIC	Diethyl phthalate	6.3606E-010	6.7902E-010
RCPTR_38	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.6404E-011	2.0898E-010
RCPTR_38	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.2323E-012	1.6773E-011
RCPTR_38	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.6572E-012	8.0599E-012
RCPTR_38	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.2746E-012	1.5361E-011
RCPTR_38	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	9.4728E-013	1.1856E-011
RCPTR_38	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.5572E-014	3.5737E-013
RCPTR_38	farmer_adult	TOCDFLIC	Ethylbenzene	1.8448E-015	2.2946E-014
RCPTR_38	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.0149E-009	2.5842E-009
RCPTR_38	farmer_adult	TOCDFLIC	Fluoranthene	9.9128E-009	5.7988E-008
RCPTR_38	farmer_adult	TOCDFLIC	Fluorene	8.2835E-011	1.0377E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.7552E-012	5.0721E-012
RCPTR_38	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.5896E-011	1.6721E-011
RCPTR_38	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.6334E-011	3.8686E-011
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.0941E-011	4.3176E-011
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.3883E-011	2.5616E-011
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.9364E-011	2.1014E-011
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.0243E-011	4.4176E-011
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.5012E-011	3.8411E-011
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.6083E-011	3.9552E-011
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.9648E-011	3.2513E-011
RCPTR_38	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9762E-012	2.1709E-011
RCPTR_38	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.8418E-009	4.4217E-008
RCPTR_38	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.5094E-012	5.7586E-011
RCPTR_38	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.0272E-012	1.3421E-011
RCPTR_38	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.5598E-004	4.5897E-004
RCPTR_38	farmer_adult	TOCDFLIC	Isophorone	1.8344E-013	2.5551E-012
RCPTR_38	farmer_adult	TOCDFLIC	Lead	4.6062E-007	5.4135E-007
RCPTR_38	farmer_adult	TOCDFLIC	Mercuric chloride	1.2659E-007	1.3202E-007
RCPTR_38	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	9.9938E-018	1.3957E-016
RCPTR_38	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.7660E-017	2.4620E-016
RCPTR_38	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.3859E-014	1.9375E-013
RCPTR_38	farmer_adult	TOCDFLIC	Methyl mercury	1.2646E-009	1.3158E-009
RCPTR_38	farmer_adult	TOCDFLIC	Methylene chloride	1.8124E-015	2.5283E-014
RCPTR_38	farmer_adult	TOCDFLIC	Mustard	1.8812E-014	2.6171E-013
RCPTR_38	farmer_adult	TOCDFLIC	Naphthalene	1.2360E-013	1.6656E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nickel	1.9494E-006	2.1648E-006
RCPTR_38	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.1594E-012	4.3566E-011
RCPTR_38	farmer_adult	TOCDFLIC	Nitroaniline, 3-	7.4491E-013	1.0371E-011
RCPTR_38	farmer_adult	TOCDFLIC	Nitroaniline, 4-	9.6481E-013	1.3399E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Nitrobenzene	3.0887E-013	4.3131E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.4093E-013	1.9635E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.0645E-012	2.7971E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.7636E-013	2.4318E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.7449E-013	2.3893E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.6484E-014	2.1398E-013
RCPTR_38	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.7910E-012	7.4075E-012
RCPTR_38	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.6900E-012	7.2846E-012
RCPTR_38	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.3541E-011	9.9773E-011
RCPTR_38	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.4518E-011	1.6208E-011
RCPTR_38	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.4789E-011	6.1045E-011
RCPTR_38	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.3219E-011	8.1315E-010
RCPTR_38	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.9840E-012	6.3990E-011
RCPTR_38	farmer_adult	TOCDFLIC	Pentachlorophenol	3.5484E-009	5.6795E-009
RCPTR_38	farmer_adult	TOCDFLIC	Phenanthrene	2.5573E-013	3.2899E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Phenol	2.4696E-013	3.4160E-012
RCPTR_38	farmer_adult	TOCDFLIC	Pronamide	2.6172E-011	3.2543E-010
RCPTR_38	farmer_adult	TOCDFLIC	Pyrene	1.4790E-008	8.4066E-008
RCPTR_38	farmer_adult	TOCDFLIC	Selenium	7.5740E-007	7.6364E-007
RCPTR_38	farmer_adult	TOCDFLIC	Silver	1.9566E-006	2.2536E-006
RCPTR_38	farmer_adult	TOCDFLIC	Styrene	2.8388E-012	3.9158E-011
RCPTR_38	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.2295E-011	1.4265E-011
RCPTR_38	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	4.7786E-012	5.8387E-012
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3554E-011	2.6247E-010
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	9.0935E-016	1.2586E-014
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.4072E-016	4.7043E-015
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.8682E-010	1.7854E-009
RCPTR_38	farmer_adult	TOCDFLIC	Thallium (l)	2.5979E-006	2.8134E-006
RCPTR_38	farmer_adult	TOCDFLIC	Toluene	6.8330E-015	9.1863E-014
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.2190E-013	1.0078E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.8756E-015	3.9879E-014
RCPTR_38	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.6157E-015	3.6427E-014
RCPTR_38	farmer_adult	TOCDFLIC	Trichloroethylene	4.2870E-016	5.9208E-015
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.6293E-017	7.7817E-016
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0732E-010	1.1514E-009
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.2822E-011	2.3035E-010
RCPTR_38	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	9.7019E-015	1.3481E-013
RCPTR_38	farmer_adult	TOCDFLIC	Vinyl Chloride	4.1473E-019	5.7674E-018
RCPTR_38	farmer_adult	TOCDFLIC	Xylene, m-	3.8651E-014	1.0410E-013
RCPTR_38	farmer_adult	TOCDFLIC	Xylene, o-	3.4162E-014	1.0878E-013
RCPTR_38	farmer_adult	TOCDFLIC	Xylene, p-	3.9043E-014	1.4055E-013
RCPTR_38	farmer_adult	TOCDFLIC	Zinc	7.6949E-007	1.0475E-006
RCPTR_38	farmer_adult	TOCDFMPF	Acenaphthene	3.0926E-011	4.0440E-010
RCPTR_38	farmer_adult	TOCDFMPF	Acetone	2.4889E-015	3.4801E-014
RCPTR_38	farmer_adult	TOCDFMPF	Acetophenone	1.6040E-013	2.2352E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Aniline	9.2932E-015	1.2848E-013
RCPTR_38	farmer_adult	TOCDFMPF	Anthracene	5.4871E-010	7.1334E-009
RCPTR_38	farmer_adult	TOCDFMPF	Antimony	9.0120E-009	1.1744E-008
RCPTR_38	farmer_adult	TOCDFMPF	Aroclor 1254	8.9747E-011	2.0902E-010
RCPTR_38	farmer_adult	TOCDFMPF	Arsenic	6.3579E-008	6.7281E-008
RCPTR_38	farmer_adult	TOCDFMPF	Barium	6.9816E-008	8.5440E-008
RCPTR_38	farmer_adult	TOCDFMPF	Benzene	3.3983E-015	4.6791E-014
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.8694E-007	6.6242E-007
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.2689E-006	4.5479E-006
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.3402E-006	3.0520E-006
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	6.6399E-006	6.9678E-006
RCPTR_38	farmer_adult	TOCDFMPF	Benzoic acid	1.5479E-012	1.4581E-011
RCPTR_38	farmer_adult	TOCDFMPF	Benzyl alcohol	2.0955E-013	2.9149E-012
RCPTR_38	farmer_adult	TOCDFMPF	Beryllium	5.8779E-009	6.5711E-009
RCPTR_38	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.0865E-013	2.9175E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Bromodichloromethane	4.1194E-015	5.7437E-014
RCPTR_38	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.4325E-013	1.9993E-012
RCPTR_38	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1781E-008	1.1201E-007
RCPTR_38	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.3946E-009	3.0391E-009
RCPTR_38	farmer_adult	TOCDFMPF	Cadmium	9.2865E-008	1.4312E-007
RCPTR_38	farmer_adult	TOCDFMPF	Carbon disulfide	3.2557E-016	4.5079E-015
RCPTR_38	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.0898E-015	4.2483E-014
RCPTR_38	farmer_adult	TOCDFMPF	Chlorine	2.6810E-008	3.7497E-007
RCPTR_38	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.0857E-011	2.3762E-010
RCPTR_38	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.8255E-013	1.3547E-011
RCPTR_38	farmer_adult	TOCDFMPF	Chlorobenzene	1.2944E-014	1.7618E-013
RCPTR_38	farmer_adult	TOCDFMPF	Chloroethane	7.7880E-017	9.9151E-016
RCPTR_38	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.2110E-015	3.0802E-014
RCPTR_38	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.9700E-011	1.0568E-009
RCPTR_38	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.6943E-012	3.7628E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7161E-010	1.3185E-009
RCPTR_38	farmer_adult	TOCDFMPF	Chromium	1.6671E-007	1.6781E-007
RCPTR_38	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.3755E-007	1.4146E-007
RCPTR_38	farmer_adult	TOCDFMPF	Chrysene	1.2121E-006	1.5241E-006
RCPTR_38	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	9.7861E-009	1.2268E-008
RCPTR_38	farmer_adult	TOCDFMPF	Di-n-octylphthalate	5.1645E+001	5.1645E+001
RCPTR_38	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	9.3183E-005	9.5397E-005
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.3620E-013	1.7049E-012
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.5881E-013	2.0645E-012
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.5133E-013	1.9882E-012
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	5.8136E-009	8.0401E-009
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.7964E-018	6.6151E-017
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.1408E-016	9.9552E-015
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.8647E-016	1.2368E-014
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.7187E-016	3.7685E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.3738E-016	6.0579E-015
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.8746E-011	1.6289E-010
RCPTR_38	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.4775E-015	3.4083E-014
RCPTR_38	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.0838E-016	1.1248E-014
RCPTR_38	farmer_adult	TOCDFMPF	Diethyl phthalate	6.2912E-009	6.7161E-009
RCPTR_38	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.7515E-012	2.2313E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.8836E-012	2.5638E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.0543E-012	1.2298E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.9483E-012	2.3479E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.4480E-012	1.8122E-011
RCPTR_38	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.9088E-014	5.4625E-013
RCPTR_38	farmer_adult	TOCDFMPF	Ethylbenzene	8.6404E-015	1.0747E-013
RCPTR_38	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.6441E-010	4.6739E-010
RCPTR_38	farmer_adult	TOCDFMPF	Fluoranthene	1.5152E-008	8.8636E-008
RCPTR_38	farmer_adult	TOCDFMPF	Fluorene	1.2662E-010	1.5862E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.8546E-011	1.9782E-011
RCPTR_38	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.5015E-011	2.6313E-011
RCPTR_38	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.2558E-011	4.5312E-011
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.1702E-011	1.2341E-011
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.3115E-012	5.6969E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.5777E-012	4.9677E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.9565E-012	8.7340E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.3801E-012	3.7083E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.0028E-012	3.2914E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.6850E-012	2.9443E-012
RCPTR_38	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.0207E-012	3.3183E-011
RCPTR_38	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.8723E-009	6.7587E-008
RCPTR_38	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.4214E-012	8.8022E-011
RCPTR_38	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.5700E-012	2.0514E-011
RCPTR_38	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.9703E-004	7.0159E-004
RCPTR_38	farmer_adult	TOCDFMPF	Isophorone	2.8039E-013	3.9056E-012
RCPTR_38	farmer_adult	TOCDFMPF	Lead	5.3216E-008	6.2542E-008
RCPTR_38	farmer_adult	TOCDFMPF	Mercuric chloride	2.1518E-006	2.2440E-006
RCPTR_38	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.1707E-017	7.2210E-016
RCPTR_38	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.0141E-018	4.2021E-017
RCPTR_38	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.8102E-015	3.9287E-014
RCPTR_38	farmer_adult	TOCDFMPF	Methyl mercury	2.1496E-008	2.2365E-008
RCPTR_38	farmer_adult	TOCDFMPF	Methylene chloride	1.4252E-015	1.9881E-014
RCPTR_38	farmer_adult	TOCDFMPF	Mustard	1.3384E-013	1.8620E-012
RCPTR_38	farmer_adult	TOCDFMPF	Naphthalene	1.2224E-012	1.6474E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nickel	1.2233E-006	1.3586E-006
RCPTR_38	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.8205E-012	6.6472E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.1366E-012	1.5824E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.4721E-012	2.0443E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Nitrobenzene	4.7213E-013	6.5927E-012
RCPTR_38	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.1541E-013	3.0013E-012
RCPTR_38	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.6242E-011	4.2678E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.6958E-013	3.7171E-012
RCPTR_38	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.6672E-013	3.6522E-012
RCPTR_38	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.5196E-014	3.2708E-013
RCPTR_38	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.3224E-010	4.7147E-010
RCPTR_38	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	7.5906E-010	8.2652E-010
RCPTR_38	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.8928E-012	5.2188E-012
RCPTR_38	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.3075E-012	7.0416E-012
RCPTR_38	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.6769E-012	4.0966E-012
RCPTR_38	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.5394E-011	2.4814E-010
RCPTR_38	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.0656E-011	9.7633E-011
RCPTR_38	farmer_adult	TOCDFMPF	Pentachlorophenol	2.7120E-008	4.3407E-008
RCPTR_38	farmer_adult	TOCDFMPF	Phenanthrene	3.9089E-013	5.0287E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Phenol	3.7749E-013	5.2215E-012
RCPTR_38	farmer_adult	TOCDFMPF	Pronamide	4.0006E-011	4.9743E-010
RCPTR_38	farmer_adult	TOCDFMPF	Pyrene	2.2608E-008	1.2850E-007
RCPTR_38	farmer_adult	TOCDFMPF	Selenium	1.3291E-008	1.3400E-008
RCPTR_38	farmer_adult	TOCDFMPF	Silver	2.6408E-007	3.0416E-007
RCPTR_38	farmer_adult	TOCDFMPF	Styrene	6.4726E-014	8.9283E-013
RCPTR_38	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4711E-012	1.7068E-012
RCPTR_38	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	4.7343E-012	5.7846E-012
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.6004E-011	4.0120E-010
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.7623E-014	3.8230E-013
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.6231E-015	3.6217E-014
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.4279E-010	2.7241E-009
RCPTR_38	farmer_adult	TOCDFMPF	Thallium (l)	7.9545E-008	8.6143E-008
RCPTR_38	farmer_adult	TOCDFMPF	Toluene	4.5839E-015	6.1627E-014
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2563E-012	1.5405E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.6877E-015	2.3405E-014
RCPTR_38	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.2853E-014	1.7899E-013
RCPTR_38	farmer_adult	TOCDFMPF	Trichloroethylene	2.1065E-015	2.9092E-014
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.8086E-015	8.0296E-014
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6405E-010	1.7600E-009
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.0170E-011	3.5210E-010
RCPTR_38	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.7672E-014	6.6242E-013
RCPTR_38	farmer_adult	TOCDFMPF	Vinyl Chloride	1.1379E-018	1.5824E-017
RCPTR_38	farmer_adult	TOCDFMPF	Xylene, m-	3.8681E-014	1.0419E-013
RCPTR_38	farmer_adult	TOCDFMPF	Xylene, o-	3.4188E-014	1.0887E-013
RCPTR_38	farmer_adult	TOCDFMPF	Xylene, p-	3.9073E-014	1.4067E-013
RCPTR_38	farmer_adult	TOCDFMPF	Zinc	2.1923E-007	2.9843E-007
RCPTR_38	farmer_adult	TOCDHVAC	Mustard	4.2229E-014	5.8751E-013
RCPTR_38	farmer_adult	TOCDLIC2	Acenaphthene	2.0233E-011	2.6456E-010
RCPTR_38	farmer_adult	TOCDLIC2	Acetone	6.8146E-016	9.5288E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Acetophenone	1.0017E-013	1.3958E-012
RCPTR_38	farmer_adult	TOCDLIC2	Aniline	6.0798E-015	8.4054E-014
RCPTR_38	farmer_adult	TOCDLIC2	Anthracene	3.5898E-010	4.6668E-009
RCPTR_38	farmer_adult	TOCDLIC2	Antimony	6.6081E-007	8.6113E-007
RCPTR_38	farmer_adult	TOCDLIC2	Arsenic	1.2222E-006	1.2933E-006
RCPTR_38	farmer_adult	TOCDLIC2	Barium	9.8448E-008	1.2048E-007
RCPTR_38	farmer_adult	TOCDLIC2	Benzene	3.8028E-015	5.2360E-014
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.5314E-007	4.3336E-007
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.7927E-006	2.9753E-006
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.5310E-006	1.9967E-006
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.3439E-006	4.5584E-006
RCPTR_38	farmer_adult	TOCDLIC2	Benzoic acid	3.4984E-013	3.2953E-012
RCPTR_38	farmer_adult	TOCDLIC2	Benzyl alcohol	2.1934E-011	3.0512E-010
RCPTR_38	farmer_adult	TOCDLIC2	Beryllium	1.7230E-007	1.9262E-007
RCPTR_38	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.3651E-013	1.9087E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Bromodichloromethane	1.3561E-016	1.8908E-015
RCPTR_38	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.4527E-013	3.4230E-012
RCPTR_38	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	7.7072E-009	7.3282E-008
RCPTR_38	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.5666E-009	1.9883E-009
RCPTR_38	farmer_adult	TOCDLIC2	Cadmium	2.0324E-008	3.1323E-008
RCPTR_38	farmer_adult	TOCDLIC2	Carbon disulfide	8.9059E-016	1.2331E-014
RCPTR_38	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.7740E-014	2.4391E-013
RCPTR_38	farmer_adult	TOCDLIC2	Chlorine	1.4554E-007	2.0356E-006
RCPTR_38	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.0187E-011	1.5545E-010
RCPTR_38	farmer_adult	TOCDLIC2	Chloroaniline, p-	6.4281E-013	8.8629E-012
RCPTR_38	farmer_adult	TOCDLIC2	Chlorobenzene	7.2154E-015	9.8208E-014
RCPTR_38	farmer_adult	TOCDLIC2	Chloroethane	7.9041E-018	1.0063E-016
RCPTR_38	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	7.0317E-015	9.7959E-014
RCPTR_38	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	5.2142E-011	6.9136E-010
RCPTR_38	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.7627E-012	2.4617E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1227E-010	8.6256E-010
RCPTR_38	farmer_adult	TOCDLIC2	Chromium	8.7788E-007	8.8371E-007
RCPTR_38	farmer_adult	TOCDLIC2	Chromium, hexavalent	7.2432E-007	7.4495E-007
RCPTR_38	farmer_adult	TOCDLIC2	Chrysene	7.9296E-007	9.9707E-007
RCPTR_38	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	9.8942E-010	1.2404E-009
RCPTR_38	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.2215E+000	5.2215E+000
RCPTR_38	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.0956E-005	6.2404E-005
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.9101E-014	1.1154E-012
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.0390E-013	1.3507E-012
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	9.9004E-014	1.3007E-012
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.8960E-009	2.6222E-009
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.8323E-019	8.0437E-018
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.3507E-017	3.2773E-016
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8041E-016	2.5170E-015
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	8.9500E-018	1.2406E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.9014E-017	1.2329E-015
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.8806E-011	1.0657E-010
RCPTR_38	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.0421E-016	6.9363E-015
RCPTR_38	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.6962E-016	2.3601E-015
RCPTR_38	farmer_adult	TOCDLIC2	Diethyl phthalate	6.3606E-010	6.7902E-010
RCPTR_38	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.6404E-011	2.0898E-010
RCPTR_38	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.2323E-012	1.6773E-011
RCPTR_38	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.6572E-012	8.0599E-012
RCPTR_38	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.2746E-012	1.5361E-011
RCPTR_38	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	9.4728E-013	1.1856E-011
RCPTR_38	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.5572E-014	3.5737E-013
RCPTR_38	farmer_adult	TOCDLIC2	Ethylbenzene	1.8448E-015	2.2946E-014
RCPTR_38	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.0149E-009	2.5842E-009
RCPTR_38	farmer_adult	TOCDLIC2	Fluoranthene	9.9128E-009	5.7988E-008
RCPTR_38	farmer_adult	TOCDLIC2	Fluorene	8.2835E-011	1.0377E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.7552E-012	5.0721E-012
RCPTR_38	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.5896E-011	1.6721E-011
RCPTR_38	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.6334E-011	3.8686E-011
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.0941E-011	4.3176E-011
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.3883E-011	2.5616E-011
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.9364E-011	2.1014E-011
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.0243E-011	4.4176E-011
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.5012E-011	3.8411E-011
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.6083E-011	3.9552E-011
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.9648E-011	3.2513E-011
RCPTR_38	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9762E-012	2.1709E-011
RCPTR_38	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.8418E-009	4.4217E-008
RCPTR_38	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.5094E-012	5.7586E-011
RCPTR_38	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.0272E-012	1.3421E-011
RCPTR_38	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.5598E-004	4.5897E-004
RCPTR_38	farmer_adult	TOCDLIC2	Isophorone	1.8344E-013	2.5551E-012
RCPTR_38	farmer_adult	TOCDLIC2	Lead	4.6062E-007	5.4135E-007
RCPTR_38	farmer_adult	TOCDLIC2	Mercuric chloride	1.2659E-007	1.3202E-007
RCPTR_38	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	9.9938E-018	1.3957E-016
RCPTR_38	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.7660E-017	2.4620E-016
RCPTR_38	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.3859E-014	1.9375E-013
RCPTR_38	farmer_adult	TOCDLIC2	Methyl mercury	1.2646E-009	1.3158E-009
RCPTR_38	farmer_adult	TOCDLIC2	Methylene chloride	1.8124E-015	2.5283E-014
RCPTR_38	farmer_adult	TOCDLIC2	Mustard	1.9557E-014	2.7207E-013
RCPTR_38	farmer_adult	TOCDLIC2	Naphthalene	1.2360E-013	1.6656E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nickel	1.9494E-006	2.1648E-006
RCPTR_38	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.1594E-012	4.3566E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nitroaniline, 3-	7.4491E-013	1.0371E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nitroaniline, 4-	9.6481E-013	1.3399E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Nitrobenzene	3.0887E-013	4.3131E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.4093E-013	1.9635E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.0645E-011	2.7971E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.7636E-013	2.4318E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.7449E-013	2.3893E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.6484E-014	2.1398E-013
RCPTR_38	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.7910E-012	7.4075E-012
RCPTR_38	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	6.6900E-012	7.2846E-012
RCPTR_38	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	9.3541E-011	9.9773E-011
RCPTR_38	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.4518E-011	1.6208E-011
RCPTR_38	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.4789E-011	6.1045E-011
RCPTR_38	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.3219E-011	8.1315E-010
RCPTR_38	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.9840E-012	6.3990E-011
RCPTR_38	farmer_adult	TOCDLIC2	Pentachlorophenol	3.5484E-009	5.6795E-009
RCPTR_38	farmer_adult	TOCDLIC2	Phenanthrene	2.5573E-013	3.2899E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Phenol	2.4696E-013	3.4160E-012
RCPTR_38	farmer_adult	TOCDLIC2	Pronamide	2.6172E-011	3.2543E-010
RCPTR_38	farmer_adult	TOCDLIC2	Pyrene	1.4790E-008	8.4066E-008
RCPTR_38	farmer_adult	TOCDLIC2	Selenium	7.5740E-007	7.6364E-007
RCPTR_38	farmer_adult	TOCDLIC2	Silver	1.9566E-006	2.2536E-006
RCPTR_38	farmer_adult	TOCDLIC2	Styrene	2.8388E-012	3.9158E-011
RCPTR_38	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.2295E-011	1.4265E-011
RCPTR_38	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	4.7786E-012	5.8387E-012
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.3554E-011	2.6247E-010
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	9.0935E-016	1.2586E-014
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.4072E-016	4.7043E-015
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.8682E-010	1.7854E-009
RCPTR_38	farmer_adult	TOCDLIC2	Thallium (l)	2.5979E-006	2.8134E-006
RCPTR_38	farmer_adult	TOCDLIC2	Toluene	6.8330E-015	9.1863E-014
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	8.2190E-013	1.0078E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.8756E-015	3.9879E-014
RCPTR_38	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.6157E-015	3.6427E-014
RCPTR_38	farmer_adult	TOCDLIC2	Trichloroethylene	4.2870E-016	5.9208E-015
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.6293E-017	7.7817E-016
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0732E-010	1.1514E-009
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.2822E-011	2.3035E-010
RCPTR_38	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	9.7019E-015	1.3481E-013
RCPTR_38	farmer_adult	TOCDLIC2	Vinyl Chloride	4.1473E-019	5.7674E-018
RCPTR_38	farmer_adult	TOCDLIC2	Xylene, m-	8.0320E-014	2.1634E-013
RCPTR_38	farmer_adult	TOCDLIC2	Xylene, o-	7.0990E-014	2.2605E-013
RCPTR_38	farmer_adult	TOCDLIC2	Xylene, p-	8.1133E-014	2.9208E-013
RCPTR_38	farmer_adult	TOCDLIC2	Zinc	7.6949E-007	1.0475E-006
RCPTR_38	farmer_child	TOCDFBRA	Antimony	2.7601E-007	3.1615E-007
RCPTR_38	farmer_child	TOCDFBRA	Arsenic	4.1811E-007	4.3139E-007
RCPTR_38	farmer_child	TOCDFBRA	Barium	3.6946E-008	4.1077E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFBRA	Beryllium	1.1909E-007	1.2524E-007
RCPTR_38	farmer_child	TOCDFBRA	Cadmium	2.3224E-008	2.8300E-008
RCPTR_38	farmer_child	TOCDFBRA	Chromium	2.8277E-006	2.9559E-006
RCPTR_38	farmer_child	TOCDFBRA	Chromium, hexavalent	2.4536E-006	2.4924E-006
RCPTR_38	farmer_child	TOCDFBRA	Lead	1.2804E-006	1.3808E-006
RCPTR_38	farmer_child	TOCDFBRA	Mercuric chloride	1.9508E-004	2.4162E-004
RCPTR_38	farmer_child	TOCDFBRA	Methyl mercury	2.4192E-006	2.5625E-006
RCPTR_38	farmer_child	TOCDFBRA	Nickel	1.4021E-006	1.4790E-006
RCPTR_38	farmer_child	TOCDFBRA	Selenium	4.6157E-007	4.6370E-007
RCPTR_38	farmer_child	TOCDFBRA	Silver	1.6417E-007	1.7732E-007
RCPTR_38	farmer_child	TOCDFBRA	Thallium (l)	4.3241E-006	4.5018E-006
RCPTR_38	farmer_child	TOCDFBRA	Zinc	8.0943E-007	9.4072E-007
RCPTR_38	farmer_child	TOCDFDFS	Acenaphthene	6.4491E-010	1.3450E-009
RCPTR_38	farmer_child	TOCDFDFS	Acetone	7.1012E-015	1.4897E-014
RCPTR_38	farmer_child	TOCDFDFS	Acetophenone	3.5573E-012	7.4606E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Aniline	2.0389E-013	4.2733E-013
RCPTR_38	farmer_child	TOCDFDFS	Anthracene	1.1382E-008	2.3726E-008
RCPTR_38	farmer_child	TOCDFDFS	Antimony	1.5614E-008	1.7888E-008
RCPTR_38	farmer_child	TOCDFDFS	Aroclor 1254	2.5563E-010	3.7651E-010
RCPTR_38	farmer_child	TOCDFDFS	Arsenic	2.7590E-008	2.8467E-008
RCPTR_38	farmer_child	TOCDFDFS	Barium	1.9237E-008	2.1391E-008
RCPTR_38	farmer_child	TOCDFDFS	Benzene	2.5412E-014	5.3242E-014
RCPTR_38	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.7768E-006	2.2056E-006
RCPTR_38	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.4716E-005	1.5169E-005
RCPTR_38	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	9.0399E-006	1.0162E-005
RCPTR_38	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.2784E-005	2.3237E-005
RCPTR_38	farmer_child	TOCDFDFS	Benzoic acid	2.4063E-012	4.8496E-012
RCPTR_38	farmer_child	TOCDFDFS	Benzyl alcohol	4.6235E-012	9.6952E-012
RCPTR_38	farmer_child	TOCDFDFS	Beryllium	1.5462E-008	1.6262E-008
RCPTR_38	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.6255E-012	9.7036E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Bromodichloromethane	8.2249E-015	1.7251E-014
RCPTR_38	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3158E-012	2.7599E-012
RCPTR_38	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.1645E-007	3.7256E-007
RCPTR_38	farmer_child	TOCDFDFS	Butylbenzylphthalate	8.9382E-009	1.0147E-008
RCPTR_38	farmer_child	TOCDFDFS	Cadmium	6.4175E-009	7.8218E-009
RCPTR_38	farmer_child	TOCDFDFS	Carbon disulfide	4.5374E-015	9.5109E-015
RCPTR_38	farmer_child	TOCDFDFS	Carbon tetrachloride	7.1917E-015	1.5066E-014
RCPTR_38	farmer_child	TOCDFDFS	Chlorine	1.4336E-013	3.0076E-013
RCPTR_38	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.0270E-010	7.9030E-010
RCPTR_38	farmer_child	TOCDFDFS	Chloroaniline, p-	2.1504E-011	4.5059E-011
RCPTR_38	farmer_child	TOCDFDFS	Chlorobenzene	4.2105E-014	8.8127E-014
RCPTR_38	farmer_child	TOCDFDFS	Chloroethane	1.1888E-016	2.4733E-016
RCPTR_38	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.6743E-015	1.1900E-014
RCPTR_38	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.6832E-009	3.5149E-009
RCPTR_38	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.9663E-011	1.2515E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.2356E-009	4.3855E-009
RCPTR_38	farmer_child	TOCDFDFS	Chromium	4.8368E-007	5.0564E-007
RCPTR_38	farmer_child	TOCDFDFS	Chromium, hexavalent	4.1960E-007	4.2625E-007
RCPTR_38	farmer_child	TOCDFDFS	Chrysene	4.6206E-006	5.0742E-006
RCPTR_38	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.6161E-008	4.0815E-008
RCPTR_38	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.7169E+002	1.7169E+002
RCPTR_38	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.1521E-004	3.1849E-004
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.7298E-012	5.6705E-012
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.2941E-012	6.8667E-012
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.1693E-012	6.6128E-012
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2545E-008	2.6709E-008
RCPTR_38	farmer_child	TOCDFDFS	Dichlorodifluoromethane	9.9163E-018	2.0779E-017
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.3743E-015	4.9798E-015
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9495E-015	6.1865E-015
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	8.9924E-016	1.8851E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4456E-015	3.0302E-015
RCPTR_38	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.9028E-010	5.4175E-010
RCPTR_38	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.1380E-015	1.7049E-014
RCPTR_38	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.6831E-015	5.6263E-015
RCPTR_38	farmer_child	TOCDFDFS	Diethyl phthalate	2.1532E-008	2.2328E-008
RCPTR_38	farmer_child	TOCDFDFS	Dimethyl phthalate	5.3892E-011	1.1213E-010
RCPTR_38	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.0742E-011	8.5274E-011
RCPTR_38	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.5492E-011	4.0973E-011
RCPTR_38	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.7733E-011	7.8096E-011
RCPTR_38	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.9018E-011	6.0277E-011
RCPTR_38	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.6609E-013	1.8168E-012
RCPTR_38	farmer_child	TOCDFDFS	Ethylbenzene	2.5895E-014	5.3760E-014
RCPTR_38	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.5081E-009	1.7209E-009
RCPTR_38	farmer_child	TOCDFDFS	Fluoranthene	1.6606E-007	2.9484E-007
RCPTR_38	farmer_child	TOCDFDFS	Fluorene	2.5396E-009	5.2758E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.0570E-013	6.2331E-013
RCPTR_38	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.2986E-013	5.4196E-013
RCPTR_38	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6316E-012	1.6776E-012
RCPTR_38	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3977E-011	1.4312E-011
RCPTR_38	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.0726E-012	8.3265E-012
RCPTR_38	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.1278E-012	6.3523E-012
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.3237E-012	4.5038E-012
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.9199E-012	4.0824E-012
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.6765E-012	4.8683E-012
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.5810E-012	3.7286E-012
RCPTR_38	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.3828E-011	1.1037E-010
RCPTR_38	farmer_child	TOCDFDFS	Hexachlorobenzene	1.0928E-007	2.2480E-007
RCPTR_38	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.4356E-010	2.9278E-010
RCPTR_38	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.2716E-011	6.8229E-011
RCPTR_38	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3284E-003	2.3355E-003
RCPTR_38	farmer_child	TOCDFDFS	Isophorone	6.1941E-012	1.2990E-011
RCPTR_38	farmer_child	TOCDFDFS	Lead	9.8819E-008	1.0657E-007
RCPTR_38	farmer_child	TOCDFDFS	Mercuric chloride	4.6116E-008	5.7371E-008
RCPTR_38	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.0365E-016	2.1743E-016
RCPTR_38	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.0437E-017	4.2864E-017
RCPTR_38	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.0905E-014	1.0679E-013
RCPTR_38	farmer_child	TOCDFDFS	Methyl mercury	5.4021E-010	5.7487E-010
RCPTR_38	farmer_child	TOCDFDFS	Methylene chloride	3.0623E-015	6.4230E-015
RCPTR_38	farmer_child	TOCDFDFS	Mustard	3.6081E-013	7.5660E-013
RCPTR_38	farmer_child	TOCDFDFS	Naphthalene	2.6202E-011	5.4794E-011
RCPTR_38	farmer_child	TOCDFDFS	Nickel	1.9710E-006	2.0792E-006
RCPTR_38	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.0570E-010	2.2148E-010
RCPTR_38	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.5142E-011	5.2724E-011
RCPTR_38	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.2488E-011	6.8115E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Nitrobenzene	1.0454E-011	2.1927E-011
RCPTR_38	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.7599E-012	9.9825E-012
RCPTR_38	farmer_child	TOCDFDFS	Nitrophenol, 4-	9.2532E-011	1.4218E-010
RCPTR_38	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.9003E-012	1.2363E-011
RCPTR_38	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.8006E-012	1.2147E-011
RCPTR_38	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.2205E-013	1.0880E-012
RCPTR_38	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.5447E-013	9.9166E-013
RCPTR_38	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0031E-012	1.0414E-012
RCPTR_38	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.5885E-011	2.6630E-011
RCPTR_38	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.2845E-012	3.4451E-012
RCPTR_38	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.3051E-011	1.3679E-011
RCPTR_38	farmer_child	TOCDFDFS	Pentachlorobenzene	4.0800E-010	8.2556E-010
RCPTR_38	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.6208E-010	3.2542E-010
RCPTR_38	farmer_child	TOCDFDFS	Pentachlorophenol	1.1400E-007	1.4459E-007
RCPTR_38	farmer_child	TOCDFDFS	Phenanthrene	8.0314E-012	1.6726E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Phenol	8.2860E-012	1.7367E-011
RCPTR_38	farmer_child	TOCDFDFS	Pronamide	7.9695E-010	1.6545E-009
RCPTR_38	farmer_child	TOCDFDFS	Pyrene	2.7337E-007	4.2741E-007
RCPTR_38	farmer_child	TOCDFDFS	Selenium	3.0456E-008	3.0597E-008
RCPTR_38	farmer_child	TOCDFDFS	Silver	2.1409E-007	2.3126E-007
RCPTR_38	farmer_child	TOCDFDFS	Styrene	3.0828E-013	6.4598E-013
RCPTR_38	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	8.3713E-012	8.9186E-012
RCPTR_38	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.6587E-012	2.8916E-012
RCPTR_38	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.4978E-010	1.3344E-009
RCPTR_38	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6980E-011	2.0324E-011
RCPTR_38	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.6450E-015	1.8116E-014
RCPTR_38	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.3548E-009	9.0757E-009
RCPTR_38	farmer_child	TOCDFDFS	Thallium (l)	2.7923E-005	2.9071E-005
RCPTR_38	farmer_child	TOCDFDFS	Toluene	1.1577E-014	2.4206E-014
RCPTR_38	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.4713E-011	5.1237E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.2060E-015	1.5107E-014
RCPTR_38	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.2693E-014	8.9533E-014
RCPTR_38	farmer_child	TOCDFDFS	Trichloroethylene	6.9441E-015	1.4552E-014
RCPTR_38	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.5913E-016	2.0102E-015
RCPTR_38	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.8619E-009	5.8538E-009
RCPTR_38	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.0412E-009	5.8863E-009
RCPTR_38	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.5803E-013	3.3136E-013
RCPTR_38	farmer_child	TOCDFDFS	Vinyl Chloride	2.2554E-018	4.7293E-018
RCPTR_38	farmer_child	TOCDFDFS	Xylene, m-	7.7761E-014	1.2013E-013
RCPTR_38	farmer_child	TOCDFDFS	Xylene, o-	6.7368E-014	1.0957E-013
RCPTR_38	farmer_child	TOCDFDFS	Xylene, p-	9.6242E-014	1.6195E-013
RCPTR_38	farmer_child	TOCDFDFS	Zinc	1.0075E-007	1.1711E-007
RCPTR_38	farmer_child	TOCDFLIC	Acenaphthene	1.2685E-010	2.6456E-010
RCPTR_38	farmer_child	TOCDFLIC	Acetone	4.5421E-015	9.5288E-015
RCPTR_38	farmer_child	TOCDFLIC	Acetophenone	6.6555E-013	1.3958E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Aniline	4.0105E-014	8.4054E-014
RCPTR_38	farmer_child	TOCDFLIC	Anthracene	2.2388E-009	4.6668E-009
RCPTR_38	farmer_child	TOCDFLIC	Antimony	7.5167E-007	8.6113E-007
RCPTR_38	farmer_child	TOCDFLIC	Arsenic	1.2535E-006	1.2933E-006
RCPTR_38	farmer_child	TOCDFLIC	Barium	1.0835E-007	1.2048E-007
RCPTR_38	farmer_child	TOCDFLIC	Benzene	2.4991E-014	5.2360E-014
RCPTR_38	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.4905E-007	4.3336E-007
RCPTR_38	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.8867E-006	2.9753E-006
RCPTR_38	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.7761E-006	1.9967E-006
RCPTR_38	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.4701E-006	4.5584E-006
RCPTR_38	farmer_child	TOCDFLIC	Benzoic acid	1.6351E-012	3.2953E-012
RCPTR_38	farmer_child	TOCDFLIC	Benzyl alcohol	1.4551E-010	3.0512E-010
RCPTR_38	farmer_child	TOCDFLIC	Beryllium	1.8314E-007	1.9262E-007
RCPTR_38	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	9.0981E-013	1.9087E-012
RCPTR_38	farmer_child	TOCDFLIC	Bromodichloromethane	9.0154E-016	1.8908E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.6319E-012	3.4230E-012
RCPTR_38	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.2575E-008	7.3282E-008
RCPTR_38	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.7506E-009	1.9883E-009
RCPTR_38	farmer_child	TOCDFLIC	Cadmium	2.5699E-008	3.1323E-008
RCPTR_38	farmer_child	TOCDFLIC	Carbon disulfide	5.8830E-015	1.2331E-014
RCPTR_38	farmer_child	TOCDFLIC	Carbon tetrachloride	1.1644E-013	2.4391E-013
RCPTR_38	farmer_child	TOCDFLIC	Chlorine	9.7028E-007	2.0356E-006
RCPTR_38	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.9213E-011	1.5545E-010
RCPTR_38	farmer_child	TOCDFLIC	Chloroaniline, p-	4.2298E-012	8.8629E-012
RCPTR_38	farmer_child	TOCDFLIC	Chlorobenzene	4.6921E-014	9.8208E-014
RCPTR_38	farmer_child	TOCDFLIC	Chloroethane	4.8366E-017	1.0063E-016
RCPTR_38	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.6709E-014	9.7959E-014
RCPTR_38	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.3108E-010	6.9136E-010
RCPTR_38	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.1736E-011	2.4617E-011
RCPTR_38	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.3967E-010	8.6256E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Chromium	8.4534E-007	8.8371E-007
RCPTR_38	farmer_child	TOCDFLIC	Chromium, hexavalent	7.3333E-007	7.4495E-007
RCPTR_38	farmer_child	TOCDFLIC	Chrysene	9.0792E-007	9.9707E-007
RCPTR_38	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0989E-009	1.2404E-009
RCPTR_38	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.2215E+000	5.2215E+000
RCPTR_38	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.1771E-005	6.2404E-005
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	5.3693E-013	1.1154E-012
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	6.4794E-013	1.3507E-012
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	6.2339E-013	1.3007E-012
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.2129E-009	2.6222E-009
RCPTR_38	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.8388E-018	8.0437E-018
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.5626E-016	3.2773E-016
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2000E-015	2.5170E-015
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.9181E-017	1.2406E-016
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.8816E-016	1.2329E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.7101E-011	1.0657E-010
RCPTR_38	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.3110E-015	6.9363E-015
RCPTR_38	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1255E-015	2.3601E-015
RCPTR_38	farmer_child	TOCDFLIC	Diethyl phthalate	6.5480E-010	6.7902E-010
RCPTR_38	farmer_child	TOCDFLIC	Dimethyl phthalate	1.0044E-010	2.0898E-010
RCPTR_38	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.0138E-012	1.6773E-011
RCPTR_38	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.0147E-012	8.0599E-012
RCPTR_38	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	7.4213E-012	1.5361E-011
RCPTR_38	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.7075E-012	1.1856E-011
RCPTR_38	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.7036E-013	3.5737E-013
RCPTR_38	farmer_child	TOCDFLIC	Ethylbenzene	1.1053E-014	2.2946E-014
RCPTR_38	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.2633E-009	2.5842E-009
RCPTR_38	farmer_child	TOCDFLIC	Fluoranthene	3.2657E-008	5.7988E-008
RCPTR_38	farmer_child	TOCDFLIC	Fluorene	4.9952E-010	1.0377E-009
RCPTR_38	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.9295E-012	5.0721E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.6350E-011	1.6721E-011
RCPTR_38	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.7629E-011	3.8686E-011
RCPTR_38	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.2171E-011	4.3176E-011
RCPTR_38	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.4838E-011	2.5616E-011
RCPTR_38	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.0274E-011	2.1014E-011
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.2412E-011	4.4176E-011
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.6885E-011	3.8411E-011
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.7995E-011	3.9552E-011
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.1227E-011	3.2513E-011
RCPTR_38	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.0587E-011	2.1709E-011
RCPTR_38	farmer_child	TOCDFLIC	Hexachlorobenzene	2.1495E-008	4.4217E-008
RCPTR_38	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.8234E-011	5.7586E-011
RCPTR_38	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.4352E-012	1.3421E-011
RCPTR_38	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.5761E-004	4.5897E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Isophorone	1.2184E-012	2.5551E-012
RCPTR_38	farmer_child	TOCDFLIC	Lead	5.0196E-007	5.4135E-007
RCPTR_38	farmer_child	TOCDFLIC	Mercuric chloride	1.0608E-007	1.3202E-007
RCPTR_38	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	6.6535E-017	1.3957E-016
RCPTR_38	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.1739E-016	2.4620E-016
RCPTR_38	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.2355E-014	1.9375E-013
RCPTR_38	farmer_child	TOCDFLIC	Methyl mercury	1.2359E-009	1.3158E-009
RCPTR_38	farmer_child	TOCDFLIC	Methylene chloride	1.2054E-014	2.5283E-014
RCPTR_38	farmer_child	TOCDFLIC	Mustard	1.2480E-013	2.6171E-013
RCPTR_38	farmer_child	TOCDFLIC	Naphthalene	7.9650E-013	1.6656E-012
RCPTR_38	farmer_child	TOCDFLIC	Nickel	2.0521E-006	2.1648E-006
RCPTR_38	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.0792E-011	4.3566E-011
RCPTR_38	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.9455E-012	1.0371E-011
RCPTR_38	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.3905E-012	1.3399E-011
RCPTR_38	farmer_child	TOCDFLIC	Nitrobenzene	2.0562E-012	4.3131E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Nitrophenol, 2-	9.3625E-013	1.9635E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.8205E-012	2.7971E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.1606E-012	2.4318E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.1410E-012	2.3893E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.0267E-013	2.1398E-013
RCPTR_38	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.1302E-012	7.4075E-012
RCPTR_38	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.0170E-012	7.2846E-012
RCPTR_38	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.6989E-011	9.9773E-011
RCPTR_38	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.5452E-011	1.6208E-011
RCPTR_38	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.8244E-011	6.1045E-011
RCPTR_38	farmer_child	TOCDFLIC	Pentachlorobenzene	4.0174E-010	8.1315E-010
RCPTR_38	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.1859E-011	6.3990E-011
RCPTR_38	farmer_child	TOCDFLIC	Pentachlorophenol	4.4783E-009	5.6795E-009
RCPTR_38	farmer_child	TOCDFLIC	Phenanthrene	1.5797E-012	3.2899E-012
RCPTR_38	farmer_child	TOCDFLIC	Phenol	1.6298E-012	3.4160E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Pronamide	1.5676E-010	3.2543E-010
RCPTR_38	farmer_child	TOCDFLIC	Pyrene	5.3768E-008	8.4066E-008
RCPTR_38	farmer_child	TOCDFLIC	Selenium	7.6012E-007	7.6364E-007
RCPTR_38	farmer_child	TOCDFLIC	Silver	2.0862E-006	2.2536E-006
RCPTR_38	farmer_child	TOCDFLIC	Styrene	1.8687E-011	3.9158E-011
RCPTR_38	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.3389E-011	1.4265E-011
RCPTR_38	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.3682E-012	5.8387E-012
RCPTR_38	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.2781E-010	2.6247E-010
RCPTR_38	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.0044E-015	1.2586E-014
RCPTR_38	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.2449E-015	4.7043E-015
RCPTR_38	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0535E-009	1.7854E-009
RCPTR_38	farmer_child	TOCDFLIC	Thallium (l)	2.7022E-006	2.8134E-006
RCPTR_38	farmer_child	TOCDFLIC	Toluene	4.3937E-014	9.1863E-014
RCPTR_38	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.8610E-012	1.0078E-011
RCPTR_38	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.9023E-014	3.9879E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.7370E-014	3.6427E-014
RCPTR_38	farmer_child	TOCDFLIC	Trichloroethylene	2.8253E-015	5.9208E-015
RCPTR_38	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.7129E-016	7.7817E-016
RCPTR_38	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.6294E-010	1.1514E-009
RCPTR_38	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1902E-010	2.3035E-010
RCPTR_38	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	6.4297E-014	1.3481E-013
RCPTR_38	farmer_child	TOCDFLIC	Vinyl Chloride	2.7505E-018	5.7674E-018
RCPTR_38	farmer_child	TOCDFLIC	Xylene, m-	6.7213E-014	1.0410E-013
RCPTR_38	farmer_child	TOCDFLIC	Xylene, o-	6.6723E-014	1.0878E-013
RCPTR_38	farmer_child	TOCDFLIC	Xylene, p-	8.3339E-014	1.4055E-013
RCPTR_38	farmer_child	TOCDFLIC	Zinc	9.0111E-007	1.0475E-006
RCPTR_38	farmer_child	TOCDFMPF	Acenaphthene	1.9390E-010	4.0440E-010
RCPTR_38	farmer_child	TOCDFMPF	Acetone	1.6589E-014	3.4801E-014
RCPTR_38	farmer_child	TOCDFMPF	Acetophenone	1.0658E-012	2.2352E-012
RCPTR_38	farmer_child	TOCDFMPF	Aniline	6.1302E-014	1.2848E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Anthracene	3.4221E-009	7.1334E-009
RCPTR_38	farmer_child	TOCDFMPF	Antimony	1.0251E-008	1.1744E-008
RCPTR_38	farmer_child	TOCDFMPF	Aroclor 1254	1.4179E-010	2.0902E-010
RCPTR_38	farmer_child	TOCDFMPF	Arsenic	6.5208E-008	6.7281E-008
RCPTR_38	farmer_child	TOCDFMPF	Barium	7.6837E-008	8.5440E-008
RCPTR_38	farmer_child	TOCDFMPF	Benzene	2.2333E-014	4.6791E-014
RCPTR_38	farmer_child	TOCDFMPF	Benzo(a)anthracene	5.3354E-007	6.6242E-007
RCPTR_38	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.4124E-006	4.5479E-006
RCPTR_38	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.7149E-006	3.0520E-006
RCPTR_38	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	6.8328E-006	6.9678E-006
RCPTR_38	farmer_child	TOCDFMPF	Benzoic acid	7.2350E-012	1.4581E-011
RCPTR_38	farmer_child	TOCDFMPF	Benzyl alcohol	1.3901E-012	2.9149E-012
RCPTR_38	farmer_child	TOCDFMPF	Beryllium	6.2477E-009	6.5711E-009
RCPTR_38	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.3907E-012	2.9175E-012
RCPTR_38	farmer_child	TOCDFMPF	Bromodichloromethane	2.7386E-014	5.7437E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.5317E-013	1.9993E-012
RCPTR_38	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	6.5077E-008	1.1201E-007
RCPTR_38	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.6759E-009	3.0391E-009
RCPTR_38	farmer_child	TOCDFMPF	Cadmium	1.1742E-007	1.4312E-007
RCPTR_38	farmer_child	TOCDFMPF	Carbon disulfide	2.1506E-015	4.5079E-015
RCPTR_38	farmer_child	TOCDFMPF	Carbon tetrachloride	2.0279E-014	4.2483E-014
RCPTR_38	farmer_child	TOCDFMPF	Chlorine	1.7874E-007	3.7497E-007
RCPTR_38	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2108E-010	2.3762E-010
RCPTR_38	farmer_child	TOCDFMPF	Chloroaniline, p-	6.4654E-012	1.3547E-011
RCPTR_38	farmer_child	TOCDFMPF	Chlorobenzene	8.4174E-014	1.7618E-013
RCPTR_38	farmer_child	TOCDFMPF	Chloroethane	4.7656E-016	9.9151E-016
RCPTR_38	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.4687E-014	3.0802E-014
RCPTR_38	farmer_child	TOCDFMPF	Chloronaphthalene,2-	5.0606E-010	1.0568E-009
RCPTR_38	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.7938E-011	3.7628E-011
RCPTR_38	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.7206E-010	1.3185E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Chromium	1.6053E-007	1.6781E-007
RCPTR_38	farmer_child	TOCDFMPF	Chromium, hexavalent	1.3926E-007	1.4146E-007
RCPTR_38	farmer_child	TOCDFMPF	Chrysene	1.3878E-006	1.5241E-006
RCPTR_38	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.0869E-008	1.2268E-008
RCPTR_38	farmer_child	TOCDFMPF	Di-n-octylphthalate	5.1645E+001	5.1645E+001
RCPTR_38	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	9.4430E-005	9.5397E-005
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	8.2072E-013	1.7049E-012
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	9.9041E-013	2.0645E-012
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	9.5288E-013	1.9882E-012
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.7852E-009	8.0401E-009
RCPTR_38	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.1569E-017	6.6151E-017
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.7466E-015	9.9552E-015
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.8965E-015	1.2368E-014
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.7977E-015	3.7685E-015
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.8900E-015	6.0579E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.7282E-011	1.6289E-010
RCPTR_38	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.6269E-014	3.4083E-014
RCPTR_38	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.3638E-015	1.1248E-014
RCPTR_38	farmer_child	TOCDFMPF	Diethyl phthalate	6.4766E-009	6.7161E-009
RCPTR_38	farmer_child	TOCDFMPF	Dimethyl phthalate	1.0724E-011	2.2313E-011
RCPTR_38	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.2249E-011	2.5638E-011
RCPTR_38	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	7.6514E-012	1.2298E-011
RCPTR_38	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.1344E-011	2.3479E-011
RCPTR_38	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	8.7242E-012	1.8122E-011
RCPTR_38	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.6040E-013	5.4625E-013
RCPTR_38	farmer_child	TOCDFMPF	Ethylbenzene	5.1767E-014	1.0747E-013
RCPTR_38	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.0935E-010	4.6739E-010
RCPTR_38	farmer_child	TOCDFMPF	Fluoranthene	4.9917E-008	8.8636E-008
RCPTR_38	farmer_child	TOCDFMPF	Fluorene	7.6353E-010	1.5862E-009
RCPTR_38	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9226E-011	1.9782E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.5730E-011	2.6313E-011
RCPTR_38	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.4075E-011	4.5312E-011
RCPTR_38	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.2054E-011	1.2341E-011
RCPTR_38	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.5239E-012	5.6969E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.7926E-012	4.9677E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	8.3852E-012	8.7340E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.5609E-012	3.7083E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.1619E-012	3.2914E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.8279E-012	2.9443E-012
RCPTR_38	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.6182E-011	3.3183E-011
RCPTR_38	farmer_child	TOCDFMPF	Hexachlorobenzene	3.2856E-008	6.7587E-008
RCPTR_38	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.3157E-011	8.8022E-011
RCPTR_38	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.8364E-012	2.0514E-011
RCPTR_38	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.9951E-004	7.0159E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Isophorone	1.8623E-012	3.9056E-012
RCPTR_38	farmer_child	TOCDFMPF	Lead	5.7992E-008	6.2542E-008
RCPTR_38	farmer_child	TOCDFMPF	Mercuric chloride	1.8031E-006	2.2440E-006
RCPTR_38	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.4424E-016	7.2210E-016
RCPTR_38	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.0036E-017	4.2021E-017
RCPTR_38	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.8727E-014	3.9287E-014
RCPTR_38	farmer_child	TOCDFMPF	Methyl mercury	2.1007E-008	2.2365E-008
RCPTR_38	farmer_child	TOCDFMPF	Methylene chloride	9.4789E-015	1.9881E-014
RCPTR_38	farmer_child	TOCDFMPF	Mustard	8.8795E-013	1.8620E-012
RCPTR_38	farmer_child	TOCDFMPF	Naphthalene	7.8778E-012	1.6474E-011
RCPTR_38	farmer_child	TOCDFMPF	Nickel	1.2878E-006	1.3586E-006
RCPTR_38	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.1723E-011	6.6472E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitroaniline, 3-	7.5457E-012	1.5824E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitroaniline, 4-	9.7504E-012	2.0443E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitrobenzene	3.1429E-012	6.5927E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.4311E-012	3.0013E-012
RCPTR_38	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.7778E-011	4.2678E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7740E-012	3.7171E-012
RCPTR_38	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.7440E-012	3.6522E-012
RCPTR_38	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.5693E-013	3.2708E-013
RCPTR_38	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.5382E-010	4.7147E-010
RCPTR_38	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	7.9616E-010	8.2652E-010
RCPTR_38	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.0732E-012	5.2188E-012
RCPTR_38	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.7135E-012	7.0416E-012
RCPTR_38	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.9087E-012	4.0966E-012
RCPTR_38	farmer_child	TOCDFMPF	Pentachlorobenzene	1.2259E-010	2.4814E-010
RCPTR_38	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.8610E-011	9.7633E-011
RCPTR_38	farmer_child	TOCDFMPF	Pentachlorophenol	3.4227E-008	4.3407E-008
RCPTR_38	farmer_child	TOCDFMPF	Phenanthrene	2.4147E-012	5.0287E-012
RCPTR_38	farmer_child	TOCDFMPF	Phenol	2.4912E-012	5.2215E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Pronamide	2.3961E-010	4.9743E-010
RCPTR_38	farmer_child	TOCDFMPF	Pyrene	8.2187E-008	1.2850E-007
RCPTR_38	farmer_child	TOCDFMPF	Selenium	1.3339E-008	1.3400E-008
RCPTR_38	farmer_child	TOCDFMPF	Silver	2.8157E-007	3.0416E-007
RCPTR_38	farmer_child	TOCDFMPF	Styrene	4.2608E-013	8.9283E-013
RCPTR_38	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.6020E-012	1.7068E-012
RCPTR_38	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	5.3184E-012	5.7846E-012
RCPTR_38	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.9536E-010	4.0120E-010
RCPTR_38	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.8239E-013	3.8230E-013
RCPTR_38	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.7282E-014	3.6217E-014
RCPTR_38	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.6074E-009	2.7241E-009
RCPTR_38	farmer_child	TOCDFMPF	Thallium (l)	8.2739E-008	8.6143E-008
RCPTR_38	farmer_child	TOCDFMPF	Toluene	2.9475E-014	6.1627E-014
RCPTR_38	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.4302E-012	1.5405E-011
RCPTR_38	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.1164E-014	2.3405E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	8.5349E-014	1.7899E-013
RCPTR_38	farmer_child	TOCDFMPF	Trichloroethylene	1.3882E-014	2.9092E-014
RCPTR_38	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.8312E-014	8.0296E-014
RCPTR_38	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	8.6047E-010	1.7600E-009
RCPTR_38	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.8192E-010	3.5210E-010
RCPTR_38	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.1593E-013	6.6242E-013
RCPTR_38	farmer_child	TOCDFMPF	Vinyl Chloride	7.5463E-018	1.5824E-017
RCPTR_38	farmer_child	TOCDFMPF	Xylene, m-	6.7266E-014	1.0419E-013
RCPTR_38	farmer_child	TOCDFMPF	Xylene, o-	6.6776E-014	1.0887E-013
RCPTR_38	farmer_child	TOCDFMPF	Xylene, p-	8.3405E-014	1.4067E-013
RCPTR_38	farmer_child	TOCDFMPF	Zinc	2.5673E-007	2.9843E-007
RCPTR_38	farmer_child	TOCDHVAC	Mustard	2.8017E-013	5.8751E-013
RCPTR_38	farmer_child	TOCDLIC2	Acenaphthene	1.2685E-010	2.6456E-010
RCPTR_38	farmer_child	TOCDLIC2	Acetone	4.5421E-015	9.5288E-015
RCPTR_38	farmer_child	TOCDLIC2	Acetophenone	6.6555E-013	1.3958E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Aniline	4.0105E-014	8.4054E-014
RCPTR_38	farmer_child	TOCDLIC2	Anthracene	2.2388E-009	4.6668E-009
RCPTR_38	farmer_child	TOCDLIC2	Antimony	7.5167E-007	8.6113E-007
RCPTR_38	farmer_child	TOCDLIC2	Arsenic	1.2535E-006	1.2933E-006
RCPTR_38	farmer_child	TOCDLIC2	Barium	1.0835E-007	1.2048E-007
RCPTR_38	farmer_child	TOCDLIC2	Benzene	2.4991E-014	5.2360E-014
RCPTR_38	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.4905E-007	4.3336E-007
RCPTR_38	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.8867E-006	2.9753E-006
RCPTR_38	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.7761E-006	1.9967E-006
RCPTR_38	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.4701E-006	4.5584E-006
RCPTR_38	farmer_child	TOCDLIC2	Benzoic acid	1.6351E-012	3.2953E-012
RCPTR_38	farmer_child	TOCDLIC2	Benzyl alcohol	1.4551E-010	3.0512E-010
RCPTR_38	farmer_child	TOCDLIC2	Beryllium	1.8314E-007	1.9262E-007
RCPTR_38	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.0981E-013	1.9087E-012
RCPTR_38	farmer_child	TOCDLIC2	Bromodichloromethane	9.0154E-016	1.8908E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.6319E-012	3.4230E-012
RCPTR_38	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	4.2575E-008	7.3282E-008
RCPTR_38	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.7506E-009	1.9883E-009
RCPTR_38	farmer_child	TOCDLIC2	Cadmium	2.5699E-008	3.1323E-008
RCPTR_38	farmer_child	TOCDLIC2	Carbon disulfide	5.8830E-015	1.2331E-014
RCPTR_38	farmer_child	TOCDLIC2	Carbon tetrachloride	1.1644E-013	2.4391E-013
RCPTR_38	farmer_child	TOCDLIC2	Chlorine	9.7028E-007	2.0356E-006
RCPTR_38	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.9213E-011	1.5545E-010
RCPTR_38	farmer_child	TOCDLIC2	Chloroaniline, p-	4.2298E-012	8.8629E-012
RCPTR_38	farmer_child	TOCDLIC2	Chlorobenzene	4.6921E-014	9.8208E-014
RCPTR_38	farmer_child	TOCDLIC2	Chloroethane	4.8366E-017	1.0063E-016
RCPTR_38	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.6709E-014	9.7959E-014
RCPTR_38	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.3108E-010	6.9136E-010
RCPTR_38	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.1736E-011	2.4617E-011
RCPTR_38	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.3967E-010	8.6256E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Chromium	8.4534E-007	8.8371E-007
RCPTR_38	farmer_child	TOCDLIC2	Chromium, hexavalent	7.3333E-007	7.4495E-007
RCPTR_38	farmer_child	TOCDLIC2	Chrysene	9.0792E-007	9.9707E-007
RCPTR_38	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.0989E-009	1.2404E-009
RCPTR_38	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.2215E+000	5.2215E+000
RCPTR_38	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.1771E-005	6.2404E-005
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	5.3693E-013	1.1154E-012
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	6.4794E-013	1.3507E-012
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	6.2339E-013	1.3007E-012
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.2129E-009	2.6222E-009
RCPTR_38	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.8388E-018	8.0437E-018
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.5626E-016	3.2773E-016
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2000E-015	2.5170E-015
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.9181E-017	1.2406E-016
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.8816E-016	1.2329E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.7101E-011	1.0657E-010
RCPTR_38	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.3110E-015	6.9363E-015
RCPTR_38	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1255E-015	2.3601E-015
RCPTR_38	farmer_child	TOCDLIC2	Diethyl phthalate	6.5480E-010	6.7902E-010
RCPTR_38	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0044E-010	2.0898E-010
RCPTR_38	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.0138E-012	1.6773E-011
RCPTR_38	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.0147E-012	8.0599E-012
RCPTR_38	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	7.4213E-012	1.5361E-011
RCPTR_38	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.7075E-012	1.1856E-011
RCPTR_38	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.7036E-013	3.5737E-013
RCPTR_38	farmer_child	TOCDLIC2	Ethylbenzene	1.1053E-014	2.2946E-014
RCPTR_38	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.2633E-009	2.5842E-009
RCPTR_38	farmer_child	TOCDLIC2	Fluoranthene	3.2657E-008	5.7988E-008
RCPTR_38	farmer_child	TOCDLIC2	Fluorene	4.9952E-010	1.0377E-009
RCPTR_38	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.9295E-012	5.0721E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.6350E-011	1.6721E-011
RCPTR_38	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.7629E-011	3.8686E-011
RCPTR_38	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.2171E-011	4.3176E-011
RCPTR_38	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.4838E-011	2.5616E-011
RCPTR_38	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.0274E-011	2.1014E-011
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.2412E-011	4.4176E-011
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.6885E-011	3.8411E-011
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.7995E-011	3.9552E-011
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.1227E-011	3.2513E-011
RCPTR_38	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0587E-011	2.1709E-011
RCPTR_38	farmer_child	TOCDLIC2	Hexachlorobenzene	2.1495E-008	4.4217E-008
RCPTR_38	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.8234E-011	5.7586E-011
RCPTR_38	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.4352E-012	1.3421E-011
RCPTR_38	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.5761E-004	4.5897E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Isophorone	1.2184E-012	2.5551E-012
RCPTR_38	farmer_child	TOCDLIC2	Lead	5.0196E-007	5.4135E-007
RCPTR_38	farmer_child	TOCDLIC2	Mercuric chloride	1.0608E-007	1.3202E-007
RCPTR_38	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	6.6535E-017	1.3957E-016
RCPTR_38	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.1739E-016	2.4620E-016
RCPTR_38	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.2355E-014	1.9375E-013
RCPTR_38	farmer_child	TOCDLIC2	Methyl mercury	1.2359E-009	1.3158E-009
RCPTR_38	farmer_child	TOCDLIC2	Methylene chloride	1.2054E-014	2.5283E-014
RCPTR_38	farmer_child	TOCDLIC2	Mustard	1.2975E-013	2.7207E-013
RCPTR_38	farmer_child	TOCDLIC2	Naphthalene	7.9650E-013	1.6656E-012
RCPTR_38	farmer_child	TOCDLIC2	Nickel	2.0521E-006	2.1648E-006
RCPTR_38	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.0792E-011	4.3566E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.9455E-012	1.0371E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.3905E-012	1.3399E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitrobenzene	2.0562E-012	4.3131E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Nitrophenol, 2-	9.3625E-013	1.9635E-012
RCPTR_38	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.8205E-011	2.7971E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1606E-012	2.4318E-012
RCPTR_38	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.1410E-012	2.3893E-012
RCPTR_38	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.0267E-013	2.1398E-013
RCPTR_38	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.1302E-012	7.4075E-012
RCPTR_38	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.0170E-012	7.2846E-012
RCPTR_38	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	9.6989E-011	9.9773E-011
RCPTR_38	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.5452E-011	1.6208E-011
RCPTR_38	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.8244E-011	6.1045E-011
RCPTR_38	farmer_child	TOCDLIC2	Pentachlorobenzene	4.0174E-010	8.1315E-010
RCPTR_38	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.1859E-011	6.3990E-011
RCPTR_38	farmer_child	TOCDLIC2	Pentachlorophenol	4.4783E-009	5.6795E-009
RCPTR_38	farmer_child	TOCDLIC2	Phenanthrene	1.5797E-012	3.2899E-012
RCPTR_38	farmer_child	TOCDLIC2	Phenol	1.6298E-012	3.4160E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Pronamide	1.5676E-010	3.2543E-010
RCPTR_38	farmer_child	TOCDLIC2	Pyrene	5.3768E-008	8.4066E-008
RCPTR_38	farmer_child	TOCDLIC2	Selenium	7.6012E-007	7.6364E-007
RCPTR_38	farmer_child	TOCDLIC2	Silver	2.0862E-006	2.2536E-006
RCPTR_38	farmer_child	TOCDLIC2	Styrene	1.8687E-011	3.9158E-011
RCPTR_38	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.3389E-011	1.4265E-011
RCPTR_38	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	5.3682E-012	5.8387E-012
RCPTR_38	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.2781E-010	2.6247E-010
RCPTR_38	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.0044E-015	1.2586E-014
RCPTR_38	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.2449E-015	4.7043E-015
RCPTR_38	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0535E-009	1.7854E-009
RCPTR_38	farmer_child	TOCDLIC2	Thallium (l)	2.7022E-006	2.8134E-006
RCPTR_38	farmer_child	TOCDLIC2	Toluene	4.3937E-014	9.1863E-014
RCPTR_38	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.8610E-012	1.0078E-011
RCPTR_38	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.9023E-014	3.9879E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.7370E-014	3.6427E-014
RCPTR_38	farmer_child	TOCDLIC2	Trichloroethylene	2.8253E-015	5.9208E-015
RCPTR_38	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.7129E-016	7.7817E-016
RCPTR_38	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.6294E-010	1.1514E-009
RCPTR_38	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1902E-010	2.3035E-010
RCPTR_38	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	6.4297E-014	1.3481E-013
RCPTR_38	farmer_child	TOCDLIC2	Vinyl Chloride	2.7505E-018	5.7674E-018
RCPTR_38	farmer_child	TOCDLIC2	Xylene, m-	1.3967E-013	2.1634E-013
RCPTR_38	farmer_child	TOCDLIC2	Xylene, o-	1.3865E-013	2.2605E-013
RCPTR_38	farmer_child	TOCDLIC2	Xylene, p-	1.7318E-013	2.9208E-013
RCPTR_38	farmer_child	TOCDLIC2	Zinc	9.0111E-007	1.0475E-006
RCPTR_39	farmer_adult	TOCDFBRA	Antimony	2.7766E-007	3.6136E-007
RCPTR_39	farmer_adult	TOCDFBRA	Arsenic	4.6645E-007	4.9346E-007
RCPTR_39	farmer_adult	TOCDFBRA	Barium	3.8413E-008	4.6961E-008
RCPTR_39	farmer_adult	TOCDFBRA	Beryllium	1.2816E-007	1.4320E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFBRA	Cadmium	2.1017E-008	3.2331E-008
RCPTR_39	farmer_adult	TOCDFBRA	Chromium	3.3573E-006	3.3795E-006
RCPTR_39	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.7728E-006	2.8514E-006
RCPTR_39	farmer_adult	TOCDFBRA	Lead	1.3438E-006	1.5781E-006
RCPTR_39	farmer_adult	TOCDFBRA	Mercuric chloride	2.5551E-004	2.6617E-004
RCPTR_39	farmer_adult	TOCDFBRA	Methyl mercury	2.7705E-006	2.8710E-006
RCPTR_39	farmer_adult	TOCDFBRA	Nickel	1.5240E-006	1.6915E-006
RCPTR_39	farmer_adult	TOCDFBRA	Selenium	5.2622E-007	5.3053E-007
RCPTR_39	farmer_adult	TOCDFBRA	Silver	1.7618E-007	2.0277E-007
RCPTR_39	farmer_adult	TOCDFBRA	Thallium (l)	4.7567E-006	5.1490E-006
RCPTR_39	farmer_adult	TOCDFBRA	Zinc	7.9094E-007	1.0751E-006
RCPTR_39	farmer_adult	TOCDFDFS	Acenaphthene	1.1846E-010	1.5479E-009
RCPTR_39	farmer_adult	TOCDFDFS	Acetone	1.2260E-015	1.7143E-014
RCPTR_39	farmer_adult	TOCDFDFS	Acetophenone	6.1613E-013	8.5854E-012
RCPTR_39	farmer_adult	TOCDFDFS	Aniline	3.5572E-014	4.9176E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Anthracene	2.1025E-009	2.7305E-008
RCPTR_39	farmer_adult	TOCDFDFS	Antimony	1.7146E-008	2.2323E-008
RCPTR_39	farmer_adult	TOCDFDFS	Aroclor 1254	1.9115E-010	4.3798E-010
RCPTR_39	farmer_adult	TOCDFDFS	Arsenic	3.3605E-008	3.5553E-008
RCPTR_39	farmer_adult	TOCDFDFS	Barium	2.1834E-008	2.6700E-008
RCPTR_39	farmer_adult	TOCDFDFS	Benzene	4.4503E-015	6.1270E-014
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.5016E-006	2.5586E-006
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.6683E-005	1.7786E-005
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	9.0628E-006	1.1798E-005
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.5902E-005	2.7218E-005
RCPTR_39	farmer_adult	TOCDFDFS	Benzoic acid	5.9302E-013	5.5814E-012
RCPTR_39	farmer_adult	TOCDFDFS	Benzyl alcohol	8.0206E-013	1.1157E-011
RCPTR_39	farmer_adult	TOCDFDFS	Beryllium	1.8166E-008	2.0300E-008
RCPTR_39	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.9862E-013	1.1167E-011
RCPTR_39	farmer_adult	TOCDFDFS	Bromodichloromethane	1.4238E-015	1.9852E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.2758E-013	3.1760E-012
RCPTR_39	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.5102E-008	4.2875E-007
RCPTR_39	farmer_adult	TOCDFDFS	Butylbenzylphthalate	9.4767E-009	1.1945E-008
RCPTR_39	farmer_adult	TOCDFDFS	Cadmium	6.3388E-009	9.7558E-009
RCPTR_39	farmer_adult	TOCDFDFS	Carbon disulfide	7.9050E-016	1.0945E-014
RCPTR_39	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.2611E-015	1.7337E-014
RCPTR_39	farmer_adult	TOCDFDFS	Chlorine	2.4746E-014	3.4610E-013
RCPTR_39	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1821E-010	9.0959E-010
RCPTR_39	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.7610E-012	5.1853E-011
RCPTR_39	farmer_adult	TOCDFDFS	Chlorobenzene	7.4526E-015	1.0142E-013
RCPTR_39	farmer_adult	TOCDFDFS	Chloroethane	2.2360E-017	2.8463E-016
RCPTR_39	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.8302E-016	1.3694E-014
RCPTR_39	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.0518E-010	4.0449E-009
RCPTR_39	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0312E-011	1.4402E-010
RCPTR_39	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.6050E-010	5.0500E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Chromium	6.2703E-007	6.3118E-007
RCPTR_39	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.1773E-007	5.3241E-007
RCPTR_39	farmer_adult	TOCDFDFS	Chrysene	4.6893E-006	5.8899E-006
RCPTR_39	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.7696E-008	4.7198E-008
RCPTR_39	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.9802E+002	1.9802E+002
RCPTR_39	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.6413E-004	3.7347E-004
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.2168E-013	6.5259E-012
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.0813E-013	7.9023E-012
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.7947E-013	7.6101E-012
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2586E-008	3.1110E-008
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.7346E-018	2.3912E-017
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.1105E-016	5.7306E-015
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.1029E-016	7.1193E-015
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.5651E-016	2.1693E-015
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.5178E-016	3.4871E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.1017E-010	6.2360E-010
RCPTR_39	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.4263E-015	1.9619E-014
RCPTR_39	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.6538E-016	6.4747E-015
RCPTR_39	farmer_adult	TOCDFDFS	Diethyl phthalate	2.4123E-008	2.5750E-008
RCPTR_39	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.0145E-011	1.2905E-010
RCPTR_39	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.2099E-012	9.8131E-011
RCPTR_39	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.5596E-011	4.7203E-011
RCPTR_39	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	7.4876E-012	8.9898E-011
RCPTR_39	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.5508E-012	6.9373E-011
RCPTR_39	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.4961E-013	2.0908E-012
RCPTR_39	farmer_adult	TOCDFDFS	Ethylbenzene	4.9781E-015	6.1869E-014
RCPTR_39	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.5947E-009	2.0298E-009
RCPTR_39	farmer_adult	TOCDFDFS	Fluoranthene	5.8362E-008	3.3966E-007
RCPTR_39	farmer_adult	TOCDFDFS	Fluorene	4.8515E-010	6.0717E-009
RCPTR_39	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.0517E-013	7.5335E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.1370E-013	6.4667E-013
RCPTR_39	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8967E-012	2.0228E-012
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6136E-011	1.7042E-011
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.3618E-012	1.0056E-011
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.1362E-012	7.7522E-012
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.9986E-012	5.4885E-012
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.5292E-012	4.9703E-012
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.3957E-012	5.9164E-012
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.1344E-012	4.5352E-012
RCPTR_39	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.1610E-011	1.2706E-010
RCPTR_39	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.2518E-008	2.5873E-007
RCPTR_39	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.2405E-011	3.3708E-010
RCPTR_39	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.0102E-012	7.8517E-011
RCPTR_39	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.6885E-003	2.7077E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Isophorone	1.0732E-012	1.4949E-011
RCPTR_39	farmer_adult	TOCDFDFS	Lead	1.1322E-007	1.3299E-007
RCPTR_39	farmer_adult	TOCDFDFS	Mercuric chloride	6.4099E-008	6.6816E-008
RCPTR_39	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.7917E-017	2.5021E-016
RCPTR_39	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.5383E-018	4.9326E-017
RCPTR_39	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.7906E-015	1.2289E-013
RCPTR_39	farmer_adult	TOCDFDFS	Methyl mercury	6.6384E-010	6.8946E-010
RCPTR_39	farmer_adult	TOCDFDFS	Methylene chloride	5.2988E-016	7.3914E-015
RCPTR_39	farmer_adult	TOCDFDFS	Mustard	6.2585E-014	8.7067E-013
RCPTR_39	farmer_adult	TOCDFDFS	Naphthalene	4.6802E-012	6.3056E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nickel	2.3388E-006	2.5962E-006
RCPTR_39	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8486E-011	2.5487E-010
RCPTR_39	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.3582E-012	6.0674E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.6466E-012	7.8387E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitrobenzene	1.8071E-012	2.5234E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.2452E-013	1.1488E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.2377E-011	1.6374E-010
RCPTR_39	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0318E-012	1.4227E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0209E-012	1.3979E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.7202E-014	1.2527E-012
RCPTR_39	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1181E-012	1.2203E-012
RCPTR_39	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1768E-012	1.2821E-012
RCPTR_39	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9335E-011	3.1316E-011
RCPTR_39	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.6339E-012	4.0556E-012
RCPTR_39	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4571E-011	1.6228E-011
RCPTR_39	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.9135E-011	9.5168E-010
RCPTR_39	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.1762E-011	3.7526E-010
RCPTR_39	farmer_adult	TOCDFDFS	Pentachlorophenol	1.0416E-007	1.6661E-007
RCPTR_39	farmer_adult	TOCDFDFS	Phenanthrene	1.4973E-012	1.9249E-011
RCPTR_39	farmer_adult	TOCDFDFS	Phenol	1.4449E-012	1.9985E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Pronamide	1.5321E-010	1.9040E-009
RCPTR_39	farmer_adult	TOCDFDFS	Pyrene	8.6750E-008	4.9209E-007
RCPTR_39	farmer_adult	TOCDFDFS	Selenium	3.7910E-008	3.8221E-008
RCPTR_39	farmer_adult	TOCDFDFS	Silver	2.5082E-007	2.8873E-007
RCPTR_39	farmer_adult	TOCDFDFS	Styrene	5.3897E-014	7.4338E-013
RCPTR_39	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	9.0322E-012	1.0468E-011
RCPTR_39	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.7667E-012	3.3747E-012
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.3794E-010	1.5357E-009
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6596E-011	2.3424E-011
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.5105E-015	2.0848E-014
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8530E-009	1.0450E-008
RCPTR_39	farmer_adult	TOCDFDFS	Thallium (l)	3.3534E-005	3.6304E-005
RCPTR_39	farmer_adult	TOCDFDFS	Toluene	2.0725E-015	2.7856E-014
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.8137E-012	5.8967E-011
RCPTR_39	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.2536E-015	1.7384E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.3986E-015	1.0303E-013
RCPTR_39	farmer_adult	TOCDFDFS	Trichloroethylene	1.2127E-015	1.6747E-014
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.6735E-016	2.3132E-015
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	6.2818E-010	6.7367E-009
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.6624E-010	6.7750E-009
RCPTR_39	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.7443E-014	3.8132E-013
RCPTR_39	farmer_adult	TOCDFDFS	Vinyl Chloride	3.9147E-019	5.4424E-018
RCPTR_39	farmer_adult	TOCDFDFS	Xylene, m-	5.5314E-014	1.4182E-013
RCPTR_39	farmer_adult	TOCDFDFS	Xylene, o-	4.2582E-014	1.2874E-013
RCPTR_39	farmer_adult	TOCDFDFS	Xylene, p-	5.5538E-014	1.8970E-013
RCPTR_39	farmer_adult	TOCDFDFS	Zinc	1.0746E-007	1.4612E-007
RCPTR_39	farmer_adult	TOCDFLIC	Acenaphthene	2.3540E-011	3.0764E-010
RCPTR_39	farmer_adult	TOCDFLIC	Acetone	7.9236E-016	1.1080E-014
RCPTR_39	farmer_adult	TOCDFLIC	Acetophenone	1.1647E-013	1.6230E-012
RCPTR_39	farmer_adult	TOCDFLIC	Aniline	7.0697E-015	9.7734E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Anthracene	4.1778E-010	5.4267E-009
RCPTR_39	farmer_adult	TOCDFLIC	Antimony	8.2764E-007	1.0775E-006
RCPTR_39	farmer_adult	TOCDFLIC	Arsenic	1.5308E-006	1.6196E-006
RCPTR_39	farmer_adult	TOCDFLIC	Barium	1.2331E-007	1.5079E-007
RCPTR_39	farmer_adult	TOCDFLIC	Benzene	4.4221E-015	6.0882E-014
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.9770E-007	5.0763E-007
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.3016E-006	3.5190E-006
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.7978E-006	2.3408E-006
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.1285E-006	5.3869E-006
RCPTR_39	farmer_adult	TOCDFLIC	Benzoic acid	4.0723E-013	3.8321E-012
RCPTR_39	farmer_adult	TOCDFLIC	Benzyl alcohol	2.5505E-011	3.5478E-010
RCPTR_39	farmer_adult	TOCDFLIC	Beryllium	2.1575E-007	2.4109E-007
RCPTR_39	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.5872E-013	2.2193E-012
RCPTR_39	farmer_adult	TOCDFLIC	Bromodichloromethane	1.5769E-016	2.1986E-015
RCPTR_39	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.8519E-013	3.9801E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	8.9631E-009	8.5210E-008
RCPTR_39	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8693E-009	2.3599E-009
RCPTR_39	farmer_adult	TOCDFLIC	Cadmium	2.5452E-008	3.9172E-008
RCPTR_39	farmer_adult	TOCDFLIC	Carbon disulfide	1.0356E-015	1.4338E-014
RCPTR_39	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.0629E-014	2.8361E-013
RCPTR_39	farmer_adult	TOCDFLIC	Chlorine	1.6923E-007	2.3668E-006
RCPTR_39	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.3503E-011	1.8078E-010
RCPTR_39	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.4747E-013	1.0305E-011
RCPTR_39	farmer_adult	TOCDFLIC	Chlorobenzene	8.3913E-015	1.1419E-013
RCPTR_39	farmer_adult	TOCDFLIC	Chloroethane	9.1928E-018	1.1701E-016
RCPTR_39	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.1762E-015	1.1390E-013
RCPTR_39	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.0650E-011	8.0390E-010
RCPTR_39	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.0495E-012	2.8623E-011
RCPTR_39	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3116E-010	1.0035E-009
RCPTR_39	farmer_adult	TOCDFLIC	Chromium	1.0988E-006	1.1061E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Chromium, hexavalent	9.0727E-007	9.3300E-007
RCPTR_39	farmer_adult	TOCDFLIC	Chrysene	9.3047E-007	1.1688E-006
RCPTR_39	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.1573E-009	1.4492E-009
RCPTR_39	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.0871E+000	6.0871E+000
RCPTR_39	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2013E-005	7.3818E-005
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0368E-013	1.2970E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.2086E-013	1.5705E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.1516E-013	1.5125E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.2366E-009	3.0829E-009
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.7839E-019	9.3531E-018
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.7334E-017	3.8106E-016
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0978E-016	2.9266E-015
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0407E-017	1.4425E-016
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0350E-016	1.4335E-015
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.1905E-011	1.2395E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.8633E-016	8.0652E-015
RCPTR_39	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9724E-016	2.7442E-015
RCPTR_39	farmer_adult	TOCDFLIC	Diethyl phthalate	7.4154E-010	7.9149E-010
RCPTR_39	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.9098E-011	2.4302E-010
RCPTR_39	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.4330E-012	1.9503E-011
RCPTR_39	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.1005E-012	9.3825E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.4868E-012	1.7865E-011
RCPTR_39	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.1029E-012	1.3787E-011
RCPTR_39	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.9734E-014	4.1553E-013
RCPTR_39	farmer_adult	TOCDFLIC	Ethylbenzene	2.1468E-015	2.6682E-014
RCPTR_39	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.4096E-009	3.0723E-009
RCPTR_39	farmer_adult	TOCDFLIC	Fluoranthene	1.1588E-008	6.7493E-008
RCPTR_39	farmer_adult	TOCDFLIC	Fluorene	9.6406E-011	1.2067E-009
RCPTR_39	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.7719E-012	6.1633E-012
RCPTR_39	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9072E-011	2.0087E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.4007E-011	4.6908E-011
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.9039E-011	5.1770E-011
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.8971E-011	3.1104E-011
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.3720E-011	2.5758E-011
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.9260E-011	5.4078E-011
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.2820E-011	4.6982E-011
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.4056E-011	4.8298E-011
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.6228E-011	3.9732E-011
RCPTR_39	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.3055E-012	2.5250E-011
RCPTR_39	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.4741E-009	5.1420E-008
RCPTR_39	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.4335E-012	6.6985E-011
RCPTR_39	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1945E-012	1.5605E-011
RCPTR_39	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3379E-004	5.3751E-004
RCPTR_39	farmer_adult	TOCDFLIC	Isophorone	2.1329E-013	2.9710E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Lead	5.7663E-007	6.7733E-007
RCPTR_39	farmer_adult	TOCDFLIC	Mercuric chloride	1.4882E-007	1.5514E-007
RCPTR_39	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.1620E-017	1.6228E-016
RCPTR_39	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.0535E-017	2.8627E-016
RCPTR_39	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.6114E-014	2.2528E-013
RCPTR_39	farmer_adult	TOCDFLIC	Methyl mercury	1.5280E-009	1.5877E-009
RCPTR_39	farmer_adult	TOCDFLIC	Methylene chloride	2.1074E-015	2.9397E-014
RCPTR_39	farmer_adult	TOCDFLIC	Mustard	2.1874E-014	3.0430E-013
RCPTR_39	farmer_adult	TOCDFLIC	Naphthalene	1.4375E-013	1.9368E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nickel	2.4416E-006	2.7104E-006
RCPTR_39	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.6741E-012	5.0657E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.6619E-013	1.2059E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1222E-012	1.5579E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nitrobenzene	3.5915E-013	5.0150E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.6387E-013	2.2831E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2406E-012	3.2553E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0507E-013	2.8276E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.0290E-013	2.7782E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.9282E-014	2.4892E-013
RCPTR_39	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.3839E-012	9.1485E-012
RCPTR_39	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.2626E-012	9.0000E-012
RCPTR_39	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1086E-010	1.1831E-010
RCPTR_39	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.7237E-011	1.9236E-011
RCPTR_39	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.5505E-011	7.2955E-011
RCPTR_39	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.8220E-011	9.4695E-010
RCPTR_39	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.2565E-012	7.4540E-011
RCPTR_39	farmer_adult	TOCDFLIC	Pentachlorophenol	4.1363E-009	6.6141E-009
RCPTR_39	farmer_adult	TOCDFLIC	Phenanthrene	2.9755E-013	3.8255E-012
RCPTR_39	farmer_adult	TOCDFLIC	Phenol	2.8716E-013	3.9719E-012
RCPTR_39	farmer_adult	TOCDFLIC	Pronamide	3.0450E-011	3.7841E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Pyrene	1.7236E-008	9.7792E-008
RCPTR_39	farmer_adult	TOCDFLIC	Selenium	9.4870E-007	9.5650E-007
RCPTR_39	farmer_adult	TOCDFLIC	Silver	2.4507E-006	2.8211E-006
RCPTR_39	farmer_adult	TOCDFLIC	Styrene	3.3011E-012	4.5531E-011
RCPTR_39	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4569E-011	1.6886E-011
RCPTR_39	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	5.6364E-012	6.8767E-012
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.7416E-011	3.0521E-010
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.0574E-015	1.4634E-014
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.9628E-016	5.4700E-015
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.6737E-010	2.0773E-009
RCPTR_39	farmer_adult	TOCDFLIC	Thallium (l)	3.2540E-006	3.5228E-006
RCPTR_39	farmer_adult	TOCDFLIC	Toluene	7.9470E-015	1.0682E-013
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.5659E-013	1.1719E-011
RCPTR_39	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.3438E-015	4.6369E-014
RCPTR_39	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.0415E-015	4.2355E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Trichloroethylene	4.9851E-016	6.8844E-015
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.5459E-017	9.0481E-016
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.2487E-010	1.3389E-009
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.8220E-011	2.6789E-010
RCPTR_39	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1281E-014	1.5675E-013
RCPTR_39	farmer_adult	TOCDFLIC	Vinyl Chloride	4.8234E-019	6.7061E-018
RCPTR_39	farmer_adult	TOCDFLIC	Xylene, m-	4.7726E-014	1.2383E-013
RCPTR_39	farmer_adult	TOCDFLIC	Xylene, o-	4.2085E-014	1.2885E-013
RCPTR_39	farmer_adult	TOCDFLIC	Xylene, p-	4.7988E-014	1.6602E-013
RCPTR_39	farmer_adult	TOCDFLIC	Zinc	9.6373E-007	1.3105E-006
RCPTR_39	farmer_adult	TOCDFMPF	Acenaphthene	3.5914E-011	4.6934E-010
RCPTR_39	farmer_adult	TOCDFMPF	Acetone	2.8884E-015	4.0389E-014
RCPTR_39	farmer_adult	TOCDFMPF	Acetophenone	1.8616E-013	2.5940E-012
RCPTR_39	farmer_adult	TOCDFMPF	Aniline	1.0786E-014	1.4911E-013
RCPTR_39	farmer_adult	TOCDFMPF	Anthracene	6.3739E-010	8.2792E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Antimony	1.1279E-008	1.4685E-008
RCPTR_39	farmer_adult	TOCDFMPF	Aroclor 1254	1.0656E-010	2.4499E-010
RCPTR_39	farmer_adult	TOCDFMPF	Arsenic	7.9583E-008	8.4196E-008
RCPTR_39	farmer_adult	TOCDFMPF	Barium	8.7384E-008	1.0686E-007
RCPTR_39	farmer_adult	TOCDFMPF	Benzene	3.9443E-015	5.4303E-014
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.5425E-007	7.7455E-007
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.0384E-006	5.3702E-006
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.7432E-006	3.5716E-006
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.8261E-006	8.2206E-006
RCPTR_39	farmer_adult	TOCDFMPF	Benzoic acid	1.7985E-012	1.6924E-011
RCPTR_39	farmer_adult	TOCDFMPF	Benzyl alcohol	2.4319E-013	3.3829E-012
RCPTR_39	farmer_adult	TOCDFMPF	Beryllium	7.3551E-009	8.2192E-009
RCPTR_39	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.4215E-013	3.3858E-012
RCPTR_39	farmer_adult	TOCDFMPF	Bromodichloromethane	4.7809E-015	6.6659E-014
RCPTR_39	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.6626E-013	2.3203E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3675E-008	1.3000E-007
RCPTR_39	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.8532E-009	3.6016E-009
RCPTR_39	farmer_adult	TOCDFMPF	Cadmium	1.1622E-007	1.7886E-007
RCPTR_39	farmer_adult	TOCDFMPF	Carbon disulfide	3.7786E-016	5.2317E-015
RCPTR_39	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.5862E-015	4.9303E-014
RCPTR_39	farmer_adult	TOCDFMPF	Chlorine	3.1115E-008	4.3517E-007
RCPTR_39	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.5857E-011	2.7581E-010
RCPTR_39	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.1404E-012	1.5722E-011
RCPTR_39	farmer_adult	TOCDFMPF	Chlorobenzene	1.5025E-014	2.0447E-013
RCPTR_39	farmer_adult	TOCDFMPF	Chloroethane	9.0405E-017	1.1507E-015
RCPTR_39	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.5660E-015	3.5747E-014
RCPTR_39	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	9.2531E-011	1.2265E-009
RCPTR_39	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.1268E-012	4.3669E-011
RCPTR_39	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.0011E-010	1.5311E-009
RCPTR_39	farmer_adult	TOCDFMPF	Chromium	2.0852E-007	2.0990E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.7217E-007	1.7705E-007
RCPTR_39	farmer_adult	TOCDFMPF	Chrysene	1.4197E-006	1.7833E-006
RCPTR_39	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.1425E-008	1.4306E-008
RCPTR_39	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.0088E+001	6.0088E+001
RCPTR_39	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.0990E-004	1.1266E-004
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.5817E-013	1.9787E-012
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.8439E-013	2.3961E-012
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.7570E-013	2.3075E-012
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.8463E-009	9.4365E-009
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.5685E-018	7.6773E-017
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.2873E-016	1.1553E-014
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0288E-015	1.4353E-014
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.1553E-016	4.3736E-015
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.0762E-016	7.0304E-015
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.3419E-011	1.8910E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.8755E-015	3.9555E-014
RCPTR_39	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.3824E-016	1.3054E-014
RCPTR_39	farmer_adult	TOCDFMPF	Diethyl phthalate	7.3200E-009	7.8132E-009
RCPTR_39	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.0353E-012	2.5898E-011
RCPTR_39	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.1862E-012	2.9754E-011
RCPTR_39	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.7216E-012	1.4288E-011
RCPTR_39	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.2684E-012	2.7256E-011
RCPTR_39	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.6826E-012	2.1034E-011
RCPTR_39	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.5364E-014	6.3395E-013
RCPTR_39	farmer_adult	TOCDFMPF	Ethylbenzene	1.0036E-014	1.2473E-013
RCPTR_39	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.3521E-010	5.5484E-010
RCPTR_39	farmer_adult	TOCDFMPF	Fluoranthene	1.7681E-008	1.0297E-007
RCPTR_39	farmer_adult	TOCDFMPF	Fluorene	1.4708E-010	1.8410E-009
RCPTR_39	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.2488E-011	2.4014E-011
RCPTR_39	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.9974E-011	3.1569E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.1488E-011	5.4884E-011
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3998E-011	1.4778E-011
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.4364E-012	6.9104E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.6026E-012	6.0841E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.7308E-012	1.0683E-011
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.1303E-012	4.5319E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.6629E-012	4.0156E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.2778E-012	3.5949E-012
RCPTR_39	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.5176E-012	3.8522E-011
RCPTR_39	farmer_adult	TOCDFMPF	Hexachlorobenzene	6.8260E-009	7.8449E-008
RCPTR_39	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	9.8158E-012	1.0220E-010
RCPTR_39	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.8224E-012	2.3807E-011
RCPTR_39	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.1442E-004	8.2011E-004
RCPTR_39	farmer_adult	TOCDFMPF	Isophorone	3.2541E-013	4.5326E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Lead	6.6573E-008	7.8199E-008
RCPTR_39	farmer_adult	TOCDFMPF	Mercuric chloride	2.5254E-006	2.6327E-006
RCPTR_39	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.0009E-017	8.3803E-016
RCPTR_39	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.4982E-018	4.8768E-017
RCPTR_39	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.2614E-015	4.5594E-014
RCPTR_39	farmer_adult	TOCDFMPF	Methyl mercury	2.5944E-008	2.6956E-008
RCPTR_39	farmer_adult	TOCDFMPF	Methylene chloride	1.6541E-015	2.3073E-014
RCPTR_39	farmer_adult	TOCDFMPF	Mustard	1.5533E-013	2.1609E-012
RCPTR_39	farmer_adult	TOCDFMPF	Naphthalene	1.4191E-012	1.9119E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nickel	1.5312E-006	1.6998E-006
RCPTR_39	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.5952E-012	7.7144E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.3191E-012	1.8364E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.7089E-012	2.3726E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitrobenzene	5.4793E-013	7.6511E-012
RCPTR_39	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.5000E-013	3.4832E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.8892E-011	4.9573E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.1287E-013	4.3139E-012
RCPTR_39	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.0956E-013	4.2385E-012
RCPTR_39	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.9421E-014	3.7977E-013
RCPTR_39	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.3326E-010	5.8190E-010
RCPTR_39	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.3687E-010	1.0205E-009
RCPTR_39	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.7897E-012	6.1789E-012
RCPTR_39	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.4774E-012	8.3448E-012
RCPTR_39	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.3899E-012	4.8892E-012
RCPTR_39	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.9924E-011	2.8843E-010
RCPTR_39	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2578E-011	1.1352E-010
RCPTR_39	farmer_adult	TOCDFMPF	Pentachlorophenol	3.1551E-008	5.0453E-008
RCPTR_39	farmer_adult	TOCDFMPF	Phenanthrene	4.5396E-013	5.8363E-012
RCPTR_39	farmer_adult	TOCDFMPF	Phenol	4.3811E-013	6.0598E-012
RCPTR_39	farmer_adult	TOCDFMPF	Pronamide	4.6456E-011	5.7731E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Pyrene	2.6296E-008	1.4920E-007
RCPTR_39	farmer_adult	TOCDFMPF	Selenium	1.6636E-008	1.6773E-008
RCPTR_39	farmer_adult	TOCDFMPF	Silver	3.3054E-007	3.8050E-007
RCPTR_39	farmer_adult	TOCDFMPF	Styrene	7.5125E-014	1.0362E-012
RCPTR_39	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7403E-012	2.0171E-012
RCPTR_39	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.5747E-012	6.8014E-012
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.1827E-011	4.6565E-010
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.2060E-014	4.4368E-013
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.0451E-015	4.2032E-014
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.6400E-010	3.1634E-009
RCPTR_39	farmer_adult	TOCDFMPF	Thallium (l)	9.9565E-008	1.0779E-007
RCPTR_39	farmer_adult	TOCDFMPF	Toluene	5.3212E-015	7.1522E-014
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.4594E-012	1.7879E-011
RCPTR_39	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.9588E-015	2.7163E-014
RCPTR_39	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.4916E-014	2.0772E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Trichloroethylene	2.4449E-015	3.3763E-014
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.7417E-015	9.3187E-014
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.9051E-010	2.0427E-009
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.8309E-011	4.0871E-010
RCPTR_39	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.5328E-014	7.6878E-013
RCPTR_39	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3209E-018	1.8364E-017
RCPTR_39	farmer_adult	TOCDFMPF	Xylene, m-	4.7731E-014	1.2376E-013
RCPTR_39	farmer_adult	TOCDFMPF	Xylene, o-	4.2087E-014	1.2876E-013
RCPTR_39	farmer_adult	TOCDFMPF	Xylene, p-	4.7989E-014	1.6589E-013
RCPTR_39	farmer_adult	TOCDFMPF	Zinc	2.7438E-007	3.7310E-007
RCPTR_39	farmer_adult	TOCDHVAC	Mustard	5.5468E-014	7.7167E-013
RCPTR_39	farmer_adult	TOCDLIC2	Acenaphthene	2.3540E-011	3.0764E-010
RCPTR_39	farmer_adult	TOCDLIC2	Acetone	7.9236E-016	1.1080E-014
RCPTR_39	farmer_adult	TOCDLIC2	Acetophenone	1.1647E-013	1.6230E-012
RCPTR_39	farmer_adult	TOCDLIC2	Aniline	7.0697E-015	9.7734E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Anthracene	4.1778E-010	5.4267E-009
RCPTR_39	farmer_adult	TOCDLIC2	Antimony	8.2764E-007	1.0775E-006
RCPTR_39	farmer_adult	TOCDLIC2	Arsenic	1.5308E-006	1.6196E-006
RCPTR_39	farmer_adult	TOCDLIC2	Barium	1.2331E-007	1.5079E-007
RCPTR_39	farmer_adult	TOCDLIC2	Benzene	4.4221E-015	6.0882E-014
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.9770E-007	5.0763E-007
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.3016E-006	3.5190E-006
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.7978E-006	2.3408E-006
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.1285E-006	5.3869E-006
RCPTR_39	farmer_adult	TOCDLIC2	Benzoic acid	4.0723E-013	3.8321E-012
RCPTR_39	farmer_adult	TOCDLIC2	Benzyl alcohol	2.5505E-011	3.5478E-010
RCPTR_39	farmer_adult	TOCDLIC2	Beryllium	2.1575E-007	2.4109E-007
RCPTR_39	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.5872E-013	2.2193E-012
RCPTR_39	farmer_adult	TOCDLIC2	Bromodichloromethane	1.5769E-016	2.1986E-015
RCPTR_39	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.8519E-013	3.9801E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	8.9631E-009	8.5210E-008
RCPTR_39	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.8693E-009	2.3599E-009
RCPTR_39	farmer_adult	TOCDLIC2	Cadmium	2.5452E-008	3.9172E-008
RCPTR_39	farmer_adult	TOCDLIC2	Carbon disulfide	1.0356E-015	1.4338E-014
RCPTR_39	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.0629E-014	2.8361E-013
RCPTR_39	farmer_adult	TOCDLIC2	Chlorine	1.6923E-007	2.3668E-006
RCPTR_39	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.3503E-011	1.8078E-010
RCPTR_39	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.4747E-013	1.0305E-011
RCPTR_39	farmer_adult	TOCDLIC2	Chlorobenzene	8.3913E-015	1.1419E-013
RCPTR_39	farmer_adult	TOCDLIC2	Chloroethane	9.1928E-018	1.1701E-016
RCPTR_39	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.1762E-015	1.1390E-013
RCPTR_39	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.0650E-011	8.0390E-010
RCPTR_39	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.0495E-012	2.8623E-011
RCPTR_39	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3116E-010	1.0035E-009
RCPTR_39	farmer_adult	TOCDLIC2	Chromium	1.0988E-006	1.1061E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Chromium, hexavalent	9.0727E-007	9.3300E-007
RCPTR_39	farmer_adult	TOCDLIC2	Chrysene	9.3047E-007	1.1688E-006
RCPTR_39	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.1573E-009	1.4492E-009
RCPTR_39	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.0871E+000	6.0871E+000
RCPTR_39	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.2013E-005	7.3818E-005
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.0368E-013	1.2970E-012
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.2086E-013	1.5705E-012
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.1516E-013	1.5125E-012
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.2366E-009	3.0829E-009
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.7839E-019	9.3531E-018
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.7334E-017	3.8106E-016
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0978E-016	2.9266E-015
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0407E-017	1.4425E-016
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0350E-016	1.4335E-015
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.1905E-011	1.2395E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.8633E-016	8.0652E-015
RCPTR_39	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.9724E-016	2.7442E-015
RCPTR_39	farmer_adult	TOCDLIC2	Diethyl phthalate	7.4154E-010	7.9149E-010
RCPTR_39	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.9098E-011	2.4302E-010
RCPTR_39	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.4330E-012	1.9503E-011
RCPTR_39	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.1005E-012	9.3825E-012
RCPTR_39	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.4868E-012	1.7865E-011
RCPTR_39	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.1029E-012	1.3787E-011
RCPTR_39	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.9734E-014	4.1553E-013
RCPTR_39	farmer_adult	TOCDLIC2	Ethylbenzene	2.1468E-015	2.6682E-014
RCPTR_39	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.4096E-009	3.0723E-009
RCPTR_39	farmer_adult	TOCDLIC2	Fluoranthene	1.1588E-008	6.7493E-008
RCPTR_39	farmer_adult	TOCDLIC2	Fluorene	9.6406E-011	1.2067E-009
RCPTR_39	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.7719E-012	6.1633E-012
RCPTR_39	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9072E-011	2.0087E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.4007E-011	4.6908E-011
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.9039E-011	5.1770E-011
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.8971E-011	3.1104E-011
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.3720E-011	2.5758E-011
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.9260E-011	5.4078E-011
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.2820E-011	4.6982E-011
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.4056E-011	4.8298E-011
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.6228E-011	3.9732E-011
RCPTR_39	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.3055E-012	2.5250E-011
RCPTR_39	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.4741E-009	5.1420E-008
RCPTR_39	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.4335E-012	6.6985E-011
RCPTR_39	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.1945E-012	1.5605E-011
RCPTR_39	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3379E-004	5.3751E-004
RCPTR_39	farmer_adult	TOCDLIC2	Isophorone	2.1329E-013	2.9710E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Lead	5.7663E-007	6.7733E-007
RCPTR_39	farmer_adult	TOCDLIC2	Mercuric chloride	1.4882E-007	1.5514E-007
RCPTR_39	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.1620E-017	1.6228E-016
RCPTR_39	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.0535E-017	2.8627E-016
RCPTR_39	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.6114E-014	2.2528E-013
RCPTR_39	farmer_adult	TOCDLIC2	Methyl mercury	1.5280E-009	1.5877E-009
RCPTR_39	farmer_adult	TOCDLIC2	Methylene chloride	2.1074E-015	2.9397E-014
RCPTR_39	farmer_adult	TOCDLIC2	Mustard	2.2740E-014	3.1635E-013
RCPTR_39	farmer_adult	TOCDLIC2	Naphthalene	1.4375E-013	1.9368E-012
RCPTR_39	farmer_adult	TOCDLIC2	Nickel	2.4416E-006	2.7104E-006
RCPTR_39	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.6741E-012	5.0657E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitroaniline, 3-	8.6619E-013	1.2059E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.1222E-012	1.5579E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitrobenzene	3.5915E-013	5.0150E-012
RCPTR_39	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.6387E-013	2.2831E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.2406E-011	3.2553E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.0507E-013	2.8276E-012
RCPTR_39	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.0290E-013	2.7782E-012
RCPTR_39	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.9282E-014	2.4892E-013
RCPTR_39	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.3839E-012	9.1485E-012
RCPTR_39	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.2626E-012	9.0000E-012
RCPTR_39	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1086E-010	1.1831E-010
RCPTR_39	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.7237E-011	1.9236E-011
RCPTR_39	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.5505E-011	7.2955E-011
RCPTR_39	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.8220E-011	9.4695E-010
RCPTR_39	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.2565E-012	7.4540E-011
RCPTR_39	farmer_adult	TOCDLIC2	Pentachlorophenol	4.1363E-009	6.6141E-009
RCPTR_39	farmer_adult	TOCDLIC2	Phenanthrene	2.9755E-013	3.8255E-012
RCPTR_39	farmer_adult	TOCDLIC2	Phenol	2.8716E-013	3.9719E-012
RCPTR_39	farmer_adult	TOCDLIC2	Pronamide	3.0450E-011	3.7841E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Pyrene	1.7236E-008	9.7792E-008
RCPTR_39	farmer_adult	TOCDLIC2	Selenium	9.4870E-007	9.5650E-007
RCPTR_39	farmer_adult	TOCDLIC2	Silver	2.4507E-006	2.8211E-006
RCPTR_39	farmer_adult	TOCDLIC2	Styrene	3.3011E-012	4.5531E-011
RCPTR_39	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4569E-011	1.6886E-011
RCPTR_39	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	5.6364E-012	6.8767E-012
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.7416E-011	3.0521E-010
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.0574E-015	1.4634E-014
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.9628E-016	5.4700E-015
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.6737E-010	2.0773E-009
RCPTR_39	farmer_adult	TOCDLIC2	Thallium (l)	3.2540E-006	3.5228E-006
RCPTR_39	farmer_adult	TOCDLIC2	Toluene	7.9470E-015	1.0682E-013
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.5659E-013	1.1719E-011
RCPTR_39	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.3438E-015	4.6369E-014
RCPTR_39	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.0415E-015	4.2355E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Trichloroethylene	4.9851E-016	6.8844E-015
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.5459E-017	9.0481E-016
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.2487E-010	1.3389E-009
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.8220E-011	2.6789E-010
RCPTR_39	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.1281E-014	1.5675E-013
RCPTR_39	farmer_adult	TOCDLIC2	Vinyl Chloride	4.8234E-019	6.7061E-018
RCPTR_39	farmer_adult	TOCDLIC2	Xylene, m-	9.9178E-014	2.5733E-013
RCPTR_39	farmer_adult	TOCDLIC2	Xylene, o-	8.7455E-014	2.6775E-013
RCPTR_39	farmer_adult	TOCDLIC2	Xylene, p-	9.9723E-014	3.4500E-013
RCPTR_39	farmer_adult	TOCDLIC2	Zinc	9.6373E-007	1.3105E-006
RCPTR_39	farmer_child	TOCDFBRA	Antimony	3.1563E-007	3.6136E-007
RCPTR_39	farmer_child	TOCDFBRA	Arsenic	4.7833E-007	4.9346E-007
RCPTR_39	farmer_child	TOCDFBRA	Barium	4.2254E-008	4.6961E-008
RCPTR_39	farmer_child	TOCDFBRA	Beryllium	1.3618E-007	1.4320E-007
RCPTR_39	farmer_child	TOCDFBRA	Cadmium	2.6546E-008	3.2331E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFBRA	Chromium	3.2335E-006	3.3795E-006
RCPTR_39	farmer_child	TOCDFBRA	Chromium, hexavalent	2.8071E-006	2.8514E-006
RCPTR_39	farmer_child	TOCDFBRA	Lead	1.4638E-006	1.5781E-006
RCPTR_39	farmer_child	TOCDFBRA	Mercuric chloride	2.1520E-004	2.6617E-004
RCPTR_39	farmer_child	TOCDFBRA	Methyl mercury	2.7140E-006	2.8710E-006
RCPTR_39	farmer_child	TOCDFBRA	Nickel	1.6039E-006	1.6915E-006
RCPTR_39	farmer_child	TOCDFBRA	Selenium	5.2810E-007	5.3053E-007
RCPTR_39	farmer_child	TOCDFBRA	Silver	1.8779E-007	2.0277E-007
RCPTR_39	farmer_child	TOCDFBRA	Thallium (l)	4.9466E-006	5.1490E-006
RCPTR_39	farmer_child	TOCDFBRA	Zinc	9.2548E-007	1.0751E-006
RCPTR_39	farmer_child	TOCDFDFS	Acenaphthene	7.4223E-010	1.5479E-009
RCPTR_39	farmer_child	TOCDFDFS	Acetone	8.1719E-015	1.7143E-014
RCPTR_39	farmer_child	TOCDFDFS	Acetophenone	4.0937E-012	8.5854E-012
RCPTR_39	farmer_child	TOCDFDFS	Aniline	2.3464E-013	4.9176E-013
RCPTR_39	farmer_child	TOCDFDFS	Anthracene	1.3100E-008	2.7305E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Antimony	1.9494E-008	2.2323E-008
RCPTR_39	farmer_child	TOCDFDFS	Aroclor 1254	2.9886E-010	4.3798E-010
RCPTR_39	farmer_child	TOCDFDFS	Arsenic	3.4462E-008	3.5553E-008
RCPTR_39	farmer_child	TOCDFDFS	Barium	2.4021E-008	2.6700E-008
RCPTR_39	farmer_child	TOCDFDFS	Benzene	2.9244E-014	6.1270E-014
RCPTR_39	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.0641E-006	2.5586E-006
RCPTR_39	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.7250E-005	1.7786E-005
RCPTR_39	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.0502E-005	1.1798E-005
RCPTR_39	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.6676E-005	2.7218E-005
RCPTR_39	farmer_child	TOCDFDFS	Benzoic acid	2.7698E-012	5.5814E-012
RCPTR_39	farmer_child	TOCDFDFS	Benzyl alcohol	5.3206E-012	1.1157E-011
RCPTR_39	farmer_child	TOCDFDFS	Beryllium	1.9304E-008	2.0300E-008
RCPTR_39	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.3229E-012	1.1167E-011
RCPTR_39	farmer_child	TOCDFDFS	Bromodichloromethane	9.4650E-015	1.9852E-014
RCPTR_39	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.5142E-012	3.1760E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.4909E-007	4.2875E-007
RCPTR_39	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.0554E-008	1.1945E-008
RCPTR_39	farmer_child	TOCDFDFS	Cadmium	8.0086E-009	9.7558E-009
RCPTR_39	farmer_child	TOCDFDFS	Carbon disulfide	5.2216E-015	1.0945E-014
RCPTR_39	farmer_child	TOCDFDFS	Carbon tetrachloride	8.2762E-015	1.7337E-014
RCPTR_39	farmer_child	TOCDFDFS	Chlorine	1.6498E-013	3.4610E-013
RCPTR_39	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.6355E-010	9.0959E-010
RCPTR_39	farmer_child	TOCDFDFS	Chloroaniline, p-	2.4747E-011	5.1853E-011
RCPTR_39	farmer_child	TOCDFDFS	Chlorobenzene	4.8455E-014	1.0142E-013
RCPTR_39	farmer_child	TOCDFDFS	Chloroethane	1.3680E-016	2.8463E-016
RCPTR_39	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.5299E-015	1.3694E-014
RCPTR_39	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.9371E-009	4.0449E-009
RCPTR_39	farmer_child	TOCDFDFS	Chlorophenol, 2-	6.8659E-011	1.4402E-010
RCPTR_39	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.5759E-009	5.0500E-009
RCPTR_39	farmer_child	TOCDFDFS	Chromium	6.0387E-007	6.3118E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Chromium, hexavalent	5.2414E-007	5.3241E-007
RCPTR_39	farmer_child	TOCDFDFS	Chrysene	5.3655E-006	5.8899E-006
RCPTR_39	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.1842E-008	4.7198E-008
RCPTR_39	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.9802E+002	1.9802E+002
RCPTR_39	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.6939E-004	3.7347E-004
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.1417E-012	6.5259E-012
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.7911E-012	7.9023E-012
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.6474E-012	7.6101E-012
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6305E-008	3.1110E-008
RCPTR_39	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1412E-017	2.3912E-017
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.7323E-015	5.7306E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.3942E-015	7.1193E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0348E-015	2.1693E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.6636E-015	3.4871E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.3421E-010	6.2360E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.3651E-015	1.9619E-014
RCPTR_39	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.0876E-015	6.4747E-015
RCPTR_39	farmer_child	TOCDFDFS	Diethyl phthalate	2.4833E-008	2.5750E-008
RCPTR_39	farmer_child	TOCDFDFS	Dimethyl phthalate	6.2032E-011	1.2905E-010
RCPTR_39	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.6885E-011	9.8131E-011
RCPTR_39	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.9389E-011	4.7203E-011
RCPTR_39	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.3449E-011	8.9898E-011
RCPTR_39	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.3401E-011	6.9373E-011
RCPTR_39	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.9667E-013	2.0908E-012
RCPTR_39	farmer_child	TOCDFDFS	Ethylbenzene	2.9803E-014	6.1869E-014
RCPTR_39	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.7846E-009	2.0298E-009
RCPTR_39	farmer_child	TOCDFDFS	Fluoranthene	1.9144E-007	3.3966E-007
RCPTR_39	farmer_child	TOCDFDFS	Fluorene	2.9229E-009	6.0717E-009
RCPTR_39	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.3167E-013	7.5335E-013
RCPTR_39	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.3186E-013	6.4667E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9661E-012	2.0228E-012
RCPTR_39	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6634E-011	1.7042E-011
RCPTR_39	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.7442E-012	1.0056E-011
RCPTR_39	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.4757E-012	7.7522E-012
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.2687E-012	5.4885E-012
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.7722E-012	4.9703E-012
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.6827E-012	5.9164E-012
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.3553E-012	4.5352E-012
RCPTR_39	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.1986E-011	1.2706E-010
RCPTR_39	farmer_child	TOCDFDFS	Hexachlorobenzene	1.2580E-007	2.5873E-007
RCPTR_39	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.6535E-010	3.3708E-010
RCPTR_39	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7650E-011	7.8517E-011
RCPTR_39	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.6989E-003	2.7077E-003
RCPTR_39	farmer_child	TOCDFDFS	Isophorone	7.1280E-012	1.4949E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Lead	1.2334E-007	1.3299E-007
RCPTR_39	farmer_child	TOCDFDFS	Mercuric chloride	5.3830E-008	6.6816E-008
RCPTR_39	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.1928E-016	2.5021E-016
RCPTR_39	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.3519E-017	4.9326E-017
RCPTR_39	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.8581E-014	1.2289E-013
RCPTR_39	farmer_child	TOCDFDFS	Methyl mercury	6.4945E-010	6.8946E-010
RCPTR_39	farmer_child	TOCDFDFS	Methylene chloride	3.5240E-015	7.3914E-015
RCPTR_39	farmer_child	TOCDFDFS	Mustard	4.1521E-013	8.7067E-013
RCPTR_39	farmer_child	TOCDFDFS	Naphthalene	3.0154E-011	6.3056E-011
RCPTR_39	farmer_child	TOCDFDFS	Nickel	2.4616E-006	2.5962E-006
RCPTR_39	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.2164E-010	2.5487E-010
RCPTR_39	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.8932E-011	6.0674E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.7388E-011	7.8387E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitrobenzene	1.2030E-011	2.5234E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.4775E-012	1.1488E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.0661E-010	1.6374E-010
RCPTR_39	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.7899E-012	1.4227E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	6.6753E-012	1.3979E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.0141E-013	1.2527E-012
RCPTR_39	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1743E-012	1.2203E-012
RCPTR_39	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2347E-012	1.2821E-012
RCPTR_39	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.0431E-011	3.1316E-011
RCPTR_39	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.8671E-012	4.0556E-012
RCPTR_39	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.5486E-011	1.6228E-011
RCPTR_39	farmer_child	TOCDFDFS	Pentachlorobenzene	4.7116E-010	9.5168E-010
RCPTR_39	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.8729E-010	3.7526E-010
RCPTR_39	farmer_child	TOCDFDFS	Pentachlorophenol	1.3141E-007	1.6661E-007
RCPTR_39	farmer_child	TOCDFDFS	Phenanthrene	9.2433E-012	1.9249E-011
RCPTR_39	farmer_child	TOCDFDFS	Phenol	9.5353E-012	1.9985E-011
RCPTR_39	farmer_child	TOCDFDFS	Pronamide	9.1720E-010	1.9040E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Pyrene	3.1481E-007	4.9209E-007
RCPTR_39	farmer_child	TOCDFDFS	Selenium	3.8046E-008	3.8221E-008
RCPTR_39	farmer_child	TOCDFDFS	Silver	2.6736E-007	2.8873E-007
RCPTR_39	farmer_child	TOCDFDFS	Styrene	3.5477E-013	7.4338E-013
RCPTR_39	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	9.8295E-012	1.0468E-011
RCPTR_39	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.1048E-012	3.3747E-012
RCPTR_39	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.4789E-010	1.5357E-009
RCPTR_39	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9576E-011	2.3424E-011
RCPTR_39	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.9488E-015	2.0848E-014
RCPTR_39	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.1680E-009	1.0450E-008
RCPTR_39	farmer_child	TOCDFDFS	Thallium (l)	3.4875E-005	3.6304E-005
RCPTR_39	farmer_child	TOCDFDFS	Toluene	1.3323E-014	2.7856E-014
RCPTR_39	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.8444E-011	5.8967E-011
RCPTR_39	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.2925E-015	1.7384E-014
RCPTR_39	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.9130E-014	1.0303E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Trichloroethylene	7.9912E-015	1.6747E-014
RCPTR_39	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1037E-015	2.3132E-015
RCPTR_39	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.2938E-009	6.7367E-009
RCPTR_39	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.5010E-009	6.7750E-009
RCPTR_39	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.8186E-013	3.8132E-013
RCPTR_39	farmer_child	TOCDFDFS	Vinyl Chloride	2.5955E-018	5.4424E-018
RCPTR_39	farmer_child	TOCDFDFS	Xylene, m-	9.3063E-014	1.4182E-013
RCPTR_39	farmer_child	TOCDFDFS	Xylene, o-	8.0179E-014	1.2874E-013
RCPTR_39	farmer_child	TOCDFDFS	Xylene, p-	1.1408E-013	1.8970E-013
RCPTR_39	farmer_child	TOCDFDFS	Zinc	1.2577E-007	1.4612E-007
RCPTR_39	farmer_child	TOCDFLIC	Acenaphthene	1.4751E-010	3.0764E-010
RCPTR_39	farmer_child	TOCDFLIC	Acetone	5.2813E-015	1.1080E-014
RCPTR_39	farmer_child	TOCDFLIC	Acetophenone	7.7387E-013	1.6230E-012
RCPTR_39	farmer_child	TOCDFLIC	Aniline	4.6633E-014	9.7734E-014
RCPTR_39	farmer_child	TOCDFLIC	Anthracene	2.6035E-009	5.4267E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Antimony	9.4097E-007	1.0775E-006
RCPTR_39	farmer_child	TOCDFLIC	Arsenic	1.5699E-006	1.6196E-006
RCPTR_39	farmer_child	TOCDFLIC	Barium	1.3566E-007	1.5079E-007
RCPTR_39	farmer_child	TOCDFLIC	Benzene	2.9059E-014	6.0882E-014
RCPTR_39	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.0942E-007	5.0763E-007
RCPTR_39	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.4135E-006	3.5190E-006
RCPTR_39	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.0836E-006	2.3408E-006
RCPTR_39	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.2805E-006	5.3869E-006
RCPTR_39	farmer_child	TOCDFLIC	Benzoic acid	1.9017E-012	3.8321E-012
RCPTR_39	farmer_child	TOCDFLIC	Benzyl alcohol	1.6919E-010	3.5478E-010
RCPTR_39	farmer_child	TOCDFLIC	Beryllium	2.2927E-007	2.4109E-007
RCPTR_39	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.0579E-012	2.2193E-012
RCPTR_39	farmer_child	TOCDFLIC	Bromodichloromethane	1.0483E-015	2.1986E-015
RCPTR_39	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.8975E-012	3.9801E-012
RCPTR_39	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.9505E-008	8.5210E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.0834E-009	2.3599E-009
RCPTR_39	farmer_child	TOCDFLIC	Cadmium	3.2157E-008	3.9172E-008
RCPTR_39	farmer_child	TOCDFLIC	Carbon disulfide	6.8405E-015	1.4338E-014
RCPTR_39	farmer_child	TOCDFLIC	Carbon tetrachloride	1.3539E-013	2.8361E-013
RCPTR_39	farmer_child	TOCDFLIC	Chlorine	1.1282E-006	2.3668E-006
RCPTR_39	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.2136E-011	1.8078E-010
RCPTR_39	farmer_child	TOCDFLIC	Chloroaniline, p-	4.9182E-012	1.0305E-011
RCPTR_39	farmer_child	TOCDFLIC	Chlorobenzene	5.4559E-014	1.1419E-013
RCPTR_39	farmer_child	TOCDFLIC	Chloroethane	5.6240E-017	1.1701E-016
RCPTR_39	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.4311E-014	1.1390E-013
RCPTR_39	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.8498E-010	8.0390E-010
RCPTR_39	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.3645E-011	2.8623E-011
RCPTR_39	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.1184E-010	1.0035E-009
RCPTR_39	farmer_child	TOCDFLIC	Chromium	1.0582E-006	1.1061E-006
RCPTR_39	farmer_child	TOCDFLIC	Chromium, hexavalent	9.1851E-007	9.3300E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Chrysene	1.0647E-006	1.1688E-006
RCPTR_39	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.2847E-009	1.4492E-009
RCPTR_39	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.0871E+000	6.0871E+000
RCPTR_39	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.3029E-005	7.3818E-005
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.2439E-013	1.2970E-012
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.5345E-013	1.5705E-012
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.2489E-013	1.5125E-012
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6059E-009	3.0829E-009
RCPTR_39	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.4637E-018	9.3531E-018
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.8169E-016	3.8106E-016
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3953E-015	2.9266E-015
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.8812E-017	1.4425E-016
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.8388E-016	1.4335E-015
RCPTR_39	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	6.6433E-011	1.2395E-010
RCPTR_39	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.8499E-015	8.0652E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3087E-015	2.7442E-015
RCPTR_39	farmer_child	TOCDFLIC	Diethyl phthalate	7.6334E-010	7.9149E-010
RCPTR_39	farmer_child	TOCDFLIC	Dimethyl phthalate	1.1681E-010	2.4302E-010
RCPTR_39	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	9.3181E-012	1.9503E-011
RCPTR_39	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.8417E-012	9.3825E-012
RCPTR_39	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.6338E-012	1.7865E-011
RCPTR_39	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.6379E-012	1.3787E-011
RCPTR_39	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.9808E-013	4.1553E-013
RCPTR_39	farmer_child	TOCDFLIC	Ethylbenzene	1.2853E-014	2.6682E-014
RCPTR_39	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.6988E-009	3.0723E-009
RCPTR_39	farmer_child	TOCDFLIC	Fluoranthene	3.8037E-008	6.7493E-008
RCPTR_39	farmer_child	TOCDFLIC	Fluorene	5.8090E-010	1.2067E-009
RCPTR_39	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.9872E-012	6.1633E-012
RCPTR_39	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9631E-011	2.0087E-011
RCPTR_39	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.5604E-011	4.6908E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.0541E-011	5.1770E-011
RCPTR_39	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.0147E-011	3.1104E-011
RCPTR_39	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.4843E-011	2.5758E-011
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.1917E-011	5.4078E-011
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.5113E-011	4.6982E-011
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.6394E-011	4.8298E-011
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.8159E-011	3.9732E-011
RCPTR_39	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.2318E-011	2.5250E-011
RCPTR_39	farmer_child	TOCDFLIC	Hexachlorobenzene	2.5001E-008	5.1420E-008
RCPTR_39	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.2856E-011	6.6985E-011
RCPTR_39	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.4827E-012	1.5605E-011
RCPTR_39	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3581E-004	5.3751E-004
RCPTR_39	farmer_child	TOCDFLIC	Isophorone	1.4166E-012	2.9710E-012
RCPTR_39	farmer_child	TOCDFLIC	Lead	6.2820E-007	6.7733E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Mercuric chloride	1.2491E-007	1.5514E-007
RCPTR_39	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.7363E-017	1.6228E-016
RCPTR_39	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.3649E-016	2.8627E-016
RCPTR_39	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0739E-013	2.2528E-013
RCPTR_39	farmer_child	TOCDFLIC	Methyl mercury	1.4946E-009	1.5877E-009
RCPTR_39	farmer_child	TOCDFLIC	Methylene chloride	1.4016E-014	2.9397E-014
RCPTR_39	farmer_child	TOCDFLIC	Mustard	1.4512E-013	3.0430E-013
RCPTR_39	farmer_child	TOCDFLIC	Naphthalene	9.2616E-013	1.9368E-012
RCPTR_39	farmer_child	TOCDFLIC	Nickel	2.5699E-006	2.7104E-006
RCPTR_39	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.4176E-011	5.0657E-011
RCPTR_39	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.7504E-012	1.2059E-011
RCPTR_39	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.4309E-012	1.5579E-011
RCPTR_39	farmer_child	TOCDFLIC	Nitrobenzene	2.3908E-012	5.0150E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0886E-012	2.2831E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.1198E-012	3.2553E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3494E-012	2.8276E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.3267E-012	2.7782E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.1949E-013	2.4892E-013
RCPTR_39	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.8046E-012	9.1485E-012
RCPTR_39	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.6681E-012	9.0000E-012
RCPTR_39	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1499E-010	1.1831E-010
RCPTR_39	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.8343E-011	1.9236E-011
RCPTR_39	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.9619E-011	7.2955E-011
RCPTR_39	farmer_child	TOCDFLIC	Pentachlorobenzene	4.6858E-010	9.4695E-010
RCPTR_39	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.7180E-011	7.4540E-011
RCPTR_39	farmer_child	TOCDFLIC	Pentachlorophenol	5.2175E-009	6.6141E-009
RCPTR_39	farmer_child	TOCDFLIC	Phenanthrene	1.8370E-012	3.8255E-012
RCPTR_39	farmer_child	TOCDFLIC	Phenol	1.8951E-012	3.9719E-012
RCPTR_39	farmer_child	TOCDFLIC	Pronamide	1.8229E-010	3.7841E-010
RCPTR_39	farmer_child	TOCDFLIC	Pyrene	6.2560E-008	9.7792E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Selenium	9.5210E-007	9.5650E-007
RCPTR_39	farmer_child	TOCDFLIC	Silver	2.6123E-006	2.8211E-006
RCPTR_39	farmer_child	TOCDFLIC	Styrene	2.1729E-011	4.5531E-011
RCPTR_39	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.5856E-011	1.6886E-011
RCPTR_39	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.3262E-012	6.8767E-012
RCPTR_39	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.4864E-010	3.0521E-010
RCPTR_39	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.9817E-015	1.4634E-014
RCPTR_39	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.6103E-015	5.4700E-015
RCPTR_39	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.2262E-009	2.0773E-009
RCPTR_39	farmer_child	TOCDFLIC	Thallium (l)	3.3841E-006	3.5228E-006
RCPTR_39	farmer_child	TOCDFLIC	Toluene	5.1090E-014	1.0682E-013
RCPTR_39	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.6530E-012	1.1719E-011
RCPTR_39	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.2119E-014	4.6369E-014
RCPTR_39	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.0197E-014	4.2355E-014
RCPTR_39	farmer_child	TOCDFLIC	Trichloroethylene	3.2851E-015	6.8844E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.3173E-016	9.0481E-016
RCPTR_39	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.5464E-010	1.3389E-009
RCPTR_39	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.3844E-010	2.6789E-010
RCPTR_39	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.4761E-014	1.5675E-013
RCPTR_39	farmer_child	TOCDFLIC	Vinyl Chloride	3.1982E-018	6.7061E-018
RCPTR_39	farmer_child	TOCDFLIC	Xylene, m-	8.0936E-014	1.2383E-013
RCPTR_39	farmer_child	TOCDFLIC	Xylene, o-	7.9946E-014	1.2885E-013
RCPTR_39	farmer_child	TOCDFLIC	Xylene, p-	9.9493E-014	1.6602E-013
RCPTR_39	farmer_child	TOCDFLIC	Zinc	1.1279E-006	1.3105E-006
RCPTR_39	farmer_child	TOCDFMPF	Acenaphthene	2.2505E-010	4.6934E-010
RCPTR_39	farmer_child	TOCDFMPF	Acetone	1.9252E-014	4.0389E-014
RCPTR_39	farmer_child	TOCDFMPF	Acetophenone	1.2369E-012	2.5940E-012
RCPTR_39	farmer_child	TOCDFMPF	Aniline	7.1145E-014	1.4911E-013
RCPTR_39	farmer_child	TOCDFMPF	Anthracene	3.9721E-009	8.2792E-009
RCPTR_39	farmer_child	TOCDFMPF	Antimony	1.2824E-008	1.4685E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Aroclor 1254	1.6697E-010	2.4499E-010
RCPTR_39	farmer_child	TOCDFMPF	Arsenic	8.1612E-008	8.4196E-008
RCPTR_39	farmer_child	TOCDFMPF	Barium	9.6136E-008	1.0686E-007
RCPTR_39	farmer_child	TOCDFMPF	Benzene	2.5919E-014	5.4303E-014
RCPTR_39	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.2470E-007	7.7455E-007
RCPTR_39	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.2092E-006	5.3702E-006
RCPTR_39	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.1792E-006	3.5716E-006
RCPTR_39	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	8.0581E-006	8.2206E-006
RCPTR_39	farmer_child	TOCDFMPF	Benzoic acid	8.3986E-012	1.6924E-011
RCPTR_39	farmer_child	TOCDFMPF	Benzyl alcohol	1.6133E-012	3.3829E-012
RCPTR_39	farmer_child	TOCDFMPF	Beryllium	7.8160E-009	8.2192E-009
RCPTR_39	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.6140E-012	3.3858E-012
RCPTR_39	farmer_child	TOCDFMPF	Bromodichloromethane	3.1782E-014	6.6659E-014
RCPTR_39	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1062E-012	2.3203E-012
RCPTR_39	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	7.5527E-008	1.3000E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.1798E-009	3.6016E-009
RCPTR_39	farmer_child	TOCDFMPF	Cadmium	1.4683E-007	1.7886E-007
RCPTR_39	farmer_child	TOCDFMPF	Carbon disulfide	2.4959E-015	5.2317E-015
RCPTR_39	farmer_child	TOCDFMPF	Carbon tetrachloride	2.3536E-014	4.9303E-014
RCPTR_39	farmer_child	TOCDFMPF	Chlorine	2.0743E-007	4.3517E-007
RCPTR_39	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4057E-010	2.7581E-010
RCPTR_39	farmer_child	TOCDFMPF	Chloroaniline, p-	7.5034E-012	1.5722E-011
RCPTR_39	farmer_child	TOCDFMPF	Chlorobenzene	9.7691E-014	2.0447E-013
RCPTR_39	farmer_child	TOCDFMPF	Chloroethane	5.5309E-016	1.1507E-015
RCPTR_39	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.7045E-014	3.5747E-014
RCPTR_39	farmer_child	TOCDFMPF	Chloronaphthalene,2-	5.8734E-010	1.2265E-009
RCPTR_39	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.0818E-011	4.3669E-011
RCPTR_39	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.8090E-010	1.5311E-009
RCPTR_39	farmer_child	TOCDFMPF	Chromium	2.0081E-007	2.0990E-007
RCPTR_39	farmer_child	TOCDFMPF	Chromium, hexavalent	1.7430E-007	1.7705E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Chrysene	1.6245E-006	1.7833E-006
RCPTR_39	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.2682E-008	1.4306E-008
RCPTR_39	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.0088E+001	6.0088E+001
RCPTR_39	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.1145E-004	1.1266E-004
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.5260E-013	1.9787E-012
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.1495E-012	2.3961E-012
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.1059E-012	2.3075E-012
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.9766E-009	9.4365E-009
RCPTR_39	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.6640E-017	7.6773E-017
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.5087E-015	1.1553E-014
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.8431E-015	1.4353E-014
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.0863E-015	4.3736E-015
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.3540E-015	7.0304E-015
RCPTR_39	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.0135E-010	1.8910E-010
RCPTR_39	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.8881E-014	3.9555E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.2250E-015	1.3054E-014
RCPTR_39	farmer_child	TOCDFMPF	Diethyl phthalate	7.5352E-009	7.8132E-009
RCPTR_39	farmer_child	TOCDFMPF	Dimethyl phthalate	1.2448E-011	2.5898E-011
RCPTR_39	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.4216E-011	2.9754E-011
RCPTR_39	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.8962E-012	1.4288E-011
RCPTR_39	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.3172E-011	2.7256E-011
RCPTR_39	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0127E-011	2.1034E-011
RCPTR_39	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.0220E-013	6.3395E-013
RCPTR_39	farmer_child	TOCDFMPF	Ethylbenzene	6.0086E-014	1.2473E-013
RCPTR_39	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.8741E-010	5.5484E-010
RCPTR_39	farmer_child	TOCDFMPF	Fluoranthene	5.8031E-008	1.0297E-007
RCPTR_39	farmer_child	TOCDFMPF	Fluorene	8.8625E-010	1.8410E-009
RCPTR_39	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.3327E-011	2.4014E-011
RCPTR_39	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.0853E-011	3.1569E-011
RCPTR_39	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.3358E-011	5.4884E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4427E-011	1.4778E-011
RCPTR_39	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.6976E-012	6.9104E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.8680E-012	6.0841E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0256E-011	1.0683E-011
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.3516E-012	4.5319E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.8573E-012	4.0156E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.4526E-012	3.5949E-012
RCPTR_39	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.8792E-011	3.8522E-011
RCPTR_39	farmer_child	TOCDFMPF	Hexachlorobenzene	3.8142E-008	7.8449E-008
RCPTR_39	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.0127E-011	1.0220E-010
RCPTR_39	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1416E-011	2.3807E-011
RCPTR_39	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.1752E-004	8.2011E-004
RCPTR_39	farmer_child	TOCDFMPF	Isophorone	2.1613E-012	4.5326E-012
RCPTR_39	farmer_child	TOCDFMPF	Lead	7.2527E-008	7.8199E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Mercuric chloride	2.1198E-006	2.6327E-006
RCPTR_39	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.9951E-016	8.3803E-016
RCPTR_39	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.3252E-017	4.8768E-017
RCPTR_39	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.1734E-014	4.5594E-014
RCPTR_39	farmer_child	TOCDFMPF	Methyl mercury	2.5376E-008	2.6956E-008
RCPTR_39	farmer_child	TOCDFMPF	Methylene chloride	1.1001E-014	2.3073E-014
RCPTR_39	farmer_child	TOCDFMPF	Mustard	1.0305E-012	2.1609E-012
RCPTR_39	farmer_child	TOCDFMPF	Naphthalene	9.1429E-012	1.9119E-011
RCPTR_39	farmer_child	TOCDFMPF	Nickel	1.6116E-006	1.6998E-006
RCPTR_39	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.6817E-011	7.7144E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.7571E-012	1.8364E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.1316E-011	2.3726E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitrobenzene	3.6475E-012	7.6511E-012
RCPTR_39	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.6609E-012	3.4832E-012
RCPTR_39	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.2281E-011	4.9573E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.0588E-012	4.3139E-012
RCPTR_39	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.0240E-012	4.2385E-012
RCPTR_39	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.8230E-013	3.7977E-013
RCPTR_39	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.6002E-010	5.8190E-010
RCPTR_39	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.8285E-010	1.0205E-009
RCPTR_39	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.0051E-012	6.1789E-012
RCPTR_39	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.9571E-012	8.3448E-012
RCPTR_39	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.6656E-012	4.8892E-012
RCPTR_39	farmer_child	TOCDFMPF	Pentachlorobenzene	1.4273E-010	2.8843E-010
RCPTR_39	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.6625E-011	1.1352E-010
RCPTR_39	farmer_child	TOCDFMPF	Pentachlorophenol	3.9799E-008	5.0453E-008
RCPTR_39	farmer_child	TOCDFMPF	Phenanthrene	2.8026E-012	5.8363E-012
RCPTR_39	farmer_child	TOCDFMPF	Phenol	2.8912E-012	6.0598E-012
RCPTR_39	farmer_child	TOCDFMPF	Pronamide	2.7810E-010	5.7731E-010
RCPTR_39	farmer_child	TOCDFMPF	Pyrene	9.5445E-008	1.4920E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Selenium	1.6696E-008	1.6773E-008
RCPTR_39	farmer_child	TOCDFMPF	Silver	3.5234E-007	3.8050E-007
RCPTR_39	farmer_child	TOCDFMPF	Styrene	4.9450E-013	1.0362E-012
RCPTR_39	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8941E-012	2.0171E-012
RCPTR_39	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.2569E-012	6.8014E-012
RCPTR_39	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.2677E-010	4.6565E-010
RCPTR_39	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.1168E-013	4.4368E-013
RCPTR_39	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0058E-014	4.2032E-014
RCPTR_39	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8674E-009	3.1634E-009
RCPTR_39	farmer_child	TOCDFMPF	Thallium (l)	1.0355E-007	1.0779E-007
RCPTR_39	farmer_child	TOCDFMPF	Toluene	3.4209E-014	7.1522E-014
RCPTR_39	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.6245E-012	1.7879E-011
RCPTR_39	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2957E-014	2.7163E-014
RCPTR_39	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.9052E-014	2.0772E-013
RCPTR_39	farmer_child	TOCDFMPF	Trichloroethylene	1.6111E-014	3.3763E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.4464E-014	9.3187E-014
RCPTR_39	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	9.9874E-010	2.0427E-009
RCPTR_39	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.1121E-010	4.0871E-010
RCPTR_39	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.6665E-013	7.6878E-013
RCPTR_39	farmer_child	TOCDFMPF	Vinyl Chloride	8.7581E-018	1.8364E-017
RCPTR_39	farmer_child	TOCDFMPF	Xylene, m-	8.0906E-014	1.2376E-013
RCPTR_39	farmer_child	TOCDFMPF	Xylene, o-	7.9908E-014	1.2876E-013
RCPTR_39	farmer_child	TOCDFMPF	Xylene, p-	9.9439E-014	1.6589E-013
RCPTR_39	farmer_child	TOCDFMPF	Zinc	3.2112E-007	3.7310E-007
RCPTR_39	farmer_child	TOCDHVAC	Mustard	3.6800E-013	7.7167E-013
RCPTR_39	farmer_child	TOCDLIC2	Acenaphthene	1.4751E-010	3.0764E-010
RCPTR_39	farmer_child	TOCDLIC2	Acetone	5.2813E-015	1.1080E-014
RCPTR_39	farmer_child	TOCDLIC2	Acetophenone	7.7387E-013	1.6230E-012
RCPTR_39	farmer_child	TOCDLIC2	Aniline	4.6633E-014	9.7734E-014
RCPTR_39	farmer_child	TOCDLIC2	Anthracene	2.6035E-009	5.4267E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Antimony	9.4097E-007	1.0775E-006
RCPTR_39	farmer_child	TOCDLIC2	Arsenic	1.5699E-006	1.6196E-006
RCPTR_39	farmer_child	TOCDLIC2	Barium	1.3566E-007	1.5079E-007
RCPTR_39	farmer_child	TOCDLIC2	Benzene	2.9059E-014	6.0882E-014
RCPTR_39	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.0942E-007	5.0763E-007
RCPTR_39	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.4135E-006	3.5190E-006
RCPTR_39	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.0836E-006	2.3408E-006
RCPTR_39	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.2805E-006	5.3869E-006
RCPTR_39	farmer_child	TOCDLIC2	Benzoic acid	1.9017E-012	3.8321E-012
RCPTR_39	farmer_child	TOCDLIC2	Benzyl alcohol	1.6919E-010	3.5478E-010
RCPTR_39	farmer_child	TOCDLIC2	Beryllium	2.2927E-007	2.4109E-007
RCPTR_39	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.0579E-012	2.2193E-012
RCPTR_39	farmer_child	TOCDLIC2	Bromodichloromethane	1.0483E-015	2.1986E-015
RCPTR_39	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.8975E-012	3.9801E-012
RCPTR_39	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	4.9505E-008	8.5210E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.0834E-009	2.3599E-009
RCPTR_39	farmer_child	TOCDLIC2	Cadmium	3.2157E-008	3.9172E-008
RCPTR_39	farmer_child	TOCDLIC2	Carbon disulfide	6.8405E-015	1.4338E-014
RCPTR_39	farmer_child	TOCDLIC2	Carbon tetrachloride	1.3539E-013	2.8361E-013
RCPTR_39	farmer_child	TOCDLIC2	Chlorine	1.1282E-006	2.3668E-006
RCPTR_39	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	9.2136E-011	1.8078E-010
RCPTR_39	farmer_child	TOCDLIC2	Chloroaniline, p-	4.9182E-012	1.0305E-011
RCPTR_39	farmer_child	TOCDLIC2	Chlorobenzene	5.4559E-014	1.1419E-013
RCPTR_39	farmer_child	TOCDLIC2	Chloroethane	5.6240E-017	1.1701E-016
RCPTR_39	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.4311E-014	1.1390E-013
RCPTR_39	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.8498E-010	8.0390E-010
RCPTR_39	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.3645E-011	2.8623E-011
RCPTR_39	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.1184E-010	1.0035E-009
RCPTR_39	farmer_child	TOCDLIC2	Chromium	1.0582E-006	1.1061E-006
RCPTR_39	farmer_child	TOCDLIC2	Chromium, hexavalent	9.1851E-007	9.3300E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Chrysene	1.0647E-006	1.1688E-006
RCPTR_39	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2847E-009	1.4492E-009
RCPTR_39	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.0871E+000	6.0871E+000
RCPTR_39	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.3029E-005	7.3818E-005
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.2439E-013	1.2970E-012
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.5345E-013	1.5705E-012
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.2489E-013	1.5125E-012
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.6059E-009	3.0829E-009
RCPTR_39	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.4637E-018	9.3531E-018
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.8169E-016	3.8106E-016
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3953E-015	2.9266E-015
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.8812E-017	1.4425E-016
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.8388E-016	1.4335E-015
RCPTR_39	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	6.6433E-011	1.2395E-010
RCPTR_39	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.8499E-015	8.0652E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3087E-015	2.7442E-015
RCPTR_39	farmer_child	TOCDLIC2	Diethyl phthalate	7.6334E-010	7.9149E-010
RCPTR_39	farmer_child	TOCDLIC2	Dimethyl phthalate	1.1681E-010	2.4302E-010
RCPTR_39	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	9.3181E-012	1.9503E-011
RCPTR_39	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.8417E-012	9.3825E-012
RCPTR_39	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.6338E-012	1.7865E-011
RCPTR_39	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.6379E-012	1.3787E-011
RCPTR_39	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.9808E-013	4.1553E-013
RCPTR_39	farmer_child	TOCDLIC2	Ethylbenzene	1.2853E-014	2.6682E-014
RCPTR_39	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.6988E-009	3.0723E-009
RCPTR_39	farmer_child	TOCDLIC2	Fluoranthene	3.8037E-008	6.7493E-008
RCPTR_39	farmer_child	TOCDLIC2	Fluorene	5.8090E-010	1.2067E-009
RCPTR_39	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.9872E-012	6.1633E-012
RCPTR_39	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9631E-011	2.0087E-011
RCPTR_39	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.5604E-011	4.6908E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.0541E-011	5.1770E-011
RCPTR_39	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.0147E-011	3.1104E-011
RCPTR_39	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.4843E-011	2.5758E-011
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.1917E-011	5.4078E-011
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.5113E-011	4.6982E-011
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.6394E-011	4.8298E-011
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.8159E-011	3.9732E-011
RCPTR_39	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2318E-011	2.5250E-011
RCPTR_39	farmer_child	TOCDLIC2	Hexachlorobenzene	2.5001E-008	5.1420E-008
RCPTR_39	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.2856E-011	6.6985E-011
RCPTR_39	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.4827E-012	1.5605E-011
RCPTR_39	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3581E-004	5.3751E-004
RCPTR_39	farmer_child	TOCDLIC2	Isophorone	1.4166E-012	2.9710E-012
RCPTR_39	farmer_child	TOCDLIC2	Lead	6.2820E-007	6.7733E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Mercuric chloride	1.2491E-007	1.5514E-007
RCPTR_39	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.7363E-017	1.6228E-016
RCPTR_39	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.3649E-016	2.8627E-016
RCPTR_39	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0739E-013	2.2528E-013
RCPTR_39	farmer_child	TOCDLIC2	Methyl mercury	1.4946E-009	1.5877E-009
RCPTR_39	farmer_child	TOCDLIC2	Methylene chloride	1.4016E-014	2.9397E-014
RCPTR_39	farmer_child	TOCDLIC2	Mustard	1.5086E-013	3.1635E-013
RCPTR_39	farmer_child	TOCDLIC2	Naphthalene	9.2616E-013	1.9368E-012
RCPTR_39	farmer_child	TOCDLIC2	Nickel	2.5699E-006	2.7104E-006
RCPTR_39	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.4176E-011	5.0657E-011
RCPTR_39	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.7504E-012	1.2059E-011
RCPTR_39	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.4309E-012	1.5579E-011
RCPTR_39	farmer_child	TOCDLIC2	Nitrobenzene	2.3908E-012	5.0150E-012
RCPTR_39	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0886E-012	2.2831E-012
RCPTR_39	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.1198E-011	3.2553E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3494E-012	2.8276E-012
RCPTR_39	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.3267E-012	2.7782E-012
RCPTR_39	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.1949E-013	2.4892E-013
RCPTR_39	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.8046E-012	9.1485E-012
RCPTR_39	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.6681E-012	9.0000E-012
RCPTR_39	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1499E-010	1.1831E-010
RCPTR_39	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.8343E-011	1.9236E-011
RCPTR_39	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.9619E-011	7.2955E-011
RCPTR_39	farmer_child	TOCDLIC2	Pentachlorobenzene	4.6858E-010	9.4695E-010
RCPTR_39	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.7180E-011	7.4540E-011
RCPTR_39	farmer_child	TOCDLIC2	Pentachlorophenol	5.2175E-009	6.6141E-009
RCPTR_39	farmer_child	TOCDLIC2	Phenanthrene	1.8370E-012	3.8255E-012
RCPTR_39	farmer_child	TOCDLIC2	Phenol	1.8951E-012	3.9719E-012
RCPTR_39	farmer_child	TOCDLIC2	Pronamide	1.8229E-010	3.7841E-010
RCPTR_39	farmer_child	TOCDLIC2	Pyrene	6.2560E-008	9.7792E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Selenium	9.5210E-007	9.5650E-007
RCPTR_39	farmer_child	TOCDLIC2	Silver	2.6123E-006	2.8211E-006
RCPTR_39	farmer_child	TOCDLIC2	Styrene	2.1729E-011	4.5531E-011
RCPTR_39	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5856E-011	1.6886E-011
RCPTR_39	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.3262E-012	6.8767E-012
RCPTR_39	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.4864E-010	3.0521E-010
RCPTR_39	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.9817E-015	1.4634E-014
RCPTR_39	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.6103E-015	5.4700E-015
RCPTR_39	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.2262E-009	2.0773E-009
RCPTR_39	farmer_child	TOCDLIC2	Thallium (l)	3.3841E-006	3.5228E-006
RCPTR_39	farmer_child	TOCDLIC2	Toluene	5.1090E-014	1.0682E-013
RCPTR_39	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.6530E-012	1.1719E-011
RCPTR_39	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.2119E-014	4.6369E-014
RCPTR_39	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.0197E-014	4.2355E-014
RCPTR_39	farmer_child	TOCDLIC2	Trichloroethylene	3.2851E-015	6.8844E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.3173E-016	9.0481E-016
RCPTR_39	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.5464E-010	1.3389E-009
RCPTR_39	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3844E-010	2.6789E-010
RCPTR_39	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.4761E-014	1.5675E-013
RCPTR_39	farmer_child	TOCDLIC2	Vinyl Chloride	3.1982E-018	6.7061E-018
RCPTR_39	farmer_child	TOCDLIC2	Xylene, m-	1.6819E-013	2.5733E-013
RCPTR_39	farmer_child	TOCDLIC2	Xylene, o-	1.6613E-013	2.6775E-013
RCPTR_39	farmer_child	TOCDLIC2	Xylene, p-	2.0675E-013	3.4500E-013
RCPTR_39	farmer_child	TOCDLIC2	Zinc	1.1279E-006	1.3105E-006
RCPTR_40	farmer_adult	TOCDFBRA	Antimony	2.2773E-007	2.9618E-007
RCPTR_40	farmer_adult	TOCDFBRA	Arsenic	3.8260E-007	4.0468E-007
RCPTR_40	farmer_adult	TOCDFBRA	Barium	3.1506E-008	3.8497E-008
RCPTR_40	farmer_adult	TOCDFBRA	Beryllium	1.0510E-007	1.1740E-007
RCPTR_40	farmer_adult	TOCDFBRA	Cadmium	1.7237E-008	2.6489E-008
RCPTR_40	farmer_adult	TOCDFBRA	Chromium	2.7524E-006	2.7705E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.2744E-006	2.3386E-006
RCPTR_40	farmer_adult	TOCDFBRA	Lead	1.1018E-006	1.2934E-006
RCPTR_40	farmer_adult	TOCDFBRA	Mercuric chloride	2.0301E-004	2.1144E-004
RCPTR_40	farmer_adult	TOCDFBRA	Methyl mercury	2.2401E-006	2.3195E-006
RCPTR_40	farmer_adult	TOCDFBRA	Nickel	1.2500E-006	1.3870E-006
RCPTR_40	farmer_adult	TOCDFBRA	Selenium	4.3162E-007	4.3515E-007
RCPTR_40	farmer_adult	TOCDFBRA	Silver	1.4451E-007	1.6625E-007
RCPTR_40	farmer_adult	TOCDFBRA	Thallium (l)	3.9015E-006	4.2224E-006
RCPTR_40	farmer_adult	TOCDFBRA	Zinc	6.4870E-007	8.8109E-007
RCPTR_40	farmer_adult	TOCDFDFS	Acenaphthene	1.3258E-010	1.7315E-009
RCPTR_40	farmer_adult	TOCDFDFS	Acetone	1.3714E-015	1.9176E-014
RCPTR_40	farmer_adult	TOCDFDFS	Acetophenone	6.8920E-013	9.6034E-012
RCPTR_40	farmer_adult	TOCDFDFS	Aniline	3.9794E-014	5.5007E-013
RCPTR_40	farmer_adult	TOCDFDFS	Anthracene	2.3535E-009	3.0545E-008
RCPTR_40	farmer_adult	TOCDFDFS	Antimony	1.9877E-008	2.5845E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Aroclor 1254	2.1641E-010	4.9252E-010
RCPTR_40	farmer_adult	TOCDFDFS	Arsenic	3.8961E-008	4.1207E-008
RCPTR_40	farmer_adult	TOCDFDFS	Barium	2.5312E-008	3.0922E-008
RCPTR_40	farmer_adult	TOCDFDFS	Benzene	4.9786E-015	6.8535E-014
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.6942E-006	2.8772E-006
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.8862E-005	2.0106E-005
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.0223E-005	1.3285E-005
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.9271E-005	3.0761E-005
RCPTR_40	farmer_adult	TOCDFDFS	Benzoic acid	6.6484E-013	6.2446E-012
RCPTR_40	farmer_adult	TOCDFDFS	Benzyl alcohol	8.9720E-013	1.2480E-011
RCPTR_40	farmer_adult	TOCDFDFS	Beryllium	2.1053E-008	2.3513E-008
RCPTR_40	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.9331E-013	1.2491E-011
RCPTR_40	farmer_adult	TOCDFDFS	Bromodichloromethane	1.5926E-015	2.2205E-014
RCPTR_40	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.5456E-013	3.5526E-012
RCPTR_40	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	5.0453E-008	4.7959E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.0745E-008	1.3507E-008
RCPTR_40	farmer_adult	TOCDFDFS	Cadmium	7.3472E-009	1.1287E-008
RCPTR_40	farmer_adult	TOCDFDFS	Carbon disulfide	8.8429E-016	1.2243E-014
RCPTR_40	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.4108E-015	1.9393E-014
RCPTR_40	farmer_adult	TOCDFDFS	Chlorine	2.7680E-014	3.8714E-013
RCPTR_40	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.3263E-010	1.0178E-009
RCPTR_40	farmer_adult	TOCDFDFS	Chloroaniline, p-	4.2073E-012	5.8001E-011
RCPTR_40	farmer_adult	TOCDFDFS	Chlorobenzene	8.3380E-015	1.1344E-013
RCPTR_40	farmer_adult	TOCDFDFS	Chloroethane	2.5026E-017	3.1839E-016
RCPTR_40	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.0996E-015	1.5318E-014
RCPTR_40	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.4151E-010	4.5247E-009
RCPTR_40	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.1535E-011	1.6110E-010
RCPTR_40	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	7.4190E-010	5.6519E-009
RCPTR_40	farmer_adult	TOCDFDFS	Chromium	7.2627E-007	7.3105E-007
RCPTR_40	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.0026E-007	6.1719E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Chrysene	5.2882E-006	6.6330E-006
RCPTR_40	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.2471E-008	5.3101E-008
RCPTR_40	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.2288E+002	2.2288E+002
RCPTR_40	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.1209E-004	4.2285E-004
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.8403E-013	7.3001E-012
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.8062E-013	8.8397E-012
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.4849E-013	8.5127E-012
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.5515E-008	3.5058E-008
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.9406E-018	2.6748E-017
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.5980E-016	6.4100E-015
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.7081E-016	7.9634E-015
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.7507E-016	2.4265E-015
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.8165E-016	3.9006E-015
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.2373E-010	6.9804E-010
RCPTR_40	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.5956E-015	2.1946E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.2059E-016	7.2424E-015
RCPTR_40	farmer_adult	TOCDFDFS	Diethyl phthalate	2.7152E-008	2.8971E-008
RCPTR_40	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.1358E-011	1.4436E-010
RCPTR_40	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	8.0662E-012	1.0977E-010
RCPTR_40	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.7545E-011	5.2900E-011
RCPTR_40	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	8.3911E-012	1.0057E-010
RCPTR_40	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	6.2154E-012	7.7605E-011
RCPTR_40	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.6735E-013	2.3387E-012
RCPTR_40	farmer_adult	TOCDFDFS	Ethylbenzene	5.5734E-015	6.9210E-014
RCPTR_40	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.8095E-009	2.2963E-009
RCPTR_40	farmer_adult	TOCDFDFS	Fluoranthene	6.5602E-008	3.8027E-007
RCPTR_40	farmer_adult	TOCDFDFS	Fluorene	5.4317E-010	6.7921E-009
RCPTR_40	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.0369E-013	8.5862E-013
RCPTR_40	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.9700E-013	7.3454E-013
RCPTR_40	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1603E-012	2.3039E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8316E-011	1.9346E-011
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.0668E-011	1.1458E-011
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.1551E-012	8.8573E-012
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.7108E-012	6.2679E-012
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.1732E-012	5.6748E-012
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.1599E-012	6.7517E-012
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.7211E-012	5.1766E-012
RCPTR_40	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.3017E-011	1.4215E-010
RCPTR_40	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.5227E-008	2.8945E-007
RCPTR_40	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.6352E-011	3.7715E-010
RCPTR_40	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.7258E-012	8.7830E-011
RCPTR_40	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.0313E-003	3.0534E-003
RCPTR_40	farmer_adult	TOCDFDFS	Isophorone	1.2005E-012	1.6721E-011
RCPTR_40	farmer_adult	TOCDFDFS	Lead	1.3116E-007	1.5396E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Mercuric chloride	7.2033E-008	7.5075E-008
RCPTR_40	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	2.0041E-017	2.7988E-016
RCPTR_40	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.9579E-018	5.5175E-017
RCPTR_40	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.8328E-015	1.3746E-013
RCPTR_40	farmer_adult	TOCDFDFS	Methyl mercury	7.5486E-010	7.8354E-010
RCPTR_40	farmer_adult	TOCDFDFS	Methylene chloride	5.9271E-016	8.2678E-015
RCPTR_40	farmer_adult	TOCDFDFS	Mustard	7.0008E-014	9.7391E-013
RCPTR_40	farmer_adult	TOCDFDFS	Naphthalene	5.2367E-012	7.0534E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nickel	2.7114E-006	3.0083E-006
RCPTR_40	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.0680E-011	2.8510E-010
RCPTR_40	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.8751E-012	6.7868E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitroaniline, 4-	6.3170E-012	8.7681E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitrobenzene	2.0214E-012	2.8225E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitrophenol, 2-	9.2231E-013	1.2850E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.0157E-011	1.8354E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.1543E-012	1.5914E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.1421E-012	1.5636E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.0904E-013	1.4015E-012
RCPTR_40	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2806E-012	1.3973E-012
RCPTR_40	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.3480E-012	1.4682E-012
RCPTR_40	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3188E-011	3.5424E-011
RCPTR_40	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.1129E-012	4.5873E-012
RCPTR_40	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6527E-011	1.8396E-011
RCPTR_40	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1163E-010	1.0653E-009
RCPTR_40	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.7064E-011	4.2010E-010
RCPTR_40	farmer_adult	TOCDFDFS	Pentachlorophenol	1.1721E-007	1.8706E-007
RCPTR_40	farmer_adult	TOCDFDFS	Phenanthrene	1.6760E-012	2.1532E-011
RCPTR_40	farmer_adult	TOCDFDFS	Phenol	1.6163E-012	2.2355E-011
RCPTR_40	farmer_adult	TOCDFDFS	Pronamide	1.7152E-010	2.1299E-009
RCPTR_40	farmer_adult	TOCDFDFS	Pyrene	9.7260E-008	5.5067E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Selenium	4.3953E-008	4.4312E-008
RCPTR_40	farmer_adult	TOCDFDFS	Silver	2.9078E-007	3.3450E-007
RCPTR_40	farmer_adult	TOCDFDFS	Styrene	6.0294E-014	8.3153E-013
RCPTR_40	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0215E-011	1.1827E-011
RCPTR_40	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.1238E-012	3.8054E-012
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.5454E-010	1.7180E-009
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8677E-011	2.6314E-011
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.6898E-015	2.3320E-014
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.2075E-009	1.1705E-008
RCPTR_40	farmer_adult	TOCDFDFS	Thallium (l)	3.8878E-005	4.2072E-005
RCPTR_40	farmer_adult	TOCDFDFS	Toluene	2.3189E-015	3.1159E-014
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.3901E-012	6.5964E-011
RCPTR_40	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.4024E-015	1.9446E-014
RCPTR_40	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	8.2760E-015	1.1525E-013
RCPTR_40	farmer_adult	TOCDFDFS	Trichloroethylene	1.3566E-015	1.8732E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.8721E-016	2.5875E-015
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	7.0377E-010	7.5366E-009
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0845E-009	7.5820E-009
RCPTR_40	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.0698E-014	4.2653E-013
RCPTR_40	farmer_adult	TOCDFDFS	Vinyl Chloride	4.3794E-019	6.0877E-018
RCPTR_40	farmer_adult	TOCDFDFS	Xylene, m-	6.3336E-014	1.6010E-013
RCPTR_40	farmer_adult	TOCDFDFS	Xylene, o-	4.8716E-014	1.4509E-013
RCPTR_40	farmer_adult	TOCDFDFS	Xylene, p-	6.3486E-014	2.1356E-013
RCPTR_40	farmer_adult	TOCDFDFS	Zinc	1.2457E-007	1.6914E-007
RCPTR_40	farmer_adult	TOCDFLIC	Acenaphthene	2.6438E-011	3.4533E-010
RCPTR_40	farmer_adult	TOCDFLIC	Acetone	8.8942E-016	1.2437E-014
RCPTR_40	farmer_adult	TOCDFLIC	Acetophenone	1.3074E-013	1.8218E-012
RCPTR_40	farmer_adult	TOCDFLIC	Aniline	7.9364E-015	1.0971E-013
RCPTR_40	farmer_adult	TOCDFLIC	Anthracene	4.6928E-010	6.0917E-009
RCPTR_40	farmer_adult	TOCDFLIC	Antimony	9.6006E-007	1.2483E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Arsenic	1.7760E-006	1.8784E-006
RCPTR_40	farmer_adult	TOCDFLIC	Barium	1.4304E-007	1.7474E-007
RCPTR_40	farmer_adult	TOCDFLIC	Benzene	4.9643E-015	6.8339E-014
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3695E-007	5.7271E-007
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.7439E-006	3.9896E-006
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0345E-006	2.6445E-006
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.8131E-006	6.1061E-006
RCPTR_40	farmer_adult	TOCDFLIC	Benzoic acid	4.5816E-013	4.3025E-012
RCPTR_40	farmer_adult	TOCDFLIC	Benzyl alcohol	2.8630E-011	3.9824E-010
RCPTR_40	farmer_adult	TOCDFLIC	Beryllium	2.5019E-007	2.7942E-007
RCPTR_40	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.7816E-013	2.4911E-012
RCPTR_40	farmer_adult	TOCDFLIC	Bromodichloromethane	1.7700E-016	2.4679E-015
RCPTR_40	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.2013E-013	4.4676E-012
RCPTR_40	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.0062E-008	9.5648E-008
RCPTR_40	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.1250E-009	2.6757E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Cadmium	2.9521E-008	4.5347E-008
RCPTR_40	farmer_adult	TOCDFLIC	Carbon disulfide	1.1625E-015	1.6095E-014
RCPTR_40	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.3159E-014	3.1835E-013
RCPTR_40	farmer_adult	TOCDFLIC	Chlorine	1.8996E-007	2.6567E-006
RCPTR_40	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.6463E-011	2.0301E-010
RCPTR_40	farmer_adult	TOCDFLIC	Chloroaniline, p-	8.3912E-013	1.1568E-011
RCPTR_40	farmer_adult	TOCDFLIC	Chlorobenzene	9.4212E-015	1.2818E-013
RCPTR_40	farmer_adult	TOCDFLIC	Chloroethane	1.0325E-017	1.3135E-016
RCPTR_40	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	9.1779E-015	1.2785E-013
RCPTR_40	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.8108E-011	9.0240E-010
RCPTR_40	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.3006E-012	3.2129E-011
RCPTR_40	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.4782E-010	1.1271E-009
RCPTR_40	farmer_adult	TOCDFLIC	Chromium	1.2735E-006	1.2819E-006
RCPTR_40	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.0526E-006	1.0823E-006
RCPTR_40	farmer_adult	TOCDFLIC	Chrysene	1.0527E-006	1.3205E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.3084E-009	1.6360E-009
RCPTR_40	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.8757E+000	6.8757E+000
RCPTR_40	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.1727E-005	8.3809E-005
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.1647E-013	1.4559E-012
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.3574E-013	1.7630E-012
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.2933E-013	1.6978E-012
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5344E-009	3.4850E-009
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.6163E-019	1.0499E-017
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.0683E-017	4.2774E-016
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3547E-016	3.2851E-015
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1683E-017	1.6192E-016
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.1619E-016	1.6091E-015
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.4689E-011	1.3923E-010
RCPTR_40	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.5822E-016	9.0532E-015
RCPTR_40	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.2141E-016	3.0803E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Diethyl phthalate	8.3760E-010	8.9368E-010
RCPTR_40	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.1457E-011	2.7281E-010
RCPTR_40	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.6088E-012	2.1892E-011
RCPTR_40	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.5000E-012	1.0552E-011
RCPTR_40	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.6718E-012	2.0057E-011
RCPTR_40	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.2392E-012	1.5477E-011
RCPTR_40	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.3377E-014	4.6642E-013
RCPTR_40	farmer_adult	TOCDFLIC	Ethylbenzene	2.4119E-015	2.9953E-014
RCPTR_40	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.7410E-009	3.4850E-009
RCPTR_40	farmer_adult	TOCDFLIC	Fluoranthene	1.3070E-008	7.5824E-008
RCPTR_40	farmer_adult	TOCDFLIC	Fluorene	1.0831E-010	1.3546E-009
RCPTR_40	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.5913E-012	7.0380E-012
RCPTR_40	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.1712E-011	2.2869E-011
RCPTR_40	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.0225E-011	5.3535E-011
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.5801E-011	5.8909E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.3078E-011	3.5510E-011
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.7152E-011	2.9478E-011
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.6375E-011	6.1862E-011
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.8994E-011	5.3733E-011
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.0386E-011	5.5214E-011
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.1441E-011	4.5430E-011
RCPTR_40	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5937E-012	2.8348E-011
RCPTR_40	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.0298E-009	5.7726E-008
RCPTR_40	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	7.2413E-012	7.5210E-011
RCPTR_40	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.3415E-012	1.7517E-011
RCPTR_40	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0384E-004	6.0814E-004
RCPTR_40	farmer_adult	TOCDFLIC	Isophorone	2.3942E-013	3.3349E-012
RCPTR_40	farmer_adult	TOCDFLIC	Lead	6.6847E-007	7.8462E-007
RCPTR_40	farmer_adult	TOCDFLIC	Mercuric chloride	1.6775E-007	1.7485E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.3044E-017	1.8216E-016
RCPTR_40	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.3051E-017	3.2134E-016
RCPTR_40	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.8088E-014	2.5287E-013
RCPTR_40	farmer_adult	TOCDFLIC	Methyl mercury	1.7412E-009	1.8082E-009
RCPTR_40	farmer_adult	TOCDFLIC	Methylene chloride	2.3656E-015	3.2998E-014
RCPTR_40	farmer_adult	TOCDFLIC	Mustard	2.4554E-014	3.4157E-013
RCPTR_40	farmer_adult	TOCDFLIC	Naphthalene	1.6140E-013	2.1740E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nickel	2.8325E-006	3.1426E-006
RCPTR_40	farmer_adult	TOCDFLIC	Nitroaniline, 2-	4.1246E-012	5.6862E-011
RCPTR_40	farmer_adult	TOCDFLIC	Nitroaniline, 3-	9.7233E-013	1.3536E-011
RCPTR_40	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.2598E-012	1.7488E-011
RCPTR_40	farmer_adult	TOCDFLIC	Nitrobenzene	4.0315E-013	5.6293E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.8395E-013	2.5627E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4003E-012	3.6617E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.3021E-013	3.1739E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.2779E-013	3.1185E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.1702E-014	2.7947E-013
RCPTR_40	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	9.6167E-012	1.0490E-011
RCPTR_40	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.4786E-012	1.0321E-011
RCPTR_40	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.2578E-010	1.3421E-010
RCPTR_40	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.9563E-011	2.1818E-011
RCPTR_40	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.4487E-011	8.2907E-011
RCPTR_40	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.1092E-010	1.0636E-009
RCPTR_40	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	9.3311E-012	8.3733E-011
RCPTR_40	farmer_adult	TOCDFLIC	Pentachlorophenol	4.6708E-009	7.4522E-009
RCPTR_40	farmer_adult	TOCDFLIC	Phenanthrene	3.3422E-013	4.2943E-012
RCPTR_40	farmer_adult	TOCDFLIC	Phenol	3.2236E-013	4.4585E-012
RCPTR_40	farmer_adult	TOCDFLIC	Pronamide	3.4208E-011	4.2478E-010
RCPTR_40	farmer_adult	TOCDFLIC	Pyrene	1.9391E-008	1.0982E-007
RCPTR_40	farmer_adult	TOCDFLIC	Selenium	1.1007E-006	1.1096E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Silver	2.8430E-006	3.2703E-006
RCPTR_40	farmer_adult	TOCDFLIC	Styrene	3.7059E-012	5.1109E-011
RCPTR_40	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.6523E-011	1.9133E-011
RCPTR_40	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.3833E-012	7.7781E-012
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.0821E-011	3.4265E-010
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.1870E-015	1.6426E-014
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.4489E-016	6.1401E-015
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.4010E-010	2.3349E-009
RCPTR_40	farmer_adult	TOCDFLIC	Thallium (l)	3.7750E-006	4.0851E-006
RCPTR_40	farmer_adult	TOCDFLIC	Toluene	8.9231E-015	1.1990E-013
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0749E-012	1.3156E-011
RCPTR_40	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.7536E-015	5.2049E-014
RCPTR_40	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.4141E-015	4.7544E-014
RCPTR_40	farmer_adult	TOCDFLIC	Trichloroethylene	5.5963E-016	7.7277E-015
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.3484E-017	1.0156E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.4039E-010	1.5031E-009
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.3048E-011	3.0085E-010
RCPTR_40	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.2664E-014	1.7596E-013
RCPTR_40	farmer_adult	TOCDFLIC	Vinyl Chloride	5.4147E-019	7.5276E-018
RCPTR_40	farmer_adult	TOCDFLIC	Xylene, m-	5.4726E-014	1.4015E-013
RCPTR_40	farmer_adult	TOCDFLIC	Xylene, o-	4.8219E-014	1.4561E-013
RCPTR_40	farmer_adult	TOCDFLIC	Xylene, p-	5.4940E-014	1.8743E-013
RCPTR_40	farmer_adult	TOCDFLIC	Zinc	1.1179E-006	1.5179E-006
RCPTR_40	farmer_adult	TOCDFMPF	Acenaphthene	4.0485E-011	5.2881E-010
RCPTR_40	farmer_adult	TOCDFMPF	Acetone	3.2543E-015	4.5504E-014
RCPTR_40	farmer_adult	TOCDFMPF	Acetophenone	2.0974E-013	2.9226E-012
RCPTR_40	farmer_adult	TOCDFMPF	Aniline	1.2153E-014	1.6799E-013
RCPTR_40	farmer_adult	TOCDFMPF	Anthracene	7.1860E-010	9.3283E-009
RCPTR_40	farmer_adult	TOCDFMPF	Antimony	1.3098E-008	1.7030E-008
RCPTR_40	farmer_adult	TOCDFMPF	Aroclor 1254	1.2132E-010	2.7729E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Arsenic	9.2423E-008	9.7750E-008
RCPTR_40	farmer_adult	TOCDFMPF	Barium	1.0147E-007	1.2396E-007
RCPTR_40	farmer_adult	TOCDFMPF	Benzene	4.4444E-015	6.1181E-014
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.1589E-007	8.7690E-007
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.7316E-006	6.1076E-006
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.1151E-006	4.0491E-006
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.8995E-006	9.3478E-006
RCPTR_40	farmer_adult	TOCDFMPF	Benzoic acid	2.0309E-012	1.9072E-011
RCPTR_40	farmer_adult	TOCDFMPF	Benzyl alcohol	2.7401E-013	3.8114E-012
RCPTR_40	farmer_adult	TOCDFMPF	Beryllium	8.5381E-009	9.5359E-009
RCPTR_40	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.7282E-013	3.8147E-012
RCPTR_40	farmer_adult	TOCDFMPF	Bromodichloromethane	5.3865E-015	7.5101E-014
RCPTR_40	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8732E-013	2.6141E-012
RCPTR_40	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.5407E-008	1.4647E-007
RCPTR_40	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.2526E-009	4.0959E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Cadmium	1.3493E-007	2.0727E-007
RCPTR_40	farmer_adult	TOCDFMPF	Carbon disulfide	4.2575E-016	5.8943E-015
RCPTR_40	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.0410E-015	5.5548E-014
RCPTR_40	farmer_adult	TOCDFMPF	Chlorine	3.5055E-008	4.9029E-007
RCPTR_40	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	4.0524E-011	3.1087E-010
RCPTR_40	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.2849E-012	1.7714E-011
RCPTR_40	farmer_adult	TOCDFMPF	Chlorobenzene	1.6932E-014	2.3037E-013
RCPTR_40	farmer_adult	TOCDFMPF	Chloroethane	1.0192E-016	1.2965E-015
RCPTR_40	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.8911E-015	4.0275E-014
RCPTR_40	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.0429E-010	1.3819E-009
RCPTR_40	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.5229E-012	4.9200E-011
RCPTR_40	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.2635E-010	1.7259E-009
RCPTR_40	farmer_adult	TOCDFMPF	Chromium	2.4192E-007	2.4351E-007
RCPTR_40	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.9995E-007	2.0559E-007
RCPTR_40	farmer_adult	TOCDFMPF	Chrysene	1.6119E-006	2.0219E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.2963E-008	1.6210E-008
RCPTR_40	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.8130E+001	6.8130E+001
RCPTR_40	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.2513E-004	1.2831E-004
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.7835E-013	2.2295E-012
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.0786E-013	2.6997E-012
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.9804E-013	2.5998E-012
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.7832E-009	1.0703E-008
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.2749E-018	8.6497E-017
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	9.3372E-016	1.3017E-014
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1591E-015	1.6171E-014
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.5552E-016	4.9275E-015
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.7196E-016	7.9209E-015
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.7807E-011	2.1320E-010
RCPTR_40	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.2401E-015	4.4565E-014
RCPTR_40	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0571E-015	1.4707E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Diethyl phthalate	8.2996E-009	8.8552E-009
RCPTR_40	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.2951E-012	2.9181E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.4635E-012	3.3523E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.3499E-012	1.6128E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.5599E-012	3.0713E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.8976E-012	2.3700E-011
RCPTR_40	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	5.1110E-014	7.1424E-013
RCPTR_40	farmer_adult	TOCDFMPF	Ethylbenzene	1.1317E-014	1.4054E-013
RCPTR_40	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.9639E-010	6.3120E-010
RCPTR_40	farmer_adult	TOCDFMPF	Fluoranthene	2.0012E-008	1.1611E-007
RCPTR_40	farmer_adult	TOCDFMPF	Fluorene	1.6586E-010	2.0743E-009
RCPTR_40	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.5734E-011	2.7478E-011
RCPTR_40	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.4212E-011	3.6032E-011
RCPTR_40	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.8892E-011	6.2771E-011
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.5970E-011	1.6859E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.3644E-012	7.9056E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.4243E-012	6.9745E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1156E-011	1.2241E-011
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.7343E-012	5.1921E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.1969E-012	4.5990E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.7563E-012	4.1179E-012
RCPTR_40	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.9716E-012	4.3410E-011
RCPTR_40	farmer_adult	TOCDFMPF	Hexachlorobenzene	7.7020E-009	8.8396E-008
RCPTR_40	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.1088E-011	1.1517E-010
RCPTR_40	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.0542E-012	2.6824E-011
RCPTR_40	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.2464E-004	9.3120E-004
RCPTR_40	farmer_adult	TOCDFMPF	Isophorone	3.6663E-013	5.1067E-012
RCPTR_40	farmer_adult	TOCDFMPF	Lead	7.7256E-008	9.0681E-008
RCPTR_40	farmer_adult	TOCDFMPF	Mercuric chloride	2.8560E-006	2.9770E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.7610E-017	9.4417E-016
RCPTR_40	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.9414E-018	5.4944E-017
RCPTR_40	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.6745E-015	5.1369E-014
RCPTR_40	farmer_adult	TOCDFMPF	Methyl mercury	2.9630E-008	3.0770E-008
RCPTR_40	farmer_adult	TOCDFMPF	Methylene chloride	1.8636E-015	2.5996E-014
RCPTR_40	farmer_adult	TOCDFMPF	Mustard	1.7501E-013	2.4346E-012
RCPTR_40	farmer_adult	TOCDFMPF	Naphthalene	1.5993E-012	2.1541E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nickel	1.7782E-006	1.9729E-006
RCPTR_40	farmer_adult	TOCDFMPF	Nitroaniline, 2-	6.3046E-012	8.6916E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.4862E-012	2.0691E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.9256E-012	2.6731E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitrobenzene	6.1734E-013	8.6202E-012
RCPTR_40	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.8168E-013	3.9244E-012
RCPTR_40	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.1405E-011	5.5971E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.5253E-013	4.8603E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.4882E-013	4.7754E-012
RCPTR_40	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	3.3228E-014	4.2795E-013
RCPTR_40	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.1254E-010	6.6816E-010
RCPTR_40	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0762E-009	1.1719E-009
RCPTR_40	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.5890E-012	7.0304E-012
RCPTR_40	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.5120E-012	9.4932E-012
RCPTR_40	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.0054E-012	5.5711E-012
RCPTR_40	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.3900E-011	3.2514E-010
RCPTR_40	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.4258E-011	1.2798E-010
RCPTR_40	farmer_adult	TOCDFMPF	Pentachlorophenol	3.5763E-008	5.7059E-008
RCPTR_40	farmer_adult	TOCDFMPF	Phenanthrene	5.1179E-013	6.5759E-012
RCPTR_40	farmer_adult	TOCDFMPF	Phenol	4.9364E-013	6.8273E-012
RCPTR_40	farmer_adult	TOCDFMPF	Pronamide	5.2383E-011	6.5048E-010
RCPTR_40	farmer_adult	TOCDFMPF	Pyrene	2.9692E-008	1.6816E-007
RCPTR_40	farmer_adult	TOCDFMPF	Selenium	1.9321E-008	1.9479E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Silver	3.8385E-007	4.4155E-007
RCPTR_40	farmer_adult	TOCDFMPF	Styrene	8.4649E-014	1.1674E-012
RCPTR_40	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9799E-012	2.2927E-012
RCPTR_40	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.3341E-012	7.7182E-012
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.7196E-011	5.2470E-010
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.6124E-014	4.9988E-013
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.4312E-015	4.7356E-014
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.7843E-010	3.5690E-009
RCPTR_40	farmer_adult	TOCDFMPF	Thallium (l)	1.1563E-007	1.2512E-007
RCPTR_40	farmer_adult	TOCDFMPF	Toluene	5.9970E-015	8.0582E-014
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.6459E-012	2.0145E-011
RCPTR_40	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.2070E-015	3.0603E-014
RCPTR_40	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.6806E-014	2.3404E-013
RCPTR_40	farmer_adult	TOCDFMPF	Trichloroethylene	2.7548E-015	3.8040E-014
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.5963E-015	1.0499E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.1498E-010	2.3018E-009
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.5920E-011	4.6070E-010
RCPTR_40	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	6.2339E-014	8.6615E-013
RCPTR_40	farmer_adult	TOCDFMPF	Vinyl Chloride	1.4883E-018	2.0691E-017
RCPTR_40	farmer_adult	TOCDFMPF	Xylene, m-	5.4808E-014	1.4046E-013
RCPTR_40	farmer_adult	TOCDFMPF	Xylene, o-	4.8293E-014	1.4594E-013
RCPTR_40	farmer_adult	TOCDFMPF	Xylene, p-	5.5027E-014	1.8787E-013
RCPTR_40	farmer_adult	TOCDFMPF	Zinc	3.1860E-007	4.3260E-007
RCPTR_40	farmer_adult	TOCDHVAC	Mustard	6.1804E-014	8.5980E-013
RCPTR_40	farmer_adult	TOCDLIC2	Acenaphthene	2.6438E-011	3.4533E-010
RCPTR_40	farmer_adult	TOCDLIC2	Acetone	8.8942E-016	1.2437E-014
RCPTR_40	farmer_adult	TOCDLIC2	Acetophenone	1.3074E-013	1.8218E-012
RCPTR_40	farmer_adult	TOCDLIC2	Aniline	7.9364E-015	1.0971E-013
RCPTR_40	farmer_adult	TOCDLIC2	Anthracene	4.6928E-010	6.0917E-009
RCPTR_40	farmer_adult	TOCDLIC2	Antimony	9.6006E-007	1.2483E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Arsenic	1.7760E-006	1.8784E-006
RCPTR_40	farmer_adult	TOCDLIC2	Barium	1.4304E-007	1.7474E-007
RCPTR_40	farmer_adult	TOCDLIC2	Benzene	4.9643E-015	6.8339E-014
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3695E-007	5.7271E-007
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.7439E-006	3.9896E-006
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.0345E-006	2.6445E-006
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.8131E-006	6.1061E-006
RCPTR_40	farmer_adult	TOCDLIC2	Benzoic acid	4.5816E-013	4.3025E-012
RCPTR_40	farmer_adult	TOCDLIC2	Benzyl alcohol	2.8630E-011	3.9824E-010
RCPTR_40	farmer_adult	TOCDLIC2	Beryllium	2.5019E-007	2.7942E-007
RCPTR_40	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.7816E-013	2.4911E-012
RCPTR_40	farmer_adult	TOCDLIC2	Bromodichloromethane	1.7700E-016	2.4679E-015
RCPTR_40	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.2013E-013	4.4676E-012
RCPTR_40	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0062E-008	9.5648E-008
RCPTR_40	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.1250E-009	2.6757E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Cadmium	2.9521E-008	4.5347E-008
RCPTR_40	farmer_adult	TOCDLIC2	Carbon disulfide	1.1625E-015	1.6095E-014
RCPTR_40	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.3159E-014	3.1835E-013
RCPTR_40	farmer_adult	TOCDLIC2	Chlorine	1.8996E-007	2.6567E-006
RCPTR_40	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.6463E-011	2.0301E-010
RCPTR_40	farmer_adult	TOCDLIC2	Chloroaniline, p-	8.3912E-013	1.1568E-011
RCPTR_40	farmer_adult	TOCDLIC2	Chlorobenzene	9.4212E-015	1.2818E-013
RCPTR_40	farmer_adult	TOCDLIC2	Chloroethane	1.0325E-017	1.3135E-016
RCPTR_40	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	9.1779E-015	1.2785E-013
RCPTR_40	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.8108E-011	9.0240E-010
RCPTR_40	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.3006E-012	3.2129E-011
RCPTR_40	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.4782E-010	1.1271E-009
RCPTR_40	farmer_adult	TOCDLIC2	Chromium	1.2735E-006	1.2819E-006
RCPTR_40	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.0526E-006	1.0823E-006
RCPTR_40	farmer_adult	TOCDLIC2	Chrysene	1.0527E-006	1.3205E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.3084E-009	1.6360E-009
RCPTR_40	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.8757E+000	6.8757E+000
RCPTR_40	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.1727E-005	8.3809E-005
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.1647E-013	1.4559E-012
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3574E-013	1.7630E-012
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.2933E-013	1.6978E-012
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5344E-009	3.4850E-009
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.6163E-019	1.0499E-017
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	3.0683E-017	4.2774E-016
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3547E-016	3.2851E-015
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.1683E-017	1.6192E-016
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.1619E-016	1.6091E-015
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.4689E-011	1.3923E-010
RCPTR_40	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.5822E-016	9.0532E-015
RCPTR_40	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.2141E-016	3.0803E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Diethyl phthalate	8.3760E-010	8.9368E-010
RCPTR_40	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.1457E-011	2.7281E-010
RCPTR_40	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.6088E-012	2.1892E-011
RCPTR_40	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.5000E-012	1.0552E-011
RCPTR_40	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.6718E-012	2.0057E-011
RCPTR_40	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.2392E-012	1.5477E-011
RCPTR_40	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.3377E-014	4.6642E-013
RCPTR_40	farmer_adult	TOCDLIC2	Ethylbenzene	2.4119E-015	2.9953E-014
RCPTR_40	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.7410E-009	3.4850E-009
RCPTR_40	farmer_adult	TOCDLIC2	Fluoranthene	1.3070E-008	7.5824E-008
RCPTR_40	farmer_adult	TOCDLIC2	Fluorene	1.0831E-010	1.3546E-009
RCPTR_40	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.5913E-012	7.0380E-012
RCPTR_40	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.1712E-011	2.2869E-011
RCPTR_40	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.0225E-011	5.3535E-011
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.5801E-011	5.8909E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.3078E-011	3.5510E-011
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.7152E-011	2.9478E-011
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.6375E-011	6.1862E-011
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.8994E-011	5.3733E-011
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.0386E-011	5.5214E-011
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.1441E-011	4.5430E-011
RCPTR_40	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.5937E-012	2.8348E-011
RCPTR_40	farmer_adult	TOCDLIC2	Hexachlorobenzene	5.0298E-009	5.7726E-008
RCPTR_40	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	7.2413E-012	7.5210E-011
RCPTR_40	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.3415E-012	1.7517E-011
RCPTR_40	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.0384E-004	6.0814E-004
RCPTR_40	farmer_adult	TOCDLIC2	Isophorone	2.3942E-013	3.3349E-012
RCPTR_40	farmer_adult	TOCDLIC2	Lead	6.6847E-007	7.8462E-007
RCPTR_40	farmer_adult	TOCDLIC2	Mercuric chloride	1.6775E-007	1.7485E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.3044E-017	1.8216E-016
RCPTR_40	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.3051E-017	3.2134E-016
RCPTR_40	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.8088E-014	2.5287E-013
RCPTR_40	farmer_adult	TOCDLIC2	Methyl mercury	1.7412E-009	1.8082E-009
RCPTR_40	farmer_adult	TOCDLIC2	Methylene chloride	2.3656E-015	3.2998E-014
RCPTR_40	farmer_adult	TOCDLIC2	Mustard	2.5526E-014	3.5510E-013
RCPTR_40	farmer_adult	TOCDLIC2	Naphthalene	1.6140E-013	2.1740E-012
RCPTR_40	farmer_adult	TOCDLIC2	Nickel	2.8325E-006	3.1426E-006
RCPTR_40	farmer_adult	TOCDLIC2	Nitroaniline, 2-	4.1246E-012	5.6862E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitroaniline, 3-	9.7233E-013	1.3536E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.2598E-012	1.7488E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitrobenzene	4.0315E-013	5.6293E-012
RCPTR_40	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.8395E-013	2.5627E-012
RCPTR_40	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4003E-011	3.6617E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.3021E-013	3.1739E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.2779E-013	3.1185E-012
RCPTR_40	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	2.1702E-014	2.7947E-013
RCPTR_40	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.6167E-012	1.0490E-011
RCPTR_40	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.4786E-012	1.0321E-011
RCPTR_40	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.2578E-010	1.3421E-010
RCPTR_40	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.9563E-011	2.1818E-011
RCPTR_40	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.4487E-011	8.2907E-011
RCPTR_40	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.1092E-010	1.0636E-009
RCPTR_40	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	9.3311E-012	8.3733E-011
RCPTR_40	farmer_adult	TOCDLIC2	Pentachlorophenol	4.6708E-009	7.4522E-009
RCPTR_40	farmer_adult	TOCDLIC2	Phenanthrene	3.3422E-013	4.2943E-012
RCPTR_40	farmer_adult	TOCDLIC2	Phenol	3.2236E-013	4.4585E-012
RCPTR_40	farmer_adult	TOCDLIC2	Pronamide	3.4208E-011	4.2478E-010
RCPTR_40	farmer_adult	TOCDLIC2	Pyrene	1.9391E-008	1.0982E-007
RCPTR_40	farmer_adult	TOCDLIC2	Selenium	1.1007E-006	1.1096E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Silver	2.8430E-006	3.2703E-006
RCPTR_40	farmer_adult	TOCDLIC2	Styrene	3.7059E-012	5.1109E-011
RCPTR_40	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6523E-011	1.9133E-011
RCPTR_40	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.3833E-012	7.7781E-012
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.0821E-011	3.4265E-010
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.1870E-015	1.6426E-014
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.4489E-016	6.1401E-015
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.4010E-010	2.3349E-009
RCPTR_40	farmer_adult	TOCDLIC2	Thallium (l)	3.7750E-006	4.0851E-006
RCPTR_40	farmer_adult	TOCDLIC2	Toluene	8.9231E-015	1.1990E-013
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0749E-012	1.3156E-011
RCPTR_40	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.7536E-015	5.2049E-014
RCPTR_40	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.4141E-015	4.7544E-014
RCPTR_40	farmer_adult	TOCDLIC2	Trichloroethylene	5.5963E-016	7.7277E-015
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.3484E-017	1.0156E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.4039E-010	1.5031E-009
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	4.3048E-011	3.0085E-010
RCPTR_40	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.2664E-014	1.7596E-013
RCPTR_40	farmer_adult	TOCDLIC2	Vinyl Chloride	5.4147E-019	7.5276E-018
RCPTR_40	farmer_adult	TOCDLIC2	Xylene, m-	1.1372E-013	2.9125E-013
RCPTR_40	farmer_adult	TOCDLIC2	Xylene, o-	1.0020E-013	3.0258E-013
RCPTR_40	farmer_adult	TOCDLIC2	Xylene, p-	1.1417E-013	3.8949E-013
RCPTR_40	farmer_adult	TOCDLIC2	Zinc	1.1179E-006	1.5179E-006
RCPTR_40	farmer_child	TOCDFBRA	Antimony	2.5878E-007	2.9618E-007
RCPTR_40	farmer_child	TOCDFBRA	Arsenic	3.9231E-007	4.0468E-007
RCPTR_40	farmer_child	TOCDFBRA	Barium	3.4648E-008	3.8497E-008
RCPTR_40	farmer_child	TOCDFBRA	Beryllium	1.1166E-007	1.1740E-007
RCPTR_40	farmer_child	TOCDFBRA	Cadmium	2.1758E-008	2.6489E-008
RCPTR_40	farmer_child	TOCDFBRA	Chromium	2.6511E-006	2.7705E-006
RCPTR_40	farmer_child	TOCDFBRA	Chromium, hexavalent	2.3024E-006	2.3386E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFBRA	Lead	1.1999E-006	1.2934E-006
RCPTR_40	farmer_child	TOCDFBRA	Mercuric chloride	1.7118E-004	2.1144E-004
RCPTR_40	farmer_child	TOCDFBRA	Methyl mercury	2.1955E-006	2.3195E-006
RCPTR_40	farmer_child	TOCDFBRA	Nickel	1.3153E-006	1.3870E-006
RCPTR_40	farmer_child	TOCDFBRA	Selenium	4.3316E-007	4.3515E-007
RCPTR_40	farmer_child	TOCDFBRA	Silver	1.5400E-007	1.6625E-007
RCPTR_40	farmer_child	TOCDFBRA	Thallium (l)	4.0568E-006	4.2224E-006
RCPTR_40	farmer_child	TOCDFBRA	Zinc	7.5872E-007	8.8109E-007
RCPTR_40	farmer_child	TOCDFDFS	Acenaphthene	8.3030E-010	1.7315E-009
RCPTR_40	farmer_child	TOCDFDFS	Acetone	9.1407E-015	1.9176E-014
RCPTR_40	farmer_child	TOCDFDFS	Acetophenone	4.5790E-012	9.6034E-012
RCPTR_40	farmer_child	TOCDFDFS	Aniline	2.6246E-013	5.5007E-013
RCPTR_40	farmer_child	TOCDFDFS	Anthracene	1.4655E-008	3.0545E-008
RCPTR_40	farmer_child	TOCDFDFS	Antimony	2.2584E-008	2.5845E-008
RCPTR_40	farmer_child	TOCDFDFS	Aroclor 1254	3.3689E-010	4.9252E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Arsenic	3.9949E-008	4.1207E-008
RCPTR_40	farmer_child	TOCDFDFS	Barium	2.7833E-008	3.0922E-008
RCPTR_40	farmer_child	TOCDFDFS	Benzene	3.2712E-014	6.8535E-014
RCPTR_40	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.3238E-006	2.8772E-006
RCPTR_40	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.9502E-005	2.0106E-005
RCPTR_40	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.1835E-005	1.3285E-005
RCPTR_40	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.0147E-005	3.0761E-005
RCPTR_40	farmer_child	TOCDFDFS	Benzoic acid	3.0997E-012	6.2446E-012
RCPTR_40	farmer_child	TOCDFDFS	Benzyl alcohol	5.9515E-012	1.2480E-011
RCPTR_40	farmer_child	TOCDFDFS	Beryllium	2.2365E-008	2.3513E-008
RCPTR_40	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.9540E-012	1.2491E-011
RCPTR_40	farmer_child	TOCDFDFS	Bromodichloromethane	1.0587E-014	2.2205E-014
RCPTR_40	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6937E-012	3.5526E-012
RCPTR_40	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.7863E-007	4.7959E-007
RCPTR_40	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.1950E-008	1.3507E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Cadmium	9.2724E-009	1.1287E-008
RCPTR_40	farmer_child	TOCDFDFS	Carbon disulfide	5.8407E-015	1.2243E-014
RCPTR_40	farmer_child	TOCDFDFS	Carbon tetrachloride	9.2576E-015	1.9393E-014
RCPTR_40	farmer_child	TOCDFDFS	Chlorine	1.8454E-013	3.8714E-013
RCPTR_40	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	5.1891E-010	1.0178E-009
RCPTR_40	farmer_child	TOCDFDFS	Chloroaniline, p-	2.7681E-011	5.8001E-011
RCPTR_40	farmer_child	TOCDFDFS	Chlorobenzene	5.4202E-014	1.1344E-013
RCPTR_40	farmer_child	TOCDFDFS	Chloroethane	1.5304E-016	3.1839E-016
RCPTR_40	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.3041E-015	1.5318E-014
RCPTR_40	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.1669E-009	4.5247E-009
RCPTR_40	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.6799E-011	1.6110E-010
RCPTR_40	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.8845E-009	5.6519E-009
RCPTR_40	farmer_child	TOCDFDFS	Chromium	6.9957E-007	7.3105E-007
RCPTR_40	farmer_child	TOCDFDFS	Chromium, hexavalent	6.0765E-007	6.1719E-007
RCPTR_40	farmer_child	TOCDFDFS	Chrysene	6.0456E-006	6.6330E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.7110E-008	5.3101E-008
RCPTR_40	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.2288E+002	2.2288E+002
RCPTR_40	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.1815E-004	4.2285E-004
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.5147E-012	7.3001E-012
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.2409E-012	8.8397E-012
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	4.0802E-012	8.5127E-012
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9679E-008	3.5058E-008
RCPTR_40	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.2766E-017	2.6748E-017
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.0563E-015	6.4100E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7967E-015	7.9634E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.1575E-015	2.4265E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8608E-015	3.9006E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.7434E-010	6.9804E-010
RCPTR_40	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.0476E-014	2.1946E-014
RCPTR_40	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4538E-015	7.2424E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Diethyl phthalate	2.7946E-008	2.8971E-008
RCPTR_40	farmer_child	TOCDFDFS	Dimethyl phthalate	6.9397E-011	1.4436E-010
RCPTR_40	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	5.2445E-011	1.0977E-010
RCPTR_40	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	3.2973E-011	5.2900E-011
RCPTR_40	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.8616E-011	1.0057E-010
RCPTR_40	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.7367E-011	7.7605E-011
RCPTR_40	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.1148E-012	2.3387E-012
RCPTR_40	farmer_child	TOCDFDFS	Ethylbenzene	3.3342E-014	6.9210E-014
RCPTR_40	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.0219E-009	2.2963E-009
RCPTR_40	farmer_child	TOCDFDFS	Fluoranthene	2.1447E-007	3.8027E-007
RCPTR_40	farmer_child	TOCDFDFS	Fluorene	3.2700E-009	6.7921E-009
RCPTR_40	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.3390E-013	8.5862E-013
RCPTR_40	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.1767E-013	7.3454E-013
RCPTR_40	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2394E-012	2.3039E-012
RCPTR_40	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8883E-011	1.9346E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1103E-011	1.1458E-011
RCPTR_40	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.5421E-012	8.8573E-012
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.0180E-012	6.2679E-012
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.4496E-012	5.6748E-012
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.4861E-012	6.7517E-012
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.9722E-012	5.1766E-012
RCPTR_40	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.9367E-011	1.4215E-010
RCPTR_40	farmer_child	TOCDFDFS	Hexachlorobenzene	1.4075E-007	2.8945E-007
RCPTR_40	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.8506E-010	3.7715E-010
RCPTR_40	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.2117E-011	8.7830E-011
RCPTR_40	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.0433E-003	3.0534E-003
RCPTR_40	farmer_child	TOCDFDFS	Isophorone	7.9732E-012	1.6721E-011
RCPTR_40	farmer_child	TOCDFDFS	Lead	1.4284E-007	1.5396E-007
RCPTR_40	farmer_child	TOCDFDFS	Mercuric chloride	6.0538E-008	7.5075E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.3342E-016	2.7988E-016
RCPTR_40	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.6307E-017	5.5175E-017
RCPTR_40	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5526E-014	1.3746E-013
RCPTR_40	farmer_child	TOCDFDFS	Methyl mercury	7.3876E-010	7.8354E-010
RCPTR_40	farmer_child	TOCDFDFS	Methylene chloride	3.9419E-015	8.2678E-015
RCPTR_40	farmer_child	TOCDFDFS	Mustard	4.6444E-013	9.7391E-013
RCPTR_40	farmer_child	TOCDFDFS	Naphthalene	3.3730E-011	7.0534E-011
RCPTR_40	farmer_child	TOCDFDFS	Nickel	2.8530E-006	3.0083E-006
RCPTR_40	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.3606E-010	2.8510E-010
RCPTR_40	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.2363E-011	6.7868E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitroaniline, 4-	4.1822E-011	8.7681E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitrobenzene	1.3456E-011	2.8225E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitrophenol, 2-	6.1270E-012	1.2850E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.1963E-010	1.8354E-010
RCPTR_40	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.5950E-012	1.5914E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.4669E-012	1.5636E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.7303E-013	1.4015E-012
RCPTR_40	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.3448E-012	1.3973E-012
RCPTR_40	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4141E-012	1.4682E-012
RCPTR_40	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.4425E-011	3.5424E-011
RCPTR_40	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.3752E-012	4.5873E-012
RCPTR_40	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7559E-011	1.8396E-011
RCPTR_40	farmer_child	TOCDFDFS	Pentachlorobenzene	5.2776E-010	1.0653E-009
RCPTR_40	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0984E-010	4.2010E-010
RCPTR_40	farmer_child	TOCDFDFS	Pentachlorophenol	1.4769E-007	1.8706E-007
RCPTR_40	farmer_child	TOCDFDFS	Phenanthrene	1.0340E-011	2.1532E-011
RCPTR_40	farmer_child	TOCDFDFS	Phenol	1.0666E-011	2.2355E-011
RCPTR_40	farmer_child	TOCDFDFS	Pronamide	1.0261E-009	2.1299E-009
RCPTR_40	farmer_child	TOCDFDFS	Pyrene	3.5237E-007	5.5067E-007
RCPTR_40	farmer_child	TOCDFDFS	Selenium	4.4110E-008	4.4312E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Silver	3.0986E-007	3.3450E-007
RCPTR_40	farmer_child	TOCDFDFS	Styrene	3.9683E-013	8.3153E-013
RCPTR_40	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1110E-011	1.1827E-011
RCPTR_40	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.5029E-012	3.8054E-012
RCPTR_40	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.3679E-010	1.7180E-009
RCPTR_40	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.2009E-011	2.6314E-011
RCPTR_40	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1129E-014	2.3320E-014
RCPTR_40	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.9155E-009	1.1705E-008
RCPTR_40	farmer_child	TOCDFDFS	Thallium (l)	4.0424E-005	4.2072E-005
RCPTR_40	farmer_child	TOCDFDFS	Toluene	1.4904E-014	3.1159E-014
RCPTR_40	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.1822E-011	6.5964E-011
RCPTR_40	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	9.2758E-015	1.9446E-014
RCPTR_40	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.4955E-014	1.1525E-013
RCPTR_40	farmer_child	TOCDFDFS	Trichloroethylene	8.9388E-015	1.8732E-014
RCPTR_40	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2346E-015	2.5875E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.6854E-009	7.5366E-009
RCPTR_40	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.9198E-009	7.5820E-009
RCPTR_40	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.0343E-013	4.2653E-013
RCPTR_40	farmer_child	TOCDFDFS	Vinyl Chloride	2.9033E-018	6.0877E-018
RCPTR_40	farmer_child	TOCDFDFS	Xylene, m-	1.0556E-013	1.6010E-013
RCPTR_40	farmer_child	TOCDFDFS	Xylene, o-	9.0771E-014	1.4509E-013
RCPTR_40	farmer_child	TOCDFDFS	Xylene, p-	1.2897E-013	2.1356E-013
RCPTR_40	farmer_child	TOCDFDFS	Zinc	1.4567E-007	1.6914E-007
RCPTR_40	farmer_child	TOCDFLIC	Acenaphthene	1.6559E-010	3.4533E-010
RCPTR_40	farmer_child	TOCDFLIC	Acetone	5.9282E-015	1.2437E-014
RCPTR_40	farmer_child	TOCDFLIC	Acetophenone	8.6866E-013	1.8218E-012
RCPTR_40	farmer_child	TOCDFLIC	Aniline	5.2345E-014	1.0971E-013
RCPTR_40	farmer_child	TOCDFLIC	Anthracene	2.9227E-009	6.0917E-009
RCPTR_40	farmer_child	TOCDFLIC	Antimony	1.0908E-006	1.2483E-006
RCPTR_40	farmer_child	TOCDFLIC	Arsenic	1.8210E-006	1.8784E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Barium	1.5729E-007	1.7474E-007
RCPTR_40	farmer_child	TOCDFLIC	Benzene	3.2619E-014	6.8339E-014
RCPTR_40	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.6241E-007	5.7271E-007
RCPTR_40	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.8704E-006	3.9896E-006
RCPTR_40	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.3556E-006	2.6445E-006
RCPTR_40	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.9854E-006	6.1061E-006
RCPTR_40	farmer_child	TOCDFLIC	Benzoic acid	2.1357E-012	4.3025E-012
RCPTR_40	farmer_child	TOCDFLIC	Benzyl alcohol	1.8991E-010	3.9824E-010
RCPTR_40	farmer_child	TOCDFLIC	Beryllium	2.6578E-007	2.7942E-007
RCPTR_40	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.1875E-012	2.4911E-012
RCPTR_40	farmer_child	TOCDFLIC	Bromodichloromethane	1.1767E-015	2.4679E-015
RCPTR_40	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.1300E-012	4.4676E-012
RCPTR_40	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.5569E-008	9.5648E-008
RCPTR_40	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3653E-009	2.6757E-009
RCPTR_40	farmer_child	TOCDFLIC	Cadmium	3.7255E-008	4.5347E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Carbon disulfide	7.6785E-015	1.6095E-014
RCPTR_40	farmer_child	TOCDFLIC	Carbon tetrachloride	1.5197E-013	3.1835E-013
RCPTR_40	farmer_child	TOCDFLIC	Chlorine	1.2664E-006	2.6567E-006
RCPTR_40	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.0350E-010	2.0301E-010
RCPTR_40	farmer_child	TOCDFLIC	Chloroaniline, p-	5.5207E-012	1.1568E-011
RCPTR_40	farmer_child	TOCDFLIC	Chlorobenzene	6.1244E-014	1.2818E-013
RCPTR_40	farmer_child	TOCDFLIC	Chloroethane	6.3135E-017	1.3135E-016
RCPTR_40	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	6.0964E-014	1.2785E-013
RCPTR_40	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.3217E-010	9.0240E-010
RCPTR_40	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.5317E-011	3.2129E-011
RCPTR_40	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.7513E-010	1.1271E-009
RCPTR_40	farmer_child	TOCDFLIC	Chromium	1.2267E-006	1.2819E-006
RCPTR_40	farmer_child	TOCDFLIC	Chromium, hexavalent	1.0655E-006	1.0823E-006
RCPTR_40	farmer_child	TOCDFLIC	Chrysene	1.2035E-006	1.3205E-006
RCPTR_40	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.4513E-009	1.6360E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.8757E+000	6.8757E+000
RCPTR_40	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.2900E-005	8.3809E-005
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.0097E-013	1.4559E-012
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.4581E-013	1.7630E-012
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.1374E-013	1.6978E-012
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.9492E-009	3.4850E-009
RCPTR_40	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.0106E-018	1.0499E-017
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.0394E-016	4.2774E-016
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5662E-015	3.2851E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.7242E-017	1.6192E-016
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.6765E-016	1.6091E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	7.4671E-011	1.3923E-010
RCPTR_40	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.3215E-015	9.0532E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.4690E-015	3.0803E-015
RCPTR_40	farmer_child	TOCDFLIC	Diethyl phthalate	8.6207E-010	8.9368E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Dimethyl phthalate	1.3114E-010	2.7281E-010
RCPTR_40	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.0460E-011	2.1892E-011
RCPTR_40	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.5771E-012	1.0552E-011
RCPTR_40	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.6943E-012	2.0057E-011
RCPTR_40	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.4522E-012	1.5477E-011
RCPTR_40	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.2234E-013	4.6642E-013
RCPTR_40	farmer_child	TOCDFLIC	Ethylbenzene	1.4430E-014	2.9953E-014
RCPTR_40	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.0656E-009	3.4850E-009
RCPTR_40	farmer_child	TOCDFLIC	Fluoranthene	4.2758E-008	7.5824E-008
RCPTR_40	farmer_child	TOCDFLIC	Fluorene	6.5215E-010	1.3546E-009
RCPTR_40	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.8370E-012	7.0380E-012
RCPTR_40	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.2349E-011	2.2869E-011
RCPTR_40	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.2047E-011	5.3535E-011
RCPTR_40	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.7511E-011	5.8909E-011
RCPTR_40	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.4419E-011	3.5510E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.8434E-011	2.9478E-011
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.9400E-011	6.1862E-011
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.1605E-011	5.3733E-011
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.3047E-011	5.5214E-011
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.3640E-011	4.5430E-011
RCPTR_40	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.3832E-011	2.8348E-011
RCPTR_40	farmer_child	TOCDFLIC	Hexachlorobenzene	2.8071E-008	5.7726E-008
RCPTR_40	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.6900E-011	7.5210E-011
RCPTR_40	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.3999E-012	1.7517E-011
RCPTR_40	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0618E-004	6.0814E-004
RCPTR_40	farmer_child	TOCDFLIC	Isophorone	1.5902E-012	3.3349E-012
RCPTR_40	farmer_child	TOCDFLIC	Lead	7.2795E-007	7.8462E-007
RCPTR_40	farmer_child	TOCDFLIC	Mercuric chloride	1.4089E-007	1.7485E-007
RCPTR_40	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.6839E-017	1.8216E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.5321E-016	3.2134E-016
RCPTR_40	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2054E-013	2.5287E-013
RCPTR_40	farmer_child	TOCDFLIC	Methyl mercury	1.7036E-009	1.8082E-009
RCPTR_40	farmer_child	TOCDFLIC	Methylene chloride	1.5733E-014	3.2998E-014
RCPTR_40	farmer_child	TOCDFLIC	Mustard	1.6289E-013	3.4157E-013
RCPTR_40	farmer_child	TOCDFLIC	Naphthalene	1.0397E-012	2.1740E-012
RCPTR_40	farmer_child	TOCDFLIC	Nickel	2.9804E-006	3.1426E-006
RCPTR_40	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.7138E-011	5.6862E-011
RCPTR_40	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.4548E-012	1.3536E-011
RCPTR_40	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.3412E-012	1.7488E-011
RCPTR_40	farmer_child	TOCDFLIC	Nitrobenzene	2.6837E-012	5.6293E-012
RCPTR_40	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.2220E-012	2.5627E-012
RCPTR_40	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.3871E-012	3.6617E-012
RCPTR_40	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5148E-012	3.1739E-012
RCPTR_40	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4892E-012	3.1185E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.3418E-013	2.7947E-013
RCPTR_40	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0097E-011	1.0490E-011
RCPTR_40	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.9419E-012	1.0321E-011
RCPTR_40	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3044E-010	1.3421E-010
RCPTR_40	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0810E-011	2.1818E-011
RCPTR_40	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.9137E-011	8.2907E-011
RCPTR_40	farmer_child	TOCDFLIC	Pentachlorobenzene	5.2664E-010	1.0636E-009
RCPTR_40	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.1798E-011	8.3733E-011
RCPTR_40	farmer_child	TOCDFLIC	Pentachlorophenol	5.8845E-009	7.4522E-009
RCPTR_40	farmer_child	TOCDFLIC	Phenanthrene	2.0623E-012	4.2943E-012
RCPTR_40	farmer_child	TOCDFLIC	Phenol	2.1272E-012	4.4585E-012
RCPTR_40	farmer_child	TOCDFLIC	Pronamide	2.0464E-010	4.2478E-010
RCPTR_40	farmer_child	TOCDFLIC	Pyrene	7.0268E-008	1.0982E-007
RCPTR_40	farmer_child	TOCDFLIC	Selenium	1.1046E-006	1.1096E-006
RCPTR_40	farmer_child	TOCDFLIC	Silver	3.0295E-006	3.2703E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Styrene	2.4391E-011	5.1109E-011
RCPTR_40	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7973E-011	1.9133E-011
RCPTR_40	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.1590E-012	7.7781E-012
RCPTR_40	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6689E-010	3.4265E-010
RCPTR_40	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.8370E-015	1.6426E-014
RCPTR_40	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.9301E-015	6.1401E-015
RCPTR_40	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.3797E-009	2.3349E-009
RCPTR_40	farmer_child	TOCDFLIC	Thallium (l)	3.9251E-006	4.0851E-006
RCPTR_40	farmer_child	TOCDFLIC	Toluene	5.7350E-014	1.1990E-013
RCPTR_40	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.3465E-012	1.3156E-011
RCPTR_40	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.4828E-014	5.2049E-014
RCPTR_40	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.2671E-014	4.7544E-014
RCPTR_40	farmer_child	TOCDFLIC	Trichloroethylene	3.6875E-015	7.7277E-015
RCPTR_40	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.8461E-016	1.0156E-015
RCPTR_40	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.3504E-010	1.5031E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.5554E-010	3.0085E-010
RCPTR_40	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.3919E-014	1.7596E-013
RCPTR_40	farmer_child	TOCDFLIC	Vinyl Chloride	3.5900E-018	7.5276E-018
RCPTR_40	farmer_child	TOCDFLIC	Xylene, m-	9.2004E-014	1.4015E-013
RCPTR_40	farmer_child	TOCDFLIC	Xylene, o-	9.0717E-014	1.4561E-013
RCPTR_40	farmer_child	TOCDFLIC	Xylene, p-	1.1275E-013	1.8743E-013
RCPTR_40	farmer_child	TOCDFLIC	Zinc	1.3073E-006	1.5179E-006
RCPTR_40	farmer_child	TOCDFMPF	Acenaphthene	2.5357E-010	5.2881E-010
RCPTR_40	farmer_child	TOCDFMPF	Acetone	2.1691E-014	4.5504E-014
RCPTR_40	farmer_child	TOCDFMPF	Acetophenone	1.3935E-012	2.9226E-012
RCPTR_40	farmer_child	TOCDFMPF	Aniline	8.0157E-014	1.6799E-013
RCPTR_40	farmer_child	TOCDFMPF	Anthracene	4.4756E-009	9.3283E-009
RCPTR_40	farmer_child	TOCDFMPF	Antimony	1.4881E-008	1.7030E-008
RCPTR_40	farmer_child	TOCDFMPF	Aroclor 1254	1.8938E-010	2.7729E-010
RCPTR_40	farmer_child	TOCDFMPF	Arsenic	9.4766E-008	9.7750E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Barium	1.1158E-007	1.2396E-007
RCPTR_40	farmer_child	TOCDFMPF	Benzene	2.9202E-014	6.1181E-014
RCPTR_40	farmer_child	TOCDFMPF	Benzo(a)anthracene	7.0800E-007	8.7690E-007
RCPTR_40	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.9251E-006	6.1076E-006
RCPTR_40	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.6067E-006	4.0491E-006
RCPTR_40	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.1632E-006	9.3478E-006
RCPTR_40	farmer_child	TOCDFMPF	Benzoic acid	9.4670E-012	1.9072E-011
RCPTR_40	farmer_child	TOCDFMPF	Benzyl alcohol	1.8176E-012	3.8114E-012
RCPTR_40	farmer_child	TOCDFMPF	Beryllium	9.0704E-009	9.5359E-009
RCPTR_40	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.8184E-012	3.8147E-012
RCPTR_40	farmer_child	TOCDFMPF	Bromodichloromethane	3.5808E-014	7.5101E-014
RCPTR_40	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2463E-012	2.6141E-012
RCPTR_40	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	8.5094E-008	1.4647E-007
RCPTR_40	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.6206E-009	4.0959E-009
RCPTR_40	farmer_child	TOCDFMPF	Cadmium	1.7028E-007	2.0727E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Carbon disulfide	2.8121E-015	5.8943E-015
RCPTR_40	farmer_child	TOCDFMPF	Carbon tetrachloride	2.6517E-014	5.5548E-014
RCPTR_40	farmer_child	TOCDFMPF	Chlorine	2.3370E-007	4.9029E-007
RCPTR_40	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.5849E-010	3.1087E-010
RCPTR_40	farmer_child	TOCDFMPF	Chloroaniline, p-	8.4539E-012	1.7714E-011
RCPTR_40	farmer_child	TOCDFMPF	Chlorobenzene	1.1007E-013	2.3037E-013
RCPTR_40	farmer_child	TOCDFMPF	Chloroethane	6.2320E-016	1.2965E-015
RCPTR_40	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.9204E-014	4.0275E-014
RCPTR_40	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.6178E-010	1.3819E-009
RCPTR_40	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.3455E-011	4.9200E-011
RCPTR_40	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.8069E-010	1.7259E-009
RCPTR_40	farmer_child	TOCDFMPF	Chromium	2.3303E-007	2.4351E-007
RCPTR_40	farmer_child	TOCDFMPF	Chromium, hexavalent	2.0241E-007	2.0559E-007
RCPTR_40	farmer_child	TOCDFMPF	Chrysene	1.8428E-006	2.0219E-006
RCPTR_40	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.4380E-008	1.6210E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.8130E+001	6.8130E+001
RCPTR_40	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.2692E-004	1.2831E-004
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.0734E-012	2.2295E-012
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2952E-012	2.6997E-012
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2461E-012	2.5998E-012
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.0574E-009	1.0703E-008
RCPTR_40	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.1281E-017	8.6497E-017
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethane 1,1-	6.2064E-015	1.3017E-014
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.7099E-015	1.6171E-014
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.3506E-015	4.9275E-015
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.7788E-015	7.9209E-015
RCPTR_40	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.1434E-010	2.1320E-010
RCPTR_40	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.1273E-014	4.4565E-014
RCPTR_40	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.0135E-015	1.4707E-014
RCPTR_40	farmer_child	TOCDFMPF	Diethyl phthalate	8.5420E-009	8.8552E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Dimethyl phthalate	1.4027E-011	2.9181E-011
RCPTR_40	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.6017E-011	3.3523E-011
RCPTR_40	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.0053E-011	1.6128E-011
RCPTR_40	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.4845E-011	3.0713E-011
RCPTR_40	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.1412E-011	2.3700E-011
RCPTR_40	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.4048E-013	7.1424E-013
RCPTR_40	farmer_child	TOCDFMPF	Ethylbenzene	6.7707E-014	1.4054E-013
RCPTR_40	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.5522E-010	6.3120E-010
RCPTR_40	farmer_child	TOCDFMPF	Fluoranthene	6.5475E-008	1.1611E-007
RCPTR_40	farmer_child	TOCDFMPF	Fluorene	9.9865E-010	2.0743E-009
RCPTR_40	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.6693E-011	2.7478E-011
RCPTR_40	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.5214E-011	3.6032E-011
RCPTR_40	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.1028E-011	6.2771E-011
RCPTR_40	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6459E-011	1.6859E-011
RCPTR_40	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.6627E-012	7.9056E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.7275E-012	6.9745E-012
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1754E-011	1.2241E-011
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.9866E-012	5.1921E-012
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.4185E-012	4.5990E-012
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.9556E-012	4.1179E-012
RCPTR_40	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.1181E-011	4.3410E-011
RCPTR_40	farmer_child	TOCDFMPF	Hexachlorobenzene	4.2985E-008	8.8396E-008
RCPTR_40	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.6505E-011	1.1517E-010
RCPTR_40	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2863E-011	2.6824E-011
RCPTR_40	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.2821E-004	9.3120E-004
RCPTR_40	farmer_child	TOCDFMPF	Isophorone	2.4351E-012	5.1067E-012
RCPTR_40	farmer_child	TOCDFMPF	Lead	8.4131E-008	9.0681E-008
RCPTR_40	farmer_child	TOCDFMPF	Mercuric chloride	2.3987E-006	2.9770E-006
RCPTR_40	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.5011E-016	9.4417E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.6197E-017	5.4944E-017
RCPTR_40	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.4487E-014	5.1369E-014
RCPTR_40	farmer_child	TOCDFMPF	Methyl mercury	2.8989E-008	3.0770E-008
RCPTR_40	farmer_child	TOCDFMPF	Methylene chloride	1.2394E-014	2.5996E-014
RCPTR_40	farmer_child	TOCDFMPF	Mustard	1.1610E-012	2.4346E-012
RCPTR_40	farmer_child	TOCDFMPF	Naphthalene	1.0301E-011	2.1541E-011
RCPTR_40	farmer_child	TOCDFMPF	Nickel	1.8711E-006	1.9729E-006
RCPTR_40	farmer_child	TOCDFMPF	Nitroaniline, 2-	4.1481E-011	8.6916E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitroaniline, 3-	9.8663E-012	2.0691E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.2750E-011	2.6731E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitrobenzene	4.1095E-012	8.6202E-012
RCPTR_40	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.8712E-012	3.9244E-012
RCPTR_40	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.6488E-011	5.5971E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.3196E-012	4.8603E-012
RCPTR_40	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.2804E-012	4.7754E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	2.0547E-013	4.2795E-013
RCPTR_40	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.4314E-010	6.6816E-010
RCPTR_40	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1288E-009	1.1719E-009
RCPTR_40	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.8333E-012	7.0304E-012
RCPTR_40	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.0546E-012	9.4932E-012
RCPTR_40	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.3178E-012	5.5711E-012
RCPTR_40	farmer_child	TOCDFMPF	Pentachlorobenzene	1.6099E-010	3.2514E-010
RCPTR_40	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.3885E-011	1.2798E-010
RCPTR_40	farmer_child	TOCDFMPF	Pentachlorophenol	4.5056E-008	5.7059E-008
RCPTR_40	farmer_child	TOCDFMPF	Phenanthrene	3.1580E-012	6.5759E-012
RCPTR_40	farmer_child	TOCDFMPF	Phenol	3.2574E-012	6.8273E-012
RCPTR_40	farmer_child	TOCDFMPF	Pronamide	3.1337E-010	6.5048E-010
RCPTR_40	farmer_child	TOCDFMPF	Pyrene	1.0760E-007	1.6816E-007
RCPTR_40	farmer_child	TOCDFMPF	Selenium	1.9390E-008	1.9479E-008
RCPTR_40	farmer_child	TOCDFMPF	Silver	4.0903E-007	4.4155E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Styrene	5.5714E-013	1.1674E-012
RCPTR_40	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1536E-012	2.2927E-012
RCPTR_40	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.1039E-012	7.7182E-012
RCPTR_40	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.5556E-010	5.2470E-010
RCPTR_40	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3849E-013	4.9988E-013
RCPTR_40	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.2599E-014	4.7356E-014
RCPTR_40	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.1089E-009	3.5690E-009
RCPTR_40	farmer_child	TOCDFMPF	Thallium (l)	1.2023E-007	1.2512E-007
RCPTR_40	farmer_child	TOCDFMPF	Toluene	3.8544E-014	8.0582E-014
RCPTR_40	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.7185E-012	2.0145E-011
RCPTR_40	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.4598E-014	3.0603E-014
RCPTR_40	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.1160E-013	2.3404E-013
RCPTR_40	farmer_child	TOCDFMPF	Trichloroethylene	1.8152E-014	3.8040E-014
RCPTR_40	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.0096E-014	1.0499E-013
RCPTR_40	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1256E-009	2.3018E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.3819E-010	4.6070E-010
RCPTR_40	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	4.1309E-013	8.6615E-013
RCPTR_40	farmer_child	TOCDFMPF	Vinyl Chloride	9.8675E-018	2.0691E-017
RCPTR_40	farmer_child	TOCDFMPF	Xylene, m-	9.2184E-014	1.4046E-013
RCPTR_40	farmer_child	TOCDFMPF	Xylene, o-	9.0903E-014	1.4594E-013
RCPTR_40	farmer_child	TOCDFMPF	Xylene, p-	1.1299E-013	1.8787E-013
RCPTR_40	farmer_child	TOCDFMPF	Zinc	3.7258E-007	4.3260E-007
RCPTR_40	farmer_child	TOCDHVAC	Mustard	4.1002E-013	8.5980E-013
RCPTR_40	farmer_child	TOCDLIC2	Acenaphthene	1.6559E-010	3.4533E-010
RCPTR_40	farmer_child	TOCDLIC2	Acetone	5.9282E-015	1.2437E-014
RCPTR_40	farmer_child	TOCDLIC2	Acetophenone	8.6866E-013	1.8218E-012
RCPTR_40	farmer_child	TOCDLIC2	Aniline	5.2345E-014	1.0971E-013
RCPTR_40	farmer_child	TOCDLIC2	Anthracene	2.9227E-009	6.0917E-009
RCPTR_40	farmer_child	TOCDLIC2	Antimony	1.0908E-006	1.2483E-006
RCPTR_40	farmer_child	TOCDLIC2	Arsenic	1.8210E-006	1.8784E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Barium	1.5729E-007	1.7474E-007
RCPTR_40	farmer_child	TOCDLIC2	Benzene	3.2619E-014	6.8339E-014
RCPTR_40	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.6241E-007	5.7271E-007
RCPTR_40	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.8704E-006	3.9896E-006
RCPTR_40	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.3556E-006	2.6445E-006
RCPTR_40	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.9854E-006	6.1061E-006
RCPTR_40	farmer_child	TOCDLIC2	Benzoic acid	2.1357E-012	4.3025E-012
RCPTR_40	farmer_child	TOCDLIC2	Benzyl alcohol	1.8991E-010	3.9824E-010
RCPTR_40	farmer_child	TOCDLIC2	Beryllium	2.6578E-007	2.7942E-007
RCPTR_40	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.1875E-012	2.4911E-012
RCPTR_40	farmer_child	TOCDLIC2	Bromodichloromethane	1.1767E-015	2.4679E-015
RCPTR_40	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.1300E-012	4.4676E-012
RCPTR_40	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	5.5569E-008	9.5648E-008
RCPTR_40	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.3653E-009	2.6757E-009
RCPTR_40	farmer_child	TOCDLIC2	Cadmium	3.7255E-008	4.5347E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Carbon disulfide	7.6785E-015	1.6095E-014
RCPTR_40	farmer_child	TOCDLIC2	Carbon tetrachloride	1.5197E-013	3.1835E-013
RCPTR_40	farmer_child	TOCDLIC2	Chlorine	1.2664E-006	2.6567E-006
RCPTR_40	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0350E-010	2.0301E-010
RCPTR_40	farmer_child	TOCDLIC2	Chloroaniline, p-	5.5207E-012	1.1568E-011
RCPTR_40	farmer_child	TOCDLIC2	Chlorobenzene	6.1244E-014	1.2818E-013
RCPTR_40	farmer_child	TOCDLIC2	Chloroethane	6.3135E-017	1.3135E-016
RCPTR_40	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	6.0964E-014	1.2785E-013
RCPTR_40	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.3217E-010	9.0240E-010
RCPTR_40	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.5317E-011	3.2129E-011
RCPTR_40	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.7513E-010	1.1271E-009
RCPTR_40	farmer_child	TOCDLIC2	Chromium	1.2267E-006	1.2819E-006
RCPTR_40	farmer_child	TOCDLIC2	Chromium, hexavalent	1.0655E-006	1.0823E-006
RCPTR_40	farmer_child	TOCDLIC2	Chrysene	1.2035E-006	1.3205E-006
RCPTR_40	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.4513E-009	1.6360E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.8757E+000	6.8757E+000
RCPTR_40	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.2900E-005	8.3809E-005
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	7.0097E-013	1.4559E-012
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	8.4581E-013	1.7630E-012
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	8.1374E-013	1.6978E-012
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.9492E-009	3.4850E-009
RCPTR_40	farmer_child	TOCDLIC2	Dichlorodifluoromethane	5.0106E-018	1.0499E-017
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.0394E-016	4.2774E-016
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5662E-015	3.2851E-015
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.7242E-017	1.6192E-016
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.6765E-016	1.6091E-015
RCPTR_40	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	7.4671E-011	1.3923E-010
RCPTR_40	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.3215E-015	9.0532E-015
RCPTR_40	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.4690E-015	3.0803E-015
RCPTR_40	farmer_child	TOCDLIC2	Diethyl phthalate	8.6207E-010	8.9368E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Dimethyl phthalate	1.3114E-010	2.7281E-010
RCPTR_40	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.0460E-011	2.1892E-011
RCPTR_40	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.5771E-012	1.0552E-011
RCPTR_40	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	9.6943E-012	2.0057E-011
RCPTR_40	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	7.4522E-012	1.5477E-011
RCPTR_40	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.2234E-013	4.6642E-013
RCPTR_40	farmer_child	TOCDLIC2	Ethylbenzene	1.4430E-014	2.9953E-014
RCPTR_40	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.0656E-009	3.4850E-009
RCPTR_40	farmer_child	TOCDLIC2	Fluoranthene	4.2758E-008	7.5824E-008
RCPTR_40	farmer_child	TOCDLIC2	Fluorene	6.5215E-010	1.3546E-009
RCPTR_40	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.8370E-012	7.0380E-012
RCPTR_40	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.2349E-011	2.2869E-011
RCPTR_40	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.2047E-011	5.3535E-011
RCPTR_40	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.7511E-011	5.8909E-011
RCPTR_40	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.4419E-011	3.5510E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.8434E-011	2.9478E-011
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.9400E-011	6.1862E-011
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.1605E-011	5.3733E-011
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3047E-011	5.5214E-011
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.3640E-011	4.5430E-011
RCPTR_40	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.3832E-011	2.8348E-011
RCPTR_40	farmer_child	TOCDLIC2	Hexachlorobenzene	2.8071E-008	5.7726E-008
RCPTR_40	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.6900E-011	7.5210E-011
RCPTR_40	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.3999E-012	1.7517E-011
RCPTR_40	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.0618E-004	6.0814E-004
RCPTR_40	farmer_child	TOCDLIC2	Isophorone	1.5902E-012	3.3349E-012
RCPTR_40	farmer_child	TOCDLIC2	Lead	7.2795E-007	7.8462E-007
RCPTR_40	farmer_child	TOCDLIC2	Mercuric chloride	1.4089E-007	1.7485E-007
RCPTR_40	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.6839E-017	1.8216E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.5321E-016	3.2134E-016
RCPTR_40	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2054E-013	2.5287E-013
RCPTR_40	farmer_child	TOCDLIC2	Methyl mercury	1.7036E-009	1.8082E-009
RCPTR_40	farmer_child	TOCDLIC2	Methylene chloride	1.5733E-014	3.2998E-014
RCPTR_40	farmer_child	TOCDLIC2	Mustard	1.6934E-013	3.5510E-013
RCPTR_40	farmer_child	TOCDLIC2	Naphthalene	1.0397E-012	2.1740E-012
RCPTR_40	farmer_child	TOCDLIC2	Nickel	2.9804E-006	3.1426E-006
RCPTR_40	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.7138E-011	5.6862E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitroaniline, 3-	6.4548E-012	1.3536E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitroaniline, 4-	8.3412E-012	1.7488E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitrobenzene	2.6837E-012	5.6293E-012
RCPTR_40	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.2220E-012	2.5627E-012
RCPTR_40	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.3871E-011	3.6617E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.5148E-012	3.1739E-012
RCPTR_40	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.4892E-012	3.1185E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.3418E-013	2.7947E-013
RCPTR_40	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0097E-011	1.0490E-011
RCPTR_40	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.9419E-012	1.0321E-011
RCPTR_40	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3044E-010	1.3421E-010
RCPTR_40	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0810E-011	2.1818E-011
RCPTR_40	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.9137E-011	8.2907E-011
RCPTR_40	farmer_child	TOCDLIC2	Pentachlorobenzene	5.2664E-010	1.0636E-009
RCPTR_40	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.1798E-011	8.3733E-011
RCPTR_40	farmer_child	TOCDLIC2	Pentachlorophenol	5.8845E-009	7.4522E-009
RCPTR_40	farmer_child	TOCDLIC2	Phenanthrene	2.0623E-012	4.2943E-012
RCPTR_40	farmer_child	TOCDLIC2	Phenol	2.1272E-012	4.4585E-012
RCPTR_40	farmer_child	TOCDLIC2	Pronamide	2.0464E-010	4.2478E-010
RCPTR_40	farmer_child	TOCDLIC2	Pyrene	7.0268E-008	1.0982E-007
RCPTR_40	farmer_child	TOCDLIC2	Selenium	1.1046E-006	1.1096E-006
RCPTR_40	farmer_child	TOCDLIC2	Silver	3.0295E-006	3.2703E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Styrene	2.4391E-011	5.1109E-011
RCPTR_40	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7973E-011	1.9133E-011
RCPTR_40	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.1590E-012	7.7781E-012
RCPTR_40	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.6689E-010	3.4265E-010
RCPTR_40	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.8370E-015	1.6426E-014
RCPTR_40	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.9301E-015	6.1401E-015
RCPTR_40	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3797E-009	2.3349E-009
RCPTR_40	farmer_child	TOCDLIC2	Thallium (l)	3.9251E-006	4.0851E-006
RCPTR_40	farmer_child	TOCDLIC2	Toluene	5.7350E-014	1.1990E-013
RCPTR_40	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.3465E-012	1.3156E-011
RCPTR_40	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.4828E-014	5.2049E-014
RCPTR_40	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.2671E-014	4.7544E-014
RCPTR_40	farmer_child	TOCDLIC2	Trichloroethylene	3.6875E-015	7.7277E-015
RCPTR_40	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.8461E-016	1.0156E-015
RCPTR_40	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.3504E-010	1.5031E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5554E-010	3.0085E-010
RCPTR_40	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	8.3919E-014	1.7596E-013
RCPTR_40	farmer_child	TOCDLIC2	Vinyl Chloride	3.5900E-018	7.5276E-018
RCPTR_40	farmer_child	TOCDLIC2	Xylene, m-	1.9119E-013	2.9125E-013
RCPTR_40	farmer_child	TOCDLIC2	Xylene, o-	1.8851E-013	3.0258E-013
RCPTR_40	farmer_child	TOCDLIC2	Xylene, p-	2.3431E-013	3.8949E-013
RCPTR_40	farmer_child	TOCDLIC2	Zinc	1.3073E-006	1.5179E-006
RCPTR_41	farmer_adult	TOCDFBRA	Antimony	3.8472E-007	4.9990E-007
RCPTR_41	farmer_adult	TOCDFBRA	Arsenic	6.4639E-007	6.8355E-007
RCPTR_41	farmer_adult	TOCDFBRA	Barium	5.3226E-008	6.4989E-008
RCPTR_41	farmer_adult	TOCDFBRA	Beryllium	1.7751E-007	1.9820E-007
RCPTR_41	farmer_adult	TOCDFBRA	Cadmium	2.9116E-008	4.4684E-008
RCPTR_41	farmer_adult	TOCDFBRA	Chromium	4.6469E-006	4.6774E-006
RCPTR_41	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.8426E-006	3.9506E-006
RCPTR_41	farmer_adult	TOCDFBRA	Lead	1.8604E-006	2.1829E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFBRA	Mercuric chloride	3.3554E-004	3.4943E-004
RCPTR_41	farmer_adult	TOCDFBRA	Methyl mercury	3.7237E-006	3.8547E-006
RCPTR_41	farmer_adult	TOCDFBRA	Nickel	2.1118E-006	2.3423E-006
RCPTR_41	farmer_adult	TOCDFBRA	Selenium	7.2923E-007	7.3517E-007
RCPTR_41	farmer_adult	TOCDFBRA	Silver	2.4413E-007	2.8073E-007
RCPTR_41	farmer_adult	TOCDFBRA	Thallium (l)	6.5914E-006	7.1314E-006
RCPTR_41	farmer_adult	TOCDFBRA	Zinc	1.0958E-006	1.4869E-006
RCPTR_41	farmer_adult	TOCDFDFS	Acenaphthene	1.2964E-010	1.6913E-009
RCPTR_41	farmer_adult	TOCDFDFS	Acetone	1.3394E-015	1.8729E-014
RCPTR_41	farmer_adult	TOCDFDFS	Acetophenone	6.7318E-013	9.3796E-012
RCPTR_41	farmer_adult	TOCDFDFS	Aniline	3.8871E-014	5.3726E-013
RCPTR_41	farmer_adult	TOCDFDFS	Anthracene	2.3029E-009	2.9837E-008
RCPTR_41	farmer_adult	TOCDFDFS	Antimony	2.2678E-008	2.9459E-008
RCPTR_41	farmer_adult	TOCDFDFS	Aroclor 1254	2.2188E-010	4.9162E-010
RCPTR_41	farmer_adult	TOCDFDFS	Arsenic	4.4455E-008	4.7007E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Barium	2.8879E-008	3.5254E-008
RCPTR_41	farmer_adult	TOCDFDFS	Benzene	4.8633E-015	6.6938E-014
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.6928E-006	2.8535E-006
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.9073E-005	2.0359E-005
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.0175E-005	1.3187E-005
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.9506E-005	3.1086E-005
RCPTR_41	farmer_adult	TOCDFDFS	Benzoic acid	6.4993E-013	6.0997E-012
RCPTR_41	farmer_adult	TOCDFDFS	Benzyl alcohol	8.7633E-013	1.2189E-011
RCPTR_41	farmer_adult	TOCDFDFS	Beryllium	2.4014E-008	2.6809E-008
RCPTR_41	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.7251E-013	1.2200E-011
RCPTR_41	farmer_adult	TOCDFDFS	Bromodichloromethane	1.5556E-015	2.1688E-014
RCPTR_41	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.4864E-013	3.4698E-012
RCPTR_41	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.9299E-008	4.6844E-007
RCPTR_41	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.1098E-008	1.3799E-008
RCPTR_41	farmer_adult	TOCDFDFS	Cadmium	8.3816E-009	1.2858E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Carbon disulfide	8.6377E-016	1.1958E-014
RCPTR_41	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.3782E-015	1.8941E-014
RCPTR_41	farmer_adult	TOCDFDFS	Chlorine	2.7036E-014	3.7812E-013
RCPTR_41	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.2963E-010	9.9421E-010
RCPTR_41	farmer_adult	TOCDFDFS	Chloroaniline, p-	4.1097E-012	5.6650E-011
RCPTR_41	farmer_adult	TOCDFDFS	Chlorobenzene	8.1465E-015	1.1080E-013
RCPTR_41	farmer_adult	TOCDFDFS	Chloroethane	2.4446E-017	3.1097E-016
RCPTR_41	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.0740E-015	1.4961E-014
RCPTR_41	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.3376E-010	4.4195E-009
RCPTR_41	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.1266E-011	1.5734E-010
RCPTR_41	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	7.3114E-010	5.5267E-009
RCPTR_41	farmer_adult	TOCDFDFS	Chromium	8.2808E-007	8.3351E-007
RCPTR_41	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.8490E-007	7.0414E-007
RCPTR_41	farmer_adult	TOCDFDFS	Chrysene	5.2543E-006	6.5810E-006
RCPTR_41	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.1872E-008	5.2258E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.1789E+002	2.1789E+002
RCPTR_41	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.1649E-004	4.2870E-004
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.7107E-013	7.1307E-012
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.6523E-013	8.6342E-012
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.3379E-013	8.3147E-012
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.5672E-008	3.5047E-008
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.8969E-018	2.6126E-017
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.4910E-016	6.2607E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.5753E-016	7.7778E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.7101E-016	2.3700E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.7511E-016	3.8097E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.2095E-010	6.8189E-010
RCPTR_41	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.5586E-015	2.1434E-014
RCPTR_41	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.0855E-016	7.0737E-015
RCPTR_41	farmer_adult	TOCDFDFS	Diethyl phthalate	2.6549E-008	2.8326E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.1123E-011	1.4103E-010
RCPTR_41	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.8785E-012	1.0721E-010
RCPTR_41	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.7206E-011	5.1738E-011
RCPTR_41	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	8.2540E-012	9.8291E-011
RCPTR_41	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	6.0866E-012	7.5813E-011
RCPTR_41	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.6345E-013	2.2842E-012
RCPTR_41	farmer_adult	TOCDFDFS	Ethylbenzene	5.4509E-015	6.7604E-014
RCPTR_41	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.8783E-009	2.3549E-009
RCPTR_41	farmer_adult	TOCDFDFS	Fluoranthene	6.4726E-008	3.7215E-007
RCPTR_41	farmer_adult	TOCDFDFS	Fluorene	5.3143E-010	6.6348E-009
RCPTR_41	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.6120E-013	9.2243E-013
RCPTR_41	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.2873E-013	7.7018E-013
RCPTR_41	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3043E-012	2.4641E-012
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.9078E-011	2.0203E-011
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1417E-011	1.2292E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.9018E-012	9.6850E-012
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.2250E-012	6.8365E-012
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.6296E-012	6.1794E-012
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.6806E-012	7.3276E-012
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.1282E-012	5.6269E-012
RCPTR_41	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2803E-011	1.3893E-010
RCPTR_41	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.4711E-008	2.8278E-007
RCPTR_41	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.5829E-011	3.6868E-010
RCPTR_41	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.5696E-012	8.5784E-011
RCPTR_41	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.9951E-003	3.0203E-003
RCPTR_41	farmer_adult	TOCDFDFS	Isophorone	1.1725E-012	1.6332E-011
RCPTR_41	farmer_adult	TOCDFDFS	Lead	1.4958E-007	1.7548E-007
RCPTR_41	farmer_adult	TOCDFDFS	Mercuric chloride	7.2197E-008	7.5185E-008
RCPTR_41	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.9575E-017	2.7336E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.8661E-018	5.3890E-017
RCPTR_41	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.6038E-015	1.3426E-013
RCPTR_41	farmer_adult	TOCDFDFS	Methyl mercury	8.0194E-010	8.3011E-010
RCPTR_41	farmer_adult	TOCDFDFS	Methylene chloride	5.7892E-016	8.0752E-015
RCPTR_41	farmer_adult	TOCDFDFS	Mustard	6.8377E-014	9.5121E-013
RCPTR_41	farmer_adult	TOCDFDFS	Naphthalene	5.1171E-012	6.8893E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nickel	3.0937E-006	3.4310E-006
RCPTR_41	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.0203E-011	2.7846E-010
RCPTR_41	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.7621E-012	6.6287E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitroaniline, 4-	6.1742E-012	8.5643E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitrobenzene	1.9744E-012	2.7568E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitrophenol, 2-	9.0088E-013	1.2550E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.8595E-011	1.7934E-010
RCPTR_41	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.1274E-012	1.5543E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.1155E-012	1.5272E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.0800E-013	1.3703E-012
RCPTR_41	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4194E-012	1.5506E-012
RCPTR_41	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4953E-012	1.6304E-012
RCPTR_41	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3760E-011	3.6091E-011
RCPTR_41	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.2016E-012	4.6848E-012
RCPTR_41	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7149E-011	1.9081E-011
RCPTR_41	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1285E-010	1.0443E-009
RCPTR_41	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.7746E-011	4.1209E-010
RCPTR_41	farmer_adult	TOCDFDFS	Pentachlorophenol	1.1459E-007	1.8281E-007
RCPTR_41	farmer_adult	TOCDFDFS	Phenanthrene	1.6389E-012	2.1032E-011
RCPTR_41	farmer_adult	TOCDFDFS	Phenol	1.5787E-012	2.1834E-011
RCPTR_41	farmer_adult	TOCDFDFS	Pronamide	1.6766E-010	2.0804E-009
RCPTR_41	farmer_adult	TOCDFDFS	Pyrene	9.5372E-008	5.3830E-007
RCPTR_41	farmer_adult	TOCDFDFS	Selenium	5.0152E-008	5.0560E-008
RCPTR_41	farmer_adult	TOCDFDFS	Silver	3.3178E-007	3.8144E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Styrene	5.8900E-014	8.1216E-013
RCPTR_41	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0388E-011	1.2008E-011
RCPTR_41	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.1437E-012	3.8198E-012
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.5114E-010	1.6782E-009
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8259E-011	2.5718E-011
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.6514E-015	2.2778E-014
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.1371E-009	1.1437E-008
RCPTR_41	farmer_adult	TOCDFDFS	Thallium (l)	4.4360E-005	4.7989E-005
RCPTR_41	farmer_adult	TOCDFDFS	Toluene	2.2658E-015	3.0434E-014
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.2735E-012	6.4436E-011
RCPTR_41	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.3698E-015	1.8993E-014
RCPTR_41	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	8.0835E-015	1.1256E-013
RCPTR_41	farmer_adult	TOCDFDFS	Trichloroethylene	1.3252E-015	1.8296E-014
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.8287E-016	2.5273E-015
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	6.8759E-010	7.3612E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0600E-009	7.4061E-009
RCPTR_41	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.9986E-014	4.1659E-013
RCPTR_41	farmer_adult	TOCDFDFS	Vinyl Chloride	4.2798E-019	5.9461E-018
RCPTR_41	farmer_adult	TOCDFDFS	Xylene, m-	7.0250E-014	1.6476E-013
RCPTR_41	farmer_adult	TOCDFDFS	Xylene, o-	5.3804E-014	1.4793E-013
RCPTR_41	farmer_adult	TOCDFDFS	Xylene, p-	6.9816E-014	2.1639E-013
RCPTR_41	farmer_adult	TOCDFDFS	Zinc	1.4212E-007	1.9277E-007
RCPTR_41	farmer_adult	TOCDFLIC	Acenaphthene	2.7179E-011	3.5469E-010
RCPTR_41	farmer_adult	TOCDFLIC	Acetone	9.1344E-016	1.2772E-014
RCPTR_41	farmer_adult	TOCDFLIC	Acetophenone	1.3428E-013	1.8710E-012
RCPTR_41	farmer_adult	TOCDFLIC	Aniline	8.1516E-015	1.1267E-013
RCPTR_41	farmer_adult	TOCDFLIC	Anthracene	4.8266E-010	6.2570E-009
RCPTR_41	farmer_adult	TOCDFLIC	Antimony	1.1145E-006	1.4476E-006
RCPTR_41	farmer_adult	TOCDFLIC	Arsenic	2.0618E-006	2.1801E-006
RCPTR_41	farmer_adult	TOCDFLIC	Barium	1.6605E-007	2.0269E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Benzene	5.0991E-015	7.0186E-014
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.5235E-007	5.9526E-007
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.9498E-006	4.2128E-006
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.1218E-006	2.7515E-006
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.1187E-006	6.4383E-006
RCPTR_41	farmer_adult	TOCDFLIC	Benzoic acid	4.7113E-013	4.4193E-012
RCPTR_41	farmer_adult	TOCDFLIC	Benzyl alcohol	2.9404E-011	4.0899E-010
RCPTR_41	farmer_adult	TOCDFLIC	Beryllium	2.9036E-007	3.2414E-007
RCPTR_41	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.8298E-013	2.5584E-012
RCPTR_41	farmer_adult	TOCDFLIC	Bromodichloromethane	1.8179E-016	2.5345E-015
RCPTR_41	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.2878E-013	4.5883E-012
RCPTR_41	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.0337E-008	9.8235E-008
RCPTR_41	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2770E-009	2.8431E-009
RCPTR_41	farmer_adult	TOCDFLIC	Cadmium	3.4265E-008	5.2554E-008
RCPTR_41	farmer_adult	TOCDFLIC	Carbon disulfide	1.1940E-015	1.6530E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.3789E-014	3.2696E-013
RCPTR_41	farmer_adult	TOCDFLIC	Chlorine	1.9509E-007	2.7285E-006
RCPTR_41	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.7214E-011	2.0853E-010
RCPTR_41	farmer_adult	TOCDFLIC	Chloroaniline, p-	8.6186E-013	1.1880E-011
RCPTR_41	farmer_adult	TOCDFLIC	Chlorobenzene	9.6784E-015	1.3165E-013
RCPTR_41	farmer_adult	TOCDFLIC	Chloroethane	1.0606E-017	1.3490E-016
RCPTR_41	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	9.4260E-015	1.3131E-013
RCPTR_41	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.9986E-011	9.2681E-010
RCPTR_41	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.3627E-012	3.2997E-011
RCPTR_41	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.5293E-010	1.1586E-009
RCPTR_41	farmer_adult	TOCDFLIC	Chromium	1.4773E-006	1.4870E-006
RCPTR_41	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.2220E-006	1.2563E-006
RCPTR_41	farmer_adult	TOCDFLIC	Chrysene	1.0965E-006	1.3735E-006
RCPTR_41	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.3552E-009	1.6917E-009
RCPTR_41	farmer_adult	TOCDFLIC	Di-n-octylphthalate	7.0791E+000	7.0791E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.6251E-005	8.8654E-005
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.1974E-013	1.4954E-012
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.3949E-013	1.8107E-012
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.3290E-013	1.7437E-012
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6639E-009	3.6443E-009
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.8268E-019	1.0783E-017
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.1512E-017	4.3929E-016
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.4184E-016	3.3739E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1999E-017	1.6630E-016
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.1934E-016	1.6526E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.5402E-011	1.4304E-010
RCPTR_41	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.7608E-016	9.2978E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.2742E-016	3.1636E-015
RCPTR_41	farmer_adult	TOCDFLIC	Diethyl phthalate	8.6247E-010	9.2006E-010
RCPTR_41	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.2083E-011	2.8022E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.6523E-012	2.2483E-011
RCPTR_41	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.6106E-012	1.0853E-011
RCPTR_41	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.7262E-012	2.0608E-011
RCPTR_41	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.2754E-012	1.5898E-011
RCPTR_41	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.4278E-014	4.7902E-013
RCPTR_41	farmer_adult	TOCDFLIC	Ethylbenzene	2.4799E-015	3.0765E-014
RCPTR_41	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.9479E-009	3.7133E-009
RCPTR_41	farmer_adult	TOCDFLIC	Fluoranthene	1.3535E-008	7.7997E-008
RCPTR_41	farmer_adult	TOCDFLIC	Fluorene	1.1140E-010	1.3914E-009
RCPTR_41	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.2596E-012	7.7659E-012
RCPTR_41	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.3476E-011	2.4778E-011
RCPTR_41	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.5127E-011	5.8873E-011
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.0167E-011	6.3635E-011
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.6397E-011	3.9140E-011
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.0328E-011	3.2966E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.2902E-011	6.9047E-011
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.4596E-011	5.9899E-011
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.6002E-011	6.1393E-011
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.6116E-011	5.0575E-011
RCPTR_41	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.6784E-012	2.9128E-011
RCPTR_41	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.1783E-009	5.9298E-008
RCPTR_41	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	7.4894E-012	7.7293E-011
RCPTR_41	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.3780E-012	1.7990E-011
RCPTR_41	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2661E-004	6.3156E-004
RCPTR_41	farmer_adult	TOCDFLIC	Isophorone	2.4589E-013	3.4249E-012
RCPTR_41	farmer_adult	TOCDFLIC	Lead	7.7559E-007	9.0983E-007
RCPTR_41	farmer_adult	TOCDFLIC	Mercuric chloride	1.7559E-007	1.8291E-007
RCPTR_41	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.3396E-017	1.8708E-016
RCPTR_41	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.3675E-017	3.3002E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.8577E-014	2.5970E-013
RCPTR_41	farmer_adult	TOCDFLIC	Methyl mercury	1.9048E-009	1.9739E-009
RCPTR_41	farmer_adult	TOCDFLIC	Methylene chloride	2.4296E-015	3.3889E-014
RCPTR_41	farmer_adult	TOCDFLIC	Mustard	2.5217E-014	3.5080E-013
RCPTR_41	farmer_adult	TOCDFLIC	Naphthalene	1.6583E-013	2.2328E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nickel	3.2884E-006	3.6467E-006
RCPTR_41	farmer_adult	TOCDFLIC	Nitroaniline, 2-	4.2369E-012	5.8399E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nitroaniline, 3-	9.9868E-013	1.3902E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.2945E-012	1.7961E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nitrobenzene	4.1405E-013	5.7813E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.8892E-013	2.6320E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4415E-012	3.7640E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.3644E-013	3.2597E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.3396E-013	3.2027E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.2519E-014	2.8725E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0869E-011	1.1865E-011
RCPTR_41	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0719E-011	1.1680E-011
RCPTR_41	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3327E-010	1.4235E-010
RCPTR_41	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0792E-011	2.3180E-011
RCPTR_41	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.0080E-011	8.9095E-011
RCPTR_41	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.1686E-010	1.0953E-009
RCPTR_41	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	9.8574E-012	8.6269E-011
RCPTR_41	farmer_adult	TOCDFLIC	Pentachlorophenol	4.8087E-009	7.6651E-009
RCPTR_41	farmer_adult	TOCDFLIC	Phenanthrene	3.4360E-013	4.4106E-012
RCPTR_41	farmer_adult	TOCDFLIC	Phenol	3.3108E-013	4.5789E-012
RCPTR_41	farmer_adult	TOCDFLIC	Pronamide	3.5161E-011	4.3629E-010
RCPTR_41	farmer_adult	TOCDFLIC	Pyrene	1.9982E-008	1.1286E-007
RCPTR_41	farmer_adult	TOCDFLIC	Selenium	1.2778E-006	1.2882E-006
RCPTR_41	farmer_adult	TOCDFLIC	Silver	3.3005E-006	3.7943E-006
RCPTR_41	farmer_adult	TOCDFLIC	Styrene	3.8065E-012	5.2490E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7501E-011	2.0238E-011
RCPTR_41	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.7095E-012	8.1580E-012
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.1697E-011	3.5194E-010
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.2192E-015	1.6870E-014
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.5710E-016	6.3061E-015
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.5901E-010	2.3996E-009
RCPTR_41	farmer_adult	TOCDFLIC	Thallium (l)	4.3825E-006	4.7409E-006
RCPTR_41	farmer_adult	TOCDFLIC	Toluene	9.1675E-015	1.2314E-013
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.1055E-012	1.3513E-011
RCPTR_41	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.8553E-015	5.3455E-014
RCPTR_41	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.5064E-015	4.8828E-014
RCPTR_41	farmer_adult	TOCDFLIC	Trichloroethylene	5.7482E-016	7.9365E-015
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.5477E-017	1.0431E-015
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.4428E-010	1.5438E-009
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.4277E-011	3.0904E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.3007E-014	1.8071E-013
RCPTR_41	farmer_adult	TOCDFLIC	Vinyl Chloride	5.5633E-019	7.7311E-018
RCPTR_41	farmer_adult	TOCDFLIC	Xylene, m-	6.1877E-014	1.4961E-013
RCPTR_41	farmer_adult	TOCDFLIC	Xylene, o-	5.4338E-014	1.5436E-013
RCPTR_41	farmer_adult	TOCDFLIC	Xylene, p-	6.1705E-014	1.9777E-013
RCPTR_41	farmer_adult	TOCDFLIC	Zinc	1.2976E-006	1.7599E-006
RCPTR_41	farmer_adult	TOCDFMPF	Acenaphthene	4.1346E-011	5.3956E-010
RCPTR_41	farmer_adult	TOCDFMPF	Acetone	3.3202E-015	4.6425E-014
RCPTR_41	farmer_adult	TOCDFMPF	Acetophenone	2.1400E-013	2.9817E-012
RCPTR_41	farmer_adult	TOCDFMPF	Aniline	1.2400E-014	1.7140E-013
RCPTR_41	farmer_adult	TOCDFMPF	Anthracene	7.3426E-010	9.5183E-009
RCPTR_41	farmer_adult	TOCDFMPF	Antimony	1.5176E-008	1.9712E-008
RCPTR_41	farmer_adult	TOCDFMPF	Aroclor 1254	1.2862E-010	2.8777E-010
RCPTR_41	farmer_adult	TOCDFMPF	Arsenic	1.0710E-007	1.1324E-007
RCPTR_41	farmer_adult	TOCDFMPF	Barium	1.1758E-007	1.4352E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Benzene	4.5350E-015	6.2420E-014
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.3623E-007	9.0581E-007
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.0129E-006	6.4135E-006
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.2288E-006	4.1868E-006
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	9.3140E-006	9.8011E-006
RCPTR_41	farmer_adult	TOCDFMPF	Benzoic acid	2.0746E-012	1.9460E-011
RCPTR_41	farmer_adult	TOCDFMPF	Benzyl alcohol	2.7957E-013	3.8886E-012
RCPTR_41	farmer_adult	TOCDFMPF	Beryllium	9.8906E-009	1.1042E-008
RCPTR_41	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.7835E-013	3.8919E-012
RCPTR_41	farmer_adult	TOCDFMPF	Bromodichloromethane	5.4957E-015	7.6622E-014
RCPTR_41	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.9111E-013	2.6671E-012
RCPTR_41	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.5725E-008	1.4944E-007
RCPTR_41	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.4682E-009	4.3294E-009
RCPTR_41	farmer_adult	TOCDFMPF	Cadmium	1.5633E-007	2.3977E-007
RCPTR_41	farmer_adult	TOCDFMPF	Carbon disulfide	4.3440E-016	6.0137E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.1234E-015	5.6674E-014
RCPTR_41	farmer_adult	TOCDFMPF	Chlorine	3.5765E-008	5.0021E-007
RCPTR_41	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	4.1397E-011	3.1722E-010
RCPTR_41	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.3111E-012	1.8072E-011
RCPTR_41	farmer_adult	TOCDFMPF	Chlorobenzene	1.7279E-014	2.3503E-013
RCPTR_41	farmer_adult	TOCDFMPF	Chloroethane	1.0401E-016	1.3228E-015
RCPTR_41	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.9497E-015	4.1090E-014
RCPTR_41	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.0646E-010	1.4099E-009
RCPTR_41	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.5942E-012	5.0196E-011
RCPTR_41	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.3268E-010	1.7626E-009
RCPTR_41	farmer_adult	TOCDFMPF	Chromium	2.8012E-007	2.8196E-007
RCPTR_41	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.3170E-007	2.3821E-007
RCPTR_41	farmer_adult	TOCDFMPF	Chrysene	1.6685E-006	2.0900E-006
RCPTR_41	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.3341E-008	1.6653E-008
RCPTR_41	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.9672E+001	6.9673E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.3130E-004	1.3497E-004
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.8215E-013	2.2748E-012
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.1220E-013	2.7545E-012
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.0217E-013	2.6526E-012
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.1338E-009	1.1126E-008
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.4060E-018	8.8253E-017
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	9.5265E-016	1.3280E-014
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1826E-015	1.6499E-014
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.6274E-016	5.0273E-015
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.8357E-016	8.0813E-015
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.8639E-011	2.1759E-010
RCPTR_41	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.3061E-015	4.5467E-014
RCPTR_41	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0787E-015	1.5005E-014
RCPTR_41	farmer_adult	TOCDFMPF	Diethyl phthalate	8.4885E-009	9.0554E-009
RCPTR_41	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.3467E-012	2.9777E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.5136E-012	3.4202E-011
RCPTR_41	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.4825E-012	1.6479E-011
RCPTR_41	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.6264E-012	3.1350E-011
RCPTR_41	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.9402E-012	2.4184E-011
RCPTR_41	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	5.2145E-014	7.2870E-013
RCPTR_41	farmer_adult	TOCDFMPF	Ethylbenzene	1.1560E-014	1.4340E-013
RCPTR_41	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.3136E-010	6.6914E-010
RCPTR_41	farmer_adult	TOCDFMPF	Fluoranthene	2.0593E-008	1.1866E-007
RCPTR_41	farmer_adult	TOCDFMPF	Fluorene	1.6947E-010	2.1166E-009
RCPTR_41	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.8241E-011	3.0213E-011
RCPTR_41	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.6826E-011	3.8871E-011
RCPTR_41	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.4396E-011	6.8777E-011
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7141E-011	1.8130E-011
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.0736E-012	8.6827E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.1545E-012	7.7772E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.2410E-011	1.3623E-011
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.2594E-012	5.7704E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.6498E-012	5.0976E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.1670E-012	4.5700E-012
RCPTR_41	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.0750E-012	4.4311E-011
RCPTR_41	farmer_adult	TOCDFMPF	Hexachlorobenzene	7.8777E-009	9.0206E-008
RCPTR_41	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.1395E-011	1.1758E-010
RCPTR_41	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.0962E-012	2.7367E-011
RCPTR_41	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.5336E-004	9.6092E-004
RCPTR_41	farmer_adult	TOCDFMPF	Isophorone	3.7406E-013	5.2101E-012
RCPTR_41	farmer_adult	TOCDFMPF	Lead	8.9471E-008	1.0496E-007
RCPTR_41	farmer_adult	TOCDFMPF	Mercuric chloride	2.9722E-006	3.0962E-006
RCPTR_41	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.8980E-017	9.6328E-016
RCPTR_41	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	4.0215E-018	5.6057E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.7488E-015	5.2408E-014
RCPTR_41	farmer_adult	TOCDFMPF	Methyl mercury	3.2288E-008	3.3456E-008
RCPTR_41	farmer_adult	TOCDFMPF	Methylene chloride	1.9014E-015	2.6522E-014
RCPTR_41	farmer_adult	TOCDFMPF	Mustard	1.7856E-013	2.4839E-012
RCPTR_41	farmer_adult	TOCDFMPF	Naphthalene	1.6323E-012	2.1978E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nickel	2.0605E-006	2.2851E-006
RCPTR_41	farmer_adult	TOCDFMPF	Nitroaniline, 2-	6.4335E-012	8.8677E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.5165E-012	2.1110E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.9657E-012	2.7273E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitrobenzene	6.2986E-013	8.7947E-012
RCPTR_41	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.8740E-013	4.0038E-012
RCPTR_41	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.1886E-011	5.7153E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.5968E-013	4.9587E-012
RCPTR_41	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.5590E-013	4.8721E-012
RCPTR_41	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	3.4268E-014	4.3698E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.9059E-010	7.5393E-010
RCPTR_41	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.2142E-009	1.3230E-009
RCPTR_41	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.9437E-012	7.4172E-012
RCPTR_41	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.9991E-012	1.0033E-011
RCPTR_41	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.3559E-012	5.9588E-012
RCPTR_41	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.5520E-011	3.3266E-010
RCPTR_41	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.4982E-011	1.3101E-010
RCPTR_41	farmer_adult	TOCDFMPF	Pentachlorophenol	3.6571E-008	5.8298E-008
RCPTR_41	farmer_adult	TOCDFMPF	Phenanthrene	5.2271E-013	6.7096E-012
RCPTR_41	farmer_adult	TOCDFMPF	Phenol	5.0365E-013	6.9655E-012
RCPTR_41	farmer_adult	TOCDFMPF	Pronamide	5.3487E-011	6.6369E-010
RCPTR_41	farmer_adult	TOCDFMPF	Pyrene	3.0399E-008	1.7169E-007
RCPTR_41	farmer_adult	TOCDFMPF	Selenium	2.2389E-008	2.2571E-008
RCPTR_41	farmer_adult	TOCDFMPF	Silver	4.4479E-007	5.1135E-007
RCPTR_41	farmer_adult	TOCDFMPF	Styrene	8.6376E-014	1.1911E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0858E-012	2.4119E-012
RCPTR_41	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.6196E-012	8.0484E-012
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.8218E-011	5.3539E-010
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.6858E-014	5.1000E-013
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.5023E-015	4.8317E-014
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.0006E-009	3.6437E-009
RCPTR_41	farmer_adult	TOCDFMPF	Thallium (l)	1.3399E-007	1.4494E-007
RCPTR_41	farmer_adult	TOCDFMPF	Toluene	6.1206E-015	8.2216E-014
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.6817E-012	2.0556E-011
RCPTR_41	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.2519E-015	3.1223E-014
RCPTR_41	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.7147E-014	2.3877E-013
RCPTR_41	farmer_adult	TOCDFMPF	Trichloroethylene	2.8109E-015	3.8810E-014
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.7509E-015	1.0712E-013
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.1948E-010	2.3485E-009
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.7351E-011	4.7012E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	6.3605E-014	8.8369E-013
RCPTR_41	farmer_adult	TOCDFMPF	Vinyl Chloride	1.5191E-018	2.1110E-017
RCPTR_41	farmer_adult	TOCDFMPF	Xylene, m-	6.1821E-014	1.4921E-013
RCPTR_41	farmer_adult	TOCDFMPF	Xylene, o-	5.4283E-014	1.5391E-013
RCPTR_41	farmer_adult	TOCDFMPF	Xylene, p-	6.1636E-014	1.9716E-013
RCPTR_41	farmer_adult	TOCDFMPF	Zinc	3.6915E-007	5.0065E-007
RCPTR_41	farmer_adult	TOCDHVAC	Mustard	6.3182E-014	8.7895E-013
RCPTR_41	farmer_adult	TOCDLIC2	Acenaphthene	2.7179E-011	3.5469E-010
RCPTR_41	farmer_adult	TOCDLIC2	Acetone	9.1344E-016	1.2772E-014
RCPTR_41	farmer_adult	TOCDLIC2	Acetophenone	1.3428E-013	1.8710E-012
RCPTR_41	farmer_adult	TOCDLIC2	Aniline	8.1516E-015	1.1267E-013
RCPTR_41	farmer_adult	TOCDLIC2	Anthracene	4.8266E-010	6.2570E-009
RCPTR_41	farmer_adult	TOCDLIC2	Antimony	1.1145E-006	1.4476E-006
RCPTR_41	farmer_adult	TOCDLIC2	Arsenic	2.0618E-006	2.1801E-006
RCPTR_41	farmer_adult	TOCDLIC2	Barium	1.6605E-007	2.0269E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Benzene	5.0991E-015	7.0186E-014
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.5235E-007	5.9526E-007
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.9498E-006	4.2128E-006
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.1218E-006	2.7515E-006
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.1187E-006	6.4383E-006
RCPTR_41	farmer_adult	TOCDLIC2	Benzoic acid	4.7113E-013	4.4193E-012
RCPTR_41	farmer_adult	TOCDLIC2	Benzyl alcohol	2.9404E-011	4.0899E-010
RCPTR_41	farmer_adult	TOCDLIC2	Beryllium	2.9036E-007	3.2414E-007
RCPTR_41	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.8298E-013	2.5584E-012
RCPTR_41	farmer_adult	TOCDLIC2	Bromodichloromethane	1.8179E-016	2.5345E-015
RCPTR_41	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.2878E-013	4.5883E-012
RCPTR_41	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0337E-008	9.8235E-008
RCPTR_41	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.2770E-009	2.8431E-009
RCPTR_41	farmer_adult	TOCDLIC2	Cadmium	3.4265E-008	5.2554E-008
RCPTR_41	farmer_adult	TOCDLIC2	Carbon disulfide	1.1940E-015	1.6530E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.3789E-014	3.2696E-013
RCPTR_41	farmer_adult	TOCDLIC2	Chlorine	1.9509E-007	2.7285E-006
RCPTR_41	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.7214E-011	2.0853E-010
RCPTR_41	farmer_adult	TOCDLIC2	Chloroaniline, p-	8.6186E-013	1.1880E-011
RCPTR_41	farmer_adult	TOCDLIC2	Chlorobenzene	9.6784E-015	1.3165E-013
RCPTR_41	farmer_adult	TOCDLIC2	Chloroethane	1.0606E-017	1.3490E-016
RCPTR_41	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	9.4260E-015	1.3131E-013
RCPTR_41	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.9986E-011	9.2681E-010
RCPTR_41	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.3627E-012	3.2997E-011
RCPTR_41	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.5293E-010	1.1586E-009
RCPTR_41	farmer_adult	TOCDLIC2	Chromium	1.4773E-006	1.4870E-006
RCPTR_41	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.2220E-006	1.2563E-006
RCPTR_41	farmer_adult	TOCDLIC2	Chrysene	1.0965E-006	1.3735E-006
RCPTR_41	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.3552E-009	1.6917E-009
RCPTR_41	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.0791E+000	7.0791E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.6251E-005	8.8654E-005
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.1974E-013	1.4954E-012
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3949E-013	1.8107E-012
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.3290E-013	1.7437E-012
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.6639E-009	3.6443E-009
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.8268E-019	1.0783E-017
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	3.1512E-017	4.3929E-016
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.4184E-016	3.3739E-015
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.1999E-017	1.6630E-016
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.1934E-016	1.6526E-015
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.5402E-011	1.4304E-010
RCPTR_41	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.7608E-016	9.2978E-015
RCPTR_41	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.2742E-016	3.1636E-015
RCPTR_41	farmer_adult	TOCDLIC2	Diethyl phthalate	8.6247E-010	9.2006E-010
RCPTR_41	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.2083E-011	2.8022E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.6523E-012	2.2483E-011
RCPTR_41	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.6106E-012	1.0853E-011
RCPTR_41	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.7262E-012	2.0608E-011
RCPTR_41	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.2754E-012	1.5898E-011
RCPTR_41	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.4278E-014	4.7902E-013
RCPTR_41	farmer_adult	TOCDLIC2	Ethylbenzene	2.4799E-015	3.0765E-014
RCPTR_41	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.9479E-009	3.7133E-009
RCPTR_41	farmer_adult	TOCDLIC2	Fluoranthene	1.3535E-008	7.7997E-008
RCPTR_41	farmer_adult	TOCDLIC2	Fluorene	1.1140E-010	1.3914E-009
RCPTR_41	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.2596E-012	7.7659E-012
RCPTR_41	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3476E-011	2.4778E-011
RCPTR_41	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.5127E-011	5.8873E-011
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.0167E-011	6.3635E-011
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.6397E-011	3.9140E-011
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.0328E-011	3.2966E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.2902E-011	6.9047E-011
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.4596E-011	5.9899E-011
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.6002E-011	6.1393E-011
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.6116E-011	5.0575E-011
RCPTR_41	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.6784E-012	2.9128E-011
RCPTR_41	farmer_adult	TOCDLIC2	Hexachlorobenzene	5.1783E-009	5.9298E-008
RCPTR_41	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	7.4894E-012	7.7293E-011
RCPTR_41	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.3780E-012	1.7990E-011
RCPTR_41	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2661E-004	6.3156E-004
RCPTR_41	farmer_adult	TOCDLIC2	Isophorone	2.4589E-013	3.4249E-012
RCPTR_41	farmer_adult	TOCDLIC2	Lead	7.7559E-007	9.0983E-007
RCPTR_41	farmer_adult	TOCDLIC2	Mercuric chloride	1.7559E-007	1.8291E-007
RCPTR_41	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.3396E-017	1.8708E-016
RCPTR_41	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.3675E-017	3.3002E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.8577E-014	2.5970E-013
RCPTR_41	farmer_adult	TOCDLIC2	Methyl mercury	1.9048E-009	1.9739E-009
RCPTR_41	farmer_adult	TOCDLIC2	Methylene chloride	2.4296E-015	3.3889E-014
RCPTR_41	farmer_adult	TOCDLIC2	Mustard	2.6216E-014	3.6469E-013
RCPTR_41	farmer_adult	TOCDLIC2	Naphthalene	1.6583E-013	2.2328E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nickel	3.2884E-006	3.6467E-006
RCPTR_41	farmer_adult	TOCDLIC2	Nitroaniline, 2-	4.2369E-012	5.8399E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitroaniline, 3-	9.9868E-013	1.3902E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.2945E-012	1.7961E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitrobenzene	4.1405E-013	5.7813E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.8892E-013	2.6320E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4415E-011	3.7640E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.3644E-013	3.2597E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.3396E-013	3.2027E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	2.2519E-014	2.8725E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0869E-011	1.1865E-011
RCPTR_41	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0719E-011	1.1680E-011
RCPTR_41	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3327E-010	1.4235E-010
RCPTR_41	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0792E-011	2.3180E-011
RCPTR_41	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.0080E-011	8.9095E-011
RCPTR_41	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.1686E-010	1.0953E-009
RCPTR_41	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	9.8574E-012	8.6269E-011
RCPTR_41	farmer_adult	TOCDLIC2	Pentachlorophenol	4.8087E-009	7.6651E-009
RCPTR_41	farmer_adult	TOCDLIC2	Phenanthrene	3.4360E-013	4.4106E-012
RCPTR_41	farmer_adult	TOCDLIC2	Phenol	3.3108E-013	4.5789E-012
RCPTR_41	farmer_adult	TOCDLIC2	Pronamide	3.5161E-011	4.3629E-010
RCPTR_41	farmer_adult	TOCDLIC2	Pyrene	1.9982E-008	1.1286E-007
RCPTR_41	farmer_adult	TOCDLIC2	Selenium	1.2778E-006	1.2882E-006
RCPTR_41	farmer_adult	TOCDLIC2	Silver	3.3005E-006	3.7943E-006
RCPTR_41	farmer_adult	TOCDLIC2	Styrene	3.8065E-012	5.2490E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7501E-011	2.0238E-011
RCPTR_41	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.7095E-012	8.1580E-012
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.1697E-011	3.5194E-010
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.2192E-015	1.6870E-014
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.5710E-016	6.3061E-015
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.5901E-010	2.3996E-009
RCPTR_41	farmer_adult	TOCDLIC2	Thallium (l)	4.3825E-006	4.7409E-006
RCPTR_41	farmer_adult	TOCDLIC2	Toluene	9.1675E-015	1.2314E-013
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.1055E-012	1.3513E-011
RCPTR_41	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.8553E-015	5.3455E-014
RCPTR_41	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.5064E-015	4.8828E-014
RCPTR_41	farmer_adult	TOCDLIC2	Trichloroethylene	5.7482E-016	7.9365E-015
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.5477E-017	1.0431E-015
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.4428E-010	1.5438E-009
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	4.4277E-011	3.0904E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.3007E-014	1.8071E-013
RCPTR_41	farmer_adult	TOCDLIC2	Vinyl Chloride	5.5633E-019	7.7311E-018
RCPTR_41	farmer_adult	TOCDLIC2	Xylene, m-	1.2859E-013	3.1090E-013
RCPTR_41	farmer_adult	TOCDLIC2	Xylene, o-	1.1292E-013	3.2077E-013
RCPTR_41	farmer_adult	TOCDLIC2	Xylene, p-	1.2823E-013	4.1098E-013
RCPTR_41	farmer_adult	TOCDLIC2	Zinc	1.2976E-006	1.7599E-006
RCPTR_41	farmer_child	TOCDFBRA	Antimony	4.3696E-007	4.9990E-007
RCPTR_41	farmer_child	TOCDFBRA	Arsenic	6.6274E-007	6.8355E-007
RCPTR_41	farmer_child	TOCDFBRA	Barium	5.8512E-008	6.4989E-008
RCPTR_41	farmer_child	TOCDFBRA	Beryllium	1.8855E-007	1.9820E-007
RCPTR_41	farmer_child	TOCDFBRA	Cadmium	3.6724E-008	4.4684E-008
RCPTR_41	farmer_child	TOCDFBRA	Chromium	4.4764E-006	4.6774E-006
RCPTR_41	farmer_child	TOCDFBRA	Chromium, hexavalent	3.8897E-006	3.9506E-006
RCPTR_41	farmer_child	TOCDFBRA	Lead	2.0256E-006	2.1829E-006
RCPTR_41	farmer_child	TOCDFBRA	Mercuric chloride	2.8304E-004	3.4943E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFBRA	Methyl mercury	3.6502E-006	3.8547E-006
RCPTR_41	farmer_child	TOCDFBRA	Nickel	2.2217E-006	2.3423E-006
RCPTR_41	farmer_child	TOCDFBRA	Selenium	7.3182E-007	7.3517E-007
RCPTR_41	farmer_child	TOCDFBRA	Silver	2.6010E-007	2.8073E-007
RCPTR_41	farmer_child	TOCDFBRA	Thallium (l)	6.8528E-006	7.1314E-006
RCPTR_41	farmer_child	TOCDFBRA	Zinc	1.2810E-006	1.4869E-006
RCPTR_41	farmer_child	TOCDFDFS	Acenaphthene	8.1111E-010	1.6913E-009
RCPTR_41	farmer_child	TOCDFDFS	Acetone	8.9278E-015	1.8729E-014
RCPTR_41	farmer_child	TOCDFDFS	Acetophenone	4.4724E-012	9.3796E-012
RCPTR_41	farmer_child	TOCDFDFS	Aniline	2.5635E-013	5.3726E-013
RCPTR_41	farmer_child	TOCDFDFS	Anthracene	1.4318E-008	2.9837E-008
RCPTR_41	farmer_child	TOCDFDFS	Antimony	2.5754E-008	2.9459E-008
RCPTR_41	farmer_child	TOCDFDFS	Aroclor 1254	3.3958E-010	4.9162E-010
RCPTR_41	farmer_child	TOCDFDFS	Arsenic	4.5577E-008	4.7007E-008
RCPTR_41	farmer_child	TOCDFDFS	Barium	3.1744E-008	3.5254E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Benzene	3.1951E-014	6.6938E-014
RCPTR_41	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.3105E-006	2.8535E-006
RCPTR_41	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.9734E-005	2.0359E-005
RCPTR_41	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.1761E-005	1.3187E-005
RCPTR_41	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.0435E-005	3.1086E-005
RCPTR_41	farmer_child	TOCDFDFS	Benzoic acid	3.0280E-012	6.0997E-012
RCPTR_41	farmer_child	TOCDFDFS	Benzyl alcohol	5.8129E-012	1.2189E-011
RCPTR_41	farmer_child	TOCDFDFS	Beryllium	2.5505E-008	2.6809E-008
RCPTR_41	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.8152E-012	1.2200E-011
RCPTR_41	farmer_child	TOCDFDFS	Bromodichloromethane	1.0341E-014	2.1688E-014
RCPTR_41	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6543E-012	3.4698E-012
RCPTR_41	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.7216E-007	4.6844E-007
RCPTR_41	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.2276E-008	1.3799E-008
RCPTR_41	farmer_child	TOCDFDFS	Cadmium	1.0569E-008	1.2858E-008
RCPTR_41	farmer_child	TOCDFDFS	Carbon disulfide	5.7047E-015	1.1958E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Carbon tetrachloride	9.0422E-015	1.8941E-014
RCPTR_41	farmer_child	TOCDFDFS	Chlorine	1.8024E-013	3.7812E-013
RCPTR_41	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	5.0690E-010	9.9421E-010
RCPTR_41	farmer_child	TOCDFDFS	Chloroaniline, p-	2.7036E-011	5.6650E-011
RCPTR_41	farmer_child	TOCDFDFS	Chlorobenzene	5.2942E-014	1.1080E-013
RCPTR_41	farmer_child	TOCDFDFS	Chloroethane	1.4948E-016	3.1097E-016
RCPTR_41	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.1339E-015	1.4961E-014
RCPTR_41	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.1166E-009	4.4195E-009
RCPTR_41	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.5010E-011	1.5734E-010
RCPTR_41	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.8238E-009	5.5267E-009
RCPTR_41	farmer_child	TOCDFDFS	Chromium	7.9774E-007	8.3351E-007
RCPTR_41	farmer_child	TOCDFDFS	Chromium, hexavalent	6.9330E-007	7.0414E-007
RCPTR_41	farmer_child	TOCDFDFS	Chrysene	6.0016E-006	6.5810E-006
RCPTR_41	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.6404E-008	5.2258E-008
RCPTR_41	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.1789E+002	2.1789E+002

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.2337E-004	4.2870E-004
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.4335E-012	7.1307E-012
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.1426E-012	8.6342E-012
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.9855E-012	8.3147E-012
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9763E-008	3.5047E-008
RCPTR_41	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.2470E-017	2.6126E-017
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.9851E-015	6.2607E-015
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7082E-015	7.7778E-015
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.1306E-015	2.3700E-015
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8175E-015	3.8097E-015
RCPTR_41	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.6573E-010	6.8189E-010
RCPTR_41	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.0232E-014	2.1434E-014
RCPTR_41	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.3734E-015	7.0737E-015
RCPTR_41	farmer_child	TOCDFDFS	Diethyl phthalate	2.7325E-008	2.8326E-008
RCPTR_41	farmer_child	TOCDFDFS	Dimethyl phthalate	6.7811E-011	1.4103E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	5.1223E-011	1.0721E-010
RCPTR_41	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	3.2275E-011	5.1738E-011
RCPTR_41	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.7543E-011	9.8291E-011
RCPTR_41	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.6513E-011	7.5813E-011
RCPTR_41	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.0889E-012	2.2842E-012
RCPTR_41	farmer_child	TOCDFDFS	Ethylbenzene	3.2573E-014	6.7604E-014
RCPTR_41	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.0863E-009	2.3549E-009
RCPTR_41	farmer_child	TOCDFDFS	Fluoranthene	2.1016E-007	3.7215E-007
RCPTR_41	farmer_child	TOCDFDFS	Fluorene	3.1947E-009	6.6348E-009
RCPTR_41	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.9487E-013	9.2243E-013
RCPTR_41	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.5155E-013	7.7018E-013
RCPTR_41	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3923E-012	2.4641E-012
RCPTR_41	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.9697E-011	2.0203E-011
RCPTR_41	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1899E-011	1.2292E-011
RCPTR_41	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.3334E-012	9.6850E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.5622E-012	6.8365E-012
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.9325E-012	6.1794E-012
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	7.0372E-012	7.3276E-012
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.4031E-012	5.6269E-012
RCPTR_41	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.7840E-011	1.3893E-010
RCPTR_41	farmer_child	TOCDFDFS	Hexachlorobenzene	1.3755E-007	2.8278E-007
RCPTR_41	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.8108E-010	3.6868E-010
RCPTR_41	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.1136E-011	8.5784E-011
RCPTR_41	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.0088E-003	3.0203E-003
RCPTR_41	farmer_child	TOCDFDFS	Isophorone	7.7874E-012	1.6332E-011
RCPTR_41	farmer_child	TOCDFDFS	Lead	1.6284E-007	1.7548E-007
RCPTR_41	farmer_child	TOCDFDFS	Mercuric chloride	6.0904E-008	7.5185E-008
RCPTR_41	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.3032E-016	2.7336E-016
RCPTR_41	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.5695E-017	5.3890E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.3999E-014	1.3426E-013
RCPTR_41	farmer_child	TOCDFDFS	Methyl mercury	7.8612E-010	8.3011E-010
RCPTR_41	farmer_child	TOCDFDFS	Methylene chloride	3.8500E-015	8.0752E-015
RCPTR_41	farmer_child	TOCDFDFS	Mustard	4.5362E-013	9.5121E-013
RCPTR_41	farmer_child	TOCDFDFS	Naphthalene	3.2947E-011	6.8893E-011
RCPTR_41	farmer_child	TOCDFDFS	Nickel	3.2546E-006	3.4310E-006
RCPTR_41	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.3290E-010	2.7846E-010
RCPTR_41	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.1610E-011	6.6287E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitroaniline, 4-	4.0852E-011	8.5643E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitrobenzene	1.3143E-011	2.7568E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.9843E-012	1.2550E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.1692E-010	1.7934E-010
RCPTR_41	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.4181E-012	1.5543E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.2929E-012	1.5272E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.5884E-013	1.3703E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4916E-012	1.5506E-012
RCPTR_41	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.5696E-012	1.6304E-012
RCPTR_41	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.5050E-011	3.6091E-011
RCPTR_41	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.4688E-012	4.6848E-012
RCPTR_41	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8216E-011	1.9081E-011
RCPTR_41	farmer_child	TOCDFDFS	Pentachlorobenzene	5.1928E-010	1.0443E-009
RCPTR_41	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0673E-010	4.1209E-010
RCPTR_41	farmer_child	TOCDFDFS	Pentachlorophenol	1.4436E-007	1.8281E-007
RCPTR_41	farmer_child	TOCDFDFS	Phenanthrene	1.0102E-011	2.1032E-011
RCPTR_41	farmer_child	TOCDFDFS	Phenol	1.0417E-011	2.1834E-011
RCPTR_41	farmer_child	TOCDFDFS	Pronamide	1.0023E-009	2.0804E-009
RCPTR_41	farmer_child	TOCDFDFS	Pyrene	3.4458E-007	5.3830E-007
RCPTR_41	farmer_child	TOCDFDFS	Selenium	5.0330E-008	5.0560E-008
RCPTR_41	farmer_child	TOCDFDFS	Silver	3.5345E-007	3.8144E-007
RCPTR_41	farmer_child	TOCDFDFS	Styrene	3.8760E-013	8.1216E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1287E-011	1.2008E-011
RCPTR_41	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.5197E-012	3.8198E-012
RCPTR_41	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.1751E-010	1.6782E-009
RCPTR_41	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.1513E-011	2.5718E-011
RCPTR_41	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0870E-014	2.2778E-014
RCPTR_41	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.7588E-009	1.1437E-008
RCPTR_41	farmer_child	TOCDFDFS	Thallium (l)	4.6116E-005	4.7989E-005
RCPTR_41	farmer_child	TOCDFDFS	Toluene	1.4557E-014	3.0434E-014
RCPTR_41	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.1090E-011	6.4436E-011
RCPTR_41	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	9.0599E-015	1.8993E-014
RCPTR_41	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.3675E-014	1.1256E-013
RCPTR_41	farmer_child	TOCDFDFS	Trichloroethylene	8.7307E-015	1.8296E-014
RCPTR_41	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2059E-015	2.5273E-015
RCPTR_41	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.5997E-009	7.3612E-009
RCPTR_41	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.8292E-009	7.4061E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.9869E-013	4.1659E-013
RCPTR_41	farmer_child	TOCDFDFS	Vinyl Chloride	2.8359E-018	5.9461E-018
RCPTR_41	farmer_child	TOCDFDFS	Xylene, m-	1.1149E-013	1.6476E-013
RCPTR_41	farmer_child	TOCDFDFS	Xylene, o-	9.4879E-014	1.4793E-013
RCPTR_41	farmer_child	TOCDFDFS	Xylene, p-	1.3378E-013	2.1639E-013
RCPTR_41	farmer_child	TOCDFDFS	Zinc	1.6610E-007	1.9277E-007
RCPTR_41	farmer_child	TOCDFLIC	Acenaphthene	1.7009E-010	3.5469E-010
RCPTR_41	farmer_child	TOCDFLIC	Acetone	6.0883E-015	1.2772E-014
RCPTR_41	farmer_child	TOCDFLIC	Acetophenone	8.9213E-013	1.8710E-012
RCPTR_41	farmer_child	TOCDFLIC	Aniline	5.3760E-014	1.1267E-013
RCPTR_41	farmer_child	TOCDFLIC	Anthracene	3.0024E-009	6.2570E-009
RCPTR_41	farmer_child	TOCDFLIC	Antimony	1.2656E-006	1.4476E-006
RCPTR_41	farmer_child	TOCDFLIC	Arsenic	2.1139E-006	2.1801E-006
RCPTR_41	farmer_child	TOCDFLIC	Barium	1.8252E-007	2.0269E-007
RCPTR_41	farmer_child	TOCDFLIC	Benzene	3.3501E-014	7.0186E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.8161E-007	5.9526E-007
RCPTR_41	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.0851E-006	4.2128E-006
RCPTR_41	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.4532E-006	2.7515E-006
RCPTR_41	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.3066E-006	6.4383E-006
RCPTR_41	farmer_child	TOCDFLIC	Benzoic acid	2.1940E-012	4.4193E-012
RCPTR_41	farmer_child	TOCDFLIC	Benzyl alcohol	1.9505E-010	4.0899E-010
RCPTR_41	farmer_child	TOCDFLIC	Beryllium	3.0838E-007	3.2414E-007
RCPTR_41	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.2195E-012	2.5584E-012
RCPTR_41	farmer_child	TOCDFLIC	Bromodichloromethane	1.2084E-015	2.5345E-015
RCPTR_41	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.1875E-012	4.5883E-012
RCPTR_41	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.7074E-008	9.8235E-008
RCPTR_41	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5240E-009	2.8431E-009
RCPTR_41	farmer_child	TOCDFLIC	Cadmium	4.3203E-008	5.2554E-008
RCPTR_41	farmer_child	TOCDFLIC	Carbon disulfide	7.8859E-015	1.6530E-014
RCPTR_41	farmer_child	TOCDFLIC	Carbon tetrachloride	1.5608E-013	3.2696E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Chlorine	1.3006E-006	2.7285E-006
RCPTR_41	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.0633E-010	2.0853E-010
RCPTR_41	farmer_child	TOCDFLIC	Chloroaniline, p-	5.6699E-012	1.1880E-011
RCPTR_41	farmer_child	TOCDFLIC	Chlorobenzene	6.2901E-014	1.3165E-013
RCPTR_41	farmer_child	TOCDFLIC	Chloroethane	6.4842E-017	1.3490E-016
RCPTR_41	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	6.2611E-014	1.3131E-013
RCPTR_41	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.4388E-010	9.2681E-010
RCPTR_41	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.5731E-011	3.2997E-011
RCPTR_41	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.9178E-010	1.1586E-009
RCPTR_41	farmer_child	TOCDFLIC	Chromium	1.4232E-006	1.4870E-006
RCPTR_41	farmer_child	TOCDFLIC	Chromium, hexavalent	1.2370E-006	1.2563E-006
RCPTR_41	farmer_child	TOCDFLIC	Chrysene	1.2525E-006	1.3735E-006
RCPTR_41	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.5020E-009	1.6917E-009
RCPTR_41	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.0791E+000	7.0791E+000
RCPTR_41	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.7604E-005	8.8654E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.2002E-013	1.4954E-012
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.6874E-013	1.8107E-012
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.3580E-013	1.7437E-012
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.0917E-009	3.6443E-009
RCPTR_41	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.1464E-018	1.0783E-017
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.0945E-016	4.3929E-016
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6085E-015	3.3739E-015
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.9329E-017	1.6630E-016
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.8839E-016	1.6526E-015
RCPTR_41	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	7.6733E-011	1.4304E-010
RCPTR_41	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.4383E-015	9.2978E-015
RCPTR_41	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5087E-015	3.1636E-015
RCPTR_41	farmer_child	TOCDFLIC	Diethyl phthalate	8.8760E-010	9.2006E-010
RCPTR_41	farmer_child	TOCDFLIC	Dimethyl phthalate	1.3473E-010	2.8022E-010
RCPTR_41	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.0742E-011	2.2483E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.7708E-012	1.0853E-011
RCPTR_41	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.9656E-012	2.0608E-011
RCPTR_41	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.6562E-012	1.5898E-011
RCPTR_41	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.2835E-013	4.7902E-013
RCPTR_41	farmer_child	TOCDFLIC	Ethylbenzene	1.4822E-014	3.0765E-014
RCPTR_41	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.2819E-009	3.7133E-009
RCPTR_41	farmer_child	TOCDFLIC	Fluoranthene	4.4032E-008	7.7997E-008
RCPTR_41	farmer_child	TOCDFLIC	Fluorene	6.6993E-010	1.3914E-009
RCPTR_41	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.5381E-012	7.7659E-012
RCPTR_41	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.4193E-011	2.4778E-011
RCPTR_41	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.7190E-011	5.8873E-011
RCPTR_41	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.2075E-011	6.3635E-011
RCPTR_41	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.7909E-011	3.9140E-011
RCPTR_41	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.1782E-011	3.2966E-011
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.6290E-011	6.9047E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.7518E-011	5.9899E-011
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.8974E-011	6.1393E-011
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.8573E-011	5.0575E-011
RCPTR_41	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4220E-011	2.9128E-011
RCPTR_41	farmer_child	TOCDFLIC	Hexachlorobenzene	2.8842E-008	5.9298E-008
RCPTR_41	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.7950E-011	7.7293E-011
RCPTR_41	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.6270E-012	1.7990E-011
RCPTR_41	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2930E-004	6.3156E-004
RCPTR_41	farmer_child	TOCDFLIC	Isophorone	1.6331E-012	3.4249E-012
RCPTR_41	farmer_child	TOCDFLIC	Lead	8.4433E-007	9.0983E-007
RCPTR_41	farmer_child	TOCDFLIC	Mercuric chloride	1.4789E-007	1.8291E-007
RCPTR_41	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.9185E-017	1.8708E-016
RCPTR_41	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.5735E-016	3.3002E-016
RCPTR_41	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2379E-013	2.5970E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Methyl mercury	1.8660E-009	1.9739E-009
RCPTR_41	farmer_child	TOCDFLIC	Methylene chloride	1.6158E-014	3.3889E-014
RCPTR_41	farmer_child	TOCDFLIC	Mustard	1.6729E-013	3.5080E-013
RCPTR_41	farmer_child	TOCDFLIC	Naphthalene	1.0678E-012	2.2328E-012
RCPTR_41	farmer_child	TOCDFLIC	Nickel	3.4593E-006	3.6467E-006
RCPTR_41	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.7871E-011	5.8399E-011
RCPTR_41	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.6292E-012	1.3902E-011
RCPTR_41	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.5672E-012	1.7961E-011
RCPTR_41	farmer_child	TOCDFLIC	Nitrobenzene	2.7562E-012	5.7813E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.2550E-012	2.6320E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.4550E-012	3.7640E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5557E-012	3.2597E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.5294E-012	3.2027E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.3804E-013	2.8725E-013
RCPTR_41	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1417E-011	1.1865E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.1248E-011	1.1680E-011
RCPTR_41	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3829E-010	1.4235E-010
RCPTR_41	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.2112E-011	2.3180E-011
RCPTR_41	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.5058E-011	8.9095E-011
RCPTR_41	farmer_child	TOCDFLIC	Pentachlorobenzene	5.4381E-010	1.0953E-009
RCPTR_41	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.3201E-011	8.6269E-011
RCPTR_41	farmer_child	TOCDFLIC	Pentachlorophenol	6.0551E-009	7.6651E-009
RCPTR_41	farmer_child	TOCDFLIC	Phenanthrene	2.1183E-012	4.4106E-012
RCPTR_41	farmer_child	TOCDFLIC	Phenol	2.1847E-012	4.5789E-012
RCPTR_41	farmer_child	TOCDFLIC	Pronamide	2.1020E-010	4.3629E-010
RCPTR_41	farmer_child	TOCDFLIC	Pyrene	7.2240E-008	1.1286E-007
RCPTR_41	farmer_child	TOCDFLIC	Selenium	1.2824E-006	1.2882E-006
RCPTR_41	farmer_child	TOCDFLIC	Silver	3.5159E-006	3.7943E-006
RCPTR_41	farmer_child	TOCDFLIC	Styrene	2.5050E-011	5.2490E-011
RCPTR_41	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.9021E-011	2.0238E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.5151E-012	8.1580E-012
RCPTR_41	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.7144E-010	3.5194E-010
RCPTR_41	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	8.0487E-015	1.6870E-014
RCPTR_41	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.0094E-015	6.3061E-015
RCPTR_41	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.4186E-009	2.3996E-009
RCPTR_41	farmer_child	TOCDFLIC	Thallium (l)	4.5560E-006	4.7409E-006
RCPTR_41	farmer_child	TOCDFLIC	Toluene	5.8903E-014	1.2314E-013
RCPTR_41	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.5195E-012	1.3513E-011
RCPTR_41	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.5499E-014	5.3455E-014
RCPTR_41	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.3283E-014	4.8828E-014
RCPTR_41	farmer_child	TOCDFLIC	Trichloroethylene	3.7872E-015	7.9365E-015
RCPTR_41	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.9771E-016	1.0431E-015
RCPTR_41	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.5499E-010	1.5438E-009
RCPTR_41	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.5981E-010	3.0904E-010
RCPTR_41	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.6186E-014	1.8071E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Vinyl Chloride	3.6872E-018	7.7311E-018
RCPTR_41	farmer_child	TOCDFLIC	Xylene, m-	1.0016E-013	1.4961E-013
RCPTR_41	farmer_child	TOCDFLIC	Xylene, o-	9.7984E-014	1.5436E-013
RCPTR_41	farmer_child	TOCDFLIC	Xylene, p-	1.2108E-013	1.9777E-013
RCPTR_41	farmer_child	TOCDFLIC	Zinc	1.5165E-006	1.7599E-006
RCPTR_41	farmer_child	TOCDFMPF	Acenaphthene	2.5875E-010	5.3956E-010
RCPTR_41	farmer_child	TOCDFMPF	Acetone	2.2130E-014	4.6425E-014
RCPTR_41	farmer_child	TOCDFMPF	Acetophenone	1.4218E-012	2.9817E-012
RCPTR_41	farmer_child	TOCDFMPF	Aniline	8.1781E-014	1.7140E-013
RCPTR_41	farmer_child	TOCDFMPF	Anthracene	4.5674E-009	9.5183E-009
RCPTR_41	farmer_child	TOCDFMPF	Antimony	1.7234E-008	1.9712E-008
RCPTR_41	farmer_child	TOCDFMPF	Aroclor 1254	1.9807E-010	2.8777E-010
RCPTR_41	farmer_child	TOCDFMPF	Arsenic	1.0980E-007	1.1324E-007
RCPTR_41	farmer_child	TOCDFMPF	Barium	1.2924E-007	1.4352E-007
RCPTR_41	farmer_child	TOCDFMPF	Benzene	2.9794E-014	6.2420E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Benzo(a)anthracene	7.3290E-007	9.0581E-007
RCPTR_41	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.2191E-006	6.4135E-006
RCPTR_41	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.7331E-006	4.1868E-006
RCPTR_41	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.6005E-006	9.8011E-006
RCPTR_41	farmer_child	TOCDFMPF	Benzoic acid	9.6612E-012	1.9460E-011
RCPTR_41	farmer_child	TOCDFMPF	Benzyl alcohol	1.8544E-012	3.8886E-012
RCPTR_41	farmer_child	TOCDFMPF	Beryllium	1.0505E-008	1.1042E-008
RCPTR_41	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.8552E-012	3.8919E-012
RCPTR_41	farmer_child	TOCDFMPF	Bromodichloromethane	3.6533E-014	7.6622E-014
RCPTR_41	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2715E-012	2.6671E-012
RCPTR_41	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	8.6822E-008	1.4944E-007
RCPTR_41	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.8440E-009	4.3294E-009
RCPTR_41	farmer_child	TOCDFMPF	Cadmium	1.9711E-007	2.3977E-007
RCPTR_41	farmer_child	TOCDFMPF	Carbon disulfide	2.8690E-015	6.0137E-015
RCPTR_41	farmer_child	TOCDFMPF	Carbon tetrachloride	2.7055E-014	5.6674E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Chlorine	2.3843E-007	5.0021E-007
RCPTR_41	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6176E-010	3.1722E-010
RCPTR_41	farmer_child	TOCDFMPF	Chloroaniline, p-	8.6252E-012	1.8072E-011
RCPTR_41	farmer_child	TOCDFMPF	Chlorobenzene	1.1230E-013	2.3503E-013
RCPTR_41	farmer_child	TOCDFMPF	Chloroethane	6.3584E-016	1.3228E-015
RCPTR_41	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.9593E-014	4.1090E-014
RCPTR_41	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.7524E-010	1.4099E-009
RCPTR_41	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.3930E-011	5.0196E-011
RCPTR_41	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.0027E-010	1.7626E-009
RCPTR_41	farmer_child	TOCDFMPF	Chromium	2.6986E-007	2.8196E-007
RCPTR_41	farmer_child	TOCDFMPF	Chromium, hexavalent	2.3454E-007	2.3821E-007
RCPTR_41	farmer_child	TOCDFMPF	Chrysene	1.9059E-006	2.0900E-006
RCPTR_41	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.4786E-008	1.6653E-008
RCPTR_41	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.9672E+001	6.9673E+001
RCPTR_41	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.3337E-004	1.3497E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.0953E-012	2.2748E-012
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.3216E-012	2.7545E-012
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2714E-012	2.6526E-012
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.4396E-009	1.1126E-008
RCPTR_41	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.2121E-017	8.8253E-017
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethane 1,1-	6.3321E-015	1.3280E-014
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.8660E-015	1.6499E-014
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.3982E-015	5.0273E-015
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.8553E-015	8.0813E-015
RCPTR_41	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.1673E-010	2.1759E-010
RCPTR_41	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.1704E-014	4.5467E-014
RCPTR_41	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.1556E-015	1.5005E-014
RCPTR_41	farmer_child	TOCDFMPF	Diethyl phthalate	8.7359E-009	9.0554E-009
RCPTR_41	farmer_child	TOCDFMPF	Dimethyl phthalate	1.4316E-011	2.9777E-011
RCPTR_41	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.6341E-011	3.4202E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.0281E-011	1.6479E-011
RCPTR_41	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.5160E-011	3.1350E-011
RCPTR_41	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.1647E-011	2.4184E-011
RCPTR_41	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.4737E-013	7.2870E-013
RCPTR_41	farmer_child	TOCDFMPF	Ethylbenzene	6.9091E-014	1.4340E-013
RCPTR_41	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.9148E-010	6.6914E-010
RCPTR_41	farmer_child	TOCDFMPF	Fluoranthene	6.6986E-008	1.1866E-007
RCPTR_41	farmer_child	TOCDFMPF	Fluorene	1.0191E-009	2.1166E-009
RCPTR_41	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.9326E-011	3.0213E-011
RCPTR_41	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.7952E-011	3.8871E-011
RCPTR_41	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.6809E-011	6.8777E-011
RCPTR_41	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7685E-011	1.8130E-011
RCPTR_41	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.4093E-012	8.6827E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.4977E-012	7.7772E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.3078E-011	1.3623E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.5409E-012	5.7704E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.8966E-012	5.0976E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.3891E-012	4.5700E-012
RCPTR_41	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.1633E-011	4.4311E-011
RCPTR_41	farmer_child	TOCDFMPF	Hexachlorobenzene	4.3875E-008	9.0206E-008
RCPTR_41	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.7732E-011	1.1758E-010
RCPTR_41	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3124E-011	2.7367E-011
RCPTR_41	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.5747E-004	9.6092E-004
RCPTR_41	farmer_child	TOCDFMPF	Isophorone	2.4843E-012	5.2101E-012
RCPTR_41	farmer_child	TOCDFMPF	Lead	9.7401E-008	1.0496E-007
RCPTR_41	farmer_child	TOCDFMPF	Mercuric chloride	2.5036E-006	3.0962E-006
RCPTR_41	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.5922E-016	9.6328E-016
RCPTR_41	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.6728E-017	5.6057E-017
RCPTR_41	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.4982E-014	5.2408E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Methyl mercury	3.1631E-008	3.3456E-008
RCPTR_41	farmer_child	TOCDFMPF	Methylene chloride	1.2645E-014	2.6522E-014
RCPTR_41	farmer_child	TOCDFMPF	Mustard	1.1845E-012	2.4839E-012
RCPTR_41	farmer_child	TOCDFMPF	Naphthalene	1.0511E-011	2.1978E-011
RCPTR_41	farmer_child	TOCDFMPF	Nickel	2.1676E-006	2.2851E-006
RCPTR_41	farmer_child	TOCDFMPF	Nitroaniline, 2-	4.2322E-011	8.8677E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.0066E-011	2.1110E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.3009E-011	2.7273E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitrobenzene	4.1927E-012	8.7947E-012
RCPTR_41	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.9091E-012	4.0038E-012
RCPTR_41	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.7276E-011	5.7153E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.3665E-012	4.9587E-012
RCPTR_41	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.3266E-012	4.8721E-012
RCPTR_41	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	2.1000E-013	4.3698E-013
RCPTR_41	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.2544E-010	7.5393E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.2740E-009	1.3230E-009
RCPTR_41	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.2057E-012	7.4172E-012
RCPTR_41	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.5707E-012	1.0033E-011
RCPTR_41	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.6888E-012	5.9588E-012
RCPTR_41	farmer_child	TOCDFMPF	Pentachlorobenzene	1.6518E-010	3.3266E-010
RCPTR_41	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.5612E-011	1.3101E-010
RCPTR_41	farmer_child	TOCDFMPF	Pentachlorophenol	4.6052E-008	5.8298E-008
RCPTR_41	farmer_child	TOCDFMPF	Phenanthrene	3.2224E-012	6.7096E-012
RCPTR_41	farmer_child	TOCDFMPF	Phenol	3.3234E-012	6.9655E-012
RCPTR_41	farmer_child	TOCDFMPF	Pronamide	3.1976E-010	6.6369E-010
RCPTR_41	farmer_child	TOCDFMPF	Pyrene	1.0990E-007	1.7169E-007
RCPTR_41	farmer_child	TOCDFMPF	Selenium	2.2469E-008	2.2571E-008
RCPTR_41	farmer_child	TOCDFMPF	Silver	4.7383E-007	5.1135E-007
RCPTR_41	farmer_child	TOCDFMPF	Styrene	5.6843E-013	1.1911E-012
RCPTR_41	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2669E-012	2.4119E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.4142E-012	8.0484E-012
RCPTR_41	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.6080E-010	5.3539E-010
RCPTR_41	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.4332E-013	5.1000E-013
RCPTR_41	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.3058E-014	4.8317E-014
RCPTR_41	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.1539E-009	3.6437E-009
RCPTR_41	farmer_child	TOCDFMPF	Thallium (l)	1.3929E-007	1.4494E-007
RCPTR_41	farmer_child	TOCDFMPF	Toluene	3.9326E-014	8.2216E-014
RCPTR_41	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.9177E-012	2.0556E-011
RCPTR_41	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.4894E-014	3.1223E-014
RCPTR_41	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.1386E-013	2.3877E-013
RCPTR_41	farmer_child	TOCDFMPF	Trichloroethylene	1.8520E-014	3.8810E-014
RCPTR_41	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.1111E-014	1.0712E-013
RCPTR_41	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1485E-009	2.3485E-009
RCPTR_41	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.4311E-010	4.7012E-010
RCPTR_41	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	4.2146E-013	8.8369E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Vinyl Chloride	1.0068E-017	2.1110E-017
RCPTR_41	farmer_child	TOCDFMPF	Xylene, m-	9.9954E-014	1.4921E-013
RCPTR_41	farmer_child	TOCDFMPF	Xylene, o-	9.7756E-014	1.5391E-013
RCPTR_41	farmer_child	TOCDFMPF	Xylene, p-	1.2078E-013	1.9716E-013
RCPTR_41	farmer_child	TOCDFMPF	Zinc	4.3141E-007	5.0065E-007
RCPTR_41	farmer_child	TOCDHVAC	Mustard	4.1916E-013	8.7895E-013
RCPTR_41	farmer_child	TOCDLIC2	Acenaphthene	1.7009E-010	3.5469E-010
RCPTR_41	farmer_child	TOCDLIC2	Acetone	6.0883E-015	1.2772E-014
RCPTR_41	farmer_child	TOCDLIC2	Acetophenone	8.9213E-013	1.8710E-012
RCPTR_41	farmer_child	TOCDLIC2	Aniline	5.3760E-014	1.1267E-013
RCPTR_41	farmer_child	TOCDLIC2	Anthracene	3.0024E-009	6.2570E-009
RCPTR_41	farmer_child	TOCDLIC2	Antimony	1.2656E-006	1.4476E-006
RCPTR_41	farmer_child	TOCDLIC2	Arsenic	2.1139E-006	2.1801E-006
RCPTR_41	farmer_child	TOCDLIC2	Barium	1.8252E-007	2.0269E-007
RCPTR_41	farmer_child	TOCDLIC2	Benzene	3.3501E-014	7.0186E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.8161E-007	5.9526E-007
RCPTR_41	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.0851E-006	4.2128E-006
RCPTR_41	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.4532E-006	2.7515E-006
RCPTR_41	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.3066E-006	6.4383E-006
RCPTR_41	farmer_child	TOCDLIC2	Benzoic acid	2.1940E-012	4.4193E-012
RCPTR_41	farmer_child	TOCDLIC2	Benzyl alcohol	1.9505E-010	4.0899E-010
RCPTR_41	farmer_child	TOCDLIC2	Beryllium	3.0838E-007	3.2414E-007
RCPTR_41	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.2195E-012	2.5584E-012
RCPTR_41	farmer_child	TOCDLIC2	Bromodichloromethane	1.2084E-015	2.5345E-015
RCPTR_41	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.1875E-012	4.5883E-012
RCPTR_41	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	5.7074E-008	9.8235E-008
RCPTR_41	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.5240E-009	2.8431E-009
RCPTR_41	farmer_child	TOCDLIC2	Cadmium	4.3203E-008	5.2554E-008
RCPTR_41	farmer_child	TOCDLIC2	Carbon disulfide	7.8859E-015	1.6530E-014
RCPTR_41	farmer_child	TOCDLIC2	Carbon tetrachloride	1.5608E-013	3.2696E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Chlorine	1.3006E-006	2.7285E-006
RCPTR_41	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0633E-010	2.0853E-010
RCPTR_41	farmer_child	TOCDLIC2	Chloroaniline, p-	5.6699E-012	1.1880E-011
RCPTR_41	farmer_child	TOCDLIC2	Chlorobenzene	6.2901E-014	1.3165E-013
RCPTR_41	farmer_child	TOCDLIC2	Chloroethane	6.4842E-017	1.3490E-016
RCPTR_41	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	6.2611E-014	1.3131E-013
RCPTR_41	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.4388E-010	9.2681E-010
RCPTR_41	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.5731E-011	3.2997E-011
RCPTR_41	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.9178E-010	1.1586E-009
RCPTR_41	farmer_child	TOCDLIC2	Chromium	1.4232E-006	1.4870E-006
RCPTR_41	farmer_child	TOCDLIC2	Chromium, hexavalent	1.2370E-006	1.2563E-006
RCPTR_41	farmer_child	TOCDLIC2	Chrysene	1.2525E-006	1.3735E-006
RCPTR_41	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.5020E-009	1.6917E-009
RCPTR_41	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.0791E+000	7.0791E+000
RCPTR_41	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.7604E-005	8.8654E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	7.2002E-013	1.4954E-012
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	8.6874E-013	1.8107E-012
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	8.3580E-013	1.7437E-012
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.0917E-009	3.6443E-009
RCPTR_41	farmer_child	TOCDLIC2	Dichlorodifluoromethane	5.1464E-018	1.0783E-017
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.0945E-016	4.3929E-016
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6085E-015	3.3739E-015
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.9329E-017	1.6630E-016
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.8839E-016	1.6526E-015
RCPTR_41	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	7.6733E-011	1.4304E-010
RCPTR_41	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.4383E-015	9.2978E-015
RCPTR_41	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5087E-015	3.1636E-015
RCPTR_41	farmer_child	TOCDLIC2	Diethyl phthalate	8.8760E-010	9.2006E-010
RCPTR_41	farmer_child	TOCDLIC2	Dimethyl phthalate	1.3473E-010	2.8022E-010
RCPTR_41	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.0742E-011	2.2483E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.7708E-012	1.0853E-011
RCPTR_41	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	9.9656E-012	2.0608E-011
RCPTR_41	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	7.6562E-012	1.5898E-011
RCPTR_41	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.2835E-013	4.7902E-013
RCPTR_41	farmer_child	TOCDLIC2	Ethylbenzene	1.4822E-014	3.0765E-014
RCPTR_41	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.2819E-009	3.7133E-009
RCPTR_41	farmer_child	TOCDLIC2	Fluoranthene	4.4032E-008	7.7997E-008
RCPTR_41	farmer_child	TOCDLIC2	Fluorene	6.6993E-010	1.3914E-009
RCPTR_41	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.5381E-012	7.7659E-012
RCPTR_41	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.4193E-011	2.4778E-011
RCPTR_41	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.7190E-011	5.8873E-011
RCPTR_41	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.2075E-011	6.3635E-011
RCPTR_41	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.7909E-011	3.9140E-011
RCPTR_41	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.1782E-011	3.2966E-011
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.6290E-011	6.9047E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.7518E-011	5.9899E-011
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.8974E-011	6.1393E-011
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.8573E-011	5.0575E-011
RCPTR_41	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4220E-011	2.9128E-011
RCPTR_41	farmer_child	TOCDLIC2	Hexachlorobenzene	2.8842E-008	5.9298E-008
RCPTR_41	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.7950E-011	7.7293E-011
RCPTR_41	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.6270E-012	1.7990E-011
RCPTR_41	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2930E-004	6.3156E-004
RCPTR_41	farmer_child	TOCDLIC2	Isophorone	1.6331E-012	3.4249E-012
RCPTR_41	farmer_child	TOCDLIC2	Lead	8.4433E-007	9.0983E-007
RCPTR_41	farmer_child	TOCDLIC2	Mercuric chloride	1.4789E-007	1.8291E-007
RCPTR_41	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.9185E-017	1.8708E-016
RCPTR_41	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.5735E-016	3.3002E-016
RCPTR_41	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2379E-013	2.5970E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Methyl mercury	1.8660E-009	1.9739E-009
RCPTR_41	farmer_child	TOCDLIC2	Methylene chloride	1.6158E-014	3.3889E-014
RCPTR_41	farmer_child	TOCDLIC2	Mustard	1.7392E-013	3.6469E-013
RCPTR_41	farmer_child	TOCDLIC2	Naphthalene	1.0678E-012	2.2328E-012
RCPTR_41	farmer_child	TOCDLIC2	Nickel	3.4593E-006	3.6467E-006
RCPTR_41	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.7871E-011	5.8399E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitroaniline, 3-	6.6292E-012	1.3902E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitroaniline, 4-	8.5672E-012	1.7961E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitrobenzene	2.7562E-012	5.7813E-012
RCPTR_41	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.2550E-012	2.6320E-012
RCPTR_41	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.4550E-011	3.7640E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.5557E-012	3.2597E-012
RCPTR_41	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.5294E-012	3.2027E-012
RCPTR_41	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.3804E-013	2.8725E-013
RCPTR_41	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1417E-011	1.1865E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1248E-011	1.1680E-011
RCPTR_41	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3829E-010	1.4235E-010
RCPTR_41	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.2112E-011	2.3180E-011
RCPTR_41	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.5058E-011	8.9095E-011
RCPTR_41	farmer_child	TOCDLIC2	Pentachlorobenzene	5.4381E-010	1.0953E-009
RCPTR_41	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.3201E-011	8.6269E-011
RCPTR_41	farmer_child	TOCDLIC2	Pentachlorophenol	6.0551E-009	7.6651E-009
RCPTR_41	farmer_child	TOCDLIC2	Phenanthrene	2.1183E-012	4.4106E-012
RCPTR_41	farmer_child	TOCDLIC2	Phenol	2.1847E-012	4.5789E-012
RCPTR_41	farmer_child	TOCDLIC2	Pronamide	2.1020E-010	4.3629E-010
RCPTR_41	farmer_child	TOCDLIC2	Pyrene	7.2240E-008	1.1286E-007
RCPTR_41	farmer_child	TOCDLIC2	Selenium	1.2824E-006	1.2882E-006
RCPTR_41	farmer_child	TOCDLIC2	Silver	3.5159E-006	3.7943E-006
RCPTR_41	farmer_child	TOCDLIC2	Styrene	2.5050E-011	5.2490E-011
RCPTR_41	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9021E-011	2.0238E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.5151E-012	8.1580E-012
RCPTR_41	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.7144E-010	3.5194E-010
RCPTR_41	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	8.0487E-015	1.6870E-014
RCPTR_41	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.0094E-015	6.3061E-015
RCPTR_41	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.4186E-009	2.3996E-009
RCPTR_41	farmer_child	TOCDLIC2	Thallium (l)	4.5560E-006	4.7409E-006
RCPTR_41	farmer_child	TOCDLIC2	Toluene	5.8903E-014	1.2314E-013
RCPTR_41	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.5195E-012	1.3513E-011
RCPTR_41	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.5499E-014	5.3455E-014
RCPTR_41	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.3283E-014	4.8828E-014
RCPTR_41	farmer_child	TOCDLIC2	Trichloroethylene	3.7872E-015	7.9365E-015
RCPTR_41	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.9771E-016	1.0431E-015
RCPTR_41	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.5499E-010	1.5438E-009
RCPTR_41	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5981E-010	3.0904E-010
RCPTR_41	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	8.6186E-014	1.8071E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Vinyl Chloride	3.6872E-018	7.7311E-018
RCPTR_41	farmer_child	TOCDLIC2	Xylene, m-	2.0814E-013	3.1090E-013
RCPTR_41	farmer_child	TOCDLIC2	Xylene, o-	2.0362E-013	3.2077E-013
RCPTR_41	farmer_child	TOCDLIC2	Xylene, p-	2.5161E-013	4.1098E-013
RCPTR_41	farmer_child	TOCDLIC2	Zinc	1.5165E-006	1.7599E-006
RCPTR_42	farmer_adult	TOCDFBRA	Antimony	2.7967E-007	3.6319E-007
RCPTR_42	farmer_adult	TOCDFBRA	Arsenic	4.6993E-007	4.9687E-007
RCPTR_42	farmer_adult	TOCDFBRA	Barium	3.8693E-008	4.7223E-008
RCPTR_42	farmer_adult	TOCDFBRA	Beryllium	1.2903E-007	1.4403E-007
RCPTR_42	farmer_adult	TOCDFBRA	Cadmium	2.1165E-008	3.2453E-008
RCPTR_42	farmer_adult	TOCDFBRA	Chromium	3.3767E-006	3.3989E-006
RCPTR_42	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.7935E-006	2.8719E-006
RCPTR_42	farmer_adult	TOCDFBRA	Lead	1.3521E-006	1.5859E-006
RCPTR_42	farmer_adult	TOCDFBRA	Mercuric chloride	2.1907E-004	2.2797E-004
RCPTR_42	farmer_adult	TOCDFBRA	Methyl mercury	2.5586E-006	2.6425E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFBRA	Nickel	1.5352E-006	1.7024E-006
RCPTR_42	farmer_adult	TOCDFBRA	Selenium	5.3015E-007	5.3446E-007
RCPTR_42	farmer_adult	TOCDFBRA	Silver	1.7748E-007	2.0401E-007
RCPTR_42	farmer_adult	TOCDFBRA	Thallium (l)	4.7919E-006	5.1834E-006
RCPTR_42	farmer_adult	TOCDFBRA	Zinc	7.9662E-007	1.0802E-006
RCPTR_42	farmer_adult	TOCDFDFS	Acenaphthene	1.1005E-010	1.4334E-009
RCPTR_42	farmer_adult	TOCDFDFS	Acetone	1.1350E-015	1.5870E-014
RCPTR_42	farmer_adult	TOCDFDFS	Acetophenone	5.7047E-013	7.9480E-012
RCPTR_42	farmer_adult	TOCDFDFS	Aniline	3.2943E-014	4.5525E-013
RCPTR_42	farmer_adult	TOCDFDFS	Anthracene	1.9570E-009	2.5289E-008
RCPTR_42	farmer_adult	TOCDFDFS	Antimony	2.4085E-008	3.1275E-008
RCPTR_42	farmer_adult	TOCDFDFS	Aroclor 1254	2.0259E-010	4.3126E-010
RCPTR_42	farmer_adult	TOCDFDFS	Arsenic	4.7215E-008	4.9920E-008
RCPTR_42	farmer_adult	TOCDFDFS	Barium	3.0671E-008	3.7430E-008
RCPTR_42	farmer_adult	TOCDFDFS	Benzene	4.1219E-015	5.6722E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.4849E-006	2.4759E-006
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.7046E-005	1.8237E-005
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	8.8698E-006	1.1452E-005
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.6243E-005	2.7760E-005
RCPTR_42	farmer_adult	TOCDFDFS	Benzoic acid	5.5093E-013	5.1689E-012
RCPTR_42	farmer_adult	TOCDFDFS	Benzyl alcohol	7.4261E-013	1.0329E-011
RCPTR_42	farmer_adult	TOCDFDFS	Beryllium	2.5501E-008	2.8465E-008
RCPTR_42	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.3933E-013	1.0337E-011
RCPTR_42	farmer_adult	TOCDFDFS	Bromodichloromethane	1.3182E-015	1.8378E-014
RCPTR_42	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.1069E-013	2.9402E-012
RCPTR_42	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.1805E-008	3.9697E-007
RCPTR_42	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.0242E-008	1.2536E-008
RCPTR_42	farmer_adult	TOCDFDFS	Cadmium	8.9013E-009	1.3647E-008
RCPTR_42	farmer_adult	TOCDFDFS	Carbon disulfide	7.3201E-016	1.0132E-014
RCPTR_42	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.1681E-015	1.6050E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Chlorine	2.2909E-014	3.2040E-013
RCPTR_42	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0979E-010	8.4240E-010
RCPTR_42	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.4827E-012	4.8003E-011
RCPTR_42	farmer_adult	TOCDFDFS	Chlorobenzene	6.9062E-015	9.3892E-014
RCPTR_42	farmer_adult	TOCDFDFS	Chloroethane	2.0711E-017	2.6350E-016
RCPTR_42	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.1010E-016	1.2678E-014
RCPTR_42	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.8306E-010	3.7451E-009
RCPTR_42	farmer_adult	TOCDFDFS	Chlorophenol, 2-	9.5468E-012	1.3333E-010
RCPTR_42	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.2796E-010	4.6916E-009
RCPTR_42	farmer_adult	TOCDFDFS	Chromium	8.7923E-007	8.8499E-007
RCPTR_42	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.2743E-007	7.4782E-007
RCPTR_42	farmer_adult	TOCDFDFS	Chrysene	4.5672E-006	5.7103E-006
RCPTR_42	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.5931E-008	4.4737E-008
RCPTR_42	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.8434E+002	1.8434E+002
RCPTR_42	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.7309E-004	3.8602E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.8465E-013	6.0430E-012
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.6423E-013	7.3168E-012
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.3751E-013	7.0461E-012
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2766E-008	3.0790E-008
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.6095E-018	2.2140E-017
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.8057E-016	5.3051E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.7245E-016	6.5906E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.4492E-016	2.0083E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.3313E-016	3.2282E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0244E-010	5.7775E-010
RCPTR_42	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.3209E-015	1.8163E-014
RCPTR_42	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.3104E-016	5.9941E-015
RCPTR_42	farmer_adult	TOCDFDFS	Diethyl phthalate	2.2468E-008	2.3973E-008
RCPTR_42	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.4657E-012	1.1955E-010
RCPTR_42	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.6756E-012	9.0845E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.4641E-011	4.3903E-011
RCPTR_42	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	7.0747E-012	8.3373E-011
RCPTR_42	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.1786E-012	6.4263E-011
RCPTR_42	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.3850E-013	1.9355E-012
RCPTR_42	farmer_adult	TOCDFDFS	Ethylbenzene	4.6277E-015	5.7294E-014
RCPTR_42	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.7463E-009	2.1518E-009
RCPTR_42	farmer_adult	TOCDFDFS	Fluoranthene	5.5683E-008	3.1630E-007
RCPTR_42	farmer_adult	TOCDFDFS	Fluorene	4.5146E-010	5.6232E-009
RCPTR_42	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.3719E-013	8.9995E-013
RCPTR_42	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.8459E-013	7.2660E-013
RCPTR_42	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2263E-012	2.3897E-012
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.7826E-011	1.8951E-011
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1079E-011	1.1969E-011
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.8679E-012	9.6712E-012
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.1903E-012	6.8049E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.5860E-012	6.1378E-012
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.5995E-012	7.2467E-012
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.0764E-012	5.5761E-012
RCPTR_42	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0970E-011	1.1784E-010
RCPTR_42	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.1030E-008	2.3971E-007
RCPTR_42	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.0799E-011	3.1285E-010
RCPTR_42	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.5664E-012	7.2689E-011
RCPTR_42	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.5822E-003	2.6089E-003
RCPTR_42	farmer_adult	TOCDFDFS	Isophorone	9.9353E-013	1.3839E-011
RCPTR_42	farmer_adult	TOCDFDFS	Lead	1.5883E-007	1.8629E-007
RCPTR_42	farmer_adult	TOCDFDFS	Mercuric chloride	6.3784E-008	6.6341E-008
RCPTR_42	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.6588E-017	2.3163E-016
RCPTR_42	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.2765E-018	4.5665E-017
RCPTR_42	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.1379E-015	1.1377E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Methyl mercury	7.7082E-010	7.9493E-010
RCPTR_42	farmer_adult	TOCDFDFS	Methylene chloride	4.9057E-016	6.8426E-015
RCPTR_42	farmer_adult	TOCDFDFS	Mustard	5.7940E-014	8.0602E-013
RCPTR_42	farmer_adult	TOCDFDFS	Naphthalene	4.3388E-012	5.8380E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nickel	3.2857E-006	3.6433E-006
RCPTR_42	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.7126E-011	2.3596E-010
RCPTR_42	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.0360E-012	5.6170E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.2379E-012	7.2577E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitrobenzene	1.6731E-012	2.3360E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.6345E-013	1.0635E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.8065E-011	1.5190E-010
RCPTR_42	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	9.5529E-013	1.3171E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	9.4523E-013	1.2941E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.3608E-014	1.1633E-012
RCPTR_42	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4418E-012	1.5776E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.5203E-012	1.6602E-012
RCPTR_42	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.0454E-011	3.2642E-011
RCPTR_42	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.8151E-012	4.2531E-012
RCPTR_42	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.5935E-011	1.7727E-011
RCPTR_42	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.0100E-010	8.9024E-010
RCPTR_42	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.2966E-011	3.5170E-010
RCPTR_42	farmer_adult	TOCDFDFS	Pentachlorophenol	9.6960E-008	1.5477E-007
RCPTR_42	farmer_adult	TOCDFDFS	Phenanthrene	1.3913E-012	1.7824E-011
RCPTR_42	farmer_adult	TOCDFDFS	Phenol	1.3377E-012	1.8501E-011
RCPTR_42	farmer_adult	TOCDFDFS	Pronamide	1.4222E-010	1.7630E-009
RCPTR_42	farmer_adult	TOCDFDFS	Pyrene	8.1284E-008	4.5672E-007
RCPTR_42	farmer_adult	TOCDFDFS	Selenium	5.3266E-008	5.3698E-008
RCPTR_42	farmer_adult	TOCDFDFS	Silver	3.5237E-007	4.0503E-007
RCPTR_42	farmer_adult	TOCDFDFS	Styrene	4.9922E-014	6.8821E-013
RCPTR_42	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	9.3675E-012	1.0805E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.7897E-012	3.3774E-012
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2828E-010	1.4223E-009
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5448E-011	2.1769E-011
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.4006E-015	1.9302E-014
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.6578E-009	9.6906E-009
RCPTR_42	farmer_adult	TOCDFDFS	Thallium (l)	4.7113E-005	5.0961E-005
RCPTR_42	farmer_adult	TOCDFDFS	Toluene	1.9210E-015	2.5790E-014
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.4794E-012	5.4611E-011
RCPTR_42	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.1609E-015	1.6094E-014
RCPTR_42	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.8499E-015	9.5382E-014
RCPTR_42	farmer_adult	TOCDFDFS	Trichloroethylene	1.1231E-015	1.5504E-014
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.5499E-016	2.1415E-015
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.8247E-010	6.2374E-009
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.9773E-010	6.2752E-009
RCPTR_42	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.5412E-014	3.5301E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Vinyl Chloride	3.6300E-019	5.0389E-018
RCPTR_42	farmer_adult	TOCDFDFS	Xylene, m-	7.1431E-014	1.5152E-013
RCPTR_42	farmer_adult	TOCDFDFS	Xylene, o-	5.4422E-014	1.3418E-013
RCPTR_42	farmer_adult	TOCDFDFS	Xylene, p-	7.0240E-014	1.9444E-013
RCPTR_42	farmer_adult	TOCDFDFS	Zinc	1.5093E-007	2.0463E-007
RCPTR_42	farmer_adult	TOCDFLIC	Acenaphthene	2.4931E-011	3.2496E-010
RCPTR_42	farmer_adult	TOCDFLIC	Acetone	8.3680E-016	1.1701E-014
RCPTR_42	farmer_adult	TOCDFLIC	Acetophenone	1.2302E-013	1.7140E-012
RCPTR_42	farmer_adult	TOCDFLIC	Aniline	7.4687E-015	1.0322E-013
RCPTR_42	farmer_adult	TOCDFLIC	Anthracene	4.4309E-010	5.7330E-009
RCPTR_42	farmer_adult	TOCDFLIC	Antimony	1.2169E-006	1.5798E-006
RCPTR_42	farmer_adult	TOCDFLIC	Arsenic	2.2514E-006	2.3803E-006
RCPTR_42	farmer_adult	TOCDFLIC	Barium	1.8131E-007	2.2122E-007
RCPTR_42	farmer_adult	TOCDFLIC	Benzene	4.6722E-015	6.4298E-014
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3104E-007	5.5472E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.7599E-006	4.0163E-006
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.9851E-006	2.5665E-006
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.8048E-006	6.1247E-006
RCPTR_42	farmer_adult	TOCDFLIC	Benzoic acid	4.3201E-013	4.0489E-012
RCPTR_42	farmer_adult	TOCDFLIC	Benzyl alcohol	2.6939E-011	3.7468E-010
RCPTR_42	farmer_adult	TOCDFLIC	Beryllium	3.1699E-007	3.5380E-007
RCPTR_42	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.6762E-013	2.3438E-012
RCPTR_42	farmer_adult	TOCDFLIC	Bromodichloromethane	1.6654E-016	2.3219E-015
RCPTR_42	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.0120E-013	4.2034E-012
RCPTR_42	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	9.4742E-009	8.9999E-008
RCPTR_42	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2174E-009	2.7368E-009
RCPTR_42	farmer_adult	TOCDFLIC	Cadmium	3.7411E-008	5.7336E-008
RCPTR_42	farmer_adult	TOCDFLIC	Carbon disulfide	1.0940E-015	1.5143E-014
RCPTR_42	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.1797E-014	2.9953E-013
RCPTR_42	farmer_adult	TOCDFLIC	Chlorine	1.7872E-007	2.4996E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.4946E-011	1.9105E-010
RCPTR_42	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.8963E-013	1.0884E-011
RCPTR_42	farmer_adult	TOCDFLIC	Chlorobenzene	8.8697E-015	1.2060E-013
RCPTR_42	farmer_adult	TOCDFLIC	Chloroethane	9.7175E-018	1.2358E-016
RCPTR_42	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.6354E-015	1.2029E-013
RCPTR_42	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.4159E-011	8.4910E-010
RCPTR_42	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.1645E-012	3.0229E-011
RCPTR_42	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.4151E-010	1.0628E-009
RCPTR_42	farmer_adult	TOCDFLIC	Chromium	1.6125E-006	1.6231E-006
RCPTR_42	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.3343E-006	1.3717E-006
RCPTR_42	farmer_adult	TOCDFLIC	Chrysene	1.0238E-006	1.2805E-006
RCPTR_42	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.2544E-009	1.5629E-009
RCPTR_42	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.4908E+000	6.4908E+000
RCPTR_42	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.2378E-005	8.4992E-005
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0983E-013	1.3701E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.2789E-013	1.6589E-012
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.2184E-013	1.5975E-012
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5220E-009	3.4263E-009
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.1768E-019	9.8788E-018
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.8869E-017	4.0244E-016
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2156E-016	3.0908E-015
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0993E-017	1.5234E-016
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0933E-016	1.5139E-015
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.3291E-011	1.3106E-010
RCPTR_42	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.1945E-016	8.5178E-015
RCPTR_42	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.0838E-016	2.8982E-015
RCPTR_42	farmer_adult	TOCDFLIC	Diethyl phthalate	7.9096E-010	8.4371E-010
RCPTR_42	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.0292E-011	2.5678E-010
RCPTR_42	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.5137E-012	2.0597E-011
RCPTR_42	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.3225E-012	9.9570E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.5942E-012	1.8892E-011
RCPTR_42	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.1718E-012	1.4568E-011
RCPTR_42	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.1402E-014	4.3883E-013
RCPTR_42	farmer_adult	TOCDFLIC	Ethylbenzene	2.2753E-015	2.8187E-014
RCPTR_42	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.8861E-009	3.5892E-009
RCPTR_42	farmer_adult	TOCDFLIC	Fluoranthene	1.2541E-008	7.1613E-008
RCPTR_42	farmer_adult	TOCDFLIC	Fluorene	1.0225E-010	1.2748E-009
RCPTR_42	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.3450E-012	7.8780E-012
RCPTR_42	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.3158E-011	2.4516E-011
RCPTR_42	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.5518E-011	5.9452E-011
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.9119E-011	6.2697E-011
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.6778E-011	3.9647E-011
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.1261E-011	3.4039E-011
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.4748E-011	7.1118E-011
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.6105E-011	6.1594E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.7354E-011	6.2921E-011
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.7304E-011	5.1913E-011
RCPTR_42	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.4732E-012	2.6704E-011
RCPTR_42	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.7595E-009	5.4339E-008
RCPTR_42	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.9315E-012	7.0879E-011
RCPTR_42	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.2625E-012	1.6481E-011
RCPTR_42	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8221E-004	5.8760E-004
RCPTR_42	farmer_adult	TOCDFLIC	Isophorone	2.2526E-013	3.1376E-012
RCPTR_42	farmer_adult	TOCDFLIC	Lead	8.4663E-007	9.9287E-007
RCPTR_42	farmer_adult	TOCDFLIC	Mercuric chloride	1.6557E-007	1.7233E-007
RCPTR_42	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.2273E-017	1.7138E-016
RCPTR_42	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.1691E-017	3.0233E-016
RCPTR_42	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.7018E-014	2.3791E-013
RCPTR_42	farmer_adult	TOCDFLIC	Methyl mercury	1.9105E-009	1.9742E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Methylene chloride	2.2258E-015	3.1046E-014
RCPTR_42	farmer_adult	TOCDFLIC	Mustard	2.3102E-014	3.2137E-013
RCPTR_42	farmer_adult	TOCDFLIC	Naphthalene	1.5199E-013	2.0456E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nickel	3.5906E-006	3.9809E-006
RCPTR_42	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.8824E-012	5.3500E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nitroaniline, 3-	9.1502E-013	1.2736E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1868E-012	1.6455E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nitrobenzene	3.7933E-013	5.2963E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.7309E-013	2.4112E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3219E-012	3.4496E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.1660E-013	2.9862E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.1433E-013	2.9340E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.0957E-014	2.6348E-013
RCPTR_42	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1373E-011	1.2430E-011
RCPTR_42	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.1226E-011	1.2245E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.2769E-010	1.3662E-010
RCPTR_42	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0012E-011	2.2304E-011
RCPTR_42	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.8367E-011	8.7158E-011
RCPTR_42	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.1123E-010	1.0076E-009
RCPTR_42	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	9.4188E-012	7.9419E-011
RCPTR_42	farmer_adult	TOCDFLIC	Pentachlorophenol	4.4092E-009	7.0260E-009
RCPTR_42	farmer_adult	TOCDFLIC	Phenanthrene	3.1521E-013	4.0410E-012
RCPTR_42	farmer_adult	TOCDFLIC	Phenol	3.0331E-013	4.1947E-012
RCPTR_42	farmer_adult	TOCDFLIC	Pronamide	3.2240E-011	3.9971E-010
RCPTR_42	farmer_adult	TOCDFLIC	Pyrene	1.8387E-008	1.0349E-007
RCPTR_42	farmer_adult	TOCDFLIC	Selenium	1.3953E-006	1.4066E-006
RCPTR_42	farmer_adult	TOCDFLIC	Silver	3.6038E-006	4.1418E-006
RCPTR_42	farmer_adult	TOCDFLIC	Styrene	3.4879E-012	4.8087E-011
RCPTR_42	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.6763E-011	1.9351E-011
RCPTR_42	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.3540E-012	7.7043E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.9082E-011	3.2246E-010
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.1171E-015	1.5455E-014
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.1902E-016	5.7773E-015
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.0458E-010	2.1992E-009
RCPTR_42	farmer_adult	TOCDFLIC	Thallium (l)	4.7854E-006	5.1757E-006
RCPTR_42	farmer_adult	TOCDFLIC	Toluene	8.4021E-015	1.1282E-013
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0147E-012	1.2381E-011
RCPTR_42	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.5323E-015	4.8971E-014
RCPTR_42	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.2124E-015	4.4731E-014
RCPTR_42	farmer_adult	TOCDFLIC	Trichloroethylene	5.2668E-016	7.2707E-015
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.9154E-017	9.5558E-016
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.3222E-010	1.4143E-009
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.0591E-011	2.8314E-010
RCPTR_42	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1917E-014	1.6555E-013
RCPTR_42	farmer_adult	TOCDFLIC	Vinyl Chloride	5.0999E-019	7.0828E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Xylene, m-	6.4798E-014	1.4517E-013
RCPTR_42	farmer_adult	TOCDFLIC	Xylene, o-	5.6667E-014	1.4830E-013
RCPTR_42	farmer_adult	TOCDFLIC	Xylene, p-	6.4079E-014	1.8873E-013
RCPTR_42	farmer_adult	TOCDFLIC	Zinc	1.4168E-006	1.9204E-006
RCPTR_42	farmer_adult	TOCDFMPF	Acenaphthene	3.7698E-011	4.9135E-010
RCPTR_42	farmer_adult	TOCDFMPF	Acetone	3.0232E-015	4.2273E-014
RCPTR_42	farmer_adult	TOCDFMPF	Acetophenone	1.9487E-013	2.7150E-012
RCPTR_42	farmer_adult	TOCDFMPF	Aniline	1.1293E-014	1.5607E-013
RCPTR_42	farmer_adult	TOCDFMPF	Anthracene	6.7002E-010	8.6684E-009
RCPTR_42	farmer_adult	TOCDFMPF	Antimony	1.6538E-008	2.1470E-008
RCPTR_42	farmer_adult	TOCDFMPF	Aroclor 1254	1.2373E-010	2.6870E-010
RCPTR_42	farmer_adult	TOCDFMPF	Arsenic	1.1672E-007	1.2340E-007
RCPTR_42	farmer_adult	TOCDFMPF	Barium	1.2813E-007	1.5634E-007
RCPTR_42	farmer_adult	TOCDFMPF	Benzene	4.1301E-015	5.6838E-014
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.0112E-007	8.3943E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.6957E-006	6.0849E-006
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.0042E-006	3.8837E-006
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.7918E-006	9.2780E-006
RCPTR_42	farmer_adult	TOCDFMPF	Benzoic acid	1.8907E-012	1.7722E-011
RCPTR_42	farmer_adult	TOCDFMPF	Benzyl alcohol	2.5457E-013	3.5408E-012
RCPTR_42	farmer_adult	TOCDFMPF	Beryllium	1.0777E-008	1.2028E-008
RCPTR_42	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.5345E-013	3.5438E-012
RCPTR_42	farmer_adult	TOCDFMPF	Bromodichloromethane	5.0044E-015	6.9769E-014
RCPTR_42	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.7402E-013	2.4285E-012
RCPTR_42	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.4325E-008	1.3608E-007
RCPTR_42	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.3635E-009	4.1488E-009
RCPTR_42	farmer_adult	TOCDFMPF	Cadmium	1.7035E-007	2.6108E-007
RCPTR_42	farmer_adult	TOCDFMPF	Carbon disulfide	3.9559E-016	5.4758E-015
RCPTR_42	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.7554E-015	5.1605E-014
RCPTR_42	farmer_adult	TOCDFMPF	Chlorine	3.2566E-008	4.5547E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.7714E-011	2.8886E-010
RCPTR_42	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.1939E-012	1.6456E-011
RCPTR_42	farmer_adult	TOCDFMPF	Chlorobenzene	1.5740E-014	2.1402E-013
RCPTR_42	farmer_adult	TOCDFMPF	Chloroethane	9.4709E-017	1.2045E-015
RCPTR_42	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.6859E-015	3.7415E-014
RCPTR_42	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	9.7011E-011	1.2838E-009
RCPTR_42	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.2728E-012	4.5706E-011
RCPTR_42	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.1406E-010	1.6071E-009
RCPTR_42	farmer_adult	TOCDFMPF	Chromium	3.0515E-007	3.0715E-007
RCPTR_42	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.5251E-007	2.5958E-007
RCPTR_42	farmer_adult	TOCDFMPF	Chrysene	1.5493E-006	1.9376E-006
RCPTR_42	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.2276E-008	1.5294E-008
RCPTR_42	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.3484E+001	6.3484E+001
RCPTR_42	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.2478E-004	1.2876E-004
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.6607E-013	2.0715E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.9338E-013	2.5082E-012
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.8422E-013	2.4154E-012
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.6616E-009	1.0405E-008
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.8385E-018	8.0364E-017
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.6747E-016	1.2093E-014
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0769E-015	1.5023E-014
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.3032E-016	4.5777E-015
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.3140E-016	7.3585E-015
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.5211E-011	1.9815E-010
RCPTR_42	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.0108E-015	4.1401E-014
RCPTR_42	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.8240E-016	1.3663E-014
RCPTR_42	farmer_adult	TOCDFMPF	Diethyl phthalate	7.7362E-009	8.2523E-009
RCPTR_42	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.1435E-012	2.7120E-011
RCPTR_42	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.2888E-012	3.1143E-011
RCPTR_42	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.0143E-012	1.5028E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.4114E-012	2.8566E-011
RCPTR_42	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.7720E-012	2.2027E-011
RCPTR_42	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.7481E-014	6.6352E-013
RCPTR_42	farmer_adult	TOCDFMPF	Ethylbenzene	1.0542E-014	1.3059E-013
RCPTR_42	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.1816E-010	6.4396E-010
RCPTR_42	farmer_adult	TOCDFMPF	Fluoranthene	1.8971E-008	1.0829E-007
RCPTR_42	farmer_adult	TOCDFMPF	Fluorene	1.5461E-010	1.9276E-009
RCPTR_42	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.8489E-011	3.0561E-011
RCPTR_42	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.6191E-011	3.8320E-011
RCPTR_42	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.4651E-011	6.9245E-011
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6777E-011	1.7796E-011
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.1337E-012	8.7695E-012
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.3567E-012	8.0113E-012
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.2742E-011	1.3997E-011
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.3911E-012	5.9189E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.7496E-012	5.2110E-012
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.2633E-012	4.6791E-012
RCPTR_42	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.7409E-012	4.0378E-011
RCPTR_42	farmer_adult	TOCDFMPF	Hexachlorobenzene	7.1973E-009	8.2163E-008
RCPTR_42	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.0486E-011	1.0718E-010
RCPTR_42	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.9088E-012	2.4919E-011
RCPTR_42	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.8064E-004	8.8886E-004
RCPTR_42	farmer_adult	TOCDFMPF	Isophorone	3.4060E-013	4.7441E-012
RCPTR_42	farmer_adult	TOCDFMPF	Lead	9.7476E-008	1.1431E-007
RCPTR_42	farmer_adult	TOCDFMPF	Mercuric chloride	2.7885E-006	2.9021E-006
RCPTR_42	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.2812E-017	8.7712E-016
RCPTR_42	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.6622E-018	5.1043E-017
RCPTR_42	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.4135E-015	4.7721E-014
RCPTR_42	farmer_adult	TOCDFMPF	Methyl mercury	3.2281E-008	3.3352E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Methylene chloride	1.7314E-015	2.4150E-014
RCPTR_42	farmer_adult	TOCDFMPF	Mustard	1.6259E-013	2.2617E-012
RCPTR_42	farmer_adult	TOCDFMPF	Naphthalene	1.4871E-012	2.0013E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nickel	2.2455E-006	2.4897E-006
RCPTR_42	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.8597E-012	8.0746E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.3810E-012	1.9222E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.7913E-012	2.4835E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitrobenzene	5.7355E-013	8.0081E-012
RCPTR_42	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.6171E-013	3.6457E-012
RCPTR_42	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.9946E-011	5.2058E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.2751E-013	4.5152E-012
RCPTR_42	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.2407E-013	4.4363E-012
RCPTR_42	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	3.1714E-014	3.9841E-013
RCPTR_42	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.2120E-010	7.8827E-010
RCPTR_42	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.2690E-009	1.3843E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.6217E-012	7.0859E-012
RCPTR_42	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.6226E-012	9.6103E-012
RCPTR_42	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.2204E-012	5.8062E-012
RCPTR_42	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.3646E-011	3.0421E-010
RCPTR_42	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.4248E-011	1.1990E-010
RCPTR_42	farmer_adult	TOCDFMPF	Pentachlorophenol	3.3324E-008	5.3108E-008
RCPTR_42	farmer_adult	TOCDFMPF	Phenanthrene	4.7663E-013	6.1101E-012
RCPTR_42	farmer_adult	TOCDFMPF	Phenol	4.5861E-013	6.3425E-012
RCPTR_42	farmer_adult	TOCDFMPF	Pronamide	4.8748E-011	6.0437E-010
RCPTR_42	farmer_adult	TOCDFMPF	Pyrene	2.7806E-008	1.5649E-007
RCPTR_42	farmer_adult	TOCDFMPF	Selenium	2.4400E-008	2.4598E-008
RCPTR_42	farmer_adult	TOCDFMPF	Silver	4.8472E-007	5.5709E-007
RCPTR_42	farmer_adult	TOCDFMPF	Styrene	7.8666E-014	1.0846E-012
RCPTR_42	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9885E-012	2.2953E-012
RCPTR_42	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.2371E-012	7.5618E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.3972E-011	4.8756E-010
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.3566E-014	4.6439E-013
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.1912E-015	4.3997E-014
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.1230E-010	3.3189E-009
RCPTR_42	farmer_adult	TOCDFMPF	Thallium (l)	1.4602E-007	1.5793E-007
RCPTR_42	farmer_adult	TOCDFMPF	Toluene	5.5757E-015	7.4864E-014
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.5343E-012	1.8720E-011
RCPTR_42	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.0507E-015	2.8430E-014
RCPTR_42	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.5614E-014	2.1742E-013
RCPTR_42	farmer_adult	TOCDFMPF	Trichloroethylene	2.5600E-015	3.5339E-014
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.0586E-015	9.7537E-014
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.9990E-010	2.1385E-009
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.1365E-011	4.2811E-010
RCPTR_42	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.7922E-014	8.0465E-013
RCPTR_42	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3842E-018	1.9223E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Xylene, m-	6.4609E-014	1.4418E-013
RCPTR_42	farmer_adult	TOCDFMPF	Xylene, o-	5.6490E-014	1.4720E-013
RCPTR_42	farmer_adult	TOCDFMPF	Xylene, p-	6.3865E-014	1.8727E-013
RCPTR_42	farmer_adult	TOCDFMPF	Zinc	4.0227E-007	5.4526E-007
RCPTR_42	farmer_adult	TOCDHVAC	Mustard	5.4134E-014	7.5309E-013
RCPTR_42	farmer_adult	TOCDLIC2	Acenaphthene	2.4931E-011	3.2496E-010
RCPTR_42	farmer_adult	TOCDLIC2	Acetone	8.3680E-016	1.1701E-014
RCPTR_42	farmer_adult	TOCDLIC2	Acetophenone	1.2302E-013	1.7140E-012
RCPTR_42	farmer_adult	TOCDLIC2	Aniline	7.4687E-015	1.0322E-013
RCPTR_42	farmer_adult	TOCDLIC2	Anthracene	4.4309E-010	5.7330E-009
RCPTR_42	farmer_adult	TOCDLIC2	Antimony	1.2169E-006	1.5798E-006
RCPTR_42	farmer_adult	TOCDLIC2	Arsenic	2.2514E-006	2.3803E-006
RCPTR_42	farmer_adult	TOCDLIC2	Barium	1.8131E-007	2.2122E-007
RCPTR_42	farmer_adult	TOCDLIC2	Benzene	4.6722E-015	6.4298E-014
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3104E-007	5.5472E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.7599E-006	4.0163E-006
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.9851E-006	2.5665E-006
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.8048E-006	6.1247E-006
RCPTR_42	farmer_adult	TOCDLIC2	Benzoic acid	4.3201E-013	4.0489E-012
RCPTR_42	farmer_adult	TOCDLIC2	Benzyl alcohol	2.6939E-011	3.7468E-010
RCPTR_42	farmer_adult	TOCDLIC2	Beryllium	3.1699E-007	3.5380E-007
RCPTR_42	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.6762E-013	2.3438E-012
RCPTR_42	farmer_adult	TOCDLIC2	Bromodichloromethane	1.6654E-016	2.3219E-015
RCPTR_42	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.0120E-013	4.2034E-012
RCPTR_42	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	9.4742E-009	8.9999E-008
RCPTR_42	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.2174E-009	2.7368E-009
RCPTR_42	farmer_adult	TOCDLIC2	Cadmium	3.7411E-008	5.7336E-008
RCPTR_42	farmer_adult	TOCDLIC2	Carbon disulfide	1.0940E-015	1.5143E-014
RCPTR_42	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.1797E-014	2.9953E-013
RCPTR_42	farmer_adult	TOCDLIC2	Chlorine	1.7872E-007	2.4996E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.4946E-011	1.9105E-010
RCPTR_42	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.8963E-013	1.0884E-011
RCPTR_42	farmer_adult	TOCDLIC2	Chlorobenzene	8.8697E-015	1.2060E-013
RCPTR_42	farmer_adult	TOCDLIC2	Chloroethane	9.7175E-018	1.2358E-016
RCPTR_42	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.6354E-015	1.2029E-013
RCPTR_42	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.4159E-011	8.4910E-010
RCPTR_42	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.1645E-012	3.0229E-011
RCPTR_42	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.4151E-010	1.0628E-009
RCPTR_42	farmer_adult	TOCDLIC2	Chromium	1.6125E-006	1.6231E-006
RCPTR_42	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.3343E-006	1.3717E-006
RCPTR_42	farmer_adult	TOCDLIC2	Chrysene	1.0238E-006	1.2805E-006
RCPTR_42	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.2544E-009	1.5629E-009
RCPTR_42	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.4908E+000	6.4908E+000
RCPTR_42	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.2378E-005	8.4992E-005
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.0983E-013	1.3701E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.2789E-013	1.6589E-012
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.2184E-013	1.5975E-012
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5220E-009	3.4263E-009
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.1768E-019	9.8788E-018
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.8869E-017	4.0244E-016
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2156E-016	3.0908E-015
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0993E-017	1.5234E-016
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0933E-016	1.5139E-015
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.3291E-011	1.3106E-010
RCPTR_42	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.1945E-016	8.5178E-015
RCPTR_42	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.0838E-016	2.8982E-015
RCPTR_42	farmer_adult	TOCDLIC2	Diethyl phthalate	7.9096E-010	8.4371E-010
RCPTR_42	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.0292E-011	2.5678E-010
RCPTR_42	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.5137E-012	2.0597E-011
RCPTR_42	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.3225E-012	9.9570E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.5942E-012	1.8892E-011
RCPTR_42	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.1718E-012	1.4568E-011
RCPTR_42	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.1402E-014	4.3883E-013
RCPTR_42	farmer_adult	TOCDLIC2	Ethylbenzene	2.2753E-015	2.8187E-014
RCPTR_42	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.8861E-009	3.5892E-009
RCPTR_42	farmer_adult	TOCDLIC2	Fluoranthene	1.2541E-008	7.1613E-008
RCPTR_42	farmer_adult	TOCDLIC2	Fluorene	1.0225E-010	1.2748E-009
RCPTR_42	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.3450E-012	7.8780E-012
RCPTR_42	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3158E-011	2.4516E-011
RCPTR_42	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.5518E-011	5.9452E-011
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.9119E-011	6.2697E-011
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.6778E-011	3.9647E-011
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.1261E-011	3.4039E-011
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.4748E-011	7.1118E-011
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.6105E-011	6.1594E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.7354E-011	6.2921E-011
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.7304E-011	5.1913E-011
RCPTR_42	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.4732E-012	2.6704E-011
RCPTR_42	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.7595E-009	5.4339E-008
RCPTR_42	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.9315E-012	7.0879E-011
RCPTR_42	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.2625E-012	1.6481E-011
RCPTR_42	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8221E-004	5.8760E-004
RCPTR_42	farmer_adult	TOCDLIC2	Isophorone	2.2526E-013	3.1376E-012
RCPTR_42	farmer_adult	TOCDLIC2	Lead	8.4663E-007	9.9287E-007
RCPTR_42	farmer_adult	TOCDLIC2	Mercuric chloride	1.6557E-007	1.7233E-007
RCPTR_42	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.2273E-017	1.7138E-016
RCPTR_42	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.1691E-017	3.0233E-016
RCPTR_42	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.7018E-014	2.3791E-013
RCPTR_42	farmer_adult	TOCDLIC2	Methyl mercury	1.9105E-009	1.9742E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Methylene chloride	2.2258E-015	3.1046E-014
RCPTR_42	farmer_adult	TOCDLIC2	Mustard	2.4017E-014	3.3410E-013
RCPTR_42	farmer_adult	TOCDLIC2	Naphthalene	1.5199E-013	2.0456E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nickel	3.5906E-006	3.9809E-006
RCPTR_42	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.8824E-012	5.3500E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitroaniline, 3-	9.1502E-013	1.2736E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.1868E-012	1.6455E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitrobenzene	3.7933E-013	5.2963E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.7309E-013	2.4112E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3219E-011	3.4496E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.1660E-013	2.9862E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.1433E-013	2.9340E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	2.0957E-014	2.6348E-013
RCPTR_42	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1373E-011	1.2430E-011
RCPTR_42	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1226E-011	1.2245E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.2769E-010	1.3662E-010
RCPTR_42	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0012E-011	2.2304E-011
RCPTR_42	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.8367E-011	8.7158E-011
RCPTR_42	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.1123E-010	1.0076E-009
RCPTR_42	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	9.4188E-012	7.9419E-011
RCPTR_42	farmer_adult	TOCDLIC2	Pentachlorophenol	4.4092E-009	7.0260E-009
RCPTR_42	farmer_adult	TOCDLIC2	Phenanthrene	3.1521E-013	4.0410E-012
RCPTR_42	farmer_adult	TOCDLIC2	Phenol	3.0331E-013	4.1947E-012
RCPTR_42	farmer_adult	TOCDLIC2	Pronamide	3.2240E-011	3.9971E-010
RCPTR_42	farmer_adult	TOCDLIC2	Pyrene	1.8387E-008	1.0349E-007
RCPTR_42	farmer_adult	TOCDLIC2	Selenium	1.3953E-006	1.4066E-006
RCPTR_42	farmer_adult	TOCDLIC2	Silver	3.6038E-006	4.1418E-006
RCPTR_42	farmer_adult	TOCDLIC2	Styrene	3.4879E-012	4.8087E-011
RCPTR_42	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6763E-011	1.9351E-011
RCPTR_42	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.3540E-012	7.7043E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.9082E-011	3.2246E-010
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.1171E-015	1.5455E-014
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.1902E-016	5.7773E-015
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.0458E-010	2.1992E-009
RCPTR_42	farmer_adult	TOCDLIC2	Thallium (l)	4.7854E-006	5.1757E-006
RCPTR_42	farmer_adult	TOCDLIC2	Toluene	8.4021E-015	1.1282E-013
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0147E-012	1.2381E-011
RCPTR_42	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.5323E-015	4.8971E-014
RCPTR_42	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.2124E-015	4.4731E-014
RCPTR_42	farmer_adult	TOCDLIC2	Trichloroethylene	5.2668E-016	7.2707E-015
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.9154E-017	9.5558E-016
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.3222E-010	1.4143E-009
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	4.0591E-011	2.8314E-010
RCPTR_42	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.1917E-014	1.6555E-013
RCPTR_42	farmer_adult	TOCDLIC2	Vinyl Chloride	5.0999E-019	7.0828E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Xylene, m-	1.3465E-013	3.0168E-013
RCPTR_42	farmer_adult	TOCDLIC2	Xylene, o-	1.1776E-013	3.0817E-013
RCPTR_42	farmer_adult	TOCDLIC2	Xylene, p-	1.3316E-013	3.9219E-013
RCPTR_42	farmer_adult	TOCDLIC2	Zinc	1.4168E-006	1.9204E-006
RCPTR_42	farmer_child	TOCDFBRA	Antimony	3.1755E-007	3.6319E-007
RCPTR_42	farmer_child	TOCDFBRA	Arsenic	4.8178E-007	4.9687E-007
RCPTR_42	farmer_child	TOCDFBRA	Barium	4.2527E-008	4.7223E-008
RCPTR_42	farmer_child	TOCDFBRA	Beryllium	1.3703E-007	1.4403E-007
RCPTR_42	farmer_child	TOCDFBRA	Cadmium	2.6681E-008	3.2453E-008
RCPTR_42	farmer_child	TOCDFBRA	Chromium	3.2532E-006	3.3989E-006
RCPTR_42	farmer_child	TOCDFBRA	Chromium, hexavalent	2.8277E-006	2.8719E-006
RCPTR_42	farmer_child	TOCDFBRA	Lead	1.4718E-006	1.5859E-006
RCPTR_42	farmer_child	TOCDFBRA	Mercuric chloride	1.8544E-004	2.2797E-004
RCPTR_42	farmer_child	TOCDFBRA	Methyl mercury	2.5115E-006	2.6425E-006
RCPTR_42	farmer_child	TOCDFBRA	Nickel	1.6150E-006	1.7024E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFBRA	Selenium	5.3203E-007	5.3446E-007
RCPTR_42	farmer_child	TOCDFBRA	Silver	1.8906E-007	2.0401E-007
RCPTR_42	farmer_child	TOCDFBRA	Thallium (l)	4.9814E-006	5.1834E-006
RCPTR_42	farmer_child	TOCDFBRA	Zinc	9.3086E-007	1.0802E-006
RCPTR_42	farmer_child	TOCDFDFS	Acenaphthene	6.8750E-010	1.4334E-009
RCPTR_42	farmer_child	TOCDFDFS	Acetone	7.5650E-015	1.5870E-014
RCPTR_42	farmer_child	TOCDFDFS	Acetophenone	3.7898E-012	7.9480E-012
RCPTR_42	farmer_child	TOCDFDFS	Aniline	2.1723E-013	4.5525E-013
RCPTR_42	farmer_child	TOCDFDFS	Anthracene	1.2138E-008	2.5289E-008
RCPTR_42	farmer_child	TOCDFDFS	Antimony	2.7346E-008	3.1275E-008
RCPTR_42	farmer_child	TOCDFDFS	Aroclor 1254	3.0237E-010	4.3126E-010
RCPTR_42	farmer_child	TOCDFDFS	Arsenic	4.8405E-008	4.9920E-008
RCPTR_42	farmer_child	TOCDFDFS	Barium	3.3709E-008	3.7430E-008
RCPTR_42	farmer_child	TOCDFDFS	Benzene	2.7075E-014	5.6722E-014
RCPTR_42	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.0123E-006	2.4759E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.7659E-005	1.8237E-005
RCPTR_42	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.0229E-005	1.1452E-005
RCPTR_42	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.7135E-005	2.7760E-005
RCPTR_42	farmer_child	TOCDFDFS	Benzoic acid	2.5660E-012	5.1689E-012
RCPTR_42	farmer_child	TOCDFDFS	Benzyl alcohol	4.9256E-012	1.0329E-011
RCPTR_42	farmer_child	TOCDFDFS	Beryllium	2.7082E-008	2.8465E-008
RCPTR_42	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.9276E-012	1.0337E-011
RCPTR_42	farmer_child	TOCDFDFS	Bromodichloromethane	8.7623E-015	1.8378E-014
RCPTR_42	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.4018E-012	2.9402E-012
RCPTR_42	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.3065E-007	3.9697E-007
RCPTR_42	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.1243E-008	1.2536E-008
RCPTR_42	farmer_child	TOCDFDFS	Cadmium	1.1220E-008	1.3647E-008
RCPTR_42	farmer_child	TOCDFDFS	Carbon disulfide	4.8340E-015	1.0132E-014
RCPTR_42	farmer_child	TOCDFDFS	Carbon tetrachloride	7.6623E-015	1.6050E-014
RCPTR_42	farmer_child	TOCDFDFS	Chlorine	1.5273E-013	3.2040E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.2948E-010	8.4240E-010
RCPTR_42	farmer_child	TOCDFDFS	Chloroaniline, p-	2.2910E-011	4.8003E-011
RCPTR_42	farmer_child	TOCDFDFS	Chlorobenzene	4.4864E-014	9.3892E-014
RCPTR_42	farmer_child	TOCDFDFS	Chloroethane	1.2666E-016	2.6350E-016
RCPTR_42	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.0450E-015	1.2678E-014
RCPTR_42	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.7938E-009	3.7451E-009
RCPTR_42	farmer_child	TOCDFDFS	Chlorophenol, 2-	6.3560E-011	1.3333E-010
RCPTR_42	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.4012E-009	4.6916E-009
RCPTR_42	farmer_child	TOCDFDFS	Chromium	8.4706E-007	8.8499E-007
RCPTR_42	farmer_child	TOCDFDFS	Chromium, hexavalent	7.3633E-007	7.4782E-007
RCPTR_42	farmer_child	TOCDFDFS	Chrysene	5.2110E-006	5.7103E-006
RCPTR_42	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.9773E-008	4.4737E-008
RCPTR_42	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.8434E+002	1.8434E+002
RCPTR_42	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.8037E-004	3.8602E-004
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.9101E-012	6.0430E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.5108E-012	7.3168E-012
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.3776E-012	7.0461E-012
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6268E-008	3.0790E-008
RCPTR_42	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.0568E-017	2.2140E-017
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.5295E-015	5.3051E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1422E-015	6.5906E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	9.5802E-016	2.0083E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5401E-015	3.2282E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.0985E-010	5.7775E-010
RCPTR_42	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.6702E-015	1.8163E-014
RCPTR_42	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.8586E-015	5.9941E-015
RCPTR_42	farmer_child	TOCDFDFS	Diethyl phthalate	2.3125E-008	2.3973E-008
RCPTR_42	farmer_child	TOCDFDFS	Dimethyl phthalate	5.7501E-011	1.1955E-010
RCPTR_42	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.3404E-011	9.0845E-011
RCPTR_42	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.7410E-011	4.3903E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.0369E-011	8.3373E-011
RCPTR_42	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.0961E-011	6.4263E-011
RCPTR_42	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.2266E-013	1.9355E-012
RCPTR_42	farmer_child	TOCDFDFS	Ethylbenzene	2.7610E-014	5.7294E-014
RCPTR_42	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9232E-009	2.1518E-009
RCPTR_42	farmer_child	TOCDFDFS	Fluoranthene	1.7898E-007	3.1630E-007
RCPTR_42	farmer_child	TOCDFDFS	Fluorene	2.7083E-009	5.6232E-009
RCPTR_42	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.7171E-013	8.9995E-013
RCPTR_42	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.0772E-013	7.2660E-013
RCPTR_42	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3163E-012	2.3897E-012
RCPTR_42	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8445E-011	1.8951E-011
RCPTR_42	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1570E-011	1.1969E-011
RCPTR_42	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.3106E-012	9.6712E-012
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.5292E-012	6.8049E-012
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.8900E-012	6.1378E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.9562E-012	7.2467E-012
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.3518E-012	5.5761E-012
RCPTR_42	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.7605E-011	1.1784E-010
RCPTR_42	farmer_child	TOCDFDFS	Hexachlorobenzene	1.1665E-007	2.3971E-007
RCPTR_42	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.5388E-010	3.1285E-010
RCPTR_42	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.4857E-011	7.2689E-011
RCPTR_42	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.5967E-003	2.6089E-003
RCPTR_42	farmer_child	TOCDFDFS	Isophorone	6.5987E-012	1.3839E-011
RCPTR_42	farmer_child	TOCDFDFS	Lead	1.7289E-007	1.8629E-007
RCPTR_42	farmer_child	TOCDFDFS	Mercuric chloride	5.4121E-008	6.6341E-008
RCPTR_42	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.1043E-016	2.3163E-016
RCPTR_42	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.1773E-017	4.5665E-017
RCPTR_42	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.4231E-014	1.1377E-013
RCPTR_42	farmer_child	TOCDFDFS	Methyl mercury	7.5729E-010	7.9493E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Methylene chloride	3.2624E-015	6.8426E-015
RCPTR_42	farmer_child	TOCDFDFS	Mustard	3.8438E-013	8.0602E-013
RCPTR_42	farmer_child	TOCDFDFS	Naphthalene	2.7921E-011	5.8380E-011
RCPTR_42	farmer_child	TOCDFDFS	Nickel	3.4563E-006	3.6433E-006
RCPTR_42	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.1262E-010	2.3596E-010
RCPTR_42	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.6785E-011	5.6170E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.4622E-011	7.2577E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitrobenzene	1.1137E-011	2.3360E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.0710E-012	1.0635E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitrophenol, 4-	9.9014E-011	1.5190E-010
RCPTR_42	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.2858E-012	1.3171E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	6.1797E-012	1.2941E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.6038E-013	1.1633E-012
RCPTR_42	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.5165E-012	1.5776E-012
RCPTR_42	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.5972E-012	1.6602E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1665E-011	3.2642E-011
RCPTR_42	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.0573E-012	4.2531E-012
RCPTR_42	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6925E-011	1.7727E-011
RCPTR_42	farmer_child	TOCDFDFS	Pentachlorobenzene	4.4540E-010	8.9024E-010
RCPTR_42	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.7769E-010	3.5170E-010
RCPTR_42	farmer_child	TOCDFDFS	Pentachlorophenol	1.2219E-007	1.5477E-007
RCPTR_42	farmer_child	TOCDFDFS	Phenanthrene	8.5621E-012	1.7824E-011
RCPTR_42	farmer_child	TOCDFDFS	Phenol	8.8274E-012	1.8501E-011
RCPTR_42	farmer_child	TOCDFDFS	Pronamide	8.4947E-010	1.7630E-009
RCPTR_42	farmer_child	TOCDFDFS	Pyrene	2.9252E-007	4.5672E-007
RCPTR_42	farmer_child	TOCDFDFS	Selenium	5.3454E-008	5.3698E-008
RCPTR_42	farmer_child	TOCDFDFS	Silver	3.7535E-007	4.0503E-007
RCPTR_42	farmer_child	TOCDFDFS	Styrene	3.2845E-013	6.8821E-013
RCPTR_42	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0166E-011	1.0805E-011
RCPTR_42	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.1166E-012	3.3774E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.9293E-010	1.4223E-009
RCPTR_42	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8206E-011	2.1769E-011
RCPTR_42	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.2124E-015	1.9302E-014
RCPTR_42	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.7267E-009	9.6906E-009
RCPTR_42	farmer_child	TOCDFDFS	Thallium (l)	4.8976E-005	5.0961E-005
RCPTR_42	farmer_child	TOCDFDFS	Toluene	1.2336E-014	2.5790E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.6355E-011	5.4611E-011
RCPTR_42	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.6771E-015	1.6094E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.5482E-014	9.5382E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichloroethylene	7.3983E-015	1.5504E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0218E-015	2.1415E-015
RCPTR_42	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.0501E-009	6.2374E-009
RCPTR_42	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.2443E-009	6.2752E-009
RCPTR_42	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.6836E-013	3.5301E-013
RCPTR_42	farmer_child	TOCDFDFS	Vinyl Chloride	2.4034E-018	5.0389E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Xylene, m-	1.0638E-013	1.5152E-013
RCPTR_42	farmer_child	TOCDFDFS	Xylene, o-	8.9227E-014	1.3418E-013
RCPTR_42	farmer_child	TOCDFDFS	Xylene, p-	1.2444E-013	1.9444E-013
RCPTR_42	farmer_child	TOCDFDFS	Zinc	1.7636E-007	2.0463E-007
RCPTR_42	farmer_child	TOCDFLIC	Acenaphthene	1.5585E-010	3.2496E-010
RCPTR_42	farmer_child	TOCDFLIC	Acetone	5.5775E-015	1.1701E-014
RCPTR_42	farmer_child	TOCDFLIC	Acetophenone	8.1729E-013	1.7140E-012
RCPTR_42	farmer_child	TOCDFLIC	Aniline	4.9250E-014	1.0322E-013
RCPTR_42	farmer_child	TOCDFLIC	Anthracene	2.7515E-009	5.7330E-009
RCPTR_42	farmer_child	TOCDFLIC	Antimony	1.3815E-006	1.5798E-006
RCPTR_42	farmer_child	TOCDFLIC	Arsenic	2.3081E-006	2.3803E-006
RCPTR_42	farmer_child	TOCDFLIC	Barium	1.9925E-007	2.2122E-007
RCPTR_42	farmer_child	TOCDFLIC	Benzene	3.0691E-014	6.4298E-014
RCPTR_42	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.5007E-007	5.5472E-007
RCPTR_42	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.8918E-006	4.0163E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2911E-006	2.5665E-006
RCPTR_42	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.9929E-006	6.1247E-006
RCPTR_42	farmer_child	TOCDFLIC	Benzoic acid	2.0103E-012	4.0489E-012
RCPTR_42	farmer_child	TOCDFLIC	Benzyl alcohol	1.7868E-010	3.7468E-010
RCPTR_42	farmer_child	TOCDFLIC	Beryllium	3.3663E-007	3.5380E-007
RCPTR_42	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.1172E-012	2.3438E-012
RCPTR_42	farmer_child	TOCDFLIC	Bromodichloromethane	1.1071E-015	2.3219E-015
RCPTR_42	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.0040E-012	4.2034E-012
RCPTR_42	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.2291E-008	8.9999E-008
RCPTR_42	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.4440E-009	2.7368E-009
RCPTR_42	farmer_child	TOCDFLIC	Cadmium	4.7148E-008	5.7336E-008
RCPTR_42	farmer_child	TOCDFLIC	Carbon disulfide	7.2244E-015	1.5143E-014
RCPTR_42	farmer_child	TOCDFLIC	Carbon tetrachloride	1.4299E-013	2.9953E-013
RCPTR_42	farmer_child	TOCDFLIC	Chlorine	1.1915E-006	2.4996E-006
RCPTR_42	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.7428E-011	1.9105E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Chloroaniline, p-	5.1943E-012	1.0884E-011
RCPTR_42	farmer_child	TOCDFLIC	Chlorobenzene	5.7627E-014	1.2060E-013
RCPTR_42	farmer_child	TOCDFLIC	Chloroethane	5.9403E-017	1.2358E-016
RCPTR_42	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.7358E-014	1.2029E-013
RCPTR_42	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.0668E-010	8.4910E-010
RCPTR_42	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.4411E-011	3.0229E-011
RCPTR_42	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.4355E-010	1.0628E-009
RCPTR_42	farmer_child	TOCDFLIC	Chromium	1.5536E-006	1.6231E-006
RCPTR_42	farmer_child	TOCDFLIC	Chromium, hexavalent	1.3507E-006	1.3717E-006
RCPTR_42	farmer_child	TOCDFLIC	Chrysene	1.1684E-006	1.2805E-006
RCPTR_42	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.3890E-009	1.5629E-009
RCPTR_42	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.4908E+000	6.4908E+000
RCPTR_42	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.3850E-005	8.4992E-005
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.5975E-013	1.3701E-012
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.9596E-013	1.6589E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.6576E-013	1.5975E-012
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.9166E-009	3.4263E-009
RCPTR_42	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.7153E-018	9.8788E-018
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.9188E-016	4.0244E-016
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4736E-015	3.0908E-015
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.2674E-017	1.5234E-016
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.2226E-016	1.5139E-015
RCPTR_42	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	7.0317E-011	1.3106E-010
RCPTR_42	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.0660E-015	8.5178E-015
RCPTR_42	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3821E-015	2.8982E-015
RCPTR_42	farmer_child	TOCDFLIC	Diethyl phthalate	8.1398E-010	8.4371E-010
RCPTR_42	farmer_child	TOCDFLIC	Dimethyl phthalate	1.2349E-010	2.5678E-010
RCPTR_42	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	9.8411E-012	2.0597E-011
RCPTR_42	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.2176E-012	9.9570E-012
RCPTR_42	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.1425E-012	1.8892E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.0173E-012	1.4568E-011
RCPTR_42	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.0919E-013	4.3883E-013
RCPTR_42	farmer_child	TOCDFLIC	Ethylbenzene	1.3582E-014	2.8187E-014
RCPTR_42	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.1929E-009	3.5892E-009
RCPTR_42	farmer_child	TOCDFLIC	Fluoranthene	4.0487E-008	7.1613E-008
RCPTR_42	farmer_child	TOCDFLIC	Fluorene	6.1392E-010	1.2748E-009
RCPTR_42	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.6381E-012	7.8780E-012
RCPTR_42	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.3906E-011	2.4516E-011
RCPTR_42	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.7684E-011	5.9452E-011
RCPTR_42	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.1088E-011	6.2697E-011
RCPTR_42	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.8360E-011	3.9647E-011
RCPTR_42	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.2792E-011	3.4039E-011
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.8260E-011	7.1118E-011
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.9129E-011	6.1594E-011
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.0423E-011	6.2921E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.9844E-011	5.1913E-011
RCPTR_42	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.3047E-011	2.6704E-011
RCPTR_42	farmer_child	TOCDFLIC	Hexachlorobenzene	2.6438E-008	5.4339E-008
RCPTR_42	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.4836E-011	7.0879E-011
RCPTR_42	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.9033E-012	1.6481E-011
RCPTR_42	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8514E-004	5.8760E-004
RCPTR_42	farmer_child	TOCDFLIC	Isophorone	1.4961E-012	3.1376E-012
RCPTR_42	farmer_child	TOCDFLIC	Lead	9.2152E-007	9.9287E-007
RCPTR_42	farmer_child	TOCDFLIC	Mercuric chloride	1.4003E-007	1.7233E-007
RCPTR_42	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.1702E-017	1.7138E-016
RCPTR_42	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4415E-016	3.0233E-016
RCPTR_42	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1341E-013	2.3791E-013
RCPTR_42	farmer_child	TOCDFLIC	Methyl mercury	1.8747E-009	1.9742E-009
RCPTR_42	farmer_child	TOCDFLIC	Methylene chloride	1.4802E-014	3.1046E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Mustard	1.5326E-013	3.2137E-013
RCPTR_42	farmer_child	TOCDFLIC	Naphthalene	9.7829E-013	2.0456E-012
RCPTR_42	farmer_child	TOCDFLIC	Nickel	3.7768E-006	3.9809E-006
RCPTR_42	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.5534E-011	5.3500E-011
RCPTR_42	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.0732E-012	1.2736E-011
RCPTR_42	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.8494E-012	1.6455E-011
RCPTR_42	farmer_child	TOCDFLIC	Nitrobenzene	2.5249E-012	5.2963E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.1497E-012	2.4112E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.2504E-012	3.4496E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4252E-012	2.9862E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4011E-012	2.9340E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.2679E-013	2.6348E-013
RCPTR_42	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1955E-011	1.2430E-011
RCPTR_42	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.1786E-011	1.2245E-011
RCPTR_42	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3263E-010	1.3662E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.1280E-011	2.2304E-011
RCPTR_42	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.3222E-011	8.7158E-011
RCPTR_42	farmer_child	TOCDFLIC	Pentachlorobenzene	5.0236E-010	1.0076E-009
RCPTR_42	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.9965E-011	7.9419E-011
RCPTR_42	farmer_child	TOCDFLIC	Pentachlorophenol	5.5511E-009	7.0260E-009
RCPTR_42	farmer_child	TOCDFLIC	Phenanthrene	1.9410E-012	4.0410E-012
RCPTR_42	farmer_child	TOCDFLIC	Phenol	2.0014E-012	4.1947E-012
RCPTR_42	farmer_child	TOCDFLIC	Pronamide	1.9259E-010	3.9971E-010
RCPTR_42	farmer_child	TOCDFLIC	Pyrene	6.6271E-008	1.0349E-007
RCPTR_42	farmer_child	TOCDFLIC	Selenium	1.4002E-006	1.4066E-006
RCPTR_42	farmer_child	TOCDFLIC	Silver	3.8386E-006	4.1418E-006
RCPTR_42	farmer_child	TOCDFLIC	Styrene	2.2949E-011	4.8087E-011
RCPTR_42	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.8200E-011	1.9351E-011
RCPTR_42	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.1049E-012	7.7043E-012
RCPTR_42	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.5710E-010	3.2246E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.3736E-015	1.5455E-014
RCPTR_42	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.7572E-015	5.7773E-015
RCPTR_42	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.3004E-009	2.1992E-009
RCPTR_42	farmer_child	TOCDFLIC	Thallium (l)	4.9743E-006	5.1757E-006
RCPTR_42	farmer_child	TOCDFLIC	Toluene	5.3964E-014	1.1282E-013
RCPTR_42	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.9745E-012	1.2381E-011
RCPTR_42	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.3360E-014	4.8971E-014
RCPTR_42	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.1330E-014	4.4731E-014
RCPTR_42	farmer_child	TOCDFLIC	Trichloroethylene	3.4695E-015	7.2707E-015
RCPTR_42	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.5596E-016	9.5558E-016
RCPTR_42	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.9169E-010	1.4143E-009
RCPTR_42	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4643E-010	2.8314E-010
RCPTR_42	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.8957E-014	1.6555E-013
RCPTR_42	farmer_child	TOCDFLIC	Vinyl Chloride	3.3782E-018	7.0828E-018
RCPTR_42	farmer_child	TOCDFLIC	Xylene, m-	9.9871E-014	1.4517E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Xylene, o-	9.6651E-014	1.4830E-013
RCPTR_42	farmer_child	TOCDFLIC	Xylene, p-	1.1847E-013	1.8873E-013
RCPTR_42	farmer_child	TOCDFLIC	Zinc	1.6553E-006	1.9204E-006
RCPTR_42	farmer_child	TOCDFMPF	Acenaphthene	2.3566E-010	4.9135E-010
RCPTR_42	farmer_child	TOCDFMPF	Acetone	2.0150E-014	4.2273E-014
RCPTR_42	farmer_child	TOCDFMPF	Acetophenone	1.2946E-012	2.7150E-012
RCPTR_42	farmer_child	TOCDFMPF	Aniline	7.4467E-014	1.5607E-013
RCPTR_42	farmer_child	TOCDFMPF	Anthracene	4.1603E-009	8.6684E-009
RCPTR_42	farmer_child	TOCDFMPF	Antimony	1.8775E-008	2.1470E-008
RCPTR_42	farmer_child	TOCDFMPF	Aroclor 1254	1.8699E-010	2.6870E-010
RCPTR_42	farmer_child	TOCDFMPF	Arsenic	1.1965E-007	1.2340E-007
RCPTR_42	farmer_child	TOCDFMPF	Barium	1.4081E-007	1.5634E-007
RCPTR_42	farmer_child	TOCDFMPF	Benzene	2.7130E-014	5.6838E-014
RCPTR_42	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.8115E-007	8.3943E-007
RCPTR_42	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.8960E-006	6.0849E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.4671E-006	3.8837E-006
RCPTR_42	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.0777E-006	9.2780E-006
RCPTR_42	farmer_child	TOCDFMPF	Benzoic acid	8.7988E-012	1.7722E-011
RCPTR_42	farmer_child	TOCDFMPF	Benzyl alcohol	1.6886E-012	3.5408E-012
RCPTR_42	farmer_child	TOCDFMPF	Beryllium	1.1444E-008	1.2028E-008
RCPTR_42	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.6892E-012	3.5438E-012
RCPTR_42	farmer_child	TOCDFMPF	Bromodichloromethane	3.3265E-014	6.9769E-014
RCPTR_42	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1578E-012	2.4285E-012
RCPTR_42	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	7.9065E-008	1.3608E-007
RCPTR_42	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.7061E-009	4.1488E-009
RCPTR_42	farmer_child	TOCDFMPF	Cadmium	2.1469E-007	2.6108E-007
RCPTR_42	farmer_child	TOCDFMPF	Carbon disulfide	2.6124E-015	5.4758E-015
RCPTR_42	farmer_child	TOCDFMPF	Carbon tetrachloride	2.4635E-014	5.1605E-014
RCPTR_42	farmer_child	TOCDFMPF	Chlorine	2.1711E-007	4.5547E-007
RCPTR_42	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4731E-010	2.8886E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Chloroaniline, p-	7.8538E-012	1.6456E-011
RCPTR_42	farmer_child	TOCDFMPF	Chlorobenzene	1.0226E-013	2.1402E-013
RCPTR_42	farmer_child	TOCDFMPF	Chloroethane	5.7897E-016	1.2045E-015
RCPTR_42	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.7840E-014	3.7415E-014
RCPTR_42	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.1491E-010	1.2838E-009
RCPTR_42	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.1789E-011	4.5706E-011
RCPTR_42	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.2194E-010	1.6071E-009
RCPTR_42	farmer_child	TOCDFMPF	Chromium	2.9400E-007	3.0715E-007
RCPTR_42	farmer_child	TOCDFMPF	Chromium, hexavalent	2.5560E-007	2.5958E-007
RCPTR_42	farmer_child	TOCDFMPF	Chrysene	1.7680E-006	1.9376E-006
RCPTR_42	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.3593E-008	1.5294E-008
RCPTR_42	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.3484E+001	6.3484E+001
RCPTR_42	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.2702E-004	1.2876E-004
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.9755E-013	2.0715E-012
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2035E-012	2.5082E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.1578E-012	2.4154E-012
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.8588E-009	1.0405E-008
RCPTR_42	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.8359E-017	8.0364E-017
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.7657E-015	1.2093E-014
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.1625E-015	1.5023E-014
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.1837E-015	4.5777E-015
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.5105E-015	7.3585E-015
RCPTR_42	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.0631E-010	1.9815E-010
RCPTR_42	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.9763E-014	4.1401E-014
RCPTR_42	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.5158E-015	1.3663E-014
RCPTR_42	farmer_child	TOCDFMPF	Diethyl phthalate	7.9614E-009	8.2523E-009
RCPTR_42	farmer_child	TOCDFMPF	Dimethyl phthalate	1.3042E-011	2.7120E-011
RCPTR_42	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.4880E-011	3.1143E-011
RCPTR_42	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	9.3838E-012	1.5028E-011
RCPTR_42	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.3825E-011	2.8566E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0611E-011	2.2027E-011
RCPTR_42	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.1630E-013	6.6352E-013
RCPTR_42	farmer_child	TOCDFMPF	Ethylbenzene	6.2928E-014	1.3059E-013
RCPTR_42	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.7305E-010	6.4396E-010
RCPTR_42	farmer_child	TOCDFMPF	Fluoranthene	6.1227E-008	1.0829E-007
RCPTR_42	farmer_child	TOCDFMPF	Fluorene	9.2827E-010	1.9276E-009
RCPTR_42	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.9628E-011	3.0561E-011
RCPTR_42	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.7363E-011	3.8320E-011
RCPTR_42	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.7181E-011	6.9245E-011
RCPTR_42	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7338E-011	1.7796E-011
RCPTR_42	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.4841E-012	8.7695E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.7174E-012	8.0113E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.3434E-011	1.3997E-011
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.6819E-012	5.9189E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.0039E-012	5.2110E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.4925E-012	4.6791E-012
RCPTR_42	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.9728E-011	4.0378E-011
RCPTR_42	farmer_child	TOCDFMPF	Hexachlorobenzene	3.9975E-008	8.2163E-008
RCPTR_42	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.2678E-011	1.0718E-010
RCPTR_42	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1950E-011	2.4919E-011
RCPTR_42	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.8511E-004	8.8886E-004
RCPTR_42	farmer_child	TOCDFMPF	Isophorone	2.2621E-012	4.7441E-012
RCPTR_42	farmer_child	TOCDFMPF	Lead	1.0610E-007	1.1431E-007
RCPTR_42	farmer_child	TOCDFMPF	Mercuric chloride	2.3589E-006	2.9021E-006
RCPTR_42	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.1815E-016	8.7712E-016
RCPTR_42	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.4338E-017	5.1043E-017
RCPTR_42	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.2748E-014	4.7721E-014
RCPTR_42	farmer_child	TOCDFMPF	Methyl mercury	3.1679E-008	3.3352E-008
RCPTR_42	farmer_child	TOCDFMPF	Methylene chloride	1.1514E-014	2.4150E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Mustard	1.0786E-012	2.2617E-012
RCPTR_42	farmer_child	TOCDFMPF	Naphthalene	9.5712E-012	2.0013E-011
RCPTR_42	farmer_child	TOCDFMPF	Nickel	2.3620E-006	2.4897E-006
RCPTR_42	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.8538E-011	8.0746E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitroaniline, 3-	9.1660E-012	1.9222E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.1847E-011	2.4835E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitrobenzene	3.8177E-012	8.0081E-012
RCPTR_42	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.7384E-012	3.6457E-012
RCPTR_42	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.3959E-011	5.2058E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.1549E-012	4.5152E-012
RCPTR_42	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.1185E-012	4.4363E-012
RCPTR_42	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.9173E-013	3.9841E-013
RCPTR_42	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.5810E-010	7.8827E-010
RCPTR_42	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.3324E-009	1.3843E-009
RCPTR_42	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.8786E-012	7.0859E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.1688E-012	9.6103E-012
RCPTR_42	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.5439E-012	5.8062E-012
RCPTR_42	farmer_child	TOCDFMPF	Pentachlorobenzene	1.5171E-010	3.0421E-010
RCPTR_42	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.0350E-011	1.1990E-010
RCPTR_42	farmer_child	TOCDFMPF	Pentachlorophenol	4.1957E-008	5.3108E-008
RCPTR_42	farmer_child	TOCDFMPF	Phenanthrene	2.9349E-012	6.1101E-012
RCPTR_42	farmer_child	TOCDFMPF	Phenol	3.0261E-012	6.3425E-012
RCPTR_42	farmer_child	TOCDFMPF	Pronamide	2.9120E-010	6.0437E-010
RCPTR_42	farmer_child	TOCDFMPF	Pyrene	1.0021E-007	1.5649E-007
RCPTR_42	farmer_child	TOCDFMPF	Selenium	2.4486E-008	2.4598E-008
RCPTR_42	farmer_child	TOCDFMPF	Silver	5.1630E-007	5.5709E-007
RCPTR_42	farmer_child	TOCDFMPF	Styrene	5.1760E-013	1.0846E-012
RCPTR_42	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1589E-012	2.2953E-012
RCPTR_42	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.9738E-012	7.5618E-012
RCPTR_42	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.3754E-010	4.8756E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.2156E-013	4.6439E-013
RCPTR_42	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0998E-014	4.3997E-014
RCPTR_42	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.9625E-009	3.3189E-009
RCPTR_42	farmer_child	TOCDFMPF	Thallium (l)	1.5178E-007	1.5793E-007
RCPTR_42	farmer_child	TOCDFMPF	Toluene	3.5811E-014	7.4864E-014
RCPTR_42	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.0336E-012	1.8720E-011
RCPTR_42	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.3562E-014	2.8430E-014
RCPTR_42	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.0367E-013	2.1742E-013
RCPTR_42	farmer_child	TOCDFMPF	Trichloroethylene	1.6864E-014	3.5339E-014
RCPTR_42	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.6540E-014	9.7537E-014
RCPTR_42	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0458E-009	2.1385E-009
RCPTR_42	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2140E-010	4.2811E-010
RCPTR_42	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.8377E-013	8.0465E-013
RCPTR_42	farmer_child	TOCDFMPF	Vinyl Chloride	9.1683E-018	1.9223E-017
RCPTR_42	farmer_child	TOCDFMPF	Xylene, m-	9.9332E-014	1.4418E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Xylene, o-	9.6074E-014	1.4720E-013
RCPTR_42	farmer_child	TOCDFMPF	Xylene, p-	1.1772E-013	1.8727E-013
RCPTR_42	farmer_child	TOCDFMPF	Zinc	4.6997E-007	5.4526E-007
RCPTR_42	farmer_child	TOCDHVAC	Mustard	3.5914E-013	7.5309E-013
RCPTR_42	farmer_child	TOCDLIC2	Acenaphthene	1.5585E-010	3.2496E-010
RCPTR_42	farmer_child	TOCDLIC2	Acetone	5.5775E-015	1.1701E-014
RCPTR_42	farmer_child	TOCDLIC2	Acetophenone	8.1729E-013	1.7140E-012
RCPTR_42	farmer_child	TOCDLIC2	Aniline	4.9250E-014	1.0322E-013
RCPTR_42	farmer_child	TOCDLIC2	Anthracene	2.7515E-009	5.7330E-009
RCPTR_42	farmer_child	TOCDLIC2	Antimony	1.3815E-006	1.5798E-006
RCPTR_42	farmer_child	TOCDLIC2	Arsenic	2.3081E-006	2.3803E-006
RCPTR_42	farmer_child	TOCDLIC2	Barium	1.9925E-007	2.2122E-007
RCPTR_42	farmer_child	TOCDLIC2	Benzene	3.0691E-014	6.4298E-014
RCPTR_42	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.5007E-007	5.5472E-007
RCPTR_42	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.8918E-006	4.0163E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2911E-006	2.5665E-006
RCPTR_42	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.9929E-006	6.1247E-006
RCPTR_42	farmer_child	TOCDLIC2	Benzoic acid	2.0103E-012	4.0489E-012
RCPTR_42	farmer_child	TOCDLIC2	Benzyl alcohol	1.7868E-010	3.7468E-010
RCPTR_42	farmer_child	TOCDLIC2	Beryllium	3.3663E-007	3.5380E-007
RCPTR_42	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.1172E-012	2.3438E-012
RCPTR_42	farmer_child	TOCDLIC2	Bromodichloromethane	1.1071E-015	2.3219E-015
RCPTR_42	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.0040E-012	4.2034E-012
RCPTR_42	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	5.2291E-008	8.9999E-008
RCPTR_42	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.4440E-009	2.7368E-009
RCPTR_42	farmer_child	TOCDLIC2	Cadmium	4.7148E-008	5.7336E-008
RCPTR_42	farmer_child	TOCDLIC2	Carbon disulfide	7.2244E-015	1.5143E-014
RCPTR_42	farmer_child	TOCDLIC2	Carbon tetrachloride	1.4299E-013	2.9953E-013
RCPTR_42	farmer_child	TOCDLIC2	Chlorine	1.1915E-006	2.4996E-006
RCPTR_42	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	9.7428E-011	1.9105E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Chloroaniline, p-	5.1943E-012	1.0884E-011
RCPTR_42	farmer_child	TOCDLIC2	Chlorobenzene	5.7627E-014	1.2060E-013
RCPTR_42	farmer_child	TOCDLIC2	Chloroethane	5.9403E-017	1.2358E-016
RCPTR_42	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.7358E-014	1.2029E-013
RCPTR_42	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.0668E-010	8.4910E-010
RCPTR_42	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.4411E-011	3.0229E-011
RCPTR_42	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.4355E-010	1.0628E-009
RCPTR_42	farmer_child	TOCDLIC2	Chromium	1.5536E-006	1.6231E-006
RCPTR_42	farmer_child	TOCDLIC2	Chromium, hexavalent	1.3507E-006	1.3717E-006
RCPTR_42	farmer_child	TOCDLIC2	Chrysene	1.1684E-006	1.2805E-006
RCPTR_42	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.3890E-009	1.5629E-009
RCPTR_42	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.4908E+000	6.4908E+000
RCPTR_42	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.3850E-005	8.4992E-005
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.5975E-013	1.3701E-012
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.9596E-013	1.6589E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.6576E-013	1.5975E-012
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.9166E-009	3.4263E-009
RCPTR_42	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.7153E-018	9.8788E-018
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.9188E-016	4.0244E-016
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4736E-015	3.0908E-015
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.2674E-017	1.5234E-016
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.2226E-016	1.5139E-015
RCPTR_42	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	7.0317E-011	1.3106E-010
RCPTR_42	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.0660E-015	8.5178E-015
RCPTR_42	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3821E-015	2.8982E-015
RCPTR_42	farmer_child	TOCDLIC2	Diethyl phthalate	8.1398E-010	8.4371E-010
RCPTR_42	farmer_child	TOCDLIC2	Dimethyl phthalate	1.2349E-010	2.5678E-010
RCPTR_42	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	9.8411E-012	2.0597E-011
RCPTR_42	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.2176E-012	9.9570E-012
RCPTR_42	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	9.1425E-012	1.8892E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	7.0173E-012	1.4568E-011
RCPTR_42	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.0919E-013	4.3883E-013
RCPTR_42	farmer_child	TOCDLIC2	Ethylbenzene	1.3582E-014	2.8187E-014
RCPTR_42	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.1929E-009	3.5892E-009
RCPTR_42	farmer_child	TOCDLIC2	Fluoranthene	4.0487E-008	7.1613E-008
RCPTR_42	farmer_child	TOCDLIC2	Fluorene	6.1392E-010	1.2748E-009
RCPTR_42	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.6381E-012	7.8780E-012
RCPTR_42	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3906E-011	2.4516E-011
RCPTR_42	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.7684E-011	5.9452E-011
RCPTR_42	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.1088E-011	6.2697E-011
RCPTR_42	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.8360E-011	3.9647E-011
RCPTR_42	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.2792E-011	3.4039E-011
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.8260E-011	7.1118E-011
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.9129E-011	6.1594E-011
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.0423E-011	6.2921E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.9844E-011	5.1913E-011
RCPTR_42	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.3047E-011	2.6704E-011
RCPTR_42	farmer_child	TOCDLIC2	Hexachlorobenzene	2.6438E-008	5.4339E-008
RCPTR_42	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.4836E-011	7.0879E-011
RCPTR_42	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.9033E-012	1.6481E-011
RCPTR_42	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8514E-004	5.8760E-004
RCPTR_42	farmer_child	TOCDLIC2	Isophorone	1.4961E-012	3.1376E-012
RCPTR_42	farmer_child	TOCDLIC2	Lead	9.2152E-007	9.9287E-007
RCPTR_42	farmer_child	TOCDLIC2	Mercuric chloride	1.4003E-007	1.7233E-007
RCPTR_42	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.1702E-017	1.7138E-016
RCPTR_42	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4415E-016	3.0233E-016
RCPTR_42	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1341E-013	2.3791E-013
RCPTR_42	farmer_child	TOCDLIC2	Methyl mercury	1.8747E-009	1.9742E-009
RCPTR_42	farmer_child	TOCDLIC2	Methylene chloride	1.4802E-014	3.1046E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Mustard	1.5932E-013	3.3410E-013
RCPTR_42	farmer_child	TOCDLIC2	Naphthalene	9.7829E-013	2.0456E-012
RCPTR_42	farmer_child	TOCDLIC2	Nickel	3.7768E-006	3.9809E-006
RCPTR_42	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.5534E-011	5.3500E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitroaniline, 3-	6.0732E-012	1.2736E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.8494E-012	1.6455E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitrobenzene	2.5249E-012	5.2963E-012
RCPTR_42	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.1497E-012	2.4112E-012
RCPTR_42	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.2504E-011	3.4496E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4252E-012	2.9862E-012
RCPTR_42	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.4011E-012	2.9340E-012
RCPTR_42	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.2679E-013	2.6348E-013
RCPTR_42	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1955E-011	1.2430E-011
RCPTR_42	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1786E-011	1.2245E-011
RCPTR_42	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3263E-010	1.3662E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.1280E-011	2.2304E-011
RCPTR_42	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.3222E-011	8.7158E-011
RCPTR_42	farmer_child	TOCDLIC2	Pentachlorobenzene	5.0236E-010	1.0076E-009
RCPTR_42	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.9965E-011	7.9419E-011
RCPTR_42	farmer_child	TOCDLIC2	Pentachlorophenol	5.5511E-009	7.0260E-009
RCPTR_42	farmer_child	TOCDLIC2	Phenanthrene	1.9410E-012	4.0410E-012
RCPTR_42	farmer_child	TOCDLIC2	Phenol	2.0014E-012	4.1947E-012
RCPTR_42	farmer_child	TOCDLIC2	Pronamide	1.9259E-010	3.9971E-010
RCPTR_42	farmer_child	TOCDLIC2	Pyrene	6.6271E-008	1.0349E-007
RCPTR_42	farmer_child	TOCDLIC2	Selenium	1.4002E-006	1.4066E-006
RCPTR_42	farmer_child	TOCDLIC2	Silver	3.8386E-006	4.1418E-006
RCPTR_42	farmer_child	TOCDLIC2	Styrene	2.2949E-011	4.8087E-011
RCPTR_42	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.8200E-011	1.9351E-011
RCPTR_42	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.1049E-012	7.7043E-012
RCPTR_42	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.5710E-010	3.2246E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.3736E-015	1.5455E-014
RCPTR_42	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.7572E-015	5.7773E-015
RCPTR_42	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3004E-009	2.1992E-009
RCPTR_42	farmer_child	TOCDLIC2	Thallium (l)	4.9743E-006	5.1757E-006
RCPTR_42	farmer_child	TOCDLIC2	Toluene	5.3964E-014	1.1282E-013
RCPTR_42	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.9745E-012	1.2381E-011
RCPTR_42	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.3360E-014	4.8971E-014
RCPTR_42	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.1330E-014	4.4731E-014
RCPTR_42	farmer_child	TOCDLIC2	Trichloroethylene	3.4695E-015	7.2707E-015
RCPTR_42	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.5596E-016	9.5558E-016
RCPTR_42	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.9169E-010	1.4143E-009
RCPTR_42	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4643E-010	2.8314E-010
RCPTR_42	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.8957E-014	1.6555E-013
RCPTR_42	farmer_child	TOCDLIC2	Vinyl Chloride	3.3782E-018	7.0828E-018
RCPTR_42	farmer_child	TOCDLIC2	Xylene, m-	2.0754E-013	3.0168E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Xylene, o-	2.0085E-013	3.0817E-013
RCPTR_42	farmer_child	TOCDLIC2	Xylene, p-	2.4619E-013	3.9219E-013
RCPTR_42	farmer_child	TOCDLIC2	Zinc	1.6553E-006	1.9204E-006
RCPTR_43	farmer_adult	TOCDFBRA	Antimony	2.4051E-007	3.1276E-007
RCPTR_43	farmer_adult	TOCDFBRA	Arsenic	4.0407E-007	4.2738E-007
RCPTR_43	farmer_adult	TOCDFBRA	Barium	3.3274E-008	4.0652E-008
RCPTR_43	farmer_adult	TOCDFBRA	Beryllium	1.1099E-007	1.2397E-007
RCPTR_43	farmer_adult	TOCDFBRA	Cadmium	1.8204E-008	2.7968E-008
RCPTR_43	farmer_adult	TOCDFBRA	Chromium	2.9065E-006	2.9257E-006
RCPTR_43	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.4020E-006	2.4698E-006
RCPTR_43	farmer_adult	TOCDFBRA	Lead	1.1635E-006	1.3658E-006
RCPTR_43	farmer_adult	TOCDFBRA	Mercuric chloride	1.8638E-004	1.9399E-004
RCPTR_43	farmer_adult	TOCDFBRA	Methyl mercury	2.1516E-006	2.2233E-006
RCPTR_43	farmer_adult	TOCDFBRA	Nickel	1.3201E-006	1.4647E-006
RCPTR_43	farmer_adult	TOCDFBRA	Selenium	4.5584E-007	4.5957E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFBRA	Silver	1.5261E-007	1.7557E-007
RCPTR_43	farmer_adult	TOCDFBRA	Thallium (l)	4.1204E-006	4.4591E-006
RCPTR_43	farmer_adult	TOCDFBRA	Zinc	6.8509E-007	9.3036E-007
RCPTR_43	farmer_adult	TOCDFDFS	Acenaphthene	9.8002E-011	1.2780E-009
RCPTR_43	farmer_adult	TOCDFDFS	Acetone	1.0121E-015	1.4152E-014
RCPTR_43	farmer_adult	TOCDFDFS	Acetophenone	5.0866E-013	7.0873E-012
RCPTR_43	farmer_adult	TOCDFDFS	Aniline	2.9370E-014	4.0595E-013
RCPTR_43	farmer_adult	TOCDFDFS	Anthracene	1.7421E-009	2.2547E-008
RCPTR_43	farmer_adult	TOCDFDFS	Antimony	2.0556E-008	2.6727E-008
RCPTR_43	farmer_adult	TOCDFDFS	Aroclor 1254	1.7484E-010	3.7871E-010
RCPTR_43	farmer_adult	TOCDFDFS	Arsenic	4.0293E-008	4.2615E-008
RCPTR_43	farmer_adult	TOCDFDFS	Barium	2.6177E-008	3.1978E-008
RCPTR_43	farmer_adult	TOCDFDFS	Benzene	3.6746E-015	5.0579E-014
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.2977E-006	2.1791E-006
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.4798E-005	1.5829E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.7634E-006	1.0057E-005
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.2819E-005	2.4117E-005
RCPTR_43	farmer_adult	TOCDFDFS	Benzoic acid	4.8952E-013	4.6074E-012
RCPTR_43	farmer_adult	TOCDFDFS	Benzyl alcohol	6.6214E-013	9.2101E-012
RCPTR_43	farmer_adult	TOCDFDFS	Beryllium	2.1772E-008	2.4316E-008
RCPTR_43	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.5927E-013	9.2180E-012
RCPTR_43	farmer_adult	TOCDFDFS	Bromodichloromethane	1.1754E-015	1.6387E-014
RCPTR_43	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.8787E-013	2.6218E-012
RCPTR_43	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.7267E-008	3.5397E-007
RCPTR_43	farmer_adult	TOCDFDFS	Butylbenzylphthalate	8.8038E-009	1.0847E-008
RCPTR_43	farmer_adult	TOCDFDFS	Cadmium	7.5983E-009	1.1671E-008
RCPTR_43	farmer_adult	TOCDFDFS	Carbon disulfide	6.5265E-016	9.0351E-015
RCPTR_43	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.0413E-015	1.4312E-014
RCPTR_43	farmer_adult	TOCDFDFS	Chlorine	2.0428E-014	2.8571E-013
RCPTR_43	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	9.7451E-011	7.5073E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.1050E-012	4.2804E-011
RCPTR_43	farmer_adult	TOCDFDFS	Chlorobenzene	6.1556E-015	8.3722E-014
RCPTR_43	farmer_adult	TOCDFDFS	Chloroethane	1.8452E-017	2.3495E-016
RCPTR_43	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	8.1150E-016	1.1305E-014
RCPTR_43	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.5220E-010	3.3394E-009
RCPTR_43	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.5128E-012	1.1889E-010
RCPTR_43	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.5480E-010	4.1784E-009
RCPTR_43	farmer_adult	TOCDFDFS	Chromium	7.5106E-007	7.5600E-007
RCPTR_43	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.2078E-007	6.3828E-007
RCPTR_43	farmer_adult	TOCDFDFS	Chrysene	4.0013E-006	5.0149E-006
RCPTR_43	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.1604E-008	3.9455E-008
RCPTR_43	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.6286E+002	1.6286E+002
RCPTR_43	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.2680E-004	3.3790E-004
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.3146E-013	5.3879E-012
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.0259E-013	6.5239E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.7886E-013	6.2826E-012
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.9817E-008	2.6947E-008
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.4344E-018	1.9742E-017
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.3934E-016	4.7306E-015
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.2127E-016	5.8769E-015
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.2921E-016	1.7908E-015
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.0786E-016	2.8786E-015
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	9.0789E-011	5.1463E-010
RCPTR_43	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.1776E-015	1.6196E-014
RCPTR_43	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.8431E-016	5.3450E-015
RCPTR_43	farmer_adult	TOCDFDFS	Diethyl phthalate	1.9849E-008	2.1192E-008
RCPTR_43	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.4205E-012	1.0658E-010
RCPTR_43	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.9511E-012	8.1006E-011
RCPTR_43	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.2931E-011	3.9023E-011
RCPTR_43	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.2749E-012	7.4309E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.6063E-012	5.7292E-011
RCPTR_43	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.2350E-013	1.7259E-012
RCPTR_43	farmer_adult	TOCDFDFS	Ethylbenzene	4.1190E-015	5.1082E-014
RCPTR_43	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.4977E-009	1.8587E-009
RCPTR_43	farmer_adult	TOCDFDFS	Fluoranthene	4.9126E-008	2.8148E-007
RCPTR_43	farmer_adult	TOCDFDFS	Fluorene	4.0178E-010	5.0135E-009
RCPTR_43	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.0846E-013	7.6112E-013
RCPTR_43	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.8530E-013	6.2066E-013
RCPTR_43	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8875E-012	2.0246E-012
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5266E-011	1.6217E-011
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.3808E-012	1.0129E-011
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.4509E-012	8.1247E-012
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.2041E-012	5.7228E-012
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.6991E-012	5.1650E-012
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.5590E-012	6.1059E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.2734E-012	4.6955E-012
RCPTR_43	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.7232E-012	1.0502E-010
RCPTR_43	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.8691E-008	2.1369E-007
RCPTR_43	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.7258E-011	2.7876E-010
RCPTR_43	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.9603E-012	6.4815E-011
RCPTR_43	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.2748E-003	2.2977E-003
RCPTR_43	farmer_adult	TOCDFDFS	Isophorone	8.8591E-013	1.2340E-011
RCPTR_43	farmer_adult	TOCDFDFS	Lead	1.3564E-007	1.5921E-007
RCPTR_43	farmer_adult	TOCDFDFS	Mercuric chloride	5.5985E-008	5.8257E-008
RCPTR_43	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.4791E-017	2.0655E-016
RCPTR_43	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.9214E-018	4.0719E-017
RCPTR_43	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.2566E-015	1.0145E-013
RCPTR_43	farmer_adult	TOCDFDFS	Methyl mercury	6.5542E-010	6.7684E-010
RCPTR_43	farmer_adult	TOCDFDFS	Methylene chloride	4.3743E-016	6.1016E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Mustard	5.1663E-014	7.1873E-013
RCPTR_43	farmer_adult	TOCDFDFS	Naphthalene	3.8666E-012	5.2056E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nickel	2.8041E-006	3.1110E-006
RCPTR_43	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.5267E-011	2.1040E-010
RCPTR_43	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.5985E-012	5.0087E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.6685E-012	6.4715E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitrobenzene	1.4919E-012	2.0830E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.8073E-013	9.4831E-012
RCPTR_43	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.1354E-011	1.3503E-010
RCPTR_43	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.5172E-013	1.1744E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.4269E-013	1.1539E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.2701E-014	1.0365E-012
RCPTR_43	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2046E-012	1.3182E-012
RCPTR_43	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2699E-012	1.3868E-012
RCPTR_43	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.6368E-011	2.8254E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.2972E-012	3.6791E-012
RCPTR_43	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.3674E-011	1.5224E-011
RCPTR_43	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.8163E-011	7.9194E-010
RCPTR_43	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.7423E-011	3.1272E-010
RCPTR_43	farmer_adult	TOCDFDFS	Pentachlorophenol	8.5699E-008	1.3725E-007
RCPTR_43	farmer_adult	TOCDFDFS	Phenanthrene	1.2388E-012	1.5892E-011
RCPTR_43	farmer_adult	TOCDFDFS	Phenol	1.1927E-012	1.6498E-011
RCPTR_43	farmer_adult	TOCDFDFS	Pronamide	1.2662E-010	1.5719E-009
RCPTR_43	farmer_adult	TOCDFDFS	Pyrene	7.2135E-008	4.0688E-007
RCPTR_43	farmer_adult	TOCDFDFS	Selenium	4.5456E-008	4.5827E-008
RCPTR_43	farmer_adult	TOCDFDFS	Silver	3.0072E-007	3.4592E-007
RCPTR_43	farmer_adult	TOCDFDFS	Styrene	4.4506E-014	6.1367E-013
RCPTR_43	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	8.1151E-012	9.3772E-012
RCPTR_43	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.4298E-012	2.9494E-012
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1408E-010	1.2679E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.3652E-011	1.9288E-011
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.2484E-015	1.7212E-014
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.3518E-009	8.6230E-009
RCPTR_43	farmer_adult	TOCDFDFS	Thallium (l)	4.0207E-005	4.3509E-005
RCPTR_43	farmer_adult	TOCDFDFS	Toluene	1.7119E-015	2.2996E-014
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.9858E-012	4.8689E-011
RCPTR_43	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.0351E-015	1.4351E-014
RCPTR_43	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.1078E-015	8.5053E-014
RCPTR_43	farmer_adult	TOCDFDFS	Trichloroethylene	1.0013E-015	1.3825E-014
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.3818E-016	1.9096E-015
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.1817E-010	5.5607E-009
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.9646E-010	5.5916E-009
RCPTR_43	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.2657E-014	3.1478E-013
RCPTR_43	farmer_adult	TOCDFDFS	Vinyl Chloride	3.2356E-019	4.4931E-018
RCPTR_43	farmer_adult	TOCDFDFS	Xylene, m-	5.9693E-014	1.3110E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Xylene, o-	4.5560E-014	1.1668E-013
RCPTR_43	farmer_adult	TOCDFDFS	Xylene, p-	5.8908E-014	1.6966E-013
RCPTR_43	farmer_adult	TOCDFDFS	Zinc	1.2883E-007	1.7491E-007
RCPTR_43	farmer_adult	TOCDFLIC	Acenaphthene	2.2095E-011	2.8826E-010
RCPTR_43	farmer_adult	TOCDFLIC	Acetone	7.4236E-016	1.0380E-014
RCPTR_43	farmer_adult	TOCDFLIC	Acetophenone	1.0913E-013	1.5206E-012
RCPTR_43	farmer_adult	TOCDFLIC	Aniline	6.6248E-015	9.1568E-014
RCPTR_43	farmer_adult	TOCDFLIC	Anthracene	3.9256E-010	5.0854E-009
RCPTR_43	farmer_adult	TOCDFLIC	Antimony	1.0513E-006	1.3663E-006
RCPTR_43	farmer_adult	TOCDFLIC	Arsenic	1.9448E-006	2.0567E-006
RCPTR_43	farmer_adult	TOCDFLIC	Barium	1.5663E-007	1.9128E-007
RCPTR_43	farmer_adult	TOCDFLIC	Benzene	4.1441E-015	5.7041E-014
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.8909E-007	4.8716E-007
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.2672E-006	3.4898E-006
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.7354E-006	2.2497E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.0501E-006	5.3254E-006
RCPTR_43	farmer_adult	TOCDFLIC	Benzoic acid	3.8207E-013	3.5908E-012
RCPTR_43	farmer_adult	TOCDFLIC	Benzyl alcohol	2.3897E-011	3.3239E-010
RCPTR_43	farmer_adult	TOCDFLIC	Beryllium	2.7393E-007	3.0588E-007
RCPTR_43	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.4871E-013	2.0792E-012
RCPTR_43	farmer_adult	TOCDFLIC	Bromodichloromethane	1.4774E-016	2.0598E-015
RCPTR_43	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.6720E-013	3.7290E-012
RCPTR_43	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	8.4033E-009	7.9840E-008
RCPTR_43	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.9126E-009	2.3731E-009
RCPTR_43	farmer_adult	TOCDFLIC	Cadmium	3.2323E-008	4.9622E-008
RCPTR_43	farmer_adult	TOCDFLIC	Carbon disulfide	9.7038E-016	1.3434E-014
RCPTR_43	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.9333E-014	2.6572E-013
RCPTR_43	farmer_adult	TOCDFLIC	Chlorine	1.5855E-007	2.2175E-006
RCPTR_43	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.2042E-011	1.6940E-010
RCPTR_43	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.0040E-013	9.6552E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Chlorobenzene	7.8659E-015	1.0699E-013
RCPTR_43	farmer_adult	TOCDFLIC	Chloroethane	8.6139E-018	1.0963E-016
RCPTR_43	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.6605E-015	1.0671E-013
RCPTR_43	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	5.6879E-011	7.5323E-010
RCPTR_43	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.9202E-012	2.6817E-011
RCPTR_43	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2463E-010	9.4198E-010
RCPTR_43	farmer_adult	TOCDFLIC	Chromium	1.3941E-006	1.4033E-006
RCPTR_43	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.1526E-006	1.1851E-006
RCPTR_43	farmer_adult	TOCDFLIC	Chrysene	8.9566E-007	1.1224E-006
RCPTR_43	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.1004E-009	1.3740E-009
RCPTR_43	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.7115E+000	5.7115E+000
RCPTR_43	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2200E-005	7.4471E-005
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	9.7306E-014	1.2153E-012
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.1336E-013	1.4716E-012
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.0800E-013	1.4171E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.1959E-009	2.9962E-009
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.3640E-019	8.7637E-018
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.5610E-017	3.5702E-016
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9655E-016	2.7420E-015
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.7515E-018	1.3515E-016
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.6982E-017	1.3431E-015
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.0552E-011	1.1616E-010
RCPTR_43	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.4944E-016	7.5564E-015
RCPTR_43	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.8485E-016	2.5711E-015
RCPTR_43	farmer_adult	TOCDFLIC	Diethyl phthalate	6.9598E-010	7.4278E-010
RCPTR_43	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.7969E-011	2.2776E-010
RCPTR_43	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.3426E-012	1.8272E-011
RCPTR_43	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.9236E-012	8.8093E-012
RCPTR_43	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.4086E-012	1.6754E-011
RCPTR_43	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.0376E-012	1.2922E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.7858E-014	3.8931E-013
RCPTR_43	farmer_adult	TOCDFLIC	Ethylbenzene	2.0155E-015	2.5003E-014
RCPTR_43	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.4851E-009	3.1083E-009
RCPTR_43	farmer_adult	TOCDFLIC	Fluoranthene	1.1032E-008	6.3431E-008
RCPTR_43	farmer_adult	TOCDFLIC	Fluorene	9.0567E-011	1.1308E-009
RCPTR_43	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.2585E-012	6.7096E-012
RCPTR_43	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9893E-011	2.1045E-011
RCPTR_43	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.7375E-011	5.0708E-011
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.0849E-011	5.3897E-011
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.1351E-011	3.3785E-011
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.6482E-011	2.8833E-011
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.4876E-011	6.0294E-011
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.7575E-011	5.2247E-011
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.8687E-011	5.3429E-011
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.0135E-011	4.4060E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.1840E-012	2.3680E-011
RCPTR_43	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.2111E-009	4.8195E-008
RCPTR_43	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.1142E-012	6.2845E-011
RCPTR_43	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1193E-012	1.4620E-011
RCPTR_43	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.1164E-004	5.1632E-004
RCPTR_43	farmer_adult	TOCDFLIC	Isophorone	1.9983E-013	2.7835E-012
RCPTR_43	farmer_adult	TOCDFLIC	Lead	7.3182E-007	8.5879E-007
RCPTR_43	farmer_adult	TOCDFLIC	Mercuric chloride	1.4520E-007	1.5118E-007
RCPTR_43	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.0887E-017	1.5204E-016
RCPTR_43	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.9242E-017	2.6821E-016
RCPTR_43	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.5097E-014	2.1106E-013
RCPTR_43	farmer_adult	TOCDFLIC	Methyl mercury	1.6344E-009	1.6907E-009
RCPTR_43	farmer_adult	TOCDFLIC	Methylene chloride	1.9745E-015	2.7542E-014
RCPTR_43	farmer_adult	TOCDFLIC	Mustard	2.0494E-014	2.8510E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Naphthalene	1.3477E-013	1.8146E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nickel	3.1017E-006	3.4406E-006
RCPTR_43	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.4435E-012	4.7462E-011
RCPTR_43	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.1168E-013	1.1298E-011
RCPTR_43	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.0525E-012	1.4598E-011
RCPTR_43	farmer_adult	TOCDFLIC	Nitrobenzene	3.3651E-013	4.6986E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.5354E-013	2.1390E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.1643E-012	3.0518E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.9214E-013	2.6492E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.9011E-013	2.6029E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.8466E-014	2.3362E-013
RCPTR_43	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	9.5894E-012	1.0482E-011
RCPTR_43	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.4623E-012	1.0323E-011
RCPTR_43	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1074E-010	1.1848E-010
RCPTR_43	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.7334E-011	1.9334E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.7509E-011	7.5141E-011
RCPTR_43	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.7134E-011	8.9231E-010
RCPTR_43	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.2114E-012	7.0312E-011
RCPTR_43	farmer_adult	TOCDFLIC	Pentachlorophenol	3.8812E-009	6.2027E-009
RCPTR_43	farmer_adult	TOCDFLIC	Phenanthrene	2.7931E-013	3.5846E-012
RCPTR_43	farmer_adult	TOCDFLIC	Phenol	2.6905E-013	3.7213E-012
RCPTR_43	farmer_adult	TOCDFLIC	Pronamide	2.8565E-011	3.5457E-010
RCPTR_43	farmer_adult	TOCDFLIC	Pyrene	1.6250E-008	9.1744E-008
RCPTR_43	farmer_adult	TOCDFLIC	Selenium	1.2053E-006	1.2151E-006
RCPTR_43	farmer_adult	TOCDFLIC	Silver	3.1131E-006	3.5802E-006
RCPTR_43	farmer_adult	TOCDFLIC	Styrene	3.0937E-012	4.2659E-011
RCPTR_43	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4545E-011	1.6816E-011
RCPTR_43	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	5.5356E-012	6.7262E-012
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.5741E-011	2.8601E-010
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	9.9086E-016	1.3711E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.7161E-016	5.1252E-015
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.3275E-010	1.9474E-009
RCPTR_43	farmer_adult	TOCDFLIC	Thallium (l)	4.1337E-006	4.4727E-006
RCPTR_43	farmer_adult	TOCDFLIC	Toluene	7.4502E-015	1.0008E-013
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.9862E-013	1.0982E-011
RCPTR_43	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.1333E-015	4.3444E-014
RCPTR_43	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.8497E-015	3.9683E-014
RCPTR_43	farmer_adult	TOCDFLIC	Trichloroethylene	4.6716E-016	6.4501E-015
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.1341E-017	8.4773E-016
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1705E-010	1.2545E-009
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.5849E-011	2.5103E-010
RCPTR_43	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.0571E-014	1.4686E-013
RCPTR_43	farmer_adult	TOCDFLIC	Vinyl Chloride	4.5231E-019	6.2833E-018
RCPTR_43	farmer_adult	TOCDFLIC	Xylene, m-	5.4647E-014	1.2595E-013
RCPTR_43	farmer_adult	TOCDFLIC	Xylene, o-	4.7862E-014	1.2915E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Xylene, p-	5.4205E-014	1.6479E-013
RCPTR_43	farmer_adult	TOCDFLIC	Zinc	1.2241E-006	1.6613E-006
RCPTR_43	farmer_adult	TOCDFMPF	Acenaphthene	3.3415E-011	4.3594E-010
RCPTR_43	farmer_adult	TOCDFMPF	Acetone	2.6825E-015	3.7509E-014
RCPTR_43	farmer_adult	TOCDFMPF	Acetophenone	1.7290E-013	2.4091E-012
RCPTR_43	farmer_adult	TOCDFMPF	Aniline	1.0019E-014	1.3848E-013
RCPTR_43	farmer_adult	TOCDFMPF	Anthracene	5.9371E-010	7.6907E-009
RCPTR_43	farmer_adult	TOCDFMPF	Antimony	1.4277E-008	1.8556E-008
RCPTR_43	farmer_adult	TOCDFMPF	Aroclor 1254	1.0703E-010	2.3564E-010
RCPTR_43	farmer_adult	TOCDFMPF	Arsenic	1.0075E-007	1.0655E-007
RCPTR_43	farmer_adult	TOCDFMPF	Barium	1.1061E-007	1.3509E-007
RCPTR_43	farmer_adult	TOCDFMPF	Benzene	3.6639E-015	5.0432E-014
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.3757E-007	7.3720E-007
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.9484E-006	5.2861E-006
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.6261E-006	3.4043E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.6476E-006	8.0657E-006
RCPTR_43	farmer_adult	TOCDFMPF	Benzoic acid	1.6724E-012	1.5719E-011
RCPTR_43	farmer_adult	TOCDFMPF	Benzyl alcohol	2.2587E-013	3.1417E-012
RCPTR_43	farmer_adult	TOCDFMPF	Beryllium	9.3060E-009	1.0392E-008
RCPTR_43	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.2489E-013	3.1444E-012
RCPTR_43	farmer_adult	TOCDFMPF	Bromodichloromethane	4.4402E-015	6.1906E-014
RCPTR_43	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5441E-013	2.1548E-012
RCPTR_43	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.2709E-008	1.2074E-007
RCPTR_43	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.9001E-009	3.5966E-009
RCPTR_43	farmer_adult	TOCDFMPF	Cadmium	1.4708E-007	2.2580E-007
RCPTR_43	farmer_adult	TOCDFMPF	Carbon disulfide	3.5097E-016	4.8587E-015
RCPTR_43	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.3315E-015	4.5789E-014
RCPTR_43	farmer_adult	TOCDFMPF	Chlorine	2.8896E-008	4.0414E-007
RCPTR_43	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.3328E-011	2.5617E-010
RCPTR_43	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.0592E-012	1.4601E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Chlorobenzene	1.3961E-014	1.8989E-013
RCPTR_43	farmer_adult	TOCDFMPF	Chloroethane	8.3969E-017	1.0687E-015
RCPTR_43	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.3831E-015	3.3198E-014
RCPTR_43	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	8.6018E-011	1.1391E-009
RCPTR_43	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.9039E-012	4.0555E-011
RCPTR_43	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.8853E-010	1.4246E-009
RCPTR_43	farmer_adult	TOCDFMPF	Chromium	2.6363E-007	2.6537E-007
RCPTR_43	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.1796E-007	2.2410E-007
RCPTR_43	farmer_adult	TOCDFMPF	Chrysene	1.3552E-006	1.6984E-006
RCPTR_43	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.0769E-008	1.3447E-008
RCPTR_43	farmer_adult	TOCDFMPF	Di-n-octylphthalate	5.5868E+001	5.5869E+001
RCPTR_43	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.0935E-004	1.1280E-004
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.4716E-013	1.8379E-012
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.7143E-013	2.2254E-012
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.6333E-013	2.1431E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.6698E-009	9.0983E-009
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.1782E-018	7.1305E-017
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.6968E-016	1.0730E-014
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5550E-016	1.3330E-014
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.9307E-016	4.0618E-015
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.7147E-016	6.5292E-015
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.1074E-011	1.7565E-010
RCPTR_43	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.6710E-015	3.6735E-014
RCPTR_43	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.7159E-016	1.2123E-014
RCPTR_43	farmer_adult	TOCDFMPF	Diethyl phthalate	6.8079E-009	7.2659E-009
RCPTR_43	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.8984E-012	2.4060E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.0304E-012	2.7633E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.4127E-012	1.3298E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.1309E-012	2.5338E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.5693E-012	1.9541E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.2130E-014	5.8875E-013
RCPTR_43	farmer_adult	TOCDFMPF	Ethylbenzene	9.3401E-015	1.1586E-013
RCPTR_43	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.4599E-010	5.5750E-010
RCPTR_43	farmer_adult	TOCDFMPF	Fluoranthene	1.6689E-008	9.5933E-008
RCPTR_43	farmer_adult	TOCDFMPF	Fluorene	1.3697E-010	1.7101E-009
RCPTR_43	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.4260E-011	2.6013E-011
RCPTR_43	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.1075E-011	3.2880E-011
RCPTR_43	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.5138E-011	5.9026E-011
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4424E-011	1.5291E-011
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.9295E-012	7.4684E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.2278E-012	6.7814E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0792E-011	1.1859E-011
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.5685E-012	5.0174E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.0293E-012	4.4220E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.6149E-012	3.9686E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.3038E-012	3.5812E-011
RCPTR_43	farmer_adult	TOCDFMPF	Hexachlorobenzene	6.3690E-009	7.2886E-008
RCPTR_43	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	9.2501E-012	9.5043E-011
RCPTR_43	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.6927E-012	2.2110E-011
RCPTR_43	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.7392E-004	7.8106E-004
RCPTR_43	farmer_adult	TOCDFMPF	Isophorone	3.0221E-013	4.2094E-012
RCPTR_43	farmer_adult	TOCDFMPF	Lead	8.4196E-008	9.8805E-008
RCPTR_43	farmer_adult	TOCDFMPF	Mercuric chloride	2.4452E-006	2.5458E-006
RCPTR_43	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.5732E-017	7.7827E-016
RCPTR_43	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.2493E-018	4.5291E-017
RCPTR_43	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.0288E-015	4.2343E-014
RCPTR_43	farmer_adult	TOCDFMPF	Methyl mercury	2.7600E-008	2.8549E-008
RCPTR_43	farmer_adult	TOCDFMPF	Methylene chloride	1.5362E-015	2.1428E-014
RCPTR_43	farmer_adult	TOCDFMPF	Mustard	1.4426E-013	2.0069E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Naphthalene	1.3188E-012	1.7757E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nickel	1.9384E-006	2.1502E-006
RCPTR_43	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.1982E-012	7.1646E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.2253E-012	1.7055E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.5889E-012	2.2036E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitrobenzene	5.0890E-013	7.1056E-012
RCPTR_43	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.3220E-013	3.2348E-012
RCPTR_43	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.7570E-011	4.6063E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.9056E-013	4.0063E-012
RCPTR_43	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.8750E-013	3.9363E-012
RCPTR_43	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.7946E-014	3.5332E-013
RCPTR_43	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.0762E-010	6.6421E-010
RCPTR_43	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0689E-009	1.1662E-009
RCPTR_43	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.7416E-012	6.1432E-012
RCPTR_43	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.4665E-012	8.3284E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.4954E-012	5.0037E-012
RCPTR_43	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.9377E-011	2.6945E-010
RCPTR_43	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2419E-011	1.0616E-010
RCPTR_43	farmer_adult	TOCDFMPF	Pentachlorophenol	2.9337E-008	4.6891E-008
RCPTR_43	farmer_adult	TOCDFMPF	Phenanthrene	4.2241E-013	5.4210E-012
RCPTR_43	farmer_adult	TOCDFMPF	Phenol	4.0688E-013	5.6277E-012
RCPTR_43	farmer_adult	TOCDFMPF	Pronamide	4.3199E-011	5.3621E-010
RCPTR_43	farmer_adult	TOCDFMPF	Pyrene	2.4577E-008	1.3875E-007
RCPTR_43	farmer_adult	TOCDFMPF	Selenium	2.1061E-008	2.1233E-008
RCPTR_43	farmer_adult	TOCDFMPF	Silver	4.1842E-007	4.8121E-007
RCPTR_43	farmer_adult	TOCDFMPF	Styrene	6.9788E-014	9.6232E-013
RCPTR_43	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7250E-012	1.9941E-012
RCPTR_43	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.4330E-012	6.6010E-012
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.8928E-011	4.3253E-010
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.9779E-014	4.1205E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.8306E-015	3.9038E-014
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.0400E-010	2.9394E-009
RCPTR_43	farmer_adult	TOCDFMPF	Thallium (l)	1.2604E-007	1.3638E-007
RCPTR_43	farmer_adult	TOCDFMPF	Toluene	4.9449E-015	6.6425E-014
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.3590E-012	1.6608E-011
RCPTR_43	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.8194E-015	2.5226E-014
RCPTR_43	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.3854E-014	1.9291E-013
RCPTR_43	farmer_adult	TOCDFMPF	Trichloroethylene	2.2711E-015	3.1356E-014
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.2622E-015	8.6544E-014
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.7700E-010	1.8971E-009
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.4204E-011	3.7962E-010
RCPTR_43	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.1390E-014	7.1397E-013
RCPTR_43	farmer_adult	TOCDFMPF	Vinyl Chloride	1.2278E-018	1.7056E-017
RCPTR_43	farmer_adult	TOCDFMPF	Xylene, m-	5.4447E-014	1.2505E-013
RCPTR_43	farmer_adult	TOCDFMPF	Xylene, o-	4.7679E-014	1.2817E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Xylene, p-	5.3987E-014	1.6349E-013
RCPTR_43	farmer_adult	TOCDFMPF	Zinc	3.4728E-007	4.7134E-007
RCPTR_43	farmer_adult	TOCDHVAC	Mustard	4.5906E-014	6.3866E-013
RCPTR_43	farmer_adult	TOCDLIC2	Acenaphthene	2.2095E-011	2.8826E-010
RCPTR_43	farmer_adult	TOCDLIC2	Acetone	7.4236E-016	1.0380E-014
RCPTR_43	farmer_adult	TOCDLIC2	Acetophenone	1.0913E-013	1.5206E-012
RCPTR_43	farmer_adult	TOCDLIC2	Aniline	6.6248E-015	9.1568E-014
RCPTR_43	farmer_adult	TOCDLIC2	Anthracene	3.9256E-010	5.0854E-009
RCPTR_43	farmer_adult	TOCDLIC2	Antimony	1.0513E-006	1.3663E-006
RCPTR_43	farmer_adult	TOCDLIC2	Arsenic	1.9448E-006	2.0567E-006
RCPTR_43	farmer_adult	TOCDLIC2	Barium	1.5663E-007	1.9128E-007
RCPTR_43	farmer_adult	TOCDLIC2	Benzene	4.1441E-015	5.7041E-014
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.8909E-007	4.8716E-007
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.2672E-006	3.4898E-006
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.7354E-006	2.2497E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.0501E-006	5.3254E-006
RCPTR_43	farmer_adult	TOCDLIC2	Benzoic acid	3.8207E-013	3.5908E-012
RCPTR_43	farmer_adult	TOCDLIC2	Benzyl alcohol	2.3897E-011	3.3239E-010
RCPTR_43	farmer_adult	TOCDLIC2	Beryllium	2.7393E-007	3.0588E-007
RCPTR_43	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.4871E-013	2.0792E-012
RCPTR_43	farmer_adult	TOCDLIC2	Bromodichloromethane	1.4774E-016	2.0598E-015
RCPTR_43	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.6720E-013	3.7290E-012
RCPTR_43	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	8.4033E-009	7.9840E-008
RCPTR_43	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.9126E-009	2.3731E-009
RCPTR_43	farmer_adult	TOCDLIC2	Cadmium	3.2323E-008	4.9622E-008
RCPTR_43	farmer_adult	TOCDLIC2	Carbon disulfide	9.7038E-016	1.3434E-014
RCPTR_43	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.9333E-014	2.6572E-013
RCPTR_43	farmer_adult	TOCDLIC2	Chlorine	1.5855E-007	2.2175E-006
RCPTR_43	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.2042E-011	1.6940E-010
RCPTR_43	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.0040E-013	9.6552E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Chlorobenzene	7.8659E-015	1.0699E-013
RCPTR_43	farmer_adult	TOCDLIC2	Chloroethane	8.6139E-018	1.0963E-016
RCPTR_43	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	7.6605E-015	1.0671E-013
RCPTR_43	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	5.6879E-011	7.5323E-010
RCPTR_43	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.9202E-012	2.6817E-011
RCPTR_43	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2463E-010	9.4198E-010
RCPTR_43	farmer_adult	TOCDLIC2	Chromium	1.3941E-006	1.4033E-006
RCPTR_43	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.1526E-006	1.1851E-006
RCPTR_43	farmer_adult	TOCDLIC2	Chrysene	8.9566E-007	1.1224E-006
RCPTR_43	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.1004E-009	1.3740E-009
RCPTR_43	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.7115E+000	5.7115E+000
RCPTR_43	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.2200E-005	7.4471E-005
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	9.7306E-014	1.2153E-012
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.1336E-013	1.4716E-012
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.0800E-013	1.4171E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.1959E-009	2.9962E-009
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.3640E-019	8.7637E-018
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.5610E-017	3.5702E-016
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9655E-016	2.7420E-015
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	9.7515E-018	1.3515E-016
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	9.6982E-017	1.3431E-015
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.0552E-011	1.1616E-010
RCPTR_43	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.4944E-016	7.5564E-015
RCPTR_43	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.8485E-016	2.5711E-015
RCPTR_43	farmer_adult	TOCDLIC2	Diethyl phthalate	6.9598E-010	7.4278E-010
RCPTR_43	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.7969E-011	2.2776E-010
RCPTR_43	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.3426E-012	1.8272E-011
RCPTR_43	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.9236E-012	8.8093E-012
RCPTR_43	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.4086E-012	1.6754E-011
RCPTR_43	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.0376E-012	1.2922E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.7858E-014	3.8931E-013
RCPTR_43	farmer_adult	TOCDLIC2	Ethylbenzene	2.0155E-015	2.5003E-014
RCPTR_43	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.4851E-009	3.1083E-009
RCPTR_43	farmer_adult	TOCDLIC2	Fluoranthene	1.1032E-008	6.3431E-008
RCPTR_43	farmer_adult	TOCDLIC2	Fluorene	9.0567E-011	1.1308E-009
RCPTR_43	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.2585E-012	6.7096E-012
RCPTR_43	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9893E-011	2.1045E-011
RCPTR_43	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.7375E-011	5.0708E-011
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.0849E-011	5.3897E-011
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.1351E-011	3.3785E-011
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.6482E-011	2.8833E-011
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.4876E-011	6.0294E-011
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.7575E-011	5.2247E-011
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.8687E-011	5.3429E-011
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.0135E-011	4.4060E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.1840E-012	2.3680E-011
RCPTR_43	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.2111E-009	4.8195E-008
RCPTR_43	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.1142E-012	6.2845E-011
RCPTR_43	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.1193E-012	1.4620E-011
RCPTR_43	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.1164E-004	5.1632E-004
RCPTR_43	farmer_adult	TOCDLIC2	Isophorone	1.9983E-013	2.7835E-012
RCPTR_43	farmer_adult	TOCDLIC2	Lead	7.3182E-007	8.5879E-007
RCPTR_43	farmer_adult	TOCDLIC2	Mercuric chloride	1.4520E-007	1.5118E-007
RCPTR_43	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.0887E-017	1.5204E-016
RCPTR_43	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.9242E-017	2.6821E-016
RCPTR_43	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.5097E-014	2.1106E-013
RCPTR_43	farmer_adult	TOCDLIC2	Methyl mercury	1.6344E-009	1.6907E-009
RCPTR_43	farmer_adult	TOCDLIC2	Methylene chloride	1.9745E-015	2.7542E-014
RCPTR_43	farmer_adult	TOCDLIC2	Mustard	2.1305E-014	2.9639E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Naphthalene	1.3477E-013	1.8146E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nickel	3.1017E-006	3.4406E-006
RCPTR_43	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.4435E-012	4.7462E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitroaniline, 3-	8.1168E-013	1.1298E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.0525E-012	1.4598E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitrobenzene	3.3651E-013	4.6986E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.5354E-013	2.1390E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.1643E-011	3.0518E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.9214E-013	2.6492E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.9011E-013	2.6029E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.8466E-014	2.3362E-013
RCPTR_43	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.5894E-012	1.0482E-011
RCPTR_43	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.4623E-012	1.0323E-011
RCPTR_43	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1074E-010	1.1848E-010
RCPTR_43	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.7334E-011	1.9334E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.7509E-011	7.5141E-011
RCPTR_43	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.7134E-011	8.9231E-010
RCPTR_43	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.2114E-012	7.0312E-011
RCPTR_43	farmer_adult	TOCDLIC2	Pentachlorophenol	3.8812E-009	6.2027E-009
RCPTR_43	farmer_adult	TOCDLIC2	Phenanthrene	2.7931E-013	3.5846E-012
RCPTR_43	farmer_adult	TOCDLIC2	Phenol	2.6905E-013	3.7213E-012
RCPTR_43	farmer_adult	TOCDLIC2	Pronamide	2.8565E-011	3.5457E-010
RCPTR_43	farmer_adult	TOCDLIC2	Pyrene	1.6250E-008	9.1744E-008
RCPTR_43	farmer_adult	TOCDLIC2	Selenium	1.2053E-006	1.2151E-006
RCPTR_43	farmer_adult	TOCDLIC2	Silver	3.1131E-006	3.5802E-006
RCPTR_43	farmer_adult	TOCDLIC2	Styrene	3.0937E-012	4.2659E-011
RCPTR_43	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4545E-011	1.6816E-011
RCPTR_43	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	5.5356E-012	6.7262E-012
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.5741E-011	2.8601E-010
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	9.9086E-016	1.3711E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.7161E-016	5.1252E-015
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.3275E-010	1.9474E-009
RCPTR_43	farmer_adult	TOCDLIC2	Thallium (l)	4.1337E-006	4.4727E-006
RCPTR_43	farmer_adult	TOCDLIC2	Toluene	7.4502E-015	1.0008E-013
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	8.9862E-013	1.0982E-011
RCPTR_43	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.1333E-015	4.3444E-014
RCPTR_43	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.8497E-015	3.9683E-014
RCPTR_43	farmer_adult	TOCDLIC2	Trichloroethylene	4.6716E-016	6.4501E-015
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.1341E-017	8.4773E-016
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.1705E-010	1.2545E-009
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.5849E-011	2.5103E-010
RCPTR_43	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.0571E-014	1.4686E-013
RCPTR_43	farmer_adult	TOCDLIC2	Vinyl Chloride	4.5231E-019	6.2833E-018
RCPTR_43	farmer_adult	TOCDLIC2	Xylene, m-	1.1356E-013	2.6173E-013
RCPTR_43	farmer_adult	TOCDLIC2	Xylene, o-	9.9460E-014	2.6838E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Xylene, p-	1.1264E-013	3.4244E-013
RCPTR_43	farmer_adult	TOCDLIC2	Zinc	1.2241E-006	1.6613E-006
RCPTR_43	farmer_child	TOCDFBRA	Antimony	2.7328E-007	3.1276E-007
RCPTR_43	farmer_child	TOCDFBRA	Arsenic	4.1432E-007	4.2738E-007
RCPTR_43	farmer_child	TOCDFBRA	Barium	3.6590E-008	4.0652E-008
RCPTR_43	farmer_child	TOCDFBRA	Beryllium	1.1792E-007	1.2397E-007
RCPTR_43	farmer_child	TOCDFBRA	Cadmium	2.2975E-008	2.7968E-008
RCPTR_43	farmer_child	TOCDFBRA	Chromium	2.7996E-006	2.9257E-006
RCPTR_43	farmer_child	TOCDFBRA	Chromium, hexavalent	2.4316E-006	2.4698E-006
RCPTR_43	farmer_child	TOCDFBRA	Lead	1.2671E-006	1.3658E-006
RCPTR_43	farmer_child	TOCDFBRA	Mercuric chloride	1.5764E-004	1.9399E-004
RCPTR_43	farmer_child	TOCDFBRA	Methyl mercury	2.1113E-006	2.2233E-006
RCPTR_43	farmer_child	TOCDFBRA	Nickel	1.3891E-006	1.4647E-006
RCPTR_43	farmer_child	TOCDFBRA	Selenium	4.5747E-007	4.5957E-007
RCPTR_43	farmer_child	TOCDFBRA	Silver	1.6263E-007	1.7557E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFBRA	Thallium (l)	4.2844E-006	4.4591E-006
RCPTR_43	farmer_child	TOCDFBRA	Zinc	8.0122E-007	9.3036E-007
RCPTR_43	farmer_child	TOCDFDFS	Acenaphthene	6.1292E-010	1.2780E-009
RCPTR_43	farmer_child	TOCDFDFS	Acetone	6.7458E-015	1.4152E-014
RCPTR_43	farmer_child	TOCDFDFS	Acetophenone	3.3793E-012	7.0873E-012
RCPTR_43	farmer_child	TOCDFDFS	Aniline	1.9370E-013	4.0595E-013
RCPTR_43	farmer_child	TOCDFDFS	Anthracene	1.0821E-008	2.2547E-008
RCPTR_43	farmer_child	TOCDFDFS	Antimony	2.3355E-008	2.6727E-008
RCPTR_43	farmer_child	TOCDFDFS	Aroclor 1254	2.6380E-010	3.7871E-010
RCPTR_43	farmer_child	TOCDFDFS	Arsenic	4.1315E-008	4.2615E-008
RCPTR_43	farmer_child	TOCDFDFS	Barium	2.8784E-008	3.1978E-008
RCPTR_43	farmer_child	TOCDFDFS	Benzene	2.4142E-014	5.0579E-014
RCPTR_43	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.7667E-006	2.1791E-006
RCPTR_43	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.5329E-005	1.5829E-005
RCPTR_43	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	8.9707E-006	1.0057E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.3582E-005	2.4117E-005
RCPTR_43	farmer_child	TOCDFDFS	Benzoic acid	2.2864E-012	4.6074E-012
RCPTR_43	farmer_child	TOCDFDFS	Benzyl alcohol	4.3922E-012	9.2101E-012
RCPTR_43	farmer_child	TOCDFDFS	Beryllium	2.3129E-008	2.4316E-008
RCPTR_43	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.3940E-012	9.2180E-012
RCPTR_43	farmer_child	TOCDFDFS	Bromodichloromethane	7.8134E-015	1.6387E-014
RCPTR_43	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.2500E-012	2.6218E-012
RCPTR_43	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.0567E-007	3.5397E-007
RCPTR_43	farmer_child	TOCDFDFS	Butylbenzylphthalate	9.6955E-009	1.0847E-008
RCPTR_43	farmer_child	TOCDFDFS	Cadmium	9.5887E-009	1.1671E-008
RCPTR_43	farmer_child	TOCDFDFS	Carbon disulfide	4.3105E-015	9.0351E-015
RCPTR_43	farmer_child	TOCDFDFS	Carbon tetrachloride	6.8323E-015	1.4312E-014
RCPTR_43	farmer_child	TOCDFDFS	Chlorine	1.3619E-013	2.8571E-013
RCPTR_43	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.8252E-010	7.5073E-010
RCPTR_43	farmer_child	TOCDFDFS	Chloroaniline, p-	2.0429E-011	4.2804E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Chlorobenzene	4.0003E-014	8.3722E-014
RCPTR_43	farmer_child	TOCDFDFS	Chloroethane	1.1293E-016	2.3495E-016
RCPTR_43	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.3904E-015	1.1305E-014
RCPTR_43	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.5993E-009	3.3394E-009
RCPTR_43	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.6677E-011	1.1889E-010
RCPTR_43	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.1360E-009	4.1784E-009
RCPTR_43	farmer_child	TOCDFDFS	Chromium	7.2345E-007	7.5600E-007
RCPTR_43	farmer_child	TOCDFDFS	Chromium, hexavalent	6.2842E-007	6.3828E-007
RCPTR_43	farmer_child	TOCDFDFS	Chrysene	4.5722E-006	5.0149E-006
RCPTR_43	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.5030E-008	3.9455E-008
RCPTR_43	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.6286E+002	1.6286E+002
RCPTR_43	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.3305E-004	3.3790E-004
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.5943E-012	5.3879E-012
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.1301E-012	6.5239E-012
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.0114E-012	6.2826E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2928E-008	2.6947E-008
RCPTR_43	farmer_child	TOCDFDFS	Dichlorodifluoromethane	9.4232E-018	1.9742E-017
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.2555E-015	4.7306E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8019E-015	5.8769E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	8.5426E-016	1.7908E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.3733E-015	2.8786E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.7574E-010	5.1463E-010
RCPTR_43	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	7.7310E-015	1.6196E-014
RCPTR_43	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.5490E-015	5.3450E-015
RCPTR_43	farmer_child	TOCDFDFS	Diethyl phthalate	2.0435E-008	2.1192E-008
RCPTR_43	farmer_child	TOCDFDFS	Dimethyl phthalate	5.1254E-011	1.0658E-010
RCPTR_43	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.8703E-011	8.1006E-011
RCPTR_43	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.4317E-011	3.9023E-011
RCPTR_43	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.5963E-011	7.4309E-011
RCPTR_43	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.7597E-011	5.7292E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.2275E-013	1.7259E-012
RCPTR_43	farmer_child	TOCDFDFS	Ethylbenzene	2.4612E-014	5.1082E-014
RCPTR_43	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.6552E-009	1.8587E-009
RCPTR_43	farmer_child	TOCDFDFS	Fluoranthene	1.5905E-007	2.8148E-007
RCPTR_43	farmer_child	TOCDFDFS	Fluorene	2.4142E-009	5.0135E-009
RCPTR_43	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.3742E-013	7.6112E-013
RCPTR_43	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.0477E-013	6.2066E-013
RCPTR_43	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9630E-012	2.0246E-012
RCPTR_43	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5789E-011	1.6217E-011
RCPTR_43	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.7933E-012	1.0129E-011
RCPTR_43	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.8222E-012	8.1247E-012
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.4901E-012	5.7228E-012
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.9558E-012	5.1650E-012
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.8604E-012	6.1059E-012
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.5060E-012	4.6955E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.1309E-011	1.0502E-010
RCPTR_43	farmer_child	TOCDFDFS	Hexachlorobenzene	1.0395E-007	2.1369E-007
RCPTR_43	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.3701E-010	2.7876E-010
RCPTR_43	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.1079E-011	6.4815E-011
RCPTR_43	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.2873E-003	2.2977E-003
RCPTR_43	farmer_child	TOCDFDFS	Isophorone	5.8841E-012	1.2340E-011
RCPTR_43	farmer_child	TOCDFDFS	Lead	1.4771E-007	1.5921E-007
RCPTR_43	farmer_child	TOCDFDFS	Mercuric chloride	4.7397E-008	5.8257E-008
RCPTR_43	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	9.8467E-017	2.0655E-016
RCPTR_43	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.9415E-017	4.0719E-017
RCPTR_43	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.8358E-014	1.0145E-013
RCPTR_43	farmer_child	TOCDFDFS	Methyl mercury	6.4339E-010	6.7684E-010
RCPTR_43	farmer_child	TOCDFDFS	Methylene chloride	2.9091E-015	6.1016E-015
RCPTR_43	farmer_child	TOCDFDFS	Mustard	3.4275E-013	7.1873E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Naphthalene	2.4895E-011	5.2056E-011
RCPTR_43	farmer_child	TOCDFDFS	Nickel	2.9505E-006	3.1110E-006
RCPTR_43	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.0042E-010	2.1040E-010
RCPTR_43	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.3884E-011	5.0087E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.0871E-011	6.4715E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitrobenzene	9.9305E-012	2.0830E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.5218E-012	9.4831E-012
RCPTR_43	farmer_child	TOCDFDFS	Nitrophenol, 4-	8.7868E-011	1.3503E-010
RCPTR_43	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.6050E-012	1.1744E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.5103E-012	1.1539E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.9892E-013	1.0365E-012
RCPTR_43	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2671E-012	1.3182E-012
RCPTR_43	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.3342E-012	1.3868E-012
RCPTR_43	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.7412E-011	2.8254E-011
RCPTR_43	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.5084E-012	3.6791E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4530E-011	1.5224E-011
RCPTR_43	farmer_child	TOCDFDFS	Pentachlorobenzene	3.9527E-010	7.9194E-010
RCPTR_43	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.5755E-010	3.1272E-010
RCPTR_43	farmer_child	TOCDFDFS	Pentachlorophenol	1.0819E-007	1.3725E-007
RCPTR_43	farmer_child	TOCDFDFS	Phenanthrene	7.6331E-012	1.5892E-011
RCPTR_43	farmer_child	TOCDFDFS	Phenol	7.8713E-012	1.6498E-011
RCPTR_43	farmer_child	TOCDFDFS	Pronamide	7.5729E-010	1.5719E-009
RCPTR_43	farmer_child	TOCDFDFS	Pyrene	2.6048E-007	4.0688E-007
RCPTR_43	farmer_child	TOCDFDFS	Selenium	4.5618E-008	4.5827E-008
RCPTR_43	farmer_child	TOCDFDFS	Silver	3.2044E-007	3.4592E-007
RCPTR_43	farmer_child	TOCDFDFS	Styrene	2.9287E-013	6.1367E-013
RCPTR_43	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	8.8161E-012	9.3772E-012
RCPTR_43	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.7187E-012	2.9494E-012
RCPTR_43	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.1758E-010	1.2679E-009
RCPTR_43	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6112E-011	1.9288E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.2142E-015	1.7212E-014
RCPTR_43	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.0883E-009	8.6230E-009
RCPTR_43	farmer_child	TOCDFDFS	Thallium (l)	4.1806E-005	4.3509E-005
RCPTR_43	farmer_child	TOCDFDFS	Toluene	1.1000E-014	2.2996E-014
RCPTR_43	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.3493E-011	4.8689E-011
RCPTR_43	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.8456E-015	1.4351E-014
RCPTR_43	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.0557E-014	8.5053E-014
RCPTR_43	farmer_child	TOCDFDFS	Trichloroethylene	6.5970E-015	1.3825E-014
RCPTR_43	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.1117E-016	1.9096E-015
RCPTR_43	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.7186E-009	5.5607E-009
RCPTR_43	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.8889E-009	5.5916E-009
RCPTR_43	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.5013E-013	3.1478E-013
RCPTR_43	farmer_child	TOCDFDFS	Vinyl Chloride	2.1430E-018	4.4931E-018
RCPTR_43	farmer_child	TOCDFDFS	Xylene, m-	9.0854E-014	1.3110E-013
RCPTR_43	farmer_child	TOCDFDFS	Xylene, o-	7.6596E-014	1.1668E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Xylene, p-	1.0724E-013	1.6966E-013
RCPTR_43	farmer_child	TOCDFDFS	Zinc	1.5065E-007	1.7491E-007
RCPTR_43	farmer_child	TOCDFLIC	Acenaphthene	1.3824E-010	2.8826E-010
RCPTR_43	farmer_child	TOCDFLIC	Acetone	4.9481E-015	1.0380E-014
RCPTR_43	farmer_child	TOCDFLIC	Acetophenone	7.2504E-013	1.5206E-012
RCPTR_43	farmer_child	TOCDFLIC	Aniline	4.3691E-014	9.1568E-014
RCPTR_43	farmer_child	TOCDFLIC	Anthracene	2.4404E-009	5.0854E-009
RCPTR_43	farmer_child	TOCDFLIC	Antimony	1.1942E-006	1.3663E-006
RCPTR_43	farmer_child	TOCDFLIC	Arsenic	1.9940E-006	2.0567E-006
RCPTR_43	farmer_child	TOCDFLIC	Barium	1.7220E-007	1.9128E-007
RCPTR_43	farmer_child	TOCDFLIC	Benzene	2.7226E-014	5.7041E-014
RCPTR_43	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.9450E-007	4.8716E-007
RCPTR_43	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.3818E-006	3.4898E-006
RCPTR_43	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.0061E-006	2.2497E-006
RCPTR_43	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.2120E-006	5.3254E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Benzoic acid	1.7822E-012	3.5908E-012
RCPTR_43	farmer_child	TOCDFLIC	Benzyl alcohol	1.5852E-010	3.3239E-010
RCPTR_43	farmer_child	TOCDFLIC	Beryllium	2.9097E-007	3.0588E-007
RCPTR_43	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	9.9113E-013	2.0792E-012
RCPTR_43	farmer_child	TOCDFLIC	Bromodichloromethane	9.8212E-016	2.0598E-015
RCPTR_43	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.7778E-012	3.7290E-012
RCPTR_43	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.6387E-008	7.9840E-008
RCPTR_43	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.1136E-009	2.3731E-009
RCPTR_43	farmer_child	TOCDFLIC	Cadmium	4.0777E-008	4.9622E-008
RCPTR_43	farmer_child	TOCDFLIC	Carbon disulfide	6.4090E-015	1.3434E-014
RCPTR_43	farmer_child	TOCDFLIC	Carbon tetrachloride	1.2685E-013	2.6572E-013
RCPTR_43	farmer_child	TOCDFLIC	Chlorine	1.0570E-006	2.2175E-006
RCPTR_43	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	8.6344E-011	1.6940E-010
RCPTR_43	farmer_child	TOCDFLIC	Chloroaniline, p-	4.6080E-012	9.6552E-012
RCPTR_43	farmer_child	TOCDFLIC	Chlorobenzene	5.1120E-014	1.0699E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Chloroethane	5.2692E-017	1.0963E-016
RCPTR_43	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.0884E-014	1.0671E-013
RCPTR_43	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.6074E-010	7.5323E-010
RCPTR_43	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.2784E-011	2.6817E-011
RCPTR_43	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.8129E-010	9.4198E-010
RCPTR_43	farmer_child	TOCDFLIC	Chromium	1.3429E-006	1.4033E-006
RCPTR_43	farmer_child	TOCDFLIC	Chromium, hexavalent	1.1668E-006	1.1851E-006
RCPTR_43	farmer_child	TOCDFLIC	Chrysene	1.0234E-006	1.1224E-006
RCPTR_43	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.2198E-009	1.3740E-009
RCPTR_43	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.7115E+000	5.7115E+000
RCPTR_43	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.3479E-005	7.4471E-005
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	5.8516E-013	1.2153E-012
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.0603E-013	1.4716E-012
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	6.7926E-013	1.4171E-012
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5451E-009	2.9962E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.1829E-018	8.7637E-018
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.7023E-016	3.5702E-016
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3073E-015	2.7420E-015
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.4471E-017	1.3515E-016
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.4073E-016	1.3431E-015
RCPTR_43	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	6.2270E-011	1.1616E-010
RCPTR_43	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.6070E-015	7.5564E-015
RCPTR_43	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2261E-015	2.5711E-015
RCPTR_43	farmer_child	TOCDFLIC	Diethyl phthalate	7.1640E-010	7.4278E-010
RCPTR_43	farmer_child	TOCDFLIC	Dimethyl phthalate	1.0952E-010	2.2776E-010
RCPTR_43	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.7301E-012	1.8272E-011
RCPTR_43	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.4919E-012	8.8093E-012
RCPTR_43	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.1050E-012	1.6754E-011
RCPTR_43	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.2234E-012	1.2922E-011
RCPTR_43	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.8558E-013	3.8931E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Ethylbenzene	1.2046E-014	2.5003E-014
RCPTR_43	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.7570E-009	3.1083E-009
RCPTR_43	farmer_child	TOCDFLIC	Fluoranthene	3.5822E-008	6.3431E-008
RCPTR_43	farmer_child	TOCDFLIC	Fluorene	5.4449E-010	1.1308E-009
RCPTR_43	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.5066E-012	6.7096E-012
RCPTR_43	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.0528E-011	2.1045E-011
RCPTR_43	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.9210E-011	5.0708E-011
RCPTR_43	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.2526E-011	5.3897E-011
RCPTR_43	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.2693E-011	3.3785E-011
RCPTR_43	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.7778E-011	2.8833E-011
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.7863E-011	6.0294E-011
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.0149E-011	5.2247E-011
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.1300E-011	5.3429E-011
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.2298E-011	4.4060E-011
RCPTR_43	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.1564E-011	2.3680E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Hexachlorobenzene	2.3443E-008	4.8195E-008
RCPTR_43	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.0870E-011	6.2845E-011
RCPTR_43	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.0107E-012	1.4620E-011
RCPTR_43	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.1419E-004	5.1632E-004
RCPTR_43	farmer_child	TOCDFLIC	Isophorone	1.3273E-012	2.7835E-012
RCPTR_43	farmer_child	TOCDFLIC	Lead	7.9684E-007	8.5879E-007
RCPTR_43	farmer_child	TOCDFLIC	Mercuric chloride	1.2260E-007	1.5118E-007
RCPTR_43	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.2481E-017	1.5204E-016
RCPTR_43	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.2788E-016	2.6821E-016
RCPTR_43	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0061E-013	2.1106E-013
RCPTR_43	farmer_child	TOCDFLIC	Methyl mercury	1.6027E-009	1.6907E-009
RCPTR_43	farmer_child	TOCDFLIC	Methylene chloride	1.3131E-014	2.7542E-014
RCPTR_43	farmer_child	TOCDFLIC	Mustard	1.3596E-013	2.8510E-013
RCPTR_43	farmer_child	TOCDFLIC	Naphthalene	8.6781E-013	1.8146E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Nickel	3.2634E-006	3.4406E-006
RCPTR_43	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.2652E-011	4.7462E-011
RCPTR_43	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.3877E-012	1.1298E-011
RCPTR_43	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.9631E-012	1.4598E-011
RCPTR_43	farmer_child	TOCDFLIC	Nitrobenzene	2.2400E-012	4.6986E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0199E-012	2.1390E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.9879E-012	3.0518E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2643E-012	2.6492E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.2430E-012	2.6029E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.1235E-013	2.3362E-013
RCPTR_43	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0080E-011	1.0482E-011
RCPTR_43	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.9356E-012	1.0323E-011
RCPTR_43	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1502E-010	1.1848E-010
RCPTR_43	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.8440E-011	1.9334E-011
RCPTR_43	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.1724E-011	7.5141E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Pentachlorobenzene	4.4412E-010	8.9231E-010
RCPTR_43	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.5310E-011	7.0312E-011
RCPTR_43	farmer_child	TOCDFLIC	Pentachlorophenol	4.8942E-009	6.2027E-009
RCPTR_43	farmer_child	TOCDFLIC	Phenanthrene	1.7216E-012	3.5846E-012
RCPTR_43	farmer_child	TOCDFLIC	Phenol	1.7755E-012	3.7213E-012
RCPTR_43	farmer_child	TOCDFLIC	Pronamide	1.7082E-010	3.5457E-010
RCPTR_43	farmer_child	TOCDFLIC	Pyrene	5.8726E-008	9.1744E-008
RCPTR_43	farmer_child	TOCDFLIC	Selenium	1.2095E-006	1.2151E-006
RCPTR_43	farmer_child	TOCDFLIC	Silver	3.3170E-006	3.5802E-006
RCPTR_43	farmer_child	TOCDFLIC	Styrene	2.0359E-011	4.2659E-011
RCPTR_43	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.5806E-011	1.6816E-011
RCPTR_43	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.1978E-012	6.7262E-012
RCPTR_43	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.3931E-010	2.8601E-010
RCPTR_43	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.5413E-015	1.3711E-014
RCPTR_43	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.4459E-015	5.1252E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1500E-009	1.9474E-009
RCPTR_43	farmer_child	TOCDFLIC	Thallium (l)	4.2978E-006	4.4727E-006
RCPTR_43	farmer_child	TOCDFLIC	Toluene	4.7870E-014	1.0008E-013
RCPTR_43	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.2987E-012	1.0982E-011
RCPTR_43	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.0723E-014	4.3444E-014
RCPTR_43	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.8922E-014	3.9683E-014
RCPTR_43	farmer_child	TOCDFLIC	Trichloroethylene	3.0779E-015	6.4501E-015
RCPTR_43	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.0449E-016	8.4773E-016
RCPTR_43	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.1338E-010	1.2545E-009
RCPTR_43	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.2975E-010	2.5103E-010
RCPTR_43	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.0045E-014	1.4686E-013
RCPTR_43	farmer_child	TOCDFLIC	Vinyl Chloride	2.9968E-018	6.2833E-018
RCPTR_43	farmer_child	TOCDFLIC	Xylene, m-	8.5761E-014	1.2595E-013
RCPTR_43	farmer_child	TOCDFLIC	Xylene, o-	8.3334E-014	1.2915E-013
RCPTR_43	farmer_child	TOCDFLIC	Xylene, p-	1.0246E-013	1.6479E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Zinc	1.4311E-006	1.6613E-006
RCPTR_43	farmer_child	TOCDFMPF	Acenaphthene	2.0906E-010	4.3594E-010
RCPTR_43	farmer_child	TOCDFMPF	Acetone	1.7880E-014	3.7509E-014
RCPTR_43	farmer_child	TOCDFMPF	Acetophenone	1.1487E-012	2.4091E-012
RCPTR_43	farmer_child	TOCDFMPF	Aniline	6.6074E-014	1.3848E-013
RCPTR_43	farmer_child	TOCDFMPF	Anthracene	3.6906E-009	7.6907E-009
RCPTR_43	farmer_child	TOCDFMPF	Antimony	1.6218E-008	1.8556E-008
RCPTR_43	farmer_child	TOCDFMPF	Aroclor 1254	1.6315E-010	2.3564E-010
RCPTR_43	farmer_child	TOCDFMPF	Arsenic	1.0330E-007	1.0655E-007
RCPTR_43	farmer_child	TOCDFMPF	Barium	1.2161E-007	1.3509E-007
RCPTR_43	farmer_child	TOCDFMPF	Benzene	2.4072E-014	5.0432E-014
RCPTR_43	farmer_child	TOCDFMPF	Benzo(a)anthracene	5.9702E-007	7.3720E-007
RCPTR_43	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.1222E-006	5.2861E-006
RCPTR_43	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.0357E-006	3.4043E-006
RCPTR_43	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.8934E-006	8.0657E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Benzoic acid	7.8020E-012	1.5719E-011
RCPTR_43	farmer_child	TOCDFMPF	Benzyl alcohol	1.4983E-012	3.1417E-012
RCPTR_43	farmer_child	TOCDFMPF	Beryllium	9.8852E-009	1.0392E-008
RCPTR_43	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.4989E-012	3.1444E-012
RCPTR_43	farmer_child	TOCDFMPF	Bromodichloromethane	2.9516E-014	6.1906E-014
RCPTR_43	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.0273E-012	2.1548E-012
RCPTR_43	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	7.0152E-008	1.2074E-007
RCPTR_43	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.2040E-009	3.5966E-009
RCPTR_43	farmer_child	TOCDFMPF	Cadmium	1.8554E-007	2.2580E-007
RCPTR_43	farmer_child	TOCDFMPF	Carbon disulfide	2.3180E-015	4.8587E-015
RCPTR_43	farmer_child	TOCDFMPF	Carbon tetrachloride	2.1858E-014	4.5789E-014
RCPTR_43	farmer_child	TOCDFMPF	Chlorine	1.9264E-007	4.0414E-007
RCPTR_43	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.3057E-010	2.5617E-010
RCPTR_43	farmer_child	TOCDFMPF	Chloroaniline, p-	6.9686E-012	1.4601E-011
RCPTR_43	farmer_child	TOCDFMPF	Chlorobenzene	9.0732E-014	1.8989E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Chloroethane	5.1366E-016	1.0687E-015
RCPTR_43	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.5830E-014	3.3198E-014
RCPTR_43	farmer_child	TOCDFMPF	Chloronaphthalene,2-	5.4555E-010	1.1391E-009
RCPTR_43	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.9334E-011	4.0555E-011
RCPTR_43	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.2791E-010	1.4246E-009
RCPTR_43	farmer_child	TOCDFMPF	Chromium	2.5396E-007	2.6537E-007
RCPTR_43	farmer_child	TOCDFMPF	Chromium, hexavalent	2.2064E-007	2.2410E-007
RCPTR_43	farmer_child	TOCDFMPF	Chrysene	1.5485E-006	1.6984E-006
RCPTR_43	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.1938E-008	1.3447E-008
RCPTR_43	farmer_child	TOCDFMPF	Di-n-octylphthalate	5.5869E+001	5.5869E+001
RCPTR_43	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.1129E-004	1.1280E-004
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	8.8494E-013	1.8379E-012
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.0677E-012	2.2254E-012
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.0272E-012	2.1431E-012
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.7295E-009	9.0983E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.4034E-017	7.1305E-017
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.1159E-015	1.0730E-014
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3553E-015	1.3330E-014
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.9376E-015	4.0618E-015
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.1149E-015	6.5292E-015
RCPTR_43	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	9.4164E-011	1.7565E-010
RCPTR_43	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.7535E-014	3.6735E-014
RCPTR_43	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.7814E-015	1.2123E-014
RCPTR_43	farmer_child	TOCDFMPF	Diethyl phthalate	7.0078E-009	7.2659E-009
RCPTR_43	farmer_child	TOCDFMPF	Dimethyl phthalate	1.1569E-011	2.4060E-011
RCPTR_43	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.3202E-011	2.7633E-011
RCPTR_43	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.2897E-012	1.3298E-011
RCPTR_43	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.2258E-011	2.5338E-011
RCPTR_43	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	9.4117E-012	1.9541E-011
RCPTR_43	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.8065E-013	5.8875E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Ethylbenzene	5.5822E-014	1.1586E-013
RCPTR_43	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.9465E-010	5.5750E-010
RCPTR_43	farmer_child	TOCDFMPF	Fluoranthene	5.4179E-008	9.5933E-008
RCPTR_43	farmer_child	TOCDFMPF	Fluorene	8.2344E-010	1.7101E-009
RCPTR_43	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.5224E-011	2.6013E-011
RCPTR_43	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.2069E-011	3.2880E-011
RCPTR_43	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.7279E-011	5.9026E-011
RCPTR_43	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4901E-011	1.5291E-011
RCPTR_43	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.2265E-012	7.4684E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.5329E-012	6.7814E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1380E-011	1.1859E-011
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.8158E-012	5.0174E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.2457E-012	4.4220E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.8099E-012	3.9686E-012
RCPTR_43	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.7489E-011	3.5812E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Hexachlorobenzene	3.5453E-008	7.2886E-008
RCPTR_43	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.6687E-011	9.5043E-011
RCPTR_43	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.0602E-011	2.2110E-011
RCPTR_43	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.7780E-004	7.8106E-004
RCPTR_43	farmer_child	TOCDFMPF	Isophorone	2.0072E-012	4.2094E-012
RCPTR_43	farmer_child	TOCDFMPF	Lead	9.1678E-008	9.8805E-008
RCPTR_43	farmer_child	TOCDFMPF	Mercuric chloride	2.0650E-006	2.5458E-006
RCPTR_43	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.7103E-016	7.7827E-016
RCPTR_43	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.1595E-017	4.5291E-017
RCPTR_43	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.0184E-014	4.2343E-014
RCPTR_43	farmer_child	TOCDFMPF	Methyl mercury	2.7068E-008	2.8549E-008
RCPTR_43	farmer_child	TOCDFMPF	Methylene chloride	1.0216E-014	2.1428E-014
RCPTR_43	farmer_child	TOCDFMPF	Mustard	9.5704E-013	2.0069E-012
RCPTR_43	farmer_child	TOCDFMPF	Naphthalene	8.4919E-012	1.7757E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Nickel	2.0394E-006	2.1502E-006
RCPTR_43	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.4194E-011	7.1646E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.1330E-012	1.7055E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.0511E-011	2.2036E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitrobenzene	3.3875E-012	7.1056E-012
RCPTR_43	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.5425E-012	3.2348E-012
RCPTR_43	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.0003E-011	4.6063E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.9120E-012	4.0063E-012
RCPTR_43	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.8797E-012	3.9363E-012
RCPTR_43	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.6993E-013	3.5332E-013
RCPTR_43	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.3876E-010	6.6421E-010
RCPTR_43	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1224E-009	1.1662E-009
RCPTR_43	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.9638E-012	6.1432E-012
RCPTR_43	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.9431E-012	8.3284E-012
RCPTR_43	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.7761E-012	5.0037E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Pentachlorobenzene	1.3414E-010	2.6945E-010
RCPTR_43	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.3326E-011	1.0616E-010
RCPTR_43	farmer_child	TOCDFMPF	Pentachlorophenol	3.6997E-008	4.6891E-008
RCPTR_43	farmer_child	TOCDFMPF	Phenanthrene	2.6036E-012	5.4210E-012
RCPTR_43	farmer_child	TOCDFMPF	Phenol	2.6851E-012	5.6277E-012
RCPTR_43	farmer_child	TOCDFMPF	Pronamide	2.5833E-010	5.3621E-010
RCPTR_43	farmer_child	TOCDFMPF	Pyrene	8.8814E-008	1.3875E-007
RCPTR_43	farmer_child	TOCDFMPF	Selenium	2.1136E-008	2.1233E-008
RCPTR_43	farmer_child	TOCDFMPF	Silver	4.4582E-007	4.8121E-007
RCPTR_43	farmer_child	TOCDFMPF	Styrene	4.5926E-013	9.6232E-013
RCPTR_43	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8745E-012	1.9941E-012
RCPTR_43	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.0826E-012	6.6010E-012
RCPTR_43	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.1068E-010	4.3253E-010
RCPTR_43	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.9659E-013	4.1205E-013
RCPTR_43	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.8630E-014	3.9038E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7358E-009	2.9394E-009
RCPTR_43	farmer_child	TOCDFMPF	Thallium (l)	1.3105E-007	1.3638E-007
RCPTR_43	farmer_child	TOCDFMPF	Toluene	3.1773E-014	6.6425E-014
RCPTR_43	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.0132E-012	1.6608E-011
RCPTR_43	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2033E-014	2.5226E-014
RCPTR_43	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.1990E-014	1.9291E-013
RCPTR_43	farmer_child	TOCDFMPF	Trichloroethylene	1.4963E-014	3.1356E-014
RCPTR_43	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.1295E-014	8.6544E-014
RCPTR_43	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	9.2760E-010	1.8971E-009
RCPTR_43	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.9620E-010	3.7962E-010
RCPTR_43	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.4052E-013	7.1397E-013
RCPTR_43	farmer_child	TOCDFMPF	Vinyl Chloride	8.1348E-018	1.7056E-017
RCPTR_43	farmer_child	TOCDFMPF	Xylene, m-	8.5257E-014	1.2505E-013
RCPTR_43	farmer_child	TOCDFMPF	Xylene, o-	8.2802E-014	1.2817E-013
RCPTR_43	farmer_child	TOCDFMPF	Xylene, p-	1.0177E-013	1.6349E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Zinc	4.0602E-007	4.7134E-007
RCPTR_43	farmer_child	TOCDHVAC	Mustard	3.0456E-013	6.3866E-013
RCPTR_43	farmer_child	TOCDLIC2	Acenaphthene	1.3824E-010	2.8826E-010
RCPTR_43	farmer_child	TOCDLIC2	Acetone	4.9481E-015	1.0380E-014
RCPTR_43	farmer_child	TOCDLIC2	Acetophenone	7.2504E-013	1.5206E-012
RCPTR_43	farmer_child	TOCDLIC2	Aniline	4.3691E-014	9.1568E-014
RCPTR_43	farmer_child	TOCDLIC2	Anthracene	2.4404E-009	5.0854E-009
RCPTR_43	farmer_child	TOCDLIC2	Antimony	1.1942E-006	1.3663E-006
RCPTR_43	farmer_child	TOCDLIC2	Arsenic	1.9940E-006	2.0567E-006
RCPTR_43	farmer_child	TOCDLIC2	Barium	1.7220E-007	1.9128E-007
RCPTR_43	farmer_child	TOCDLIC2	Benzene	2.7226E-014	5.7041E-014
RCPTR_43	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.9450E-007	4.8716E-007
RCPTR_43	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.3818E-006	3.4898E-006
RCPTR_43	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.0061E-006	2.2497E-006
RCPTR_43	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.2120E-006	5.3254E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Benzoic acid	1.7822E-012	3.5908E-012
RCPTR_43	farmer_child	TOCDLIC2	Benzyl alcohol	1.5852E-010	3.3239E-010
RCPTR_43	farmer_child	TOCDLIC2	Beryllium	2.9097E-007	3.0588E-007
RCPTR_43	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.9113E-013	2.0792E-012
RCPTR_43	farmer_child	TOCDLIC2	Bromodichloromethane	9.8212E-016	2.0598E-015
RCPTR_43	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.7778E-012	3.7290E-012
RCPTR_43	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	4.6387E-008	7.9840E-008
RCPTR_43	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.1136E-009	2.3731E-009
RCPTR_43	farmer_child	TOCDLIC2	Cadmium	4.0777E-008	4.9622E-008
RCPTR_43	farmer_child	TOCDLIC2	Carbon disulfide	6.4090E-015	1.3434E-014
RCPTR_43	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2685E-013	2.6572E-013
RCPTR_43	farmer_child	TOCDLIC2	Chlorine	1.0570E-006	2.2175E-006
RCPTR_43	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	8.6344E-011	1.6940E-010
RCPTR_43	farmer_child	TOCDLIC2	Chloroaniline, p-	4.6080E-012	9.6552E-012
RCPTR_43	farmer_child	TOCDLIC2	Chlorobenzene	5.1120E-014	1.0699E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Chloroethane	5.2692E-017	1.0963E-016
RCPTR_43	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.0884E-014	1.0671E-013
RCPTR_43	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.6074E-010	7.5323E-010
RCPTR_43	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.2784E-011	2.6817E-011
RCPTR_43	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.8129E-010	9.4198E-010
RCPTR_43	farmer_child	TOCDLIC2	Chromium	1.3429E-006	1.4033E-006
RCPTR_43	farmer_child	TOCDLIC2	Chromium, hexavalent	1.1668E-006	1.1851E-006
RCPTR_43	farmer_child	TOCDLIC2	Chrysene	1.0234E-006	1.1224E-006
RCPTR_43	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2198E-009	1.3740E-009
RCPTR_43	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.7115E+000	5.7115E+000
RCPTR_43	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.3479E-005	7.4471E-005
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	5.8516E-013	1.2153E-012
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.0603E-013	1.4716E-012
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	6.7926E-013	1.4171E-012
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5451E-009	2.9962E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.1829E-018	8.7637E-018
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.7023E-016	3.5702E-016
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3073E-015	2.7420E-015
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.4471E-017	1.3515E-016
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.4073E-016	1.3431E-015
RCPTR_43	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	6.2270E-011	1.1616E-010
RCPTR_43	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.6070E-015	7.5564E-015
RCPTR_43	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2261E-015	2.5711E-015
RCPTR_43	farmer_child	TOCDLIC2	Diethyl phthalate	7.1640E-010	7.4278E-010
RCPTR_43	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0952E-010	2.2776E-010
RCPTR_43	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.7301E-012	1.8272E-011
RCPTR_43	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.4919E-012	8.8093E-012
RCPTR_43	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.1050E-012	1.6754E-011
RCPTR_43	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.2234E-012	1.2922E-011
RCPTR_43	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.8558E-013	3.8931E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Ethylbenzene	1.2046E-014	2.5003E-014
RCPTR_43	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.7570E-009	3.1083E-009
RCPTR_43	farmer_child	TOCDLIC2	Fluoranthene	3.5822E-008	6.3431E-008
RCPTR_43	farmer_child	TOCDLIC2	Fluorene	5.4449E-010	1.1308E-009
RCPTR_43	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.5066E-012	6.7096E-012
RCPTR_43	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.0528E-011	2.1045E-011
RCPTR_43	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.9210E-011	5.0708E-011
RCPTR_43	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.2526E-011	5.3897E-011
RCPTR_43	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.2693E-011	3.3785E-011
RCPTR_43	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.7778E-011	2.8833E-011
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.7863E-011	6.0294E-011
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.0149E-011	5.2247E-011
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.1300E-011	5.3429E-011
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.2298E-011	4.4060E-011
RCPTR_43	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.1564E-011	2.3680E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Hexachlorobenzene	2.3443E-008	4.8195E-008
RCPTR_43	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.0870E-011	6.2845E-011
RCPTR_43	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.0107E-012	1.4620E-011
RCPTR_43	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.1419E-004	5.1632E-004
RCPTR_43	farmer_child	TOCDLIC2	Isophorone	1.3273E-012	2.7835E-012
RCPTR_43	farmer_child	TOCDLIC2	Lead	7.9684E-007	8.5879E-007
RCPTR_43	farmer_child	TOCDLIC2	Mercuric chloride	1.2260E-007	1.5118E-007
RCPTR_43	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.2481E-017	1.5204E-016
RCPTR_43	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.2788E-016	2.6821E-016
RCPTR_43	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0061E-013	2.1106E-013
RCPTR_43	farmer_child	TOCDLIC2	Methyl mercury	1.6027E-009	1.6907E-009
RCPTR_43	farmer_child	TOCDLIC2	Methylene chloride	1.3131E-014	2.7542E-014
RCPTR_43	farmer_child	TOCDLIC2	Mustard	1.4134E-013	2.9639E-013
RCPTR_43	farmer_child	TOCDLIC2	Naphthalene	8.6781E-013	1.8146E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Nickel	3.2634E-006	3.4406E-006
RCPTR_43	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.2652E-011	4.7462E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.3877E-012	1.1298E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.9631E-012	1.4598E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitrobenzene	2.2400E-012	4.6986E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0199E-012	2.1390E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.9879E-011	3.0518E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2643E-012	2.6492E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.2430E-012	2.6029E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.1235E-013	2.3362E-013
RCPTR_43	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0080E-011	1.0482E-011
RCPTR_43	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.9356E-012	1.0323E-011
RCPTR_43	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1502E-010	1.1848E-010
RCPTR_43	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.8440E-011	1.9334E-011
RCPTR_43	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.1724E-011	7.5141E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Pentachlorobenzene	4.4412E-010	8.9231E-010
RCPTR_43	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.5310E-011	7.0312E-011
RCPTR_43	farmer_child	TOCDLIC2	Pentachlorophenol	4.8942E-009	6.2027E-009
RCPTR_43	farmer_child	TOCDLIC2	Phenanthrene	1.7216E-012	3.5846E-012
RCPTR_43	farmer_child	TOCDLIC2	Phenol	1.7755E-012	3.7213E-012
RCPTR_43	farmer_child	TOCDLIC2	Pronamide	1.7082E-010	3.5457E-010
RCPTR_43	farmer_child	TOCDLIC2	Pyrene	5.8726E-008	9.1744E-008
RCPTR_43	farmer_child	TOCDLIC2	Selenium	1.2095E-006	1.2151E-006
RCPTR_43	farmer_child	TOCDLIC2	Silver	3.3170E-006	3.5802E-006
RCPTR_43	farmer_child	TOCDLIC2	Styrene	2.0359E-011	4.2659E-011
RCPTR_43	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5806E-011	1.6816E-011
RCPTR_43	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.1978E-012	6.7262E-012
RCPTR_43	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3931E-010	2.8601E-010
RCPTR_43	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.5413E-015	1.3711E-014
RCPTR_43	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.4459E-015	5.1252E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1500E-009	1.9474E-009
RCPTR_43	farmer_child	TOCDLIC2	Thallium (l)	4.2978E-006	4.4727E-006
RCPTR_43	farmer_child	TOCDLIC2	Toluene	4.7870E-014	1.0008E-013
RCPTR_43	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.2987E-012	1.0982E-011
RCPTR_43	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.0723E-014	4.3444E-014
RCPTR_43	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.8922E-014	3.9683E-014
RCPTR_43	farmer_child	TOCDLIC2	Trichloroethylene	3.0779E-015	6.4501E-015
RCPTR_43	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.0449E-016	8.4773E-016
RCPTR_43	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.1338E-010	1.2545E-009
RCPTR_43	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2975E-010	2.5103E-010
RCPTR_43	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.0045E-014	1.4686E-013
RCPTR_43	farmer_child	TOCDLIC2	Vinyl Chloride	2.9968E-018	6.2833E-018
RCPTR_43	farmer_child	TOCDLIC2	Xylene, m-	1.7822E-013	2.6173E-013
RCPTR_43	farmer_child	TOCDLIC2	Xylene, o-	1.7317E-013	2.6838E-013
RCPTR_43	farmer_child	TOCDLIC2	Xylene, p-	2.1292E-013	3.4244E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Zinc	1.4311E-006	1.6613E-006
RCPTR_44	farmer_adult	TOCDFBRA	Antimony	2.1446E-007	2.7908E-007
RCPTR_44	farmer_adult	TOCDFBRA	Arsenic	3.6028E-007	3.8113E-007
RCPTR_44	farmer_adult	TOCDFBRA	Barium	2.9669E-008	3.6268E-008
RCPTR_44	farmer_adult	TOCDFBRA	Beryllium	9.8988E-008	1.1060E-007
RCPTR_44	farmer_adult	TOCDFBRA	Cadmium	1.6233E-008	2.4967E-008
RCPTR_44	farmer_adult	TOCDFBRA	Chromium	2.5929E-006	2.6100E-006
RCPTR_44	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.1417E-006	2.2023E-006
RCPTR_44	farmer_adult	TOCDFBRA	Lead	1.0378E-006	1.2188E-006
RCPTR_44	farmer_adult	TOCDFBRA	Mercuric chloride	1.7413E-004	1.8135E-004
RCPTR_44	farmer_adult	TOCDFBRA	Methyl mercury	1.9221E-006	1.9902E-006
RCPTR_44	farmer_adult	TOCDFBRA	Nickel	1.1771E-006	1.3064E-006
RCPTR_44	farmer_adult	TOCDFBRA	Selenium	4.0644E-007	4.0977E-007
RCPTR_44	farmer_adult	TOCDFBRA	Silver	1.3608E-007	1.5661E-007
RCPTR_44	farmer_adult	TOCDFBRA	Thallium (l)	3.6739E-006	3.9768E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFBRA	Zinc	6.1089E-007	8.3027E-007
RCPTR_44	farmer_adult	TOCDFDFS	Acenaphthene	1.2725E-010	1.6629E-009
RCPTR_44	farmer_adult	TOCDFDFS	Acetone	1.3171E-015	1.8417E-014
RCPTR_44	farmer_adult	TOCDFDFS	Acetophenone	6.6190E-013	9.2233E-012
RCPTR_44	farmer_adult	TOCDFDFS	Aniline	3.8216E-014	5.2829E-013
RCPTR_44	farmer_adult	TOCDFDFS	Anthracene	2.2582E-009	2.9333E-008
RCPTR_44	farmer_adult	TOCDFDFS	Antimony	1.9118E-008	2.4866E-008
RCPTR_44	farmer_adult	TOCDFDFS	Aroclor 1254	2.0284E-010	4.6800E-010
RCPTR_44	farmer_adult	TOCDFDFS	Arsenic	3.7473E-008	3.9636E-008
RCPTR_44	farmer_adult	TOCDFDFS	Barium	2.4345E-008	2.9748E-008
RCPTR_44	farmer_adult	TOCDFDFS	Benzene	4.7810E-015	6.5821E-014
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.6079E-006	2.7417E-006
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.7797E-005	1.8959E-005
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	9.7189E-006	1.2650E-005
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.7660E-005	2.9034E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Benzoic acid	6.3793E-013	5.9969E-012
RCPTR_44	farmer_adult	TOCDFDFS	Benzyl alcohol	8.6166E-013	1.1986E-011
RCPTR_44	farmer_adult	TOCDFDFS	Beryllium	2.0250E-008	2.2620E-008
RCPTR_44	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.5796E-013	1.1996E-011
RCPTR_44	farmer_adult	TOCDFDFS	Bromodichloromethane	1.5296E-015	2.1326E-014
RCPTR_44	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.4448E-013	3.4120E-012
RCPTR_44	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.8446E-008	4.6059E-007
RCPTR_44	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.0034E-008	1.2685E-008
RCPTR_44	farmer_adult	TOCDFDFS	Cadmium	7.0670E-009	1.0861E-008
RCPTR_44	farmer_adult	TOCDFDFS	Carbon disulfide	8.4924E-016	1.1758E-014
RCPTR_44	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.3548E-015	1.8625E-014
RCPTR_44	farmer_adult	TOCDFDFS	Chlorine	2.6585E-014	3.7182E-013
RCPTR_44	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.2726E-010	9.7743E-010
RCPTR_44	farmer_adult	TOCDFDFS	Chloroaniline, p-	4.0406E-012	5.5705E-011
RCPTR_44	farmer_adult	TOCDFDFS	Chlorobenzene	8.0065E-015	1.0895E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Chloroethane	2.4031E-017	3.0578E-016
RCPTR_44	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.0561E-015	1.4712E-014
RCPTR_44	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.2787E-010	4.3455E-009
RCPTR_44	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.1079E-011	1.5472E-010
RCPTR_44	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	7.0909E-010	5.4247E-009
RCPTR_44	farmer_adult	TOCDFDFS	Chromium	6.9868E-007	7.0328E-007
RCPTR_44	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.7732E-007	5.9363E-007
RCPTR_44	farmer_adult	TOCDFDFS	Chrysene	5.0316E-006	6.3172E-006
RCPTR_44	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.0556E-008	5.0763E-008
RCPTR_44	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.1365E+002	2.1365E+002
RCPTR_44	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.9535E-004	4.0571E-004
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.6053E-013	7.0108E-012
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.5339E-013	8.4895E-012
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.2258E-013	8.1755E-012
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.4133E-008	3.3273E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.8631E-018	2.5688E-017
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.4160E-016	6.1563E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4820E-016	7.6482E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.6814E-016	2.3305E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.7049E-016	3.7462E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.1867E-010	6.7025E-010
RCPTR_44	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.5323E-015	2.1077E-014
RCPTR_44	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.9994E-016	6.9557E-015
RCPTR_44	farmer_adult	TOCDFDFS	Diethyl phthalate	2.6026E-008	2.7773E-008
RCPTR_44	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.0894E-011	1.3863E-010
RCPTR_44	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.7465E-012	1.0542E-010
RCPTR_44	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.6798E-011	5.0754E-011
RCPTR_44	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	8.0309E-012	9.6563E-011
RCPTR_44	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.9612E-012	7.4525E-011
RCPTR_44	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.6073E-013	2.2461E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Ethylbenzene	5.3486E-015	6.6466E-014
RCPTR_44	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.6855E-009	2.1525E-009
RCPTR_44	farmer_adult	TOCDFDFS	Fluoranthene	6.2658E-008	3.6483E-007
RCPTR_44	farmer_adult	TOCDFDFS	Fluorene	5.2117E-010	6.5228E-009
RCPTR_44	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.3652E-013	7.8585E-013
RCPTR_44	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.4690E-013	6.8078E-013
RCPTR_44	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9845E-012	2.1136E-012
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.7032E-011	1.7967E-011
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.7826E-012	1.0495E-011
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.4002E-012	8.0307E-012
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.1861E-012	5.6908E-012
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.7022E-012	5.1569E-012
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.6093E-012	6.1464E-012
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.2954E-012	4.7087E-012
RCPTR_44	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2457E-011	1.3648E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.4189E-008	2.7795E-007
RCPTR_44	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.4753E-011	3.6206E-010
RCPTR_44	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.4586E-012	8.4352E-011
RCPTR_44	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.9065E-003	2.9279E-003
RCPTR_44	farmer_adult	TOCDFDFS	Isophorone	1.1530E-012	1.6059E-011
RCPTR_44	farmer_adult	TOCDFDFS	Lead	1.2617E-007	1.4813E-007
RCPTR_44	farmer_adult	TOCDFDFS	Mercuric chloride	6.8334E-008	7.1247E-008
RCPTR_44	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.9248E-017	2.6880E-016
RCPTR_44	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.8011E-018	5.2991E-017
RCPTR_44	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.4436E-015	1.3202E-013
RCPTR_44	farmer_adult	TOCDFDFS	Methyl mercury	6.9508E-010	7.2254E-010
RCPTR_44	farmer_adult	TOCDFDFS	Methylene chloride	5.6924E-016	7.9405E-015
RCPTR_44	farmer_adult	TOCDFDFS	Mustard	6.7236E-014	9.3536E-013
RCPTR_44	farmer_adult	TOCDFDFS	Naphthalene	5.0281E-012	6.7741E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Nickel	2.6079E-006	2.8937E-006
RCPTR_44	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.9859E-011	2.7381E-010
RCPTR_44	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.6819E-012	6.5181E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitroaniline, 4-	6.0649E-012	8.4209E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitrobenzene	1.9413E-012	2.7108E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.8578E-013	1.2341E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.7262E-011	1.7616E-010
RCPTR_44	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.1086E-012	1.5284E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0969E-012	1.5017E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.0403E-013	1.3453E-012
RCPTR_44	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1524E-012	1.2568E-012
RCPTR_44	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2125E-012	1.3200E-012
RCPTR_44	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1225E-011	3.3305E-011
RCPTR_44	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.8617E-012	4.3083E-012
RCPTR_44	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.5399E-011	1.7145E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.0545E-010	1.0213E-009
RCPTR_44	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.4375E-011	4.0265E-010
RCPTR_44	farmer_adult	TOCDFDFS	Pentachlorophenol	1.1236E-007	1.7945E-007
RCPTR_44	farmer_adult	TOCDFDFS	Phenanthrene	1.6085E-012	2.0679E-011
RCPTR_44	farmer_adult	TOCDFDFS	Phenol	1.5523E-012	2.1470E-011
RCPTR_44	farmer_adult	TOCDFDFS	Pronamide	1.6464E-010	2.0455E-009
RCPTR_44	farmer_adult	TOCDFDFS	Pyrene	9.3200E-008	5.2862E-007
RCPTR_44	farmer_adult	TOCDFDFS	Selenium	4.2274E-008	4.2620E-008
RCPTR_44	farmer_adult	TOCDFDFS	Silver	2.7968E-007	3.2177E-007
RCPTR_44	farmer_adult	TOCDFDFS	Styrene	5.7902E-014	7.9861E-013
RCPTR_44	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	9.6128E-012	1.1140E-011
RCPTR_44	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.9547E-012	3.6045E-012
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.4828E-010	1.6499E-009
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.7904E-011	2.5239E-011
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.6225E-015	2.2397E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.0749E-009	1.1236E-008
RCPTR_44	farmer_adult	TOCDFDFS	Thallium (l)	3.7393E-005	4.0469E-005
RCPTR_44	farmer_adult	TOCDFDFS	Toluene	2.2266E-015	2.9925E-014
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.1717E-012	6.3348E-011
RCPTR_44	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.3468E-015	1.8676E-014
RCPTR_44	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.9483E-015	1.1069E-013
RCPTR_44	farmer_adult	TOCDFDFS	Trichloroethylene	1.3028E-015	1.7991E-014
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.7979E-016	2.4851E-015
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	6.7557E-010	7.2379E-009
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0404E-009	7.2807E-009
RCPTR_44	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.9482E-014	4.0964E-013
RCPTR_44	farmer_adult	TOCDFDFS	Vinyl Chloride	4.2049E-019	5.8467E-018
RCPTR_44	farmer_adult	TOCDFDFS	Xylene, m-	5.6979E-014	1.4991E-013
RCPTR_44	farmer_adult	TOCDFDFS	Xylene, o-	4.3932E-014	1.3649E-013
RCPTR_44	farmer_adult	TOCDFDFS	Xylene, p-	5.7389E-014	2.0152E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Zinc	1.1981E-007	1.6274E-007
RCPTR_44	farmer_adult	TOCDFLIC	Acenaphthene	2.5554E-011	3.3396E-010
RCPTR_44	farmer_adult	TOCDFLIC	Acetone	8.6018E-016	1.2028E-014
RCPTR_44	farmer_adult	TOCDFLIC	Acetophenone	1.2644E-013	1.7619E-012
RCPTR_44	farmer_adult	TOCDFLIC	Aniline	7.6750E-015	1.0610E-013
RCPTR_44	farmer_adult	TOCDFLIC	Anthracene	4.5343E-010	5.8910E-009
RCPTR_44	farmer_adult	TOCDFLIC	Antimony	9.3287E-007	1.2132E-006
RCPTR_44	farmer_adult	TOCDFLIC	Arsenic	1.7256E-006	1.8252E-006
RCPTR_44	farmer_adult	TOCDFLIC	Barium	1.3899E-007	1.6982E-007
RCPTR_44	farmer_adult	TOCDFLIC	Benzene	4.8007E-015	6.6092E-014
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.2219E-007	5.4975E-007
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.5600E-006	3.7914E-006
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.9487E-006	2.5368E-006
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.5355E-006	5.8080E-006
RCPTR_44	farmer_adult	TOCDFLIC	Benzoic acid	4.4272E-013	4.1607E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Benzyl alcohol	2.7688E-011	3.8515E-010
RCPTR_44	farmer_adult	TOCDFLIC	Beryllium	2.4312E-007	2.7156E-007
RCPTR_44	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.7231E-013	2.4092E-012
RCPTR_44	farmer_adult	TOCDFLIC	Bromodichloromethane	1.7118E-016	2.3867E-015
RCPTR_44	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.0960E-013	4.3208E-012
RCPTR_44	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	9.7290E-009	9.2501E-008
RCPTR_44	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.0004E-009	2.5327E-009
RCPTR_44	farmer_adult	TOCDFLIC	Cadmium	2.8685E-008	4.4080E-008
RCPTR_44	farmer_adult	TOCDFLIC	Carbon disulfide	1.1242E-015	1.5566E-014
RCPTR_44	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.2396E-014	3.0789E-013
RCPTR_44	farmer_adult	TOCDFLIC	Chlorine	1.8371E-007	2.5694E-006
RCPTR_44	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.5570E-011	1.9631E-010
RCPTR_44	farmer_adult	TOCDFLIC	Chloroaniline, p-	8.1148E-013	1.1187E-011
RCPTR_44	farmer_adult	TOCDFLIC	Chlorobenzene	9.1098E-015	1.2397E-013
RCPTR_44	farmer_adult	TOCDFLIC	Chloroethane	9.9839E-018	1.2703E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.8761E-015	1.2365E-013
RCPTR_44	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.5846E-011	8.7271E-010
RCPTR_44	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.2250E-012	3.1073E-011
RCPTR_44	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.4231E-010	1.0894E-009
RCPTR_44	farmer_adult	TOCDFLIC	Chromium	1.2377E-006	1.2458E-006
RCPTR_44	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.0227E-006	1.0516E-006
RCPTR_44	farmer_adult	TOCDFLIC	Chrysene	1.0091E-006	1.2669E-006
RCPTR_44	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.2585E-009	1.5753E-009
RCPTR_44	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.6382E+000	6.6382E+000
RCPTR_44	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.9015E-005	8.1040E-005
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.1257E-013	1.4080E-012
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.3122E-013	1.7050E-012
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.2503E-013	1.6419E-012
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.4155E-009	3.3325E-009
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.3631E-019	1.0153E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.9673E-017	4.1368E-016
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2773E-016	3.1771E-015
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1298E-017	1.5660E-016
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.1237E-016	1.5562E-015
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.3847E-011	1.3462E-010
RCPTR_44	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.3654E-016	8.7555E-015
RCPTR_44	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.1412E-016	2.9791E-015
RCPTR_44	farmer_adult	TOCDFLIC	Diethyl phthalate	8.0861E-010	8.6284E-010
RCPTR_44	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.0724E-011	2.6381E-010
RCPTR_44	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.5558E-012	2.1172E-011
RCPTR_44	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.3752E-012	1.0195E-011
RCPTR_44	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.6115E-012	1.9392E-011
RCPTR_44	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.1969E-012	1.4967E-011
RCPTR_44	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.2279E-014	4.5109E-013
RCPTR_44	farmer_adult	TOCDFLIC	Ethylbenzene	2.3308E-015	2.8966E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.5739E-009	3.2927E-009
RCPTR_44	farmer_adult	TOCDFLIC	Fluoranthene	1.2574E-008	7.3258E-008
RCPTR_44	farmer_adult	TOCDFLIC	Fluorene	1.0466E-010	1.3100E-009
RCPTR_44	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.0916E-012	6.4961E-012
RCPTR_44	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.0318E-011	2.1370E-011
RCPTR_44	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.6526E-011	4.9527E-011
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.2313E-011	5.5159E-011
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.0591E-011	3.2801E-011
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.4850E-011	2.6956E-011
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.1634E-011	5.6646E-011
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.4914E-011	4.9246E-011
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.6273E-011	5.0693E-011
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.8027E-011	4.1676E-011
RCPTR_44	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5000E-012	2.7408E-011
RCPTR_44	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.8569E-009	5.5821E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.9727E-012	7.2707E-011
RCPTR_44	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.2972E-012	1.6941E-011
RCPTR_44	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8324E-004	5.8742E-004
RCPTR_44	farmer_adult	TOCDFLIC	Isophorone	2.3155E-013	3.2252E-012
RCPTR_44	farmer_adult	TOCDFLIC	Lead	6.4961E-007	7.6261E-007
RCPTR_44	farmer_adult	TOCDFLIC	Mercuric chloride	1.6032E-007	1.6718E-007
RCPTR_44	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.2615E-017	1.7617E-016
RCPTR_44	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.2292E-017	3.1077E-016
RCPTR_44	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.7493E-014	2.4456E-013
RCPTR_44	farmer_adult	TOCDFLIC	Methyl mercury	1.6167E-009	1.6813E-009
RCPTR_44	farmer_adult	TOCDFLIC	Methylene chloride	2.2878E-015	3.1913E-014
RCPTR_44	farmer_adult	TOCDFLIC	Mustard	2.3746E-014	3.3035E-013
RCPTR_44	farmer_adult	TOCDFLIC	Naphthalene	1.5606E-013	2.1025E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nickel	2.7523E-006	3.0539E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.9885E-012	5.4992E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nitroaniline, 3-	9.4031E-013	1.3091E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.2180E-012	1.6913E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nitrobenzene	3.8989E-013	5.4442E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.7789E-013	2.4785E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3521E-012	3.5392E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.2264E-013	3.0696E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.2029E-013	3.0160E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.0855E-014	2.7015E-013
RCPTR_44	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.7283E-012	9.5157E-012
RCPTR_44	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.5993E-012	9.3587E-012
RCPTR_44	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1927E-010	1.2718E-010
RCPTR_44	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.8514E-011	2.0654E-011
RCPTR_44	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.9966E-011	7.7897E-011
RCPTR_44	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.0558E-010	1.0269E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.8660E-012	8.0822E-011
RCPTR_44	farmer_adult	TOCDFLIC	Pentachlorophenol	4.5097E-009	7.1997E-009
RCPTR_44	farmer_adult	TOCDFLIC	Phenanthrene	3.2302E-013	4.1529E-012
RCPTR_44	farmer_adult	TOCDFLIC	Phenol	3.1176E-013	4.3119E-012
RCPTR_44	farmer_adult	TOCDFLIC	Pronamide	3.3067E-011	4.1080E-010
RCPTR_44	farmer_adult	TOCDFLIC	Pyrene	1.8713E-008	1.0616E-007
RCPTR_44	farmer_adult	TOCDFLIC	Selenium	1.0694E-006	1.0782E-006
RCPTR_44	farmer_adult	TOCDFLIC	Silver	2.7624E-006	3.1781E-006
RCPTR_44	farmer_adult	TOCDFLIC	Styrene	3.5837E-012	4.9428E-011
RCPTR_44	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.5671E-011	1.8163E-011
RCPTR_44	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.0839E-012	7.4236E-012
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.9781E-011	3.3135E-010
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.1479E-015	1.5886E-014
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.3014E-016	5.9381E-015
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.1803E-010	2.2572E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Thallium (l)	3.6680E-006	3.9696E-006
RCPTR_44	farmer_adult	TOCDFLIC	Toluene	8.6278E-015	1.1596E-013
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0386E-012	1.2722E-011
RCPTR_44	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.6300E-015	5.0338E-014
RCPTR_44	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.3018E-015	4.5981E-014
RCPTR_44	farmer_adult	TOCDFLIC	Trichloroethylene	5.4119E-016	7.4736E-015
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.1063E-017	9.8225E-016
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.3571E-010	1.4536E-009
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.1590E-011	2.9092E-010
RCPTR_44	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.2247E-014	1.7017E-013
RCPTR_44	farmer_adult	TOCDFLIC	Vinyl Chloride	5.2354E-019	7.2800E-018
RCPTR_44	farmer_adult	TOCDFLIC	Xylene, m-	4.9657E-014	1.3228E-013
RCPTR_44	farmer_adult	TOCDFLIC	Xylene, o-	4.3857E-014	1.3805E-013
RCPTR_44	farmer_adult	TOCDFLIC	Xylene, p-	5.0090E-014	1.7822E-013
RCPTR_44	farmer_adult	TOCDFLIC	Zinc	1.0862E-006	1.4753E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Acenaphthene	3.9009E-011	5.0980E-010
RCPTR_44	farmer_adult	TOCDFMPF	Acetone	3.1374E-015	4.3870E-014
RCPTR_44	farmer_adult	TOCDFMPF	Acetophenone	2.0221E-013	2.8176E-012
RCPTR_44	farmer_adult	TOCDFMPF	Aniline	1.1716E-014	1.6196E-013
RCPTR_44	farmer_adult	TOCDFMPF	Anthracene	6.9218E-010	8.9927E-009
RCPTR_44	farmer_adult	TOCDFMPF	Antimony	1.2710E-008	1.6530E-008
RCPTR_44	farmer_adult	TOCDFMPF	Aroclor 1254	1.1433E-010	2.6468E-010
RCPTR_44	farmer_adult	TOCDFMPF	Arsenic	8.9682E-008	9.4858E-008
RCPTR_44	farmer_adult	TOCDFMPF	Barium	9.8467E-008	1.2031E-007
RCPTR_44	farmer_adult	TOCDFMPF	Benzene	4.2844E-015	5.8984E-014
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.9188E-007	8.3926E-007
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.4351E-006	5.7884E-006
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.9750E-006	3.8727E-006
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.4511E-006	8.8672E-006
RCPTR_44	farmer_adult	TOCDFMPF	Benzoic acid	1.9563E-012	1.8385E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Benzyl alcohol	2.6416E-013	3.6746E-012
RCPTR_44	farmer_adult	TOCDFMPF	Beryllium	8.2857E-009	9.2550E-009
RCPTR_44	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.6303E-013	3.6777E-012
RCPTR_44	farmer_adult	TOCDFMPF	Bromodichloromethane	5.1930E-015	7.2405E-014
RCPTR_44	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8059E-013	2.5203E-012
RCPTR_44	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.4851E-008	1.4121E-007
RCPTR_44	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.0543E-009	3.8668E-009
RCPTR_44	farmer_adult	TOCDFMPF	Cadmium	1.3094E-007	2.0121E-007
RCPTR_44	farmer_adult	TOCDFMPF	Carbon disulfide	4.1044E-016	5.6827E-015
RCPTR_44	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.8955E-015	5.3554E-014
RCPTR_44	farmer_adult	TOCDFMPF	Chlorine	3.3797E-008	4.7268E-007
RCPTR_44	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.9034E-011	2.9968E-010
RCPTR_44	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.2387E-012	1.7078E-011
RCPTR_44	farmer_adult	TOCDFMPF	Chlorobenzene	1.6321E-014	2.2209E-013
RCPTR_44	farmer_adult	TOCDFMPF	Chloroethane	9.8243E-017	1.2500E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.7873E-015	3.8829E-014
RCPTR_44	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.0051E-010	1.3322E-009
RCPTR_44	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.3964E-012	4.7434E-011
RCPTR_44	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.1724E-010	1.6629E-009
RCPTR_44	farmer_adult	TOCDFMPF	Chromium	2.3479E-007	2.3634E-007
RCPTR_44	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.9402E-007	1.9950E-007
RCPTR_44	farmer_adult	TOCDFMPF	Chrysene	1.5406E-006	1.9342E-006
RCPTR_44	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.2432E-008	1.5561E-008
RCPTR_44	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.5572E+001	6.5572E+001
RCPTR_44	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.2064E-004	1.2373E-004
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.7184E-013	2.1493E-012
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.0031E-013	2.6027E-012
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.9087E-013	2.5064E-012
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.3974E-009	1.0205E-008
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.0474E-018	8.3390E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	9.0018E-016	1.2549E-014
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1175E-015	1.5591E-014
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.4274E-016	4.7506E-015
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.5140E-016	7.6365E-015
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.6405E-011	2.0551E-010
RCPTR_44	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.1236E-015	4.2965E-014
RCPTR_44	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0191E-015	1.4179E-014
RCPTR_44	farmer_adult	TOCDFMPF	Diethyl phthalate	7.9874E-009	8.5231E-009
RCPTR_44	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.2099E-012	2.8130E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.3750E-012	3.2320E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.1432E-012	1.5535E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.4600E-012	2.9602E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.8271E-012	2.2847E-011
RCPTR_44	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.9275E-014	6.8860E-013
RCPTR_44	farmer_adult	TOCDFMPF	Ethylbenzene	1.0902E-014	1.3549E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.6501E-010	5.9485E-010
RCPTR_44	farmer_adult	TOCDFMPF	Fluoranthene	1.9195E-008	1.1183E-007
RCPTR_44	farmer_adult	TOCDFMPF	Fluorene	1.5976E-010	1.9997E-009
RCPTR_44	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.3735E-011	2.5312E-011
RCPTR_44	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.1939E-011	3.3594E-011
RCPTR_44	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.4441E-011	5.7953E-011
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4936E-011	1.5749E-011
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.7966E-012	7.2878E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.8692E-012	6.3666E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0199E-011	1.1189E-011
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.3322E-012	4.7500E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.8472E-012	4.2146E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.4405E-012	3.7707E-012
RCPTR_44	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.8163E-012	4.1838E-011
RCPTR_44	farmer_adult	TOCDFMPF	Hexachlorobenzene	7.4143E-009	8.5211E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.0644E-011	1.1099E-010
RCPTR_44	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.9802E-012	2.5860E-011
RCPTR_44	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.9041E-004	8.9679E-004
RCPTR_44	farmer_adult	TOCDFMPF	Isophorone	3.5347E-013	4.9234E-012
RCPTR_44	farmer_adult	TOCDFMPF	Lead	7.4977E-008	8.8019E-008
RCPTR_44	farmer_adult	TOCDFMPF	Mercuric chloride	2.7218E-006	2.8382E-006
RCPTR_44	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.5182E-017	9.1027E-016
RCPTR_44	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.7997E-018	5.2972E-017
RCPTR_44	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.5425E-015	4.9524E-014
RCPTR_44	farmer_adult	TOCDFMPF	Methyl mercury	2.7452E-008	2.8549E-008
RCPTR_44	farmer_adult	TOCDFMPF	Methylene chloride	1.7967E-015	2.5062E-014
RCPTR_44	farmer_adult	TOCDFMPF	Mustard	1.6873E-013	2.3472E-012
RCPTR_44	farmer_adult	TOCDFMPF	Naphthalene	1.5415E-012	2.0768E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nickel	1.7255E-006	1.9146E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Nitroaniline, 2-	6.0775E-012	8.3795E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.4328E-012	1.9948E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.8559E-012	2.5771E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitrobenzene	5.9517E-013	8.3107E-012
RCPTR_44	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.7156E-013	3.7835E-012
RCPTR_44	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.0603E-011	5.3929E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.3986E-013	4.6858E-012
RCPTR_44	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.3628E-013	4.6039E-012
RCPTR_44	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	3.1837E-014	4.1239E-013
RCPTR_44	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.5508E-010	6.0515E-010
RCPTR_44	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.7487E-010	1.0610E-009
RCPTR_44	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.2313E-012	6.6444E-012
RCPTR_44	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.0344E-012	8.9629E-012
RCPTR_44	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.6902E-012	5.2218E-012
RCPTR_44	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.2178E-011	3.1296E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.3511E-011	1.2315E-010
RCPTR_44	farmer_adult	TOCDFMPF	Pentachlorophenol	3.4422E-008	5.4953E-008
RCPTR_44	farmer_adult	TOCDFMPF	Phenanthrene	4.9310E-013	6.3395E-012
RCPTR_44	farmer_adult	TOCDFMPF	Phenol	4.7590E-013	6.5822E-012
RCPTR_44	farmer_adult	TOCDFMPF	Pronamide	5.0477E-011	6.2710E-010
RCPTR_44	farmer_adult	TOCDFMPF	Pyrene	2.8567E-008	1.6205E-007
RCPTR_44	farmer_adult	TOCDFMPF	Selenium	1.8748E-008	1.8901E-008
RCPTR_44	farmer_adult	TOCDFMPF	Silver	3.7248E-007	4.2852E-007
RCPTR_44	farmer_adult	TOCDFMPF	Styrene	8.1602E-014	1.1255E-012
RCPTR_44	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8728E-012	2.1706E-012
RCPTR_44	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.0202E-012	7.3457E-012
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.5461E-011	5.0582E-010
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.4824E-014	4.8193E-013
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.3072E-015	4.5655E-014
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.4176E-010	3.4394E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Thallium (l)	1.1220E-007	1.2143E-007
RCPTR_44	farmer_adult	TOCDFMPF	Toluene	5.7804E-015	7.7688E-014
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.5854E-012	1.9421E-011
RCPTR_44	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.1277E-015	2.9505E-014
RCPTR_44	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.6202E-014	2.2563E-013
RCPTR_44	farmer_adult	TOCDFMPF	Trichloroethylene	2.6557E-015	3.6674E-014
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.3230E-015	1.0122E-013
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.0717E-010	2.2190E-009
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.3489E-011	4.4409E-010
RCPTR_44	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	6.0098E-014	8.3505E-013
RCPTR_44	farmer_adult	TOCDFMPF	Vinyl Chloride	1.4345E-018	1.9947E-017
RCPTR_44	farmer_adult	TOCDFMPF	Xylene, m-	4.9653E-014	1.3223E-013
RCPTR_44	farmer_adult	TOCDFMPF	Xylene, o-	4.3853E-014	1.3800E-013
RCPTR_44	farmer_adult	TOCDFMPF	Xylene, p-	5.0085E-014	1.7815E-013
RCPTR_44	farmer_adult	TOCDFMPF	Zinc	3.0917E-007	4.1991E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDHVAC	Mustard	4.3796E-014	6.0933E-013
RCPTR_44	farmer_adult	TOCDLIC2	Acenaphthene	2.5554E-011	3.3396E-010
RCPTR_44	farmer_adult	TOCDLIC2	Acetone	8.6018E-016	1.2028E-014
RCPTR_44	farmer_adult	TOCDLIC2	Acetophenone	1.2644E-013	1.7619E-012
RCPTR_44	farmer_adult	TOCDLIC2	Aniline	7.6750E-015	1.0610E-013
RCPTR_44	farmer_adult	TOCDLIC2	Anthracene	4.5343E-010	5.8910E-009
RCPTR_44	farmer_adult	TOCDLIC2	Antimony	9.3287E-007	1.2132E-006
RCPTR_44	farmer_adult	TOCDLIC2	Arsenic	1.7256E-006	1.8252E-006
RCPTR_44	farmer_adult	TOCDLIC2	Barium	1.3899E-007	1.6982E-007
RCPTR_44	farmer_adult	TOCDLIC2	Benzene	4.8007E-015	6.6092E-014
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.2219E-007	5.4975E-007
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.5600E-006	3.7914E-006
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.9487E-006	2.5368E-006
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.5355E-006	5.8080E-006
RCPTR_44	farmer_adult	TOCDLIC2	Benzoic acid	4.4272E-013	4.1607E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Benzyl alcohol	2.7688E-011	3.8515E-010
RCPTR_44	farmer_adult	TOCDLIC2	Beryllium	2.4312E-007	2.7156E-007
RCPTR_44	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.7231E-013	2.4092E-012
RCPTR_44	farmer_adult	TOCDLIC2	Bromodichloromethane	1.7118E-016	2.3867E-015
RCPTR_44	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.0960E-013	4.3208E-012
RCPTR_44	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	9.7290E-009	9.2501E-008
RCPTR_44	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.0004E-009	2.5327E-009
RCPTR_44	farmer_adult	TOCDLIC2	Cadmium	2.8685E-008	4.4080E-008
RCPTR_44	farmer_adult	TOCDLIC2	Carbon disulfide	1.1242E-015	1.5566E-014
RCPTR_44	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.2396E-014	3.0789E-013
RCPTR_44	farmer_adult	TOCDLIC2	Chlorine	1.8371E-007	2.5694E-006
RCPTR_44	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.5570E-011	1.9631E-010
RCPTR_44	farmer_adult	TOCDLIC2	Chloroaniline, p-	8.1148E-013	1.1187E-011
RCPTR_44	farmer_adult	TOCDLIC2	Chlorobenzene	9.1098E-015	1.2397E-013
RCPTR_44	farmer_adult	TOCDLIC2	Chloroethane	9.9839E-018	1.2703E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.8761E-015	1.2365E-013
RCPTR_44	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.5846E-011	8.7271E-010
RCPTR_44	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.2250E-012	3.1073E-011
RCPTR_44	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.4231E-010	1.0894E-009
RCPTR_44	farmer_adult	TOCDLIC2	Chromium	1.2377E-006	1.2458E-006
RCPTR_44	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.0227E-006	1.0516E-006
RCPTR_44	farmer_adult	TOCDLIC2	Chrysene	1.0091E-006	1.2669E-006
RCPTR_44	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.2585E-009	1.5753E-009
RCPTR_44	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.6382E+000	6.6382E+000
RCPTR_44	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.9015E-005	8.1040E-005
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.1257E-013	1.4080E-012
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3122E-013	1.7050E-012
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.2503E-013	1.6419E-012
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.4155E-009	3.3325E-009
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.3631E-019	1.0153E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.9673E-017	4.1368E-016
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2773E-016	3.1771E-015
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.1298E-017	1.5660E-016
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.1237E-016	1.5562E-015
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.3847E-011	1.3462E-010
RCPTR_44	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.3654E-016	8.7555E-015
RCPTR_44	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.1412E-016	2.9791E-015
RCPTR_44	farmer_adult	TOCDLIC2	Diethyl phthalate	8.0861E-010	8.6284E-010
RCPTR_44	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.0724E-011	2.6381E-010
RCPTR_44	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.5558E-012	2.1172E-011
RCPTR_44	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.3752E-012	1.0195E-011
RCPTR_44	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.6115E-012	1.9392E-011
RCPTR_44	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.1969E-012	1.4967E-011
RCPTR_44	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.2279E-014	4.5109E-013
RCPTR_44	farmer_adult	TOCDLIC2	Ethylbenzene	2.3308E-015	2.8966E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.5739E-009	3.2927E-009
RCPTR_44	farmer_adult	TOCDLIC2	Fluoranthene	1.2574E-008	7.3258E-008
RCPTR_44	farmer_adult	TOCDLIC2	Fluorene	1.0466E-010	1.3100E-009
RCPTR_44	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.0916E-012	6.4961E-012
RCPTR_44	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.0318E-011	2.1370E-011
RCPTR_44	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.6526E-011	4.9527E-011
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.2313E-011	5.5159E-011
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.0591E-011	3.2801E-011
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.4850E-011	2.6956E-011
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.1634E-011	5.6646E-011
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.4914E-011	4.9246E-011
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.6273E-011	5.0693E-011
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.8027E-011	4.1676E-011
RCPTR_44	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.5000E-012	2.7408E-011
RCPTR_44	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.8569E-009	5.5821E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.9727E-012	7.2707E-011
RCPTR_44	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.2972E-012	1.6941E-011
RCPTR_44	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8324E-004	5.8742E-004
RCPTR_44	farmer_adult	TOCDLIC2	Isophorone	2.3155E-013	3.2252E-012
RCPTR_44	farmer_adult	TOCDLIC2	Lead	6.4961E-007	7.6261E-007
RCPTR_44	farmer_adult	TOCDLIC2	Mercuric chloride	1.6032E-007	1.6718E-007
RCPTR_44	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.2615E-017	1.7617E-016
RCPTR_44	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.2292E-017	3.1077E-016
RCPTR_44	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.7493E-014	2.4456E-013
RCPTR_44	farmer_adult	TOCDLIC2	Methyl mercury	1.6167E-009	1.6813E-009
RCPTR_44	farmer_adult	TOCDLIC2	Methylene chloride	2.2878E-015	3.1913E-014
RCPTR_44	farmer_adult	TOCDLIC2	Mustard	2.4687E-014	3.4343E-013
RCPTR_44	farmer_adult	TOCDLIC2	Naphthalene	1.5606E-013	2.1025E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nickel	2.7523E-006	3.0539E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.9885E-012	5.4992E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitroaniline, 3-	9.4031E-013	1.3091E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.2180E-012	1.6913E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitrobenzene	3.8989E-013	5.4442E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.7789E-013	2.4785E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3521E-011	3.5392E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.2264E-013	3.0696E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.2029E-013	3.0160E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	2.0855E-014	2.7015E-013
RCPTR_44	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.7283E-012	9.5157E-012
RCPTR_44	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.5993E-012	9.3587E-012
RCPTR_44	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1927E-010	1.2718E-010
RCPTR_44	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.8514E-011	2.0654E-011
RCPTR_44	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.9966E-011	7.7897E-011
RCPTR_44	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.0558E-010	1.0269E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.8660E-012	8.0822E-011
RCPTR_44	farmer_adult	TOCDLIC2	Pentachlorophenol	4.5097E-009	7.1997E-009
RCPTR_44	farmer_adult	TOCDLIC2	Phenanthrene	3.2302E-013	4.1529E-012
RCPTR_44	farmer_adult	TOCDLIC2	Phenol	3.1176E-013	4.3119E-012
RCPTR_44	farmer_adult	TOCDLIC2	Pronamide	3.3067E-011	4.1080E-010
RCPTR_44	farmer_adult	TOCDLIC2	Pyrene	1.8713E-008	1.0616E-007
RCPTR_44	farmer_adult	TOCDLIC2	Selenium	1.0694E-006	1.0782E-006
RCPTR_44	farmer_adult	TOCDLIC2	Silver	2.7624E-006	3.1781E-006
RCPTR_44	farmer_adult	TOCDLIC2	Styrene	3.5837E-012	4.9428E-011
RCPTR_44	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5671E-011	1.8163E-011
RCPTR_44	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.0839E-012	7.4236E-012
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.9781E-011	3.3135E-010
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.1479E-015	1.5886E-014
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.3014E-016	5.9381E-015
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.1803E-010	2.2572E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Thallium (l)	3.6680E-006	3.9696E-006
RCPTR_44	farmer_adult	TOCDLIC2	Toluene	8.6278E-015	1.1596E-013
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0386E-012	1.2722E-011
RCPTR_44	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.6300E-015	5.0338E-014
RCPTR_44	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.3018E-015	4.5981E-014
RCPTR_44	farmer_adult	TOCDLIC2	Trichloroethylene	5.4119E-016	7.4736E-015
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.1063E-017	9.8225E-016
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.3571E-010	1.4536E-009
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	4.1590E-011	2.9092E-010
RCPTR_44	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.2247E-014	1.7017E-013
RCPTR_44	farmer_adult	TOCDLIC2	Vinyl Chloride	5.2354E-019	7.2800E-018
RCPTR_44	farmer_adult	TOCDLIC2	Xylene, m-	1.0319E-013	2.7488E-013
RCPTR_44	farmer_adult	TOCDLIC2	Xylene, o-	9.1138E-014	2.8687E-013
RCPTR_44	farmer_adult	TOCDLIC2	Xylene, p-	1.0409E-013	3.7036E-013
RCPTR_44	farmer_adult	TOCDLIC2	Zinc	1.0862E-006	1.4753E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFBRA	Antimony	2.4377E-007	2.7908E-007
RCPTR_44	farmer_child	TOCDFBRA	Arsenic	3.6945E-007	3.8113E-007
RCPTR_44	farmer_child	TOCDFBRA	Barium	3.2635E-008	3.6268E-008
RCPTR_44	farmer_child	TOCDFBRA	Beryllium	1.0518E-007	1.1060E-007
RCPTR_44	farmer_child	TOCDFBRA	Cadmium	2.0501E-008	2.4967E-008
RCPTR_44	farmer_child	TOCDFBRA	Chromium	2.4973E-006	2.6100E-006
RCPTR_44	farmer_child	TOCDFBRA	Chromium, hexavalent	2.1682E-006	2.2023E-006
RCPTR_44	farmer_child	TOCDFBRA	Lead	1.1305E-006	1.2188E-006
RCPTR_44	farmer_child	TOCDFBRA	Mercuric chloride	1.4683E-004	1.8135E-004
RCPTR_44	farmer_child	TOCDFBRA	Methyl mercury	1.8839E-006	1.9902E-006
RCPTR_44	farmer_child	TOCDFBRA	Nickel	1.2388E-006	1.3064E-006
RCPTR_44	farmer_child	TOCDFBRA	Selenium	4.0789E-007	4.0977E-007
RCPTR_44	farmer_child	TOCDFBRA	Silver	1.4504E-007	1.5661E-007
RCPTR_44	farmer_child	TOCDFBRA	Thallium (l)	3.8206E-006	3.9768E-006
RCPTR_44	farmer_child	TOCDFBRA	Zinc	7.1476E-007	8.3027E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Acenaphthene	7.9736E-010	1.6629E-009
RCPTR_44	farmer_child	TOCDFDFS	Acetone	8.7790E-015	1.8417E-014
RCPTR_44	farmer_child	TOCDFDFS	Acetophenone	4.3978E-012	9.2233E-012
RCPTR_44	farmer_child	TOCDFDFS	Aniline	2.5207E-013	5.2829E-013
RCPTR_44	farmer_child	TOCDFDFS	Anthracene	1.4073E-008	2.9333E-008
RCPTR_44	farmer_child	TOCDFDFS	Antimony	2.1725E-008	2.4866E-008
RCPTR_44	farmer_child	TOCDFDFS	Aroclor 1254	3.1855E-010	4.6800E-010
RCPTR_44	farmer_child	TOCDFDFS	Arsenic	3.8424E-008	3.9636E-008
RCPTR_44	farmer_child	TOCDFDFS	Barium	2.6773E-008	2.9748E-008
RCPTR_44	farmer_child	TOCDFDFS	Benzene	3.1417E-014	6.5821E-014
RCPTR_44	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.2113E-006	2.7417E-006
RCPTR_44	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.8395E-005	1.8959E-005
RCPTR_44	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.1262E-005	1.2650E-005
RCPTR_44	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.8468E-005	2.9034E-005
RCPTR_44	farmer_child	TOCDFDFS	Benzoic acid	2.9764E-012	5.9969E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Benzyl alcohol	5.7159E-012	1.1986E-011
RCPTR_44	farmer_child	TOCDFDFS	Beryllium	2.1514E-008	2.2620E-008
RCPTR_44	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.7183E-012	1.1996E-011
RCPTR_44	farmer_child	TOCDFDFS	Bromodichloromethane	1.0168E-014	2.1326E-014
RCPTR_44	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6267E-012	3.4120E-012
RCPTR_44	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.6759E-007	4.6059E-007
RCPTR_44	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.1191E-008	1.2685E-008
RCPTR_44	farmer_child	TOCDFDFS	Cadmium	8.9209E-009	1.0861E-008
RCPTR_44	farmer_child	TOCDFDFS	Carbon disulfide	5.6095E-015	1.1758E-014
RCPTR_44	farmer_child	TOCDFDFS	Carbon tetrachloride	8.8911E-015	1.8625E-014
RCPTR_44	farmer_child	TOCDFDFS	Chlorine	1.7723E-013	3.7182E-013
RCPTR_44	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.9824E-010	9.7743E-010
RCPTR_44	farmer_child	TOCDFDFS	Chloroaniline, p-	2.6585E-011	5.5705E-011
RCPTR_44	farmer_child	TOCDFDFS	Chlorobenzene	5.2055E-014	1.0895E-013
RCPTR_44	farmer_child	TOCDFDFS	Chloroethane	1.4698E-016	3.0578E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.0150E-015	1.4712E-014
RCPTR_44	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.0810E-009	4.3455E-009
RCPTR_44	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.3760E-011	1.5472E-010
RCPTR_44	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.7668E-009	5.4247E-009
RCPTR_44	farmer_child	TOCDFDFS	Chromium	6.7296E-007	7.0328E-007
RCPTR_44	farmer_child	TOCDFDFS	Chromium, hexavalent	5.8444E-007	5.9363E-007
RCPTR_44	farmer_child	TOCDFDFS	Chrysene	5.7557E-006	6.3172E-006
RCPTR_44	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.5010E-008	5.0763E-008
RCPTR_44	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.1365E+002	2.1365E+002
RCPTR_44	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.0119E-004	4.0571E-004
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.3752E-012	7.0108E-012
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.0728E-012	8.4895E-012
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.9184E-012	8.1755E-012
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.8121E-008	3.3273E-008
RCPTR_44	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.2260E-017	2.5688E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.9353E-015	6.1563E-015
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.6464E-015	7.6482E-015
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.1117E-015	2.3305E-015
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7872E-015	3.7462E-015
RCPTR_44	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.5936E-010	6.7025E-010
RCPTR_44	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.0061E-014	2.1077E-014
RCPTR_44	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.3170E-015	6.9557E-015
RCPTR_44	farmer_child	TOCDFDFS	Diethyl phthalate	2.6789E-008	2.7773E-008
RCPTR_44	farmer_child	TOCDFDFS	Dimethyl phthalate	6.6635E-011	1.3863E-010
RCPTR_44	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	5.0369E-011	1.0542E-010
RCPTR_44	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	3.1615E-011	5.0754E-011
RCPTR_44	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.6663E-011	9.6563E-011
RCPTR_44	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.5880E-011	7.4525E-011
RCPTR_44	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.0707E-012	2.2461E-012
RCPTR_44	farmer_child	TOCDFDFS	Ethylbenzene	3.2018E-014	6.6466E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.8893E-009	2.1525E-009
RCPTR_44	farmer_child	TOCDFDFS	Fluoranthene	2.0561E-007	3.6483E-007
RCPTR_44	farmer_child	TOCDFDFS	Fluorene	3.1401E-009	6.5228E-009
RCPTR_44	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.6365E-013	7.8585E-013
RCPTR_44	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.6556E-013	6.8078E-013
RCPTR_44	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.0556E-012	2.1136E-012
RCPTR_44	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.7546E-011	1.7967E-011
RCPTR_44	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.0175E-011	1.0495E-011
RCPTR_44	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.7477E-012	8.0307E-012
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.4644E-012	5.6908E-012
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.9527E-012	5.1569E-012
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.9054E-012	6.1464E-012
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.5232E-012	4.7087E-012
RCPTR_44	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.6576E-011	1.3648E-010
RCPTR_44	farmer_child	TOCDFDFS	Hexachlorobenzene	1.3514E-007	2.7795E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.7758E-010	3.6206E-010
RCPTR_44	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.0449E-011	8.4352E-011
RCPTR_44	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.9181E-003	2.9279E-003
RCPTR_44	farmer_child	TOCDFDFS	Isophorone	7.6576E-012	1.6059E-011
RCPTR_44	farmer_child	TOCDFDFS	Lead	1.3742E-007	1.4813E-007
RCPTR_44	farmer_child	TOCDFDFS	Mercuric chloride	5.7323E-008	7.1247E-008
RCPTR_44	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.2814E-016	2.6880E-016
RCPTR_44	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.5266E-017	5.2991E-017
RCPTR_44	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.2933E-014	1.3202E-013
RCPTR_44	farmer_child	TOCDFDFS	Methyl mercury	6.7965E-010	7.2254E-010
RCPTR_44	farmer_child	TOCDFDFS	Methylene chloride	3.7858E-015	7.9405E-015
RCPTR_44	farmer_child	TOCDFDFS	Mustard	4.4606E-013	9.3536E-013
RCPTR_44	farmer_child	TOCDFDFS	Naphthalene	3.2394E-011	6.7741E-011
RCPTR_44	farmer_child	TOCDFDFS	Nickel	2.7442E-006	2.8937E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.3067E-010	2.7381E-010
RCPTR_44	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.1082E-011	6.5181E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitroaniline, 4-	4.0164E-011	8.4209E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitrobenzene	1.2923E-011	2.7108E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.8845E-012	1.2341E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.1478E-010	1.7616E-010
RCPTR_44	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.2944E-012	1.5284E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.1713E-012	1.5017E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.4570E-013	1.3453E-012
RCPTR_44	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2098E-012	1.2568E-012
RCPTR_44	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2716E-012	1.3200E-012
RCPTR_44	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.2376E-011	3.3305E-011
RCPTR_44	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.1087E-012	4.3083E-012
RCPTR_44	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6363E-011	1.7145E-011
RCPTR_44	farmer_child	TOCDFDFS	Pentachlorobenzene	5.0511E-010	1.0213E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0071E-010	4.0265E-010
RCPTR_44	farmer_child	TOCDFDFS	Pentachlorophenol	1.4164E-007	1.7945E-007
RCPTR_44	farmer_child	TOCDFDFS	Phenanthrene	9.9301E-012	2.0679E-011
RCPTR_44	farmer_child	TOCDFDFS	Phenol	1.0244E-011	2.1470E-011
RCPTR_44	farmer_child	TOCDFDFS	Pronamide	9.8538E-010	2.0455E-009
RCPTR_44	farmer_child	TOCDFDFS	Pyrene	3.3819E-007	5.2862E-007
RCPTR_44	farmer_child	TOCDFDFS	Selenium	4.2425E-008	4.2620E-008
RCPTR_44	farmer_child	TOCDFDFS	Silver	2.9805E-007	3.2177E-007
RCPTR_44	farmer_child	TOCDFDFS	Styrene	3.8112E-013	7.9861E-013
RCPTR_44	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0461E-011	1.1140E-011
RCPTR_44	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.3161E-012	3.6045E-012
RCPTR_44	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.0353E-010	1.6499E-009
RCPTR_44	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.1105E-011	2.5239E-011
RCPTR_44	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0688E-014	2.2397E-014
RCPTR_44	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.6362E-009	1.1236E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Thallium (l)	3.8882E-005	4.0469E-005
RCPTR_44	farmer_child	TOCDFDFS	Toluene	1.4313E-014	2.9925E-014
RCPTR_44	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.0558E-011	6.3348E-011
RCPTR_44	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.9086E-015	1.8676E-014
RCPTR_44	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.2780E-014	1.1069E-013
RCPTR_44	farmer_child	TOCDFDFS	Trichloroethylene	8.5849E-015	1.7991E-014
RCPTR_44	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1858E-015	2.4851E-015
RCPTR_44	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.5392E-009	7.2379E-009
RCPTR_44	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.7635E-009	7.2807E-009
RCPTR_44	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.9537E-013	4.0964E-013
RCPTR_44	farmer_child	TOCDFDFS	Vinyl Chloride	2.7883E-018	5.8467E-018
RCPTR_44	farmer_child	TOCDFDFS	Xylene, m-	9.7533E-014	1.4991E-013
RCPTR_44	farmer_child	TOCDFDFS	Xylene, o-	8.4322E-014	1.3649E-013
RCPTR_44	farmer_child	TOCDFDFS	Xylene, p-	1.2028E-013	2.0152E-013
RCPTR_44	farmer_child	TOCDFDFS	Zinc	1.4014E-007	1.6274E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Acenaphthene	1.6013E-010	3.3396E-010
RCPTR_44	farmer_child	TOCDFLIC	Acetone	5.7333E-015	1.2028E-014
RCPTR_44	farmer_child	TOCDFLIC	Acetophenone	8.4010E-013	1.7619E-012
RCPTR_44	farmer_child	TOCDFLIC	Aniline	5.0624E-014	1.0610E-013
RCPTR_44	farmer_child	TOCDFLIC	Anthracene	2.8262E-009	5.8910E-009
RCPTR_44	farmer_child	TOCDFLIC	Antimony	1.0600E-006	1.2132E-006
RCPTR_44	farmer_child	TOCDFLIC	Arsenic	1.7695E-006	1.8252E-006
RCPTR_44	farmer_child	TOCDFLIC	Barium	1.5285E-007	1.6982E-007
RCPTR_44	farmer_child	TOCDFLIC	Benzene	3.1546E-014	6.6092E-014
RCPTR_44	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.4329E-007	5.4975E-007
RCPTR_44	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.6790E-006	3.7914E-006
RCPTR_44	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2582E-006	2.5368E-006
RCPTR_44	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.6958E-006	5.8080E-006
RCPTR_44	farmer_child	TOCDFLIC	Benzoic acid	2.0651E-012	4.1607E-012
RCPTR_44	farmer_child	TOCDFLIC	Benzyl alcohol	1.8367E-010	3.8515E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Beryllium	2.5829E-007	2.7156E-007
RCPTR_44	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.1484E-012	2.4092E-012
RCPTR_44	farmer_child	TOCDFLIC	Bromodichloromethane	1.1380E-015	2.3867E-015
RCPTR_44	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.0599E-012	4.3208E-012
RCPTR_44	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.3741E-008	9.2501E-008
RCPTR_44	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.2327E-009	2.5327E-009
RCPTR_44	farmer_child	TOCDFLIC	Cadmium	3.6209E-008	4.4080E-008
RCPTR_44	farmer_child	TOCDFLIC	Carbon disulfide	7.4260E-015	1.5566E-014
RCPTR_44	farmer_child	TOCDFLIC	Carbon tetrachloride	1.4697E-013	3.0789E-013
RCPTR_44	farmer_child	TOCDFLIC	Chlorine	1.2247E-006	2.5694E-006
RCPTR_44	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.0008E-010	1.9631E-010
RCPTR_44	farmer_child	TOCDFLIC	Chloroaniline, p-	5.3392E-012	1.1187E-011
RCPTR_44	farmer_child	TOCDFLIC	Chlorobenzene	5.9229E-014	1.2397E-013
RCPTR_44	farmer_child	TOCDFLIC	Chloroethane	6.1058E-017	1.2703E-016
RCPTR_44	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.8960E-014	1.2365E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.1793E-010	8.7271E-010
RCPTR_44	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.4813E-011	3.1073E-011
RCPTR_44	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.5557E-010	1.0894E-009
RCPTR_44	farmer_child	TOCDFLIC	Chromium	1.1921E-006	1.2458E-006
RCPTR_44	farmer_child	TOCDFLIC	Chromium, hexavalent	1.0353E-006	1.0516E-006
RCPTR_44	farmer_child	TOCDFLIC	Chrysene	1.1543E-006	1.2669E-006
RCPTR_44	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.3968E-009	1.5753E-009
RCPTR_44	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.6382E+000	6.6382E+000
RCPTR_44	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.0155E-005	8.1040E-005
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.7785E-013	1.4080E-012
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.1795E-013	1.7050E-012
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.8695E-013	1.6419E-012
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8156E-009	3.3325E-009
RCPTR_44	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.8456E-018	1.0153E-017
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.9724E-016	4.1368E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5147E-015	3.1771E-015
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.4702E-017	1.5660E-016
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.4241E-016	1.5562E-015
RCPTR_44	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	7.2186E-011	1.3462E-010
RCPTR_44	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.1794E-015	8.7555E-015
RCPTR_44	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.4206E-015	2.9791E-015
RCPTR_44	farmer_child	TOCDFLIC	Diethyl phthalate	8.3228E-010	8.6284E-010
RCPTR_44	farmer_child	TOCDFLIC	Dimethyl phthalate	1.2680E-010	2.6381E-010
RCPTR_44	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.0116E-011	2.1172E-011
RCPTR_44	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.3511E-012	1.0195E-011
RCPTR_44	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.3702E-012	1.9392E-011
RCPTR_44	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.2056E-012	1.4967E-011
RCPTR_44	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.1503E-013	4.5109E-013
RCPTR_44	farmer_child	TOCDFLIC	Ethylbenzene	1.3954E-014	2.8966E-014
RCPTR_44	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.8876E-009	3.2927E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Fluoranthene	4.1283E-008	7.3258E-008
RCPTR_44	farmer_child	TOCDFLIC	Fluorene	6.3062E-010	1.3100E-009
RCPTR_44	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.3141E-012	6.4961E-012
RCPTR_44	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.0897E-011	2.1370E-011
RCPTR_44	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.8179E-011	4.9527E-011
RCPTR_44	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.3879E-011	5.5159E-011
RCPTR_44	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.1809E-011	3.2801E-011
RCPTR_44	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.6010E-011	2.6956E-011
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.4398E-011	5.6646E-011
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.7301E-011	4.9246E-011
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.8709E-011	5.0693E-011
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.0038E-011	4.1676E-011
RCPTR_44	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.3369E-011	2.7408E-011
RCPTR_44	farmer_child	TOCDFLIC	Hexachlorobenzene	2.7140E-008	5.5821E-008
RCPTR_44	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.5657E-011	7.2707E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.1236E-012	1.6941E-011
RCPTR_44	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8551E-004	5.8742E-004
RCPTR_44	farmer_child	TOCDFLIC	Isophorone	1.5379E-012	3.2252E-012
RCPTR_44	farmer_child	TOCDFLIC	Lead	7.0748E-007	7.6261E-007
RCPTR_44	farmer_child	TOCDFLIC	Mercuric chloride	1.3442E-007	1.6718E-007
RCPTR_44	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.3984E-017	1.7617E-016
RCPTR_44	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4818E-016	3.1077E-016
RCPTR_44	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1658E-013	2.4456E-013
RCPTR_44	farmer_child	TOCDFLIC	Methyl mercury	1.5804E-009	1.6813E-009
RCPTR_44	farmer_child	TOCDFLIC	Methylene chloride	1.5215E-014	3.1913E-014
RCPTR_44	farmer_child	TOCDFLIC	Mustard	1.5754E-013	3.3035E-013
RCPTR_44	farmer_child	TOCDFLIC	Naphthalene	1.0054E-012	2.1025E-012
RCPTR_44	farmer_child	TOCDFLIC	Nickel	2.8961E-006	3.0539E-006
RCPTR_44	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.6245E-011	5.4992E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.2425E-012	1.3091E-011
RCPTR_44	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.0666E-012	1.6913E-011
RCPTR_44	farmer_child	TOCDFLIC	Nitrobenzene	2.5954E-012	5.4442E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.1818E-012	2.4785E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.3065E-012	3.5392E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4650E-012	3.0696E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4402E-012	3.0160E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.2964E-013	2.7015E-013
RCPTR_44	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	9.1616E-012	9.5157E-012
RCPTR_44	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.0169E-012	9.3587E-012
RCPTR_44	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.2365E-010	1.2718E-010
RCPTR_44	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.9697E-011	2.0654E-011
RCPTR_44	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.4346E-011	7.7897E-011
RCPTR_44	farmer_child	TOCDFLIC	Pentachlorobenzene	5.0763E-010	1.0269E-009
RCPTR_44	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.0265E-011	8.0822E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Pentachlorophenol	5.6835E-009	7.1997E-009
RCPTR_44	farmer_child	TOCDFLIC	Phenanthrene	1.9943E-012	4.1529E-012
RCPTR_44	farmer_child	TOCDFLIC	Phenol	2.0573E-012	4.3119E-012
RCPTR_44	farmer_child	TOCDFLIC	Pronamide	1.9790E-010	4.1080E-010
RCPTR_44	farmer_child	TOCDFLIC	Pyrene	6.7914E-008	1.0616E-007
RCPTR_44	farmer_child	TOCDFLIC	Selenium	1.0733E-006	1.0782E-006
RCPTR_44	farmer_child	TOCDFLIC	Silver	2.9438E-006	3.1781E-006
RCPTR_44	farmer_child	TOCDFLIC	Styrene	2.3589E-011	4.9428E-011
RCPTR_44	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7055E-011	1.8163E-011
RCPTR_44	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.8290E-012	7.4236E-012
RCPTR_44	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6138E-010	3.3135E-010
RCPTR_44	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.5793E-015	1.5886E-014
RCPTR_44	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.8337E-015	5.9381E-015
RCPTR_44	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.3333E-009	2.2572E-009
RCPTR_44	farmer_child	TOCDFLIC	Thallium (l)	3.8140E-006	3.9696E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Toluene	5.5463E-014	1.1596E-013
RCPTR_44	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.1369E-012	1.2722E-011
RCPTR_44	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.4012E-014	5.0338E-014
RCPTR_44	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.1925E-014	4.5981E-014
RCPTR_44	farmer_child	TOCDFLIC	Trichloroethylene	3.5663E-015	7.4736E-015
RCPTR_44	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.6868E-016	9.8225E-016
RCPTR_44	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.1082E-010	1.4536E-009
RCPTR_44	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.5039E-010	2.9092E-010
RCPTR_44	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.1160E-014	1.7017E-013
RCPTR_44	farmer_child	TOCDFLIC	Vinyl Chloride	3.4718E-018	7.2800E-018
RCPTR_44	farmer_child	TOCDFLIC	Xylene, m-	8.5709E-014	1.3228E-013
RCPTR_44	farmer_child	TOCDFLIC	Xylene, o-	8.4958E-014	1.3805E-013
RCPTR_44	farmer_child	TOCDFLIC	Xylene, p-	1.0600E-013	1.7822E-013
RCPTR_44	farmer_child	TOCDFLIC	Zinc	1.2704E-006	1.4753E-006
RCPTR_44	farmer_child	TOCDFMPF	Acenaphthene	2.4445E-010	5.0980E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Acetone	2.0912E-014	4.3870E-014
RCPTR_44	farmer_child	TOCDFMPF	Acetophenone	1.3435E-012	2.8176E-012
RCPTR_44	farmer_child	TOCDFMPF	Aniline	7.7278E-014	1.6196E-013
RCPTR_44	farmer_child	TOCDFMPF	Anthracene	4.3143E-009	8.9927E-009
RCPTR_44	farmer_child	TOCDFMPF	Antimony	1.4442E-008	1.6530E-008
RCPTR_44	farmer_child	TOCDFMPF	Aroclor 1254	1.7994E-010	2.6468E-010
RCPTR_44	farmer_child	TOCDFMPF	Arsenic	9.1959E-008	9.4858E-008
RCPTR_44	farmer_child	TOCDFMPF	Barium	1.0829E-007	1.2031E-007
RCPTR_44	farmer_child	TOCDFMPF	Benzene	2.8154E-014	5.8984E-014
RCPTR_44	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.7674E-007	8.3926E-007
RCPTR_44	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.6169E-006	5.7884E-006
RCPTR_44	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.4475E-006	3.8727E-006
RCPTR_44	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	8.6958E-006	8.8672E-006
RCPTR_44	farmer_child	TOCDFMPF	Benzoic acid	9.1255E-012	1.8385E-011
RCPTR_44	farmer_child	TOCDFMPF	Benzyl alcohol	1.7524E-012	3.6746E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Beryllium	8.8027E-009	9.2550E-009
RCPTR_44	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.7531E-012	3.6777E-012
RCPTR_44	farmer_child	TOCDFMPF	Bromodichloromethane	3.4522E-014	7.2405E-014
RCPTR_44	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2016E-012	2.5203E-012
RCPTR_44	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	8.2036E-008	1.4121E-007
RCPTR_44	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.4089E-009	3.8668E-009
RCPTR_44	farmer_child	TOCDFMPF	Cadmium	1.6528E-007	2.0121E-007
RCPTR_44	farmer_child	TOCDFMPF	Carbon disulfide	2.7111E-015	5.6827E-015
RCPTR_44	farmer_child	TOCDFMPF	Carbon tetrachloride	2.5565E-014	5.3554E-014
RCPTR_44	farmer_child	TOCDFMPF	Chlorine	2.2531E-007	4.7268E-007
RCPTR_44	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.5277E-010	2.9968E-010
RCPTR_44	farmer_child	TOCDFMPF	Chloroaniline, p-	8.1504E-012	1.7078E-011
RCPTR_44	farmer_child	TOCDFMPF	Chlorobenzene	1.0611E-013	2.2209E-013
RCPTR_44	farmer_child	TOCDFMPF	Chloroethane	6.0081E-016	1.2500E-015
RCPTR_44	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.8515E-014	3.8829E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.3799E-010	1.3322E-009
RCPTR_44	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.2613E-011	4.7434E-011
RCPTR_44	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.4809E-010	1.6629E-009
RCPTR_44	farmer_child	TOCDFMPF	Chromium	2.2615E-007	2.3634E-007
RCPTR_44	farmer_child	TOCDFMPF	Chromium, hexavalent	1.9641E-007	1.9950E-007
RCPTR_44	farmer_child	TOCDFMPF	Chrysene	1.7622E-006	1.9342E-006
RCPTR_44	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.3797E-008	1.5561E-008
RCPTR_44	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.5572E+001	6.5572E+001
RCPTR_44	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.2238E-004	1.2373E-004
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.0348E-012	2.1493E-012
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2486E-012	2.6027E-012
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2013E-012	2.5064E-012
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.6227E-009	1.0205E-008
RCPTR_44	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.9797E-017	8.3390E-017
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.9836E-015	1.2549E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.4331E-015	1.5591E-014
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.2662E-015	4.7506E-015
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.6431E-015	7.6365E-015
RCPTR_44	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.1019E-010	2.0551E-010
RCPTR_44	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.0509E-014	4.2965E-014
RCPTR_44	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.7616E-015	1.4179E-014
RCPTR_44	farmer_child	TOCDFMPF	Diethyl phthalate	8.2211E-009	8.5231E-009
RCPTR_44	farmer_child	TOCDFMPF	Dimethyl phthalate	1.3521E-011	2.8130E-011
RCPTR_44	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.5442E-011	3.2320E-011
RCPTR_44	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	9.6776E-012	1.5535E-011
RCPTR_44	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.4304E-011	2.9602E-011
RCPTR_44	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0999E-011	2.2847E-011
RCPTR_44	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.2825E-013	6.8860E-013
RCPTR_44	farmer_child	TOCDFMPF	Ethylbenzene	6.5268E-014	1.3549E-013
RCPTR_44	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.2167E-010	5.9485E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Fluoranthene	6.3020E-008	1.1183E-007
RCPTR_44	farmer_child	TOCDFMPF	Fluorene	9.6265E-010	1.9997E-009
RCPTR_44	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.4602E-011	2.5312E-011
RCPTR_44	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.2850E-011	3.3594E-011
RCPTR_44	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.6375E-011	5.7953E-011
RCPTR_44	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.5384E-011	1.5749E-011
RCPTR_44	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.0673E-012	7.2878E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.1433E-012	6.3666E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0745E-011	1.1189E-011
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.5624E-012	4.7500E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.0497E-012	4.2146E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.6225E-012	3.7707E-012
RCPTR_44	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.0408E-011	4.1838E-011
RCPTR_44	farmer_child	TOCDFMPF	Hexachlorobenzene	4.1430E-008	8.5211E-008
RCPTR_44	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.4431E-011	1.1099E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2401E-011	2.5860E-011
RCPTR_44	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.9388E-004	8.9679E-004
RCPTR_44	farmer_child	TOCDFMPF	Isophorone	2.3476E-012	4.9234E-012
RCPTR_44	farmer_child	TOCDFMPF	Lead	8.1656E-008	8.8019E-008
RCPTR_44	farmer_child	TOCDFMPF	Mercuric chloride	2.2821E-006	2.8382E-006
RCPTR_44	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.3395E-016	9.1027E-016
RCPTR_44	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.5257E-017	5.2972E-017
RCPTR_44	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.3607E-014	4.9524E-014
RCPTR_44	farmer_child	TOCDFMPF	Methyl mercury	2.6836E-008	2.8549E-008
RCPTR_44	farmer_child	TOCDFMPF	Methylene chloride	1.1949E-014	2.5062E-014
RCPTR_44	farmer_child	TOCDFMPF	Mustard	1.1194E-012	2.3472E-012
RCPTR_44	farmer_child	TOCDFMPF	Naphthalene	9.9311E-012	2.0768E-011
RCPTR_44	farmer_child	TOCDFMPF	Nickel	1.8157E-006	1.9146E-006
RCPTR_44	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.9991E-011	8.3795E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Nitroaniline, 3-	9.5121E-012	1.9948E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.2291E-011	2.5771E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitrobenzene	3.9620E-012	8.3107E-012
RCPTR_44	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.8040E-012	3.7835E-012
RCPTR_44	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.5145E-011	5.3929E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.2363E-012	4.6858E-012
RCPTR_44	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.1985E-012	4.6039E-012
RCPTR_44	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.9790E-013	4.1239E-013
RCPTR_44	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.8263E-010	6.0515E-010
RCPTR_44	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0222E-009	1.0610E-009
RCPTR_44	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.4599E-012	6.6444E-012
RCPTR_44	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.5479E-012	8.9629E-012
RCPTR_44	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.9837E-012	5.2218E-012
RCPTR_44	farmer_child	TOCDFMPF	Pentachlorobenzene	1.5470E-010	3.1296E-010
RCPTR_44	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.1356E-011	1.2315E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Pentachlorophenol	4.3381E-008	5.4953E-008
RCPTR_44	farmer_child	TOCDFMPF	Phenanthrene	3.0443E-012	6.3395E-012
RCPTR_44	farmer_child	TOCDFMPF	Phenol	3.1405E-012	6.5822E-012
RCPTR_44	farmer_child	TOCDFMPF	Pronamide	3.0209E-010	6.2710E-010
RCPTR_44	farmer_child	TOCDFMPF	Pyrene	1.0367E-007	1.6205E-007
RCPTR_44	farmer_child	TOCDFMPF	Selenium	1.8815E-008	1.8901E-008
RCPTR_44	farmer_child	TOCDFMPF	Silver	3.9693E-007	4.2852E-007
RCPTR_44	farmer_child	TOCDFMPF	Styrene	5.3713E-013	1.1255E-012
RCPTR_44	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0382E-012	2.1706E-012
RCPTR_44	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.7574E-012	7.3457E-012
RCPTR_44	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.4635E-010	5.0582E-010
RCPTR_44	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.2993E-013	4.8193E-013
RCPTR_44	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.1787E-014	4.5655E-014
RCPTR_44	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.0316E-009	3.4394E-009
RCPTR_44	farmer_child	TOCDFMPF	Thallium (l)	1.1667E-007	1.2143E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Toluene	3.7158E-014	7.7688E-014
RCPTR_44	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.3681E-012	1.9421E-011
RCPTR_44	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.4074E-014	2.9505E-014
RCPTR_44	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.0759E-013	2.2563E-013
RCPTR_44	farmer_child	TOCDFMPF	Trichloroethylene	1.7500E-014	3.6674E-014
RCPTR_44	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.8297E-014	1.0122E-013
RCPTR_44	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0851E-009	2.2190E-009
RCPTR_44	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2957E-010	4.4409E-010
RCPTR_44	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.9826E-013	8.3505E-013
RCPTR_44	farmer_child	TOCDFMPF	Vinyl Chloride	9.5129E-018	1.9947E-017
RCPTR_44	farmer_child	TOCDFMPF	Xylene, m-	8.5687E-014	1.3223E-013
RCPTR_44	farmer_child	TOCDFMPF	Xylene, o-	8.4934E-014	1.3800E-013
RCPTR_44	farmer_child	TOCDFMPF	Xylene, p-	1.0597E-013	1.7815E-013
RCPTR_44	farmer_child	TOCDFMPF	Zinc	3.6160E-007	4.1991E-007
RCPTR_44	farmer_child	TOCDHVAC	Mustard	2.9058E-013	6.0933E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Acenaphthene	1.6013E-010	3.3396E-010
RCPTR_44	farmer_child	TOCDLIC2	Acetone	5.7333E-015	1.2028E-014
RCPTR_44	farmer_child	TOCDLIC2	Acetophenone	8.4010E-013	1.7619E-012
RCPTR_44	farmer_child	TOCDLIC2	Aniline	5.0624E-014	1.0610E-013
RCPTR_44	farmer_child	TOCDLIC2	Anthracene	2.8262E-009	5.8910E-009
RCPTR_44	farmer_child	TOCDLIC2	Antimony	1.0600E-006	1.2132E-006
RCPTR_44	farmer_child	TOCDLIC2	Arsenic	1.7695E-006	1.8252E-006
RCPTR_44	farmer_child	TOCDLIC2	Barium	1.5285E-007	1.6982E-007
RCPTR_44	farmer_child	TOCDLIC2	Benzene	3.1546E-014	6.6092E-014
RCPTR_44	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.4329E-007	5.4975E-007
RCPTR_44	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.6790E-006	3.7914E-006
RCPTR_44	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2582E-006	2.5368E-006
RCPTR_44	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.6958E-006	5.8080E-006
RCPTR_44	farmer_child	TOCDLIC2	Benzoic acid	2.0651E-012	4.1607E-012
RCPTR_44	farmer_child	TOCDLIC2	Benzyl alcohol	1.8367E-010	3.8515E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Beryllium	2.5829E-007	2.7156E-007
RCPTR_44	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.1484E-012	2.4092E-012
RCPTR_44	farmer_child	TOCDLIC2	Bromodichloromethane	1.1380E-015	2.3867E-015
RCPTR_44	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.0599E-012	4.3208E-012
RCPTR_44	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	5.3741E-008	9.2501E-008
RCPTR_44	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.2327E-009	2.5327E-009
RCPTR_44	farmer_child	TOCDLIC2	Cadmium	3.6209E-008	4.4080E-008
RCPTR_44	farmer_child	TOCDLIC2	Carbon disulfide	7.4260E-015	1.5566E-014
RCPTR_44	farmer_child	TOCDLIC2	Carbon tetrachloride	1.4697E-013	3.0789E-013
RCPTR_44	farmer_child	TOCDLIC2	Chlorine	1.2247E-006	2.5694E-006
RCPTR_44	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0008E-010	1.9631E-010
RCPTR_44	farmer_child	TOCDLIC2	Chloroaniline, p-	5.3392E-012	1.1187E-011
RCPTR_44	farmer_child	TOCDLIC2	Chlorobenzene	5.9229E-014	1.2397E-013
RCPTR_44	farmer_child	TOCDLIC2	Chloroethane	6.1058E-017	1.2703E-016
RCPTR_44	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.8960E-014	1.2365E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.1793E-010	8.7271E-010
RCPTR_44	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.4813E-011	3.1073E-011
RCPTR_44	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.5557E-010	1.0894E-009
RCPTR_44	farmer_child	TOCDLIC2	Chromium	1.1921E-006	1.2458E-006
RCPTR_44	farmer_child	TOCDLIC2	Chromium, hexavalent	1.0353E-006	1.0516E-006
RCPTR_44	farmer_child	TOCDLIC2	Chrysene	1.1543E-006	1.2669E-006
RCPTR_44	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.3968E-009	1.5753E-009
RCPTR_44	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.6382E+000	6.6382E+000
RCPTR_44	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.0155E-005	8.1040E-005
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.7785E-013	1.4080E-012
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	8.1795E-013	1.7050E-012
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.8695E-013	1.6419E-012
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8156E-009	3.3325E-009
RCPTR_44	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.8456E-018	1.0153E-017
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.9724E-016	4.1368E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5147E-015	3.1771E-015
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.4702E-017	1.5660E-016
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.4241E-016	1.5562E-015
RCPTR_44	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	7.2186E-011	1.3462E-010
RCPTR_44	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.1794E-015	8.7555E-015
RCPTR_44	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.4206E-015	2.9791E-015
RCPTR_44	farmer_child	TOCDLIC2	Diethyl phthalate	8.3228E-010	8.6284E-010
RCPTR_44	farmer_child	TOCDLIC2	Dimethyl phthalate	1.2680E-010	2.6381E-010
RCPTR_44	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.0116E-011	2.1172E-011
RCPTR_44	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.3511E-012	1.0195E-011
RCPTR_44	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	9.3702E-012	1.9392E-011
RCPTR_44	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	7.2056E-012	1.4967E-011
RCPTR_44	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.1503E-013	4.5109E-013
RCPTR_44	farmer_child	TOCDLIC2	Ethylbenzene	1.3954E-014	2.8966E-014
RCPTR_44	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.8876E-009	3.2927E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Fluoranthene	4.1283E-008	7.3258E-008
RCPTR_44	farmer_child	TOCDLIC2	Fluorene	6.3062E-010	1.3100E-009
RCPTR_44	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.3141E-012	6.4961E-012
RCPTR_44	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.0897E-011	2.1370E-011
RCPTR_44	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.8179E-011	4.9527E-011
RCPTR_44	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.3879E-011	5.5159E-011
RCPTR_44	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.1809E-011	3.2801E-011
RCPTR_44	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.6010E-011	2.6956E-011
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.4398E-011	5.6646E-011
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.7301E-011	4.9246E-011
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.8709E-011	5.0693E-011
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.0038E-011	4.1676E-011
RCPTR_44	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.3369E-011	2.7408E-011
RCPTR_44	farmer_child	TOCDLIC2	Hexachlorobenzene	2.7140E-008	5.5821E-008
RCPTR_44	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.5657E-011	7.2707E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.1236E-012	1.6941E-011
RCPTR_44	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8551E-004	5.8742E-004
RCPTR_44	farmer_child	TOCDLIC2	Isophorone	1.5379E-012	3.2252E-012
RCPTR_44	farmer_child	TOCDLIC2	Lead	7.0748E-007	7.6261E-007
RCPTR_44	farmer_child	TOCDLIC2	Mercuric chloride	1.3442E-007	1.6718E-007
RCPTR_44	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.3984E-017	1.7617E-016
RCPTR_44	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4818E-016	3.1077E-016
RCPTR_44	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1658E-013	2.4456E-013
RCPTR_44	farmer_child	TOCDLIC2	Methyl mercury	1.5804E-009	1.6813E-009
RCPTR_44	farmer_child	TOCDLIC2	Methylene chloride	1.5215E-014	3.1913E-014
RCPTR_44	farmer_child	TOCDLIC2	Mustard	1.6378E-013	3.4343E-013
RCPTR_44	farmer_child	TOCDLIC2	Naphthalene	1.0054E-012	2.1025E-012
RCPTR_44	farmer_child	TOCDLIC2	Nickel	2.8961E-006	3.0539E-006
RCPTR_44	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.6245E-011	5.4992E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Nitroaniline, 3-	6.2425E-012	1.3091E-011
RCPTR_44	farmer_child	TOCDLIC2	Nitroaniline, 4-	8.0666E-012	1.6913E-011
RCPTR_44	farmer_child	TOCDLIC2	Nitrobenzene	2.5954E-012	5.4442E-012
RCPTR_44	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.1818E-012	2.4785E-012
RCPTR_44	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.3065E-011	3.5392E-011
RCPTR_44	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4650E-012	3.0696E-012
RCPTR_44	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.4402E-012	3.0160E-012
RCPTR_44	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.2964E-013	2.7015E-013
RCPTR_44	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.1616E-012	9.5157E-012
RCPTR_44	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.0169E-012	9.3587E-012
RCPTR_44	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.2365E-010	1.2718E-010
RCPTR_44	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.9697E-011	2.0654E-011
RCPTR_44	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.4346E-011	7.7897E-011
RCPTR_44	farmer_child	TOCDLIC2	Pentachlorobenzene	5.0763E-010	1.0269E-009
RCPTR_44	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.0265E-011	8.0822E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Pentachlorophenol	5.6835E-009	7.1997E-009
RCPTR_44	farmer_child	TOCDLIC2	Phenanthrene	1.9943E-012	4.1529E-012
RCPTR_44	farmer_child	TOCDLIC2	Phenol	2.0573E-012	4.3119E-012
RCPTR_44	farmer_child	TOCDLIC2	Pronamide	1.9790E-010	4.1080E-010
RCPTR_44	farmer_child	TOCDLIC2	Pyrene	6.7914E-008	1.0616E-007
RCPTR_44	farmer_child	TOCDLIC2	Selenium	1.0733E-006	1.0782E-006
RCPTR_44	farmer_child	TOCDLIC2	Silver	2.9438E-006	3.1781E-006
RCPTR_44	farmer_child	TOCDLIC2	Styrene	2.3589E-011	4.9428E-011
RCPTR_44	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7055E-011	1.8163E-011
RCPTR_44	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.8290E-012	7.4236E-012
RCPTR_44	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.6138E-010	3.3135E-010
RCPTR_44	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.5793E-015	1.5886E-014
RCPTR_44	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8337E-015	5.9381E-015
RCPTR_44	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3333E-009	2.2572E-009
RCPTR_44	farmer_child	TOCDLIC2	Thallium (l)	3.8140E-006	3.9696E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Toluene	5.5463E-014	1.1596E-013
RCPTR_44	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.1369E-012	1.2722E-011
RCPTR_44	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.4012E-014	5.0338E-014
RCPTR_44	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.1925E-014	4.5981E-014
RCPTR_44	farmer_child	TOCDLIC2	Trichloroethylene	3.5663E-015	7.4736E-015
RCPTR_44	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.6868E-016	9.8225E-016
RCPTR_44	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.1082E-010	1.4536E-009
RCPTR_44	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5039E-010	2.9092E-010
RCPTR_44	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	8.1160E-014	1.7017E-013
RCPTR_44	farmer_child	TOCDLIC2	Vinyl Chloride	3.4718E-018	7.2800E-018
RCPTR_44	farmer_child	TOCDLIC2	Xylene, m-	1.7811E-013	2.7488E-013
RCPTR_44	farmer_child	TOCDLIC2	Xylene, o-	1.7655E-013	2.8687E-013
RCPTR_44	farmer_child	TOCDLIC2	Xylene, p-	2.2028E-013	3.7036E-013
RCPTR_44	farmer_child	TOCDLIC2	Zinc	1.2704E-006	1.4753E-006
RCPTR_45	farmer_adult	TOCDFBRA	Antimony	1.9359E-007	2.5214E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFBRA	Arsenic	3.2519E-007	3.4408E-007
RCPTR_45	farmer_adult	TOCDFBRA	Barium	2.6781E-008	3.2761E-008
RCPTR_45	farmer_adult	TOCDFBRA	Beryllium	8.9373E-008	9.9892E-008
RCPTR_45	farmer_adult	TOCDFBRA	Cadmium	1.4655E-008	2.2569E-008
RCPTR_45	farmer_adult	TOCDFBRA	Chromium	2.3420E-006	2.3575E-006
RCPTR_45	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.9331E-006	1.9880E-006
RCPTR_45	farmer_adult	TOCDFBRA	Lead	9.3725E-007	1.1012E-006
RCPTR_45	farmer_adult	TOCDFBRA	Mercuric chloride	1.5701E-004	1.6352E-004
RCPTR_45	farmer_adult	TOCDFBRA	Methyl mercury	1.7344E-006	1.7958E-006
RCPTR_45	farmer_adult	TOCDFBRA	Nickel	1.0625E-006	1.1796E-006
RCPTR_45	farmer_adult	TOCDFBRA	Selenium	3.6685E-007	3.6987E-007
RCPTR_45	farmer_adult	TOCDFBRA	Silver	1.2283E-007	1.4143E-007
RCPTR_45	farmer_adult	TOCDFBRA	Thallium (l)	3.3162E-006	3.5906E-006
RCPTR_45	farmer_adult	TOCDFBRA	Zinc	5.5146E-007	7.5025E-007
RCPTR_45	farmer_adult	TOCDFDFS	Acenaphthene	1.1678E-010	1.5266E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Acetone	1.2092E-015	1.6907E-014
RCPTR_45	farmer_adult	TOCDFDFS	Acetophenone	6.0764E-013	8.4672E-012
RCPTR_45	farmer_adult	TOCDFDFS	Aniline	3.5081E-014	4.8499E-013
RCPTR_45	farmer_adult	TOCDFDFS	Anthracene	2.0723E-009	2.6928E-008
RCPTR_45	farmer_adult	TOCDFDFS	Antimony	1.7472E-008	2.2740E-008
RCPTR_45	farmer_adult	TOCDFDFS	Aroclor 1254	1.8548E-010	4.2890E-010
RCPTR_45	farmer_adult	TOCDFDFS	Arsenic	3.4244E-008	3.6227E-008
RCPTR_45	farmer_adult	TOCDFDFS	Barium	2.2249E-008	2.7201E-008
RCPTR_45	farmer_adult	TOCDFDFS	Benzene	4.3888E-015	6.0426E-014
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.4693E-006	2.5103E-006
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.6260E-005	1.7329E-005
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	8.8777E-006	1.1569E-005
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.5271E-005	2.6535E-005
RCPTR_45	farmer_adult	TOCDFDFS	Benzoic acid	5.8450E-013	5.5042E-012
RCPTR_45	farmer_adult	TOCDFDFS	Benzyl alcohol	7.9101E-013	1.1003E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Beryllium	1.8510E-008	2.0682E-008
RCPTR_45	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.8763E-013	1.1013E-011
RCPTR_45	farmer_adult	TOCDFDFS	Bromodichloromethane	1.4042E-015	1.9578E-014
RCPTR_45	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.2444E-013	3.1323E-012
RCPTR_45	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.4475E-008	4.2284E-007
RCPTR_45	farmer_adult	TOCDFDFS	Butylbenzylphthalate	9.1727E-009	1.1606E-008
RCPTR_45	farmer_adult	TOCDFDFS	Cadmium	6.4590E-009	9.9363E-009
RCPTR_45	farmer_adult	TOCDFDFS	Carbon disulfide	7.7959E-016	1.0794E-014
RCPTR_45	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.2436E-015	1.7099E-014
RCPTR_45	farmer_adult	TOCDFDFS	Chlorine	2.4406E-014	3.4134E-013
RCPTR_45	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1651E-010	8.9700E-010
RCPTR_45	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.7091E-012	5.1139E-011
RCPTR_45	farmer_adult	TOCDFDFS	Chlorobenzene	7.3491E-015	1.0002E-013
RCPTR_45	farmer_adult	TOCDFDFS	Chloroethane	2.2050E-017	2.8071E-016
RCPTR_45	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.6948E-016	1.3506E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.0091E-010	3.9892E-009
RCPTR_45	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0170E-011	1.4204E-010
RCPTR_45	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.4932E-010	4.9784E-009
RCPTR_45	farmer_adult	TOCDFDFS	Chromium	6.3881E-007	6.4303E-007
RCPTR_45	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.2758E-007	5.4252E-007
RCPTR_45	farmer_adult	TOCDFDFS	Chrysene	4.5961E-006	5.7766E-006
RCPTR_45	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.7035E-008	4.6406E-008
RCPTR_45	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.9505E+002	1.9505E+002
RCPTR_45	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.6111E-004	3.7061E-004
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.1427E-013	6.4358E-012
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.9959E-013	7.7934E-012
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.7135E-013	7.5052E-012
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2049E-008	3.0441E-008
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.7102E-018	2.3583E-017
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.0539E-016	5.6517E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0326E-016	7.0213E-015
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.5435E-016	2.1394E-015
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.4831E-016	3.4391E-015
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0855E-010	6.1492E-010
RCPTR_45	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.4066E-015	1.9349E-014
RCPTR_45	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.5895E-016	6.3855E-015
RCPTR_45	farmer_adult	TOCDFDFS	Diethyl phthalate	2.3761E-008	2.5365E-008
RCPTR_45	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.9958E-012	1.2727E-010
RCPTR_45	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.1104E-012	9.6780E-011
RCPTR_45	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.5350E-011	4.6522E-011
RCPTR_45	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	7.3675E-012	8.8643E-011
RCPTR_45	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.4694E-012	6.8413E-011
RCPTR_45	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.4755E-013	2.0620E-012
RCPTR_45	farmer_adult	TOCDFDFS	Ethylbenzene	4.9070E-015	6.1015E-014
RCPTR_45	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.5410E-009	1.9698E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Fluoranthene	5.7348E-008	3.3476E-007
RCPTR_45	farmer_adult	TOCDFDFS	Fluorene	4.7817E-010	5.9879E-009
RCPTR_45	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.7400E-013	7.1946E-013
RCPTR_45	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.9159E-013	6.2280E-013
RCPTR_45	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8158E-012	1.9348E-012
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5574E-011	1.6436E-011
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.9521E-012	9.6082E-012
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.7757E-012	7.3568E-012
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.7485E-012	5.2133E-012
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.3052E-012	4.7240E-012
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.1352E-012	5.6299E-012
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.9326E-012	4.3132E-012
RCPTR_45	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.1423E-011	1.2528E-010
RCPTR_45	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.2184E-008	2.5515E-007
RCPTR_45	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.1862E-011	3.3234E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.9269E-012	7.7436E-011
RCPTR_45	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.6539E-003	2.6734E-003
RCPTR_45	farmer_adult	TOCDFDFS	Isophorone	1.0584E-012	1.4743E-011
RCPTR_45	farmer_adult	TOCDFDFS	Lead	1.1535E-007	1.3547E-007
RCPTR_45	farmer_adult	TOCDFDFS	Mercuric chloride	6.2703E-008	6.5377E-008
RCPTR_45	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.7670E-017	2.4677E-016
RCPTR_45	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.4895E-018	4.8647E-017
RCPTR_45	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.6696E-015	1.2120E-013
RCPTR_45	farmer_adult	TOCDFDFS	Methyl mercury	6.3654E-010	6.6176E-010
RCPTR_45	farmer_adult	TOCDFDFS	Methylene chloride	5.2258E-016	7.2897E-015
RCPTR_45	farmer_adult	TOCDFDFS	Mustard	6.1723E-014	8.5869E-013
RCPTR_45	farmer_adult	TOCDFDFS	Naphthalene	4.6150E-012	6.2188E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nickel	2.3832E-006	2.6452E-006
RCPTR_45	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8230E-011	2.5136E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.2980E-012	5.9839E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.5676E-012	7.7306E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitrobenzene	1.7822E-012	2.4886E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.1316E-013	1.1329E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.1448E-011	1.6142E-010
RCPTR_45	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0176E-012	1.4031E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0068E-012	1.3786E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.5438E-014	1.2350E-012
RCPTR_45	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0556E-012	1.1518E-012
RCPTR_45	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1107E-012	1.2098E-012
RCPTR_45	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.8537E-011	3.0451E-011
RCPTR_45	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.5303E-012	3.9407E-012
RCPTR_45	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4082E-011	1.5688E-011
RCPTR_45	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.6696E-011	9.3751E-010
RCPTR_45	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.0686E-011	3.6959E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Pentachlorophenol	1.0261E-007	1.6419E-007
RCPTR_45	farmer_adult	TOCDFDFS	Phenanthrene	1.4760E-012	1.8983E-011
RCPTR_45	farmer_adult	TOCDFDFS	Phenol	1.4250E-012	1.9710E-011
RCPTR_45	farmer_adult	TOCDFDFS	Pronamide	1.5105E-010	1.8777E-009
RCPTR_45	farmer_adult	TOCDFDFS	Pyrene	8.5428E-008	4.8516E-007
RCPTR_45	farmer_adult	TOCDFDFS	Selenium	3.8631E-008	3.8948E-008
RCPTR_45	farmer_adult	TOCDFDFS	Silver	2.5559E-007	2.9417E-007
RCPTR_45	farmer_adult	TOCDFDFS	Styrene	5.3152E-014	7.3315E-013
RCPTR_45	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	8.7879E-012	1.0191E-011
RCPTR_45	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.7010E-012	3.2978E-012
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.3596E-010	1.5145E-009
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6348E-011	2.3082E-011
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.4894E-015	2.0561E-014
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8104E-009	1.0303E-008
RCPTR_45	farmer_adult	TOCDFDFS	Thallium (l)	3.4172E-005	3.6991E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Toluene	2.0436E-015	2.7472E-014
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.7444E-012	5.8152E-011
RCPTR_45	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.2363E-015	1.7145E-014
RCPTR_45	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.2966E-015	1.0161E-013
RCPTR_45	farmer_adult	TOCDFDFS	Trichloroethylene	1.1959E-015	1.6516E-014
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.6504E-016	2.2814E-015
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	6.1933E-010	6.6438E-009
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.5225E-010	6.6811E-009
RCPTR_45	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.7064E-014	3.7607E-013
RCPTR_45	farmer_adult	TOCDFDFS	Vinyl Chloride	3.8602E-019	5.3674E-018
RCPTR_45	farmer_adult	TOCDFDFS	Xylene, m-	5.2214E-014	1.3753E-013
RCPTR_45	farmer_adult	TOCDFDFS	Xylene, o-	4.0261E-014	1.2524E-013
RCPTR_45	farmer_adult	TOCDFDFS	Xylene, p-	5.2597E-014	1.8491E-013
RCPTR_45	farmer_adult	TOCDFDFS	Zinc	1.0950E-007	1.4885E-007
RCPTR_45	farmer_adult	TOCDFLIC	Acenaphthene	2.3516E-011	3.0744E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Acetone	7.9187E-016	1.1073E-014
RCPTR_45	farmer_adult	TOCDFLIC	Acetophenone	1.1640E-013	1.6220E-012
RCPTR_45	farmer_adult	TOCDFLIC	Aniline	7.0651E-015	9.7673E-014
RCPTR_45	farmer_adult	TOCDFLIC	Anthracene	4.1727E-010	5.4231E-009
RCPTR_45	farmer_adult	TOCDFLIC	Antimony	8.5455E-007	1.1121E-006
RCPTR_45	farmer_adult	TOCDFLIC	Arsenic	1.5807E-006	1.6722E-006
RCPTR_45	farmer_adult	TOCDFLIC	Barium	1.2732E-007	1.5565E-007
RCPTR_45	farmer_adult	TOCDFLIC	Benzene	4.4191E-015	6.0844E-014
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.9527E-007	5.0478E-007
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.2618E-006	3.4750E-006
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.7853E-006	2.3268E-006
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.0718E-006	5.3231E-006
RCPTR_45	farmer_adult	TOCDFLIC	Benzoic acid	4.0681E-013	3.8295E-012
RCPTR_45	farmer_adult	TOCDFLIC	Benzyl alcohol	2.5489E-011	3.5456E-010
RCPTR_45	farmer_adult	TOCDFLIC	Beryllium	2.2274E-007	2.4887E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.5862E-013	2.2179E-012
RCPTR_45	farmer_adult	TOCDFLIC	Bromodichloromethane	1.5759E-016	2.1972E-015
RCPTR_45	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.8501E-013	3.9777E-012
RCPTR_45	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	8.9564E-009	8.5156E-008
RCPTR_45	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8336E-009	2.3236E-009
RCPTR_45	farmer_adult	TOCDFLIC	Cadmium	2.6279E-008	4.0422E-008
RCPTR_45	farmer_adult	TOCDFLIC	Carbon disulfide	1.0349E-015	1.4330E-014
RCPTR_45	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.0615E-014	2.8344E-013
RCPTR_45	farmer_adult	TOCDFLIC	Chlorine	1.6912E-007	2.3654E-006
RCPTR_45	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.3480E-011	1.8066E-010
RCPTR_45	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.4698E-013	1.0299E-011
RCPTR_45	farmer_adult	TOCDFLIC	Chlorobenzene	8.3852E-015	1.1412E-013
RCPTR_45	farmer_adult	TOCDFLIC	Chloroethane	9.1865E-018	1.1694E-016
RCPTR_45	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.1710E-015	1.1383E-013
RCPTR_45	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.0600E-011	8.0339E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.0483E-012	2.8606E-011
RCPTR_45	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3069E-010	1.0025E-009
RCPTR_45	farmer_adult	TOCDFLIC	Chromium	1.1342E-006	1.1417E-006
RCPTR_45	farmer_adult	TOCDFLIC	Chromium, hexavalent	9.3681E-007	9.6333E-007
RCPTR_45	farmer_adult	TOCDFLIC	Chrysene	9.2453E-007	1.1619E-006
RCPTR_45	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.1528E-009	1.4444E-009
RCPTR_45	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.0792E+000	6.0792E+000
RCPTR_45	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2386E-005	7.4246E-005
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0357E-013	1.2961E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.2075E-013	1.5695E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.1507E-013	1.5115E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.2133E-009	3.0575E-009
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.7780E-019	9.3471E-018
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.7317E-017	3.8083E-016
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0964E-016	2.9248E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0400E-017	1.4416E-016
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0344E-016	1.4326E-015
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.1880E-011	1.2386E-010
RCPTR_45	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.8594E-016	8.0602E-015
RCPTR_45	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9711E-016	2.7425E-015
RCPTR_45	farmer_adult	TOCDFLIC	Diethyl phthalate	7.4054E-010	7.9046E-010
RCPTR_45	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.9070E-011	2.4285E-010
RCPTR_45	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.4320E-012	1.9491E-011
RCPTR_45	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.0936E-012	9.3717E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.4825E-012	1.7851E-011
RCPTR_45	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.1013E-012	1.3778E-011
RCPTR_45	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.9716E-014	4.1527E-013
RCPTR_45	farmer_adult	TOCDFLIC	Ethylbenzene	2.1444E-015	2.6665E-014
RCPTR_45	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.3594E-009	3.0212E-009
RCPTR_45	farmer_adult	TOCDFLIC	Fluoranthene	1.1542E-008	6.7407E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Fluorene	9.6291E-011	1.2059E-009
RCPTR_45	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.5873E-012	5.9607E-012
RCPTR_45	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.8627E-011	1.9599E-011
RCPTR_45	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.2671E-011	4.5441E-011
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.7959E-011	5.0585E-011
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.8058E-011	3.0098E-011
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.2801E-011	2.4745E-011
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.7377E-011	5.2002E-011
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.1210E-011	4.5207E-011
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.2455E-011	4.6532E-011
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.4890E-011	3.8257E-011
RCPTR_45	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.2988E-012	2.5229E-011
RCPTR_45	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.4670E-009	5.1384E-008
RCPTR_45	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.4106E-012	6.6925E-011
RCPTR_45	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1937E-012	1.5595E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3419E-004	5.3802E-004
RCPTR_45	farmer_adult	TOCDFLIC	Isophorone	2.1316E-013	2.9691E-012
RCPTR_45	farmer_adult	TOCDFLIC	Lead	5.9527E-007	6.9908E-007
RCPTR_45	farmer_adult	TOCDFLIC	Mercuric chloride	1.4750E-007	1.5381E-007
RCPTR_45	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.1613E-017	1.6218E-016
RCPTR_45	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.0521E-017	2.8610E-016
RCPTR_45	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.6104E-014	2.2514E-013
RCPTR_45	farmer_adult	TOCDFLIC	Methyl mercury	1.4840E-009	1.5435E-009
RCPTR_45	farmer_adult	TOCDFLIC	Methylene chloride	2.1061E-015	2.9379E-014
RCPTR_45	farmer_adult	TOCDFLIC	Mustard	2.1860E-014	3.0411E-013
RCPTR_45	farmer_adult	TOCDFLIC	Naphthalene	1.4364E-013	1.9355E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nickel	2.5211E-006	2.7982E-006
RCPTR_45	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.6715E-012	5.0625E-011
RCPTR_45	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.6562E-013	1.2052E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1212E-012	1.5570E-011
RCPTR_45	farmer_adult	TOCDFLIC	Nitrobenzene	3.5892E-013	5.0119E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.6376E-013	2.2817E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2390E-012	3.2525E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0494E-013	2.8258E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.0278E-013	2.7765E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.9185E-014	2.4868E-013
RCPTR_45	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.0109E-012	8.7379E-012
RCPTR_45	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.8926E-012	8.5937E-012
RCPTR_45	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0931E-010	1.1660E-010
RCPTR_45	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.6971E-011	1.8942E-011
RCPTR_45	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.4150E-011	7.1459E-011
RCPTR_45	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.7072E-011	9.4528E-010
RCPTR_45	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.1502E-012	7.4392E-011
RCPTR_45	farmer_adult	TOCDFLIC	Pentachlorophenol	4.1309E-009	6.6073E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Phenanthrene	2.9724E-013	3.8230E-012
RCPTR_45	farmer_adult	TOCDFLIC	Phenol	2.8698E-013	3.9695E-012
RCPTR_45	farmer_adult	TOCDFLIC	Pronamide	3.0422E-011	3.7816E-010
RCPTR_45	farmer_adult	TOCDFLIC	Pyrene	1.7202E-008	9.7704E-008
RCPTR_45	farmer_adult	TOCDFLIC	Selenium	9.7959E-007	9.8762E-007
RCPTR_45	farmer_adult	TOCDFLIC	Silver	2.5304E-006	2.9123E-006
RCPTR_45	farmer_adult	TOCDFLIC	Styrene	3.2989E-012	4.5503E-011
RCPTR_45	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4366E-011	1.6661E-011
RCPTR_45	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	5.5774E-012	6.8110E-012
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.7385E-011	3.0501E-010
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.0567E-015	1.4625E-014
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.9596E-016	5.4666E-015
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.6660E-010	2.0756E-009
RCPTR_45	farmer_adult	TOCDFLIC	Thallium (l)	3.3599E-006	3.6370E-006
RCPTR_45	farmer_adult	TOCDFLIC	Toluene	7.9410E-015	1.0675E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.5544E-013	1.1711E-011
RCPTR_45	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.3416E-015	4.6340E-014
RCPTR_45	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.0395E-015	4.2329E-014
RCPTR_45	farmer_adult	TOCDFLIC	Trichloroethylene	4.9818E-016	6.8801E-015
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.5416E-017	9.0425E-016
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.2477E-010	1.3381E-009
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.8180E-011	2.6771E-010
RCPTR_45	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1274E-014	1.5666E-013
RCPTR_45	farmer_adult	TOCDFLIC	Vinyl Chloride	4.8195E-019	6.7019E-018
RCPTR_45	farmer_adult	TOCDFLIC	Xylene, m-	4.5592E-014	1.2165E-013
RCPTR_45	farmer_adult	TOCDFLIC	Xylene, o-	4.0272E-014	1.2698E-013
RCPTR_45	farmer_adult	TOCDFLIC	Xylene, p-	4.6000E-014	1.6396E-013
RCPTR_45	farmer_adult	TOCDFLIC	Zinc	9.9505E-007	1.3525E-006
RCPTR_45	farmer_adult	TOCDFMPF	Acenaphthene	3.5878E-011	4.6904E-010
RCPTR_45	farmer_adult	TOCDFMPF	Acetone	2.8866E-015	4.0364E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Acetophenone	1.8604E-013	2.5924E-012
RCPTR_45	farmer_adult	TOCDFMPF	Aniline	1.0779E-014	1.4901E-013
RCPTR_45	farmer_adult	TOCDFMPF	Anthracene	6.3661E-010	8.2737E-009
RCPTR_45	farmer_adult	TOCDFMPF	Antimony	1.1639E-008	1.5148E-008
RCPTR_45	farmer_adult	TOCDFMPF	Aroclor 1254	1.0478E-010	2.4311E-010
RCPTR_45	farmer_adult	TOCDFMPF	Arsenic	8.2125E-008	8.6878E-008
RCPTR_45	farmer_adult	TOCDFMPF	Barium	9.0173E-008	1.1024E-007
RCPTR_45	farmer_adult	TOCDFMPF	Benzene	3.9416E-015	5.4269E-014
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.5053E-007	7.7017E-007
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.9772E-006	5.3027E-006
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.7240E-006	3.5501E-006
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.7391E-006	8.1227E-006
RCPTR_45	farmer_adult	TOCDFMPF	Benzoic acid	1.7966E-012	1.6912E-011
RCPTR_45	farmer_adult	TOCDFMPF	Benzyl alcohol	2.4304E-013	3.3808E-012
RCPTR_45	farmer_adult	TOCDFMPF	Beryllium	7.5891E-009	8.4793E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.4200E-013	3.3837E-012
RCPTR_45	farmer_adult	TOCDFMPF	Bromodichloromethane	4.7778E-015	6.6617E-014
RCPTR_45	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.6615E-013	2.3188E-012
RCPTR_45	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3664E-008	1.2992E-007
RCPTR_45	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.7983E-009	3.5459E-009
RCPTR_45	farmer_adult	TOCDFMPF	Cadmium	1.1992E-007	1.8446E-007
RCPTR_45	farmer_adult	TOCDFMPF	Carbon disulfide	3.7761E-016	5.2284E-015
RCPTR_45	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.5838E-015	4.9273E-014
RCPTR_45	farmer_adult	TOCDFMPF	Chlorine	3.1095E-008	4.3490E-007
RCPTR_45	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.5821E-011	2.7563E-010
RCPTR_45	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.1396E-012	1.5713E-011
RCPTR_45	farmer_adult	TOCDFMPF	Chlorobenzene	1.5014E-014	2.0434E-013
RCPTR_45	farmer_adult	TOCDFMPF	Chloroethane	9.0344E-017	1.1500E-015
RCPTR_45	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.5644E-015	3.5725E-014
RCPTR_45	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	9.2453E-011	1.2257E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.1249E-012	4.3642E-011
RCPTR_45	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.9939E-010	1.5295E-009
RCPTR_45	farmer_adult	TOCDFMPF	Chromium	2.1512E-007	2.1654E-007
RCPTR_45	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.7767E-007	1.8270E-007
RCPTR_45	farmer_adult	TOCDFMPF	Chrysene	1.4106E-006	1.7728E-006
RCPTR_45	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.1380E-008	1.4259E-008
RCPTR_45	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.0010E+001	6.0010E+001
RCPTR_45	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.1046E-004	1.1330E-004
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.5801E-013	1.9774E-012
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.8423E-013	2.3945E-012
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.7555E-013	2.3060E-012
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.7744E-009	9.3583E-009
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.5636E-018	7.6724E-017
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.2821E-016	1.1546E-014
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0282E-015	1.4344E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.1533E-016	4.3709E-015
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.0730E-016	7.0261E-015
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.3381E-011	1.8896E-010
RCPTR_45	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.8736E-015	3.9530E-014
RCPTR_45	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.3761E-016	1.3046E-014
RCPTR_45	farmer_adult	TOCDFMPF	Diethyl phthalate	7.3102E-009	7.8030E-009
RCPTR_45	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.0323E-012	2.5881E-011
RCPTR_45	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.1848E-012	2.9736E-011
RCPTR_45	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.7111E-012	1.4272E-011
RCPTR_45	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.2618E-012	2.7234E-011
RCPTR_45	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.6801E-012	2.1020E-011
RCPTR_45	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.5336E-014	6.3355E-013
RCPTR_45	farmer_adult	TOCDFMPF	Ethylbenzene	1.0025E-014	1.2465E-013
RCPTR_45	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.2608E-010	5.4554E-010
RCPTR_45	farmer_adult	TOCDFMPF	Fluoranthene	1.7609E-008	1.0284E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Fluorene	1.4691E-010	1.8398E-009
RCPTR_45	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1764E-011	2.3219E-011
RCPTR_45	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.9271E-011	3.0798E-011
RCPTR_45	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.9916E-011	5.3157E-011
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3688E-011	1.4438E-011
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.2322E-012	6.6855E-012
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.3843E-012	5.8435E-012
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.3567E-012	1.0270E-011
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.9741E-012	4.3596E-012
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.5290E-012	3.8679E-012
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.1561E-012	3.4607E-012
RCPTR_45	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.5073E-012	3.8490E-011
RCPTR_45	farmer_adult	TOCDFMPF	Hexachlorobenzene	6.8151E-009	7.8393E-008
RCPTR_45	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	9.7807E-012	1.0210E-010
RCPTR_45	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.8212E-012	2.3793E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.1500E-004	8.2085E-004
RCPTR_45	farmer_adult	TOCDFMPF	Isophorone	3.2521E-013	4.5298E-012
RCPTR_45	farmer_adult	TOCDFMPF	Lead	6.8685E-008	8.0663E-008
RCPTR_45	farmer_adult	TOCDFMPF	Mercuric chloride	2.5029E-006	2.6100E-006
RCPTR_45	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.9971E-017	8.3751E-016
RCPTR_45	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.4959E-018	4.8737E-017
RCPTR_45	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.2593E-015	4.5566E-014
RCPTR_45	farmer_adult	TOCDFMPF	Methyl mercury	2.5192E-008	2.6201E-008
RCPTR_45	farmer_adult	TOCDFMPF	Methylene chloride	1.6530E-015	2.3059E-014
RCPTR_45	farmer_adult	TOCDFMPF	Mustard	1.5524E-013	2.1596E-012
RCPTR_45	farmer_adult	TOCDFMPF	Naphthalene	1.4180E-012	1.9107E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nickel	1.5801E-006	1.7538E-006
RCPTR_45	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.5912E-012	7.7096E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.3182E-012	1.8353E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.7075E-012	2.3710E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitrobenzene	5.4759E-013	7.6464E-012
RCPTR_45	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.4984E-013	3.4810E-012
RCPTR_45	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.8868E-011	4.9530E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.1267E-013	4.3112E-012
RCPTR_45	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.0936E-013	4.2359E-012
RCPTR_45	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.9271E-014	3.7940E-013
RCPTR_45	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.0940E-010	5.5564E-010
RCPTR_45	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	8.9467E-010	9.7416E-010
RCPTR_45	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.7080E-012	6.0886E-012
RCPTR_45	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.3614E-012	8.2165E-012
RCPTR_45	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.2985E-012	4.7883E-012
RCPTR_45	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.9572E-011	2.8791E-010
RCPTR_45	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2415E-011	1.1329E-010
RCPTR_45	farmer_adult	TOCDFMPF	Pentachlorophenol	3.1510E-008	5.0400E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Phenanthrene	4.5349E-013	5.8325E-012
RCPTR_45	farmer_adult	TOCDFMPF	Phenol	4.3783E-013	6.0560E-012
RCPTR_45	farmer_adult	TOCDFMPF	Pronamide	4.6413E-011	5.7694E-010
RCPTR_45	farmer_adult	TOCDFMPF	Pyrene	2.6244E-008	1.4906E-007
RCPTR_45	farmer_adult	TOCDFMPF	Selenium	1.7168E-008	1.7309E-008
RCPTR_45	farmer_adult	TOCDFMPF	Silver	3.4109E-007	3.9257E-007
RCPTR_45	farmer_adult	TOCDFMPF	Styrene	7.5074E-014	1.0355E-012
RCPTR_45	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7160E-012	1.9901E-012
RCPTR_45	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.5160E-012	6.7360E-012
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.1779E-011	4.6534E-010
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.2039E-014	4.4341E-013
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.0426E-015	4.2006E-014
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.6283E-010	3.1608E-009
RCPTR_45	farmer_adult	TOCDFMPF	Thallium (l)	1.0275E-007	1.1122E-007
RCPTR_45	farmer_adult	TOCDFMPF	Toluene	5.3172E-015	7.1477E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.4577E-012	1.7867E-011
RCPTR_45	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.9575E-015	2.7146E-014
RCPTR_45	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.4907E-014	2.0760E-013
RCPTR_45	farmer_adult	TOCDFMPF	Trichloroethylene	2.4432E-015	3.3742E-014
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.7372E-015	9.3129E-014
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.9035E-010	2.0414E-009
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.8247E-011	4.0843E-010
RCPTR_45	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.5292E-014	7.6830E-013
RCPTR_45	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3198E-018	1.8353E-017
RCPTR_45	farmer_adult	TOCDFMPF	Xylene, m-	4.5584E-014	1.2156E-013
RCPTR_45	farmer_adult	TOCDFMPF	Xylene, o-	4.0264E-014	1.2688E-013
RCPTR_45	farmer_adult	TOCDFMPF	Xylene, p-	4.5989E-014	1.6382E-013
RCPTR_45	farmer_adult	TOCDFMPF	Zinc	2.8313E-007	3.8484E-007
RCPTR_45	farmer_adult	TOCDHVAC	Mustard	3.9326E-014	5.4717E-013
RCPTR_45	farmer_adult	TOCDLIC2	Acenaphthene	2.3516E-011	3.0744E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Acetone	7.9187E-016	1.1073E-014
RCPTR_45	farmer_adult	TOCDLIC2	Acetophenone	1.1640E-013	1.6220E-012
RCPTR_45	farmer_adult	TOCDLIC2	Aniline	7.0651E-015	9.7673E-014
RCPTR_45	farmer_adult	TOCDLIC2	Anthracene	4.1727E-010	5.4231E-009
RCPTR_45	farmer_adult	TOCDLIC2	Antimony	8.5455E-007	1.1121E-006
RCPTR_45	farmer_adult	TOCDLIC2	Arsenic	1.5807E-006	1.6722E-006
RCPTR_45	farmer_adult	TOCDLIC2	Barium	1.2732E-007	1.5565E-007
RCPTR_45	farmer_adult	TOCDLIC2	Benzene	4.4191E-015	6.0844E-014
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.9527E-007	5.0478E-007
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.2618E-006	3.4750E-006
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.7853E-006	2.3268E-006
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.0718E-006	5.3231E-006
RCPTR_45	farmer_adult	TOCDLIC2	Benzoic acid	4.0681E-013	3.8295E-012
RCPTR_45	farmer_adult	TOCDLIC2	Benzyl alcohol	2.5489E-011	3.5456E-010
RCPTR_45	farmer_adult	TOCDLIC2	Beryllium	2.2274E-007	2.4887E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.5862E-013	2.2179E-012
RCPTR_45	farmer_adult	TOCDLIC2	Bromodichloromethane	1.5759E-016	2.1972E-015
RCPTR_45	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.8501E-013	3.9777E-012
RCPTR_45	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	8.9564E-009	8.5156E-008
RCPTR_45	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.8336E-009	2.3236E-009
RCPTR_45	farmer_adult	TOCDLIC2	Cadmium	2.6279E-008	4.0422E-008
RCPTR_45	farmer_adult	TOCDLIC2	Carbon disulfide	1.0349E-015	1.4330E-014
RCPTR_45	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.0615E-014	2.8344E-013
RCPTR_45	farmer_adult	TOCDLIC2	Chlorine	1.6912E-007	2.3654E-006
RCPTR_45	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.3480E-011	1.8066E-010
RCPTR_45	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.4698E-013	1.0299E-011
RCPTR_45	farmer_adult	TOCDLIC2	Chlorobenzene	8.3852E-015	1.1412E-013
RCPTR_45	farmer_adult	TOCDLIC2	Chloroethane	9.1865E-018	1.1694E-016
RCPTR_45	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.1710E-015	1.1383E-013
RCPTR_45	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.0600E-011	8.0339E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.0483E-012	2.8606E-011
RCPTR_45	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3069E-010	1.0025E-009
RCPTR_45	farmer_adult	TOCDLIC2	Chromium	1.1342E-006	1.1417E-006
RCPTR_45	farmer_adult	TOCDLIC2	Chromium, hexavalent	9.3681E-007	9.6333E-007
RCPTR_45	farmer_adult	TOCDLIC2	Chrysene	9.2453E-007	1.1619E-006
RCPTR_45	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.1528E-009	1.4444E-009
RCPTR_45	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.0792E+000	6.0792E+000
RCPTR_45	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.2386E-005	7.4246E-005
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.0357E-013	1.2961E-012
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.2075E-013	1.5695E-012
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.1507E-013	1.5115E-012
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.2133E-009	3.0575E-009
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.7780E-019	9.3471E-018
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.7317E-017	3.8083E-016
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0964E-016	2.9248E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0400E-017	1.4416E-016
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0344E-016	1.4326E-015
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.1880E-011	1.2386E-010
RCPTR_45	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.8594E-016	8.0602E-015
RCPTR_45	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.9711E-016	2.7425E-015
RCPTR_45	farmer_adult	TOCDLIC2	Diethyl phthalate	7.4054E-010	7.9046E-010
RCPTR_45	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.9070E-011	2.4285E-010
RCPTR_45	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.4320E-012	1.9491E-011
RCPTR_45	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.0936E-012	9.3717E-012
RCPTR_45	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.4825E-012	1.7851E-011
RCPTR_45	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.1013E-012	1.3778E-011
RCPTR_45	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.9716E-014	4.1527E-013
RCPTR_45	farmer_adult	TOCDLIC2	Ethylbenzene	2.1444E-015	2.6665E-014
RCPTR_45	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.3594E-009	3.0212E-009
RCPTR_45	farmer_adult	TOCDLIC2	Fluoranthene	1.1542E-008	6.7407E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Fluorene	9.6291E-011	1.2059E-009
RCPTR_45	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.5873E-012	5.9607E-012
RCPTR_45	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.8627E-011	1.9599E-011
RCPTR_45	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.2671E-011	4.5441E-011
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.7959E-011	5.0585E-011
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.8058E-011	3.0098E-011
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.2801E-011	2.4745E-011
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.7377E-011	5.2002E-011
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.1210E-011	4.5207E-011
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.2455E-011	4.6532E-011
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.4890E-011	3.8257E-011
RCPTR_45	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.2988E-012	2.5229E-011
RCPTR_45	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.4670E-009	5.1384E-008
RCPTR_45	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.4106E-012	6.6925E-011
RCPTR_45	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.1937E-012	1.5595E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3419E-004	5.3802E-004
RCPTR_45	farmer_adult	TOCDLIC2	Isophorone	2.1316E-013	2.9691E-012
RCPTR_45	farmer_adult	TOCDLIC2	Lead	5.9527E-007	6.9908E-007
RCPTR_45	farmer_adult	TOCDLIC2	Mercuric chloride	1.4750E-007	1.5381E-007
RCPTR_45	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.1613E-017	1.6218E-016
RCPTR_45	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.0521E-017	2.8610E-016
RCPTR_45	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.6104E-014	2.2514E-013
RCPTR_45	farmer_adult	TOCDLIC2	Methyl mercury	1.4840E-009	1.5435E-009
RCPTR_45	farmer_adult	TOCDLIC2	Methylene chloride	2.1061E-015	2.9379E-014
RCPTR_45	farmer_adult	TOCDLIC2	Mustard	2.2726E-014	3.1616E-013
RCPTR_45	farmer_adult	TOCDLIC2	Naphthalene	1.4364E-013	1.9355E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nickel	2.5211E-006	2.7982E-006
RCPTR_45	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.6715E-012	5.0625E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nitroaniline, 3-	8.6562E-013	1.2052E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.1212E-012	1.5570E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nitrobenzene	3.5892E-013	5.0119E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.6376E-013	2.2817E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.2390E-011	3.2525E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.0494E-013	2.8258E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.0278E-013	2.7765E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.9185E-014	2.4868E-013
RCPTR_45	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.0109E-012	8.7379E-012
RCPTR_45	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.8926E-012	8.5937E-012
RCPTR_45	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.0931E-010	1.1660E-010
RCPTR_45	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.6971E-011	1.8942E-011
RCPTR_45	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.4150E-011	7.1459E-011
RCPTR_45	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.7072E-011	9.4528E-010
RCPTR_45	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.1502E-012	7.4392E-011
RCPTR_45	farmer_adult	TOCDLIC2	Pentachlorophenol	4.1309E-009	6.6073E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Phenanthrene	2.9724E-013	3.8230E-012
RCPTR_45	farmer_adult	TOCDLIC2	Phenol	2.8698E-013	3.9695E-012
RCPTR_45	farmer_adult	TOCDLIC2	Pronamide	3.0422E-011	3.7816E-010
RCPTR_45	farmer_adult	TOCDLIC2	Pyrene	1.7202E-008	9.7704E-008
RCPTR_45	farmer_adult	TOCDLIC2	Selenium	9.7959E-007	9.8762E-007
RCPTR_45	farmer_adult	TOCDLIC2	Silver	2.5304E-006	2.9123E-006
RCPTR_45	farmer_adult	TOCDLIC2	Styrene	3.2989E-012	4.5503E-011
RCPTR_45	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4366E-011	1.6661E-011
RCPTR_45	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	5.5774E-012	6.8110E-012
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.7385E-011	3.0501E-010
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.0567E-015	1.4625E-014
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.9596E-016	5.4666E-015
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.6660E-010	2.0756E-009
RCPTR_45	farmer_adult	TOCDLIC2	Thallium (l)	3.3599E-006	3.6370E-006
RCPTR_45	farmer_adult	TOCDLIC2	Toluene	7.9410E-015	1.0675E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.5544E-013	1.1711E-011
RCPTR_45	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.3416E-015	4.6340E-014
RCPTR_45	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.0395E-015	4.2329E-014
RCPTR_45	farmer_adult	TOCDLIC2	Trichloroethylene	4.9818E-016	6.8801E-015
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.5416E-017	9.0425E-016
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.2477E-010	1.3381E-009
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.8180E-011	2.6771E-010
RCPTR_45	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.1274E-014	1.5666E-013
RCPTR_45	farmer_adult	TOCDLIC2	Vinyl Chloride	4.8195E-019	6.7019E-018
RCPTR_45	farmer_adult	TOCDLIC2	Xylene, m-	9.4743E-014	2.5280E-013
RCPTR_45	farmer_adult	TOCDLIC2	Xylene, o-	8.3688E-014	2.6388E-013
RCPTR_45	farmer_adult	TOCDLIC2	Xylene, p-	9.5590E-014	3.4071E-013
RCPTR_45	farmer_adult	TOCDLIC2	Zinc	9.9505E-007	1.3525E-006
RCPTR_45	farmer_child	TOCDFBRA	Antimony	2.2014E-007	2.5214E-007
RCPTR_45	farmer_child	TOCDFBRA	Arsenic	3.3350E-007	3.4408E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFBRA	Barium	2.9468E-008	3.2761E-008
RCPTR_45	farmer_child	TOCDFBRA	Beryllium	9.4984E-008	9.9892E-008
RCPTR_45	farmer_child	TOCDFBRA	Cadmium	1.8522E-008	2.2569E-008
RCPTR_45	farmer_child	TOCDFBRA	Chromium	2.2553E-006	2.3575E-006
RCPTR_45	farmer_child	TOCDFBRA	Chromium, hexavalent	1.9571E-006	1.9880E-006
RCPTR_45	farmer_child	TOCDFBRA	Lead	1.0212E-006	1.1012E-006
RCPTR_45	farmer_child	TOCDFBRA	Mercuric chloride	1.3241E-004	1.6352E-004
RCPTR_45	farmer_child	TOCDFBRA	Methyl mercury	1.7000E-006	1.7958E-006
RCPTR_45	farmer_child	TOCDFBRA	Nickel	1.1184E-006	1.1796E-006
RCPTR_45	farmer_child	TOCDFBRA	Selenium	3.6817E-007	3.6987E-007
RCPTR_45	farmer_child	TOCDFBRA	Silver	1.3095E-007	1.4143E-007
RCPTR_45	farmer_child	TOCDFBRA	Thallium (l)	3.4490E-006	3.5906E-006
RCPTR_45	farmer_child	TOCDFBRA	Zinc	6.4558E-007	7.5025E-007
RCPTR_45	farmer_child	TOCDFDFS	Acenaphthene	7.3196E-010	1.5266E-009
RCPTR_45	farmer_child	TOCDFDFS	Acetone	8.0594E-015	1.6907E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Acetophenone	4.0373E-012	8.4672E-012
RCPTR_45	farmer_child	TOCDFDFS	Aniline	2.3141E-013	4.8499E-013
RCPTR_45	farmer_child	TOCDFDFS	Anthracene	1.2919E-008	2.6928E-008
RCPTR_45	farmer_child	TOCDFDFS	Antimony	1.9862E-008	2.2740E-008
RCPTR_45	farmer_child	TOCDFDFS	Aroclor 1254	2.9170E-010	4.2890E-010
RCPTR_45	farmer_child	TOCDFDFS	Arsenic	3.5116E-008	3.6227E-008
RCPTR_45	farmer_child	TOCDFDFS	Barium	2.4474E-008	2.7201E-008
RCPTR_45	farmer_child	TOCDFDFS	Benzene	2.8842E-014	6.0426E-014
RCPTR_45	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.0232E-006	2.5103E-006
RCPTR_45	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.6810E-005	1.7329E-005
RCPTR_45	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.0294E-005	1.1569E-005
RCPTR_45	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.6014E-005	2.6535E-005
RCPTR_45	farmer_child	TOCDFDFS	Benzoic acid	2.7313E-012	5.5042E-012
RCPTR_45	farmer_child	TOCDFDFS	Benzyl alcohol	5.2474E-012	1.1003E-011
RCPTR_45	farmer_child	TOCDFDFS	Beryllium	1.9668E-008	2.0682E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.2496E-012	1.1013E-011
RCPTR_45	farmer_child	TOCDFDFS	Bromodichloromethane	9.3347E-015	1.9578E-014
RCPTR_45	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.4933E-012	3.1323E-012
RCPTR_45	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.4566E-007	4.2284E-007
RCPTR_45	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.0235E-008	1.1606E-008
RCPTR_45	farmer_child	TOCDFDFS	Cadmium	8.1583E-009	9.9363E-009
RCPTR_45	farmer_child	TOCDFDFS	Carbon disulfide	5.1497E-015	1.0794E-014
RCPTR_45	farmer_child	TOCDFDFS	Carbon tetrachloride	8.1622E-015	1.7099E-014
RCPTR_45	farmer_child	TOCDFDFS	Chlorine	1.6271E-013	3.4134E-013
RCPTR_45	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.5709E-010	8.9700E-010
RCPTR_45	farmer_child	TOCDFDFS	Chloroaniline, p-	2.4406E-011	5.1139E-011
RCPTR_45	farmer_child	TOCDFDFS	Chlorobenzene	4.7787E-014	1.0002E-013
RCPTR_45	farmer_child	TOCDFDFS	Chloroethane	1.3492E-016	2.8071E-016
RCPTR_45	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.4400E-015	1.3506E-014
RCPTR_45	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.9104E-009	3.9892E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Chlorophenol, 2-	6.7714E-011	1.4204E-010
RCPTR_45	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.5384E-009	4.9784E-009
RCPTR_45	farmer_child	TOCDFDFS	Chromium	6.1524E-007	6.4303E-007
RCPTR_45	farmer_child	TOCDFDFS	Chromium, hexavalent	5.3411E-007	5.4252E-007
RCPTR_45	farmer_child	TOCDFDFS	Chrysene	5.2610E-006	5.7766E-006
RCPTR_45	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.1124E-008	4.6406E-008
RCPTR_45	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.9505E+002	1.9505E+002
RCPTR_45	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.6646E-004	3.7061E-004
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.0982E-012	6.4358E-012
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.7387E-012	7.7934E-012
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.5970E-012	7.5052E-012
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.5711E-008	3.0441E-008
RCPTR_45	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1255E-017	2.3583E-017
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.6947E-015	5.6517E-015
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.3475E-015	7.0213E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0206E-015	2.1394E-015
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.6407E-015	3.4391E-015
RCPTR_45	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.2952E-010	6.1492E-010
RCPTR_45	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.2361E-015	1.9349E-014
RCPTR_45	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.0451E-015	6.3855E-015
RCPTR_45	farmer_child	TOCDFDFS	Diethyl phthalate	2.4461E-008	2.5365E-008
RCPTR_45	farmer_child	TOCDFDFS	Dimethyl phthalate	6.1169E-011	1.2727E-010
RCPTR_45	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.6239E-011	9.6780E-011
RCPTR_45	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.8952E-011	4.6522E-011
RCPTR_45	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.2834E-011	8.8643E-011
RCPTR_45	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.2936E-011	6.8413E-011
RCPTR_45	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.8295E-013	2.0620E-012
RCPTR_45	farmer_child	TOCDFDFS	Ethylbenzene	2.9391E-014	6.1015E-014
RCPTR_45	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.7281E-009	1.9698E-009
RCPTR_45	farmer_child	TOCDFDFS	Fluoranthene	1.8859E-007	3.3476E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Fluorene	2.8824E-009	5.9879E-009
RCPTR_45	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.9900E-013	7.1946E-013
RCPTR_45	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.0878E-013	6.2280E-013
RCPTR_45	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8813E-012	1.9348E-012
RCPTR_45	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6048E-011	1.6436E-011
RCPTR_45	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.3137E-012	9.6082E-012
RCPTR_45	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.0959E-012	7.3568E-012
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.0048E-012	5.2133E-012
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.5359E-012	4.7240E-012
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.4079E-012	5.6299E-012
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.1424E-012	4.3132E-012
RCPTR_45	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.1106E-011	1.2528E-010
RCPTR_45	farmer_child	TOCDFDFS	Hexachlorobenzene	1.2404E-007	2.5515E-007
RCPTR_45	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.6298E-010	3.3234E-010
RCPTR_45	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7131E-011	7.7436E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.6645E-003	2.6734E-003
RCPTR_45	farmer_child	TOCDFDFS	Isophorone	7.0299E-012	1.4743E-011
RCPTR_45	farmer_child	TOCDFDFS	Lead	1.2565E-007	1.3547E-007
RCPTR_45	farmer_child	TOCDFDFS	Mercuric chloride	5.2593E-008	6.5377E-008
RCPTR_45	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.1764E-016	2.4677E-016
RCPTR_45	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.3195E-017	4.8647E-017
RCPTR_45	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.7774E-014	1.2120E-013
RCPTR_45	farmer_child	TOCDFDFS	Methyl mercury	6.2238E-010	6.6176E-010
RCPTR_45	farmer_child	TOCDFDFS	Methylene chloride	3.4755E-015	7.2897E-015
RCPTR_45	farmer_child	TOCDFDFS	Mustard	4.0949E-013	8.5869E-013
RCPTR_45	farmer_child	TOCDFDFS	Naphthalene	2.9738E-011	6.2188E-011
RCPTR_45	farmer_child	TOCDFDFS	Nickel	2.5082E-006	2.6452E-006
RCPTR_45	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.1996E-010	2.5136E-010
RCPTR_45	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.8534E-011	5.9839E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.6872E-011	7.7306E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitrobenzene	1.1864E-011	2.4886E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.4021E-012	1.1329E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.0507E-010	1.6142E-010
RCPTR_45	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.6964E-012	1.4031E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	6.5834E-012	1.3786E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.9271E-013	1.2350E-012
RCPTR_45	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1085E-012	1.1518E-012
RCPTR_45	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1652E-012	1.2098E-012
RCPTR_45	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9596E-011	3.0451E-011
RCPTR_45	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.7573E-012	3.9407E-012
RCPTR_45	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4969E-011	1.5688E-011
RCPTR_45	farmer_child	TOCDFDFS	Pentachlorobenzene	4.6360E-010	9.3751E-010
RCPTR_45	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.8421E-010	3.6959E-010
RCPTR_45	farmer_child	TOCDFDFS	Pentachlorophenol	1.2948E-007	1.6419E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Phenanthrene	9.1154E-012	1.8983E-011
RCPTR_45	farmer_child	TOCDFDFS	Phenol	9.4040E-012	1.9710E-011
RCPTR_45	farmer_child	TOCDFDFS	Pronamide	9.0452E-010	1.8777E-009
RCPTR_45	farmer_child	TOCDFDFS	Pyrene	3.1034E-007	4.8516E-007
RCPTR_45	farmer_child	TOCDFDFS	Selenium	3.8770E-008	3.8948E-008
RCPTR_45	farmer_child	TOCDFDFS	Silver	2.7242E-007	2.9417E-007
RCPTR_45	farmer_child	TOCDFDFS	Styrene	3.4988E-013	7.3315E-013
RCPTR_45	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	9.5673E-012	1.0191E-011
RCPTR_45	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.0329E-012	3.2978E-012
RCPTR_45	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.3751E-010	1.5145E-009
RCPTR_45	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9286E-011	2.3082E-011
RCPTR_45	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.8116E-015	2.0561E-014
RCPTR_45	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.0798E-009	1.0303E-008
RCPTR_45	farmer_child	TOCDFDFS	Thallium (l)	3.5537E-005	3.6991E-005
RCPTR_45	farmer_child	TOCDFDFS	Toluene	1.3140E-014	2.7472E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.8050E-011	5.8152E-011
RCPTR_45	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.1784E-015	1.7145E-014
RCPTR_45	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.8454E-014	1.0161E-013
RCPTR_45	farmer_child	TOCDFDFS	Trichloroethylene	7.8811E-015	1.6516E-014
RCPTR_45	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0885E-015	2.2814E-015
RCPTR_45	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.2482E-009	6.6438E-009
RCPTR_45	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.4521E-009	6.6811E-009
RCPTR_45	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.7936E-013	3.7607E-013
RCPTR_45	farmer_child	TOCDFDFS	Vinyl Chloride	2.5597E-018	5.3674E-018
RCPTR_45	farmer_child	TOCDFDFS	Xylene, m-	8.9443E-014	1.3753E-013
RCPTR_45	farmer_child	TOCDFDFS	Xylene, o-	7.7341E-014	1.2524E-013
RCPTR_45	farmer_child	TOCDFDFS	Xylene, p-	1.1034E-013	1.8491E-013
RCPTR_45	farmer_child	TOCDFDFS	Zinc	1.2813E-007	1.4885E-007
RCPTR_45	farmer_child	TOCDFLIC	Acenaphthene	1.4741E-010	3.0744E-010
RCPTR_45	farmer_child	TOCDFLIC	Acetone	5.2781E-015	1.1073E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Acetophenone	7.7339E-013	1.6220E-012
RCPTR_45	farmer_child	TOCDFLIC	Aniline	4.6603E-014	9.7673E-014
RCPTR_45	farmer_child	TOCDFLIC	Anthracene	2.6017E-009	5.4231E-009
RCPTR_45	farmer_child	TOCDFLIC	Antimony	9.7138E-007	1.1121E-006
RCPTR_45	farmer_child	TOCDFLIC	Arsenic	1.6209E-006	1.6722E-006
RCPTR_45	farmer_child	TOCDFLIC	Barium	1.4005E-007	1.5565E-007
RCPTR_45	farmer_child	TOCDFLIC	Benzene	2.9041E-014	6.0844E-014
RCPTR_45	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.0676E-007	5.0478E-007
RCPTR_45	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.3715E-006	3.4750E-006
RCPTR_45	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.0703E-006	2.3268E-006
RCPTR_45	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.2196E-006	5.3231E-006
RCPTR_45	farmer_child	TOCDFLIC	Benzoic acid	1.9004E-012	3.8295E-012
RCPTR_45	farmer_child	TOCDFLIC	Benzyl alcohol	1.6909E-010	3.5456E-010
RCPTR_45	farmer_child	TOCDFLIC	Beryllium	2.3668E-007	2.4887E-007
RCPTR_45	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.0572E-012	2.2179E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Bromodichloromethane	1.0476E-015	2.1972E-015
RCPTR_45	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.8964E-012	3.9777E-012
RCPTR_45	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.9473E-008	8.5156E-008
RCPTR_45	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.0474E-009	2.3236E-009
RCPTR_45	farmer_child	TOCDFLIC	Cadmium	3.3190E-008	4.0422E-008
RCPTR_45	farmer_child	TOCDFLIC	Carbon disulfide	6.8362E-015	1.4330E-014
RCPTR_45	farmer_child	TOCDFLIC	Carbon tetrachloride	1.3530E-013	2.8344E-013
RCPTR_45	farmer_child	TOCDFLIC	Chlorine	1.1275E-006	2.3654E-006
RCPTR_45	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.2070E-011	1.8066E-010
RCPTR_45	farmer_child	TOCDFLIC	Chloroaniline, p-	4.9152E-012	1.0299E-011
RCPTR_45	farmer_child	TOCDFLIC	Chlorobenzene	5.4525E-014	1.1412E-013
RCPTR_45	farmer_child	TOCDFLIC	Chloroethane	5.6204E-017	1.1694E-016
RCPTR_45	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.4278E-014	1.1383E-013
RCPTR_45	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.8473E-010	8.0339E-010
RCPTR_45	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.3637E-011	2.8606E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.1113E-010	1.0025E-009
RCPTR_45	farmer_child	TOCDFLIC	Chromium	1.0924E-006	1.1417E-006
RCPTR_45	farmer_child	TOCDFLIC	Chromium, hexavalent	9.4839E-007	9.6333E-007
RCPTR_45	farmer_child	TOCDFLIC	Chrysene	1.0582E-006	1.1619E-006
RCPTR_45	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.2800E-009	1.4444E-009
RCPTR_45	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.0792E+000	6.0792E+000
RCPTR_45	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.3434E-005	7.4246E-005
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.2396E-013	1.2961E-012
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.5295E-013	1.5695E-012
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.2442E-013	1.5115E-012
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5817E-009	3.0575E-009
RCPTR_45	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.4608E-018	9.3471E-018
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.8158E-016	3.8083E-016
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3945E-015	2.9248E-015
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.8770E-017	1.4416E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.8345E-016	1.4326E-015
RCPTR_45	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	6.6381E-011	1.2386E-010
RCPTR_45	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.8475E-015	8.0602E-015
RCPTR_45	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3078E-015	2.7425E-015
RCPTR_45	farmer_child	TOCDFLIC	Diethyl phthalate	7.6232E-010	7.9046E-010
RCPTR_45	farmer_child	TOCDFLIC	Dimethyl phthalate	1.1672E-010	2.4285E-010
RCPTR_45	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	9.3123E-012	1.9491E-011
RCPTR_45	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.8332E-012	9.3717E-012
RCPTR_45	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.6251E-012	1.7851E-011
RCPTR_45	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.6328E-012	1.3778E-011
RCPTR_45	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.9796E-013	4.1527E-013
RCPTR_45	farmer_child	TOCDFLIC	Ethylbenzene	1.2844E-014	2.6665E-014
RCPTR_45	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.6482E-009	3.0212E-009
RCPTR_45	farmer_child	TOCDFLIC	Fluoranthene	3.7971E-008	6.7407E-008
RCPTR_45	farmer_child	TOCDFLIC	Fluorene	5.8049E-010	1.2059E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.7926E-012	5.9607E-012
RCPTR_45	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9162E-011	1.9599E-011
RCPTR_45	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.4196E-011	4.5441E-011
RCPTR_45	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.9404E-011	5.0585E-011
RCPTR_45	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.9182E-011	3.0098E-011
RCPTR_45	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.3872E-011	2.4745E-011
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.9927E-011	5.2002E-011
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.3412E-011	4.5207E-011
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.4702E-011	4.6532E-011
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.6746E-011	3.8257E-011
RCPTR_45	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.2305E-011	2.5229E-011
RCPTR_45	farmer_child	TOCDFLIC	Hexachlorobenzene	2.4981E-008	5.1384E-008
RCPTR_45	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.2817E-011	6.6925E-011
RCPTR_45	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.4780E-012	1.5595E-011
RCPTR_45	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3627E-004	5.3802E-004
RCPTR_45	farmer_child	TOCDFLIC	Isophorone	1.4158E-012	2.9691E-012
RCPTR_45	farmer_child	TOCDFLIC	Lead	6.4843E-007	6.9908E-007
RCPTR_45	farmer_child	TOCDFLIC	Mercuric chloride	1.2365E-007	1.5381E-007
RCPTR_45	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.7315E-017	1.6218E-016
RCPTR_45	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.3641E-016	2.8610E-016
RCPTR_45	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0732E-013	2.2514E-013
RCPTR_45	farmer_child	TOCDFLIC	Methyl mercury	1.4506E-009	1.5435E-009
RCPTR_45	farmer_child	TOCDFLIC	Methylene chloride	1.4007E-014	2.9379E-014
RCPTR_45	farmer_child	TOCDFLIC	Mustard	1.4503E-013	3.0411E-013
RCPTR_45	farmer_child	TOCDFLIC	Naphthalene	9.2557E-013	1.9355E-012
RCPTR_45	farmer_child	TOCDFLIC	Nickel	2.6533E-006	2.7982E-006
RCPTR_45	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.4161E-011	5.0625E-011
RCPTR_45	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.7468E-012	1.2052E-011
RCPTR_45	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.4260E-012	1.5570E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Nitrobenzene	2.3893E-012	5.0119E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0879E-012	2.2817E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.1176E-012	3.2525E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3486E-012	2.8258E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.3258E-012	2.7765E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.1933E-013	2.4868E-013
RCPTR_45	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.4110E-012	8.7379E-012
RCPTR_45	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.2781E-012	8.5937E-012
RCPTR_45	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1334E-010	1.1660E-010
RCPTR_45	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.8061E-011	1.8942E-011
RCPTR_45	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.8186E-011	7.1459E-011
RCPTR_45	farmer_child	TOCDFLIC	Pentachlorobenzene	4.6720E-010	9.4528E-010
RCPTR_45	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.7056E-011	7.4392E-011
RCPTR_45	farmer_child	TOCDFLIC	Pentachlorophenol	5.2115E-009	6.6073E-009
RCPTR_45	farmer_child	TOCDFLIC	Phenanthrene	1.8358E-012	3.8230E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Phenol	1.8939E-012	3.9695E-012
RCPTR_45	farmer_child	TOCDFLIC	Pronamide	1.8216E-010	3.7816E-010
RCPTR_45	farmer_child	TOCDFLIC	Pyrene	6.2496E-008	9.7704E-008
RCPTR_45	farmer_child	TOCDFLIC	Selenium	9.8310E-007	9.8762E-007
RCPTR_45	farmer_child	TOCDFLIC	Silver	2.6970E-006	2.9123E-006
RCPTR_45	farmer_child	TOCDFLIC	Styrene	2.1715E-011	4.5503E-011
RCPTR_45	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.5641E-011	1.6661E-011
RCPTR_45	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.2634E-012	6.8110E-012
RCPTR_45	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.4853E-010	3.0501E-010
RCPTR_45	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.9774E-015	1.4625E-014
RCPTR_45	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.6086E-015	5.4666E-015
RCPTR_45	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.2251E-009	2.0756E-009
RCPTR_45	farmer_child	TOCDFLIC	Thallium (l)	3.4940E-006	3.6370E-006
RCPTR_45	farmer_child	TOCDFLIC	Toluene	5.1057E-014	1.0675E-013
RCPTR_45	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.6490E-012	1.1711E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.2105E-014	4.6340E-014
RCPTR_45	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.0184E-014	4.2329E-014
RCPTR_45	farmer_child	TOCDFLIC	Trichloroethylene	3.2830E-015	6.8801E-015
RCPTR_45	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.3146E-016	9.0425E-016
RCPTR_45	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.5421E-010	1.3381E-009
RCPTR_45	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.3834E-010	2.6771E-010
RCPTR_45	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.4715E-014	1.5666E-013
RCPTR_45	farmer_child	TOCDFLIC	Vinyl Chloride	3.1961E-018	6.7019E-018
RCPTR_45	farmer_child	TOCDFLIC	Xylene, m-	7.8781E-014	1.2165E-013
RCPTR_45	farmer_child	TOCDFLIC	Xylene, o-	7.8109E-014	1.2698E-013
RCPTR_45	farmer_child	TOCDFLIC	Xylene, p-	9.7473E-014	1.6396E-013
RCPTR_45	farmer_child	TOCDFLIC	Zinc	1.1643E-006	1.3525E-006
RCPTR_45	farmer_child	TOCDFMPF	Acenaphthene	2.2489E-010	4.6904E-010
RCPTR_45	farmer_child	TOCDFMPF	Acetone	1.9240E-014	4.0364E-014
RCPTR_45	farmer_child	TOCDFMPF	Acetophenone	1.2361E-012	2.5924E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Aniline	7.1100E-014	1.4901E-013
RCPTR_45	farmer_child	TOCDFMPF	Anthracene	3.9692E-009	8.2737E-009
RCPTR_45	farmer_child	TOCDFMPF	Antimony	1.3231E-008	1.5148E-008
RCPTR_45	farmer_child	TOCDFMPF	Aroclor 1254	1.6514E-010	2.4311E-010
RCPTR_45	farmer_child	TOCDFMPF	Arsenic	8.4215E-008	8.6878E-008
RCPTR_45	farmer_child	TOCDFMPF	Barium	9.9190E-008	1.1024E-007
RCPTR_45	farmer_child	TOCDFMPF	Benzene	2.5903E-014	5.4269E-014
RCPTR_45	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.2063E-007	7.7017E-007
RCPTR_45	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.1447E-006	5.3027E-006
RCPTR_45	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.1588E-006	3.5501E-006
RCPTR_45	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.9647E-006	8.1227E-006
RCPTR_45	farmer_child	TOCDFMPF	Benzoic acid	8.3927E-012	1.6912E-011
RCPTR_45	farmer_child	TOCDFMPF	Benzyl alcohol	1.6123E-012	3.3808E-012
RCPTR_45	farmer_child	TOCDFMPF	Beryllium	8.0639E-009	8.4793E-009
RCPTR_45	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.6130E-012	3.3837E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Bromodichloromethane	3.1763E-014	6.6617E-014
RCPTR_45	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1055E-012	2.3188E-012
RCPTR_45	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	7.5478E-008	1.2992E-007
RCPTR_45	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.1245E-009	3.5459E-009
RCPTR_45	farmer_child	TOCDFMPF	Cadmium	1.5146E-007	1.8446E-007
RCPTR_45	farmer_child	TOCDFMPF	Carbon disulfide	2.4943E-015	5.2284E-015
RCPTR_45	farmer_child	TOCDFMPF	Carbon tetrachloride	2.3521E-014	4.9273E-014
RCPTR_45	farmer_child	TOCDFMPF	Chlorine	2.0730E-007	4.3490E-007
RCPTR_45	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4046E-010	2.7563E-010
RCPTR_45	farmer_child	TOCDFMPF	Chloroaniline, p-	7.4988E-012	1.5713E-011
RCPTR_45	farmer_child	TOCDFMPF	Chlorobenzene	9.7628E-014	2.0434E-013
RCPTR_45	farmer_child	TOCDFMPF	Chloroethane	5.5274E-016	1.1500E-015
RCPTR_45	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.7035E-014	3.5725E-014
RCPTR_45	farmer_child	TOCDFMPF	Chloronaphthalene,2-	5.8696E-010	1.2257E-009
RCPTR_45	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.0805E-011	4.3642E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.7981E-010	1.5295E-009
RCPTR_45	farmer_child	TOCDFMPF	Chromium	2.0718E-007	2.1654E-007
RCPTR_45	farmer_child	TOCDFMPF	Chromium, hexavalent	1.7987E-007	1.8270E-007
RCPTR_45	farmer_child	TOCDFMPF	Chrysene	1.6146E-006	1.7728E-006
RCPTR_45	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.2636E-008	1.4259E-008
RCPTR_45	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.0010E+001	6.0010E+001
RCPTR_45	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.1206E-004	1.1330E-004
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.5194E-013	1.9774E-012
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.1487E-012	2.3945E-012
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.1052E-012	2.3060E-012
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.9019E-009	9.3583E-009
RCPTR_45	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.6615E-017	7.6724E-017
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.5052E-015	1.1546E-014
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.8389E-015	1.4344E-014
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.0850E-015	4.3709E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.3519E-015	7.0261E-015
RCPTR_45	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.0127E-010	1.8896E-010
RCPTR_45	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.8869E-014	3.9530E-014
RCPTR_45	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.2211E-015	1.3046E-014
RCPTR_45	farmer_child	TOCDFMPF	Diethyl phthalate	7.5252E-009	7.8030E-009
RCPTR_45	farmer_child	TOCDFMPF	Dimethyl phthalate	1.2439E-011	2.5881E-011
RCPTR_45	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.4207E-011	2.9736E-011
RCPTR_45	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.8831E-012	1.4272E-011
RCPTR_45	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.3159E-011	2.7234E-011
RCPTR_45	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0119E-011	2.1020E-011
RCPTR_45	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.0202E-013	6.3355E-013
RCPTR_45	farmer_child	TOCDFMPF	Ethylbenzene	6.0045E-014	1.2465E-013
RCPTR_45	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.7821E-010	5.4554E-010
RCPTR_45	farmer_child	TOCDFMPF	Fluoranthene	5.7932E-008	1.0284E-007
RCPTR_45	farmer_child	TOCDFMPF	Fluorene	8.8562E-010	1.8398E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.2565E-011	2.3219E-011
RCPTR_45	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.0112E-011	3.0798E-011
RCPTR_45	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.1701E-011	5.3157E-011
RCPTR_45	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4100E-011	1.4438E-011
RCPTR_45	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.4820E-012	6.6855E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.6373E-012	5.8435E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.8603E-012	1.0270E-011
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.1865E-012	4.3596E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.7158E-012	3.8679E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.3240E-012	3.4607E-012
RCPTR_45	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.8773E-011	3.8490E-011
RCPTR_45	farmer_child	TOCDFMPF	Hexachlorobenzene	3.8112E-008	7.8393E-008
RCPTR_45	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.0067E-011	1.0210E-010
RCPTR_45	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1409E-011	2.3793E-011
RCPTR_45	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.1818E-004	8.2085E-004
RCPTR_45	farmer_child	TOCDFMPF	Isophorone	2.1600E-012	4.5298E-012
RCPTR_45	farmer_child	TOCDFMPF	Lead	7.4819E-008	8.0663E-008
RCPTR_45	farmer_child	TOCDFMPF	Mercuric chloride	2.0983E-006	2.6100E-006
RCPTR_45	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.9926E-016	8.3751E-016
RCPTR_45	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.3238E-017	4.8737E-017
RCPTR_45	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.1720E-014	4.5566E-014
RCPTR_45	farmer_child	TOCDFMPF	Methyl mercury	2.4625E-008	2.6201E-008
RCPTR_45	farmer_child	TOCDFMPF	Methylene chloride	1.0994E-014	2.3059E-014
RCPTR_45	farmer_child	TOCDFMPF	Mustard	1.0299E-012	2.1596E-012
RCPTR_45	farmer_child	TOCDFMPF	Naphthalene	9.1370E-012	1.9107E-011
RCPTR_45	farmer_child	TOCDFMPF	Nickel	1.6630E-006	1.7538E-006
RCPTR_45	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.6794E-011	7.7096E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.7517E-012	1.8353E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.1309E-011	2.3710E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Nitrobenzene	3.6453E-012	7.6464E-012
RCPTR_45	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.6598E-012	3.4810E-012
RCPTR_45	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.2248E-011	4.9530E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.0575E-012	4.3112E-012
RCPTR_45	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.0228E-012	4.2359E-012
RCPTR_45	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.8206E-013	3.7940E-013
RCPTR_45	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.3484E-010	5.5564E-010
RCPTR_45	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.3838E-010	9.7416E-010
RCPTR_45	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.9186E-012	6.0886E-012
RCPTR_45	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.8342E-012	8.2165E-012
RCPTR_45	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.5690E-012	4.7883E-012
RCPTR_45	farmer_child	TOCDFMPF	Pentachlorobenzene	1.4230E-010	2.8791E-010
RCPTR_45	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.6435E-011	1.1329E-010
RCPTR_45	farmer_child	TOCDFMPF	Pentachlorophenol	3.9753E-008	5.0400E-008
RCPTR_45	farmer_child	TOCDFMPF	Phenanthrene	2.8007E-012	5.8325E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Phenol	2.8894E-012	6.0560E-012
RCPTR_45	farmer_child	TOCDFMPF	Pronamide	2.7792E-010	5.7694E-010
RCPTR_45	farmer_child	TOCDFMPF	Pyrene	9.5347E-008	1.4906E-007
RCPTR_45	farmer_child	TOCDFMPF	Selenium	1.7229E-008	1.7309E-008
RCPTR_45	farmer_child	TOCDFMPF	Silver	3.6356E-007	3.9257E-007
RCPTR_45	farmer_child	TOCDFMPF	Styrene	4.9419E-013	1.0355E-012
RCPTR_45	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8682E-012	1.9901E-012
RCPTR_45	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.1945E-012	6.7360E-012
RCPTR_45	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.2661E-010	4.6534E-010
RCPTR_45	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.1155E-013	4.4341E-013
RCPTR_45	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0045E-014	4.2006E-014
RCPTR_45	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8656E-009	3.1608E-009
RCPTR_45	farmer_child	TOCDFMPF	Thallium (l)	1.0685E-007	1.1122E-007
RCPTR_45	farmer_child	TOCDFMPF	Toluene	3.4187E-014	7.1477E-014
RCPTR_45	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.6183E-012	1.7867E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2949E-014	2.7146E-014
RCPTR_45	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.8990E-014	2.0760E-013
RCPTR_45	farmer_child	TOCDFMPF	Trichloroethylene	1.6101E-014	3.3742E-014
RCPTR_45	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.4436E-014	9.3129E-014
RCPTR_45	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	9.9808E-010	2.0414E-009
RCPTR_45	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.1106E-010	4.0843E-010
RCPTR_45	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.6642E-013	7.6830E-013
RCPTR_45	farmer_child	TOCDFMPF	Vinyl Chloride	8.7524E-018	1.8353E-017
RCPTR_45	farmer_child	TOCDFMPF	Xylene, m-	7.8739E-014	1.2156E-013
RCPTR_45	farmer_child	TOCDFMPF	Xylene, o-	7.8061E-014	1.2688E-013
RCPTR_45	farmer_child	TOCDFMPF	Xylene, p-	9.7407E-014	1.6382E-013
RCPTR_45	farmer_child	TOCDFMPF	Zinc	3.3129E-007	3.8484E-007
RCPTR_45	farmer_child	TOCDHVAC	Mustard	2.6093E-013	5.4717E-013
RCPTR_45	farmer_child	TOCDLIC2	Acenaphthene	1.4741E-010	3.0744E-010
RCPTR_45	farmer_child	TOCDLIC2	Acetone	5.2781E-015	1.1073E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Acetophenone	7.7339E-013	1.6220E-012
RCPTR_45	farmer_child	TOCDLIC2	Aniline	4.6603E-014	9.7673E-014
RCPTR_45	farmer_child	TOCDLIC2	Anthracene	2.6017E-009	5.4231E-009
RCPTR_45	farmer_child	TOCDLIC2	Antimony	9.7138E-007	1.1121E-006
RCPTR_45	farmer_child	TOCDLIC2	Arsenic	1.6209E-006	1.6722E-006
RCPTR_45	farmer_child	TOCDLIC2	Barium	1.4005E-007	1.5565E-007
RCPTR_45	farmer_child	TOCDLIC2	Benzene	2.9041E-014	6.0844E-014
RCPTR_45	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.0676E-007	5.0478E-007
RCPTR_45	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.3715E-006	3.4750E-006
RCPTR_45	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.0703E-006	2.3268E-006
RCPTR_45	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.2196E-006	5.3231E-006
RCPTR_45	farmer_child	TOCDLIC2	Benzoic acid	1.9004E-012	3.8295E-012
RCPTR_45	farmer_child	TOCDLIC2	Benzyl alcohol	1.6909E-010	3.5456E-010
RCPTR_45	farmer_child	TOCDLIC2	Beryllium	2.3668E-007	2.4887E-007
RCPTR_45	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.0572E-012	2.2179E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Bromodichloromethane	1.0476E-015	2.1972E-015
RCPTR_45	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.8964E-012	3.9777E-012
RCPTR_45	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	4.9473E-008	8.5156E-008
RCPTR_45	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.0474E-009	2.3236E-009
RCPTR_45	farmer_child	TOCDLIC2	Cadmium	3.3190E-008	4.0422E-008
RCPTR_45	farmer_child	TOCDLIC2	Carbon disulfide	6.8362E-015	1.4330E-014
RCPTR_45	farmer_child	TOCDLIC2	Carbon tetrachloride	1.3530E-013	2.8344E-013
RCPTR_45	farmer_child	TOCDLIC2	Chlorine	1.1275E-006	2.3654E-006
RCPTR_45	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	9.2070E-011	1.8066E-010
RCPTR_45	farmer_child	TOCDLIC2	Chloroaniline, p-	4.9152E-012	1.0299E-011
RCPTR_45	farmer_child	TOCDLIC2	Chlorobenzene	5.4525E-014	1.1412E-013
RCPTR_45	farmer_child	TOCDLIC2	Chloroethane	5.6204E-017	1.1694E-016
RCPTR_45	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.4278E-014	1.1383E-013
RCPTR_45	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.8473E-010	8.0339E-010
RCPTR_45	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.3637E-011	2.8606E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.1113E-010	1.0025E-009
RCPTR_45	farmer_child	TOCDLIC2	Chromium	1.0924E-006	1.1417E-006
RCPTR_45	farmer_child	TOCDLIC2	Chromium, hexavalent	9.4839E-007	9.6333E-007
RCPTR_45	farmer_child	TOCDLIC2	Chrysene	1.0582E-006	1.1619E-006
RCPTR_45	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2800E-009	1.4444E-009
RCPTR_45	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.0792E+000	6.0792E+000
RCPTR_45	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.3434E-005	7.4246E-005
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.2396E-013	1.2961E-012
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.5295E-013	1.5695E-012
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.2442E-013	1.5115E-012
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5817E-009	3.0575E-009
RCPTR_45	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.4608E-018	9.3471E-018
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.8158E-016	3.8083E-016
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3945E-015	2.9248E-015
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.8770E-017	1.4416E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.8345E-016	1.4326E-015
RCPTR_45	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	6.6381E-011	1.2386E-010
RCPTR_45	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.8475E-015	8.0602E-015
RCPTR_45	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3078E-015	2.7425E-015
RCPTR_45	farmer_child	TOCDLIC2	Diethyl phthalate	7.6232E-010	7.9046E-010
RCPTR_45	farmer_child	TOCDLIC2	Dimethyl phthalate	1.1672E-010	2.4285E-010
RCPTR_45	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	9.3123E-012	1.9491E-011
RCPTR_45	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.8332E-012	9.3717E-012
RCPTR_45	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.6251E-012	1.7851E-011
RCPTR_45	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.6328E-012	1.3778E-011
RCPTR_45	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.9796E-013	4.1527E-013
RCPTR_45	farmer_child	TOCDLIC2	Ethylbenzene	1.2844E-014	2.6665E-014
RCPTR_45	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.6482E-009	3.0212E-009
RCPTR_45	farmer_child	TOCDLIC2	Fluoranthene	3.7971E-008	6.7407E-008
RCPTR_45	farmer_child	TOCDLIC2	Fluorene	5.8049E-010	1.2059E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.7926E-012	5.9607E-012
RCPTR_45	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9162E-011	1.9599E-011
RCPTR_45	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.4196E-011	4.5441E-011
RCPTR_45	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.9404E-011	5.0585E-011
RCPTR_45	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.9182E-011	3.0098E-011
RCPTR_45	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.3872E-011	2.4745E-011
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.9927E-011	5.2002E-011
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.3412E-011	4.5207E-011
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.4702E-011	4.6532E-011
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.6746E-011	3.8257E-011
RCPTR_45	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2305E-011	2.5229E-011
RCPTR_45	farmer_child	TOCDLIC2	Hexachlorobenzene	2.4981E-008	5.1384E-008
RCPTR_45	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.2817E-011	6.6925E-011
RCPTR_45	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.4780E-012	1.5595E-011
RCPTR_45	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3627E-004	5.3802E-004
RCPTR_45	farmer_child	TOCDLIC2	Isophorone	1.4158E-012	2.9691E-012
RCPTR_45	farmer_child	TOCDLIC2	Lead	6.4843E-007	6.9908E-007
RCPTR_45	farmer_child	TOCDLIC2	Mercuric chloride	1.2365E-007	1.5381E-007
RCPTR_45	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.7315E-017	1.6218E-016
RCPTR_45	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.3641E-016	2.8610E-016
RCPTR_45	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0732E-013	2.2514E-013
RCPTR_45	farmer_child	TOCDLIC2	Methyl mercury	1.4506E-009	1.5435E-009
RCPTR_45	farmer_child	TOCDLIC2	Methylene chloride	1.4007E-014	2.9379E-014
RCPTR_45	farmer_child	TOCDLIC2	Mustard	1.5077E-013	3.1616E-013
RCPTR_45	farmer_child	TOCDLIC2	Naphthalene	9.2557E-013	1.9355E-012
RCPTR_45	farmer_child	TOCDLIC2	Nickel	2.6533E-006	2.7982E-006
RCPTR_45	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.4161E-011	5.0625E-011
RCPTR_45	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.7468E-012	1.2052E-011
RCPTR_45	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.4260E-012	1.5570E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Nitrobenzene	2.3893E-012	5.0119E-012
RCPTR_45	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0879E-012	2.2817E-012
RCPTR_45	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.1176E-011	3.2525E-011
RCPTR_45	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3486E-012	2.8258E-012
RCPTR_45	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.3258E-012	2.7765E-012
RCPTR_45	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.1933E-013	2.4868E-013
RCPTR_45	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.4110E-012	8.7379E-012
RCPTR_45	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.2781E-012	8.5937E-012
RCPTR_45	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1334E-010	1.1660E-010
RCPTR_45	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.8061E-011	1.8942E-011
RCPTR_45	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.8186E-011	7.1459E-011
RCPTR_45	farmer_child	TOCDLIC2	Pentachlorobenzene	4.6720E-010	9.4528E-010
RCPTR_45	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.7056E-011	7.4392E-011
RCPTR_45	farmer_child	TOCDLIC2	Pentachlorophenol	5.2115E-009	6.6073E-009
RCPTR_45	farmer_child	TOCDLIC2	Phenanthrene	1.8358E-012	3.8230E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Phenol	1.8939E-012	3.9695E-012
RCPTR_45	farmer_child	TOCDLIC2	Pronamide	1.8216E-010	3.7816E-010
RCPTR_45	farmer_child	TOCDLIC2	Pyrene	6.2496E-008	9.7704E-008
RCPTR_45	farmer_child	TOCDLIC2	Selenium	9.8310E-007	9.8762E-007
RCPTR_45	farmer_child	TOCDLIC2	Silver	2.6970E-006	2.9123E-006
RCPTR_45	farmer_child	TOCDLIC2	Styrene	2.1715E-011	4.5503E-011
RCPTR_45	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5641E-011	1.6661E-011
RCPTR_45	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.2634E-012	6.8110E-012
RCPTR_45	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.4853E-010	3.0501E-010
RCPTR_45	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.9774E-015	1.4625E-014
RCPTR_45	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.6086E-015	5.4666E-015
RCPTR_45	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.2251E-009	2.0756E-009
RCPTR_45	farmer_child	TOCDLIC2	Thallium (l)	3.4940E-006	3.6370E-006
RCPTR_45	farmer_child	TOCDLIC2	Toluene	5.1057E-014	1.0675E-013
RCPTR_45	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.6490E-012	1.1711E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.2105E-014	4.6340E-014
RCPTR_45	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.0184E-014	4.2329E-014
RCPTR_45	farmer_child	TOCDLIC2	Trichloroethylene	3.2830E-015	6.8801E-015
RCPTR_45	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.3146E-016	9.0425E-016
RCPTR_45	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.5421E-010	1.3381E-009
RCPTR_45	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3834E-010	2.6771E-010
RCPTR_45	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.4715E-014	1.5666E-013
RCPTR_45	farmer_child	TOCDLIC2	Vinyl Chloride	3.1961E-018	6.7019E-018
RCPTR_45	farmer_child	TOCDLIC2	Xylene, m-	1.6371E-013	2.5280E-013
RCPTR_45	farmer_child	TOCDLIC2	Xylene, o-	1.6232E-013	2.6388E-013
RCPTR_45	farmer_child	TOCDLIC2	Xylene, p-	2.0255E-013	3.4071E-013
RCPTR_45	farmer_child	TOCDLIC2	Zinc	1.1643E-006	1.3525E-006
RCPTR_46	farmer_adult	TOCDFBRA	Antimony	1.4105E-007	1.8399E-007
RCPTR_46	farmer_adult	TOCDFBRA	Arsenic	2.3691E-007	2.5076E-007
RCPTR_46	farmer_adult	TOCDFBRA	Barium	1.9512E-008	2.3898E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFBRA	Beryllium	6.5143E-008	7.2857E-008
RCPTR_46	farmer_adult	TOCDFBRA	Cadmium	1.0680E-008	1.6484E-008
RCPTR_46	farmer_adult	TOCDFBRA	Chromium	1.7081E-006	1.7195E-006
RCPTR_46	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.4083E-006	1.4486E-006
RCPTR_46	farmer_adult	TOCDFBRA	Lead	6.8341E-007	8.0365E-007
RCPTR_46	farmer_adult	TOCDFBRA	Mercuric chloride	1.1323E-004	1.1791E-004
RCPTR_46	farmer_adult	TOCDFBRA	Methyl mercury	1.2581E-006	1.3023E-006
RCPTR_46	farmer_adult	TOCDFBRA	Nickel	7.7404E-007	8.5999E-007
RCPTR_46	farmer_adult	TOCDFBRA	Selenium	2.6725E-007	2.6946E-007
RCPTR_46	farmer_adult	TOCDFBRA	Silver	8.9487E-008	1.0313E-007
RCPTR_46	farmer_adult	TOCDFBRA	Thallium (l)	2.4159E-006	2.6172E-006
RCPTR_46	farmer_adult	TOCDFBRA	Zinc	4.0182E-007	5.4761E-007
RCPTR_46	farmer_adult	TOCDFDFS	Acenaphthene	8.8170E-011	1.1533E-009
RCPTR_46	farmer_adult	TOCDFDFS	Acetone	9.1353E-016	1.2774E-014
RCPTR_46	farmer_adult	TOCDFDFS	Acetophenone	4.5906E-013	6.3971E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Aniline	2.6501E-014	3.6641E-013
RCPTR_46	farmer_adult	TOCDFDFS	Anthracene	1.5647E-009	2.0344E-008
RCPTR_46	farmer_adult	TOCDFDFS	Antimony	1.3411E-008	1.7469E-008
RCPTR_46	farmer_adult	TOCDFDFS	Aroclor 1254	1.3984E-010	3.2376E-010
RCPTR_46	farmer_adult	TOCDFDFS	Arsenic	2.6283E-008	2.7810E-008
RCPTR_46	farmer_adult	TOCDFDFS	Barium	1.7077E-008	2.0892E-008
RCPTR_46	farmer_adult	TOCDFDFS	Benzene	3.3152E-015	4.5652E-014
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.1023E-006	1.8895E-006
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.2214E-005	1.3031E-005
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.6521E-006	8.6884E-006
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.8975E-005	1.9947E-005
RCPTR_46	farmer_adult	TOCDFDFS	Benzoic acid	4.3982E-013	4.1567E-012
RCPTR_46	farmer_adult	TOCDFDFS	Benzyl alcohol	5.9759E-013	8.3133E-012
RCPTR_46	farmer_adult	TOCDFDFS	Beryllium	1.4211E-008	1.5884E-008
RCPTR_46	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.9507E-013	8.3204E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Bromodichloromethane	1.0608E-015	1.4792E-014
RCPTR_46	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.6957E-013	2.3665E-012
RCPTR_46	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.3603E-008	3.1947E-007
RCPTR_46	farmer_adult	TOCDFDFS	Butylbenzylphthalate	6.9185E-009	8.7577E-009
RCPTR_46	farmer_adult	TOCDFDFS	Cadmium	4.9582E-009	7.6369E-009
RCPTR_46	farmer_adult	TOCDFDFS	Carbon disulfide	5.8893E-016	8.1552E-015
RCPTR_46	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.3941E-016	1.2918E-014
RCPTR_46	farmer_adult	TOCDFDFS	Chlorine	1.8439E-014	2.5789E-013
RCPTR_46	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.7529E-011	6.7720E-010
RCPTR_46	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.8018E-012	3.8636E-011
RCPTR_46	farmer_adult	TOCDFDFS	Chlorobenzene	5.5507E-015	7.5565E-014
RCPTR_46	farmer_adult	TOCDFDFS	Chloroethane	1.6640E-017	2.1206E-016
RCPTR_46	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	7.3243E-016	1.0204E-014
RCPTR_46	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.2721E-010	3.0138E-009
RCPTR_46	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.6838E-012	1.0731E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.8848E-010	3.7592E-009
RCPTR_46	farmer_adult	TOCDFDFS	Chromium	4.9061E-007	4.9386E-007
RCPTR_46	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.0493E-007	4.1644E-007
RCPTR_46	farmer_adult	TOCDFDFS	Chrysene	3.4430E-006	4.3367E-006
RCPTR_46	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.7699E-008	3.4779E-008
RCPTR_46	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.4563E+002	1.4563E+002
RCPTR_46	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.7129E-004	2.7861E-004
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.8809E-013	4.8619E-012
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.5264E-013	5.8877E-012
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.3137E-013	5.6700E-012
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6552E-008	2.2900E-008
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.2921E-018	1.7817E-017
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.0627E-016	4.2699E-015
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8021E-016	5.3047E-015
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.1660E-016	1.6164E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8758E-016	2.5983E-015
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	8.1401E-011	4.6397E-010
RCPTR_46	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.0625E-015	1.4618E-014
RCPTR_46	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4673E-016	4.8244E-015
RCPTR_46	farmer_adult	TOCDFDFS	Diethyl phthalate	1.7742E-008	1.8954E-008
RCPTR_46	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.5468E-012	9.6147E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.3702E-012	7.3117E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.1489E-011	3.5040E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.5630E-012	6.6969E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.1285E-012	5.1684E-011
RCPTR_46	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.1148E-013	1.5579E-012
RCPTR_46	farmer_adult	TOCDFDFS	Ethylbenzene	3.7029E-015	4.6094E-014
RCPTR_46	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.1634E-009	1.4875E-009
RCPTR_46	farmer_adult	TOCDFDFS	Fluoranthene	4.3104E-008	2.5270E-007
RCPTR_46	farmer_adult	TOCDFDFS	Fluorene	3.6089E-010	4.5236E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.1223E-013	5.4758E-013
RCPTR_46	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.4735E-013	4.7158E-013
RCPTR_46	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.3787E-012	1.4712E-012
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.1769E-011	1.2435E-011
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.8019E-012	7.3114E-012
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.1698E-012	5.6218E-012
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.6223E-012	3.9825E-012
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.2830E-012	3.6074E-012
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.9131E-012	4.2961E-012
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.9976E-012	3.2924E-012
RCPTR_46	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.6166E-012	9.4637E-011
RCPTR_46	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.6731E-008	1.9274E-007
RCPTR_46	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.4031E-011	2.5105E-010
RCPTR_46	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.4741E-012	5.8501E-011
RCPTR_46	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.9854E-003	2.0005E-003
RCPTR_46	farmer_adult	TOCDFDFS	Isophorone	7.9962E-013	1.1139E-011
RCPTR_46	farmer_adult	TOCDFDFS	Lead	8.8575E-008	1.0408E-007
RCPTR_46	farmer_adult	TOCDFDFS	Mercuric chloride	4.7484E-008	4.9507E-008
RCPTR_46	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.3350E-017	1.8644E-016
RCPTR_46	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.6363E-018	3.6754E-017
RCPTR_46	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5500E-015	9.1569E-014
RCPTR_46	farmer_adult	TOCDFDFS	Methyl mercury	4.8385E-010	5.0293E-010
RCPTR_46	farmer_adult	TOCDFDFS	Methylene chloride	3.9481E-016	5.5075E-015
RCPTR_46	farmer_adult	TOCDFDFS	Mustard	4.6630E-014	6.4875E-013
RCPTR_46	farmer_adult	TOCDFDFS	Naphthalene	3.4854E-012	4.6982E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nickel	1.8292E-006	2.0310E-006
RCPTR_46	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.3771E-011	1.8991E-010
RCPTR_46	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.2471E-012	4.5209E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.2065E-012	5.8407E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Nitrobenzene	1.3465E-012	1.8802E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.1433E-013	8.5596E-012
RCPTR_46	farmer_adult	TOCDFDFS	Nitrophenol, 4-	4.5950E-011	1.2148E-010
RCPTR_46	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.6868E-013	1.0601E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.6048E-013	1.0416E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.2105E-014	9.3307E-013
RCPTR_46	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.0808E-013	8.8306E-013
RCPTR_46	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.5038E-013	9.2760E-013
RCPTR_46	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.1469E-011	2.2935E-011
RCPTR_46	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.6589E-012	2.9717E-012
RCPTR_46	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0638E-011	1.1865E-011
RCPTR_46	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.3206E-011	7.0845E-010
RCPTR_46	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.0805E-011	2.7930E-010
RCPTR_46	farmer_adult	TOCDFDFS	Pentachlorophenol	7.6653E-008	1.2318E-007
RCPTR_46	farmer_adult	TOCDFDFS	Phenanthrene	1.1142E-012	1.4341E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Phenol	1.0764E-012	1.4891E-011
RCPTR_46	farmer_adult	TOCDFDFS	Pronamide	1.1397E-010	1.4185E-009
RCPTR_46	farmer_adult	TOCDFDFS	Pyrene	6.4364E-008	3.6638E-007
RCPTR_46	farmer_adult	TOCDFDFS	Selenium	2.9650E-008	2.9894E-008
RCPTR_46	farmer_adult	TOCDFDFS	Silver	1.9617E-007	2.2590E-007
RCPTR_46	farmer_adult	TOCDFDFS	Styrene	4.0151E-014	5.5390E-013
RCPTR_46	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.6150E-012	7.6813E-012
RCPTR_46	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.0300E-012	2.4824E-012
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0248E-010	1.1440E-009
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2211E-011	1.7298E-011
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1252E-015	1.5534E-014
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.1037E-009	7.7643E-009
RCPTR_46	farmer_adult	TOCDFDFS	Thallium (l)	2.6228E-005	2.8399E-005
RCPTR_46	farmer_adult	TOCDFDFS	Toluene	1.5433E-015	2.0755E-014
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.5799E-012	4.3930E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	9.3398E-016	1.2953E-014
RCPTR_46	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.5125E-015	7.6771E-014
RCPTR_46	farmer_adult	TOCDFDFS	Trichloroethylene	9.0341E-016	1.2478E-014
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2468E-016	1.7236E-015
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.6654E-010	5.0181E-009
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.1493E-010	5.0432E-009
RCPTR_46	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.0446E-014	2.8412E-013
RCPTR_46	farmer_adult	TOCDFDFS	Vinyl Chloride	2.9165E-019	4.0552E-018
RCPTR_46	farmer_adult	TOCDFDFS	Xylene, m-	4.0000E-014	1.0446E-013
RCPTR_46	farmer_adult	TOCDFDFS	Xylene, o-	3.0829E-014	9.5028E-014
RCPTR_46	farmer_adult	TOCDFDFS	Xylene, p-	4.0253E-014	1.4022E-013
RCPTR_46	farmer_adult	TOCDFDFS	Zinc	8.4051E-008	1.1436E-007
RCPTR_46	farmer_adult	TOCDFLIC	Acenaphthene	1.7974E-011	2.3511E-010
RCPTR_46	farmer_adult	TOCDFLIC	Acetone	6.0560E-016	8.4681E-015
RCPTR_46	farmer_adult	TOCDFLIC	Acetophenone	8.9016E-014	1.2405E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Aniline	5.4026E-015	7.4698E-014
RCPTR_46	farmer_adult	TOCDFLIC	Anthracene	3.1893E-010	4.1473E-009
RCPTR_46	farmer_adult	TOCDFLIC	Antimony	6.6079E-007	8.6061E-007
RCPTR_46	farmer_adult	TOCDFLIC	Arsenic	1.2222E-006	1.2932E-006
RCPTR_46	farmer_adult	TOCDFLIC	Barium	9.8446E-008	1.2042E-007
RCPTR_46	farmer_adult	TOCDFLIC	Benzene	3.3791E-015	4.6531E-014
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.2427E-007	3.8461E-007
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.4794E-006	2.6441E-006
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.3546E-006	1.7691E-006
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.8541E-006	4.0490E-006
RCPTR_46	farmer_adult	TOCDFLIC	Benzoic acid	3.0998E-013	2.9276E-012
RCPTR_46	farmer_adult	TOCDFLIC	Benzyl alcohol	1.9492E-011	2.7116E-010
RCPTR_46	farmer_adult	TOCDFLIC	Beryllium	1.7227E-007	1.9254E-007
RCPTR_46	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.2131E-013	1.6962E-012
RCPTR_46	farmer_adult	TOCDFLIC	Bromodichloromethane	1.2051E-016	1.6804E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.1797E-013	3.0420E-012
RCPTR_46	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.8498E-009	6.5126E-008
RCPTR_46	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.3982E-009	1.7730E-009
RCPTR_46	farmer_adult	TOCDFLIC	Cadmium	2.0322E-008	3.1294E-008
RCPTR_46	farmer_adult	TOCDFLIC	Carbon disulfide	7.9140E-016	1.0959E-014
RCPTR_46	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.5763E-014	2.1676E-013
RCPTR_46	farmer_adult	TOCDFLIC	Chlorine	1.2934E-007	1.8090E-006
RCPTR_46	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.7865E-011	1.3808E-010
RCPTR_46	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.7119E-013	7.8763E-012
RCPTR_46	farmer_adult	TOCDFLIC	Chlorobenzene	6.4111E-015	8.7275E-014
RCPTR_46	farmer_adult	TOCDFLIC	Chloroethane	7.0184E-018	8.9422E-017
RCPTR_46	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.2488E-015	8.7055E-014
RCPTR_46	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.6321E-011	6.1439E-010
RCPTR_46	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.5664E-012	2.1877E-011
RCPTR_46	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.9539E-011	7.6631E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Chromium	8.7751E-007	8.8333E-007
RCPTR_46	farmer_adult	TOCDFLIC	Chromium, hexavalent	7.2434E-007	7.4492E-007
RCPTR_46	farmer_adult	TOCDFLIC	Chrysene	7.0134E-007	8.8318E-007
RCPTR_46	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.7340E-010	1.0964E-009
RCPTR_46	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.5998E+000	4.5998E+000
RCPTR_46	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	5.5032E-005	5.6475E-005
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.9123E-014	9.9117E-013
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	9.2283E-014	1.2003E-012
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.7945E-014	1.1559E-012
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.6816E-009	2.3279E-009
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.1834E-019	7.1484E-018
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.0890E-017	2.9125E-016
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6033E-016	2.2368E-015
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	7.9533E-018	1.1025E-016
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.9099E-017	1.0956E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.6620E-011	9.4612E-011
RCPTR_46	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.4803E-016	6.1642E-015
RCPTR_46	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5074E-016	2.0974E-015
RCPTR_46	farmer_adult	TOCDFLIC	Diethyl phthalate	5.6037E-010	5.9855E-010
RCPTR_46	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.4574E-011	1.8572E-010
RCPTR_46	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.0949E-012	1.4906E-011
RCPTR_46	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.3457E-012	7.1471E-012
RCPTR_46	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1330E-012	1.3651E-011
RCPTR_46	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.4147E-013	1.0536E-011
RCPTR_46	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.2726E-014	3.1759E-013
RCPTR_46	farmer_adult	TOCDFLIC	Ethylbenzene	1.6382E-015	2.0391E-014
RCPTR_46	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.8005E-009	2.3068E-009
RCPTR_46	farmer_adult	TOCDFLIC	Fluoranthene	8.7836E-009	5.1510E-008
RCPTR_46	farmer_adult	TOCDFLIC	Fluorene	7.3568E-011	9.2217E-010
RCPTR_46	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.2858E-012	4.5782E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.4233E-011	1.4992E-011
RCPTR_46	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.2707E-011	3.4876E-011
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.6624E-011	3.8673E-011
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.1519E-011	2.3114E-011
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.7545E-011	1.9067E-011
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.6450E-011	4.0060E-011
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.1696E-011	3.4815E-011
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.2635E-011	3.5816E-011
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.6827E-011	2.9454E-011
RCPTR_46	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7553E-012	1.9292E-011
RCPTR_46	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.4106E-009	3.9292E-008
RCPTR_46	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.8940E-012	5.1174E-011
RCPTR_46	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.1226E-013	1.1926E-011
RCPTR_46	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0480E-004	4.0777E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Isophorone	1.6301E-013	2.2707E-012
RCPTR_46	farmer_adult	TOCDFLIC	Lead	4.6047E-007	5.4100E-007
RCPTR_46	farmer_adult	TOCDFLIC	Mercuric chloride	1.1298E-007	1.1781E-007
RCPTR_46	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	8.8813E-018	1.2403E-016
RCPTR_46	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.5694E-017	2.1880E-016
RCPTR_46	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2316E-014	1.7218E-013
RCPTR_46	farmer_adult	TOCDFLIC	Methyl mercury	1.1388E-009	1.1844E-009
RCPTR_46	farmer_adult	TOCDFLIC	Methylene chloride	1.6107E-015	2.2468E-014
RCPTR_46	farmer_adult	TOCDFLIC	Mustard	1.6717E-014	2.3258E-013
RCPTR_46	farmer_adult	TOCDFLIC	Naphthalene	1.0981E-013	1.4802E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nickel	1.9494E-006	2.1643E-006
RCPTR_46	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.8075E-012	3.8717E-011
RCPTR_46	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.6198E-013	9.2168E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.5749E-013	1.1907E-011
RCPTR_46	farmer_adult	TOCDFLIC	Nitrobenzene	2.7449E-013	3.8330E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.2524E-013	1.7450E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitrophenol, 4-	9.3880E-013	2.4786E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5671E-013	2.1611E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.5504E-013	2.1233E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.4667E-014	1.9018E-013
RCPTR_46	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.1803E-012	6.7506E-012
RCPTR_46	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.0897E-012	6.6397E-012
RCPTR_46	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	8.3193E-011	8.8827E-011
RCPTR_46	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.2928E-011	1.4446E-011
RCPTR_46	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.8979E-011	5.4621E-011
RCPTR_46	farmer_adult	TOCDFLIC	Pentachlorobenzene	7.4315E-011	7.2300E-010
RCPTR_46	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.2394E-012	5.6900E-011
RCPTR_46	farmer_adult	TOCDFLIC	Pentachlorophenol	3.1273E-009	5.0211E-009
RCPTR_46	farmer_adult	TOCDFLIC	Phenanthrene	2.2715E-013	2.9236E-012
RCPTR_46	farmer_adult	TOCDFLIC	Phenol	2.1945E-013	3.0358E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Pronamide	2.3239E-011	2.8918E-010
RCPTR_46	farmer_adult	TOCDFLIC	Pyrene	1.3121E-008	7.4689E-008
RCPTR_46	farmer_adult	TOCDFLIC	Selenium	7.5742E-007	7.6365E-007
RCPTR_46	farmer_adult	TOCDFLIC	Silver	1.9566E-006	2.2528E-006
RCPTR_46	farmer_adult	TOCDFLIC	Styrene	2.5226E-012	3.4799E-011
RCPTR_46	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.0939E-011	1.2703E-011
RCPTR_46	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	4.2423E-012	5.1880E-012
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0898E-011	2.3322E-010
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	8.0807E-016	1.1185E-014
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.0280E-016	4.1807E-015
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.2970E-010	1.5837E-009
RCPTR_46	farmer_adult	TOCDFLIC	Thallium (l)	2.5979E-006	2.8129E-006
RCPTR_46	farmer_adult	TOCDFLIC	Toluene	6.0707E-015	8.1636E-014
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.2982E-013	8.9557E-012
RCPTR_46	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.5554E-015	3.5440E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.3245E-015	3.2372E-014
RCPTR_46	farmer_adult	TOCDFLIC	Trichloroethylene	3.8095E-016	5.2617E-015
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.0023E-017	6.9155E-016
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.5168E-011	1.0231E-009
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.9033E-011	2.0457E-010
RCPTR_46	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	8.6216E-015	1.1981E-013
RCPTR_46	farmer_adult	TOCDFLIC	Vinyl Chloride	3.6859E-019	5.1255E-018
RCPTR_46	farmer_adult	TOCDFLIC	Xylene, m-	3.5197E-014	9.3365E-014
RCPTR_46	farmer_adult	TOCDFLIC	Xylene, o-	3.1080E-014	9.7394E-014
RCPTR_46	farmer_adult	TOCDFLIC	Xylene, p-	3.5487E-014	1.2570E-013
RCPTR_46	farmer_adult	TOCDFLIC	Zinc	7.6945E-007	1.0468E-006
RCPTR_46	farmer_adult	TOCDFMPF	Acenaphthene	2.7404E-011	3.5847E-010
RCPTR_46	farmer_adult	TOCDFMPF	Acetone	2.2062E-015	3.0850E-014
RCPTR_46	farmer_adult	TOCDFMPF	Acetophenone	1.4218E-013	1.9814E-012
RCPTR_46	farmer_adult	TOCDFMPF	Aniline	8.2372E-015	1.1389E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Anthracene	4.8627E-010	6.3232E-009
RCPTR_46	farmer_adult	TOCDFMPF	Antimony	8.9971E-009	1.1718E-008
RCPTR_46	farmer_adult	TOCDFMPF	Aroclor 1254	7.9820E-011	1.8555E-010
RCPTR_46	farmer_adult	TOCDFMPF	Arsenic	6.3478E-008	6.7164E-008
RCPTR_46	farmer_adult	TOCDFMPF	Barium	6.9702E-008	8.5263E-008
RCPTR_46	farmer_adult	TOCDFMPF	Benzene	3.0120E-015	4.1477E-014
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.4193E-007	5.8640E-007
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.7805E-006	4.0316E-006
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.0652E-006	2.6973E-006
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	5.8764E-006	6.1737E-006
RCPTR_46	farmer_adult	TOCDFMPF	Benzoic acid	1.3680E-012	1.2921E-011
RCPTR_46	farmer_adult	TOCDFMPF	Benzyl alcohol	1.8574E-013	2.5839E-012
RCPTR_46	farmer_adult	TOCDFMPF	Beryllium	5.8675E-009	6.5578E-009
RCPTR_46	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.8496E-013	2.5862E-012
RCPTR_46	farmer_adult	TOCDFMPF	Bromodichloromethane	3.6516E-015	5.0915E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.2699E-013	1.7723E-012
RCPTR_46	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0444E-008	9.9296E-008
RCPTR_46	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.1321E-009	2.7036E-009
RCPTR_46	farmer_adult	TOCDFMPF	Cadmium	9.2707E-008	1.4276E-007
RCPTR_46	farmer_adult	TOCDFMPF	Carbon disulfide	2.8857E-016	3.9960E-015
RCPTR_46	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.7386E-015	3.7658E-014
RCPTR_46	farmer_adult	TOCDFMPF	Chlorine	2.3766E-008	3.3239E-007
RCPTR_46	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.7236E-011	2.1052E-010
RCPTR_46	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.7088E-013	1.2009E-011
RCPTR_46	farmer_adult	TOCDFMPF	Chlorobenzene	1.1472E-014	1.5617E-013
RCPTR_46	farmer_adult	TOCDFMPF	Chloroethane	6.8977E-017	8.7886E-016
RCPTR_46	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.9599E-015	2.7304E-014
RCPTR_46	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.0624E-011	9.3675E-010
RCPTR_46	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.3883E-012	3.3355E-011
RCPTR_46	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.5176E-010	1.1684E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Chromium	1.6637E-007	1.6747E-007
RCPTR_46	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.3733E-007	1.4123E-007
RCPTR_46	farmer_adult	TOCDFMPF	Chrysene	1.0692E-006	1.3465E-006
RCPTR_46	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	8.6155E-009	1.0816E-008
RCPTR_46	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.5372E+001	4.5372E+001
RCPTR_46	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	8.3918E-005	8.6121E-005
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2064E-013	1.5112E-012
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4070E-013	1.8300E-012
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3409E-013	1.7624E-012
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	5.1433E-009	7.1199E-009
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.2520E-018	5.8639E-017
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.3297E-016	8.8248E-015
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.8579E-016	1.0963E-014
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.4098E-016	3.3406E-015
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.8768E-016	5.3699E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.5338E-011	1.4425E-010
RCPTR_46	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.1959E-015	3.0212E-014
RCPTR_46	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.1658E-016	9.9706E-015
RCPTR_46	farmer_adult	TOCDFMPF	Diethyl phthalate	5.5274E-009	5.9041E-009
RCPTR_46	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.5521E-012	1.9779E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.6693E-012	2.2726E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.5695E-012	1.0877E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.7275E-012	2.0814E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.2830E-012	1.6064E-011
RCPTR_46	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.4649E-014	4.8422E-013
RCPTR_46	farmer_adult	TOCDFMPF	Ethylbenzene	7.6533E-015	9.5262E-014
RCPTR_46	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.2489E-010	4.1623E-010
RCPTR_46	farmer_adult	TOCDFMPF	Fluoranthene	1.3392E-008	7.8536E-008
RCPTR_46	farmer_adult	TOCDFMPF	Fluorene	1.1217E-010	1.4060E-009
RCPTR_46	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6682E-011	1.7820E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.2348E-011	2.3541E-011
RCPTR_46	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.8231E-011	4.0766E-011
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.0445E-011	1.1029E-011
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.7760E-012	5.1302E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.1397E-012	4.4990E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.1928E-012	7.9053E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.0542E-012	3.3548E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.7106E-012	2.9748E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.4248E-012	2.6623E-012
RCPTR_46	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.6763E-012	2.9413E-011
RCPTR_46	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.1999E-009	5.9907E-008
RCPTR_46	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	7.4618E-012	7.8024E-011
RCPTR_46	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3909E-012	1.8183E-011
RCPTR_46	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.1714E-004	6.2168E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Isophorone	2.4854E-013	3.4621E-012
RCPTR_46	farmer_adult	TOCDFMPF	Lead	5.3113E-008	6.2402E-008
RCPTR_46	farmer_adult	TOCDFMPF	Mercuric chloride	1.9158E-006	1.9977E-006
RCPTR_46	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.5835E-017	6.4010E-016
RCPTR_46	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.6718E-018	3.7250E-017
RCPTR_46	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.4911E-015	3.4825E-014
RCPTR_46	farmer_adult	TOCDFMPF	Methyl mercury	1.9317E-008	2.0089E-008
RCPTR_46	farmer_adult	TOCDFMPF	Methylene chloride	1.2634E-015	1.7624E-014
RCPTR_46	farmer_adult	TOCDFMPF	Mustard	1.1864E-013	1.6506E-012
RCPTR_46	farmer_adult	TOCDFMPF	Naphthalene	1.0833E-012	1.4603E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nickel	1.2214E-006	1.3560E-006
RCPTR_46	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.2728E-012	5.8923E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.0075E-012	1.4027E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.3050E-012	1.8122E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nitrobenzene	4.1851E-013	5.8441E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.9095E-013	2.6605E-012
RCPTR_46	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.4286E-011	3.7720E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.3893E-013	3.2950E-012
RCPTR_46	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.3639E-013	3.2374E-012
RCPTR_46	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.2364E-014	2.8997E-013
RCPTR_46	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.9268E-010	4.2892E-010
RCPTR_46	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.8975E-010	7.5205E-010
RCPTR_46	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.3409E-012	4.6350E-012
RCPTR_46	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.6034E-012	6.2614E-012
RCPTR_46	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.2794E-012	3.6572E-012
RCPTR_46	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.2624E-011	2.2007E-010
RCPTR_46	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	9.4975E-012	8.6598E-011
RCPTR_46	farmer_adult	TOCDFMPF	Pentachlorophenol	2.3836E-008	3.8274E-008
RCPTR_46	farmer_adult	TOCDFMPF	Phenanthrene	3.4632E-013	4.4575E-012
RCPTR_46	farmer_adult	TOCDFMPF	Phenol	3.3459E-013	4.6285E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Pronamide	3.5431E-011	4.4091E-010
RCPTR_46	farmer_adult	TOCDFMPF	Pyrene	2.0005E-008	1.1388E-007
RCPTR_46	farmer_adult	TOCDFMPF	Selenium	1.3270E-008	1.3379E-008
RCPTR_46	farmer_adult	TOCDFMPF	Silver	2.6365E-007	3.0357E-007
RCPTR_46	farmer_adult	TOCDFMPF	Styrene	5.7370E-014	7.9144E-013
RCPTR_46	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3057E-012	1.5161E-012
RCPTR_46	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	4.1924E-012	5.1271E-012
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.1861E-011	3.5558E-010
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.4484E-014	3.3889E-013
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.3253E-015	3.2105E-014
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.5387E-010	2.4102E-009
RCPTR_46	farmer_adult	TOCDFMPF	Thallium (l)	7.9417E-008	8.5989E-008
RCPTR_46	farmer_adult	TOCDFMPF	Toluene	4.0622E-015	5.4628E-014
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1127E-012	1.3654E-011
RCPTR_46	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.4960E-015	2.0747E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1393E-014	1.5866E-013
RCPTR_46	farmer_adult	TOCDFMPF	Trichloroethylene	1.8671E-015	2.5789E-014
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.1486E-015	7.1177E-014
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.4509E-010	1.5598E-009
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	4.4262E-011	3.1190E-010
RCPTR_46	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.2256E-014	5.8720E-013
RCPTR_46	farmer_adult	TOCDFMPF	Vinyl Chloride	1.0087E-018	1.4027E-017
RCPTR_46	farmer_adult	TOCDFMPF	Xylene, m-	3.5163E-014	9.3232E-014
RCPTR_46	farmer_adult	TOCDFMPF	Xylene, o-	3.1049E-014	9.7250E-014
RCPTR_46	farmer_adult	TOCDFMPF	Xylene, p-	3.5451E-014	1.2551E-013
RCPTR_46	farmer_adult	TOCDFMPF	Zinc	2.1887E-007	2.9775E-007
RCPTR_46	farmer_adult	TOCDHVAC	Mustard	2.8616E-014	3.9819E-013
RCPTR_46	farmer_adult	TOCDLIC2	Acenaphthene	1.7974E-011	2.3511E-010
RCPTR_46	farmer_adult	TOCDLIC2	Acetone	6.0560E-016	8.4681E-015
RCPTR_46	farmer_adult	TOCDLIC2	Acetophenone	8.9016E-014	1.2405E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Aniline	5.4026E-015	7.4698E-014
RCPTR_46	farmer_adult	TOCDLIC2	Anthracene	3.1893E-010	4.1473E-009
RCPTR_46	farmer_adult	TOCDLIC2	Antimony	6.6079E-007	8.6061E-007
RCPTR_46	farmer_adult	TOCDLIC2	Arsenic	1.2222E-006	1.2932E-006
RCPTR_46	farmer_adult	TOCDLIC2	Barium	9.8446E-008	1.2042E-007
RCPTR_46	farmer_adult	TOCDLIC2	Benzene	3.3791E-015	4.6531E-014
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.2427E-007	3.8461E-007
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.4794E-006	2.6441E-006
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.3546E-006	1.7691E-006
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	3.8541E-006	4.0490E-006
RCPTR_46	farmer_adult	TOCDLIC2	Benzoic acid	3.0998E-013	2.9276E-012
RCPTR_46	farmer_adult	TOCDLIC2	Benzyl alcohol	1.9492E-011	2.7116E-010
RCPTR_46	farmer_adult	TOCDLIC2	Beryllium	1.7227E-007	1.9254E-007
RCPTR_46	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.2131E-013	1.6962E-012
RCPTR_46	farmer_adult	TOCDLIC2	Bromodichloromethane	1.2051E-016	1.6804E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.1797E-013	3.0420E-012
RCPTR_46	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.8498E-009	6.5126E-008
RCPTR_46	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.3982E-009	1.7730E-009
RCPTR_46	farmer_adult	TOCDLIC2	Cadmium	2.0322E-008	3.1294E-008
RCPTR_46	farmer_adult	TOCDLIC2	Carbon disulfide	7.9140E-016	1.0959E-014
RCPTR_46	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.5763E-014	2.1676E-013
RCPTR_46	farmer_adult	TOCDLIC2	Chlorine	1.2934E-007	1.8090E-006
RCPTR_46	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.7865E-011	1.3808E-010
RCPTR_46	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.7119E-013	7.8763E-012
RCPTR_46	farmer_adult	TOCDLIC2	Chlorobenzene	6.4111E-015	8.7275E-014
RCPTR_46	farmer_adult	TOCDLIC2	Chloroethane	7.0184E-018	8.9422E-017
RCPTR_46	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	6.2488E-015	8.7055E-014
RCPTR_46	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.6321E-011	6.1439E-010
RCPTR_46	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.5664E-012	2.1877E-011
RCPTR_46	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.9539E-011	7.6631E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Chromium	8.7751E-007	8.8333E-007
RCPTR_46	farmer_adult	TOCDLIC2	Chromium, hexavalent	7.2434E-007	7.4492E-007
RCPTR_46	farmer_adult	TOCDLIC2	Chrysene	7.0134E-007	8.8318E-007
RCPTR_46	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	8.7340E-010	1.0964E-009
RCPTR_46	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.5998E+000	4.5998E+000
RCPTR_46	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	5.5032E-005	5.6475E-005
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.9123E-014	9.9117E-013
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	9.2283E-014	1.2003E-012
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.7945E-014	1.1559E-012
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.6816E-009	2.3279E-009
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.1834E-019	7.1484E-018
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.0890E-017	2.9125E-016
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6033E-016	2.2368E-015
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	7.9533E-018	1.1025E-016
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.9099E-017	1.0956E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.6620E-011	9.4612E-011
RCPTR_46	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.4803E-016	6.1642E-015
RCPTR_46	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5074E-016	2.0974E-015
RCPTR_46	farmer_adult	TOCDLIC2	Diethyl phthalate	5.6037E-010	5.9855E-010
RCPTR_46	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4574E-011	1.8572E-010
RCPTR_46	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.0949E-012	1.4906E-011
RCPTR_46	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.3457E-012	7.1471E-012
RCPTR_46	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1330E-012	1.3651E-011
RCPTR_46	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.4147E-013	1.0536E-011
RCPTR_46	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.2726E-014	3.1759E-013
RCPTR_46	farmer_adult	TOCDLIC2	Ethylbenzene	1.6382E-015	2.0391E-014
RCPTR_46	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.8005E-009	2.3068E-009
RCPTR_46	farmer_adult	TOCDLIC2	Fluoranthene	8.7836E-009	5.1510E-008
RCPTR_46	farmer_adult	TOCDLIC2	Fluorene	7.3568E-011	9.2217E-010
RCPTR_46	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.2858E-012	4.5782E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.4233E-011	1.4992E-011
RCPTR_46	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.2707E-011	3.4876E-011
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.6624E-011	3.8673E-011
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.1519E-011	2.3114E-011
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.7545E-011	1.9067E-011
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.6450E-011	4.0060E-011
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.1696E-011	3.4815E-011
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.2635E-011	3.5816E-011
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.6827E-011	2.9454E-011
RCPTR_46	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.7553E-012	1.9292E-011
RCPTR_46	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.4106E-009	3.9292E-008
RCPTR_46	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.8940E-012	5.1174E-011
RCPTR_46	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.1226E-013	1.1926E-011
RCPTR_46	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.0480E-004	4.0777E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Isophorone	1.6301E-013	2.2707E-012
RCPTR_46	farmer_adult	TOCDLIC2	Lead	4.6047E-007	5.4100E-007
RCPTR_46	farmer_adult	TOCDLIC2	Mercuric chloride	1.1298E-007	1.1781E-007
RCPTR_46	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	8.8813E-018	1.2403E-016
RCPTR_46	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.5694E-017	2.1880E-016
RCPTR_46	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2316E-014	1.7218E-013
RCPTR_46	farmer_adult	TOCDLIC2	Methyl mercury	1.1388E-009	1.1844E-009
RCPTR_46	farmer_adult	TOCDLIC2	Methylene chloride	1.6107E-015	2.2468E-014
RCPTR_46	farmer_adult	TOCDLIC2	Mustard	1.7379E-014	2.4179E-013
RCPTR_46	farmer_adult	TOCDLIC2	Naphthalene	1.0981E-013	1.4802E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nickel	1.9494E-006	2.1643E-006
RCPTR_46	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.8075E-012	3.8717E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.6198E-013	9.2168E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nitroaniline, 4-	8.5749E-013	1.1907E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nitrobenzene	2.7449E-013	3.8330E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.2524E-013	1.7450E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nitrophenol, 4-	9.3880E-012	2.4786E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.5671E-013	2.1611E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.5504E-013	2.1233E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.4667E-014	1.9018E-013
RCPTR_46	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.1803E-012	6.7506E-012
RCPTR_46	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	6.0897E-012	6.6397E-012
RCPTR_46	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	8.3193E-011	8.8827E-011
RCPTR_46	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2928E-011	1.4446E-011
RCPTR_46	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.8979E-011	5.4621E-011
RCPTR_46	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.4315E-011	7.2300E-010
RCPTR_46	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.2394E-012	5.6900E-011
RCPTR_46	farmer_adult	TOCDLIC2	Pentachlorophenol	3.1273E-009	5.0211E-009
RCPTR_46	farmer_adult	TOCDLIC2	Phenanthrene	2.2715E-013	2.9236E-012
RCPTR_46	farmer_adult	TOCDLIC2	Phenol	2.1945E-013	3.0358E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Pronamide	2.3239E-011	2.8918E-010
RCPTR_46	farmer_adult	TOCDLIC2	Pyrene	1.3121E-008	7.4689E-008
RCPTR_46	farmer_adult	TOCDLIC2	Selenium	7.5742E-007	7.6365E-007
RCPTR_46	farmer_adult	TOCDLIC2	Silver	1.9566E-006	2.2528E-006
RCPTR_46	farmer_adult	TOCDLIC2	Styrene	2.5226E-012	3.4799E-011
RCPTR_46	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.0939E-011	1.2703E-011
RCPTR_46	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	4.2423E-012	5.1880E-012
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0898E-011	2.3322E-010
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	8.0807E-016	1.1185E-014
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.0280E-016	4.1807E-015
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.2970E-010	1.5837E-009
RCPTR_46	farmer_adult	TOCDLIC2	Thallium (l)	2.5979E-006	2.8129E-006
RCPTR_46	farmer_adult	TOCDLIC2	Toluene	6.0707E-015	8.1636E-014
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.2982E-013	8.9557E-012
RCPTR_46	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.5554E-015	3.5440E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.3245E-015	3.2372E-014
RCPTR_46	farmer_adult	TOCDLIC2	Trichloroethylene	3.8095E-016	5.2617E-015
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.0023E-017	6.9155E-016
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.5168E-011	1.0231E-009
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.9033E-011	2.0457E-010
RCPTR_46	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	8.6216E-015	1.1981E-013
RCPTR_46	farmer_adult	TOCDLIC2	Vinyl Chloride	3.6859E-019	5.1255E-018
RCPTR_46	farmer_adult	TOCDLIC2	Xylene, m-	7.3141E-014	1.9402E-013
RCPTR_46	farmer_adult	TOCDLIC2	Xylene, o-	6.4586E-014	2.0239E-013
RCPTR_46	farmer_adult	TOCDLIC2	Xylene, p-	7.3743E-014	2.6121E-013
RCPTR_46	farmer_adult	TOCDLIC2	Zinc	7.6945E-007	1.0468E-006
RCPTR_46	farmer_child	TOCDFBRA	Antimony	1.6053E-007	1.8399E-007
RCPTR_46	farmer_child	TOCDFBRA	Arsenic	2.4300E-007	2.5076E-007
RCPTR_46	farmer_child	TOCDFBRA	Barium	2.1483E-008	2.3898E-008
RCPTR_46	farmer_child	TOCDFBRA	Beryllium	6.9258E-008	7.2857E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFBRA	Cadmium	1.3516E-008	1.6484E-008
RCPTR_46	farmer_child	TOCDFBRA	Chromium	1.6446E-006	1.7195E-006
RCPTR_46	farmer_child	TOCDFBRA	Chromium, hexavalent	1.4259E-006	1.4486E-006
RCPTR_46	farmer_child	TOCDFBRA	Lead	7.4498E-007	8.0365E-007
RCPTR_46	farmer_child	TOCDFBRA	Mercuric chloride	9.5520E-005	1.1791E-004
RCPTR_46	farmer_child	TOCDFBRA	Methyl mercury	1.2333E-006	1.3023E-006
RCPTR_46	farmer_child	TOCDFBRA	Nickel	8.1504E-007	8.5999E-007
RCPTR_46	farmer_child	TOCDFBRA	Selenium	2.6821E-007	2.6946E-007
RCPTR_46	farmer_child	TOCDFBRA	Silver	9.5441E-008	1.0313E-007
RCPTR_46	farmer_child	TOCDFBRA	Thallium (l)	2.5134E-006	2.6172E-006
RCPTR_46	farmer_child	TOCDFBRA	Zinc	4.7085E-007	5.4761E-007
RCPTR_46	farmer_child	TOCDFDFS	Acenaphthene	5.5295E-010	1.1533E-009
RCPTR_46	farmer_child	TOCDFDFS	Acetone	6.0890E-015	1.2774E-014
RCPTR_46	farmer_child	TOCDFDFS	Acetophenone	3.0502E-012	6.3971E-012
RCPTR_46	farmer_child	TOCDFDFS	Aniline	1.7483E-013	3.6641E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Anthracene	9.7594E-009	2.0344E-008
RCPTR_46	farmer_child	TOCDFDFS	Antimony	1.5252E-008	1.7469E-008
RCPTR_46	farmer_child	TOCDFDFS	Aroclor 1254	2.2010E-010	3.2376E-010
RCPTR_46	farmer_child	TOCDFDFS	Arsenic	2.6955E-008	2.7810E-008
RCPTR_46	farmer_child	TOCDFDFS	Barium	1.8792E-008	2.0892E-008
RCPTR_46	farmer_child	TOCDFDFS	Benzene	2.1790E-014	4.5652E-014
RCPTR_46	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.5212E-006	1.8895E-006
RCPTR_46	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.2634E-005	1.3031E-005
RCPTR_46	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	7.7239E-006	8.6884E-006
RCPTR_46	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.9546E-005	1.9947E-005
RCPTR_46	farmer_child	TOCDFDFS	Benzoic acid	2.0618E-012	4.1567E-012
RCPTR_46	farmer_child	TOCDFDFS	Benzyl alcohol	3.9645E-012	8.3133E-012
RCPTR_46	farmer_child	TOCDFDFS	Beryllium	1.5103E-008	1.5884E-008
RCPTR_46	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.9662E-012	8.3204E-012
RCPTR_46	farmer_child	TOCDFDFS	Bromodichloromethane	7.0525E-015	1.4792E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1282E-012	2.3665E-012
RCPTR_46	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.8560E-007	3.1947E-007
RCPTR_46	farmer_child	TOCDFDFS	Butylbenzylphthalate	7.7210E-009	8.7577E-009
RCPTR_46	farmer_child	TOCDFDFS	Cadmium	6.2672E-009	7.6369E-009
RCPTR_46	farmer_child	TOCDFDFS	Carbon disulfide	3.8906E-015	8.1552E-015
RCPTR_46	farmer_child	TOCDFDFS	Carbon tetrachloride	6.1665E-015	1.2918E-014
RCPTR_46	farmer_child	TOCDFDFS	Chlorine	1.2293E-013	2.5789E-013
RCPTR_46	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.4484E-010	6.7720E-010
RCPTR_46	farmer_child	TOCDFDFS	Chloroaniline, p-	1.8439E-011	3.8636E-011
RCPTR_46	farmer_child	TOCDFDFS	Chlorobenzene	3.6102E-014	7.5565E-014
RCPTR_46	farmer_child	TOCDFDFS	Chloroethane	1.0192E-016	2.1206E-016
RCPTR_46	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.8655E-015	1.0204E-014
RCPTR_46	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4432E-009	3.0138E-009
RCPTR_46	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.1159E-011	1.0731E-010
RCPTR_46	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9157E-009	3.7592E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Chromium	4.7245E-007	4.9386E-007
RCPTR_46	farmer_child	TOCDFDFS	Chromium, hexavalent	4.0995E-007	4.1644E-007
RCPTR_46	farmer_child	TOCDFDFS	Chrysene	3.9463E-006	4.3367E-006
RCPTR_46	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.0789E-008	3.4779E-008
RCPTR_46	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.4563E+002	1.4563E+002
RCPTR_46	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.7541E-004	2.7861E-004
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.3403E-012	4.8619E-012
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.8243E-012	5.8877E-012
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.7173E-012	5.6700E-012
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.9322E-008	2.2900E-008
RCPTR_46	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.5030E-018	1.7817E-017
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.0359E-015	4.2699E-015
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5291E-015	5.3047E-015
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.7105E-016	1.6164E-015
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2395E-015	2.5983E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.4834E-010	4.6397E-010
RCPTR_46	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.9778E-015	1.4618E-014
RCPTR_46	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.3006E-015	4.8244E-015
RCPTR_46	farmer_child	TOCDFDFS	Diethyl phthalate	1.8271E-008	1.8954E-008
RCPTR_46	farmer_child	TOCDFDFS	Dimethyl phthalate	4.6209E-011	9.6147E-011
RCPTR_46	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.4933E-011	7.3117E-011
RCPTR_46	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.1766E-011	3.5040E-011
RCPTR_46	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.2358E-011	6.6969E-011
RCPTR_46	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.4880E-011	5.1684E-011
RCPTR_46	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.4264E-013	1.5579E-012
RCPTR_46	farmer_child	TOCDFDFS	Ethylbenzene	2.2201E-014	4.6094E-014
RCPTR_46	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.3048E-009	1.4875E-009
RCPTR_46	farmer_child	TOCDFDFS	Fluoranthene	1.4226E-007	2.5270E-007
RCPTR_46	farmer_child	TOCDFDFS	Fluorene	2.1773E-009	4.5236E-009
RCPTR_46	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.3167E-013	5.4758E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.6069E-013	4.7158E-013
RCPTR_46	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.4296E-012	1.4712E-012
RCPTR_46	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2136E-011	1.2435E-011
RCPTR_46	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.0827E-012	7.3114E-012
RCPTR_46	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.4189E-012	5.6218E-012
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.8209E-012	3.9825E-012
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.4617E-012	3.6074E-012
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.1242E-012	4.2961E-012
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.1601E-012	3.2924E-012
RCPTR_46	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.6153E-011	9.4637E-011
RCPTR_46	farmer_child	TOCDFDFS	Hexachlorobenzene	9.3688E-008	1.9274E-007
RCPTR_46	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.2309E-010	2.5105E-010
RCPTR_46	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.8050E-011	5.8501E-011
RCPTR_46	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.9936E-003	2.0005E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Isophorone	5.3112E-012	1.1139E-011
RCPTR_46	farmer_child	TOCDFDFS	Lead	9.6513E-008	1.0408E-007
RCPTR_46	farmer_child	TOCDFDFS	Mercuric chloride	3.9837E-008	4.9507E-008
RCPTR_46	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	8.8879E-017	1.8644E-016
RCPTR_46	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.7524E-017	3.6754E-017
RCPTR_46	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.3649E-014	9.1569E-014
RCPTR_46	farmer_child	TOCDFDFS	Methyl mercury	4.7314E-010	5.0293E-010
RCPTR_46	farmer_child	TOCDFDFS	Methylene chloride	2.6258E-015	5.5075E-015
RCPTR_46	farmer_child	TOCDFDFS	Mustard	3.0938E-013	6.4875E-013
RCPTR_46	farmer_child	TOCDFDFS	Naphthalene	2.2466E-011	4.6982E-011
RCPTR_46	farmer_child	TOCDFDFS	Nickel	1.9255E-006	2.0310E-006
RCPTR_46	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.0632E-011	1.8991E-010
RCPTR_46	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.1558E-011	4.5209E-011
RCPTR_46	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.7858E-011	5.8407E-011
RCPTR_46	farmer_child	TOCDFDFS	Nitrobenzene	8.9635E-012	1.8802E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.0814E-012	8.5596E-012
RCPTR_46	farmer_child	TOCDFDFS	Nitrophenol, 4-	7.8908E-011	1.2148E-010
RCPTR_46	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.0591E-012	1.0601E-011
RCPTR_46	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.9736E-012	1.0416E-011
RCPTR_46	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.4780E-013	9.3307E-013
RCPTR_46	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.4933E-013	8.8306E-013
RCPTR_46	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.9284E-013	9.2760E-013
RCPTR_46	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.2280E-011	2.2935E-011
RCPTR_46	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.8319E-012	2.9717E-012
RCPTR_46	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1316E-011	1.1865E-011
RCPTR_46	farmer_child	TOCDFDFS	Pentachlorobenzene	3.5041E-010	7.0845E-010
RCPTR_46	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3924E-010	2.7930E-010
RCPTR_46	farmer_child	TOCDFDFS	Pentachlorophenol	9.6958E-008	1.2318E-007
RCPTR_46	farmer_child	TOCDFDFS	Phenanthrene	6.8860E-012	1.4341E-011
RCPTR_46	farmer_child	TOCDFDFS	Phenol	7.1048E-012	1.4891E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Pronamide	6.8323E-010	1.4185E-009
RCPTR_46	farmer_child	TOCDFDFS	Pyrene	2.3429E-007	3.6638E-007
RCPTR_46	farmer_child	TOCDFDFS	Selenium	2.9756E-008	2.9894E-008
RCPTR_46	farmer_child	TOCDFDFS	Silver	2.0914E-007	2.2590E-007
RCPTR_46	farmer_child	TOCDFDFS	Styrene	2.6433E-013	5.5390E-013
RCPTR_46	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	7.2073E-012	7.6813E-012
RCPTR_46	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.2816E-012	2.4824E-012
RCPTR_46	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.5696E-010	1.1440E-009
RCPTR_46	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4431E-011	1.7298E-011
RCPTR_46	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.4128E-015	1.5534E-014
RCPTR_46	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.5738E-009	7.7643E-009
RCPTR_46	farmer_child	TOCDFDFS	Thallium (l)	2.7279E-005	2.8399E-005
RCPTR_46	farmer_child	TOCDFDFS	Toluene	9.9266E-015	2.0755E-014
RCPTR_46	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.1187E-011	4.3930E-011
RCPTR_46	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.1788E-015	1.2953E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.6607E-014	7.6771E-014
RCPTR_46	farmer_child	TOCDFDFS	Trichloroethylene	5.9542E-015	1.2478E-014
RCPTR_46	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.2240E-016	1.7236E-015
RCPTR_46	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.4527E-009	5.0181E-009
RCPTR_46	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.6036E-009	5.0432E-009
RCPTR_46	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.3551E-013	2.8412E-013
RCPTR_46	farmer_child	TOCDFDFS	Vinyl Chloride	1.9339E-018	4.0552E-018
RCPTR_46	farmer_child	TOCDFDFS	Xylene, m-	6.8128E-014	1.0446E-013
RCPTR_46	farmer_child	TOCDFDFS	Xylene, o-	5.8843E-014	9.5028E-014
RCPTR_46	farmer_child	TOCDFDFS	Xylene, p-	8.3875E-014	1.4022E-013
RCPTR_46	farmer_child	TOCDFDFS	Zinc	9.8402E-008	1.1436E-007
RCPTR_46	farmer_child	TOCDFLIC	Acenaphthene	1.1272E-010	2.3511E-010
RCPTR_46	farmer_child	TOCDFLIC	Acetone	4.0366E-015	8.4681E-015
RCPTR_46	farmer_child	TOCDFLIC	Acetophenone	5.9147E-013	1.2405E-012
RCPTR_46	farmer_child	TOCDFLIC	Aniline	3.5641E-014	7.4698E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Anthracene	1.9895E-009	4.1473E-009
RCPTR_46	farmer_child	TOCDFLIC	Antimony	7.5142E-007	8.6061E-007
RCPTR_46	farmer_child	TOCDFLIC	Arsenic	1.2534E-006	1.2932E-006
RCPTR_46	farmer_child	TOCDFLIC	Barium	1.0832E-007	1.2042E-007
RCPTR_46	farmer_child	TOCDFLIC	Benzene	2.2209E-014	4.6531E-014
RCPTR_46	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.0959E-007	3.8461E-007
RCPTR_46	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.5641E-006	2.6441E-006
RCPTR_46	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.5728E-006	1.7691E-006
RCPTR_46	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.9687E-006	4.0490E-006
RCPTR_46	farmer_child	TOCDFLIC	Benzoic acid	1.4522E-012	2.9276E-012
RCPTR_46	farmer_child	TOCDFLIC	Benzyl alcohol	1.2931E-010	2.7116E-010
RCPTR_46	farmer_child	TOCDFLIC	Beryllium	1.8308E-007	1.9254E-007
RCPTR_46	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	8.0855E-013	1.6962E-012
RCPTR_46	farmer_child	TOCDFLIC	Bromodichloromethane	8.0119E-016	1.6804E-015
RCPTR_46	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.4503E-012	3.0420E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.7836E-008	6.5126E-008
RCPTR_46	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.5617E-009	1.7730E-009
RCPTR_46	farmer_child	TOCDFLIC	Cadmium	2.5684E-008	3.1294E-008
RCPTR_46	farmer_child	TOCDFLIC	Carbon disulfide	5.2281E-015	1.0959E-014
RCPTR_46	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0347E-013	2.1676E-013
RCPTR_46	farmer_child	TOCDFLIC	Chlorine	8.6228E-007	1.8090E-006
RCPTR_46	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.0321E-011	1.3808E-010
RCPTR_46	farmer_child	TOCDFLIC	Chloroaniline, p-	3.7589E-012	7.8763E-012
RCPTR_46	farmer_child	TOCDFLIC	Chlorobenzene	4.1697E-014	8.7275E-014
RCPTR_46	farmer_child	TOCDFLIC	Chloroethane	4.2977E-017	8.9422E-017
RCPTR_46	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.1510E-014	8.7055E-014
RCPTR_46	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.9421E-010	6.1439E-010
RCPTR_46	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.0429E-011	2.1877E-011
RCPTR_46	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.9050E-010	7.6631E-010
RCPTR_46	farmer_child	TOCDFLIC	Chromium	8.4505E-007	8.8333E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Chromium, hexavalent	7.3333E-007	7.4492E-007
RCPTR_46	farmer_child	TOCDFLIC	Chrysene	8.0376E-007	8.8318E-007
RCPTR_46	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.7073E-010	1.0964E-009
RCPTR_46	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.5998E+000	4.5998E+000
RCPTR_46	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	5.5845E-005	5.6475E-005
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.7711E-013	9.9117E-013
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.7577E-013	1.2003E-012
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.5397E-013	1.1559E-012
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.9637E-009	2.3279E-009
RCPTR_46	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.4115E-018	7.1484E-018
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3887E-016	2.9125E-016
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0665E-015	2.2368E-015
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.2593E-017	1.1025E-016
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.2268E-016	1.0956E-015
RCPTR_46	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.0653E-011	9.4612E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.9424E-015	6.1642E-015
RCPTR_46	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0002E-015	2.0974E-015
RCPTR_46	farmer_child	TOCDFLIC	Diethyl phthalate	5.7703E-010	5.9855E-010
RCPTR_46	farmer_child	TOCDFLIC	Dimethyl phthalate	8.9255E-011	1.8572E-010
RCPTR_46	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	7.1215E-012	1.4906E-011
RCPTR_46	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.4409E-012	7.1471E-012
RCPTR_46	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.5955E-012	1.3651E-011
RCPTR_46	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.0719E-012	1.0536E-011
RCPTR_46	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.5139E-013	3.1759E-013
RCPTR_46	farmer_child	TOCDFLIC	Ethylbenzene	9.8212E-015	2.0391E-014
RCPTR_46	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.0214E-009	2.3068E-009
RCPTR_46	farmer_child	TOCDFLIC	Fluoranthene	2.8997E-008	5.1510E-008
RCPTR_46	farmer_child	TOCDFLIC	Fluorene	4.4387E-010	9.2217E-010
RCPTR_46	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.4466E-012	4.5782E-012
RCPTR_46	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.4651E-011	1.4992E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.3901E-011	3.4876E-011
RCPTR_46	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.7751E-011	3.8673E-011
RCPTR_46	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.2398E-011	2.3114E-011
RCPTR_46	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.8384E-011	1.9067E-011
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.8440E-011	4.0060E-011
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.3415E-011	3.4815E-011
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.4388E-011	3.5816E-011
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.8275E-011	2.9454E-011
RCPTR_46	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.4076E-012	1.9292E-011
RCPTR_46	farmer_child	TOCDFLIC	Hexachlorobenzene	1.9099E-008	3.9292E-008
RCPTR_46	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.5089E-011	5.1174E-011
RCPTR_46	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.7184E-012	1.1926E-011
RCPTR_46	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0642E-004	4.0777E-004
RCPTR_46	farmer_child	TOCDFLIC	Isophorone	1.0827E-012	2.2707E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Lead	5.0171E-007	5.4100E-007
RCPTR_46	farmer_child	TOCDFLIC	Mercuric chloride	9.4720E-008	1.1781E-007
RCPTR_46	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.9129E-017	1.2403E-016
RCPTR_46	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0432E-016	2.1880E-016
RCPTR_46	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.2075E-014	1.7218E-013
RCPTR_46	farmer_child	TOCDFLIC	Methyl mercury	1.1132E-009	1.1844E-009
RCPTR_46	farmer_child	TOCDFLIC	Methylene chloride	1.0712E-014	2.2468E-014
RCPTR_46	farmer_child	TOCDFLIC	Mustard	1.1091E-013	2.3258E-013
RCPTR_46	farmer_child	TOCDFLIC	Naphthalene	7.0781E-013	1.4802E-012
RCPTR_46	farmer_child	TOCDFLIC	Nickel	2.0519E-006	2.1643E-006
RCPTR_46	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.8477E-011	3.8717E-011
RCPTR_46	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.3950E-012	9.2168E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.6793E-012	1.1907E-011
RCPTR_46	farmer_child	TOCDFLIC	Nitrobenzene	1.8273E-012	3.8330E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.3203E-013	1.7450E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.6107E-012	2.4786E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0314E-012	2.1611E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.0139E-012	2.1233E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	9.1256E-014	1.9018E-013
RCPTR_46	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.4941E-012	6.7506E-012
RCPTR_46	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.3922E-012	6.6397E-012
RCPTR_46	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	8.6310E-011	8.8827E-011
RCPTR_46	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.3768E-011	1.4446E-011
RCPTR_46	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.2094E-011	5.4621E-011
RCPTR_46	farmer_child	TOCDFLIC	Pentachlorobenzene	3.5738E-010	7.2300E-010
RCPTR_46	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.8346E-011	5.6900E-011
RCPTR_46	farmer_child	TOCDFLIC	Pentachlorophenol	3.9537E-009	5.0211E-009
RCPTR_46	farmer_child	TOCDFLIC	Phenanthrene	1.4038E-012	2.9236E-012
RCPTR_46	farmer_child	TOCDFLIC	Phenol	1.4484E-012	3.0358E-012
RCPTR_46	farmer_child	TOCDFLIC	Pronamide	1.3929E-010	2.8918E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Pyrene	4.7762E-008	7.4689E-008
RCPTR_46	farmer_child	TOCDFLIC	Selenium	7.6014E-007	7.6365E-007
RCPTR_46	farmer_child	TOCDFLIC	Silver	2.0859E-006	2.2528E-006
RCPTR_46	farmer_child	TOCDFLIC	Styrene	1.6607E-011	3.4799E-011
RCPTR_46	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1919E-011	1.2703E-011
RCPTR_46	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	4.7682E-012	5.1880E-012
RCPTR_46	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1355E-010	2.3322E-010
RCPTR_46	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.3360E-015	1.1185E-014
RCPTR_46	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.9950E-015	4.1807E-015
RCPTR_46	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.3327E-010	1.5837E-009
RCPTR_46	farmer_child	TOCDFLIC	Thallium (l)	2.7020E-006	2.8129E-006
RCPTR_46	farmer_child	TOCDFLIC	Toluene	3.9045E-014	8.1636E-014
RCPTR_46	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.3193E-012	8.9557E-012
RCPTR_46	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.6905E-014	3.5440E-014
RCPTR_46	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.5436E-014	3.2372E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Trichloroethylene	2.5107E-015	5.2617E-015
RCPTR_46	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.2996E-016	6.9155E-016
RCPTR_46	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.0007E-010	1.0231E-009
RCPTR_46	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0563E-010	2.0457E-010
RCPTR_46	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.7140E-014	1.1981E-013
RCPTR_46	farmer_child	TOCDFLIC	Vinyl Chloride	2.4443E-018	5.1255E-018
RCPTR_46	farmer_child	TOCDFLIC	Xylene, m-	6.0580E-014	9.3365E-014
RCPTR_46	farmer_child	TOCDFLIC	Xylene, o-	6.0017E-014	9.7394E-014
RCPTR_46	farmer_child	TOCDFLIC	Xylene, p-	7.4852E-014	1.2570E-013
RCPTR_46	farmer_child	TOCDFLIC	Zinc	9.0074E-007	1.0468E-006
RCPTR_46	farmer_child	TOCDFMPF	Acenaphthene	1.7187E-010	3.5847E-010
RCPTR_46	farmer_child	TOCDFMPF	Acetone	1.4705E-014	3.0850E-014
RCPTR_46	farmer_child	TOCDFMPF	Acetophenone	9.4474E-013	1.9814E-012
RCPTR_46	farmer_child	TOCDFMPF	Aniline	5.4340E-014	1.1389E-013
RCPTR_46	farmer_child	TOCDFMPF	Anthracene	3.0333E-009	6.3232E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Antimony	1.0231E-008	1.1718E-008
RCPTR_46	farmer_child	TOCDFMPF	Aroclor 1254	1.2596E-010	1.8555E-010
RCPTR_46	farmer_child	TOCDFMPF	Arsenic	6.5099E-008	6.7164E-008
RCPTR_46	farmer_child	TOCDFMPF	Barium	7.6695E-008	8.5263E-008
RCPTR_46	farmer_child	TOCDFMPF	Benzene	1.9797E-014	4.1477E-014
RCPTR_46	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.7202E-007	5.8640E-007
RCPTR_46	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.9097E-006	4.0316E-006
RCPTR_46	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.3979E-006	2.6973E-006
RCPTR_46	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	6.0513E-006	6.1737E-006
RCPTR_46	farmer_child	TOCDFMPF	Benzoic acid	6.4093E-012	1.2921E-011
RCPTR_46	farmer_child	TOCDFMPF	Benzyl alcohol	1.2322E-012	2.5839E-012
RCPTR_46	farmer_child	TOCDFMPF	Beryllium	6.2357E-009	6.5578E-009
RCPTR_46	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.2328E-012	2.5862E-012
RCPTR_46	farmer_child	TOCDFMPF	Bromodichloromethane	2.4276E-014	5.0915E-014
RCPTR_46	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.4493E-013	1.7723E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.7688E-008	9.9296E-008
RCPTR_46	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.3815E-009	2.7036E-009
RCPTR_46	farmer_child	TOCDFMPF	Cadmium	1.1717E-007	1.4276E-007
RCPTR_46	farmer_child	TOCDFMPF	Carbon disulfide	1.9064E-015	3.9960E-015
RCPTR_46	farmer_child	TOCDFMPF	Carbon tetrachloride	1.7976E-014	3.7658E-014
RCPTR_46	farmer_child	TOCDFMPF	Chlorine	1.5844E-007	3.3239E-007
RCPTR_46	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0721E-010	2.1052E-010
RCPTR_46	farmer_child	TOCDFMPF	Chloroaniline, p-	5.7311E-012	1.2009E-011
RCPTR_46	farmer_child	TOCDFMPF	Chlorobenzene	7.4614E-014	1.5617E-013
RCPTR_46	farmer_child	TOCDFMPF	Chloroethane	4.2238E-016	8.7886E-016
RCPTR_46	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.3019E-014	2.7304E-014
RCPTR_46	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.4857E-010	9.3675E-010
RCPTR_46	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.5901E-011	3.3355E-011
RCPTR_46	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.9537E-010	1.1684E-009
RCPTR_46	farmer_child	TOCDFMPF	Chromium	1.6022E-007	1.6747E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Chromium, hexavalent	1.3903E-007	1.4123E-007
RCPTR_46	farmer_child	TOCDFMPF	Chrysene	1.2254E-006	1.3465E-006
RCPTR_46	farmer_child	TOCDFMPF	Di-n-butyl phthalate	9.5757E-009	1.0816E-008
RCPTR_46	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.5372E+001	4.5372E+001
RCPTR_46	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	8.5159E-005	8.6121E-005
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.2743E-013	1.5112E-012
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.7787E-013	1.8300E-012
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	8.4462E-013	1.7624E-012
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.0058E-009	7.1199E-009
RCPTR_46	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.7985E-017	5.8639E-017
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.2076E-015	8.8248E-015
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2269E-015	1.0963E-014
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.5935E-015	3.3406E-015
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.5618E-015	5.3699E-015
RCPTR_46	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.7227E-011	1.4425E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.4421E-014	3.0212E-014
RCPTR_46	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.7547E-015	9.9706E-015
RCPTR_46	farmer_child	TOCDFMPF	Diethyl phthalate	5.6918E-009	5.9041E-009
RCPTR_46	farmer_child	TOCDFMPF	Dimethyl phthalate	9.5058E-012	1.9779E-011
RCPTR_46	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.0858E-011	2.2726E-011
RCPTR_46	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	6.7581E-012	1.0877E-011
RCPTR_46	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.0056E-011	2.0814E-011
RCPTR_46	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	7.7330E-012	1.6064E-011
RCPTR_46	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.3083E-013	4.8422E-013
RCPTR_46	farmer_child	TOCDFMPF	Ethylbenzene	4.5883E-014	9.5262E-014
RCPTR_46	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.6475E-010	4.1623E-010
RCPTR_46	farmer_child	TOCDFMPF	Fluoranthene	4.4211E-008	7.8536E-008
RCPTR_46	farmer_child	TOCDFMPF	Fluorene	6.7676E-010	1.4060E-009
RCPTR_46	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.7308E-011	1.7820E-011
RCPTR_46	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.3005E-011	2.3541E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.9627E-011	4.0766E-011
RCPTR_46	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.0766E-011	1.1029E-011
RCPTR_46	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.9712E-012	5.1302E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.3377E-012	4.4990E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.5857E-012	7.9053E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.2198E-012	3.3548E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.8562E-012	2.9748E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.5557E-012	2.6623E-012
RCPTR_46	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4343E-011	2.9413E-011
RCPTR_46	farmer_child	TOCDFMPF	Hexachlorobenzene	2.9120E-008	5.9907E-008
RCPTR_46	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.8253E-011	7.8024E-011
RCPTR_46	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.7186E-012	1.8183E-011
RCPTR_46	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.1961E-004	6.2168E-004
RCPTR_46	farmer_child	TOCDFMPF	Isophorone	1.6508E-012	3.4621E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Lead	5.7870E-008	6.2402E-008
RCPTR_46	farmer_child	TOCDFMPF	Mercuric chloride	1.6062E-006	1.9977E-006
RCPTR_46	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.0515E-016	6.4010E-016
RCPTR_46	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.7760E-017	3.7250E-017
RCPTR_46	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.6601E-014	3.4825E-014
RCPTR_46	farmer_child	TOCDFMPF	Methyl mercury	1.8883E-008	2.0089E-008
RCPTR_46	farmer_child	TOCDFMPF	Methylene chloride	8.4025E-015	1.7624E-014
RCPTR_46	farmer_child	TOCDFMPF	Mustard	7.8712E-013	1.6506E-012
RCPTR_46	farmer_child	TOCDFMPF	Naphthalene	6.9829E-012	1.4603E-011
RCPTR_46	farmer_child	TOCDFMPF	Nickel	1.2856E-006	1.3560E-006
RCPTR_46	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.8120E-011	5.8923E-011
RCPTR_46	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.6888E-012	1.4027E-011
RCPTR_46	farmer_child	TOCDFMPF	Nitroaniline, 4-	8.6433E-012	1.8122E-011
RCPTR_46	farmer_child	TOCDFMPF	Nitrobenzene	2.7860E-012	5.8441E-012
RCPTR_46	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.2686E-012	2.6605E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.4512E-011	3.7720E-011
RCPTR_46	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.5725E-012	3.2950E-012
RCPTR_46	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.5459E-012	3.2374E-012
RCPTR_46	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.3914E-013	2.8997E-013
RCPTR_46	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.1262E-010	4.2892E-010
RCPTR_46	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	7.2401E-010	7.5205E-010
RCPTR_46	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.5036E-012	4.6350E-012
RCPTR_46	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.9673E-012	6.2614E-012
RCPTR_46	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.4880E-012	3.6572E-012
RCPTR_46	farmer_child	TOCDFMPF	Pentachlorobenzene	1.0878E-010	2.2007E-010
RCPTR_46	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.3142E-011	8.6598E-011
RCPTR_46	farmer_child	TOCDFMPF	Pentachlorophenol	3.0136E-008	3.8274E-008
RCPTR_46	farmer_child	TOCDFMPF	Phenanthrene	2.1403E-012	4.4575E-012
RCPTR_46	farmer_child	TOCDFMPF	Phenol	2.2083E-012	4.6285E-012
RCPTR_46	farmer_child	TOCDFMPF	Pronamide	2.1237E-010	4.4091E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Pyrene	7.2821E-008	1.1388E-007
RCPTR_46	farmer_child	TOCDFMPF	Selenium	1.3317E-008	1.3379E-008
RCPTR_46	farmer_child	TOCDFMPF	Silver	2.8107E-007	3.0357E-007
RCPTR_46	farmer_child	TOCDFMPF	Styrene	3.7770E-013	7.9144E-013
RCPTR_46	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4226E-012	1.5161E-012
RCPTR_46	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.7122E-012	5.1271E-012
RCPTR_46	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7312E-010	3.5558E-010
RCPTR_46	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.6168E-013	3.3889E-013
RCPTR_46	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.5320E-014	3.2105E-014
RCPTR_46	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4203E-009	2.4102E-009
RCPTR_46	farmer_child	TOCDFMPF	Thallium (l)	8.2599E-008	8.5989E-008
RCPTR_46	farmer_child	TOCDFMPF	Toluene	2.6127E-014	5.4628E-014
RCPTR_46	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.5855E-012	1.3654E-011
RCPTR_46	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	9.8966E-015	2.0747E-014
RCPTR_46	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	7.5657E-014	1.5866E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Trichloroethylene	1.2306E-014	2.5789E-014
RCPTR_46	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.3961E-014	7.1177E-014
RCPTR_46	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.6244E-010	1.5598E-009
RCPTR_46	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.6105E-010	3.1190E-010
RCPTR_46	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.8005E-013	5.8720E-013
RCPTR_46	farmer_child	TOCDFMPF	Vinyl Chloride	6.6894E-018	1.4027E-017
RCPTR_46	farmer_child	TOCDFMPF	Xylene, m-	6.0503E-014	9.3232E-014
RCPTR_46	farmer_child	TOCDFMPF	Xylene, o-	5.9937E-014	9.7250E-014
RCPTR_46	farmer_child	TOCDFMPF	Xylene, p-	7.4749E-014	1.2551E-013
RCPTR_46	farmer_child	TOCDFMPF	Zinc	2.5621E-007	2.9775E-007
RCPTR_46	farmer_child	TOCDHVAC	Mustard	1.8988E-013	3.9819E-013
RCPTR_46	farmer_child	TOCDLIC2	Acenaphthene	1.1272E-010	2.3511E-010
RCPTR_46	farmer_child	TOCDLIC2	Acetone	4.0366E-015	8.4681E-015
RCPTR_46	farmer_child	TOCDLIC2	Acetophenone	5.9147E-013	1.2405E-012
RCPTR_46	farmer_child	TOCDLIC2	Aniline	3.5641E-014	7.4698E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Anthracene	1.9895E-009	4.1473E-009
RCPTR_46	farmer_child	TOCDLIC2	Antimony	7.5142E-007	8.6061E-007
RCPTR_46	farmer_child	TOCDLIC2	Arsenic	1.2534E-006	1.2932E-006
RCPTR_46	farmer_child	TOCDLIC2	Barium	1.0832E-007	1.2042E-007
RCPTR_46	farmer_child	TOCDLIC2	Benzene	2.2209E-014	4.6531E-014
RCPTR_46	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.0959E-007	3.8461E-007
RCPTR_46	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.5641E-006	2.6441E-006
RCPTR_46	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.5728E-006	1.7691E-006
RCPTR_46	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.9687E-006	4.0490E-006
RCPTR_46	farmer_child	TOCDLIC2	Benzoic acid	1.4522E-012	2.9276E-012
RCPTR_46	farmer_child	TOCDLIC2	Benzyl alcohol	1.2931E-010	2.7116E-010
RCPTR_46	farmer_child	TOCDLIC2	Beryllium	1.8308E-007	1.9254E-007
RCPTR_46	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	8.0855E-013	1.6962E-012
RCPTR_46	farmer_child	TOCDLIC2	Bromodichloromethane	8.0119E-016	1.6804E-015
RCPTR_46	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.4503E-012	3.0420E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.7836E-008	6.5126E-008
RCPTR_46	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.5617E-009	1.7730E-009
RCPTR_46	farmer_child	TOCDLIC2	Cadmium	2.5684E-008	3.1294E-008
RCPTR_46	farmer_child	TOCDLIC2	Carbon disulfide	5.2281E-015	1.0959E-014
RCPTR_46	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0347E-013	2.1676E-013
RCPTR_46	farmer_child	TOCDLIC2	Chlorine	8.6228E-007	1.8090E-006
RCPTR_46	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.0321E-011	1.3808E-010
RCPTR_46	farmer_child	TOCDLIC2	Chloroaniline, p-	3.7589E-012	7.8763E-012
RCPTR_46	farmer_child	TOCDLIC2	Chlorobenzene	4.1697E-014	8.7275E-014
RCPTR_46	farmer_child	TOCDLIC2	Chloroethane	4.2977E-017	8.9422E-017
RCPTR_46	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.1510E-014	8.7055E-014
RCPTR_46	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.9421E-010	6.1439E-010
RCPTR_46	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.0429E-011	2.1877E-011
RCPTR_46	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.9050E-010	7.6631E-010
RCPTR_46	farmer_child	TOCDLIC2	Chromium	8.4505E-007	8.8333E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Chromium, hexavalent	7.3333E-007	7.4492E-007
RCPTR_46	farmer_child	TOCDLIC2	Chrysene	8.0376E-007	8.8318E-007
RCPTR_46	farmer_child	TOCDLIC2	Di-n-butyl phthalate	9.7073E-010	1.0964E-009
RCPTR_46	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.5998E+000	4.5998E+000
RCPTR_46	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	5.5845E-005	5.6475E-005
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.7711E-013	9.9117E-013
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.7577E-013	1.2003E-012
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.5397E-013	1.1559E-012
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.9637E-009	2.3279E-009
RCPTR_46	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.4115E-018	7.1484E-018
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.3887E-016	2.9125E-016
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0665E-015	2.2368E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.2593E-017	1.1025E-016
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.2268E-016	1.0956E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.0653E-011	9.4612E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.9424E-015	6.1642E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0002E-015	2.0974E-015
RCPTR_46	farmer_child	TOCDLIC2	Diethyl phthalate	5.7703E-010	5.9855E-010
RCPTR_46	farmer_child	TOCDLIC2	Dimethyl phthalate	8.9255E-011	1.8572E-010
RCPTR_46	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	7.1215E-012	1.4906E-011
RCPTR_46	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	4.4409E-012	7.1471E-012
RCPTR_46	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.5955E-012	1.3651E-011
RCPTR_46	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.0719E-012	1.0536E-011
RCPTR_46	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.5139E-013	3.1759E-013
RCPTR_46	farmer_child	TOCDLIC2	Ethylbenzene	9.8212E-015	2.0391E-014
RCPTR_46	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.0214E-009	2.3068E-009
RCPTR_46	farmer_child	TOCDLIC2	Fluoranthene	2.8997E-008	5.1510E-008
RCPTR_46	farmer_child	TOCDLIC2	Fluorene	4.4387E-010	9.2217E-010
RCPTR_46	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.4466E-012	4.5782E-012
RCPTR_46	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.4651E-011	1.4992E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.3901E-011	3.4876E-011
RCPTR_46	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.7751E-011	3.8673E-011
RCPTR_46	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.2398E-011	2.3114E-011
RCPTR_46	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.8384E-011	1.9067E-011
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.8440E-011	4.0060E-011
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.3415E-011	3.4815E-011
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.4388E-011	3.5816E-011
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.8275E-011	2.9454E-011
RCPTR_46	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.4076E-012	1.9292E-011
RCPTR_46	farmer_child	TOCDLIC2	Hexachlorobenzene	1.9099E-008	3.9292E-008
RCPTR_46	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.5089E-011	5.1174E-011
RCPTR_46	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.7184E-012	1.1926E-011
RCPTR_46	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.0642E-004	4.0777E-004
RCPTR_46	farmer_child	TOCDLIC2	Isophorone	1.0827E-012	2.2707E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Lead	5.0171E-007	5.4100E-007
RCPTR_46	farmer_child	TOCDLIC2	Mercuric chloride	9.4720E-008	1.1781E-007
RCPTR_46	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.9129E-017	1.2403E-016
RCPTR_46	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.0432E-016	2.1880E-016
RCPTR_46	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.2075E-014	1.7218E-013
RCPTR_46	farmer_child	TOCDLIC2	Methyl mercury	1.1132E-009	1.1844E-009
RCPTR_46	farmer_child	TOCDLIC2	Methylene chloride	1.0712E-014	2.2468E-014
RCPTR_46	farmer_child	TOCDLIC2	Mustard	1.1530E-013	2.4179E-013
RCPTR_46	farmer_child	TOCDLIC2	Naphthalene	7.0781E-013	1.4802E-012
RCPTR_46	farmer_child	TOCDLIC2	Nickel	2.0519E-006	2.1643E-006
RCPTR_46	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.8477E-011	3.8717E-011
RCPTR_46	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.3950E-012	9.2168E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.6793E-012	1.1907E-011
RCPTR_46	farmer_child	TOCDLIC2	Nitrobenzene	1.8273E-012	3.8330E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitrophenol, 2-	8.3203E-013	1.7450E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.6107E-011	2.4786E-011
RCPTR_46	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0314E-012	2.1611E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.0139E-012	2.1233E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	9.1256E-014	1.9018E-013
RCPTR_46	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.4941E-012	6.7506E-012
RCPTR_46	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	6.3922E-012	6.6397E-012
RCPTR_46	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	8.6310E-011	8.8827E-011
RCPTR_46	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.3768E-011	1.4446E-011
RCPTR_46	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.2094E-011	5.4621E-011
RCPTR_46	farmer_child	TOCDLIC2	Pentachlorobenzene	3.5738E-010	7.2300E-010
RCPTR_46	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.8346E-011	5.6900E-011
RCPTR_46	farmer_child	TOCDLIC2	Pentachlorophenol	3.9537E-009	5.0211E-009
RCPTR_46	farmer_child	TOCDLIC2	Phenanthrene	1.4038E-012	2.9236E-012
RCPTR_46	farmer_child	TOCDLIC2	Phenol	1.4484E-012	3.0358E-012
RCPTR_46	farmer_child	TOCDLIC2	Pronamide	1.3929E-010	2.8918E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Pyrene	4.7762E-008	7.4689E-008
RCPTR_46	farmer_child	TOCDLIC2	Selenium	7.6014E-007	7.6365E-007
RCPTR_46	farmer_child	TOCDLIC2	Silver	2.0859E-006	2.2528E-006
RCPTR_46	farmer_child	TOCDLIC2	Styrene	1.6607E-011	3.4799E-011
RCPTR_46	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1919E-011	1.2703E-011
RCPTR_46	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	4.7682E-012	5.1880E-012
RCPTR_46	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1355E-010	2.3322E-010
RCPTR_46	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.3360E-015	1.1185E-014
RCPTR_46	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9950E-015	4.1807E-015
RCPTR_46	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.3327E-010	1.5837E-009
RCPTR_46	farmer_child	TOCDLIC2	Thallium (l)	2.7020E-006	2.8129E-006
RCPTR_46	farmer_child	TOCDLIC2	Toluene	3.9045E-014	8.1636E-014
RCPTR_46	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.3193E-012	8.9557E-012
RCPTR_46	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.6905E-014	3.5440E-014
RCPTR_46	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.5436E-014	3.2372E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Trichloroethylene	2.5107E-015	5.2617E-015
RCPTR_46	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.2996E-016	6.9155E-016
RCPTR_46	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.0007E-010	1.0231E-009
RCPTR_46	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0563E-010	2.0457E-010
RCPTR_46	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.7140E-014	1.1981E-013
RCPTR_46	farmer_child	TOCDLIC2	Vinyl Chloride	2.4443E-018	5.1255E-018
RCPTR_46	farmer_child	TOCDLIC2	Xylene, m-	1.2589E-013	1.9402E-013
RCPTR_46	farmer_child	TOCDLIC2	Xylene, o-	1.2472E-013	2.0239E-013
RCPTR_46	farmer_child	TOCDLIC2	Xylene, p-	1.5555E-013	2.6121E-013
RCPTR_46	farmer_child	TOCDLIC2	Zinc	9.0074E-007	1.0468E-006
RCPTR_47	farmer_adult	TOCDFBRA	Antimony	1.2336E-008	1.6834E-008
RCPTR_47	farmer_adult	TOCDFBRA	Arsenic	2.0635E-008	2.2086E-008
RCPTR_47	farmer_adult	TOCDFBRA	Barium	1.7042E-009	2.1636E-009
RCPTR_47	farmer_adult	TOCDFBRA	Beryllium	5.7611E-009	6.5690E-009
RCPTR_47	farmer_adult	TOCDFBRA	Cadmium	9.3890E-010	1.5468E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFBRA	Chromium	1.5401E-007	1.5521E-007
RCPTR_47	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.2261E-007	1.2683E-007
RCPTR_47	farmer_adult	TOCDFBRA	Lead	6.1134E-008	7.3728E-008
RCPTR_47	farmer_adult	TOCDFBRA	Mercuric chloride	1.4401E-005	1.5005E-005
RCPTR_47	farmer_adult	TOCDFBRA	Methyl mercury	1.5436E-007	1.6005E-007
RCPTR_47	farmer_adult	TOCDFBRA	Nickel	6.7494E-008	7.6495E-008
RCPTR_47	farmer_adult	TOCDFBRA	Selenium	2.3260E-008	2.3492E-008
RCPTR_47	farmer_adult	TOCDFBRA	Silver	7.8060E-009	9.2350E-009
RCPTR_47	farmer_adult	TOCDFBRA	Thallium (l)	2.1056E-007	2.3165E-007
RCPTR_47	farmer_adult	TOCDFBRA	Zinc	3.5192E-008	5.0462E-008
RCPTR_47	farmer_adult	TOCDFDFS	Acenaphthene	1.0527E-011	1.3928E-010
RCPTR_47	farmer_adult	TOCDFDFS	Acetone	1.1042E-016	1.5441E-015
RCPTR_47	farmer_adult	TOCDFDFS	Acetophenone	5.5451E-014	7.7323E-013
RCPTR_47	farmer_adult	TOCDFDFS	Aniline	3.1960E-015	4.4284E-014
RCPTR_47	farmer_adult	TOCDFDFS	Anthracene	1.8677E-010	2.4568E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Antimony	1.1937E-009	1.6128E-009
RCPTR_47	farmer_adult	TOCDFDFS	Aroclor 1254	1.5095E-011	3.7335E-011
RCPTR_47	farmer_adult	TOCDFDFS	Arsenic	2.3317E-009	2.4894E-009
RCPTR_47	farmer_adult	TOCDFDFS	Barium	1.5183E-009	1.9123E-009
RCPTR_47	farmer_adult	TOCDFDFS	Benzene	3.9949E-016	5.5171E-015
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.1328E-007	2.0909E-007
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.2593E-006	1.3670E-006
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.7106E-007	9.1988E-007
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.9496E-006	2.0829E-006
RCPTR_47	farmer_adult	TOCDFDFS	Benzoic acid	4.9515E-014	4.9881E-013
RCPTR_47	farmer_adult	TOCDFDFS	Benzyl alcohol	7.2156E-014	1.0048E-012
RCPTR_47	farmer_adult	TOCDFDFS	Beryllium	1.2762E-009	1.4490E-009
RCPTR_47	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.1927E-014	1.0058E-012
RCPTR_47	farmer_adult	TOCDFDFS	Bromodichloromethane	1.2815E-016	1.7879E-015
RCPTR_47	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.0488E-014	2.8605E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.0623E-009	3.8617E-008
RCPTR_47	farmer_adult	TOCDFDFS	Butylbenzylphthalate	7.4304E-010	9.6579E-010
RCPTR_47	farmer_adult	TOCDFDFS	Cadmium	4.4318E-010	7.1979E-010
RCPTR_47	farmer_adult	TOCDFDFS	Carbon disulfide	7.1046E-017	9.8564E-016
RCPTR_47	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.1317E-016	1.5611E-015
RCPTR_47	farmer_adult	TOCDFDFS	Chlorine	2.2289E-015	3.1173E-014
RCPTR_47	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	9.5704E-012	8.0849E-011
RCPTR_47	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.3769E-013	4.6692E-012
RCPTR_47	farmer_adult	TOCDFDFS	Chlorobenzene	6.6742E-016	9.1305E-015
RCPTR_47	farmer_adult	TOCDFDFS	Chloroethane	1.9732E-018	2.5595E-017
RCPTR_47	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	8.8463E-017	1.2334E-015
RCPTR_47	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.7184E-011	3.6402E-010
RCPTR_47	farmer_adult	TOCDFDFS	Chlorophenol, 2-	9.2852E-013	1.2972E-011
RCPTR_47	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.4086E-011	4.4945E-010
RCPTR_47	farmer_adult	TOCDFDFS	Chromium	4.4758E-008	4.5093E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.5910E-008	3.7098E-008
RCPTR_47	farmer_adult	TOCDFDFS	Chrysene	3.4666E-007	4.5635E-007
RCPTR_47	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.7368E-009	3.5931E-009
RCPTR_47	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.4103E+001	1.4103E+001
RCPTR_47	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.6236E-005	2.6992E-005
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.5933E-014	5.8672E-013
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.3944E-014	7.1092E-013
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.1514E-014	6.8475E-013
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.7002E-009	2.4744E-009
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.5589E-019	2.1534E-018
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.6998E-017	5.1612E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5937E-017	6.4120E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.4069E-017	1.9536E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.2629E-017	3.1403E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	8.5952E-012	5.4840E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.2800E-016	1.7666E-015
RCPTR_47	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.1876E-017	5.8312E-016
RCPTR_47	farmer_adult	TOCDFDFS	Diethyl phthalate	1.7210E-009	1.8675E-009
RCPTR_47	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.9823E-013	1.1608E-011
RCPTR_47	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.4546E-013	8.8346E-012
RCPTR_47	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.1628E-012	4.0097E-012
RCPTR_47	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.5911E-013	8.0821E-012
RCPTR_47	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.8963E-013	6.2381E-012
RCPTR_47	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.3473E-014	1.8831E-013
RCPTR_47	farmer_adult	TOCDFDFS	Ethylbenzene	4.3785E-016	5.5619E-015
RCPTR_47	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.2610E-010	1.6542E-010
RCPTR_47	farmer_adult	TOCDFDFS	Fluoranthene	4.6850E-009	3.0031E-008
RCPTR_47	farmer_adult	TOCDFDFS	Fluorene	4.2754E-011	5.4593E-010
RCPTR_47	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.9008E-014	6.4241E-014
RCPTR_47	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.9244E-014	5.2779E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.5750E-013	1.7115E-013
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2873E-012	1.3830E-012
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.8233E-013	8.5701E-013
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.1659E-013	6.8354E-013
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.3155E-013	4.8360E-013
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.8997E-013	4.3676E-013
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.6199E-013	5.1701E-013
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.5491E-013	3.9734E-013
RCPTR_47	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0038E-012	1.1402E-011
RCPTR_47	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.9547E-009	2.3231E-008
RCPTR_47	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.7843E-012	3.0226E-011
RCPTR_47	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.3330E-013	7.0639E-012
RCPTR_47	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.9217E-004	1.9373E-004
RCPTR_47	farmer_adult	TOCDFDFS	Isophorone	9.6573E-014	1.3463E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Lead	8.0290E-009	9.6295E-009
RCPTR_47	farmer_adult	TOCDFDFS	Mercuric chloride	5.7403E-009	5.9870E-009
RCPTR_47	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.6132E-018	2.2536E-017
RCPTR_47	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.1850E-019	4.4426E-018
RCPTR_47	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.9168E-016	1.1069E-014
RCPTR_47	farmer_adult	TOCDFDFS	Methyl mercury	5.6869E-011	5.9196E-011
RCPTR_47	farmer_adult	TOCDFDFS	Methylene chloride	4.7698E-017	6.6571E-016
RCPTR_47	farmer_adult	TOCDFDFS	Mustard	5.6302E-015	7.8413E-014
RCPTR_47	farmer_adult	TOCDFDFS	Naphthalene	4.1829E-013	5.6761E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nickel	1.6242E-007	1.8326E-007
RCPTR_47	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.6602E-012	2.2951E-011
RCPTR_47	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.9219E-013	5.4644E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.0820E-013	7.0598E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitrobenzene	1.6271E-013	2.2727E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.4206E-014	1.0346E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Nitrophenol, 4-	4.5914E-012	1.3721E-011
RCPTR_47	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	9.2639E-014	1.2811E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	9.1517E-014	1.2586E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.5813E-015	1.1265E-013
RCPTR_47	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.9067E-014	1.1030E-013
RCPTR_47	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0437E-013	1.1594E-013
RCPTR_47	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.2544E-012	2.4502E-012
RCPTR_47	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.8313E-013	3.2345E-013
RCPTR_47	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1641E-012	1.3261E-012
RCPTR_47	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.7090E-012	8.5496E-011
RCPTR_47	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.6500E-012	3.3687E-011
RCPTR_47	farmer_adult	TOCDFDFS	Pentachlorophenol	7.5101E-009	1.3135E-008
RCPTR_47	farmer_adult	TOCDFDFS	Phenanthrene	1.3261E-013	1.7314E-012
RCPTR_47	farmer_adult	TOCDFDFS	Phenol	1.2982E-013	1.7997E-012
RCPTR_47	farmer_adult	TOCDFDFS	Pronamide	1.3466E-011	1.7116E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Pyrene	7.3760E-009	4.3894E-008
RCPTR_47	farmer_adult	TOCDFDFS	Selenium	2.6287E-009	2.6539E-009
RCPTR_47	farmer_adult	TOCDFDFS	Silver	1.7424E-008	2.0493E-008
RCPTR_47	farmer_adult	TOCDFDFS	Styrene	4.8403E-015	6.6941E-014
RCPTR_47	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	7.0233E-013	8.3697E-013
RCPTR_47	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.1324E-013	2.6923E-013
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1872E-011	1.3777E-010
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1920E-012	1.8069E-012
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3574E-016	1.8775E-015
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.1445E-010	8.9868E-010
RCPTR_47	farmer_adult	TOCDFDFS	Thallium (l)	2.3280E-006	2.5522E-006
RCPTR_47	farmer_adult	TOCDFDFS	Toluene	1.8511E-016	2.5074E-015
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.2234E-013	5.2998E-012
RCPTR_47	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.1271E-016	1.5656E-015
RCPTR_47	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.6576E-016	9.2793E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Trichloroethylene	1.0893E-016	1.5081E-015
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.5036E-017	2.0831E-016
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.3611E-011	6.0380E-010
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.7273E-011	6.0046E-010
RCPTR_47	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.4684E-015	3.4341E-014
RCPTR_47	farmer_adult	TOCDFDFS	Vinyl Chloride	3.5238E-020	4.9017E-019
RCPTR_47	farmer_adult	TOCDFDFS	Xylene, m-	4.9718E-015	1.2763E-014
RCPTR_47	farmer_adult	TOCDFDFS	Xylene, o-	3.8303E-015	1.1591E-014
RCPTR_47	farmer_adult	TOCDFDFS	Xylene, p-	4.9942E-015	1.7078E-014
RCPTR_47	farmer_adult	TOCDFDFS	Zinc	7.4897E-009	1.0620E-008
RCPTR_47	farmer_adult	TOCDFLIC	Acenaphthene	2.1735E-012	2.8738E-011
RCPTR_47	farmer_adult	TOCDFLIC	Acetone	7.4086E-017	1.0360E-015
RCPTR_47	farmer_adult	TOCDFLIC	Acetophenone	1.0883E-014	1.5175E-013
RCPTR_47	farmer_adult	TOCDFLIC	Aniline	6.5952E-016	9.1370E-015
RCPTR_47	farmer_adult	TOCDFLIC	Anthracene	3.8557E-011	5.0692E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Antimony	5.9169E-008	7.9836E-008
RCPTR_47	farmer_adult	TOCDFLIC	Arsenic	1.0909E-007	1.1643E-007
RCPTR_47	farmer_adult	TOCDFLIC	Barium	8.8058E-009	1.1079E-008
RCPTR_47	farmer_adult	TOCDFLIC	Benzene	4.1219E-016	5.6914E-015
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.3547E-008	4.3287E-008
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.6086E-007	2.8269E-007
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.3985E-007	1.9107E-007
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.0433E-007	4.3113E-007
RCPTR_47	farmer_adult	TOCDFLIC	Benzoic acid	3.5483E-014	3.5572E-013
RCPTR_47	farmer_adult	TOCDFLIC	Benzyl alcohol	2.3822E-012	3.3171E-011
RCPTR_47	farmer_adult	TOCDFLIC	Beryllium	1.5560E-008	1.7656E-008
RCPTR_47	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.4840E-014	2.0751E-013
RCPTR_47	farmer_adult	TOCDFLIC	Bromodichloromethane	1.4735E-017	2.0557E-016
RCPTR_47	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.6655E-014	3.7215E-013
RCPTR_47	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	8.3808E-010	7.9676E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.5257E-010	1.9851E-010
RCPTR_47	farmer_adult	TOCDFLIC	Cadmium	1.8271E-009	2.9619E-009
RCPTR_47	farmer_adult	TOCDFLIC	Carbon disulfide	9.6637E-017	1.3405E-015
RCPTR_47	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.9224E-015	2.6513E-014
RCPTR_47	farmer_adult	TOCDFLIC	Chlorine	1.5824E-008	2.2131E-007
RCPTR_47	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.9902E-012	1.6697E-011
RCPTR_47	farmer_adult	TOCDFLIC	Chloroaniline, p-	6.9689E-014	9.6339E-013
RCPTR_47	farmer_adult	TOCDFLIC	Chlorobenzene	7.8044E-016	1.0673E-014
RCPTR_47	farmer_adult	TOCDFLIC	Chloroethane	8.4332E-019	1.0925E-017
RCPTR_47	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.6389E-016	1.0650E-014
RCPTR_47	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	5.6124E-012	7.5110E-011
RCPTR_47	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.9158E-013	2.6764E-012
RCPTR_47	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1214E-011	9.2787E-011
RCPTR_47	farmer_adult	TOCDFLIC	Chromium	8.0471E-008	8.1073E-008
RCPTR_47	farmer_adult	TOCDFLIC	Chromium, hexavalent	6.4629E-008	6.6758E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Chrysene	7.2292E-008	9.4852E-008
RCPTR_47	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.8535E-011	1.1584E-010
RCPTR_47	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.5811E-001	4.5811E-001
RCPTR_47	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	5.4465E-006	5.5959E-006
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	9.4901E-015	1.2107E-013
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.1140E-014	1.4669E-013
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.0637E-014	1.4129E-013
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.7639E-010	2.5611E-010
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.3300E-020	8.7442E-019
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.5542E-018	3.5630E-017
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9605E-017	2.7365E-016
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.7135E-019	1.3486E-017
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.6589E-018	1.3402E-016
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.7926E-012	1.1334E-011
RCPTR_47	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.4641E-017	7.5395E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.8426E-017	2.5658E-016
RCPTR_47	farmer_adult	TOCDFLIC	Diethyl phthalate	5.5891E-011	6.0562E-011
RCPTR_47	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.7571E-012	2.2695E-011
RCPTR_47	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.3323E-013	1.8229E-012
RCPTR_47	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.4323E-013	8.3064E-013
RCPTR_47	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.3599E-013	1.6675E-012
RCPTR_47	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.0111E-013	1.2872E-012
RCPTR_47	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.7798E-015	3.8853E-014
RCPTR_47	farmer_adult	TOCDFLIC	Ethylbenzene	1.9631E-016	2.4905E-015
RCPTR_47	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.9810E-010	2.6024E-010
RCPTR_47	farmer_adult	TOCDFLIC	Fluoranthene	9.7252E-010	6.2017E-009
RCPTR_47	farmer_adult	TOCDFLIC	Fluorene	8.8316E-012	1.1265E-010
RCPTR_47	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.9850E-013	5.4181E-013
RCPTR_47	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.5882E-012	1.6991E-012
RCPTR_47	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.7754E-012	4.0955E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.0636E-012	4.3580E-012
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.4994E-012	2.7334E-012
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.1073E-012	2.3329E-012
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.3738E-012	4.8962E-012
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.7929E-012	4.2434E-012
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.8832E-012	4.3409E-012
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.2005E-012	3.5792E-012
RCPTR_47	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.0739E-013	2.3528E-012
RCPTR_47	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.0411E-010	4.7938E-009
RCPTR_47	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.7519E-013	6.2370E-012
RCPTR_47	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1015E-013	1.4576E-012
RCPTR_47	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0234E-005	4.0542E-005
RCPTR_47	farmer_adult	TOCDFLIC	Isophorone	1.9927E-014	2.7778E-013
RCPTR_47	farmer_adult	TOCDFLIC	Lead	4.1966E-008	5.0295E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Mercuric chloride	1.3807E-008	1.4403E-008
RCPTR_47	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.0862E-018	1.5174E-017
RCPTR_47	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.9190E-018	2.6767E-017
RCPTR_47	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.5066E-015	2.1064E-014
RCPTR_47	farmer_adult	TOCDFLIC	Methyl mercury	1.3509E-010	1.4071E-010
RCPTR_47	farmer_adult	TOCDFLIC	Methylene chloride	1.9695E-016	2.7487E-015
RCPTR_47	farmer_adult	TOCDFLIC	Mustard	2.0430E-015	2.8451E-014
RCPTR_47	farmer_adult	TOCDFLIC	Naphthalene	1.3344E-014	1.8100E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nickel	1.7414E-007	1.9637E-007
RCPTR_47	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.4261E-013	4.7357E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.0925E-014	1.1275E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.0485E-013	1.4567E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nitrobenzene	3.3572E-014	4.6892E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.5311E-014	2.1347E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrophenol, 4-	9.6228E-014	2.8461E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.9118E-014	2.6433E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.8889E-014	2.5969E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.7671E-015	2.3240E-014
RCPTR_47	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.6164E-013	8.4712E-013
RCPTR_47	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.5128E-013	8.3372E-013
RCPTR_47	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	8.8991E-012	9.6556E-012
RCPTR_47	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.4007E-012	1.5977E-012
RCPTR_47	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.4383E-012	6.1867E-012
RCPTR_47	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.9418E-012	8.8302E-011
RCPTR_47	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.4777E-013	6.9455E-012
RCPTR_47	farmer_adult	TOCDFLIC	Pentachlorophenol	3.1480E-010	5.4649E-010
RCPTR_47	farmer_adult	TOCDFLIC	Phenanthrene	2.7385E-014	3.5726E-013
RCPTR_47	farmer_adult	TOCDFLIC	Phenol	2.6789E-014	3.7133E-013
RCPTR_47	farmer_adult	TOCDFLIC	Pronamide	2.7828E-012	3.5318E-011
RCPTR_47	farmer_adult	TOCDFLIC	Pyrene	1.5268E-009	9.0609E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Selenium	6.7564E-008	6.8209E-008
RCPTR_47	farmer_adult	TOCDFLIC	Silver	1.7484E-007	2.0548E-007
RCPTR_47	farmer_adult	TOCDFLIC	Styrene	3.0783E-013	4.2566E-012
RCPTR_47	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1824E-012	1.4069E-012
RCPTR_47	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	4.5434E-013	5.7258E-013
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.4569E-012	2.8432E-011
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	9.8666E-017	1.3681E-015
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.6975E-017	5.1139E-016
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.4860E-011	1.8604E-010
RCPTR_47	farmer_adult	TOCDFLIC	Thallium (l)	2.3200E-007	2.5423E-007
RCPTR_47	farmer_adult	TOCDFLIC	Toluene	7.3729E-016	9.9819E-015
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.7269E-014	1.0936E-012
RCPTR_47	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.1213E-016	4.3352E-015
RCPTR_47	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.8414E-016	3.9602E-015
RCPTR_47	farmer_adult	TOCDFLIC	Trichloroethylene	4.6497E-017	6.4360E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.1065E-018	8.4590E-017
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1104E-011	1.2462E-010
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.1999E-012	2.4675E-011
RCPTR_47	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.0535E-015	1.4656E-014
RCPTR_47	farmer_adult	TOCDFLIC	Vinyl Chloride	4.5073E-020	6.2703E-019
RCPTR_47	farmer_adult	TOCDFLIC	Xylene, m-	4.3953E-015	1.1512E-014
RCPTR_47	farmer_adult	TOCDFLIC	Xylene, o-	3.8806E-015	1.1993E-014
RCPTR_47	farmer_adult	TOCDFLIC	Xylene, p-	4.4258E-015	1.5462E-014
RCPTR_47	farmer_adult	TOCDFLIC	Zinc	6.8974E-008	9.7654E-008
RCPTR_47	farmer_adult	TOCDFMPF	Acenaphthene	3.3131E-012	4.3807E-011
RCPTR_47	farmer_adult	TOCDFMPF	Acetone	2.6984E-016	3.7734E-015
RCPTR_47	farmer_adult	TOCDFMPF	Acetophenone	1.7380E-014	2.4234E-013
RCPTR_47	farmer_adult	TOCDFMPF	Aniline	1.0054E-015	1.3928E-014
RCPTR_47	farmer_adult	TOCDFMPF	Anthracene	5.8774E-011	7.7273E-010
RCPTR_47	farmer_adult	TOCDFMPF	Antimony	8.0590E-010	1.0874E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Aroclor 1254	8.7567E-012	2.1694E-011
RCPTR_47	farmer_adult	TOCDFMPF	Arsenic	5.6678E-009	6.0492E-009
RCPTR_47	farmer_adult	TOCDFMPF	Barium	6.2368E-009	7.8467E-009
RCPTR_47	farmer_adult	TOCDFMPF	Benzene	3.6734E-016	5.0722E-015
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.5891E-008	6.5984E-008
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.9767E-007	4.3098E-007
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.1315E-007	2.9123E-007
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	6.1635E-007	6.5725E-007
RCPTR_47	farmer_adult	TOCDFMPF	Benzoic acid	1.5655E-013	1.5696E-012
RCPTR_47	farmer_adult	TOCDFMPF	Benzyl alcohol	2.2696E-014	3.1603E-013
RCPTR_47	farmer_adult	TOCDFMPF	Beryllium	5.3015E-010	6.0157E-010
RCPTR_47	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.2622E-014	3.1633E-013
RCPTR_47	farmer_adult	TOCDFMPF	Bromodichloromethane	4.4638E-016	6.2274E-015
RCPTR_47	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5526E-014	2.1677E-013
RCPTR_47	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.2775E-009	1.2146E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.3267E-010	3.0270E-010
RCPTR_47	farmer_adult	TOCDFMPF	Cadmium	8.3378E-009	1.3516E-008
RCPTR_47	farmer_adult	TOCDFMPF	Carbon disulfide	3.5230E-017	4.8870E-016
RCPTR_47	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.3391E-016	4.6051E-015
RCPTR_47	farmer_adult	TOCDFMPF	Chlorine	2.9069E-009	4.0656E-008
RCPTR_47	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.0331E-012	2.5451E-011
RCPTR_47	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.0623E-013	1.4686E-012
RCPTR_47	farmer_adult	TOCDFMPF	Chlorobenzene	1.3962E-015	1.9095E-014
RCPTR_47	farmer_adult	TOCDFMPF	Chloroethane	8.2863E-018	1.0735E-016
RCPTR_47	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.3954E-016	3.3395E-015
RCPTR_47	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	8.5552E-012	1.1450E-010
RCPTR_47	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.9204E-013	4.0798E-012
RCPTR_47	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7092E-011	1.4144E-010
RCPTR_47	farmer_adult	TOCDFMPF	Chromium	1.5262E-008	1.5376E-008
RCPTR_47	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.2257E-008	1.2661E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Chrysene	1.1017E-007	1.4457E-007
RCPTR_47	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	8.7293E-010	1.1422E-009
RCPTR_47	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.5160E+000	4.5161E+000
RCPTR_47	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	8.3019E-006	8.5301E-006
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.4466E-014	1.8455E-013
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.6982E-014	2.2361E-013
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.6215E-014	2.1538E-013
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	5.3935E-010	7.8315E-010
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.1915E-019	7.1715E-018
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.7376E-017	1.0794E-015
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.6071E-017	1.3409E-015
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.9426E-017	4.0855E-016
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.7330E-017	6.5673E-016
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.7317E-012	1.7276E-011
RCPTR_47	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.6775E-016	3.6945E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.7577E-017	1.2195E-015
RCPTR_47	farmer_adult	TOCDFMPF	Diethyl phthalate	5.5098E-010	5.9706E-010
RCPTR_47	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.8709E-013	2.4166E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.0309E-013	2.7787E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.6995E-013	1.2638E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.0730E-013	2.5419E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.5413E-013	1.9621E-012
RCPTR_47	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.2375E-015	5.9227E-014
RCPTR_47	farmer_adult	TOCDFMPF	Ethylbenzene	9.1691E-016	1.1633E-014
RCPTR_47	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.5750E-011	4.6959E-011
RCPTR_47	farmer_adult	TOCDFMPF	Fluoranthene	1.4823E-009	9.4535E-009
RCPTR_47	farmer_adult	TOCDFMPF	Fluorene	1.3462E-011	1.7172E-010
RCPTR_47	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9411E-012	2.1098E-012
RCPTR_47	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.4941E-012	2.6685E-012
RCPTR_47	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.4144E-012	4.7891E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.1590E-012	1.2431E-012
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.5493E-013	6.0693E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.9750E-013	5.5079E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	8.6357E-013	9.6674E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.6567E-013	4.0912E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.2269E-013	3.6073E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.8943E-013	3.2368E-013
RCPTR_47	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.1613E-013	3.5865E-012
RCPTR_47	farmer_adult	TOCDFMPF	Hexachlorobenzene	6.1598E-010	7.3075E-009
RCPTR_47	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.7681E-013	9.5075E-012
RCPTR_47	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.6790E-013	2.2219E-012
RCPTR_47	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.1307E-005	6.1777E-005
RCPTR_47	farmer_adult	TOCDFMPF	Isophorone	3.0376E-014	4.2344E-013
RCPTR_47	farmer_adult	TOCDFMPF	Lead	4.8422E-009	5.8032E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Mercuric chloride	2.3412E-007	2.4422E-007
RCPTR_47	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.6048E-018	7.8292E-017
RCPTR_47	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.2663E-019	4.5560E-018
RCPTR_47	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.0467E-016	4.2596E-015
RCPTR_47	farmer_adult	TOCDFMPF	Methyl mercury	2.2923E-009	2.3875E-009
RCPTR_47	farmer_adult	TOCDFMPF	Methylene chloride	1.5445E-016	2.1556E-015
RCPTR_47	farmer_adult	TOCDFMPF	Mustard	1.4496E-014	2.0187E-013
RCPTR_47	farmer_adult	TOCDFMPF	Naphthalene	1.3162E-013	1.7853E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nickel	1.0915E-007	1.2308E-007
RCPTR_47	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.2131E-013	7.2059E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.2314E-013	1.7156E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.5954E-013	2.2165E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitrobenzene	5.1176E-014	7.1480E-013
RCPTR_47	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.3340E-014	3.2540E-013
RCPTR_47	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.4635E-012	4.3299E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.9143E-014	4.0294E-013
RCPTR_47	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.8793E-014	3.9586E-013
RCPTR_47	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.6940E-015	3.5426E-014
RCPTR_47	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.8425E-011	5.3861E-011
RCPTR_47	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	8.5151E-011	9.4498E-011
RCPTR_47	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.6430E-013	5.0379E-013
RCPTR_47	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.0705E-013	6.9249E-013
RCPTR_47	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.6416E-013	4.1429E-013
RCPTR_47	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.7221E-012	2.6873E-011
RCPTR_47	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1383E-012	1.0569E-011
RCPTR_47	farmer_adult	TOCDFMPF	Pentachlorophenol	2.3981E-009	4.1640E-009
RCPTR_47	farmer_adult	TOCDFMPF	Phenanthrene	4.1744E-014	5.4460E-013
RCPTR_47	farmer_adult	TOCDFMPF	Phenol	4.0836E-014	5.6605E-013
RCPTR_47	farmer_adult	TOCDFMPF	Pronamide	4.2418E-012	5.3838E-011
RCPTR_47	farmer_adult	TOCDFMPF	Pyrene	2.3273E-009	1.3812E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Selenium	1.1841E-009	1.1954E-009
RCPTR_47	farmer_adult	TOCDFMPF	Silver	2.3568E-008	2.7698E-008
RCPTR_47	farmer_adult	TOCDFMPF	Styrene	6.9995E-015	9.6787E-014
RCPTR_47	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4111E-013	1.6791E-013
RCPTR_47	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	4.4891E-013	5.6576E-013
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.7449E-012	4.3341E-011
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.9890E-015	4.1445E-014
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.8388E-016	3.9263E-015
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.8230E-011	2.8305E-010
RCPTR_47	farmer_adult	TOCDFMPF	Thallium (l)	7.0945E-009	7.7744E-009
RCPTR_47	farmer_adult	TOCDFMPF	Toluene	4.9326E-016	6.6781E-015
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.3303E-013	1.6671E-012
RCPTR_47	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.8269E-016	2.5374E-015
RCPTR_47	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.3924E-015	1.9406E-014
RCPTR_47	farmer_adult	TOCDFMPF	Trichloroethylene	2.2784E-016	3.1538E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.2838E-016	8.7047E-015
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6925E-011	1.8997E-010
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	4.8766E-012	3.7613E-011
RCPTR_47	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.1624E-015	7.1817E-014
RCPTR_47	farmer_adult	TOCDFMPF	Vinyl Chloride	1.2333E-019	1.7156E-018
RCPTR_47	farmer_adult	TOCDFMPF	Xylene, m-	4.3941E-015	1.1497E-014
RCPTR_47	farmer_adult	TOCDFMPF	Xylene, o-	3.8793E-015	1.1977E-014
RCPTR_47	farmer_adult	TOCDFMPF	Xylene, p-	4.4240E-015	1.5439E-014
RCPTR_47	farmer_adult	TOCDFMPF	Zinc	1.9626E-008	2.7787E-008
RCPTR_47	farmer_adult	TOCDHVAC	Mustard	3.6629E-015	5.1042E-014
RCPTR_47	farmer_adult	TOCDLIC2	Acenaphthene	2.1735E-012	2.8738E-011
RCPTR_47	farmer_adult	TOCDLIC2	Acetone	7.4086E-017	1.0360E-015
RCPTR_47	farmer_adult	TOCDLIC2	Acetophenone	1.0883E-014	1.5175E-013
RCPTR_47	farmer_adult	TOCDLIC2	Aniline	6.5952E-016	9.1370E-015
RCPTR_47	farmer_adult	TOCDLIC2	Anthracene	3.8557E-011	5.0692E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Antimony	5.9169E-008	7.9836E-008
RCPTR_47	farmer_adult	TOCDLIC2	Arsenic	1.0909E-007	1.1643E-007
RCPTR_47	farmer_adult	TOCDLIC2	Barium	8.8058E-009	1.1079E-008
RCPTR_47	farmer_adult	TOCDLIC2	Benzene	4.1219E-016	5.6914E-015
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.3547E-008	4.3287E-008
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.6086E-007	2.8269E-007
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.3985E-007	1.9107E-007
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.0433E-007	4.3113E-007
RCPTR_47	farmer_adult	TOCDLIC2	Benzoic acid	3.5483E-014	3.5572E-013
RCPTR_47	farmer_adult	TOCDLIC2	Benzyl alcohol	2.3822E-012	3.3171E-011
RCPTR_47	farmer_adult	TOCDLIC2	Beryllium	1.5560E-008	1.7656E-008
RCPTR_47	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.4840E-014	2.0751E-013
RCPTR_47	farmer_adult	TOCDLIC2	Bromodichloromethane	1.4735E-017	2.0557E-016
RCPTR_47	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.6655E-014	3.7215E-013
RCPTR_47	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	8.3808E-010	7.9676E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.5257E-010	1.9851E-010
RCPTR_47	farmer_adult	TOCDLIC2	Cadmium	1.8271E-009	2.9619E-009
RCPTR_47	farmer_adult	TOCDLIC2	Carbon disulfide	9.6637E-017	1.3405E-015
RCPTR_47	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.9224E-015	2.6513E-014
RCPTR_47	farmer_adult	TOCDLIC2	Chlorine	1.5824E-008	2.2131E-007
RCPTR_47	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.9902E-012	1.6697E-011
RCPTR_47	farmer_adult	TOCDLIC2	Chloroaniline, p-	6.9689E-014	9.6339E-013
RCPTR_47	farmer_adult	TOCDLIC2	Chlorobenzene	7.8044E-016	1.0673E-014
RCPTR_47	farmer_adult	TOCDLIC2	Chloroethane	8.4332E-019	1.0925E-017
RCPTR_47	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	7.6389E-016	1.0650E-014
RCPTR_47	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	5.6124E-012	7.5110E-011
RCPTR_47	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.9158E-013	2.6764E-012
RCPTR_47	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1214E-011	9.2787E-011
RCPTR_47	farmer_adult	TOCDLIC2	Chromium	8.0471E-008	8.1073E-008
RCPTR_47	farmer_adult	TOCDLIC2	Chromium, hexavalent	6.4629E-008	6.6758E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Chrysene	7.2292E-008	9.4852E-008
RCPTR_47	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	8.8535E-011	1.1584E-010
RCPTR_47	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.5811E-001	4.5811E-001
RCPTR_47	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	5.4465E-006	5.5959E-006
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	9.4901E-015	1.2107E-013
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.1140E-014	1.4669E-013
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.0637E-014	1.4129E-013
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.7639E-010	2.5611E-010
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.3300E-020	8.7442E-019
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.5542E-018	3.5630E-017
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9605E-017	2.7365E-016
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	9.7135E-019	1.3486E-017
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	9.6589E-018	1.3402E-016
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.7926E-012	1.1334E-011
RCPTR_47	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.4641E-017	7.5395E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.8426E-017	2.5658E-016
RCPTR_47	farmer_adult	TOCDLIC2	Diethyl phthalate	5.5891E-011	6.0562E-011
RCPTR_47	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.7571E-012	2.2695E-011
RCPTR_47	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.3323E-013	1.8229E-012
RCPTR_47	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.4323E-013	8.3064E-013
RCPTR_47	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.3599E-013	1.6675E-012
RCPTR_47	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.0111E-013	1.2872E-012
RCPTR_47	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.7798E-015	3.8853E-014
RCPTR_47	farmer_adult	TOCDLIC2	Ethylbenzene	1.9631E-016	2.4905E-015
RCPTR_47	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.9810E-010	2.6024E-010
RCPTR_47	farmer_adult	TOCDLIC2	Fluoranthene	9.7252E-010	6.2017E-009
RCPTR_47	farmer_adult	TOCDLIC2	Fluorene	8.8316E-012	1.1265E-010
RCPTR_47	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.9850E-013	5.4181E-013
RCPTR_47	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.5882E-012	1.6991E-012
RCPTR_47	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.7754E-012	4.0955E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.0636E-012	4.3580E-012
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.4994E-012	2.7334E-012
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.1073E-012	2.3329E-012
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.3738E-012	4.8962E-012
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.7929E-012	4.2434E-012
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.8832E-012	4.3409E-012
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.2005E-012	3.5792E-012
RCPTR_47	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.0739E-013	2.3528E-012
RCPTR_47	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.0411E-010	4.7938E-009
RCPTR_47	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.7519E-013	6.2370E-012
RCPTR_47	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.1015E-013	1.4576E-012
RCPTR_47	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.0234E-005	4.0542E-005
RCPTR_47	farmer_adult	TOCDLIC2	Isophorone	1.9927E-014	2.7778E-013
RCPTR_47	farmer_adult	TOCDLIC2	Lead	4.1966E-008	5.0295E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Mercuric chloride	1.3807E-008	1.4403E-008
RCPTR_47	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.0862E-018	1.5174E-017
RCPTR_47	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.9190E-018	2.6767E-017
RCPTR_47	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.5066E-015	2.1064E-014
RCPTR_47	farmer_adult	TOCDLIC2	Methyl mercury	1.3509E-010	1.4071E-010
RCPTR_47	farmer_adult	TOCDLIC2	Methylene chloride	1.9695E-016	2.7487E-015
RCPTR_47	farmer_adult	TOCDLIC2	Mustard	2.1239E-015	2.9578E-014
RCPTR_47	farmer_adult	TOCDLIC2	Naphthalene	1.3344E-014	1.8100E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nickel	1.7414E-007	1.9637E-007
RCPTR_47	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.4261E-013	4.7357E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nitroaniline, 3-	8.0925E-014	1.1275E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.0485E-013	1.4567E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nitrobenzene	3.3572E-014	4.6892E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.5311E-014	2.1347E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrophenol, 4-	9.6228E-013	2.8461E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.9118E-014	2.6433E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.8889E-014	2.5969E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.7671E-015	2.3240E-014
RCPTR_47	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.6164E-013	8.4712E-013
RCPTR_47	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.5128E-013	8.3372E-013
RCPTR_47	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	8.8991E-012	9.6556E-012
RCPTR_47	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.4007E-012	1.5977E-012
RCPTR_47	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.4383E-012	6.1867E-012
RCPTR_47	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.9418E-012	8.8302E-011
RCPTR_47	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.4777E-013	6.9455E-012
RCPTR_47	farmer_adult	TOCDLIC2	Pentachlorophenol	3.1480E-010	5.4649E-010
RCPTR_47	farmer_adult	TOCDLIC2	Phenanthrene	2.7385E-014	3.5726E-013
RCPTR_47	farmer_adult	TOCDLIC2	Phenol	2.6789E-014	3.7133E-013
RCPTR_47	farmer_adult	TOCDLIC2	Pronamide	2.7828E-012	3.5318E-011
RCPTR_47	farmer_adult	TOCDLIC2	Pyrene	1.5268E-009	9.0609E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Selenium	6.7564E-008	6.8209E-008
RCPTR_47	farmer_adult	TOCDLIC2	Silver	1.7484E-007	2.0548E-007
RCPTR_47	farmer_adult	TOCDLIC2	Styrene	3.0783E-013	4.2566E-012
RCPTR_47	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1824E-012	1.4069E-012
RCPTR_47	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	4.5434E-013	5.7258E-013
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.4569E-012	2.8432E-011
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	9.8666E-017	1.3681E-015
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.6975E-017	5.1139E-016
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.4860E-011	1.8604E-010
RCPTR_47	farmer_adult	TOCDLIC2	Thallium (l)	2.3200E-007	2.5423E-007
RCPTR_47	farmer_adult	TOCDLIC2	Toluene	7.3729E-016	9.9819E-015
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	8.7269E-014	1.0936E-012
RCPTR_47	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.1213E-016	4.3352E-015
RCPTR_47	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.8414E-016	3.9602E-015
RCPTR_47	farmer_adult	TOCDLIC2	Trichloroethylene	4.6497E-017	6.4360E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.1065E-018	8.4590E-017
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.1104E-011	1.2462E-010
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.1999E-012	2.4675E-011
RCPTR_47	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.0535E-015	1.4656E-014
RCPTR_47	farmer_adult	TOCDLIC2	Vinyl Chloride	4.5073E-020	6.2703E-019
RCPTR_47	farmer_adult	TOCDLIC2	Xylene, m-	9.1337E-015	2.3922E-014
RCPTR_47	farmer_adult	TOCDLIC2	Xylene, o-	8.0641E-015	2.4923E-014
RCPTR_47	farmer_adult	TOCDLIC2	Xylene, p-	9.1970E-015	3.2131E-014
RCPTR_47	farmer_adult	TOCDLIC2	Zinc	6.8974E-008	9.7654E-008
RCPTR_47	farmer_child	TOCDFBRA	Antimony	1.4376E-008	1.6834E-008
RCPTR_47	farmer_child	TOCDFBRA	Arsenic	2.1274E-008	2.2086E-008
RCPTR_47	farmer_child	TOCDFBRA	Barium	1.9106E-009	2.1636E-009
RCPTR_47	farmer_child	TOCDFBRA	Beryllium	6.1920E-009	6.5690E-009
RCPTR_47	farmer_child	TOCDFBRA	Cadmium	1.2360E-009	1.5468E-009
RCPTR_47	farmer_child	TOCDFBRA	Chromium	1.4736E-007	1.5521E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFBRA	Chromium, hexavalent	1.2445E-007	1.2683E-007
RCPTR_47	farmer_child	TOCDFBRA	Lead	6.7583E-008	7.3728E-008
RCPTR_47	farmer_child	TOCDFBRA	Mercuric chloride	1.2120E-005	1.5005E-005
RCPTR_47	farmer_child	TOCDFBRA	Methyl mercury	1.5116E-007	1.6005E-007
RCPTR_47	farmer_child	TOCDFBRA	Nickel	7.1788E-008	7.6495E-008
RCPTR_47	farmer_child	TOCDFBRA	Selenium	2.3361E-008	2.3492E-008
RCPTR_47	farmer_child	TOCDFBRA	Silver	8.4296E-009	9.2350E-009
RCPTR_47	farmer_child	TOCDFBRA	Thallium (l)	2.2077E-007	2.3165E-007
RCPTR_47	farmer_child	TOCDFBRA	Zinc	4.2422E-008	5.0462E-008
RCPTR_47	farmer_child	TOCDFDFS	Acenaphthene	6.6709E-011	1.3928E-010
RCPTR_47	farmer_child	TOCDFDFS	Acetone	7.3602E-016	1.5441E-015
RCPTR_47	farmer_child	TOCDFDFS	Acetophenone	3.6867E-013	7.7323E-013
RCPTR_47	farmer_child	TOCDFDFS	Aniline	2.1125E-014	4.4284E-014
RCPTR_47	farmer_child	TOCDFDFS	Anthracene	1.1773E-009	2.4568E-009
RCPTR_47	farmer_child	TOCDFDFS	Antimony	1.3838E-009	1.6128E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Aroclor 1254	2.4800E-011	3.7335E-011
RCPTR_47	farmer_child	TOCDFDFS	Arsenic	2.4011E-009	2.4894E-009
RCPTR_47	farmer_child	TOCDFDFS	Barium	1.6954E-009	1.9123E-009
RCPTR_47	farmer_child	TOCDFDFS	Benzene	2.6327E-015	5.5171E-015
RCPTR_47	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.6427E-007	2.0909E-007
RCPTR_47	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.3147E-006	1.3670E-006
RCPTR_47	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	8.0203E-007	9.1988E-007
RCPTR_47	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.0280E-006	2.0829E-006
RCPTR_47	farmer_child	TOCDFDFS	Benzoic acid	2.4557E-013	4.9881E-013
RCPTR_47	farmer_child	TOCDFDFS	Benzyl alcohol	4.7914E-013	1.0048E-012
RCPTR_47	farmer_child	TOCDFDFS	Beryllium	1.3684E-009	1.4490E-009
RCPTR_47	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.7942E-013	1.0058E-012
RCPTR_47	farmer_child	TOCDFDFS	Bromodichloromethane	8.5242E-016	1.7879E-015
RCPTR_47	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3637E-013	2.8605E-013
RCPTR_47	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.2436E-008	3.8617E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Butylbenzylphthalate	8.4024E-010	9.6579E-010
RCPTR_47	farmer_child	TOCDFDFS	Cadmium	5.7835E-010	7.1979E-010
RCPTR_47	farmer_child	TOCDFDFS	Carbon disulfide	4.7014E-016	9.8564E-016
RCPTR_47	farmer_child	TOCDFDFS	Carbon tetrachloride	7.4501E-016	1.5611E-015
RCPTR_47	farmer_child	TOCDFDFS	Chlorine	1.4859E-014	3.1173E-014
RCPTR_47	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.0674E-011	8.0849E-011
RCPTR_47	farmer_child	TOCDFDFS	Chloroaniline, p-	2.2278E-012	4.6692E-012
RCPTR_47	farmer_child	TOCDFDFS	Chlorobenzene	4.3604E-015	9.1305E-015
RCPTR_47	farmer_child	TOCDFDFS	Chloroethane	1.2281E-017	2.5595E-017
RCPTR_47	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.8806E-016	1.2334E-015
RCPTR_47	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.7417E-010	3.6402E-010
RCPTR_47	farmer_child	TOCDFDFS	Chlorophenol, 2-	6.1837E-012	1.2972E-011
RCPTR_47	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.2661E-010	4.4945E-010
RCPTR_47	farmer_child	TOCDFDFS	Chromium	4.2883E-008	4.5093E-008
RCPTR_47	farmer_child	TOCDFDFS	Chromium, hexavalent	3.6429E-008	3.7098E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Chrysene	4.0844E-007	4.5635E-007
RCPTR_47	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.1105E-009	3.5931E-009
RCPTR_47	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.4103E+001	1.4103E+001
RCPTR_47	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.6662E-005	2.6992E-005
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.8191E-013	5.8672E-013
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.4063E-013	7.1092E-013
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.2784E-013	6.8475E-013
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.0380E-009	2.4744E-009
RCPTR_47	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.0275E-018	2.1534E-018
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.4607E-016	5.1612E-016
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0569E-016	6.4120E-016
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	9.3178E-017	1.9536E-016
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4979E-016	3.1403E-016
RCPTR_47	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.8775E-011	5.4840E-011
RCPTR_47	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.4304E-016	1.7666E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.7806E-016	5.8312E-016
RCPTR_47	farmer_child	TOCDFDFS	Diethyl phthalate	1.7849E-009	1.8675E-009
RCPTR_47	farmer_child	TOCDFDFS	Dimethyl phthalate	5.5717E-012	1.1608E-011
RCPTR_47	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.2189E-012	8.8346E-012
RCPTR_47	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.4051E-012	4.0097E-012
RCPTR_47	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.8982E-012	8.0821E-012
RCPTR_47	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.9981E-012	6.2381E-012
RCPTR_47	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.9766E-014	1.8831E-013
RCPTR_47	farmer_child	TOCDFDFS	Ethylbenzene	2.6738E-015	5.5619E-015
RCPTR_47	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.4326E-010	1.6542E-010
RCPTR_47	farmer_child	TOCDFDFS	Fluoranthene	1.6676E-008	3.0031E-008
RCPTR_47	farmer_child	TOCDFDFS	Fluorene	2.6232E-010	5.4593E-010
RCPTR_47	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.1886E-014	6.4241E-014
RCPTR_47	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.1190E-014	5.2779E-014
RCPTR_47	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6502E-013	1.7115E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3400E-012	1.3830E-012
RCPTR_47	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.2349E-013	8.5701E-013
RCPTR_47	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.5348E-013	6.8354E-013
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.6025E-013	4.8360E-013
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.1575E-013	4.3676E-013
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.9232E-013	5.1701E-013
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.7830E-013	3.9734E-013
RCPTR_47	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.5412E-012	1.1402E-011
RCPTR_47	farmer_child	TOCDFDFS	Hexachlorobenzene	1.1257E-008	2.3231E-008
RCPTR_47	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.4759E-011	3.0226E-011
RCPTR_47	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.3830E-012	7.0639E-012
RCPTR_47	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.9302E-004	1.9373E-004
RCPTR_47	farmer_child	TOCDFDFS	Isophorone	6.4192E-013	1.3463E-012
RCPTR_47	farmer_child	TOCDFDFS	Lead	8.8486E-009	9.6295E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Mercuric chloride	4.8076E-009	5.9870E-009
RCPTR_47	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.0743E-017	2.2536E-017
RCPTR_47	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.1181E-018	4.4426E-018
RCPTR_47	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.2762E-015	1.1069E-014
RCPTR_47	farmer_child	TOCDFDFS	Methyl mercury	5.5563E-011	5.9196E-011
RCPTR_47	farmer_child	TOCDFDFS	Methylene chloride	3.1738E-016	6.6571E-016
RCPTR_47	farmer_child	TOCDFDFS	Mustard	3.7390E-014	7.8413E-014
RCPTR_47	farmer_child	TOCDFDFS	Naphthalene	2.7126E-012	5.6761E-012
RCPTR_47	farmer_child	TOCDFDFS	Nickel	1.7236E-007	1.8326E-007
RCPTR_47	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.0951E-011	2.2951E-011
RCPTR_47	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.6056E-012	5.4644E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.3671E-012	7.0598E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitrobenzene	1.0834E-012	2.2727E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.9330E-013	1.0346E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitrophenol, 4-	8.5754E-012	1.3721E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.1126E-013	1.2811E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	6.0079E-013	1.2586E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.3995E-014	1.1265E-013
RCPTR_47	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0525E-013	1.1030E-013
RCPTR_47	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1074E-013	1.1594E-013
RCPTR_47	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.3627E-012	2.4502E-012
RCPTR_47	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.0543E-013	3.2345E-013
RCPTR_47	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2536E-012	1.3261E-012
RCPTR_47	farmer_child	TOCDFDFS	Pentachlorobenzene	4.2216E-011	8.5496E-011
RCPTR_47	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.6757E-011	3.3687E-011
RCPTR_47	farmer_child	TOCDFDFS	Pentachlorophenol	9.9645E-009	1.3135E-008
RCPTR_47	farmer_child	TOCDFDFS	Phenanthrene	8.3028E-013	1.7314E-012
RCPTR_47	farmer_child	TOCDFDFS	Phenol	8.5851E-013	1.7997E-012
RCPTR_47	farmer_child	TOCDFDFS	Pronamide	8.2277E-011	1.7116E-010
RCPTR_47	farmer_child	TOCDFDFS	Pyrene	2.7923E-008	4.3894E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Selenium	2.6397E-009	2.6539E-009
RCPTR_47	farmer_child	TOCDFDFS	Silver	1.8764E-008	2.0493E-008
RCPTR_47	farmer_child	TOCDFDFS	Styrene	3.1939E-014	6.6941E-014
RCPTR_47	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	7.7711E-013	8.3697E-013
RCPTR_47	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.4437E-013	2.6923E-013
RCPTR_47	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.6809E-011	1.3777E-010
RCPTR_47	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4603E-012	1.8069E-012
RCPTR_47	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.9578E-016	1.8775E-015
RCPTR_47	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.1302E-010	8.9868E-010
RCPTR_47	farmer_child	TOCDFDFS	Thallium (l)	2.4365E-006	2.5522E-006
RCPTR_47	farmer_child	TOCDFDFS	Toluene	1.1985E-015	2.5074E-015
RCPTR_47	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.5507E-012	5.2998E-012
RCPTR_47	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.4669E-016	1.5656E-015
RCPTR_47	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.4244E-015	9.2793E-015
RCPTR_47	farmer_child	TOCDFDFS	Trichloroethylene	7.1946E-016	1.5081E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.9375E-017	2.0831E-016
RCPTR_47	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.9369E-010	6.0380E-010
RCPTR_47	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.0558E-010	6.0046E-010
RCPTR_47	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.6377E-014	3.4341E-014
RCPTR_47	farmer_child	TOCDFDFS	Vinyl Chloride	2.3375E-019	4.9017E-019
RCPTR_47	farmer_child	TOCDFDFS	Xylene, m-	8.3718E-015	1.2763E-014
RCPTR_47	farmer_child	TOCDFDFS	Xylene, o-	7.2167E-015	1.1591E-014
RCPTR_47	farmer_child	TOCDFDFS	Xylene, p-	1.0267E-014	1.7078E-014
RCPTR_47	farmer_child	TOCDFDFS	Zinc	8.9716E-009	1.0620E-008
RCPTR_47	farmer_child	TOCDFLIC	Acenaphthene	1.3765E-011	2.8738E-011
RCPTR_47	farmer_child	TOCDFLIC	Acetone	4.9383E-016	1.0360E-015
RCPTR_47	farmer_child	TOCDFLIC	Acetophenone	7.2352E-014	1.5175E-013
RCPTR_47	farmer_child	TOCDFLIC	Aniline	4.3588E-015	9.1370E-015
RCPTR_47	farmer_child	TOCDFLIC	Anthracene	2.4294E-010	5.0692E-010
RCPTR_47	farmer_child	TOCDFLIC	Antimony	6.8543E-008	7.9836E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Arsenic	1.1232E-007	1.1643E-007
RCPTR_47	farmer_child	TOCDFLIC	Barium	9.8273E-009	1.1079E-008
RCPTR_47	farmer_child	TOCDFLIC	Benzene	2.7159E-015	5.6914E-015
RCPTR_47	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.4052E-008	4.3287E-008
RCPTR_47	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.7209E-007	2.8269E-007
RCPTR_47	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.6681E-007	1.9107E-007
RCPTR_47	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.2009E-007	4.3113E-007
RCPTR_47	farmer_child	TOCDFLIC	Benzoic acid	1.7522E-013	3.5572E-013
RCPTR_47	farmer_child	TOCDFLIC	Benzyl alcohol	1.5817E-011	3.3171E-011
RCPTR_47	farmer_child	TOCDFLIC	Beryllium	1.6678E-008	1.7656E-008
RCPTR_47	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	9.8916E-014	2.0751E-013
RCPTR_47	farmer_child	TOCDFLIC	Bromodichloromethane	9.8008E-017	2.0557E-016
RCPTR_47	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.7742E-013	3.7215E-013
RCPTR_47	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.6290E-009	7.9676E-009
RCPTR_47	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.7262E-010	1.9851E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Cadmium	2.3817E-009	2.9619E-009
RCPTR_47	farmer_child	TOCDFLIC	Carbon disulfide	6.3942E-016	1.3405E-015
RCPTR_47	farmer_child	TOCDFLIC	Carbon tetrachloride	1.2653E-014	2.6513E-014
RCPTR_47	farmer_child	TOCDFLIC	Chlorine	1.0549E-007	2.2131E-007
RCPTR_47	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	8.4077E-012	1.6697E-011
RCPTR_47	farmer_child	TOCDFLIC	Chloroaniline, p-	4.5967E-013	9.6339E-013
RCPTR_47	farmer_child	TOCDFLIC	Chlorobenzene	5.0973E-015	1.0673E-014
RCPTR_47	farmer_child	TOCDFLIC	Chloroethane	5.2424E-018	1.0925E-017
RCPTR_47	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.0777E-015	1.0650E-014
RCPTR_47	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.5939E-011	7.5110E-011
RCPTR_47	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.2759E-012	2.6764E-012
RCPTR_47	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.6809E-011	9.2787E-011
RCPTR_47	farmer_child	TOCDFLIC	Chromium	7.7114E-008	8.1073E-008
RCPTR_47	farmer_child	TOCDFLIC	Chromium, hexavalent	6.5559E-008	6.6758E-008
RCPTR_47	farmer_child	TOCDFLIC	Chrysene	8.4998E-008	9.4852E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0045E-010	1.1584E-010
RCPTR_47	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.5811E-001	4.5811E-001
RCPTR_47	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	5.5306E-006	5.5959E-006
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	5.8179E-014	1.2107E-013
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.0291E-014	1.4669E-013
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	6.7650E-014	1.4129E-013
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.1118E-010	2.5611E-010
RCPTR_47	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.1725E-019	8.7442E-019
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.6987E-017	3.5630E-017
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3046E-016	2.7365E-016
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.4325E-018	1.3486E-017
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.3927E-017	1.3402E-016
RCPTR_47	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.9562E-012	1.1334E-011
RCPTR_47	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.5980E-016	7.5395E-016
RCPTR_47	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2235E-016	2.5658E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Diethyl phthalate	5.7930E-011	6.0562E-011
RCPTR_47	farmer_child	TOCDFLIC	Dimethyl phthalate	1.0894E-011	2.2695E-011
RCPTR_47	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.7053E-013	1.8229E-012
RCPTR_47	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.9955E-013	8.3064E-013
RCPTR_47	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.0430E-013	1.6675E-012
RCPTR_47	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.1867E-013	1.2872E-012
RCPTR_47	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.8521E-014	3.8853E-014
RCPTR_47	farmer_child	TOCDFLIC	Ethylbenzene	1.1974E-015	2.4905E-015
RCPTR_47	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.2522E-010	2.6024E-010
RCPTR_47	farmer_child	TOCDFLIC	Fluoranthene	3.4464E-009	6.2017E-009
RCPTR_47	farmer_child	TOCDFLIC	Fluorene	5.4134E-011	1.1265E-010
RCPTR_47	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.2232E-013	5.4181E-013
RCPTR_47	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.6493E-012	1.6991E-012
RCPTR_47	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.9516E-012	4.0955E-012
RCPTR_47	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.2256E-012	4.3580E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.6283E-012	2.7334E-012
RCPTR_47	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.2316E-012	2.3329E-012
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.6618E-012	4.8962E-012
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.0411E-012	4.2434E-012
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.1355E-012	4.3409E-012
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.4092E-012	3.5792E-012
RCPTR_47	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.1436E-012	2.3528E-012
RCPTR_47	farmer_child	TOCDFLIC	Hexachlorobenzene	2.3235E-009	4.7938E-009
RCPTR_47	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.0458E-012	6.2370E-012
RCPTR_47	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.9812E-013	1.4576E-012
RCPTR_47	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0401E-005	4.0542E-005
RCPTR_47	farmer_child	TOCDFLIC	Isophorone	1.3245E-013	2.7778E-013
RCPTR_47	farmer_child	TOCDFLIC	Lead	4.6231E-008	5.0295E-008
RCPTR_47	farmer_child	TOCDFLIC	Mercuric chloride	1.1555E-008	1.4403E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.2335E-018	1.5174E-017
RCPTR_47	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.2762E-017	2.6767E-017
RCPTR_47	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0041E-014	2.1064E-014
RCPTR_47	farmer_child	TOCDFLIC	Methyl mercury	1.3194E-010	1.4071E-010
RCPTR_47	farmer_child	TOCDFLIC	Methylene chloride	1.3104E-015	2.7487E-015
RCPTR_47	farmer_child	TOCDFLIC	Mustard	1.3567E-014	2.8451E-014
RCPTR_47	farmer_child	TOCDFLIC	Naphthalene	8.6503E-014	1.8100E-013
RCPTR_47	farmer_child	TOCDFLIC	Nickel	1.8475E-007	1.9637E-007
RCPTR_47	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.2596E-012	4.7357E-012
RCPTR_47	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.3762E-013	1.1275E-012
RCPTR_47	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.9474E-013	1.4567E-012
RCPTR_47	farmer_child	TOCDFLIC	Nitrobenzene	2.2354E-013	4.6892E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0178E-013	2.1347E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.7843E-013	2.8461E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2612E-013	2.6433E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.2397E-013	2.5969E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.1137E-014	2.3240E-014
RCPTR_47	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.0867E-013	8.4712E-013
RCPTR_47	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.9661E-013	8.3372E-013
RCPTR_47	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.3177E-012	9.6556E-012
RCPTR_47	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.5097E-012	1.5977E-012
RCPTR_47	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.8516E-012	6.1867E-012
RCPTR_47	farmer_child	TOCDFLIC	Pentachlorobenzene	4.3572E-011	8.8302E-011
RCPTR_47	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.4523E-012	6.9455E-012
RCPTR_47	farmer_child	TOCDFLIC	Pentachlorophenol	4.1590E-010	5.4649E-010
RCPTR_47	farmer_child	TOCDFLIC	Phenanthrene	1.7133E-013	3.5726E-013
RCPTR_47	farmer_child	TOCDFLIC	Phenol	1.7714E-013	3.7133E-013
RCPTR_47	farmer_child	TOCDFLIC	Pronamide	1.6980E-011	3.5318E-011
RCPTR_47	farmer_child	TOCDFLIC	Pyrene	5.7659E-009	9.0609E-009
RCPTR_47	farmer_child	TOCDFLIC	Selenium	6.7845E-008	6.8209E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Silver	1.8821E-007	2.0548E-007
RCPTR_47	farmer_child	TOCDFLIC	Styrene	2.0309E-012	4.2566E-012
RCPTR_47	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.3071E-012	1.4069E-012
RCPTR_47	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.2010E-013	5.7258E-013
RCPTR_47	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.3792E-011	2.8432E-011
RCPTR_47	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.5261E-016	1.3681E-015
RCPTR_47	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.4400E-016	5.1139E-016
RCPTR_47	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0647E-010	1.8604E-010
RCPTR_47	farmer_child	TOCDFLIC	Thallium (l)	2.4276E-007	2.5423E-007
RCPTR_47	farmer_child	TOCDFLIC	Toluene	4.7713E-015	9.9819E-015
RCPTR_47	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.2641E-013	1.0936E-012
RCPTR_47	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.0677E-015	4.3352E-015
RCPTR_47	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.8882E-015	3.9602E-015
RCPTR_47	farmer_child	TOCDFLIC	Trichloroethylene	3.0705E-016	6.4360E-016
RCPTR_47	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.0354E-017	8.4590E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.0640E-011	1.2462E-010
RCPTR_47	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.2571E-011	2.4675E-011
RCPTR_47	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	6.9891E-015	1.4656E-014
RCPTR_47	farmer_child	TOCDFLIC	Vinyl Chloride	2.9902E-019	6.2703E-019
RCPTR_47	farmer_child	TOCDFLIC	Xylene, m-	7.5006E-015	1.1512E-014
RCPTR_47	farmer_child	TOCDFLIC	Xylene, o-	7.4207E-015	1.1993E-014
RCPTR_47	farmer_child	TOCDFLIC	Xylene, p-	9.2417E-015	1.5462E-014
RCPTR_47	farmer_child	TOCDFLIC	Zinc	8.2553E-008	9.7654E-008
RCPTR_47	farmer_child	TOCDFMPF	Acenaphthene	2.0983E-011	4.3807E-011
RCPTR_47	farmer_child	TOCDFMPF	Acetone	1.7987E-015	3.7734E-015
RCPTR_47	farmer_child	TOCDFMPF	Acetophenone	1.1554E-013	2.4234E-013
RCPTR_47	farmer_child	TOCDFMPF	Aniline	6.6444E-015	1.3928E-014
RCPTR_47	farmer_child	TOCDFMPF	Anthracene	3.7032E-010	7.7273E-010
RCPTR_47	farmer_child	TOCDFMPF	Antimony	9.3358E-010	1.0874E-009
RCPTR_47	farmer_child	TOCDFMPF	Aroclor 1254	1.4402E-011	2.1694E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Arsenic	5.8356E-009	6.0492E-009
RCPTR_47	farmer_child	TOCDFMPF	Barium	6.9603E-009	7.8467E-009
RCPTR_47	farmer_child	TOCDFMPF	Benzene	2.4204E-015	5.0722E-015
RCPTR_47	farmer_child	TOCDFMPF	Benzo(a)anthracene	5.1905E-008	6.5984E-008
RCPTR_47	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.1481E-007	4.3098E-007
RCPTR_47	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.5425E-007	2.9123E-007
RCPTR_47	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	6.4040E-007	6.5725E-007
RCPTR_47	farmer_child	TOCDFMPF	Benzoic acid	7.7318E-013	1.5696E-012
RCPTR_47	farmer_child	TOCDFMPF	Benzyl alcohol	1.5070E-013	3.1603E-013
RCPTR_47	farmer_child	TOCDFMPF	Beryllium	5.6825E-010	6.0157E-010
RCPTR_47	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.5078E-013	3.1633E-013
RCPTR_47	farmer_child	TOCDFMPF	Bromodichloromethane	2.9690E-015	6.2274E-015
RCPTR_47	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.0334E-013	2.1677E-013
RCPTR_47	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	7.0563E-009	1.2146E-008
RCPTR_47	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.6323E-010	3.0270E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Cadmium	1.0868E-008	1.3516E-008
RCPTR_47	farmer_child	TOCDFMPF	Carbon disulfide	2.3311E-016	4.8870E-016
RCPTR_47	farmer_child	TOCDFMPF	Carbon tetrachloride	2.1977E-015	4.6051E-015
RCPTR_47	farmer_child	TOCDFMPF	Chlorine	1.9379E-008	4.0656E-008
RCPTR_47	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2816E-011	2.5451E-011
RCPTR_47	farmer_child	TOCDFMPF	Chloroaniline, p-	7.0071E-013	1.4686E-012
RCPTR_47	farmer_child	TOCDFMPF	Chlorobenzene	9.1194E-015	1.9095E-014
RCPTR_47	farmer_child	TOCDFMPF	Chloroethane	5.1513E-017	1.0735E-016
RCPTR_47	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.5923E-015	3.3395E-015
RCPTR_47	farmer_child	TOCDFMPF	Chloronaphthalene,2-	5.4784E-011	1.1450E-010
RCPTR_47	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.9449E-012	4.0798E-012
RCPTR_47	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.1353E-011	1.4144E-010
RCPTR_47	farmer_child	TOCDFMPF	Chromium	1.4625E-008	1.5376E-008
RCPTR_47	farmer_child	TOCDFMPF	Chromium, hexavalent	1.2434E-008	1.2661E-008
RCPTR_47	farmer_child	TOCDFMPF	Chrysene	1.2955E-007	1.4457E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Di-n-butyl phthalate	9.9044E-010	1.1422E-009
RCPTR_47	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.5161E+000	4.5161E+000
RCPTR_47	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	8.4304E-006	8.5301E-006
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	8.8686E-014	1.8455E-013
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.0715E-013	2.2361E-013
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.0312E-013	2.1538E-013
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.4574E-010	7.8315E-010
RCPTR_47	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.4220E-018	7.1715E-018
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.1460E-016	1.0794E-015
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3928E-016	1.3409E-015
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.9486E-016	4.0855E-016
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.1325E-016	6.5673E-016
RCPTR_47	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	9.0785E-012	1.7276E-011
RCPTR_47	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.7631E-015	3.6945E-015
RCPTR_47	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.8150E-016	1.2195E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Diethyl phthalate	5.7109E-010	5.9706E-010
RCPTR_47	farmer_child	TOCDFMPF	Dimethyl phthalate	1.1600E-012	2.4166E-012
RCPTR_47	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.3270E-012	2.7787E-012
RCPTR_47	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	7.5998E-013	1.2638E-012
RCPTR_47	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.2260E-012	2.5419E-012
RCPTR_47	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	9.4307E-013	1.9621E-012
RCPTR_47	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.8233E-014	5.9227E-014
RCPTR_47	farmer_child	TOCDFMPF	Ethylbenzene	5.5930E-015	1.1633E-014
RCPTR_47	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.0641E-011	4.6959E-011
RCPTR_47	farmer_child	TOCDFMPF	Fluoranthene	5.2534E-009	9.4535E-009
RCPTR_47	farmer_child	TOCDFMPF	Fluorene	8.2520E-011	1.7172E-010
RCPTR_47	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.0339E-012	2.1098E-012
RCPTR_47	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.5901E-012	2.6685E-012
RCPTR_47	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.6207E-012	4.7891E-012
RCPTR_47	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.2053E-012	1.2431E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.8359E-013	6.0693E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.2687E-013	5.5079E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.2046E-013	9.6674E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.8961E-013	4.0912E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.4366E-013	3.6073E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.0831E-013	3.2368E-013
RCPTR_47	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.7432E-012	3.5865E-012
RCPTR_47	farmer_child	TOCDFMPF	Hexachlorobenzene	3.5418E-009	7.3075E-009
RCPTR_47	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.6430E-012	9.5075E-012
RCPTR_47	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.0642E-012	2.2219E-012
RCPTR_47	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.1563E-005	6.1777E-005
RCPTR_47	farmer_child	TOCDFMPF	Isophorone	2.0190E-013	4.2344E-013
RCPTR_47	farmer_child	TOCDFMPF	Lead	5.3343E-009	5.8032E-009
RCPTR_47	farmer_child	TOCDFMPF	Mercuric chloride	1.9595E-007	2.4422E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.7323E-017	7.8292E-017
RCPTR_47	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.1722E-018	4.5560E-018
RCPTR_47	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.0305E-015	4.2596E-015
RCPTR_47	farmer_child	TOCDFMPF	Methyl mercury	2.2388E-009	2.3875E-009
RCPTR_47	farmer_child	TOCDFMPF	Methylene chloride	1.0277E-015	2.1556E-015
RCPTR_47	farmer_child	TOCDFMPF	Mustard	9.6261E-014	2.0187E-013
RCPTR_47	farmer_child	TOCDFMPF	Naphthalene	8.5322E-013	1.7853E-012
RCPTR_47	farmer_child	TOCDFMPF	Nickel	1.1579E-007	1.2308E-007
RCPTR_47	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.4382E-012	7.2059E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.1804E-013	1.7156E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.0571E-012	2.2165E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitrobenzene	3.4076E-013	7.1480E-013
RCPTR_47	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.5515E-013	3.2540E-013
RCPTR_47	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.7143E-012	4.3299E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.9226E-013	4.0294E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.8897E-013	3.9586E-013
RCPTR_47	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.6977E-014	3.5426E-014
RCPTR_47	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.1416E-011	5.3861E-011
RCPTR_47	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.0291E-011	9.4498E-011
RCPTR_47	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.8615E-013	5.0379E-013
RCPTR_47	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.5430E-013	6.9249E-013
RCPTR_47	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.9184E-013	4.1429E-013
RCPTR_47	farmer_child	TOCDFMPF	Pentachlorobenzene	1.3261E-011	2.6873E-011
RCPTR_47	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.2534E-012	1.0569E-011
RCPTR_47	farmer_child	TOCDFMPF	Pentachlorophenol	3.1687E-009	4.1640E-009
RCPTR_47	farmer_child	TOCDFMPF	Phenanthrene	2.6117E-013	5.4460E-013
RCPTR_47	farmer_child	TOCDFMPF	Phenol	2.7002E-013	5.6605E-013
RCPTR_47	farmer_child	TOCDFMPF	Pronamide	2.5884E-011	5.3838E-011
RCPTR_47	farmer_child	TOCDFMPF	Pyrene	8.7891E-009	1.3812E-008
RCPTR_47	farmer_child	TOCDFMPF	Selenium	1.1890E-009	1.1954E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Silver	2.5370E-008	2.7698E-008
RCPTR_47	farmer_child	TOCDFMPF	Styrene	4.6180E-014	9.6787E-014
RCPTR_47	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.5600E-013	1.6791E-013
RCPTR_47	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	5.1390E-013	5.6576E-013
RCPTR_47	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.1023E-011	4.3341E-011
RCPTR_47	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.9770E-014	4.1445E-014
RCPTR_47	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.8733E-015	3.9263E-015
RCPTR_47	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.6197E-010	2.8305E-010
RCPTR_47	farmer_child	TOCDFMPF	Thallium (l)	7.4236E-009	7.7744E-009
RCPTR_47	farmer_child	TOCDFMPF	Toluene	3.1921E-015	6.6781E-015
RCPTR_47	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.0243E-013	1.6671E-012
RCPTR_47	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2102E-015	2.5374E-015
RCPTR_47	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.2528E-015	1.9406E-014
RCPTR_47	farmer_child	TOCDFMPF	Trichloroethylene	1.5046E-015	3.1538E-015
RCPTR_47	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.1526E-015	8.7047E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	9.2435E-011	1.8997E-010
RCPTR_47	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.9162E-011	3.7613E-011
RCPTR_47	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.4248E-014	7.1817E-014
RCPTR_47	farmer_child	TOCDFMPF	Vinyl Chloride	8.1816E-019	1.7156E-018
RCPTR_47	farmer_child	TOCDFMPF	Xylene, m-	7.4935E-015	1.1497E-014
RCPTR_47	farmer_child	TOCDFMPF	Xylene, o-	7.4127E-015	1.1977E-014
RCPTR_47	farmer_child	TOCDFMPF	Xylene, p-	9.2308E-015	1.5439E-014
RCPTR_47	farmer_child	TOCDFMPF	Zinc	2.3490E-008	2.7787E-008
RCPTR_47	farmer_child	TOCDHVAC	Mustard	2.4338E-014	5.1042E-014
RCPTR_47	farmer_child	TOCDLIC2	Acenaphthene	1.3765E-011	2.8738E-011
RCPTR_47	farmer_child	TOCDLIC2	Acetone	4.9383E-016	1.0360E-015
RCPTR_47	farmer_child	TOCDLIC2	Acetophenone	7.2352E-014	1.5175E-013
RCPTR_47	farmer_child	TOCDLIC2	Aniline	4.3588E-015	9.1370E-015
RCPTR_47	farmer_child	TOCDLIC2	Anthracene	2.4294E-010	5.0692E-010
RCPTR_47	farmer_child	TOCDLIC2	Antimony	6.8543E-008	7.9836E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Arsenic	1.1232E-007	1.1643E-007
RCPTR_47	farmer_child	TOCDLIC2	Barium	9.8273E-009	1.1079E-008
RCPTR_47	farmer_child	TOCDLIC2	Benzene	2.7159E-015	5.6914E-015
RCPTR_47	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.4052E-008	4.3287E-008
RCPTR_47	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.7209E-007	2.8269E-007
RCPTR_47	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.6681E-007	1.9107E-007
RCPTR_47	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.2009E-007	4.3113E-007
RCPTR_47	farmer_child	TOCDLIC2	Benzoic acid	1.7522E-013	3.5572E-013
RCPTR_47	farmer_child	TOCDLIC2	Benzyl alcohol	1.5817E-011	3.3171E-011
RCPTR_47	farmer_child	TOCDLIC2	Beryllium	1.6678E-008	1.7656E-008
RCPTR_47	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.8916E-014	2.0751E-013
RCPTR_47	farmer_child	TOCDLIC2	Bromodichloromethane	9.8008E-017	2.0557E-016
RCPTR_47	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.7742E-013	3.7215E-013
RCPTR_47	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	4.6290E-009	7.9676E-009
RCPTR_47	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.7262E-010	1.9851E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Cadmium	2.3817E-009	2.9619E-009
RCPTR_47	farmer_child	TOCDLIC2	Carbon disulfide	6.3942E-016	1.3405E-015
RCPTR_47	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2653E-014	2.6513E-014
RCPTR_47	farmer_child	TOCDLIC2	Chlorine	1.0549E-007	2.2131E-007
RCPTR_47	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	8.4077E-012	1.6697E-011
RCPTR_47	farmer_child	TOCDLIC2	Chloroaniline, p-	4.5967E-013	9.6339E-013
RCPTR_47	farmer_child	TOCDLIC2	Chlorobenzene	5.0973E-015	1.0673E-014
RCPTR_47	farmer_child	TOCDLIC2	Chloroethane	5.2424E-018	1.0925E-017
RCPTR_47	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.0777E-015	1.0650E-014
RCPTR_47	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.5939E-011	7.5110E-011
RCPTR_47	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.2759E-012	2.6764E-012
RCPTR_47	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.6809E-011	9.2787E-011
RCPTR_47	farmer_child	TOCDLIC2	Chromium	7.7114E-008	8.1073E-008
RCPTR_47	farmer_child	TOCDLIC2	Chromium, hexavalent	6.5559E-008	6.6758E-008
RCPTR_47	farmer_child	TOCDLIC2	Chrysene	8.4998E-008	9.4852E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.0045E-010	1.1584E-010
RCPTR_47	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.5811E-001	4.5811E-001
RCPTR_47	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	5.5306E-006	5.5959E-006
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	5.8179E-014	1.2107E-013
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.0291E-014	1.4669E-013
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	6.7650E-014	1.4129E-013
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.1118E-010	2.5611E-010
RCPTR_47	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.1725E-019	8.7442E-019
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.6987E-017	3.5630E-017
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3046E-016	2.7365E-016
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.4325E-018	1.3486E-017
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.3927E-017	1.3402E-016
RCPTR_47	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.9562E-012	1.1334E-011
RCPTR_47	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.5980E-016	7.5395E-016
RCPTR_47	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2235E-016	2.5658E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Diethyl phthalate	5.7930E-011	6.0562E-011
RCPTR_47	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0894E-011	2.2695E-011
RCPTR_47	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.7053E-013	1.8229E-012
RCPTR_47	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	4.9955E-013	8.3064E-013
RCPTR_47	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.0430E-013	1.6675E-012
RCPTR_47	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.1867E-013	1.2872E-012
RCPTR_47	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.8521E-014	3.8853E-014
RCPTR_47	farmer_child	TOCDLIC2	Ethylbenzene	1.1974E-015	2.4905E-015
RCPTR_47	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.2522E-010	2.6024E-010
RCPTR_47	farmer_child	TOCDLIC2	Fluoranthene	3.4464E-009	6.2017E-009
RCPTR_47	farmer_child	TOCDLIC2	Fluorene	5.4134E-011	1.1265E-010
RCPTR_47	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.2232E-013	5.4181E-013
RCPTR_47	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.6493E-012	1.6991E-012
RCPTR_47	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.9516E-012	4.0955E-012
RCPTR_47	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.2256E-012	4.3580E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.6283E-012	2.7334E-012
RCPTR_47	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.2316E-012	2.3329E-012
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.6618E-012	4.8962E-012
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.0411E-012	4.2434E-012
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.1355E-012	4.3409E-012
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.4092E-012	3.5792E-012
RCPTR_47	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.1436E-012	2.3528E-012
RCPTR_47	farmer_child	TOCDLIC2	Hexachlorobenzene	2.3235E-009	4.7938E-009
RCPTR_47	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.0458E-012	6.2370E-012
RCPTR_47	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.9812E-013	1.4576E-012
RCPTR_47	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.0401E-005	4.0542E-005
RCPTR_47	farmer_child	TOCDLIC2	Isophorone	1.3245E-013	2.7778E-013
RCPTR_47	farmer_child	TOCDLIC2	Lead	4.6231E-008	5.0295E-008
RCPTR_47	farmer_child	TOCDLIC2	Mercuric chloride	1.1555E-008	1.4403E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.2335E-018	1.5174E-017
RCPTR_47	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.2762E-017	2.6767E-017
RCPTR_47	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0041E-014	2.1064E-014
RCPTR_47	farmer_child	TOCDLIC2	Methyl mercury	1.3194E-010	1.4071E-010
RCPTR_47	farmer_child	TOCDLIC2	Methylene chloride	1.3104E-015	2.7487E-015
RCPTR_47	farmer_child	TOCDLIC2	Mustard	1.4104E-014	2.9578E-014
RCPTR_47	farmer_child	TOCDLIC2	Naphthalene	8.6503E-014	1.8100E-013
RCPTR_47	farmer_child	TOCDLIC2	Nickel	1.8475E-007	1.9637E-007
RCPTR_47	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.2596E-012	4.7357E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.3762E-013	1.1275E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.9474E-013	1.4567E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitrobenzene	2.2354E-013	4.6892E-013
RCPTR_47	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0178E-013	2.1347E-013
RCPTR_47	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.7843E-012	2.8461E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2612E-013	2.6433E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.2397E-013	2.5969E-013
RCPTR_47	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.1137E-014	2.3240E-014
RCPTR_47	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.0867E-013	8.4712E-013
RCPTR_47	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.9661E-013	8.3372E-013
RCPTR_47	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	9.3177E-012	9.6556E-012
RCPTR_47	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.5097E-012	1.5977E-012
RCPTR_47	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.8516E-012	6.1867E-012
RCPTR_47	farmer_child	TOCDLIC2	Pentachlorobenzene	4.3572E-011	8.8302E-011
RCPTR_47	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.4523E-012	6.9455E-012
RCPTR_47	farmer_child	TOCDLIC2	Pentachlorophenol	4.1590E-010	5.4649E-010
RCPTR_47	farmer_child	TOCDLIC2	Phenanthrene	1.7133E-013	3.5726E-013
RCPTR_47	farmer_child	TOCDLIC2	Phenol	1.7714E-013	3.7133E-013
RCPTR_47	farmer_child	TOCDLIC2	Pronamide	1.6980E-011	3.5318E-011
RCPTR_47	farmer_child	TOCDLIC2	Pyrene	5.7659E-009	9.0609E-009
RCPTR_47	farmer_child	TOCDLIC2	Selenium	6.7845E-008	6.8209E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Silver	1.8821E-007	2.0548E-007
RCPTR_47	farmer_child	TOCDLIC2	Styrene	2.0309E-012	4.2566E-012
RCPTR_47	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.3071E-012	1.4069E-012
RCPTR_47	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	5.2010E-013	5.7258E-013
RCPTR_47	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3792E-011	2.8432E-011
RCPTR_47	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.5261E-016	1.3681E-015
RCPTR_47	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.4400E-016	5.1139E-016
RCPTR_47	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0647E-010	1.8604E-010
RCPTR_47	farmer_child	TOCDLIC2	Thallium (l)	2.4276E-007	2.5423E-007
RCPTR_47	farmer_child	TOCDLIC2	Toluene	4.7713E-015	9.9819E-015
RCPTR_47	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.2641E-013	1.0936E-012
RCPTR_47	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.0677E-015	4.3352E-015
RCPTR_47	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.8882E-015	3.9602E-015
RCPTR_47	farmer_child	TOCDLIC2	Trichloroethylene	3.0705E-016	6.4360E-016
RCPTR_47	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.0354E-017	8.4590E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.0640E-011	1.2462E-010
RCPTR_47	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2571E-011	2.4675E-011
RCPTR_47	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	6.9891E-015	1.4656E-014
RCPTR_47	farmer_child	TOCDLIC2	Vinyl Chloride	2.9902E-019	6.2703E-019
RCPTR_47	farmer_child	TOCDLIC2	Xylene, m-	1.5587E-014	2.3922E-014
RCPTR_47	farmer_child	TOCDLIC2	Xylene, o-	1.5421E-014	2.4923E-014
RCPTR_47	farmer_child	TOCDLIC2	Xylene, p-	1.9205E-014	3.2131E-014
RCPTR_47	farmer_child	TOCDLIC2	Zinc	8.2553E-008	9.7654E-008
RCPTR_48	farmer_adult	TOCDFBRA	Antimony	9.2294E-009	1.2572E-008
RCPTR_48	farmer_adult	TOCDFBRA	Arsenic	1.5441E-008	1.6519E-008
RCPTR_48	farmer_adult	TOCDFBRA	Barium	1.2751E-009	1.6165E-009
RCPTR_48	farmer_adult	TOCDFBRA	Beryllium	4.3083E-009	4.9088E-009
RCPTR_48	farmer_adult	TOCDFBRA	Cadmium	7.0230E-010	1.1541E-009
RCPTR_48	farmer_adult	TOCDFBRA	Chromium	1.1509E-007	1.1597E-007
RCPTR_48	farmer_adult	TOCDFBRA	Chromium, hexavalent	9.1745E-008	9.4881E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFBRA	Lead	4.5697E-008	5.5057E-008
RCPTR_48	farmer_adult	TOCDFBRA	Mercuric chloride	1.0416E-005	1.0854E-005
RCPTR_48	farmer_adult	TOCDFBRA	Methyl mercury	1.1078E-007	1.1490E-007
RCPTR_48	farmer_adult	TOCDFBRA	Nickel	5.0502E-008	5.7192E-008
RCPTR_48	farmer_adult	TOCDFBRA	Selenium	1.7405E-008	1.7578E-008
RCPTR_48	farmer_adult	TOCDFBRA	Silver	5.8407E-009	6.9028E-009
RCPTR_48	farmer_adult	TOCDFBRA	Thallium (l)	1.5756E-007	1.7323E-007
RCPTR_48	farmer_adult	TOCDFBRA	Zinc	2.6328E-008	3.7677E-008
RCPTR_48	farmer_adult	TOCDFDFS	Acenaphthene	7.3664E-012	9.7206E-011
RCPTR_48	farmer_adult	TOCDFDFS	Acetone	7.7051E-017	1.0774E-015
RCPTR_48	farmer_adult	TOCDFDFS	Acetophenone	3.8700E-014	5.3956E-013
RCPTR_48	farmer_adult	TOCDFDFS	Aniline	2.2314E-015	3.0902E-014
RCPTR_48	farmer_adult	TOCDFDFS	Anthracene	1.3066E-010	1.7146E-009
RCPTR_48	farmer_adult	TOCDFDFS	Antimony	8.0506E-010	1.0828E-009
RCPTR_48	farmer_adult	TOCDFDFS	Aroclor 1254	1.0555E-011	2.6070E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Arsenic	1.5732E-009	1.6778E-009
RCPTR_48	farmer_adult	TOCDFDFS	Barium	1.0241E-009	1.2853E-009
RCPTR_48	farmer_adult	TOCDFDFS	Benzene	2.7898E-016	3.8500E-015
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(a)anthracene	8.1766E-008	1.4831E-007
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(a)pyrene	9.0077E-007	9.7172E-007
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.8840E-007	6.6076E-007
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.3989E-006	1.4845E-006
RCPTR_48	farmer_adult	TOCDFDFS	Benzoic acid	3.5251E-014	3.4876E-013
RCPTR_48	farmer_adult	TOCDFDFS	Benzyl alcohol	5.0364E-014	7.0115E-013
RCPTR_48	farmer_adult	TOCDFDFS	Beryllium	8.5978E-010	9.7429E-010
RCPTR_48	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.0190E-014	7.0180E-013
RCPTR_48	farmer_adult	TOCDFDFS	Bromodichloromethane	8.9438E-017	1.2476E-015
RCPTR_48	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.4298E-014	1.9960E-013
RCPTR_48	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.8339E-009	2.6945E-008
RCPTR_48	farmer_adult	TOCDFDFS	Butylbenzylphthalate	5.1766E-010	6.7289E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Cadmium	2.9874E-010	4.8208E-010
RCPTR_48	farmer_adult	TOCDFDFS	Carbon disulfide	4.9600E-017	6.8779E-016
RCPTR_48	farmer_adult	TOCDFDFS	Carbon tetrachloride	7.9037E-017	1.0894E-015
RCPTR_48	farmer_adult	TOCDFDFS	Chlorine	1.5553E-015	2.1752E-014
RCPTR_48	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.8745E-012	5.6611E-011
RCPTR_48	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.3582E-013	3.2583E-012
RCPTR_48	farmer_adult	TOCDFDFS	Chlorobenzene	4.6633E-016	6.3718E-015
RCPTR_48	farmer_adult	TOCDFDFS	Chloroethane	1.3843E-018	1.7867E-017
RCPTR_48	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	6.1741E-017	8.6063E-016
RCPTR_48	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.9017E-011	2.5406E-010
RCPTR_48	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.4796E-013	9.0514E-012
RCPTR_48	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.8510E-011	3.1439E-010
RCPTR_48	farmer_adult	TOCDFDFS	Chromium	3.0094E-008	3.0317E-008
RCPTR_48	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.4229E-008	2.5017E-008
RCPTR_48	farmer_adult	TOCDFDFS	Chrysene	2.5274E-007	3.2850E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.0178E-009	2.6151E-009
RCPTR_48	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.0524E+001	1.0524E+001
RCPTR_48	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.9147E-005	1.9649E-005
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.2223E-014	4.0958E-013
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.7778E-014	4.9621E-013
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.6057E-014	4.7792E-013
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2217E-009	1.7587E-009
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.0879E-019	1.5026E-018
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.5821E-017	3.6014E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2058E-017	4.4742E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	9.8217E-018	1.3632E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5799E-017	2.1913E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.2394E-012	3.8508E-011
RCPTR_48	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	8.9397E-017	1.2328E-015
RCPTR_48	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.9225E-017	4.0690E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Diethyl phthalate	1.2834E-009	1.3857E-009
RCPTR_48	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.2858E-013	8.1017E-012
RCPTR_48	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.5111E-013	6.1653E-012
RCPTR_48	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	8.5368E-013	2.8402E-012
RCPTR_48	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.6068E-013	5.6401E-012
RCPTR_48	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.4300E-013	4.3541E-012
RCPTR_48	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	9.4016E-015	1.3140E-013
RCPTR_48	farmer_adult	TOCDFDFS	Ethylbenzene	3.0721E-016	3.8827E-015
RCPTR_48	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	8.7322E-011	1.1469E-010
RCPTR_48	farmer_adult	TOCDFDFS	Fluoranthene	3.3518E-009	2.1033E-008
RCPTR_48	farmer_adult	TOCDFDFS	Fluorene	2.9975E-011	3.8108E-010
RCPTR_48	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.9309E-014	4.2510E-014
RCPTR_48	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.3779E-014	3.5961E-014
RCPTR_48	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0549E-013	1.1385E-013
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.8690E-013	9.4657E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.2184E-013	5.6780E-013
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.0191E-013	4.4283E-013
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.8166E-013	3.1398E-013
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.5501E-013	2.8409E-013
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.0329E-013	3.3757E-013
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.3257E-013	2.5898E-013
RCPTR_48	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.0505E-013	7.9606E-012
RCPTR_48	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.3750E-009	1.6221E-008
RCPTR_48	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.9563E-012	2.1104E-011
RCPTR_48	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7359E-013	4.9305E-012
RCPTR_48	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.4241E-004	1.4344E-004
RCPTR_48	farmer_adult	TOCDFDFS	Isophorone	6.7403E-014	9.3946E-013
RCPTR_48	farmer_adult	TOCDFDFS	Lead	5.4028E-009	6.4637E-009
RCPTR_48	farmer_adult	TOCDFDFS	Mercuric chloride	3.9458E-009	4.1170E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.1258E-018	1.5725E-017
RCPTR_48	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.2226E-019	3.1000E-018
RCPTR_48	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.5243E-016	7.7235E-015
RCPTR_48	farmer_adult	TOCDFDFS	Methyl mercury	3.7940E-011	3.9554E-011
RCPTR_48	farmer_adult	TOCDFDFS	Methylene chloride	3.3288E-017	4.6452E-016
RCPTR_48	farmer_adult	TOCDFDFS	Mustard	3.9299E-015	5.4717E-014
RCPTR_48	farmer_adult	TOCDFDFS	Naphthalene	2.9239E-013	3.9612E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nickel	1.0957E-007	1.2339E-007
RCPTR_48	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.1592E-012	1.6016E-011
RCPTR_48	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.7371E-013	3.8130E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.5453E-013	4.9261E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nitrobenzene	1.1354E-013	1.5859E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.1788E-014	7.2195E-013
RCPTR_48	farmer_adult	TOCDFDFS	Nitrophenol, 4-	3.3913E-012	9.7620E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.4696E-014	8.9401E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.3939E-014	8.7831E-013
RCPTR_48	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.9709E-015	7.8590E-014
RCPTR_48	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	6.3458E-014	7.0275E-014
RCPTR_48	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.6802E-014	7.3823E-014
RCPTR_48	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.5972E-012	1.7250E-012
RCPTR_48	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.9920E-013	2.2615E-013
RCPTR_48	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.0410E-013	9.1072E-013
RCPTR_48	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.9831E-012	5.9564E-011
RCPTR_48	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.5048E-012	2.3464E-011
RCPTR_48	farmer_adult	TOCDFDFS	Pentachlorophenol	5.5829E-009	9.5077E-009
RCPTR_48	farmer_adult	TOCDFDFS	Phenanthrene	9.2876E-014	1.2085E-012
RCPTR_48	farmer_adult	TOCDFDFS	Phenol	9.0642E-014	1.2559E-012
RCPTR_48	farmer_adult	TOCDFDFS	Pronamide	9.4532E-012	1.1949E-010
RCPTR_48	farmer_adult	TOCDFDFS	Pyrene	5.2144E-009	3.0691E-008
RCPTR_48	farmer_adult	TOCDFDFS	Selenium	1.7738E-009	1.7905E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Silver	1.1754E-008	1.3789E-008
RCPTR_48	farmer_adult	TOCDFDFS	Styrene	3.3797E-015	4.6713E-014
RCPTR_48	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	4.9610E-013	5.8735E-013
RCPTR_48	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.5216E-013	1.9061E-013
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.3792E-012	9.6227E-011
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.8718E-013	1.3163E-012
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.4742E-017	1.3101E-015
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.5735E-010	6.3480E-010
RCPTR_48	farmer_adult	TOCDFDFS	Thallium (l)	1.5706E-006	1.7192E-006
RCPTR_48	farmer_adult	TOCDFDFS	Toluene	1.2942E-016	1.7499E-015
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.9646E-013	3.6999E-012
RCPTR_48	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.8680E-017	1.0925E-015
RCPTR_48	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.6466E-016	6.4751E-015
RCPTR_48	farmer_adult	TOCDFDFS	Trichloroethylene	7.6058E-017	1.0523E-015
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0498E-017	1.4536E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.7951E-011	4.2186E-010
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.5698E-011	4.2077E-010
RCPTR_48	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.7229E-015	2.3963E-014
RCPTR_48	farmer_adult	TOCDFDFS	Vinyl Chloride	2.4584E-020	3.4203E-019
RCPTR_48	farmer_adult	TOCDFDFS	Xylene, m-	3.1752E-015	8.6121E-015
RCPTR_48	farmer_adult	TOCDFDFS	Xylene, o-	2.4542E-015	7.8692E-015
RCPTR_48	farmer_adult	TOCDFDFS	Xylene, p-	3.2109E-015	1.1643E-014
RCPTR_48	farmer_adult	TOCDFDFS	Zinc	5.0506E-009	7.1252E-009
RCPTR_48	farmer_adult	TOCDFLIC	Acenaphthene	1.5567E-012	2.0531E-011
RCPTR_48	farmer_adult	TOCDFLIC	Acetone	5.2918E-017	7.3997E-016
RCPTR_48	farmer_adult	TOCDFLIC	Acetophenone	7.7746E-015	1.0839E-013
RCPTR_48	farmer_adult	TOCDFLIC	Aniline	4.7134E-016	6.5265E-015
RCPTR_48	farmer_adult	TOCDFLIC	Anthracene	2.7606E-011	3.6214E-010
RCPTR_48	farmer_adult	TOCDFLIC	Antimony	4.0263E-008	5.4097E-008
RCPTR_48	farmer_adult	TOCDFLIC	Arsenic	7.4262E-008	7.9176E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Barium	5.9929E-009	7.5145E-009
RCPTR_48	farmer_adult	TOCDFLIC	Benzene	2.9464E-016	4.0654E-015
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.7363E-008	3.1394E-008
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.9050E-007	2.0516E-007
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.0398E-007	1.4029E-007
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.9623E-007	3.1374E-007
RCPTR_48	farmer_adult	TOCDFLIC	Benzoic acid	2.5850E-014	2.5458E-013
RCPTR_48	farmer_adult	TOCDFLIC	Benzyl alcohol	1.7020E-012	2.3693E-011
RCPTR_48	farmer_adult	TOCDFLIC	Beryllium	1.0577E-008	1.1980E-008
RCPTR_48	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0600E-014	1.4822E-013
RCPTR_48	farmer_adult	TOCDFLIC	Bromodichloromethane	1.0526E-017	1.4683E-016
RCPTR_48	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.9041E-014	2.6581E-013
RCPTR_48	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.9843E-010	5.6908E-009
RCPTR_48	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.0839E-010	1.4116E-010
RCPTR_48	farmer_adult	TOCDFLIC	Cadmium	1.2427E-009	2.0023E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Carbon disulfide	6.9059E-017	9.5752E-016
RCPTR_48	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.3742E-015	1.8938E-014
RCPTR_48	farmer_adult	TOCDFLIC	Chlorine	1.1302E-008	1.5807E-007
RCPTR_48	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.4626E-012	1.1967E-011
RCPTR_48	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.9814E-014	6.8816E-013
RCPTR_48	farmer_adult	TOCDFLIC	Chlorobenzene	5.5815E-016	7.6243E-015
RCPTR_48	farmer_adult	TOCDFLIC	Chloroethane	6.0559E-019	7.8062E-018
RCPTR_48	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.4574E-016	7.6068E-015
RCPTR_48	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.0188E-012	5.3658E-011
RCPTR_48	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3685E-013	1.9116E-012
RCPTR_48	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	8.1662E-012	6.6431E-011
RCPTR_48	farmer_adult	TOCDFLIC	Chromium	5.4602E-008	5.5005E-008
RCPTR_48	farmer_adult	TOCDFLIC	Chromium, hexavalent	4.3998E-008	4.5422E-008
RCPTR_48	farmer_adult	TOCDFLIC	Chrysene	5.3847E-008	6.9788E-008
RCPTR_48	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	6.6694E-011	8.6187E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.4930E-001	3.4930E-001
RCPTR_48	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.0568E-006	4.1569E-006
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.8141E-015	8.6511E-014
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	7.9856E-015	1.0481E-013
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.6207E-015	1.0094E-013
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.2943E-010	1.8601E-010
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.5214E-020	6.2457E-019
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.8247E-018	2.5449E-017
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4005E-017	1.9546E-016
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	6.9412E-019	9.6332E-018
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.9026E-018	9.5730E-017
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.3310E-012	8.1461E-012
RCPTR_48	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.9062E-017	5.3856E-016
RCPTR_48	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3163E-017	1.8327E-016
RCPTR_48	farmer_adult	TOCDFLIC	Diethyl phthalate	4.2590E-011	4.5926E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2584E-012	1.6213E-011
RCPTR_48	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.5313E-014	1.3021E-012
RCPTR_48	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.8254E-013	6.0210E-013
RCPTR_48	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	9.7252E-014	1.1911E-012
RCPTR_48	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.2492E-014	9.1964E-013
RCPTR_48	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.9856E-015	2.7752E-014
RCPTR_48	farmer_adult	TOCDFLIC	Ethylbenzene	1.4097E-016	1.7796E-015
RCPTR_48	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.3984E-010	1.8411E-010
RCPTR_48	farmer_adult	TOCDFLIC	Fluoranthene	7.1151E-010	4.4454E-009
RCPTR_48	farmer_adult	TOCDFLIC	Fluorene	6.3372E-012	8.0491E-011
RCPTR_48	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.3759E-013	3.6438E-013
RCPTR_48	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1100E-012	1.1793E-012
RCPTR_48	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.5716E-012	2.7701E-012
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.8533E-012	3.0394E-012
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.6950E-012	1.8408E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.3934E-012	1.5329E-012
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.8963E-012	3.2250E-012
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.5170E-012	2.8009E-012
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.5881E-012	2.8772E-012
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.1288E-012	2.3677E-012
RCPTR_48	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4903E-013	1.6814E-012
RCPTR_48	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.9090E-010	3.4263E-009
RCPTR_48	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.1343E-013	4.4575E-012
RCPTR_48	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.8982E-014	1.0414E-012
RCPTR_48	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.0454E-005	3.0661E-005
RCPTR_48	farmer_adult	TOCDFLIC	Isophorone	1.4236E-014	1.9841E-013
RCPTR_48	farmer_adult	TOCDFLIC	Lead	2.8496E-008	3.4071E-008
RCPTR_48	farmer_adult	TOCDFLIC	Mercuric chloride	9.7008E-009	1.0124E-008
RCPTR_48	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.7591E-019	1.0838E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.3708E-018	1.9119E-017
RCPTR_48	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0762E-015	1.5045E-014
RCPTR_48	farmer_adult	TOCDFLIC	Methyl mercury	9.1698E-011	9.5685E-011
RCPTR_48	farmer_adult	TOCDFLIC	Methylene chloride	1.4069E-016	1.9633E-015
RCPTR_48	farmer_adult	TOCDFLIC	Mustard	1.4597E-015	2.0322E-014
RCPTR_48	farmer_adult	TOCDFLIC	Naphthalene	9.5476E-015	1.2930E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nickel	1.1853E-007	1.3341E-007
RCPTR_48	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.4486E-013	3.3827E-012
RCPTR_48	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.7811E-014	8.0535E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.4868E-014	1.0404E-012
RCPTR_48	farmer_adult	TOCDFLIC	Nitrobenzene	2.3981E-014	3.3493E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.0938E-014	1.5247E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitrophenol, 4-	7.2653E-014	2.0721E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3667E-014	1.8882E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.3508E-014	1.8550E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.2575E-015	1.6595E-014
RCPTR_48	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.9394E-013	5.4634E-013
RCPTR_48	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.8677E-013	5.3731E-013
RCPTR_48	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	6.4354E-012	6.9387E-012
RCPTR_48	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.0057E-012	1.1402E-012
RCPTR_48	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.8295E-012	4.3321E-012
RCPTR_48	farmer_adult	TOCDFLIC	Pentachlorobenzene	6.2753E-012	6.2959E-011
RCPTR_48	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.2407E-013	4.9509E-012
RCPTR_48	farmer_adult	TOCDFLIC	Pentachlorophenol	2.3915E-010	4.0464E-010
RCPTR_48	farmer_adult	TOCDFLIC	Phenanthrene	1.9632E-014	2.5525E-013
RCPTR_48	farmer_adult	TOCDFLIC	Phenol	1.9147E-014	2.6524E-013
RCPTR_48	farmer_adult	TOCDFLIC	Pronamide	1.9994E-012	2.5238E-011
RCPTR_48	farmer_adult	TOCDFLIC	Pyrene	1.1045E-009	6.4847E-009
RCPTR_48	farmer_adult	TOCDFLIC	Selenium	4.5997E-008	4.6428E-008
RCPTR_48	farmer_adult	TOCDFLIC	Silver	1.1900E-007	1.3951E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Styrene	2.2001E-013	3.0404E-012
RCPTR_48	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	8.5254E-013	1.0081E-012
RCPTR_48	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	3.3113E-013	4.1419E-013
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.7746E-012	2.0328E-011
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.0510E-017	9.7724E-016
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.6415E-017	3.6528E-016
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.3654E-011	1.3450E-010
RCPTR_48	farmer_adult	TOCDFLIC	Thallium (l)	1.5792E-007	1.7280E-007
RCPTR_48	farmer_adult	TOCDFLIC	Toluene	5.2764E-016	7.1307E-015
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.2697E-014	7.8149E-013
RCPTR_48	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.2304E-016	3.0966E-015
RCPTR_48	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.0300E-016	2.8287E-015
RCPTR_48	farmer_adult	TOCDFLIC	Trichloroethylene	3.3231E-017	4.5972E-016
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.3641E-018	6.0422E-017
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	8.0448E-012	8.9126E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.3596E-012	1.7699E-011
RCPTR_48	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.5271E-016	1.0468E-014
RCPTR_48	farmer_adult	TOCDFLIC	Vinyl Chloride	3.2187E-020	4.4785E-019
RCPTR_48	farmer_adult	TOCDFLIC	Xylene, m-	2.8416E-015	7.9245E-015
RCPTR_48	farmer_adult	TOCDFLIC	Xylene, o-	2.5184E-015	8.3130E-015
RCPTR_48	farmer_adult	TOCDFLIC	Xylene, p-	2.8837E-015	1.0767E-014
RCPTR_48	farmer_adult	TOCDFLIC	Zinc	4.6929E-008	6.6127E-008
RCPTR_48	farmer_adult	TOCDFMPF	Acenaphthene	2.3690E-012	3.1244E-011
RCPTR_48	farmer_adult	TOCDFMPF	Acetone	1.9242E-016	2.6907E-015
RCPTR_48	farmer_adult	TOCDFMPF	Acetophenone	1.2395E-014	1.7281E-013
RCPTR_48	farmer_adult	TOCDFMPF	Aniline	7.1731E-016	9.9324E-015
RCPTR_48	farmer_adult	TOCDFMPF	Anthracene	4.2012E-011	5.5112E-010
RCPTR_48	farmer_adult	TOCDFMPF	Antimony	5.4705E-010	7.3495E-010
RCPTR_48	farmer_adult	TOCDFMPF	Aroclor 1254	6.2388E-012	1.5462E-011
RCPTR_48	farmer_adult	TOCDFMPF	Arsenic	3.8489E-009	4.1035E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Barium	4.2342E-009	5.3088E-009
RCPTR_48	farmer_adult	TOCDFMPF	Benzene	2.6215E-016	3.6171E-015
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.6422E-008	4.7778E-008
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(a)pyrene	2.8997E-007	3.1231E-007
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.5821E-007	2.1347E-007
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	4.5087E-007	4.7757E-007
RCPTR_48	farmer_adult	TOCDFMPF	Benzoic acid	1.1385E-013	1.1215E-012
RCPTR_48	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6189E-014	2.2536E-013
RCPTR_48	farmer_adult	TOCDFMPF	Beryllium	3.5948E-010	4.0716E-010
RCPTR_48	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.6132E-014	2.2557E-013
RCPTR_48	farmer_adult	TOCDFMPF	Bromodichloromethane	3.1836E-016	4.4407E-015
RCPTR_48	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.1073E-014	1.5457E-013
RCPTR_48	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	9.1073E-010	8.6605E-009
RCPTR_48	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.6509E-010	2.1496E-010
RCPTR_48	farmer_adult	TOCDFMPF	Cadmium	5.6569E-009	9.1136E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Carbon disulfide	2.5135E-017	3.4850E-016
RCPTR_48	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.3830E-016	3.2840E-015
RCPTR_48	farmer_adult	TOCDFMPF	Chlorine	2.0729E-009	2.8991E-008
RCPTR_48	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.2252E-012	1.8211E-011
RCPTR_48	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.5809E-014	1.0473E-012
RCPTR_48	farmer_adult	TOCDFMPF	Chlorobenzene	9.9690E-016	1.3618E-014
RCPTR_48	farmer_adult	TOCDFMPF	Chloroethane	5.9404E-018	7.6579E-017
RCPTR_48	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.7085E-016	2.3814E-015
RCPTR_48	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.1158E-012	8.1660E-011
RCPTR_48	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.0827E-013	2.9092E-012
RCPTR_48	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.2426E-011	1.0110E-010
RCPTR_48	farmer_adult	TOCDFMPF	Chromium	1.0330E-008	1.0406E-008
RCPTR_48	farmer_adult	TOCDFMPF	Chromium, hexavalent	8.3240E-009	8.5935E-009
RCPTR_48	farmer_adult	TOCDFMPF	Chrysene	8.1925E-008	1.0619E-007
RCPTR_48	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	6.5642E-010	8.4837E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.4371E+000	3.4371E+000
RCPTR_48	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	6.1710E-006	6.3235E-006
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.0370E-014	1.3166E-013
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.2152E-014	1.5950E-013
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.1597E-014	1.5362E-013
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.9515E-010	5.6789E-010
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.7021E-019	5.1139E-018
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.5184E-017	7.6968E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.8514E-017	9.5620E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.0993E-017	2.9134E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.3768E-017	4.6833E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.0246E-012	1.2396E-011
RCPTR_48	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.9109E-016	2.6347E-015
RCPTR_48	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.2458E-017	8.6960E-016
RCPTR_48	farmer_adult	TOCDFMPF	Diethyl phthalate	4.1908E-010	4.5193E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.3377E-013	1.7236E-012
RCPTR_48	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.4505E-013	1.9817E-012
RCPTR_48	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	2.7715E-013	9.1449E-013
RCPTR_48	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.4801E-013	1.8127E-012
RCPTR_48	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.1032E-013	1.3995E-012
RCPTR_48	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.0218E-015	4.2234E-014
RCPTR_48	farmer_adult	TOCDFMPF	Ethylbenzene	6.5736E-016	8.2987E-015
RCPTR_48	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.5205E-011	3.3178E-011
RCPTR_48	farmer_adult	TOCDFMPF	Fluoranthene	1.0826E-009	6.7651E-009
RCPTR_48	farmer_adult	TOCDFMPF	Fluorene	9.6440E-012	1.2249E-010
RCPTR_48	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.3134E-012	1.4178E-012
RCPTR_48	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.7412E-012	1.8501E-012
RCPTR_48	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.0043E-012	3.2365E-012
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.1285E-013	8.6597E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.7603E-013	4.0841E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.2879E-013	3.6173E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.7154E-013	6.3643E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.4252E-013	2.6989E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.1493E-013	2.3895E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.9239E-013	2.1400E-013
RCPTR_48	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.2680E-013	2.5588E-012
RCPTR_48	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.4268E-010	5.2143E-009
RCPTR_48	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.2920E-013	6.7836E-012
RCPTR_48	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2019E-013	1.5849E-012
RCPTR_48	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	4.6317E-005	4.6631E-005
RCPTR_48	farmer_adult	TOCDFMPF	Isophorone	2.1666E-014	3.0195E-013
RCPTR_48	farmer_adult	TOCDFMPF	Lead	3.2798E-009	3.9213E-009
RCPTR_48	farmer_adult	TOCDFMPF	Mercuric chloride	1.6426E-007	1.7141E-007
RCPTR_48	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.9969E-018	5.5829E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.3294E-019	3.2488E-018
RCPTR_48	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.1726E-016	3.0375E-015
RCPTR_48	farmer_adult	TOCDFMPF	Methyl mercury	1.5545E-009	1.6220E-009
RCPTR_48	farmer_adult	TOCDFMPF	Methylene chloride	1.1015E-016	1.5371E-015
RCPTR_48	farmer_adult	TOCDFMPF	Mustard	1.0340E-014	1.4396E-013
RCPTR_48	farmer_adult	TOCDFMPF	Naphthalene	9.4016E-014	1.2732E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nickel	7.4110E-008	8.3411E-008
RCPTR_48	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.7196E-013	5.1386E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitroaniline, 3-	8.7819E-014	1.2234E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.1373E-013	1.5805E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitrobenzene	3.6495E-014	5.0972E-013
RCPTR_48	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.6646E-014	2.3204E-013
RCPTR_48	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.1030E-012	3.1469E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.0799E-014	2.8735E-013
RCPTR_48	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.0557E-014	2.8231E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.9142E-015	2.5255E-014
RCPTR_48	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.1395E-011	3.4727E-011
RCPTR_48	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.5154E-011	6.0884E-011
RCPTR_48	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.3527E-013	3.6152E-013
RCPTR_48	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.3525E-013	4.9349E-013
RCPTR_48	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.5612E-013	2.8974E-013
RCPTR_48	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.9077E-012	1.9129E-011
RCPTR_48	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.9665E-013	7.5214E-012
RCPTR_48	farmer_adult	TOCDFMPF	Pentachlorophenol	1.8185E-009	3.0777E-009
RCPTR_48	farmer_adult	TOCDFMPF	Phenanthrene	2.9875E-014	3.8845E-013
RCPTR_48	farmer_adult	TOCDFMPF	Phenol	2.9138E-014	4.0366E-013
RCPTR_48	farmer_adult	TOCDFMPF	Pronamide	3.0427E-012	3.8409E-011
RCPTR_48	farmer_adult	TOCDFMPF	Pyrene	1.6806E-009	9.8686E-009
RCPTR_48	farmer_adult	TOCDFMPF	Selenium	8.0415E-010	8.1169E-010
RCPTR_48	farmer_adult	TOCDFMPF	Silver	1.6002E-008	1.8759E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Styrene	4.9945E-015	6.9021E-014
RCPTR_48	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.0160E-013	1.2014E-013
RCPTR_48	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.2667E-013	4.0862E-013
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.7004E-012	3.0936E-011
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.1325E-015	2.9555E-014
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0248E-016	2.7998E-015
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	5.1095E-011	2.0428E-010
RCPTR_48	farmer_adult	TOCDFMPF	Thallium (l)	4.8174E-009	5.2712E-009
RCPTR_48	farmer_adult	TOCDFMPF	Toluene	3.5241E-016	4.7628E-015
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.5410E-014	1.1893E-012
RCPTR_48	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.3033E-016	1.8094E-015
RCPTR_48	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	9.9309E-016	1.3838E-014
RCPTR_48	farmer_adult	TOCDFMPF	Trichloroethylene	1.6257E-016	2.2490E-015
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.4835E-016	6.2074E-015
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2241E-011	1.3564E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.5896E-012	2.6933E-011
RCPTR_48	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.6824E-015	5.1213E-014
RCPTR_48	farmer_adult	TOCDFMPF	Vinyl Chloride	8.7924E-020	1.2234E-018
RCPTR_48	farmer_adult	TOCDFMPF	Xylene, m-	2.8399E-015	7.9048E-015
RCPTR_48	farmer_adult	TOCDFMPF	Xylene, o-	2.5166E-015	8.2907E-015
RCPTR_48	farmer_adult	TOCDFMPF	Xylene, p-	2.8813E-015	1.0736E-014
RCPTR_48	farmer_adult	TOCDFMPF	Zinc	1.3321E-008	1.8768E-008
RCPTR_48	farmer_adult	TOCDHVAC	Mustard	2.4767E-015	3.4499E-014
RCPTR_48	farmer_adult	TOCDLIC2	Acenaphthene	1.5567E-012	2.0531E-011
RCPTR_48	farmer_adult	TOCDLIC2	Acetone	5.2918E-017	7.3997E-016
RCPTR_48	farmer_adult	TOCDLIC2	Acetophenone	7.7746E-015	1.0839E-013
RCPTR_48	farmer_adult	TOCDLIC2	Aniline	4.7134E-016	6.5265E-015
RCPTR_48	farmer_adult	TOCDLIC2	Anthracene	2.7606E-011	3.6214E-010
RCPTR_48	farmer_adult	TOCDLIC2	Antimony	4.0263E-008	5.4097E-008
RCPTR_48	farmer_adult	TOCDLIC2	Arsenic	7.4262E-008	7.9176E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Barium	5.9929E-009	7.5145E-009
RCPTR_48	farmer_adult	TOCDLIC2	Benzene	2.9464E-016	4.0654E-015
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.7363E-008	3.1394E-008
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.9050E-007	2.0516E-007
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.0398E-007	1.4029E-007
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.9623E-007	3.1374E-007
RCPTR_48	farmer_adult	TOCDLIC2	Benzoic acid	2.5850E-014	2.5458E-013
RCPTR_48	farmer_adult	TOCDLIC2	Benzyl alcohol	1.7020E-012	2.3693E-011
RCPTR_48	farmer_adult	TOCDLIC2	Beryllium	1.0577E-008	1.1980E-008
RCPTR_48	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0600E-014	1.4822E-013
RCPTR_48	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0526E-017	1.4683E-016
RCPTR_48	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.9041E-014	2.6581E-013
RCPTR_48	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.9843E-010	5.6908E-009
RCPTR_48	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.0839E-010	1.4116E-010
RCPTR_48	farmer_adult	TOCDLIC2	Cadmium	1.2427E-009	2.0023E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Carbon disulfide	6.9059E-017	9.5752E-016
RCPTR_48	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.3742E-015	1.8938E-014
RCPTR_48	farmer_adult	TOCDLIC2	Chlorine	1.1302E-008	1.5807E-007
RCPTR_48	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.4626E-012	1.1967E-011
RCPTR_48	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.9814E-014	6.8816E-013
RCPTR_48	farmer_adult	TOCDLIC2	Chlorobenzene	5.5815E-016	7.6243E-015
RCPTR_48	farmer_adult	TOCDLIC2	Chloroethane	6.0559E-019	7.8062E-018
RCPTR_48	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.4574E-016	7.6068E-015
RCPTR_48	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.0188E-012	5.3658E-011
RCPTR_48	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3685E-013	1.9116E-012
RCPTR_48	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	8.1662E-012	6.6431E-011
RCPTR_48	farmer_adult	TOCDLIC2	Chromium	5.4602E-008	5.5005E-008
RCPTR_48	farmer_adult	TOCDLIC2	Chromium, hexavalent	4.3998E-008	4.5422E-008
RCPTR_48	farmer_adult	TOCDLIC2	Chrysene	5.3847E-008	6.9788E-008
RCPTR_48	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	6.6694E-011	8.6187E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Di-n-octylphthalate	3.4930E-001	3.4930E-001
RCPTR_48	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.0568E-006	4.1569E-006
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.8141E-015	8.6511E-014
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.9856E-015	1.0481E-013
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.6207E-015	1.0094E-013
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.2943E-010	1.8601E-010
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.5214E-020	6.2457E-019
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.8247E-018	2.5449E-017
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4005E-017	1.9546E-016
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	6.9412E-019	9.6332E-018
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.9026E-018	9.5730E-017
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.3310E-012	8.1461E-012
RCPTR_48	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.9062E-017	5.3856E-016
RCPTR_48	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3163E-017	1.8327E-016
RCPTR_48	farmer_adult	TOCDLIC2	Diethyl phthalate	4.2590E-011	4.5926E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2584E-012	1.6213E-011
RCPTR_48	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.5313E-014	1.3021E-012
RCPTR_48	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.8254E-013	6.0210E-013
RCPTR_48	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	9.7252E-014	1.1911E-012
RCPTR_48	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.2492E-014	9.1964E-013
RCPTR_48	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.9856E-015	2.7752E-014
RCPTR_48	farmer_adult	TOCDLIC2	Ethylbenzene	1.4097E-016	1.7796E-015
RCPTR_48	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.3984E-010	1.8411E-010
RCPTR_48	farmer_adult	TOCDLIC2	Fluoranthene	7.1151E-010	4.4454E-009
RCPTR_48	farmer_adult	TOCDLIC2	Fluorene	6.3372E-012	8.0491E-011
RCPTR_48	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.3759E-013	3.6438E-013
RCPTR_48	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.1100E-012	1.1793E-012
RCPTR_48	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.5716E-012	2.7701E-012
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.8533E-012	3.0394E-012
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.6950E-012	1.8408E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3934E-012	1.5329E-012
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.8963E-012	3.2250E-012
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.5170E-012	2.8009E-012
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.5881E-012	2.8772E-012
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.1288E-012	2.3677E-012
RCPTR_48	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4903E-013	1.6814E-012
RCPTR_48	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.9090E-010	3.4263E-009
RCPTR_48	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.1343E-013	4.4575E-012
RCPTR_48	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.8982E-014	1.0414E-012
RCPTR_48	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.0454E-005	3.0661E-005
RCPTR_48	farmer_adult	TOCDLIC2	Isophorone	1.4236E-014	1.9841E-013
RCPTR_48	farmer_adult	TOCDLIC2	Lead	2.8496E-008	3.4071E-008
RCPTR_48	farmer_adult	TOCDLIC2	Mercuric chloride	9.7008E-009	1.0124E-008
RCPTR_48	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.7591E-019	1.0838E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.3708E-018	1.9119E-017
RCPTR_48	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0762E-015	1.5045E-014
RCPTR_48	farmer_adult	TOCDLIC2	Methyl mercury	9.1698E-011	9.5685E-011
RCPTR_48	farmer_adult	TOCDLIC2	Methylene chloride	1.4069E-016	1.9633E-015
RCPTR_48	farmer_adult	TOCDLIC2	Mustard	1.5175E-015	2.1127E-014
RCPTR_48	farmer_adult	TOCDLIC2	Naphthalene	9.5476E-015	1.2930E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nickel	1.1853E-007	1.3341E-007
RCPTR_48	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.4486E-013	3.3827E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.7811E-014	8.0535E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.4868E-014	1.0404E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nitrobenzene	2.3981E-014	3.3493E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0938E-014	1.5247E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitrophenol, 4-	7.2653E-013	2.0721E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3667E-014	1.8882E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.3508E-014	1.8550E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.2575E-015	1.6595E-014
RCPTR_48	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.9394E-013	5.4634E-013
RCPTR_48	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.8677E-013	5.3731E-013
RCPTR_48	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	6.4354E-012	6.9387E-012
RCPTR_48	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0057E-012	1.1402E-012
RCPTR_48	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.8295E-012	4.3321E-012
RCPTR_48	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.2753E-012	6.2959E-011
RCPTR_48	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.2407E-013	4.9509E-012
RCPTR_48	farmer_adult	TOCDLIC2	Pentachlorophenol	2.3915E-010	4.0464E-010
RCPTR_48	farmer_adult	TOCDLIC2	Phenanthrene	1.9632E-014	2.5525E-013
RCPTR_48	farmer_adult	TOCDLIC2	Phenol	1.9147E-014	2.6524E-013
RCPTR_48	farmer_adult	TOCDLIC2	Pronamide	1.9994E-012	2.5238E-011
RCPTR_48	farmer_adult	TOCDLIC2	Pyrene	1.1045E-009	6.4847E-009
RCPTR_48	farmer_adult	TOCDLIC2	Selenium	4.5997E-008	4.6428E-008
RCPTR_48	farmer_adult	TOCDLIC2	Silver	1.1900E-007	1.3951E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Styrene	2.2001E-013	3.0404E-012
RCPTR_48	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	8.5254E-013	1.0081E-012
RCPTR_48	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	3.3113E-013	4.1419E-013
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.7746E-012	2.0328E-011
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.0510E-017	9.7724E-016
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.6415E-017	3.6528E-016
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.3654E-011	1.3450E-010
RCPTR_48	farmer_adult	TOCDLIC2	Thallium (l)	1.5792E-007	1.7280E-007
RCPTR_48	farmer_adult	TOCDLIC2	Toluene	5.2764E-016	7.1307E-015
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.2697E-014	7.8149E-013
RCPTR_48	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.2304E-016	3.0966E-015
RCPTR_48	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.0300E-016	2.8287E-015
RCPTR_48	farmer_adult	TOCDLIC2	Trichloroethylene	3.3231E-017	4.5972E-016
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.3641E-018	6.0422E-017
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	8.0448E-012	8.9126E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.3596E-012	1.7699E-011
RCPTR_48	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.5271E-016	1.0468E-014
RCPTR_48	farmer_adult	TOCDLIC2	Vinyl Chloride	3.2187E-020	4.4785E-019
RCPTR_48	farmer_adult	TOCDLIC2	Xylene, m-	5.9050E-015	1.6467E-014
RCPTR_48	farmer_adult	TOCDLIC2	Xylene, o-	5.2333E-015	1.7275E-014
RCPTR_48	farmer_adult	TOCDLIC2	Xylene, p-	5.9925E-015	2.2374E-014
RCPTR_48	farmer_adult	TOCDLIC2	Zinc	4.6929E-008	6.6127E-008
RCPTR_48	farmer_child	TOCDFBRA	Antimony	1.0746E-008	1.2572E-008
RCPTR_48	farmer_child	TOCDFBRA	Arsenic	1.5915E-008	1.6519E-008
RCPTR_48	farmer_child	TOCDFBRA	Barium	1.4285E-009	1.6165E-009
RCPTR_48	farmer_child	TOCDFBRA	Beryllium	4.6286E-009	4.9088E-009
RCPTR_48	farmer_child	TOCDFBRA	Cadmium	9.2310E-010	1.1541E-009
RCPTR_48	farmer_child	TOCDFBRA	Chromium	1.1014E-007	1.1597E-007
RCPTR_48	farmer_child	TOCDFBRA	Chromium, hexavalent	9.3115E-008	9.4881E-008
RCPTR_48	farmer_child	TOCDFBRA	Lead	5.0490E-008	5.5057E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFBRA	Mercuric chloride	8.7619E-006	1.0854E-005
RCPTR_48	farmer_child	TOCDFBRA	Methyl mercury	1.0846E-007	1.1490E-007
RCPTR_48	farmer_child	TOCDFBRA	Nickel	5.3693E-008	5.7192E-008
RCPTR_48	farmer_child	TOCDFBRA	Selenium	1.7481E-008	1.7578E-008
RCPTR_48	farmer_child	TOCDFBRA	Silver	6.3042E-009	6.9028E-009
RCPTR_48	farmer_child	TOCDFBRA	Thallium (l)	1.6514E-007	1.7323E-007
RCPTR_48	farmer_child	TOCDFBRA	Zinc	3.1701E-008	3.7677E-008
RCPTR_48	farmer_child	TOCDFDFS	Acenaphthene	4.6569E-011	9.7206E-011
RCPTR_48	farmer_child	TOCDFDFS	Acetone	5.1358E-016	1.0774E-015
RCPTR_48	farmer_child	TOCDFDFS	Acetophenone	2.5726E-013	5.3956E-013
RCPTR_48	farmer_child	TOCDFDFS	Aniline	1.4742E-014	3.0902E-014
RCPTR_48	farmer_child	TOCDFDFS	Anthracene	8.2185E-010	1.7146E-009
RCPTR_48	farmer_child	TOCDFDFS	Antimony	9.3105E-010	1.0828E-009
RCPTR_48	farmer_child	TOCDFDFS	Aroclor 1254	1.7325E-011	2.6070E-011
RCPTR_48	farmer_child	TOCDFDFS	Arsenic	1.6192E-009	1.6778E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Barium	1.1415E-009	1.2853E-009
RCPTR_48	farmer_child	TOCDFDFS	Benzene	1.8372E-015	3.8500E-015
RCPTR_48	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.1718E-007	1.4831E-007
RCPTR_48	farmer_child	TOCDFDFS	Benzo(a)pyrene	9.3728E-007	9.7172E-007
RCPTR_48	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	5.7912E-007	6.6076E-007
RCPTR_48	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.4493E-006	1.4845E-006
RCPTR_48	farmer_child	TOCDFDFS	Benzoic acid	1.7206E-013	3.4876E-013
RCPTR_48	farmer_child	TOCDFDFS	Benzyl alcohol	3.3435E-013	7.0115E-013
RCPTR_48	farmer_child	TOCDFDFS	Beryllium	9.2086E-010	9.7429E-010
RCPTR_48	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.3453E-013	7.0180E-013
RCPTR_48	farmer_child	TOCDFDFS	Bromodichloromethane	5.9482E-016	1.2476E-015
RCPTR_48	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.5159E-014	1.9960E-013
RCPTR_48	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.5654E-008	2.6945E-008
RCPTR_48	farmer_child	TOCDFDFS	Butylbenzylphthalate	5.8540E-010	6.7289E-010
RCPTR_48	farmer_child	TOCDFDFS	Cadmium	3.8833E-010	4.8208E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Carbon disulfide	3.2808E-016	6.8779E-016
RCPTR_48	farmer_child	TOCDFDFS	Carbon tetrachloride	5.1992E-016	1.0894E-015
RCPTR_48	farmer_child	TOCDFDFS	Chlorine	1.0368E-014	2.1752E-014
RCPTR_48	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.8578E-011	5.6611E-011
RCPTR_48	farmer_child	TOCDFDFS	Chloroaniline, p-	1.5547E-012	3.2583E-012
RCPTR_48	farmer_child	TOCDFDFS	Chlorobenzene	3.0433E-015	6.3718E-015
RCPTR_48	farmer_child	TOCDFDFS	Chloroethane	8.5770E-018	1.7867E-017
RCPTR_48	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.1035E-016	8.6063E-016
RCPTR_48	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.2158E-010	2.5406E-010
RCPTR_48	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.3149E-012	9.0514E-012
RCPTR_48	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.5889E-010	3.1439E-010
RCPTR_48	farmer_child	TOCDFDFS	Chromium	2.8851E-008	3.0317E-008
RCPTR_48	farmer_child	TOCDFDFS	Chromium, hexavalent	2.4573E-008	2.5017E-008
RCPTR_48	farmer_child	TOCDFDFS	Chrysene	2.9541E-007	3.2850E-007
RCPTR_48	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.2784E-009	2.6151E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.0524E+001	1.0524E+001
RCPTR_48	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.9430E-005	1.9649E-005
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.9689E-013	4.0958E-013
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.3782E-013	4.9621E-013
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.2887E-013	4.7792E-013
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4560E-009	1.7587E-009
RCPTR_48	farmer_child	TOCDFDFS	Dichlorodifluoromethane	7.1700E-019	1.5026E-018
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.7171E-016	3.6014E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1331E-016	4.4742E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	6.5023E-017	1.3632E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.0453E-016	2.1913E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.0320E-011	3.8508E-011
RCPTR_48	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.8834E-016	1.2328E-015
RCPTR_48	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.9403E-016	4.0690E-016
RCPTR_48	farmer_child	TOCDFDFS	Diethyl phthalate	1.3280E-009	1.3857E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Dimethyl phthalate	3.8896E-012	8.1017E-012
RCPTR_48	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.9446E-012	6.1653E-012
RCPTR_48	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.7205E-012	2.8402E-012
RCPTR_48	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.7208E-012	5.6401E-012
RCPTR_48	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.0933E-012	4.3541E-012
RCPTR_48	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.2638E-014	1.3140E-013
RCPTR_48	farmer_child	TOCDFDFS	Ethylbenzene	1.8674E-015	3.8827E-015
RCPTR_48	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	9.9265E-011	1.1469E-010
RCPTR_48	farmer_child	TOCDFDFS	Fluoranthene	1.1717E-008	2.1033E-008
RCPTR_48	farmer_child	TOCDFDFS	Fluorene	1.8319E-010	3.8108E-010
RCPTR_48	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.1069E-014	4.2510E-014
RCPTR_48	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.4980E-014	3.5961E-014
RCPTR_48	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.1009E-013	1.1385E-013
RCPTR_48	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.1973E-013	9.4657E-013
RCPTR_48	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.4717E-013	5.6780E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.2446E-013	4.4283E-013
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.9948E-013	3.1398E-013
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.7103E-013	2.8409E-013
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.2219E-013	3.3757E-013
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.4712E-013	2.5898E-013
RCPTR_48	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.8711E-012	7.9606E-012
RCPTR_48	farmer_child	TOCDFDFS	Hexachlorobenzene	7.8661E-009	1.6221E-008
RCPTR_48	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.0312E-011	2.1104E-011
RCPTR_48	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.3621E-012	4.9305E-012
RCPTR_48	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.4297E-004	1.4344E-004
RCPTR_48	farmer_child	TOCDFDFS	Isophorone	4.4794E-013	9.3946E-013
RCPTR_48	farmer_child	TOCDFDFS	Lead	5.9460E-009	6.4637E-009
RCPTR_48	farmer_child	TOCDFDFS	Mercuric chloride	3.2989E-009	4.1170E-009
RCPTR_48	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	7.4964E-018	1.5725E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.4780E-018	3.1000E-018
RCPTR_48	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.6816E-015	7.7235E-015
RCPTR_48	farmer_child	TOCDFDFS	Methyl mercury	3.7034E-011	3.9554E-011
RCPTR_48	farmer_child	TOCDFDFS	Methylene chloride	2.2146E-016	4.6452E-016
RCPTR_48	farmer_child	TOCDFDFS	Mustard	2.6092E-014	5.4717E-014
RCPTR_48	farmer_child	TOCDFDFS	Naphthalene	1.8934E-012	3.9612E-012
RCPTR_48	farmer_child	TOCDFDFS	Nickel	1.1616E-007	1.2339E-007
RCPTR_48	farmer_child	TOCDFDFS	Nitroaniline, 2-	7.6421E-012	1.6016E-011
RCPTR_48	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.8182E-012	3.8130E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.3494E-012	4.9261E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitrobenzene	7.5601E-013	1.5859E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.4422E-013	7.2195E-013
RCPTR_48	farmer_child	TOCDFDFS	Nitrophenol, 4-	6.1712E-012	9.7620E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.2658E-013	8.9401E-013
RCPTR_48	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.1930E-013	8.7831E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.7660E-014	7.8590E-014
RCPTR_48	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	6.7209E-014	7.0275E-014
RCPTR_48	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	7.0663E-014	7.3823E-014
RCPTR_48	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.6679E-012	1.7250E-012
RCPTR_48	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.1411E-013	2.2615E-013
RCPTR_48	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.6298E-013	9.1072E-013
RCPTR_48	farmer_child	TOCDFDFS	Pentachlorobenzene	2.9364E-011	5.9564E-011
RCPTR_48	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1651E-011	2.3464E-011
RCPTR_48	farmer_child	TOCDFDFS	Pentachlorophenol	7.2956E-009	9.5077E-009
RCPTR_48	farmer_child	TOCDFDFS	Phenanthrene	5.7970E-013	1.2085E-012
RCPTR_48	farmer_child	TOCDFDFS	Phenol	5.9911E-013	1.2559E-012
RCPTR_48	farmer_child	TOCDFDFS	Pronamide	5.7468E-011	1.1949E-010
RCPTR_48	farmer_child	TOCDFDFS	Pyrene	1.9549E-008	3.0691E-008
RCPTR_48	farmer_child	TOCDFDFS	Selenium	1.7810E-009	1.7905E-009
RCPTR_48	farmer_child	TOCDFDFS	Silver	1.2642E-008	1.3789E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Styrene	2.2289E-014	4.6713E-014
RCPTR_48	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	5.4678E-013	5.8735E-013
RCPTR_48	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.7355E-013	1.9061E-013
RCPTR_48	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.6713E-011	9.6227E-011
RCPTR_48	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0744E-012	1.3163E-012
RCPTR_48	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.2508E-016	1.3101E-015
RCPTR_48	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.6569E-010	6.3480E-010
RCPTR_48	farmer_child	TOCDFDFS	Thallium (l)	1.6426E-006	1.7192E-006
RCPTR_48	farmer_child	TOCDFDFS	Toluene	8.3653E-016	1.7499E-015
RCPTR_48	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.7816E-012	3.6999E-012
RCPTR_48	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.2106E-016	1.0925E-015
RCPTR_48	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.0874E-015	6.4751E-015
RCPTR_48	farmer_child	TOCDFDFS	Trichloroethylene	5.0208E-016	1.0523E-015
RCPTR_48	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.9349E-017	1.4536E-016
RCPTR_48	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.0548E-010	4.2186E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.1500E-010	4.2077E-010
RCPTR_48	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.1428E-014	2.3963E-014
RCPTR_48	farmer_child	TOCDFDFS	Vinyl Chloride	1.6311E-019	3.4203E-019
RCPTR_48	farmer_child	TOCDFDFS	Xylene, m-	5.5477E-015	8.6121E-015
RCPTR_48	farmer_child	TOCDFDFS	Xylene, o-	4.8171E-015	7.8692E-015
RCPTR_48	farmer_child	TOCDFDFS	Xylene, p-	6.8903E-015	1.1643E-014
RCPTR_48	farmer_child	TOCDFDFS	Zinc	6.0328E-009	7.1252E-009
RCPTR_48	farmer_child	TOCDFLIC	Acenaphthene	9.8363E-012	2.0531E-011
RCPTR_48	farmer_child	TOCDFLIC	Acetone	3.5272E-016	7.3997E-016
RCPTR_48	farmer_child	TOCDFLIC	Acetophenone	5.1680E-014	1.0839E-013
RCPTR_48	farmer_child	TOCDFLIC	Aniline	3.1136E-015	6.5265E-015
RCPTR_48	farmer_child	TOCDFLIC	Anthracene	1.7359E-010	3.6214E-010
RCPTR_48	farmer_child	TOCDFLIC	Antimony	4.6538E-008	5.4097E-008
RCPTR_48	farmer_child	TOCDFLIC	Arsenic	7.6424E-008	7.9176E-008
RCPTR_48	farmer_child	TOCDFLIC	Barium	6.6767E-009	7.5145E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Benzene	1.9401E-015	4.0654E-015
RCPTR_48	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.4830E-008	3.1394E-008
RCPTR_48	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.9805E-007	2.0516E-007
RCPTR_48	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.2309E-007	1.4029E-007
RCPTR_48	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.0653E-007	3.1374E-007
RCPTR_48	farmer_child	TOCDFLIC	Benzoic acid	1.2566E-013	2.5458E-013
RCPTR_48	farmer_child	TOCDFLIC	Benzyl alcohol	1.1298E-011	2.3693E-011
RCPTR_48	farmer_child	TOCDFLIC	Beryllium	1.1326E-008	1.1980E-008
RCPTR_48	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.0652E-014	1.4822E-013
RCPTR_48	farmer_child	TOCDFLIC	Bromodichloromethane	7.0005E-017	1.4683E-016
RCPTR_48	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.2672E-013	2.6581E-013
RCPTR_48	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.3061E-009	5.6908E-009
RCPTR_48	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.2269E-010	1.4116E-010
RCPTR_48	farmer_child	TOCDFLIC	Cadmium	1.6139E-009	2.0023E-009
RCPTR_48	farmer_child	TOCDFLIC	Carbon disulfide	4.5675E-016	9.5752E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Carbon tetrachloride	9.0385E-015	1.8938E-014
RCPTR_48	farmer_child	TOCDFLIC	Chlorine	7.5348E-008	1.5807E-007
RCPTR_48	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.0464E-012	1.1967E-011
RCPTR_48	farmer_child	TOCDFLIC	Chloroaniline, p-	3.2837E-013	6.8816E-013
RCPTR_48	farmer_child	TOCDFLIC	Chlorobenzene	3.6416E-015	7.6243E-015
RCPTR_48	farmer_child	TOCDFLIC	Chloroethane	3.7477E-018	7.8062E-018
RCPTR_48	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.6270E-015	7.6068E-015
RCPTR_48	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.5680E-011	5.3658E-011
RCPTR_48	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.1131E-013	1.9116E-012
RCPTR_48	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.3591E-011	6.6431E-011
RCPTR_48	farmer_child	TOCDFLIC	Chromium	5.2355E-008	5.5005E-008
RCPTR_48	farmer_child	TOCDFLIC	Chromium, hexavalent	4.4620E-008	4.5422E-008
RCPTR_48	farmer_child	TOCDFLIC	Chrysene	6.2825E-008	6.9788E-008
RCPTR_48	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.5200E-011	8.6187E-011
RCPTR_48	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.4930E-001	3.4930E-001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.1131E-006	4.1569E-006
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.1591E-014	8.6511E-014
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.0234E-014	1.0481E-013
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.8343E-014	1.0094E-013
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.5412E-010	1.8601E-010
RCPTR_48	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.9803E-019	6.2457E-019
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.2134E-017	2.5449E-017
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.3185E-017	1.9546E-016
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.5948E-018	9.6332E-018
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.5664E-017	9.5730E-017
RCPTR_48	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.3048E-012	8.1461E-012
RCPTR_48	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.5702E-016	5.3856E-016
RCPTR_48	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.7391E-017	1.8327E-016
RCPTR_48	farmer_child	TOCDFLIC	Diethyl phthalate	4.4045E-011	4.5926E-011
RCPTR_48	farmer_child	TOCDFLIC	Dimethyl phthalate	7.7843E-012	1.6213E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.2194E-013	1.3021E-012
RCPTR_48	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.6562E-013	6.0210E-013
RCPTR_48	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.7458E-013	1.1911E-012
RCPTR_48	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.4216E-013	9.1964E-013
RCPTR_48	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.3229E-014	2.7752E-014
RCPTR_48	farmer_child	TOCDFLIC	Ethylbenzene	8.5603E-016	1.7796E-015
RCPTR_48	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.5916E-010	1.8411E-010
RCPTR_48	farmer_child	TOCDFLIC	Fluoranthene	2.4780E-009	4.4454E-009
RCPTR_48	farmer_child	TOCDFLIC	Fluorene	3.8695E-011	8.0491E-011
RCPTR_48	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.5232E-013	3.6438E-013
RCPTR_48	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1482E-012	1.1793E-012
RCPTR_48	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.6809E-012	2.7701E-012
RCPTR_48	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.9557E-012	3.0394E-012
RCPTR_48	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.7754E-012	1.8408E-012
RCPTR_48	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.4703E-012	1.5329E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.0776E-012	3.2250E-012
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.6734E-012	2.8009E-012
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.7475E-012	2.8772E-012
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.2605E-012	2.3677E-012
RCPTR_48	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.1770E-013	1.6814E-012
RCPTR_48	farmer_child	TOCDFLIC	Hexachlorobenzene	1.6618E-009	3.4263E-009
RCPTR_48	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.1781E-012	4.4575E-012
RCPTR_48	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.9895E-013	1.0414E-012
RCPTR_48	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.0567E-005	3.0661E-005
RCPTR_48	farmer_child	TOCDFLIC	Isophorone	9.4605E-014	1.9841E-013
RCPTR_48	farmer_child	TOCDFLIC	Lead	3.1351E-008	3.4071E-008
RCPTR_48	farmer_child	TOCDFLIC	Mercuric chloride	8.1025E-009	1.0124E-008
RCPTR_48	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.1667E-018	1.0838E-017
RCPTR_48	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.1154E-018	1.9119E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.1719E-015	1.5045E-014
RCPTR_48	farmer_child	TOCDFLIC	Methyl mercury	8.9459E-011	9.5685E-011
RCPTR_48	farmer_child	TOCDFLIC	Methylene chloride	9.3602E-016	1.9633E-015
RCPTR_48	farmer_child	TOCDFLIC	Mustard	9.6907E-015	2.0322E-014
RCPTR_48	farmer_child	TOCDFLIC	Naphthalene	6.1803E-014	1.2930E-013
RCPTR_48	farmer_child	TOCDFLIC	Nickel	1.2563E-007	1.3341E-007
RCPTR_48	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.6141E-012	3.3827E-012
RCPTR_48	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.8401E-013	8.0535E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.9621E-013	1.0404E-012
RCPTR_48	farmer_child	TOCDFLIC	Nitrobenzene	1.5967E-013	3.3493E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrophenol, 2-	7.2700E-014	1.5247E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.3137E-013	2.0721E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.0096E-014	1.8882E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.8561E-014	1.8550E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.9501E-015	1.6595E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	5.2277E-013	5.4634E-013
RCPTR_48	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.1456E-013	5.3731E-013
RCPTR_48	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	6.7139E-012	6.9387E-012
RCPTR_48	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.0801E-012	1.1402E-012
RCPTR_48	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.1071E-012	4.3321E-012
RCPTR_48	farmer_child	TOCDFLIC	Pentachlorobenzene	3.1010E-011	6.2959E-011
RCPTR_48	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.4558E-012	4.9509E-012
RCPTR_48	farmer_child	TOCDFLIC	Pentachlorophenol	3.1137E-010	4.0464E-010
RCPTR_48	farmer_child	TOCDFLIC	Phenanthrene	1.2245E-013	2.5525E-013
RCPTR_48	farmer_child	TOCDFLIC	Phenol	1.2653E-013	2.6524E-013
RCPTR_48	farmer_child	TOCDFLIC	Pronamide	1.2140E-011	2.5238E-011
RCPTR_48	farmer_child	TOCDFLIC	Pyrene	4.1316E-009	6.4847E-009
RCPTR_48	farmer_child	TOCDFLIC	Selenium	4.6185E-008	4.6428E-008
RCPTR_48	farmer_child	TOCDFLIC	Silver	1.2795E-007	1.3951E-007
RCPTR_48	farmer_child	TOCDFLIC	Styrene	1.4508E-012	3.0404E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	9.3893E-013	1.0081E-012
RCPTR_48	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.7732E-013	4.1419E-013
RCPTR_48	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.8707E-012	2.0328E-011
RCPTR_48	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.6618E-016	9.7724E-016
RCPTR_48	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.7428E-016	3.6528E-016
RCPTR_48	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.7658E-011	1.3450E-010
RCPTR_48	farmer_child	TOCDFLIC	Thallium (l)	1.6512E-007	1.7280E-007
RCPTR_48	farmer_child	TOCDFLIC	Toluene	3.4090E-015	7.1307E-015
RCPTR_48	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.7636E-013	7.8149E-013
RCPTR_48	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.4770E-015	3.0966E-015
RCPTR_48	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.3488E-015	2.8287E-015
RCPTR_48	farmer_child	TOCDFLIC	Trichloroethylene	2.1934E-016	4.5972E-016
RCPTR_48	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.8826E-017	6.0422E-017
RCPTR_48	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.3426E-011	8.9126E-011
RCPTR_48	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	9.0531E-012	1.7699E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.9923E-015	1.0468E-014
RCPTR_48	farmer_child	TOCDFLIC	Vinyl Chloride	2.1357E-019	4.4785E-019
RCPTR_48	farmer_child	TOCDFLIC	Xylene, m-	5.0596E-015	7.9245E-015
RCPTR_48	farmer_child	TOCDFLIC	Xylene, o-	5.0470E-015	8.3130E-015
RCPTR_48	farmer_child	TOCDFLIC	Xylene, p-	6.3236E-015	1.0767E-014
RCPTR_48	farmer_child	TOCDFLIC	Zinc	5.6019E-008	6.6127E-008
RCPTR_48	farmer_child	TOCDFMPF	Acenaphthene	1.4969E-011	3.1244E-011
RCPTR_48	farmer_child	TOCDFMPF	Acetone	1.2826E-015	2.6907E-015
RCPTR_48	farmer_child	TOCDFMPF	Acetophenone	8.2394E-014	1.7281E-013
RCPTR_48	farmer_child	TOCDFMPF	Aniline	4.7385E-015	9.9324E-015
RCPTR_48	farmer_child	TOCDFMPF	Anthracene	2.6417E-010	5.5112E-010
RCPTR_48	farmer_child	TOCDFMPF	Antimony	6.3228E-010	7.3495E-010
RCPTR_48	farmer_child	TOCDFMPF	Aroclor 1254	1.0263E-011	1.5462E-011
RCPTR_48	farmer_child	TOCDFMPF	Arsenic	3.9609E-009	4.1035E-009
RCPTR_48	farmer_child	TOCDFMPF	Barium	4.7171E-009	5.3088E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Benzene	1.7261E-015	3.6171E-015
RCPTR_48	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.7786E-008	4.7778E-008
RCPTR_48	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.0147E-007	3.1231E-007
RCPTR_48	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.8730E-007	2.1347E-007
RCPTR_48	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	4.6657E-007	4.7757E-007
RCPTR_48	farmer_child	TOCDFMPF	Benzoic acid	5.5356E-013	1.1215E-012
RCPTR_48	farmer_child	TOCDFMPF	Benzyl alcohol	1.0746E-013	2.2536E-013
RCPTR_48	farmer_child	TOCDFMPF	Beryllium	3.8491E-010	4.0716E-010
RCPTR_48	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.0752E-013	2.2557E-013
RCPTR_48	farmer_child	TOCDFMPF	Bromodichloromethane	2.1172E-015	4.4407E-015
RCPTR_48	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.3692E-014	1.5457E-013
RCPTR_48	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.0314E-009	8.6605E-009
RCPTR_48	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.8685E-010	2.1496E-010
RCPTR_48	farmer_child	TOCDFMPF	Cadmium	7.3461E-009	9.1136E-009
RCPTR_48	farmer_child	TOCDFMPF	Carbon disulfide	1.6624E-016	3.4850E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Carbon tetrachloride	1.5674E-015	3.2840E-015
RCPTR_48	farmer_child	TOCDFMPF	Chlorine	1.3819E-008	2.8991E-008
RCPTR_48	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	9.2010E-012	1.8211E-011
RCPTR_48	farmer_child	TOCDFMPF	Chloroaniline, p-	4.9972E-013	1.0473E-012
RCPTR_48	farmer_child	TOCDFMPF	Chlorobenzene	6.5042E-015	1.3618E-014
RCPTR_48	farmer_child	TOCDFMPF	Chloroethane	3.6765E-017	7.6579E-017
RCPTR_48	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.1355E-015	2.3814E-015
RCPTR_48	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.9081E-011	8.1660E-011
RCPTR_48	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.3869E-012	2.9092E-012
RCPTR_48	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.1119E-011	1.0110E-010
RCPTR_48	farmer_child	TOCDFMPF	Chromium	9.9046E-009	1.0406E-008
RCPTR_48	farmer_child	TOCDFMPF	Chromium, hexavalent	8.4417E-009	8.5935E-009
RCPTR_48	farmer_child	TOCDFMPF	Chrysene	9.5592E-008	1.0619E-007
RCPTR_48	farmer_child	TOCDFMPF	Di-n-butyl phthalate	7.4018E-010	8.4837E-010
RCPTR_48	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.4371E+000	3.4371E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	6.2569E-006	6.3235E-006
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.3295E-014	1.3166E-013
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.6449E-014	1.5950E-013
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.3570E-014	1.5362E-013
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.7053E-010	5.6789E-010
RCPTR_48	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.4402E-018	5.1139E-018
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.6697E-016	7.6968E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5587E-016	9.5620E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.3896E-016	2.9134E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.2339E-016	4.6833E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	6.5504E-012	1.2396E-011
RCPTR_48	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.2574E-015	2.6347E-015
RCPTR_48	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.1467E-016	8.6960E-016
RCPTR_48	farmer_child	TOCDFMPF	Diethyl phthalate	4.3342E-010	4.5193E-010
RCPTR_48	farmer_child	TOCDFMPF	Dimethyl phthalate	8.2750E-013	1.7236E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.4649E-013	1.9817E-012
RCPTR_48	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	5.5526E-013	9.1449E-013
RCPTR_48	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.7444E-013	1.8127E-012
RCPTR_48	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.7290E-013	1.3995E-012
RCPTR_48	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.0133E-014	4.2234E-014
RCPTR_48	farmer_child	TOCDFMPF	Ethylbenzene	3.9918E-015	8.2987E-015
RCPTR_48	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.8684E-011	3.3178E-011
RCPTR_48	farmer_child	TOCDFMPF	Fluoranthene	3.7710E-009	6.7651E-009
RCPTR_48	farmer_child	TOCDFMPF	Fluorene	5.8888E-011	1.2249E-010
RCPTR_48	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.3708E-012	1.4178E-012
RCPTR_48	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.8011E-012	1.8501E-012
RCPTR_48	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.1322E-012	3.2365E-012
RCPTR_48	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.4208E-013	8.6597E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.9388E-013	4.0841E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.4694E-013	3.6173E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.0732E-013	6.3643E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.5760E-013	2.6989E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.2817E-013	2.3895E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.0430E-013	2.1400E-013
RCPTR_48	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2444E-012	2.5588E-012
RCPTR_48	farmer_child	TOCDFMPF	Hexachlorobenzene	2.5290E-009	5.2143E-009
RCPTR_48	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.3148E-012	6.7836E-012
RCPTR_48	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.5932E-013	1.5849E-012
RCPTR_48	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	4.6487E-005	4.6631E-005
RCPTR_48	farmer_child	TOCDFMPF	Isophorone	1.4397E-013	3.0195E-013
RCPTR_48	farmer_child	TOCDFMPF	Lead	3.6083E-009	3.9213E-009
RCPTR_48	farmer_child	TOCDFMPF	Mercuric chloride	1.3720E-007	1.7141E-007
RCPTR_48	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.6615E-017	5.5829E-017
RCPTR_48	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.5490E-018	3.2488E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.4479E-015	3.0375E-015
RCPTR_48	farmer_child	TOCDFMPF	Methyl mercury	1.5166E-009	1.6220E-009
RCPTR_48	farmer_child	TOCDFMPF	Methylene chloride	7.3283E-016	1.5371E-015
RCPTR_48	farmer_child	TOCDFMPF	Mustard	6.8645E-014	1.4396E-013
RCPTR_48	farmer_child	TOCDFMPF	Naphthalene	6.0858E-013	1.2732E-012
RCPTR_48	farmer_child	TOCDFMPF	Nickel	7.8547E-008	8.3411E-008
RCPTR_48	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.4520E-012	5.1386E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.8335E-013	1.2234E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.5378E-013	1.5805E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitrobenzene	2.4299E-013	5.0972E-013
RCPTR_48	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.1064E-013	2.3204E-013
RCPTR_48	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.9949E-012	3.1469E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3711E-013	2.8735E-013
RCPTR_48	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3478E-013	2.8231E-013
RCPTR_48	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.2099E-014	2.5255E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.3228E-011	3.4727E-011
RCPTR_48	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.8305E-011	6.0884E-011
RCPTR_48	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.4979E-013	3.6152E-013
RCPTR_48	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.6746E-013	4.9349E-013
RCPTR_48	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.7469E-013	2.8974E-013
RCPTR_48	farmer_child	TOCDFMPF	Pentachlorobenzene	9.4227E-012	1.9129E-011
RCPTR_48	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.7311E-012	7.5214E-012
RCPTR_48	farmer_child	TOCDFMPF	Pentachlorophenol	2.3680E-009	3.0777E-009
RCPTR_48	farmer_child	TOCDFMPF	Phenanthrene	1.8635E-013	3.8845E-013
RCPTR_48	farmer_child	TOCDFMPF	Phenol	1.9257E-013	4.0366E-013
RCPTR_48	farmer_child	TOCDFMPF	Pronamide	1.8475E-011	3.8409E-011
RCPTR_48	farmer_child	TOCDFMPF	Pyrene	6.2876E-009	9.8686E-009
RCPTR_48	farmer_child	TOCDFMPF	Selenium	8.0744E-010	8.1169E-010
RCPTR_48	farmer_child	TOCDFMPF	Silver	1.7205E-008	1.8759E-008
RCPTR_48	farmer_child	TOCDFMPF	Styrene	3.2933E-014	6.9021E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1190E-013	1.2014E-013
RCPTR_48	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.7225E-013	4.0862E-013
RCPTR_48	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.5021E-011	3.0936E-011
RCPTR_48	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.4099E-014	2.9555E-014
RCPTR_48	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.3359E-015	2.7998E-015
RCPTR_48	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.1794E-010	2.0428E-010
RCPTR_48	farmer_child	TOCDFMPF	Thallium (l)	5.0371E-009	5.2712E-009
RCPTR_48	farmer_child	TOCDFMPF	Toluene	2.2769E-015	4.7628E-015
RCPTR_48	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.7275E-013	1.1893E-012
RCPTR_48	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.6304E-016	1.8094E-015
RCPTR_48	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.5983E-015	1.3838E-014
RCPTR_48	farmer_child	TOCDFMPF	Trichloroethylene	1.0730E-015	2.2490E-015
RCPTR_48	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.9614E-015	6.2074E-015
RCPTR_48	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.6086E-011	1.3564E-010
RCPTR_48	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.3776E-011	2.6933E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.4423E-014	5.1213E-014
RCPTR_48	farmer_child	TOCDFMPF	Vinyl Chloride	5.8340E-019	1.2234E-018
RCPTR_48	farmer_child	TOCDFMPF	Xylene, m-	5.0501E-015	7.9048E-015
RCPTR_48	farmer_child	TOCDFMPF	Xylene, o-	5.0362E-015	8.2907E-015
RCPTR_48	farmer_child	TOCDFMPF	Xylene, p-	6.3090E-015	1.0736E-014
RCPTR_48	farmer_child	TOCDFMPF	Zinc	1.5900E-008	1.8768E-008
RCPTR_48	farmer_child	TOCDHVAC	Mustard	1.6450E-014	3.4499E-014
RCPTR_48	farmer_child	TOCDLIC2	Acenaphthene	9.8363E-012	2.0531E-011
RCPTR_48	farmer_child	TOCDLIC2	Acetone	3.5272E-016	7.3997E-016
RCPTR_48	farmer_child	TOCDLIC2	Acetophenone	5.1680E-014	1.0839E-013
RCPTR_48	farmer_child	TOCDLIC2	Aniline	3.1136E-015	6.5265E-015
RCPTR_48	farmer_child	TOCDLIC2	Anthracene	1.7359E-010	3.6214E-010
RCPTR_48	farmer_child	TOCDLIC2	Antimony	4.6538E-008	5.4097E-008
RCPTR_48	farmer_child	TOCDLIC2	Arsenic	7.6424E-008	7.9176E-008
RCPTR_48	farmer_child	TOCDLIC2	Barium	6.6767E-009	7.5145E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Benzene	1.9401E-015	4.0654E-015
RCPTR_48	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.4830E-008	3.1394E-008
RCPTR_48	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.9805E-007	2.0516E-007
RCPTR_48	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.2309E-007	1.4029E-007
RCPTR_48	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.0653E-007	3.1374E-007
RCPTR_48	farmer_child	TOCDLIC2	Benzoic acid	1.2566E-013	2.5458E-013
RCPTR_48	farmer_child	TOCDLIC2	Benzyl alcohol	1.1298E-011	2.3693E-011
RCPTR_48	farmer_child	TOCDLIC2	Beryllium	1.1326E-008	1.1980E-008
RCPTR_48	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.0652E-014	1.4822E-013
RCPTR_48	farmer_child	TOCDLIC2	Bromodichloromethane	7.0005E-017	1.4683E-016
RCPTR_48	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2672E-013	2.6581E-013
RCPTR_48	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3061E-009	5.6908E-009
RCPTR_48	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.2269E-010	1.4116E-010
RCPTR_48	farmer_child	TOCDLIC2	Cadmium	1.6139E-009	2.0023E-009
RCPTR_48	farmer_child	TOCDLIC2	Carbon disulfide	4.5675E-016	9.5752E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Carbon tetrachloride	9.0385E-015	1.8938E-014
RCPTR_48	farmer_child	TOCDLIC2	Chlorine	7.5348E-008	1.5807E-007
RCPTR_48	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.0464E-012	1.1967E-011
RCPTR_48	farmer_child	TOCDLIC2	Chloroaniline, p-	3.2837E-013	6.8816E-013
RCPTR_48	farmer_child	TOCDLIC2	Chlorobenzene	3.6416E-015	7.6243E-015
RCPTR_48	farmer_child	TOCDLIC2	Chloroethane	3.7477E-018	7.8062E-018
RCPTR_48	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.6270E-015	7.6068E-015
RCPTR_48	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.5680E-011	5.3658E-011
RCPTR_48	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.1131E-013	1.9116E-012
RCPTR_48	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.3591E-011	6.6431E-011
RCPTR_48	farmer_child	TOCDLIC2	Chromium	5.2355E-008	5.5005E-008
RCPTR_48	farmer_child	TOCDLIC2	Chromium, hexavalent	4.4620E-008	4.5422E-008
RCPTR_48	farmer_child	TOCDLIC2	Chrysene	6.2825E-008	6.9788E-008
RCPTR_48	farmer_child	TOCDLIC2	Di-n-butyl phthalate	7.5200E-011	8.6187E-011
RCPTR_48	farmer_child	TOCDLIC2	Di-n-octylphthalate	3.4930E-001	3.4930E-001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	4.1131E-006	4.1569E-006
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.1591E-014	8.6511E-014
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.0234E-014	1.0481E-013
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.8343E-014	1.0094E-013
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.5412E-010	1.8601E-010
RCPTR_48	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.9803E-019	6.2457E-019
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.2134E-017	2.5449E-017
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.3185E-017	1.9546E-016
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.5948E-018	9.6332E-018
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.5664E-017	9.5730E-017
RCPTR_48	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.3048E-012	8.1461E-012
RCPTR_48	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.5702E-016	5.3856E-016
RCPTR_48	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.7391E-017	1.8327E-016
RCPTR_48	farmer_child	TOCDLIC2	Diethyl phthalate	4.4045E-011	4.5926E-011
RCPTR_48	farmer_child	TOCDLIC2	Dimethyl phthalate	7.7843E-012	1.6213E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.2194E-013	1.3021E-012
RCPTR_48	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.6562E-013	6.0210E-013
RCPTR_48	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.7458E-013	1.1911E-012
RCPTR_48	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.4216E-013	9.1964E-013
RCPTR_48	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.3229E-014	2.7752E-014
RCPTR_48	farmer_child	TOCDLIC2	Ethylbenzene	8.5603E-016	1.7796E-015
RCPTR_48	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.5916E-010	1.8411E-010
RCPTR_48	farmer_child	TOCDLIC2	Fluoranthene	2.4780E-009	4.4454E-009
RCPTR_48	farmer_child	TOCDLIC2	Fluorene	3.8695E-011	8.0491E-011
RCPTR_48	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.5232E-013	3.6438E-013
RCPTR_48	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.1482E-012	1.1793E-012
RCPTR_48	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.6809E-012	2.7701E-012
RCPTR_48	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.9557E-012	3.0394E-012
RCPTR_48	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.7754E-012	1.8408E-012
RCPTR_48	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.4703E-012	1.5329E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.0776E-012	3.2250E-012
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.6734E-012	2.8009E-012
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.7475E-012	2.8772E-012
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.2605E-012	2.3677E-012
RCPTR_48	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.1770E-013	1.6814E-012
RCPTR_48	farmer_child	TOCDLIC2	Hexachlorobenzene	1.6618E-009	3.4263E-009
RCPTR_48	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.1781E-012	4.4575E-012
RCPTR_48	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.9895E-013	1.0414E-012
RCPTR_48	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.0567E-005	3.0661E-005
RCPTR_48	farmer_child	TOCDLIC2	Isophorone	9.4605E-014	1.9841E-013
RCPTR_48	farmer_child	TOCDLIC2	Lead	3.1351E-008	3.4071E-008
RCPTR_48	farmer_child	TOCDLIC2	Mercuric chloride	8.1025E-009	1.0124E-008
RCPTR_48	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.1667E-018	1.0838E-017
RCPTR_48	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.1154E-018	1.9119E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.1719E-015	1.5045E-014
RCPTR_48	farmer_child	TOCDLIC2	Methyl mercury	8.9459E-011	9.5685E-011
RCPTR_48	farmer_child	TOCDLIC2	Methylene chloride	9.3602E-016	1.9633E-015
RCPTR_48	farmer_child	TOCDLIC2	Mustard	1.0074E-014	2.1127E-014
RCPTR_48	farmer_child	TOCDLIC2	Naphthalene	6.1803E-014	1.2930E-013
RCPTR_48	farmer_child	TOCDLIC2	Nickel	1.2563E-007	1.3341E-007
RCPTR_48	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.6141E-012	3.3827E-012
RCPTR_48	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.8401E-013	8.0535E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.9621E-013	1.0404E-012
RCPTR_48	farmer_child	TOCDLIC2	Nitrobenzene	1.5967E-013	3.3493E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.2700E-014	1.5247E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.3137E-012	2.0721E-012
RCPTR_48	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.0096E-014	1.8882E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.8561E-014	1.8550E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.9501E-015	1.6595E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.2277E-013	5.4634E-013
RCPTR_48	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	5.1456E-013	5.3731E-013
RCPTR_48	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	6.7139E-012	6.9387E-012
RCPTR_48	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0801E-012	1.1402E-012
RCPTR_48	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.1071E-012	4.3321E-012
RCPTR_48	farmer_child	TOCDLIC2	Pentachlorobenzene	3.1010E-011	6.2959E-011
RCPTR_48	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.4558E-012	4.9509E-012
RCPTR_48	farmer_child	TOCDLIC2	Pentachlorophenol	3.1137E-010	4.0464E-010
RCPTR_48	farmer_child	TOCDLIC2	Phenanthrene	1.2245E-013	2.5525E-013
RCPTR_48	farmer_child	TOCDLIC2	Phenol	1.2653E-013	2.6524E-013
RCPTR_48	farmer_child	TOCDLIC2	Pronamide	1.2140E-011	2.5238E-011
RCPTR_48	farmer_child	TOCDLIC2	Pyrene	4.1316E-009	6.4847E-009
RCPTR_48	farmer_child	TOCDLIC2	Selenium	4.6185E-008	4.6428E-008
RCPTR_48	farmer_child	TOCDLIC2	Silver	1.2795E-007	1.3951E-007
RCPTR_48	farmer_child	TOCDLIC2	Styrene	1.4508E-012	3.0404E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	9.3893E-013	1.0081E-012
RCPTR_48	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.7732E-013	4.1419E-013
RCPTR_48	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.8707E-012	2.0328E-011
RCPTR_48	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.6618E-016	9.7724E-016
RCPTR_48	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.7428E-016	3.6528E-016
RCPTR_48	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	7.7658E-011	1.3450E-010
RCPTR_48	farmer_child	TOCDLIC2	Thallium (l)	1.6512E-007	1.7280E-007
RCPTR_48	farmer_child	TOCDLIC2	Toluene	3.4090E-015	7.1307E-015
RCPTR_48	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.7636E-013	7.8149E-013
RCPTR_48	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.4770E-015	3.0966E-015
RCPTR_48	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.3488E-015	2.8287E-015
RCPTR_48	farmer_child	TOCDLIC2	Trichloroethylene	2.1934E-016	4.5972E-016
RCPTR_48	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.8826E-017	6.0422E-017
RCPTR_48	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.3426E-011	8.9126E-011
RCPTR_48	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	9.0531E-012	1.7699E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.9923E-015	1.0468E-014
RCPTR_48	farmer_child	TOCDLIC2	Vinyl Chloride	2.1357E-019	4.4785E-019
RCPTR_48	farmer_child	TOCDLIC2	Xylene, m-	1.0514E-014	1.6467E-014
RCPTR_48	farmer_child	TOCDLIC2	Xylene, o-	1.0488E-014	1.7275E-014
RCPTR_48	farmer_child	TOCDLIC2	Xylene, p-	1.3141E-014	2.2374E-014
RCPTR_48	farmer_child	TOCDLIC2	Zinc	5.6019E-008	6.6127E-008
RCPTR_49	farmer_adult	TOCDFBRA	Antimony	4.3475E-009	6.2499E-009
RCPTR_49	farmer_adult	TOCDFBRA	Arsenic	7.2361E-009	7.8498E-009
RCPTR_49	farmer_adult	TOCDFBRA	Barium	5.9960E-010	7.9390E-010
RCPTR_49	farmer_adult	TOCDFBRA	Beryllium	2.0575E-009	2.3993E-009
RCPTR_49	farmer_adult	TOCDFBRA	Cadmium	3.3297E-010	5.9010E-010
RCPTR_49	farmer_adult	TOCDFBRA	Chromium	5.6253E-008	5.6757E-008
RCPTR_49	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.2968E-008	4.4753E-008
RCPTR_49	farmer_adult	TOCDFBRA	Lead	2.2128E-008	2.7454E-008
RCPTR_49	farmer_adult	TOCDFBRA	Mercuric chloride	8.0399E-006	8.3838E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFBRA	Methyl mercury	8.0930E-008	8.4172E-008
RCPTR_49	farmer_adult	TOCDFBRA	Nickel	2.3699E-008	2.7506E-008
RCPTR_49	farmer_adult	TOCDFBRA	Selenium	8.1484E-009	8.2465E-009
RCPTR_49	farmer_adult	TOCDFBRA	Silver	2.7422E-009	3.3466E-009
RCPTR_49	farmer_adult	TOCDFBRA	Thallium (l)	7.3893E-008	8.2811E-008
RCPTR_49	farmer_adult	TOCDFBRA	Zinc	1.2423E-008	1.8882E-008
RCPTR_49	farmer_adult	TOCDFDFS	Acenaphthene	5.9019E-012	7.8426E-011
RCPTR_49	farmer_adult	TOCDFDFS	Acetone	6.2199E-017	8.6977E-016
RCPTR_49	farmer_adult	TOCDFDFS	Acetophenone	3.1228E-014	4.3555E-013
RCPTR_49	farmer_adult	TOCDFDFS	Aniline	1.7989E-015	2.4944E-014
RCPTR_49	farmer_adult	TOCDFDFS	Anthracene	1.0464E-010	1.3833E-009
RCPTR_49	farmer_adult	TOCDFDFS	Antimony	4.0585E-010	5.7020E-010
RCPTR_49	farmer_adult	TOCDFDFS	Aroclor 1254	7.7514E-012	2.0278E-011
RCPTR_49	farmer_adult	TOCDFDFS	Arsenic	7.8985E-010	8.5171E-010
RCPTR_49	farmer_adult	TOCDFDFS	Barium	5.1559E-010	6.7009E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Benzene	2.2480E-016	3.1075E-015
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.8919E-008	1.1278E-007
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.4582E-007	7.0498E-007
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.4818E-007	4.8788E-007
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0026E-006	1.0750E-006
RCPTR_49	farmer_adult	TOCDFDFS	Benzoic acid	2.7276E-014	2.8036E-013
RCPTR_49	farmer_adult	TOCDFDFS	Benzyl alcohol	4.0631E-014	5.6599E-013
RCPTR_49	farmer_adult	TOCDFDFS	Beryllium	4.3822E-010	5.0598E-010
RCPTR_49	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.0516E-014	5.6654E-013
RCPTR_49	farmer_adult	TOCDFDFS	Bromodichloromethane	7.2174E-017	1.0071E-015
RCPTR_49	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.1539E-014	1.6113E-013
RCPTR_49	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.2874E-009	2.1752E-008
RCPTR_49	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.7711E-010	5.0252E-010
RCPTR_49	farmer_adult	TOCDFDFS	Cadmium	1.5138E-010	2.5986E-010
RCPTR_49	farmer_adult	TOCDFDFS	Carbon disulfide	3.9993E-017	5.5518E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Carbon tetrachloride	6.3677E-017	8.7931E-016
RCPTR_49	farmer_adult	TOCDFDFS	Chlorine	1.2555E-015	1.7560E-014
RCPTR_49	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.2242E-012	4.5375E-011
RCPTR_49	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.9005E-013	2.6300E-012
RCPTR_49	farmer_adult	TOCDFDFS	Chlorobenzene	3.7527E-016	5.1425E-015
RCPTR_49	farmer_adult	TOCDFDFS	Chloroethane	1.1052E-018	1.4411E-017
RCPTR_49	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	4.9818E-017	6.9474E-016
RCPTR_49	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.5258E-011	2.0500E-010
RCPTR_49	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.2299E-013	7.3068E-012
RCPTR_49	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.9379E-011	2.5209E-010
RCPTR_49	farmer_adult	TOCDFDFS	Chromium	1.5629E-008	1.5761E-008
RCPTR_49	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.2159E-008	1.2625E-008
RCPTR_49	farmer_adult	TOCDFDFS	Chrysene	1.8013E-007	2.4164E-007
RCPTR_49	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.4258E-009	1.9080E-009
RCPTR_49	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.3695E+000	7.3695E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.2858E-005	1.3156E-005
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.5687E-014	3.3031E-013
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.0242E-014	4.0032E-013
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.8898E-014	3.8560E-013
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	8.7630E-010	1.3112E-009
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	8.7698E-020	1.2129E-018
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.0836E-017	2.9072E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5872E-017	3.6118E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	7.9204E-018	1.1004E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2739E-017	1.7689E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.6358E-012	3.0685E-011
RCPTR_49	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.2027E-017	9.9505E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.3579E-017	3.2846E-016
RCPTR_49	farmer_adult	TOCDFDFS	Diethyl phthalate	8.9966E-010	9.8218E-010
RCPTR_49	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.0240E-013	6.5353E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.6298E-013	4.9759E-012
RCPTR_49	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.1542E-013	2.2191E-012
RCPTR_49	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.6657E-013	4.5478E-012
RCPTR_49	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.7359E-013	3.5117E-012
RCPTR_49	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	7.5888E-015	1.0607E-013
RCPTR_49	farmer_adult	TOCDFDFS	Ethylbenzene	2.4474E-016	3.1311E-015
RCPTR_49	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	6.3832E-011	8.5955E-011
RCPTR_49	farmer_adult	TOCDFDFS	Fluoranthene	2.5256E-009	1.6801E-008
RCPTR_49	farmer_adult	TOCDFDFS	Fluorene	2.3903E-011	3.0734E-010
RCPTR_49	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.9444E-014	3.2228E-014
RCPTR_49	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.4866E-014	2.6754E-014
RCPTR_49	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	7.8764E-014	8.6033E-014
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.5143E-013	7.0276E-013
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.9074E-013	4.3058E-013
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.0512E-013	3.4073E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.1384E-013	2.4171E-013
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.9339E-013	2.1846E-013
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.2949E-013	2.5899E-013
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.7616E-013	1.9890E-013
RCPTR_49	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.5545E-013	6.4126E-012
RCPTR_49	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.0870E-009	1.3072E-008
RCPTR_49	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.5348E-012	1.6992E-011
RCPTR_49	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.9916E-013	3.9778E-012
RCPTR_49	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.8437E-005	9.9051E-005
RCPTR_49	farmer_adult	TOCDFDFS	Isophorone	5.4386E-014	7.5837E-013
RCPTR_49	farmer_adult	TOCDFDFS	Lead	2.7846E-009	3.4123E-009
RCPTR_49	farmer_adult	TOCDFDFS	Mercuric chloride	3.1536E-009	3.2922E-009
RCPTR_49	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	9.0864E-019	1.2694E-017
RCPTR_49	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.7936E-019	2.5024E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.4594E-016	6.2349E-015
RCPTR_49	farmer_adult	TOCDFDFS	Methyl mercury	2.8947E-011	3.0254E-011
RCPTR_49	farmer_adult	TOCDFDFS	Methylene chloride	2.6864E-017	3.7499E-016
RCPTR_49	farmer_adult	TOCDFDFS	Mustard	3.1704E-015	4.4169E-014
RCPTR_49	farmer_adult	TOCDFDFS	Naphthalene	2.3503E-013	3.1968E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nickel	5.5071E-008	6.3246E-008
RCPTR_49	farmer_adult	TOCDFDFS	Nitroaniline, 2-	9.3424E-013	1.2927E-011
RCPTR_49	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.2084E-013	3.0780E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.8603E-013	3.9765E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nitrobenzene	9.1645E-014	1.2802E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.1789E-014	5.8278E-013
RCPTR_49	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.4276E-012	7.5704E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.2138E-014	7.2161E-013
RCPTR_49	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.1485E-014	7.0890E-013
RCPTR_49	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.7442E-015	6.3367E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.8672E-014	5.4630E-014
RCPTR_49	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.1254E-014	5.7390E-014
RCPTR_49	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.1561E-012	1.2632E-012
RCPTR_49	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.4525E-013	1.6754E-013
RCPTR_49	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	5.9219E-013	6.8110E-013
RCPTR_49	farmer_adult	TOCDFDFS	Pentachlorobenzene	4.7163E-012	4.7970E-011
RCPTR_49	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.9663E-012	1.8886E-011
RCPTR_49	farmer_adult	TOCDFDFS	Pentachlorophenol	3.9419E-009	7.1102E-009
RCPTR_49	farmer_adult	TOCDFDFS	Phenanthrene	7.4273E-014	9.7489E-013
RCPTR_49	farmer_adult	TOCDFDFS	Phenol	7.3075E-014	1.0137E-012
RCPTR_49	farmer_adult	TOCDFDFS	Pronamide	7.5291E-012	9.6356E-011
RCPTR_49	farmer_adult	TOCDFDFS	Pyrene	4.0730E-009	2.4642E-008
RCPTR_49	farmer_adult	TOCDFDFS	Selenium	8.8982E-010	8.9971E-010
RCPTR_49	farmer_adult	TOCDFDFS	Silver	5.9101E-009	7.1138E-009
RCPTR_49	farmer_adult	TOCDFDFS	Styrene	2.7240E-015	3.7705E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.6198E-013	4.3684E-013
RCPTR_49	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.1088E-013	1.4219E-013
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.5954E-012	7.7512E-011
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.2478E-013	9.7117E-013
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.6379E-017	1.0575E-015
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1416E-010	4.9959E-010
RCPTR_49	farmer_adult	TOCDFDFS	Thallium (l)	7.8902E-007	8.7697E-007
RCPTR_49	farmer_adult	TOCDFDFS	Toluene	1.0400E-016	1.4121E-015
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.3583E-013	2.9833E-012
RCPTR_49	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	6.3453E-017	8.8185E-016
RCPTR_49	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.7492E-016	5.2269E-015
RCPTR_49	farmer_adult	TOCDFDFS	Trichloroethylene	6.1310E-017	8.4943E-016
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.4630E-018	1.1734E-016
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.9740E-011	3.3966E-010
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.2016E-011	3.3673E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.3898E-015	1.9344E-014
RCPTR_49	farmer_adult	TOCDFDFS	Vinyl Chloride	1.9836E-020	2.7610E-019
RCPTR_49	farmer_adult	TOCDFDFS	Xylene, m-	2.4558E-015	6.8448E-015
RCPTR_49	farmer_adult	TOCDFDFS	Xylene, o-	1.9023E-015	6.2736E-015
RCPTR_49	farmer_adult	TOCDFDFS	Xylene, p-	2.4925E-015	9.2993E-015
RCPTR_49	farmer_adult	TOCDFDFS	Zinc	2.5496E-009	3.7772E-009
RCPTR_49	farmer_adult	TOCDFLIC	Acenaphthene	1.2896E-012	1.7111E-011
RCPTR_49	farmer_adult	TOCDFLIC	Acetone	4.4126E-017	6.1704E-016
RCPTR_49	farmer_adult	TOCDFLIC	Acetophenone	6.4806E-015	9.0381E-014
RCPTR_49	farmer_adult	TOCDFLIC	Aniline	3.9259E-016	5.4418E-015
RCPTR_49	farmer_adult	TOCDFLIC	Anthracene	2.2859E-011	3.0182E-010
RCPTR_49	farmer_adult	TOCDFLIC	Antimony	2.0695E-008	2.8949E-008
RCPTR_49	farmer_adult	TOCDFLIC	Arsenic	3.8027E-008	4.0959E-008
RCPTR_49	farmer_adult	TOCDFLIC	Barium	3.0765E-009	3.9843E-009
RCPTR_49	farmer_adult	TOCDFLIC	Benzene	2.4531E-016	3.3896E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.3113E-008	2.4830E-008
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.4282E-007	1.5527E-007
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	7.7923E-008	1.0826E-007
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.2221E-007	2.3720E-007
RCPTR_49	farmer_adult	TOCDFLIC	Benzoic acid	2.0803E-014	2.1154E-013
RCPTR_49	farmer_adult	TOCDFLIC	Benzyl alcohol	1.4185E-012	1.9756E-011
RCPTR_49	farmer_adult	TOCDFLIC	Beryllium	5.4920E-009	6.3292E-009
RCPTR_49	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	8.8389E-015	1.2360E-013
RCPTR_49	farmer_adult	TOCDFLIC	Bromodichloromethane	8.7750E-018	1.2244E-016
RCPTR_49	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.5874E-014	2.2165E-013
RCPTR_49	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	4.9893E-010	4.7453E-009
RCPTR_49	farmer_adult	TOCDFLIC	Butylbenzylphthalate	8.1881E-011	1.0922E-010
RCPTR_49	farmer_adult	TOCDFLIC	Cadmium	6.4179E-010	1.0950E-009
RCPTR_49	farmer_adult	TOCDFLIC	Carbon disulfide	5.7529E-017	7.9839E-016
RCPTR_49	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.1440E-015	1.5790E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Chlorine	9.4246E-009	1.3181E-007
RCPTR_49	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.1598E-012	9.9191E-012
RCPTR_49	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.1479E-014	5.7378E-013
RCPTR_49	farmer_adult	TOCDFLIC	Chlorobenzene	4.6417E-016	6.3564E-015
RCPTR_49	farmer_adult	TOCDFLIC	Chloroethane	5.0030E-019	6.5047E-018
RCPTR_49	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.5489E-016	6.3429E-015
RCPTR_49	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.3335E-012	4.4727E-011
RCPTR_49	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.1410E-013	1.5940E-012
RCPTR_49	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.4848E-012	5.5070E-011
RCPTR_49	farmer_adult	TOCDFLIC	Chromium	2.8847E-008	2.9087E-008
RCPTR_49	farmer_adult	TOCDFLIC	Chromium, hexavalent	2.2520E-008	2.3370E-008
RCPTR_49	farmer_adult	TOCDFLIC	Chrysene	4.0362E-008	5.3696E-008
RCPTR_49	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	4.9748E-011	6.6005E-011
RCPTR_49	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.5926E-001	2.5926E-001
RCPTR_49	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	2.8756E-006	2.9356E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.6212E-015	7.2078E-014
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.6112E-015	8.7346E-014
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.3156E-015	8.4133E-014
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	9.7203E-011	1.4447E-010
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.7654E-020	5.2076E-019
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.5210E-018	2.1221E-017
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1676E-017	1.6298E-016
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	5.7829E-019	8.0323E-018
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.7502E-018	7.9821E-017
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.0360E-012	6.7190E-012
RCPTR_49	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.2518E-017	4.4903E-016
RCPTR_49	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0971E-017	1.5282E-016
RCPTR_49	farmer_adult	TOCDFLIC	Diethyl phthalate	3.1636E-011	3.4418E-011
RCPTR_49	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0401E-012	1.3511E-011
RCPTR_49	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	7.9261E-014	1.0856E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.3856E-013	4.8842E-013
RCPTR_49	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	8.0018E-014	9.9218E-013
RCPTR_49	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	5.9815E-014	7.6623E-013
RCPTR_49	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.6556E-015	2.3141E-014
RCPTR_49	farmer_adult	TOCDFLIC	Ethylbenzene	1.1623E-016	1.4827E-015
RCPTR_49	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.0580E-010	1.4274E-010
RCPTR_49	farmer_adult	TOCDFLIC	Fluoranthene	5.5911E-010	3.6730E-009
RCPTR_49	farmer_adult	TOCDFLIC	Fluorene	5.2287E-012	6.7063E-011
RCPTR_49	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.5858E-013	2.8190E-013
RCPTR_49	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.4315E-013	9.0329E-013
RCPTR_49	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9668E-012	2.1395E-012
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.1655E-012	2.3264E-012
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.2984E-012	1.4250E-012
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0747E-012	1.1961E-012
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.2348E-012	2.5194E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.9411E-012	2.1868E-012
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.9937E-012	2.2438E-012
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.6407E-012	1.8475E-012
RCPTR_49	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.2160E-013	1.3994E-012
RCPTR_49	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.3823E-010	2.8527E-009
RCPTR_49	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	3.3603E-013	3.7083E-012
RCPTR_49	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.5415E-014	8.6795E-013
RCPTR_49	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.2288E-005	2.2411E-005
RCPTR_49	farmer_adult	TOCDFLIC	Isophorone	1.1866E-014	1.6545E-013
RCPTR_49	farmer_adult	TOCDFLIC	Lead	1.4949E-008	1.8276E-008
RCPTR_49	farmer_adult	TOCDFLIC	Mercuric chloride	7.9843E-009	8.3375E-009
RCPTR_49	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.4692E-019	9.0374E-018
RCPTR_49	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.1427E-018	1.5942E-017
RCPTR_49	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.9733E-016	1.2546E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Methyl mercury	7.1566E-011	7.4897E-011
RCPTR_49	farmer_adult	TOCDFLIC	Methylene chloride	1.1729E-016	1.6371E-015
RCPTR_49	farmer_adult	TOCDFLIC	Mustard	1.2165E-015	1.6945E-014
RCPTR_49	farmer_adult	TOCDFLIC	Naphthalene	7.9323E-015	1.0779E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nickel	6.0757E-008	6.9635E-008
RCPTR_49	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.0389E-013	2.8205E-012
RCPTR_49	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.8185E-014	6.7154E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitroaniline, 4-	6.2392E-014	8.6755E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrobenzene	1.9994E-014	2.7929E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrophenol, 2-	9.1174E-015	1.2714E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrophenol, 4-	5.4877E-014	1.6708E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.1380E-014	1.5743E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.1240E-014	1.5466E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.0322E-015	1.3821E-014
RCPTR_49	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.8287E-013	4.2862E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.7734E-013	4.2147E-013
RCPTR_49	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.8553E-012	5.2838E-012
RCPTR_49	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	7.6255E-013	8.7619E-013
RCPTR_49	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.9161E-012	3.3428E-012
RCPTR_49	farmer_adult	TOCDFLIC	Pentachlorobenzene	5.0960E-012	5.2363E-011
RCPTR_49	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.2378E-013	4.1152E-012
RCPTR_49	farmer_adult	TOCDFLIC	Pentachlorophenol	1.7867E-010	3.1667E-010
RCPTR_49	farmer_adult	TOCDFLIC	Phenanthrene	1.6238E-014	2.1272E-013
RCPTR_49	farmer_adult	TOCDFLIC	Phenol	1.5948E-014	2.2116E-013
RCPTR_49	farmer_adult	TOCDFLIC	Pronamide	1.6483E-012	2.1027E-011
RCPTR_49	farmer_adult	TOCDFLIC	Pyrene	8.9529E-010	5.3820E-009
RCPTR_49	farmer_adult	TOCDFLIC	Selenium	2.3536E-008	2.3794E-008
RCPTR_49	farmer_adult	TOCDFLIC	Silver	6.1020E-008	7.3257E-008
RCPTR_49	farmer_adult	TOCDFLIC	Styrene	1.8321E-013	2.5351E-012
RCPTR_49	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.4757E-013	7.7842E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	2.5192E-013	3.2151E-013
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.4484E-012	1.6920E-011
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.8735E-017	8.1483E-016
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.2000E-017	3.0457E-016
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.5694E-011	1.0978E-010
RCPTR_49	farmer_adult	TOCDFLIC	Thallium (l)	8.0912E-008	8.9791E-008
RCPTR_49	farmer_adult	TOCDFLIC	Toluene	4.3826E-016	5.9444E-015
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.1624E-014	6.5101E-013
RCPTR_49	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.8583E-016	2.5820E-015
RCPTR_49	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.6920E-016	2.3587E-015
RCPTR_49	farmer_adult	TOCDFLIC	Trichloroethylene	2.7676E-017	3.8332E-016
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.6349E-018	5.0380E-017
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	6.5433E-012	7.4155E-011
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.8597E-012	1.4651E-011
RCPTR_49	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.2726E-016	8.7289E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Vinyl Chloride	2.6827E-020	3.7344E-019
RCPTR_49	farmer_adult	TOCDFLIC	Xylene, m-	2.2195E-015	6.4580E-015
RCPTR_49	farmer_adult	TOCDFLIC	Xylene, o-	1.9734E-015	6.8054E-015
RCPTR_49	farmer_adult	TOCDFLIC	Xylene, p-	2.2654E-015	8.8388E-015
RCPTR_49	farmer_adult	TOCDFLIC	Zinc	2.4152E-008	3.5606E-008
RCPTR_49	farmer_adult	TOCDFMPF	Acenaphthene	1.9590E-012	2.5993E-011
RCPTR_49	farmer_adult	TOCDFMPF	Acetone	1.6016E-016	2.2396E-015
RCPTR_49	farmer_adult	TOCDFMPF	Acetophenone	1.0313E-014	1.4383E-013
RCPTR_49	farmer_adult	TOCDFMPF	Aniline	5.9636E-016	8.2664E-015
RCPTR_49	farmer_adult	TOCDFMPF	Anthracene	3.4725E-011	4.5847E-010
RCPTR_49	farmer_adult	TOCDFMPF	Antimony	2.8127E-010	3.9351E-010
RCPTR_49	farmer_adult	TOCDFMPF	Aroclor 1254	4.7495E-012	1.2427E-011
RCPTR_49	farmer_adult	TOCDFMPF	Arsenic	1.9715E-009	2.1235E-009
RCPTR_49	farmer_adult	TOCDFMPF	Barium	2.1743E-009	2.8162E-009
RCPTR_49	farmer_adult	TOCDFMPF	Benzene	2.1786E-016	3.0103E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.9928E-008	3.7729E-008
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(a)pyrene	2.1715E-007	2.3610E-007
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.1840E-007	1.6451E-007
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	3.3781E-007	3.6065E-007
RCPTR_49	farmer_adult	TOCDFMPF	Benzoic acid	9.1468E-014	9.3018E-013
RCPTR_49	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3467E-014	1.8757E-013
RCPTR_49	farmer_adult	TOCDFMPF	Beryllium	1.8672E-010	2.1520E-010
RCPTR_49	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.3427E-014	1.8775E-013
RCPTR_49	farmer_adult	TOCDFMPF	Bromodichloromethane	2.6490E-016	3.6961E-015
RCPTR_49	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	9.2141E-015	1.2866E-013
RCPTR_49	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.5792E-010	7.2084E-009
RCPTR_49	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.2459E-010	1.6612E-010
RCPTR_49	farmer_adult	TOCDFMPF	Cadmium	2.9225E-009	4.9874E-009
RCPTR_49	farmer_adult	TOCDFMPF	Carbon disulfide	2.0900E-017	2.9005E-016
RCPTR_49	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.9801E-016	2.7331E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Chlorine	1.7253E-009	2.4131E-008
RCPTR_49	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.7615E-012	1.5067E-011
RCPTR_49	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.3008E-014	8.7159E-013
RCPTR_49	farmer_adult	TOCDFMPF	Chlorobenzene	8.2753E-016	1.1332E-014
RCPTR_49	farmer_adult	TOCDFMPF	Chloroethane	4.8987E-018	6.3694E-017
RCPTR_49	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.4215E-016	1.9821E-015
RCPTR_49	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.0638E-012	6.7942E-011
RCPTR_49	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.7332E-013	2.4214E-012
RCPTR_49	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.8518E-012	8.3655E-011
RCPTR_49	farmer_adult	TOCDFMPF	Chromium	5.4598E-009	5.5053E-009
RCPTR_49	farmer_adult	TOCDFMPF	Chromium, hexavalent	4.2618E-009	4.4227E-009
RCPTR_49	farmer_adult	TOCDFMPF	Chrysene	6.1327E-008	8.1589E-008
RCPTR_49	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	4.8895E-010	6.4874E-010
RCPTR_49	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.5472E+000	2.5472E+000
RCPTR_49	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	4.3689E-006	4.4603E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.5389E-015	1.0949E-013
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0043E-014	1.3268E-013
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.5937E-015	1.2780E-013
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.9640E-010	4.4046E-010
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.0774E-019	4.2561E-018
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.5917E-017	6.4062E-016
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.7013E-017	7.9587E-016
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.7457E-017	2.4248E-016
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.8079E-017	3.8978E-016
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.5734E-012	1.0206E-011
RCPTR_49	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.5879E-016	2.1927E-015
RCPTR_49	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.1960E-017	7.2378E-016
RCPTR_49	farmer_adult	TOCDFMPF	Diethyl phthalate	3.1083E-010	3.3817E-010
RCPTR_49	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.1037E-013	1.4336E-012
RCPTR_49	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.2040E-013	1.6491E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	2.1005E-013	7.4054E-013
RCPTR_49	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.2157E-013	1.5072E-012
RCPTR_49	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.0866E-014	1.1639E-012
RCPTR_49	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.5150E-015	3.5153E-014
RCPTR_49	farmer_adult	TOCDFMPF	Ethylbenzene	5.4100E-016	6.9012E-015
RCPTR_49	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.9053E-011	2.5694E-011
RCPTR_49	farmer_adult	TOCDFMPF	Fluoranthene	8.4942E-010	5.5796E-009
RCPTR_49	farmer_adult	TOCDFMPF	Fluorene	7.9428E-012	1.0187E-010
RCPTR_49	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.0055E-012	1.0964E-012
RCPTR_49	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3216E-012	1.4161E-012
RCPTR_49	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.2964E-012	2.4984E-012
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.1641E-013	6.6232E-013
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.8789E-013	3.1601E-013
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.5349E-013	2.8217E-013
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.4083E-013	4.9701E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.8696E-013	2.1064E-013
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6550E-013	1.8627E-013
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4822E-013	1.6691E-013
RCPTR_49	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.8474E-013	2.1258E-012
RCPTR_49	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.6189E-010	4.3335E-009
RCPTR_49	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.1054E-013	5.6331E-012
RCPTR_49	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.9367E-014	1.3185E-012
RCPTR_49	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.3849E-005	3.4037E-005
RCPTR_49	farmer_adult	TOCDFMPF	Isophorone	1.8026E-014	2.5132E-013
RCPTR_49	farmer_adult	TOCDFMPF	Lead	1.7213E-009	2.1045E-009
RCPTR_49	farmer_adult	TOCDFMPF	Mercuric chloride	1.3498E-007	1.4095E-007
RCPTR_49	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.3263E-018	4.6468E-017
RCPTR_49	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.9382E-019	2.7041E-018
RCPTR_49	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.8083E-016	2.5282E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Methyl mercury	1.2123E-009	1.2686E-009
RCPTR_49	farmer_adult	TOCDFMPF	Methylene chloride	9.1660E-017	1.2794E-015
RCPTR_49	farmer_adult	TOCDFMPF	Mustard	8.6017E-015	1.1982E-013
RCPTR_49	farmer_adult	TOCDFMPF	Naphthalene	7.7967E-014	1.0595E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nickel	3.7998E-008	4.3554E-008
RCPTR_49	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.0916E-013	4.2766E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.3063E-014	1.0183E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nitroaniline, 4-	9.4607E-014	1.3155E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nitrobenzene	3.0372E-014	4.2425E-013
RCPTR_49	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.3850E-014	1.9313E-013
RCPTR_49	farmer_adult	TOCDFMPF	Nitrophenol, 4-	8.3182E-013	2.5331E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7287E-014	2.3915E-013
RCPTR_49	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.7074E-014	2.3494E-013
RCPTR_49	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.5684E-015	2.0996E-014
RCPTR_49	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.4331E-011	2.7241E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.2748E-011	4.7751E-011
RCPTR_49	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.5268E-013	2.7501E-013
RCPTR_49	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.2968E-013	3.7882E-013
RCPTR_49	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.9486E-013	2.2338E-013
RCPTR_49	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.5469E-012	1.5881E-011
RCPTR_49	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.4327E-013	6.2406E-012
RCPTR_49	farmer_adult	TOCDFMPF	Pentachlorophenol	1.3565E-009	2.4047E-009
RCPTR_49	farmer_adult	TOCDFMPF	Phenanthrene	2.4666E-014	3.2313E-013
RCPTR_49	farmer_adult	TOCDFMPF	Phenol	2.4226E-014	3.3595E-013
RCPTR_49	farmer_adult	TOCDFMPF	Pronamide	2.5038E-012	3.1940E-011
RCPTR_49	farmer_adult	TOCDFMPF	Pyrene	1.3600E-009	8.1756E-009
RCPTR_49	farmer_adult	TOCDFMPF	Selenium	4.1159E-010	4.1609E-010
RCPTR_49	farmer_adult	TOCDFMPF	Silver	8.2077E-009	9.8545E-009
RCPTR_49	farmer_adult	TOCDFMPF	Styrene	4.1514E-015	5.7443E-014
RCPTR_49	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	7.7086E-014	9.2662E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.4822E-013	3.1678E-013
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.2002E-012	2.5702E-011
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.7731E-015	2.4598E-014
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.6832E-016	2.3302E-015
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.8949E-011	1.6645E-010
RCPTR_49	farmer_adult	TOCDFMPF	Thallium (l)	2.4689E-009	2.7400E-009
RCPTR_49	farmer_adult	TOCDFMPF	Toluene	2.9218E-016	3.9631E-015
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.8420E-014	9.8892E-013
RCPTR_49	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.0839E-016	1.5060E-015
RCPTR_49	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.2624E-016	1.1518E-014
RCPTR_49	farmer_adult	TOCDFMPF	Trichloroethylene	1.3514E-016	1.8718E-015
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.7274E-016	5.1663E-015
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.9389E-012	1.1264E-010
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.8244E-012	2.2254E-011
RCPTR_49	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.0630E-015	4.2625E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Vinyl Chloride	7.3147E-020	1.0182E-018
RCPTR_49	farmer_adult	TOCDFMPF	Xylene, m-	2.2175E-015	6.4332E-015
RCPTR_49	farmer_adult	TOCDFMPF	Xylene, o-	1.9712E-015	6.7772E-015
RCPTR_49	farmer_adult	TOCDFMPF	Xylene, p-	2.2624E-015	8.8005E-015
RCPTR_49	farmer_adult	TOCDFMPF	Zinc	6.8577E-009	1.0112E-008
RCPTR_49	farmer_adult	TOCDHVAC	Mustard	2.0605E-015	2.8722E-014
RCPTR_49	farmer_adult	TOCDLIC2	Acenaphthene	1.2896E-012	1.7111E-011
RCPTR_49	farmer_adult	TOCDLIC2	Acetone	4.4126E-017	6.1704E-016
RCPTR_49	farmer_adult	TOCDLIC2	Acetophenone	6.4806E-015	9.0381E-014
RCPTR_49	farmer_adult	TOCDLIC2	Aniline	3.9259E-016	5.4418E-015
RCPTR_49	farmer_adult	TOCDLIC2	Anthracene	2.2859E-011	3.0182E-010
RCPTR_49	farmer_adult	TOCDLIC2	Antimony	2.0695E-008	2.8949E-008
RCPTR_49	farmer_adult	TOCDLIC2	Arsenic	3.8027E-008	4.0959E-008
RCPTR_49	farmer_adult	TOCDLIC2	Barium	3.0765E-009	3.9843E-009
RCPTR_49	farmer_adult	TOCDLIC2	Benzene	2.4531E-016	3.3896E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.3113E-008	2.4830E-008
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.4282E-007	1.5527E-007
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	7.7923E-008	1.0826E-007
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.2221E-007	2.3720E-007
RCPTR_49	farmer_adult	TOCDLIC2	Benzoic acid	2.0803E-014	2.1154E-013
RCPTR_49	farmer_adult	TOCDLIC2	Benzyl alcohol	1.4185E-012	1.9756E-011
RCPTR_49	farmer_adult	TOCDLIC2	Beryllium	5.4920E-009	6.3292E-009
RCPTR_49	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.8389E-015	1.2360E-013
RCPTR_49	farmer_adult	TOCDLIC2	Bromodichloromethane	8.7750E-018	1.2244E-016
RCPTR_49	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.5874E-014	2.2165E-013
RCPTR_49	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.9893E-010	4.7453E-009
RCPTR_49	farmer_adult	TOCDLIC2	Butylbenzylphthalate	8.1881E-011	1.0922E-010
RCPTR_49	farmer_adult	TOCDLIC2	Cadmium	6.4179E-010	1.0950E-009
RCPTR_49	farmer_adult	TOCDLIC2	Carbon disulfide	5.7529E-017	7.9839E-016
RCPTR_49	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.1440E-015	1.5790E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Chlorine	9.4246E-009	1.3181E-007
RCPTR_49	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.1598E-012	9.9191E-012
RCPTR_49	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.1479E-014	5.7378E-013
RCPTR_49	farmer_adult	TOCDLIC2	Chlorobenzene	4.6417E-016	6.3564E-015
RCPTR_49	farmer_adult	TOCDLIC2	Chloroethane	5.0030E-019	6.5047E-018
RCPTR_49	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.5489E-016	6.3429E-015
RCPTR_49	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.3335E-012	4.4727E-011
RCPTR_49	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.1410E-013	1.5940E-012
RCPTR_49	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.4848E-012	5.5070E-011
RCPTR_49	farmer_adult	TOCDLIC2	Chromium	2.8847E-008	2.9087E-008
RCPTR_49	farmer_adult	TOCDLIC2	Chromium, hexavalent	2.2520E-008	2.3370E-008
RCPTR_49	farmer_adult	TOCDLIC2	Chrysene	4.0362E-008	5.3696E-008
RCPTR_49	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	4.9748E-011	6.6005E-011
RCPTR_49	farmer_adult	TOCDLIC2	Di-n-octylphthalate	2.5926E-001	2.5926E-001
RCPTR_49	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	2.8756E-006	2.9356E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.6212E-015	7.2078E-014
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.6112E-015	8.7346E-014
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.3156E-015	8.4133E-014
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.7203E-011	1.4447E-010
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.7654E-020	5.2076E-019
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.5210E-018	2.1221E-017
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1676E-017	1.6298E-016
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	5.7829E-019	8.0323E-018
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.7502E-018	7.9821E-017
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.0360E-012	6.7190E-012
RCPTR_49	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.2518E-017	4.4903E-016
RCPTR_49	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0971E-017	1.5282E-016
RCPTR_49	farmer_adult	TOCDLIC2	Diethyl phthalate	3.1636E-011	3.4418E-011
RCPTR_49	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0401E-012	1.3511E-011
RCPTR_49	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.9261E-014	1.0856E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.3856E-013	4.8842E-013
RCPTR_49	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.0018E-014	9.9218E-013
RCPTR_49	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.9815E-014	7.6623E-013
RCPTR_49	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.6556E-015	2.3141E-014
RCPTR_49	farmer_adult	TOCDLIC2	Ethylbenzene	1.1623E-016	1.4827E-015
RCPTR_49	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.0580E-010	1.4274E-010
RCPTR_49	farmer_adult	TOCDLIC2	Fluoranthene	5.5911E-010	3.6730E-009
RCPTR_49	farmer_adult	TOCDLIC2	Fluorene	5.2287E-012	6.7063E-011
RCPTR_49	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5858E-013	2.8190E-013
RCPTR_49	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	8.4315E-013	9.0329E-013
RCPTR_49	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.9668E-012	2.1395E-012
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.1655E-012	2.3264E-012
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2984E-012	1.4250E-012
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0747E-012	1.1961E-012
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.2348E-012	2.5194E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.9411E-012	2.1868E-012
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.9937E-012	2.2438E-012
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.6407E-012	1.8475E-012
RCPTR_49	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2160E-013	1.3994E-012
RCPTR_49	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.3823E-010	2.8527E-009
RCPTR_49	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.3603E-013	3.7083E-012
RCPTR_49	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.5415E-014	8.6795E-013
RCPTR_49	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.2288E-005	2.2411E-005
RCPTR_49	farmer_adult	TOCDLIC2	Isophorone	1.1866E-014	1.6545E-013
RCPTR_49	farmer_adult	TOCDLIC2	Lead	1.4949E-008	1.8276E-008
RCPTR_49	farmer_adult	TOCDLIC2	Mercuric chloride	7.9843E-009	8.3375E-009
RCPTR_49	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.4692E-019	9.0374E-018
RCPTR_49	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.1427E-018	1.5942E-017
RCPTR_49	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.9733E-016	1.2546E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Methyl mercury	7.1566E-011	7.4897E-011
RCPTR_49	farmer_adult	TOCDLIC2	Methylene chloride	1.1729E-016	1.6371E-015
RCPTR_49	farmer_adult	TOCDLIC2	Mustard	1.2647E-015	1.7617E-014
RCPTR_49	farmer_adult	TOCDLIC2	Naphthalene	7.9323E-015	1.0779E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nickel	6.0757E-008	6.9635E-008
RCPTR_49	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.0389E-013	2.8205E-012
RCPTR_49	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.8185E-014	6.7154E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.2392E-014	8.6755E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrobenzene	1.9994E-014	2.7929E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.1174E-015	1.2714E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrophenol, 4-	5.4877E-013	1.6708E-012
RCPTR_49	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1380E-014	1.5743E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1240E-014	1.5466E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0322E-015	1.3821E-014
RCPTR_49	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.8287E-013	4.2862E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.7734E-013	4.2147E-013
RCPTR_49	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.8553E-012	5.2838E-012
RCPTR_49	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.6255E-013	8.7619E-013
RCPTR_49	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.9161E-012	3.3428E-012
RCPTR_49	farmer_adult	TOCDLIC2	Pentachlorobenzene	5.0960E-012	5.2363E-011
RCPTR_49	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.2378E-013	4.1152E-012
RCPTR_49	farmer_adult	TOCDLIC2	Pentachlorophenol	1.7867E-010	3.1667E-010
RCPTR_49	farmer_adult	TOCDLIC2	Phenanthrene	1.6238E-014	2.1272E-013
RCPTR_49	farmer_adult	TOCDLIC2	Phenol	1.5948E-014	2.2116E-013
RCPTR_49	farmer_adult	TOCDLIC2	Pronamide	1.6483E-012	2.1027E-011
RCPTR_49	farmer_adult	TOCDLIC2	Pyrene	8.9529E-010	5.3820E-009
RCPTR_49	farmer_adult	TOCDLIC2	Selenium	2.3536E-008	2.3794E-008
RCPTR_49	farmer_adult	TOCDLIC2	Silver	6.1020E-008	7.3257E-008
RCPTR_49	farmer_adult	TOCDLIC2	Styrene	1.8321E-013	2.5351E-012
RCPTR_49	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	6.4757E-013	7.7842E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	2.5192E-013	3.2151E-013
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.4484E-012	1.6920E-011
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.8735E-017	8.1483E-016
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.2000E-017	3.0457E-016
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.5694E-011	1.0978E-010
RCPTR_49	farmer_adult	TOCDLIC2	Thallium (l)	8.0912E-008	8.9791E-008
RCPTR_49	farmer_adult	TOCDLIC2	Toluene	4.3826E-016	5.9444E-015
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.1624E-014	6.5101E-013
RCPTR_49	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.8583E-016	2.5820E-015
RCPTR_49	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.6920E-016	2.3587E-015
RCPTR_49	farmer_adult	TOCDLIC2	Trichloroethylene	2.7676E-017	3.8332E-016
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.6349E-018	5.0380E-017
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.5433E-012	7.4155E-011
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.8597E-012	1.4651E-011
RCPTR_49	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.2726E-016	8.7289E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Vinyl Chloride	2.6827E-020	3.7344E-019
RCPTR_49	farmer_adult	TOCDLIC2	Xylene, m-	4.6123E-015	1.3420E-014
RCPTR_49	farmer_adult	TOCDLIC2	Xylene, o-	4.1009E-015	1.4142E-014
RCPTR_49	farmer_adult	TOCDLIC2	Xylene, p-	4.7076E-015	1.8368E-014
RCPTR_49	farmer_adult	TOCDLIC2	Zinc	2.4152E-008	3.5606E-008
RCPTR_49	farmer_child	TOCDFBRA	Antimony	5.2104E-009	6.2499E-009
RCPTR_49	farmer_child	TOCDFBRA	Arsenic	7.5061E-009	7.8498E-009
RCPTR_49	farmer_child	TOCDFBRA	Barium	6.8692E-010	7.9390E-010
RCPTR_49	farmer_child	TOCDFBRA	Beryllium	2.2398E-009	2.3993E-009
RCPTR_49	farmer_child	TOCDFBRA	Cadmium	4.5862E-010	5.9010E-010
RCPTR_49	farmer_child	TOCDFBRA	Chromium	5.3438E-008	5.6757E-008
RCPTR_49	farmer_child	TOCDFBRA	Chromium, hexavalent	4.3748E-008	4.4753E-008
RCPTR_49	farmer_child	TOCDFBRA	Lead	2.4856E-008	2.7454E-008
RCPTR_49	farmer_child	TOCDFBRA	Mercuric chloride	6.7401E-006	8.3838E-006
RCPTR_49	farmer_child	TOCDFBRA	Methyl mercury	7.9109E-008	8.4172E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFBRA	Nickel	2.5515E-008	2.7506E-008
RCPTR_49	farmer_child	TOCDFBRA	Selenium	8.1912E-009	8.2465E-009
RCPTR_49	farmer_child	TOCDFBRA	Silver	3.0059E-009	3.3466E-009
RCPTR_49	farmer_child	TOCDFBRA	Thallium (l)	7.8210E-008	8.2811E-008
RCPTR_49	farmer_child	TOCDFBRA	Zinc	1.5481E-008	1.8882E-008
RCPTR_49	farmer_child	TOCDFDFS	Acenaphthene	3.7549E-011	7.8426E-011
RCPTR_49	farmer_child	TOCDFDFS	Acetone	4.1460E-016	8.6977E-016
RCPTR_49	farmer_child	TOCDFDFS	Acetophenone	2.0766E-013	4.3555E-013
RCPTR_49	farmer_child	TOCDFDFS	Aniline	1.1899E-014	2.4944E-014
RCPTR_49	farmer_child	TOCDFDFS	Anthracene	6.6262E-010	1.3833E-009
RCPTR_49	farmer_child	TOCDFDFS	Antimony	4.8039E-010	5.7020E-010
RCPTR_49	farmer_child	TOCDFDFS	Aroclor 1254	1.3217E-011	2.0278E-011
RCPTR_49	farmer_child	TOCDFDFS	Arsenic	8.1706E-010	8.5171E-010
RCPTR_49	farmer_child	TOCDFDFS	Barium	5.8502E-010	6.7009E-010
RCPTR_49	farmer_child	TOCDFDFS	Benzene	1.4827E-015	3.1075E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.7581E-008	1.1278E-007
RCPTR_49	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.7627E-007	7.0498E-007
RCPTR_49	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.2171E-007	4.8788E-007
RCPTR_49	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.0452E-006	1.0750E-006
RCPTR_49	farmer_child	TOCDFDFS	Benzoic acid	1.3771E-013	2.8036E-013
RCPTR_49	farmer_child	TOCDFDFS	Benzyl alcohol	2.6988E-013	5.6599E-013
RCPTR_49	farmer_child	TOCDFDFS	Beryllium	4.7436E-010	5.0598E-010
RCPTR_49	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.7005E-013	5.6654E-013
RCPTR_49	farmer_child	TOCDFDFS	Bromodichloromethane	4.8015E-016	1.0071E-015
RCPTR_49	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	7.6816E-014	1.6113E-013
RCPTR_49	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.2637E-008	2.1752E-008
RCPTR_49	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.3184E-010	5.0252E-010
RCPTR_49	farmer_child	TOCDFDFS	Cadmium	2.0439E-010	2.5986E-010
RCPTR_49	farmer_child	TOCDFDFS	Carbon disulfide	2.6481E-016	5.5518E-016
RCPTR_49	farmer_child	TOCDFDFS	Carbon tetrachloride	4.1959E-016	8.7931E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Chlorine	8.3701E-015	1.7560E-014
RCPTR_49	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.2745E-011	4.5375E-011
RCPTR_49	farmer_child	TOCDFDFS	Chloroaniline, p-	1.2548E-012	2.6300E-012
RCPTR_49	farmer_child	TOCDFDFS	Chlorobenzene	2.4555E-015	5.1425E-015
RCPTR_49	farmer_child	TOCDFDFS	Chloroethane	6.9116E-018	1.4411E-017
RCPTR_49	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.3124E-016	6.9474E-016
RCPTR_49	farmer_child	TOCDFDFS	Chloronaphthalene,2-	9.8054E-011	2.0500E-010
RCPTR_49	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.4832E-012	7.3068E-012
RCPTR_49	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.2656E-010	2.5209E-010
RCPTR_49	farmer_child	TOCDFDFS	Chromium	1.4894E-008	1.5761E-008
RCPTR_49	farmer_child	TOCDFDFS	Chromium, hexavalent	1.2362E-008	1.2625E-008
RCPTR_49	farmer_child	TOCDFDFS	Chrysene	2.1477E-007	2.4164E-007
RCPTR_49	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.6362E-009	1.9080E-009
RCPTR_49	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.3695E+000	7.3695E+000
RCPTR_49	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3026E-005	1.3156E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.5862E-013	3.3031E-013
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.9173E-013	4.0032E-013
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.8455E-013	3.8560E-013
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.0661E-009	1.3112E-009
RCPTR_49	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.7869E-019	1.2129E-018
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.3861E-016	2.9072E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7219E-016	3.6118E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.2482E-017	1.1004E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.4367E-017	1.7689E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.6003E-011	3.0685E-011
RCPTR_49	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.7480E-016	9.9505E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.5662E-016	3.2846E-016
RCPTR_49	farmer_child	TOCDFDFS	Diethyl phthalate	9.3567E-010	9.8218E-010
RCPTR_49	farmer_child	TOCDFDFS	Dimethyl phthalate	3.1349E-012	6.5353E-012
RCPTR_49	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.3759E-012	4.9759E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3152E-012	2.2191E-012
RCPTR_49	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.1911E-012	4.5478E-012
RCPTR_49	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.6866E-012	3.5117E-012
RCPTR_49	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.0565E-014	1.0607E-013
RCPTR_49	farmer_child	TOCDFDFS	Ethylbenzene	1.5043E-015	3.1311E-015
RCPTR_49	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	7.3486E-011	8.5955E-011
RCPTR_49	farmer_child	TOCDFDFS	Fluoranthene	9.2794E-009	1.6801E-008
RCPTR_49	farmer_child	TOCDFDFS	Fluorene	1.4759E-010	3.0734E-010
RCPTR_49	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.0975E-014	3.2228E-014
RCPTR_49	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.5906E-014	2.6754E-014
RCPTR_49	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	8.2766E-014	8.6033E-014
RCPTR_49	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.7968E-013	7.0276E-013
RCPTR_49	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.1269E-013	4.3058E-013
RCPTR_49	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.2474E-013	3.4073E-013
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.2921E-013	2.4171E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0720E-013	2.1846E-013
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.4575E-013	2.5899E-013
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.8870E-013	1.9890E-013
RCPTR_49	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.1113E-012	6.4126E-012
RCPTR_49	farmer_child	TOCDFDFS	Hexachlorobenzene	6.3271E-009	1.3072E-008
RCPTR_49	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	8.2800E-012	1.6992E-011
RCPTR_49	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.9044E-012	3.9778E-012
RCPTR_49	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.8771E-005	9.9051E-005
RCPTR_49	farmer_child	TOCDFDFS	Isophorone	3.6158E-013	7.5837E-013
RCPTR_49	farmer_child	TOCDFDFS	Lead	3.1061E-009	3.4123E-009
RCPTR_49	farmer_child	TOCDFDFS	Mercuric chloride	2.6297E-009	3.2922E-009
RCPTR_49	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	6.0514E-018	1.2694E-017
RCPTR_49	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.1931E-018	2.5024E-018
RCPTR_49	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.9721E-015	6.2349E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Methyl mercury	2.8213E-011	3.0254E-011
RCPTR_49	farmer_child	TOCDFDFS	Methylene chloride	1.7877E-016	3.7499E-016
RCPTR_49	farmer_child	TOCDFDFS	Mustard	2.1061E-014	4.4169E-014
RCPTR_49	farmer_child	TOCDFDFS	Naphthalene	1.5274E-012	3.1968E-012
RCPTR_49	farmer_child	TOCDFDFS	Nickel	5.8971E-008	6.3246E-008
RCPTR_49	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.1677E-012	1.2927E-011
RCPTR_49	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.4676E-012	3.0780E-012
RCPTR_49	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.8964E-012	3.9765E-012
RCPTR_49	farmer_child	TOCDFDFS	Nitrobenzene	6.1029E-013	1.2802E-012
RCPTR_49	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.7786E-013	5.8278E-013
RCPTR_49	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.6717E-012	7.5704E-012
RCPTR_49	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.4427E-013	7.2161E-013
RCPTR_49	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.3836E-013	7.0890E-013
RCPTR_49	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.0325E-014	6.3367E-014
RCPTR_49	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.1951E-014	5.4630E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.4628E-014	5.7390E-014
RCPTR_49	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.2154E-012	1.2632E-012
RCPTR_49	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.5757E-013	1.6754E-013
RCPTR_49	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	6.4129E-013	6.8110E-013
RCPTR_49	farmer_child	TOCDFDFS	Pentachlorobenzene	2.3591E-011	4.7970E-011
RCPTR_49	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	9.3497E-012	1.8886E-011
RCPTR_49	farmer_child	TOCDFDFS	Pentachlorophenol	5.3244E-009	7.1102E-009
RCPTR_49	farmer_child	TOCDFDFS	Phenanthrene	4.6727E-013	9.7489E-013
RCPTR_49	farmer_child	TOCDFDFS	Phenol	4.8355E-013	1.0137E-012
RCPTR_49	farmer_child	TOCDFDFS	Pronamide	4.6290E-011	9.6356E-011
RCPTR_49	farmer_child	TOCDFDFS	Pyrene	1.5646E-008	2.4642E-008
RCPTR_49	farmer_child	TOCDFDFS	Selenium	8.9414E-010	8.9971E-010
RCPTR_49	farmer_child	TOCDFDFS	Silver	6.4354E-009	7.1138E-009
RCPTR_49	farmer_child	TOCDFDFS	Styrene	1.7989E-014	3.7705E-014
RCPTR_49	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	4.0356E-013	4.3684E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.2829E-013	1.4219E-013
RCPTR_49	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.7541E-011	7.7512E-011
RCPTR_49	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	7.7594E-013	9.7117E-013
RCPTR_49	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.0450E-016	1.0575E-015
RCPTR_49	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8235E-010	4.9959E-010
RCPTR_49	farmer_child	TOCDFDFS	Thallium (l)	8.3160E-007	8.7697E-007
RCPTR_49	farmer_child	TOCDFDFS	Toluene	6.7482E-016	1.4121E-015
RCPTR_49	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.4347E-012	2.9833E-012
RCPTR_49	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.2058E-016	8.8185E-016
RCPTR_49	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.4922E-015	5.2269E-015
RCPTR_49	farmer_child	TOCDFDFS	Trichloroethylene	4.0522E-016	8.4943E-016
RCPTR_49	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.5971E-017	1.1734E-016
RCPTR_49	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.6498E-010	3.3966E-010
RCPTR_49	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.7062E-010	3.3673E-010
RCPTR_49	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	9.2243E-015	1.9344E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Vinyl Chloride	1.3166E-019	2.7610E-019
RCPTR_49	farmer_child	TOCDFDFS	Xylene, m-	4.3710E-015	6.8448E-015
RCPTR_49	farmer_child	TOCDFDFS	Xylene, o-	3.8098E-015	6.2736E-015
RCPTR_49	farmer_child	TOCDFDFS	Xylene, p-	5.4628E-015	9.2993E-015
RCPTR_49	farmer_child	TOCDFDFS	Zinc	3.1308E-009	3.7772E-009
RCPTR_49	farmer_child	TOCDFLIC	Acenaphthene	8.1937E-012	1.7111E-011
RCPTR_49	farmer_child	TOCDFLIC	Acetone	2.9412E-016	6.1704E-016
RCPTR_49	farmer_child	TOCDFLIC	Acetophenone	4.3092E-014	9.0381E-014
RCPTR_49	farmer_child	TOCDFLIC	Aniline	2.5959E-015	5.4418E-015
RCPTR_49	farmer_child	TOCDFLIC	Anthracene	1.4459E-010	3.0182E-010
RCPTR_49	farmer_child	TOCDFLIC	Antimony	2.4439E-008	2.8949E-008
RCPTR_49	farmer_child	TOCDFLIC	Arsenic	3.9317E-008	4.0959E-008
RCPTR_49	farmer_child	TOCDFLIC	Barium	3.4845E-009	3.9843E-009
RCPTR_49	farmer_child	TOCDFLIC	Benzene	1.6174E-015	3.3896E-015
RCPTR_49	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.9348E-008	2.4830E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.4923E-007	1.5527E-007
RCPTR_49	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	9.3893E-008	1.0826E-007
RCPTR_49	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.3102E-007	2.3720E-007
RCPTR_49	farmer_child	TOCDFLIC	Benzoic acid	1.0403E-013	2.1154E-013
RCPTR_49	farmer_child	TOCDFLIC	Benzyl alcohol	9.4206E-012	1.9756E-011
RCPTR_49	farmer_child	TOCDFLIC	Beryllium	5.9385E-009	6.3292E-009
RCPTR_49	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	5.8915E-014	1.2360E-013
RCPTR_49	farmer_child	TOCDFLIC	Bromodichloromethane	5.8373E-017	1.2244E-016
RCPTR_49	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.0567E-013	2.2165E-013
RCPTR_49	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.7568E-009	4.7453E-009
RCPTR_49	farmer_child	TOCDFLIC	Butylbenzylphthalate	9.3809E-011	1.0922E-010
RCPTR_49	farmer_child	TOCDFLIC	Cadmium	8.6327E-010	1.0950E-009
RCPTR_49	farmer_child	TOCDFLIC	Carbon disulfide	3.8082E-016	7.9839E-016
RCPTR_49	farmer_child	TOCDFLIC	Carbon tetrachloride	7.5350E-015	1.5790E-014
RCPTR_49	farmer_child	TOCDFLIC	Chlorine	6.2831E-008	1.3181E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	4.9820E-012	9.9191E-012
RCPTR_49	farmer_child	TOCDFLIC	Chloroaniline, p-	2.7376E-013	5.7378E-013
RCPTR_49	farmer_child	TOCDFLIC	Chlorobenzene	3.0353E-015	6.3564E-015
RCPTR_49	farmer_child	TOCDFLIC	Chloroethane	3.1204E-018	6.5047E-018
RCPTR_49	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.0242E-015	6.3429E-015
RCPTR_49	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.1396E-011	4.4727E-011
RCPTR_49	farmer_child	TOCDFLIC	Chlorophenol, 2-	7.5990E-013	1.5940E-012
RCPTR_49	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.7686E-011	5.5070E-011
RCPTR_49	farmer_child	TOCDFLIC	Chromium	2.7506E-008	2.9087E-008
RCPTR_49	farmer_child	TOCDFLIC	Chromium, hexavalent	2.2891E-008	2.3370E-008
RCPTR_49	farmer_child	TOCDFLIC	Chrysene	4.7872E-008	5.3696E-008
RCPTR_49	farmer_child	TOCDFLIC	Di-n-butyl phthalate	5.6842E-011	6.6005E-011
RCPTR_49	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.5926E-001	2.5926E-001
RCPTR_49	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.9094E-006	2.9356E-006
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.4621E-014	7.2078E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.1841E-014	8.7346E-014
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.0273E-014	8.4133E-014
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.1783E-010	1.4447E-010
RCPTR_49	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.4847E-019	5.2076E-019
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.0117E-017	2.1221E-017
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.7701E-017	1.6298E-016
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.8310E-018	8.0323E-018
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.8072E-017	7.9821E-017
RCPTR_49	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	3.5159E-012	6.7190E-012
RCPTR_49	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.1427E-016	4.4903E-016
RCPTR_49	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.2867E-017	1.5282E-016
RCPTR_49	farmer_child	TOCDFLIC	Diethyl phthalate	3.2850E-011	3.4418E-011
RCPTR_49	farmer_child	TOCDFLIC	Dimethyl phthalate	6.4819E-012	1.3511E-011
RCPTR_49	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.1840E-013	1.0856E-012
RCPTR_49	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.9123E-013	4.8842E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.7806E-013	9.9218E-013
RCPTR_49	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.6807E-013	7.6623E-013
RCPTR_49	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.1031E-014	2.3141E-014
RCPTR_49	farmer_child	TOCDFLIC	Ethylbenzene	7.1249E-016	1.4827E-015
RCPTR_49	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.2192E-010	1.4274E-010
RCPTR_49	farmer_child	TOCDFLIC	Fluoranthene	2.0323E-009	3.6730E-009
RCPTR_49	farmer_child	TOCDFLIC	Fluorene	3.2211E-011	6.7063E-011
RCPTR_49	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.7141E-013	2.8190E-013
RCPTR_49	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.7627E-013	9.0329E-013
RCPTR_49	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.0619E-012	2.1395E-012
RCPTR_49	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.2540E-012	2.3264E-012
RCPTR_49	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.3682E-012	1.4250E-012
RCPTR_49	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.1416E-012	1.1961E-012
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.3917E-012	2.5194E-012
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.0765E-012	2.1868E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.1315E-012	2.2438E-012
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.7547E-012	1.8475E-012
RCPTR_49	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	6.7919E-013	1.3994E-012
RCPTR_49	farmer_child	TOCDFLIC	Hexachlorobenzene	1.3814E-009	2.8527E-009
RCPTR_49	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.8076E-012	3.7083E-012
RCPTR_49	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.1562E-013	8.6795E-013
RCPTR_49	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.2355E-005	2.2411E-005
RCPTR_49	farmer_child	TOCDFLIC	Isophorone	7.8883E-014	1.6545E-013
RCPTR_49	farmer_child	TOCDFLIC	Lead	1.6653E-008	1.8276E-008
RCPTR_49	farmer_child	TOCDFLIC	Mercuric chloride	6.6491E-009	8.3375E-009
RCPTR_49	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.3082E-018	9.0374E-018
RCPTR_49	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	7.6007E-018	1.5942E-017
RCPTR_49	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.9804E-015	1.2546E-014
RCPTR_49	farmer_child	TOCDFLIC	Methyl mercury	6.9696E-011	7.4897E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Methylene chloride	7.8049E-016	1.6371E-015
RCPTR_49	farmer_child	TOCDFLIC	Mustard	8.0801E-015	1.6945E-014
RCPTR_49	farmer_child	TOCDFLIC	Naphthalene	5.1506E-014	1.0779E-013
RCPTR_49	farmer_child	TOCDFLIC	Nickel	6.4992E-008	6.9635E-008
RCPTR_49	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.3457E-012	2.8205E-012
RCPTR_49	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.2020E-013	6.7154E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.1373E-013	8.6755E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrobenzene	1.3314E-013	2.7929E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrophenol, 2-	6.0619E-014	1.2714E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.0384E-013	1.6708E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.5112E-014	1.5743E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.3824E-014	1.5466E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.6130E-015	1.3821E-014
RCPTR_49	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.0805E-013	4.2862E-013
RCPTR_49	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.0161E-013	4.2147E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.0924E-012	5.2838E-012
RCPTR_49	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	8.2539E-013	8.7619E-013
RCPTR_49	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.1517E-012	3.3428E-012
RCPTR_49	farmer_child	TOCDFLIC	Pentachlorobenzene	2.5722E-011	5.2363E-011
RCPTR_49	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.0346E-012	4.1152E-012
RCPTR_49	farmer_child	TOCDFLIC	Pentachlorophenol	2.3889E-010	3.1667E-010
RCPTR_49	farmer_child	TOCDFLIC	Phenanthrene	1.0197E-013	2.1272E-013
RCPTR_49	farmer_child	TOCDFLIC	Phenol	1.0550E-013	2.2116E-013
RCPTR_49	farmer_child	TOCDFLIC	Pronamide	1.0104E-011	2.1027E-011
RCPTR_49	farmer_child	TOCDFLIC	Pyrene	3.4197E-009	5.3820E-009
RCPTR_49	farmer_child	TOCDFLIC	Selenium	2.3649E-008	2.3794E-008
RCPTR_49	farmer_child	TOCDFLIC	Silver	6.6360E-008	7.3257E-008
RCPTR_49	farmer_child	TOCDFLIC	Styrene	1.2095E-012	2.5351E-012
RCPTR_49	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.2025E-013	7.7842E-013
RCPTR_49	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.9062E-013	3.2151E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	8.1995E-012	1.6920E-011
RCPTR_49	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	3.8867E-016	8.1483E-016
RCPTR_49	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.4530E-016	3.0457E-016
RCPTR_49	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.2388E-011	1.0978E-010
RCPTR_49	farmer_child	TOCDFLIC	Thallium (l)	8.5210E-008	8.9791E-008
RCPTR_49	farmer_child	TOCDFLIC	Toluene	2.8410E-015	5.9444E-015
RCPTR_49	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.1318E-013	6.5101E-013
RCPTR_49	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.2314E-015	2.5820E-015
RCPTR_49	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.1246E-015	2.3587E-015
RCPTR_49	farmer_child	TOCDFLIC	Trichloroethylene	1.8287E-016	3.8332E-016
RCPTR_49	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.4033E-017	5.0380E-017
RCPTR_49	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.6047E-011	7.4155E-011
RCPTR_49	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	7.4412E-012	1.4651E-011
RCPTR_49	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.1626E-015	8.7289E-015
RCPTR_49	farmer_child	TOCDFLIC	Vinyl Chloride	1.7808E-019	3.7344E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Xylene, m-	4.0691E-015	6.4580E-015
RCPTR_49	farmer_child	TOCDFLIC	Xylene, o-	4.0820E-015	6.8054E-015
RCPTR_49	farmer_child	TOCDFLIC	Xylene, p-	5.1338E-015	8.8388E-015
RCPTR_49	farmer_child	TOCDFLIC	Zinc	2.9575E-008	3.5606E-008
RCPTR_49	farmer_child	TOCDFMPF	Acenaphthene	1.2447E-011	2.5993E-011
RCPTR_49	farmer_child	TOCDFMPF	Acetone	1.0676E-015	2.2396E-015
RCPTR_49	farmer_child	TOCDFMPF	Acetophenone	6.8576E-014	1.4383E-013
RCPTR_49	farmer_child	TOCDFMPF	Aniline	3.9433E-015	8.2664E-015
RCPTR_49	farmer_child	TOCDFMPF	Anthracene	2.1964E-010	4.5847E-010
RCPTR_49	farmer_child	TOCDFMPF	Antimony	3.3218E-010	3.9351E-010
RCPTR_49	farmer_child	TOCDFMPF	Aroclor 1254	8.0996E-012	1.2427E-011
RCPTR_49	farmer_child	TOCDFMPF	Arsenic	2.0383E-009	2.1235E-009
RCPTR_49	farmer_child	TOCDFMPF	Barium	2.4628E-009	2.8162E-009
RCPTR_49	farmer_child	TOCDFMPF	Benzene	1.4364E-015	3.0103E-015
RCPTR_49	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.9401E-008	3.7729E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.2690E-007	2.3610E-007
RCPTR_49	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.4267E-007	1.6451E-007
RCPTR_49	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	3.5124E-007	3.6065E-007
RCPTR_49	farmer_child	TOCDFMPF	Benzoic acid	4.5745E-013	9.3018E-013
RCPTR_49	farmer_child	TOCDFMPF	Benzyl alcohol	8.9440E-014	1.8757E-013
RCPTR_49	farmer_child	TOCDFMPF	Beryllium	2.0192E-010	2.1520E-010
RCPTR_49	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	8.9495E-014	1.8775E-013
RCPTR_49	farmer_child	TOCDFMPF	Bromodichloromethane	1.7622E-015	3.6961E-015
RCPTR_49	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	6.1335E-014	1.2866E-013
RCPTR_49	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.1877E-009	7.2084E-009
RCPTR_49	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.4272E-010	1.6612E-010
RCPTR_49	farmer_child	TOCDFMPF	Cadmium	3.9316E-009	4.9874E-009
RCPTR_49	farmer_child	TOCDFMPF	Carbon disulfide	1.3835E-016	2.9005E-016
RCPTR_49	farmer_child	TOCDFMPF	Carbon tetrachloride	1.3042E-015	2.7331E-015
RCPTR_49	farmer_child	TOCDFMPF	Chlorine	1.1502E-008	2.4131E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	7.5677E-012	1.5067E-011
RCPTR_49	farmer_child	TOCDFMPF	Chloroaniline, p-	4.1585E-013	8.7159E-013
RCPTR_49	farmer_child	TOCDFMPF	Chlorobenzene	5.4114E-015	1.1332E-014
RCPTR_49	farmer_child	TOCDFMPF	Chloroethane	3.0555E-017	6.3694E-017
RCPTR_49	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	9.4503E-016	1.9821E-015
RCPTR_49	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.2502E-011	6.7942E-011
RCPTR_49	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.1543E-012	2.4214E-012
RCPTR_49	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.2057E-011	8.3655E-011
RCPTR_49	farmer_child	TOCDFMPF	Chromium	5.2059E-009	5.5053E-009
RCPTR_49	farmer_child	TOCDFMPF	Chromium, hexavalent	4.3321E-009	4.4227E-009
RCPTR_49	farmer_child	TOCDFMPF	Chrysene	7.2739E-008	8.1589E-008
RCPTR_49	farmer_child	TOCDFMPF	Di-n-butyl phthalate	5.5867E-010	6.4874E-010
RCPTR_49	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.5472E+000	2.5472E+000
RCPTR_49	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.4204E-006	4.4603E-006
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.2591E-014	1.0949E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.3559E-014	1.3268E-013
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.1176E-014	1.2780E-013
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.5926E-010	4.4046E-010
RCPTR_49	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.0307E-018	4.2561E-018
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.0542E-016	6.4062E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7943E-016	7.9587E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.1565E-016	2.4248E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.8591E-016	3.8978E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.3404E-012	1.0206E-011
RCPTR_49	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.0463E-015	2.1927E-015
RCPTR_49	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.4512E-016	7.2378E-016
RCPTR_49	farmer_child	TOCDFMPF	Diethyl phthalate	3.2276E-010	3.3817E-010
RCPTR_49	farmer_child	TOCDFMPF	Dimethyl phthalate	6.8779E-013	1.4336E-012
RCPTR_49	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	7.8747E-013	1.6491E-012
RCPTR_49	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.4154E-013	7.4054E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.2621E-013	1.5072E-012
RCPTR_49	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.5912E-013	1.1639E-012
RCPTR_49	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.6757E-014	3.5153E-014
RCPTR_49	farmer_child	TOCDFMPF	Ethylbenzene	3.3164E-015	6.9012E-015
RCPTR_49	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.1951E-011	2.5694E-011
RCPTR_49	farmer_child	TOCDFMPF	Fluoranthene	3.0872E-009	5.5796E-009
RCPTR_49	farmer_child	TOCDFMPF	Fluorene	4.8931E-011	1.0187E-010
RCPTR_49	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.0555E-012	1.0964E-012
RCPTR_49	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3736E-012	1.4161E-012
RCPTR_49	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.4076E-012	2.4984E-012
RCPTR_49	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.4167E-013	6.6232E-013
RCPTR_49	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.0339E-013	3.1601E-013
RCPTR_49	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.6930E-013	2.8217E-013
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.7181E-013	4.9701E-013
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.0001E-013	2.1064E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.7695E-013	1.8627E-013
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5853E-013	1.6691E-013
RCPTR_49	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0317E-012	2.1258E-012
RCPTR_49	farmer_child	TOCDFMPF	Hexachlorobenzene	2.0984E-009	4.3335E-009
RCPTR_49	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.7459E-012	5.6331E-012
RCPTR_49	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.3134E-013	1.3185E-012
RCPTR_49	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.3951E-005	3.4037E-005
RCPTR_49	farmer_child	TOCDFMPF	Isophorone	1.1983E-013	2.5132E-013
RCPTR_49	farmer_child	TOCDFMPF	Lead	1.9176E-009	2.1045E-009
RCPTR_49	farmer_child	TOCDFMPF	Mercuric chloride	1.1242E-007	1.4095E-007
RCPTR_49	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.2152E-017	4.6468E-017
RCPTR_49	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.2892E-018	2.7041E-018
RCPTR_49	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2051E-015	2.5282E-015
RCPTR_49	farmer_child	TOCDFMPF	Methyl mercury	1.1807E-009	1.2686E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Methylene chloride	6.0994E-016	1.2794E-015
RCPTR_49	farmer_child	TOCDFMPF	Mustard	5.7132E-014	1.1982E-013
RCPTR_49	farmer_child	TOCDFMPF	Naphthalene	5.0626E-013	1.0595E-012
RCPTR_49	farmer_child	TOCDFMPF	Nickel	4.0648E-008	4.3554E-008
RCPTR_49	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.0404E-012	4.2766E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.8551E-013	1.0183E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.2735E-013	1.3155E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitrobenzene	2.0225E-013	4.2425E-013
RCPTR_49	farmer_child	TOCDFMPF	Nitrophenol, 2-	9.2083E-014	1.9313E-013
RCPTR_49	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.5742E-012	2.5331E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.1410E-013	2.3915E-013
RCPTR_49	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1214E-013	2.3494E-013
RCPTR_49	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.0046E-014	2.0996E-014
RCPTR_49	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.5932E-011	2.7241E-011
RCPTR_49	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.5499E-011	4.7751E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.6503E-013	2.7501E-013
RCPTR_49	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.5686E-013	3.7882E-013
RCPTR_49	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.1061E-013	2.2338E-013
RCPTR_49	farmer_child	TOCDFMPF	Pentachlorobenzene	7.8019E-012	1.5881E-011
RCPTR_49	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.0857E-012	6.2406E-012
RCPTR_49	farmer_child	TOCDFMPF	Pentachlorophenol	1.8139E-009	2.4047E-009
RCPTR_49	farmer_child	TOCDFMPF	Phenanthrene	1.5490E-013	3.2313E-013
RCPTR_49	farmer_child	TOCDFMPF	Phenol	1.6025E-013	3.3595E-013
RCPTR_49	farmer_child	TOCDFMPF	Pronamide	1.5349E-011	3.1940E-011
RCPTR_49	farmer_child	TOCDFMPF	Pyrene	5.1948E-009	8.1756E-009
RCPTR_49	farmer_child	TOCDFMPF	Selenium	4.1356E-010	4.1609E-010
RCPTR_49	farmer_child	TOCDFMPF	Silver	8.9263E-009	9.8545E-009
RCPTR_49	farmer_child	TOCDFMPF	Styrene	2.7406E-014	5.7443E-014
RCPTR_49	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	8.5737E-014	9.2662E-014
RCPTR_49	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.8635E-013	3.1678E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.2455E-011	2.5702E-011
RCPTR_49	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.1733E-014	2.4598E-014
RCPTR_49	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.1117E-015	2.3302E-015
RCPTR_49	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.4587E-011	1.6645E-010
RCPTR_49	farmer_child	TOCDFMPF	Thallium (l)	2.6002E-009	2.7400E-009
RCPTR_49	farmer_child	TOCDFMPF	Toluene	1.8940E-015	3.9631E-015
RCPTR_49	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.7573E-013	9.8892E-013
RCPTR_49	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.1825E-016	1.5060E-015
RCPTR_49	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.4916E-015	1.1518E-014
RCPTR_49	farmer_child	TOCDFMPF	Trichloroethylene	8.9296E-016	1.8718E-015
RCPTR_49	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.4645E-015	5.1663E-015
RCPTR_49	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.4756E-011	1.1264E-010
RCPTR_49	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1303E-011	2.2254E-011
RCPTR_49	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.0326E-014	4.2625E-014
RCPTR_49	farmer_child	TOCDFMPF	Vinyl Chloride	4.8555E-019	1.0182E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Xylene, m-	4.0571E-015	6.4332E-015
RCPTR_49	farmer_child	TOCDFMPF	Xylene, o-	4.0684E-015	6.7772E-015
RCPTR_49	farmer_child	TOCDFMPF	Xylene, p-	5.1154E-015	8.8005E-015
RCPTR_49	farmer_child	TOCDFMPF	Zinc	8.3983E-009	1.0112E-008
RCPTR_49	farmer_child	TOCDHVAC	Mustard	1.3695E-014	2.8722E-014
RCPTR_49	farmer_child	TOCDLIC2	Acenaphthene	8.1937E-012	1.7111E-011
RCPTR_49	farmer_child	TOCDLIC2	Acetone	2.9412E-016	6.1704E-016
RCPTR_49	farmer_child	TOCDLIC2	Acetophenone	4.3092E-014	9.0381E-014
RCPTR_49	farmer_child	TOCDLIC2	Aniline	2.5959E-015	5.4418E-015
RCPTR_49	farmer_child	TOCDLIC2	Anthracene	1.4459E-010	3.0182E-010
RCPTR_49	farmer_child	TOCDLIC2	Antimony	2.4439E-008	2.8949E-008
RCPTR_49	farmer_child	TOCDLIC2	Arsenic	3.9317E-008	4.0959E-008
RCPTR_49	farmer_child	TOCDLIC2	Barium	3.4845E-009	3.9843E-009
RCPTR_49	farmer_child	TOCDLIC2	Benzene	1.6174E-015	3.3896E-015
RCPTR_49	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.9348E-008	2.4830E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.4923E-007	1.5527E-007
RCPTR_49	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	9.3893E-008	1.0826E-007
RCPTR_49	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.3102E-007	2.3720E-007
RCPTR_49	farmer_child	TOCDLIC2	Benzoic acid	1.0403E-013	2.1154E-013
RCPTR_49	farmer_child	TOCDLIC2	Benzyl alcohol	9.4206E-012	1.9756E-011
RCPTR_49	farmer_child	TOCDLIC2	Beryllium	5.9385E-009	6.3292E-009
RCPTR_49	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.8915E-014	1.2360E-013
RCPTR_49	farmer_child	TOCDLIC2	Bromodichloromethane	5.8373E-017	1.2244E-016
RCPTR_49	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0567E-013	2.2165E-013
RCPTR_49	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.7568E-009	4.7453E-009
RCPTR_49	farmer_child	TOCDLIC2	Butylbenzylphthalate	9.3809E-011	1.0922E-010
RCPTR_49	farmer_child	TOCDLIC2	Cadmium	8.6327E-010	1.0950E-009
RCPTR_49	farmer_child	TOCDLIC2	Carbon disulfide	3.8082E-016	7.9839E-016
RCPTR_49	farmer_child	TOCDLIC2	Carbon tetrachloride	7.5350E-015	1.5790E-014
RCPTR_49	farmer_child	TOCDLIC2	Chlorine	6.2831E-008	1.3181E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.9820E-012	9.9191E-012
RCPTR_49	farmer_child	TOCDLIC2	Chloroaniline, p-	2.7376E-013	5.7378E-013
RCPTR_49	farmer_child	TOCDLIC2	Chlorobenzene	3.0353E-015	6.3564E-015
RCPTR_49	farmer_child	TOCDLIC2	Chloroethane	3.1204E-018	6.5047E-018
RCPTR_49	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.0242E-015	6.3429E-015
RCPTR_49	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.1396E-011	4.4727E-011
RCPTR_49	farmer_child	TOCDLIC2	Chlorophenol, 2-	7.5990E-013	1.5940E-012
RCPTR_49	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.7686E-011	5.5070E-011
RCPTR_49	farmer_child	TOCDLIC2	Chromium	2.7506E-008	2.9087E-008
RCPTR_49	farmer_child	TOCDLIC2	Chromium, hexavalent	2.2891E-008	2.3370E-008
RCPTR_49	farmer_child	TOCDLIC2	Chrysene	4.7872E-008	5.3696E-008
RCPTR_49	farmer_child	TOCDLIC2	Di-n-butyl phthalate	5.6842E-011	6.6005E-011
RCPTR_49	farmer_child	TOCDLIC2	Di-n-octylphthalate	2.5926E-001	2.5926E-001
RCPTR_49	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.9094E-006	2.9356E-006
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.4621E-014	7.2078E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.1841E-014	8.7346E-014
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.0273E-014	8.4133E-014
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1783E-010	1.4447E-010
RCPTR_49	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.4847E-019	5.2076E-019
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.0117E-017	2.1221E-017
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.7701E-017	1.6298E-016
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	3.8310E-018	8.0323E-018
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.8072E-017	7.9821E-017
RCPTR_49	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.5159E-012	6.7190E-012
RCPTR_49	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.1427E-016	4.4903E-016
RCPTR_49	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.2867E-017	1.5282E-016
RCPTR_49	farmer_child	TOCDLIC2	Diethyl phthalate	3.2850E-011	3.4418E-011
RCPTR_49	farmer_child	TOCDLIC2	Dimethyl phthalate	6.4819E-012	1.3511E-011
RCPTR_49	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.1840E-013	1.0856E-012
RCPTR_49	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.9123E-013	4.8842E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.7806E-013	9.9218E-013
RCPTR_49	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.6807E-013	7.6623E-013
RCPTR_49	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.1031E-014	2.3141E-014
RCPTR_49	farmer_child	TOCDLIC2	Ethylbenzene	7.1249E-016	1.4827E-015
RCPTR_49	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.2192E-010	1.4274E-010
RCPTR_49	farmer_child	TOCDLIC2	Fluoranthene	2.0323E-009	3.6730E-009
RCPTR_49	farmer_child	TOCDLIC2	Fluorene	3.2211E-011	6.7063E-011
RCPTR_49	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.7141E-013	2.8190E-013
RCPTR_49	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	8.7627E-013	9.0329E-013
RCPTR_49	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.0619E-012	2.1395E-012
RCPTR_49	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.2540E-012	2.3264E-012
RCPTR_49	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3682E-012	1.4250E-012
RCPTR_49	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1416E-012	1.1961E-012
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.3917E-012	2.5194E-012
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.0765E-012	2.1868E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.1315E-012	2.2438E-012
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.7547E-012	1.8475E-012
RCPTR_49	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.7919E-013	1.3994E-012
RCPTR_49	farmer_child	TOCDLIC2	Hexachlorobenzene	1.3814E-009	2.8527E-009
RCPTR_49	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.8076E-012	3.7083E-012
RCPTR_49	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.1562E-013	8.6795E-013
RCPTR_49	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.2355E-005	2.2411E-005
RCPTR_49	farmer_child	TOCDLIC2	Isophorone	7.8883E-014	1.6545E-013
RCPTR_49	farmer_child	TOCDLIC2	Lead	1.6653E-008	1.8276E-008
RCPTR_49	farmer_child	TOCDLIC2	Mercuric chloride	6.6491E-009	8.3375E-009
RCPTR_49	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.3082E-018	9.0374E-018
RCPTR_49	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.6007E-018	1.5942E-017
RCPTR_49	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.9804E-015	1.2546E-014
RCPTR_49	farmer_child	TOCDLIC2	Methyl mercury	6.9696E-011	7.4897E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Methylene chloride	7.8049E-016	1.6371E-015
RCPTR_49	farmer_child	TOCDLIC2	Mustard	8.4001E-015	1.7617E-014
RCPTR_49	farmer_child	TOCDLIC2	Naphthalene	5.1506E-014	1.0779E-013
RCPTR_49	farmer_child	TOCDLIC2	Nickel	6.4992E-008	6.9635E-008
RCPTR_49	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.3457E-012	2.8205E-012
RCPTR_49	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.2020E-013	6.7154E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.1373E-013	8.6755E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrobenzene	1.3314E-013	2.7929E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.0619E-014	1.2714E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.0384E-012	1.6708E-012
RCPTR_49	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.5112E-014	1.5743E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.3824E-014	1.5466E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.6130E-015	1.3821E-014
RCPTR_49	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.0805E-013	4.2862E-013
RCPTR_49	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.0161E-013	4.2147E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.0924E-012	5.2838E-012
RCPTR_49	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.2539E-013	8.7619E-013
RCPTR_49	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1517E-012	3.3428E-012
RCPTR_49	farmer_child	TOCDLIC2	Pentachlorobenzene	2.5722E-011	5.2363E-011
RCPTR_49	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.0346E-012	4.1152E-012
RCPTR_49	farmer_child	TOCDLIC2	Pentachlorophenol	2.3889E-010	3.1667E-010
RCPTR_49	farmer_child	TOCDLIC2	Phenanthrene	1.0197E-013	2.1272E-013
RCPTR_49	farmer_child	TOCDLIC2	Phenol	1.0550E-013	2.2116E-013
RCPTR_49	farmer_child	TOCDLIC2	Pronamide	1.0104E-011	2.1027E-011
RCPTR_49	farmer_child	TOCDLIC2	Pyrene	3.4197E-009	5.3820E-009
RCPTR_49	farmer_child	TOCDLIC2	Selenium	2.3649E-008	2.3794E-008
RCPTR_49	farmer_child	TOCDLIC2	Silver	6.6360E-008	7.3257E-008
RCPTR_49	farmer_child	TOCDLIC2	Styrene	1.2095E-012	2.5351E-012
RCPTR_49	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	7.2025E-013	7.7842E-013
RCPTR_49	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.9062E-013	3.2151E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.1995E-012	1.6920E-011
RCPTR_49	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	3.8867E-016	8.1483E-016
RCPTR_49	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4530E-016	3.0457E-016
RCPTR_49	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.2388E-011	1.0978E-010
RCPTR_49	farmer_child	TOCDLIC2	Thallium (l)	8.5210E-008	8.9791E-008
RCPTR_49	farmer_child	TOCDLIC2	Toluene	2.8410E-015	5.9444E-015
RCPTR_49	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.1318E-013	6.5101E-013
RCPTR_49	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.2314E-015	2.5820E-015
RCPTR_49	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.1246E-015	2.3587E-015
RCPTR_49	farmer_child	TOCDLIC2	Trichloroethylene	1.8287E-016	3.8332E-016
RCPTR_49	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.4033E-017	5.0380E-017
RCPTR_49	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.6047E-011	7.4155E-011
RCPTR_49	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	7.4412E-012	1.4651E-011
RCPTR_49	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.1626E-015	8.7289E-015
RCPTR_49	farmer_child	TOCDLIC2	Vinyl Chloride	1.7808E-019	3.7344E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Xylene, m-	8.4558E-015	1.3420E-014
RCPTR_49	farmer_child	TOCDLIC2	Xylene, o-	8.4825E-015	1.4142E-014
RCPTR_49	farmer_child	TOCDLIC2	Xylene, p-	1.0668E-014	1.8368E-014
RCPTR_49	farmer_child	TOCDLIC2	Zinc	2.9575E-008	3.5606E-008
RCPTR_50	farmer_adult	TOCDFBRA	Antimony	3.7585E-008	5.0033E-008
RCPTR_50	farmer_adult	TOCDFBRA	Arsenic	6.3014E-008	6.7030E-008
RCPTR_50	farmer_adult	TOCDFBRA	Barium	5.1962E-009	6.4675E-009
RCPTR_50	farmer_adult	TOCDFBRA	Beryllium	1.7445E-008	1.9681E-008
RCPTR_50	farmer_adult	TOCDFBRA	Cadmium	2.8524E-009	4.5347E-009
RCPTR_50	farmer_adult	TOCDFBRA	Chromium	4.6142E-007	4.6472E-007
RCPTR_50	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.7450E-007	3.8618E-007
RCPTR_50	farmer_adult	TOCDFBRA	Lead	1.8395E-007	2.1880E-007
RCPTR_50	farmer_adult	TOCDFBRA	Mercuric chloride	3.5514E-005	3.6990E-005
RCPTR_50	farmer_adult	TOCDFBRA	Methyl mercury	3.8992E-007	4.0383E-007
RCPTR_50	farmer_adult	TOCDFBRA	Nickel	2.0598E-007	2.3089E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFBRA	Selenium	7.1059E-008	7.1701E-008
RCPTR_50	farmer_adult	TOCDFBRA	Silver	2.3818E-008	2.7772E-008
RCPTR_50	farmer_adult	TOCDFBRA	Thallium (l)	6.4278E-007	7.0113E-007
RCPTR_50	farmer_adult	TOCDFBRA	Zinc	1.0714E-007	1.4940E-007
RCPTR_50	farmer_adult	TOCDFDFS	Acenaphthene	2.4439E-011	3.2161E-010
RCPTR_50	farmer_adult	TOCDFDFS	Acetone	2.5487E-016	3.5639E-015
RCPTR_50	farmer_adult	TOCDFDFS	Acetophenone	1.2803E-013	1.7848E-012
RCPTR_50	farmer_adult	TOCDFDFS	Aniline	7.3846E-015	1.0222E-013
RCPTR_50	farmer_adult	TOCDFDFS	Anthracene	4.3375E-010	5.6732E-009
RCPTR_50	farmer_adult	TOCDFDFS	Antimony	3.3790E-009	4.4772E-009
RCPTR_50	farmer_adult	TOCDFDFS	Aroclor 1254	3.7331E-011	8.8659E-011
RCPTR_50	farmer_adult	TOCDFDFS	Arsenic	6.6121E-009	7.0254E-009
RCPTR_50	farmer_adult	TOCDFDFS	Barium	4.3005E-009	5.3329E-009
RCPTR_50	farmer_adult	TOCDFDFS	Benzene	9.2339E-016	1.2736E-014
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.8402E-007	5.0480E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.1668E-006	3.4104E-006
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.6952E-006	2.2680E-006
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	4.9049E-006	5.2037E-006
RCPTR_50	farmer_adult	TOCDFDFS	Benzoic acid	1.1801E-013	1.1550E-012
RCPTR_50	farmer_adult	TOCDFDFS	Benzyl alcohol	1.6663E-013	2.3193E-012
RCPTR_50	farmer_adult	TOCDFDFS	Beryllium	3.5953E-009	4.0481E-009
RCPTR_50	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.6602E-013	2.3214E-012
RCPTR_50	farmer_adult	TOCDFDFS	Bromodichloromethane	2.9588E-016	4.1268E-015
RCPTR_50	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	4.7298E-014	6.6026E-013
RCPTR_50	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	9.3773E-009	8.9135E-008
RCPTR_50	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.8472E-009	2.3611E-009
RCPTR_50	farmer_adult	TOCDFDFS	Cadmium	1.2517E-009	1.9766E-009
RCPTR_50	farmer_adult	TOCDFDFS	Carbon disulfide	1.6413E-016	2.2751E-015
RCPTR_50	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.6162E-016	3.6037E-015
RCPTR_50	farmer_adult	TOCDFDFS	Chlorine	5.1446E-015	7.1952E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.3115E-011	1.8764E-010
RCPTR_50	farmer_adult	TOCDFDFS	Chloroaniline, p-	7.8046E-013	1.0778E-011
RCPTR_50	farmer_adult	TOCDFDFS	Chlorobenzene	1.5443E-015	2.1078E-014
RCPTR_50	farmer_adult	TOCDFDFS	Chloroethane	4.5931E-018	5.9116E-017
RCPTR_50	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.0426E-016	2.8468E-015
RCPTR_50	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	6.3041E-011	8.4050E-010
RCPTR_50	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.1434E-012	2.9940E-011
RCPTR_50	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.3026E-010	1.0428E-009
RCPTR_50	farmer_adult	TOCDFDFS	Chromium	1.2504E-007	1.2592E-007
RCPTR_50	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.0185E-007	1.0497E-007
RCPTR_50	farmer_adult	TOCDFDFS	Chrysene	8.7595E-007	1.1282E-006
RCPTR_50	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	6.9588E-009	8.9351E-009
RCPTR_50	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.6099E+001	3.6099E+001
RCPTR_50	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	6.8022E-005	7.0002E-005
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.0705E-013	1.3553E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	1.2532E-013	1.6417E-012
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	1.1956E-013	1.5812E-012
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.2751E-009	6.0583E-009
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.6021E-019	4.9707E-018
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	8.5421E-017	1.1913E-015
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0605E-016	1.4800E-015
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.2500E-017	4.5094E-016
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	5.2278E-017	7.2488E-016
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.1102E-011	1.2784E-010
RCPTR_50	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.9589E-016	4.0780E-015
RCPTR_50	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	9.6698E-017	1.3460E-015
RCPTR_50	farmer_adult	TOCDFDFS	Diethyl phthalate	4.4019E-009	4.7400E-009
RCPTR_50	farmer_adult	TOCDFDFS	Dimethyl phthalate	2.0893E-012	2.6809E-011
RCPTR_50	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.4935E-012	2.0395E-011
RCPTR_50	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.9164E-012	9.4874E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	1.5385E-012	1.8671E-011
RCPTR_50	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.1406E-012	1.4409E-011
RCPTR_50	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	3.1100E-014	4.3465E-013
RCPTR_50	farmer_adult	TOCDFDFS	Ethylbenzene	1.0209E-015	1.2848E-014
RCPTR_50	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.1273E-010	4.0340E-010
RCPTR_50	farmer_adult	TOCDFDFS	Fluoranthene	1.1385E-008	6.9882E-008
RCPTR_50	farmer_adult	TOCDFDFS	Fluorene	9.9617E-011	1.2610E-009
RCPTR_50	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.4392E-013	1.5546E-013
RCPTR_50	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.2155E-013	1.2937E-013
RCPTR_50	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.8496E-013	4.1509E-013
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.1824E-012	3.3948E-012
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.9085E-012	2.0736E-012
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.4903E-012	1.6379E-012
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.0430E-012	1.1584E-012
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	9.4320E-013	1.0470E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.1191E-012	1.2412E-012
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	8.5911E-013	9.5324E-013
RCPTR_50	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.3608E-012	2.6361E-011
RCPTR_50	farmer_adult	TOCDFDFS	Hexachlorobenzene	4.5846E-009	5.3692E-008
RCPTR_50	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	6.5687E-012	6.9907E-011
RCPTR_50	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.2386E-012	1.6312E-011
RCPTR_50	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.9393E-004	4.9801E-004
RCPTR_50	farmer_adult	TOCDFDFS	Isophorone	2.2299E-013	3.1076E-012
RCPTR_50	farmer_adult	TOCDFDFS	Lead	2.2507E-008	2.6701E-008
RCPTR_50	farmer_adult	TOCDFDFS	Mercuric chloride	1.3363E-008	1.3931E-008
RCPTR_50	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	3.7241E-018	5.2016E-017
RCPTR_50	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	7.3533E-019	1.0254E-017
RCPTR_50	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.8274E-015	2.5548E-014
RCPTR_50	farmer_adult	TOCDFDFS	Methyl mercury	1.3697E-010	1.4233E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Methylene chloride	1.1012E-016	1.5366E-015
RCPTR_50	farmer_adult	TOCDFDFS	Mustard	1.3002E-014	1.8100E-013
RCPTR_50	farmer_adult	TOCDFDFS	Naphthalene	9.6866E-013	1.3104E-011
RCPTR_50	farmer_adult	TOCDFDFS	Nickel	4.6036E-007	5.1498E-007
RCPTR_50	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.8367E-012	5.2980E-011
RCPTR_50	farmer_adult	TOCDFDFS	Nitroaniline, 3-	9.0558E-013	1.2613E-011
RCPTR_50	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.1736E-012	1.6296E-011
RCPTR_50	farmer_adult	TOCDFDFS	Nitrobenzene	3.7562E-013	5.2458E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.7133E-013	2.3881E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.1574E-011	3.2647E-011
RCPTR_50	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.1411E-013	2.9573E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.1165E-013	2.9054E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	2.0046E-014	2.6026E-013
RCPTR_50	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.3783E-013	2.6255E-013
RCPTR_50	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.5052E-013	2.7597E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.6318E-012	6.0734E-012
RCPTR_50	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	7.0371E-013	7.9538E-013
RCPTR_50	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.8730E-012	3.2392E-012
RCPTR_50	farmer_adult	TOCDFDFS	Pentachlorobenzene	2.0484E-011	1.9772E-010
RCPTR_50	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.6113E-012	7.7942E-011
RCPTR_50	farmer_adult	TOCDFDFS	Pentachlorophenol	1.9114E-008	3.2096E-008
RCPTR_50	farmer_adult	TOCDFDFS	Phenanthrene	3.0830E-013	3.9986E-012
RCPTR_50	farmer_adult	TOCDFDFS	Phenol	2.9994E-013	4.1543E-012
RCPTR_50	farmer_adult	TOCDFDFS	Pronamide	3.1404E-011	3.9538E-010
RCPTR_50	farmer_adult	TOCDFDFS	Pyrene	1.7457E-008	1.0174E-007
RCPTR_50	farmer_adult	TOCDFDFS	Selenium	7.4569E-009	7.5229E-009
RCPTR_50	farmer_adult	TOCDFDFS	Silver	4.9379E-008	5.7422E-008
RCPTR_50	farmer_adult	TOCDFDFS	Styrene	1.1186E-014	1.5452E-013
RCPTR_50	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.7450E-012	2.0526E-012
RCPTR_50	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	5.3045E-013	6.5895E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.7936E-011	3.1852E-010
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.0391E-012	4.4585E-012
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.1364E-016	4.3338E-015
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.3549E-010	2.1148E-009
RCPTR_50	farmer_adult	TOCDFDFS	Thallium (l)	6.5997E-006	7.1874E-006
RCPTR_50	farmer_adult	TOCDFDFS	Toluene	4.2878E-016	5.7889E-015
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	9.8586E-013	1.2244E-011
RCPTR_50	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.6035E-016	3.6138E-015
RCPTR_50	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.5373E-015	2.1419E-014
RCPTR_50	farmer_adult	TOCDFDFS	Trichloroethylene	2.5172E-016	3.4811E-015
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.4741E-017	4.8085E-016
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.2657E-010	1.3965E-009
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.8764E-010	1.3952E-009
RCPTR_50	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	5.7006E-015	7.9267E-014
RCPTR_50	farmer_adult	TOCDFDFS	Vinyl Chloride	8.1366E-020	1.1314E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Xylene, m-	1.1867E-014	2.9851E-014
RCPTR_50	farmer_adult	TOCDFDFS	Xylene, o-	9.1286E-015	2.7040E-014
RCPTR_50	farmer_adult	TOCDFDFS	Xylene, p-	1.1890E-014	3.9781E-014
RCPTR_50	farmer_adult	TOCDFDFS	Zinc	2.1188E-008	2.9391E-008
RCPTR_50	farmer_adult	TOCDFLIC	Acenaphthene	5.0727E-012	6.6735E-011
RCPTR_50	farmer_adult	TOCDFLIC	Acetone	1.7198E-016	2.4048E-015
RCPTR_50	farmer_adult	TOCDFLIC	Acetophenone	2.5270E-014	3.5226E-013
RCPTR_50	farmer_adult	TOCDFLIC	Aniline	1.5324E-015	2.1211E-014
RCPTR_50	farmer_adult	TOCDFLIC	Anthracene	9.0013E-011	1.1772E-009
RCPTR_50	farmer_adult	TOCDFLIC	Antimony	1.6650E-007	2.2044E-007
RCPTR_50	farmer_adult	TOCDFLIC	Arsenic	3.0750E-007	3.2666E-007
RCPTR_50	farmer_adult	TOCDFLIC	Barium	2.4793E-008	3.0726E-008
RCPTR_50	farmer_adult	TOCDFLIC	Benzene	9.5808E-016	1.3213E-014
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(a)anthracene	5.8997E-008	1.0473E-007
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(a)pyrene	6.5504E-007	7.0454E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	3.5291E-007	4.7145E-007
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.0158E-006	1.0760E-006
RCPTR_50	farmer_adult	TOCDFLIC	Benzoic acid	8.4886E-014	8.2824E-013
RCPTR_50	farmer_adult	TOCDFLIC	Benzyl alcohol	5.5323E-012	7.7002E-011
RCPTR_50	farmer_adult	TOCDFLIC	Beryllium	4.3580E-008	4.9052E-008
RCPTR_50	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.4449E-014	4.8169E-013
RCPTR_50	farmer_adult	TOCDFLIC	Bromodichloromethane	3.4213E-017	4.7719E-016
RCPTR_50	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	6.1885E-014	8.6387E-013
RCPTR_50	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.9455E-009	1.8495E-008
RCPTR_50	farmer_adult	TOCDFLIC	Butylbenzylphthalate	3.7865E-010	4.8523E-010
RCPTR_50	farmer_adult	TOCDFLIC	Cadmium	5.1301E-009	8.0920E-009
RCPTR_50	farmer_adult	TOCDFLIC	Carbon disulfide	2.2451E-016	3.1119E-015
RCPTR_50	farmer_adult	TOCDFLIC	Carbon tetrachloride	4.4688E-015	6.1549E-014
RCPTR_50	farmer_adult	TOCDFLIC	Chlorine	3.6731E-008	5.1372E-007
RCPTR_50	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.8209E-012	3.8959E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.6196E-013	2.2365E-012
RCPTR_50	farmer_adult	TOCDFLIC	Chlorobenzene	1.8157E-015	2.4780E-014
RCPTR_50	farmer_adult	TOCDFLIC	Chloroethane	1.9733E-018	2.5375E-017
RCPTR_50	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.7738E-015	2.4721E-014
RCPTR_50	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.3086E-011	1.7441E-010
RCPTR_50	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.4477E-013	6.2126E-012
RCPTR_50	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.7078E-011	2.1643E-010
RCPTR_50	farmer_adult	TOCDFLIC	Chromium	2.2356E-007	2.2513E-007
RCPTR_50	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.8221E-007	1.8777E-007
RCPTR_50	farmer_adult	TOCDFLIC	Chrysene	1.8248E-007	2.3463E-007
RCPTR_50	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	2.2485E-010	2.8821E-010
RCPTR_50	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.1710E+000	1.1710E+000
RCPTR_50	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.4083E-005	1.4472E-005
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.2230E-014	2.8123E-013
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.6018E-014	3.4067E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.4820E-014	3.2810E-013
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.4299E-010	6.2758E-010
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.4708E-019	2.0299E-018
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	5.9306E-018	8.2707E-017
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5519E-017	6.3521E-016
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	2.2565E-018	3.1307E-017
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.2440E-017	3.1112E-016
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	4.4089E-012	2.6557E-011
RCPTR_50	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.2702E-016	1.7503E-015
RCPTR_50	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.2789E-017	5.9561E-016
RCPTR_50	farmer_adult	TOCDFLIC	Diethyl phthalate	1.4277E-010	1.5361E-010
RCPTR_50	farmer_adult	TOCDFLIC	Dimethyl phthalate	4.1078E-012	5.2710E-011
RCPTR_50	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	3.1000E-013	4.2321E-012
RCPTR_50	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	6.1009E-013	1.9736E-012
RCPTR_50	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.1889E-013	3.8739E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.3674E-013	2.9899E-012
RCPTR_50	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	6.4532E-015	9.0189E-014
RCPTR_50	farmer_adult	TOCDFLIC	Ethylbenzene	4.6004E-016	5.7855E-015
RCPTR_50	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.9040E-010	6.3451E-010
RCPTR_50	farmer_adult	TOCDFLIC	Fluoranthene	2.3681E-009	1.4505E-008
RCPTR_50	farmer_adult	TOCDFLIC	Fluorene	2.0682E-011	2.6167E-010
RCPTR_50	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.2126E-012	1.3079E-012
RCPTR_50	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.9126E-012	4.1573E-012
RCPTR_50	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	9.2049E-012	9.9094E-012
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0028E-011	1.0680E-011
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.0817E-012	6.5977E-012
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.0768E-012	5.5729E-012
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.0538E-011	1.1693E-011
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	9.1453E-012	1.0143E-011
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	9.3786E-012	1.0393E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	7.7237E-012	8.5625E-012
RCPTR_50	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.8977E-013	5.4698E-012
RCPTR_50	farmer_adult	TOCDFLIC	Hexachlorobenzene	9.5218E-010	1.1142E-008
RCPTR_50	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.3623E-012	1.4505E-011
RCPTR_50	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.5719E-013	3.3849E-012
RCPTR_50	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.0322E-004	1.0402E-004
RCPTR_50	farmer_adult	TOCDFLIC	Isophorone	4.6272E-014	6.4482E-013
RCPTR_50	farmer_adult	TOCDFLIC	Lead	1.1697E-007	1.3871E-007
RCPTR_50	farmer_adult	TOCDFLIC	Mercuric chloride	3.2257E-008	3.3637E-008
RCPTR_50	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.5218E-018	3.5222E-017
RCPTR_50	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	4.4556E-018	6.2134E-017
RCPTR_50	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.4974E-015	4.8896E-014
RCPTR_50	farmer_adult	TOCDFLIC	Methyl mercury	3.2488E-010	3.3789E-010
RCPTR_50	farmer_adult	TOCDFLIC	Methylene chloride	4.5728E-016	6.3805E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Mustard	4.7446E-015	6.6045E-014
RCPTR_50	farmer_adult	TOCDFLIC	Naphthalene	3.1071E-014	4.2024E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nickel	4.9065E-007	5.4867E-007
RCPTR_50	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.9621E-013	1.0994E-011
RCPTR_50	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.8792E-013	2.6173E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.4348E-013	3.3814E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nitrobenzene	7.7940E-014	1.0885E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.5552E-014	4.9553E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.4253E-013	6.7982E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.4434E-014	6.1365E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	4.3927E-014	6.0289E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	4.1458E-015	5.3989E-014
RCPTR_50	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.8214E-012	2.0088E-012
RCPTR_50	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.7962E-012	1.9769E-012
RCPTR_50	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.2202E-011	2.3911E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.4772E-012	3.9267E-012
RCPTR_50	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.3401E-011	1.5097E-011
RCPTR_50	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.1086E-011	2.0530E-010
RCPTR_50	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.7681E-012	1.6155E-011
RCPTR_50	farmer_adult	TOCDFLIC	Pentachlorophenol	8.0044E-010	1.3383E-009
RCPTR_50	farmer_adult	TOCDFLIC	Phenanthrene	6.4001E-014	8.2974E-013
RCPTR_50	farmer_adult	TOCDFLIC	Phenol	6.2245E-014	8.6202E-013
RCPTR_50	farmer_adult	TOCDFLIC	Pronamide	6.5226E-012	8.2046E-011
RCPTR_50	farmer_adult	TOCDFLIC	Pyrene	3.6281E-009	2.1115E-008
RCPTR_50	farmer_adult	TOCDFLIC	Selenium	1.9051E-007	1.9219E-007
RCPTR_50	farmer_adult	TOCDFLIC	Silver	4.9253E-007	5.7251E-007
RCPTR_50	farmer_adult	TOCDFLIC	Styrene	7.1538E-013	9.8814E-012
RCPTR_50	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	2.9350E-012	3.4501E-012
RCPTR_50	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.1296E-012	1.4023E-012
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.8073E-012	6.6103E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	2.2923E-016	3.1760E-015
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	8.5912E-017	1.1872E-015
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1208E-010	4.3980E-010
RCPTR_50	farmer_adult	TOCDFLIC	Thallium (l)	6.5378E-007	7.1181E-007
RCPTR_50	farmer_adult	TOCDFLIC	Toluene	1.7171E-015	2.3176E-014
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.0472E-013	2.5407E-012
RCPTR_50	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	7.2507E-016	1.0064E-014
RCPTR_50	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.5982E-016	9.1929E-015
RCPTR_50	farmer_adult	TOCDFLIC	Trichloroethylene	1.0805E-016	1.4941E-015
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.4189E-017	1.9637E-016
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.6330E-011	2.8984E-010
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	7.7902E-012	5.7641E-011
RCPTR_50	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.4468E-015	3.4022E-014
RCPTR_50	farmer_adult	TOCDFLIC	Vinyl Chloride	1.0466E-019	1.4555E-018
RCPTR_50	farmer_adult	TOCDFLIC	Xylene, m-	1.0453E-014	2.6972E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Xylene, o-	9.2178E-015	2.8050E-014
RCPTR_50	farmer_adult	TOCDFLIC	Xylene, p-	1.0505E-014	3.6124E-014
RCPTR_50	farmer_adult	TOCDFLIC	Zinc	1.9398E-007	2.6883E-007
RCPTR_50	farmer_adult	TOCDFMPF	Acenaphthene	7.7325E-012	1.0173E-010
RCPTR_50	farmer_adult	TOCDFMPF	Acetone	6.2638E-016	8.7589E-015
RCPTR_50	farmer_adult	TOCDFMPF	Acetophenone	4.0355E-014	5.6254E-013
RCPTR_50	farmer_adult	TOCDFMPF	Aniline	2.3360E-015	3.2333E-014
RCPTR_50	farmer_adult	TOCDFMPF	Anthracene	1.3721E-010	1.7945E-009
RCPTR_50	farmer_adult	TOCDFMPF	Antimony	2.2679E-009	3.0028E-009
RCPTR_50	farmer_adult	TOCDFMPF	Aroclor 1254	2.1641E-011	5.1669E-011
RCPTR_50	farmer_adult	TOCDFMPF	Arsenic	1.5977E-008	1.6973E-008
RCPTR_50	farmer_adult	TOCDFMPF	Barium	1.7561E-008	2.1764E-008
RCPTR_50	farmer_adult	TOCDFMPF	Benzene	8.5383E-016	1.1775E-014
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(a)anthracene	8.9947E-008	1.5967E-007
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(a)pyrene	9.9891E-007	1.0745E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	5.3800E-007	7.1872E-007
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.5490E-006	1.6408E-006
RCPTR_50	farmer_adult	TOCDFMPF	Benzoic acid	3.7453E-013	3.6547E-012
RCPTR_50	farmer_adult	TOCDFMPF	Benzyl alcohol	5.2707E-014	7.3361E-013
RCPTR_50	farmer_adult	TOCDFMPF	Beryllium	1.4849E-009	1.6714E-009
RCPTR_50	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	5.2513E-014	7.3427E-013
RCPTR_50	farmer_adult	TOCDFMPF	Bromodichloromethane	1.0364E-015	1.4456E-014
RCPTR_50	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	3.6046E-014	5.0318E-013
RCPTR_50	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.9657E-009	2.8193E-008
RCPTR_50	farmer_adult	TOCDFMPF	Butylbenzylphthalate	5.7769E-010	7.4016E-010
RCPTR_50	farmer_adult	TOCDFMPF	Cadmium	2.3412E-008	3.6932E-008
RCPTR_50	farmer_adult	TOCDFMPF	Carbon disulfide	8.1848E-017	1.1345E-015
RCPTR_50	farmer_adult	TOCDFMPF	Carbon tetrachloride	7.7620E-016	1.0691E-014
RCPTR_50	farmer_adult	TOCDFMPF	Chlorine	6.7477E-009	9.4373E-008
RCPTR_50	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	7.3477E-012	5.9386E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Chloroaniline, p-	2.4689E-013	3.4092E-012
RCPTR_50	farmer_adult	TOCDFMPF	Chlorobenzene	3.2484E-015	4.4332E-014
RCPTR_50	farmer_adult	TOCDFMPF	Chloroethane	1.9389E-017	2.4933E-016
RCPTR_50	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	5.5622E-016	7.7521E-015
RCPTR_50	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.9947E-011	2.6586E-010
RCPTR_50	farmer_adult	TOCDFMPF	Chlorophenol, 2-	6.7799E-013	9.4702E-012
RCPTR_50	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.1277E-011	3.2992E-010
RCPTR_50	farmer_adult	TOCDFMPF	Chromium	4.2403E-008	4.2701E-008
RCPTR_50	farmer_adult	TOCDFMPF	Chromium, hexavalent	3.4560E-008	3.5613E-008
RCPTR_50	farmer_adult	TOCDFMPF	Chrysene	2.7817E-007	3.5768E-007
RCPTR_50	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.2175E-009	2.8425E-009
RCPTR_50	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.1546E+001	1.1546E+001
RCPTR_50	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.1471E-005	2.2066E-005
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	3.3885E-014	4.2870E-013
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	3.9659E-014	5.1930E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	3.7835E-014	5.0014E-013
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.3549E-009	1.9195E-009
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.2063E-018	1.6648E-017
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.7966E-016	2.5055E-015
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2305E-016	3.1127E-015
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	6.8357E-017	9.4841E-016
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.0996E-016	1.5245E-015
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	6.7195E-012	4.0481E-011
RCPTR_50	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	6.2240E-016	8.5768E-015
RCPTR_50	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.0337E-016	2.8308E-015
RCPTR_50	farmer_adult	TOCDFMPF	Diethyl phthalate	1.4077E-009	1.5147E-009
RCPTR_50	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.3741E-013	5.6125E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	4.7254E-013	6.4512E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	9.2812E-013	3.0029E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	4.8614E-013	5.9053E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	3.6087E-013	4.5576E-012
RCPTR_50	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	9.8369E-015	1.3748E-013
RCPTR_50	farmer_adult	TOCDFMPF	Ethylbenzene	2.1488E-015	2.7023E-014
RCPTR_50	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.8538E-011	1.1453E-010
RCPTR_50	farmer_adult	TOCDFMPF	Fluoranthene	3.6099E-009	2.2111E-008
RCPTR_50	farmer_adult	TOCDFMPF	Fluorene	3.1526E-011	3.9888E-010
RCPTR_50	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	4.7245E-012	5.0960E-012
RCPTR_50	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.1472E-012	6.5324E-012
RCPTR_50	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0769E-011	1.1594E-011
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.8613E-012	3.0478E-012
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3511E-012	1.4658E-012
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1994E-012	1.3167E-012
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.0819E-012	2.3104E-012
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	8.8228E-013	9.7855E-013
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	7.7984E-013	8.6422E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	6.9893E-013	7.7487E-013
RCPTR_50	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.4662E-013	8.3379E-012
RCPTR_50	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.4514E-009	1.6984E-008
RCPTR_50	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.0768E-012	2.2111E-011
RCPTR_50	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.9203E-013	5.1598E-012
RCPTR_50	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.5731E-004	1.5854E-004
RCPTR_50	farmer_adult	TOCDFMPF	Isophorone	7.0535E-014	9.8294E-013
RCPTR_50	farmer_adult	TOCDFMPF	Lead	1.3498E-008	1.6007E-008
RCPTR_50	farmer_adult	TOCDFMPF	Mercuric chloride	5.4706E-007	5.7045E-007
RCPTR_50	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	1.3012E-017	1.8174E-016
RCPTR_50	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	7.5839E-019	1.0576E-017
RCPTR_50	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	7.0724E-016	9.8877E-015
RCPTR_50	farmer_adult	TOCDFMPF	Methyl mercury	5.5154E-009	5.7359E-009
RCPTR_50	farmer_adult	TOCDFMPF	Methylene chloride	3.5860E-016	5.0037E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Mustard	3.3664E-014	4.6861E-013
RCPTR_50	farmer_adult	TOCDFMPF	Naphthalene	3.0646E-013	4.1450E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nickel	3.0753E-007	3.4391E-007
RCPTR_50	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.2115E-012	1.6728E-011
RCPTR_50	farmer_adult	TOCDFMPF	Nitroaniline, 3-	2.8593E-013	3.9825E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nitroaniline, 4-	3.7048E-013	5.1451E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nitrobenzene	1.1881E-013	1.6592E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nitrophenol, 2-	5.4194E-014	7.5536E-013
RCPTR_50	farmer_adult	TOCDFMPF	Nitrophenol, 4-	3.6893E-012	1.0343E-011
RCPTR_50	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	6.7732E-014	9.3541E-013
RCPTR_50	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	6.6960E-014	9.1901E-013
RCPTR_50	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	6.3207E-015	8.2300E-014
RCPTR_50	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.1589E-010	1.2782E-010
RCPTR_50	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.0373E-010	2.2424E-010
RCPTR_50	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.1588E-012	1.2480E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.5076E-012	1.7025E-012
RCPTR_50	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	8.9771E-013	1.0114E-012
RCPTR_50	farmer_adult	TOCDFMPF	Pentachlorobenzene	6.4204E-012	6.2481E-011
RCPTR_50	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.6920E-012	2.4583E-011
RCPTR_50	farmer_adult	TOCDFMPF	Pentachlorophenol	6.0989E-009	1.0198E-008
RCPTR_50	farmer_adult	TOCDFMPF	Phenanthrene	9.7560E-014	1.2648E-012
RCPTR_50	farmer_adult	TOCDFMPF	Phenol	9.4883E-014	1.3140E-012
RCPTR_50	farmer_adult	TOCDFMPF	Pronamide	9.9425E-012	1.2507E-010
RCPTR_50	farmer_adult	TOCDFMPF	Pyrene	5.5304E-009	3.2187E-008
RCPTR_50	farmer_adult	TOCDFMPF	Selenium	3.3390E-009	3.3685E-009
RCPTR_50	farmer_adult	TOCDFMPF	Silver	6.6396E-008	7.7179E-008
RCPTR_50	farmer_adult	TOCDFMPF	Styrene	1.6266E-014	2.2469E-013
RCPTR_50	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	3.5039E-013	4.1189E-013
RCPTR_50	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1164E-012	1.3860E-012
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.8520E-012	1.0076E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	6.9443E-015	9.6211E-014
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	6.5960E-016	9.1146E-015
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7049E-010	6.6915E-010
RCPTR_50	farmer_adult	TOCDFMPF	Thallium (l)	1.9994E-008	2.1769E-008
RCPTR_50	farmer_adult	TOCDFMPF	Toluene	1.1488E-015	1.5505E-014
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.1207E-013	3.8730E-012
RCPTR_50	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	4.2438E-016	5.8903E-015
RCPTR_50	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	3.2332E-015	4.5047E-014
RCPTR_50	farmer_adult	TOCDFMPF	Trichloroethylene	5.2945E-016	7.3213E-015
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.4601E-015	2.0207E-014
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.0134E-011	4.4181E-010
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1873E-011	8.7863E-011
RCPTR_50	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.1990E-014	1.6671E-013
RCPTR_50	farmer_adult	TOCDFMPF	Vinyl Chloride	2.8637E-019	3.9825E-018
RCPTR_50	farmer_adult	TOCDFMPF	Xylene, m-	1.0457E-014	2.6945E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Xylene, o-	9.2210E-015	2.8017E-014
RCPTR_50	farmer_adult	TOCDFMPF	Xylene, p-	1.0508E-014	3.6077E-014
RCPTR_50	farmer_adult	TOCDFMPF	Zinc	5.5197E-008	7.6503E-008
RCPTR_50	farmer_adult	TOCDHVAC	Mustard	9.5335E-015	1.3275E-013
RCPTR_50	farmer_adult	TOCDLIC2	Acenaphthene	5.0727E-012	6.6735E-011
RCPTR_50	farmer_adult	TOCDLIC2	Acetone	1.7198E-016	2.4048E-015
RCPTR_50	farmer_adult	TOCDLIC2	Acetophenone	2.5270E-014	3.5226E-013
RCPTR_50	farmer_adult	TOCDLIC2	Aniline	1.5324E-015	2.1211E-014
RCPTR_50	farmer_adult	TOCDLIC2	Anthracene	9.0013E-011	1.1772E-009
RCPTR_50	farmer_adult	TOCDLIC2	Antimony	1.6650E-007	2.2044E-007
RCPTR_50	farmer_adult	TOCDLIC2	Arsenic	3.0750E-007	3.2666E-007
RCPTR_50	farmer_adult	TOCDLIC2	Barium	2.4793E-008	3.0726E-008
RCPTR_50	farmer_adult	TOCDLIC2	Benzene	9.5808E-016	1.3213E-014
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.8997E-008	1.0473E-007
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.5504E-007	7.0454E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.5291E-007	4.7145E-007
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.0158E-006	1.0760E-006
RCPTR_50	farmer_adult	TOCDLIC2	Benzoic acid	8.4886E-014	8.2824E-013
RCPTR_50	farmer_adult	TOCDLIC2	Benzyl alcohol	5.5323E-012	7.7002E-011
RCPTR_50	farmer_adult	TOCDLIC2	Beryllium	4.3580E-008	4.9052E-008
RCPTR_50	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	3.4449E-014	4.8169E-013
RCPTR_50	farmer_adult	TOCDLIC2	Bromodichloromethane	3.4213E-017	4.7719E-016
RCPTR_50	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	6.1885E-014	8.6387E-013
RCPTR_50	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.9455E-009	1.8495E-008
RCPTR_50	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.7865E-010	4.8523E-010
RCPTR_50	farmer_adult	TOCDLIC2	Cadmium	5.1301E-009	8.0920E-009
RCPTR_50	farmer_adult	TOCDLIC2	Carbon disulfide	2.2451E-016	3.1119E-015
RCPTR_50	farmer_adult	TOCDLIC2	Carbon tetrachloride	4.4688E-015	6.1549E-014
RCPTR_50	farmer_adult	TOCDLIC2	Chlorine	3.6731E-008	5.1372E-007
RCPTR_50	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	4.8209E-012	3.8959E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Chloroaniline, p-	1.6196E-013	2.2365E-012
RCPTR_50	farmer_adult	TOCDLIC2	Chlorobenzene	1.8157E-015	2.4780E-014
RCPTR_50	farmer_adult	TOCDLIC2	Chloroethane	1.9733E-018	2.5375E-017
RCPTR_50	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.7738E-015	2.4721E-014
RCPTR_50	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.3086E-011	1.7441E-010
RCPTR_50	farmer_adult	TOCDLIC2	Chlorophenol, 2-	4.4477E-013	6.2126E-012
RCPTR_50	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.7078E-011	2.1643E-010
RCPTR_50	farmer_adult	TOCDLIC2	Chromium	2.2356E-007	2.2513E-007
RCPTR_50	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.8221E-007	1.8777E-007
RCPTR_50	farmer_adult	TOCDLIC2	Chrysene	1.8248E-007	2.3463E-007
RCPTR_50	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	2.2485E-010	2.8821E-010
RCPTR_50	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.1710E+000	1.1710E+000
RCPTR_50	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.4083E-005	1.4472E-005
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	2.2230E-014	2.8123E-013
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	2.6018E-014	3.4067E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	2.4820E-014	3.2810E-013
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.4299E-010	6.2758E-010
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.4708E-019	2.0299E-018
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.9306E-018	8.2707E-017
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5519E-017	6.3521E-016
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.2565E-018	3.1307E-017
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.2440E-017	3.1112E-016
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.4089E-012	2.6557E-011
RCPTR_50	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.2702E-016	1.7503E-015
RCPTR_50	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.2789E-017	5.9561E-016
RCPTR_50	farmer_adult	TOCDLIC2	Diethyl phthalate	1.4277E-010	1.5361E-010
RCPTR_50	farmer_adult	TOCDLIC2	Dimethyl phthalate	4.1078E-012	5.2710E-011
RCPTR_50	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	3.1000E-013	4.2321E-012
RCPTR_50	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.1009E-013	1.9736E-012
RCPTR_50	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	3.1889E-013	3.8739E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	2.3674E-013	2.9899E-012
RCPTR_50	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	6.4532E-015	9.0189E-014
RCPTR_50	farmer_adult	TOCDLIC2	Ethylbenzene	4.6004E-016	5.7855E-015
RCPTR_50	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.9040E-010	6.3451E-010
RCPTR_50	farmer_adult	TOCDLIC2	Fluoranthene	2.3681E-009	1.4505E-008
RCPTR_50	farmer_adult	TOCDLIC2	Fluorene	2.0682E-011	2.6167E-010
RCPTR_50	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.2126E-012	1.3079E-012
RCPTR_50	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.9126E-012	4.1573E-012
RCPTR_50	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	9.2049E-012	9.9094E-012
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.0028E-011	1.0680E-011
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.0817E-012	6.5977E-012
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.0768E-012	5.5729E-012
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0538E-011	1.1693E-011
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	9.1453E-012	1.0143E-011
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	9.3786E-012	1.0393E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.7237E-012	8.5625E-012
RCPTR_50	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.8977E-013	5.4698E-012
RCPTR_50	farmer_adult	TOCDLIC2	Hexachlorobenzene	9.5218E-010	1.1142E-008
RCPTR_50	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.3623E-012	1.4505E-011
RCPTR_50	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.5719E-013	3.3849E-012
RCPTR_50	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.0322E-004	1.0402E-004
RCPTR_50	farmer_adult	TOCDLIC2	Isophorone	4.6272E-014	6.4482E-013
RCPTR_50	farmer_adult	TOCDLIC2	Lead	1.1697E-007	1.3871E-007
RCPTR_50	farmer_adult	TOCDLIC2	Mercuric chloride	3.2257E-008	3.3637E-008
RCPTR_50	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.5218E-018	3.5222E-017
RCPTR_50	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	4.4556E-018	6.2134E-017
RCPTR_50	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.4974E-015	4.8896E-014
RCPTR_50	farmer_adult	TOCDLIC2	Methyl mercury	3.2488E-010	3.3789E-010
RCPTR_50	farmer_adult	TOCDLIC2	Methylene chloride	4.5728E-016	6.3805E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Mustard	4.9325E-015	6.8661E-014
RCPTR_50	farmer_adult	TOCDLIC2	Naphthalene	3.1071E-014	4.2024E-013
RCPTR_50	farmer_adult	TOCDLIC2	Nickel	4.9065E-007	5.4867E-007
RCPTR_50	farmer_adult	TOCDLIC2	Nitroaniline, 2-	7.9621E-013	1.0994E-011
RCPTR_50	farmer_adult	TOCDLIC2	Nitroaniline, 3-	1.8792E-013	2.6173E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitroaniline, 4-	2.4348E-013	3.3814E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitrobenzene	7.7940E-014	1.0885E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitrophenol, 2-	3.5552E-014	4.9553E-013
RCPTR_50	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.4253E-012	6.7982E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.4434E-014	6.1365E-013
RCPTR_50	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	4.3927E-014	6.0289E-013
RCPTR_50	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	4.1458E-015	5.3989E-014
RCPTR_50	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.8214E-012	2.0088E-012
RCPTR_50	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.7962E-012	1.9769E-012
RCPTR_50	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.2202E-011	2.3911E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	3.4772E-012	3.9267E-012
RCPTR_50	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.3401E-011	1.5097E-011
RCPTR_50	farmer_adult	TOCDLIC2	Pentachlorobenzene	2.1086E-011	2.0530E-010
RCPTR_50	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.7681E-012	1.6155E-011
RCPTR_50	farmer_adult	TOCDLIC2	Pentachlorophenol	8.0044E-010	1.3383E-009
RCPTR_50	farmer_adult	TOCDLIC2	Phenanthrene	6.4001E-014	8.2974E-013
RCPTR_50	farmer_adult	TOCDLIC2	Phenol	6.2245E-014	8.6202E-013
RCPTR_50	farmer_adult	TOCDLIC2	Pronamide	6.5226E-012	8.2046E-011
RCPTR_50	farmer_adult	TOCDLIC2	Pyrene	3.6281E-009	2.1115E-008
RCPTR_50	farmer_adult	TOCDLIC2	Selenium	1.9051E-007	1.9219E-007
RCPTR_50	farmer_adult	TOCDLIC2	Silver	4.9253E-007	5.7251E-007
RCPTR_50	farmer_adult	TOCDLIC2	Styrene	7.1538E-013	9.8814E-012
RCPTR_50	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.9350E-012	3.4501E-012
RCPTR_50	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.1296E-012	1.4023E-012
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.8073E-012	6.6103E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	2.2923E-016	3.1760E-015
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	8.5912E-017	1.1872E-015
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1208E-010	4.3980E-010
RCPTR_50	farmer_adult	TOCDLIC2	Thallium (l)	6.5378E-007	7.1181E-007
RCPTR_50	farmer_adult	TOCDLIC2	Toluene	1.7171E-015	2.3176E-014
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.0472E-013	2.5407E-012
RCPTR_50	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	7.2507E-016	1.0064E-014
RCPTR_50	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	6.5982E-016	9.1929E-015
RCPTR_50	farmer_adult	TOCDLIC2	Trichloroethylene	1.0805E-016	1.4941E-015
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.4189E-017	1.9637E-016
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	2.6330E-011	2.8984E-010
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	7.7902E-012	5.7641E-011
RCPTR_50	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.4468E-015	3.4022E-014
RCPTR_50	farmer_adult	TOCDLIC2	Vinyl Chloride	1.0466E-019	1.4555E-018
RCPTR_50	farmer_adult	TOCDLIC2	Xylene, m-	2.1722E-014	5.6049E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Xylene, o-	1.9155E-014	5.8289E-014
RCPTR_50	farmer_adult	TOCDLIC2	Xylene, p-	2.1830E-014	7.5067E-014
RCPTR_50	farmer_adult	TOCDLIC2	Zinc	1.9398E-007	2.6883E-007
RCPTR_50	farmer_child	TOCDFBRA	Antimony	4.3231E-008	5.0033E-008
RCPTR_50	farmer_child	TOCDFBRA	Arsenic	6.4780E-008	6.7030E-008
RCPTR_50	farmer_child	TOCDFBRA	Barium	5.7675E-009	6.4675E-009
RCPTR_50	farmer_child	TOCDFBRA	Beryllium	1.8637E-008	1.9681E-008
RCPTR_50	farmer_child	TOCDFBRA	Cadmium	3.6745E-009	4.5347E-009
RCPTR_50	farmer_child	TOCDFBRA	Chromium	4.4300E-007	4.6472E-007
RCPTR_50	farmer_child	TOCDFBRA	Chromium, hexavalent	3.7960E-007	3.8618E-007
RCPTR_50	farmer_child	TOCDFBRA	Lead	2.0180E-007	2.1880E-007
RCPTR_50	farmer_child	TOCDFBRA	Mercuric chloride	2.9936E-005	3.6990E-005
RCPTR_50	farmer_child	TOCDFBRA	Methyl mercury	3.8211E-007	4.0383E-007
RCPTR_50	farmer_child	TOCDFBRA	Nickel	2.1787E-007	2.3089E-007
RCPTR_50	farmer_child	TOCDFBRA	Selenium	7.1339E-008	7.1701E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFBRA	Silver	2.5543E-008	2.7772E-008
RCPTR_50	farmer_child	TOCDFBRA	Thallium (l)	6.7102E-007	7.0113E-007
RCPTR_50	farmer_child	TOCDFBRA	Zinc	1.2715E-007	1.4940E-007
RCPTR_50	farmer_child	TOCDFDFS	Acenaphthene	1.5411E-010	3.2161E-010
RCPTR_50	farmer_child	TOCDFDFS	Acetone	1.6988E-015	3.5639E-015
RCPTR_50	farmer_child	TOCDFDFS	Acetophenone	8.5098E-013	1.7848E-012
RCPTR_50	farmer_child	TOCDFDFS	Aniline	4.8768E-014	1.0222E-013
RCPTR_50	farmer_child	TOCDFDFS	Anthracene	2.7201E-009	5.6732E-009
RCPTR_50	farmer_child	TOCDFDFS	Antimony	3.8771E-009	4.4772E-009
RCPTR_50	farmer_child	TOCDFDFS	Aroclor 1254	5.9729E-011	8.8659E-011
RCPTR_50	farmer_child	TOCDFDFS	Arsenic	6.7939E-009	7.0254E-009
RCPTR_50	farmer_child	TOCDFDFS	Barium	4.7644E-009	5.3329E-009
RCPTR_50	farmer_child	TOCDFDFS	Benzene	6.0778E-015	1.2736E-014
RCPTR_50	farmer_child	TOCDFDFS	Benzo(a)anthracene	4.0151E-007	5.0480E-007
RCPTR_50	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.2921E-006	3.4104E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.9967E-006	2.2680E-006
RCPTR_50	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.0807E-006	5.2037E-006
RCPTR_50	farmer_child	TOCDFDFS	Benzoic acid	5.7053E-013	1.1550E-012
RCPTR_50	farmer_child	TOCDFDFS	Benzyl alcohol	1.1060E-012	2.3193E-012
RCPTR_50	farmer_child	TOCDFDFS	Beryllium	3.8368E-009	4.0481E-009
RCPTR_50	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.1066E-012	2.3214E-012
RCPTR_50	farmer_child	TOCDFDFS	Bromodichloromethane	1.9676E-015	4.1268E-015
RCPTR_50	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	3.1477E-013	6.6026E-013
RCPTR_50	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.1786E-008	8.9135E-008
RCPTR_50	farmer_child	TOCDFDFS	Butylbenzylphthalate	2.0715E-009	2.3611E-009
RCPTR_50	farmer_child	TOCDFDFS	Cadmium	1.6059E-009	1.9766E-009
RCPTR_50	farmer_child	TOCDFDFS	Carbon disulfide	1.0853E-015	2.2751E-015
RCPTR_50	farmer_child	TOCDFDFS	Carbon tetrachloride	1.7200E-015	3.6037E-015
RCPTR_50	farmer_child	TOCDFDFS	Chlorine	3.4297E-014	7.1952E-014
RCPTR_50	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	9.4906E-011	1.8764E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Chloroaniline, p-	5.1432E-012	1.0778E-011
RCPTR_50	farmer_child	TOCDFDFS	Chlorobenzene	1.0068E-014	2.1078E-014
RCPTR_50	farmer_child	TOCDFDFS	Chloroethane	2.8385E-017	5.9116E-017
RCPTR_50	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.3574E-015	2.8468E-015
RCPTR_50	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.0230E-010	8.4050E-010
RCPTR_50	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.4273E-011	2.9940E-011
RCPTR_50	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.2846E-010	1.0428E-009
RCPTR_50	farmer_child	TOCDFDFS	Chromium	1.2012E-007	1.2592E-007
RCPTR_50	farmer_child	TOCDFDFS	Chromium, hexavalent	1.0321E-007	1.0497E-007
RCPTR_50	farmer_child	TOCDFDFS	Chrysene	1.0180E-006	1.1282E-006
RCPTR_50	farmer_child	TOCDFDFS	Di-n-butyl phthalate	7.8212E-009	8.9351E-009
RCPTR_50	farmer_child	TOCDFDFS	Di-n-octylphthalate	3.6099E+001	3.6099E+001
RCPTR_50	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	6.9137E-005	7.0002E-005
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	6.5173E-013	1.3553E-012
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	7.8702E-013	1.6417E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	7.5736E-013	1.5812E-012
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.0532E-009	6.0583E-009
RCPTR_50	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.3721E-018	4.9707E-018
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.6799E-016	1.1913E-015
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.0560E-016	1.4800E-015
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.1509E-016	4.5094E-016
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.4578E-016	7.2488E-016
RCPTR_50	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	6.7680E-011	1.2784E-010
RCPTR_50	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.9463E-015	4.0780E-015
RCPTR_50	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.4184E-016	1.3460E-015
RCPTR_50	farmer_child	TOCDFDFS	Diethyl phthalate	4.5495E-009	4.7400E-009
RCPTR_50	farmer_child	TOCDFDFS	Dimethyl phthalate	1.2876E-011	2.6809E-011
RCPTR_50	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	9.7416E-012	2.0395E-011
RCPTR_50	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	5.7838E-012	9.4874E-012
RCPTR_50	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	9.0148E-012	1.8671E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	6.9304E-012	1.4409E-011
RCPTR_50	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.0720E-013	4.3465E-013
RCPTR_50	farmer_child	TOCDFDFS	Ethylbenzene	6.1819E-015	1.2848E-014
RCPTR_50	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.5229E-010	4.0340E-010
RCPTR_50	farmer_child	TOCDFDFS	Fluoranthene	3.9060E-008	6.9882E-008
RCPTR_50	farmer_child	TOCDFDFS	Fluorene	6.0641E-010	1.2610E-009
RCPTR_50	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.5026E-013	1.5546E-013
RCPTR_50	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.2585E-013	1.2937E-013
RCPTR_50	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.0155E-013	4.1509E-013
RCPTR_50	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.2993E-012	3.3948E-012
RCPTR_50	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.9995E-012	2.0736E-012
RCPTR_50	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.5717E-012	1.6379E-012
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.1066E-012	1.1584E-012
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.0004E-012	1.0470E-012
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.1864E-012	1.2412E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	9.1100E-013	9.5324E-013
RCPTR_50	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2834E-011	2.6361E-011
RCPTR_50	farmer_child	TOCDFDFS	Hexachlorobenzene	2.6056E-008	5.3692E-008
RCPTR_50	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.4208E-011	6.9907E-011
RCPTR_50	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.8162E-012	1.6312E-011
RCPTR_50	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.9615E-004	4.9801E-004
RCPTR_50	farmer_child	TOCDFDFS	Isophorone	1.4817E-012	3.1076E-012
RCPTR_50	farmer_child	TOCDFDFS	Lead	2.4655E-008	2.6701E-008
RCPTR_50	farmer_child	TOCDFDFS	Mercuric chloride	1.1215E-008	1.3931E-008
RCPTR_50	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.4797E-017	5.2016E-017
RCPTR_50	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	4.8891E-018	1.0254E-017
RCPTR_50	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.2178E-014	2.5548E-014
RCPTR_50	farmer_child	TOCDFDFS	Methyl mercury	1.3396E-010	1.4233E-010
RCPTR_50	farmer_child	TOCDFDFS	Methylene chloride	7.3258E-016	1.5366E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Mustard	8.6309E-014	1.8100E-013
RCPTR_50	farmer_child	TOCDFDFS	Naphthalene	6.2643E-012	1.3104E-011
RCPTR_50	farmer_child	TOCDFDFS	Nickel	4.8642E-007	5.1498E-007
RCPTR_50	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.5281E-011	5.2980E-011
RCPTR_50	farmer_child	TOCDFDFS	Nitroaniline, 3-	6.0143E-012	1.2613E-011
RCPTR_50	farmer_child	TOCDFDFS	Nitroaniline, 4-	7.7723E-012	1.6296E-011
RCPTR_50	farmer_child	TOCDFDFS	Nitrobenzene	2.5008E-012	5.2458E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.1387E-012	2.3881E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.0770E-011	3.2647E-011
RCPTR_50	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.4112E-012	2.9573E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.3871E-012	2.9054E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.2487E-013	2.6026E-013
RCPTR_50	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.5143E-013	2.6255E-013
RCPTR_50	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.6452E-013	2.7597E-013
RCPTR_50	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.8761E-012	6.0734E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	7.5440E-013	7.9538E-013
RCPTR_50	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	3.0752E-012	3.2392E-012
RCPTR_50	farmer_child	TOCDFDFS	Pentachlorobenzene	9.7824E-011	1.9772E-010
RCPTR_50	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.8865E-011	7.7942E-011
RCPTR_50	farmer_child	TOCDFDFS	Pentachlorophenol	2.4779E-008	3.2096E-008
RCPTR_50	farmer_child	TOCDFDFS	Phenanthrene	1.9186E-012	3.9986E-012
RCPTR_50	farmer_child	TOCDFDFS	Phenol	1.9819E-012	4.1543E-012
RCPTR_50	farmer_child	TOCDFDFS	Pronamide	1.9023E-010	3.9538E-010
RCPTR_50	farmer_child	TOCDFDFS	Pyrene	6.4878E-008	1.0174E-007
RCPTR_50	farmer_child	TOCDFDFS	Selenium	7.4857E-009	7.5229E-009
RCPTR_50	farmer_child	TOCDFDFS	Silver	5.2888E-008	5.7422E-008
RCPTR_50	farmer_child	TOCDFDFS	Styrene	7.3734E-014	1.5452E-013
RCPTR_50	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.9159E-012	2.0526E-012
RCPTR_50	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	6.0191E-013	6.5895E-013
RCPTR_50	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.5474E-010	3.1852E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.6585E-012	4.4585E-012
RCPTR_50	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.0679E-015	4.3338E-015
RCPTR_50	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.2246E-009	2.1148E-009
RCPTR_50	farmer_child	TOCDFDFS	Thallium (l)	6.8842E-006	7.1874E-006
RCPTR_50	farmer_child	TOCDFDFS	Toluene	2.7677E-015	5.7889E-015
RCPTR_50	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.8984E-012	1.2244E-011
RCPTR_50	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.7237E-015	3.6138E-015
RCPTR_50	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.0213E-014	2.1419E-014
RCPTR_50	farmer_child	TOCDFDFS	Trichloroethylene	1.6609E-015	3.4811E-015
RCPTR_50	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.2941E-016	4.8085E-016
RCPTR_50	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	6.8071E-010	1.3965E-009
RCPTR_50	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	7.1460E-010	1.3952E-009
RCPTR_50	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.7803E-014	7.9267E-014
RCPTR_50	farmer_child	TOCDFDFS	Vinyl Chloride	5.3957E-019	1.1314E-018
RCPTR_50	farmer_child	TOCDFDFS	Xylene, m-	1.9714E-014	2.9851E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Xylene, o-	1.6945E-014	2.7040E-014
RCPTR_50	farmer_child	TOCDFDFS	Xylene, p-	2.4061E-014	3.9781E-014
RCPTR_50	farmer_child	TOCDFDFS	Zinc	2.5072E-008	2.9391E-008
RCPTR_50	farmer_child	TOCDFLIC	Acenaphthene	3.1980E-011	6.6735E-011
RCPTR_50	farmer_child	TOCDFLIC	Acetone	1.1463E-015	2.4048E-015
RCPTR_50	farmer_child	TOCDFLIC	Acetophenone	1.6796E-013	3.5226E-013
RCPTR_50	farmer_child	TOCDFLIC	Aniline	1.0120E-014	2.1211E-014
RCPTR_50	farmer_child	TOCDFLIC	Anthracene	5.6443E-010	1.1772E-009
RCPTR_50	farmer_child	TOCDFLIC	Antimony	1.9096E-007	2.2044E-007
RCPTR_50	farmer_child	TOCDFLIC	Arsenic	3.1593E-007	3.2666E-007
RCPTR_50	farmer_child	TOCDFLIC	Barium	2.7460E-008	3.0726E-008
RCPTR_50	farmer_child	TOCDFLIC	Benzene	6.3055E-015	1.3213E-014
RCPTR_50	farmer_child	TOCDFLIC	Benzo(a)anthracene	8.3335E-008	1.0473E-007
RCPTR_50	farmer_child	TOCDFLIC	Benzo(a)pyrene	6.8051E-007	7.0454E-007
RCPTR_50	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.1531E-007	4.7145E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	1.0512E-006	1.0760E-006
RCPTR_50	farmer_child	TOCDFLIC	Benzoic acid	4.0926E-013	8.2824E-013
RCPTR_50	farmer_child	TOCDFLIC	Benzyl alcohol	3.6719E-011	7.7002E-011
RCPTR_50	farmer_child	TOCDFLIC	Beryllium	4.6499E-008	4.9052E-008
RCPTR_50	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.2961E-013	4.8169E-013
RCPTR_50	farmer_child	TOCDFLIC	Bromodichloromethane	2.2751E-016	4.7719E-016
RCPTR_50	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.1184E-013	8.6387E-013
RCPTR_50	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.0745E-008	1.8495E-008
RCPTR_50	farmer_child	TOCDFLIC	Butylbenzylphthalate	4.2516E-010	4.8523E-010
RCPTR_50	farmer_child	TOCDFLIC	Cadmium	6.5776E-009	8.0920E-009
RCPTR_50	farmer_child	TOCDFLIC	Carbon disulfide	1.4845E-015	3.1119E-015
RCPTR_50	farmer_child	TOCDFLIC	Carbon tetrachloride	2.9377E-014	6.1549E-014
RCPTR_50	farmer_child	TOCDFLIC	Chlorine	2.4487E-007	5.1372E-007
RCPTR_50	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.9718E-011	3.8959E-011
RCPTR_50	farmer_child	TOCDFLIC	Chloroaniline, p-	1.0672E-012	2.2365E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Chlorobenzene	1.1836E-014	2.4780E-014
RCPTR_50	farmer_child	TOCDFLIC	Chloroethane	1.2185E-017	2.5375E-017
RCPTR_50	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.1787E-014	2.4721E-014
RCPTR_50	farmer_child	TOCDFLIC	Chloronaphthalene,2-	8.3482E-011	1.7441E-010
RCPTR_50	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.9617E-012	6.2126E-012
RCPTR_50	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0971E-010	2.1643E-010
RCPTR_50	farmer_child	TOCDFLIC	Chromium	2.1480E-007	2.2513E-007
RCPTR_50	farmer_child	TOCDFLIC	Chromium, hexavalent	1.8464E-007	1.8777E-007
RCPTR_50	farmer_child	TOCDFLIC	Chrysene	2.1185E-007	2.3463E-007
RCPTR_50	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.5250E-010	2.8821E-010
RCPTR_50	farmer_child	TOCDFLIC	Di-n-octylphthalate	1.1710E+000	1.1710E+000
RCPTR_50	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.4302E-005	1.4472E-005
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.3525E-013	2.8123E-013
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.6332E-013	3.4067E-013
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.5716E-013	3.2810E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.2353E-010	6.2758E-010
RCPTR_50	farmer_child	TOCDFLIC	Dichlorodifluoromethane	9.6868E-019	2.0299E-018
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethane 1,1-	3.9433E-017	8.2707E-017
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0284E-016	6.3521E-016
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.4933E-017	3.1307E-017
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.4841E-016	3.1112E-016
RCPTR_50	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.4074E-011	2.6557E-011
RCPTR_50	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	8.3537E-016	1.7503E-015
RCPTR_50	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.8402E-016	5.9561E-016
RCPTR_50	farmer_child	TOCDFLIC	Diethyl phthalate	1.4750E-010	1.5361E-010
RCPTR_50	farmer_child	TOCDFLIC	Dimethyl phthalate	2.5316E-011	5.2710E-011
RCPTR_50	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	2.0215E-012	4.2321E-012
RCPTR_50	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.2051E-012	1.9736E-012
RCPTR_50	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.8702E-012	3.8739E-012
RCPTR_50	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.4381E-012	2.9899E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.2993E-014	9.0189E-014
RCPTR_50	farmer_child	TOCDFLIC	Ethylbenzene	2.7839E-015	5.7855E-015
RCPTR_50	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.5329E-010	6.3451E-010
RCPTR_50	farmer_child	TOCDFLIC	Fluoranthene	8.1100E-009	1.4505E-008
RCPTR_50	farmer_child	TOCDFLIC	Fluorene	1.2584E-010	2.6167E-010
RCPTR_50	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.2650E-012	1.3079E-012
RCPTR_50	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.0473E-012	4.1573E-012
RCPTR_50	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	9.5928E-012	9.9094E-012
RCPTR_50	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0387E-011	1.0680E-011
RCPTR_50	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.3661E-012	6.5977E-012
RCPTR_50	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.3502E-012	5.5729E-012
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.1175E-011	1.1693E-011
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	9.6949E-012	1.0143E-011
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	9.9376E-012	1.0393E-011
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.1861E-012	8.5625E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.6629E-012	5.4698E-012
RCPTR_50	farmer_child	TOCDFLIC	Hexachlorobenzene	5.4075E-009	1.1142E-008
RCPTR_50	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	7.0973E-012	1.4505E-011
RCPTR_50	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.6220E-012	3.3849E-012
RCPTR_50	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.0366E-004	1.0402E-004
RCPTR_50	farmer_child	TOCDFLIC	Isophorone	3.0746E-013	6.4482E-013
RCPTR_50	farmer_child	TOCDFLIC	Lead	1.2811E-007	1.3871E-007
RCPTR_50	farmer_child	TOCDFLIC	Mercuric chloride	2.7043E-008	3.3637E-008
RCPTR_50	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.6791E-017	3.5222E-017
RCPTR_50	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.9624E-017	6.2134E-017
RCPTR_50	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.3308E-014	4.8896E-014
RCPTR_50	farmer_child	TOCDFLIC	Methyl mercury	3.1758E-010	3.3789E-010
RCPTR_50	farmer_child	TOCDFLIC	Methylene chloride	3.0420E-015	6.3805E-015
RCPTR_50	farmer_child	TOCDFLIC	Mustard	3.1494E-014	6.6045E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Naphthalene	2.0089E-013	4.2024E-013
RCPTR_50	farmer_child	TOCDFLIC	Nickel	5.1833E-007	5.4867E-007
RCPTR_50	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.2461E-012	1.0994E-011
RCPTR_50	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.2480E-012	2.6173E-012
RCPTR_50	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.6128E-012	3.3814E-012
RCPTR_50	farmer_child	TOCDFLIC	Nitrobenzene	5.1891E-013	1.0885E-012
RCPTR_50	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.3627E-013	4.9553E-013
RCPTR_50	farmer_child	TOCDFLIC	Nitrophenol, 4-	4.3335E-013	6.7982E-013
RCPTR_50	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.9282E-013	6.1365E-013
RCPTR_50	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.8784E-013	6.0289E-013
RCPTR_50	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.5896E-014	5.3989E-014
RCPTR_50	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.9245E-012	2.0088E-012
RCPTR_50	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.8955E-012	1.9769E-012
RCPTR_50	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.3148E-011	2.3911E-011
RCPTR_50	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.7258E-012	3.9267E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.4337E-011	1.5097E-011
RCPTR_50	farmer_child	TOCDFLIC	Pentachlorobenzene	1.0147E-010	2.0530E-010
RCPTR_50	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.0460E-012	1.6155E-011
RCPTR_50	farmer_child	TOCDFLIC	Pentachlorophenol	1.0351E-009	1.3383E-009
RCPTR_50	farmer_child	TOCDFLIC	Phenanthrene	3.9814E-013	8.2974E-013
RCPTR_50	farmer_child	TOCDFLIC	Phenol	4.1124E-013	8.6202E-013
RCPTR_50	farmer_child	TOCDFLIC	Pronamide	3.9479E-011	8.2046E-011
RCPTR_50	farmer_child	TOCDFLIC	Pyrene	1.3467E-008	2.1115E-008
RCPTR_50	farmer_child	TOCDFLIC	Selenium	1.9125E-007	1.9219E-007
RCPTR_50	farmer_child	TOCDFLIC	Silver	5.2743E-007	5.7251E-007
RCPTR_50	farmer_child	TOCDFLIC	Styrene	4.7151E-012	9.8814E-012
RCPTR_50	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.2211E-012	3.4501E-012
RCPTR_50	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.2813E-012	1.4023E-012
RCPTR_50	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.2118E-011	6.6103E-011
RCPTR_50	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.5151E-015	3.1760E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.6646E-016	1.1872E-015
RCPTR_50	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.5508E-010	4.3980E-010
RCPTR_50	farmer_child	TOCDFLIC	Thallium (l)	6.8187E-007	7.1181E-007
RCPTR_50	farmer_child	TOCDFLIC	Toluene	1.1081E-014	2.3176E-014
RCPTR_50	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.2241E-012	2.5407E-012
RCPTR_50	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.8001E-015	1.0064E-014
RCPTR_50	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.3834E-015	9.1929E-015
RCPTR_50	farmer_child	TOCDFLIC	Trichloroethylene	7.1287E-016	1.4941E-015
RCPTR_50	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.3687E-017	1.9637E-016
RCPTR_50	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.4132E-010	2.8984E-010
RCPTR_50	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.9543E-011	5.7641E-011
RCPTR_50	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.6225E-014	3.4022E-014
RCPTR_50	farmer_child	TOCDFLIC	Vinyl Chloride	6.9414E-019	1.4555E-018
RCPTR_50	farmer_child	TOCDFLIC	Xylene, m-	1.7661E-014	2.6972E-014
RCPTR_50	farmer_child	TOCDFLIC	Xylene, o-	1.7435E-014	2.8050E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Xylene, p-	2.1684E-014	3.6124E-014
RCPTR_50	farmer_child	TOCDFLIC	Zinc	2.2942E-007	2.6883E-007
RCPTR_50	farmer_child	TOCDFMPF	Acenaphthene	4.8749E-011	1.0173E-010
RCPTR_50	farmer_child	TOCDFMPF	Acetone	4.1751E-015	8.7589E-015
RCPTR_50	farmer_child	TOCDFMPF	Acetophenone	2.6822E-013	5.6254E-013
RCPTR_50	farmer_child	TOCDFMPF	Aniline	1.5426E-014	3.2333E-014
RCPTR_50	farmer_child	TOCDFMPF	Anthracene	8.6039E-010	1.7945E-009
RCPTR_50	farmer_child	TOCDFMPF	Antimony	2.6012E-009	3.0028E-009
RCPTR_50	farmer_child	TOCDFMPF	Aroclor 1254	3.4744E-011	5.1669E-011
RCPTR_50	farmer_child	TOCDFMPF	Arsenic	1.6415E-008	1.6973E-008
RCPTR_50	farmer_child	TOCDFMPF	Barium	1.9450E-008	2.1764E-008
RCPTR_50	farmer_child	TOCDFMPF	Benzene	5.6194E-015	1.1775E-014
RCPTR_50	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.2705E-007	1.5967E-007
RCPTR_50	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.0378E-006	1.0745E-006
RCPTR_50	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	6.3312E-007	7.1872E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.6030E-006	1.6408E-006
RCPTR_50	farmer_child	TOCDFMPF	Benzoic acid	1.8059E-012	3.6547E-012
RCPTR_50	farmer_child	TOCDFMPF	Benzyl alcohol	3.4983E-013	7.3361E-013
RCPTR_50	farmer_child	TOCDFMPF	Beryllium	1.5844E-009	1.6714E-009
RCPTR_50	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	3.5001E-013	7.3427E-013
RCPTR_50	farmer_child	TOCDFMPF	Bromodichloromethane	6.8921E-015	1.4456E-014
RCPTR_50	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	2.3989E-013	5.0318E-013
RCPTR_50	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.6379E-008	2.8193E-008
RCPTR_50	farmer_child	TOCDFMPF	Butylbenzylphthalate	6.4858E-010	7.4016E-010
RCPTR_50	farmer_child	TOCDFMPF	Cadmium	3.0019E-008	3.6932E-008
RCPTR_50	farmer_child	TOCDFMPF	Carbon disulfide	5.4118E-016	1.1345E-015
RCPTR_50	farmer_child	TOCDFMPF	Carbon tetrachloride	5.1025E-015	1.0691E-014
RCPTR_50	farmer_child	TOCDFMPF	Chlorine	4.4985E-008	9.4373E-008
RCPTR_50	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	3.0055E-011	5.9386E-011
RCPTR_50	farmer_child	TOCDFMPF	Chloroaniline, p-	1.6268E-012	3.4092E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Chlorobenzene	2.1176E-014	4.4332E-014
RCPTR_50	farmer_child	TOCDFMPF	Chloroethane	1.1973E-016	2.4933E-016
RCPTR_50	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	3.6962E-015	7.7521E-015
RCPTR_50	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.2726E-010	2.6586E-010
RCPTR_50	farmer_child	TOCDFMPF	Chlorophenol, 2-	4.5146E-012	9.4702E-012
RCPTR_50	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.6723E-010	3.2992E-010
RCPTR_50	farmer_child	TOCDFMPF	Chromium	4.0741E-008	4.2701E-008
RCPTR_50	farmer_child	TOCDFMPF	Chromium, hexavalent	3.5020E-008	3.5613E-008
RCPTR_50	farmer_child	TOCDFMPF	Chrysene	3.2295E-007	3.5768E-007
RCPTR_50	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.4902E-009	2.8425E-009
RCPTR_50	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.1546E+001	1.1546E+001
RCPTR_50	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.1806E-005	2.2066E-005
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	2.0617E-013	4.2870E-013
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	2.4896E-013	5.1930E-013
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	2.3957E-013	5.0014E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.6013E-009	1.9195E-009
RCPTR_50	farmer_child	TOCDFMPF	Dichlorodifluoromethane	7.9445E-018	1.6648E-017
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.1946E-015	2.5055E-015
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4840E-015	3.1127E-015
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	4.5238E-016	9.4841E-016
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	7.2723E-016	1.5245E-015
RCPTR_50	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.1452E-011	4.0481E-011
RCPTR_50	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	4.0934E-015	8.5768E-015
RCPTR_50	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.3499E-015	2.8308E-015
RCPTR_50	farmer_child	TOCDFMPF	Diethyl phthalate	1.4544E-009	1.5147E-009
RCPTR_50	farmer_child	TOCDFMPF	Dimethyl phthalate	2.6957E-012	5.6125E-012
RCPTR_50	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	3.0814E-012	6.4512E-012
RCPTR_50	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.8335E-012	3.0029E-012
RCPTR_50	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	2.8509E-012	5.9053E-012
RCPTR_50	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	2.1922E-012	4.5576E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Ethyl methanesulfonate	6.5536E-014	1.3748E-013
RCPTR_50	farmer_child	TOCDFMPF	Ethylbenzene	1.3003E-014	2.7023E-014
RCPTR_50	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.9880E-011	1.1453E-010
RCPTR_50	farmer_child	TOCDFMPF	Fluoranthene	1.2363E-008	2.2111E-008
RCPTR_50	farmer_child	TOCDFMPF	Fluorene	1.9183E-010	3.9888E-010
RCPTR_50	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	4.9288E-012	5.0960E-012
RCPTR_50	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.3593E-012	6.5324E-012
RCPTR_50	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1223E-011	1.1594E-011
RCPTR_50	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.9639E-012	3.0478E-012
RCPTR_50	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.4143E-012	1.4658E-012
RCPTR_50	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2640E-012	1.3167E-012
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.2079E-012	2.3104E-012
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.3532E-013	9.7855E-013
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.2635E-013	8.6422E-013
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.4079E-013	7.7487E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.0592E-012	8.3379E-012
RCPTR_50	farmer_child	TOCDFMPF	Hexachlorobenzene	8.2429E-009	1.6984E-008
RCPTR_50	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.0819E-011	2.2111E-011
RCPTR_50	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.4725E-012	5.1598E-012
RCPTR_50	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.5798E-004	1.5854E-004
RCPTR_50	farmer_child	TOCDFMPF	Isophorone	4.6868E-013	9.8294E-013
RCPTR_50	farmer_child	TOCDFMPF	Lead	1.4783E-008	1.6007E-008
RCPTR_50	farmer_child	TOCDFMPF	Mercuric chloride	4.5866E-007	5.7045E-007
RCPTR_50	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	8.6638E-017	1.8174E-016
RCPTR_50	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	5.0424E-018	1.0576E-017
RCPTR_50	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.7133E-015	9.8877E-015
RCPTR_50	farmer_child	TOCDFMPF	Methyl mercury	5.3916E-009	5.7359E-009
RCPTR_50	farmer_child	TOCDFMPF	Methylene chloride	2.3856E-015	5.0037E-015
RCPTR_50	farmer_child	TOCDFMPF	Mustard	2.2346E-013	4.6861E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Naphthalene	1.9815E-012	4.1450E-012
RCPTR_50	farmer_child	TOCDFMPF	Nickel	3.2489E-007	3.4391E-007
RCPTR_50	farmer_child	TOCDFMPF	Nitroaniline, 2-	7.9824E-012	1.6728E-011
RCPTR_50	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.8990E-012	3.9825E-012
RCPTR_50	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.4540E-012	5.1451E-012
RCPTR_50	farmer_child	TOCDFMPF	Nitrobenzene	7.9100E-013	1.6592E-012
RCPTR_50	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.6016E-013	7.5536E-013
RCPTR_50	farmer_child	TOCDFMPF	Nitrophenol, 4-	6.5928E-012	1.0343E-011
RCPTR_50	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.4636E-013	9.3541E-013
RCPTR_50	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	4.3877E-013	9.1901E-013
RCPTR_50	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	3.9476E-014	8.2300E-014
RCPTR_50	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.2246E-010	1.2782E-010
RCPTR_50	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.1501E-010	2.2424E-010
RCPTR_50	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.2082E-012	1.2480E-012
RCPTR_50	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.6154E-012	1.7025E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	9.6049E-013	1.0114E-012
RCPTR_50	farmer_child	TOCDFMPF	Pentachlorobenzene	3.0883E-011	6.2481E-011
RCPTR_50	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2244E-011	2.4583E-011
RCPTR_50	farmer_child	TOCDFMPF	Pentachlorophenol	7.8876E-009	1.0198E-008
RCPTR_50	farmer_child	TOCDFMPF	Phenanthrene	6.0691E-013	1.2648E-012
RCPTR_50	farmer_child	TOCDFMPF	Phenol	6.2688E-013	1.3140E-012
RCPTR_50	farmer_child	TOCDFMPF	Pronamide	6.0179E-011	1.2507E-010
RCPTR_50	farmer_child	TOCDFMPF	Pyrene	2.0529E-008	3.2187E-008
RCPTR_50	farmer_child	TOCDFMPF	Selenium	3.3519E-009	3.3685E-009
RCPTR_50	farmer_child	TOCDFMPF	Silver	7.1101E-008	7.7179E-008
RCPTR_50	farmer_child	TOCDFMPF	Styrene	1.0721E-013	2.2469E-013
RCPTR_50	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	3.8455E-013	4.1189E-013
RCPTR_50	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.2663E-012	1.3860E-012
RCPTR_50	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.8959E-011	1.0076E-010
RCPTR_50	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.5897E-014	9.6211E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.3491E-015	9.1146E-015
RCPTR_50	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.8809E-010	6.6915E-010
RCPTR_50	farmer_child	TOCDFMPF	Thallium (l)	2.0853E-008	2.1769E-008
RCPTR_50	farmer_child	TOCDFMPF	Toluene	7.4135E-015	1.5505E-014
RCPTR_50	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.8659E-012	3.8730E-012
RCPTR_50	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.8095E-015	5.8903E-015
RCPTR_50	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	2.1479E-014	4.5047E-014
RCPTR_50	farmer_child	TOCDFMPF	Trichloroethylene	3.4932E-015	7.3213E-015
RCPTR_50	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.6407E-015	2.0207E-014
RCPTR_50	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.1541E-010	4.4181E-010
RCPTR_50	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.5032E-011	8.7863E-011
RCPTR_50	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	7.9506E-014	1.6671E-013
RCPTR_50	farmer_child	TOCDFMPF	Vinyl Chloride	1.8993E-018	3.9825E-018
RCPTR_50	farmer_child	TOCDFMPF	Xylene, m-	1.7652E-014	2.6945E-014
RCPTR_50	farmer_child	TOCDFMPF	Xylene, o-	1.7423E-014	2.8017E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Xylene, p-	2.1666E-014	3.6077E-014
RCPTR_50	farmer_child	TOCDFMPF	Zinc	6.5284E-008	7.6503E-008
RCPTR_50	farmer_child	TOCDHVAC	Mustard	6.3300E-014	1.3275E-013
RCPTR_50	farmer_child	TOCDLIC2	Acenaphthene	3.1980E-011	6.6735E-011
RCPTR_50	farmer_child	TOCDLIC2	Acetone	1.1463E-015	2.4048E-015
RCPTR_50	farmer_child	TOCDLIC2	Acetophenone	1.6796E-013	3.5226E-013
RCPTR_50	farmer_child	TOCDLIC2	Aniline	1.0120E-014	2.1211E-014
RCPTR_50	farmer_child	TOCDLIC2	Anthracene	5.6443E-010	1.1772E-009
RCPTR_50	farmer_child	TOCDLIC2	Antimony	1.9096E-007	2.2044E-007
RCPTR_50	farmer_child	TOCDLIC2	Arsenic	3.1593E-007	3.2666E-007
RCPTR_50	farmer_child	TOCDLIC2	Barium	2.7460E-008	3.0726E-008
RCPTR_50	farmer_child	TOCDLIC2	Benzene	6.3055E-015	1.3213E-014
RCPTR_50	farmer_child	TOCDLIC2	Benzo(a)anthracene	8.3335E-008	1.0473E-007
RCPTR_50	farmer_child	TOCDLIC2	Benzo(a)pyrene	6.8051E-007	7.0454E-007
RCPTR_50	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.1531E-007	4.7145E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.0512E-006	1.0760E-006
RCPTR_50	farmer_child	TOCDLIC2	Benzoic acid	4.0926E-013	8.2824E-013
RCPTR_50	farmer_child	TOCDLIC2	Benzyl alcohol	3.6719E-011	7.7002E-011
RCPTR_50	farmer_child	TOCDLIC2	Beryllium	4.6499E-008	4.9052E-008
RCPTR_50	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.2961E-013	4.8169E-013
RCPTR_50	farmer_child	TOCDLIC2	Bromodichloromethane	2.2751E-016	4.7719E-016
RCPTR_50	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	4.1184E-013	8.6387E-013
RCPTR_50	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0745E-008	1.8495E-008
RCPTR_50	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.2516E-010	4.8523E-010
RCPTR_50	farmer_child	TOCDLIC2	Cadmium	6.5776E-009	8.0920E-009
RCPTR_50	farmer_child	TOCDLIC2	Carbon disulfide	1.4845E-015	3.1119E-015
RCPTR_50	farmer_child	TOCDLIC2	Carbon tetrachloride	2.9377E-014	6.1549E-014
RCPTR_50	farmer_child	TOCDLIC2	Chlorine	2.4487E-007	5.1372E-007
RCPTR_50	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.9718E-011	3.8959E-011
RCPTR_50	farmer_child	TOCDLIC2	Chloroaniline, p-	1.0672E-012	2.2365E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Chlorobenzene	1.1836E-014	2.4780E-014
RCPTR_50	farmer_child	TOCDLIC2	Chloroethane	1.2185E-017	2.5375E-017
RCPTR_50	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.1787E-014	2.4721E-014
RCPTR_50	farmer_child	TOCDLIC2	Chloronaphthalene,2-	8.3482E-011	1.7441E-010
RCPTR_50	farmer_child	TOCDLIC2	Chlorophenol, 2-	2.9617E-012	6.2126E-012
RCPTR_50	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.0971E-010	2.1643E-010
RCPTR_50	farmer_child	TOCDLIC2	Chromium	2.1480E-007	2.2513E-007
RCPTR_50	farmer_child	TOCDLIC2	Chromium, hexavalent	1.8464E-007	1.8777E-007
RCPTR_50	farmer_child	TOCDLIC2	Chrysene	2.1185E-007	2.3463E-007
RCPTR_50	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.5250E-010	2.8821E-010
RCPTR_50	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.1710E+000	1.1710E+000
RCPTR_50	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.4302E-005	1.4472E-005
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.3525E-013	2.8123E-013
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.6332E-013	3.4067E-013
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.5716E-013	3.2810E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.2353E-010	6.2758E-010
RCPTR_50	farmer_child	TOCDLIC2	Dichlorodifluoromethane	9.6868E-019	2.0299E-018
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.9433E-017	8.2707E-017
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0284E-016	6.3521E-016
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.4933E-017	3.1307E-017
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.4841E-016	3.1112E-016
RCPTR_50	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.4074E-011	2.6557E-011
RCPTR_50	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	8.3537E-016	1.7503E-015
RCPTR_50	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.8402E-016	5.9561E-016
RCPTR_50	farmer_child	TOCDLIC2	Diethyl phthalate	1.4750E-010	1.5361E-010
RCPTR_50	farmer_child	TOCDLIC2	Dimethyl phthalate	2.5316E-011	5.2710E-011
RCPTR_50	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.0215E-012	4.2321E-012
RCPTR_50	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.2051E-012	1.9736E-012
RCPTR_50	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.8702E-012	3.8739E-012
RCPTR_50	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.4381E-012	2.9899E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Ethyl methanesulfonate	4.2993E-014	9.0189E-014
RCPTR_50	farmer_child	TOCDLIC2	Ethylbenzene	2.7839E-015	5.7855E-015
RCPTR_50	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.5329E-010	6.3451E-010
RCPTR_50	farmer_child	TOCDLIC2	Fluoranthene	8.1100E-009	1.4505E-008
RCPTR_50	farmer_child	TOCDLIC2	Fluorene	1.2584E-010	2.6167E-010
RCPTR_50	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.2650E-012	1.3079E-012
RCPTR_50	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.0473E-012	4.1573E-012
RCPTR_50	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	9.5928E-012	9.9094E-012
RCPTR_50	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.0387E-011	1.0680E-011
RCPTR_50	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.3661E-012	6.5977E-012
RCPTR_50	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.3502E-012	5.5729E-012
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1175E-011	1.1693E-011
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	9.6949E-012	1.0143E-011
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	9.9376E-012	1.0393E-011
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.1861E-012	8.5625E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.6629E-012	5.4698E-012
RCPTR_50	farmer_child	TOCDLIC2	Hexachlorobenzene	5.4075E-009	1.1142E-008
RCPTR_50	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	7.0973E-012	1.4505E-011
RCPTR_50	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.6220E-012	3.3849E-012
RCPTR_50	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.0366E-004	1.0402E-004
RCPTR_50	farmer_child	TOCDLIC2	Isophorone	3.0746E-013	6.4482E-013
RCPTR_50	farmer_child	TOCDLIC2	Lead	1.2811E-007	1.3871E-007
RCPTR_50	farmer_child	TOCDLIC2	Mercuric chloride	2.7043E-008	3.3637E-008
RCPTR_50	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.6791E-017	3.5222E-017
RCPTR_50	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	2.9624E-017	6.2134E-017
RCPTR_50	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.3308E-014	4.8896E-014
RCPTR_50	farmer_child	TOCDLIC2	Methyl mercury	3.1758E-010	3.3789E-010
RCPTR_50	farmer_child	TOCDLIC2	Methylene chloride	3.0420E-015	6.3805E-015
RCPTR_50	farmer_child	TOCDLIC2	Mustard	3.2741E-014	6.8661E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Naphthalene	2.0089E-013	4.2024E-013
RCPTR_50	farmer_child	TOCDLIC2	Nickel	5.1833E-007	5.4867E-007
RCPTR_50	farmer_child	TOCDLIC2	Nitroaniline, 2-	5.2461E-012	1.0994E-011
RCPTR_50	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.2480E-012	2.6173E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.6128E-012	3.3814E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitrobenzene	5.1891E-013	1.0885E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitrophenol, 2-	2.3627E-013	4.9553E-013
RCPTR_50	farmer_child	TOCDLIC2	Nitrophenol, 4-	4.3335E-012	6.7982E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.9282E-013	6.1365E-013
RCPTR_50	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	2.8784E-013	6.0289E-013
RCPTR_50	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	2.5896E-014	5.3989E-014
RCPTR_50	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.9245E-012	2.0088E-012
RCPTR_50	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.8955E-012	1.9769E-012
RCPTR_50	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.3148E-011	2.3911E-011
RCPTR_50	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	3.7258E-012	3.9267E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.4337E-011	1.5097E-011
RCPTR_50	farmer_child	TOCDLIC2	Pentachlorobenzene	1.0147E-010	2.0530E-010
RCPTR_50	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.0460E-012	1.6155E-011
RCPTR_50	farmer_child	TOCDLIC2	Pentachlorophenol	1.0351E-009	1.3383E-009
RCPTR_50	farmer_child	TOCDLIC2	Phenanthrene	3.9814E-013	8.2974E-013
RCPTR_50	farmer_child	TOCDLIC2	Phenol	4.1124E-013	8.6202E-013
RCPTR_50	farmer_child	TOCDLIC2	Pronamide	3.9479E-011	8.2046E-011
RCPTR_50	farmer_child	TOCDLIC2	Pyrene	1.3467E-008	2.1115E-008
RCPTR_50	farmer_child	TOCDLIC2	Selenium	1.9125E-007	1.9219E-007
RCPTR_50	farmer_child	TOCDLIC2	Silver	5.2743E-007	5.7251E-007
RCPTR_50	farmer_child	TOCDLIC2	Styrene	4.7151E-012	9.8814E-012
RCPTR_50	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	3.2211E-012	3.4501E-012
RCPTR_50	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2813E-012	1.4023E-012
RCPTR_50	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.2118E-011	6.6103E-011
RCPTR_50	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.5151E-015	3.1760E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	5.6646E-016	1.1872E-015
RCPTR_50	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.5508E-010	4.3980E-010
RCPTR_50	farmer_child	TOCDLIC2	Thallium (l)	6.8187E-007	7.1181E-007
RCPTR_50	farmer_child	TOCDLIC2	Toluene	1.1081E-014	2.3176E-014
RCPTR_50	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.2241E-012	2.5407E-012
RCPTR_50	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	4.8001E-015	1.0064E-014
RCPTR_50	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.3834E-015	9.1929E-015
RCPTR_50	farmer_child	TOCDLIC2	Trichloroethylene	7.1287E-016	1.4941E-015
RCPTR_50	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	9.3687E-017	1.9637E-016
RCPTR_50	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.4132E-010	2.8984E-010
RCPTR_50	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	2.9543E-011	5.7641E-011
RCPTR_50	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.6225E-014	3.4022E-014
RCPTR_50	farmer_child	TOCDLIC2	Vinyl Chloride	6.9414E-019	1.4555E-018
RCPTR_50	farmer_child	TOCDLIC2	Xylene, m-	3.6701E-014	5.6049E-014
RCPTR_50	farmer_child	TOCDLIC2	Xylene, o-	3.6232E-014	5.8289E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Xylene, p-	4.5061E-014	7.5067E-014
RCPTR_50	farmer_child	TOCDLIC2	Zinc	2.2942E-007	2.6883E-007
RCPTR_51	farmer_adult	TOCDFBRA	Antimony	1.3018E-008	1.7708E-008
RCPTR_51	farmer_adult	TOCDFBRA	Arsenic	2.1782E-008	2.3295E-008
RCPTR_51	farmer_adult	TOCDFBRA	Barium	1.7985E-009	2.2775E-009
RCPTR_51	farmer_adult	TOCDFBRA	Beryllium	6.0745E-009	6.9170E-009
RCPTR_51	farmer_adult	TOCDFBRA	Cadmium	9.9040E-010	1.6243E-009
RCPTR_51	farmer_adult	TOCDFBRA	Chromium	1.6217E-007	1.6342E-007
RCPTR_51	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.2942E-007	1.3382E-007
RCPTR_51	farmer_adult	TOCDFBRA	Lead	6.4408E-008	7.7541E-008
RCPTR_51	farmer_adult	TOCDFBRA	Mercuric chloride	1.7259E-005	1.7996E-005
RCPTR_51	farmer_adult	TOCDFBRA	Methyl mercury	1.7458E-007	1.8153E-007
RCPTR_51	farmer_adult	TOCDFBRA	Nickel	7.1237E-008	8.0624E-008
RCPTR_51	farmer_adult	TOCDFBRA	Selenium	2.4553E-008	2.4795E-008
RCPTR_51	farmer_adult	TOCDFBRA	Silver	8.2387E-009	9.7288E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFBRA	Thallium (l)	2.2225E-007	2.4424E-007
RCPTR_51	farmer_adult	TOCDFBRA	Zinc	3.7132E-008	5.3056E-008
RCPTR_51	farmer_adult	TOCDFDFS	Acenaphthene	1.2713E-011	1.6800E-010
RCPTR_51	farmer_adult	TOCDFDFS	Acetone	1.3318E-016	1.8624E-015
RCPTR_51	farmer_adult	TOCDFDFS	Acetophenone	6.6888E-014	9.3264E-013
RCPTR_51	farmer_adult	TOCDFDFS	Aniline	3.8561E-015	5.3414E-014
RCPTR_51	farmer_adult	TOCDFDFS	Anthracene	2.2545E-010	2.9634E-009
RCPTR_51	farmer_adult	TOCDFDFS	Antimony	1.1930E-009	1.6102E-009
RCPTR_51	farmer_adult	TOCDFDFS	Aroclor 1254	1.7780E-011	4.4598E-011
RCPTR_51	farmer_adult	TOCDFDFS	Arsenic	2.3306E-009	2.4876E-009
RCPTR_51	farmer_adult	TOCDFDFS	Barium	1.5175E-009	1.9097E-009
RCPTR_51	farmer_adult	TOCDFDFS	Benzene	4.8205E-016	6.6546E-015
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.3796E-007	2.5299E-007
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.5150E-006	1.6376E-006
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	8.2312E-007	1.1210E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.3542E-006	2.5021E-006
RCPTR_51	farmer_adult	TOCDFDFS	Benzoic acid	6.0459E-014	6.0237E-013
RCPTR_51	farmer_adult	TOCDFDFS	Benzyl alcohol	8.7045E-014	1.2120E-012
RCPTR_51	farmer_adult	TOCDFDFS	Beryllium	1.2752E-009	1.4472E-009
RCPTR_51	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.6755E-014	1.2131E-012
RCPTR_51	farmer_adult	TOCDFDFS	Bromodichloromethane	1.5458E-016	2.1565E-015
RCPTR_51	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.4713E-014	3.4502E-013
RCPTR_51	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.8980E-009	4.6576E-008
RCPTR_51	farmer_adult	TOCDFDFS	Butylbenzylphthalate	8.6946E-010	1.1378E-009
RCPTR_51	farmer_adult	TOCDFDFS	Cadmium	4.4287E-010	7.1824E-010
RCPTR_51	farmer_adult	TOCDFDFS	Carbon disulfide	8.5716E-017	1.1888E-015
RCPTR_51	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.3656E-016	1.8830E-015
RCPTR_51	farmer_adult	TOCDFDFS	Chlorine	2.6883E-015	3.7599E-014
RCPTR_51	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1753E-011	9.7725E-011
RCPTR_51	farmer_adult	TOCDFDFS	Chloroaniline, p-	4.0749E-013	5.6319E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Chlorobenzene	8.0556E-016	1.1013E-014
RCPTR_51	farmer_adult	TOCDFDFS	Chloroethane	2.3879E-018	3.0879E-017
RCPTR_51	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.0671E-016	1.4876E-015
RCPTR_51	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.2832E-011	4.3910E-010
RCPTR_51	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.1200E-012	1.5646E-011
RCPTR_51	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.5792E-011	5.4265E-010
RCPTR_51	farmer_adult	TOCDFDFS	Chromium	4.4701E-008	4.5035E-008
RCPTR_51	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.5893E-008	3.7076E-008
RCPTR_51	farmer_adult	TOCDFDFS	Chrysene	4.2609E-007	5.5703E-007
RCPTR_51	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.4017E-009	4.4341E-009
RCPTR_51	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.7744E+001	1.7744E+001
RCPTR_51	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.1570E-005	3.2325E-005
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.5561E-014	7.0783E-013
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.5193E-014	8.5760E-013
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.2237E-014	8.2601E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.0569E-009	2.9850E-009
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.8797E-019	2.5972E-018
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.4629E-017	6.2252E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.5410E-017	7.7338E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.6974E-017	2.3564E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.7303E-017	3.7878E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0625E-011	6.6403E-011
RCPTR_51	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.5447E-016	2.1309E-015
RCPTR_51	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.0509E-017	7.0333E-016
RCPTR_51	farmer_adult	TOCDFDFS	Diethyl phthalate	2.1642E-009	2.3409E-009
RCPTR_51	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.0841E-012	1.4002E-011
RCPTR_51	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.7929E-013	1.0657E-011
RCPTR_51	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.4455E-012	4.8792E-012
RCPTR_51	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	7.9331E-013	9.7462E-012
RCPTR_51	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.9134E-013	7.5247E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.6251E-014	2.2713E-013
RCPTR_51	farmer_adult	TOCDFDFS	Ethylbenzene	5.2963E-016	6.7100E-015
RCPTR_51	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.4661E-010	1.9392E-010
RCPTR_51	farmer_adult	TOCDFDFS	Fluoranthene	5.7127E-009	3.6275E-008
RCPTR_51	farmer_adult	TOCDFDFS	Fluorene	5.1683E-011	6.5858E-010
RCPTR_51	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.5893E-014	7.1421E-014
RCPTR_51	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.6717E-014	6.0485E-014
RCPTR_51	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.7688E-013	1.9133E-013
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.4896E-012	1.5927E-012
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.7493E-013	9.5431E-013
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.7296E-013	7.4365E-013
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.7175E-013	5.2758E-013
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.2716E-013	4.7741E-013
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.0817E-013	5.6740E-013
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.8963E-013	4.3525E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2119E-012	1.3753E-011
RCPTR_51	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.3665E-009	2.8028E-008
RCPTR_51	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.3590E-012	3.6457E-011
RCPTR_51	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.4480E-013	8.5216E-012
RCPTR_51	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3844E-004	2.3999E-004
RCPTR_51	farmer_adult	TOCDFDFS	Isophorone	1.1650E-013	1.6239E-012
RCPTR_51	farmer_adult	TOCDFDFS	Lead	8.0202E-009	9.6136E-009
RCPTR_51	farmer_adult	TOCDFDFS	Mercuric chloride	6.7811E-009	7.0770E-009
RCPTR_51	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.9459E-018	2.7181E-017
RCPTR_51	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.8416E-019	5.3584E-018
RCPTR_51	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.5489E-016	1.3350E-014
RCPTR_51	farmer_adult	TOCDFDFS	Methyl mercury	6.3929E-011	6.6718E-011
RCPTR_51	farmer_adult	TOCDFDFS	Methylene chloride	5.7535E-017	8.0294E-016
RCPTR_51	farmer_adult	TOCDFDFS	Mustard	6.7922E-015	9.4579E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Naphthalene	5.0498E-013	6.8467E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nickel	1.6234E-007	1.8309E-007
RCPTR_51	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.0030E-012	2.7683E-011
RCPTR_51	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.7306E-013	6.5909E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitroaniline, 4-	6.1268E-013	8.5148E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitrobenzene	1.9626E-013	2.7412E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.9509E-014	1.2479E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.7386E-012	1.6750E-011
RCPTR_51	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.1179E-013	1.5453E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.1047E-013	1.5181E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.0262E-014	1.3579E-013
RCPTR_51	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0614E-013	1.1791E-013
RCPTR_51	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1172E-013	1.2384E-013
RCPTR_51	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.6879E-012	2.9089E-012
RCPTR_51	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.3541E-013	3.8199E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.3523E-012	1.5365E-012
RCPTR_51	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.0239E-011	1.0286E-010
RCPTR_51	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.2803E-012	4.0510E-011
RCPTR_51	farmer_adult	TOCDFDFS	Pentachlorophenol	9.4257E-009	1.6210E-008
RCPTR_51	farmer_adult	TOCDFDFS	Phenanthrene	1.6023E-013	2.0886E-012
RCPTR_51	farmer_adult	TOCDFDFS	Phenol	1.5664E-013	2.1708E-012
RCPTR_51	farmer_adult	TOCDFDFS	Pronamide	1.6298E-011	2.0649E-010
RCPTR_51	farmer_adult	TOCDFDFS	Pyrene	8.9538E-009	5.2991E-008
RCPTR_51	farmer_adult	TOCDFDFS	Selenium	2.6275E-009	2.6526E-009
RCPTR_51	farmer_adult	TOCDFDFS	Silver	1.7415E-008	2.0471E-008
RCPTR_51	farmer_adult	TOCDFDFS	Styrene	5.8401E-015	8.0743E-014
RCPTR_51	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	8.3614E-013	9.9384E-013
RCPTR_51	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.5691E-013	3.2336E-013
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.4414E-011	1.6626E-010
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4972E-012	2.2389E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.6371E-016	2.2645E-015
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.6685E-010	1.0921E-009
RCPTR_51	farmer_adult	TOCDFDFS	Thallium (l)	2.3268E-006	2.5501E-006
RCPTR_51	farmer_adult	TOCDFDFS	Toluene	2.2351E-016	3.0245E-015
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.1093E-013	6.3939E-012
RCPTR_51	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.3597E-016	1.8883E-015
RCPTR_51	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	8.0310E-016	1.1192E-014
RCPTR_51	farmer_adult	TOCDFDFS	Trichloroethylene	1.3143E-016	1.8190E-015
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.8141E-017	2.5126E-016
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	6.5242E-011	7.2885E-010
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.5102E-011	7.2614E-010
RCPTR_51	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.9777E-015	4.1421E-014
RCPTR_51	farmer_adult	TOCDFDFS	Vinyl Chloride	4.2487E-020	5.9120E-019
RCPTR_51	farmer_adult	TOCDFDFS	Xylene, m-	5.3172E-015	1.4715E-014
RCPTR_51	farmer_adult	TOCDFDFS	Xylene, o-	4.1154E-015	1.3475E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Xylene, p-	5.3910E-015	1.9966E-014
RCPTR_51	farmer_adult	TOCDFDFS	Zinc	7.4852E-009	1.0601E-008
RCPTR_51	farmer_adult	TOCDFLIC	Acenaphthene	2.6283E-012	3.4714E-011
RCPTR_51	farmer_adult	TOCDFLIC	Acetone	8.9487E-017	1.2513E-015
RCPTR_51	farmer_adult	TOCDFLIC	Acetophenone	1.3146E-014	1.8329E-013
RCPTR_51	farmer_adult	TOCDFLIC	Aniline	7.9685E-016	1.1037E-014
RCPTR_51	farmer_adult	TOCDFLIC	Anthracene	4.6603E-011	6.1232E-010
RCPTR_51	farmer_adult	TOCDFLIC	Antimony	5.8913E-008	7.9424E-008
RCPTR_51	farmer_adult	TOCDFLIC	Arsenic	1.0863E-007	1.1591E-007
RCPTR_51	farmer_adult	TOCDFLIC	Barium	8.7680E-009	1.1024E-008
RCPTR_51	farmer_adult	TOCDFLIC	Benzene	4.9807E-016	6.8747E-015
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.8670E-008	5.2405E-008
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.1385E-007	3.3875E-007
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.7143E-007	2.3286E-007
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.8820E-007	5.1799E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Benzoic acid	4.3348E-014	4.3015E-013
RCPTR_51	farmer_adult	TOCDFLIC	Benzyl alcohol	2.8778E-012	4.0067E-011
RCPTR_51	farmer_adult	TOCDFLIC	Beryllium	1.5489E-008	1.7570E-008
RCPTR_51	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.7925E-014	2.5065E-013
RCPTR_51	farmer_adult	TOCDFLIC	Bromodichloromethane	1.7800E-017	2.4830E-016
RCPTR_51	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.2198E-014	4.4951E-013
RCPTR_51	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.0119E-009	9.6234E-009
RCPTR_51	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.7868E-010	2.3410E-010
RCPTR_51	farmer_adult	TOCDFLIC	Cadmium	1.8190E-009	2.9452E-009
RCPTR_51	farmer_adult	TOCDFLIC	Carbon disulfide	1.1676E-016	1.6192E-015
RCPTR_51	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.3230E-015	3.2025E-014
RCPTR_51	farmer_adult	TOCDFLIC	Chlorine	1.9113E-008	2.6731E-007
RCPTR_51	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.4443E-012	2.0208E-011
RCPTR_51	farmer_adult	TOCDFLIC	Chloroaniline, p-	8.4210E-014	1.1637E-012
RCPTR_51	farmer_adult	TOCDFLIC	Chlorobenzene	9.4325E-016	1.2893E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Chloroethane	1.0218E-018	1.3199E-017
RCPTR_51	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	9.2279E-016	1.2864E-014
RCPTR_51	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.7873E-012	9.0731E-011
RCPTR_51	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.3142E-013	3.2327E-012
RCPTR_51	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3647E-011	1.1218E-010
RCPTR_51	farmer_adult	TOCDFLIC	Chromium	8.0078E-008	8.0675E-008
RCPTR_51	farmer_adult	TOCDFLIC	Chromium, hexavalent	6.4356E-008	6.6468E-008
RCPTR_51	farmer_adult	TOCDFLIC	Chrysene	8.8788E-008	1.1576E-007
RCPTR_51	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.0989E-010	1.4286E-010
RCPTR_51	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.7517E-001	5.7517E-001
RCPTR_51	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.5525E-006	6.7012E-006
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.1493E-014	1.4627E-013
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.3481E-014	1.7721E-013
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.2868E-014	1.7068E-013
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.1337E-010	3.0909E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.6434E-020	1.0562E-018
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.0854E-018	4.3036E-017
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3682E-017	3.3053E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1736E-018	1.6290E-017
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.1670E-017	1.6188E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.2149E-012	1.3740E-011
RCPTR_51	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.6029E-017	9.1071E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.2257E-017	3.0991E-016
RCPTR_51	farmer_adult	TOCDFLIC	Diethyl phthalate	7.0140E-011	7.5782E-011
RCPTR_51	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.1234E-012	2.7413E-011
RCPTR_51	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.6108E-013	2.2019E-012
RCPTR_51	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.0202E-013	1.0115E-012
RCPTR_51	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.6389E-013	2.0137E-012
RCPTR_51	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.2227E-013	1.5548E-012
RCPTR_51	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.3578E-015	4.6930E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Ethylbenzene	2.3774E-016	3.0088E-015
RCPTR_51	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.3054E-010	3.0542E-010
RCPTR_51	farmer_adult	TOCDFLIC	Fluoranthene	1.1861E-009	7.5005E-009
RCPTR_51	farmer_adult	TOCDFLIC	Fluorene	1.0689E-011	1.3609E-010
RCPTR_51	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.5727E-013	6.0300E-013
RCPTR_51	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.8312E-012	1.9494E-012
RCPTR_51	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.2446E-012	4.5834E-012
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.7070E-012	5.0244E-012
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.7982E-012	3.0470E-012
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.3015E-012	2.5397E-012
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.7847E-012	5.3453E-012
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.1580E-012	4.6421E-012
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.2751E-012	4.7681E-012
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.5165E-012	3.9239E-012
RCPTR_51	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5065E-013	2.8420E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.8977E-010	5.7919E-009
RCPTR_51	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.9465E-013	7.5334E-012
RCPTR_51	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.3335E-013	1.7609E-012
RCPTR_51	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.9850E-005	5.0156E-005
RCPTR_51	farmer_adult	TOCDFLIC	Isophorone	2.4072E-014	3.3553E-013
RCPTR_51	farmer_adult	TOCDFLIC	Lead	4.1767E-008	5.0033E-008
RCPTR_51	farmer_adult	TOCDFLIC	Mercuric chloride	1.6339E-008	1.7054E-008
RCPTR_51	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.3121E-018	1.8328E-017
RCPTR_51	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.3179E-018	3.2331E-017
RCPTR_51	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.8198E-015	2.5443E-014
RCPTR_51	farmer_adult	TOCDFLIC	Methyl mercury	1.5207E-010	1.5882E-010
RCPTR_51	farmer_adult	TOCDFLIC	Methylene chloride	2.3791E-016	3.3201E-015
RCPTR_51	farmer_adult	TOCDFLIC	Mustard	2.4681E-015	3.4366E-014
RCPTR_51	farmer_adult	TOCDFLIC	Naphthalene	1.6131E-014	2.1864E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Nickel	1.7340E-007	1.9546E-007
RCPTR_51	farmer_adult	TOCDFLIC	Nitroaniline, 2-	4.1393E-013	5.7202E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nitroaniline, 3-	9.7751E-014	1.3619E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.2659E-013	1.7594E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nitrobenzene	4.0552E-014	5.6639E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.8495E-014	2.5784E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2009E-013	3.4763E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.3103E-014	3.1929E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.2832E-014	3.1369E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.1163E-015	2.8052E-014
RCPTR_51	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.1610E-013	9.0564E-013
RCPTR_51	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.0422E-013	8.9058E-013
RCPTR_51	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0615E-011	1.1470E-011
RCPTR_51	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.6604E-012	1.8885E-012
RCPTR_51	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.3236E-012	7.1769E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.0530E-011	1.0639E-010
RCPTR_51	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.7834E-013	8.3645E-012
RCPTR_51	farmer_adult	TOCDFLIC	Pentachlorophenol	3.9436E-010	6.7421E-010
RCPTR_51	farmer_adult	TOCDFLIC	Phenanthrene	3.3132E-014	4.3158E-013
RCPTR_51	farmer_adult	TOCDFLIC	Phenol	3.2370E-014	4.4853E-013
RCPTR_51	farmer_adult	TOCDFLIC	Pronamide	3.3719E-012	4.2671E-011
RCPTR_51	farmer_adult	TOCDFLIC	Pyrene	1.8550E-009	1.0953E-008
RCPTR_51	farmer_adult	TOCDFLIC	Selenium	6.7279E-008	6.7918E-008
RCPTR_51	farmer_adult	TOCDFLIC	Silver	1.7409E-007	2.0450E-007
RCPTR_51	farmer_adult	TOCDFLIC	Styrene	3.7193E-013	5.1415E-012
RCPTR_51	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4084E-012	1.6719E-012
RCPTR_51	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	5.4749E-013	6.8810E-013
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.9856E-012	3.4361E-011
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.1921E-016	1.6525E-015
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.4656E-017	6.1769E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.5760E-011	2.2629E-010
RCPTR_51	farmer_adult	TOCDFLIC	Thallium (l)	2.3101E-007	2.5308E-007
RCPTR_51	farmer_adult	TOCDFLIC	Toluene	8.9143E-016	1.2058E-014
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0570E-013	1.3212E-012
RCPTR_51	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.7709E-016	5.2364E-015
RCPTR_51	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.4325E-016	4.7834E-015
RCPTR_51	farmer_adult	TOCDFLIC	Trichloroethylene	5.6179E-017	7.7741E-016
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.3779E-018	1.0218E-016
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.3524E-011	1.5064E-010
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.9378E-012	2.9877E-011
RCPTR_51	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.2727E-015	1.7703E-014
RCPTR_51	farmer_adult	TOCDFLIC	Vinyl Chloride	5.4423E-020	7.5735E-019
RCPTR_51	farmer_adult	TOCDFLIC	Xylene, m-	4.7016E-015	1.3297E-014
RCPTR_51	farmer_adult	TOCDFLIC	Xylene, o-	4.1711E-015	1.3970E-014
RCPTR_51	farmer_adult	TOCDFLIC	Xylene, p-	4.7802E-015	1.8111E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Zinc	6.8675E-008	9.7137E-008
RCPTR_51	farmer_adult	TOCDFMPF	Acenaphthene	4.0034E-012	5.2879E-011
RCPTR_51	farmer_adult	TOCDFMPF	Acetone	3.2570E-016	4.5544E-015
RCPTR_51	farmer_adult	TOCDFMPF	Acetophenone	2.0979E-014	2.9250E-013
RCPTR_51	farmer_adult	TOCDFMPF	Aniline	1.2138E-015	1.6812E-014
RCPTR_51	farmer_adult	TOCDFMPF	Anthracene	7.0985E-011	9.3272E-010
RCPTR_51	farmer_adult	TOCDFMPF	Antimony	8.0182E-010	1.0810E-009
RCPTR_51	farmer_adult	TOCDFMPF	Aroclor 1254	1.0306E-011	2.5918E-011
RCPTR_51	farmer_adult	TOCDFMPF	Arsenic	5.6395E-009	6.0178E-009
RCPTR_51	farmer_adult	TOCDFMPF	Barium	6.2053E-009	7.8021E-009
RCPTR_51	farmer_adult	TOCDFMPF	Benzene	4.4356E-016	6.1223E-015
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.3647E-008	7.9802E-008
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.7779E-007	5.1572E-007
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.6098E-007	3.5455E-007
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.4321E-007	7.8859E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Benzoic acid	1.9110E-013	1.8967E-012
RCPTR_51	farmer_adult	TOCDFMPF	Benzyl alcohol	2.7398E-014	3.8145E-013
RCPTR_51	farmer_adult	TOCDFMPF	Beryllium	5.2735E-010	5.9819E-010
RCPTR_51	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.7305E-014	3.8180E-013
RCPTR_51	farmer_adult	TOCDFMPF	Bromodichloromethane	5.3882E-016	7.5165E-015
RCPTR_51	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8741E-014	2.6164E-013
RCPTR_51	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.5414E-009	1.4659E-008
RCPTR_51	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.7202E-010	3.5643E-010
RCPTR_51	farmer_adult	TOCDFMPF	Cadmium	8.2947E-009	1.3431E-008
RCPTR_51	farmer_adult	TOCDFMPF	Carbon disulfide	4.2534E-017	5.8987E-016
RCPTR_51	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.0319E-016	5.5585E-015
RCPTR_51	farmer_adult	TOCDFMPF	Chlorine	3.5086E-009	4.9072E-008
RCPTR_51	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.7223E-012	3.0781E-011
RCPTR_51	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.2827E-013	1.7726E-012
RCPTR_51	farmer_adult	TOCDFMPF	Chlorobenzene	1.6863E-015	2.3049E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Chloroethane	1.0033E-017	1.2960E-016
RCPTR_51	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.8916E-016	4.0308E-015
RCPTR_51	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.0339E-011	1.3821E-010
RCPTR_51	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.5251E-013	4.9243E-012
RCPTR_51	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.0782E-011	1.7087E-010
RCPTR_51	farmer_adult	TOCDFMPF	Chromium	1.5176E-008	1.5289E-008
RCPTR_51	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.2196E-008	1.2597E-008
RCPTR_51	farmer_adult	TOCDFMPF	Chrysene	1.3517E-007	1.7626E-007
RCPTR_51	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.0825E-009	1.4074E-009
RCPTR_51	farmer_adult	TOCDFMPF	Di-n-octylphthalate	5.6654E+000	5.6655E+000
RCPTR_51	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	9.9791E-006	1.0206E-005
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.7506E-014	2.2280E-013
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.0534E-014	2.6994E-013
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.9601E-014	2.5999E-013
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.5159E-010	9.4407E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	6.2641E-019	8.6558E-018
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	9.3400E-017	1.3028E-015
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1596E-016	1.6185E-015
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.5525E-017	4.9313E-016
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.7144E-017	7.9269E-016
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.3726E-012	2.0928E-011
RCPTR_51	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.2332E-016	4.4594E-015
RCPTR_51	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0571E-016	1.4719E-015
RCPTR_51	farmer_adult	TOCDFMPF	Diethyl phthalate	6.9089E-010	7.4650E-010
RCPTR_51	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.2592E-013	2.9169E-012
RCPTR_51	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.4536E-013	3.3541E-012
RCPTR_51	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.5898E-013	1.5378E-012
RCPTR_51	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.4963E-013	3.0674E-012
RCPTR_51	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.8624E-013	2.3684E-012
RCPTR_51	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	5.1147E-015	7.1486E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Ethylbenzene	1.1096E-015	1.4044E-014
RCPTR_51	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.1528E-011	5.5025E-011
RCPTR_51	farmer_adult	TOCDFMPF	Fluoranthene	1.8062E-009	1.1425E-008
RCPTR_51	farmer_adult	TOCDFMPF	Fluorene	1.6281E-011	2.0730E-010
RCPTR_51	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1649E-012	2.3427E-012
RCPTR_51	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.8702E-012	3.0556E-012
RCPTR_51	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.9520E-012	5.3476E-012
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3400E-012	1.4305E-012
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.1988E-013	6.7503E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.4196E-013	5.9809E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.4230E-013	1.0528E-012
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.9986E-013	4.4644E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.5437E-013	3.9527E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.1721E-013	3.5399E-013
RCPTR_51	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.8175E-013	4.3290E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Hexachlorobenzene	7.4597E-010	8.8226E-009
RCPTR_51	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.0580E-012	1.1475E-011
RCPTR_51	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.0312E-013	2.6823E-012
RCPTR_51	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.5896E-005	7.6363E-005
RCPTR_51	farmer_adult	TOCDFMPF	Isophorone	3.6668E-014	5.1110E-013
RCPTR_51	farmer_adult	TOCDFMPF	Lead	4.8157E-009	5.7688E-009
RCPTR_51	farmer_adult	TOCDFMPF	Mercuric chloride	2.7675E-007	2.8886E-007
RCPTR_51	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.7651E-018	9.4498E-017
RCPTR_51	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.9425E-019	5.4991E-018
RCPTR_51	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.6774E-016	5.1414E-015
RCPTR_51	farmer_adult	TOCDFMPF	Methyl mercury	2.5749E-009	2.6892E-009
RCPTR_51	farmer_adult	TOCDFMPF	Methylene chloride	1.8644E-016	2.6018E-015
RCPTR_51	farmer_adult	TOCDFMPF	Mustard	1.7500E-014	2.4366E-013
RCPTR_51	farmer_adult	TOCDFMPF	Naphthalene	1.5899E-013	2.1550E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Nickel	1.0860E-007	1.2242E-007
RCPTR_51	farmer_adult	TOCDFMPF	Nitroaniline, 2-	6.2938E-013	8.6976E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.4863E-013	2.0708E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.9247E-013	2.6752E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitrobenzene	6.1771E-014	8.6276E-013
RCPTR_51	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.8173E-014	3.9276E-013
RCPTR_51	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.8250E-012	5.2847E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.5192E-014	4.8637E-013
RCPTR_51	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.4778E-014	4.7783E-013
RCPTR_51	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	3.2234E-015	4.2731E-014
RCPTR_51	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.1742E-011	5.7423E-011
RCPTR_51	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.0895E-011	1.0066E-010
RCPTR_51	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.5300E-013	5.9758E-013
RCPTR_51	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.1849E-013	8.1726E-013
RCPTR_51	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.2269E-013	4.7976E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.2016E-012	3.2352E-011
RCPTR_51	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.3353E-012	1.2718E-011
RCPTR_51	farmer_adult	TOCDFMPF	Pentachlorophenol	3.0017E-009	5.1332E-009
RCPTR_51	farmer_adult	TOCDFMPF	Phenanthrene	5.0467E-014	6.5741E-013
RCPTR_51	farmer_adult	TOCDFMPF	Phenol	4.9307E-014	6.8324E-013
RCPTR_51	farmer_adult	TOCDFMPF	Pronamide	5.1359E-012	6.4998E-011
RCPTR_51	farmer_adult	TOCDFMPF	Pyrene	2.8252E-009	1.6685E-008
RCPTR_51	farmer_adult	TOCDFMPF	Selenium	1.1782E-009	1.1894E-009
RCPTR_51	farmer_adult	TOCDFMPF	Silver	2.3450E-008	2.7546E-008
RCPTR_51	farmer_adult	TOCDFMPF	Styrene	8.4510E-015	1.1682E-013
RCPTR_51	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.6784E-013	1.9926E-013
RCPTR_51	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.4026E-013	6.7908E-013
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.5474E-012	5.2340E-011
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.6086E-015	5.0025E-014
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.4261E-016	4.7390E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.4742E-011	3.4403E-010
RCPTR_51	farmer_adult	TOCDFMPF	Thallium (l)	7.0589E-009	7.7333E-009
RCPTR_51	farmer_adult	TOCDFMPF	Toluene	5.9594E-016	8.0611E-015
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.6100E-013	2.0126E-012
RCPTR_51	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.2055E-016	3.0627E-015
RCPTR_51	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.6808E-015	2.3423E-014
RCPTR_51	farmer_adult	TOCDFMPF	Trichloroethylene	2.7509E-016	3.8067E-015
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.5867E-016	1.0507E-014
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.0598E-011	2.2946E-010
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.9965E-012	4.5509E-011
RCPTR_51	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	6.2319E-015	8.6684E-014
RCPTR_51	farmer_adult	TOCDFMPF	Vinyl Chloride	1.4880E-019	2.0707E-018
RCPTR_51	farmer_adult	TOCDFMPF	Xylene, m-	4.6873E-015	1.3260E-014
RCPTR_51	farmer_adult	TOCDFMPF	Xylene, o-	4.1584E-015	1.3932E-014
RCPTR_51	farmer_adult	TOCDFMPF	Xylene, p-	4.7658E-015	1.8061E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Zinc	1.9526E-008	2.7620E-008
RCPTR_51	farmer_adult	TOCDHVAC	Mustard	4.6788E-015	6.5181E-014
RCPTR_51	farmer_adult	TOCDLIC2	Acenaphthene	2.6283E-012	3.4714E-011
RCPTR_51	farmer_adult	TOCDLIC2	Acetone	8.9487E-017	1.2513E-015
RCPTR_51	farmer_adult	TOCDLIC2	Acetophenone	1.3146E-014	1.8329E-013
RCPTR_51	farmer_adult	TOCDLIC2	Aniline	7.9685E-016	1.1037E-014
RCPTR_51	farmer_adult	TOCDLIC2	Anthracene	4.6603E-011	6.1232E-010
RCPTR_51	farmer_adult	TOCDLIC2	Antimony	5.8913E-008	7.9424E-008
RCPTR_51	farmer_adult	TOCDLIC2	Arsenic	1.0863E-007	1.1591E-007
RCPTR_51	farmer_adult	TOCDLIC2	Barium	8.7680E-009	1.1024E-008
RCPTR_51	farmer_adult	TOCDLIC2	Benzene	4.9807E-016	6.8747E-015
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.8670E-008	5.2405E-008
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.1385E-007	3.3875E-007
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.7143E-007	2.3286E-007
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.8820E-007	5.1799E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Benzoic acid	4.3348E-014	4.3015E-013
RCPTR_51	farmer_adult	TOCDLIC2	Benzyl alcohol	2.8778E-012	4.0067E-011
RCPTR_51	farmer_adult	TOCDLIC2	Beryllium	1.5489E-008	1.7570E-008
RCPTR_51	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.7925E-014	2.5065E-013
RCPTR_51	farmer_adult	TOCDLIC2	Bromodichloromethane	1.7800E-017	2.4830E-016
RCPTR_51	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.2198E-014	4.4951E-013
RCPTR_51	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0119E-009	9.6234E-009
RCPTR_51	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.7868E-010	2.3410E-010
RCPTR_51	farmer_adult	TOCDLIC2	Cadmium	1.8190E-009	2.9452E-009
RCPTR_51	farmer_adult	TOCDLIC2	Carbon disulfide	1.1676E-016	1.6192E-015
RCPTR_51	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.3230E-015	3.2025E-014
RCPTR_51	farmer_adult	TOCDLIC2	Chlorine	1.9113E-008	2.6731E-007
RCPTR_51	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.4443E-012	2.0208E-011
RCPTR_51	farmer_adult	TOCDLIC2	Chloroaniline, p-	8.4210E-014	1.1637E-012
RCPTR_51	farmer_adult	TOCDLIC2	Chlorobenzene	9.4325E-016	1.2893E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Chloroethane	1.0218E-018	1.3199E-017
RCPTR_51	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	9.2279E-016	1.2864E-014
RCPTR_51	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.7873E-012	9.0731E-011
RCPTR_51	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.3142E-013	3.2327E-012
RCPTR_51	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3647E-011	1.1218E-010
RCPTR_51	farmer_adult	TOCDLIC2	Chromium	8.0078E-008	8.0675E-008
RCPTR_51	farmer_adult	TOCDLIC2	Chromium, hexavalent	6.4356E-008	6.6468E-008
RCPTR_51	farmer_adult	TOCDLIC2	Chrysene	8.8788E-008	1.1576E-007
RCPTR_51	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.0989E-010	1.4286E-010
RCPTR_51	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.7517E-001	5.7517E-001
RCPTR_51	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.5525E-006	6.7012E-006
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.1493E-014	1.4627E-013
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3481E-014	1.7721E-013
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.2868E-014	1.7068E-013
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.1337E-010	3.0909E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.6434E-020	1.0562E-018
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	3.0854E-018	4.3036E-017
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3682E-017	3.3053E-016
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.1736E-018	1.6290E-017
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.1670E-017	1.6188E-016
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.2149E-012	1.3740E-011
RCPTR_51	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.6029E-017	9.1071E-016
RCPTR_51	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.2257E-017	3.0991E-016
RCPTR_51	farmer_adult	TOCDLIC2	Diethyl phthalate	7.0140E-011	7.5782E-011
RCPTR_51	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.1234E-012	2.7413E-011
RCPTR_51	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.6108E-013	2.2019E-012
RCPTR_51	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.0202E-013	1.0115E-012
RCPTR_51	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.6389E-013	2.0137E-012
RCPTR_51	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.2227E-013	1.5548E-012
RCPTR_51	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.3578E-015	4.6930E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Ethylbenzene	2.3774E-016	3.0088E-015
RCPTR_51	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.3054E-010	3.0542E-010
RCPTR_51	farmer_adult	TOCDLIC2	Fluoranthene	1.1861E-009	7.5005E-009
RCPTR_51	farmer_adult	TOCDLIC2	Fluorene	1.0689E-011	1.3609E-010
RCPTR_51	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.5727E-013	6.0300E-013
RCPTR_51	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.8312E-012	1.9494E-012
RCPTR_51	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.2446E-012	4.5834E-012
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.7070E-012	5.0244E-012
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.7982E-012	3.0470E-012
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.3015E-012	2.5397E-012
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.7847E-012	5.3453E-012
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.1580E-012	4.6421E-012
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.2751E-012	4.7681E-012
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.5165E-012	3.9239E-012
RCPTR_51	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.5065E-013	2.8420E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.8977E-010	5.7919E-009
RCPTR_51	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.9465E-013	7.5334E-012
RCPTR_51	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.3335E-013	1.7609E-012
RCPTR_51	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.9850E-005	5.0156E-005
RCPTR_51	farmer_adult	TOCDLIC2	Isophorone	2.4072E-014	3.3553E-013
RCPTR_51	farmer_adult	TOCDLIC2	Lead	4.1767E-008	5.0033E-008
RCPTR_51	farmer_adult	TOCDLIC2	Mercuric chloride	1.6339E-008	1.7054E-008
RCPTR_51	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.3121E-018	1.8328E-017
RCPTR_51	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.3179E-018	3.2331E-017
RCPTR_51	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.8198E-015	2.5443E-014
RCPTR_51	farmer_adult	TOCDLIC2	Methyl mercury	1.5207E-010	1.5882E-010
RCPTR_51	farmer_adult	TOCDLIC2	Methylene chloride	2.3791E-016	3.3201E-015
RCPTR_51	farmer_adult	TOCDLIC2	Mustard	2.5659E-015	3.5727E-014
RCPTR_51	farmer_adult	TOCDLIC2	Naphthalene	1.6131E-014	2.1864E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Nickel	1.7340E-007	1.9546E-007
RCPTR_51	farmer_adult	TOCDLIC2	Nitroaniline, 2-	4.1393E-013	5.7202E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitroaniline, 3-	9.7751E-014	1.3619E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.2659E-013	1.7594E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitrobenzene	4.0552E-014	5.6639E-013
RCPTR_51	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.8495E-014	2.5784E-013
RCPTR_51	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.2009E-012	3.4763E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.3103E-014	3.1929E-013
RCPTR_51	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.2832E-014	3.1369E-013
RCPTR_51	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	2.1163E-015	2.8052E-014
RCPTR_51	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.1610E-013	9.0564E-013
RCPTR_51	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.0422E-013	8.9058E-013
RCPTR_51	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.0615E-011	1.1470E-011
RCPTR_51	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.6604E-012	1.8885E-012
RCPTR_51	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.3236E-012	7.1769E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.0530E-011	1.0639E-010
RCPTR_51	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.7834E-013	8.3645E-012
RCPTR_51	farmer_adult	TOCDLIC2	Pentachlorophenol	3.9436E-010	6.7421E-010
RCPTR_51	farmer_adult	TOCDLIC2	Phenanthrene	3.3132E-014	4.3158E-013
RCPTR_51	farmer_adult	TOCDLIC2	Phenol	3.2370E-014	4.4853E-013
RCPTR_51	farmer_adult	TOCDLIC2	Pronamide	3.3719E-012	4.2671E-011
RCPTR_51	farmer_adult	TOCDLIC2	Pyrene	1.8550E-009	1.0953E-008
RCPTR_51	farmer_adult	TOCDLIC2	Selenium	6.7279E-008	6.7918E-008
RCPTR_51	farmer_adult	TOCDLIC2	Silver	1.7409E-007	2.0450E-007
RCPTR_51	farmer_adult	TOCDLIC2	Styrene	3.7193E-013	5.1415E-012
RCPTR_51	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4084E-012	1.6719E-012
RCPTR_51	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	5.4749E-013	6.8810E-013
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.9856E-012	3.4361E-011
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.1921E-016	1.6525E-015
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.4656E-017	6.1769E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.5760E-011	2.2629E-010
RCPTR_51	farmer_adult	TOCDLIC2	Thallium (l)	2.3101E-007	2.5308E-007
RCPTR_51	farmer_adult	TOCDLIC2	Toluene	8.9143E-016	1.2058E-014
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0570E-013	1.3212E-012
RCPTR_51	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.7709E-016	5.2364E-015
RCPTR_51	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.4325E-016	4.7834E-015
RCPTR_51	farmer_adult	TOCDLIC2	Trichloroethylene	5.6179E-017	7.7741E-016
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.3779E-018	1.0218E-016
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.3524E-011	1.5064E-010
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.9378E-012	2.9877E-011
RCPTR_51	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.2727E-015	1.7703E-014
RCPTR_51	farmer_adult	TOCDLIC2	Vinyl Chloride	5.4423E-020	7.5735E-019
RCPTR_51	farmer_adult	TOCDLIC2	Xylene, m-	9.7703E-015	2.7632E-014
RCPTR_51	farmer_adult	TOCDLIC2	Xylene, o-	8.6678E-015	2.9031E-014
RCPTR_51	farmer_adult	TOCDLIC2	Xylene, p-	9.9335E-015	3.7635E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Zinc	6.8675E-008	9.7137E-008
RCPTR_51	farmer_child	TOCDFBRA	Antimony	1.5145E-008	1.7708E-008
RCPTR_51	farmer_child	TOCDFBRA	Arsenic	2.2447E-008	2.3295E-008
RCPTR_51	farmer_child	TOCDFBRA	Barium	2.0138E-009	2.2775E-009
RCPTR_51	farmer_child	TOCDFBRA	Beryllium	6.5239E-009	6.9170E-009
RCPTR_51	farmer_child	TOCDFBRA	Cadmium	1.3002E-009	1.6243E-009
RCPTR_51	farmer_child	TOCDFBRA	Chromium	1.5523E-007	1.6342E-007
RCPTR_51	farmer_child	TOCDFBRA	Chromium, hexavalent	1.3134E-007	1.3382E-007
RCPTR_51	farmer_child	TOCDFBRA	Lead	7.1133E-008	7.7541E-008
RCPTR_51	farmer_child	TOCDFBRA	Mercuric chloride	1.4473E-005	1.7996E-005
RCPTR_51	farmer_child	TOCDFBRA	Methyl mercury	1.7068E-007	1.8153E-007
RCPTR_51	farmer_child	TOCDFBRA	Nickel	7.5715E-008	8.0624E-008
RCPTR_51	farmer_child	TOCDFBRA	Selenium	2.4659E-008	2.4795E-008
RCPTR_51	farmer_child	TOCDFBRA	Silver	8.8890E-009	9.7288E-009
RCPTR_51	farmer_child	TOCDFBRA	Thallium (l)	2.3289E-007	2.4424E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFBRA	Zinc	4.4671E-008	5.3056E-008
RCPTR_51	farmer_child	TOCDFDFS	Acenaphthene	8.0477E-011	1.6800E-010
RCPTR_51	farmer_child	TOCDFDFS	Acetone	8.8775E-016	1.8624E-015
RCPTR_51	farmer_child	TOCDFDFS	Acetophenone	4.4467E-013	9.3264E-013
RCPTR_51	farmer_child	TOCDFDFS	Aniline	2.5482E-014	5.3414E-014
RCPTR_51	farmer_child	TOCDFDFS	Anthracene	1.4202E-009	2.9634E-009
RCPTR_51	farmer_child	TOCDFDFS	Antimony	1.3822E-009	1.6102E-009
RCPTR_51	farmer_child	TOCDFDFS	Aroclor 1254	2.9482E-011	4.4598E-011
RCPTR_51	farmer_child	TOCDFDFS	Arsenic	2.3997E-009	2.4876E-009
RCPTR_51	farmer_child	TOCDFDFS	Barium	1.6938E-009	1.9097E-009
RCPTR_51	farmer_child	TOCDFDFS	Benzene	3.1756E-015	6.6546E-015
RCPTR_51	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.9917E-007	2.5299E-007
RCPTR_51	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.5781E-006	1.6376E-006
RCPTR_51	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	9.7993E-007	1.1210E-006
RCPTR_51	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.4412E-006	2.5021E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Benzoic acid	2.9693E-013	6.0237E-013
RCPTR_51	farmer_child	TOCDFDFS	Benzyl alcohol	5.7792E-013	1.2120E-012
RCPTR_51	farmer_child	TOCDFDFS	Beryllium	1.3669E-009	1.4472E-009
RCPTR_51	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.7825E-013	1.2131E-012
RCPTR_51	farmer_child	TOCDFDFS	Bromodichloromethane	1.0282E-015	2.1565E-015
RCPTR_51	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6448E-013	3.4502E-013
RCPTR_51	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.7059E-008	4.6576E-008
RCPTR_51	farmer_child	TOCDFDFS	Butylbenzylphthalate	9.8654E-010	1.1378E-009
RCPTR_51	farmer_child	TOCDFDFS	Cadmium	5.7744E-010	7.1824E-010
RCPTR_51	farmer_child	TOCDFDFS	Carbon disulfide	5.6709E-016	1.1888E-015
RCPTR_51	farmer_child	TOCDFDFS	Carbon tetrachloride	8.9865E-016	1.8830E-015
RCPTR_51	farmer_child	TOCDFDFS	Chlorine	1.7922E-014	3.7599E-014
RCPTR_51	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.9269E-011	9.7725E-011
RCPTR_51	farmer_child	TOCDFDFS	Chloroaniline, p-	2.6873E-012	5.6319E-012
RCPTR_51	farmer_child	TOCDFDFS	Chlorobenzene	5.2599E-015	1.1013E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Chloroethane	1.4821E-017	3.0879E-017
RCPTR_51	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.0930E-016	1.4876E-015
RCPTR_51	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.1011E-010	4.3910E-010
RCPTR_51	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.4585E-012	1.5646E-011
RCPTR_51	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.7388E-010	5.4265E-010
RCPTR_51	farmer_child	TOCDFDFS	Chromium	4.2834E-008	4.5035E-008
RCPTR_51	farmer_child	TOCDFDFS	Chromium, hexavalent	3.6409E-008	3.7076E-008
RCPTR_51	farmer_child	TOCDFDFS	Chrysene	4.9984E-007	5.5703E-007
RCPTR_51	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.8522E-009	4.4341E-009
RCPTR_51	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.7744E+001	1.7744E+001
RCPTR_51	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.1995E-005	3.2325E-005
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.4019E-013	7.0783E-013
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.1097E-013	8.5760E-013
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.9552E-013	8.2601E-013
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.4619E-009	2.9850E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.2393E-018	2.5972E-018
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.9680E-016	6.2252E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.6871E-016	7.7338E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.1239E-016	2.3564E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8067E-016	3.7878E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.4965E-011	6.6403E-011
RCPTR_51	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.0169E-015	2.1309E-015
RCPTR_51	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.3538E-016	7.0333E-016
RCPTR_51	farmer_child	TOCDFDFS	Diethyl phthalate	2.2413E-009	2.3409E-009
RCPTR_51	farmer_child	TOCDFDFS	Dimethyl phthalate	6.7209E-012	1.4002E-011
RCPTR_51	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	5.0894E-012	1.0657E-011
RCPTR_51	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.9438E-012	4.8792E-012
RCPTR_51	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.7000E-012	9.7462E-012
RCPTR_51	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.6168E-012	7.5247E-012
RCPTR_51	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.0827E-013	2.2713E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Ethylbenzene	3.2265E-015	6.7100E-015
RCPTR_51	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.6725E-010	1.9392E-010
RCPTR_51	farmer_child	TOCDFDFS	Fluoranthene	2.0172E-008	3.6275E-008
RCPTR_51	farmer_child	TOCDFDFS	Fluorene	3.1651E-010	6.5858E-010
RCPTR_51	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.8934E-014	7.1421E-014
RCPTR_51	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.8792E-014	6.0485E-014
RCPTR_51	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8484E-013	1.9133E-013
RCPTR_51	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5464E-012	1.5927E-012
RCPTR_51	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.1868E-013	9.5431E-013
RCPTR_51	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.1191E-013	7.4365E-013
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.0253E-013	5.2758E-013
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.5485E-013	4.7741E-013
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.4081E-013	5.6740E-013
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.1478E-013	4.3525E-013
RCPTR_51	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.6846E-012	1.3753E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Hexachlorobenzene	1.3587E-008	2.8028E-008
RCPTR_51	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.7802E-011	3.6457E-011
RCPTR_51	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.0820E-012	8.5216E-012
RCPTR_51	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3929E-004	2.3999E-004
RCPTR_51	farmer_child	TOCDFDFS	Isophorone	7.7427E-013	1.6239E-012
RCPTR_51	farmer_child	TOCDFDFS	Lead	8.8362E-009	9.6136E-009
RCPTR_51	farmer_child	TOCDFDFS	Mercuric chloride	5.6630E-009	7.0770E-009
RCPTR_51	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.2958E-017	2.7181E-017
RCPTR_51	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.5547E-018	5.3584E-018
RCPTR_51	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.3639E-015	1.3350E-014
RCPTR_51	farmer_child	TOCDFDFS	Methyl mercury	6.2363E-011	6.6718E-011
RCPTR_51	farmer_child	TOCDFDFS	Methylene chloride	3.8281E-016	8.0294E-016
RCPTR_51	farmer_child	TOCDFDFS	Mustard	4.5100E-014	9.4579E-014
RCPTR_51	farmer_child	TOCDFDFS	Naphthalene	3.2723E-012	6.8467E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Nickel	1.7224E-007	1.8309E-007
RCPTR_51	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.3209E-011	2.7683E-011
RCPTR_51	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.1427E-012	6.5909E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitroaniline, 4-	4.0609E-012	8.5148E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitrobenzene	1.3068E-012	2.7412E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.9499E-013	1.2479E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.0544E-011	1.6750E-011
RCPTR_51	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.3732E-013	1.5453E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.2473E-013	1.5181E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.5036E-014	1.3579E-013
RCPTR_51	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1261E-013	1.1791E-013
RCPTR_51	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1839E-013	1.2384E-013
RCPTR_51	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.8102E-012	2.9089E-012
RCPTR_51	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.6117E-013	3.8199E-013
RCPTR_51	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4540E-012	1.5365E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Pentachlorobenzene	5.0653E-011	1.0286E-010
RCPTR_51	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0090E-011	4.0510E-011
RCPTR_51	farmer_child	TOCDFDFS	Pentachlorophenol	1.2386E-008	1.6210E-008
RCPTR_51	farmer_child	TOCDFDFS	Phenanthrene	1.0017E-012	2.0886E-012
RCPTR_51	farmer_child	TOCDFDFS	Phenol	1.0355E-012	2.1708E-012
RCPTR_51	farmer_child	TOCDFDFS	Pronamide	9.9293E-011	2.0649E-010
RCPTR_51	farmer_child	TOCDFDFS	Pyrene	3.3731E-008	5.2991E-008
RCPTR_51	farmer_child	TOCDFDFS	Selenium	2.6385E-009	2.6526E-009
RCPTR_51	farmer_child	TOCDFDFS	Silver	1.8749E-008	2.0471E-008
RCPTR_51	farmer_child	TOCDFDFS	Styrene	3.8525E-014	8.0743E-014
RCPTR_51	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	9.2373E-013	9.9384E-013
RCPTR_51	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.9387E-013	3.2336E-013
RCPTR_51	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.0675E-011	1.6626E-010
RCPTR_51	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8209E-012	2.2389E-012
RCPTR_51	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0804E-015	2.2645E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.2697E-010	1.0921E-009
RCPTR_51	farmer_child	TOCDFDFS	Thallium (l)	2.4349E-006	2.5501E-006
RCPTR_51	farmer_child	TOCDFDFS	Toluene	1.4458E-015	3.0245E-015
RCPTR_51	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.0780E-012	6.3939E-012
RCPTR_51	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	9.0065E-016	1.8883E-015
RCPTR_51	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.3366E-015	1.1192E-014
RCPTR_51	farmer_child	TOCDFDFS	Trichloroethylene	8.6782E-016	1.8190E-015
RCPTR_51	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1987E-016	2.5126E-016
RCPTR_51	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.5482E-010	7.2885E-010
RCPTR_51	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.7047E-010	7.2614E-010
RCPTR_51	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.9753E-014	4.1421E-014
RCPTR_51	farmer_child	TOCDFDFS	Vinyl Chloride	2.8193E-019	5.9120E-019
RCPTR_51	farmer_child	TOCDFDFS	Xylene, m-	9.4181E-015	1.4715E-014
RCPTR_51	farmer_child	TOCDFDFS	Xylene, o-	8.1998E-015	1.3475E-014
RCPTR_51	farmer_child	TOCDFDFS	Xylene, p-	1.1751E-014	1.9966E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Zinc	8.9604E-009	1.0601E-008
RCPTR_51	farmer_child	TOCDFLIC	Acenaphthene	1.6630E-011	3.4714E-011
RCPTR_51	farmer_child	TOCDFLIC	Acetone	5.9648E-016	1.2513E-015
RCPTR_51	farmer_child	TOCDFLIC	Acetophenone	8.7393E-014	1.8329E-013
RCPTR_51	farmer_child	TOCDFLIC	Aniline	5.2651E-015	1.1037E-014
RCPTR_51	farmer_child	TOCDFLIC	Anthracene	2.9346E-010	6.1232E-010
RCPTR_51	farmer_child	TOCDFLIC	Antimony	6.8216E-008	7.9424E-008
RCPTR_51	farmer_child	TOCDFLIC	Arsenic	1.1183E-007	1.1591E-007
RCPTR_51	farmer_child	TOCDFLIC	Barium	9.7818E-009	1.1024E-008
RCPTR_51	farmer_child	TOCDFLIC	Benzene	3.2806E-015	6.8747E-015
RCPTR_51	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.1301E-008	5.2405E-008
RCPTR_51	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.2666E-007	3.3875E-007
RCPTR_51	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.0376E-007	2.3286E-007
RCPTR_51	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.0572E-007	5.1799E-007
RCPTR_51	farmer_child	TOCDFLIC	Benzoic acid	2.1214E-013	4.3015E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Benzyl alcohol	1.9106E-011	4.0067E-011
RCPTR_51	farmer_child	TOCDFLIC	Beryllium	1.6599E-008	1.7570E-008
RCPTR_51	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.1948E-013	2.5065E-013
RCPTR_51	farmer_child	TOCDFLIC	Bromodichloromethane	1.1838E-016	2.4830E-016
RCPTR_51	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.1430E-013	4.4951E-013
RCPTR_51	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.5908E-009	9.6234E-009
RCPTR_51	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.0286E-010	2.3410E-010
RCPTR_51	farmer_child	TOCDFLIC	Cadmium	2.3694E-009	2.9452E-009
RCPTR_51	farmer_child	TOCDFLIC	Carbon disulfide	7.7237E-016	1.6192E-015
RCPTR_51	farmer_child	TOCDFLIC	Carbon tetrachloride	1.5284E-014	3.2025E-014
RCPTR_51	farmer_child	TOCDFLIC	Chlorine	1.2742E-007	2.6731E-007
RCPTR_51	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.0196E-011	2.0208E-011
RCPTR_51	farmer_child	TOCDFLIC	Chloroaniline, p-	5.5526E-013	1.1637E-012
RCPTR_51	farmer_child	TOCDFLIC	Chlorobenzene	6.1575E-015	1.2893E-014
RCPTR_51	farmer_child	TOCDFLIC	Chloroethane	6.3354E-018	1.3199E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	6.1334E-015	1.2864E-014
RCPTR_51	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.3418E-011	9.0731E-011
RCPTR_51	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.5411E-012	3.2327E-012
RCPTR_51	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.6642E-011	1.1218E-010
RCPTR_51	farmer_child	TOCDFLIC	Chromium	7.6746E-008	8.0675E-008
RCPTR_51	farmer_child	TOCDFLIC	Chromium, hexavalent	6.5278E-008	6.6468E-008
RCPTR_51	farmer_child	TOCDFLIC	Chrysene	1.0398E-007	1.1576E-007
RCPTR_51	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.2428E-010	1.4286E-010
RCPTR_51	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.7517E-001	5.7517E-001
RCPTR_51	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.6362E-006	6.7012E-006
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.0303E-014	1.4627E-013
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.4926E-014	1.7721E-013
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.1732E-014	1.7068E-013
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5514E-010	3.0909E-010
RCPTR_51	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.0395E-019	1.0562E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.0519E-017	4.3036E-017
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5758E-016	3.3053E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.7699E-018	1.6290E-017
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.7218E-017	1.6188E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	7.2439E-012	1.3740E-011
RCPTR_51	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.3462E-016	9.1071E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.4778E-016	3.0991E-016
RCPTR_51	farmer_child	TOCDFLIC	Diethyl phthalate	7.2602E-011	7.5782E-011
RCPTR_51	farmer_child	TOCDFLIC	Dimethyl phthalate	1.3159E-011	2.7413E-011
RCPTR_51	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.0516E-012	2.2019E-012
RCPTR_51	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.1162E-013	1.0115E-012
RCPTR_51	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.7109E-013	2.0137E-012
RCPTR_51	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.4740E-013	1.5548E-012
RCPTR_51	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.2371E-014	4.6930E-014
RCPTR_51	farmer_child	TOCDFLIC	Ethylbenzene	1.4469E-015	3.0088E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.6321E-010	3.0542E-010
RCPTR_51	farmer_child	TOCDFLIC	Fluoranthene	4.1734E-009	7.5005E-009
RCPTR_51	farmer_child	TOCDFLIC	Fluorene	6.5409E-011	1.3609E-010
RCPTR_51	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.8242E-013	6.0300E-013
RCPTR_51	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.8963E-012	1.9494E-012
RCPTR_51	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.4312E-012	4.5834E-012
RCPTR_51	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.8817E-012	5.0244E-012
RCPTR_51	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.9354E-012	3.0470E-012
RCPTR_51	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.4328E-012	2.5397E-012
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.0938E-012	5.3453E-012
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.4247E-012	4.6421E-012
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.5468E-012	4.7681E-012
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.7411E-012	3.9239E-012
RCPTR_51	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.3814E-012	2.8420E-012
RCPTR_51	farmer_child	TOCDFLIC	Hexachlorobenzene	2.8081E-009	5.7919E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.6789E-012	7.5334E-012
RCPTR_51	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.4354E-013	1.7609E-012
RCPTR_51	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.0016E-005	5.0156E-005
RCPTR_51	farmer_child	TOCDFLIC	Isophorone	1.5998E-013	3.3553E-013
RCPTR_51	farmer_child	TOCDFLIC	Lead	4.6000E-008	5.0033E-008
RCPTR_51	farmer_child	TOCDFLIC	Mercuric chloride	1.3635E-008	1.7054E-008
RCPTR_51	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.7371E-018	1.8328E-017
RCPTR_51	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.5415E-017	3.2331E-017
RCPTR_51	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2128E-014	2.5443E-014
RCPTR_51	farmer_child	TOCDFLIC	Methyl mercury	1.4828E-010	1.5882E-010
RCPTR_51	farmer_child	TOCDFLIC	Methylene chloride	1.5829E-015	3.3201E-015
RCPTR_51	farmer_child	TOCDFLIC	Mustard	1.6387E-014	3.4366E-014
RCPTR_51	farmer_child	TOCDFLIC	Naphthalene	1.0450E-013	2.1864E-013
RCPTR_51	farmer_child	TOCDFLIC	Nickel	1.8392E-007	1.9546E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.7294E-012	5.7202E-012
RCPTR_51	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.4938E-013	1.3619E-012
RCPTR_51	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.3910E-013	1.7594E-012
RCPTR_51	farmer_child	TOCDFLIC	Nitrobenzene	2.7001E-013	5.6639E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.2294E-013	2.5784E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.1938E-013	3.4763E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5235E-013	3.1929E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4975E-013	3.1369E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.3434E-014	2.8052E-014
RCPTR_51	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.6537E-013	9.0564E-013
RCPTR_51	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.5171E-013	8.9058E-013
RCPTR_51	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1088E-011	1.1470E-011
RCPTR_51	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.7865E-012	1.8885E-012
RCPTR_51	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.7948E-012	7.1769E-012
RCPTR_51	farmer_child	TOCDFLIC	Pentachlorobenzene	5.2358E-011	1.0639E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.1450E-012	8.3645E-012
RCPTR_51	farmer_child	TOCDFLIC	Pentachlorophenol	5.1648E-010	6.7421E-010
RCPTR_51	farmer_child	TOCDFLIC	Phenanthrene	2.0700E-013	4.3158E-013
RCPTR_51	farmer_child	TOCDFLIC	Phenol	2.1397E-013	4.4853E-013
RCPTR_51	farmer_child	TOCDFLIC	Pronamide	2.0521E-011	4.2671E-011
RCPTR_51	farmer_child	TOCDFLIC	Pyrene	6.9742E-009	1.0953E-008
RCPTR_51	farmer_child	TOCDFLIC	Selenium	6.7558E-008	6.7918E-008
RCPTR_51	farmer_child	TOCDFLIC	Silver	1.8736E-007	2.0450E-007
RCPTR_51	farmer_child	TOCDFLIC	Styrene	2.4532E-012	5.1415E-012
RCPTR_51	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.5548E-012	1.6719E-012
RCPTR_51	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.2569E-013	6.8810E-013
RCPTR_51	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6677E-011	3.4361E-011
RCPTR_51	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.8830E-016	1.6525E-015
RCPTR_51	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.9471E-016	6.1769E-016
RCPTR_51	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.3017E-010	2.2629E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Thallium (l)	2.4169E-007	2.5308E-007
RCPTR_51	farmer_child	TOCDFLIC	Toluene	5.7640E-015	1.2058E-014
RCPTR_51	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.3612E-013	1.3212E-012
RCPTR_51	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.4976E-015	5.2364E-015
RCPTR_51	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.2808E-015	4.7834E-015
RCPTR_51	farmer_child	TOCDFLIC	Trichloroethylene	3.7090E-016	7.7741E-016
RCPTR_51	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.8745E-017	1.0218E-016
RCPTR_51	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.3356E-011	1.5064E-010
RCPTR_51	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.5257E-011	2.9877E-011
RCPTR_51	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.4422E-015	1.7703E-014
RCPTR_51	farmer_child	TOCDFLIC	Vinyl Chloride	3.6115E-019	7.5735E-019
RCPTR_51	farmer_child	TOCDFLIC	Xylene, m-	8.4524E-015	1.3297E-014
RCPTR_51	farmer_child	TOCDFLIC	Xylene, o-	8.4471E-015	1.3970E-014
RCPTR_51	farmer_child	TOCDFLIC	Xylene, p-	1.0597E-014	1.8111E-014
RCPTR_51	farmer_child	TOCDFLIC	Zinc	8.2150E-008	9.7137E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Acenaphthene	2.5331E-011	5.2879E-011
RCPTR_51	farmer_child	TOCDFMPF	Acetone	2.1710E-015	4.5544E-015
RCPTR_51	farmer_child	TOCDFMPF	Acetophenone	1.3946E-013	2.9250E-013
RCPTR_51	farmer_child	TOCDFMPF	Aniline	8.0202E-015	1.6812E-014
RCPTR_51	farmer_child	TOCDFMPF	Anthracene	4.4702E-010	9.3272E-010
RCPTR_51	farmer_child	TOCDFMPF	Antimony	9.2845E-010	1.0810E-009
RCPTR_51	farmer_child	TOCDFMPF	Aroclor 1254	1.7119E-011	2.5918E-011
RCPTR_51	farmer_child	TOCDFMPF	Arsenic	5.8059E-009	6.0178E-009
RCPTR_51	farmer_child	TOCDFMPF	Barium	6.9229E-009	7.8021E-009
RCPTR_51	farmer_child	TOCDFMPF	Benzene	2.9216E-015	6.1223E-015
RCPTR_51	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.2888E-008	7.9802E-008
RCPTR_51	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.9731E-007	5.1572E-007
RCPTR_51	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.1023E-007	3.5455E-007
RCPTR_51	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.6989E-007	7.8859E-007
RCPTR_51	farmer_child	TOCDFMPF	Benzoic acid	9.3537E-013	1.8967E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Benzyl alcohol	1.8190E-013	3.8145E-013
RCPTR_51	farmer_child	TOCDFMPF	Beryllium	5.6514E-010	5.9819E-010
RCPTR_51	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.8200E-013	3.8180E-013
RCPTR_51	farmer_child	TOCDFMPF	Bromodichloromethane	3.5836E-015	7.5165E-015
RCPTR_51	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2473E-013	2.6164E-013
RCPTR_51	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	8.5163E-009	1.4659E-008
RCPTR_51	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.0885E-010	3.5643E-010
RCPTR_51	farmer_child	TOCDFMPF	Cadmium	1.0805E-008	1.3431E-008
RCPTR_51	farmer_child	TOCDFMPF	Carbon disulfide	2.8138E-016	5.8987E-016
RCPTR_51	farmer_child	TOCDFMPF	Carbon tetrachloride	2.6528E-015	5.5585E-015
RCPTR_51	farmer_child	TOCDFMPF	Chlorine	2.3391E-008	4.9072E-008
RCPTR_51	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.5530E-011	3.0781E-011
RCPTR_51	farmer_child	TOCDFMPF	Chloroaniline, p-	8.4581E-013	1.7726E-012
RCPTR_51	farmer_child	TOCDFMPF	Chlorobenzene	1.1008E-014	2.3049E-014
RCPTR_51	farmer_child	TOCDFMPF	Chloroethane	6.2207E-017	1.2960E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.9219E-015	4.0308E-015
RCPTR_51	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.6136E-011	1.3821E-010
RCPTR_51	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.3475E-012	4.9243E-012
RCPTR_51	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.6274E-011	1.7087E-010
RCPTR_51	farmer_child	TOCDFMPF	Chromium	1.4545E-008	1.5289E-008
RCPTR_51	farmer_child	TOCDFMPF	Chromium, hexavalent	1.2371E-008	1.2597E-008
RCPTR_51	farmer_child	TOCDFMPF	Chrysene	1.5831E-007	1.7626E-007
RCPTR_51	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.2243E-009	1.4074E-009
RCPTR_51	farmer_child	TOCDFMPF	Di-n-octylphthalate	5.6655E+000	5.6655E+000
RCPTR_51	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.0107E-005	1.0206E-005
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.0709E-013	2.2280E-013
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2936E-013	2.6994E-013
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2450E-013	2.5999E-013
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.7922E-010	9.4407E-010
RCPTR_51	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.1302E-018	8.6558E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethane 1,1-	6.2113E-016	1.3028E-015
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.7162E-016	1.6185E-015
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.3521E-016	4.9313E-016
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.7811E-016	7.9269E-016
RCPTR_51	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.1033E-011	2.0928E-011
RCPTR_51	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.1282E-015	4.4594E-015
RCPTR_51	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.0187E-016	1.4719E-015
RCPTR_51	farmer_child	TOCDFMPF	Diethyl phthalate	7.1516E-010	7.4650E-010
RCPTR_51	farmer_child	TOCDFMPF	Dimethyl phthalate	1.4002E-012	2.9169E-012
RCPTR_51	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.6019E-012	3.3541E-012
RCPTR_51	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	9.2973E-013	1.5378E-012
RCPTR_51	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.4792E-012	3.0674E-012
RCPTR_51	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.1385E-012	2.3684E-012
RCPTR_51	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.4077E-014	7.1486E-014
RCPTR_51	farmer_child	TOCDFMPF	Ethylbenzene	6.7536E-015	1.4044E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.7418E-011	5.5025E-011
RCPTR_51	farmer_child	TOCDFMPF	Fluoranthene	6.3566E-009	1.1425E-008
RCPTR_51	farmer_child	TOCDFMPF	Fluorene	9.9634E-011	2.0730E-010
RCPTR_51	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.2627E-012	2.3427E-012
RCPTR_51	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.9723E-012	3.0556E-012
RCPTR_51	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.1698E-012	5.3476E-012
RCPTR_51	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3898E-012	1.4305E-012
RCPTR_51	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.5027E-013	6.7503E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.7289E-013	5.9809E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0032E-012	1.0528E-012
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.2552E-013	4.4644E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.7691E-013	3.9527E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.3748E-013	3.5399E-013
RCPTR_51	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.1042E-012	4.3290E-012
RCPTR_51	farmer_child	TOCDFMPF	Hexachlorobenzene	4.2774E-009	8.8226E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.6037E-012	1.1475E-011
RCPTR_51	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2849E-012	2.6823E-012
RCPTR_51	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.6150E-005	7.6363E-005
RCPTR_51	farmer_child	TOCDFMPF	Isophorone	2.4369E-013	5.1110E-013
RCPTR_51	farmer_child	TOCDFMPF	Lead	5.3038E-009	5.7688E-009
RCPTR_51	farmer_child	TOCDFMPF	Mercuric chloride	2.3094E-007	2.8886E-007
RCPTR_51	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.5049E-017	9.4498E-017
RCPTR_51	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.6218E-018	5.4991E-018
RCPTR_51	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.4508E-015	5.1414E-015
RCPTR_51	farmer_child	TOCDFMPF	Methyl mercury	2.5108E-009	2.6892E-009
RCPTR_51	farmer_child	TOCDFMPF	Methylene chloride	1.2404E-015	2.6018E-015
RCPTR_51	farmer_child	TOCDFMPF	Mustard	1.1619E-013	2.4366E-013
RCPTR_51	farmer_child	TOCDFMPF	Naphthalene	1.0300E-012	2.1550E-012
RCPTR_51	farmer_child	TOCDFMPF	Nickel	1.1519E-007	1.2242E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Nitroaniline, 2-	4.1501E-012	8.6976E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitroaniline, 3-	9.8738E-013	2.0708E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.2758E-012	2.6752E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitrobenzene	4.1130E-013	8.6276E-013
RCPTR_51	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.8727E-013	3.9276E-013
RCPTR_51	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.3347E-012	5.2847E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.3207E-013	4.8637E-013
RCPTR_51	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.2811E-013	4.7783E-013
RCPTR_51	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	2.0463E-014	4.2731E-014
RCPTR_51	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.4868E-011	5.7423E-011
RCPTR_51	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.6266E-011	1.0066E-010
RCPTR_51	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.7766E-013	5.9758E-013
RCPTR_51	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.7311E-013	8.1726E-013
RCPTR_51	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.5420E-013	4.7976E-013
RCPTR_51	farmer_child	TOCDFMPF	Pentachlorobenzene	1.5922E-011	3.2352E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.3023E-012	1.2718E-011
RCPTR_51	farmer_child	TOCDFMPF	Pentachlorophenol	3.9318E-009	5.1332E-009
RCPTR_51	farmer_child	TOCDFMPF	Phenanthrene	3.1532E-013	6.5741E-013
RCPTR_51	farmer_child	TOCDFMPF	Phenol	3.2593E-013	6.8324E-013
RCPTR_51	farmer_child	TOCDFMPF	Pronamide	3.1258E-011	6.4998E-011
RCPTR_51	farmer_child	TOCDFMPF	Pyrene	1.0623E-008	1.6685E-008
RCPTR_51	farmer_child	TOCDFMPF	Selenium	1.1831E-009	1.1894E-009
RCPTR_51	farmer_child	TOCDFMPF	Silver	2.5237E-008	2.7546E-008
RCPTR_51	farmer_child	TOCDFMPF	Styrene	5.5742E-014	1.1682E-013
RCPTR_51	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8529E-013	1.9926E-013
RCPTR_51	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.1747E-013	6.7908E-013
RCPTR_51	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.5402E-011	5.2340E-011
RCPTR_51	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3863E-014	5.0025E-014
RCPTR_51	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.2611E-015	4.7390E-015
RCPTR_51	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.9789E-010	3.4403E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Thallium (l)	7.3854E-009	7.7333E-009
RCPTR_51	farmer_child	TOCDFMPF	Toluene	3.8535E-015	8.0611E-015
RCPTR_51	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.6896E-013	2.0126E-012
RCPTR_51	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.4608E-015	3.0627E-015
RCPTR_51	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.1168E-014	2.3423E-014
RCPTR_51	farmer_child	TOCDFMPF	Trichloroethylene	1.8162E-015	3.8067E-015
RCPTR_51	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.0124E-015	1.0507E-014
RCPTR_51	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1174E-010	2.2946E-010
RCPTR_51	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.3239E-011	4.5509E-011
RCPTR_51	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	4.1339E-014	8.6684E-014
RCPTR_51	farmer_child	TOCDFMPF	Vinyl Chloride	9.8746E-019	2.0707E-018
RCPTR_51	farmer_child	TOCDFMPF	Xylene, m-	8.4282E-015	1.3260E-014
RCPTR_51	farmer_child	TOCDFMPF	Xylene, o-	8.4233E-015	1.3932E-014
RCPTR_51	farmer_child	TOCDFMPF	Xylene, p-	1.0568E-014	1.8061E-014
RCPTR_51	farmer_child	TOCDFMPF	Zinc	2.3358E-008	2.7620E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDHVAC	Mustard	3.1080E-014	6.5181E-014
RCPTR_51	farmer_child	TOCDLIC2	Acenaphthene	1.6630E-011	3.4714E-011
RCPTR_51	farmer_child	TOCDLIC2	Acetone	5.9648E-016	1.2513E-015
RCPTR_51	farmer_child	TOCDLIC2	Acetophenone	8.7393E-014	1.8329E-013
RCPTR_51	farmer_child	TOCDLIC2	Aniline	5.2651E-015	1.1037E-014
RCPTR_51	farmer_child	TOCDLIC2	Anthracene	2.9346E-010	6.1232E-010
RCPTR_51	farmer_child	TOCDLIC2	Antimony	6.8216E-008	7.9424E-008
RCPTR_51	farmer_child	TOCDLIC2	Arsenic	1.1183E-007	1.1591E-007
RCPTR_51	farmer_child	TOCDLIC2	Barium	9.7818E-009	1.1024E-008
RCPTR_51	farmer_child	TOCDLIC2	Benzene	3.2806E-015	6.8747E-015
RCPTR_51	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.1301E-008	5.2405E-008
RCPTR_51	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.2666E-007	3.3875E-007
RCPTR_51	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.0376E-007	2.3286E-007
RCPTR_51	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.0572E-007	5.1799E-007
RCPTR_51	farmer_child	TOCDLIC2	Benzoic acid	2.1214E-013	4.3015E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Benzyl alcohol	1.9106E-011	4.0067E-011
RCPTR_51	farmer_child	TOCDLIC2	Beryllium	1.6599E-008	1.7570E-008
RCPTR_51	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.1948E-013	2.5065E-013
RCPTR_51	farmer_child	TOCDLIC2	Bromodichloromethane	1.1838E-016	2.4830E-016
RCPTR_51	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.1430E-013	4.4951E-013
RCPTR_51	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	5.5908E-009	9.6234E-009
RCPTR_51	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.0286E-010	2.3410E-010
RCPTR_51	farmer_child	TOCDLIC2	Cadmium	2.3694E-009	2.9452E-009
RCPTR_51	farmer_child	TOCDLIC2	Carbon disulfide	7.7237E-016	1.6192E-015
RCPTR_51	farmer_child	TOCDLIC2	Carbon tetrachloride	1.5284E-014	3.2025E-014
RCPTR_51	farmer_child	TOCDLIC2	Chlorine	1.2742E-007	2.6731E-007
RCPTR_51	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0196E-011	2.0208E-011
RCPTR_51	farmer_child	TOCDLIC2	Chloroaniline, p-	5.5526E-013	1.1637E-012
RCPTR_51	farmer_child	TOCDLIC2	Chlorobenzene	6.1575E-015	1.2893E-014
RCPTR_51	farmer_child	TOCDLIC2	Chloroethane	6.3354E-018	1.3199E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	6.1334E-015	1.2864E-014
RCPTR_51	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.3418E-011	9.0731E-011
RCPTR_51	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.5411E-012	3.2327E-012
RCPTR_51	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.6642E-011	1.1218E-010
RCPTR_51	farmer_child	TOCDLIC2	Chromium	7.6746E-008	8.0675E-008
RCPTR_51	farmer_child	TOCDLIC2	Chromium, hexavalent	6.5278E-008	6.6468E-008
RCPTR_51	farmer_child	TOCDLIC2	Chrysene	1.0398E-007	1.1576E-007
RCPTR_51	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2428E-010	1.4286E-010
RCPTR_51	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.7517E-001	5.7517E-001
RCPTR_51	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.6362E-006	6.7012E-006
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	7.0303E-014	1.4627E-013
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	8.4926E-014	1.7721E-013
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	8.1732E-014	1.7068E-013
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5514E-010	3.0909E-010
RCPTR_51	farmer_child	TOCDLIC2	Dichlorodifluoromethane	5.0395E-019	1.0562E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.0519E-017	4.3036E-017
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5758E-016	3.3053E-016
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.7699E-018	1.6290E-017
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.7218E-017	1.6188E-016
RCPTR_51	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	7.2439E-012	1.3740E-011
RCPTR_51	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.3462E-016	9.1071E-016
RCPTR_51	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.4778E-016	3.0991E-016
RCPTR_51	farmer_child	TOCDLIC2	Diethyl phthalate	7.2602E-011	7.5782E-011
RCPTR_51	farmer_child	TOCDLIC2	Dimethyl phthalate	1.3159E-011	2.7413E-011
RCPTR_51	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.0516E-012	2.2019E-012
RCPTR_51	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.1162E-013	1.0115E-012
RCPTR_51	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	9.7109E-013	2.0137E-012
RCPTR_51	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	7.4740E-013	1.5548E-012
RCPTR_51	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.2371E-014	4.6930E-014
RCPTR_51	farmer_child	TOCDLIC2	Ethylbenzene	1.4469E-015	3.0088E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.6321E-010	3.0542E-010
RCPTR_51	farmer_child	TOCDLIC2	Fluoranthene	4.1734E-009	7.5005E-009
RCPTR_51	farmer_child	TOCDLIC2	Fluorene	6.5409E-011	1.3609E-010
RCPTR_51	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.8242E-013	6.0300E-013
RCPTR_51	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.8963E-012	1.9494E-012
RCPTR_51	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.4312E-012	4.5834E-012
RCPTR_51	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.8817E-012	5.0244E-012
RCPTR_51	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.9354E-012	3.0470E-012
RCPTR_51	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.4328E-012	2.5397E-012
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.0938E-012	5.3453E-012
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.4247E-012	4.6421E-012
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.5468E-012	4.7681E-012
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.7411E-012	3.9239E-012
RCPTR_51	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.3814E-012	2.8420E-012
RCPTR_51	farmer_child	TOCDLIC2	Hexachlorobenzene	2.8081E-009	5.7919E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.6789E-012	7.5334E-012
RCPTR_51	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.4354E-013	1.7609E-012
RCPTR_51	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.0016E-005	5.0156E-005
RCPTR_51	farmer_child	TOCDLIC2	Isophorone	1.5998E-013	3.3553E-013
RCPTR_51	farmer_child	TOCDLIC2	Lead	4.6000E-008	5.0033E-008
RCPTR_51	farmer_child	TOCDLIC2	Mercuric chloride	1.3635E-008	1.7054E-008
RCPTR_51	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.7371E-018	1.8328E-017
RCPTR_51	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.5415E-017	3.2331E-017
RCPTR_51	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2128E-014	2.5443E-014
RCPTR_51	farmer_child	TOCDLIC2	Methyl mercury	1.4828E-010	1.5882E-010
RCPTR_51	farmer_child	TOCDLIC2	Methylene chloride	1.5829E-015	3.3201E-015
RCPTR_51	farmer_child	TOCDLIC2	Mustard	1.7036E-014	3.5727E-014
RCPTR_51	farmer_child	TOCDLIC2	Naphthalene	1.0450E-013	2.1864E-013
RCPTR_51	farmer_child	TOCDLIC2	Nickel	1.8392E-007	1.9546E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.7294E-012	5.7202E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitroaniline, 3-	6.4938E-013	1.3619E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitroaniline, 4-	8.3910E-013	1.7594E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitrobenzene	2.7001E-013	5.6639E-013
RCPTR_51	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.2294E-013	2.5784E-013
RCPTR_51	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.1938E-012	3.4763E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.5235E-013	3.1929E-013
RCPTR_51	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.4975E-013	3.1369E-013
RCPTR_51	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.3434E-014	2.8052E-014
RCPTR_51	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.6537E-013	9.0564E-013
RCPTR_51	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.5171E-013	8.9058E-013
RCPTR_51	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1088E-011	1.1470E-011
RCPTR_51	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.7865E-012	1.8885E-012
RCPTR_51	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.7948E-012	7.1769E-012
RCPTR_51	farmer_child	TOCDLIC2	Pentachlorobenzene	5.2358E-011	1.0639E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.1450E-012	8.3645E-012
RCPTR_51	farmer_child	TOCDLIC2	Pentachlorophenol	5.1648E-010	6.7421E-010
RCPTR_51	farmer_child	TOCDLIC2	Phenanthrene	2.0700E-013	4.3158E-013
RCPTR_51	farmer_child	TOCDLIC2	Phenol	2.1397E-013	4.4853E-013
RCPTR_51	farmer_child	TOCDLIC2	Pronamide	2.0521E-011	4.2671E-011
RCPTR_51	farmer_child	TOCDLIC2	Pyrene	6.9742E-009	1.0953E-008
RCPTR_51	farmer_child	TOCDLIC2	Selenium	6.7558E-008	6.7918E-008
RCPTR_51	farmer_child	TOCDLIC2	Silver	1.8736E-007	2.0450E-007
RCPTR_51	farmer_child	TOCDLIC2	Styrene	2.4532E-012	5.1415E-012
RCPTR_51	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5548E-012	1.6719E-012
RCPTR_51	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.2569E-013	6.8810E-013
RCPTR_51	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.6677E-011	3.4361E-011
RCPTR_51	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.8830E-016	1.6525E-015
RCPTR_51	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.9471E-016	6.1769E-016
RCPTR_51	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3017E-010	2.2629E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Thallium (l)	2.4169E-007	2.5308E-007
RCPTR_51	farmer_child	TOCDLIC2	Toluene	5.7640E-015	1.2058E-014
RCPTR_51	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.3612E-013	1.3212E-012
RCPTR_51	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.4976E-015	5.2364E-015
RCPTR_51	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.2808E-015	4.7834E-015
RCPTR_51	farmer_child	TOCDLIC2	Trichloroethylene	3.7090E-016	7.7741E-016
RCPTR_51	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.8745E-017	1.0218E-016
RCPTR_51	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.3356E-011	1.5064E-010
RCPTR_51	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5257E-011	2.9877E-011
RCPTR_51	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	8.4422E-015	1.7703E-014
RCPTR_51	farmer_child	TOCDLIC2	Vinyl Chloride	3.6115E-019	7.5735E-019
RCPTR_51	farmer_child	TOCDLIC2	Xylene, m-	1.7565E-014	2.7632E-014
RCPTR_51	farmer_child	TOCDLIC2	Xylene, o-	1.7554E-014	2.9031E-014
RCPTR_51	farmer_child	TOCDLIC2	Xylene, p-	2.2022E-014	3.7635E-014
RCPTR_51	farmer_child	TOCDLIC2	Zinc	8.2150E-008	9.7137E-008