BEEF CONCENTRATIONS

Date : 12/11/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFBRA	Antimony	5.4776E-008	6.7759E-008
RCPTR_22	farmer_adult	TOCDFBRA	Arsenic	9.2468E-008	9.7239E-008
RCPTR_22	farmer_adult	TOCDFBRA	Barium	7.5890E-009	8.9150E-009
RCPTR_22	farmer_adult	TOCDFBRA	Beryllium	2.4982E-008	2.7316E-008
RCPTR_22	farmer_adult	TOCDFBRA	Cadmium	4.1703E-009	6.4334E-009
RCPTR_22	farmer_adult	TOCDFBRA	Chromium	6.4041E-007	6.4386E-007
RCPTR_22	farmer_adult	TOCDFBRA	Chromium, hexavalent	5.4969E-007	5.6188E-007
RCPTR_22	farmer_adult	TOCDFBRA	Lead	2.5862E-007	2.9499E-007
RCPTR_22	farmer_adult	TOCDFBRA	Mercuric chloride	6.3583E-005	6.5932E-005
RCPTR_22	farmer_adult	TOCDFBRA	Methyl mercury	9.1801E-007	9.4016E-007
RCPTR_22	farmer_adult	TOCDFBRA	Nickel	3.0188E-007	3.3089E-007
RCPTR_22	farmer_adult	TOCDFBRA	Selenium	1.0436E-007	1.0508E-007
RCPTR_22	farmer_adult	TOCDFBRA	Silver	3.4778E-008	3.7909E-008
RCPTR_22	farmer_adult	TOCDFBRA	Thallium (l)	9.4187E-007	1.0028E-006
RCPTR_22	farmer_adult	TOCDFBRA	Zinc	1.5677E-007	2.1201E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Acenaphthene	4.1850E-011	5.3679E-010
RCPTR_22	farmer_adult	TOCDFDFS	Acetone	4.2445E-016	5.9347E-015
RCPTR_22	farmer_adult	TOCDFDFS	Acetophenone	2.1353E-013	2.9723E-012
RCPTR_22	farmer_adult	TOCDFDFS	Aniline	1.2356E-014	1.7028E-013
RCPTR_22	farmer_adult	TOCDFDFS	Anthracene	7.4514E-010	9.4727E-009
RCPTR_22	farmer_adult	TOCDFDFS	Antimony	5.1199E-009	6.2415E-009
RCPTR_22	farmer_adult	TOCDFDFS	Aroclor 1254	8.8646E-011	1.7419E-010
RCPTR_22	farmer_adult	TOCDFDFS	Arsenic	1.0095E-008	1.0576E-008
RCPTR_22	farmer_adult	TOCDFDFS	Barium	6.5317E-009	7.5862E-009
RCPTR_22	farmer_adult	TOCDFDFS	Benzene	1.5477E-015	2.1218E-014
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.6636E-007	1.0341E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.6755E-006	8.0795E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.0323E-006	4.9864E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.1820E-005	1.2314E-005
RCPTR_22	farmer_adult	TOCDFDFS	Benzoic acid	2.2382E-013	1.9507E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Benzyl alcohol	2.7809E-013	3.8628E-012
RCPTR_22	farmer_adult	TOCDFDFS	Beryllium	5.3410E-009	5.8038E-009
RCPTR_22	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	2.7649E-013	3.8657E-012
RCPTR_22	farmer_adult	TOCDFDFS	Bromodichloromethane	4.9334E-016	6.8727E-015
RCPTR_22	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	7.8833E-014	1.0996E-012
RCPTR_22	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.5647E-008	1.4853E-007
RCPTR_22	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.5186E-009	5.3745E-009
RCPTR_22	farmer_adult	TOCDFDFS	Cadmium	1.8991E-009	2.8539E-009
RCPTR_22	farmer_adult	TOCDFDFS	Carbon disulfide	2.7446E-016	3.7898E-015
RCPTR_22	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.3876E-016	6.0042E-015
RCPTR_22	farmer_adult	TOCDFDFS	Chlorine	8.5760E-015	1.1994E-013
RCPTR_22	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	4.5951E-011	3.1993E-010
RCPTR_22	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.3072E-012	1.7956E-011
RCPTR_22	farmer_adult	TOCDFDFS	Chlorobenzene	2.6008E-015	3.5130E-014
RCPTR_22	farmer_adult	TOCDFDFS	Chloroethane	7.9304E-018	9.8728E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	3.4068E-016	4.7411E-015
RCPTR_22	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.0731E-010	1.4022E-009
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenol, 2-	3.5714E-012	4.9859E-011
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.6135E-010	1.7815E-009
RCPTR_22	farmer_adult	TOCDFDFS	Chromium	1.7926E-007	1.8016E-007
RCPTR_22	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.5556E-007	1.5875E-007
RCPTR_22	farmer_adult	TOCDFDFS	Chrysene	2.0775E-006	2.4975E-006
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.6535E-008	1.9827E-008
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-octylphthalate	8.5871E+001	8.5871E+001
RCPTR_22	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.5191E-004	1.5395E-004
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.8622E-013	2.2650E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	2.1491E-013	2.7403E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.0421E-013	2.6383E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.0258E-008	1.3226E-008
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	6.0390E-019	8.2814E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.4243E-016	1.9840E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7678E-016	2.4647E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	5.4319E-017	7.5112E-016
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.7403E-017	1.2074E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.4342E-011	2.2209E-010
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	4.9609E-016	6.7942E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.6140E-016	2.2417E-015
RCPTR_22	farmer_adult	TOCDFDFS	Diethyl phthalate	1.0454E-008	1.1017E-008
RCPTR_22	farmer_adult	TOCDFDFS	Dimethyl phthalate	3.6190E-012	4.4783E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	2.5142E-012	3.3990E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.5908E-012	1.7533E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	2.7329E-012	3.1263E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.9882E-012	2.4083E-011
RCPTR_22	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	5.1804E-014	7.2379E-013
RCPTR_22	farmer_adult	TOCDFDFS	Ethylbenzene	1.7805E-015	2.1476E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	7.6708E-010	9.1811E-010
RCPTR_22	farmer_adult	TOCDFDFS	Fluoranthene	2.3613E-008	1.2107E-007
RCPTR_22	farmer_adult	TOCDFDFS	Fluorene	1.7340E-010	2.1078E-009
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.5569E-013	3.7471E-013
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.9728E-013	3.1017E-013
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	9.4954E-013	9.9919E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.7636E-012	8.1143E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.7089E-012	4.9810E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.7073E-012	3.9505E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.5878E-012	2.7782E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.3381E-012	2.5094E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.7699E-012	2.9714E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.1279E-012	2.2833E-012
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.3205E-012	4.4301E-011
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorobenzene	8.2230E-009	9.0051E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.2230E-011	1.1775E-010
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.1184E-012	2.7224E-011
RCPTR_22	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1520E-003	1.1562E-003
RCPTR_22	farmer_adult	TOCDFDFS	Isophorone	3.7193E-013	5.1754E-012
RCPTR_22	farmer_adult	TOCDFDFS	Lead	3.2744E-008	3.7030E-008
RCPTR_22	farmer_adult	TOCDFDFS	Mercuric chloride	2.4477E-008	2.5424E-008
RCPTR_22	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.2053E-018	8.6620E-017
RCPTR_22	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2262E-018	1.7077E-017
RCPTR_22	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.0435E-015	4.2543E-014
RCPTR_22	farmer_adult	TOCDFDFS	Methyl mercury	3.2145E-010	3.3038E-010
RCPTR_22	farmer_adult	TOCDFDFS	Methylene chloride	1.8357E-016	2.5589E-015
RCPTR_22	farmer_adult	TOCDFDFS	Mustard	2.1697E-014	3.0144E-013
RCPTR_22	farmer_adult	TOCDFDFS	Naphthalene	1.6381E-012	2.1848E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nickel	7.0182E-007	7.6410E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 2-	6.4276E-012	8.8261E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.5110E-012	2.1006E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.9618E-012	2.7143E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nitrobenzene	6.2592E-013	8.7357E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 2-	2.8577E-013	3.9771E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.6379E-011	6.1470E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.5858E-013	4.9267E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	3.5546E-013	4.8414E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	3.3741E-014	4.3374E-013
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.9572E-013	6.3642E-013
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.2803E-013	6.6995E-013
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.3533E-011	1.4264E-011
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.6801E-012	1.8323E-012
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	6.9221E-012	7.5294E-012
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorobenzene	3.9972E-011	3.3526E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.7132E-011	1.3262E-010
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorophenol	4.4756E-008	6.6386E-008
RCPTR_22	farmer_adult	TOCDFDFS	Phenanthrene	5.3124E-013	6.6784E-012
RCPTR_22	farmer_adult	TOCDFDFS	Phenol	5.0170E-013	6.9200E-012
RCPTR_22	farmer_adult	TOCDFDFS	Pronamide	5.4738E-011	6.6089E-010
RCPTR_22	farmer_adult	TOCDFDFS	Pyrene	3.2498E-008	1.7291E-007
RCPTR_22	farmer_adult	TOCDFDFS	Selenium	1.1396E-008	1.1469E-008
RCPTR_22	farmer_adult	TOCDFDFS	Silver	7.5012E-008	8.1248E-008
RCPTR_22	farmer_adult	TOCDFDFS	Styrene	1.8736E-014	2.5743E-013
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	4.1254E-012	4.6367E-012
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.2328E-012	1.4466E-012
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.0545E-011	5.3460E-010
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	7.1515E-012	9.5158E-012
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.2543E-016	7.2200E-015
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1876E-009	3.8182E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Thallium (l)	1.0061E-005	1.0662E-005
RCPTR_22	farmer_adult	TOCDFDFS	Toluene	7.2567E-016	9.6516E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.7289E-012	2.0479E-011
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	4.3509E-016	6.0193E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	2.5644E-015	3.5671E-014
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethylene	4.2138E-016	5.7991E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.8135E-017	8.0102E-016
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.3133E-010	2.3463E-009
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	3.8007E-010	2.3912E-009
RCPTR_22	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	9.5188E-015	1.3202E-013
RCPTR_22	farmer_adult	TOCDFDFS	Vinyl Chloride	1.3591E-019	1.8844E-018
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, m-	2.9388E-014	5.9338E-014
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, o-	2.2324E-014	5.2153E-014
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, p-	2.8751E-014	7.5199E-014
RCPTR_22	farmer_adult	TOCDFDFS	Zinc	3.2210E-008	4.2709E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Acenaphthene	9.1533E-012	1.1713E-010
RCPTR_22	farmer_adult	TOCDFLIC	Acetone	3.0112E-016	4.2102E-015
RCPTR_22	farmer_adult	TOCDFLIC	Acetophenone	4.4316E-014	6.1679E-013
RCPTR_22	farmer_adult	TOCDFLIC	Aniline	2.6971E-015	3.7149E-014
RCPTR_22	farmer_adult	TOCDFLIC	Anthracene	1.6291E-010	2.0669E-009
RCPTR_22	farmer_adult	TOCDFLIC	Antimony	2.6114E-007	3.1747E-007
RCPTR_22	farmer_adult	TOCDFLIC	Arsenic	4.8606E-007	5.0885E-007
RCPTR_22	farmer_adult	TOCDFLIC	Barium	3.8981E-008	4.5177E-008
RCPTR_22	farmer_adult	TOCDFLIC	Benzene	1.6894E-015	2.3144E-014
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.4824E-007	2.2824E-007
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.6942E-006	1.7792E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	9.0180E-007	1.1090E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.6162E-006	2.7186E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzoic acid	1.7155E-013	1.4730E-012
RCPTR_22	farmer_adult	TOCDFLIC	Benzyl alcohol	9.7095E-012	1.3483E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Beryllium	6.6985E-008	7.2702E-008
RCPTR_22	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	6.0320E-014	8.4333E-013
RCPTR_22	farmer_adult	TOCDFLIC	Bromodichloromethane	5.9984E-017	8.3553E-016
RCPTR_22	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.0845E-013	1.5125E-012
RCPTR_22	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	3.4123E-009	3.2401E-008
RCPTR_22	farmer_adult	TOCDFLIC	Butylbenzylphthalate	9.7838E-010	1.1649E-009
RCPTR_22	farmer_adult	TOCDFLIC	Cadmium	8.0539E-009	1.2043E-008
RCPTR_22	farmer_adult	TOCDFLIC	Carbon disulfide	3.9487E-016	5.4500E-015
RCPTR_22	farmer_adult	TOCDFLIC	Carbon tetrachloride	7.8851E-015	1.0782E-013
RCPTR_22	farmer_adult	TOCDFLIC	Chlorine	6.4376E-008	9.0036E-007
RCPTR_22	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.0258E-011	7.0029E-011
RCPTR_22	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.8540E-013	3.9174E-012
RCPTR_22	farmer_adult	TOCDFLIC	Chlorobenzene	3.2185E-015	4.3424E-014
RCPTR_22	farmer_adult	TOCDFLIC	Chloroethane	3.5970E-018	4.4569E-017
RCPTR_22	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	3.1111E-015	4.3287E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.3466E-011	3.0596E-010
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenol, 2-	7.7920E-013	1.0877E-011
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.7865E-011	3.8951E-010
RCPTR_22	farmer_adult	TOCDFLIC	Chromium	3.3134E-007	3.3298E-007
RCPTR_22	farmer_adult	TOCDFLIC	Chromium, hexavalent	2.8813E-007	2.9394E-007
RCPTR_22	farmer_adult	TOCDFLIC	Chrysene	4.6529E-007	5.5634E-007
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	5.7679E-010	6.8776E-010
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.0209E+000	3.0209E+000
RCPTR_22	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	3.3929E-005	3.4339E-005
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	4.0824E-014	4.9432E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	4.7043E-014	5.9798E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	4.4679E-014	5.7570E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.1361E-009	1.4586E-009
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.5928E-019	3.5557E-018
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.0398E-017	1.4482E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9783E-017	1.1122E-015
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	3.9667E-018	5.4828E-017
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.9461E-017	5.4487E-016
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	9.9610E-012	4.8739E-011
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	2.2405E-016	3.0661E-015
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.5098E-017	1.0429E-015
RCPTR_22	farmer_adult	TOCDFLIC	Diethyl phthalate	3.6763E-010	3.8662E-010
RCPTR_22	farmer_adult	TOCDFLIC	Dimethyl phthalate	7.4983E-012	9.2589E-011
RCPTR_22	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	5.4935E-013	7.4160E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.4877E-012	3.8749E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	5.9651E-013	6.8205E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	4.3518E-013	5.2552E-012
RCPTR_22	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.1302E-014	1.5790E-013
RCPTR_22	farmer_adult	TOCDFLIC	Ethylbenzene	8.4709E-016	1.0171E-014
RCPTR_22	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.2677E-009	1.5199E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Fluoranthene	5.2435E-009	2.6501E-008
RCPTR_22	farmer_adult	TOCDFLIC	Fluorene	3.7990E-011	4.6000E-010
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.1193E-012	3.2786E-012
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0064E-011	1.0474E-011
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.3675E-011	2.4854E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.5766E-011	2.6865E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.5625E-011	1.6490E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.3044E-011	1.3874E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.7011E-011	2.8955E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.3438E-011	2.5116E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.4030E-011	2.5739E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.9792E-011	2.1205E-011
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.4706E-013	9.6692E-012
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.8063E-009	1.9658E-008
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	2.6806E-012	2.5701E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.6389E-013	5.9408E-012
RCPTR_22	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.6072E-004	2.6156E-004
RCPTR_22	farmer_adult	TOCDFLIC	Isophorone	8.1160E-014	1.1291E-012
RCPTR_22	farmer_adult	TOCDFLIC	Lead	1.7599E-007	1.9870E-007
RCPTR_22	farmer_adult	TOCDFLIC	Mercuric chloride	6.1686E-008	6.4099E-008
RCPTR_22	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	4.4180E-018	6.1668E-017
RCPTR_22	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	7.8124E-018	1.0879E-016
RCPTR_22	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.1242E-015	8.5605E-014
RCPTR_22	farmer_adult	TOCDFLIC	Methyl mercury	7.9012E-010	8.1287E-010
RCPTR_22	farmer_adult	TOCDFLIC	Methylene chloride	8.0154E-016	1.1172E-014
RCPTR_22	farmer_adult	TOCDFLIC	Mustard	8.3265E-015	1.1565E-013
RCPTR_22	farmer_adult	TOCDFLIC	Naphthalene	5.5320E-014	7.3672E-013
RCPTR_22	farmer_adult	TOCDFLIC	Nickel	7.7434E-007	8.4199E-007
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.4031E-012	1.9257E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 3-	3.2970E-013	4.5830E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 4-	4.2786E-013	5.9216E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrobenzene	1.3656E-013	1.9058E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 2-	6.2354E-014	8.6766E-013
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 4-	5.9780E-013	1.3634E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.8292E-014	1.0749E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	7.7642E-014	1.0563E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	7.3257E-015	9.4589E-014
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.6839E-012	4.9964E-012
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.6215E-012	4.9229E-012
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.6766E-011	5.9693E-011
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	8.8091E-012	9.5853E-012
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.4028E-011	3.6943E-011
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.2916E-011	3.6560E-010
RCPTR_22	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.6684E-012	2.8865E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorophenol	2.0307E-009	2.9728E-009
RCPTR_22	farmer_adult	TOCDFLIC	Phenanthrene	1.1629E-013	1.4574E-012
RCPTR_22	farmer_adult	TOCDFLIC	Phenol	1.0952E-013	1.5097E-012
RCPTR_22	farmer_adult	TOCDFLIC	Pronamide	1.2008E-011	1.4425E-010
RCPTR_22	farmer_adult	TOCDFLIC	Pyrene	7.1668E-009	3.7796E-008
RCPTR_22	farmer_adult	TOCDFLIC	Selenium	3.0144E-007	3.0333E-007
RCPTR_22	farmer_adult	TOCDFLIC	Silver	7.7460E-007	8.3799E-007
RCPTR_22	farmer_adult	TOCDFLIC	Styrene	1.2605E-012	1.7309E-011
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.3726E-012	8.2663E-012
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	2.8002E-012	3.2755E-012
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1138E-011	1.1674E-010
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.0327E-016	5.5624E-015
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.5135E-016	2.0794E-015
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.6826E-010	8.4217E-010
RCPTR_22	farmer_adult	TOCDFLIC	Thallium (l)	1.0318E-006	1.0925E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Toluene	3.0602E-015	4.0631E-014
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.7919E-013	4.4697E-012
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.2744E-015	1.7624E-014
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.1574E-015	1.6097E-014
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethylene	1.9026E-016	2.6169E-015
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.4975E-017	3.4394E-016
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	5.1111E-011	5.1252E-010
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.6916E-011	1.0420E-010
RCPTR_22	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	4.2966E-015	5.9577E-014
RCPTR_22	farmer_adult	TOCDFLIC	Vinyl Chloride	1.8378E-019	2.5488E-018
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, m-	2.6430E-014	5.5353E-014
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, o-	2.3018E-014	5.5990E-014
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, p-	2.5948E-014	7.0803E-014
RCPTR_22	farmer_adult	TOCDFLIC	Zinc	3.0519E-007	4.0315E-007
RCPTR_22	farmer_adult	TOCDFMPF	Acenaphthene	1.3905E-011	1.7793E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Acetone	1.0929E-015	1.5281E-014
RCPTR_22	farmer_adult	TOCDFMPF	Acetophenone	7.0524E-014	9.8156E-013
RCPTR_22	farmer_adult	TOCDFMPF	Aniline	4.0970E-015	5.6432E-014
RCPTR_22	farmer_adult	TOCDFMPF	Anthracene	2.4748E-010	3.1397E-009
RCPTR_22	farmer_adult	TOCDFMPF	Antimony	3.5491E-009	4.3151E-009
RCPTR_22	farmer_adult	TOCDFMPF	Aroclor 1254	5.4185E-011	1.0661E-010
RCPTR_22	farmer_adult	TOCDFMPF	Arsenic	2.5199E-008	2.6381E-008
RCPTR_22	farmer_adult	TOCDFMPF	Barium	2.7549E-008	3.1930E-008
RCPTR_22	farmer_adult	TOCDFMPF	Benzene	1.5003E-015	2.0554E-014
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.2531E-007	3.4685E-007
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)pyrene	2.5761E-006	2.7055E-006
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.3704E-006	1.6852E-006
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	3.9775E-006	4.1335E-006
RCPTR_22	farmer_adult	TOCDFMPF	Benzoic acid	7.5425E-013	6.4770E-012
RCPTR_22	farmer_adult	TOCDFMPF	Benzyl alcohol	9.2183E-014	1.2801E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Beryllium	2.2774E-009	2.4719E-009
RCPTR_22	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	9.1628E-014	1.2811E-012
RCPTR_22	farmer_adult	TOCDFMPF	Bromodichloromethane	1.8108E-015	2.5223E-014
RCPTR_22	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	6.2951E-014	8.7795E-013
RCPTR_22	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	5.1836E-009	4.9219E-008
RCPTR_22	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.4890E-009	1.7724E-009
RCPTR_22	farmer_adult	TOCDFMPF	Cadmium	3.6674E-008	5.4848E-008
RCPTR_22	farmer_adult	TOCDFMPF	Carbon disulfide	1.4345E-016	1.9799E-015
RCPTR_22	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.3648E-015	1.8663E-014
RCPTR_22	farmer_adult	TOCDFMPF	Chlorine	1.1785E-008	1.6483E-007
RCPTR_22	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.5579E-011	1.0637E-010
RCPTR_22	farmer_adult	TOCDFMPF	Chloroaniline, p-	4.3354E-013	5.9507E-012
RCPTR_22	farmer_adult	TOCDFMPF	Chlorobenzene	5.7379E-015	7.7417E-014
RCPTR_22	farmer_adult	TOCDFMPF	Chloroethane	3.5220E-017	4.3642E-016
RCPTR_22	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	9.7216E-016	1.3527E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.5647E-011	4.6477E-010
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.1836E-012	1.6523E-011
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.7916E-011	5.9170E-010
RCPTR_22	farmer_adult	TOCDFMPF	Chromium	6.2709E-008	6.3020E-008
RCPTR_22	farmer_adult	TOCDFMPF	Chromium, hexavalent	5.4528E-008	5.5627E-008
RCPTR_22	farmer_adult	TOCDFMPF	Chrysene	7.0700E-007	8.4536E-007
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	5.6691E-009	6.7598E-009
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.9681E+001	2.9681E+001
RCPTR_22	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	5.1551E-005	5.2175E-005
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	6.2014E-014	7.5090E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	7.1460E-014	9.0836E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	6.7869E-014	8.7451E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.4645E-009	4.4476E-009
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.1191E-018	2.9060E-017
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.1390E-016	4.3717E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8959E-016	5.4310E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.1975E-016	1.6552E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.9269E-016	2.6607E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.5127E-011	7.4033E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.0941E-015	1.4972E-014
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.5569E-016	4.9397E-015
RCPTR_22	farmer_adult	TOCDFMPF	Diethyl phthalate	3.6121E-009	3.7987E-009
RCPTR_22	farmer_adult	TOCDFMPF	Dimethyl phthalate	7.9571E-013	9.8245E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	8.3448E-013	1.1265E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	2.2553E-012	5.8749E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	9.0639E-013	1.0361E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	6.6111E-013	7.9830E-012
RCPTR_22	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.7168E-014	2.3986E-013
RCPTR_22	farmer_adult	TOCDFMPF	Ethylbenzene	3.9429E-015	4.7343E-014
RCPTR_22	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.2833E-010	2.7367E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Fluoranthene	7.9666E-009	4.0258E-008
RCPTR_22	farmer_adult	TOCDFMPF	Fluorene	5.7710E-011	6.9876E-010
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2131E-011	1.2751E-011
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.5775E-011	1.6421E-011
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.7645E-011	2.9025E-011
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	7.3350E-012	7.6486E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.4647E-012	3.6568E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.0770E-012	3.2729E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.3286E-012	5.7123E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.2576E-012	2.4194E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9950E-012	2.1369E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.7882E-012	1.9159E-012
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4390E-012	1.4688E-011
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.7440E-009	2.9861E-008
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.0732E-012	3.9042E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.0464E-013	9.0244E-012
RCPTR_22	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.9596E-004	3.9724E-004
RCPTR_22	farmer_adult	TOCDFMPF	Isophorone	1.2329E-013	1.7151E-012
RCPTR_22	farmer_adult	TOCDFMPF	Lead	2.0264E-008	2.2880E-008
RCPTR_22	farmer_adult	TOCDFMPF	Mercuric chloride	1.0432E-006	1.0840E-006
RCPTR_22	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.2716E-017	3.1708E-016
RCPTR_22	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.3251E-018	1.8453E-017
RCPTR_22	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2341E-015	1.7251E-014
RCPTR_22	farmer_adult	TOCDFMPF	Methyl mercury	1.3390E-008	1.3774E-008
RCPTR_22	farmer_adult	TOCDFMPF	Methylene chloride	6.2639E-016	8.7305E-015
RCPTR_22	farmer_adult	TOCDFMPF	Mustard	5.8874E-014	8.1771E-013
RCPTR_22	farmer_adult	TOCDFMPF	Naphthalene	5.4375E-013	7.2414E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nickel	4.8428E-007	5.2661E-007
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.1275E-012	2.9199E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 3-	4.9992E-013	6.9492E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.4878E-013	8.9789E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrobenzene	2.0744E-013	2.8950E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 2-	9.4718E-014	1.3180E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 4-	9.0612E-012	2.0670E-011
RCPTR_22	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.1893E-013	1.6328E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.1794E-013	1.6046E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.1133E-014	1.4369E-013
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.9766E-010	3.1754E-010
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.2358E-010	5.5775E-010
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.9544E-012	3.1069E-012
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.8089E-012	4.1446E-012
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.2741E-012	2.4689E-012
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.3034E-011	1.1089E-010
RCPTR_22	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.5712E-012	4.3777E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorophenol	1.5418E-008	2.2573E-008
RCPTR_22	farmer_adult	TOCDFMPF	Phenanthrene	1.7665E-013	2.2138E-012
RCPTR_22	farmer_adult	TOCDFMPF	Phenol	1.6637E-013	2.2934E-012
RCPTR_22	farmer_adult	TOCDFMPF	Pronamide	1.8240E-011	2.1912E-010
RCPTR_22	farmer_adult	TOCDFMPF	Pyrene	1.0887E-008	5.7414E-008
RCPTR_22	farmer_adult	TOCDFMPF	Selenium	5.2714E-009	5.3045E-009
RCPTR_22	farmer_adult	TOCDFMPF	Silver	1.0419E-007	1.1272E-007
RCPTR_22	farmer_adult	TOCDFMPF	Styrene	2.8561E-014	3.9220E-013
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	8.7772E-013	9.8410E-013
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.7593E-012	3.2276E-012
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.6918E-011	1.7733E-010
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.2174E-014	1.6792E-013
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.1580E-015	1.5909E-014
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.0663E-010	1.2768E-009
RCPTR_22	farmer_adult	TOCDFMPF	Thallium (l)	3.1484E-008	3.3336E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Toluene	2.0402E-015	2.7088E-014
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.7602E-013	6.7897E-012
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	7.4330E-016	1.0280E-014
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	5.6520E-015	7.8603E-014
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethylene	9.2906E-016	1.2779E-014
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.5610E-015	3.5269E-014
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	7.7631E-011	7.7853E-010
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.5691E-011	1.5828E-010
RCPTR_22	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.0981E-014	2.9092E-013
RCPTR_22	farmer_adult	TOCDFMPF	Vinyl Chloride	5.0112E-019	6.9497E-018
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, m-	2.6415E-014	5.5182E-014
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, o-	2.3003E-014	5.5797E-014
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, p-	2.5927E-014	7.0541E-014
RCPTR_22	farmer_adult	TOCDFMPF	Zinc	8.6653E-008	1.1448E-007
RCPTR_22	farmer_adult	TOCDHVAC	Mustard	1.4095E-014	1.9601E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Acenaphthene	9.1533E-012	1.1713E-010
RCPTR_22	farmer_adult	TOCDLIC2	Acetone	3.0112E-016	4.2102E-015
RCPTR_22	farmer_adult	TOCDLIC2	Acetophenone	4.4316E-014	6.1679E-013
RCPTR_22	farmer_adult	TOCDLIC2	Aniline	2.6971E-015	3.7149E-014
RCPTR_22	farmer_adult	TOCDLIC2	Anthracene	1.6291E-010	2.0669E-009
RCPTR_22	farmer_adult	TOCDLIC2	Antimony	2.6114E-007	3.1747E-007
RCPTR_22	farmer_adult	TOCDLIC2	Arsenic	4.8606E-007	5.0885E-007
RCPTR_22	farmer_adult	TOCDLIC2	Barium	3.8981E-008	4.5177E-008
RCPTR_22	farmer_adult	TOCDLIC2	Benzene	1.6894E-015	2.3144E-014
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.4824E-007	2.2824E-007
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.6942E-006	1.7792E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	9.0180E-007	1.1090E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.6162E-006	2.7186E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzoic acid	1.7155E-013	1.4730E-012
RCPTR_22	farmer_adult	TOCDLIC2	Benzyl alcohol	9.7095E-012	1.3483E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Beryllium	6.6985E-008	7.2702E-008
RCPTR_22	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.0320E-014	8.4333E-013
RCPTR_22	farmer_adult	TOCDLIC2	Bromodichloromethane	5.9984E-017	8.3553E-016
RCPTR_22	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.0845E-013	1.5125E-012
RCPTR_22	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.4123E-009	3.2401E-008
RCPTR_22	farmer_adult	TOCDLIC2	Butylbenzylphthalate	9.7838E-010	1.1649E-009
RCPTR_22	farmer_adult	TOCDLIC2	Cadmium	8.0539E-009	1.2043E-008
RCPTR_22	farmer_adult	TOCDLIC2	Carbon disulfide	3.9487E-016	5.4500E-015
RCPTR_22	farmer_adult	TOCDLIC2	Carbon tetrachloride	7.8851E-015	1.0782E-013
RCPTR_22	farmer_adult	TOCDLIC2	Chlorine	6.4376E-008	9.0036E-007
RCPTR_22	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0258E-011	7.0029E-011
RCPTR_22	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.8540E-013	3.9174E-012
RCPTR_22	farmer_adult	TOCDLIC2	Chlorobenzene	3.2185E-015	4.3424E-014
RCPTR_22	farmer_adult	TOCDLIC2	Chloroethane	3.5970E-018	4.4569E-017
RCPTR_22	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.1111E-015	4.3287E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.3466E-011	3.0596E-010
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenol, 2-	7.7920E-013	1.0877E-011
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.7865E-011	3.8951E-010
RCPTR_22	farmer_adult	TOCDLIC2	Chromium	3.3134E-007	3.3298E-007
RCPTR_22	farmer_adult	TOCDLIC2	Chromium, hexavalent	2.8813E-007	2.9394E-007
RCPTR_22	farmer_adult	TOCDLIC2	Chrysene	4.6529E-007	5.5634E-007
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	5.7679E-010	6.8776E-010
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-octylphthalate	3.0209E+000	3.0209E+000
RCPTR_22	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	3.3929E-005	3.4339E-005
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.0824E-014	4.9432E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.7043E-014	5.9798E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.4679E-014	5.7570E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1361E-009	1.4586E-009
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.5928E-019	3.5557E-018
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.0398E-017	1.4482E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9783E-017	1.1122E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.9667E-018	5.4828E-017
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.9461E-017	5.4487E-016
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	9.9610E-012	4.8739E-011
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.2405E-016	3.0661E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.5098E-017	1.0429E-015
RCPTR_22	farmer_adult	TOCDLIC2	Diethyl phthalate	3.6763E-010	3.8662E-010
RCPTR_22	farmer_adult	TOCDLIC2	Dimethyl phthalate	7.4983E-012	9.2589E-011
RCPTR_22	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.4935E-013	7.4160E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.4877E-012	3.8749E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.9651E-013	6.8205E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.3518E-013	5.2552E-012
RCPTR_22	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.1302E-014	1.5790E-013
RCPTR_22	farmer_adult	TOCDLIC2	Ethylbenzene	8.4709E-016	1.0171E-014
RCPTR_22	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.2677E-009	1.5199E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Fluoranthene	5.2435E-009	2.6501E-008
RCPTR_22	farmer_adult	TOCDLIC2	Fluorene	3.7990E-011	4.6000E-010
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.1193E-012	3.2786E-012
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0064E-011	1.0474E-011
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.3675E-011	2.4854E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.5766E-011	2.6865E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.5625E-011	1.6490E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3044E-011	1.3874E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.7011E-011	2.8955E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.3438E-011	2.5116E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.4030E-011	2.5739E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.9792E-011	2.1205E-011
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.4706E-013	9.6692E-012
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.8063E-009	1.9658E-008
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.6806E-012	2.5701E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.6389E-013	5.9408E-012
RCPTR_22	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.6072E-004	2.6156E-004
RCPTR_22	farmer_adult	TOCDLIC2	Isophorone	8.1160E-014	1.1291E-012
RCPTR_22	farmer_adult	TOCDLIC2	Lead	1.7599E-007	1.9870E-007
RCPTR_22	farmer_adult	TOCDLIC2	Mercuric chloride	6.1686E-008	6.4099E-008
RCPTR_22	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.4180E-018	6.1668E-017
RCPTR_22	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	7.8124E-018	1.0879E-016
RCPTR_22	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.1242E-015	8.5605E-014
RCPTR_22	farmer_adult	TOCDLIC2	Methyl mercury	7.9012E-010	8.1287E-010
RCPTR_22	farmer_adult	TOCDLIC2	Methylene chloride	8.0154E-016	1.1172E-014
RCPTR_22	farmer_adult	TOCDLIC2	Mustard	8.6563E-015	1.2023E-013
RCPTR_22	farmer_adult	TOCDLIC2	Naphthalene	5.5320E-014	7.3672E-013
RCPTR_22	farmer_adult	TOCDLIC2	Nickel	7.7434E-007	8.4199E-007
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.4031E-012	1.9257E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.2970E-013	4.5830E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.2786E-013	5.9216E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrobenzene	1.3656E-013	1.9058E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.2354E-014	8.6766E-013
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 4-	5.9780E-012	1.3634E-011
RCPTR_22	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.8292E-014	1.0749E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	7.7642E-014	1.0563E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.3257E-015	9.4589E-014
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.6839E-012	4.9964E-012
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.6215E-012	4.9229E-012
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.6766E-011	5.9693E-011
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.8091E-012	9.5853E-012
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.4028E-011	3.6943E-011
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorobenzene	4.2916E-011	3.6560E-010
RCPTR_22	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.6684E-012	2.8865E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorophenol	2.0307E-009	2.9728E-009
RCPTR_22	farmer_adult	TOCDLIC2	Phenanthrene	1.1629E-013	1.4574E-012
RCPTR_22	farmer_adult	TOCDLIC2	Phenol	1.0952E-013	1.5097E-012
RCPTR_22	farmer_adult	TOCDLIC2	Pronamide	1.2008E-011	1.4425E-010
RCPTR_22	farmer_adult	TOCDLIC2	Pyrene	7.1668E-009	3.7796E-008
RCPTR_22	farmer_adult	TOCDLIC2	Selenium	3.0144E-007	3.0333E-007
RCPTR_22	farmer_adult	TOCDLIC2	Silver	7.7460E-007	8.3799E-007
RCPTR_22	farmer_adult	TOCDLIC2	Styrene	1.2605E-012	1.7309E-011
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	7.3726E-012	8.2663E-012
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	2.8002E-012	3.2755E-012
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1138E-011	1.1674E-010
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.0327E-016	5.5624E-015
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.5135E-016	2.0794E-015
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.6826E-010	8.4217E-010
RCPTR_22	farmer_adult	TOCDLIC2	Thallium (l)	1.0318E-006	1.0925E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Toluene	3.0602E-015	4.0631E-014
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.7919E-013	4.4697E-012
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.2744E-015	1.7624E-014
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.1574E-015	1.6097E-014
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethylene	1.9026E-016	2.6169E-015
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.4975E-017	3.4394E-016
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.1111E-011	5.1252E-010
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.6916E-011	1.0420E-010
RCPTR_22	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.2966E-015	5.9577E-014
RCPTR_22	farmer_adult	TOCDLIC2	Vinyl Chloride	1.8378E-019	2.5488E-018
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, m-	5.4924E-014	1.1503E-013
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, o-	4.7833E-014	1.1635E-013
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, p-	5.3922E-014	1.4713E-013
RCPTR_22	farmer_adult	TOCDLIC2	Zinc	3.0519E-007	4.0315E-007
RCPTR_22	farmer_child	TOCDFBRA	Antimony	6.0665E-008	6.7759E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFBRA	Arsenic	9.4567E-008	9.7239E-008
RCPTR_22	farmer_child	TOCDFBRA	Barium	8.1849E-009	8.9150E-009
RCPTR_22	farmer_child	TOCDFBRA	Beryllium	2.6227E-008	2.7316E-008
RCPTR_22	farmer_child	TOCDFBRA	Cadmium	5.2762E-009	6.4334E-009
RCPTR_22	farmer_child	TOCDFBRA	Chromium	6.2119E-007	6.4386E-007
RCPTR_22	farmer_child	TOCDFBRA	Chromium, hexavalent	5.5501E-007	5.6188E-007
RCPTR_22	farmer_child	TOCDFBRA	Lead	2.7724E-007	2.9499E-007
RCPTR_22	farmer_child	TOCDFBRA	Mercuric chloride	5.4705E-005	6.5932E-005
RCPTR_22	farmer_child	TOCDFBRA	Methyl mercury	9.0558E-007	9.4016E-007
RCPTR_22	farmer_child	TOCDFBRA	Nickel	3.1572E-007	3.3089E-007
RCPTR_22	farmer_child	TOCDFBRA	Selenium	1.0467E-007	1.0508E-007
RCPTR_22	farmer_child	TOCDFBRA	Silver	3.6144E-008	3.7909E-008
RCPTR_22	farmer_child	TOCDFBRA	Thallium (l)	9.7135E-007	1.0028E-006
RCPTR_22	farmer_child	TOCDFBRA	Zinc	1.8292E-007	2.1201E-007
RCPTR_22	farmer_child	TOCDFDFS	Acenaphthene	2.5783E-010	5.3679E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Acetone	2.8289E-015	5.9347E-015
RCPTR_22	farmer_child	TOCDFDFS	Acetophenone	1.4174E-012	2.9723E-012
RCPTR_22	farmer_child	TOCDFDFS	Aniline	8.1268E-014	1.7028E-013
RCPTR_22	farmer_child	TOCDFDFS	Anthracene	4.5536E-009	9.4727E-009
RCPTR_22	farmer_child	TOCDFDFS	Antimony	5.6286E-009	6.2415E-009
RCPTR_22	farmer_child	TOCDFDFS	Aroclor 1254	1.2597E-010	1.7419E-010
RCPTR_22	farmer_child	TOCDFDFS	Arsenic	1.0307E-008	1.0576E-008
RCPTR_22	farmer_child	TOCDFDFS	Barium	7.0056E-009	7.5862E-009
RCPTR_22	farmer_child	TOCDFDFS	Benzene	1.0131E-014	2.1218E-014
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.6207E-007	1.0341E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.8834E-006	8.0795E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.5345E-006	4.9864E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.2111E-005	1.2314E-005
RCPTR_22	farmer_child	TOCDFDFS	Benzoic acid	9.7737E-013	1.9507E-012
RCPTR_22	farmer_child	TOCDFDFS	Benzyl alcohol	1.8423E-012	3.8628E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Beryllium	5.5879E-009	5.8038E-009
RCPTR_22	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.8427E-012	3.8657E-012
RCPTR_22	farmer_child	TOCDFDFS	Bromodichloromethane	3.2771E-015	6.8727E-015
RCPTR_22	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	5.2424E-013	1.0996E-012
RCPTR_22	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	8.6301E-008	1.4853E-007
RCPTR_22	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.8921E-009	5.3745E-009
RCPTR_22	farmer_child	TOCDFDFS	Cadmium	2.3657E-009	2.8539E-009
RCPTR_22	farmer_child	TOCDFDFS	Carbon disulfide	1.8084E-015	3.7898E-015
RCPTR_22	farmer_child	TOCDFDFS	Carbon tetrachloride	2.8673E-015	6.0042E-015
RCPTR_22	farmer_child	TOCDFDFS	Chlorine	5.7173E-014	1.1994E-013
RCPTR_22	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.6551E-010	3.1993E-010
RCPTR_22	farmer_child	TOCDFDFS	Chloroaniline, p-	8.5721E-012	1.7956E-011
RCPTR_22	farmer_child	TOCDFDFS	Chlorobenzene	1.6796E-014	3.5130E-014
RCPTR_22	farmer_child	TOCDFDFS	Chloroethane	4.7551E-017	9.8728E-017
RCPTR_22	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	2.2609E-015	4.7411E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Chloronaphthalene,2-	6.7236E-010	1.4022E-009
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.3770E-011	4.9859E-011
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	9.2472E-010	1.7815E-009
RCPTR_22	farmer_child	TOCDFDFS	Chromium	1.7424E-007	1.8016E-007
RCPTR_22	farmer_child	TOCDFDFS	Chromium, hexavalent	1.5695E-007	1.5875E-007
RCPTR_22	farmer_child	TOCDFDFS	Chrysene	2.3140E-006	2.4975E-006
RCPTR_22	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.7972E-008	1.9827E-008
RCPTR_22	farmer_child	TOCDFDFS	Di-n-octylphthalate	8.5871E+001	8.5871E+001
RCPTR_22	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5306E-004	1.5395E-004
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.0933E-012	2.2650E-012
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.3169E-012	2.7403E-012
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.2664E-012	2.6383E-012
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.1553E-008	1.3226E-008
RCPTR_22	farmer_child	TOCDFDFS	Dichlorodifluoromethane	3.9541E-018	8.2814E-018
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane 1,1-	9.4601E-016	1.9840E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1751E-015	2.4647E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	3.5838E-016	7.5112E-016
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	5.7614E-016	1.2074E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.2191E-010	2.2209E-010
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	3.2444E-015	6.7942E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.0692E-015	2.2417E-015
RCPTR_22	farmer_child	TOCDFDFS	Diethyl phthalate	1.0699E-008	1.1017E-008
RCPTR_22	farmer_child	TOCDFDFS	Dimethyl phthalate	2.1582E-011	4.4783E-011
RCPTR_22	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.6249E-011	3.3990E-011
RCPTR_22	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.1366E-011	1.7533E-011
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.5183E-011	3.1263E-011
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.1629E-011	2.4083E-011
RCPTR_22	farmer_child	TOCDFDFS	Ethyl methanesulfonate	3.4504E-013	7.2379E-013
RCPTR_22	farmer_child	TOCDFDFS	Ethylbenzene	1.0375E-014	2.1476E-014
RCPTR_22	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	8.3299E-010	9.1811E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Fluoranthene	6.9720E-008	1.2107E-007
RCPTR_22	farmer_child	TOCDFDFS	Fluorene	1.0175E-009	2.1078E-009
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.6615E-013	3.7471E-013
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.0438E-013	3.1017E-013
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	9.7688E-013	9.9919E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.9566E-012	8.1143E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.8589E-012	4.9810E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.8413E-012	3.9505E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.6928E-012	2.7782E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.4325E-012	2.5094E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.8809E-012	2.9714E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.2136E-012	2.2833E-012
RCPTR_22	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.1767E-011	4.4301E-011
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorobenzene	4.4002E-008	9.0051E-008
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	5.8275E-011	1.1775E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.3073E-011	2.7224E-011
RCPTR_22	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1543E-003	1.1562E-003
RCPTR_22	farmer_child	TOCDFDFS	Isophorone	2.4680E-012	5.1754E-012
RCPTR_22	farmer_child	TOCDFDFS	Lead	3.4939E-008	3.7030E-008
RCPTR_22	farmer_child	TOCDFDFS	Mercuric chloride	2.0898E-008	2.5424E-008
RCPTR_22	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.1296E-017	8.6620E-017
RCPTR_22	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	8.1430E-018	1.7077E-017
RCPTR_22	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.0280E-014	4.2543E-014
RCPTR_22	farmer_child	TOCDFDFS	Methyl mercury	3.1644E-010	3.3038E-010
RCPTR_22	farmer_child	TOCDFDFS	Methylene chloride	1.2201E-015	2.5589E-015
RCPTR_22	farmer_child	TOCDFDFS	Mustard	1.4377E-013	3.0144E-013
RCPTR_22	farmer_child	TOCDFDFS	Naphthalene	1.0457E-011	2.1848E-011
RCPTR_22	farmer_child	TOCDFDFS	Nickel	7.3153E-007	7.6410E-007
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 2-	4.2137E-011	8.8261E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.0018E-011	2.1006E-011
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.2950E-011	2.7143E-011
RCPTR_22	farmer_child	TOCDFDFS	Nitrobenzene	4.1648E-012	8.7357E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.8966E-012	3.9771E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.1691E-011	6.1470E-011
RCPTR_22	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.3519E-012	4.9267E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.3130E-012	4.8414E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.0829E-013	4.3374E-013
RCPTR_22	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	6.1811E-013	6.3642E-013
RCPTR_22	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.5108E-013	6.6995E-013
RCPTR_22	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.3938E-011	1.4264E-011
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.7643E-012	1.8323E-012
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.2575E-012	7.5294E-012
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorobenzene	1.6883E-010	3.3526E-010
RCPTR_22	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	6.7529E-011	1.3262E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorophenol	5.4195E-008	6.6386E-008
RCPTR_22	farmer_child	TOCDFDFS	Phenanthrene	3.2137E-012	6.6784E-012
RCPTR_22	farmer_child	TOCDFDFS	Phenol	3.3024E-012	6.9200E-012
RCPTR_22	farmer_child	TOCDFDFS	Pronamide	3.1924E-010	6.6089E-010
RCPTR_22	farmer_child	TOCDFDFS	Pyrene	1.1150E-007	1.7291E-007
RCPTR_22	farmer_child	TOCDFDFS	Selenium	1.1428E-008	1.1469E-008
RCPTR_22	farmer_child	TOCDFDFS	Silver	7.7733E-008	8.1248E-008
RCPTR_22	farmer_child	TOCDFDFS	Styrene	1.2290E-013	2.5743E-013
RCPTR_22	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	4.4094E-012	4.6367E-012
RCPTR_22	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3517E-012	1.4466E-012
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.6177E-010	5.3460E-010
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.1832E-012	9.5158E-012
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.4467E-015	7.2200E-015
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.3355E-009	3.8182E-009
RCPTR_22	farmer_child	TOCDFDFS	Thallium (l)	1.0352E-005	1.0662E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Toluene	4.6206E-015	9.6516E-015
RCPTR_22	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	9.9109E-012	2.0479E-011
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.8719E-015	6.0193E-015
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.7011E-014	3.5671E-014
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethylene	2.7680E-015	5.7991E-015
RCPTR_22	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.8230E-016	8.0102E-016
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.1542E-009	2.3463E-009
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.2577E-009	2.3912E-009
RCPTR_22	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	6.2976E-014	1.3202E-013
RCPTR_22	farmer_child	TOCDFDFS	Vinyl Chloride	8.9891E-019	1.8844E-018
RCPTR_22	farmer_child	TOCDFDFS	Xylene, m-	4.2457E-014	5.9338E-014
RCPTR_22	farmer_child	TOCDFDFS	Xylene, o-	3.5340E-014	5.2153E-014
RCPTR_22	farmer_child	TOCDFDFS	Xylene, p-	4.9019E-014	7.5199E-014
RCPTR_22	farmer_child	TOCDFDFS	Zinc	3.7181E-008	4.2709E-008
RCPTR_22	farmer_child	TOCDFLIC	Acenaphthene	5.6270E-011	1.1713E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Acetone	2.0069E-015	4.2102E-015
RCPTR_22	farmer_child	TOCDFLIC	Acetophenone	2.9413E-013	6.1679E-013
RCPTR_22	farmer_child	TOCDFLIC	Aniline	1.7731E-014	3.7149E-014
RCPTR_22	farmer_child	TOCDFLIC	Anthracene	9.9375E-010	2.0669E-009
RCPTR_22	farmer_child	TOCDFLIC	Antimony	2.8669E-007	3.1747E-007
RCPTR_22	farmer_child	TOCDFLIC	Arsenic	4.9608E-007	5.0885E-007
RCPTR_22	farmer_child	TOCDFLIC	Barium	4.1766E-008	4.5177E-008
RCPTR_22	farmer_child	TOCDFLIC	Benzene	1.1052E-014	2.3144E-014
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.9081E-007	2.2824E-007
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.7379E-006	1.7792E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.0109E-006	1.1090E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.6764E-006	2.7186E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzoic acid	7.3946E-013	1.4730E-012
RCPTR_22	farmer_child	TOCDFLIC	Benzyl alcohol	6.4310E-011	1.3483E-010
RCPTR_22	farmer_child	TOCDFLIC	Beryllium	7.0034E-008	7.2702E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	4.0200E-013	8.4333E-013
RCPTR_22	farmer_child	TOCDFLIC	Bromodichloromethane	3.9841E-016	8.3553E-016
RCPTR_22	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.2115E-013	1.5125E-012
RCPTR_22	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.8826E-008	3.2401E-008
RCPTR_22	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.0598E-009	1.1649E-009
RCPTR_22	farmer_child	TOCDFLIC	Cadmium	1.0003E-008	1.2043E-008
RCPTR_22	farmer_child	TOCDFLIC	Carbon disulfide	2.6008E-015	5.4500E-015
RCPTR_22	farmer_child	TOCDFLIC	Carbon tetrachloride	5.1494E-014	1.0782E-013
RCPTR_22	farmer_child	TOCDFLIC	Chlorine	4.2917E-007	9.0036E-007
RCPTR_22	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	3.6340E-011	7.0029E-011
RCPTR_22	farmer_child	TOCDFLIC	Chloroaniline, p-	1.8703E-012	3.9174E-012
RCPTR_22	farmer_child	TOCDFLIC	Chlorobenzene	2.0763E-014	4.3424E-014
RCPTR_22	farmer_child	TOCDFLIC	Chloroethane	2.1476E-017	4.4569E-017
RCPTR_22	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.0643E-014	4.3287E-014
RCPTR_22	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.4674E-010	3.0596E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenol, 2-	5.1857E-012	1.0877E-011
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.0258E-010	3.8951E-010
RCPTR_22	farmer_child	TOCDFLIC	Chromium	3.2219E-007	3.3298E-007
RCPTR_22	farmer_child	TOCDFLIC	Chromium, hexavalent	2.9067E-007	2.9394E-007
RCPTR_22	farmer_child	TOCDFLIC	Chrysene	5.1657E-007	5.5634E-007
RCPTR_22	farmer_child	TOCDFLIC	Di-n-butyl phthalate	6.2521E-010	6.8776E-010
RCPTR_22	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.0209E+000	3.0209E+000
RCPTR_22	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.4160E-005	3.4339E-005
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.3871E-013	4.9432E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	2.8745E-013	5.9798E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	2.7640E-013	5.7570E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.2768E-009	1.4586E-009
RCPTR_22	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.6977E-018	3.5557E-018
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane 1,1-	6.9054E-017	1.4482E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.3029E-016	1.1122E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.6161E-017	5.4828E-017
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.6000E-016	5.4487E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	2.6882E-011	4.8739E-011
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.4642E-015	3.0661E-015
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.9743E-016	1.0429E-015
RCPTR_22	farmer_child	TOCDFLIC	Diethyl phthalate	3.7592E-010	3.8662E-010
RCPTR_22	farmer_child	TOCDFLIC	Dimethyl phthalate	4.4629E-011	9.2589E-011
RCPTR_22	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	3.5457E-012	7.4160E-012
RCPTR_22	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.5294E-012	3.8749E-012
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	3.3124E-012	6.8205E-012
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	2.5385E-012	5.2552E-012
RCPTR_22	farmer_child	TOCDFLIC	Ethyl methanesulfonate	7.5273E-014	1.5790E-013
RCPTR_22	farmer_child	TOCDFLIC	Ethylbenzene	4.9158E-015	1.0171E-014
RCPTR_22	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.3778E-009	1.5199E-009
RCPTR_22	farmer_child	TOCDFLIC	Fluoranthene	1.5300E-008	2.6501E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Fluorene	2.2214E-010	4.6000E-010
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.2069E-012	3.2786E-012
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0290E-011	1.0474E-011
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4324E-011	2.4854E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.6371E-011	2.6865E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.6101E-011	1.6490E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.3501E-011	1.3874E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.8083E-011	2.8955E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.4362E-011	2.5116E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.4972E-011	2.5739E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.0571E-011	2.1205E-011
RCPTR_22	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.7531E-012	9.6692E-012
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorobenzene	9.6117E-009	1.9658E-008
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.2726E-011	2.5701E-011
RCPTR_22	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.8538E-012	5.9408E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.6118E-004	2.6156E-004
RCPTR_22	farmer_child	TOCDFLIC	Isophorone	5.3844E-013	1.1291E-012
RCPTR_22	farmer_child	TOCDFLIC	Lead	1.8762E-007	1.9870E-007
RCPTR_22	farmer_child	TOCDFLIC	Mercuric chloride	5.2566E-008	6.4099E-008
RCPTR_22	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	2.9400E-017	6.1668E-017
RCPTR_22	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	5.1877E-017	1.0879E-016
RCPTR_22	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.0807E-014	8.5605E-014
RCPTR_22	farmer_child	TOCDFLIC	Methyl mercury	7.7735E-010	8.1287E-010
RCPTR_22	farmer_child	TOCDFLIC	Methylene chloride	5.3267E-015	1.1172E-014
RCPTR_22	farmer_child	TOCDFLIC	Mustard	5.5158E-014	1.1565E-013
RCPTR_22	farmer_child	TOCDFLIC	Naphthalene	3.5266E-013	7.3672E-013
RCPTR_22	farmer_child	TOCDFLIC	Nickel	8.0661E-007	8.4199E-007
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 2-	9.1938E-012	1.9257E-011
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.1857E-012	4.5830E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 4-	2.8252E-012	5.9216E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrobenzene	9.0859E-013	1.9058E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 2-	4.1376E-013	8.6766E-013
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 4-	9.3188E-013	1.3634E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.1316E-013	1.0749E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	5.0469E-013	1.0563E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	4.5405E-014	9.4589E-014
RCPTR_22	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.8558E-012	4.9964E-012
RCPTR_22	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.7873E-012	4.9229E-012
RCPTR_22	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.8385E-011	5.9693E-011
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	9.2384E-012	9.5853E-012
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.5638E-011	3.6943E-011
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorobenzene	1.8372E-010	3.6560E-010
RCPTR_22	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4663E-011	2.8865E-011
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorophenol	2.4418E-009	2.9728E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Phenanthrene	7.0148E-013	1.4574E-012
RCPTR_22	farmer_child	TOCDFLIC	Phenol	7.2053E-013	1.5097E-012
RCPTR_22	farmer_child	TOCDFLIC	Pronamide	6.9712E-011	1.4425E-010
RCPTR_22	farmer_child	TOCDFLIC	Pyrene	2.4400E-008	3.7796E-008
RCPTR_22	farmer_child	TOCDFLIC	Selenium	3.0226E-007	3.0333E-007
RCPTR_22	farmer_child	TOCDFLIC	Silver	8.0226E-007	8.3799E-007
RCPTR_22	farmer_child	TOCDFLIC	Styrene	8.2634E-012	1.7309E-011
RCPTR_22	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.8689E-012	8.2663E-012
RCPTR_22	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.0645E-012	3.2755E-012
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.7219E-011	1.1674E-010
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	2.6546E-015	5.5624E-015
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.9270E-016	2.0794E-015
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.1869E-010	8.4217E-010
RCPTR_22	farmer_child	TOCDFLIC	Thallium (l)	1.0612E-006	1.0925E-006
RCPTR_22	farmer_child	TOCDFLIC	Toluene	1.9455E-014	4.0631E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.1642E-012	4.4697E-012
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	8.4090E-015	1.7624E-014
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	7.6765E-015	1.6097E-014
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethylene	1.2492E-015	2.6169E-015
RCPTR_22	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.6416E-016	3.4394E-016
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	2.5245E-010	5.1252E-010
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	5.5006E-011	1.0420E-010
RCPTR_22	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	2.8419E-014	5.9577E-014
RCPTR_22	farmer_child	TOCDFLIC	Vinyl Chloride	1.2158E-018	2.5488E-018
RCPTR_22	farmer_child	TOCDFLIC	Xylene, m-	3.9051E-014	5.5353E-014
RCPTR_22	farmer_child	TOCDFLIC	Xylene, o-	3.7406E-014	5.5990E-014
RCPTR_22	farmer_child	TOCDFLIC	Xylene, p-	4.5521E-014	7.0803E-014
RCPTR_22	farmer_child	TOCDFLIC	Zinc	3.5157E-007	4.0315E-007
RCPTR_22	farmer_child	TOCDFMPF	Acenaphthene	8.5478E-011	1.7793E-010
RCPTR_22	farmer_child	TOCDFMPF	Acetone	7.2843E-015	1.5281E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Acetophenone	4.6807E-013	9.8156E-013
RCPTR_22	farmer_child	TOCDFMPF	Aniline	2.6934E-014	5.6432E-014
RCPTR_22	farmer_child	TOCDFMPF	Anthracene	1.5096E-009	3.1397E-009
RCPTR_22	farmer_child	TOCDFMPF	Antimony	3.8966E-009	4.3151E-009
RCPTR_22	farmer_child	TOCDFMPF	Aroclor 1254	7.7063E-011	1.0661E-010
RCPTR_22	farmer_child	TOCDFMPF	Arsenic	2.5719E-008	2.6381E-008
RCPTR_22	farmer_child	TOCDFMPF	Barium	2.9518E-008	3.1930E-008
RCPTR_22	farmer_child	TOCDFMPF	Benzene	9.8148E-015	2.0554E-014
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.8999E-007	3.4685E-007
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.6427E-006	2.7055E-006
RCPTR_22	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.5361E-006	1.6852E-006
RCPTR_22	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	4.0693E-006	4.1335E-006
RCPTR_22	farmer_child	TOCDFMPF	Benzoic acid	3.2515E-012	6.4770E-012
RCPTR_22	farmer_child	TOCDFMPF	Benzyl alcohol	6.1056E-013	1.2801E-012
RCPTR_22	farmer_child	TOCDFMPF	Beryllium	2.3811E-009	2.4719E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	6.1066E-013	1.2811E-012
RCPTR_22	farmer_child	TOCDFMPF	Bromodichloromethane	1.2027E-014	2.5223E-014
RCPTR_22	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	4.1859E-013	8.7795E-013
RCPTR_22	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.8598E-008	4.9219E-008
RCPTR_22	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.6126E-009	1.7724E-009
RCPTR_22	farmer_child	TOCDFMPF	Cadmium	4.5556E-008	5.4848E-008
RCPTR_22	farmer_child	TOCDFMPF	Carbon disulfide	9.4484E-016	1.9799E-015
RCPTR_22	farmer_child	TOCDFMPF	Carbon tetrachloride	8.9131E-015	1.8663E-014
RCPTR_22	farmer_child	TOCDFMPF	Chlorine	7.8567E-008	1.6483E-007
RCPTR_22	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.5199E-011	1.0637E-010
RCPTR_22	farmer_child	TOCDFMPF	Chloroaniline, p-	2.8411E-012	5.9507E-012
RCPTR_22	farmer_child	TOCDFMPF	Chlorobenzene	3.7016E-014	7.7417E-014
RCPTR_22	farmer_child	TOCDFMPF	Chloroethane	2.1029E-016	4.3642E-016
RCPTR_22	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.4505E-015	1.3527E-014
RCPTR_22	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.2290E-010	4.6477E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenol, 2-	7.8773E-012	1.6523E-011
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.0775E-010	5.9170E-010
RCPTR_22	farmer_child	TOCDFMPF	Chromium	6.0976E-008	6.3020E-008
RCPTR_22	farmer_child	TOCDFMPF	Chromium, hexavalent	5.5008E-008	5.5627E-008
RCPTR_22	farmer_child	TOCDFMPF	Chrysene	7.8493E-007	8.4536E-007
RCPTR_22	farmer_child	TOCDFMPF	Di-n-butyl phthalate	6.1450E-009	6.7598E-009
RCPTR_22	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.9681E+001	2.9681E+001
RCPTR_22	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	5.1902E-005	5.2175E-005
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.6262E-013	7.5090E-013
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.3665E-013	9.0836E-013
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.1986E-013	8.7451E-013
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.8935E-009	4.4476E-009
RCPTR_22	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.3875E-017	2.9060E-017
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.0846E-015	4.3717E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5895E-015	5.4310E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	7.8975E-016	1.6552E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.2696E-015	2.6607E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.0832E-011	7.4033E-011
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	7.1499E-015	1.4972E-014
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.3560E-015	4.9397E-015
RCPTR_22	farmer_child	TOCDFMPF	Diethyl phthalate	3.6935E-009	3.7987E-009
RCPTR_22	farmer_child	TOCDFMPF	Dimethyl phthalate	4.7356E-012	9.8245E-012
RCPTR_22	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.3862E-012	1.1265E-011
RCPTR_22	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.8348E-012	5.8749E-012
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.0320E-012	1.0361E-011
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.8561E-012	7.9830E-012
RCPTR_22	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.1434E-013	2.3986E-013
RCPTR_22	farmer_child	TOCDFMPF	Ethylbenzene	2.2881E-014	4.7343E-014
RCPTR_22	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.4812E-010	2.7367E-010
RCPTR_22	farmer_child	TOCDFMPF	Fluoranthene	2.3244E-008	4.0258E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Fluorene	3.3744E-010	6.9876E-010
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2472E-011	1.2751E-011
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6131E-011	1.6421E-011
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.8405E-011	2.9025E-011
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	7.5076E-012	7.6486E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.5706E-012	3.6568E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.1850E-012	3.2729E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.5402E-012	5.7123E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.3468E-012	2.4194E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.0732E-012	2.1369E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.8586E-012	1.9159E-012
RCPTR_22	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.2206E-012	1.4688E-011
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorobenzene	1.4601E-008	2.9861E-008
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.9332E-011	3.9042E-011
RCPTR_22	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.3351E-012	9.0244E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.9666E-004	3.9724E-004
RCPTR_22	farmer_child	TOCDFMPF	Isophorone	8.1791E-013	1.7151E-012
RCPTR_22	farmer_child	TOCDFMPF	Lead	2.1604E-008	2.2880E-008
RCPTR_22	farmer_child	TOCDFMPF	Mercuric chloride	8.8911E-007	1.0840E-006
RCPTR_22	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.5117E-016	3.1708E-016
RCPTR_22	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	8.7992E-018	1.8453E-017
RCPTR_22	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.2233E-015	1.7251E-014
RCPTR_22	farmer_child	TOCDFMPF	Methyl mercury	1.3174E-008	1.3774E-008
RCPTR_22	farmer_child	TOCDFMPF	Methylene chloride	4.1627E-015	8.7305E-015
RCPTR_22	farmer_child	TOCDFMPF	Mustard	3.9000E-013	8.1771E-013
RCPTR_22	farmer_child	TOCDFMPF	Naphthalene	3.4664E-012	7.2414E-012
RCPTR_22	farmer_child	TOCDFMPF	Nickel	5.0447E-007	5.2661E-007
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.3941E-011	2.9199E-011
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.3142E-012	6.9492E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.2838E-012	8.9789E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrobenzene	1.3802E-012	2.8950E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.2853E-013	1.3180E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.4127E-011	2.0670E-011
RCPTR_22	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	7.7952E-013	1.6328E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	7.6665E-013	1.6046E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	6.8977E-014	1.4369E-013
RCPTR_22	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.0860E-010	3.1754E-010
RCPTR_22	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.4237E-010	5.5775E-010
RCPTR_22	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.0388E-012	3.1069E-012
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.9945E-012	4.1446E-012
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.3817E-012	2.4689E-012
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorobenzene	5.5735E-011	1.1089E-010
RCPTR_22	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.2243E-011	4.3777E-011
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorophenol	1.8540E-008	2.2573E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Phenanthrene	1.0656E-012	2.2138E-012
RCPTR_22	farmer_child	TOCDFMPF	Phenol	1.0945E-012	2.2934E-012
RCPTR_22	farmer_child	TOCDFMPF	Pronamide	1.0590E-010	2.1912E-010
RCPTR_22	farmer_child	TOCDFMPF	Pyrene	3.7066E-008	5.7414E-008
RCPTR_22	farmer_child	TOCDFMPF	Selenium	5.2858E-009	5.3045E-009
RCPTR_22	farmer_child	TOCDFMPF	Silver	1.0791E-007	1.1272E-007
RCPTR_22	farmer_child	TOCDFMPF	Styrene	1.8724E-013	3.9220E-013
RCPTR_22	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	9.3680E-013	9.8410E-013
RCPTR_22	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.0197E-012	3.2276E-012
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.6918E-011	1.7733E-010
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	8.0136E-014	1.6792E-013
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	7.5951E-015	1.5909E-014
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.8636E-010	1.2768E-009
RCPTR_22	farmer_child	TOCDFMPF	Thallium (l)	3.2381E-008	3.3336E-008
RCPTR_22	farmer_child	TOCDFMPF	Toluene	1.2970E-014	2.7088E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.2875E-012	6.7897E-012
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.9046E-015	1.0280E-014
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.7485E-014	7.8603E-014
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethylene	6.0999E-015	1.2779E-014
RCPTR_22	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.6834E-014	3.5269E-014
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.8348E-010	7.7853E-010
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	8.3550E-011	1.5828E-010
RCPTR_22	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.3877E-013	2.9092E-013
RCPTR_22	farmer_child	TOCDFMPF	Vinyl Chloride	3.3150E-018	6.9497E-018
RCPTR_22	farmer_child	TOCDFMPF	Xylene, m-	3.8968E-014	5.5182E-014
RCPTR_22	farmer_child	TOCDFMPF	Xylene, o-	3.7313E-014	5.5797E-014
RCPTR_22	farmer_child	TOCDFMPF	Xylene, p-	4.5395E-014	7.0541E-014
RCPTR_22	farmer_child	TOCDFMPF	Zinc	9.9829E-008	1.1448E-007
RCPTR_22	farmer_child	TOCDHVAC	Mustard	9.3479E-014	1.9601E-013
RCPTR_22	farmer_child	TOCDLIC2	Acenaphthene	5.6270E-011	1.1713E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Acetone	2.0069E-015	4.2102E-015
RCPTR_22	farmer_child	TOCDLIC2	Acetophenone	2.9413E-013	6.1679E-013
RCPTR_22	farmer_child	TOCDLIC2	Aniline	1.7731E-014	3.7149E-014
RCPTR_22	farmer_child	TOCDLIC2	Anthracene	9.9375E-010	2.0669E-009
RCPTR_22	farmer_child	TOCDLIC2	Antimony	2.8669E-007	3.1747E-007
RCPTR_22	farmer_child	TOCDLIC2	Arsenic	4.9608E-007	5.0885E-007
RCPTR_22	farmer_child	TOCDLIC2	Barium	4.1766E-008	4.5177E-008
RCPTR_22	farmer_child	TOCDLIC2	Benzene	1.1052E-014	2.3144E-014
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.9081E-007	2.2824E-007
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.7379E-006	1.7792E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.0109E-006	1.1090E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.6764E-006	2.7186E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzoic acid	7.3946E-013	1.4730E-012
RCPTR_22	farmer_child	TOCDLIC2	Benzyl alcohol	6.4310E-011	1.3483E-010
RCPTR_22	farmer_child	TOCDLIC2	Beryllium	7.0034E-008	7.2702E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.0200E-013	8.4333E-013
RCPTR_22	farmer_child	TOCDLIC2	Bromodichloromethane	3.9841E-016	8.3553E-016
RCPTR_22	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	7.2115E-013	1.5125E-012
RCPTR_22	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.8826E-008	3.2401E-008
RCPTR_22	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.0598E-009	1.1649E-009
RCPTR_22	farmer_child	TOCDLIC2	Cadmium	1.0003E-008	1.2043E-008
RCPTR_22	farmer_child	TOCDLIC2	Carbon disulfide	2.6008E-015	5.4500E-015
RCPTR_22	farmer_child	TOCDLIC2	Carbon tetrachloride	5.1494E-014	1.0782E-013
RCPTR_22	farmer_child	TOCDLIC2	Chlorine	4.2917E-007	9.0036E-007
RCPTR_22	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.6340E-011	7.0029E-011
RCPTR_22	farmer_child	TOCDLIC2	Chloroaniline, p-	1.8703E-012	3.9174E-012
RCPTR_22	farmer_child	TOCDLIC2	Chlorobenzene	2.0763E-014	4.3424E-014
RCPTR_22	farmer_child	TOCDLIC2	Chloroethane	2.1476E-017	4.4569E-017
RCPTR_22	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.0643E-014	4.3287E-014
RCPTR_22	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.4674E-010	3.0596E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.1857E-012	1.0877E-011
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.0258E-010	3.8951E-010
RCPTR_22	farmer_child	TOCDLIC2	Chromium	3.2219E-007	3.3298E-007
RCPTR_22	farmer_child	TOCDLIC2	Chromium, hexavalent	2.9067E-007	2.9394E-007
RCPTR_22	farmer_child	TOCDLIC2	Chrysene	5.1657E-007	5.5634E-007
RCPTR_22	farmer_child	TOCDLIC2	Di-n-butyl phthalate	6.2521E-010	6.8776E-010
RCPTR_22	farmer_child	TOCDLIC2	Di-n-octylphthalate	3.0209E+000	3.0209E+000
RCPTR_22	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.4160E-005	3.4339E-005
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.3871E-013	4.9432E-013
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.8745E-013	5.9798E-013
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.7640E-013	5.7570E-013
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.2768E-009	1.4586E-009
RCPTR_22	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.6977E-018	3.5557E-018
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane 1,1-	6.9054E-017	1.4482E-016
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.3029E-016	1.1122E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.6161E-017	5.4828E-017
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.6000E-016	5.4487E-016
RCPTR_22	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.6882E-011	4.8739E-011
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.4642E-015	3.0661E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.9743E-016	1.0429E-015
RCPTR_22	farmer_child	TOCDLIC2	Diethyl phthalate	3.7592E-010	3.8662E-010
RCPTR_22	farmer_child	TOCDLIC2	Dimethyl phthalate	4.4629E-011	9.2589E-011
RCPTR_22	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.5457E-012	7.4160E-012
RCPTR_22	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.5294E-012	3.8749E-012
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.3124E-012	6.8205E-012
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.5385E-012	5.2552E-012
RCPTR_22	farmer_child	TOCDLIC2	Ethyl methanesulfonate	7.5273E-014	1.5790E-013
RCPTR_22	farmer_child	TOCDLIC2	Ethylbenzene	4.9158E-015	1.0171E-014
RCPTR_22	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.3778E-009	1.5199E-009
RCPTR_22	farmer_child	TOCDLIC2	Fluoranthene	1.5300E-008	2.6501E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Fluorene	2.2214E-010	4.6000E-010
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.2069E-012	3.2786E-012
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0290E-011	1.0474E-011
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.4324E-011	2.4854E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.6371E-011	2.6865E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.6101E-011	1.6490E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3501E-011	1.3874E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.8083E-011	2.8955E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.4362E-011	2.5116E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.4972E-011	2.5739E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.0571E-011	2.1205E-011
RCPTR_22	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.7531E-012	9.6692E-012
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorobenzene	9.6117E-009	1.9658E-008
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.2726E-011	2.5701E-011
RCPTR_22	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.8538E-012	5.9408E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.6118E-004	2.6156E-004
RCPTR_22	farmer_child	TOCDLIC2	Isophorone	5.3844E-013	1.1291E-012
RCPTR_22	farmer_child	TOCDLIC2	Lead	1.8762E-007	1.9870E-007
RCPTR_22	farmer_child	TOCDLIC2	Mercuric chloride	5.2566E-008	6.4099E-008
RCPTR_22	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.9400E-017	6.1668E-017
RCPTR_22	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	5.1877E-017	1.0879E-016
RCPTR_22	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.0807E-014	8.5605E-014
RCPTR_22	farmer_child	TOCDLIC2	Methyl mercury	7.7735E-010	8.1287E-010
RCPTR_22	farmer_child	TOCDLIC2	Methylene chloride	5.3267E-015	1.1172E-014
RCPTR_22	farmer_child	TOCDLIC2	Mustard	5.7343E-014	1.2023E-013
RCPTR_22	farmer_child	TOCDLIC2	Naphthalene	3.5266E-013	7.3672E-013
RCPTR_22	farmer_child	TOCDLIC2	Nickel	8.0661E-007	8.4199E-007
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 2-	9.1938E-012	1.9257E-011
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.1857E-012	4.5830E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.8252E-012	5.9216E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrobenzene	9.0859E-013	1.9058E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.1376E-013	8.6766E-013
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 4-	9.3188E-012	1.3634E-011
RCPTR_22	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.1316E-013	1.0749E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.0469E-013	1.0563E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.5405E-014	9.4589E-014
RCPTR_22	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.8558E-012	4.9964E-012
RCPTR_22	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.7873E-012	4.9229E-012
RCPTR_22	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.8385E-011	5.9693E-011
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.2384E-012	9.5853E-012
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.5638E-011	3.6943E-011
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorobenzene	1.8372E-010	3.6560E-010
RCPTR_22	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.4663E-011	2.8865E-011
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorophenol	2.4418E-009	2.9728E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Phenanthrene	7.0148E-013	1.4574E-012
RCPTR_22	farmer_child	TOCDLIC2	Phenol	7.2053E-013	1.5097E-012
RCPTR_22	farmer_child	TOCDLIC2	Pronamide	6.9712E-011	1.4425E-010
RCPTR_22	farmer_child	TOCDLIC2	Pyrene	2.4400E-008	3.7796E-008
RCPTR_22	farmer_child	TOCDLIC2	Selenium	3.0226E-007	3.0333E-007
RCPTR_22	farmer_child	TOCDLIC2	Silver	8.0226E-007	8.3799E-007
RCPTR_22	farmer_child	TOCDLIC2	Styrene	8.2634E-012	1.7309E-011
RCPTR_22	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	7.8689E-012	8.2663E-012
RCPTR_22	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.0645E-012	3.2755E-012
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.7219E-011	1.1674E-010
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	2.6546E-015	5.5624E-015
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	9.9270E-016	2.0794E-015
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.1869E-010	8.4217E-010
RCPTR_22	farmer_child	TOCDLIC2	Thallium (l)	1.0612E-006	1.0925E-006
RCPTR_22	farmer_child	TOCDLIC2	Toluene	1.9455E-014	4.0631E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.1642E-012	4.4697E-012
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	8.4090E-015	1.7624E-014
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	7.6765E-015	1.6097E-014
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethylene	1.2492E-015	2.6169E-015
RCPTR_22	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.6416E-016	3.4394E-016
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.5245E-010	5.1252E-010
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.5006E-011	1.0420E-010
RCPTR_22	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.8419E-014	5.9577E-014
RCPTR_22	farmer_child	TOCDLIC2	Vinyl Chloride	1.2158E-018	2.5488E-018
RCPTR_22	farmer_child	TOCDLIC2	Xylene, m-	8.1151E-014	1.1503E-013
RCPTR_22	farmer_child	TOCDLIC2	Xylene, o-	7.7732E-014	1.1635E-013
RCPTR_22	farmer_child	TOCDLIC2	Xylene, p-	9.4596E-014	1.4713E-013
RCPTR_22	farmer_child	TOCDLIC2	Zinc	3.5157E-007	4.0315E-007
RCPTR_23	farmer_adult	TOCDFBRA	Antimony	1.5587E-007	1.8656E-007
RCPTR_23	farmer_adult	TOCDFBRA	Arsenic	2.6381E-007	2.7509E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFBRA	Barium	2.1614E-008	2.4749E-008
RCPTR_23	farmer_adult	TOCDFBRA	Beryllium	7.0550E-008	7.6068E-008
RCPTR_23	farmer_adult	TOCDFBRA	Cadmium	1.1803E-008	1.7153E-008
RCPTR_23	farmer_adult	TOCDFBRA	Chromium	1.7834E-006	1.7915E-006
RCPTR_23	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.5689E-006	1.5977E-006
RCPTR_23	farmer_adult	TOCDFBRA	Lead	7.2443E-007	8.1040E-007
RCPTR_23	farmer_adult	TOCDFBRA	Mercuric chloride	1.1523E-004	1.1935E-004
RCPTR_23	farmer_adult	TOCDFBRA	Methyl mercury	1.7650E-006	1.8038E-006
RCPTR_23	farmer_adult	TOCDFBRA	Nickel	8.6060E-007	9.2918E-007
RCPTR_23	farmer_adult	TOCDFBRA	Selenium	2.9790E-007	2.9961E-007
RCPTR_23	farmer_adult	TOCDFBRA	Silver	9.9171E-008	1.0657E-007
RCPTR_23	farmer_adult	TOCDFBRA	Thallium (l)	2.6863E-006	2.8303E-006
RCPTR_23	farmer_adult	TOCDFBRA	Zinc	4.4522E-007	5.7581E-007
RCPTR_23	farmer_adult	TOCDFDFS	Acenaphthene	7.4881E-011	9.5353E-010
RCPTR_23	farmer_adult	TOCDFDFS	Acetone	7.5353E-016	1.0536E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Acetophenone	3.7924E-013	5.2768E-012
RCPTR_23	farmer_adult	TOCDFDFS	Aniline	2.1964E-014	3.0232E-013
RCPTR_23	farmer_adult	TOCDFDFS	Anthracene	1.3349E-009	1.6829E-008
RCPTR_23	farmer_adult	TOCDFDFS	Antimony	1.5090E-008	1.7950E-008
RCPTR_23	farmer_adult	TOCDFDFS	Aroclor 1254	1.7379E-010	3.2567E-010
RCPTR_23	farmer_adult	TOCDFDFS	Arsenic	2.9812E-008	3.1038E-008
RCPTR_23	farmer_adult	TOCDFDFS	Barium	1.9264E-008	2.1953E-008
RCPTR_23	farmer_adult	TOCDFDFS	Benzene	2.7524E-015	3.7672E-014
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.2870E-006	1.9413E-006
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.4991E-005	1.5727E-005
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.7901E-006	9.4894E-006
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.3026E-005	2.3936E-005
RCPTR_23	farmer_adult	TOCDFDFS	Benzoic acid	4.1010E-013	3.4757E-012
RCPTR_23	farmer_adult	TOCDFDFS	Benzyl alcohol	4.9398E-013	6.8577E-012
RCPTR_23	farmer_adult	TOCDFDFS	Beryllium	1.5654E-008	1.6834E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.9086E-013	6.8626E-012
RCPTR_23	farmer_adult	TOCDFDFS	Bromodichloromethane	8.7613E-016	1.2201E-014
RCPTR_23	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.3998E-013	1.9520E-012
RCPTR_23	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.7797E-008	2.6369E-007
RCPTR_23	farmer_adult	TOCDFDFS	Butylbenzylphthalate	8.9288E-009	1.0449E-008
RCPTR_23	farmer_adult	TOCDFDFS	Cadmium	5.5750E-009	8.0096E-009
RCPTR_23	farmer_adult	TOCDFDFS	Carbon disulfide	4.8779E-016	6.7283E-015
RCPTR_23	farmer_adult	TOCDFDFS	Carbon tetrachloride	7.8043E-016	1.0661E-014
RCPTR_23	farmer_adult	TOCDFDFS	Chlorine	1.5225E-014	2.1293E-013
RCPTR_23	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.5026E-011	5.7141E-010
RCPTR_23	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.3243E-012	3.1880E-011
RCPTR_23	farmer_adult	TOCDFDFS	Chlorobenzene	4.6315E-015	6.2380E-014
RCPTR_23	farmer_adult	TOCDFDFS	Chloroethane	1.4208E-017	1.7540E-016
RCPTR_23	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	6.0507E-016	8.4170E-015
RCPTR_23	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.9165E-010	2.4904E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.3411E-012	8.8514E-011
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.8698E-010	3.1857E-009
RCPTR_23	farmer_adult	TOCDFDFS	Chromium	5.1995E-007	5.2224E-007
RCPTR_23	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.5952E-007	4.6764E-007
RCPTR_23	farmer_adult	TOCDFDFS	Chrysene	4.0078E-006	4.7569E-006
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.1781E-008	3.7626E-008
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.6433E+002	1.6433E+002
RCPTR_23	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.1141E-004	3.1658E-004
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.3450E-013	4.0248E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.8456E-013	4.8678E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.6503E-013	4.6862E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.9955E-008	2.5238E-008
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.0746E-018	1.4704E-017
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.5295E-016	3.5221E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1393E-016	4.3755E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	9.6528E-017	1.3335E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5533E-016	2.1437E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	8.2980E-011	3.9854E-010
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	8.8231E-016	1.2063E-014
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.8673E-016	3.9798E-015
RCPTR_23	farmer_adult	TOCDFDFS	Diethyl phthalate	2.0002E-008	2.1001E-008
RCPTR_23	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.5010E-012	7.9578E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.4759E-012	6.0353E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.2524E-011	3.1949E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.9539E-012	5.5603E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.5767E-012	4.2800E-011
RCPTR_23	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	9.1973E-014	1.2849E-012
RCPTR_23	farmer_adult	TOCDFDFS	Ethylbenzene	3.2006E-015	3.8166E-014
RCPTR_23	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.5199E-009	1.7883E-009
RCPTR_23	farmer_adult	TOCDFDFS	Fluoranthene	4.4317E-008	2.1735E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Fluorene	3.1164E-010	3.7457E-009
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.1513E-013	7.5087E-013
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.9041E-013	6.1455E-013
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9048E-012	1.9981E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5387E-011	1.6041E-011
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.4599E-012	9.9699E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.5175E-012	7.9748E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.2428E-012	5.5983E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.7332E-012	5.0528E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.5981E-012	5.9739E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.3040E-012	4.5938E-012
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.8844E-012	7.8861E-011
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.4895E-008	1.6016E-007
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.2434E-011	2.0976E-010
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7864E-012	4.8355E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.2530E-003	2.2636E-003
RCPTR_23	farmer_adult	TOCDFDFS	Isophorone	6.6056E-013	9.1879E-012
RCPTR_23	farmer_adult	TOCDFDFS	Lead	9.5391E-008	1.0632E-007
RCPTR_23	farmer_adult	TOCDFDFS	Mercuric chloride	4.5171E-008	4.6856E-008
RCPTR_23	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.1018E-017	1.5378E-016
RCPTR_23	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.1778E-018	3.0317E-017
RCPTR_23	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.4032E-015	7.5525E-014
RCPTR_23	farmer_adult	TOCDFDFS	Methyl mercury	6.3970E-010	6.5559E-010
RCPTR_23	farmer_adult	TOCDFDFS	Methylene chloride	3.2599E-016	4.5428E-015
RCPTR_23	farmer_adult	TOCDFDFS	Mustard	3.8539E-014	5.3516E-013
RCPTR_23	farmer_adult	TOCDFDFS	Naphthalene	2.9204E-012	3.8799E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nickel	2.0714E-006	2.2302E-006
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.1430E-011	1.5671E-010
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.6840E-012	3.7293E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.4880E-012	4.8191E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitrobenzene	1.1114E-012	1.5508E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.0756E-013	7.0607E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.0115E-011	1.1241E-010
RCPTR_23	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.3751E-013	8.7471E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.3242E-013	8.5962E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.1936E-014	7.7204E-013
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2165E-012	1.2933E-012
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2831E-012	1.3621E-012
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.6465E-011	2.7803E-011
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.2892E-012	3.5646E-012
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.3671E-011	1.4777E-011
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.5200E-011	5.9941E-010
RCPTR_23	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.2418E-011	2.3745E-010
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorophenol	8.5424E-008	1.2382E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Phenanthrene	9.5201E-013	1.1865E-011
RCPTR_23	farmer_adult	TOCDFDFS	Phenol	8.9169E-013	1.2286E-011
RCPTR_23	farmer_adult	TOCDFDFS	Pronamide	9.8349E-011	1.1744E-009
RCPTR_23	farmer_adult	TOCDFDFS	Pyrene	5.9412E-008	3.0870E-007
RCPTR_23	farmer_adult	TOCDFDFS	Selenium	3.3669E-008	3.3854E-008
RCPTR_23	farmer_adult	TOCDFDFS	Silver	2.2143E-007	2.3733E-007
RCPTR_23	farmer_adult	TOCDFDFS	Styrene	3.3315E-014	4.5706E-013
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	8.0466E-012	8.9662E-012
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.3857E-012	2.7680E-012
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.1653E-011	9.5098E-010
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.3661E-011	1.7858E-011
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.3461E-016	1.2819E-014
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.2456E-009	6.9156E-009
RCPTR_23	farmer_adult	TOCDFDFS	Thallium (l)	2.9704E-005	3.1236E-005
RCPTR_23	farmer_adult	TOCDFDFS	Toluene	1.2940E-015	1.7140E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.1128E-012	3.6399E-011
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.7316E-016	1.0687E-014
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.5547E-015	6.3328E-014
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethylene	7.4916E-016	1.0296E-014
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0334E-016	1.4222E-015
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.2017E-010	4.1749E-009
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.0602E-010	4.2764E-009
RCPTR_23	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.6911E-014	2.3439E-013
RCPTR_23	farmer_adult	TOCDFDFS	Vinyl Chloride	2.4158E-019	3.3457E-018
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, m-	6.0007E-014	1.1317E-013
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, o-	4.5435E-014	9.8388E-014
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, p-	5.8328E-014	1.4079E-013
RCPTR_23	farmer_adult	TOCDFDFS	Zinc	9.4797E-008	1.2157E-007
RCPTR_23	farmer_adult	TOCDFLIC	Acenaphthene	1.5467E-011	1.9675E-010
RCPTR_23	farmer_adult	TOCDFLIC	Acetone	5.0557E-016	7.0688E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Acetophenone	7.4431E-014	1.0356E-012
RCPTR_23	farmer_adult	TOCDFLIC	Aniline	4.5329E-015	6.2377E-014
RCPTR_23	farmer_adult	TOCDFLIC	Anthracene	2.7567E-010	3.4724E-009
RCPTR_23	farmer_adult	TOCDFLIC	Antimony	7.4804E-007	8.8908E-007
RCPTR_23	farmer_adult	TOCDFLIC	Arsenic	1.3948E-006	1.4519E-006
RCPTR_23	farmer_adult	TOCDFLIC	Barium	1.1173E-007	1.2724E-007
RCPTR_23	farmer_adult	TOCDFLIC	Benzene	2.8403E-015	3.8862E-014
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.6744E-007	4.0223E-007
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.1025E-006	3.2516E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.6228E-006	1.9726E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.7720E-006	4.9550E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzoic acid	2.9453E-013	2.4796E-012
RCPTR_23	farmer_adult	TOCDFLIC	Benzyl alcohol	1.6309E-011	2.2639E-010
RCPTR_23	farmer_adult	TOCDFLIC	Beryllium	1.9089E-007	2.0521E-007
RCPTR_23	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0128E-013	1.4159E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Bromodichloromethane	1.0074E-016	1.4028E-015
RCPTR_23	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.8212E-013	2.5395E-012
RCPTR_23	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.7341E-009	5.4405E-008
RCPTR_23	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8309E-009	2.1445E-009
RCPTR_23	farmer_adult	TOCDFLIC	Cadmium	2.2986E-008	3.2974E-008
RCPTR_23	farmer_adult	TOCDFLIC	Carbon disulfide	6.6355E-016	9.1509E-015
RCPTR_23	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.3259E-014	1.8105E-013
RCPTR_23	farmer_adult	TOCDFLIC	Chlorine	1.0808E-007	1.5117E-006
RCPTR_23	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.7725E-011	1.1808E-010
RCPTR_23	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.7973E-013	6.5777E-012
RCPTR_23	farmer_adult	TOCDFLIC	Chlorobenzene	5.4169E-015	7.2921E-014
RCPTR_23	farmer_adult	TOCDFLIC	Chloroethane	6.0781E-018	7.4869E-017
RCPTR_23	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.2251E-015	7.2679E-014
RCPTR_23	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.9583E-011	5.1388E-010
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3084E-012	1.8263E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0108E-010	6.5790E-010
RCPTR_23	farmer_adult	TOCDFLIC	Chromium	9.3524E-007	9.3935E-007
RCPTR_23	farmer_adult	TOCDFLIC	Chromium, hexavalent	8.2705E-007	8.4158E-007
RCPTR_23	farmer_adult	TOCDFLIC	Chrysene	8.3553E-007	9.8958E-007
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.0279E-009	1.2143E-009
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.3379E+000	5.3379E+000
RCPTR_23	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.4593E-005	6.5614E-005
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.9164E-014	8.3057E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	7.9463E-014	1.0045E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.5411E-014	9.6697E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.0685E-009	2.6126E-009
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.3632E-019	5.9709E-018
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.7463E-017	2.4315E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3398E-016	1.8674E-015
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	6.6650E-018	9.2059E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.6306E-017	9.1487E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.7344E-011	8.2452E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.7669E-016	5.1483E-015
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2617E-016	1.7511E-015
RCPTR_23	farmer_adult	TOCDFLIC	Diethyl phthalate	6.4961E-010	6.8149E-010
RCPTR_23	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2720E-011	1.5558E-010
RCPTR_23	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.2416E-013	1.2453E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.6224E-012	6.6304E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.0218E-012	1.1472E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.3895E-013	8.8317E-012
RCPTR_23	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.8977E-014	2.6511E-013
RCPTR_23	farmer_adult	TOCDFLIC	Ethylbenzene	1.4361E-015	1.7091E-014
RCPTR_23	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.3844E-009	2.8086E-009
RCPTR_23	farmer_adult	TOCDFLIC	Fluoranthene	9.2096E-009	4.4908E-008
RCPTR_23	farmer_adult	TOCDFLIC	Fluorene	6.4416E-011	7.7295E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.0373E-012	6.3331E-012
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9026E-011	1.9784E-011
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.5625E-011	4.7812E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.8533E-011	5.0544E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.0201E-011	3.1799E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.5680E-011	2.7221E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.3105E-011	5.6673E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.6008E-011	4.9086E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.7024E-011	5.0150E-011
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.8788E-011	4.1374E-011
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6294E-012	1.6274E-011
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.0823E-009	3.3055E-008
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.6355E-012	4.3285E-011
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.8258E-013	9.9781E-012
RCPTR_23	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7153E-004	4.7363E-004
RCPTR_23	farmer_adult	TOCDFLIC	Isophorone	1.3631E-013	1.8957E-012
RCPTR_23	farmer_adult	TOCDFLIC	Lead	4.9876E-007	5.5562E-007
RCPTR_23	farmer_adult	TOCDFLIC	Mercuric chloride	1.0837E-007	1.1244E-007
RCPTR_23	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.4188E-018	1.0354E-016
RCPTR_23	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.3122E-017	1.8266E-016
RCPTR_23	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0283E-014	1.4373E-013
RCPTR_23	farmer_adult	TOCDFLIC	Methyl mercury	1.5154E-009	1.5538E-009
RCPTR_23	farmer_adult	TOCDFLIC	Methylene chloride	1.3461E-015	1.8757E-014
RCPTR_23	farmer_adult	TOCDFLIC	Mustard	1.3985E-014	1.9417E-013
RCPTR_23	farmer_adult	TOCDFLIC	Naphthalene	9.3189E-014	1.2372E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nickel	2.2209E-006	2.3903E-006
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.3591E-012	3.2335E-011
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.5383E-013	7.6950E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.1953E-013	9.9434E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Nitrobenzene	2.2931E-013	3.1998E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.0473E-013	1.4568E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.0514E-012	2.3368E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3159E-013	1.8048E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.3056E-013	1.7737E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.2735E-014	1.5925E-013
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	9.3506E-012	9.9344E-012
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.2333E-012	9.7964E-012
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0441E-010	1.0957E-010
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.6261E-011	1.7607E-011
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.3805E-011	6.8917E-011
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorobenzene	7.6945E-011	6.1872E-010
RCPTR_23	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.6184E-012	4.8923E-011
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorophenol	3.5822E-009	5.1639E-009
RCPTR_23	farmer_adult	TOCDFLIC	Phenanthrene	1.9671E-013	2.4483E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Phenol	1.8403E-013	2.5349E-012
RCPTR_23	farmer_adult	TOCDFLIC	Pronamide	2.0343E-011	2.4236E-010
RCPTR_23	farmer_adult	TOCDFLIC	Pyrene	1.2315E-008	6.3747E-008
RCPTR_23	farmer_adult	TOCDFLIC	Selenium	8.6536E-007	8.7009E-007
RCPTR_23	farmer_adult	TOCDFLIC	Silver	2.2220E-006	2.3808E-006
RCPTR_23	farmer_adult	TOCDFLIC	Styrene	2.1190E-012	2.9063E-011
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.3538E-011	1.5072E-011
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	5.0814E-012	5.8890E-012
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.8995E-011	1.9630E-010
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.7771E-016	9.3398E-015
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5458E-016	3.4917E-015
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.7047E-010	1.4341E-009
RCPTR_23	farmer_adult	TOCDFLIC	Thallium (l)	2.9602E-006	3.1121E-006
RCPTR_23	farmer_adult	TOCDFLIC	Toluene	5.1554E-015	6.8236E-014
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.4374E-013	7.5116E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.1413E-015	2.9592E-014
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.9440E-015	2.7027E-014
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethylene	3.1980E-016	4.3941E-015
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.1975E-017	5.7750E-016
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	8.7194E-011	8.6188E-010
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.9307E-011	1.7586E-010
RCPTR_23	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.2182E-015	1.0003E-013
RCPTR_23	farmer_adult	TOCDFLIC	Vinyl Chloride	3.0898E-019	4.2798E-018
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, m-	5.2940E-014	1.0150E-013
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, o-	4.5912E-014	1.0127E-013
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, p-	5.1534E-014	1.2684E-013
RCPTR_23	farmer_adult	TOCDFLIC	Zinc	8.7305E-007	1.1183E-006
RCPTR_23	farmer_adult	TOCDFMPF	Acenaphthene	2.3577E-011	2.9993E-010
RCPTR_23	farmer_adult	TOCDFMPF	Acetone	1.8414E-015	2.5747E-014
RCPTR_23	farmer_adult	TOCDFMPF	Acetophenone	1.1886E-013	1.6538E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Aniline	6.9098E-015	9.5085E-014
RCPTR_23	farmer_adult	TOCDFMPF	Anthracene	4.2021E-010	5.2932E-009
RCPTR_23	farmer_adult	TOCDFMPF	Antimony	1.0189E-008	1.2110E-008
RCPTR_23	farmer_adult	TOCDFMPF	Aroclor 1254	1.0068E-010	1.8904E-010
RCPTR_23	farmer_adult	TOCDFMPF	Arsenic	7.2467E-008	7.5431E-008
RCPTR_23	farmer_adult	TOCDFMPF	Barium	7.9135E-008	9.0122E-008
RCPTR_23	farmer_adult	TOCDFMPF	Benzene	2.5312E-015	3.4634E-014
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.0764E-007	6.1313E-007
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.7298E-006	4.9573E-006
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.4733E-006	3.0066E-006
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.2745E-006	7.5539E-006
RCPTR_23	farmer_adult	TOCDFMPF	Benzoic acid	1.2993E-012	1.0941E-011
RCPTR_23	farmer_adult	TOCDFMPF	Benzyl alcohol	1.5538E-013	2.1569E-012
RCPTR_23	farmer_adult	TOCDFMPF	Beryllium	6.5040E-009	6.9918E-009
RCPTR_23	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.5438E-013	2.1584E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Bromodichloromethane	3.0518E-015	4.2497E-014
RCPTR_23	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.0608E-013	1.4792E-012
RCPTR_23	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	8.7409E-009	8.2934E-008
RCPTR_23	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.7924E-009	3.2703E-009
RCPTR_23	farmer_adult	TOCDFMPF	Cadmium	1.0490E-007	1.5047E-007
RCPTR_23	farmer_adult	TOCDFMPF	Carbon disulfide	2.4191E-016	3.3361E-015
RCPTR_23	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.3029E-015	3.1447E-014
RCPTR_23	farmer_adult	TOCDFMPF	Chlorine	1.9856E-008	2.7771E-007
RCPTR_23	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.7011E-011	1.7999E-010
RCPTR_23	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.3128E-013	1.0027E-011
RCPTR_23	farmer_adult	TOCDFMPF	Chlorobenzene	9.6910E-015	1.3046E-013
RCPTR_23	farmer_adult	TOCDFMPF	Chloroethane	5.9720E-017	7.3567E-016
RCPTR_23	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.6385E-015	2.2791E-014
RCPTR_23	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.0338E-011	7.8334E-010
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.9945E-012	2.7839E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.5406E-010	1.0029E-009
RCPTR_23	farmer_adult	TOCDFMPF	Chromium	1.7737E-007	1.7815E-007
RCPTR_23	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.5685E-007	1.5961E-007
RCPTR_23	farmer_adult	TOCDFMPF	Chrysene	1.2734E-006	1.5082E-006
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.0135E-008	1.1973E-008
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-octylphthalate	5.2622E+001	5.2622E+001
RCPTR_23	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	9.8461E-005	1.0002E-004
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.0543E-013	1.2661E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.2113E-013	1.5312E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.1495E-013	1.4740E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.3253E-009	7.9890E-009
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.5784E-018	4.8970E-017
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.2902E-016	7.3658E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5655E-016	9.1505E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.0191E-016	2.7888E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.2491E-016	4.4831E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.6429E-011	1.2568E-010
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.8458E-015	2.5228E-014
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.9966E-016	8.3229E-015
RCPTR_23	farmer_adult	TOCDFMPF	Diethyl phthalate	6.4039E-009	6.7184E-009
RCPTR_23	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.3545E-012	1.6567E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.4087E-012	1.8983E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.9885E-012	1.0087E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5577E-012	1.7487E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.1264E-012	1.3463E-011
RCPTR_23	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.8928E-014	4.0413E-013
RCPTR_23	farmer_adult	TOCDFMPF	Ethylbenzene	6.7077E-015	7.9829E-014
RCPTR_23	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.3032E-010	5.0685E-010
RCPTR_23	farmer_adult	TOCDFMPF	Fluoranthene	1.4037E-008	6.8454E-008
RCPTR_23	farmer_adult	TOCDFMPF	Fluorene	9.8189E-011	1.1783E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.3509E-011	2.4662E-011
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.9880E-011	3.1071E-011
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.3351E-011	5.5910E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3843E-011	1.4417E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.7057E-012	7.0609E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.0628E-012	6.4268E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0485E-011	1.1190E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.4358E-012	4.7326E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.9078E-012	4.1676E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.5078E-012	3.7418E-012
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.4839E-012	2.4807E-011
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.6983E-009	5.0387E-008
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	7.0663E-012	6.5983E-011
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1929E-012	1.5210E-011
RCPTR_23	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.1850E-004	7.2171E-004
RCPTR_23	farmer_adult	TOCDFMPF	Isophorone	2.0778E-013	2.8898E-012
RCPTR_23	farmer_adult	TOCDFMPF	Lead	5.7549E-008	6.4110E-008
RCPTR_23	farmer_adult	TOCDFMPF	Mercuric chloride	1.8379E-006	1.9069E-006
RCPTR_23	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.8279E-017	5.3424E-016
RCPTR_23	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.2335E-018	3.1091E-017
RCPTR_23	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.0794E-015	2.9065E-014
RCPTR_23	farmer_adult	TOCDFMPF	Methyl mercury	2.5718E-008	2.6368E-008
RCPTR_23	farmer_adult	TOCDFMPF	Methylene chloride	1.0556E-015	1.4710E-014
RCPTR_23	farmer_adult	TOCDFMPF	Mustard	9.9231E-014	1.3777E-012
RCPTR_23	farmer_adult	TOCDFMPF	Naphthalene	9.1916E-013	1.2204E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nickel	1.3920E-006	1.4981E-006
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.5895E-012	4.9200E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 3-	8.4271E-013	1.1709E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.0949E-012	1.5130E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Nitrobenzene	3.4956E-013	4.8777E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.5965E-013	2.2207E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.5990E-011	3.5549E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.0058E-013	2.7512E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.9902E-013	2.7037E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.9416E-014	2.4276E-013
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.9452E-010	6.3165E-010
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0465E-009	1.1104E-009
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.4474E-012	5.7172E-012
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.0477E-012	7.6312E-012
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.2727E-012	4.6151E-012
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.3429E-011	1.8830E-010
RCPTR_23	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.0076E-011	7.4447E-011
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorophenol	2.7288E-008	3.9344E-008
RCPTR_23	farmer_adult	TOCDFMPF	Phenanthrene	2.9985E-013	3.7321E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Phenol	2.8053E-013	3.8642E-012
RCPTR_23	farmer_adult	TOCDFMPF	Pronamide	3.1007E-011	3.6945E-010
RCPTR_23	farmer_adult	TOCDFMPF	Pyrene	1.8771E-008	9.7172E-008
RCPTR_23	farmer_adult	TOCDFMPF	Selenium	1.5166E-008	1.5249E-008
RCPTR_23	farmer_adult	TOCDFMPF	Silver	2.9953E-007	3.2092E-007
RCPTR_23	farmer_adult	TOCDFMPF	Styrene	4.8181E-014	6.6085E-013
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.6157E-012	1.7988E-012
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.0209E-012	5.8189E-012
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.8952E-011	2.9922E-010
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.0530E-014	2.8294E-013
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9546E-015	2.6808E-014
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.1555E-010	2.1817E-009
RCPTR_23	farmer_adult	TOCDFMPF	Thallium (l)	9.0524E-008	9.5167E-008
RCPTR_23	farmer_adult	TOCDFMPF	Toluene	3.4490E-015	4.5651E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.8124E-013	1.1450E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.2533E-015	1.7321E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	9.5261E-015	1.3244E-013
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethylene	1.5671E-015	2.1532E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.3194E-015	5.9427E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.3289E-010	1.3138E-009
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	4.4660E-011	2.6806E-010
RCPTR_23	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.5371E-014	4.9018E-013
RCPTR_23	farmer_adult	TOCDFMPF	Vinyl Chloride	8.4542E-019	1.1710E-017
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, m-	5.2930E-014	1.0140E-013
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, o-	4.5902E-014	1.0116E-013
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, p-	5.1521E-014	1.2669E-013
RCPTR_23	farmer_adult	TOCDFMPF	Zinc	2.4842E-007	3.1821E-007
RCPTR_23	farmer_adult	TOCDHVAC	Mustard	2.5063E-014	3.4834E-013
RCPTR_23	farmer_adult	TOCDLIC2	Acenaphthene	1.5467E-011	1.9675E-010
RCPTR_23	farmer_adult	TOCDLIC2	Acetone	5.0557E-016	7.0688E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Acetophenone	7.4431E-014	1.0356E-012
RCPTR_23	farmer_adult	TOCDLIC2	Aniline	4.5329E-015	6.2377E-014
RCPTR_23	farmer_adult	TOCDLIC2	Anthracene	2.7567E-010	3.4724E-009
RCPTR_23	farmer_adult	TOCDLIC2	Antimony	7.4804E-007	8.8908E-007
RCPTR_23	farmer_adult	TOCDLIC2	Arsenic	1.3948E-006	1.4519E-006
RCPTR_23	farmer_adult	TOCDLIC2	Barium	1.1173E-007	1.2724E-007
RCPTR_23	farmer_adult	TOCDLIC2	Benzene	2.8403E-015	3.8862E-014
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.6744E-007	4.0223E-007
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.1025E-006	3.2516E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.6228E-006	1.9726E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.7720E-006	4.9550E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzoic acid	2.9453E-013	2.4796E-012
RCPTR_23	farmer_adult	TOCDLIC2	Benzyl alcohol	1.6309E-011	2.2639E-010
RCPTR_23	farmer_adult	TOCDLIC2	Beryllium	1.9089E-007	2.0521E-007
RCPTR_23	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0128E-013	1.4159E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0074E-016	1.4028E-015
RCPTR_23	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.8212E-013	2.5395E-012
RCPTR_23	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.7341E-009	5.4405E-008
RCPTR_23	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.8309E-009	2.1445E-009
RCPTR_23	farmer_adult	TOCDLIC2	Cadmium	2.2986E-008	3.2974E-008
RCPTR_23	farmer_adult	TOCDLIC2	Carbon disulfide	6.6355E-016	9.1509E-015
RCPTR_23	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.3259E-014	1.8105E-013
RCPTR_23	farmer_adult	TOCDLIC2	Chlorine	1.0808E-007	1.5117E-006
RCPTR_23	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.7725E-011	1.1808E-010
RCPTR_23	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.7973E-013	6.5777E-012
RCPTR_23	farmer_adult	TOCDLIC2	Chlorobenzene	5.4169E-015	7.2921E-014
RCPTR_23	farmer_adult	TOCDLIC2	Chloroethane	6.0781E-018	7.4869E-017
RCPTR_23	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.2251E-015	7.2679E-014
RCPTR_23	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.9583E-011	5.1388E-010
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3084E-012	1.8263E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.0108E-010	6.5790E-010
RCPTR_23	farmer_adult	TOCDLIC2	Chromium	9.3524E-007	9.3935E-007
RCPTR_23	farmer_adult	TOCDLIC2	Chromium, hexavalent	8.2705E-007	8.4158E-007
RCPTR_23	farmer_adult	TOCDLIC2	Chrysene	8.3553E-007	9.8958E-007
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.0279E-009	1.2143E-009
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.3379E+000	5.3379E+000
RCPTR_23	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.4593E-005	6.5614E-005
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.9164E-014	8.3057E-013
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.9463E-014	1.0045E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.5411E-014	9.6697E-013
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.0685E-009	2.6126E-009
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.3632E-019	5.9709E-018
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.7463E-017	2.4315E-016
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3398E-016	1.8674E-015
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	6.6650E-018	9.2059E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.6306E-017	9.1487E-016
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.7344E-011	8.2452E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.7669E-016	5.1483E-015
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2617E-016	1.7511E-015
RCPTR_23	farmer_adult	TOCDLIC2	Diethyl phthalate	6.4961E-010	6.8149E-010
RCPTR_23	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2720E-011	1.5558E-010
RCPTR_23	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.2416E-013	1.2453E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.6224E-012	6.6304E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.0218E-012	1.1472E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.3895E-013	8.8317E-012
RCPTR_23	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.8977E-014	2.6511E-013
RCPTR_23	farmer_adult	TOCDLIC2	Ethylbenzene	1.4361E-015	1.7091E-014
RCPTR_23	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.3844E-009	2.8086E-009
RCPTR_23	farmer_adult	TOCDLIC2	Fluoranthene	9.2096E-009	4.4908E-008
RCPTR_23	farmer_adult	TOCDLIC2	Fluorene	6.4416E-011	7.7295E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.0373E-012	6.3331E-012
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9026E-011	1.9784E-011
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.5625E-011	4.7812E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.8533E-011	5.0544E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.0201E-011	3.1799E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.5680E-011	2.7221E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.3105E-011	5.6673E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.6008E-011	4.9086E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.7024E-011	5.0150E-011
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.8788E-011	4.1374E-011
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.6294E-012	1.6274E-011
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.0823E-009	3.3055E-008
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.6355E-012	4.3285E-011
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.8258E-013	9.9781E-012
RCPTR_23	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7153E-004	4.7363E-004
RCPTR_23	farmer_adult	TOCDLIC2	Isophorone	1.3631E-013	1.8957E-012
RCPTR_23	farmer_adult	TOCDLIC2	Lead	4.9876E-007	5.5562E-007
RCPTR_23	farmer_adult	TOCDLIC2	Mercuric chloride	1.0837E-007	1.1244E-007
RCPTR_23	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.4188E-018	1.0354E-016
RCPTR_23	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.3122E-017	1.8266E-016
RCPTR_23	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0283E-014	1.4373E-013
RCPTR_23	farmer_adult	TOCDLIC2	Methyl mercury	1.5154E-009	1.5538E-009
RCPTR_23	farmer_adult	TOCDLIC2	Methylene chloride	1.3461E-015	1.8757E-014
RCPTR_23	farmer_adult	TOCDLIC2	Mustard	1.4539E-014	2.0187E-013
RCPTR_23	farmer_adult	TOCDLIC2	Naphthalene	9.3189E-014	1.2372E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nickel	2.2209E-006	2.3903E-006
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.3591E-012	3.2335E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.5383E-013	7.6950E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.1953E-013	9.9434E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Nitrobenzene	2.2931E-013	3.1998E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0473E-013	1.4568E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.0514E-011	2.3368E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3159E-013	1.8048E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.3056E-013	1.7737E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.2735E-014	1.5925E-013
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.3506E-012	9.9344E-012
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.2333E-012	9.7964E-012
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.0441E-010	1.0957E-010
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.6261E-011	1.7607E-011
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.3805E-011	6.8917E-011
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.6945E-011	6.1872E-010
RCPTR_23	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.6184E-012	4.8923E-011
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorophenol	3.5822E-009	5.1639E-009
RCPTR_23	farmer_adult	TOCDLIC2	Phenanthrene	1.9671E-013	2.4483E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Phenol	1.8403E-013	2.5349E-012
RCPTR_23	farmer_adult	TOCDLIC2	Pronamide	2.0343E-011	2.4236E-010
RCPTR_23	farmer_adult	TOCDLIC2	Pyrene	1.2315E-008	6.3747E-008
RCPTR_23	farmer_adult	TOCDLIC2	Selenium	8.6536E-007	8.7009E-007
RCPTR_23	farmer_adult	TOCDLIC2	Silver	2.2220E-006	2.3808E-006
RCPTR_23	farmer_adult	TOCDLIC2	Styrene	2.1190E-012	2.9063E-011
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.3538E-011	1.5072E-011
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	5.0814E-012	5.8890E-012
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.8995E-011	1.9630E-010
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.7771E-016	9.3398E-015
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5458E-016	3.4917E-015
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.7047E-010	1.4341E-009
RCPTR_23	farmer_adult	TOCDLIC2	Thallium (l)	2.9602E-006	3.1121E-006
RCPTR_23	farmer_adult	TOCDLIC2	Toluene	5.1554E-015	6.8236E-014
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.4374E-013	7.5116E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.1413E-015	2.9592E-014
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.9440E-015	2.7027E-014
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethylene	3.1980E-016	4.3941E-015
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.1975E-017	5.7750E-016
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	8.7194E-011	8.6188E-010
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.9307E-011	1.7586E-010
RCPTR_23	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.2182E-015	1.0003E-013
RCPTR_23	farmer_adult	TOCDLIC2	Vinyl Chloride	3.0898E-019	4.2798E-018
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, m-	1.1001E-013	2.1092E-013
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, o-	9.5407E-014	2.1045E-013
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, p-	1.0709E-013	2.6359E-013
RCPTR_23	farmer_adult	TOCDLIC2	Zinc	8.7305E-007	1.1183E-006
RCPTR_23	farmer_child	TOCDFBRA	Antimony	1.6979E-007	1.8656E-007
RCPTR_23	farmer_child	TOCDFBRA	Arsenic	2.6877E-007	2.7509E-007
RCPTR_23	farmer_child	TOCDFBRA	Barium	2.3023E-008	2.4749E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFBRA	Beryllium	7.3494E-008	7.6068E-008
RCPTR_23	farmer_child	TOCDFBRA	Cadmium	1.4418E-008	1.7153E-008
RCPTR_23	farmer_child	TOCDFBRA	Chromium	1.7379E-006	1.7915E-006
RCPTR_23	farmer_child	TOCDFBRA	Chromium, hexavalent	1.5815E-006	1.5977E-006
RCPTR_23	farmer_child	TOCDFBRA	Lead	7.6846E-007	8.1040E-007
RCPTR_23	farmer_child	TOCDFBRA	Mercuric chloride	9.9650E-005	1.1935E-004
RCPTR_23	farmer_child	TOCDFBRA	Methyl mercury	1.7431E-006	1.8038E-006
RCPTR_23	farmer_child	TOCDFBRA	Nickel	8.9331E-007	9.2918E-007
RCPTR_23	farmer_child	TOCDFBRA	Selenium	2.9865E-007	2.9961E-007
RCPTR_23	farmer_child	TOCDFBRA	Silver	1.0240E-007	1.0657E-007
RCPTR_23	farmer_child	TOCDFBRA	Thallium (l)	2.7560E-006	2.8303E-006
RCPTR_23	farmer_child	TOCDFBRA	Zinc	5.0705E-007	5.7581E-007
RCPTR_23	farmer_child	TOCDFDFS	Acenaphthene	4.5829E-010	9.5353E-010
RCPTR_23	farmer_child	TOCDFDFS	Acetone	5.0221E-015	1.0536E-014
RCPTR_23	farmer_child	TOCDFDFS	Acetophenone	2.5164E-012	5.2768E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Aniline	1.4430E-013	3.0232E-013
RCPTR_23	farmer_child	TOCDFDFS	Anthracene	8.0959E-009	1.6829E-008
RCPTR_23	farmer_child	TOCDFDFS	Antimony	1.6387E-008	1.7950E-008
RCPTR_23	farmer_child	TOCDFDFS	Aroclor 1254	2.4007E-010	3.2567E-010
RCPTR_23	farmer_child	TOCDFDFS	Arsenic	3.0351E-008	3.1038E-008
RCPTR_23	farmer_child	TOCDFDFS	Barium	2.0473E-008	2.1953E-008
RCPTR_23	farmer_child	TOCDFDFS	Benzene	1.7990E-014	3.7672E-014
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.6352E-006	1.9413E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.5370E-005	1.5727E-005
RCPTR_23	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	8.6845E-006	9.4894E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.3561E-005	2.3936E-005
RCPTR_23	farmer_child	TOCDFDFS	Benzoic acid	1.7478E-012	3.4757E-012
RCPTR_23	farmer_child	TOCDFDFS	Benzyl alcohol	3.2709E-012	6.8577E-012
RCPTR_23	farmer_child	TOCDFDFS	Beryllium	1.6283E-008	1.6834E-008
RCPTR_23	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.2713E-012	6.8626E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Bromodichloromethane	5.8180E-015	1.2201E-014
RCPTR_23	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.3070E-013	1.9520E-012
RCPTR_23	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.5323E-007	2.6369E-007
RCPTR_23	farmer_child	TOCDFDFS	Butylbenzylphthalate	9.5923E-009	1.0449E-008
RCPTR_23	farmer_child	TOCDFDFS	Cadmium	6.7648E-009	8.0096E-009
RCPTR_23	farmer_child	TOCDFDFS	Carbon disulfide	3.2110E-015	6.7283E-015
RCPTR_23	farmer_child	TOCDFDFS	Carbon tetrachloride	5.0918E-015	1.0661E-014
RCPTR_23	farmer_child	TOCDFDFS	Chlorine	1.0150E-013	2.1293E-013
RCPTR_23	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.9727E-010	5.7141E-010
RCPTR_23	farmer_child	TOCDFDFS	Chloroaniline, p-	1.5221E-011	3.1880E-011
RCPTR_23	farmer_child	TOCDFDFS	Chlorobenzene	2.9831E-014	6.2380E-014
RCPTR_23	farmer_child	TOCDFDFS	Chloroethane	8.4546E-017	1.7540E-016
RCPTR_23	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.0139E-015	8.4170E-015
RCPTR_23	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.1948E-009	2.4904E-009
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.2199E-011	8.8514E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.6646E-009	3.1857E-009
RCPTR_23	farmer_child	TOCDFDFS	Chromium	5.0715E-007	5.2224E-007
RCPTR_23	farmer_child	TOCDFDFS	Chromium, hexavalent	4.6307E-007	4.6764E-007
RCPTR_23	farmer_child	TOCDFDFS	Chrysene	4.4297E-006	4.7569E-006
RCPTR_23	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.4332E-008	3.7626E-008
RCPTR_23	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.6433E+002	1.6433E+002
RCPTR_23	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.1432E-004	3.1658E-004
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.9448E-012	4.0248E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.3409E-012	4.8678E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.2506E-012	4.6862E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2260E-008	2.5238E-008
RCPTR_23	farmer_child	TOCDFDFS	Dichlorodifluoromethane	7.0221E-018	1.4704E-017
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.6795E-015	3.5221E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0863E-015	4.3755E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	6.3631E-016	1.3335E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.0230E-015	2.1437E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.2068E-010	3.9854E-010
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.7612E-015	1.2063E-014
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.8983E-015	3.9798E-015
RCPTR_23	farmer_child	TOCDFDFS	Diethyl phthalate	2.0438E-008	2.1001E-008
RCPTR_23	farmer_child	TOCDFDFS	Dimethyl phthalate	3.8389E-011	7.9578E-011
RCPTR_23	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.8859E-011	6.0353E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.1000E-011	3.1949E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.7055E-011	5.5603E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.0693E-011	4.2800E-011
RCPTR_23	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.1254E-013	1.2849E-012
RCPTR_23	farmer_child	TOCDFDFS	Ethylbenzene	1.8458E-014	3.8166E-014
RCPTR_23	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.6370E-009	1.7883E-009
RCPTR_23	farmer_child	TOCDFDFS	Fluoranthene	1.2618E-007	2.1735E-007
RCPTR_23	farmer_child	TOCDFDFS	Fluorene	1.8102E-009	3.7457E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.3479E-013	7.5087E-013
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.0370E-013	6.1455E-013
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9562E-012	1.9981E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5747E-011	1.6041E-011
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.7410E-012	9.9699E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.7696E-012	7.9748E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.4388E-012	5.5983E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.9093E-012	5.0528E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.8053E-012	5.9739E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.4637E-012	4.5938E-012
RCPTR_23	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.8856E-011	7.8861E-011
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorobenzene	7.8412E-008	1.6016E-007
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.0418E-010	2.0976E-010
RCPTR_23	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.3234E-011	4.8355E-011
RCPTR_23	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.2587E-003	2.2636E-003
RCPTR_23	farmer_child	TOCDFDFS	Isophorone	4.3816E-012	9.1879E-012
RCPTR_23	farmer_child	TOCDFDFS	Lead	1.0099E-007	1.0632E-007
RCPTR_23	farmer_child	TOCDFDFS	Mercuric chloride	3.8800E-008	4.6856E-008
RCPTR_23	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	7.3313E-017	1.5378E-016
RCPTR_23	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.4457E-017	3.0317E-017
RCPTR_23	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.6002E-014	7.5525E-014
RCPTR_23	farmer_child	TOCDFDFS	Methyl mercury	6.3077E-010	6.5559E-010
RCPTR_23	farmer_child	TOCDFDFS	Methylene chloride	2.1661E-015	4.5428E-015
RCPTR_23	farmer_child	TOCDFDFS	Mustard	2.5525E-013	5.3516E-013
RCPTR_23	farmer_child	TOCDFDFS	Naphthalene	1.8577E-011	3.8799E-011
RCPTR_23	farmer_child	TOCDFDFS	Nickel	2.1471E-006	2.2302E-006
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 2-	7.4824E-011	1.5671E-010
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.7786E-011	3.7293E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.2995E-011	4.8191E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Nitrobenzene	7.3938E-012	1.5508E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.3671E-012	7.0607E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 4-	7.7298E-011	1.1241E-010
RCPTR_23	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.1762E-012	8.7471E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.1075E-012	8.5962E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.7180E-013	7.7204E-013
RCPTR_23	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2587E-012	1.2933E-012
RCPTR_23	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.3265E-012	1.3621E-012
RCPTR_23	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.7205E-011	2.7803E-011
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.4415E-012	3.5646E-012
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4281E-011	1.4777E-011
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorobenzene	3.0395E-010	5.9941E-010
RCPTR_23	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2188E-010	2.3745E-010
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorophenol	1.0218E-007	1.2382E-007
RCPTR_23	farmer_child	TOCDFDFS	Phenanthrene	5.7140E-012	1.1865E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Phenol	5.8637E-012	1.2286E-011
RCPTR_23	farmer_child	TOCDFDFS	Pronamide	5.6791E-010	1.1744E-009
RCPTR_23	farmer_child	TOCDFDFS	Pyrene	1.9968E-007	3.0870E-007
RCPTR_23	farmer_child	TOCDFDFS	Selenium	3.3749E-008	3.3854E-008
RCPTR_23	farmer_child	TOCDFDFS	Silver	2.2837E-007	2.3733E-007
RCPTR_23	farmer_child	TOCDFDFS	Styrene	2.1822E-013	4.5706E-013
RCPTR_23	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	8.5573E-012	8.9662E-012
RCPTR_23	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.5983E-012	2.7680E-012
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.6664E-010	9.5098E-010
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5492E-011	1.7858E-011
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.1206E-015	1.2819E-014
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.2835E-009	6.9156E-009
RCPTR_23	farmer_child	TOCDFDFS	Thallium (l)	3.0445E-005	3.1236E-005
RCPTR_23	farmer_child	TOCDFDFS	Toluene	8.2085E-015	1.7140E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.7638E-011	3.6399E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.0991E-015	1.0687E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.0201E-014	6.3328E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethylene	4.9151E-015	1.0296E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.7883E-016	1.4222E-015
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.0586E-009	4.1749E-009
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.2640E-009	4.2764E-009
RCPTR_23	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.1181E-013	2.3439E-013
RCPTR_23	farmer_child	TOCDFDFS	Vinyl Chloride	1.5961E-018	3.3457E-018
RCPTR_23	farmer_child	TOCDFDFS	Xylene, m-	8.3207E-014	1.1317E-013
RCPTR_23	farmer_child	TOCDFDFS	Xylene, o-	6.8542E-014	9.8388E-014
RCPTR_23	farmer_child	TOCDFDFS	Xylene, p-	9.4310E-014	1.4079E-013
RCPTR_23	farmer_child	TOCDFDFS	Zinc	1.0747E-007	1.2157E-007
RCPTR_23	farmer_child	TOCDFLIC	Acenaphthene	9.4575E-011	1.9675E-010
RCPTR_23	farmer_child	TOCDFLIC	Acetone	3.3695E-015	7.0688E-015
RCPTR_23	farmer_child	TOCDFLIC	Acetophenone	4.9385E-013	1.0356E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Aniline	2.9774E-014	6.2377E-014
RCPTR_23	farmer_child	TOCDFLIC	Anthracene	1.6706E-009	3.4724E-009
RCPTR_23	farmer_child	TOCDFLIC	Antimony	8.1201E-007	8.8908E-007
RCPTR_23	farmer_child	TOCDFLIC	Arsenic	1.4199E-006	1.4519E-006
RCPTR_23	farmer_child	TOCDFLIC	Barium	1.1870E-007	1.2724E-007
RCPTR_23	farmer_child	TOCDFLIC	Benzene	1.8559E-014	3.8862E-014
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.3917E-007	4.0223E-007
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.1792E-006	3.2516E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.8070E-006	1.9726E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.8796E-006	4.9550E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzoic acid	1.2480E-012	2.4796E-012
RCPTR_23	farmer_child	TOCDFLIC	Benzyl alcohol	1.0798E-010	2.2639E-010
RCPTR_23	farmer_child	TOCDFLIC	Beryllium	1.9853E-007	2.0521E-007
RCPTR_23	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.7494E-013	1.4159E-012
RCPTR_23	farmer_child	TOCDFLIC	Bromodichloromethane	6.6894E-016	1.4028E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.2108E-012	2.5395E-012
RCPTR_23	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.1613E-008	5.4405E-008
RCPTR_23	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.9677E-009	2.1445E-009
RCPTR_23	farmer_child	TOCDFLIC	Cadmium	2.7867E-008	3.2974E-008
RCPTR_23	farmer_child	TOCDFLIC	Carbon disulfide	4.3671E-015	9.1509E-015
RCPTR_23	farmer_child	TOCDFLIC	Carbon tetrachloride	8.6477E-014	1.8105E-013
RCPTR_23	farmer_child	TOCDFLIC	Chlorine	7.2057E-007	1.5117E-006
RCPTR_23	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.1515E-011	1.1808E-010
RCPTR_23	farmer_child	TOCDFLIC	Chloroaniline, p-	3.1407E-012	6.5777E-012
RCPTR_23	farmer_child	TOCDFLIC	Chlorobenzene	3.4873E-014	7.2921E-014
RCPTR_23	farmer_child	TOCDFLIC	Chloroethane	3.6096E-017	7.4869E-017
RCPTR_23	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.4660E-014	7.2679E-014
RCPTR_23	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.4655E-010	5.1388E-010
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.7067E-012	1.8263E-011
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.4406E-010	6.5790E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Chromium	9.1231E-007	9.3935E-007
RCPTR_23	farmer_child	TOCDFLIC	Chromium, hexavalent	8.3340E-007	8.4158E-007
RCPTR_23	farmer_child	TOCDFLIC	Chrysene	9.2230E-007	9.8958E-007
RCPTR_23	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.1092E-009	1.2143E-009
RCPTR_23	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.3379E+000	5.3379E+000
RCPTR_23	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.5168E-005	6.5614E-005
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.0141E-013	8.3057E-013
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.8310E-013	1.0045E-012
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.6446E-013	9.6697E-013
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.3059E-009	2.6126E-009
RCPTR_23	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.8514E-018	5.9709E-018
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.1594E-016	2.4315E-016
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9037E-016	1.8674E-015
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.3928E-017	9.2059E-017
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.3659E-016	9.1487E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.5755E-011	8.2452E-011
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.4589E-015	5.1483E-015
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.3526E-016	1.7511E-015
RCPTR_23	farmer_child	TOCDFLIC	Diethyl phthalate	6.6352E-010	6.8149E-010
RCPTR_23	farmer_child	TOCDFLIC	Dimethyl phthalate	7.5062E-011	1.5558E-010
RCPTR_23	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.9550E-012	1.2453E-011
RCPTR_23	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.3713E-012	6.6304E-012
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.5819E-012	1.1472E-011
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.2704E-012	8.8317E-012
RCPTR_23	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.2638E-013	2.6511E-013
RCPTR_23	farmer_child	TOCDFLIC	Ethylbenzene	8.2673E-015	1.7091E-014
RCPTR_23	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.5695E-009	2.8086E-009
RCPTR_23	farmer_child	TOCDFLIC	Fluoranthene	2.6098E-008	4.4908E-008
RCPTR_23	farmer_child	TOCDFLIC	Fluorene	3.7360E-010	7.7295E-010
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.2000E-012	6.3331E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9443E-011	1.9784E-011
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.6829E-011	4.7812E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.9640E-011	5.0544E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.1082E-011	3.1799E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.6529E-011	2.7221E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.5072E-011	5.6673E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.7704E-011	4.9086E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.8747E-011	5.0150E-011
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.0213E-011	4.1374E-011
RCPTR_23	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.0197E-012	1.6274E-011
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorobenzene	1.6187E-008	3.3055E-008
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.1501E-011	4.3285E-011
RCPTR_23	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.7952E-012	9.9781E-012
RCPTR_23	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7267E-004	4.7363E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Isophorone	9.0405E-013	1.8957E-012
RCPTR_23	farmer_child	TOCDFLIC	Lead	5.2788E-007	5.5562E-007
RCPTR_23	farmer_child	TOCDFLIC	Mercuric chloride	9.2992E-008	1.1244E-007
RCPTR_23	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.9363E-017	1.0354E-016
RCPTR_23	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	8.7104E-017	1.8266E-016
RCPTR_23	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.8514E-014	1.4373E-013
RCPTR_23	farmer_child	TOCDFLIC	Methyl mercury	1.4939E-009	1.5538E-009
RCPTR_23	farmer_child	TOCDFLIC	Methylene chloride	8.9436E-015	1.8757E-014
RCPTR_23	farmer_child	TOCDFLIC	Mustard	9.2614E-014	1.9417E-013
RCPTR_23	farmer_child	TOCDFLIC	Naphthalene	5.9241E-013	1.2372E-012
RCPTR_23	farmer_child	TOCDFLIC	Nickel	2.3017E-006	2.3903E-006
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.5439E-011	3.2335E-011
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.6700E-012	7.6950E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.7445E-012	9.9434E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrobenzene	1.5255E-012	3.1998E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 2-	6.9473E-013	1.4568E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.6123E-012	2.3368E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.6172E-013	1.8048E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.4756E-013	1.7737E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.6668E-014	1.5925E-013
RCPTR_23	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	9.6718E-012	9.9344E-012
RCPTR_23	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.5430E-012	9.7964E-012
RCPTR_23	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0726E-010	1.0957E-010
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.7005E-011	1.7607E-011
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.6628E-011	6.8917E-011
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorobenzene	3.1336E-010	6.1872E-010
RCPTR_23	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.5079E-011	4.8923E-011
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorophenol	4.2724E-009	5.1639E-009
RCPTR_23	farmer_child	TOCDFLIC	Phenanthrene	1.1792E-012	2.4483E-012
RCPTR_23	farmer_child	TOCDFLIC	Phenol	1.2099E-012	2.5349E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Pronamide	1.1723E-010	2.4236E-010
RCPTR_23	farmer_child	TOCDFLIC	Pyrene	4.1253E-008	6.3747E-008
RCPTR_23	farmer_child	TOCDFLIC	Selenium	8.6742E-007	8.7009E-007
RCPTR_23	farmer_child	TOCDFLIC	Silver	2.2913E-006	2.3808E-006
RCPTR_23	farmer_child	TOCDFLIC	Styrene	1.3877E-011	2.9063E-011
RCPTR_23	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4390E-011	1.5072E-011
RCPTR_23	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.5306E-012	5.8890E-012
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.6364E-011	1.9630E-010
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.4575E-015	9.3398E-015
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.6672E-015	3.4917E-015
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.9095E-010	1.4341E-009
RCPTR_23	farmer_child	TOCDFLIC	Thallium (l)	3.0337E-006	3.1121E-006
RCPTR_23	farmer_child	TOCDFLIC	Toluene	3.2682E-014	6.8236E-014
RCPTR_23	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.6406E-012	7.5116E-012
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.4120E-014	2.9592E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.2889E-014	2.7027E-014
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethylene	2.0977E-015	4.3941E-015
RCPTR_23	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.7566E-016	5.7750E-016
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.2524E-010	8.6188E-010
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	9.3258E-011	1.7586E-010
RCPTR_23	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.7719E-014	1.0003E-013
RCPTR_23	farmer_child	TOCDFLIC	Vinyl Chloride	2.0417E-018	4.2798E-018
RCPTR_23	farmer_child	TOCDFLIC	Xylene, m-	7.4129E-014	1.0150E-013
RCPTR_23	farmer_child	TOCDFLIC	Xylene, o-	7.0069E-014	1.0127E-013
RCPTR_23	farmer_child	TOCDFLIC	Xylene, p-	8.4397E-014	1.2684E-013
RCPTR_23	farmer_child	TOCDFLIC	Zinc	9.8918E-007	1.1183E-006
RCPTR_23	farmer_child	TOCDFMPF	Acenaphthene	1.4417E-010	2.9993E-010
RCPTR_23	farmer_child	TOCDFMPF	Acetone	1.2273E-014	2.5747E-014
RCPTR_23	farmer_child	TOCDFMPF	Acetophenone	7.8866E-013	1.6538E-012
RCPTR_23	farmer_child	TOCDFMPF	Aniline	4.5387E-014	9.5085E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Anthracene	2.5466E-009	5.2932E-009
RCPTR_23	farmer_child	TOCDFMPF	Antimony	1.1060E-008	1.2110E-008
RCPTR_23	farmer_child	TOCDFMPF	Aroclor 1254	1.3924E-010	1.8904E-010
RCPTR_23	farmer_child	TOCDFMPF	Arsenic	7.3771E-008	7.5431E-008
RCPTR_23	farmer_child	TOCDFMPF	Barium	8.4073E-008	9.0122E-008
RCPTR_23	farmer_child	TOCDFMPF	Benzene	1.6540E-014	3.4634E-014
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)anthracene	5.1699E-007	6.1313E-007
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.8469E-006	4.9573E-006
RCPTR_23	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.7540E-006	3.0066E-006
RCPTR_23	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.4388E-006	7.5539E-006
RCPTR_23	farmer_child	TOCDFMPF	Benzoic acid	5.5068E-012	1.0941E-011
RCPTR_23	farmer_child	TOCDFMPF	Benzyl alcohol	1.0288E-012	2.1569E-012
RCPTR_23	farmer_child	TOCDFMPF	Beryllium	6.7642E-009	6.9918E-009
RCPTR_23	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.0289E-012	2.1584E-012
RCPTR_23	farmer_child	TOCDFMPF	Bromodichloromethane	2.0265E-014	4.2497E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.0528E-013	1.4792E-012
RCPTR_23	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.8191E-008	8.2934E-008
RCPTR_23	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.0009E-009	3.2703E-009
RCPTR_23	farmer_child	TOCDFMPF	Cadmium	1.2717E-007	1.5047E-007
RCPTR_23	farmer_child	TOCDFMPF	Carbon disulfide	1.5921E-015	3.3361E-015
RCPTR_23	farmer_child	TOCDFMPF	Carbon tetrachloride	1.5021E-014	3.1447E-014
RCPTR_23	farmer_child	TOCDFMPF	Chlorine	1.3237E-007	2.7771E-007
RCPTR_23	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	9.3764E-011	1.7999E-010
RCPTR_23	farmer_child	TOCDFMPF	Chloroaniline, p-	4.7876E-012	1.0027E-011
RCPTR_23	farmer_child	TOCDFMPF	Chlorobenzene	6.2390E-014	1.3046E-013
RCPTR_23	farmer_child	TOCDFMPF	Chloroethane	3.5468E-016	7.3567E-016
RCPTR_23	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.0869E-014	2.2791E-014
RCPTR_23	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.7583E-010	7.8334E-010
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.3272E-011	2.7839E-011
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.2445E-010	1.0029E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Chromium	1.7303E-007	1.7815E-007
RCPTR_23	farmer_child	TOCDFMPF	Chromium, hexavalent	1.5806E-007	1.5961E-007
RCPTR_23	farmer_child	TOCDFMPF	Chrysene	1.4057E-006	1.5082E-006
RCPTR_23	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.0937E-008	1.1973E-008
RCPTR_23	farmer_child	TOCDFMPF	Di-n-octylphthalate	5.2622E+001	5.2622E+001
RCPTR_23	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	9.9339E-005	1.0002E-004
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.1190E-013	1.2661E-012
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.3642E-013	1.5312E-012
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.0800E-013	1.4740E-012
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.0513E-009	7.9890E-009
RCPTR_23	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.3386E-017	4.8970E-017
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.5124E-015	7.3658E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3630E-015	9.1505E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.3307E-015	2.7888E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.1394E-015	4.4831E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	6.9737E-011	1.2568E-010
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.2049E-014	2.5228E-014
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.9698E-015	8.3229E-015
RCPTR_23	farmer_child	TOCDFMPF	Diethyl phthalate	6.5411E-009	6.7184E-009
RCPTR_23	farmer_child	TOCDFMPF	Dimethyl phthalate	7.9926E-012	1.6567E-011
RCPTR_23	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.0776E-012	1.8983E-011
RCPTR_23	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	6.6498E-012	1.0087E-011
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.5089E-012	1.7487E-011
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.5096E-012	1.3463E-011
RCPTR_23	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.9265E-013	4.0413E-013
RCPTR_23	farmer_child	TOCDFMPF	Ethylbenzene	3.8616E-014	7.9829E-014
RCPTR_23	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.6372E-010	5.0685E-010
RCPTR_23	farmer_child	TOCDFMPF	Fluoranthene	3.9781E-008	6.8454E-008
RCPTR_23	farmer_child	TOCDFMPF	Fluorene	5.6950E-010	1.1783E-009
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.4143E-011	2.4662E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.0536E-011	3.1071E-011
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.4760E-011	5.5910E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4159E-011	1.4417E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.9015E-012	7.0609E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.2634E-012	6.4268E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0874E-011	1.1190E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.5993E-012	4.7326E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.0510E-012	4.1676E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.6367E-012	3.7418E-012
RCPTR_23	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2225E-011	2.4807E-011
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorobenzene	2.4675E-008	5.0387E-008
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.2776E-011	6.5983E-011
RCPTR_23	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.3096E-012	1.5210E-011
RCPTR_23	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.2025E-004	7.2171E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Isophorone	1.3781E-012	2.8898E-012
RCPTR_23	farmer_child	TOCDFMPF	Lead	6.0909E-008	6.4110E-008
RCPTR_23	farmer_child	TOCDFMPF	Mercuric chloride	1.5771E-006	1.9069E-006
RCPTR_23	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.5470E-016	5.3424E-016
RCPTR_23	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.4826E-017	3.1091E-017
RCPTR_23	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.3855E-014	2.9065E-014
RCPTR_23	farmer_child	TOCDFMPF	Methyl mercury	2.5353E-008	2.6368E-008
RCPTR_23	farmer_child	TOCDFMPF	Methylene chloride	7.0138E-015	1.4710E-014
RCPTR_23	farmer_child	TOCDFMPF	Mustard	6.5713E-013	1.3777E-012
RCPTR_23	farmer_child	TOCDFMPF	Naphthalene	5.8433E-012	1.2204E-011
RCPTR_23	farmer_child	TOCDFMPF	Nickel	1.4426E-006	1.4981E-006
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.3493E-011	4.9200E-011
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.5842E-012	1.1709E-011
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.2193E-012	1.5130E-011
RCPTR_23	farmer_child	TOCDFMPF	Nitrobenzene	2.3255E-012	4.8777E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.0590E-012	2.2207E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.4525E-011	3.5549E-011
RCPTR_23	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3136E-012	2.7512E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.2920E-012	2.7037E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.1687E-013	2.4276E-013
RCPTR_23	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.1495E-010	6.3165E-010
RCPTR_23	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0816E-009	1.1104E-009
RCPTR_23	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.5967E-012	5.7172E-012
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.3704E-012	7.6312E-012
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.4618E-012	4.6151E-012
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorobenzene	9.5374E-011	1.8830E-010
RCPTR_23	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.8165E-011	7.4447E-011
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorophenol	3.2549E-008	3.9344E-008
RCPTR_23	farmer_child	TOCDFMPF	Phenanthrene	1.7976E-012	3.7321E-012
RCPTR_23	farmer_child	TOCDFMPF	Phenol	1.8443E-012	3.8642E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Pronamide	1.7869E-010	3.6945E-010
RCPTR_23	farmer_child	TOCDFMPF	Pyrene	6.2883E-008	9.7172E-008
RCPTR_23	farmer_child	TOCDFMPF	Selenium	1.5202E-008	1.5249E-008
RCPTR_23	farmer_child	TOCDFMPF	Silver	3.0886E-007	3.2092E-007
RCPTR_23	farmer_child	TOCDFMPF	Styrene	3.1553E-013	6.6085E-013
RCPTR_23	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7174E-012	1.7988E-012
RCPTR_23	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	5.4647E-012	5.8189E-012
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.4689E-010	2.9922E-010
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.3504E-013	2.8294E-013
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.2800E-014	2.6808E-014
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.3553E-009	2.1817E-009
RCPTR_23	farmer_child	TOCDFMPF	Thallium (l)	9.2772E-008	9.5167E-008
RCPTR_23	farmer_child	TOCDFMPF	Toluene	2.1865E-014	4.5651E-014
RCPTR_23	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.5496E-012	1.1450E-011
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.2645E-015	1.7321E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.3160E-014	1.3244E-013
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethylene	1.0279E-014	2.1532E-014
RCPTR_23	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.8367E-014	5.9427E-014
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.4820E-010	1.3138E-009
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.4214E-010	2.6806E-010
RCPTR_23	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.3383E-013	4.9018E-013
RCPTR_23	farmer_child	TOCDFMPF	Vinyl Chloride	5.5864E-018	1.1710E-017
RCPTR_23	farmer_child	TOCDFMPF	Xylene, m-	7.4080E-014	1.0140E-013
RCPTR_23	farmer_child	TOCDFMPF	Xylene, o-	7.0013E-014	1.0116E-013
RCPTR_23	farmer_child	TOCDFMPF	Xylene, p-	8.4322E-014	1.2669E-013
RCPTR_23	farmer_child	TOCDFMPF	Zinc	2.8146E-007	3.1821E-007
RCPTR_23	farmer_child	TOCDHVAC	Mustard	1.6613E-013	3.4834E-013
RCPTR_23	farmer_child	TOCDLIC2	Acenaphthene	9.4575E-011	1.9675E-010
RCPTR_23	farmer_child	TOCDLIC2	Acetone	3.3695E-015	7.0688E-015
RCPTR_23	farmer_child	TOCDLIC2	Acetophenone	4.9385E-013	1.0356E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Aniline	2.9774E-014	6.2377E-014
RCPTR_23	farmer_child	TOCDLIC2	Anthracene	1.6706E-009	3.4724E-009
RCPTR_23	farmer_child	TOCDLIC2	Antimony	8.1201E-007	8.8908E-007
RCPTR_23	farmer_child	TOCDLIC2	Arsenic	1.4199E-006	1.4519E-006
RCPTR_23	farmer_child	TOCDLIC2	Barium	1.1870E-007	1.2724E-007
RCPTR_23	farmer_child	TOCDLIC2	Benzene	1.8559E-014	3.8862E-014
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.3917E-007	4.0223E-007
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.1792E-006	3.2516E-006
RCPTR_23	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.8070E-006	1.9726E-006
RCPTR_23	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.8796E-006	4.9550E-006
RCPTR_23	farmer_child	TOCDLIC2	Benzoic acid	1.2480E-012	2.4796E-012
RCPTR_23	farmer_child	TOCDLIC2	Benzyl alcohol	1.0798E-010	2.2639E-010
RCPTR_23	farmer_child	TOCDLIC2	Beryllium	1.9853E-007	2.0521E-007
RCPTR_23	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.7494E-013	1.4159E-012
RCPTR_23	farmer_child	TOCDLIC2	Bromodichloromethane	6.6894E-016	1.4028E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2108E-012	2.5395E-012
RCPTR_23	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.1613E-008	5.4405E-008
RCPTR_23	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.9677E-009	2.1445E-009
RCPTR_23	farmer_child	TOCDLIC2	Cadmium	2.7867E-008	3.2974E-008
RCPTR_23	farmer_child	TOCDLIC2	Carbon disulfide	4.3671E-015	9.1509E-015
RCPTR_23	farmer_child	TOCDLIC2	Carbon tetrachloride	8.6477E-014	1.8105E-013
RCPTR_23	farmer_child	TOCDLIC2	Chlorine	7.2057E-007	1.5117E-006
RCPTR_23	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.1515E-011	1.1808E-010
RCPTR_23	farmer_child	TOCDLIC2	Chloroaniline, p-	3.1407E-012	6.5777E-012
RCPTR_23	farmer_child	TOCDLIC2	Chlorobenzene	3.4873E-014	7.2921E-014
RCPTR_23	farmer_child	TOCDLIC2	Chloroethane	3.6096E-017	7.4869E-017
RCPTR_23	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.4660E-014	7.2679E-014
RCPTR_23	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.4655E-010	5.1388E-010
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.7067E-012	1.8263E-011
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.4406E-010	6.5790E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Chromium	9.1231E-007	9.3935E-007
RCPTR_23	farmer_child	TOCDLIC2	Chromium, hexavalent	8.3340E-007	8.4158E-007
RCPTR_23	farmer_child	TOCDLIC2	Chrysene	9.2230E-007	9.8958E-007
RCPTR_23	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.1092E-009	1.2143E-009
RCPTR_23	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.3379E+000	5.3379E+000
RCPTR_23	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.5168E-005	6.5614E-005
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.0141E-013	8.3057E-013
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.8310E-013	1.0045E-012
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.6446E-013	9.6697E-013
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.3059E-009	2.6126E-009
RCPTR_23	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.8514E-018	5.9709E-018
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.1594E-016	2.4315E-016
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9037E-016	1.8674E-015
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.3928E-017	9.2059E-017
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.3659E-016	9.1487E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.5755E-011	8.2452E-011
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.4589E-015	5.1483E-015
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.3526E-016	1.7511E-015
RCPTR_23	farmer_child	TOCDLIC2	Diethyl phthalate	6.6352E-010	6.8149E-010
RCPTR_23	farmer_child	TOCDLIC2	Dimethyl phthalate	7.5062E-011	1.5558E-010
RCPTR_23	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.9550E-012	1.2453E-011
RCPTR_23	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	4.3713E-012	6.6304E-012
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.5819E-012	1.1472E-011
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.2704E-012	8.8317E-012
RCPTR_23	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.2638E-013	2.6511E-013
RCPTR_23	farmer_child	TOCDLIC2	Ethylbenzene	8.2673E-015	1.7091E-014
RCPTR_23	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.5695E-009	2.8086E-009
RCPTR_23	farmer_child	TOCDLIC2	Fluoranthene	2.6098E-008	4.4908E-008
RCPTR_23	farmer_child	TOCDLIC2	Fluorene	3.7360E-010	7.7295E-010
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.2000E-012	6.3331E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9443E-011	1.9784E-011
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.6829E-011	4.7812E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.9640E-011	5.0544E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.1082E-011	3.1799E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.6529E-011	2.7221E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.5072E-011	5.6673E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.7704E-011	4.9086E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.8747E-011	5.0150E-011
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.0213E-011	4.1374E-011
RCPTR_23	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.0197E-012	1.6274E-011
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorobenzene	1.6187E-008	3.3055E-008
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.1501E-011	4.3285E-011
RCPTR_23	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.7952E-012	9.9781E-012
RCPTR_23	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7267E-004	4.7363E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Isophorone	9.0405E-013	1.8957E-012
RCPTR_23	farmer_child	TOCDLIC2	Lead	5.2788E-007	5.5562E-007
RCPTR_23	farmer_child	TOCDLIC2	Mercuric chloride	9.2992E-008	1.1244E-007
RCPTR_23	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.9363E-017	1.0354E-016
RCPTR_23	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.7104E-017	1.8266E-016
RCPTR_23	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.8514E-014	1.4373E-013
RCPTR_23	farmer_child	TOCDLIC2	Methyl mercury	1.4939E-009	1.5538E-009
RCPTR_23	farmer_child	TOCDLIC2	Methylene chloride	8.9436E-015	1.8757E-014
RCPTR_23	farmer_child	TOCDLIC2	Mustard	9.6282E-014	2.0187E-013
RCPTR_23	farmer_child	TOCDLIC2	Naphthalene	5.9241E-013	1.2372E-012
RCPTR_23	farmer_child	TOCDLIC2	Nickel	2.3017E-006	2.3903E-006
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.5439E-011	3.2335E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.6700E-012	7.6950E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.7445E-012	9.9434E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrobenzene	1.5255E-012	3.1998E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.9473E-013	1.4568E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.6123E-011	2.3368E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.6172E-013	1.8048E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.4756E-013	1.7737E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.6668E-014	1.5925E-013
RCPTR_23	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.6718E-012	9.9344E-012
RCPTR_23	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.5430E-012	9.7964E-012
RCPTR_23	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.0726E-010	1.0957E-010
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.7005E-011	1.7607E-011
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.6628E-011	6.8917E-011
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorobenzene	3.1336E-010	6.1872E-010
RCPTR_23	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.5079E-011	4.8923E-011
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorophenol	4.2724E-009	5.1639E-009
RCPTR_23	farmer_child	TOCDLIC2	Phenanthrene	1.1792E-012	2.4483E-012
RCPTR_23	farmer_child	TOCDLIC2	Phenol	1.2099E-012	2.5349E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Pronamide	1.1723E-010	2.4236E-010
RCPTR_23	farmer_child	TOCDLIC2	Pyrene	4.1253E-008	6.3747E-008
RCPTR_23	farmer_child	TOCDLIC2	Selenium	8.6742E-007	8.7009E-007
RCPTR_23	farmer_child	TOCDLIC2	Silver	2.2913E-006	2.3808E-006
RCPTR_23	farmer_child	TOCDLIC2	Styrene	1.3877E-011	2.9063E-011
RCPTR_23	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4390E-011	1.5072E-011
RCPTR_23	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	5.5306E-012	5.8890E-012
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.6364E-011	1.9630E-010
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.4575E-015	9.3398E-015
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.6672E-015	3.4917E-015
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.9095E-010	1.4341E-009
RCPTR_23	farmer_child	TOCDLIC2	Thallium (l)	3.0337E-006	3.1121E-006
RCPTR_23	farmer_child	TOCDLIC2	Toluene	3.2682E-014	6.8236E-014
RCPTR_23	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6406E-012	7.5116E-012
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.4120E-014	2.9592E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.2889E-014	2.7027E-014
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethylene	2.0977E-015	4.3941E-015
RCPTR_23	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.7566E-016	5.7750E-016
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.2524E-010	8.6188E-010
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	9.3258E-011	1.7586E-010
RCPTR_23	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.7719E-014	1.0003E-013
RCPTR_23	farmer_child	TOCDLIC2	Vinyl Chloride	2.0417E-018	4.2798E-018
RCPTR_23	farmer_child	TOCDLIC2	Xylene, m-	1.5404E-013	2.1092E-013
RCPTR_23	farmer_child	TOCDLIC2	Xylene, o-	1.4561E-013	2.1045E-013
RCPTR_23	farmer_child	TOCDLIC2	Xylene, p-	1.7538E-013	2.6359E-013
RCPTR_23	farmer_child	TOCDLIC2	Zinc	9.8918E-007	1.1183E-006
RCPTR_24	farmer_adult	TOCDFBRA	Antimony	1.6450E-007	1.9651E-007
RCPTR_24	farmer_adult	TOCDFBRA	Arsenic	2.7847E-007	2.9023E-007
RCPTR_24	farmer_adult	TOCDFBRA	Barium	2.2813E-008	2.6082E-008
RCPTR_24	farmer_adult	TOCDFBRA	Beryllium	7.4426E-008	8.0180E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFBRA	Cadmium	1.2453E-008	1.8032E-008
RCPTR_24	farmer_adult	TOCDFBRA	Chromium	1.8798E-006	1.8883E-006
RCPTR_24	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.6561E-006	1.6861E-006
RCPTR_24	farmer_adult	TOCDFBRA	Lead	7.6386E-007	8.5351E-007
RCPTR_24	farmer_adult	TOCDFBRA	Mercuric chloride	1.3642E-004	1.4146E-004
RCPTR_24	farmer_adult	TOCDFBRA	Methyl mercury	1.9735E-006	2.0210E-006
RCPTR_24	farmer_adult	TOCDFBRA	Nickel	9.0838E-007	9.7990E-007
RCPTR_24	farmer_adult	TOCDFBRA	Selenium	3.1447E-007	3.1625E-007
RCPTR_24	farmer_adult	TOCDFBRA	Silver	1.0468E-007	1.1240E-007
RCPTR_24	farmer_adult	TOCDFBRA	Thallium (l)	2.8355E-006	2.9857E-006
RCPTR_24	farmer_adult	TOCDFBRA	Zinc	4.6983E-007	6.0601E-007
RCPTR_24	farmer_adult	TOCDFDFS	Acenaphthene	9.0494E-011	1.1503E-009
RCPTR_24	farmer_adult	TOCDFDFS	Acetone	9.0887E-016	1.2708E-014
RCPTR_24	farmer_adult	TOCDFDFS	Acetophenone	4.5748E-013	6.3647E-012
RCPTR_24	farmer_adult	TOCDFDFS	Aniline	2.6506E-014	3.6465E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Anthracene	1.6118E-009	2.0299E-008
RCPTR_24	farmer_adult	TOCDFDFS	Antimony	1.5082E-008	1.7929E-008
RCPTR_24	farmer_adult	TOCDFDFS	Aroclor 1254	2.0366E-010	3.8680E-010
RCPTR_24	farmer_adult	TOCDFDFS	Arsenic	2.9798E-008	3.1019E-008
RCPTR_24	farmer_adult	TOCDFDFS	Barium	1.9255E-008	2.1931E-008
RCPTR_24	farmer_adult	TOCDFDFS	Benzene	3.3221E-015	4.5440E-014
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.5647E-006	2.3502E-006
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.7981E-005	1.8818E-005
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	9.5401E-006	1.1575E-005
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.7742E-005	2.8751E-005
RCPTR_24	farmer_adult	TOCDFDFS	Benzoic acid	5.0319E-013	4.2008E-012
RCPTR_24	farmer_adult	TOCDFDFS	Benzyl alcohol	5.9597E-013	8.2715E-012
RCPTR_24	farmer_adult	TOCDFDFS	Beryllium	1.5644E-008	1.6818E-008
RCPTR_24	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.9205E-013	8.2773E-012
RCPTR_24	farmer_adult	TOCDFDFS	Bromodichloromethane	1.0569E-015	1.4716E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.6886E-013	2.3544E-012
RCPTR_24	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.3505E-008	3.1803E-007
RCPTR_24	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.0401E-008	1.2233E-008
RCPTR_24	farmer_adult	TOCDFDFS	Cadmium	5.5715E-009	7.9952E-009
RCPTR_24	farmer_adult	TOCDFDFS	Carbon disulfide	5.8862E-016	8.1156E-015
RCPTR_24	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.4202E-016	1.2859E-014
RCPTR_24	farmer_adult	TOCDFDFS	Chlorine	1.8363E-014	2.5683E-013
RCPTR_24	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0500E-010	6.9164E-010
RCPTR_24	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.8056E-012	3.8454E-011
RCPTR_24	farmer_adult	TOCDFDFS	Chlorobenzene	5.5924E-015	7.5245E-014
RCPTR_24	farmer_adult	TOCDFDFS	Chloroethane	1.7231E-017	2.1165E-016
RCPTR_24	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	7.2995E-016	1.0152E-014
RCPTR_24	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.3165E-010	3.0043E-009
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.6490E-012	1.0676E-010
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.9326E-010	3.8483E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Chromium	5.1947E-007	5.2175E-007
RCPTR_24	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.5931E-007	4.6739E-007
RCPTR_24	farmer_adult	TOCDFDFS	Chrysene	4.9200E-006	5.8141E-006
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.9473E-008	4.6520E-008
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.0676E+002	2.0676E+002
RCPTR_24	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.7355E-004	3.7871E-004
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.0525E-013	4.8563E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.6529E-013	5.8727E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.4145E-013	5.6534E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.4074E-008	3.0407E-008
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.2953E-018	1.7735E-017
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.0514E-016	4.2482E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7868E-016	5.2776E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.1648E-016	1.6085E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8745E-016	2.5857E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0309E-010	4.8369E-010
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.0651E-015	1.4551E-014
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4584E-016	4.8002E-015
RCPTR_24	farmer_adult	TOCDFDFS	Diethyl phthalate	2.5155E-008	2.6361E-008
RCPTR_24	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.8463E-012	9.5987E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.4076E-012	7.2804E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.5601E-011	3.9030E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.9503E-012	6.7038E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.3217E-012	5.1630E-011
RCPTR_24	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.1094E-013	1.5498E-012
RCPTR_24	farmer_adult	TOCDFDFS	Ethylbenzene	3.8775E-015	4.6050E-014
RCPTR_24	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.7589E-009	2.0819E-009
RCPTR_24	farmer_adult	TOCDFDFS	Fluoranthene	5.4119E-008	2.6277E-007
RCPTR_24	farmer_adult	TOCDFDFS	Fluorene	3.7715E-010	4.5191E-009
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.9650E-013	8.3426E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.7807E-013	7.0380E-013
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1334E-012	2.2321E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.7754E-011	1.8459E-011
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.0551E-011	1.1094E-011
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.1882E-012	8.6710E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.7174E-012	6.0987E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.1719E-012	5.5151E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.1416E-012	6.5461E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.7130E-012	5.0246E-012
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.5146E-012	9.5122E-011
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.8063E-008	1.9327E-007
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.7036E-011	2.5298E-010
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.5852E-012	5.8341E-011
RCPTR_24	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.7920E-003	2.8026E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Isophorone	7.9694E-013	1.1082E-011
RCPTR_24	farmer_adult	TOCDFDFS	Lead	9.5313E-008	1.0619E-007
RCPTR_24	farmer_adult	TOCDFDFS	Mercuric chloride	5.2844E-008	5.4864E-008
RCPTR_24	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.3290E-017	1.8548E-016
RCPTR_24	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.6268E-018	3.6567E-017
RCPTR_24	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5172E-015	9.1094E-014
RCPTR_24	farmer_adult	TOCDFDFS	Methyl mercury	7.1165E-010	7.3070E-010
RCPTR_24	farmer_adult	TOCDFDFS	Methylene chloride	3.9323E-016	5.4793E-015
RCPTR_24	farmer_adult	TOCDFDFS	Mustard	4.6499E-014	6.4549E-013
RCPTR_24	farmer_adult	TOCDFDFS	Naphthalene	3.5276E-012	4.6802E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nickel	2.0703E-006	2.2284E-006
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.3793E-011	1.8902E-010
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.2375E-012	4.4981E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.2033E-012	5.8122E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitrobenzene	1.3405E-012	1.8705E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.1226E-013	8.5163E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.2782E-011	1.3792E-010
RCPTR_24	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.6961E-013	1.0551E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.6379E-013	1.0369E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.3567E-014	9.3005E-013
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.3017E-012	1.3822E-012
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.3717E-012	1.4545E-012
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1483E-011	3.2992E-011
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.8859E-012	4.2040E-012
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.5827E-011	1.7085E-011
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.7246E-011	7.1952E-010
RCPTR_24	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.7510E-011	2.8480E-010
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorophenol	1.0731E-007	1.5363E-007
RCPTR_24	farmer_adult	TOCDFDFS	Phenanthrene	1.1515E-012	1.4314E-011
RCPTR_24	farmer_adult	TOCDFDFS	Phenol	1.0762E-012	1.4819E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Pronamide	1.1926E-010	1.4172E-009
RCPTR_24	farmer_adult	TOCDFDFS	Pyrene	7.2300E-008	3.7292E-007
RCPTR_24	farmer_adult	TOCDFDFS	Selenium	3.3653E-008	3.3837E-008
RCPTR_24	farmer_adult	TOCDFDFS	Silver	2.2133E-007	2.3716E-007
RCPTR_24	farmer_adult	TOCDFDFS	Styrene	4.0205E-014	5.5131E-013
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	9.5543E-012	1.0631E-011
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.8689E-012	3.3228E-012
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1163E-010	1.1481E-009
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.7170E-011	2.2233E-011
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1270E-015	1.5461E-014
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8039E-009	8.4365E-009
RCPTR_24	farmer_adult	TOCDFDFS	Thallium (l)	2.9690E-005	3.1214E-005
RCPTR_24	farmer_adult	TOCDFDFS	Toluene	1.5634E-015	2.0676E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.7716E-012	4.3920E-011
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	9.3287E-016	1.2890E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.4948E-015	7.6384E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethylene	9.0407E-016	1.2419E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2471E-016	1.7154E-015
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.1354E-010	5.0422E-009
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.7367E-010	5.1800E-009
RCPTR_24	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.0403E-014	2.8271E-013
RCPTR_24	farmer_adult	TOCDFDFS	Vinyl Chloride	2.9117E-019	4.0351E-018
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, m-	6.3667E-014	1.2779E-013
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, o-	4.8334E-014	1.1220E-013
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, p-	6.2241E-014	1.6170E-013
RCPTR_24	farmer_adult	TOCDFDFS	Zinc	9.4744E-008	1.2139E-007
RCPTR_24	farmer_adult	TOCDFLIC	Acenaphthene	1.8715E-011	2.3769E-010
RCPTR_24	farmer_adult	TOCDFLIC	Acetone	6.1067E-016	8.5382E-015
RCPTR_24	farmer_adult	TOCDFLIC	Acetophenone	8.9915E-014	1.2509E-012
RCPTR_24	farmer_adult	TOCDFLIC	Aniline	5.4778E-015	7.5346E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Anthracene	3.3325E-010	4.1945E-009
RCPTR_24	farmer_adult	TOCDFLIC	Antimony	7.4484E-007	8.8481E-007
RCPTR_24	farmer_adult	TOCDFLIC	Arsenic	1.3889E-006	1.4455E-006
RCPTR_24	farmer_adult	TOCDFLIC	Barium	1.1126E-007	1.2665E-007
RCPTR_24	farmer_adult	TOCDFLIC	Benzene	3.4329E-015	4.6943E-014
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.2506E-007	4.8713E-007
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.7218E-006	3.8918E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.9861E-006	2.4056E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.7494E-006	5.9528E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzoic acid	3.6142E-013	3.0007E-012
RCPTR_24	farmer_adult	TOCDFLIC	Benzyl alcohol	1.9704E-011	2.7345E-010
RCPTR_24	farmer_adult	TOCDFLIC	Beryllium	1.9005E-007	2.0426E-007
RCPTR_24	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.2233E-013	1.7103E-012
RCPTR_24	farmer_adult	TOCDFLIC	Bromodichloromethane	1.2170E-016	1.6945E-015
RCPTR_24	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.2000E-013	3.0675E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.9215E-009	6.5709E-008
RCPTR_24	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.1348E-009	2.5131E-009
RCPTR_24	farmer_adult	TOCDFLIC	Cadmium	2.2886E-008	3.2798E-008
RCPTR_24	farmer_adult	TOCDFLIC	Carbon disulfide	8.0183E-016	1.1053E-014
RCPTR_24	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.6026E-014	2.1869E-013
RCPTR_24	farmer_adult	TOCDFLIC	Chlorine	1.3055E-007	1.8259E-006
RCPTR_24	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.1880E-011	1.4309E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.7986E-013	7.9455E-012
RCPTR_24	farmer_adult	TOCDFLIC	Chlorobenzene	6.5495E-015	8.8086E-014
RCPTR_24	farmer_adult	TOCDFLIC	Chloroethane	7.3787E-018	9.0469E-017
RCPTR_24	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.3124E-015	8.7788E-014
RCPTR_24	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.7905E-011	6.2079E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.5805E-012	2.2059E-011
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2316E-010	7.9573E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chromium	9.3092E-007	9.3500E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Chromium, hexavalent	8.2355E-007	8.3798E-007
RCPTR_24	farmer_adult	TOCDFLIC	Chrysene	1.0249E-006	1.2091E-006
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.2750E-009	1.5000E-009
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.7019E+000	6.7019E+000
RCPTR_24	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.7474E-005	7.8490E-005
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	8.3883E-014	1.0036E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	9.6258E-014	1.2135E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	9.1309E-014	1.1682E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.4955E-009	3.1487E-009
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.2668E-019	7.2117E-018
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.1096E-017	2.9369E-016
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6185E-016	2.2555E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	8.0538E-018	1.1120E-016
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.0127E-017	1.1051E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.1528E-011	1.0017E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.5534E-016	6.2189E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5239E-016	2.1152E-015
RCPTR_24	farmer_adult	TOCDFLIC	Diethyl phthalate	8.1528E-010	8.5379E-010
RCPTR_24	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.5371E-011	1.8793E-010
RCPTR_24	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.1180E-012	1.5043E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.2623E-012	8.1034E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.2289E-012	1.3851E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.9388E-013	1.0669E-011
RCPTR_24	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.2922E-014	3.2022E-013
RCPTR_24	farmer_adult	TOCDFLIC	Ethylbenzene	1.7417E-015	2.0651E-014
RCPTR_24	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.7621E-009	3.2734E-009
RCPTR_24	farmer_adult	TOCDFLIC	Fluoranthene	1.1246E-008	5.4353E-008
RCPTR_24	farmer_adult	TOCDFLIC	Fluorene	7.8041E-011	9.3386E-010
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.7312E-012	7.0436E-012
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.1875E-011	2.2682E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.1156E-011	5.3471E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.6057E-011	5.8225E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.3721E-011	3.5421E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.7989E-011	2.9616E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.7951E-011	6.1780E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.0309E-011	5.3615E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.1631E-011	5.4998E-011
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.2506E-011	4.5289E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9683E-012	1.9657E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.7411E-009	3.9943E-008
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.5917E-012	5.2276E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.4877E-013	1.2056E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8356E-004	5.8565E-004
RCPTR_24	farmer_adult	TOCDFLIC	Isophorone	1.6468E-013	2.2898E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Lead	4.9651E-007	5.5294E-007
RCPTR_24	farmer_adult	TOCDFLIC	Mercuric chloride	1.2701E-007	1.3189E-007
RCPTR_24	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	8.9613E-018	1.2506E-016
RCPTR_24	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.5850E-017	2.2063E-016
RCPTR_24	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2420E-014	1.7361E-013
RCPTR_24	farmer_adult	TOCDFLIC	Methyl mercury	1.6879E-009	1.7339E-009
RCPTR_24	farmer_adult	TOCDFLIC	Methylene chloride	1.6260E-015	2.2656E-014
RCPTR_24	farmer_adult	TOCDFLIC	Mustard	1.6898E-014	2.3454E-013
RCPTR_24	farmer_adult	TOCDFLIC	Naphthalene	1.1271E-013	1.4946E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nickel	2.2115E-006	2.3796E-006
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.8506E-012	3.9057E-011
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.6900E-013	9.2945E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.6835E-013	1.2010E-011
RCPTR_24	farmer_adult	TOCDFLIC	Nitrobenzene	2.7699E-013	3.8649E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.2651E-013	1.7596E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3149E-012	2.8675E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5907E-013	2.1801E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.5789E-013	2.1426E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.5150E-014	1.9212E-013
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0006E-011	1.0618E-011
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.8717E-012	1.0462E-011
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.2426E-010	1.3010E-010
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.9223E-011	2.0781E-011
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.3946E-011	7.9774E-011
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.9421E-011	7.4382E-010
RCPTR_24	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.6706E-012	5.8769E-011
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorophenol	4.4913E-009	6.4018E-009
RCPTR_24	farmer_adult	TOCDFLIC	Phenanthrene	2.3820E-013	2.9578E-012
RCPTR_24	farmer_adult	TOCDFLIC	Phenol	2.2243E-013	3.0620E-012
RCPTR_24	farmer_adult	TOCDFLIC	Pronamide	2.4693E-011	2.9287E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Pyrene	1.4995E-008	7.7107E-008
RCPTR_24	farmer_adult	TOCDFLIC	Selenium	8.6170E-007	8.6640E-007
RCPTR_24	farmer_adult	TOCDFLIC	Silver	2.2126E-006	2.3701E-006
RCPTR_24	farmer_adult	TOCDFLIC	Styrene	2.5607E-012	3.5106E-011
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.6083E-011	1.7883E-011
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.1120E-012	7.0723E-012
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3150E-011	2.3731E-010
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	8.1894E-016	1.1282E-014
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.0741E-016	4.2175E-015
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.8659E-010	1.7505E-009
RCPTR_24	farmer_adult	TOCDFLIC	Thallium (l)	2.9477E-006	3.0984E-006
RCPTR_24	farmer_adult	TOCDFLIC	Toluene	6.2369E-015	8.2430E-014
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.8076E-013	9.0762E-012
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.5872E-015	3.5744E-014
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.3486E-015	3.2645E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethylene	3.8647E-016	5.3077E-015
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.0724E-017	6.9757E-016
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0662E-010	1.0423E-009
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.6246E-011	2.1326E-010
RCPTR_24	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	8.7207E-015	1.2083E-013
RCPTR_24	farmer_adult	TOCDFLIC	Vinyl Chloride	3.7294E-019	5.1691E-018
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, m-	5.6159E-014	1.1481E-013
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, o-	4.8839E-014	1.1571E-013
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, p-	5.4997E-014	1.4596E-013
RCPTR_24	farmer_adult	TOCDFLIC	Zinc	8.6929E-007	1.1127E-006
RCPTR_24	farmer_adult	TOCDFMPF	Acenaphthene	2.8505E-011	3.6206E-010
RCPTR_24	farmer_adult	TOCDFMPF	Acetone	2.2226E-015	3.1076E-014
RCPTR_24	farmer_adult	TOCDFMPF	Acetophenone	1.4349E-013	1.9962E-012
RCPTR_24	farmer_adult	TOCDFMPF	Aniline	8.3441E-015	1.1477E-013
RCPTR_24	farmer_adult	TOCDFMPF	Anthracene	5.0760E-010	6.3892E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Antimony	1.0137E-008	1.2043E-008
RCPTR_24	farmer_adult	TOCDFMPF	Aroclor 1254	1.1789E-010	2.2451E-010
RCPTR_24	farmer_adult	TOCDFMPF	Arsenic	7.2105E-008	7.5046E-008
RCPTR_24	farmer_adult	TOCDFMPF	Barium	7.8738E-008	8.9635E-008
RCPTR_24	farmer_adult	TOCDFMPF	Benzene	3.0571E-015	4.1805E-014
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.9486E-007	7.4174E-007
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.6659E-006	5.9249E-006
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.0236E-006	3.6626E-006
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	8.7526E-006	9.0625E-006
RCPTR_24	farmer_adult	TOCDFMPF	Benzoic acid	1.5932E-012	1.3231E-011
RCPTR_24	farmer_adult	TOCDFMPF	Benzyl alcohol	1.8759E-013	2.6034E-012
RCPTR_24	farmer_adult	TOCDFMPF	Beryllium	6.4706E-009	6.9544E-009
RCPTR_24	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.8634E-013	2.6052E-012
RCPTR_24	farmer_adult	TOCDFMPF	Bromodichloromethane	3.6839E-015	5.1295E-014
RCPTR_24	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.2805E-013	1.7854E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0543E-008	1.0009E-007
RCPTR_24	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.2500E-009	3.8262E-009
RCPTR_24	farmer_adult	TOCDFMPF	Cadmium	1.0436E-007	1.4956E-007
RCPTR_24	farmer_adult	TOCDFMPF	Carbon disulfide	2.9210E-016	4.0268E-015
RCPTR_24	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.7815E-015	3.7959E-014
RCPTR_24	farmer_adult	TOCDFMPF	Chlorine	2.3966E-008	3.3519E-007
RCPTR_24	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.3316E-011	2.1796E-010
RCPTR_24	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.8326E-013	1.2103E-011
RCPTR_24	farmer_adult	TOCDFMPF	Chlorobenzene	1.1709E-014	1.5747E-013
RCPTR_24	farmer_adult	TOCDFMPF	Chloroethane	7.2447E-017	8.8832E-016
RCPTR_24	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.9780E-015	2.7509E-014
RCPTR_24	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.2968E-011	9.4563E-010
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.4075E-012	3.3602E-011
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.8754E-010	1.2120E-009
RCPTR_24	farmer_adult	TOCDFMPF	Chromium	1.7642E-007	1.7720E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.5607E-007	1.5881E-007
RCPTR_24	farmer_adult	TOCDFMPF	Chrysene	1.5603E-006	1.8409E-006
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.2559E-008	1.4777E-008
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.6015E+001	6.6015E+001
RCPTR_24	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.1799E-004	1.1954E-004
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2776E-013	1.5287E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4662E-013	1.8485E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3908E-013	1.7795E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.6206E-009	9.6165E-009
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.3163E-018	5.9103E-017
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.3861E-016	8.8905E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9252E-016	1.1045E-014
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.4380E-016	3.3662E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.9235E-016	5.4112E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.2777E-011	1.5257E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.2296E-015	3.0452E-014
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.2378E-016	1.0046E-014
RCPTR_24	farmer_adult	TOCDFMPF	Diethyl phthalate	8.0306E-009	8.4102E-009
RCPTR_24	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.6354E-012	1.9996E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.7030E-012	2.2915E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.9575E-012	1.2318E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.8717E-012	2.1098E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3615E-012	1.6251E-011
RCPTR_24	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.4917E-014	4.8778E-013
RCPTR_24	farmer_adult	TOCDFMPF	Ethylbenzene	8.1284E-015	9.6386E-014
RCPTR_24	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.9756E-010	5.8971E-010
RCPTR_24	farmer_adult	TOCDFMPF	Fluoranthene	1.7124E-008	8.2788E-008
RCPTR_24	farmer_adult	TOCDFMPF	Fluorene	1.1886E-010	1.4225E-009
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.6149E-011	2.7364E-011
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.4286E-011	3.5553E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.9682E-011	6.2384E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.5959E-011	1.6576E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.4700E-012	7.8467E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.5906E-012	6.9739E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1413E-011	1.2167E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.8379E-012	5.1561E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.2797E-012	4.5590E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.8343E-012	4.0855E-012
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.9976E-012	2.9942E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.6978E-009	6.0843E-008
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.5159E-012	7.9628E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4451E-012	1.8364E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.8847E-004	8.9166E-004
RCPTR_24	farmer_adult	TOCDFMPF	Isophorone	2.5085E-013	3.4880E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Lead	5.7246E-008	6.3753E-008
RCPTR_24	farmer_adult	TOCDFMPF	Mercuric chloride	2.1511E-006	2.2339E-006
RCPTR_24	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.6205E-017	6.4483E-016
RCPTR_24	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.6958E-018	3.7527E-017
RCPTR_24	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.5099E-015	3.5081E-014
RCPTR_24	farmer_adult	TOCDFMPF	Methyl mercury	2.8579E-008	2.9359E-008
RCPTR_24	farmer_adult	TOCDFMPF	Methylene chloride	1.2742E-015	1.7755E-014
RCPTR_24	farmer_adult	TOCDFMPF	Mustard	1.1981E-013	1.6630E-012
RCPTR_24	farmer_adult	TOCDFMPF	Naphthalene	1.1109E-012	1.4731E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nickel	1.3850E-006	1.4903E-006
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.3343E-012	5.9386E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.0172E-012	1.4132E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.3203E-012	1.8260E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nitrobenzene	4.2193E-013	5.8873E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.9271E-013	2.6804E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.9982E-011	4.3589E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.4230E-013	3.3208E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.4050E-013	3.2637E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.3074E-014	2.9264E-013
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.3441E-010	6.7322E-010
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1157E-009	1.1824E-009
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.4732E-012	6.7777E-012
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.3183E-012	8.9929E-012
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.9426E-012	5.3324E-012
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.7187E-011	2.2619E-010
RCPTR_24	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1660E-011	8.9355E-011
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorophenol	3.4186E-008	4.8737E-008
RCPTR_24	farmer_adult	TOCDFMPF	Phenanthrene	3.6281E-013	4.5056E-012
RCPTR_24	farmer_adult	TOCDFMPF	Phenol	3.3881E-013	4.6643E-012
RCPTR_24	farmer_adult	TOCDFMPF	Pronamide	3.7610E-011	4.4611E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Pyrene	2.2836E-008	1.1745E-007
RCPTR_24	farmer_adult	TOCDFMPF	Selenium	1.5090E-008	1.5173E-008
RCPTR_24	farmer_adult	TOCDFMPF	Silver	2.9803E-007	3.1925E-007
RCPTR_24	farmer_adult	TOCDFMPF	Styrene	5.8184E-014	7.9768E-013
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9166E-012	2.1312E-012
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.0310E-012	6.9791E-012
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.5257E-011	3.6148E-010
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.4790E-014	3.4151E-013
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.3585E-015	3.2357E-014
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.9144E-010	2.6611E-009
RCPTR_24	farmer_adult	TOCDFMPF	Thallium (l)	9.0072E-008	9.4677E-008
RCPTR_24	farmer_adult	TOCDFMPF	Toluene	4.1695E-015	5.5107E-014
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1892E-012	1.3825E-011
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.5132E-015	2.0906E-014
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1500E-014	1.5985E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethylene	1.8924E-015	2.5990E-014
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.2159E-015	7.1731E-014
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6237E-010	1.5877E-009
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.5190E-011	3.2483E-010
RCPTR_24	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.2702E-014	5.9166E-013
RCPTR_24	farmer_adult	TOCDFMPF	Vinyl Chloride	1.0197E-018	1.4133E-017
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, m-	5.5986E-014	1.1448E-013
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, o-	4.8689E-014	1.1538E-013
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, p-	5.4829E-014	1.4555E-013
RCPTR_24	farmer_adult	TOCDFMPF	Zinc	2.4716E-007	3.1638E-007
RCPTR_24	farmer_adult	TOCDHVAC	Mustard	3.2020E-014	4.4484E-013
RCPTR_24	farmer_adult	TOCDLIC2	Acenaphthene	1.8715E-011	2.3769E-010
RCPTR_24	farmer_adult	TOCDLIC2	Acetone	6.1067E-016	8.5382E-015
RCPTR_24	farmer_adult	TOCDLIC2	Acetophenone	8.9915E-014	1.2509E-012
RCPTR_24	farmer_adult	TOCDLIC2	Aniline	5.4778E-015	7.5346E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Anthracene	3.3325E-010	4.1945E-009
RCPTR_24	farmer_adult	TOCDLIC2	Antimony	7.4484E-007	8.8481E-007
RCPTR_24	farmer_adult	TOCDLIC2	Arsenic	1.3889E-006	1.4455E-006
RCPTR_24	farmer_adult	TOCDLIC2	Barium	1.1126E-007	1.2665E-007
RCPTR_24	farmer_adult	TOCDLIC2	Benzene	3.4329E-015	4.6943E-014
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.2506E-007	4.8713E-007
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.7218E-006	3.8918E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.9861E-006	2.4056E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.7494E-006	5.9528E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzoic acid	3.6142E-013	3.0007E-012
RCPTR_24	farmer_adult	TOCDLIC2	Benzyl alcohol	1.9704E-011	2.7345E-010
RCPTR_24	farmer_adult	TOCDLIC2	Beryllium	1.9005E-007	2.0426E-007
RCPTR_24	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.2233E-013	1.7103E-012
RCPTR_24	farmer_adult	TOCDLIC2	Bromodichloromethane	1.2170E-016	1.6945E-015
RCPTR_24	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.2000E-013	3.0675E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.9215E-009	6.5709E-008
RCPTR_24	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.1348E-009	2.5131E-009
RCPTR_24	farmer_adult	TOCDLIC2	Cadmium	2.2886E-008	3.2798E-008
RCPTR_24	farmer_adult	TOCDLIC2	Carbon disulfide	8.0183E-016	1.1053E-014
RCPTR_24	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6026E-014	2.1869E-013
RCPTR_24	farmer_adult	TOCDLIC2	Chlorine	1.3055E-007	1.8259E-006
RCPTR_24	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.1880E-011	1.4309E-010
RCPTR_24	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.7986E-013	7.9455E-012
RCPTR_24	farmer_adult	TOCDLIC2	Chlorobenzene	6.5495E-015	8.8086E-014
RCPTR_24	farmer_adult	TOCDLIC2	Chloroethane	7.3787E-018	9.0469E-017
RCPTR_24	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	6.3124E-015	8.7788E-014
RCPTR_24	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.7905E-011	6.2079E-010
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.5805E-012	2.2059E-011
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2316E-010	7.9573E-010
RCPTR_24	farmer_adult	TOCDLIC2	Chromium	9.3092E-007	9.3500E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Chromium, hexavalent	8.2355E-007	8.3798E-007
RCPTR_24	farmer_adult	TOCDLIC2	Chrysene	1.0249E-006	1.2091E-006
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.2750E-009	1.5000E-009
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.7019E+000	6.7019E+000
RCPTR_24	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.7474E-005	7.8490E-005
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.3883E-014	1.0036E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	9.6258E-014	1.2135E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	9.1309E-014	1.1682E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.4955E-009	3.1487E-009
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.2668E-019	7.2117E-018
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.1096E-017	2.9369E-016
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6185E-016	2.2555E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	8.0538E-018	1.1120E-016
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.0127E-017	1.1051E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.1528E-011	1.0017E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.5534E-016	6.2189E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5239E-016	2.1152E-015
RCPTR_24	farmer_adult	TOCDLIC2	Diethyl phthalate	8.1528E-010	8.5379E-010
RCPTR_24	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.5371E-011	1.8793E-010
RCPTR_24	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.1180E-012	1.5043E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.2623E-012	8.1034E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.2289E-012	1.3851E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.9388E-013	1.0669E-011
RCPTR_24	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.2922E-014	3.2022E-013
RCPTR_24	farmer_adult	TOCDLIC2	Ethylbenzene	1.7417E-015	2.0651E-014
RCPTR_24	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.7621E-009	3.2734E-009
RCPTR_24	farmer_adult	TOCDLIC2	Fluoranthene	1.1246E-008	5.4353E-008
RCPTR_24	farmer_adult	TOCDLIC2	Fluorene	7.8041E-011	9.3386E-010
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.7312E-012	7.0436E-012
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.1875E-011	2.2682E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.1156E-011	5.3471E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.6057E-011	5.8225E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.3721E-011	3.5421E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.7989E-011	2.9616E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.7951E-011	6.1780E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.0309E-011	5.3615E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.1631E-011	5.4998E-011
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.2506E-011	4.5289E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9683E-012	1.9657E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.7411E-009	3.9943E-008
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.5917E-012	5.2276E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.4877E-013	1.2056E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8356E-004	5.8565E-004
RCPTR_24	farmer_adult	TOCDLIC2	Isophorone	1.6468E-013	2.2898E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Lead	4.9651E-007	5.5294E-007
RCPTR_24	farmer_adult	TOCDLIC2	Mercuric chloride	1.2701E-007	1.3189E-007
RCPTR_24	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	8.9613E-018	1.2506E-016
RCPTR_24	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.5850E-017	2.2063E-016
RCPTR_24	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2420E-014	1.7361E-013
RCPTR_24	farmer_adult	TOCDLIC2	Methyl mercury	1.6879E-009	1.7339E-009
RCPTR_24	farmer_adult	TOCDLIC2	Methylene chloride	1.6260E-015	2.2656E-014
RCPTR_24	farmer_adult	TOCDLIC2	Mustard	1.7567E-014	2.4383E-013
RCPTR_24	farmer_adult	TOCDLIC2	Naphthalene	1.1271E-013	1.4946E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nickel	2.2115E-006	2.3796E-006
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.8506E-012	3.9057E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.6900E-013	9.2945E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 4-	8.6835E-013	1.2010E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitrobenzene	2.7699E-013	3.8649E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.2651E-013	1.7596E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3149E-011	2.8675E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.5907E-013	2.1801E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.5789E-013	2.1426E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.5150E-014	1.9212E-013
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0006E-011	1.0618E-011
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.8717E-012	1.0462E-011
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.2426E-010	1.3010E-010
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.9223E-011	2.0781E-011
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.3946E-011	7.9774E-011
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.9421E-011	7.4382E-010
RCPTR_24	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.6706E-012	5.8769E-011
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorophenol	4.4913E-009	6.4018E-009
RCPTR_24	farmer_adult	TOCDLIC2	Phenanthrene	2.3820E-013	2.9578E-012
RCPTR_24	farmer_adult	TOCDLIC2	Phenol	2.2243E-013	3.0620E-012
RCPTR_24	farmer_adult	TOCDLIC2	Pronamide	2.4693E-011	2.9287E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Pyrene	1.4995E-008	7.7107E-008
RCPTR_24	farmer_adult	TOCDLIC2	Selenium	8.6170E-007	8.6640E-007
RCPTR_24	farmer_adult	TOCDLIC2	Silver	2.2126E-006	2.3701E-006
RCPTR_24	farmer_adult	TOCDLIC2	Styrene	2.5607E-012	3.5106E-011
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6083E-011	1.7883E-011
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.1120E-012	7.0723E-012
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.3150E-011	2.3731E-010
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	8.1894E-016	1.1282E-014
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.0741E-016	4.2175E-015
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.8659E-010	1.7505E-009
RCPTR_24	farmer_adult	TOCDLIC2	Thallium (l)	2.9477E-006	3.0984E-006
RCPTR_24	farmer_adult	TOCDLIC2	Toluene	6.2369E-015	8.2430E-014
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.8076E-013	9.0762E-012
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.5872E-015	3.5744E-014
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.3486E-015	3.2645E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethylene	3.8647E-016	5.3077E-015
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.0724E-017	6.9757E-016
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0662E-010	1.0423E-009
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.6246E-011	2.1326E-010
RCPTR_24	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	8.7207E-015	1.2083E-013
RCPTR_24	farmer_adult	TOCDLIC2	Vinyl Chloride	3.7294E-019	5.1691E-018
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, m-	1.1670E-013	2.3859E-013
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, o-	1.0149E-013	2.4044E-013
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, p-	1.1429E-013	3.0332E-013
RCPTR_24	farmer_adult	TOCDLIC2	Zinc	8.6929E-007	1.1127E-006
RCPTR_24	farmer_child	TOCDFBRA	Antimony	1.7902E-007	1.9651E-007
RCPTR_24	farmer_child	TOCDFBRA	Arsenic	2.8365E-007	2.9023E-007
RCPTR_24	farmer_child	TOCDFBRA	Barium	2.4282E-008	2.6082E-008
RCPTR_24	farmer_child	TOCDFBRA	Beryllium	7.7496E-008	8.0180E-008
RCPTR_24	farmer_child	TOCDFBRA	Cadmium	1.5180E-008	1.8032E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFBRA	Chromium	1.8324E-006	1.8883E-006
RCPTR_24	farmer_child	TOCDFBRA	Chromium, hexavalent	1.6692E-006	1.6861E-006
RCPTR_24	farmer_child	TOCDFBRA	Lead	8.0977E-007	8.5351E-007
RCPTR_24	farmer_child	TOCDFBRA	Mercuric chloride	1.1739E-004	1.4146E-004
RCPTR_24	farmer_child	TOCDFBRA	Methyl mercury	1.9468E-006	2.0210E-006
RCPTR_24	farmer_child	TOCDFBRA	Nickel	9.4250E-007	9.7990E-007
RCPTR_24	farmer_child	TOCDFBRA	Selenium	3.1525E-007	3.1625E-007
RCPTR_24	farmer_child	TOCDFBRA	Silver	1.0805E-007	1.1240E-007
RCPTR_24	farmer_child	TOCDFBRA	Thallium (l)	2.9082E-006	2.9857E-006
RCPTR_24	farmer_child	TOCDFBRA	Zinc	5.3431E-007	6.0601E-007
RCPTR_24	farmer_child	TOCDFDFS	Acenaphthene	5.5295E-010	1.1503E-009
RCPTR_24	farmer_child	TOCDFDFS	Acetone	6.0574E-015	1.2708E-014
RCPTR_24	farmer_child	TOCDFDFS	Acetophenone	3.0352E-012	6.3647E-012
RCPTR_24	farmer_child	TOCDFDFS	Aniline	1.7406E-013	3.6465E-013
RCPTR_24	farmer_child	TOCDFDFS	Anthracene	9.7665E-009	2.0299E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Antimony	1.6374E-008	1.7929E-008
RCPTR_24	farmer_child	TOCDFDFS	Aroclor 1254	2.8358E-010	3.8680E-010
RCPTR_24	farmer_child	TOCDFDFS	Arsenic	3.0335E-008	3.1019E-008
RCPTR_24	farmer_child	TOCDFDFS	Barium	2.0457E-008	2.1931E-008
RCPTR_24	farmer_child	TOCDFDFS	Benzene	2.1701E-014	4.5440E-014
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.9827E-006	2.3502E-006
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.8412E-005	1.8818E-005
RCPTR_24	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.0611E-005	1.1575E-005
RCPTR_24	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.8335E-005	2.8751E-005
RCPTR_24	farmer_child	TOCDFDFS	Benzoic acid	2.1167E-012	4.2008E-012
RCPTR_24	farmer_child	TOCDFDFS	Benzyl alcohol	3.9453E-012	8.2715E-012
RCPTR_24	farmer_child	TOCDFDFS	Beryllium	1.6270E-008	1.6818E-008
RCPTR_24	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.9456E-012	8.2773E-012
RCPTR_24	farmer_child	TOCDFDFS	Bromodichloromethane	7.0175E-015	1.4716E-014
RCPTR_24	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1226E-012	2.3544E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.8479E-007	3.1803E-007
RCPTR_24	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.1201E-008	1.2233E-008
RCPTR_24	farmer_child	TOCDFDFS	Cadmium	6.7560E-009	7.9952E-009
RCPTR_24	farmer_child	TOCDFDFS	Carbon disulfide	3.8732E-015	8.1156E-015
RCPTR_24	farmer_child	TOCDFDFS	Carbon tetrachloride	6.1421E-015	1.2859E-014
RCPTR_24	farmer_child	TOCDFDFS	Chlorine	1.2242E-013	2.5683E-013
RCPTR_24	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.6099E-010	6.9164E-010
RCPTR_24	farmer_child	TOCDFDFS	Chloroaniline, p-	1.8361E-011	3.8454E-011
RCPTR_24	farmer_child	TOCDFDFS	Chlorobenzene	3.5987E-014	7.5245E-014
RCPTR_24	farmer_child	TOCDFDFS	Chloroethane	1.0207E-016	2.1165E-016
RCPTR_24	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.8416E-015	1.0152E-014
RCPTR_24	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4415E-009	3.0043E-009
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.0899E-011	1.0676E-010
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.0137E-009	3.8483E-009
RCPTR_24	farmer_child	TOCDFDFS	Chromium	5.0672E-007	5.2175E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Chromium, hexavalent	4.6284E-007	4.6739E-007
RCPTR_24	farmer_child	TOCDFDFS	Chrysene	5.4236E-006	5.8141E-006
RCPTR_24	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.2548E-008	4.6520E-008
RCPTR_24	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.0676E+002	2.0676E+002
RCPTR_24	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.7645E-004	3.7871E-004
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.3475E-012	4.8563E-012
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.8249E-012	5.8727E-012
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.7157E-012	5.6534E-012
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6837E-008	3.0407E-008
RCPTR_24	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.4689E-018	1.7735E-017
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.0258E-015	4.2482E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5164E-015	5.2776E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.6754E-016	1.6085E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2339E-015	2.5857E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.6917E-010	4.8369E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.9498E-015	1.4551E-014
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.2896E-015	4.8002E-015
RCPTR_24	farmer_child	TOCDFDFS	Diethyl phthalate	2.5681E-008	2.6361E-008
RCPTR_24	farmer_child	TOCDFDFS	Dimethyl phthalate	4.6308E-011	9.5987E-011
RCPTR_24	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.4817E-011	7.2804E-011
RCPTR_24	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.5825E-011	3.9030E-011
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.2607E-011	6.7038E-011
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.4966E-011	5.1630E-011
RCPTR_24	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.3881E-013	1.5498E-012
RCPTR_24	farmer_child	TOCDFDFS	Ethylbenzene	2.2280E-014	4.6050E-014
RCPTR_24	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.8999E-009	2.0819E-009
RCPTR_24	farmer_child	TOCDFDFS	Fluoranthene	1.5283E-007	2.6277E-007
RCPTR_24	farmer_child	TOCDFDFS	Fluorene	2.1846E-009	4.5191E-009
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.1727E-013	8.3426E-013
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.9224E-013	7.0380E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1878E-012	2.2321E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8142E-011	1.8459E-011
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.0850E-011	1.1094E-011
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.4543E-012	8.6710E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.9277E-012	6.0987E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.3610E-012	5.5151E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.3646E-012	6.5461E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.8847E-012	5.0246E-012
RCPTR_24	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.6871E-011	9.5122E-011
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorobenzene	9.4672E-008	1.9327E-007
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.2563E-010	2.5298E-010
RCPTR_24	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.8042E-011	5.8341E-011
RCPTR_24	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.7978E-003	2.8026E-003
RCPTR_24	farmer_child	TOCDFDFS	Isophorone	5.2851E-012	1.1082E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Lead	1.0088E-007	1.0619E-007
RCPTR_24	farmer_child	TOCDFDFS	Mercuric chloride	4.5206E-008	5.4864E-008
RCPTR_24	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	8.8426E-017	1.8548E-016
RCPTR_24	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.7437E-017	3.6567E-017
RCPTR_24	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.3424E-014	9.1094E-014
RCPTR_24	farmer_child	TOCDFDFS	Methyl mercury	7.0095E-010	7.3070E-010
RCPTR_24	farmer_child	TOCDFDFS	Methylene chloride	2.6126E-015	5.4793E-015
RCPTR_24	farmer_child	TOCDFDFS	Mustard	3.0788E-013	6.4549E-013
RCPTR_24	farmer_child	TOCDFDFS	Naphthalene	2.2411E-011	4.6802E-011
RCPTR_24	farmer_child	TOCDFDFS	Nickel	2.1458E-006	2.2284E-006
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.0254E-011	1.8902E-010
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.1453E-011	4.4981E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.7731E-011	5.8122E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitrobenzene	8.9180E-012	1.8705E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.0613E-012	8.5163E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 4-	9.5569E-011	1.3792E-010
RCPTR_24	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.0378E-012	1.0551E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.9553E-012	1.0369E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.4731E-013	9.3005E-013
RCPTR_24	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.3460E-012	1.3822E-012
RCPTR_24	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4172E-012	1.4545E-012
RCPTR_24	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.2318E-011	3.2992E-011
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.0618E-012	4.2040E-012
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6522E-011	1.7085E-011
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorobenzene	3.6315E-010	7.1952E-010
RCPTR_24	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4542E-010	2.8480E-010
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorophenol	1.2752E-007	1.5363E-007
RCPTR_24	farmer_child	TOCDFDFS	Phenanthrene	6.8951E-012	1.4314E-011
RCPTR_24	farmer_child	TOCDFDFS	Phenol	7.0732E-012	1.4819E-011
RCPTR_24	farmer_child	TOCDFDFS	Pronamide	6.8562E-010	1.4172E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Pyrene	2.4145E-007	3.7292E-007
RCPTR_24	farmer_child	TOCDFDFS	Selenium	3.3734E-008	3.3837E-008
RCPTR_24	farmer_child	TOCDFDFS	Silver	2.2823E-007	2.3716E-007
RCPTR_24	farmer_child	TOCDFDFS	Styrene	2.6323E-013	5.5131E-013
RCPTR_24	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0153E-011	1.0631E-011
RCPTR_24	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.1213E-012	3.3228E-012
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.6391E-010	1.1481E-009
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9380E-011	2.2233E-011
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.3821E-015	1.5461E-014
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.2617E-009	8.4365E-009
RCPTR_24	farmer_child	TOCDFDFS	Thallium (l)	3.0428E-005	3.1214E-005
RCPTR_24	farmer_child	TOCDFDFS	Toluene	9.9034E-015	2.0676E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.1291E-011	4.3920E-011
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.1505E-015	1.2890E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.6428E-014	7.6384E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethylene	5.9287E-015	1.2419E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.1883E-016	1.7154E-015
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.4897E-009	5.0422E-009
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.7528E-009	5.1800E-009
RCPTR_24	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.3487E-013	2.8271E-013
RCPTR_24	farmer_child	TOCDFDFS	Vinyl Chloride	1.9249E-018	4.0351E-018
RCPTR_24	farmer_child	TOCDFDFS	Xylene, m-	9.1650E-014	1.2779E-013
RCPTR_24	farmer_child	TOCDFDFS	Xylene, o-	7.6204E-014	1.1220E-013
RCPTR_24	farmer_child	TOCDFDFS	Xylene, p-	1.0564E-013	1.6170E-013
RCPTR_24	farmer_child	TOCDFDFS	Zinc	1.0736E-007	1.2139E-007
RCPTR_24	farmer_child	TOCDFLIC	Acenaphthene	1.1427E-010	2.3769E-010
RCPTR_24	farmer_child	TOCDFLIC	Acetone	4.0700E-015	8.5382E-015
RCPTR_24	farmer_child	TOCDFLIC	Acetophenone	5.9652E-013	1.2509E-012
RCPTR_24	farmer_child	TOCDFLIC	Aniline	3.5966E-014	7.5346E-014
RCPTR_24	farmer_child	TOCDFLIC	Anthracene	2.0182E-009	4.1945E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Antimony	8.0833E-007	8.8481E-007
RCPTR_24	farmer_child	TOCDFLIC	Arsenic	1.4138E-006	1.4455E-006
RCPTR_24	farmer_child	TOCDFLIC	Barium	1.1817E-007	1.2665E-007
RCPTR_24	farmer_child	TOCDFLIC	Benzene	2.2419E-014	4.6943E-014
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.1130E-007	4.8713E-007
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.8093E-006	3.8918E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2070E-006	2.4056E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.8690E-006	5.9528E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzoic acid	1.5131E-012	3.0007E-012
RCPTR_24	farmer_child	TOCDFLIC	Benzyl alcohol	1.3043E-010	2.7345E-010
RCPTR_24	farmer_child	TOCDFLIC	Beryllium	1.9763E-007	2.0426E-007
RCPTR_24	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	8.1525E-013	1.7103E-012
RCPTR_24	farmer_child	TOCDFLIC	Bromodichloromethane	8.0800E-016	1.6945E-015
RCPTR_24	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.4625E-012	3.0675E-012
RCPTR_24	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.8180E-008	6.5709E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.2999E-009	2.5131E-009
RCPTR_24	farmer_child	TOCDFLIC	Cadmium	2.7730E-008	3.2798E-008
RCPTR_24	farmer_child	TOCDFLIC	Carbon disulfide	5.2753E-015	1.1053E-014
RCPTR_24	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0446E-013	2.1869E-013
RCPTR_24	farmer_child	TOCDFLIC	Chlorine	8.7035E-007	1.8259E-006
RCPTR_24	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.4773E-011	1.4309E-010
RCPTR_24	farmer_child	TOCDFLIC	Chloroaniline, p-	3.7940E-012	7.9455E-012
RCPTR_24	farmer_child	TOCDFLIC	Chlorobenzene	4.2129E-014	8.8086E-014
RCPTR_24	farmer_child	TOCDFLIC	Chloroethane	4.3637E-017	9.0469E-017
RCPTR_24	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.1866E-014	8.7788E-014
RCPTR_24	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.9789E-010	6.2079E-010
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.0517E-011	2.2059E-011
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.1665E-010	7.9573E-010
RCPTR_24	farmer_child	TOCDFLIC	Chromium	9.0817E-007	9.3500E-007
RCPTR_24	farmer_child	TOCDFLIC	Chromium, hexavalent	8.2985E-007	8.3798E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Chrysene	1.1287E-006	1.2091E-006
RCPTR_24	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.3732E-009	1.5000E-009
RCPTR_24	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.7019E+000	6.7019E+000
RCPTR_24	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.8046E-005	7.8490E-005
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.8520E-013	1.0036E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.8380E-013	1.2135E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.6123E-013	1.1682E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.7805E-009	3.1487E-009
RCPTR_24	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.4438E-018	7.2117E-018
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.4005E-016	2.9369E-016
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0755E-015	2.2555E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.3063E-017	1.1120E-016
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.2738E-016	1.1051E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.5844E-011	1.0017E-010
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.9704E-015	6.2189E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0089E-015	2.1152E-015
RCPTR_24	farmer_child	TOCDFLIC	Diethyl phthalate	8.3208E-010	8.5379E-010
RCPTR_24	farmer_child	TOCDFLIC	Dimethyl phthalate	9.0671E-011	1.8793E-010
RCPTR_24	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	7.1946E-012	1.5043E-011
RCPTR_24	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.3748E-012	8.1034E-012
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.7367E-012	1.3851E-011
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.1593E-012	1.0669E-011
RCPTR_24	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.5265E-013	3.2022E-013
RCPTR_24	farmer_child	TOCDFLIC	Ethylbenzene	9.9929E-015	2.0651E-014
RCPTR_24	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.9852E-009	3.2734E-009
RCPTR_24	farmer_child	TOCDFLIC	Fluoranthene	3.1640E-008	5.4353E-008
RCPTR_24	farmer_child	TOCDFLIC	Fluorene	4.5149E-010	9.3386E-010
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.9030E-012	7.0436E-012
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.2319E-011	2.2682E-011
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.2431E-011	5.3471E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.7250E-011	5.8225E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.4658E-011	3.5421E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.8885E-011	2.9616E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.0063E-011	6.1780E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.2131E-011	5.3615E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.3487E-011	5.4998E-011
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.4040E-011	4.5289E-011
RCPTR_24	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.6869E-012	1.9657E-011
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorobenzene	1.9570E-008	3.9943E-008
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.5963E-011	5.2276E-011
RCPTR_24	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.7955E-012	1.2056E-011
RCPTR_24	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8469E-004	5.8565E-004
RCPTR_24	farmer_child	TOCDFLIC	Isophorone	1.0920E-012	2.2898E-012
RCPTR_24	farmer_child	TOCDFLIC	Lead	5.2540E-007	5.5294E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Mercuric chloride	1.0854E-007	1.3189E-007
RCPTR_24	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.9624E-017	1.2506E-016
RCPTR_24	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0521E-016	2.2063E-016
RCPTR_24	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.2756E-014	1.7361E-013
RCPTR_24	farmer_child	TOCDFLIC	Methyl mercury	1.6620E-009	1.7339E-009
RCPTR_24	farmer_child	TOCDFLIC	Methylene chloride	1.0803E-014	2.2656E-014
RCPTR_24	farmer_child	TOCDFLIC	Mustard	1.1187E-013	2.3454E-013
RCPTR_24	farmer_child	TOCDFLIC	Naphthalene	7.1571E-013	1.4946E-012
RCPTR_24	farmer_child	TOCDFLIC	Nickel	2.2917E-006	2.3796E-006
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.8650E-011	3.9057E-011
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.4329E-012	9.2945E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.7300E-012	1.2010E-011
RCPTR_24	farmer_child	TOCDFLIC	Nitrobenzene	1.8426E-012	3.8649E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.3916E-013	1.7596E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.9924E-012	2.8675E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0410E-012	2.1801E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.0239E-012	2.1426E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	9.2373E-014	1.9212E-013
RCPTR_24	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0343E-011	1.0618E-011
RCPTR_24	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0196E-011	1.0462E-011
RCPTR_24	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.2749E-010	1.3010E-010
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0085E-011	2.0781E-011
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.7164E-011	7.9774E-011
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorobenzene	3.7498E-010	7.4382E-010
RCPTR_24	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.9968E-011	5.8769E-011
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorophenol	5.3250E-009	6.4018E-009
RCPTR_24	farmer_child	TOCDFLIC	Phenanthrene	1.4250E-012	2.9578E-012
RCPTR_24	farmer_child	TOCDFLIC	Phenol	1.4615E-012	3.0620E-012
RCPTR_24	farmer_child	TOCDFLIC	Pronamide	1.4171E-010	2.9287E-010
RCPTR_24	farmer_child	TOCDFLIC	Pyrene	4.9942E-008	7.7107E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Selenium	8.6375E-007	8.6640E-007
RCPTR_24	farmer_child	TOCDFLIC	Silver	2.2813E-006	2.3701E-006
RCPTR_24	farmer_child	TOCDFLIC	Styrene	1.6762E-011	3.5106E-011
RCPTR_24	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7083E-011	1.7883E-011
RCPTR_24	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.6460E-012	7.0723E-012
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1660E-010	2.3731E-010
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.3845E-015	1.1282E-014
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.0136E-015	4.2175E-015
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0945E-009	1.7505E-009
RCPTR_24	farmer_child	TOCDFLIC	Thallium (l)	3.0206E-006	3.0984E-006
RCPTR_24	farmer_child	TOCDFLIC	Toluene	3.9485E-014	8.2430E-014
RCPTR_24	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.4006E-012	9.0762E-012
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.7056E-014	3.5744E-014
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.5569E-014	3.2645E-014
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethylene	2.5339E-015	5.3077E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.3299E-016	6.9757E-016
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.1493E-010	1.0423E-009
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1349E-010	2.1326E-010
RCPTR_24	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.7641E-014	1.2083E-013
RCPTR_24	farmer_child	TOCDFLIC	Vinyl Chloride	2.4658E-018	5.1691E-018
RCPTR_24	farmer_child	TOCDFLIC	Xylene, m-	8.1753E-014	1.1481E-013
RCPTR_24	farmer_child	TOCDFLIC	Xylene, o-	7.8018E-014	1.1571E-013
RCPTR_24	farmer_child	TOCDFLIC	Xylene, p-	9.4691E-014	1.4596E-013
RCPTR_24	farmer_child	TOCDFLIC	Zinc	9.8455E-007	1.1127E-006
RCPTR_24	farmer_child	TOCDFMPF	Acenaphthene	1.7406E-010	3.6206E-010
RCPTR_24	farmer_child	TOCDFMPF	Acetone	1.4813E-014	3.1076E-014
RCPTR_24	farmer_child	TOCDFMPF	Acetophenone	9.5193E-013	1.9962E-012
RCPTR_24	farmer_child	TOCDFMPF	Aniline	5.4785E-014	1.1477E-013
RCPTR_24	farmer_child	TOCDFMPF	Anthracene	3.0742E-009	6.3892E-009
RCPTR_24	farmer_child	TOCDFMPF	Antimony	1.1002E-008	1.2043E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Aroclor 1254	1.6442E-010	2.2451E-010
RCPTR_24	farmer_child	TOCDFMPF	Arsenic	7.3399E-008	7.5046E-008
RCPTR_24	farmer_child	TOCDFMPF	Barium	8.3635E-008	8.9635E-008
RCPTR_24	farmer_child	TOCDFMPF	Benzene	1.9965E-014	4.1805E-014
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.2624E-007	7.4174E-007
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.7992E-006	5.9249E-006
RCPTR_24	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.3599E-006	3.6626E-006
RCPTR_24	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	8.9348E-006	9.0625E-006
RCPTR_24	farmer_child	TOCDFMPF	Benzoic acid	6.6716E-012	1.3231E-011
RCPTR_24	farmer_child	TOCDFMPF	Benzyl alcohol	1.2418E-012	2.6034E-012
RCPTR_24	farmer_child	TOCDFMPF	Beryllium	6.7286E-009	6.9544E-009
RCPTR_24	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.2418E-012	2.6052E-012
RCPTR_24	farmer_child	TOCDFMPF	Bromodichloromethane	2.4460E-014	5.1295E-014
RCPTR_24	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.5128E-013	1.7854E-012
RCPTR_24	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.8158E-008	1.0009E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.5014E-009	3.8262E-009
RCPTR_24	farmer_child	TOCDFMPF	Cadmium	1.2645E-007	1.4956E-007
RCPTR_24	farmer_child	TOCDFMPF	Carbon disulfide	1.9218E-015	4.0268E-015
RCPTR_24	farmer_child	TOCDFMPF	Carbon tetrachloride	1.8132E-014	3.7959E-014
RCPTR_24	farmer_child	TOCDFMPF	Chlorine	1.5977E-007	3.3519E-007
RCPTR_24	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.1389E-010	2.1796E-010
RCPTR_24	farmer_child	TOCDFMPF	Chloroaniline, p-	5.7792E-012	1.2103E-011
RCPTR_24	farmer_child	TOCDFMPF	Chlorobenzene	7.5316E-014	1.5747E-013
RCPTR_24	farmer_child	TOCDFMPF	Chloroethane	4.2847E-016	8.8832E-016
RCPTR_24	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.3119E-014	2.7509E-014
RCPTR_24	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.5377E-010	9.4563E-010
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.6020E-011	3.3602E-011
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.3460E-010	1.2120E-009
RCPTR_24	farmer_child	TOCDFMPF	Chromium	1.7211E-007	1.7720E-007
RCPTR_24	farmer_child	TOCDFMPF	Chromium, hexavalent	1.5727E-007	1.5881E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Chrysene	1.7184E-006	1.8409E-006
RCPTR_24	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.3527E-008	1.4777E-008
RCPTR_24	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.6015E+001	6.6015E+001
RCPTR_24	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.1887E-004	1.1954E-004
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.3907E-013	1.5287E-012
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.8927E-013	1.8485E-012
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	8.5489E-013	1.7795E-012
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.4915E-009	9.6165E-009
RCPTR_24	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.8224E-017	5.9103E-017
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.2395E-015	8.8905E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2662E-015	1.1045E-014
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.6063E-015	3.3662E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.5824E-015	5.4112E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.5050E-011	1.5257E-010
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.4545E-014	3.0452E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.7916E-015	1.0046E-014
RCPTR_24	farmer_child	TOCDFMPF	Diethyl phthalate	8.1963E-009	8.4102E-009
RCPTR_24	farmer_child	TOCDFMPF	Dimethyl phthalate	9.6475E-012	1.9996E-011
RCPTR_24	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.0959E-011	2.2915E-011
RCPTR_24	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.1696E-012	1.2318E-011
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.0261E-011	2.1098E-011
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	7.8589E-012	1.6251E-011
RCPTR_24	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.3253E-013	4.8778E-013
RCPTR_24	farmer_child	TOCDFMPF	Ethylbenzene	4.6641E-014	9.6386E-014
RCPTR_24	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.3777E-010	5.8971E-010
RCPTR_24	farmer_child	TOCDFMPF	Fluoranthene	4.8189E-008	8.2788E-008
RCPTR_24	farmer_child	TOCDFMPF	Fluorene	6.8773E-010	1.4225E-009
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.6817E-011	2.7364E-011
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.4984E-011	3.5553E-011
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.1170E-011	6.2384E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6299E-011	1.6576E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.6776E-012	7.8467E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.8018E-012	6.9739E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1829E-011	1.2167E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.0133E-012	5.1561E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.4337E-012	4.5590E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.9727E-012	4.0855E-012
RCPTR_24	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4755E-011	2.9942E-011
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorobenzene	2.9810E-008	6.0843E-008
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.9547E-011	7.9628E-011
RCPTR_24	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.8280E-012	1.8364E-011
RCPTR_24	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.9020E-004	8.9166E-004
RCPTR_24	farmer_child	TOCDFMPF	Isophorone	1.6634E-012	3.4880E-012
RCPTR_24	farmer_child	TOCDFMPF	Lead	6.0579E-008	6.3753E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Mercuric chloride	1.8382E-006	2.2339E-006
RCPTR_24	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.0742E-016	6.4483E-016
RCPTR_24	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.7895E-017	3.7527E-017
RCPTR_24	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.6723E-014	3.5081E-014
RCPTR_24	farmer_child	TOCDFMPF	Methyl mercury	2.8140E-008	2.9359E-008
RCPTR_24	farmer_child	TOCDFMPF	Methylene chloride	8.4657E-015	1.7755E-014
RCPTR_24	farmer_child	TOCDFMPF	Mustard	7.9319E-013	1.6630E-012
RCPTR_24	farmer_child	TOCDFMPF	Naphthalene	7.0543E-012	1.4731E-011
RCPTR_24	farmer_child	TOCDFMPF	Nickel	1.4352E-006	1.4903E-006
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.8357E-011	5.9386E-011
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.7402E-012	1.4132E-011
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 4-	8.7124E-012	1.8260E-011
RCPTR_24	farmer_child	TOCDFMPF	Nitrobenzene	2.8068E-012	5.8873E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.2783E-012	2.6804E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.0283E-011	4.3589E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.5857E-012	3.3208E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.5597E-012	3.2637E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.4070E-013	2.9264E-013
RCPTR_24	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.5576E-010	6.7322E-010
RCPTR_24	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1524E-009	1.1824E-009
RCPTR_24	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.6417E-012	6.7777E-012
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.6914E-012	8.9929E-012
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.1579E-012	5.3324E-012
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorobenzene	1.1402E-010	2.2619E-010
RCPTR_24	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.5563E-011	8.9355E-011
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorophenol	4.0536E-008	4.8737E-008
RCPTR_24	farmer_child	TOCDFMPF	Phenanthrene	2.1706E-012	4.5056E-012
RCPTR_24	farmer_child	TOCDFMPF	Phenol	2.2263E-012	4.6643E-012
RCPTR_24	farmer_child	TOCDFMPF	Pronamide	2.1587E-010	4.4611E-010
RCPTR_24	farmer_child	TOCDFMPF	Pyrene	7.6069E-008	1.1745E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Selenium	1.5126E-008	1.5173E-008
RCPTR_24	farmer_child	TOCDFMPF	Silver	3.0729E-007	3.1925E-007
RCPTR_24	farmer_child	TOCDFMPF	Styrene	3.8087E-013	7.9768E-013
RCPTR_24	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0358E-012	2.1312E-012
RCPTR_24	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.5583E-012	6.9791E-012
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7761E-010	3.6148E-010
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.6300E-013	3.4151E-013
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.5449E-014	3.2357E-014
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.6637E-009	2.6611E-009
RCPTR_24	farmer_child	TOCDFMPF	Thallium (l)	9.2301E-008	9.4677E-008
RCPTR_24	farmer_child	TOCDFMPF	Toluene	2.6397E-014	5.5107E-014
RCPTR_24	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.7032E-012	1.3825E-011
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	9.9757E-015	2.0906E-014
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	7.6237E-014	1.5985E-013
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethylene	1.2408E-014	2.5990E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.4241E-014	7.1731E-014
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.8435E-010	1.5877E-009
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7285E-010	3.2483E-010
RCPTR_24	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.8225E-013	5.9166E-013
RCPTR_24	farmer_child	TOCDFMPF	Vinyl Chloride	6.7421E-018	1.4133E-017
RCPTR_24	farmer_child	TOCDFMPF	Xylene, m-	8.1513E-014	1.1448E-013
RCPTR_24	farmer_child	TOCDFMPF	Xylene, o-	7.7791E-014	1.1538E-013
RCPTR_24	farmer_child	TOCDFMPF	Xylene, p-	9.4419E-014	1.4555E-013
RCPTR_24	farmer_child	TOCDFMPF	Zinc	2.7994E-007	3.1638E-007
RCPTR_24	farmer_child	TOCDHVAC	Mustard	2.1216E-013	4.4484E-013
RCPTR_24	farmer_child	TOCDLIC2	Acenaphthene	1.1427E-010	2.3769E-010
RCPTR_24	farmer_child	TOCDLIC2	Acetone	4.0700E-015	8.5382E-015
RCPTR_24	farmer_child	TOCDLIC2	Acetophenone	5.9652E-013	1.2509E-012
RCPTR_24	farmer_child	TOCDLIC2	Aniline	3.5966E-014	7.5346E-014
RCPTR_24	farmer_child	TOCDLIC2	Anthracene	2.0182E-009	4.1945E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Antimony	8.0833E-007	8.8481E-007
RCPTR_24	farmer_child	TOCDLIC2	Arsenic	1.4138E-006	1.4455E-006
RCPTR_24	farmer_child	TOCDLIC2	Barium	1.1817E-007	1.2665E-007
RCPTR_24	farmer_child	TOCDLIC2	Benzene	2.2419E-014	4.6943E-014
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.1130E-007	4.8713E-007
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.8093E-006	3.8918E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2070E-006	2.4056E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.8690E-006	5.9528E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzoic acid	1.5131E-012	3.0007E-012
RCPTR_24	farmer_child	TOCDLIC2	Benzyl alcohol	1.3043E-010	2.7345E-010
RCPTR_24	farmer_child	TOCDLIC2	Beryllium	1.9763E-007	2.0426E-007
RCPTR_24	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	8.1525E-013	1.7103E-012
RCPTR_24	farmer_child	TOCDLIC2	Bromodichloromethane	8.0800E-016	1.6945E-015
RCPTR_24	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.4625E-012	3.0675E-012
RCPTR_24	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.8180E-008	6.5709E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.2999E-009	2.5131E-009
RCPTR_24	farmer_child	TOCDLIC2	Cadmium	2.7730E-008	3.2798E-008
RCPTR_24	farmer_child	TOCDLIC2	Carbon disulfide	5.2753E-015	1.1053E-014
RCPTR_24	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0446E-013	2.1869E-013
RCPTR_24	farmer_child	TOCDLIC2	Chlorine	8.7035E-007	1.8259E-006
RCPTR_24	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.4773E-011	1.4309E-010
RCPTR_24	farmer_child	TOCDLIC2	Chloroaniline, p-	3.7940E-012	7.9455E-012
RCPTR_24	farmer_child	TOCDLIC2	Chlorobenzene	4.2129E-014	8.8086E-014
RCPTR_24	farmer_child	TOCDLIC2	Chloroethane	4.3637E-017	9.0469E-017
RCPTR_24	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.1866E-014	8.7788E-014
RCPTR_24	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.9789E-010	6.2079E-010
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.0517E-011	2.2059E-011
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.1665E-010	7.9573E-010
RCPTR_24	farmer_child	TOCDLIC2	Chromium	9.0817E-007	9.3500E-007
RCPTR_24	farmer_child	TOCDLIC2	Chromium, hexavalent	8.2985E-007	8.3798E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Chrysene	1.1287E-006	1.2091E-006
RCPTR_24	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.3732E-009	1.5000E-009
RCPTR_24	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.7019E+000	6.7019E+000
RCPTR_24	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.8046E-005	7.8490E-005
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.8520E-013	1.0036E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.8380E-013	1.2135E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.6123E-013	1.1682E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.7805E-009	3.1487E-009
RCPTR_24	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.4438E-018	7.2117E-018
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.4005E-016	2.9369E-016
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0755E-015	2.2555E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.3063E-017	1.1120E-016
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.2738E-016	1.1051E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.5844E-011	1.0017E-010
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.9704E-015	6.2189E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0089E-015	2.1152E-015
RCPTR_24	farmer_child	TOCDLIC2	Diethyl phthalate	8.3208E-010	8.5379E-010
RCPTR_24	farmer_child	TOCDLIC2	Dimethyl phthalate	9.0671E-011	1.8793E-010
RCPTR_24	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	7.1946E-012	1.5043E-011
RCPTR_24	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.3748E-012	8.1034E-012
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.7367E-012	1.3851E-011
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.1593E-012	1.0669E-011
RCPTR_24	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.5265E-013	3.2022E-013
RCPTR_24	farmer_child	TOCDLIC2	Ethylbenzene	9.9929E-015	2.0651E-014
RCPTR_24	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.9852E-009	3.2734E-009
RCPTR_24	farmer_child	TOCDLIC2	Fluoranthene	3.1640E-008	5.4353E-008
RCPTR_24	farmer_child	TOCDLIC2	Fluorene	4.5149E-010	9.3386E-010
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.9030E-012	7.0436E-012
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.2319E-011	2.2682E-011
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.2431E-011	5.3471E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.7250E-011	5.8225E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.4658E-011	3.5421E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.8885E-011	2.9616E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.0063E-011	6.1780E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.2131E-011	5.3615E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3487E-011	5.4998E-011
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.4040E-011	4.5289E-011
RCPTR_24	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.6869E-012	1.9657E-011
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorobenzene	1.9570E-008	3.9943E-008
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.5963E-011	5.2276E-011
RCPTR_24	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.7955E-012	1.2056E-011
RCPTR_24	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.8469E-004	5.8565E-004
RCPTR_24	farmer_child	TOCDLIC2	Isophorone	1.0920E-012	2.2898E-012
RCPTR_24	farmer_child	TOCDLIC2	Lead	5.2540E-007	5.5294E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Mercuric chloride	1.0854E-007	1.3189E-007
RCPTR_24	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.9624E-017	1.2506E-016
RCPTR_24	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.0521E-016	2.2063E-016
RCPTR_24	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.2756E-014	1.7361E-013
RCPTR_24	farmer_child	TOCDLIC2	Methyl mercury	1.6620E-009	1.7339E-009
RCPTR_24	farmer_child	TOCDLIC2	Methylene chloride	1.0803E-014	2.2656E-014
RCPTR_24	farmer_child	TOCDLIC2	Mustard	1.1630E-013	2.4383E-013
RCPTR_24	farmer_child	TOCDLIC2	Naphthalene	7.1571E-013	1.4946E-012
RCPTR_24	farmer_child	TOCDLIC2	Nickel	2.2917E-006	2.3796E-006
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.8650E-011	3.9057E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.4329E-012	9.2945E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.7300E-012	1.2010E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitrobenzene	1.8426E-012	3.8649E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 2-	8.3916E-013	1.7596E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.9924E-011	2.8675E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0410E-012	2.1801E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.0239E-012	2.1426E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	9.2373E-014	1.9212E-013
RCPTR_24	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0343E-011	1.0618E-011
RCPTR_24	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0196E-011	1.0462E-011
RCPTR_24	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.2749E-010	1.3010E-010
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0085E-011	2.0781E-011
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.7164E-011	7.9774E-011
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorobenzene	3.7498E-010	7.4382E-010
RCPTR_24	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.9968E-011	5.8769E-011
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorophenol	5.3250E-009	6.4018E-009
RCPTR_24	farmer_child	TOCDLIC2	Phenanthrene	1.4250E-012	2.9578E-012
RCPTR_24	farmer_child	TOCDLIC2	Phenol	1.4615E-012	3.0620E-012
RCPTR_24	farmer_child	TOCDLIC2	Pronamide	1.4171E-010	2.9287E-010
RCPTR_24	farmer_child	TOCDLIC2	Pyrene	4.9942E-008	7.7107E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Selenium	8.6375E-007	8.6640E-007
RCPTR_24	farmer_child	TOCDLIC2	Silver	2.2813E-006	2.3701E-006
RCPTR_24	farmer_child	TOCDLIC2	Styrene	1.6762E-011	3.5106E-011
RCPTR_24	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7083E-011	1.7883E-011
RCPTR_24	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.6460E-012	7.0723E-012
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1660E-010	2.3731E-010
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.3845E-015	1.1282E-014
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.0136E-015	4.2175E-015
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0945E-009	1.7505E-009
RCPTR_24	farmer_child	TOCDLIC2	Thallium (l)	3.0206E-006	3.0984E-006
RCPTR_24	farmer_child	TOCDLIC2	Toluene	3.9485E-014	8.2430E-014
RCPTR_24	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.4006E-012	9.0762E-012
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.7056E-014	3.5744E-014
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.5569E-014	3.2645E-014
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethylene	2.5339E-015	5.3077E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.3299E-016	6.9757E-016
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.1493E-010	1.0423E-009
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1349E-010	2.1326E-010
RCPTR_24	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.7641E-014	1.2083E-013
RCPTR_24	farmer_child	TOCDLIC2	Vinyl Chloride	2.4658E-018	5.1691E-018
RCPTR_24	farmer_child	TOCDLIC2	Xylene, m-	1.6989E-013	2.3859E-013
RCPTR_24	farmer_child	TOCDLIC2	Xylene, o-	1.6213E-013	2.4044E-013
RCPTR_24	farmer_child	TOCDLIC2	Xylene, p-	1.9677E-013	3.0332E-013
RCPTR_24	farmer_child	TOCDLIC2	Zinc	9.8455E-007	1.1127E-006
RCPTR_25	farmer_adult	TOCDFBRA	Antimony	3.0463E-006	3.5394E-006
RCPTR_25	farmer_adult	TOCDFBRA	Arsenic	5.1678E-006	5.3490E-006
RCPTR_25	farmer_adult	TOCDFBRA	Barium	4.2277E-007	4.7312E-007
RCPTR_25	farmer_adult	TOCDFBRA	Beryllium	1.3697E-006	1.4583E-006
RCPTR_25	farmer_adult	TOCDFBRA	Cadmium	2.2959E-007	3.1553E-007
RCPTR_25	farmer_adult	TOCDFBRA	Chromium	3.4189E-005	3.4319E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.0743E-005	3.1206E-005
RCPTR_25	farmer_adult	TOCDFBRA	Lead	1.3962E-005	1.5343E-005
RCPTR_25	farmer_adult	TOCDFBRA	Mercuric chloride	1.5109E-003	1.5628E-003
RCPTR_25	farmer_adult	TOCDFBRA	Methyl mercury	2.4718E-005	2.5208E-005
RCPTR_25	farmer_adult	TOCDFBRA	Nickel	1.6847E-005	1.7949E-005
RCPTR_25	farmer_adult	TOCDFBRA	Selenium	5.8387E-006	5.8661E-006
RCPTR_25	farmer_adult	TOCDFBRA	Silver	1.9418E-006	2.0607E-006
RCPTR_25	farmer_adult	TOCDFBRA	Thallium (l)	5.2606E-005	5.4920E-005
RCPTR_25	farmer_adult	TOCDFBRA	Zinc	8.6863E-006	1.0784E-005
RCPTR_25	farmer_adult	TOCDFDFS	Acenaphthene	7.0432E-010	8.7573E-009
RCPTR_25	farmer_adult	TOCDFDFS	Acetone	6.9068E-015	9.6562E-014
RCPTR_25	farmer_adult	TOCDFDFS	Acetophenone	3.4810E-012	4.8369E-011
RCPTR_25	farmer_adult	TOCDFDFS	Aniline	2.0223E-013	2.7717E-012
RCPTR_25	farmer_adult	TOCDFDFS	Anthracene	1.2596E-008	1.5460E-007
RCPTR_25	farmer_adult	TOCDFDFS	Antimony	2.6037E-007	3.0248E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Aroclor 1254	2.0379E-009	3.4302E-009
RCPTR_25	farmer_adult	TOCDFDFS	Arsenic	5.1532E-007	5.3337E-007
RCPTR_25	farmer_adult	TOCDFDFS	Barium	3.3260E-007	3.7219E-007
RCPTR_25	farmer_adult	TOCDFDFS	Benzene	2.5381E-014	3.4542E-013
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.4887E-005	2.0906E-005
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.7653E-004	1.8357E-004
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	9.0534E-005	1.0620E-004
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.7025E-004	2.7912E-004
RCPTR_25	farmer_adult	TOCDFDFS	Benzoic acid	4.1754E-012	3.2273E-011
RCPTR_25	farmer_adult	TOCDFDFS	Benzyl alcohol	4.5370E-012	6.2862E-011
RCPTR_25	farmer_adult	TOCDFDFS	Beryllium	2.6868E-007	2.8605E-007
RCPTR_25	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.4993E-012	6.2897E-011
RCPTR_25	farmer_adult	TOCDFDFS	Bromodichloromethane	8.0398E-015	1.1184E-013
RCPTR_25	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.2841E-012	1.7892E-011
RCPTR_25	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.5521E-007	2.4173E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.0621E-007	1.2016E-007
RCPTR_25	farmer_adult	TOCDFDFS	Cadmium	9.5833E-008	1.3168E-007
RCPTR_25	farmer_adult	TOCDFDFS	Carbon disulfide	4.4883E-015	6.1684E-014
RCPTR_25	farmer_adult	TOCDFDFS	Carbon tetrachloride	7.2008E-015	9.7754E-014
RCPTR_25	farmer_adult	TOCDFDFS	Chlorine	1.3954E-013	1.9516E-012
RCPTR_25	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.9278E-010	5.3505E-009
RCPTR_25	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.1420E-011	2.9230E-010
RCPTR_25	farmer_adult	TOCDFDFS	Chlorobenzene	4.2903E-014	5.7218E-013
RCPTR_25	farmer_adult	TOCDFDFS	Chloroethane	1.3450E-016	1.6118E-015
RCPTR_25	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	5.5540E-015	7.7152E-014
RCPTR_25	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.7924E-009	2.2861E-008
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.8150E-011	8.1128E-010
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.1637E-009	2.9898E-008
RCPTR_25	farmer_adult	TOCDFDFS	Chromium	8.8351E-006	8.8688E-006
RCPTR_25	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.9453E-006	8.0649E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Chrysene	4.6490E-005	5.3411E-005
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.6794E-007	4.2153E-007
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.8977E+003	1.8977E+003
RCPTR_25	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.8994E-003	3.9752E-003
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.1890E-012	3.7011E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.6207E-012	4.4710E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.4245E-012	4.3029E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.3361E-007	2.8227E-007
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	9.9171E-018	1.3484E-016
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.3213E-015	3.2284E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8801E-015	4.0105E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.8779E-016	1.2225E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4290E-015	1.9652E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	9.0056E-010	3.7927E-009
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	8.1383E-015	1.1061E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.6340E-015	3.6482E-014
RCPTR_25	farmer_adult	TOCDFDFS	Diethyl phthalate	2.3083E-007	2.3999E-007
RCPTR_25	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.1830E-011	7.3160E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.1435E-011	5.5356E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.4138E-010	3.1942E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.8240E-011	5.1246E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.4194E-011	3.9369E-010
RCPTR_25	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.4321E-013	1.1777E-011
RCPTR_25	farmer_adult	TOCDFDFS	Ethylbenzene	3.0584E-014	3.5105E-013
RCPTR_25	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.8126E-008	2.0591E-008
RCPTR_25	farmer_adult	TOCDFDFS	Fluoranthene	4.7942E-007	2.0657E-006
RCPTR_25	farmer_adult	TOCDFDFS	Fluorene	2.9736E-009	3.4448E-008
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.6321E-012	8.9917E-012
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.0501E-012	7.2917E-012
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2947E-011	2.3884E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8336E-010	1.8985E-010
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1408E-010	1.1919E-010
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.1393E-011	9.5995E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.3656E-011	6.7198E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.7427E-011	6.0609E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.7823E-011	7.1558E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.2179E-011	5.5062E-011
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.8520E-011	7.2903E-010
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.4568E-007	1.4771E-006
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.2649E-010	1.9434E-009
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.5548E-011	4.4403E-010
RCPTR_25	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.6725E-002	2.6882E-002
RCPTR_25	farmer_adult	TOCDFDFS	Isophorone	6.0635E-012	8.4218E-011
RCPTR_25	farmer_adult	TOCDFDFS	Lead	1.6278E-006	1.7887E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Mercuric chloride	4.5524E-007	4.7076E-007
RCPTR_25	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.0104E-016	1.4094E-015
RCPTR_25	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.9988E-017	2.7789E-016
RCPTR_25	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.9530E-014	6.9221E-013
RCPTR_25	farmer_adult	TOCDFDFS	Methyl mercury	7.5465E-009	7.6928E-009
RCPTR_25	farmer_adult	TOCDFDFS	Methylene chloride	2.9908E-015	4.1639E-014
RCPTR_25	farmer_adult	TOCDFDFS	Mustard	3.5393E-013	4.9055E-012
RCPTR_25	farmer_adult	TOCDFDFS	Naphthalene	2.7153E-011	3.5599E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nickel	3.5786E-005	3.8124E-005
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.0537E-010	1.4368E-009
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.4647E-011	3.4185E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.2101E-011	4.4181E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitrobenzene	1.0193E-011	1.4214E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.6592E-012	6.4720E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.6739E-010	1.1383E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.8740E-012	8.0200E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.8419E-012	7.8831E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.1953E-013	7.1278E-012
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4881E-011	1.5657E-011
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.5702E-011	1.6501E-011
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1119E-010	3.2407E-010
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.8624E-011	4.1232E-011
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6192E-010	1.7251E-010
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.9376E-010	5.5983E-009
RCPTR_25	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.4678E-010	2.2259E-009
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorophenol	9.7948E-007	1.3314E-006
RCPTR_25	farmer_adult	TOCDFDFS	Phenanthrene	9.0022E-012	1.0902E-010
RCPTR_25	farmer_adult	TOCDFDFS	Phenol	8.2066E-012	1.1264E-010
RCPTR_25	farmer_adult	TOCDFDFS	Pronamide	9.3897E-010	1.0801E-008
RCPTR_25	farmer_adult	TOCDFDFS	Pyrene	5.9796E-007	2.8831E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Selenium	5.8222E-007	5.8495E-007
RCPTR_25	farmer_adult	TOCDFDFS	Silver	3.8263E-006	4.0604E-006
RCPTR_25	farmer_adult	TOCDFDFS	Styrene	3.0702E-013	4.1908E-012
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	9.3956E-011	1.0258E-010
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.7551E-011	3.1100E-011
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.0174E-010	8.7777E-009
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5699E-010	1.9546E-010
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.6175E-015	1.1754E-013
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.5088E-008	6.7889E-008
RCPTR_25	farmer_adult	TOCDFDFS	Thallium (l)	5.1334E-004	5.3589E-004
RCPTR_25	farmer_adult	TOCDFDFS	Toluene	1.2040E-014	1.5727E-013
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.9886E-011	3.3496E-010
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.1102E-015	9.7969E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.1815E-014	5.8048E-013
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethylene	6.9006E-015	9.4399E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.5154E-016	1.3039E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.1635E-009	3.8576E-008
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.4994E-009	4.0222E-008
RCPTR_25	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.5540E-013	2.1486E-012
RCPTR_25	farmer_adult	TOCDFDFS	Vinyl Chloride	2.2216E-018	3.0671E-017
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, m-	7.3072E-013	1.2180E-012
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, o-	5.5021E-013	1.0355E-012
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, p-	7.0267E-013	1.4584E-012
RCPTR_25	farmer_adult	TOCDFDFS	Zinc	1.6334E-006	2.0276E-006
RCPTR_25	farmer_adult	TOCDFLIC	Acenaphthene	1.5872E-010	1.9752E-009
RCPTR_25	farmer_adult	TOCDFLIC	Acetone	5.0662E-015	7.0828E-014
RCPTR_25	farmer_adult	TOCDFLIC	Acetophenone	7.4682E-013	1.0378E-011
RCPTR_25	farmer_adult	TOCDFLIC	Aniline	4.5613E-014	6.2520E-013
RCPTR_25	farmer_adult	TOCDFLIC	Anthracene	2.8360E-009	3.4867E-008
RCPTR_25	farmer_adult	TOCDFLIC	Antimony	1.3316E-005	1.5466E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Arsenic	2.4873E-005	2.5742E-005
RCPTR_25	farmer_adult	TOCDFLIC	Barium	1.9901E-006	2.2266E-006
RCPTR_25	farmer_adult	TOCDFLIC	Benzene	2.8623E-014	3.8955E-013
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3106E-006	4.6631E-006
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.8903E-005	4.0424E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0211E-005	2.3723E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.9722E-005	6.1602E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzoic acid	3.2607E-012	2.5155E-011
RCPTR_25	farmer_adult	TOCDFLIC	Benzyl alcohol	1.6374E-010	2.2687E-009
RCPTR_25	farmer_adult	TOCDFLIC	Beryllium	3.3806E-006	3.5988E-006
RCPTR_25	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0149E-012	1.4187E-011
RCPTR_25	farmer_adult	TOCDFLIC	Bromodichloromethane	1.0106E-015	1.4057E-014
RCPTR_25	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.8263E-012	2.5447E-011
RCPTR_25	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.7530E-008	5.4521E-007
RCPTR_25	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.3013E-008	2.6156E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Cadmium	4.0769E-007	5.5994E-007
RCPTR_25	farmer_adult	TOCDFLIC	Carbon disulfide	6.6733E-015	9.1715E-014
RCPTR_25	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.3368E-013	1.8149E-012
RCPTR_25	farmer_adult	TOCDFLIC	Chlorine	1.0830E-006	1.5147E-005
RCPTR_25	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0208E-010	1.2076E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.8318E-012	6.5933E-011
RCPTR_25	farmer_adult	TOCDFLIC	Chlorobenzene	5.4818E-014	7.3119E-013
RCPTR_25	farmer_adult	TOCDFLIC	Chloroethane	6.2812E-017	7.5208E-016
RCPTR_25	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.2430E-014	7.2830E-013
RCPTR_25	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.0418E-010	5.1565E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3117E-011	1.8300E-010
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1578E-009	6.7371E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chromium	1.6402E-005	1.6464E-005
RCPTR_25	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.4752E-005	1.4974E-005
RCPTR_25	farmer_adult	TOCDFLIC	Chrysene	1.0394E-005	1.1943E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.2803E-008	1.4671E-008
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.6552E+001	6.6552E+001
RCPTR_25	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.6000E-004	8.7550E-004
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.1904E-013	8.3481E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.1653E-013	1.0085E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.7229E-013	9.7055E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5837E-008	3.1299E-008
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.3978E-018	5.9853E-017
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.7519E-016	2.4365E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3437E-015	1.8712E-014
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	6.7002E-017	9.2264E-016
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.6673E-016	9.1692E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.0399E-010	8.5635E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.7971E-015	5.1608E-014
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2668E-015	1.7549E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Diethyl phthalate	8.0933E-009	8.4128E-009
RCPTR_25	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.3178E-010	1.5633E-009
RCPTR_25	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.3489E-012	1.2487E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.1962E-011	7.2123E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.0793E-011	1.1550E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.6938E-012	8.8782E-011
RCPTR_25	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.9020E-013	2.6564E-012
RCPTR_25	farmer_adult	TOCDFLIC	Ethylbenzene	1.4960E-014	1.7182E-013
RCPTR_25	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.9994E-008	3.4248E-008
RCPTR_25	farmer_adult	TOCDFLIC	Fluoranthene	1.0748E-007	4.6520E-007
RCPTR_25	farmer_adult	TOCDFLIC	Fluorene	6.6991E-010	7.7693E-009
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.6138E-011	7.9220E-011
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.3920E-010	2.4707E-010
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.7505E-010	5.9782E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.0963E-010	6.3046E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.8065E-010	3.9728E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.2446E-010	3.4051E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.7031E-010	7.0732E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.8058E-010	6.1249E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.9311E-010	6.2550E-010
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.8934E-010	5.1615E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7591E-011	1.6432E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.2795E-008	3.3311E-007
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.0638E-011	4.3790E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.0237E-012	1.0016E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0065E-003	6.0385E-003
RCPTR_25	farmer_adult	TOCDFLIC	Isophorone	1.3678E-012	1.8997E-011
RCPTR_25	farmer_adult	TOCDFLIC	Lead	8.7830E-006	9.6498E-006
RCPTR_25	farmer_adult	TOCDFLIC	Mercuric chloride	1.1705E-006	1.2114E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.4377E-017	1.0375E-015
RCPTR_25	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.3164E-016	1.8304E-015
RCPTR_25	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0305E-013	1.4401E-012
RCPTR_25	farmer_adult	TOCDFLIC	Methyl mercury	1.8696E-008	1.9081E-008
RCPTR_25	farmer_adult	TOCDFLIC	Methylene chloride	1.3500E-014	1.8796E-013
RCPTR_25	farmer_adult	TOCDFLIC	Mustard	1.4040E-013	1.9459E-012
RCPTR_25	farmer_adult	TOCDFLIC	Naphthalene	9.4633E-013	1.2409E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nickel	3.9583E-005	4.2166E-005
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.3763E-011	3.2411E-010
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.5591E-012	7.7112E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.2340E-012	9.9655E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrobenzene	2.2991E-012	3.2063E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.0509E-012	1.4598E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2867E-011	2.5746E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3252E-012	1.8090E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.3180E-012	1.7782E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.3733E-013	1.6054E-012
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1839E-010	1.2448E-010
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.1693E-010	1.2281E-010
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3048E-009	1.3576E-009
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0264E-010	2.1630E-010
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.9759E-010	8.4971E-010
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.6502E-010	6.2935E-009
RCPTR_25	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.5268E-011	4.9915E-010
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorophenol	4.4364E-008	6.0212E-008
RCPTR_25	farmer_adult	TOCDFLIC	Phenanthrene	2.0289E-012	2.4589E-011
RCPTR_25	farmer_adult	TOCDFLIC	Phenol	1.8513E-012	2.5407E-011
RCPTR_25	farmer_adult	TOCDFLIC	Pronamide	2.1182E-010	2.4364E-009
RCPTR_25	farmer_adult	TOCDFLIC	Pyrene	1.3458E-007	6.4995E-007
RCPTR_25	farmer_adult	TOCDFLIC	Selenium	1.5438E-005	1.5510E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Silver	3.9611E-005	4.2031E-005
RCPTR_25	farmer_adult	TOCDFLIC	Styrene	2.1341E-011	2.9132E-010
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.6804E-010	1.8354E-010
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.2641E-011	7.0772E-011
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0348E-010	1.9800E-009
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.8169E-015	9.3609E-014
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5643E-015	3.5000E-014
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.6849E-009	1.5340E-008
RCPTR_25	farmer_adult	TOCDFLIC	Thallium (l)	5.2777E-005	5.5092E-005
RCPTR_25	farmer_adult	TOCDFLIC	Toluene	5.2392E-014	6.8444E-013
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.7348E-012	7.5549E-011
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.1523E-014	2.9658E-013
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.9509E-014	2.7083E-013
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethylene	3.2193E-015	4.4043E-014
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.2240E-016	5.7882E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.4109E-010	8.7033E-009
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.3779E-010	1.8062E-009
RCPTR_25	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.2501E-014	1.0025E-012
RCPTR_25	farmer_adult	TOCDFLIC	Vinyl Chloride	3.1043E-018	4.2891E-017
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, m-	6.6611E-013	1.1527E-012
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, o-	5.7491E-013	1.1296E-012
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, p-	6.4250E-013	1.3971E-012
RCPTR_25	farmer_adult	TOCDFLIC	Zinc	1.5520E-005	1.9260E-005
RCPTR_25	farmer_adult	TOCDFMPF	Acenaphthene	2.4005E-010	2.9871E-009
RCPTR_25	farmer_adult	TOCDFMPF	Acetone	1.8306E-014	2.5593E-013
RCPTR_25	farmer_adult	TOCDFMPF	Acetophenone	1.1832E-012	1.6441E-011
RCPTR_25	farmer_adult	TOCDFMPF	Aniline	6.8981E-014	9.4548E-013
RCPTR_25	farmer_adult	TOCDFMPF	Anthracene	4.2894E-009	5.2729E-008
RCPTR_25	farmer_adult	TOCDFMPF	Antimony	1.8084E-007	2.1004E-007
RCPTR_25	farmer_adult	TOCDFMPF	Aroclor 1254	1.2434E-009	2.1217E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Arsenic	1.2885E-006	1.3336E-006
RCPTR_25	farmer_adult	TOCDFMPF	Barium	1.4054E-006	1.5725E-006
RCPTR_25	farmer_adult	TOCDFMPF	Benzene	2.5307E-014	3.4442E-013
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.0117E-006	7.0576E-006
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.8930E-005	6.1236E-005
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.0587E-005	3.5902E-005
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	9.0448E-005	9.3303E-005
RCPTR_25	farmer_adult	TOCDFMPF	Benzoic acid	1.4272E-011	1.1012E-010
RCPTR_25	farmer_adult	TOCDFMPF	Benzyl alcohol	1.5477E-012	2.1443E-011
RCPTR_25	farmer_adult	TOCDFMPF	Beryllium	1.1485E-007	1.2226E-007
RCPTR_25	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.5348E-012	2.1455E-011
RCPTR_25	farmer_adult	TOCDFMPF	Bromodichloromethane	3.0371E-014	4.2248E-013
RCPTR_25	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.0554E-012	1.4705E-011
RCPTR_25	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	8.7006E-008	8.2452E-007
RCPTR_25	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.4901E-008	3.9654E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Cadmium	1.8550E-006	2.5479E-006
RCPTR_25	farmer_adult	TOCDFMPF	Carbon disulfide	2.4136E-015	3.3171E-014
RCPTR_25	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.3036E-014	3.1274E-013
RCPTR_25	farmer_adult	TOCDFMPF	Chlorine	1.9738E-007	2.7605E-006
RCPTR_25	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.0554E-010	1.8262E-009
RCPTR_25	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.3071E-012	9.9709E-011
RCPTR_25	farmer_adult	TOCDFMPF	Chlorobenzene	9.7296E-014	1.2978E-012
RCPTR_25	farmer_adult	TOCDFMPF	Chloroethane	6.1229E-016	7.3316E-015
RCPTR_25	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.6311E-014	2.2657E-013
RCPTR_25	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.1126E-010	7.7982E-009
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.9836E-011	2.7674E-010
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7517E-009	1.0189E-008
RCPTR_25	farmer_adult	TOCDFMPF	Chromium	3.1016E-006	3.1135E-006
RCPTR_25	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.7897E-006	2.8316E-006
RCPTR_25	farmer_adult	TOCDFMPF	Chrysene	1.5729E-005	1.8072E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.2530E-007	1.4358E-007
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.5099E+002	6.5099E+002
RCPTR_25	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.3026E-003	1.3262E-003
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.0874E-012	1.2625E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.2349E-012	1.5251E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.1680E-012	1.4678E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.8488E-008	9.5060E-008
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.5785E-017	4.8699E-016
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.2650E-015	7.3225E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5325E-015	9.0966E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.0137E-015	2.7729E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.2413E-015	4.4575E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.0841E-010	1.2950E-009
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.8459E-014	2.5089E-013
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.9733E-015	8.2746E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Diethyl phthalate	7.9168E-008	8.2294E-008
RCPTR_25	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.3923E-011	1.6514E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.4138E-011	1.8883E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.8243E-011	1.0887E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.6332E-011	1.7468E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.1637E-011	1.3427E-010
RCPTR_25	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.8764E-013	4.0173E-012
RCPTR_25	farmer_adult	TOCDFMPF	Ethylbenzene	6.9329E-014	7.9619E-013
RCPTR_25	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.3838E-009	6.1451E-009
RCPTR_25	farmer_adult	TOCDFMPF	Fluoranthene	1.6261E-007	7.0360E-007
RCPTR_25	farmer_adult	TOCDFMPF	Fluorene	1.0132E-009	1.1750E-008
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.9517E-010	3.0715E-010
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.7369E-010	3.8603E-010
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.6936E-010	6.9592E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7296E-010	1.7888E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.4144E-011	8.7825E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.6309E-011	8.0090E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.3184E-010	1.3912E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.5757E-011	5.8823E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.9091E-011	5.1773E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.4078E-011	4.6495E-011
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.6615E-011	2.4852E-010
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.9603E-008	5.0377E-007
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	7.6627E-011	6.6228E-010
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2134E-011	1.5147E-010
RCPTR_25	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.0861E-003	9.1348E-003
RCPTR_25	farmer_adult	TOCDFMPF	Isophorone	2.0685E-012	2.8729E-011
RCPTR_25	farmer_adult	TOCDFMPF	Lead	1.0105E-006	1.1102E-006
RCPTR_25	farmer_adult	TOCDFMPF	Mercuric chloride	1.9724E-005	2.0411E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.8073E-016	5.3108E-015
RCPTR_25	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.2230E-017	3.0909E-016
RCPTR_25	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.0673E-014	2.8892E-013
RCPTR_25	farmer_adult	TOCDFMPF	Methyl mercury	3.1588E-007	3.2236E-007
RCPTR_25	farmer_adult	TOCDFMPF	Methylene chloride	1.0503E-014	1.4623E-013
RCPTR_25	farmer_adult	TOCDFMPF	Mustard	9.8829E-013	1.3697E-011
RCPTR_25	farmer_adult	TOCDFMPF	Naphthalene	9.2604E-012	1.2143E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nickel	2.4737E-005	2.6351E-005
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.5873E-011	4.8926E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 3-	8.3919E-012	1.1640E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.0921E-011	1.5043E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nitrobenzene	3.4770E-012	4.8488E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.5893E-012	2.2077E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.9417E-010	3.8859E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.0040E-012	2.7358E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.9932E-012	2.6891E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.0794E-013	2.4280E-012
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.5017E-009	7.8883E-009
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.3209E-008	1.3874E-008
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.7657E-011	7.0400E-011
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.7297E-011	9.3184E-011
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.3119E-011	5.6591E-011
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.6182E-010	1.9007E-009
RCPTR_25	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1393E-010	7.5380E-010
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorophenol	3.3533E-007	4.5517E-007
RCPTR_25	farmer_adult	TOCDFMPF	Phenanthrene	3.0685E-012	3.7187E-011
RCPTR_25	farmer_adult	TOCDFMPF	Phenol	2.7997E-012	3.8423E-011
RCPTR_25	farmer_adult	TOCDFMPF	Pronamide	3.2034E-010	3.6846E-009
RCPTR_25	farmer_adult	TOCDFMPF	Pyrene	2.0356E-007	9.8296E-007
RCPTR_25	farmer_adult	TOCDFMPF	Selenium	2.6976E-007	2.7103E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Silver	5.3239E-006	5.6492E-006
RCPTR_25	farmer_adult	TOCDFMPF	Styrene	4.8141E-013	6.5716E-012
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9931E-011	2.1770E-011
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.1488E-011	6.9465E-011
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.0771E-010	2.9943E-009
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.0487E-013	2.8133E-012
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9533E-014	2.6659E-013
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.5792E-009	2.3154E-008
RCPTR_25	farmer_adult	TOCDFMPF	Thallium (l)	1.6092E-006	1.6798E-006
RCPTR_25	farmer_adult	TOCDFMPF	Toluene	3.4774E-014	4.5428E-013
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0186E-011	1.1425E-010
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.2498E-014	1.7221E-013
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	9.4843E-014	1.3166E-012
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethylene	1.5651E-014	2.1411E-013
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.3123E-014	5.9092E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.4230E-009	1.3162E-008
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.1072E-010	2.7314E-009
RCPTR_25	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.5246E-013	4.8735E-012
RCPTR_25	farmer_adult	TOCDFMPF	Vinyl Chloride	8.4272E-018	1.1643E-016
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, m-	6.6389E-013	1.1457E-012
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, o-	5.7294E-013	1.1222E-012
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, p-	6.4021E-013	1.3874E-012
RCPTR_25	farmer_adult	TOCDFMPF	Zinc	4.4034E-006	5.4643E-006
RCPTR_25	farmer_adult	TOCDHVAC	Mustard	3.1448E-013	4.3590E-012
RCPTR_25	farmer_adult	TOCDLIC2	Acenaphthene	1.5872E-010	1.9752E-009
RCPTR_25	farmer_adult	TOCDLIC2	Acetone	5.0662E-015	7.0828E-014
RCPTR_25	farmer_adult	TOCDLIC2	Acetophenone	7.4682E-013	1.0378E-011
RCPTR_25	farmer_adult	TOCDLIC2	Aniline	4.5613E-014	6.2520E-013
RCPTR_25	farmer_adult	TOCDLIC2	Anthracene	2.8360E-009	3.4867E-008
RCPTR_25	farmer_adult	TOCDLIC2	Antimony	1.3316E-005	1.5466E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Arsenic	2.4873E-005	2.5742E-005
RCPTR_25	farmer_adult	TOCDLIC2	Barium	1.9901E-006	2.2266E-006
RCPTR_25	farmer_adult	TOCDLIC2	Benzene	2.8623E-014	3.8955E-013
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3106E-006	4.6631E-006
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.8903E-005	4.0424E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.0211E-005	2.3723E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.9722E-005	6.1602E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzoic acid	3.2607E-012	2.5155E-011
RCPTR_25	farmer_adult	TOCDLIC2	Benzyl alcohol	1.6374E-010	2.2687E-009
RCPTR_25	farmer_adult	TOCDLIC2	Beryllium	3.3806E-006	3.5988E-006
RCPTR_25	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0149E-012	1.4187E-011
RCPTR_25	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0106E-015	1.4057E-014
RCPTR_25	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.8263E-012	2.5447E-011
RCPTR_25	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.7530E-008	5.4521E-007
RCPTR_25	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.3013E-008	2.6156E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Cadmium	4.0769E-007	5.5994E-007
RCPTR_25	farmer_adult	TOCDLIC2	Carbon disulfide	6.6733E-015	9.1715E-014
RCPTR_25	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.3368E-013	1.8149E-012
RCPTR_25	farmer_adult	TOCDLIC2	Chlorine	1.0830E-006	1.5147E-005
RCPTR_25	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.0208E-010	1.2076E-009
RCPTR_25	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.8318E-012	6.5933E-011
RCPTR_25	farmer_adult	TOCDLIC2	Chlorobenzene	5.4818E-014	7.3119E-013
RCPTR_25	farmer_adult	TOCDLIC2	Chloroethane	6.2812E-017	7.5208E-016
RCPTR_25	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.2430E-014	7.2830E-013
RCPTR_25	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.0418E-010	5.1565E-009
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3117E-011	1.8300E-010
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1578E-009	6.7371E-009
RCPTR_25	farmer_adult	TOCDLIC2	Chromium	1.6402E-005	1.6464E-005
RCPTR_25	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.4752E-005	1.4974E-005
RCPTR_25	farmer_adult	TOCDLIC2	Chrysene	1.0394E-005	1.1943E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.2803E-008	1.4671E-008
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.6552E+001	6.6552E+001
RCPTR_25	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.6000E-004	8.7550E-004
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.1904E-013	8.3481E-012
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.1653E-013	1.0085E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.7229E-013	9.7055E-012
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5837E-008	3.1299E-008
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.3978E-018	5.9853E-017
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.7519E-016	2.4365E-015
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3437E-015	1.8712E-014
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	6.7002E-017	9.2264E-016
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.6673E-016	9.1692E-015
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.0399E-010	8.5635E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.7971E-015	5.1608E-014
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2668E-015	1.7549E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Diethyl phthalate	8.0933E-009	8.4128E-009
RCPTR_25	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.3178E-010	1.5633E-009
RCPTR_25	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.3489E-012	1.2487E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.1962E-011	7.2123E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.0793E-011	1.1550E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.6938E-012	8.8782E-011
RCPTR_25	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.9020E-013	2.6564E-012
RCPTR_25	farmer_adult	TOCDLIC2	Ethylbenzene	1.4960E-014	1.7182E-013
RCPTR_25	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.9994E-008	3.4248E-008
RCPTR_25	farmer_adult	TOCDLIC2	Fluoranthene	1.0748E-007	4.6520E-007
RCPTR_25	farmer_adult	TOCDLIC2	Fluorene	6.6991E-010	7.7693E-009
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.6138E-011	7.9220E-011
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3920E-010	2.4707E-010
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.7505E-010	5.9782E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.0963E-010	6.3046E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.8065E-010	3.9728E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.2446E-010	3.4051E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.7031E-010	7.0732E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.8058E-010	6.1249E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.9311E-010	6.2550E-010
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.8934E-010	5.1615E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.7591E-011	1.6432E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.2795E-008	3.3311E-007
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.0638E-011	4.3790E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.0237E-012	1.0016E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.0065E-003	6.0385E-003
RCPTR_25	farmer_adult	TOCDLIC2	Isophorone	1.3678E-012	1.8997E-011
RCPTR_25	farmer_adult	TOCDLIC2	Lead	8.7830E-006	9.6498E-006
RCPTR_25	farmer_adult	TOCDLIC2	Mercuric chloride	1.1705E-006	1.2114E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.4377E-017	1.0375E-015
RCPTR_25	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.3164E-016	1.8304E-015
RCPTR_25	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0305E-013	1.4401E-012
RCPTR_25	farmer_adult	TOCDLIC2	Methyl mercury	1.8696E-008	1.9081E-008
RCPTR_25	farmer_adult	TOCDLIC2	Methylene chloride	1.3500E-014	1.8796E-013
RCPTR_25	farmer_adult	TOCDLIC2	Mustard	1.4596E-013	2.0229E-012
RCPTR_25	farmer_adult	TOCDLIC2	Naphthalene	9.4633E-013	1.2409E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nickel	3.9583E-005	4.2166E-005
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.3763E-011	3.2411E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.5591E-012	7.7112E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.2340E-012	9.9655E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrobenzene	2.2991E-012	3.2063E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0509E-012	1.4598E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.2867E-010	2.5746E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3252E-012	1.8090E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.3180E-012	1.7782E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.3733E-013	1.6054E-012
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1839E-010	1.2448E-010
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1693E-010	1.2281E-010
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3048E-009	1.3576E-009
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0264E-010	2.1630E-010
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.9759E-010	8.4971E-010
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.6502E-010	6.2935E-009
RCPTR_25	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.5268E-011	4.9915E-010
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorophenol	4.4364E-008	6.0212E-008
RCPTR_25	farmer_adult	TOCDLIC2	Phenanthrene	2.0289E-012	2.4589E-011
RCPTR_25	farmer_adult	TOCDLIC2	Phenol	1.8513E-012	2.5407E-011
RCPTR_25	farmer_adult	TOCDLIC2	Pronamide	2.1182E-010	2.4364E-009
RCPTR_25	farmer_adult	TOCDLIC2	Pyrene	1.3458E-007	6.4995E-007
RCPTR_25	farmer_adult	TOCDLIC2	Selenium	1.5438E-005	1.5510E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Silver	3.9611E-005	4.2031E-005
RCPTR_25	farmer_adult	TOCDLIC2	Styrene	2.1341E-011	2.9132E-010
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6804E-010	1.8354E-010
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.2641E-011	7.0772E-011
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0348E-010	1.9800E-009
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.8169E-015	9.3609E-014
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5643E-015	3.5000E-014
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.6849E-009	1.5340E-008
RCPTR_25	farmer_adult	TOCDLIC2	Thallium (l)	5.2777E-005	5.5092E-005
RCPTR_25	farmer_adult	TOCDLIC2	Toluene	5.2392E-014	6.8444E-013
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.7348E-012	7.5549E-011
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.1523E-014	2.9658E-013
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.9509E-014	2.7083E-013
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethylene	3.2193E-015	4.4043E-014
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.2240E-016	5.7882E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.4109E-010	8.7033E-009
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.3779E-010	1.8062E-009
RCPTR_25	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.2501E-014	1.0025E-012
RCPTR_25	farmer_adult	TOCDLIC2	Vinyl Chloride	3.1043E-018	4.2891E-017
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, m-	1.3842E-012	2.3953E-012
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, o-	1.1947E-012	2.3474E-012
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, p-	1.3351E-012	2.9032E-012
RCPTR_25	farmer_adult	TOCDLIC2	Zinc	1.5520E-005	1.9260E-005
RCPTR_25	farmer_child	TOCDFBRA	Antimony	3.2699E-006	3.5394E-006
RCPTR_25	farmer_child	TOCDFBRA	Arsenic	5.2475E-006	5.3490E-006
RCPTR_25	farmer_child	TOCDFBRA	Barium	4.4540E-007	4.7312E-007
RCPTR_25	farmer_child	TOCDFBRA	Beryllium	1.4169E-006	1.4583E-006
RCPTR_25	farmer_child	TOCDFBRA	Cadmium	2.7159E-007	3.1553E-007
RCPTR_25	farmer_child	TOCDFBRA	Chromium	3.3459E-005	3.4319E-005
RCPTR_25	farmer_child	TOCDFBRA	Chromium, hexavalent	3.0945E-005	3.1206E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFBRA	Lead	1.4669E-005	1.5343E-005
RCPTR_25	farmer_child	TOCDFBRA	Mercuric chloride	1.3146E-003	1.5628E-003
RCPTR_25	farmer_child	TOCDFBRA	Methyl mercury	2.4443E-005	2.5208E-005
RCPTR_25	farmer_child	TOCDFBRA	Nickel	1.7372E-005	1.7949E-005
RCPTR_25	farmer_child	TOCDFBRA	Selenium	5.8506E-006	5.8661E-006
RCPTR_25	farmer_child	TOCDFBRA	Silver	1.9937E-006	2.0607E-006
RCPTR_25	farmer_child	TOCDFBRA	Thallium (l)	5.3726E-005	5.4920E-005
RCPTR_25	farmer_child	TOCDFBRA	Zinc	9.6795E-006	1.0784E-005
RCPTR_25	farmer_child	TOCDFDFS	Acenaphthene	4.2184E-009	8.7573E-009
RCPTR_25	farmer_child	TOCDFDFS	Acetone	4.6029E-014	9.6562E-014
RCPTR_25	farmer_child	TOCDFDFS	Acetophenone	2.3068E-011	4.8369E-011
RCPTR_25	farmer_child	TOCDFDFS	Aniline	1.3235E-012	2.7717E-012
RCPTR_25	farmer_child	TOCDFDFS	Anthracene	7.4563E-008	1.5460E-007
RCPTR_25	farmer_child	TOCDFDFS	Antimony	2.7947E-007	3.0248E-007
RCPTR_25	farmer_child	TOCDFDFS	Aroclor 1254	2.6455E-009	3.4302E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Arsenic	5.2326E-007	5.3337E-007
RCPTR_25	farmer_child	TOCDFDFS	Barium	3.5039E-007	3.7219E-007
RCPTR_25	farmer_child	TOCDFDFS	Benzene	1.6504E-013	3.4542E-013
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.8090E-005	2.0906E-005
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.8016E-004	1.8357E-004
RCPTR_25	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	9.8778E-005	1.0620E-004
RCPTR_25	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.7546E-004	2.7912E-004
RCPTR_25	farmer_child	TOCDFDFS	Benzoic acid	1.6436E-011	3.2273E-011
RCPTR_25	farmer_child	TOCDFDFS	Benzyl alcohol	2.9988E-011	6.2862E-011
RCPTR_25	farmer_child	TOCDFDFS	Beryllium	2.7794E-007	2.8605E-007
RCPTR_25	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.9982E-011	6.2897E-011
RCPTR_25	farmer_child	TOCDFDFS	Bromodichloromethane	5.3333E-014	1.1184E-013
RCPTR_25	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	8.5311E-012	1.7892E-011
RCPTR_25	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.4048E-006	2.4173E-006
RCPTR_25	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.1230E-007	1.2016E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Cadmium	1.1335E-007	1.3168E-007
RCPTR_25	farmer_child	TOCDFDFS	Carbon disulfide	2.9447E-014	6.1684E-014
RCPTR_25	farmer_child	TOCDFDFS	Carbon tetrachloride	4.6715E-014	9.7754E-014
RCPTR_25	farmer_child	TOCDFDFS	Chlorine	9.3024E-013	1.9516E-012
RCPTR_25	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.8380E-009	5.3505E-009
RCPTR_25	farmer_child	TOCDFDFS	Chloroaniline, p-	1.3962E-010	2.9230E-010
RCPTR_25	farmer_child	TOCDFDFS	Chlorobenzene	2.7386E-013	5.7218E-013
RCPTR_25	farmer_child	TOCDFDFS	Chloroethane	7.7916E-016	1.6118E-015
RCPTR_25	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.6797E-014	7.7152E-014
RCPTR_25	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.0986E-008	2.2861E-008
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.8679E-010	8.1128E-010
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.5957E-008	2.9898E-008
RCPTR_25	farmer_child	TOCDFDFS	Chromium	8.6465E-006	8.8688E-006
RCPTR_25	farmer_child	TOCDFDFS	Chromium, hexavalent	7.9975E-006	8.0649E-006
RCPTR_25	farmer_child	TOCDFDFS	Chrysene	5.0388E-005	5.3411E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.9133E-007	4.2153E-007
RCPTR_25	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.8977E+003	1.8977E+003
RCPTR_25	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.9421E-003	3.9752E-003
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.7948E-011	3.7011E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.1551E-011	4.4710E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.0706E-011	4.3029E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.5485E-007	2.8227E-007
RCPTR_25	farmer_child	TOCDFDFS	Dichlorodifluoromethane	6.4427E-017	1.3484E-016
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.5396E-014	3.2284E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9124E-014	4.0105E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.8350E-015	1.2225E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.3811E-015	1.9652E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.1626E-009	3.7927E-009
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.2855E-014	1.1061E-013
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.7404E-014	3.6482E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Diethyl phthalate	2.3482E-007	2.3999E-007
RCPTR_25	farmer_child	TOCDFDFS	Dimethyl phthalate	3.5409E-010	7.3160E-010
RCPTR_25	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.6491E-010	5.5356E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.1907E-010	3.1942E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.5081E-010	5.1246E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.9107E-010	3.9369E-010
RCPTR_25	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.6143E-012	1.1777E-011
RCPTR_25	farmer_child	TOCDFDFS	Ethylbenzene	1.7042E-013	3.5105E-013
RCPTR_25	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9201E-008	2.0591E-008
RCPTR_25	farmer_child	TOCDFDFS	Fluoranthene	1.2299E-006	2.0657E-006
RCPTR_25	farmer_child	TOCDFDFS	Fluorene	1.6708E-008	3.4448E-008
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.8299E-012	8.9917E-012
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.1831E-012	7.2917E-012
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3463E-011	2.3884E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8693E-010	1.8985E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1689E-010	1.1919E-010
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.3929E-011	9.5995E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.5609E-011	6.7198E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.9180E-011	6.0609E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.9882E-011	7.1558E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.3768E-011	5.5062E-011
RCPTR_25	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.6238E-010	7.2903E-010
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorobenzene	7.2783E-007	1.4771E-006
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	9.7567E-010	1.9434E-009
RCPTR_25	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.1379E-010	4.4403E-010
RCPTR_25	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.6811E-002	2.6882E-002
RCPTR_25	farmer_child	TOCDFDFS	Isophorone	4.0168E-011	8.4218E-011
RCPTR_25	farmer_child	TOCDFDFS	Lead	1.7102E-006	1.7887E-006
RCPTR_25	farmer_child	TOCDFDFS	Mercuric chloride	3.9658E-007	4.7076E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	6.7199E-016	1.4094E-015
RCPTR_25	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.3253E-016	2.7789E-016
RCPTR_25	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.2997E-013	6.9221E-013
RCPTR_25	farmer_child	TOCDFDFS	Methyl mercury	7.4643E-009	7.6928E-009
RCPTR_25	farmer_child	TOCDFDFS	Methylene chloride	1.9856E-014	4.1639E-014
RCPTR_25	farmer_child	TOCDFDFS	Mustard	2.3401E-012	4.9055E-012
RCPTR_25	farmer_child	TOCDFDFS	Naphthalene	1.7065E-010	3.5599E-010
RCPTR_25	farmer_child	TOCDFDFS	Nickel	3.6901E-005	3.8124E-005
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.8638E-010	1.4368E-009
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.6306E-010	3.4185E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.1089E-010	4.4181E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitrobenzene	6.7773E-011	1.4214E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.0868E-011	6.4720E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 4-	8.1654E-010	1.1383E-009
RCPTR_25	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.8307E-011	8.0200E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.7692E-011	7.8831E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.4595E-012	7.1278E-012
RCPTR_25	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.5308E-011	1.5657E-011
RCPTR_25	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.6142E-011	1.6501E-011
RCPTR_25	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1831E-010	3.2407E-010
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.0067E-011	4.1232E-011
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6776E-010	1.7251E-010
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorobenzene	2.8903E-009	5.5983E-009
RCPTR_25	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1668E-009	2.2259E-009
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorophenol	1.1331E-006	1.3314E-006
RCPTR_25	farmer_child	TOCDFDFS	Phenanthrene	5.2647E-011	1.0902E-010
RCPTR_25	farmer_child	TOCDFDFS	Phenol	5.3776E-011	1.1264E-010
RCPTR_25	farmer_child	TOCDFDFS	Pronamide	5.2426E-009	1.0801E-008
RCPTR_25	farmer_child	TOCDFDFS	Pyrene	1.8837E-006	2.8831E-006
RCPTR_25	farmer_child	TOCDFDFS	Selenium	5.8341E-007	5.8495E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Silver	3.9285E-006	4.0604E-006
RCPTR_25	farmer_child	TOCDFDFS	Styrene	2.0018E-012	4.1908E-012
RCPTR_25	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	9.8744E-011	1.0258E-010
RCPTR_25	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.9525E-011	3.1100E-011
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.3385E-009	8.7777E-009
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.7378E-010	1.9546E-010
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.6148E-014	1.1754E-013
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.3765E-008	6.7889E-008
RCPTR_25	farmer_child	TOCDFDFS	Thallium (l)	5.2425E-004	5.3589E-004
RCPTR_25	farmer_child	TOCDFDFS	Toluene	7.5413E-014	1.5727E-013
RCPTR_25	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.6301E-010	3.3496E-010
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.6758E-014	9.7969E-014
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.7687E-013	5.8048E-013
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethylene	4.5082E-014	9.4399E-014
RCPTR_25	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.2260E-015	1.3039E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.9180E-008	3.8576E-008
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.1779E-008	4.0222E-008
RCPTR_25	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.0252E-012	2.1486E-012
RCPTR_25	farmer_child	TOCDFDFS	Vinyl Chloride	1.4636E-017	3.0671E-017
RCPTR_25	farmer_child	TOCDFDFS	Xylene, m-	9.4336E-013	1.2180E-012
RCPTR_25	farmer_child	TOCDFDFS	Xylene, o-	7.6199E-013	1.0355E-012
RCPTR_25	farmer_child	TOCDFDFS	Xylene, p-	1.0324E-012	1.4584E-012
RCPTR_25	farmer_child	TOCDFDFS	Zinc	1.8200E-006	2.0276E-006
RCPTR_25	farmer_child	TOCDFLIC	Acenaphthene	9.5137E-010	1.9752E-009
RCPTR_25	farmer_child	TOCDFLIC	Acetone	3.3762E-014	7.0828E-014
RCPTR_25	farmer_child	TOCDFLIC	Acetophenone	4.9493E-012	1.0378E-011
RCPTR_25	farmer_child	TOCDFLIC	Aniline	2.9852E-013	6.2520E-013
RCPTR_25	farmer_child	TOCDFLIC	Anthracene	1.6813E-008	3.4867E-008
RCPTR_25	farmer_child	TOCDFLIC	Antimony	1.4291E-005	1.5466E-005
RCPTR_25	farmer_child	TOCDFLIC	Arsenic	2.5255E-005	2.5742E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Barium	2.0964E-006	2.2266E-006
RCPTR_25	farmer_child	TOCDFLIC	Benzene	1.8612E-013	3.8955E-013
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.0304E-006	4.6631E-006
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.9686E-005	4.0424E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2060E-005	2.3723E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.0828E-005	6.1602E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzoic acid	1.2814E-011	2.5155E-011
RCPTR_25	farmer_child	TOCDFLIC	Benzyl alcohol	1.0823E-009	2.2687E-009
RCPTR_25	farmer_child	TOCDFLIC	Beryllium	3.4970E-006	3.5988E-006
RCPTR_25	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.7629E-012	1.4187E-011
RCPTR_25	farmer_child	TOCDFLIC	Bromodichloromethane	6.7038E-015	1.4057E-014
RCPTR_25	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.2134E-011	2.5447E-011
RCPTR_25	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.1684E-007	5.4521E-007
RCPTR_25	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.4384E-008	2.6156E-008
RCPTR_25	farmer_child	TOCDFLIC	Cadmium	4.8209E-007	5.5994E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Carbon disulfide	4.3783E-014	9.1715E-014
RCPTR_25	farmer_child	TOCDFLIC	Carbon tetrachloride	8.6731E-013	1.8149E-012
RCPTR_25	farmer_child	TOCDFLIC	Chlorine	7.2199E-006	1.5147E-005
RCPTR_25	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.4085E-010	1.2076E-009
RCPTR_25	farmer_child	TOCDFLIC	Chloroaniline, p-	3.1494E-011	6.5933E-011
RCPTR_25	farmer_child	TOCDFLIC	Chlorobenzene	3.4997E-013	7.3119E-013
RCPTR_25	farmer_child	TOCDFLIC	Chloroethane	3.6359E-016	7.5208E-016
RCPTR_25	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.4736E-013	7.2830E-013
RCPTR_25	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.4780E-009	5.1565E-009
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.7247E-011	1.8300E-010
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.5924E-009	6.7371E-009
RCPTR_25	farmer_child	TOCDFLIC	Chromium	1.6052E-005	1.6464E-005
RCPTR_25	farmer_child	TOCDFLIC	Chromium, hexavalent	1.4849E-005	1.4974E-005
RCPTR_25	farmer_child	TOCDFLIC	Chrysene	1.1267E-005	1.1943E-005
RCPTR_25	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.3618E-008	1.4671E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.6552E+001	6.6552E+001
RCPTR_25	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.6873E-004	8.7550E-004
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.0481E-012	8.3481E-012
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.8609E-012	1.0085E-011
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.6705E-012	9.7055E-012
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8220E-008	3.1299E-008
RCPTR_25	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.8597E-017	5.9853E-017
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.1619E-015	2.4365E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9226E-015	1.8712E-014
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.4037E-016	9.2264E-016
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.3769E-015	9.1692E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.8865E-010	8.5635E-010
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.4660E-014	5.1608E-014
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.3717E-015	1.7549E-014
RCPTR_25	farmer_child	TOCDFLIC	Diethyl phthalate	8.2327E-009	8.4128E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Dimethyl phthalate	7.5643E-010	1.5633E-009
RCPTR_25	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.9757E-011	1.2487E-010
RCPTR_25	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.9487E-011	7.2123E-011
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.6485E-011	1.1550E-010
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.3078E-011	8.8782E-011
RCPTR_25	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.2664E-012	2.6564E-012
RCPTR_25	farmer_child	TOCDFLIC	Ethylbenzene	8.3408E-014	1.7182E-013
RCPTR_25	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.1850E-008	3.4248E-008
RCPTR_25	farmer_child	TOCDFLIC	Fluoranthene	2.7671E-007	4.6520E-007
RCPTR_25	farmer_child	TOCDFLIC	Fluorene	3.7679E-009	7.7693E-009
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.7833E-011	7.9220E-011
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.4353E-010	2.4707E-010
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.8759E-010	5.9782E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.2109E-010	6.3046E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.8981E-010	3.9728E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.3331E-010	3.4051E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.9071E-010	7.0732E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.9816E-010	6.1249E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.1096E-010	6.2550E-010
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.0411E-010	5.1615E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.1620E-011	1.6432E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorobenzene	1.6411E-007	3.3311E-007
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.1963E-010	4.3790E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.8230E-011	1.0016E-010
RCPTR_25	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0239E-003	6.0385E-003
RCPTR_25	farmer_child	TOCDFLIC	Isophorone	9.0604E-012	1.8997E-011
RCPTR_25	farmer_child	TOCDFLIC	Lead	9.2269E-006	9.6498E-006
RCPTR_25	farmer_child	TOCDFLIC	Mercuric chloride	1.0161E-006	1.2114E-006
RCPTR_25	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.9465E-016	1.0375E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	8.7293E-016	1.8304E-015
RCPTR_25	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.8651E-013	1.4401E-012
RCPTR_25	farmer_child	TOCDFLIC	Methyl mercury	1.8480E-008	1.9081E-008
RCPTR_25	farmer_child	TOCDFLIC	Methylene chloride	8.9627E-014	1.8796E-013
RCPTR_25	farmer_child	TOCDFLIC	Mustard	9.2824E-013	1.9459E-012
RCPTR_25	farmer_child	TOCDFLIC	Naphthalene	5.9485E-012	1.2409E-011
RCPTR_25	farmer_child	TOCDFLIC	Nickel	4.0815E-005	4.2166E-005
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.5483E-010	3.2411E-010
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.6782E-011	7.7112E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.7563E-011	9.9655E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrobenzene	1.5287E-011	3.2063E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 2-	6.9626E-012	1.4598E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.8487E-011	2.5746E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.6409E-012	1.8090E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.5023E-012	1.7782E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.7793E-013	1.6054E-012
RCPTR_25	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2174E-010	1.2448E-010
RCPTR_25	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.2016E-010	1.2281E-010
RCPTR_25	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3340E-009	1.3576E-009
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.1019E-010	2.1630E-010
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.2637E-010	8.4971E-010
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorobenzene	3.2338E-009	6.2935E-009
RCPTR_25	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.6024E-010	4.9915E-010
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorophenol	5.1280E-008	6.0212E-008
RCPTR_25	farmer_child	TOCDFLIC	Phenanthrene	1.1874E-011	2.4589E-011
RCPTR_25	farmer_child	TOCDFLIC	Phenol	1.2130E-011	2.5407E-011
RCPTR_25	farmer_child	TOCDFLIC	Pronamide	1.1826E-009	2.4364E-009
RCPTR_25	farmer_child	TOCDFLIC	Pyrene	4.2455E-007	6.4995E-007
RCPTR_25	farmer_child	TOCDFLIC	Selenium	1.5469E-005	1.5510E-005
RCPTR_25	farmer_child	TOCDFLIC	Silver	4.0667E-005	4.2031E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Styrene	1.3915E-010	2.9132E-010
RCPTR_25	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7665E-010	1.8354E-010
RCPTR_25	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.7163E-011	7.0772E-011
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.7869E-010	1.9800E-009
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.4690E-014	9.3609E-014
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.6718E-014	3.5000E-014
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.8980E-009	1.5340E-008
RCPTR_25	farmer_child	TOCDFLIC	Thallium (l)	5.3897E-005	5.5092E-005
RCPTR_25	farmer_child	TOCDFLIC	Toluene	3.2820E-013	6.8444E-013
RCPTR_25	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.6763E-011	7.5549E-011
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.4155E-013	2.9658E-013
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.2918E-013	2.7083E-013
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethylene	2.1033E-014	4.4043E-014
RCPTR_25	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.7639E-015	5.7882E-015
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.3283E-009	8.7033E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	9.7856E-010	1.8062E-009
RCPTR_25	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.7831E-013	1.0025E-012
RCPTR_25	farmer_child	TOCDFLIC	Vinyl Chloride	2.0466E-017	4.2891E-017
RCPTR_25	farmer_child	TOCDFLIC	Xylene, m-	8.7843E-013	1.1527E-012
RCPTR_25	farmer_child	TOCDFLIC	Xylene, o-	8.1696E-013	1.1296E-012
RCPTR_25	farmer_child	TOCDFLIC	Xylene, p-	9.7177E-013	1.3971E-012
RCPTR_25	farmer_child	TOCDFLIC	Zinc	1.7291E-005	1.9260E-005
RCPTR_25	farmer_child	TOCDFMPF	Acenaphthene	1.4388E-009	2.9871E-009
RCPTR_25	farmer_child	TOCDFMPF	Acetone	1.2200E-013	2.5593E-013
RCPTR_25	farmer_child	TOCDFMPF	Acetophenone	7.8413E-012	1.6441E-011
RCPTR_25	farmer_child	TOCDFMPF	Aniline	4.5146E-013	9.4548E-013
RCPTR_25	farmer_child	TOCDFMPF	Anthracene	2.5427E-008	5.2729E-008
RCPTR_25	farmer_child	TOCDFMPF	Antimony	1.9408E-007	2.1004E-007
RCPTR_25	farmer_child	TOCDFMPF	Aroclor 1254	1.6267E-009	2.1217E-009
RCPTR_25	farmer_child	TOCDFMPF	Arsenic	1.3083E-006	1.3336E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Barium	1.4805E-006	1.5725E-006
RCPTR_25	farmer_child	TOCDFMPF	Benzene	1.6456E-013	3.4442E-013
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.1004E-006	7.0576E-006
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.0116E-005	6.1236E-005
RCPTR_25	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.3384E-005	3.5902E-005
RCPTR_25	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.2127E-005	9.3303E-005
RCPTR_25	farmer_child	TOCDFMPF	Benzoic acid	5.6096E-011	1.1012E-010
RCPTR_25	farmer_child	TOCDFMPF	Benzyl alcohol	1.0229E-011	2.1443E-011
RCPTR_25	farmer_child	TOCDFMPF	Beryllium	1.1880E-007	1.2226E-007
RCPTR_25	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.0228E-011	2.1455E-011
RCPTR_25	farmer_child	TOCDFMPF	Bromodichloromethane	2.0147E-013	4.2248E-013
RCPTR_25	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.0116E-012	1.4705E-011
RCPTR_25	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.7915E-007	8.2452E-007
RCPTR_25	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.6975E-008	3.9654E-008
RCPTR_25	farmer_child	TOCDFMPF	Cadmium	2.1936E-006	2.5479E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Carbon disulfide	1.5835E-014	3.3171E-014
RCPTR_25	farmer_child	TOCDFMPF	Carbon tetrachloride	1.4945E-013	3.1274E-013
RCPTR_25	farmer_child	TOCDFMPF	Chlorine	1.3158E-006	2.7605E-006
RCPTR_25	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	9.6909E-010	1.8262E-009
RCPTR_25	farmer_child	TOCDFMPF	Chloroaniline, p-	4.7628E-011	9.9709E-011
RCPTR_25	farmer_child	TOCDFMPF	Chlorobenzene	6.2115E-013	1.2978E-012
RCPTR_25	farmer_child	TOCDFMPF	Chloroethane	3.5444E-015	7.3316E-015
RCPTR_25	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.0806E-013	2.2657E-013
RCPTR_25	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.7474E-009	7.7982E-009
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.3194E-010	2.7674E-010
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.4335E-009	1.0189E-008
RCPTR_25	farmer_child	TOCDFMPF	Chromium	3.0355E-006	3.1135E-006
RCPTR_25	farmer_child	TOCDFMPF	Chromium, hexavalent	2.8080E-006	2.8316E-006
RCPTR_25	farmer_child	TOCDFMPF	Chrysene	1.7049E-005	1.8072E-005
RCPTR_25	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.3328E-007	1.4358E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.5099E+002	6.5099E+002
RCPTR_25	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.3159E-003	1.3262E-003
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.1220E-012	1.2625E-011
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.3511E-012	1.5251E-011
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.0631E-012	1.4678E-011
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.5720E-008	9.5060E-008
RCPTR_25	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.3268E-016	4.8699E-016
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.4921E-014	7.3225E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3376E-014	9.0966E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.3235E-014	2.7729E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.1278E-014	4.4575E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.3891E-010	1.2950E-009
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.1988E-013	2.5089E-013
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.9474E-014	8.2746E-014
RCPTR_25	farmer_child	TOCDFMPF	Diethyl phthalate	8.0532E-008	8.2294E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Dimethyl phthalate	7.9909E-011	1.6514E-010
RCPTR_25	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.0370E-011	1.8883E-010
RCPTR_25	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	7.4697E-011	1.0887E-010
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.5431E-011	1.7468E-010
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.5149E-011	1.3427E-010
RCPTR_25	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.9151E-012	4.0173E-012
RCPTR_25	farmer_child	TOCDFMPF	Ethylbenzene	3.8651E-013	7.9619E-013
RCPTR_25	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.7160E-009	6.1451E-009
RCPTR_25	farmer_child	TOCDFMPF	Fluoranthene	4.1855E-007	7.0360E-007
RCPTR_25	farmer_child	TOCDFMPF	Fluorene	5.6982E-009	1.1750E-008
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.0176E-010	3.0715E-010
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.8048E-010	3.8603E-010
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.8398E-010	6.9592E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7622E-010	1.7888E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.6173E-011	8.7825E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.8393E-011	8.0090E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.3586E-010	1.3912E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.7446E-011	5.8823E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.0569E-011	5.1773E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.5410E-011	4.6495E-011
RCPTR_25	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2345E-010	2.4852E-010
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorobenzene	2.4818E-007	5.0377E-007
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.3219E-010	6.6228E-010
RCPTR_25	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.2937E-011	1.5147E-010
RCPTR_25	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.1126E-003	9.1348E-003
RCPTR_25	farmer_child	TOCDFMPF	Isophorone	1.3702E-011	2.8729E-011
RCPTR_25	farmer_child	TOCDFMPF	Lead	1.0616E-006	1.1102E-006
RCPTR_25	farmer_child	TOCDFMPF	Mercuric chloride	1.7127E-005	2.0411E-005
RCPTR_25	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.5320E-015	5.3108E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.4741E-016	3.0909E-016
RCPTR_25	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.3773E-013	2.8892E-013
RCPTR_25	farmer_child	TOCDFMPF	Methyl mercury	3.1224E-007	3.2236E-007
RCPTR_25	farmer_child	TOCDFMPF	Methylene chloride	6.9730E-014	1.4623E-013
RCPTR_25	farmer_child	TOCDFMPF	Mustard	6.5341E-012	1.3697E-011
RCPTR_25	farmer_child	TOCDFMPF	Naphthalene	5.8209E-011	1.2143E-010
RCPTR_25	farmer_child	TOCDFMPF	Nickel	2.5507E-005	2.6351E-005
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.3372E-010	4.8926E-010
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.5525E-011	1.1640E-010
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.1800E-011	1.5043E-010
RCPTR_25	farmer_child	TOCDFMPF	Nitrobenzene	2.3118E-011	4.8488E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.0529E-011	2.2077E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.7900E-010	3.8859E-010
RCPTR_25	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3068E-011	2.7358E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.2858E-011	2.6891E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.1767E-012	2.4280E-012
RCPTR_25	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.7144E-009	7.8883E-009
RCPTR_25	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.3575E-008	1.3874E-008
RCPTR_25	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.9175E-011	7.0400E-011
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.0553E-011	9.3184E-011
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.5037E-011	5.6591E-011
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorobenzene	9.7699E-010	1.9007E-009
RCPTR_25	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.9315E-010	7.5380E-010
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorophenol	3.8763E-007	4.5517E-007
RCPTR_25	farmer_child	TOCDFMPF	Phenanthrene	1.7957E-011	3.7187E-011
RCPTR_25	farmer_child	TOCDFMPF	Phenol	1.8344E-011	3.8423E-011
RCPTR_25	farmer_child	TOCDFMPF	Pronamide	1.7884E-009	3.6846E-009
RCPTR_25	farmer_child	TOCDFMPF	Pyrene	6.4209E-007	9.8296E-007
RCPTR_25	farmer_child	TOCDFMPF	Selenium	2.7031E-007	2.7103E-007
RCPTR_25	farmer_child	TOCDFMPF	Silver	5.4659E-006	5.6492E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Styrene	3.1390E-012	6.5716E-012
RCPTR_25	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0952E-011	2.1770E-011
RCPTR_25	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.5924E-011	6.9465E-011
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.4801E-009	2.9943E-009
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.3431E-012	2.8133E-012
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.2734E-013	2.6659E-013
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4939E-008	2.3154E-008
RCPTR_25	farmer_child	TOCDFMPF	Thallium (l)	1.6434E-006	1.6798E-006
RCPTR_25	farmer_child	TOCDFMPF	Toluene	2.1783E-013	4.5428E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.5597E-011	1.1425E-010
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.2192E-014	1.7221E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.2799E-013	1.3166E-012
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethylene	1.0225E-013	2.1411E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.8216E-013	5.9092E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.5454E-009	1.3162E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.4798E-009	2.7314E-009
RCPTR_25	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.3253E-012	4.8735E-012
RCPTR_25	farmer_child	TOCDFMPF	Vinyl Chloride	5.5555E-017	1.1643E-016
RCPTR_25	farmer_child	TOCDFMPF	Xylene, m-	8.7413E-013	1.1457E-012
RCPTR_25	farmer_child	TOCDFMPF	Xylene, o-	8.1261E-013	1.1222E-012
RCPTR_25	farmer_child	TOCDFMPF	Xylene, p-	9.6626E-013	1.3874E-012
RCPTR_25	farmer_child	TOCDFMPF	Zinc	4.9057E-006	5.4643E-006
RCPTR_25	farmer_child	TOCDHVAC	Mustard	2.0794E-012	4.3590E-012
RCPTR_25	farmer_child	TOCDLIC2	Acenaphthene	9.5137E-010	1.9752E-009
RCPTR_25	farmer_child	TOCDLIC2	Acetone	3.3762E-014	7.0828E-014
RCPTR_25	farmer_child	TOCDLIC2	Acetophenone	4.9493E-012	1.0378E-011
RCPTR_25	farmer_child	TOCDLIC2	Aniline	2.9852E-013	6.2520E-013
RCPTR_25	farmer_child	TOCDLIC2	Anthracene	1.6813E-008	3.4867E-008
RCPTR_25	farmer_child	TOCDLIC2	Antimony	1.4291E-005	1.5466E-005
RCPTR_25	farmer_child	TOCDLIC2	Arsenic	2.5255E-005	2.5742E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Barium	2.0964E-006	2.2266E-006
RCPTR_25	farmer_child	TOCDLIC2	Benzene	1.8612E-013	3.8955E-013
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.0304E-006	4.6631E-006
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.9686E-005	4.0424E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2060E-005	2.3723E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.0828E-005	6.1602E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzoic acid	1.2814E-011	2.5155E-011
RCPTR_25	farmer_child	TOCDLIC2	Benzyl alcohol	1.0823E-009	2.2687E-009
RCPTR_25	farmer_child	TOCDLIC2	Beryllium	3.4970E-006	3.5988E-006
RCPTR_25	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.7629E-012	1.4187E-011
RCPTR_25	farmer_child	TOCDLIC2	Bromodichloromethane	6.7038E-015	1.4057E-014
RCPTR_25	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2134E-011	2.5447E-011
RCPTR_25	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.1684E-007	5.4521E-007
RCPTR_25	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.4384E-008	2.6156E-008
RCPTR_25	farmer_child	TOCDLIC2	Cadmium	4.8209E-007	5.5994E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Carbon disulfide	4.3783E-014	9.1715E-014
RCPTR_25	farmer_child	TOCDLIC2	Carbon tetrachloride	8.6731E-013	1.8149E-012
RCPTR_25	farmer_child	TOCDLIC2	Chlorine	7.2199E-006	1.5147E-005
RCPTR_25	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.4085E-010	1.2076E-009
RCPTR_25	farmer_child	TOCDLIC2	Chloroaniline, p-	3.1494E-011	6.5933E-011
RCPTR_25	farmer_child	TOCDLIC2	Chlorobenzene	3.4997E-013	7.3119E-013
RCPTR_25	farmer_child	TOCDLIC2	Chloroethane	3.6359E-016	7.5208E-016
RCPTR_25	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.4736E-013	7.2830E-013
RCPTR_25	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.4780E-009	5.1565E-009
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.7247E-011	1.8300E-010
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.5924E-009	6.7371E-009
RCPTR_25	farmer_child	TOCDLIC2	Chromium	1.6052E-005	1.6464E-005
RCPTR_25	farmer_child	TOCDLIC2	Chromium, hexavalent	1.4849E-005	1.4974E-005
RCPTR_25	farmer_child	TOCDLIC2	Chrysene	1.1267E-005	1.1943E-005
RCPTR_25	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.3618E-008	1.4671E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.6552E+001	6.6552E+001
RCPTR_25	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.6873E-004	8.7550E-004
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.0481E-012	8.3481E-012
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.8609E-012	1.0085E-011
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.6705E-012	9.7055E-012
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8220E-008	3.1299E-008
RCPTR_25	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.8597E-017	5.9853E-017
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.1619E-015	2.4365E-015
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9226E-015	1.8712E-014
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.4037E-016	9.2264E-016
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.3769E-015	9.1692E-015
RCPTR_25	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.8865E-010	8.5635E-010
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.4660E-014	5.1608E-014
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.3717E-015	1.7549E-014
RCPTR_25	farmer_child	TOCDLIC2	Diethyl phthalate	8.2327E-009	8.4128E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Dimethyl phthalate	7.5643E-010	1.5633E-009
RCPTR_25	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.9757E-011	1.2487E-010
RCPTR_25	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	4.9487E-011	7.2123E-011
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.6485E-011	1.1550E-010
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.3078E-011	8.8782E-011
RCPTR_25	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.2664E-012	2.6564E-012
RCPTR_25	farmer_child	TOCDLIC2	Ethylbenzene	8.3408E-014	1.7182E-013
RCPTR_25	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.1850E-008	3.4248E-008
RCPTR_25	farmer_child	TOCDLIC2	Fluoranthene	2.7671E-007	4.6520E-007
RCPTR_25	farmer_child	TOCDLIC2	Fluorene	3.7679E-009	7.7693E-009
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.7833E-011	7.9220E-011
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.4353E-010	2.4707E-010
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.8759E-010	5.9782E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.2109E-010	6.3046E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.8981E-010	3.9728E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.3331E-010	3.4051E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.9071E-010	7.0732E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.9816E-010	6.1249E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.1096E-010	6.2550E-010
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.0411E-010	5.1615E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.1620E-011	1.6432E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorobenzene	1.6411E-007	3.3311E-007
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.1963E-010	4.3790E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.8230E-011	1.0016E-010
RCPTR_25	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.0239E-003	6.0385E-003
RCPTR_25	farmer_child	TOCDLIC2	Isophorone	9.0604E-012	1.8997E-011
RCPTR_25	farmer_child	TOCDLIC2	Lead	9.2269E-006	9.6498E-006
RCPTR_25	farmer_child	TOCDLIC2	Mercuric chloride	1.0161E-006	1.2114E-006
RCPTR_25	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.9465E-016	1.0375E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.7293E-016	1.8304E-015
RCPTR_25	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.8651E-013	1.4401E-012
RCPTR_25	farmer_child	TOCDLIC2	Methyl mercury	1.8480E-008	1.9081E-008
RCPTR_25	farmer_child	TOCDLIC2	Methylene chloride	8.9627E-014	1.8796E-013
RCPTR_25	farmer_child	TOCDLIC2	Mustard	9.6501E-013	2.0229E-012
RCPTR_25	farmer_child	TOCDLIC2	Naphthalene	5.9485E-012	1.2409E-011
RCPTR_25	farmer_child	TOCDLIC2	Nickel	4.0815E-005	4.2166E-005
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.5483E-010	3.2411E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.6782E-011	7.7112E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.7563E-011	9.9655E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrobenzene	1.5287E-011	3.2063E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.9626E-012	1.4598E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.8487E-010	2.5746E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.6409E-012	1.8090E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.5023E-012	1.7782E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.7793E-013	1.6054E-012
RCPTR_25	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2174E-010	1.2448E-010
RCPTR_25	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.2016E-010	1.2281E-010
RCPTR_25	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3340E-009	1.3576E-009
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.1019E-010	2.1630E-010
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.2637E-010	8.4971E-010
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorobenzene	3.2338E-009	6.2935E-009
RCPTR_25	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6024E-010	4.9915E-010
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorophenol	5.1280E-008	6.0212E-008
RCPTR_25	farmer_child	TOCDLIC2	Phenanthrene	1.1874E-011	2.4589E-011
RCPTR_25	farmer_child	TOCDLIC2	Phenol	1.2130E-011	2.5407E-011
RCPTR_25	farmer_child	TOCDLIC2	Pronamide	1.1826E-009	2.4364E-009
RCPTR_25	farmer_child	TOCDLIC2	Pyrene	4.2455E-007	6.4995E-007
RCPTR_25	farmer_child	TOCDLIC2	Selenium	1.5469E-005	1.5510E-005
RCPTR_25	farmer_child	TOCDLIC2	Silver	4.0667E-005	4.2031E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Styrene	1.3915E-010	2.9132E-010
RCPTR_25	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7665E-010	1.8354E-010
RCPTR_25	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.7163E-011	7.0772E-011
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.7869E-010	1.9800E-009
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.4690E-014	9.3609E-014
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.6718E-014	3.5000E-014
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.8980E-009	1.5340E-008
RCPTR_25	farmer_child	TOCDLIC2	Thallium (l)	5.3897E-005	5.5092E-005
RCPTR_25	farmer_child	TOCDLIC2	Toluene	3.2820E-013	6.8444E-013
RCPTR_25	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6763E-011	7.5549E-011
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.4155E-013	2.9658E-013
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.2918E-013	2.7083E-013
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethylene	2.1033E-014	4.4043E-014
RCPTR_25	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.7639E-015	5.7882E-015
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.3283E-009	8.7033E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	9.7856E-010	1.8062E-009
RCPTR_25	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.7831E-013	1.0025E-012
RCPTR_25	farmer_child	TOCDLIC2	Vinyl Chloride	2.0466E-017	4.2891E-017
RCPTR_25	farmer_child	TOCDLIC2	Xylene, m-	1.8254E-012	2.3953E-012
RCPTR_25	farmer_child	TOCDLIC2	Xylene, o-	1.6977E-012	2.3474E-012
RCPTR_25	farmer_child	TOCDLIC2	Xylene, p-	2.0194E-012	2.9032E-012
RCPTR_25	farmer_child	TOCDLIC2	Zinc	1.7291E-005	1.9260E-005
RCPTR_26	farmer_adult	TOCDFBRA	Antimony	1.1662E-007	1.3944E-007
RCPTR_26	farmer_adult	TOCDFBRA	Arsenic	1.9741E-007	2.0579E-007
RCPTR_26	farmer_adult	TOCDFBRA	Barium	1.6173E-008	1.8503E-008
RCPTR_26	farmer_adult	TOCDFBRA	Beryllium	5.2774E-008	5.6875E-008
RCPTR_26	farmer_adult	TOCDFBRA	Cadmium	8.8296E-009	1.2806E-008
RCPTR_26	farmer_adult	TOCDFBRA	Chromium	1.3334E-006	1.3395E-006
RCPTR_26	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.1740E-006	1.1954E-006
RCPTR_26	farmer_adult	TOCDFBRA	Lead	5.4175E-007	6.0565E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFBRA	Mercuric chloride	8.3176E-005	8.6165E-005
RCPTR_26	farmer_adult	TOCDFBRA	Methyl mercury	1.2636E-006	1.2918E-006
RCPTR_26	farmer_adult	TOCDFBRA	Nickel	6.4396E-007	6.9493E-007
RCPTR_26	farmer_adult	TOCDFBRA	Selenium	2.2292E-007	2.2419E-007
RCPTR_26	farmer_adult	TOCDFBRA	Silver	7.4207E-008	7.9709E-008
RCPTR_26	farmer_adult	TOCDFBRA	Thallium (l)	2.0101E-006	2.1171E-006
RCPTR_26	farmer_adult	TOCDFBRA	Zinc	3.3310E-007	4.3016E-007
RCPTR_26	farmer_adult	TOCDFDFS	Acenaphthene	5.2490E-011	6.6560E-010
RCPTR_26	farmer_adult	TOCDFDFS	Acetone	5.2581E-016	7.3516E-015
RCPTR_26	farmer_adult	TOCDFDFS	Acetophenone	2.6470E-013	3.6822E-012
RCPTR_26	farmer_adult	TOCDFDFS	Aniline	1.5341E-014	2.1097E-013
RCPTR_26	farmer_adult	TOCDFDFS	Anthracene	9.3519E-010	1.1746E-008
RCPTR_26	farmer_adult	TOCDFDFS	Antimony	1.0180E-008	1.2075E-008
RCPTR_26	farmer_adult	TOCDFDFS	Aroclor 1254	1.2110E-010	2.2705E-010
RCPTR_26	farmer_adult	TOCDFDFS	Arsenic	2.0115E-008	2.0928E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Barium	1.2996E-008	1.4778E-008
RCPTR_26	farmer_adult	TOCDFDFS	Benzene	1.9231E-015	2.6289E-014
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)anthracene	9.2848E-007	1.3829E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.0694E-005	1.1179E-005
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	5.6638E-006	6.8410E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.6491E-005	1.7076E-005
RCPTR_26	farmer_adult	TOCDFDFS	Benzoic acid	2.9431E-013	2.4335E-012
RCPTR_26	farmer_adult	TOCDFDFS	Benzyl alcohol	3.4486E-013	4.7853E-012
RCPTR_26	farmer_adult	TOCDFDFS	Beryllium	1.0553E-008	1.1335E-008
RCPTR_26	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	3.4252E-013	4.7886E-012
RCPTR_26	farmer_adult	TOCDFDFS	Bromodichloromethane	6.1150E-016	8.5139E-015
RCPTR_26	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	9.7696E-014	1.3621E-012
RCPTR_26	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.9386E-008	1.8399E-007
RCPTR_26	farmer_adult	TOCDFDFS	Butylbenzylphthalate	6.1964E-009	7.2558E-009
RCPTR_26	farmer_adult	TOCDFDFS	Cadmium	3.7591E-009	5.3728E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Carbon disulfide	3.4066E-016	4.6952E-015
RCPTR_26	farmer_adult	TOCDFDFS	Carbon tetrachloride	5.4535E-016	7.4395E-015
RCPTR_26	farmer_adult	TOCDFDFS	Chlorine	1.0623E-014	1.4858E-013
RCPTR_26	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.1618E-011	4.0101E-010
RCPTR_26	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.6240E-012	2.2247E-011
RCPTR_26	farmer_adult	TOCDFDFS	Chlorobenzene	3.2388E-015	4.3535E-014
RCPTR_26	farmer_adult	TOCDFDFS	Chloroethane	1.0001E-017	1.2248E-016
RCPTR_26	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	4.2236E-016	5.8734E-015
RCPTR_26	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.3429E-010	1.7383E-009
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenol, 2-	4.4254E-012	6.1765E-011
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.4852E-010	2.2317E-009
RCPTR_26	farmer_adult	TOCDFDFS	Chromium	3.5012E-007	3.5164E-007
RCPTR_26	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.1006E-007	3.1544E-007
RCPTR_26	farmer_adult	TOCDFDFS	Chrysene	2.9202E-006	3.4375E-006
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.3421E-008	2.7498E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.2263E+002	1.2263E+002
RCPTR_26	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.2692E-004	2.3035E-004
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.3539E-013	2.8104E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	2.6991E-013	3.3982E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.5599E-013	3.2712E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4307E-008	1.7971E-008
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	7.4986E-019	1.0260E-017
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.7655E-016	2.4577E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1910E-016	3.0532E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	6.7409E-017	9.3057E-016
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.0848E-016	1.4959E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.0717E-011	2.8091E-010
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	6.1656E-016	8.4183E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.0012E-016	2.7771E-015
RCPTR_26	farmer_adult	TOCDFDFS	Diethyl phthalate	1.4919E-008	1.5616E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Dimethyl phthalate	4.5562E-012	5.5547E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.1316E-012	4.2122E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	9.2296E-012	2.2784E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.4634E-012	3.8804E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.5109E-012	2.9880E-011
RCPTR_26	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	6.4182E-014	8.9660E-013
RCPTR_26	farmer_adult	TOCDFDFS	Ethylbenzene	2.2527E-015	2.6651E-014
RCPTR_26	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.0483E-009	1.2351E-009
RCPTR_26	farmer_adult	TOCDFDFS	Fluoranthene	3.1864E-008	1.5257E-007
RCPTR_26	farmer_adult	TOCDFDFS	Fluorene	2.1908E-010	2.6153E-009
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.7560E-013	4.9746E-013
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.0415E-013	4.1905E-013
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2735E-012	1.3306E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0579E-011	1.0986E-011
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.2994E-012	6.6133E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.8955E-012	5.1750E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.4176E-012	3.6384E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.0912E-012	3.2898E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.6698E-012	3.9039E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.8165E-012	2.9969E-012
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.5514E-012	5.5077E-011
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.0520E-008	1.1188E-007
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.5797E-011	1.4651E-010
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.6591E-012	3.3758E-011
RCPTR_26	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.6685E-003	1.6756E-003
RCPTR_26	farmer_adult	TOCDFDFS	Isophorone	4.6112E-013	6.4114E-012
RCPTR_26	farmer_adult	TOCDFDFS	Lead	6.4265E-008	7.1507E-008
RCPTR_26	farmer_adult	TOCDFDFS	Mercuric chloride	3.0857E-008	3.2026E-008
RCPTR_26	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.6890E-018	1.0730E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.5199E-018	2.1155E-017
RCPTR_26	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.7704E-015	5.2700E-014
RCPTR_26	farmer_adult	TOCDFDFS	Methyl mercury	4.2370E-010	4.3472E-010
RCPTR_26	farmer_adult	TOCDFDFS	Methylene chloride	2.2752E-016	3.1699E-015
RCPTR_26	farmer_adult	TOCDFDFS	Mustard	2.6906E-014	3.7344E-013
RCPTR_26	farmer_adult	TOCDFDFS	Naphthalene	2.0437E-012	2.7079E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nickel	1.3975E-006	1.5028E-006
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 2-	7.9841E-012	1.0935E-010
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.8733E-012	2.6023E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.4327E-012	3.3626E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitrobenzene	7.7559E-013	1.0822E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 2-	3.5426E-013	4.9269E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 4-	3.7153E-011	8.0622E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.4548E-013	6.1042E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	4.4222E-013	5.9992E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.3000E-014	5.3850E-013
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	7.7915E-013	8.2572E-013
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.2110E-013	8.6906E-013
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.8721E-011	1.9594E-011
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.3105E-012	2.4946E-012
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.4225E-012	1.0151E-011
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.1223E-011	4.1701E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.2056E-011	1.6512E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorophenol	6.3598E-008	9.0391E-008
RCPTR_26	farmer_adult	TOCDFDFS	Phenanthrene	6.6825E-013	8.2831E-012
RCPTR_26	farmer_adult	TOCDFDFS	Phenol	6.2289E-013	8.5736E-012
RCPTR_26	farmer_adult	TOCDFDFS	Pronamide	6.9284E-011	8.2015E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pyrene	4.2234E-008	2.1615E-007
RCPTR_26	farmer_adult	TOCDFDFS	Selenium	2.2718E-008	2.2841E-008
RCPTR_26	farmer_adult	TOCDFDFS	Silver	1.4940E-007	1.5994E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Styrene	2.3272E-014	3.1896E-013
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.6766E-012	6.2998E-012
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.7021E-012	1.9647E-012
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.5052E-011	6.6468E-010
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0178E-011	1.3107E-011
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.5238E-016	8.9452E-015
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.6568E-009	4.9154E-009
RCPTR_26	farmer_adult	TOCDFDFS	Thallium (l)	2.0041E-005	2.1057E-005
RCPTR_26	farmer_adult	TOCDFDFS	Toluene	9.0584E-016	1.1963E-014
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.1923E-012	2.5419E-011
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	5.3987E-016	7.4573E-015
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.1794E-015	4.4190E-014
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethylene	5.2329E-016	7.1849E-015
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.2182E-017	9.9242E-016
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.9950E-010	2.9195E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.1336E-010	3.0047E-009
RCPTR_26	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.1807E-014	1.6356E-013
RCPTR_26	farmer_adult	TOCDFDFS	Vinyl Chloride	1.6850E-019	2.3345E-018
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, m-	3.8100E-014	7.5200E-014
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, o-	2.8900E-014	6.5850E-014
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, p-	3.7187E-014	9.4724E-014
RCPTR_26	farmer_adult	TOCDFDFS	Zinc	6.3938E-008	8.1681E-008
RCPTR_26	farmer_adult	TOCDFLIC	Acenaphthene	1.1096E-011	1.4058E-010
RCPTR_26	farmer_adult	TOCDFLIC	Acetone	3.6112E-016	5.0490E-015
RCPTR_26	farmer_adult	TOCDFLIC	Acetophenone	5.3178E-014	7.3971E-013
RCPTR_26	farmer_adult	TOCDFLIC	Aniline	3.2408E-015	4.4557E-014
RCPTR_26	farmer_adult	TOCDFLIC	Anthracene	1.9764E-010	2.4809E-009
RCPTR_26	farmer_adult	TOCDFLIC	Antimony	5.0913E-007	6.0354E-007
RCPTR_26	farmer_adult	TOCDFLIC	Arsenic	9.4952E-007	9.8771E-007
RCPTR_26	farmer_adult	TOCDFLIC	Barium	7.6052E-008	8.6437E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Benzene	2.0313E-015	2.7760E-014
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.9706E-007	2.9287E-007
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.2593E-006	2.3594E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.2052E-006	1.4532E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.4895E-006	3.6091E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzoic acid	2.1625E-013	1.7770E-012
RCPTR_26	farmer_adult	TOCDFLIC	Benzyl alcohol	1.1655E-011	1.6171E-010
RCPTR_26	farmer_adult	TOCDFLIC	Beryllium	1.2985E-007	1.3943E-007
RCPTR_26	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	7.2340E-014	1.0113E-012
RCPTR_26	farmer_adult	TOCDFLIC	Bromodichloromethane	7.1973E-017	1.0020E-015
RCPTR_26	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.3011E-013	1.8139E-012
RCPTR_26	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	4.0934E-009	3.8857E-008
RCPTR_26	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.2954E-009	1.5190E-009
RCPTR_26	farmer_adult	TOCDFLIC	Cadmium	1.5638E-008	2.2324E-008
RCPTR_26	farmer_adult	TOCDFLIC	Carbon disulfide	4.7435E-016	6.5366E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Carbon tetrachloride	9.4833E-015	1.2933E-013
RCPTR_26	farmer_adult	TOCDFLIC	Chlorine	7.7201E-008	1.0797E-006
RCPTR_26	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3139E-011	8.4817E-011
RCPTR_26	farmer_adult	TOCDFLIC	Chloroaniline, p-	3.4310E-013	4.6987E-012
RCPTR_26	farmer_adult	TOCDFLIC	Chlorobenzene	3.8773E-015	5.2093E-014
RCPTR_26	farmer_adult	TOCDFLIC	Chloroethane	4.3790E-018	5.3514E-017
RCPTR_26	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	3.7334E-015	5.1913E-014
RCPTR_26	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.8388E-011	3.6716E-010
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenol, 2-	9.3467E-013	1.3045E-011
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.3965E-011	4.7168E-010
RCPTR_26	farmer_adult	TOCDFLIC	Chromium	6.3546E-007	6.3821E-007
RCPTR_26	farmer_adult	TOCDFLIC	Chromium, hexavalent	5.6304E-007	5.7277E-007
RCPTR_26	farmer_adult	TOCDFLIC	Chrysene	6.2190E-007	7.3076E-007
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.7396E-010	9.0702E-010
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.0701E+000	4.0701E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.8033E-005	4.8717E-005
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	4.9811E-014	5.9365E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	5.7084E-014	7.1778E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	5.4128E-014	6.9094E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.5143E-009	1.9004E-009
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.1163E-019	4.2648E-018
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.2477E-017	1.7367E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5718E-017	1.3338E-015
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	4.7643E-018	6.5759E-017
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.7402E-017	6.5350E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.2977E-011	5.9481E-011
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	2.6944E-016	3.6777E-015
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	9.0137E-017	1.2508E-015
RCPTR_26	farmer_adult	TOCDFLIC	Diethyl phthalate	4.9508E-010	5.1785E-010
RCPTR_26	farmer_adult	TOCDFLIC	Dimethyl phthalate	9.1227E-012	1.1116E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	6.6185E-013	8.8965E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.9752E-012	4.8379E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	7.3072E-013	8.1946E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	5.3083E-013	6.3111E-012
RCPTR_26	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.3555E-014	1.8936E-013
RCPTR_26	farmer_adult	TOCDFLIC	Ethylbenzene	1.0345E-015	1.2216E-014
RCPTR_26	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.6759E-009	1.9782E-009
RCPTR_26	farmer_adult	TOCDFLIC	Fluoranthene	6.7694E-009	3.2260E-008
RCPTR_26	farmer_adult	TOCDFLIC	Fluorene	4.6342E-011	5.5242E-010
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.0806E-012	4.2636E-012
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.3267E-011	1.3740E-011
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.1015E-011	3.2370E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.3999E-011	3.5270E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.0442E-011	2.1437E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.6961E-011	1.7913E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.5114E-011	3.7359E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.0484E-011	3.2423E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.1286E-011	3.3261E-011
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.5757E-011	2.7389E-011
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.1735E-012	1.1633E-011
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.2273E-009	2.3635E-008
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	3.3382E-012	3.0944E-011
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.6254E-013	7.1306E-012
RCPTR_26	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.5669E-004	3.5810E-004
RCPTR_26	farmer_adult	TOCDFLIC	Isophorone	9.7398E-014	1.3541E-012
RCPTR_26	farmer_adult	TOCDFLIC	Lead	3.3905E-007	3.7711E-007
RCPTR_26	farmer_adult	TOCDFLIC	Mercuric chloride	7.5607E-008	7.8496E-008
RCPTR_26	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	5.2995E-018	7.3955E-017
RCPTR_26	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	9.3739E-018	1.3047E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.3449E-015	1.0266E-013
RCPTR_26	farmer_adult	TOCDFLIC	Methyl mercury	1.0202E-009	1.0474E-009
RCPTR_26	farmer_adult	TOCDFLIC	Methylene chloride	9.6165E-016	1.3398E-014
RCPTR_26	farmer_adult	TOCDFLIC	Mustard	9.9945E-015	1.3870E-013
RCPTR_26	farmer_adult	TOCDFLIC	Naphthalene	6.6751E-014	8.8391E-013
RCPTR_26	farmer_adult	TOCDFLIC	Nickel	1.5118E-006	1.6252E-006
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.6867E-012	2.3097E-011
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 3-	3.9568E-013	5.4963E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 4-	5.1365E-013	7.1019E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrobenzene	1.6381E-013	2.2855E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 2-	7.4824E-014	1.0406E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 4-	7.9665E-013	1.7147E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.4119E-014	1.2892E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	9.3448E-014	1.2671E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	9.0365E-015	1.1368E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.0623E-012	6.4203E-012
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.9808E-012	6.3260E-012
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	7.5373E-011	7.8811E-011
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.1654E-011	1.2573E-011
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.4823E-011	4.8255E-011
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorobenzene	5.3481E-011	4.4045E-010
RCPTR_26	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.5936E-012	3.4810E-011
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorophenol	2.7253E-009	3.8550E-009
RCPTR_26	farmer_adult	TOCDFLIC	Phenanthrene	1.4132E-013	1.7496E-012
RCPTR_26	farmer_adult	TOCDFLIC	Phenol	1.3159E-013	1.8108E-012
RCPTR_26	farmer_adult	TOCDFLIC	Pronamide	1.4667E-011	1.7325E-010
RCPTR_26	farmer_adult	TOCDFLIC	Pyrene	8.9556E-009	4.5684E-008
RCPTR_26	farmer_adult	TOCDFLIC	Selenium	5.8913E-007	5.9230E-007
RCPTR_26	farmer_adult	TOCDFLIC	Silver	1.5126E-006	1.6189E-006
RCPTR_26	farmer_adult	TOCDFLIC	Styrene	1.5151E-012	2.0761E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	9.7469E-012	1.0809E-011
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	3.7021E-012	4.2693E-012
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.3796E-011	1.4044E-010
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.8448E-016	6.6715E-015
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.8189E-016	2.4941E-015
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.5481E-010	1.0431E-009
RCPTR_26	farmer_adult	TOCDFLIC	Thallium (l)	2.0152E-006	2.1168E-006
RCPTR_26	farmer_adult	TOCDFLIC	Toluene	3.6940E-015	4.8750E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.6395E-013	5.3694E-012
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.5305E-015	2.1138E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.3891E-015	1.9305E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethylene	2.2865E-016	3.1388E-015
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.0010E-017	4.1252E-016
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	6.3599E-011	6.1693E-010
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.1795E-011	1.2647E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	5.1583E-015	7.1452E-014
RCPTR_26	farmer_adult	TOCDFLIC	Vinyl Chloride	2.2059E-019	3.0568E-018
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, m-	3.3993E-014	6.8677E-014
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, o-	2.9544E-014	6.9085E-014
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, p-	3.3250E-014	8.7041E-014
RCPTR_26	farmer_adult	TOCDFLIC	Zinc	5.9413E-007	7.5832E-007
RCPTR_26	farmer_adult	TOCDFMPF	Acenaphthene	1.6886E-011	2.1395E-010
RCPTR_26	farmer_adult	TOCDFMPF	Acetone	1.3131E-015	1.8360E-014
RCPTR_26	farmer_adult	TOCDFMPF	Acetophenone	8.4783E-014	1.1793E-012
RCPTR_26	farmer_adult	TOCDFMPF	Aniline	4.9320E-015	6.7809E-014
RCPTR_26	farmer_adult	TOCDFMPF	Anthracene	3.0077E-010	3.7756E-009
RCPTR_26	farmer_adult	TOCDFMPF	Antimony	6.9176E-009	8.1999E-009
RCPTR_26	farmer_adult	TOCDFMPF	Aroclor 1254	7.1461E-011	1.3445E-010
RCPTR_26	farmer_adult	TOCDFMPF	Arsenic	4.9212E-008	5.1191E-008
RCPTR_26	farmer_adult	TOCDFMPF	Barium	5.3733E-008	6.1067E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Benzene	1.8073E-015	2.4699E-014
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.9989E-007	4.4571E-007
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.4391E-006	3.5917E-006
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.8338E-006	2.2112E-006
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	5.3113E-006	5.4936E-006
RCPTR_26	farmer_adult	TOCDFMPF	Benzoic acid	9.5235E-013	7.8279E-012
RCPTR_26	farmer_adult	TOCDFMPF	Benzyl alcohol	1.1085E-013	1.5381E-012
RCPTR_26	farmer_adult	TOCDFMPF	Beryllium	4.4133E-009	4.7389E-009
RCPTR_26	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.1009E-013	1.5391E-012
RCPTR_26	farmer_adult	TOCDFMPF	Bromodichloromethane	2.1767E-015	3.0305E-014
RCPTR_26	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	7.5660E-014	1.0548E-012
RCPTR_26	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.2297E-009	5.9135E-008
RCPTR_26	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.9731E-009	2.3135E-009
RCPTR_26	farmer_adult	TOCDFMPF	Cadmium	7.1189E-008	1.0161E-007
RCPTR_26	farmer_adult	TOCDFMPF	Carbon disulfide	1.7265E-016	2.3791E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.6445E-015	2.2427E-014
RCPTR_26	farmer_adult	TOCDFMPF	Chlorine	1.4159E-008	1.9803E-007
RCPTR_26	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.9987E-011	1.2907E-010
RCPTR_26	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.2213E-013	7.1507E-012
RCPTR_26	farmer_adult	TOCDFMPF	Chlorobenzene	6.9251E-015	9.3043E-014
RCPTR_26	farmer_adult	TOCDFMPF	Chloroethane	4.2954E-017	5.2497E-016
RCPTR_26	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.1688E-015	1.6252E-014
RCPTR_26	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.3201E-011	5.5876E-010
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.4224E-012	1.9852E-011
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1255E-010	7.1781E-010
RCPTR_26	farmer_adult	TOCDFMPF	Chromium	1.2022E-007	1.2074E-007
RCPTR_26	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.0652E-007	1.0836E-007
RCPTR_26	farmer_adult	TOCDFMPF	Chrysene	9.4621E-007	1.1119E-006
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	7.6177E-009	8.9280E-009
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.0050E+001	4.0050E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	7.3068E-005	7.4109E-005
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	7.5800E-014	9.0345E-013
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	8.6868E-014	1.0923E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	8.2371E-014	1.0515E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.6234E-009	5.8022E-009
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.5517E-018	3.4919E-017
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.7734E-016	5.2525E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6826E-016	6.5252E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.4409E-016	1.9888E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.3189E-016	3.1970E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.9739E-011	9.0510E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.3181E-015	1.7992E-014
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.2770E-016	5.9351E-015
RCPTR_26	farmer_adult	TOCDFMPF	Diethyl phthalate	4.8715E-009	5.0958E-009
RCPTR_26	farmer_adult	TOCDFMPF	Dimethyl phthalate	9.6979E-013	1.1817E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.0072E-012	1.3539E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	2.9988E-012	7.3476E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.1122E-012	1.2471E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.0782E-013	9.6046E-012
RCPTR_26	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.0629E-014	2.8818E-013
RCPTR_26	farmer_adult	TOCDFMPF	Ethylbenzene	4.8235E-015	5.6966E-014
RCPTR_26	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.0210E-010	3.5653E-010
RCPTR_26	farmer_adult	TOCDFMPF	Fluoranthene	1.0300E-008	4.9093E-008
RCPTR_26	farmer_adult	TOCDFMPF	Fluorene	7.0521E-011	8.4070E-010
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.5877E-011	1.6590E-011
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.0812E-011	2.1556E-011
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.6235E-011	3.7821E-011
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	9.6863E-012	1.0049E-011
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.5352E-012	4.7564E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.0021E-012	4.2272E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.9295E-012	7.3727E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.9374E-012	3.1243E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.5983E-012	2.7624E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.3280E-012	2.4755E-012
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.7859E-012	1.7704E-011
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.3893E-009	3.5969E-008
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.0805E-012	4.7093E-011
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.5604E-013	1.0852E-011
RCPTR_26	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.4248E-004	5.4462E-004
RCPTR_26	farmer_adult	TOCDFMPF	Isophorone	1.4822E-013	2.0607E-012
RCPTR_26	farmer_adult	TOCDFMPF	Lead	3.9024E-008	4.3404E-008
RCPTR_26	farmer_adult	TOCDFMPF	Mercuric chloride	1.2805E-006	1.3294E-006
RCPTR_26	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.7299E-017	3.8096E-016
RCPTR_26	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.5929E-018	2.2171E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.4828E-015	2.0726E-014
RCPTR_26	farmer_adult	TOCDFMPF	Methyl mercury	1.7300E-008	1.7761E-008
RCPTR_26	farmer_adult	TOCDFMPF	Methylene chloride	7.5290E-016	1.0489E-014
RCPTR_26	farmer_adult	TOCDFMPF	Mustard	7.0798E-014	9.8249E-013
RCPTR_26	farmer_adult	TOCDFMPF	Naphthalene	6.5730E-013	8.7041E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nickel	9.4523E-007	1.0161E-006
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.5622E-012	3.5086E-011
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.0108E-013	8.3494E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 4-	7.8030E-013	1.0788E-011
RCPTR_26	farmer_adult	TOCDFMPF	Nitrobenzene	2.4929E-013	3.4782E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.1387E-013	1.5836E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.2094E-011	2.6040E-011
RCPTR_26	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.4323E-013	1.9620E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.4221E-013	1.9283E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.3757E-014	1.7302E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.8533E-010	4.0810E-010
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.7769E-010	7.1683E-010
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.9270E-012	4.1063E-012
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.0441E-012	5.4419E-012
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.9980E-012	3.2276E-012
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.6264E-011	1.3383E-010
RCPTR_26	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.9851E-012	5.2887E-011
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorophenol	2.0722E-008	2.9319E-008
RCPTR_26	farmer_adult	TOCDFMPF	Phenanthrene	2.1505E-013	2.6626E-012
RCPTR_26	farmer_adult	TOCDFMPF	Phenol	2.0026E-013	2.7557E-012
RCPTR_26	farmer_adult	TOCDFMPF	Pronamide	2.2318E-011	2.6366E-010
RCPTR_26	farmer_adult	TOCDFMPF	Pyrene	1.3627E-008	6.9523E-008
RCPTR_26	farmer_adult	TOCDFMPF	Selenium	1.0300E-008	1.0355E-008
RCPTR_26	farmer_adult	TOCDFMPF	Silver	2.0340E-007	2.1768E-007
RCPTR_26	farmer_adult	TOCDFMPF	Styrene	3.4394E-014	4.7128E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1616E-012	1.2882E-012
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.6523E-012	4.2121E-012
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.0991E-011	2.1372E-010
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.4652E-014	2.0177E-013
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.3942E-015	1.9117E-014
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	5.3865E-010	1.5842E-009
RCPTR_26	farmer_adult	TOCDFMPF	Thallium (l)	6.1473E-008	6.4573E-008
RCPTR_26	farmer_adult	TOCDFMPF	Toluene	2.4672E-015	3.2561E-014
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.0602E-013	8.1714E-012
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	8.9431E-016	1.2352E-014
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	6.7954E-015	9.4442E-014
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethylene	1.1186E-015	1.5355E-014
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.0830E-015	4.2380E-014
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.6765E-011	9.3885E-010
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.3153E-011	1.9246E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.5235E-014	3.4955E-013
RCPTR_26	farmer_adult	TOCDFMPF	Vinyl Chloride	6.0259E-019	8.3501E-018
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, m-	3.3980E-014	6.8541E-014
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, o-	2.9531E-014	6.8931E-014
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, p-	3.3233E-014	8.6833E-014
RCPTR_26	farmer_adult	TOCDFMPF	Zinc	1.6864E-007	2.1523E-007
RCPTR_26	farmer_adult	TOCDHVAC	Mustard	1.6951E-014	2.3545E-013
RCPTR_26	farmer_adult	TOCDLIC2	Acenaphthene	1.1096E-011	1.4058E-010
RCPTR_26	farmer_adult	TOCDLIC2	Acetone	3.6112E-016	5.0490E-015
RCPTR_26	farmer_adult	TOCDLIC2	Acetophenone	5.3178E-014	7.3971E-013
RCPTR_26	farmer_adult	TOCDLIC2	Aniline	3.2408E-015	4.4557E-014
RCPTR_26	farmer_adult	TOCDLIC2	Anthracene	1.9764E-010	2.4809E-009
RCPTR_26	farmer_adult	TOCDLIC2	Antimony	5.0913E-007	6.0354E-007
RCPTR_26	farmer_adult	TOCDLIC2	Arsenic	9.4952E-007	9.8771E-007
RCPTR_26	farmer_adult	TOCDLIC2	Barium	7.6052E-008	8.6437E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Benzene	2.0313E-015	2.7760E-014
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.9706E-007	2.9287E-007
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.2593E-006	2.3594E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.2052E-006	1.4532E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	3.4895E-006	3.6091E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzoic acid	2.1625E-013	1.7770E-012
RCPTR_26	farmer_adult	TOCDLIC2	Benzyl alcohol	1.1655E-011	1.6171E-010
RCPTR_26	farmer_adult	TOCDLIC2	Beryllium	1.2985E-007	1.3943E-007
RCPTR_26	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	7.2340E-014	1.0113E-012
RCPTR_26	farmer_adult	TOCDLIC2	Bromodichloromethane	7.1973E-017	1.0020E-015
RCPTR_26	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.3011E-013	1.8139E-012
RCPTR_26	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.0934E-009	3.8857E-008
RCPTR_26	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.2954E-009	1.5190E-009
RCPTR_26	farmer_adult	TOCDLIC2	Cadmium	1.5638E-008	2.2324E-008
RCPTR_26	farmer_adult	TOCDLIC2	Carbon disulfide	4.7435E-016	6.5366E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Carbon tetrachloride	9.4833E-015	1.2933E-013
RCPTR_26	farmer_adult	TOCDLIC2	Chlorine	7.7201E-008	1.0797E-006
RCPTR_26	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.3139E-011	8.4817E-011
RCPTR_26	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.4310E-013	4.6987E-012
RCPTR_26	farmer_adult	TOCDLIC2	Chlorobenzene	3.8773E-015	5.2093E-014
RCPTR_26	farmer_adult	TOCDLIC2	Chloroethane	4.3790E-018	5.3514E-017
RCPTR_26	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.7334E-015	5.1913E-014
RCPTR_26	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.8388E-011	3.6716E-010
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenol, 2-	9.3467E-013	1.3045E-011
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.3965E-011	4.7168E-010
RCPTR_26	farmer_adult	TOCDLIC2	Chromium	6.3546E-007	6.3821E-007
RCPTR_26	farmer_adult	TOCDLIC2	Chromium, hexavalent	5.6304E-007	5.7277E-007
RCPTR_26	farmer_adult	TOCDLIC2	Chrysene	6.2190E-007	7.3076E-007
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	7.7396E-010	9.0702E-010
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.0701E+000	4.0701E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.8033E-005	4.8717E-005
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.9811E-014	5.9365E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	5.7084E-014	7.1778E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	5.4128E-014	6.9094E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.5143E-009	1.9004E-009
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.1163E-019	4.2648E-018
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.2477E-017	1.7367E-016
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5718E-017	1.3338E-015
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	4.7643E-018	6.5759E-017
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.7402E-017	6.5350E-016
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.2977E-011	5.9481E-011
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.6944E-016	3.6777E-015
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	9.0137E-017	1.2508E-015
RCPTR_26	farmer_adult	TOCDLIC2	Diethyl phthalate	4.9508E-010	5.1785E-010
RCPTR_26	farmer_adult	TOCDLIC2	Dimethyl phthalate	9.1227E-012	1.1116E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	6.6185E-013	8.8965E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.9752E-012	4.8379E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	7.3072E-013	8.1946E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.3083E-013	6.3111E-012
RCPTR_26	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.3555E-014	1.8936E-013
RCPTR_26	farmer_adult	TOCDLIC2	Ethylbenzene	1.0345E-015	1.2216E-014
RCPTR_26	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.6759E-009	1.9782E-009
RCPTR_26	farmer_adult	TOCDLIC2	Fluoranthene	6.7694E-009	3.2260E-008
RCPTR_26	farmer_adult	TOCDLIC2	Fluorene	4.6342E-011	5.5242E-010
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.0806E-012	4.2636E-012
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.3267E-011	1.3740E-011
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.1015E-011	3.2370E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.3999E-011	3.5270E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.0442E-011	2.1437E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.6961E-011	1.7913E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.5114E-011	3.7359E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.0484E-011	3.2423E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.1286E-011	3.3261E-011
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.5757E-011	2.7389E-011
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.1735E-012	1.1633E-011
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.2273E-009	2.3635E-008
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.3382E-012	3.0944E-011
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.6254E-013	7.1306E-012
RCPTR_26	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.5669E-004	3.5810E-004
RCPTR_26	farmer_adult	TOCDLIC2	Isophorone	9.7398E-014	1.3541E-012
RCPTR_26	farmer_adult	TOCDLIC2	Lead	3.3905E-007	3.7711E-007
RCPTR_26	farmer_adult	TOCDLIC2	Mercuric chloride	7.5607E-008	7.8496E-008
RCPTR_26	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	5.2995E-018	7.3955E-017
RCPTR_26	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	9.3739E-018	1.3047E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.3449E-015	1.0266E-013
RCPTR_26	farmer_adult	TOCDLIC2	Methyl mercury	1.0202E-009	1.0474E-009
RCPTR_26	farmer_adult	TOCDLIC2	Methylene chloride	9.6165E-016	1.3398E-014
RCPTR_26	farmer_adult	TOCDLIC2	Mustard	1.0390E-014	1.4419E-013
RCPTR_26	farmer_adult	TOCDLIC2	Naphthalene	6.6751E-014	8.8391E-013
RCPTR_26	farmer_adult	TOCDLIC2	Nickel	1.5118E-006	1.6252E-006
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.6867E-012	2.3097E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.9568E-013	5.4963E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.1365E-013	7.1019E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrobenzene	1.6381E-013	2.2855E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 2-	7.4824E-014	1.0406E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 4-	7.9665E-012	1.7147E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.4119E-014	1.2892E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	9.3448E-014	1.2671E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	9.0365E-015	1.1368E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.0623E-012	6.4203E-012
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	5.9808E-012	6.3260E-012
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	7.5373E-011	7.8811E-011
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1654E-011	1.2573E-011
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.4823E-011	4.8255E-011
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorobenzene	5.3481E-011	4.4045E-010
RCPTR_26	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.5936E-012	3.4810E-011
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorophenol	2.7253E-009	3.8550E-009
RCPTR_26	farmer_adult	TOCDLIC2	Phenanthrene	1.4132E-013	1.7496E-012
RCPTR_26	farmer_adult	TOCDLIC2	Phenol	1.3159E-013	1.8108E-012
RCPTR_26	farmer_adult	TOCDLIC2	Pronamide	1.4667E-011	1.7325E-010
RCPTR_26	farmer_adult	TOCDLIC2	Pyrene	8.9556E-009	4.5684E-008
RCPTR_26	farmer_adult	TOCDLIC2	Selenium	5.8913E-007	5.9230E-007
RCPTR_26	farmer_adult	TOCDLIC2	Silver	1.5126E-006	1.6189E-006
RCPTR_26	farmer_adult	TOCDLIC2	Styrene	1.5151E-012	2.0761E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	9.7469E-012	1.0809E-011
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	3.7021E-012	4.2693E-012
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3796E-011	1.4044E-010
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.8448E-016	6.6715E-015
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.8189E-016	2.4941E-015
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.5481E-010	1.0431E-009
RCPTR_26	farmer_adult	TOCDLIC2	Thallium (l)	2.0152E-006	2.1168E-006
RCPTR_26	farmer_adult	TOCDLIC2	Toluene	3.6940E-015	4.8750E-014
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.6395E-013	5.3694E-012
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.5305E-015	2.1138E-014
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.3891E-015	1.9305E-014
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethylene	2.2865E-016	3.1388E-015
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.0010E-017	4.1252E-016
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.3599E-011	6.1693E-010
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.1795E-011	1.2647E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.1583E-015	7.1452E-014
RCPTR_26	farmer_adult	TOCDLIC2	Vinyl Chloride	2.2059E-019	3.0568E-018
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, m-	7.0639E-014	1.4271E-013
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, o-	6.1393E-014	1.4356E-013
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, p-	6.9096E-014	1.8088E-013
RCPTR_26	farmer_adult	TOCDLIC2	Zinc	5.9413E-007	7.5832E-007
RCPTR_26	farmer_child	TOCDFBRA	Antimony	1.2697E-007	1.3944E-007
RCPTR_26	farmer_child	TOCDFBRA	Arsenic	2.0109E-007	2.0579E-007
RCPTR_26	farmer_child	TOCDFBRA	Barium	1.7220E-008	1.8503E-008
RCPTR_26	farmer_child	TOCDFBRA	Beryllium	5.4962E-008	5.6875E-008
RCPTR_26	farmer_child	TOCDFBRA	Cadmium	1.0773E-008	1.2806E-008
RCPTR_26	farmer_child	TOCDFBRA	Chromium	1.2996E-006	1.3395E-006
RCPTR_26	farmer_child	TOCDFBRA	Chromium, hexavalent	1.1833E-006	1.1954E-006
RCPTR_26	farmer_child	TOCDFBRA	Lead	5.7448E-007	6.0565E-007
RCPTR_26	farmer_child	TOCDFBRA	Mercuric chloride	7.1878E-005	8.6165E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFBRA	Methyl mercury	1.2478E-006	1.2918E-006
RCPTR_26	farmer_child	TOCDFBRA	Nickel	6.6828E-007	6.9493E-007
RCPTR_26	farmer_child	TOCDFBRA	Selenium	2.2348E-007	2.2419E-007
RCPTR_26	farmer_child	TOCDFBRA	Silver	7.6608E-008	7.9709E-008
RCPTR_26	farmer_child	TOCDFBRA	Thallium (l)	2.0619E-006	2.1171E-006
RCPTR_26	farmer_child	TOCDFBRA	Zinc	3.7905E-007	4.3016E-007
RCPTR_26	farmer_child	TOCDFDFS	Acenaphthene	3.2003E-010	6.6560E-010
RCPTR_26	farmer_child	TOCDFDFS	Acetone	3.5044E-015	7.3516E-015
RCPTR_26	farmer_child	TOCDFDFS	Acetophenone	1.7560E-012	3.6822E-012
RCPTR_26	farmer_child	TOCDFDFS	Aniline	1.0071E-013	2.1097E-013
RCPTR_26	farmer_child	TOCDFDFS	Anthracene	5.6529E-009	1.1746E-008
RCPTR_26	farmer_child	TOCDFDFS	Antimony	1.1039E-008	1.2075E-008
RCPTR_26	farmer_child	TOCDFDFS	Aroclor 1254	1.6733E-010	2.2705E-010
RCPTR_26	farmer_child	TOCDFDFS	Arsenic	2.0473E-008	2.0928E-008
RCPTR_26	farmer_child	TOCDFDFS	Barium	1.3797E-008	1.4778E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Benzene	1.2556E-014	2.6289E-014
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.1703E-006	1.3829E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.0943E-005	1.1179E-005
RCPTR_26	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	6.2834E-006	6.8410E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.6835E-005	1.7076E-005
RCPTR_26	farmer_child	TOCDFDFS	Benzoic acid	1.2278E-012	2.4335E-012
RCPTR_26	farmer_child	TOCDFDFS	Benzyl alcohol	2.2825E-012	4.7853E-012
RCPTR_26	farmer_child	TOCDFDFS	Beryllium	1.0971E-008	1.1335E-008
RCPTR_26	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.2826E-012	4.7886E-012
RCPTR_26	farmer_child	TOCDFDFS	Bromodichloromethane	4.0599E-015	8.5139E-015
RCPTR_26	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	6.4944E-013	1.3621E-012
RCPTR_26	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.0691E-007	1.8399E-007
RCPTR_26	farmer_child	TOCDFDFS	Butylbenzylphthalate	6.6587E-009	7.2558E-009
RCPTR_26	farmer_child	TOCDFDFS	Cadmium	4.5477E-009	5.3728E-009
RCPTR_26	farmer_child	TOCDFDFS	Carbon disulfide	2.2409E-015	4.6952E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Carbon tetrachloride	3.5537E-015	7.4395E-015
RCPTR_26	farmer_child	TOCDFDFS	Chlorine	7.0823E-014	1.4858E-013
RCPTR_26	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.0972E-010	4.0101E-010
RCPTR_26	farmer_child	TOCDFDFS	Chloroaniline, p-	1.0623E-011	2.2247E-011
RCPTR_26	farmer_child	TOCDFDFS	Chlorobenzene	2.0823E-014	4.3535E-014
RCPTR_26	farmer_child	TOCDFDFS	Chloroethane	5.9082E-017	1.2248E-016
RCPTR_26	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	2.8010E-015	5.8734E-015
RCPTR_26	farmer_child	TOCDFDFS	Chloronaphthalene,2-	8.3424E-010	1.7383E-009
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.9446E-011	6.1765E-011
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1703E-009	2.2317E-009
RCPTR_26	farmer_child	TOCDFDFS	Chromium	3.4163E-007	3.5164E-007
RCPTR_26	farmer_child	TOCDFDFS	Chromium, hexavalent	3.1241E-007	3.1544E-007
RCPTR_26	farmer_child	TOCDFDFS	Chrysene	3.2115E-006	3.4375E-006
RCPTR_26	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.5200E-008	2.7498E-008
RCPTR_26	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.2263E+002	1.2263E+002

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.2885E-004	2.3035E-004
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.3590E-012	2.8104E-012
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.6350E-012	3.3982E-012
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.5717E-012	3.2712E-012
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5906E-008	1.7971E-008
RCPTR_26	farmer_child	TOCDFDFS	Dichlorodifluoromethane	4.8999E-018	1.0260E-017
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.1720E-015	2.4577E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4558E-015	3.0532E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	4.4406E-016	9.3057E-016
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	7.1391E-016	1.4959E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.5680E-010	2.8091E-010
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.0210E-015	8.4183E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.3246E-015	2.7771E-015
RCPTR_26	farmer_child	TOCDFDFS	Diethyl phthalate	1.5223E-008	1.5616E-008
RCPTR_26	farmer_child	TOCDFDFS	Dimethyl phthalate	2.6807E-011	5.5547E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.0146E-011	4.2122E-011
RCPTR_26	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.5144E-011	2.2784E-011
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.8885E-011	3.8804E-011
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.4454E-011	2.9880E-011
RCPTR_26	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.2742E-013	8.9660E-013
RCPTR_26	farmer_child	TOCDFDFS	Ethylbenzene	1.2899E-014	2.6651E-014
RCPTR_26	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.1298E-009	1.2351E-009
RCPTR_26	farmer_child	TOCDFDFS	Fluoranthene	8.8970E-008	1.5257E-007
RCPTR_26	farmer_child	TOCDFDFS	Fluorene	1.2647E-009	2.6153E-009
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.8762E-013	4.9746E-013
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.1235E-013	4.1905E-013
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.3049E-012	1.3306E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0803E-011	1.0986E-011
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.4724E-012	6.6133E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.0496E-012	5.1750E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.5393E-012	3.6384E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.2006E-012	3.2898E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.7988E-012	3.9039E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.9159E-012	2.9969E-012
RCPTR_26	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.7163E-011	5.5077E-011
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorobenzene	5.4840E-008	1.1188E-007
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	7.2836E-011	1.4651E-010
RCPTR_26	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.6230E-011	3.3758E-011
RCPTR_26	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.6723E-003	1.6756E-003
RCPTR_26	farmer_child	TOCDFDFS	Isophorone	3.0576E-012	6.4114E-012
RCPTR_26	farmer_child	TOCDFDFS	Lead	6.7974E-008	7.1507E-008
RCPTR_26	farmer_child	TOCDFDFS	Mercuric chloride	2.6438E-008	3.2026E-008
RCPTR_26	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.1157E-017	1.0730E-016
RCPTR_26	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.0088E-017	2.1155E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.5122E-014	5.2700E-014
RCPTR_26	farmer_child	TOCDFDFS	Methyl mercury	4.1751E-010	4.3472E-010
RCPTR_26	farmer_child	TOCDFDFS	Methylene chloride	1.5115E-015	3.1699E-015
RCPTR_26	farmer_child	TOCDFDFS	Mustard	1.7812E-013	3.7344E-013
RCPTR_26	farmer_child	TOCDFDFS	Naphthalene	1.2968E-011	2.7079E-011
RCPTR_26	farmer_child	TOCDFDFS	Nickel	1.4477E-006	1.5028E-006
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.2219E-011	1.0935E-010
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.2412E-011	2.6023E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.6044E-011	3.3626E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitrobenzene	5.1593E-012	1.0822E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.3496E-012	4.9269E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.6121E-011	8.0622E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.9148E-012	6.1042E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.8671E-012	5.9992E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.5922E-013	5.3850E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.0478E-013	8.2572E-013
RCPTR_26	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.4747E-013	8.6906E-013
RCPTR_26	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.9204E-011	1.9594E-011
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4123E-012	2.4946E-012
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.8247E-012	1.0151E-011
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorobenzene	2.1084E-010	4.1701E-010
RCPTR_26	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.4485E-011	1.6512E-010
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorophenol	7.5289E-008	9.0391E-008
RCPTR_26	farmer_child	TOCDFDFS	Phenanthrene	3.9911E-012	8.2831E-012
RCPTR_26	farmer_child	TOCDFDFS	Phenol	4.0923E-012	8.5736E-012
RCPTR_26	farmer_child	TOCDFDFS	Pronamide	3.9694E-010	8.2015E-010
RCPTR_26	farmer_child	TOCDFDFS	Pyrene	1.4009E-007	2.1615E-007
RCPTR_26	farmer_child	TOCDFDFS	Selenium	2.2772E-008	2.2841E-008
RCPTR_26	farmer_child	TOCDFDFS	Silver	1.5400E-007	1.5994E-007
RCPTR_26	farmer_child	TOCDFDFS	Styrene	1.5230E-013	3.1896E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	6.0228E-012	6.2998E-012
RCPTR_26	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.8481E-012	1.9647E-012
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.2671E-010	6.6468E-010
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1456E-011	1.3107E-011
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	4.2711E-015	8.9452E-015
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.0787E-009	4.9154E-009
RCPTR_26	farmer_child	TOCDFDFS	Thallium (l)	2.0533E-005	2.1057E-005
RCPTR_26	farmer_child	TOCDFDFS	Toluene	5.7307E-015	1.1963E-014
RCPTR_26	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.2328E-011	2.5419E-011
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	3.5584E-015	7.4573E-015
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.1075E-014	4.4190E-014
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethylene	3.4302E-015	7.1849E-015
RCPTR_26	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.7375E-016	9.9242E-016
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.4428E-009	2.9195E-009
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.6005E-009	3.0047E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	7.8027E-014	1.6356E-013
RCPTR_26	farmer_child	TOCDFDFS	Vinyl Chloride	1.1137E-018	2.3345E-018
RCPTR_26	farmer_child	TOCDFDFS	Xylene, m-	5.4289E-014	7.5200E-014
RCPTR_26	farmer_child	TOCDFDFS	Xylene, o-	4.5024E-014	6.5850E-014
RCPTR_26	farmer_child	TOCDFDFS	Xylene, p-	6.2294E-014	9.4724E-014
RCPTR_26	farmer_child	TOCDFDFS	Zinc	7.2338E-008	8.1681E-008
RCPTR_26	farmer_child	TOCDFLIC	Acenaphthene	6.7600E-011	1.4058E-010
RCPTR_26	farmer_child	TOCDFLIC	Acetone	2.4067E-015	5.0490E-015
RCPTR_26	farmer_child	TOCDFLIC	Acetophenone	3.5276E-013	7.3971E-013
RCPTR_26	farmer_child	TOCDFLIC	Aniline	2.1270E-014	4.4557E-014
RCPTR_26	farmer_child	TOCDFLIC	Anthracene	1.1940E-009	2.4809E-009
RCPTR_26	farmer_child	TOCDFLIC	Antimony	5.5195E-007	6.0354E-007
RCPTR_26	farmer_child	TOCDFLIC	Arsenic	9.6632E-007	9.8771E-007
RCPTR_26	farmer_child	TOCDFLIC	Barium	8.0719E-008	8.6437E-008
RCPTR_26	farmer_child	TOCDFLIC	Benzene	1.3259E-014	2.7760E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.4805E-007	2.9287E-007
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.3108E-006	2.3594E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.3357E-006	1.4532E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.5598E-006	3.6091E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzoic acid	8.9730E-013	1.7770E-012
RCPTR_26	farmer_child	TOCDFLIC	Benzyl alcohol	7.7133E-011	1.6171E-010
RCPTR_26	farmer_child	TOCDFLIC	Beryllium	1.3496E-007	1.3943E-007
RCPTR_26	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	4.8209E-013	1.0113E-012
RCPTR_26	farmer_child	TOCDFLIC	Bromodichloromethane	4.7782E-016	1.0020E-015
RCPTR_26	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	8.6487E-013	1.8139E-012
RCPTR_26	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.2578E-008	3.8857E-008
RCPTR_26	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.3930E-009	1.5190E-009
RCPTR_26	farmer_child	TOCDFLIC	Cadmium	1.8906E-008	2.2324E-008
RCPTR_26	farmer_child	TOCDFLIC	Carbon disulfide	3.1197E-015	6.5366E-015
RCPTR_26	farmer_child	TOCDFLIC	Carbon tetrachloride	6.1781E-014	1.2933E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Chlorine	5.1467E-007	1.0797E-006
RCPTR_26	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	4.4417E-011	8.4817E-011
RCPTR_26	farmer_child	TOCDFLIC	Chloroaniline, p-	2.2437E-012	4.6987E-012
RCPTR_26	farmer_child	TOCDFLIC	Chlorobenzene	2.4917E-014	5.2093E-014
RCPTR_26	farmer_child	TOCDFLIC	Chloroethane	2.5820E-017	5.3514E-017
RCPTR_26	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.4758E-014	5.1913E-014
RCPTR_26	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.7622E-010	3.6716E-010
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenol, 2-	6.2191E-012	1.3045E-011
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.4751E-010	4.7168E-010
RCPTR_26	farmer_child	TOCDFLIC	Chromium	6.2012E-007	6.3821E-007
RCPTR_26	farmer_child	TOCDFLIC	Chromium, hexavalent	5.6729E-007	5.7277E-007
RCPTR_26	farmer_child	TOCDFLIC	Chrysene	6.8321E-007	7.3076E-007
RCPTR_26	farmer_child	TOCDFLIC	Di-n-butyl phthalate	8.3202E-010	9.0702E-010
RCPTR_26	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.0701E+000	4.0701E+000
RCPTR_26	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.8418E-005	4.8717E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.8713E-013	5.9365E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	3.4539E-013	7.1778E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	3.3201E-013	6.9094E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.6828E-009	1.9004E-009
RCPTR_26	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.0366E-018	4.2648E-018
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane 1,1-	8.2818E-017	1.7367E-016
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3598E-016	1.3338E-015
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.1380E-017	6.5759E-017
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.1188E-016	6.5350E-016
RCPTR_26	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	3.3270E-011	5.9481E-011
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.7567E-015	3.6777E-015
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.9661E-016	1.2508E-015
RCPTR_26	farmer_child	TOCDFLIC	Diethyl phthalate	5.0501E-010	5.1785E-010
RCPTR_26	farmer_child	TOCDFLIC	Dimethyl phthalate	5.3650E-011	1.1116E-010
RCPTR_26	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	4.2552E-012	8.8965E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.2244E-012	4.8379E-012
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	3.9877E-012	8.1946E-012
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.0532E-012	6.3111E-012
RCPTR_26	farmer_child	TOCDFLIC	Ethyl methanesulfonate	9.0272E-014	1.8936E-013
RCPTR_26	farmer_child	TOCDFLIC	Ethylbenzene	5.9138E-015	1.2216E-014
RCPTR_26	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.8078E-009	1.9782E-009
RCPTR_26	farmer_child	TOCDFLIC	Fluoranthene	1.8829E-008	3.2260E-008
RCPTR_26	farmer_child	TOCDFLIC	Fluorene	2.6718E-010	5.5242E-010
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.1813E-012	4.2636E-012
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.3527E-011	1.3740E-011
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.1761E-011	3.2370E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.4698E-011	3.5270E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.0991E-011	2.1437E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.7486E-011	1.7913E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.6352E-011	3.7359E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.1552E-011	3.2423E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.2375E-011	3.3261E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.6656E-011	2.7389E-011
RCPTR_26	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.7378E-012	1.1633E-011
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorobenzene	1.1588E-008	2.3635E-008
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.5385E-011	3.0944E-011
RCPTR_26	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.4286E-012	7.1306E-012
RCPTR_26	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.5746E-004	3.5810E-004
RCPTR_26	farmer_child	TOCDFLIC	Isophorone	6.4577E-013	1.3541E-012
RCPTR_26	farmer_child	TOCDFLIC	Lead	3.5854E-007	3.7711E-007
RCPTR_26	farmer_child	TOCDFLIC	Mercuric chloride	6.4690E-008	7.8496E-008
RCPTR_26	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	3.5259E-017	7.3955E-017
RCPTR_26	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	6.2217E-017	1.3047E-016
RCPTR_26	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.8937E-014	1.0266E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Methyl mercury	1.0049E-009	1.0474E-009
RCPTR_26	farmer_child	TOCDFLIC	Methylene chloride	6.3883E-015	1.3398E-014
RCPTR_26	farmer_child	TOCDFLIC	Mustard	6.6156E-014	1.3870E-013
RCPTR_26	farmer_child	TOCDFLIC	Naphthalene	4.2333E-013	8.8391E-013
RCPTR_26	farmer_child	TOCDFLIC	Nickel	1.5659E-006	1.6252E-006
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.1029E-011	2.3097E-011
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.6214E-012	5.4963E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 4-	3.3885E-012	7.1019E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrobenzene	1.0896E-012	2.2855E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 2-	4.9624E-013	1.0406E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.1973E-012	1.7147E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.1563E-013	1.2892E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	6.0558E-013	1.2671E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	5.4702E-014	1.1368E-013
RCPTR_26	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.2593E-012	6.4203E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.1707E-012	6.3260E-012
RCPTR_26	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	7.7275E-011	7.8811E-011
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.2162E-011	1.2573E-011
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.6718E-011	4.8255E-011
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorobenzene	2.2234E-010	4.4045E-010
RCPTR_26	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.7779E-011	3.4810E-011
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorophenol	3.2182E-009	3.8550E-009
RCPTR_26	farmer_child	TOCDFLIC	Phenanthrene	8.4310E-013	1.7496E-012
RCPTR_26	farmer_child	TOCDFLIC	Phenol	8.6432E-013	1.8108E-012
RCPTR_26	farmer_child	TOCDFLIC	Pronamide	8.3866E-011	1.7325E-010
RCPTR_26	farmer_child	TOCDFLIC	Pyrene	2.9621E-008	4.5684E-008
RCPTR_26	farmer_child	TOCDFLIC	Selenium	5.9051E-007	5.9230E-007
RCPTR_26	farmer_child	TOCDFLIC	Silver	1.5590E-006	1.6189E-006
RCPTR_26	farmer_child	TOCDFLIC	Styrene	9.9132E-012	2.0761E-011
RCPTR_26	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.0337E-011	1.0809E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	4.0175E-012	4.2693E-012
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.9057E-011	1.4044E-010
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	3.1843E-015	6.6715E-015
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.1909E-015	2.4941E-015
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.5514E-010	1.0431E-009
RCPTR_26	farmer_child	TOCDFLIC	Thallium (l)	2.0644E-006	2.1168E-006
RCPTR_26	farmer_child	TOCDFLIC	Toluene	2.3355E-014	4.8750E-014
RCPTR_26	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.6045E-012	5.3694E-012
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.0086E-014	2.1138E-014
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	9.2069E-015	1.9305E-014
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethylene	1.4985E-015	3.1388E-015
RCPTR_26	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.9692E-016	4.1252E-016
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.0505E-010	6.1693E-010
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	6.7472E-011	1.2647E-010
RCPTR_26	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	3.4087E-014	7.1452E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Vinyl Chloride	1.4582E-018	3.0568E-018
RCPTR_26	farmer_child	TOCDFLIC	Xylene, m-	4.9128E-014	6.8677E-014
RCPTR_26	farmer_child	TOCDFLIC	Xylene, o-	4.6798E-014	6.9085E-014
RCPTR_26	farmer_child	TOCDFLIC	Xylene, p-	5.6723E-014	8.7041E-014
RCPTR_26	farmer_child	TOCDFLIC	Zinc	6.7187E-007	7.5832E-007
RCPTR_26	farmer_child	TOCDFMPF	Acenaphthene	1.0288E-010	2.1395E-010
RCPTR_26	farmer_child	TOCDFMPF	Acetone	8.7516E-015	1.8360E-014
RCPTR_26	farmer_child	TOCDFMPF	Acetophenone	5.6241E-013	1.1793E-012
RCPTR_26	farmer_child	TOCDFMPF	Aniline	3.2369E-014	6.7809E-014
RCPTR_26	farmer_child	TOCDFMPF	Anthracene	1.8171E-009	3.7756E-009
RCPTR_26	farmer_child	TOCDFMPF	Antimony	7.4992E-009	8.1999E-009
RCPTR_26	farmer_child	TOCDFMPF	Aroclor 1254	9.8946E-011	1.3445E-010
RCPTR_26	farmer_child	TOCDFMPF	Arsenic	5.0083E-008	5.1191E-008
RCPTR_26	farmer_child	TOCDFMPF	Barium	5.7029E-008	6.1067E-008
RCPTR_26	farmer_child	TOCDFMPF	Benzene	1.1797E-014	2.4699E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.7749E-007	4.4571E-007
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.5176E-006	3.5917E-006
RCPTR_26	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.0325E-006	2.2112E-006
RCPTR_26	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	5.4185E-006	5.4936E-006
RCPTR_26	farmer_child	TOCDFMPF	Benzoic acid	3.9526E-012	7.8279E-012
RCPTR_26	farmer_child	TOCDFMPF	Benzyl alcohol	7.3365E-013	1.5381E-012
RCPTR_26	farmer_child	TOCDFMPF	Beryllium	4.5870E-009	4.7389E-009
RCPTR_26	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	7.3367E-013	1.5391E-012
RCPTR_26	farmer_child	TOCDFMPF	Bromodichloromethane	1.4451E-014	3.0305E-014
RCPTR_26	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	5.0294E-013	1.0548E-012
RCPTR_26	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.4360E-008	5.9135E-008
RCPTR_26	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.1216E-009	2.3135E-009
RCPTR_26	farmer_child	TOCDFMPF	Cadmium	8.6057E-008	1.0161E-007
RCPTR_26	farmer_child	TOCDFMPF	Carbon disulfide	1.1355E-015	2.3791E-015
RCPTR_26	farmer_child	TOCDFMPF	Carbon tetrachloride	1.0713E-014	2.2427E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Chlorine	9.4394E-008	1.9803E-007
RCPTR_26	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	6.7587E-011	1.2907E-010
RCPTR_26	farmer_child	TOCDFMPF	Chloroaniline, p-	3.4146E-012	7.1507E-012
RCPTR_26	farmer_child	TOCDFMPF	Chlorobenzene	4.4504E-014	9.3043E-014
RCPTR_26	farmer_child	TOCDFMPF	Chloroethane	2.5329E-016	5.2497E-016
RCPTR_26	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	7.7506E-015	1.6252E-014
RCPTR_26	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.6818E-010	5.5876E-010
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenol, 2-	9.4645E-012	1.9852E-011
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.7666E-010	7.1781E-010
RCPTR_26	farmer_child	TOCDFMPF	Chromium	1.1732E-007	1.2074E-007
RCPTR_26	farmer_child	TOCDFMPF	Chromium, hexavalent	1.0733E-007	1.0836E-007
RCPTR_26	farmer_child	TOCDFMPF	Chrysene	1.0395E-006	1.1119E-006
RCPTR_26	farmer_child	TOCDFMPF	Di-n-butyl phthalate	8.1895E-009	8.9280E-009
RCPTR_26	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.0050E+001	4.0050E+001
RCPTR_26	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	7.3654E-005	7.4109E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	4.3696E-013	9.0345E-013
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	5.2563E-013	1.0923E-012
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	5.0527E-013	1.0515E-012
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	5.1378E-009	5.8022E-009
RCPTR_26	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.6676E-017	3.4919E-017
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.5047E-015	5.2525E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1113E-015	6.5252E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	9.4905E-016	1.9888E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.5258E-015	3.1970E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.0621E-011	9.0510E-011
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	8.5939E-015	1.7992E-014
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.8309E-015	5.9351E-015
RCPTR_26	farmer_child	TOCDFMPF	Diethyl phthalate	4.9694E-009	5.0958E-009
RCPTR_26	farmer_child	TOCDFMPF	Dimethyl phthalate	5.7033E-012	1.1817E-011
RCPTR_26	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	6.4757E-012	1.3539E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.8965E-012	7.3476E-012
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.0688E-012	1.2471E-011
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.6464E-012	9.6046E-012
RCPTR_26	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.3738E-013	2.8818E-013
RCPTR_26	farmer_child	TOCDFMPF	Ethylbenzene	2.7577E-014	5.6966E-014
RCPTR_26	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.2585E-010	3.5653E-010
RCPTR_26	farmer_child	TOCDFMPF	Fluoranthene	2.8653E-008	4.9093E-008
RCPTR_26	farmer_child	TOCDFMPF	Fluorene	4.0660E-010	8.4070E-010
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6269E-011	1.6590E-011
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.1222E-011	2.1556E-011
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.7109E-011	3.7821E-011
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	9.8859E-012	1.0049E-011
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.6571E-012	4.7564E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.1262E-012	4.2272E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.1738E-012	7.3727E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.0404E-012	3.1243E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.6888E-012	2.7624E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.4093E-012	2.4755E-012
RCPTR_26	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.7322E-012	1.7704E-011
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorobenzene	1.7634E-008	3.5969E-008
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.3413E-011	4.7093E-011
RCPTR_26	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.2178E-012	1.0852E-011
RCPTR_26	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.4364E-004	5.4462E-004
RCPTR_26	farmer_child	TOCDFMPF	Isophorone	9.8277E-013	2.0607E-012
RCPTR_26	farmer_child	TOCDFMPF	Lead	4.1267E-008	4.3404E-008
RCPTR_26	farmer_child	TOCDFMPF	Mercuric chloride	1.0957E-006	1.3294E-006
RCPTR_26	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.8163E-016	3.8096E-016
RCPTR_26	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.0573E-017	2.2171E-017
RCPTR_26	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.8798E-015	2.0726E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Methyl mercury	1.7041E-008	1.7761E-008
RCPTR_26	farmer_child	TOCDFMPF	Methylene chloride	5.0016E-015	1.0489E-014
RCPTR_26	farmer_child	TOCDFMPF	Mustard	4.6863E-013	9.8249E-013
RCPTR_26	farmer_child	TOCDFMPF	Naphthalene	4.1686E-012	8.7041E-012
RCPTR_26	farmer_child	TOCDFMPF	Nickel	9.7903E-007	1.0161E-006
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.6755E-011	3.5086E-011
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.9822E-012	8.3494E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.1475E-012	1.0788E-011
RCPTR_26	farmer_child	TOCDFMPF	Nitrobenzene	1.6583E-012	3.4782E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 2-	7.5521E-013	1.5836E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.8180E-011	2.6040E-011
RCPTR_26	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	9.3689E-013	1.9620E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	9.2160E-013	1.9283E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	8.3253E-014	1.7302E-013
RCPTR_26	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.9786E-010	4.0810E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.9921E-010	7.1683E-010
RCPTR_26	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.0262E-012	4.1063E-012
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.2641E-012	5.4419E-012
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.1248E-012	3.2276E-012
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorobenzene	6.7567E-011	1.3383E-010
RCPTR_26	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.7015E-011	5.2887E-011
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorophenol	2.4473E-008	2.9319E-008
RCPTR_26	farmer_child	TOCDFMPF	Phenanthrene	1.2831E-012	2.6626E-012
RCPTR_26	farmer_child	TOCDFMPF	Phenol	1.3154E-012	2.7557E-012
RCPTR_26	farmer_child	TOCDFMPF	Pronamide	1.2763E-010	2.6366E-010
RCPTR_26	farmer_child	TOCDFMPF	Pyrene	4.5077E-008	6.9523E-008
RCPTR_26	farmer_child	TOCDFMPF	Selenium	1.0324E-008	1.0355E-008
RCPTR_26	farmer_child	TOCDFMPF	Silver	2.0963E-007	2.1768E-007
RCPTR_26	farmer_child	TOCDFMPF	Styrene	2.2504E-013	4.7128E-013
RCPTR_26	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.2320E-012	1.2882E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.9636E-012	4.2121E-012
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.0509E-010	2.1372E-010
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	9.6304E-014	2.0177E-013
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	9.1279E-015	1.9117E-014
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.9488E-010	1.5842E-009
RCPTR_26	farmer_child	TOCDFMPF	Thallium (l)	6.2974E-008	6.4573E-008
RCPTR_26	farmer_child	TOCDFMPF	Toluene	1.5599E-014	3.2561E-014
RCPTR_26	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.9637E-012	8.1714E-012
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.8939E-015	1.2352E-014
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.5041E-014	9.4442E-014
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethylene	7.3310E-015	1.5355E-014
RCPTR_26	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.0231E-014	4.2380E-014
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.6422E-010	9.3885E-010
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.0267E-010	1.9246E-010
RCPTR_26	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.6676E-013	3.4955E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Vinyl Chloride	3.9833E-018	8.3501E-018
RCPTR_26	farmer_child	TOCDFMPF	Xylene, m-	4.9061E-014	6.8541E-014
RCPTR_26	farmer_child	TOCDFMPF	Xylene, o-	4.6724E-014	6.8931E-014
RCPTR_26	farmer_child	TOCDFMPF	Xylene, p-	5.6622E-014	8.6833E-014
RCPTR_26	farmer_child	TOCDFMPF	Zinc	1.9070E-007	2.1523E-007
RCPTR_26	farmer_child	TOCDHVAC	Mustard	1.1230E-013	2.3545E-013
RCPTR_26	farmer_child	TOCDLIC2	Acenaphthene	6.7600E-011	1.4058E-010
RCPTR_26	farmer_child	TOCDLIC2	Acetone	2.4067E-015	5.0490E-015
RCPTR_26	farmer_child	TOCDLIC2	Acetophenone	3.5276E-013	7.3971E-013
RCPTR_26	farmer_child	TOCDLIC2	Aniline	2.1270E-014	4.4557E-014
RCPTR_26	farmer_child	TOCDLIC2	Anthracene	1.1940E-009	2.4809E-009
RCPTR_26	farmer_child	TOCDLIC2	Antimony	5.5195E-007	6.0354E-007
RCPTR_26	farmer_child	TOCDLIC2	Arsenic	9.6632E-007	9.8771E-007
RCPTR_26	farmer_child	TOCDLIC2	Barium	8.0719E-008	8.6437E-008
RCPTR_26	farmer_child	TOCDLIC2	Benzene	1.3259E-014	2.7760E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.4805E-007	2.9287E-007
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.3108E-006	2.3594E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.3357E-006	1.4532E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.5598E-006	3.6091E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzoic acid	8.9730E-013	1.7770E-012
RCPTR_26	farmer_child	TOCDLIC2	Benzyl alcohol	7.7133E-011	1.6171E-010
RCPTR_26	farmer_child	TOCDLIC2	Beryllium	1.3496E-007	1.3943E-007
RCPTR_26	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.8209E-013	1.0113E-012
RCPTR_26	farmer_child	TOCDLIC2	Bromodichloromethane	4.7782E-016	1.0020E-015
RCPTR_26	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	8.6487E-013	1.8139E-012
RCPTR_26	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.2578E-008	3.8857E-008
RCPTR_26	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.3930E-009	1.5190E-009
RCPTR_26	farmer_child	TOCDLIC2	Cadmium	1.8906E-008	2.2324E-008
RCPTR_26	farmer_child	TOCDLIC2	Carbon disulfide	3.1197E-015	6.5366E-015
RCPTR_26	farmer_child	TOCDLIC2	Carbon tetrachloride	6.1781E-014	1.2933E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Chlorine	5.1467E-007	1.0797E-006
RCPTR_26	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.4417E-011	8.4817E-011
RCPTR_26	farmer_child	TOCDLIC2	Chloroaniline, p-	2.2437E-012	4.6987E-012
RCPTR_26	farmer_child	TOCDLIC2	Chlorobenzene	2.4917E-014	5.2093E-014
RCPTR_26	farmer_child	TOCDLIC2	Chloroethane	2.5820E-017	5.3514E-017
RCPTR_26	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.4758E-014	5.1913E-014
RCPTR_26	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.7622E-010	3.6716E-010
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.2191E-012	1.3045E-011
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.4751E-010	4.7168E-010
RCPTR_26	farmer_child	TOCDLIC2	Chromium	6.2012E-007	6.3821E-007
RCPTR_26	farmer_child	TOCDLIC2	Chromium, hexavalent	5.6729E-007	5.7277E-007
RCPTR_26	farmer_child	TOCDLIC2	Chrysene	6.8321E-007	7.3076E-007
RCPTR_26	farmer_child	TOCDLIC2	Di-n-butyl phthalate	8.3202E-010	9.0702E-010
RCPTR_26	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.0701E+000	4.0701E+000
RCPTR_26	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	4.8418E-005	4.8717E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.8713E-013	5.9365E-013
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.4539E-013	7.1778E-013
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.3201E-013	6.9094E-013
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.6828E-009	1.9004E-009
RCPTR_26	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.0366E-018	4.2648E-018
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane 1,1-	8.2818E-017	1.7367E-016
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3598E-016	1.3338E-015
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	3.1380E-017	6.5759E-017
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.1188E-016	6.5350E-016
RCPTR_26	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.3270E-011	5.9481E-011
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.7567E-015	3.6777E-015
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.9661E-016	1.2508E-015
RCPTR_26	farmer_child	TOCDLIC2	Diethyl phthalate	5.0501E-010	5.1785E-010
RCPTR_26	farmer_child	TOCDLIC2	Dimethyl phthalate	5.3650E-011	1.1116E-010
RCPTR_26	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.2552E-012	8.8965E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.2244E-012	4.8379E-012
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.9877E-012	8.1946E-012
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.0532E-012	6.3111E-012
RCPTR_26	farmer_child	TOCDLIC2	Ethyl methanesulfonate	9.0272E-014	1.8936E-013
RCPTR_26	farmer_child	TOCDLIC2	Ethylbenzene	5.9138E-015	1.2216E-014
RCPTR_26	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.8078E-009	1.9782E-009
RCPTR_26	farmer_child	TOCDLIC2	Fluoranthene	1.8829E-008	3.2260E-008
RCPTR_26	farmer_child	TOCDLIC2	Fluorene	2.6718E-010	5.5242E-010
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.1813E-012	4.2636E-012
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.3527E-011	1.3740E-011
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.1761E-011	3.2370E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.4698E-011	3.5270E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.0991E-011	2.1437E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.7486E-011	1.7913E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.6352E-011	3.7359E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.1552E-011	3.2423E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.2375E-011	3.3261E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.6656E-011	2.7389E-011
RCPTR_26	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.7378E-012	1.1633E-011
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorobenzene	1.1588E-008	2.3635E-008
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.5385E-011	3.0944E-011
RCPTR_26	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.4286E-012	7.1306E-012
RCPTR_26	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.5746E-004	3.5810E-004
RCPTR_26	farmer_child	TOCDLIC2	Isophorone	6.4577E-013	1.3541E-012
RCPTR_26	farmer_child	TOCDLIC2	Lead	3.5854E-007	3.7711E-007
RCPTR_26	farmer_child	TOCDLIC2	Mercuric chloride	6.4690E-008	7.8496E-008
RCPTR_26	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	3.5259E-017	7.3955E-017
RCPTR_26	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.2217E-017	1.3047E-016
RCPTR_26	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.8937E-014	1.0266E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Methyl mercury	1.0049E-009	1.0474E-009
RCPTR_26	farmer_child	TOCDLIC2	Methylene chloride	6.3883E-015	1.3398E-014
RCPTR_26	farmer_child	TOCDLIC2	Mustard	6.8776E-014	1.4419E-013
RCPTR_26	farmer_child	TOCDLIC2	Naphthalene	4.2333E-013	8.8391E-013
RCPTR_26	farmer_child	TOCDLIC2	Nickel	1.5659E-006	1.6252E-006
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.1029E-011	2.3097E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.6214E-012	5.4963E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.3885E-012	7.1019E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrobenzene	1.0896E-012	2.2855E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.9624E-013	1.0406E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.1973E-011	1.7147E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.1563E-013	1.2892E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.0558E-013	1.2671E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.4702E-014	1.1368E-013
RCPTR_26	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.2593E-012	6.4203E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	6.1707E-012	6.3260E-012
RCPTR_26	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	7.7275E-011	7.8811E-011
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2162E-011	1.2573E-011
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.6718E-011	4.8255E-011
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorobenzene	2.2234E-010	4.4045E-010
RCPTR_26	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.7779E-011	3.4810E-011
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorophenol	3.2182E-009	3.8550E-009
RCPTR_26	farmer_child	TOCDLIC2	Phenanthrene	8.4310E-013	1.7496E-012
RCPTR_26	farmer_child	TOCDLIC2	Phenol	8.6432E-013	1.8108E-012
RCPTR_26	farmer_child	TOCDLIC2	Pronamide	8.3866E-011	1.7325E-010
RCPTR_26	farmer_child	TOCDLIC2	Pyrene	2.9621E-008	4.5684E-008
RCPTR_26	farmer_child	TOCDLIC2	Selenium	5.9051E-007	5.9230E-007
RCPTR_26	farmer_child	TOCDLIC2	Silver	1.5590E-006	1.6189E-006
RCPTR_26	farmer_child	TOCDLIC2	Styrene	9.9132E-012	2.0761E-011
RCPTR_26	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.0337E-011	1.0809E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	4.0175E-012	4.2693E-012
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.9057E-011	1.4044E-010
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	3.1843E-015	6.6715E-015
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.1909E-015	2.4941E-015
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.5514E-010	1.0431E-009
RCPTR_26	farmer_child	TOCDLIC2	Thallium (l)	2.0644E-006	2.1168E-006
RCPTR_26	farmer_child	TOCDLIC2	Toluene	2.3355E-014	4.8750E-014
RCPTR_26	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.6045E-012	5.3694E-012
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.0086E-014	2.1138E-014
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	9.2069E-015	1.9305E-014
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethylene	1.4985E-015	3.1388E-015
RCPTR_26	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.9692E-016	4.1252E-016
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.0505E-010	6.1693E-010
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	6.7472E-011	1.2647E-010
RCPTR_26	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	3.4087E-014	7.1452E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Vinyl Chloride	1.4582E-018	3.0568E-018
RCPTR_26	farmer_child	TOCDLIC2	Xylene, m-	1.0209E-013	1.4271E-013
RCPTR_26	farmer_child	TOCDLIC2	Xylene, o-	9.7249E-014	1.4356E-013
RCPTR_26	farmer_child	TOCDLIC2	Xylene, p-	1.1787E-013	1.8088E-013
RCPTR_26	farmer_child	TOCDLIC2	Zinc	6.7187E-007	7.5832E-007
RCPTR_27	farmer_adult	TOCDFBRA	Antimony	3.5167E-006	4.0880E-006
RCPTR_27	farmer_adult	TOCDFBRA	Arsenic	5.9656E-006	6.1755E-006
RCPTR_27	farmer_adult	TOCDFBRA	Barium	4.8805E-007	5.4639E-007
RCPTR_27	farmer_adult	TOCDFBRA	Beryllium	1.5814E-006	1.6840E-006
RCPTR_27	farmer_adult	TOCDFBRA	Cadmium	2.6506E-007	3.6464E-007
RCPTR_27	farmer_adult	TOCDFBRA	Chromium	3.9481E-005	3.9633E-005
RCPTR_27	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.5489E-005	3.6026E-005
RCPTR_27	farmer_adult	TOCDFBRA	Lead	1.6122E-005	1.7722E-005
RCPTR_27	farmer_adult	TOCDFBRA	Mercuric chloride	2.0436E-003	2.1164E-003
RCPTR_27	farmer_adult	TOCDFBRA	Methyl mercury	3.1496E-005	3.2182E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFBRA	Nickel	1.9448E-005	2.0724E-005
RCPTR_27	farmer_adult	TOCDFBRA	Selenium	6.7400E-006	6.7718E-006
RCPTR_27	farmer_adult	TOCDFBRA	Silver	2.2416E-006	2.3794E-006
RCPTR_27	farmer_adult	TOCDFBRA	Thallium (l)	6.0728E-005	6.3408E-005
RCPTR_27	farmer_adult	TOCDFBRA	Zinc	1.0028E-005	1.2458E-005
RCPTR_27	farmer_adult	TOCDFDFS	Acenaphthene	8.4980E-010	1.0605E-008
RCPTR_27	farmer_adult	TOCDFDFS	Acetone	8.3668E-015	1.1697E-013
RCPTR_27	farmer_adult	TOCDFDFS	Acetophenone	4.2160E-012	5.8593E-011
RCPTR_27	farmer_adult	TOCDFDFS	Aniline	2.4489E-013	3.3575E-012
RCPTR_27	farmer_adult	TOCDFDFS	Anthracene	1.5158E-008	1.8718E-007
RCPTR_27	farmer_adult	TOCDFDFS	Antimony	2.1717E-007	2.5249E-007
RCPTR_27	farmer_adult	TOCDFDFS	Aroclor 1254	2.2038E-009	3.8895E-009
RCPTR_27	farmer_adult	TOCDFDFS	Arsenic	4.2978E-007	4.4492E-007
RCPTR_27	farmer_adult	TOCDFDFS	Barium	2.7740E-007	3.1061E-007
RCPTR_27	farmer_adult	TOCDFDFS	Benzene	3.0732E-014	4.1843E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.7135E-005	2.4353E-005
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.9796E-004	2.0549E-004
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.0529E-004	1.2397E-004
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	3.0546E-004	3.1445E-004
RCPTR_27	farmer_adult	TOCDFDFS	Benzoic acid	5.0574E-012	3.9094E-011
RCPTR_27	farmer_adult	TOCDFDFS	Benzyl alcohol	5.4954E-012	7.6150E-011
RCPTR_27	farmer_adult	TOCDFDFS	Beryllium	2.2413E-007	2.3871E-007
RCPTR_27	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.4503E-012	7.6193E-011
RCPTR_27	farmer_adult	TOCDFDFS	Bromodichloromethane	9.7382E-015	1.3548E-013
RCPTR_27	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.5554E-012	2.1674E-011
RCPTR_27	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.0861E-007	2.9276E-006
RCPTR_27	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.1342E-007	1.3027E-007
RCPTR_27	farmer_adult	TOCDFDFS	Cadmium	7.9940E-008	1.1001E-007
RCPTR_27	farmer_adult	TOCDFDFS	Carbon disulfide	5.4356E-015	7.4722E-014
RCPTR_27	farmer_adult	TOCDFDFS	Carbon tetrachloride	8.7181E-015	1.1841E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Chlorine	1.6903E-013	2.3641E-012
RCPTR_27	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0834E-009	6.4835E-009
RCPTR_27	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.5943E-011	3.5409E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chlorobenzene	5.1916E-014	6.9307E-013
RCPTR_27	farmer_adult	TOCDFDFS	Chloroethane	1.6303E-016	1.9527E-015
RCPTR_27	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	6.7277E-015	9.3461E-014
RCPTR_27	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.1670E-009	2.7690E-008
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.0442E-011	9.8279E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.1058E-009	3.6069E-008
RCPTR_27	farmer_adult	TOCDFDFS	Chromium	7.3728E-006	7.4012E-006
RCPTR_27	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.6264E-006	6.7266E-006
RCPTR_27	farmer_adult	TOCDFDFS	Chrysene	5.4301E-005	6.2500E-005
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.3803E-007	5.0289E-007
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.3073E+003	2.3073E+003
RCPTR_27	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.3194E-003	4.3831E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.8502E-012	4.4822E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.3769E-012	5.4152E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.1405E-012	5.2117E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6478E-007	3.2295E-007
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.1975E-017	1.6330E-016
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.8117E-015	3.9108E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4886E-015	4.8583E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.0752E-015	1.4809E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7308E-015	2.3807E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0930E-009	4.5965E-009
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	9.8553E-015	1.3399E-013
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.1887E-015	4.4192E-014
RCPTR_27	farmer_adult	TOCDFDFS	Diethyl phthalate	2.8052E-007	2.9162E-007
RCPTR_27	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.4180E-011	8.8552E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.0203E-011	6.7059E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.7035E-010	3.8601E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.6979E-011	6.1929E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.1047E-011	4.7652E-010
RCPTR_27	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0215E-012	1.4266E-011
RCPTR_27	farmer_adult	TOCDFDFS	Ethylbenzene	3.6897E-014	4.2510E-013
RCPTR_27	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9142E-008	2.2112E-008
RCPTR_27	farmer_adult	TOCDFDFS	Fluoranthene	5.6601E-007	2.4864E-006
RCPTR_27	farmer_adult	TOCDFDFS	Fluorene	3.5819E-009	4.1709E-008
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.5495E-012	8.8786E-012
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.3522E-012	7.5774E-012
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2942E-011	2.3802E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.9273E-010	1.9892E-010
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1327E-010	1.1801E-010
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.7190E-011	9.1397E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.0858E-011	6.4204E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.5086E-011	5.8099E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.5499E-011	6.9055E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.0233E-011	5.2971E-011
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.2947E-011	8.8097E-010
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.7488E-007	1.7877E-006
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.6645E-010	2.3463E-009
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.3077E-011	5.3790E-010
RCPTR_27	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.1510E-002	3.1641E-002
RCPTR_27	farmer_adult	TOCDFDFS	Isophorone	7.3455E-012	1.0202E-010
RCPTR_27	farmer_adult	TOCDFDFS	Lead	1.3582E-006	1.4931E-006
RCPTR_27	farmer_adult	TOCDFDFS	Mercuric chloride	5.0784E-007	5.2640E-007
RCPTR_27	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.2239E-016	1.7074E-015
RCPTR_27	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.4204E-017	3.3663E-016
RCPTR_27	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.0000E-014	8.3854E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Methyl mercury	7.4847E-009	7.6597E-009
RCPTR_27	farmer_adult	TOCDFDFS	Methylene chloride	3.6228E-015	5.0441E-014
RCPTR_27	farmer_adult	TOCDFDFS	Mustard	4.2876E-013	5.9425E-012
RCPTR_27	farmer_adult	TOCDFDFS	Naphthalene	3.2844E-011	4.3119E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nickel	2.9846E-005	3.1808E-005
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.2753E-010	1.7405E-009
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.9844E-011	4.1410E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.8775E-011	5.3510E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitrobenzene	1.2346E-011	1.7219E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.6428E-012	7.8400E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.8924E-010	1.3809E-009
RCPTR_27	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.1164E-012	9.7154E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.0779E-012	9.5497E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.1230E-013	8.5963E-012
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.3779E-011	1.4477E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4517E-011	1.5236E-011
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.4451E-010	3.5804E-010
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.2302E-011	4.5182E-011
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7133E-010	1.8265E-010
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.6331E-010	6.6835E-009
RCPTR_27	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.7431E-010	2.6507E-009
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorophenol	1.1906E-006	1.6169E-006
RCPTR_27	farmer_adult	TOCDFDFS	Phenanthrene	1.0861E-011	1.3202E-010
RCPTR_27	farmer_adult	TOCDFDFS	Phenol	9.9418E-012	1.3645E-010
RCPTR_27	farmer_adult	TOCDFDFS	Pronamide	1.1351E-009	1.3082E-008
RCPTR_27	farmer_adult	TOCDFDFS	Pyrene	7.1629E-007	3.4834E-006
RCPTR_27	farmer_adult	TOCDFDFS	Selenium	4.8557E-007	4.8786E-007
RCPTR_27	farmer_adult	TOCDFDFS	Silver	3.1912E-006	3.3876E-006
RCPTR_27	farmer_adult	TOCDFDFS	Styrene	3.7171E-013	5.0765E-012
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0388E-010	1.1368E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.1173E-011	3.5326E-011
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0890E-009	1.0630E-008
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9085E-010	2.3745E-010
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0416E-014	1.4237E-013
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.0434E-008	8.2283E-008
RCPTR_27	farmer_adult	TOCDFDFS	Thallium (l)	4.2813E-004	4.4705E-004
RCPTR_27	farmer_adult	TOCDFDFS	Toluene	1.4567E-014	1.9050E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.6013E-011	4.0558E-010
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	8.6102E-015	1.1868E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.0649E-014	7.0319E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethylene	8.3552E-015	1.1435E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1522E-015	1.5795E-014
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.0490E-009	4.6736E-008
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.1007E-009	4.8741E-008
RCPTR_27	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.8820E-013	2.6028E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Vinyl Chloride	2.6849E-018	3.7149E-017
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, m-	6.6741E-013	1.2577E-012
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, o-	5.0497E-013	1.0929E-012
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, p-	6.4850E-013	1.5640E-012
RCPTR_27	farmer_adult	TOCDFDFS	Zinc	1.3624E-006	1.6931E-006
RCPTR_27	farmer_adult	TOCDFLIC	Acenaphthene	1.6886E-010	2.1077E-009
RCPTR_27	farmer_adult	TOCDFLIC	Acetone	5.4074E-015	7.5599E-014
RCPTR_27	farmer_adult	TOCDFLIC	Acetophenone	7.9700E-013	1.1076E-011
RCPTR_27	farmer_adult	TOCDFLIC	Aniline	4.8669E-014	6.6729E-013
RCPTR_27	farmer_adult	TOCDFLIC	Anthracene	3.0115E-009	3.7199E-008
RCPTR_27	farmer_adult	TOCDFLIC	Antimony	1.0482E-005	1.2188E-005
RCPTR_27	farmer_adult	TOCDFLIC	Arsenic	1.9578E-005	2.0268E-005
RCPTR_27	farmer_adult	TOCDFLIC	Barium	1.5666E-006	1.7542E-006
RCPTR_27	farmer_adult	TOCDFLIC	Benzene	3.0537E-014	4.1578E-013
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3959E-006	4.8294E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.9163E-005	4.0647E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0882E-005	2.4590E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.0464E-005	6.2228E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzoic acid	3.4732E-012	2.6842E-011
RCPTR_27	farmer_adult	TOCDFLIC	Benzyl alcohol	1.7475E-010	2.4215E-009
RCPTR_27	farmer_adult	TOCDFLIC	Beryllium	2.6619E-006	2.8349E-006
RCPTR_27	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0832E-012	1.5143E-011
RCPTR_27	farmer_adult	TOCDFLIC	Bromodichloromethane	1.0785E-015	1.5004E-014
RCPTR_27	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.9492E-012	2.7161E-011
RCPTR_27	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.1327E-008	5.8184E-007
RCPTR_27	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2360E-008	2.5708E-008
RCPTR_27	farmer_adult	TOCDFLIC	Cadmium	3.2099E-007	4.4174E-007
RCPTR_27	farmer_adult	TOCDFLIC	Carbon disulfide	7.1208E-015	9.7890E-014
RCPTR_27	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.4261E-013	1.9371E-012
RCPTR_27	farmer_adult	TOCDFLIC	Chlorine	1.1559E-006	1.6167E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.1541E-010	1.2886E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.1559E-012	7.0372E-011
RCPTR_27	farmer_adult	TOCDFLIC	Chlorobenzene	5.8454E-014	7.8039E-013
RCPTR_27	farmer_adult	TOCDFLIC	Chloroethane	6.7027E-017	8.0272E-016
RCPTR_27	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.5957E-014	7.7735E-013
RCPTR_27	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.3065E-010	5.5031E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.4000E-011	1.9532E-010
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2120E-009	7.1670E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chromium	1.2920E-005	1.2970E-005
RCPTR_27	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.1612E-005	1.1788E-005
RCPTR_27	farmer_adult	TOCDFLIC	Chrysene	1.0773E-005	1.2400E-005
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.3447E-008	1.5439E-008
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-octylphthalate	7.0928E+001	7.0928E+001
RCPTR_27	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.5388E-004	8.6620E-004
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.6512E-013	8.9081E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.6982E-013	1.0762E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.2284E-013	1.0358E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6211E-008	3.1986E-008
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.6829E-018	6.3873E-017
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.8697E-016	2.6006E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4341E-015	1.9972E-014
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	7.1500E-017	9.8476E-016
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.1152E-016	9.7866E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.1735E-010	9.1365E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.0514E-015	5.5083E-014
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3514E-015	1.8730E-014
RCPTR_27	farmer_adult	TOCDFLIC	Diethyl phthalate	8.6229E-009	8.9639E-009
RCPTR_27	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.3962E-010	1.6675E-009
RCPTR_27	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.9778E-012	1.3328E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.3863E-011	7.6727E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1307E-011	1.2306E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.1539E-012	9.4702E-011
RCPTR_27	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.0301E-013	2.8354E-012
RCPTR_27	farmer_adult	TOCDFLIC	Ethylbenzene	1.5910E-014	1.8333E-013
RCPTR_27	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.8906E-008	3.3430E-008
RCPTR_27	farmer_adult	TOCDFLIC	Fluoranthene	1.1235E-007	4.9400E-007
RCPTR_27	farmer_adult	TOCDFLIC	Fluorene	7.1171E-010	8.2893E-009
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.9952E-011	7.2625E-011
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.2839E-010	2.3532E-010
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.3207E-010	5.5188E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.8551E-010	6.0417E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.5038E-010	3.6495E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.8972E-010	3.0364E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.9953E-010	6.3244E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.2060E-010	5.4903E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.3459E-010	5.6356E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.4000E-010	4.6393E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8449E-011	1.7506E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.4741E-008	3.5528E-007
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.2866E-011	4.6621E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.5621E-012	1.0691E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2552E-003	6.2806E-003
RCPTR_27	farmer_adult	TOCDFLIC	Isophorone	1.4599E-012	2.0276E-011
RCPTR_27	farmer_adult	TOCDFLIC	Lead	6.9174E-006	7.6049E-006
RCPTR_27	farmer_adult	TOCDFLIC	Mercuric chloride	1.1770E-006	1.2202E-006
RCPTR_27	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.9381E-017	1.1074E-015
RCPTR_27	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.4047E-016	1.9537E-015
RCPTR_27	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0999E-013	1.5371E-012
RCPTR_27	farmer_adult	TOCDFLIC	Methyl mercury	1.7201E-008	1.7608E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Methylene chloride	1.4409E-014	2.0061E-013
RCPTR_27	farmer_adult	TOCDFLIC	Mustard	1.4985E-013	2.0769E-012
RCPTR_27	farmer_adult	TOCDFLIC	Naphthalene	1.0088E-012	1.3244E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nickel	3.1159E-005	3.3207E-005
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.5346E-011	3.4592E-010
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.9315E-012	8.2303E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.7052E-012	1.0635E-010
RCPTR_27	farmer_adult	TOCDFLIC	Nitrobenzene	2.4537E-012	3.4222E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.1214E-012	1.5581E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3709E-011	2.7455E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4144E-012	1.9309E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.4067E-012	1.8979E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.4110E-013	1.7080E-012
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0330E-010	1.0852E-010
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0191E-010	1.0695E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3016E-009	1.3524E-009
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0057E-010	2.1423E-010
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.6984E-010	8.2072E-010
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.5340E-010	6.6475E-009
RCPTR_27	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.3832E-011	5.2626E-010
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorophenol	4.7278E-008	6.4193E-008
RCPTR_27	farmer_adult	TOCDFLIC	Phenanthrene	2.1582E-012	2.6238E-011
RCPTR_27	farmer_adult	TOCDFLIC	Phenol	1.9759E-012	2.7118E-011
RCPTR_27	farmer_adult	TOCDFLIC	Pronamide	2.2559E-010	2.6000E-009
RCPTR_27	farmer_adult	TOCDFLIC	Pyrene	1.4229E-007	6.9221E-007
RCPTR_27	farmer_adult	TOCDFLIC	Selenium	1.2151E-005	1.2209E-005
RCPTR_27	farmer_adult	TOCDFLIC	Silver	3.1180E-005	3.3099E-005
RCPTR_27	farmer_adult	TOCDFLIC	Styrene	2.2766E-011	3.1093E-010
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.6747E-010	1.8330E-010
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.3481E-011	7.1952E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.1643E-010	2.1126E-009
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.2737E-015	9.9912E-014
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.7324E-015	3.7353E-014
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.0524E-009	1.6358E-008
RCPTR_27	farmer_adult	TOCDFLIC	Thallium (l)	4.1544E-005	4.3379E-005
RCPTR_27	farmer_adult	TOCDFLIC	Toluene	5.5857E-014	7.3048E-013
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.1559E-012	8.0605E-011
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.2966E-014	3.1655E-013
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.0821E-014	2.8907E-013
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethylene	3.4347E-015	4.7008E-014
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.5069E-016	6.1779E-015
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0037E-009	9.2888E-009
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.6001E-010	1.9273E-009
RCPTR_27	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.7365E-014	1.0700E-012
RCPTR_27	farmer_adult	TOCDFLIC	Vinyl Chloride	3.3079E-018	4.5774E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, m-	5.7516E-013	1.0945E-012
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, o-	4.9832E-013	1.0904E-012
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, p-	5.5935E-013	1.3648E-012
RCPTR_27	farmer_adult	TOCDFLIC	Zinc	1.2219E-005	1.5184E-005
RCPTR_27	farmer_adult	TOCDFMPF	Acenaphthene	2.5762E-010	3.2156E-009
RCPTR_27	farmer_adult	TOCDFMPF	Acetone	1.9712E-014	2.7558E-013
RCPTR_27	farmer_adult	TOCDFMPF	Acetophenone	1.2738E-012	1.7703E-011
RCPTR_27	farmer_adult	TOCDFMPF	Aniline	7.4252E-014	1.0180E-012
RCPTR_27	farmer_adult	TOCDFMPF	Anthracene	4.5946E-009	5.6753E-008
RCPTR_27	farmer_adult	TOCDFMPF	Antimony	1.4286E-007	1.6610E-007
RCPTR_27	farmer_adult	TOCDFMPF	Aroclor 1254	1.2276E-009	2.1730E-009
RCPTR_27	farmer_adult	TOCDFMPF	Arsenic	1.0178E-006	1.0537E-006
RCPTR_27	farmer_adult	TOCDFMPF	Barium	1.1102E-006	1.2431E-006
RCPTR_27	farmer_adult	TOCDFMPF	Benzene	2.7237E-014	3.7085E-013
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.1819E-006	7.3689E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.9765E-005	6.2031E-005
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.1862E-005	3.7520E-005
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	9.2269E-005	9.4963E-005
RCPTR_27	farmer_adult	TOCDFMPF	Benzoic acid	1.5339E-011	1.1854E-010
RCPTR_27	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6663E-012	2.3089E-011
RCPTR_27	farmer_adult	TOCDFMPF	Beryllium	9.0747E-008	9.6648E-008
RCPTR_27	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.6526E-012	2.3103E-011
RCPTR_27	farmer_adult	TOCDFMPF	Bromodichloromethane	3.2699E-014	4.5491E-013
RCPTR_27	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.1363E-012	1.5834E-011
RCPTR_27	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	9.3564E-008	8.8769E-007
RCPTR_27	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.4130E-008	3.9238E-008
RCPTR_27	farmer_adult	TOCDFMPF	Cadmium	1.4657E-006	2.0170E-006
RCPTR_27	farmer_adult	TOCDFMPF	Carbon disulfide	2.5982E-015	3.5717E-014
RCPTR_27	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.4792E-014	3.3674E-013
RCPTR_27	farmer_adult	TOCDFMPF	Chlorine	2.1253E-007	2.9725E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.2863E-010	1.9660E-009
RCPTR_27	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.8661E-012	1.0736E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chlorobenzene	1.0467E-013	1.3973E-012
RCPTR_27	farmer_adult	TOCDFMPF	Chloroethane	6.5917E-016	7.8943E-015
RCPTR_27	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.7562E-014	2.4397E-013
RCPTR_27	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.5702E-010	8.3958E-009
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.1359E-011	2.9799E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.8492E-009	1.0934E-008
RCPTR_27	farmer_adult	TOCDFMPF	Chromium	2.4518E-006	2.4612E-006
RCPTR_27	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.2036E-006	2.2369E-006
RCPTR_27	farmer_adult	TOCDFMPF	Chrysene	1.6437E-005	1.8919E-005
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.3275E-007	1.5241E-007
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-octylphthalate	7.0015E+002	7.0015E+002
RCPTR_27	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.3031E-003	1.3220E-003
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.1673E-012	1.3591E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3270E-012	1.6420E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.2554E-012	1.5802E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.0234E-008	9.7909E-008
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.8439E-017	5.2429E-016
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.6687E-015	7.8847E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.0333E-015	9.7949E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.1678E-015	2.9857E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.4895E-015	4.7997E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.3159E-010	1.3939E-009
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.9869E-014	2.7014E-013
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.4285E-015	8.9095E-014
RCPTR_27	farmer_adult	TOCDFMPF	Diethyl phthalate	8.5120E-008	8.8486E-008
RCPTR_27	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.4880E-011	1.7770E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.5223E-011	2.0333E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.1569E-011	1.1685E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.7252E-011	1.8775E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.2440E-011	1.4448E-010
RCPTR_27	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.0972E-013	4.3257E-012
RCPTR_27	farmer_adult	TOCDFMPF	Ethylbenzene	7.4378E-014	8.5704E-013
RCPTR_27	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.2209E-009	6.0376E-009
RCPTR_27	farmer_adult	TOCDFMPF	Fluoranthene	1.7142E-007	7.5368E-007
RCPTR_27	farmer_adult	TOCDFMPF	Fluorene	1.0858E-009	1.2646E-008
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.7255E-010	2.8297E-010
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.5896E-010	3.6985E-010
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.2254E-010	6.4573E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6714E-010	1.7246E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.7844E-011	8.1081E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.8432E-011	7.1721E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1843E-010	1.2493E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.0217E-011	5.2960E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.4447E-011	4.6857E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.9811E-011	4.1977E-011
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.8148E-011	2.6709E-010
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.3004E-008	5.4203E-007
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.0662E-011	7.1128E-010
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3063E-011	1.6310E-010
RCPTR_27	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.5439E-003	9.5827E-003
RCPTR_27	farmer_adult	TOCDFMPF	Isophorone	2.2272E-012	3.0934E-011
RCPTR_27	farmer_adult	TOCDFMPF	Lead	7.9864E-007	8.7800E-007
RCPTR_27	farmer_adult	TOCDFMPF	Mercuric chloride	1.9975E-005	2.0709E-005
RCPTR_27	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.0993E-016	5.7185E-015
RCPTR_27	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.3930E-017	3.3281E-016
RCPTR_27	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.2260E-014	3.1110E-013
RCPTR_27	farmer_adult	TOCDFMPF	Methyl mercury	2.9207E-007	2.9898E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Methylene chloride	1.1309E-014	1.5746E-013
RCPTR_27	farmer_adult	TOCDFMPF	Mustard	1.0642E-012	1.4749E-011
RCPTR_27	farmer_adult	TOCDFMPF	Naphthalene	9.9582E-012	1.3074E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nickel	1.9541E-005	2.0825E-005
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.8599E-011	5.2680E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.0329E-012	1.2534E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.1734E-011	1.6196E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nitrobenzene	3.7434E-012	5.2210E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.7109E-012	2.3772E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.0876E-010	4.1810E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.1578E-012	2.9458E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.1462E-012	2.8956E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.1531E-013	2.6058E-012
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.5705E-009	6.9027E-009
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1555E-008	1.2126E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.7974E-011	7.0632E-011
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.7010E-011	9.2933E-011
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.1593E-011	5.5003E-011
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.6003E-010	2.0248E-009
RCPTR_27	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1249E-010	8.0149E-010
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorophenol	3.6063E-007	4.8967E-007
RCPTR_27	farmer_adult	TOCDFMPF	Phenanthrene	3.2927E-012	4.0030E-011
RCPTR_27	farmer_adult	TOCDFMPF	Phenol	3.0145E-012	4.1372E-011
RCPTR_27	farmer_adult	TOCDFMPF	Pronamide	3.4417E-010	3.9667E-009
RCPTR_27	farmer_adult	TOCDFMPF	Pyrene	2.1709E-007	1.0561E-006
RCPTR_27	farmer_adult	TOCDFMPF	Selenium	2.1309E-007	2.1409E-007
RCPTR_27	farmer_adult	TOCDFMPF	Silver	4.2055E-006	4.4643E-006
RCPTR_27	farmer_adult	TOCDFMPF	Styrene	5.1810E-013	7.0759E-012
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0006E-011	2.1897E-011
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.2788E-011	7.1166E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.3020E-010	3.2231E-009
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.2053E-013	3.0292E-012
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0996E-014	2.8702E-013
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.2168E-009	2.4910E-008
RCPTR_27	farmer_adult	TOCDFMPF	Thallium (l)	1.2712E-006	1.3273E-006
RCPTR_27	farmer_adult	TOCDFMPF	Toluene	3.7401E-014	4.8912E-013
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0917E-011	1.2297E-010
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.3453E-014	1.8543E-013
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.0211E-013	1.4177E-012
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethylene	1.6845E-014	2.3054E-013
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.6417E-014	6.3627E-013
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.5313E-009	1.4171E-008
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.4924E-010	2.9404E-009
RCPTR_27	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.7942E-013	5.2475E-012
RCPTR_27	farmer_adult	TOCDFMPF	Vinyl Chloride	9.0585E-018	1.2535E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, m-	5.7526E-013	1.0940E-012
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, o-	4.9839E-013	1.0898E-012
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, p-	5.5942E-013	1.3640E-012
RCPTR_27	farmer_adult	TOCDFMPF	Zinc	3.4787E-006	4.3230E-006
RCPTR_27	farmer_adult	TOCDHVAC	Mustard	3.8000E-013	5.2668E-012
RCPTR_27	farmer_adult	TOCDLIC2	Acenaphthene	1.6886E-010	2.1077E-009
RCPTR_27	farmer_adult	TOCDLIC2	Acetone	5.4074E-015	7.5599E-014
RCPTR_27	farmer_adult	TOCDLIC2	Acetophenone	7.9700E-013	1.1076E-011
RCPTR_27	farmer_adult	TOCDLIC2	Aniline	4.8669E-014	6.6729E-013
RCPTR_27	farmer_adult	TOCDLIC2	Anthracene	3.0115E-009	3.7199E-008
RCPTR_27	farmer_adult	TOCDLIC2	Antimony	1.0482E-005	1.2188E-005
RCPTR_27	farmer_adult	TOCDLIC2	Arsenic	1.9578E-005	2.0268E-005
RCPTR_27	farmer_adult	TOCDLIC2	Barium	1.5666E-006	1.7542E-006
RCPTR_27	farmer_adult	TOCDLIC2	Benzene	3.0537E-014	4.1578E-013
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3959E-006	4.8294E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.9163E-005	4.0647E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.0882E-005	2.4590E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.0464E-005	6.2228E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzoic acid	3.4732E-012	2.6842E-011
RCPTR_27	farmer_adult	TOCDLIC2	Benzyl alcohol	1.7475E-010	2.4215E-009
RCPTR_27	farmer_adult	TOCDLIC2	Beryllium	2.6619E-006	2.8349E-006
RCPTR_27	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0832E-012	1.5143E-011
RCPTR_27	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0785E-015	1.5004E-014
RCPTR_27	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.9492E-012	2.7161E-011
RCPTR_27	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.1327E-008	5.8184E-007
RCPTR_27	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.2360E-008	2.5708E-008
RCPTR_27	farmer_adult	TOCDLIC2	Cadmium	3.2099E-007	4.4174E-007
RCPTR_27	farmer_adult	TOCDLIC2	Carbon disulfide	7.1208E-015	9.7890E-014
RCPTR_27	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.4261E-013	1.9371E-012
RCPTR_27	farmer_adult	TOCDLIC2	Chlorine	1.1559E-006	1.6167E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.1541E-010	1.2886E-009
RCPTR_27	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.1559E-012	7.0372E-011
RCPTR_27	farmer_adult	TOCDLIC2	Chlorobenzene	5.8454E-014	7.8039E-013
RCPTR_27	farmer_adult	TOCDLIC2	Chloroethane	6.7027E-017	8.0272E-016
RCPTR_27	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.5957E-014	7.7735E-013
RCPTR_27	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.3065E-010	5.5031E-009
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.4000E-011	1.9532E-010
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2120E-009	7.1670E-009
RCPTR_27	farmer_adult	TOCDLIC2	Chromium	1.2920E-005	1.2970E-005
RCPTR_27	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.1612E-005	1.1788E-005
RCPTR_27	farmer_adult	TOCDLIC2	Chrysene	1.0773E-005	1.2400E-005
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.3447E-008	1.5439E-008
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.0928E+001	7.0928E+001
RCPTR_27	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.5388E-004	8.6620E-004
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.6512E-013	8.9081E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.6982E-013	1.0762E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.2284E-013	1.0358E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.6211E-008	3.1986E-008
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.6829E-018	6.3873E-017
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.8697E-016	2.6006E-015
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4341E-015	1.9972E-014
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	7.1500E-017	9.8476E-016
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.1152E-016	9.7866E-015
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.1735E-010	9.1365E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.0514E-015	5.5083E-014
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3514E-015	1.8730E-014
RCPTR_27	farmer_adult	TOCDLIC2	Diethyl phthalate	8.6229E-009	8.9639E-009
RCPTR_27	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.3962E-010	1.6675E-009
RCPTR_27	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.9778E-012	1.3328E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.3863E-011	7.6727E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1307E-011	1.2306E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.1539E-012	9.4702E-011
RCPTR_27	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.0301E-013	2.8354E-012
RCPTR_27	farmer_adult	TOCDLIC2	Ethylbenzene	1.5910E-014	1.8333E-013
RCPTR_27	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.8906E-008	3.3430E-008
RCPTR_27	farmer_adult	TOCDLIC2	Fluoranthene	1.1235E-007	4.9400E-007
RCPTR_27	farmer_adult	TOCDLIC2	Fluorene	7.1171E-010	8.2893E-009
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.9952E-011	7.2625E-011
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.2839E-010	2.3532E-010
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.3207E-010	5.5188E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.8551E-010	6.0417E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.5038E-010	3.6495E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.8972E-010	3.0364E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.9953E-010	6.3244E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.2060E-010	5.4903E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3459E-010	5.6356E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.4000E-010	4.6393E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8449E-011	1.7506E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.4741E-008	3.5528E-007
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.2866E-011	4.6621E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.5621E-012	1.0691E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2552E-003	6.2806E-003
RCPTR_27	farmer_adult	TOCDLIC2	Isophorone	1.4599E-012	2.0276E-011
RCPTR_27	farmer_adult	TOCDLIC2	Lead	6.9174E-006	7.6049E-006
RCPTR_27	farmer_adult	TOCDLIC2	Mercuric chloride	1.1770E-006	1.2202E-006
RCPTR_27	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.9381E-017	1.1074E-015
RCPTR_27	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.4047E-016	1.9537E-015
RCPTR_27	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0999E-013	1.5371E-012
RCPTR_27	farmer_adult	TOCDLIC2	Methyl mercury	1.7201E-008	1.7608E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Methylene chloride	1.4409E-014	2.0061E-013
RCPTR_27	farmer_adult	TOCDLIC2	Mustard	1.5579E-013	2.1592E-012
RCPTR_27	farmer_adult	TOCDLIC2	Naphthalene	1.0088E-012	1.3244E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nickel	3.1159E-005	3.3207E-005
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.5346E-011	3.4592E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.9315E-012	8.2303E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.7052E-012	1.0635E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitrobenzene	2.4537E-012	3.4222E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.1214E-012	1.5581E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3709E-010	2.7455E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4144E-012	1.9309E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.4067E-012	1.8979E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.4110E-013	1.7080E-012
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0330E-010	1.0852E-010
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0191E-010	1.0695E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3016E-009	1.3524E-009
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0057E-010	2.1423E-010
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.6984E-010	8.2072E-010
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.5340E-010	6.6475E-009
RCPTR_27	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.3832E-011	5.2626E-010
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorophenol	4.7278E-008	6.4193E-008
RCPTR_27	farmer_adult	TOCDLIC2	Phenanthrene	2.1582E-012	2.6238E-011
RCPTR_27	farmer_adult	TOCDLIC2	Phenol	1.9759E-012	2.7118E-011
RCPTR_27	farmer_adult	TOCDLIC2	Pronamide	2.2559E-010	2.6000E-009
RCPTR_27	farmer_adult	TOCDLIC2	Pyrene	1.4229E-007	6.9221E-007
RCPTR_27	farmer_adult	TOCDLIC2	Selenium	1.2151E-005	1.2209E-005
RCPTR_27	farmer_adult	TOCDLIC2	Silver	3.1180E-005	3.3099E-005
RCPTR_27	farmer_adult	TOCDLIC2	Styrene	2.2766E-011	3.1093E-010
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6747E-010	1.8330E-010
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.3481E-011	7.1952E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.1643E-010	2.1126E-009
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.2737E-015	9.9912E-014
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.7324E-015	3.7353E-014
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.0524E-009	1.6358E-008
RCPTR_27	farmer_adult	TOCDLIC2	Thallium (l)	4.1544E-005	4.3379E-005
RCPTR_27	farmer_adult	TOCDLIC2	Toluene	5.5857E-014	7.3048E-013
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.1559E-012	8.0605E-011
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.2966E-014	3.1655E-013
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.0821E-014	2.8907E-013
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethylene	3.4347E-015	4.7008E-014
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.5069E-016	6.1779E-015
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0037E-009	9.2888E-009
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.6001E-010	1.9273E-009
RCPTR_27	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.7365E-014	1.0700E-012
RCPTR_27	farmer_adult	TOCDLIC2	Vinyl Chloride	3.3079E-018	4.5774E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, m-	1.1952E-012	2.2744E-012
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, o-	1.0355E-012	2.2658E-012
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, p-	1.1624E-012	2.8361E-012
RCPTR_27	farmer_adult	TOCDLIC2	Zinc	1.2219E-005	1.5184E-005
RCPTR_27	farmer_child	TOCDFBRA	Antimony	3.7758E-006	4.0880E-006
RCPTR_27	farmer_child	TOCDFBRA	Arsenic	6.0579E-006	6.1755E-006
RCPTR_27	farmer_child	TOCDFBRA	Barium	5.1427E-007	5.4639E-007
RCPTR_27	farmer_child	TOCDFBRA	Beryllium	1.6361E-006	1.6840E-006
RCPTR_27	farmer_child	TOCDFBRA	Cadmium	3.1372E-007	3.6464E-007
RCPTR_27	farmer_child	TOCDFBRA	Chromium	3.8635E-005	3.9633E-005
RCPTR_27	farmer_child	TOCDFBRA	Chromium, hexavalent	3.5723E-005	3.6026E-005
RCPTR_27	farmer_child	TOCDFBRA	Lead	1.6941E-005	1.7722E-005
RCPTR_27	farmer_child	TOCDFBRA	Mercuric chloride	1.7682E-003	2.1164E-003
RCPTR_27	farmer_child	TOCDFBRA	Methyl mercury	3.1110E-005	3.2182E-005
RCPTR_27	farmer_child	TOCDFBRA	Nickel	2.0057E-005	2.0724E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFBRA	Selenium	6.7539E-006	6.7718E-006
RCPTR_27	farmer_child	TOCDFBRA	Silver	2.3017E-006	2.3794E-006
RCPTR_27	farmer_child	TOCDFBRA	Thallium (l)	6.2026E-005	6.3408E-005
RCPTR_27	farmer_child	TOCDFBRA	Zinc	1.1179E-005	1.2458E-005
RCPTR_27	farmer_child	TOCDFDFS	Acenaphthene	5.1067E-009	1.0605E-008
RCPTR_27	farmer_child	TOCDFDFS	Acetone	5.5760E-014	1.1697E-013
RCPTR_27	farmer_child	TOCDFDFS	Acetophenone	2.7944E-011	5.8593E-011
RCPTR_27	farmer_child	TOCDFDFS	Aniline	1.6031E-012	3.3575E-012
RCPTR_27	farmer_child	TOCDFDFS	Anthracene	9.0222E-008	1.8718E-007
RCPTR_27	farmer_child	TOCDFDFS	Antimony	2.3319E-007	2.5249E-007
RCPTR_27	farmer_child	TOCDFDFS	Aroclor 1254	2.9394E-009	3.8895E-009
RCPTR_27	farmer_child	TOCDFDFS	Arsenic	4.3644E-007	4.4492E-007
RCPTR_27	farmer_child	TOCDFDFS	Barium	2.9233E-007	3.1061E-007
RCPTR_27	farmer_child	TOCDFDFS	Benzene	1.9991E-013	4.1843E-013
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.0976E-005	2.4353E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.0183E-004	2.0549E-004
RCPTR_27	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.1512E-004	1.2397E-004
RCPTR_27	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.1075E-004	3.1445E-004
RCPTR_27	farmer_child	TOCDFDFS	Benzoic acid	1.9910E-011	3.9094E-011
RCPTR_27	farmer_child	TOCDFDFS	Benzyl alcohol	3.6327E-011	7.6150E-011
RCPTR_27	farmer_child	TOCDFDFS	Beryllium	2.3191E-007	2.3871E-007
RCPTR_27	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.6320E-011	7.6193E-011
RCPTR_27	farmer_child	TOCDFDFS	Bromodichloromethane	6.4606E-014	1.3548E-013
RCPTR_27	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.0334E-011	2.1674E-011
RCPTR_27	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.7012E-006	2.9276E-006
RCPTR_27	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.2077E-007	1.3027E-007
RCPTR_27	farmer_child	TOCDFDFS	Cadmium	9.4637E-008	1.1001E-007
RCPTR_27	farmer_child	TOCDFDFS	Carbon disulfide	3.5670E-014	7.4722E-014
RCPTR_27	farmer_child	TOCDFDFS	Carbon tetrachloride	5.6586E-014	1.1841E-013
RCPTR_27	farmer_child	TOCDFDFS	Chlorine	1.1269E-012	2.3641E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.4398E-009	6.4835E-009
RCPTR_27	farmer_child	TOCDFDFS	Chloroaniline, p-	1.6913E-010	3.5409E-010
RCPTR_27	farmer_child	TOCDFDFS	Chlorobenzene	3.3170E-013	6.9307E-013
RCPTR_27	farmer_child	TOCDFDFS	Chloroethane	9.4396E-016	1.9527E-015
RCPTR_27	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.4575E-014	9.3461E-014
RCPTR_27	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.3304E-008	2.7690E-008
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.6856E-010	9.8279E-010
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9181E-008	3.6069E-008
RCPTR_27	farmer_child	TOCDFDFS	Chromium	7.2146E-006	7.4012E-006
RCPTR_27	farmer_child	TOCDFDFS	Chromium, hexavalent	6.6701E-006	6.7266E-006
RCPTR_27	farmer_child	TOCDFDFS	Chrysene	5.8919E-005	6.2500E-005
RCPTR_27	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.6633E-007	5.0289E-007
RCPTR_27	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.3073E+003	2.3073E+003
RCPTR_27	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.3553E-003	4.3831E-003
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.1729E-011	4.4822E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.6097E-011	5.4152E-011
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.5076E-011	5.2117E-011
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9017E-007	3.2295E-007
RCPTR_27	farmer_child	TOCDFDFS	Dichlorodifluoromethane	7.8008E-017	1.6330E-016
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.8650E-014	3.9108E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3166E-014	4.8583E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.0683E-015	1.4809E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1364E-014	2.3807E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.6218E-009	4.5965E-009
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.4024E-014	1.3399E-013
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.1081E-014	4.4192E-014
RCPTR_27	farmer_child	TOCDFDFS	Diethyl phthalate	2.8536E-007	2.9162E-007
RCPTR_27	farmer_child	TOCDFDFS	Dimethyl phthalate	4.2822E-010	8.8552E-010
RCPTR_27	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.2092E-010	6.7059E-010
RCPTR_27	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.6446E-010	3.8601E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.0235E-010	6.1929E-010
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.3108E-010	4.7652E-010
RCPTR_27	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.8011E-012	1.4266E-011
RCPTR_27	farmer_child	TOCDFDFS	Ethylbenzene	2.0630E-013	4.2510E-013
RCPTR_27	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.0438E-008	2.2112E-008
RCPTR_27	farmer_child	TOCDFDFS	Fluoranthene	1.4745E-006	2.4864E-006
RCPTR_27	farmer_child	TOCDFDFS	Fluorene	2.0219E-008	4.1709E-008
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.7305E-012	8.8786E-012
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.4762E-012	7.5774E-012
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3416E-011	2.3802E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.9614E-010	1.9892E-010
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1588E-010	1.1801E-010
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.9509E-011	9.1397E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.2703E-011	6.4204E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.6746E-011	5.8099E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.7459E-011	6.9055E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.1742E-011	5.2971E-011
RCPTR_27	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.3682E-010	8.8097E-010
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorobenzene	8.8007E-007	1.7877E-006
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.1740E-009	2.3463E-009
RCPTR_27	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.5900E-010	5.3790E-010
RCPTR_27	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.1581E-002	3.1641E-002
RCPTR_27	farmer_child	TOCDFDFS	Isophorone	4.8659E-011	1.0202E-010
RCPTR_27	farmer_child	TOCDFDFS	Lead	1.4273E-006	1.4931E-006
RCPTR_27	farmer_child	TOCDFDFS	Mercuric chloride	4.3770E-007	5.2640E-007
RCPTR_27	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	8.1403E-016	1.7074E-015
RCPTR_27	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.6054E-016	3.3663E-016
RCPTR_27	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.9973E-013	8.3854E-013
RCPTR_27	farmer_child	TOCDFDFS	Methyl mercury	7.3864E-009	7.6597E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Methylene chloride	2.4053E-014	5.0441E-014
RCPTR_27	farmer_child	TOCDFDFS	Mustard	2.8348E-012	5.9425E-012
RCPTR_27	farmer_child	TOCDFDFS	Naphthalene	2.0667E-010	4.3119E-010
RCPTR_27	farmer_child	TOCDFDFS	Nickel	3.0782E-005	3.1808E-005
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.3137E-010	1.7405E-009
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.9752E-010	4.1410E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.5535E-010	5.3510E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitrobenzene	8.2097E-011	1.7219E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.7392E-011	7.8400E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 4-	9.9105E-010	1.3809E-009
RCPTR_27	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.6406E-011	9.7154E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.5661E-011	9.5497E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.1526E-012	8.5963E-012
RCPTR_27	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4163E-011	1.4477E-011
RCPTR_27	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4912E-011	1.5236E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.5200E-010	3.5804E-010
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.3895E-011	4.5182E-011
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7758E-010	1.8265E-010
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorobenzene	3.4030E-009	6.6835E-009
RCPTR_27	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3676E-009	2.6507E-009
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorophenol	1.3766E-006	1.6169E-006
RCPTR_27	farmer_child	TOCDFDFS	Phenanthrene	6.3732E-011	1.3202E-010
RCPTR_27	farmer_child	TOCDFDFS	Phenol	6.5145E-011	1.3645E-010
RCPTR_27	farmer_child	TOCDFDFS	Pronamide	6.3485E-009	1.3082E-008
RCPTR_27	farmer_child	TOCDFDFS	Pyrene	2.2732E-006	3.4834E-006
RCPTR_27	farmer_child	TOCDFDFS	Selenium	4.8657E-007	4.8786E-007
RCPTR_27	farmer_child	TOCDFDFS	Silver	3.2769E-006	3.3876E-006
RCPTR_27	farmer_child	TOCDFDFS	Styrene	2.4247E-012	5.0765E-012
RCPTR_27	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0932E-010	1.1368E-010
RCPTR_27	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.3482E-011	3.5326E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.2523E-009	1.0630E-008
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.1118E-010	2.3745E-010
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.7994E-014	1.4237E-013
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.3059E-008	8.2283E-008
RCPTR_27	farmer_child	TOCDFDFS	Thallium (l)	4.3729E-004	4.4705E-004
RCPTR_27	farmer_child	TOCDFDFS	Toluene	9.1337E-014	1.9050E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.9728E-010	4.0558E-010
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.6639E-014	1.1868E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.3540E-013	7.0319E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethylene	5.4608E-014	1.1435E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.5416E-015	1.5795E-014
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.3240E-008	4.6736E-008
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.6398E-008	4.8741E-008
RCPTR_27	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.2418E-012	2.6028E-012
RCPTR_27	farmer_child	TOCDFDFS	Vinyl Chloride	1.7724E-017	3.7149E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Xylene, m-	9.2500E-013	1.2577E-012
RCPTR_27	farmer_child	TOCDFDFS	Xylene, o-	7.6152E-013	1.0929E-012
RCPTR_27	farmer_child	TOCDFDFS	Xylene, p-	1.0480E-012	1.5640E-012
RCPTR_27	farmer_child	TOCDFDFS	Zinc	1.5190E-006	1.6931E-006
RCPTR_27	farmer_child	TOCDFLIC	Acenaphthene	1.0149E-009	2.1077E-009
RCPTR_27	farmer_child	TOCDFLIC	Acetone	3.6037E-014	7.5599E-014
RCPTR_27	farmer_child	TOCDFLIC	Acetophenone	5.2826E-012	1.1076E-011
RCPTR_27	farmer_child	TOCDFLIC	Aniline	3.1861E-013	6.6729E-013
RCPTR_27	farmer_child	TOCDFLIC	Anthracene	1.7930E-008	3.7199E-008
RCPTR_27	farmer_child	TOCDFLIC	Antimony	1.1256E-005	1.2188E-005
RCPTR_27	farmer_child	TOCDFLIC	Arsenic	1.9882E-005	2.0268E-005
RCPTR_27	farmer_child	TOCDFLIC	Barium	1.6509E-006	1.7542E-006
RCPTR_27	farmer_child	TOCDFLIC	Benzene	1.9864E-013	4.1578E-013
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.1588E-006	4.8294E-006
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.9927E-005	4.0647E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2833E-005	2.4590E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.1502E-005	6.2228E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzoic acid	1.3671E-011	2.6842E-011
RCPTR_27	farmer_child	TOCDFLIC	Benzyl alcohol	1.1551E-009	2.4215E-009
RCPTR_27	farmer_child	TOCDFLIC	Beryllium	2.7542E-006	2.8349E-006
RCPTR_27	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.2184E-012	1.5143E-011
RCPTR_27	farmer_child	TOCDFLIC	Bromodichloromethane	7.1552E-015	1.5004E-014
RCPTR_27	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.2951E-011	2.7161E-011
RCPTR_27	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.3809E-007	5.8184E-007
RCPTR_27	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3821E-008	2.5708E-008
RCPTR_27	farmer_child	TOCDFLIC	Cadmium	3.8000E-007	4.4174E-007
RCPTR_27	farmer_child	TOCDFLIC	Carbon disulfide	4.6730E-014	9.7890E-014
RCPTR_27	farmer_child	TOCDFLIC	Carbon tetrachloride	9.2566E-013	1.9371E-012
RCPTR_27	farmer_child	TOCDFLIC	Chlorine	7.7062E-006	1.6167E-005
RCPTR_27	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.8374E-010	1.2886E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Chloroaniline, p-	3.3614E-011	7.0372E-011
RCPTR_27	farmer_child	TOCDFLIC	Chlorobenzene	3.7348E-013	7.8039E-013
RCPTR_27	farmer_child	TOCDFLIC	Chloroethane	3.8806E-016	8.0272E-016
RCPTR_27	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.7075E-013	7.7735E-013
RCPTR_27	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.6441E-009	5.5031E-009
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.3123E-011	1.9532E-010
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.8106E-009	7.1670E-009
RCPTR_27	farmer_child	TOCDFLIC	Chromium	1.2643E-005	1.2970E-005
RCPTR_27	farmer_child	TOCDFLIC	Chromium, hexavalent	1.1689E-005	1.1788E-005
RCPTR_27	farmer_child	TOCDFLIC	Chrysene	1.1689E-005	1.2400E-005
RCPTR_27	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.4316E-008	1.5439E-008
RCPTR_27	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.0928E+001	7.0928E+001
RCPTR_27	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.6082E-004	8.6620E-004
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.3184E-012	8.9081E-012
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.1866E-012	1.0762E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.9836E-012	1.0358E-011
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8731E-008	3.1986E-008
RCPTR_27	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.0512E-017	6.3873E-017
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.2402E-015	2.6006E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5234E-015	1.9972E-014
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.7002E-016	9.8476E-016
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.6716E-015	9.7866E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.2119E-010	9.1365E-010
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.6320E-014	5.5083E-014
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.9349E-015	1.8730E-014
RCPTR_27	farmer_child	TOCDFLIC	Diethyl phthalate	8.7717E-009	8.9639E-009
RCPTR_27	farmer_child	TOCDFLIC	Dimethyl phthalate	8.0633E-010	1.6675E-009
RCPTR_27	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.3781E-011	1.3328E-010
RCPTR_27	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.2568E-011	7.6727E-011
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.0074E-011	1.2306E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.5921E-011	9.4702E-011
RCPTR_27	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.3517E-012	2.8354E-012
RCPTR_27	farmer_child	TOCDFLIC	Ethylbenzene	8.8968E-014	1.8333E-013
RCPTR_27	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.0880E-008	3.3430E-008
RCPTR_27	farmer_child	TOCDFLIC	Fluoranthene	2.9291E-007	4.9400E-007
RCPTR_27	farmer_child	TOCDFLIC	Fluorene	4.0183E-009	8.2893E-009
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.1422E-011	7.2625E-011
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.3221E-010	2.3532E-010
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.4298E-010	5.5188E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.9578E-010	6.0417E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.5841E-010	3.6495E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.9739E-010	3.0364E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.1767E-010	6.3244E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.3626E-010	5.4903E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.5056E-010	5.6356E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.5319E-010	4.6393E-010
RCPTR_27	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.6790E-011	1.7506E-010
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorobenzene	1.7489E-007	3.5528E-007
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.3324E-010	4.6621E-010
RCPTR_27	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.1476E-011	1.0691E-010
RCPTR_27	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2690E-003	6.2806E-003
RCPTR_27	farmer_child	TOCDFLIC	Isophorone	9.6707E-012	2.0276E-011
RCPTR_27	farmer_child	TOCDFLIC	Lead	7.2695E-006	7.6049E-006
RCPTR_27	farmer_child	TOCDFLIC	Mercuric chloride	1.0137E-006	1.2202E-006
RCPTR_27	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.2796E-016	1.1074E-015
RCPTR_27	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.3169E-016	1.9537E-015
RCPTR_27	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.3275E-013	1.5371E-012
RCPTR_27	farmer_child	TOCDFLIC	Methyl mercury	1.6972E-008	1.7608E-008
RCPTR_27	farmer_child	TOCDFLIC	Methylene chloride	9.5662E-014	2.0061E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Mustard	9.9076E-013	2.0769E-012
RCPTR_27	farmer_child	TOCDFLIC	Naphthalene	6.3478E-012	1.3244E-011
RCPTR_27	farmer_child	TOCDFLIC	Nickel	3.2136E-005	3.3207E-005
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.6524E-010	3.4592E-010
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.9258E-011	8.2303E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.0751E-011	1.0635E-010
RCPTR_27	farmer_child	TOCDFLIC	Nitrobenzene	1.6316E-011	3.4222E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 2-	7.4313E-012	1.5581E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.9707E-011	2.7455E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.2229E-012	1.9309E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	9.0749E-012	1.8979E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	8.2484E-013	1.7080E-012
RCPTR_27	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0617E-010	1.0852E-010
RCPTR_27	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0468E-010	1.0695E-010
RCPTR_27	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3297E-009	1.3524E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0812E-010	2.1423E-010
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.9794E-010	8.2072E-010
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorobenzene	3.3818E-009	6.6475E-009
RCPTR_27	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.7126E-010	5.2626E-010
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorophenol	5.4659E-008	6.4193E-008
RCPTR_27	farmer_child	TOCDFLIC	Phenanthrene	1.2666E-011	2.6238E-011
RCPTR_27	farmer_child	TOCDFLIC	Phenol	1.2947E-011	2.7118E-011
RCPTR_27	farmer_child	TOCDFLIC	Pronamide	1.2617E-009	2.6000E-009
RCPTR_27	farmer_child	TOCDFLIC	Pyrene	4.5170E-007	6.9221E-007
RCPTR_27	farmer_child	TOCDFLIC	Selenium	1.2176E-005	1.2209E-005
RCPTR_27	farmer_child	TOCDFLIC	Silver	3.2018E-005	3.3099E-005
RCPTR_27	farmer_child	TOCDFLIC	Styrene	1.4851E-010	3.1093E-010
RCPTR_27	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7626E-010	1.8330E-010
RCPTR_27	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.8192E-011	7.1952E-011
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.0439E-009	2.1126E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.7698E-014	9.9912E-014
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.7840E-014	3.7353E-014
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0549E-008	1.6358E-008
RCPTR_27	farmer_child	TOCDFLIC	Thallium (l)	4.2432E-005	4.3379E-005
RCPTR_27	farmer_child	TOCDFLIC	Toluene	3.5024E-013	7.3048E-013
RCPTR_27	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.9207E-011	8.0605E-011
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.5107E-013	3.1655E-013
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.3788E-013	2.8907E-013
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethylene	2.2449E-014	4.7008E-014
RCPTR_27	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.9499E-015	6.1779E-015
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.6191E-009	9.2888E-009
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0439E-009	1.9273E-009
RCPTR_27	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.1051E-013	1.0700E-012
RCPTR_27	farmer_child	TOCDFLIC	Vinyl Chloride	2.1839E-017	4.5774E-017
RCPTR_27	farmer_child	TOCDFLIC	Xylene, m-	8.0177E-013	1.0945E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Xylene, o-	7.5667E-013	1.0904E-012
RCPTR_27	farmer_child	TOCDFLIC	Xylene, p-	9.1080E-013	1.3648E-012
RCPTR_27	farmer_child	TOCDFLIC	Zinc	1.3623E-005	1.5184E-005
RCPTR_27	farmer_child	TOCDFMPF	Acenaphthene	1.5484E-009	3.2156E-009
RCPTR_27	farmer_child	TOCDFMPF	Acetone	1.3137E-013	2.7558E-013
RCPTR_27	farmer_child	TOCDFMPF	Acetophenone	8.4431E-012	1.7703E-011
RCPTR_27	farmer_child	TOCDFMPF	Aniline	4.8609E-013	1.0180E-012
RCPTR_27	farmer_child	TOCDFMPF	Anthracene	2.7355E-008	5.6753E-008
RCPTR_27	farmer_child	TOCDFMPF	Antimony	1.5340E-007	1.6610E-007
RCPTR_27	farmer_child	TOCDFMPF	Aroclor 1254	1.6402E-009	2.1730E-009
RCPTR_27	farmer_child	TOCDFMPF	Arsenic	1.0336E-006	1.0537E-006
RCPTR_27	farmer_child	TOCDFMPF	Barium	1.1700E-006	1.2431E-006
RCPTR_27	farmer_child	TOCDFMPF	Benzene	1.7718E-013	3.7085E-013
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.3457E-006	7.3689E-006
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.0931E-005	6.2031E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.4840E-005	3.7520E-005
RCPTR_27	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.3853E-005	9.4963E-005
RCPTR_27	farmer_child	TOCDFMPF	Benzoic acid	6.0373E-011	1.1854E-010
RCPTR_27	farmer_child	TOCDFMPF	Benzyl alcohol	1.1015E-011	2.3089E-011
RCPTR_27	farmer_child	TOCDFMPF	Beryllium	9.3894E-008	9.6648E-008
RCPTR_27	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.1013E-011	2.3103E-011
RCPTR_27	farmer_child	TOCDFMPF	Bromodichloromethane	2.1694E-013	4.5491E-013
RCPTR_27	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.5499E-012	1.5834E-011
RCPTR_27	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.1581E-007	8.8769E-007
RCPTR_27	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.6359E-008	3.9238E-008
RCPTR_27	farmer_child	TOCDFMPF	Cadmium	1.7351E-006	2.0170E-006
RCPTR_27	farmer_child	TOCDFMPF	Carbon disulfide	1.7050E-014	3.5717E-014
RCPTR_27	farmer_child	TOCDFMPF	Carbon tetrachloride	1.6092E-013	3.3674E-013
RCPTR_27	farmer_child	TOCDFMPF	Chlorine	1.4169E-006	2.9725E-006
RCPTR_27	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0431E-009	1.9660E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Chloroaniline, p-	5.1283E-011	1.0736E-010
RCPTR_27	farmer_child	TOCDFMPF	Chlorobenzene	6.6873E-013	1.3973E-012
RCPTR_27	farmer_child	TOCDFMPF	Chloroethane	3.8164E-015	7.8943E-015
RCPTR_27	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.1636E-013	2.4397E-013
RCPTR_27	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.0340E-009	8.3958E-009
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.4207E-010	2.9799E-010
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.8137E-009	1.0934E-008
RCPTR_27	farmer_child	TOCDFMPF	Chromium	2.3992E-006	2.4612E-006
RCPTR_27	farmer_child	TOCDFMPF	Chromium, hexavalent	2.2181E-006	2.2369E-006
RCPTR_27	farmer_child	TOCDFMPF	Chrysene	1.7835E-005	1.8919E-005
RCPTR_27	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.4133E-007	1.5241E-007
RCPTR_27	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.0015E+002	7.0015E+002
RCPTR_27	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.3137E-003	1.3220E-003
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.5884E-012	1.3591E-011
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.9129E-012	1.6420E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.6032E-012	1.5802E-011
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.7947E-008	9.7909E-008
RCPTR_27	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.5045E-016	5.2429E-016
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.7601E-014	7.8847E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6706E-014	9.7949E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.4251E-014	2.9857E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.2911E-014	4.7997E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.9514E-010	1.3939E-009
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.2908E-013	2.7014E-013
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.2502E-014	8.9095E-014
RCPTR_27	farmer_child	TOCDFMPF	Diethyl phthalate	8.6589E-008	8.8486E-008
RCPTR_27	farmer_child	TOCDFMPF	Dimethyl phthalate	8.5931E-011	1.7770E-010
RCPTR_27	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.7307E-011	2.0333E-010
RCPTR_27	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.0054E-011	1.1685E-010
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	9.1653E-011	1.8775E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	7.0059E-011	1.4448E-010
RCPTR_27	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.0622E-012	4.3257E-012
RCPTR_27	farmer_child	TOCDFMPF	Ethylbenzene	4.1591E-013	8.5704E-013
RCPTR_27	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.5773E-009	6.0376E-009
RCPTR_27	farmer_child	TOCDFMPF	Fluoranthene	4.4688E-007	7.5368E-007
RCPTR_27	farmer_child	TOCDFMPF	Fluorene	6.1305E-009	1.2646E-008
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.7828E-010	2.8297E-010
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.6496E-010	3.6985E-010
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.3531E-010	6.4573E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7007E-010	1.7246E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.9628E-011	8.1081E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.0244E-011	7.1721E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.2202E-010	1.2493E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.1728E-011	5.2960E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.5775E-011	4.6857E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.1005E-011	4.1977E-011
RCPTR_27	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.3241E-010	2.6709E-010
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorobenzene	2.6683E-007	5.4203E-007
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.5584E-010	7.1128E-010
RCPTR_27	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.8534E-011	1.6310E-010
RCPTR_27	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.5650E-003	9.5827E-003
RCPTR_27	farmer_child	TOCDFMPF	Isophorone	1.4754E-011	3.0934E-011
RCPTR_27	farmer_child	TOCDFMPF	Lead	8.3928E-007	8.7800E-007
RCPTR_27	farmer_child	TOCDFMPF	Mercuric chloride	1.7205E-005	2.0709E-005
RCPTR_27	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.7264E-015	5.7185E-015
RCPTR_27	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.5872E-016	3.3281E-016
RCPTR_27	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.4830E-013	3.1110E-013
RCPTR_27	farmer_child	TOCDFMPF	Methyl mercury	2.8819E-007	2.9898E-007
RCPTR_27	farmer_child	TOCDFMPF	Methylene chloride	7.5083E-014	1.5746E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Mustard	7.0357E-012	1.4749E-011
RCPTR_27	farmer_child	TOCDFMPF	Naphthalene	6.2664E-011	1.3074E-010
RCPTR_27	farmer_child	TOCDFMPF	Nickel	2.0153E-005	2.0825E-005
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.5163E-010	5.2680E-010
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.9785E-011	1.2534E-010
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.7287E-011	1.6196E-010
RCPTR_27	farmer_child	TOCDFMPF	Nitrobenzene	2.4893E-011	5.2210E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.1338E-011	2.3772E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.0011E-010	4.1810E-010
RCPTR_27	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.4071E-011	2.9458E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3845E-011	2.8956E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.2585E-012	2.6058E-012
RCPTR_27	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.7533E-009	6.9027E-009
RCPTR_27	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1869E-008	1.2126E-008
RCPTR_27	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.9444E-011	7.0632E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.0285E-011	9.2933E-011
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.3476E-011	5.5003E-011
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorobenzene	1.0301E-009	2.0248E-009
RCPTR_27	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.1314E-010	8.0149E-010
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorophenol	4.1694E-007	4.8967E-007
RCPTR_27	farmer_child	TOCDFMPF	Phenanthrene	1.9324E-011	4.0030E-011
RCPTR_27	farmer_child	TOCDFMPF	Phenol	1.9753E-011	4.1372E-011
RCPTR_27	farmer_child	TOCDFMPF	Pronamide	1.9249E-009	3.9667E-009
RCPTR_27	farmer_child	TOCDFMPF	Pyrene	6.8915E-007	1.0561E-006
RCPTR_27	farmer_child	TOCDFMPF	Selenium	2.1352E-007	2.1409E-007
RCPTR_27	farmer_child	TOCDFMPF	Silver	4.3184E-006	4.4643E-006
RCPTR_27	farmer_child	TOCDFMPF	Styrene	3.3797E-012	7.0759E-012
RCPTR_27	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1056E-011	2.1897E-011
RCPTR_27	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.7447E-011	7.1166E-011
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.5926E-009	3.2231E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.4462E-012	3.0292E-012
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.3708E-013	2.8702E-013
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.6065E-008	2.4910E-008
RCPTR_27	farmer_child	TOCDFMPF	Thallium (l)	1.2983E-006	1.3273E-006
RCPTR_27	farmer_child	TOCDFMPF	Toluene	2.3452E-013	4.8912E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.9816E-011	1.2297E-010
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.8498E-014	1.8543E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.7620E-013	1.4177E-012
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethylene	1.1010E-013	2.3054E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.0381E-013	6.3627E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.0470E-009	1.4171E-008
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.5927E-009	2.9404E-009
RCPTR_27	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.5037E-012	5.2475E-012
RCPTR_27	farmer_child	TOCDFMPF	Vinyl Chloride	5.9804E-017	1.2535E-016
RCPTR_27	farmer_child	TOCDFMPF	Xylene, m-	8.0163E-013	1.0940E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Xylene, o-	7.5647E-013	1.0898E-012
RCPTR_27	farmer_child	TOCDFMPF	Xylene, p-	9.1050E-013	1.3640E-012
RCPTR_27	farmer_child	TOCDFMPF	Zinc	3.8785E-006	4.3230E-006
RCPTR_27	farmer_child	TOCDHVAC	Mustard	2.5125E-012	5.2668E-012
RCPTR_27	farmer_child	TOCDLIC2	Acenaphthene	1.0149E-009	2.1077E-009
RCPTR_27	farmer_child	TOCDLIC2	Acetone	3.6037E-014	7.5599E-014
RCPTR_27	farmer_child	TOCDLIC2	Acetophenone	5.2826E-012	1.1076E-011
RCPTR_27	farmer_child	TOCDLIC2	Aniline	3.1861E-013	6.6729E-013
RCPTR_27	farmer_child	TOCDLIC2	Anthracene	1.7930E-008	3.7199E-008
RCPTR_27	farmer_child	TOCDLIC2	Antimony	1.1256E-005	1.2188E-005
RCPTR_27	farmer_child	TOCDLIC2	Arsenic	1.9882E-005	2.0268E-005
RCPTR_27	farmer_child	TOCDLIC2	Barium	1.6509E-006	1.7542E-006
RCPTR_27	farmer_child	TOCDLIC2	Benzene	1.9864E-013	4.1578E-013
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.1588E-006	4.8294E-006
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.9927E-005	4.0647E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2833E-005	2.4590E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.1502E-005	6.2228E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzoic acid	1.3671E-011	2.6842E-011
RCPTR_27	farmer_child	TOCDLIC2	Benzyl alcohol	1.1551E-009	2.4215E-009
RCPTR_27	farmer_child	TOCDLIC2	Beryllium	2.7542E-006	2.8349E-006
RCPTR_27	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.2184E-012	1.5143E-011
RCPTR_27	farmer_child	TOCDLIC2	Bromodichloromethane	7.1552E-015	1.5004E-014
RCPTR_27	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2951E-011	2.7161E-011
RCPTR_27	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3809E-007	5.8184E-007
RCPTR_27	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.3821E-008	2.5708E-008
RCPTR_27	farmer_child	TOCDLIC2	Cadmium	3.8000E-007	4.4174E-007
RCPTR_27	farmer_child	TOCDLIC2	Carbon disulfide	4.6730E-014	9.7890E-014
RCPTR_27	farmer_child	TOCDLIC2	Carbon tetrachloride	9.2566E-013	1.9371E-012
RCPTR_27	farmer_child	TOCDLIC2	Chlorine	7.7062E-006	1.6167E-005
RCPTR_27	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.8374E-010	1.2886E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Chloroaniline, p-	3.3614E-011	7.0372E-011
RCPTR_27	farmer_child	TOCDLIC2	Chlorobenzene	3.7348E-013	7.8039E-013
RCPTR_27	farmer_child	TOCDLIC2	Chloroethane	3.8806E-016	8.0272E-016
RCPTR_27	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.7075E-013	7.7735E-013
RCPTR_27	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.6441E-009	5.5031E-009
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.3123E-011	1.9532E-010
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.8106E-009	7.1670E-009
RCPTR_27	farmer_child	TOCDLIC2	Chromium	1.2643E-005	1.2970E-005
RCPTR_27	farmer_child	TOCDLIC2	Chromium, hexavalent	1.1689E-005	1.1788E-005
RCPTR_27	farmer_child	TOCDLIC2	Chrysene	1.1689E-005	1.2400E-005
RCPTR_27	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.4316E-008	1.5439E-008
RCPTR_27	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.0928E+001	7.0928E+001
RCPTR_27	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.6082E-004	8.6620E-004
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.3184E-012	8.9081E-012
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.1866E-012	1.0762E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.9836E-012	1.0358E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8731E-008	3.1986E-008
RCPTR_27	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.0512E-017	6.3873E-017
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.2402E-015	2.6006E-015
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5234E-015	1.9972E-014
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.7002E-016	9.8476E-016
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.6716E-015	9.7866E-015
RCPTR_27	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.2119E-010	9.1365E-010
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.6320E-014	5.5083E-014
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.9349E-015	1.8730E-014
RCPTR_27	farmer_child	TOCDLIC2	Diethyl phthalate	8.7717E-009	8.9639E-009
RCPTR_27	farmer_child	TOCDLIC2	Dimethyl phthalate	8.0633E-010	1.6675E-009
RCPTR_27	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.3781E-011	1.3328E-010
RCPTR_27	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.2568E-011	7.6727E-011
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.0074E-011	1.2306E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.5921E-011	9.4702E-011
RCPTR_27	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.3517E-012	2.8354E-012
RCPTR_27	farmer_child	TOCDLIC2	Ethylbenzene	8.8968E-014	1.8333E-013
RCPTR_27	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.0880E-008	3.3430E-008
RCPTR_27	farmer_child	TOCDLIC2	Fluoranthene	2.9291E-007	4.9400E-007
RCPTR_27	farmer_child	TOCDLIC2	Fluorene	4.0183E-009	8.2893E-009
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.1422E-011	7.2625E-011
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3221E-010	2.3532E-010
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.4298E-010	5.5188E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.9578E-010	6.0417E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.5841E-010	3.6495E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.9739E-010	3.0364E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.1767E-010	6.3244E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.3626E-010	5.4903E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.5056E-010	5.6356E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.5319E-010	4.6393E-010
RCPTR_27	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.6790E-011	1.7506E-010
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorobenzene	1.7489E-007	3.5528E-007
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.3324E-010	4.6621E-010
RCPTR_27	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.1476E-011	1.0691E-010
RCPTR_27	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2690E-003	6.2806E-003
RCPTR_27	farmer_child	TOCDLIC2	Isophorone	9.6707E-012	2.0276E-011
RCPTR_27	farmer_child	TOCDLIC2	Lead	7.2695E-006	7.6049E-006
RCPTR_27	farmer_child	TOCDLIC2	Mercuric chloride	1.0137E-006	1.2202E-006
RCPTR_27	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.2796E-016	1.1074E-015
RCPTR_27	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.3169E-016	1.9537E-015
RCPTR_27	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.3275E-013	1.5371E-012
RCPTR_27	farmer_child	TOCDLIC2	Methyl mercury	1.6972E-008	1.7608E-008
RCPTR_27	farmer_child	TOCDLIC2	Methylene chloride	9.5662E-014	2.0061E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Mustard	1.0300E-012	2.1592E-012
RCPTR_27	farmer_child	TOCDLIC2	Naphthalene	6.3478E-012	1.3244E-011
RCPTR_27	farmer_child	TOCDLIC2	Nickel	3.2136E-005	3.3207E-005
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.6524E-010	3.4592E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.9258E-011	8.2303E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.0751E-011	1.0635E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitrobenzene	1.6316E-011	3.4222E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.4313E-012	1.5581E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.9707E-010	2.7455E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.2229E-012	1.9309E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	9.0749E-012	1.8979E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	8.2484E-013	1.7080E-012
RCPTR_27	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0617E-010	1.0852E-010
RCPTR_27	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0468E-010	1.0695E-010
RCPTR_27	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3297E-009	1.3524E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0812E-010	2.1423E-010
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.9794E-010	8.2072E-010
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorobenzene	3.3818E-009	6.6475E-009
RCPTR_27	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.7126E-010	5.2626E-010
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorophenol	5.4659E-008	6.4193E-008
RCPTR_27	farmer_child	TOCDLIC2	Phenanthrene	1.2666E-011	2.6238E-011
RCPTR_27	farmer_child	TOCDLIC2	Phenol	1.2947E-011	2.7118E-011
RCPTR_27	farmer_child	TOCDLIC2	Pronamide	1.2617E-009	2.6000E-009
RCPTR_27	farmer_child	TOCDLIC2	Pyrene	4.5170E-007	6.9221E-007
RCPTR_27	farmer_child	TOCDLIC2	Selenium	1.2176E-005	1.2209E-005
RCPTR_27	farmer_child	TOCDLIC2	Silver	3.2018E-005	3.3099E-005
RCPTR_27	farmer_child	TOCDLIC2	Styrene	1.4851E-010	3.1093E-010
RCPTR_27	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7626E-010	1.8330E-010
RCPTR_27	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.8192E-011	7.1952E-011
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0439E-009	2.1126E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.7698E-014	9.9912E-014
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.7840E-014	3.7353E-014
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0549E-008	1.6358E-008
RCPTR_27	farmer_child	TOCDLIC2	Thallium (l)	4.2432E-005	4.3379E-005
RCPTR_27	farmer_child	TOCDLIC2	Toluene	3.5024E-013	7.3048E-013
RCPTR_27	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.9207E-011	8.0605E-011
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.5107E-013	3.1655E-013
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.3788E-013	2.8907E-013
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethylene	2.2449E-014	4.7008E-014
RCPTR_27	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.9499E-015	6.1779E-015
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.6191E-009	9.2888E-009
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0439E-009	1.9273E-009
RCPTR_27	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.1051E-013	1.0700E-012
RCPTR_27	farmer_child	TOCDLIC2	Vinyl Chloride	2.1839E-017	4.5774E-017
RCPTR_27	farmer_child	TOCDLIC2	Xylene, m-	1.6661E-012	2.2744E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Xylene, o-	1.5724E-012	2.2658E-012
RCPTR_27	farmer_child	TOCDLIC2	Xylene, p-	1.8927E-012	2.8361E-012
RCPTR_27	farmer_child	TOCDLIC2	Zinc	1.3623E-005	1.5184E-005
RCPTR_28	farmer_adult	TOCDFBRA	Antimony	2.7162E-006	3.1572E-006
RCPTR_28	farmer_adult	TOCDFBRA	Arsenic	4.6077E-006	4.7698E-006
RCPTR_28	farmer_adult	TOCDFBRA	Barium	3.7696E-007	4.2200E-007
RCPTR_28	farmer_adult	TOCDFBRA	Beryllium	1.2214E-006	1.3007E-006
RCPTR_28	farmer_adult	TOCDFBRA	Cadmium	2.0473E-007	2.8160E-007
RCPTR_28	farmer_adult	TOCDFBRA	Chromium	3.0493E-005	3.0610E-005
RCPTR_28	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.7411E-005	2.7825E-005
RCPTR_28	farmer_adult	TOCDFBRA	Lead	1.2452E-005	1.3687E-005
RCPTR_28	farmer_adult	TOCDFBRA	Mercuric chloride	1.3980E-003	1.4474E-003
RCPTR_28	farmer_adult	TOCDFBRA	Methyl mercury	2.1921E-005	2.2386E-005
RCPTR_28	farmer_adult	TOCDFBRA	Nickel	1.5021E-005	1.6007E-005
RCPTR_28	farmer_adult	TOCDFBRA	Selenium	5.2059E-006	5.2303E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFBRA	Silver	1.7314E-006	1.8377E-006
RCPTR_28	farmer_adult	TOCDFBRA	Thallium (l)	4.6905E-005	4.8974E-005
RCPTR_28	farmer_adult	TOCDFBRA	Zinc	7.7454E-006	9.6215E-006
RCPTR_28	farmer_adult	TOCDFDFS	Acenaphthene	9.1281E-010	1.1393E-008
RCPTR_28	farmer_adult	TOCDFDFS	Acetone	8.9884E-015	1.2566E-013
RCPTR_28	farmer_adult	TOCDFDFS	Acetophenone	4.5293E-012	6.2946E-011
RCPTR_28	farmer_adult	TOCDFDFS	Aniline	2.6309E-013	3.6070E-012
RCPTR_28	farmer_adult	TOCDFDFS	Anthracene	1.6276E-008	2.0107E-007
RCPTR_28	farmer_adult	TOCDFDFS	Antimony	2.4215E-007	2.8137E-007
RCPTR_28	farmer_adult	TOCDFDFS	Aroclor 1254	2.3348E-009	4.1456E-009
RCPTR_28	farmer_adult	TOCDFDFS	Arsenic	4.7925E-007	4.9606E-007
RCPTR_28	farmer_adult	TOCDFDFS	Barium	3.0932E-007	3.4620E-007
RCPTR_28	farmer_adult	TOCDFDFS	Benzene	3.3016E-014	4.4952E-013
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.8335E-005	2.6077E-005
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.1100E-004	2.1894E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.1285E-004	1.3287E-004
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	3.2599E-004	3.3538E-004
RCPTR_28	farmer_adult	TOCDFDFS	Benzoic acid	5.4430E-012	4.2009E-011
RCPTR_28	farmer_adult	TOCDFDFS	Benzyl alcohol	5.9038E-012	8.1807E-011
RCPTR_28	farmer_adult	TOCDFDFS	Beryllium	2.4988E-007	2.6607E-007
RCPTR_28	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.8553E-012	8.1854E-011
RCPTR_28	farmer_adult	TOCDFDFS	Bromodichloromethane	1.0462E-014	1.4554E-013
RCPTR_28	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.6710E-012	2.3284E-011
RCPTR_28	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.3146E-007	3.1451E-006
RCPTR_28	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.1994E-007	1.3803E-007
RCPTR_28	farmer_adult	TOCDFDFS	Cadmium	8.9129E-008	1.2252E-007
RCPTR_28	farmer_adult	TOCDFDFS	Carbon disulfide	5.8396E-015	8.0274E-014
RCPTR_28	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.3661E-015	1.2721E-013
RCPTR_28	farmer_adult	TOCDFDFS	Chlorine	1.8159E-013	2.5397E-012
RCPTR_28	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1669E-009	6.9682E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.7872E-011	3.8039E-010
RCPTR_28	farmer_adult	TOCDFDFS	Chlorobenzene	5.5775E-014	7.4457E-013
RCPTR_28	farmer_adult	TOCDFDFS	Chloroethane	1.7526E-016	2.0978E-015
RCPTR_28	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	7.2277E-015	1.0040E-013
RCPTR_28	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.3282E-009	2.9747E-008
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.5676E-011	1.0558E-009
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.5517E-009	3.8741E-008
RCPTR_28	farmer_adult	TOCDFDFS	Chromium	8.2179E-006	8.2494E-006
RCPTR_28	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.3891E-006	7.5005E-006
RCPTR_28	farmer_adult	TOCDFDFS	Chrysene	5.8240E-005	6.7019E-005
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.7115E-007	5.4082E-007
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.4895E+003	2.4895E+003
RCPTR_28	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.6918E-003	4.7625E-003
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.1371E-012	4.8153E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.7028E-012	5.8176E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.4487E-012	5.5989E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.8269E-007	3.4506E-007
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.2860E-017	1.7543E-016
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.0206E-015	4.2014E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7477E-015	5.2192E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.1552E-015	1.5909E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8595E-015	2.5575E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.1779E-009	4.9417E-009
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.0588E-014	1.4395E-013
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4254E-015	4.7475E-014
RCPTR_28	farmer_adult	TOCDFDFS	Diethyl phthalate	3.0265E-007	3.1457E-007
RCPTR_28	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.9627E-011	9.5124E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.3944E-011	7.2042E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.8349E-010	4.1518E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.1041E-011	6.6512E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.4069E-011	5.1190E-010
RCPTR_28	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0974E-012	1.5326E-011
RCPTR_28	farmer_adult	TOCDFDFS	Ethylbenzene	3.9643E-014	4.5669E-013
RCPTR_28	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.0204E-008	2.3392E-008
RCPTR_28	farmer_adult	TOCDFDFS	Fluoranthene	6.0740E-007	2.6703E-006
RCPTR_28	farmer_adult	TOCDFDFS	Fluorene	3.8476E-009	4.4807E-008
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.9223E-012	9.2592E-012
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.7432E-012	7.9746E-012
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3983E-011	2.4865E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.0326E-010	2.0965E-010
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1826E-010	1.2312E-010
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.0356E-011	9.4662E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.3093E-011	6.6540E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.7145E-011	6.0250E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.8034E-011	7.1703E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.2147E-011	5.4969E-011
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.9646E-011	9.4622E-010
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.8783E-007	1.9205E-006
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.8545E-010	2.5198E-009
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.6300E-011	5.7789E-010
RCPTR_28	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.4071E-002	3.4217E-002
RCPTR_28	farmer_adult	TOCDFDFS	Isophorone	7.8914E-012	1.0960E-010
RCPTR_28	farmer_adult	TOCDFDFS	Lead	1.5140E-006	1.6639E-006
RCPTR_28	farmer_adult	TOCDFDFS	Mercuric chloride	5.3941E-007	5.5931E-007
RCPTR_28	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.3149E-016	1.8342E-015
RCPTR_28	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.6002E-017	3.6163E-016
RCPTR_28	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.4457E-014	9.0083E-013
RCPTR_28	farmer_adult	TOCDFDFS	Methyl mercury	7.8099E-009	7.9975E-009
RCPTR_28	farmer_adult	TOCDFDFS	Methylene chloride	3.8919E-015	5.4188E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Mustard	4.6063E-013	6.3840E-012
RCPTR_28	farmer_adult	TOCDFDFS	Naphthalene	3.5286E-011	4.6323E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nickel	3.3281E-005	3.5459E-005
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.3700E-010	1.8698E-009
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.2060E-011	4.4486E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.1640E-011	5.7484E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitrobenzene	1.3263E-011	1.8498E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.0619E-012	8.4224E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.4336E-010	1.4864E-009
RCPTR_28	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.6459E-012	1.0437E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.6050E-012	1.0259E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.6020E-013	9.2299E-012
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4196E-011	1.4909E-011
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4952E-011	1.5686E-011
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.6644E-010	3.8065E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.4914E-011	4.7964E-011
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8087E-010	1.9280E-010
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.1387E-010	7.1664E-009
RCPTR_28	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.9581E-010	2.8413E-009
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorophenol	1.2844E-006	1.7424E-006
RCPTR_28	farmer_adult	TOCDFDFS	Phenanthrene	1.1668E-011	1.4183E-010
RCPTR_28	farmer_adult	TOCDFDFS	Phenol	1.0681E-011	1.4659E-010
RCPTR_28	farmer_adult	TOCDFDFS	Pronamide	1.2200E-009	1.4055E-008
RCPTR_28	farmer_adult	TOCDFDFS	Pyrene	7.6947E-007	3.7419E-006
RCPTR_28	farmer_adult	TOCDFDFS	Selenium	5.4147E-007	5.4401E-007
RCPTR_28	farmer_adult	TOCDFDFS	Silver	3.5585E-006	3.7765E-006
RCPTR_28	farmer_adult	TOCDFDFS	Styrene	3.9933E-013	5.4536E-012
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1045E-010	1.2088E-010
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.3265E-011	3.7703E-011
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1708E-009	1.1421E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.0590E-010	2.5597E-010
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1187E-014	1.5294E-013
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.2810E-008	8.8511E-008
RCPTR_28	farmer_adult	TOCDFDFS	Thallium (l)	4.7740E-004	4.9841E-004
RCPTR_28	farmer_adult	TOCDFDFS	Toluene	1.5651E-014	2.0465E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.8690E-011	4.3571E-010
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	9.2500E-015	1.2749E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.4413E-014	7.5543E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethylene	8.9761E-015	1.2285E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2379E-015	1.6968E-014
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.4325E-009	5.0217E-008
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.8042E-009	5.2389E-008
RCPTR_28	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.0218E-013	2.7962E-012
RCPTR_28	farmer_adult	TOCDFDFS	Vinyl Chloride	2.8835E-018	3.9908E-017
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, m-	6.8568E-013	1.3198E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, o-	5.1925E-013	1.1509E-012
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, p-	6.6752E-013	1.6510E-012
RCPTR_28	farmer_adult	TOCDFDFS	Zinc	1.5191E-006	1.8863E-006
RCPTR_28	farmer_adult	TOCDFLIC	Acenaphthene	1.8329E-010	2.2880E-009
RCPTR_28	farmer_adult	TOCDFLIC	Acetone	5.8702E-015	8.2069E-014
RCPTR_28	farmer_adult	TOCDFLIC	Acetophenone	8.6521E-013	1.2024E-011
RCPTR_28	farmer_adult	TOCDFLIC	Aniline	5.2836E-014	7.2440E-013
RCPTR_28	farmer_adult	TOCDFLIC	Anthracene	3.2678E-009	4.0381E-008
RCPTR_28	farmer_adult	TOCDFLIC	Antimony	1.1816E-005	1.3729E-005
RCPTR_28	farmer_adult	TOCDFLIC	Arsenic	2.2070E-005	2.2844E-005
RCPTR_28	farmer_adult	TOCDFLIC	Barium	1.7659E-006	1.9764E-006
RCPTR_28	farmer_adult	TOCDFLIC	Benzene	3.3152E-014	4.5136E-013
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.6728E-006	5.2266E-006
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.2192E-005	4.3772E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.2622E-005	2.6639E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.5220E-005	6.7081E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzoic acid	3.7777E-012	2.9146E-011
RCPTR_28	farmer_adult	TOCDFLIC	Benzyl alcohol	1.8971E-010	2.6287E-009
RCPTR_28	farmer_adult	TOCDFLIC	Beryllium	3.0000E-006	3.1943E-006
RCPTR_28	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.1759E-012	1.6439E-011
RCPTR_28	farmer_adult	TOCDFLIC	Bromodichloromethane	1.1708E-015	1.6288E-014
RCPTR_28	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.1160E-012	2.9486E-011
RCPTR_28	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.6560E-008	6.3162E-007
RCPTR_28	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.3897E-008	2.7530E-008
RCPTR_28	farmer_adult	TOCDFLIC	Cadmium	3.6178E-007	4.9728E-007
RCPTR_28	farmer_adult	TOCDFLIC	Carbon disulfide	7.7305E-015	1.0627E-013
RCPTR_28	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.5483E-013	2.1029E-012
RCPTR_28	farmer_adult	TOCDFLIC	Chlorine	1.2549E-006	1.7551E-005
RCPTR_28	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.3449E-010	1.3996E-009
RCPTR_28	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.5976E-012	7.6395E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Chlorobenzene	6.3460E-014	8.4718E-013
RCPTR_28	farmer_adult	TOCDFLIC	Chloroethane	7.2815E-017	8.7147E-016
RCPTR_28	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.0747E-014	8.4389E-013
RCPTR_28	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.6755E-010	5.9741E-009
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.5198E-011	2.1204E-010
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3144E-009	7.7790E-009
RCPTR_28	farmer_adult	TOCDFLIC	Chromium	1.4558E-005	1.4613E-005
RCPTR_28	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.3090E-005	1.3287E-005
RCPTR_28	farmer_adult	TOCDFLIC	Chrysene	1.1678E-005	1.3439E-005
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.4619E-008	1.6781E-008
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-octylphthalate	7.7350E+001	7.7350E+001
RCPTR_28	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.3732E-004	9.5114E-004
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	8.3081E-013	9.6707E-012
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	9.4445E-013	1.1684E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.9340E-013	1.1244E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8284E-008	3.4542E-008
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.0819E-018	6.9338E-017
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.0297E-016	2.8231E-015
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5568E-015	2.1681E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	7.7622E-017	1.0690E-015
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.7246E-016	1.0624E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.3673E-010	9.9262E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.3985E-015	5.9797E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.4670E-015	2.0333E-014
RCPTR_28	farmer_adult	TOCDFLIC	Diethyl phthalate	9.4029E-009	9.7731E-009
RCPTR_28	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.5145E-010	1.8101E-009
RCPTR_28	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.0834E-011	1.4468E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.6867E-011	8.3399E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.2241E-011	1.3356E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.8466E-012	1.0280E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.2038E-013	3.0780E-012
RCPTR_28	farmer_adult	TOCDFLIC	Ethylbenzene	1.7275E-014	1.9903E-013
RCPTR_28	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.0834E-008	3.5742E-008
RCPTR_28	farmer_adult	TOCDFLIC	Fluoranthene	1.2185E-007	5.3613E-007
RCPTR_28	farmer_adult	TOCDFLIC	Fluorene	7.7255E-010	8.9986E-009
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.3764E-011	7.6527E-011
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.4309E-010	2.5028E-010
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.6204E-010	5.8254E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.2405E-010	6.4349E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.6965E-010	3.8474E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.0332E-010	3.1770E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.2792E-010	6.6215E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.4561E-010	5.7520E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.6101E-010	5.9119E-010
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.6146E-010	4.8639E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9988E-011	1.9001E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.7708E-008	3.8568E-007
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.7236E-011	5.0596E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.2997E-012	1.1606E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8359E-003	6.8644E-003
RCPTR_28	farmer_adult	TOCDFLIC	Isophorone	1.5849E-012	2.2012E-011
RCPTR_28	farmer_adult	TOCDFLIC	Lead	7.7951E-006	8.5665E-006
RCPTR_28	farmer_adult	TOCDFLIC	Mercuric chloride	1.2634E-006	1.3102E-006
RCPTR_28	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	8.6174E-017	1.2021E-015
RCPTR_28	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.5249E-016	2.1209E-015
RCPTR_28	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1940E-013	1.6687E-012
RCPTR_28	farmer_adult	TOCDFLIC	Methyl mercury	1.8135E-008	1.8577E-008
RCPTR_28	farmer_adult	TOCDFLIC	Methylene chloride	1.5642E-014	2.1778E-013
RCPTR_28	farmer_adult	TOCDFLIC	Mustard	1.6269E-013	2.2547E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Naphthalene	1.0951E-012	1.4378E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nickel	3.5124E-005	3.7422E-005
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.7515E-011	3.7553E-010
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.4390E-012	8.9347E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.3616E-012	1.1545E-010
RCPTR_28	farmer_adult	TOCDFLIC	Nitrobenzene	2.6636E-012	3.7151E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.2174E-012	1.6915E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4944E-011	2.9867E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5356E-012	2.0961E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.5274E-012	2.0604E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.5219E-013	1.8532E-012
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0750E-010	1.1288E-010
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0602E-010	1.1121E-010
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3993E-009	1.4532E-009
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.1523E-010	2.2985E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.2138E-010	8.7554E-010
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.1293E-010	7.2029E-009
RCPTR_28	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.8900E-011	5.7005E-010
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorophenol	5.1551E-008	6.9914E-008
RCPTR_28	farmer_adult	TOCDFLIC	Phenanthrene	2.3429E-012	2.8484E-011
RCPTR_28	farmer_adult	TOCDFLIC	Phenol	2.1452E-012	2.9439E-011
RCPTR_28	farmer_adult	TOCDFLIC	Pronamide	2.4501E-010	2.8227E-009
RCPTR_28	farmer_adult	TOCDFLIC	Pyrene	1.5448E-007	7.5143E-007
RCPTR_28	farmer_adult	TOCDFLIC	Selenium	1.3698E-005	1.3762E-005
RCPTR_28	farmer_adult	TOCDFLIC	Silver	3.5148E-005	3.7301E-005
RCPTR_28	farmer_adult	TOCDFLIC	Styrene	2.4715E-011	3.3754E-010
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7998E-010	1.9700E-010
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.8468E-011	7.7617E-011
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3516E-010	2.2936E-009
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.8965E-015	1.0846E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.9656E-015	4.0549E-014
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.5948E-009	1.7782E-008
RCPTR_28	farmer_adult	TOCDFLIC	Thallium (l)	4.6830E-005	4.8890E-005
RCPTR_28	farmer_adult	TOCDFLIC	Toluene	6.0644E-014	7.9300E-013
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.7690E-012	8.7504E-011
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.4932E-014	3.4364E-013
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.2604E-014	3.1381E-013
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethylene	3.7287E-015	5.1031E-014
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.8927E-016	6.7067E-015
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0914E-009	1.0086E-008
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.9198E-010	2.0934E-009
RCPTR_28	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	8.3987E-014	1.1616E-012
RCPTR_28	farmer_adult	TOCDFLIC	Vinyl Chloride	3.5899E-018	4.9691E-017
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, m-	5.9678E-013	1.1605E-012
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, o-	5.1752E-013	1.1602E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, p-	5.8152E-013	1.4559E-012
RCPTR_28	farmer_adult	TOCDFLIC	Zinc	1.3772E-005	1.7100E-005
RCPTR_28	farmer_adult	TOCDFMPF	Acenaphthene	2.7980E-010	3.4927E-009
RCPTR_28	farmer_adult	TOCDFMPF	Acetone	2.1411E-014	2.9934E-013
RCPTR_28	farmer_adult	TOCDFMPF	Acetophenone	1.3836E-012	1.9229E-011
RCPTR_28	farmer_adult	TOCDFMPF	Aniline	8.0655E-014	1.1058E-012
RCPTR_28	farmer_adult	TOCDFMPF	Anthracene	4.9884E-009	6.1643E-008
RCPTR_28	farmer_adult	TOCDFMPF	Antimony	1.6098E-007	1.8705E-007
RCPTR_28	farmer_adult	TOCDFMPF	Aroclor 1254	1.3150E-009	2.3418E-009
RCPTR_28	farmer_adult	TOCDFMPF	Arsenic	1.1470E-006	1.1872E-006
RCPTR_28	farmer_adult	TOCDFMPF	Barium	1.2511E-006	1.4002E-006
RCPTR_28	farmer_adult	TOCDFMPF	Benzene	2.9587E-014	4.0282E-013
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.6072E-006	7.9792E-006
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.4416E-005	6.6828E-005
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.4537E-005	4.0668E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	9.9573E-005	1.0241E-004
RCPTR_28	farmer_adult	TOCDFMPF	Benzoic acid	1.6694E-011	1.2879E-010
RCPTR_28	farmer_adult	TOCDFMPF	Benzyl alcohol	1.8100E-012	2.5080E-011
RCPTR_28	farmer_adult	TOCDFMPF	Beryllium	1.0224E-007	1.0886E-007
RCPTR_28	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.7951E-012	2.5094E-011
RCPTR_28	farmer_adult	TOCDFMPF	Bromodichloromethane	3.5518E-014	4.9413E-013
RCPTR_28	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.2343E-012	1.7199E-011
RCPTR_28	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0161E-007	9.6418E-007
RCPTR_28	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.6487E-008	4.2033E-008
RCPTR_28	farmer_adult	TOCDFMPF	Cadmium	1.6514E-006	2.2699E-006
RCPTR_28	farmer_adult	TOCDFMPF	Carbon disulfide	2.8223E-015	3.8796E-014
RCPTR_28	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.6930E-014	3.6577E-013
RCPTR_28	farmer_adult	TOCDFMPF	Chlorine	2.3085E-007	3.2287E-006
RCPTR_28	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.5796E-010	2.1365E-009
RCPTR_28	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.5449E-012	1.1662E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Chlorobenzene	1.1369E-013	1.5178E-012
RCPTR_28	farmer_adult	TOCDFMPF	Chloroethane	7.1652E-016	8.5754E-015
RCPTR_28	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.9076E-014	2.6500E-013
RCPTR_28	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.1372E-010	9.1196E-009
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.3201E-011	3.2368E-010
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.0066E-009	1.1875E-008
RCPTR_28	farmer_adult	TOCDFMPF	Chromium	2.7617E-006	2.7723E-006
RCPTR_28	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.4833E-006	2.5207E-006
RCPTR_28	farmer_adult	TOCDFMPF	Chrysene	1.7828E-005	2.0516E-005
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.4441E-007	1.6576E-007
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-octylphthalate	7.6405E+002	7.6405E+002
RCPTR_28	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.4311E-003	1.4522E-003
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2683E-012	1.4762E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4417E-012	1.7835E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3638E-012	1.7165E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.6621E-008	1.0578E-007
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.1738E-017	5.6947E-016
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.1574E-015	8.5644E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.6396E-015	1.0639E-013
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.3548E-015	3.2431E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.7906E-015	5.2135E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.6139E-010	1.5153E-009
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.1584E-014	2.9343E-013
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.9823E-015	9.6776E-014
RCPTR_28	farmer_adult	TOCDFMPF	Diethyl phthalate	9.2881E-008	9.6537E-008
RCPTR_28	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.6150E-011	1.9301E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.6539E-011	2.2086E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.6179E-011	1.2708E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.8687E-011	2.0388E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3505E-011	1.5693E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.3642E-013	4.6987E-012
RCPTR_28	farmer_adult	TOCDFMPF	Ethylbenzene	8.0804E-014	9.3094E-013
RCPTR_28	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.5707E-009	6.4571E-009
RCPTR_28	farmer_adult	TOCDFMPF	Fluoranthene	1.8602E-007	8.1843E-007
RCPTR_28	farmer_adult	TOCDFMPF	Fluorene	1.1793E-009	1.3737E-008
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.8742E-010	2.9818E-010
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.8215E-010	3.9345E-010
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.5767E-010	6.8165E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7818E-010	1.8373E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.2129E-011	8.5483E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.1639E-011	7.5037E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.2403E-010	1.3080E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.2627E-011	5.5481E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.6643E-011	4.9152E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.1752E-011	4.4007E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.0513E-011	2.9005E-010
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.7564E-008	5.8875E-007
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.7377E-011	7.7236E-010
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4196E-011	1.7717E-010
RCPTR_28	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0436E-002	1.0480E-002
RCPTR_28	farmer_adult	TOCDFMPF	Isophorone	2.4193E-012	3.3601E-011
RCPTR_28	farmer_adult	TOCDFMPF	Lead	8.9969E-007	9.8872E-007
RCPTR_28	farmer_adult	TOCDFMPF	Mercuric chloride	2.1449E-005	2.2244E-005
RCPTR_28	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.4527E-016	6.2115E-015
RCPTR_28	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.5992E-017	3.6150E-016
RCPTR_28	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.4179E-014	3.3792E-013
RCPTR_28	farmer_adult	TOCDFMPF	Methyl mercury	3.0795E-007	3.1545E-007
RCPTR_28	farmer_adult	TOCDFMPF	Methylene chloride	1.2284E-014	1.7103E-013
RCPTR_28	farmer_adult	TOCDFMPF	Mustard	1.1559E-012	1.6020E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Naphthalene	1.0817E-011	1.4201E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nickel	2.2020E-005	2.3461E-005
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.1926E-011	5.7221E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.8114E-012	1.3614E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.2741E-011	1.7592E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nitrobenzene	4.0661E-012	5.6711E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.8584E-012	2.5821E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.2771E-010	4.5510E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.3441E-012	3.1998E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.3316E-012	3.1452E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.3233E-013	2.8289E-012
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.8366E-009	7.1787E-009
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.2019E-008	1.2608E-008
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.3105E-011	7.5926E-011
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.3405E-011	9.9747E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.5062E-011	5.8693E-011
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.7826E-010	2.1951E-009
RCPTR_28	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2024E-010	8.6864E-010
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorophenol	3.9348E-007	5.3364E-007
RCPTR_28	farmer_adult	TOCDFMPF	Phenanthrene	3.5765E-012	4.3481E-011
RCPTR_28	farmer_adult	TOCDFMPF	Phenol	3.2747E-012	4.4939E-011
RCPTR_28	farmer_adult	TOCDFMPF	Pronamide	3.7402E-010	4.3089E-009
RCPTR_28	farmer_adult	TOCDFMPF	Pyrene	2.3582E-007	1.1471E-006
RCPTR_28	farmer_adult	TOCDFMPF	Selenium	2.4013E-007	2.4126E-007
RCPTR_28	farmer_adult	TOCDFMPF	Silver	4.7392E-006	5.0296E-006
RCPTR_28	farmer_adult	TOCDFMPF	Styrene	5.6278E-013	7.6859E-012
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1509E-011	2.3543E-011
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.7751E-011	7.6804E-011
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.5898E-010	3.5013E-009
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3955E-013	3.2904E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.2801E-014	3.1176E-013
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.0049E-008	2.7096E-008
RCPTR_28	farmer_adult	TOCDFMPF	Thallium (l)	1.4325E-006	1.4955E-006
RCPTR_28	farmer_adult	TOCDFMPF	Toluene	4.0630E-014	5.3129E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1860E-011	1.3358E-010
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.4613E-014	2.0142E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1092E-013	1.5399E-012
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethylene	1.8297E-014	2.5042E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.0420E-014	6.9112E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6661E-009	1.5396E-008
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.9838E-010	3.1957E-009
RCPTR_28	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.1214E-013	5.6999E-012
RCPTR_28	farmer_adult	TOCDFMPF	Vinyl Chloride	9.8365E-018	1.3615E-016
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, m-	5.9675E-013	1.1602E-012
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, o-	5.1749E-013	1.1599E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, p-	5.8148E-013	1.4554E-012
RCPTR_28	farmer_adult	TOCDFMPF	Zinc	3.9199E-006	4.8670E-006
RCPTR_28	farmer_adult	TOCDHVAC	Mustard	3.0003E-013	4.1588E-012
RCPTR_28	farmer_adult	TOCDLIC2	Acenaphthene	1.8329E-010	2.2880E-009
RCPTR_28	farmer_adult	TOCDLIC2	Acetone	5.8702E-015	8.2069E-014
RCPTR_28	farmer_adult	TOCDLIC2	Acetophenone	8.6521E-013	1.2024E-011
RCPTR_28	farmer_adult	TOCDLIC2	Aniline	5.2836E-014	7.2440E-013
RCPTR_28	farmer_adult	TOCDLIC2	Anthracene	3.2678E-009	4.0381E-008
RCPTR_28	farmer_adult	TOCDLIC2	Antimony	1.1816E-005	1.3729E-005
RCPTR_28	farmer_adult	TOCDLIC2	Arsenic	2.2070E-005	2.2844E-005
RCPTR_28	farmer_adult	TOCDLIC2	Barium	1.7659E-006	1.9764E-006
RCPTR_28	farmer_adult	TOCDLIC2	Benzene	3.3152E-014	4.5136E-013
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.6728E-006	5.2266E-006
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.2192E-005	4.3772E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.2622E-005	2.6639E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.5220E-005	6.7081E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzoic acid	3.7777E-012	2.9146E-011
RCPTR_28	farmer_adult	TOCDLIC2	Benzyl alcohol	1.8971E-010	2.6287E-009
RCPTR_28	farmer_adult	TOCDLIC2	Beryllium	3.0000E-006	3.1943E-006
RCPTR_28	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.1759E-012	1.6439E-011
RCPTR_28	farmer_adult	TOCDLIC2	Bromodichloromethane	1.1708E-015	1.6288E-014
RCPTR_28	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.1160E-012	2.9486E-011
RCPTR_28	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.6560E-008	6.3162E-007
RCPTR_28	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.3897E-008	2.7530E-008
RCPTR_28	farmer_adult	TOCDLIC2	Cadmium	3.6178E-007	4.9728E-007
RCPTR_28	farmer_adult	TOCDLIC2	Carbon disulfide	7.7305E-015	1.0627E-013
RCPTR_28	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.5483E-013	2.1029E-012
RCPTR_28	farmer_adult	TOCDLIC2	Chlorine	1.2549E-006	1.7551E-005
RCPTR_28	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.3449E-010	1.3996E-009
RCPTR_28	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.5976E-012	7.6395E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Chlorobenzene	6.3460E-014	8.4718E-013
RCPTR_28	farmer_adult	TOCDLIC2	Chloroethane	7.2815E-017	8.7147E-016
RCPTR_28	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	6.0747E-014	8.4389E-013
RCPTR_28	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.6755E-010	5.9741E-009
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.5198E-011	2.1204E-010
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3144E-009	7.7790E-009
RCPTR_28	farmer_adult	TOCDLIC2	Chromium	1.4558E-005	1.4613E-005
RCPTR_28	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.3090E-005	1.3287E-005
RCPTR_28	farmer_adult	TOCDLIC2	Chrysene	1.1678E-005	1.3439E-005
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.4619E-008	1.6781E-008
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.7350E+001	7.7350E+001
RCPTR_28	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.3732E-004	9.5114E-004
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.3081E-013	9.6707E-012
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	9.4445E-013	1.1684E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.9340E-013	1.1244E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8284E-008	3.4542E-008
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.0819E-018	6.9338E-017
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.0297E-016	2.8231E-015
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5568E-015	2.1681E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	7.7622E-017	1.0690E-015
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.7246E-016	1.0624E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.3673E-010	9.9262E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.3985E-015	5.9797E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.4670E-015	2.0333E-014
RCPTR_28	farmer_adult	TOCDLIC2	Diethyl phthalate	9.4029E-009	9.7731E-009
RCPTR_28	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.5145E-010	1.8101E-009
RCPTR_28	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.0834E-011	1.4468E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.6867E-011	8.3399E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.2241E-011	1.3356E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.8466E-012	1.0280E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.2038E-013	3.0780E-012
RCPTR_28	farmer_adult	TOCDLIC2	Ethylbenzene	1.7275E-014	1.9903E-013
RCPTR_28	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.0834E-008	3.5742E-008
RCPTR_28	farmer_adult	TOCDLIC2	Fluoranthene	1.2185E-007	5.3613E-007
RCPTR_28	farmer_adult	TOCDLIC2	Fluorene	7.7255E-010	8.9986E-009
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.3764E-011	7.6527E-011
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.4309E-010	2.5028E-010
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.6204E-010	5.8254E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.2405E-010	6.4349E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.6965E-010	3.8474E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.0332E-010	3.1770E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.2792E-010	6.6215E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.4561E-010	5.7520E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.6101E-010	5.9119E-010
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.6146E-010	4.8639E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9988E-011	1.9001E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.7708E-008	3.8568E-007
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.7236E-011	5.0596E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.2997E-012	1.1606E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8359E-003	6.8644E-003
RCPTR_28	farmer_adult	TOCDLIC2	Isophorone	1.5849E-012	2.2012E-011
RCPTR_28	farmer_adult	TOCDLIC2	Lead	7.7951E-006	8.5665E-006
RCPTR_28	farmer_adult	TOCDLIC2	Mercuric chloride	1.2634E-006	1.3102E-006
RCPTR_28	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	8.6174E-017	1.2021E-015
RCPTR_28	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.5249E-016	2.1209E-015
RCPTR_28	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1940E-013	1.6687E-012
RCPTR_28	farmer_adult	TOCDLIC2	Methyl mercury	1.8135E-008	1.8577E-008
RCPTR_28	farmer_adult	TOCDLIC2	Methylene chloride	1.5642E-014	2.1778E-013
RCPTR_28	farmer_adult	TOCDLIC2	Mustard	1.6913E-013	2.3440E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Naphthalene	1.0951E-012	1.4378E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nickel	3.5124E-005	3.7422E-005
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.7515E-011	3.7553E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.4390E-012	8.9347E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 4-	8.3616E-012	1.1545E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitrobenzene	2.6636E-012	3.7151E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.2174E-012	1.6915E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4944E-010	2.9867E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.5356E-012	2.0961E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.5274E-012	2.0604E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.5219E-013	1.8532E-012
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0750E-010	1.1288E-010
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0602E-010	1.1121E-010
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3993E-009	1.4532E-009
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.1523E-010	2.2985E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.2138E-010	8.7554E-010
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.1293E-010	7.2029E-009
RCPTR_28	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.8900E-011	5.7005E-010
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorophenol	5.1551E-008	6.9914E-008
RCPTR_28	farmer_adult	TOCDLIC2	Phenanthrene	2.3429E-012	2.8484E-011
RCPTR_28	farmer_adult	TOCDLIC2	Phenol	2.1452E-012	2.9439E-011
RCPTR_28	farmer_adult	TOCDLIC2	Pronamide	2.4501E-010	2.8227E-009
RCPTR_28	farmer_adult	TOCDLIC2	Pyrene	1.5448E-007	7.5143E-007
RCPTR_28	farmer_adult	TOCDLIC2	Selenium	1.3698E-005	1.3762E-005
RCPTR_28	farmer_adult	TOCDLIC2	Silver	3.5148E-005	3.7301E-005
RCPTR_28	farmer_adult	TOCDLIC2	Styrene	2.4715E-011	3.3754E-010
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7998E-010	1.9700E-010
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.8468E-011	7.7617E-011
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.3516E-010	2.2936E-009
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.8965E-015	1.0846E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.9656E-015	4.0549E-014
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.5948E-009	1.7782E-008
RCPTR_28	farmer_adult	TOCDLIC2	Thallium (l)	4.6830E-005	4.8890E-005
RCPTR_28	farmer_adult	TOCDLIC2	Toluene	6.0644E-014	7.9300E-013
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.7690E-012	8.7504E-011
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.4932E-014	3.4364E-013
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.2604E-014	3.1381E-013
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethylene	3.7287E-015	5.1031E-014
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.8927E-016	6.7067E-015
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0914E-009	1.0086E-008
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.9198E-010	2.0934E-009
RCPTR_28	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	8.3987E-014	1.1616E-012
RCPTR_28	farmer_adult	TOCDLIC2	Vinyl Chloride	3.5899E-018	4.9691E-017
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, m-	1.2401E-012	2.4117E-012
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, o-	1.0754E-012	2.4110E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, p-	1.2084E-012	3.0254E-012
RCPTR_28	farmer_adult	TOCDLIC2	Zinc	1.3772E-005	1.7100E-005
RCPTR_28	farmer_child	TOCDFBRA	Antimony	2.9163E-006	3.1572E-006
RCPTR_28	farmer_child	TOCDFBRA	Arsenic	4.6790E-006	4.7698E-006
RCPTR_28	farmer_child	TOCDFBRA	Barium	3.9720E-007	4.2200E-007
RCPTR_28	farmer_child	TOCDFBRA	Beryllium	1.2637E-006	1.3007E-006
RCPTR_28	farmer_child	TOCDFBRA	Cadmium	2.4229E-007	2.8160E-007
RCPTR_28	farmer_child	TOCDFBRA	Chromium	2.9840E-005	3.0610E-005
RCPTR_28	farmer_child	TOCDFBRA	Chromium, hexavalent	2.7592E-005	2.7825E-005
RCPTR_28	farmer_child	TOCDFBRA	Lead	1.3084E-005	1.3687E-005
RCPTR_28	farmer_child	TOCDFBRA	Mercuric chloride	1.2116E-003	1.4474E-003
RCPTR_28	farmer_child	TOCDFBRA	Methyl mercury	2.1660E-005	2.2386E-005
RCPTR_28	farmer_child	TOCDFBRA	Nickel	1.5491E-005	1.6007E-005
RCPTR_28	farmer_child	TOCDFBRA	Selenium	5.2165E-006	5.2303E-006
RCPTR_28	farmer_child	TOCDFBRA	Silver	1.7778E-006	1.8377E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFBRA	Thallium (l)	4.7907E-005	4.8974E-005
RCPTR_28	farmer_child	TOCDFBRA	Zinc	8.6337E-006	9.6215E-006
RCPTR_28	farmer_child	TOCDFDFS	Acenaphthene	5.4860E-009	1.1393E-008
RCPTR_28	farmer_child	TOCDFDFS	Acetone	5.9902E-014	1.2566E-013
RCPTR_28	farmer_child	TOCDFDFS	Acetophenone	3.0020E-011	6.2946E-011
RCPTR_28	farmer_child	TOCDFDFS	Aniline	1.7223E-012	3.6070E-012
RCPTR_28	farmer_child	TOCDFDFS	Anthracene	9.6917E-008	2.0107E-007
RCPTR_28	farmer_child	TOCDFDFS	Antimony	2.5994E-007	2.8137E-007
RCPTR_28	farmer_child	TOCDFDFS	Aroclor 1254	3.1250E-009	4.1456E-009
RCPTR_28	farmer_child	TOCDFDFS	Arsenic	4.8665E-007	4.9606E-007
RCPTR_28	farmer_child	TOCDFDFS	Barium	3.2589E-007	3.4620E-007
RCPTR_28	farmer_child	TOCDFDFS	Benzene	2.1476E-013	4.4952E-013
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.2455E-005	2.6077E-005
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.1509E-004	2.1894E-004
RCPTR_28	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.2339E-004	1.3287E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.3151E-004	3.3538E-004
RCPTR_28	farmer_child	TOCDFDFS	Benzoic acid	2.1399E-011	4.2009E-011
RCPTR_28	farmer_child	TOCDFDFS	Benzyl alcohol	3.9025E-011	8.1807E-011
RCPTR_28	farmer_child	TOCDFDFS	Beryllium	2.5852E-007	2.6607E-007
RCPTR_28	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.9019E-011	8.1854E-011
RCPTR_28	farmer_child	TOCDFDFS	Bromodichloromethane	6.9406E-014	1.4554E-013
RCPTR_28	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1102E-011	2.3284E-011
RCPTR_28	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.8275E-006	3.1451E-006
RCPTR_28	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.2783E-007	1.3803E-007
RCPTR_28	farmer_child	TOCDFDFS	Cadmium	1.0545E-007	1.2252E-007
RCPTR_28	farmer_child	TOCDFDFS	Carbon disulfide	3.8320E-014	8.0274E-014
RCPTR_28	farmer_child	TOCDFDFS	Carbon tetrachloride	6.0790E-014	1.2721E-013
RCPTR_28	farmer_child	TOCDFDFS	Chlorine	1.2106E-012	2.5397E-012
RCPTR_28	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.6984E-009	6.9682E-009
RCPTR_28	farmer_child	TOCDFDFS	Chloroaniline, p-	1.8170E-010	3.8039E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Chlorobenzene	3.5634E-013	7.4457E-013
RCPTR_28	farmer_child	TOCDFDFS	Chloroethane	1.0142E-015	2.0978E-015
RCPTR_28	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.7887E-014	1.0040E-013
RCPTR_28	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4293E-008	2.9747E-008
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.0337E-010	1.0558E-009
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.0598E-008	3.8741E-008
RCPTR_28	farmer_child	TOCDFDFS	Chromium	8.0423E-006	8.2494E-006
RCPTR_28	farmer_child	TOCDFDFS	Chromium, hexavalent	7.4377E-006	7.5005E-006
RCPTR_28	farmer_child	TOCDFDFS	Chrysene	6.3184E-005	6.7019E-005
RCPTR_28	farmer_child	TOCDFDFS	Di-n-butyl phthalate	5.0155E-007	5.4082E-007
RCPTR_28	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.4895E+003	2.4895E+003
RCPTR_28	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.7316E-003	4.7625E-003
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.3344E-011	4.8153E-011
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.8037E-011	5.8176E-011
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.6939E-011	5.5989E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.0991E-007	3.4506E-007
RCPTR_28	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.3799E-017	1.7543E-016
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.0036E-014	4.2014E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.4887E-014	5.2192E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.5935E-015	1.5909E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2208E-014	2.5575E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.8203E-009	4.9417E-009
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.8782E-014	1.4395E-013
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.2647E-014	4.7475E-014
RCPTR_28	farmer_child	TOCDFDFS	Diethyl phthalate	3.0785E-007	3.1457E-007
RCPTR_28	farmer_child	TOCDFDFS	Dimethyl phthalate	4.5997E-010	9.5124E-010
RCPTR_28	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.4477E-010	7.2042E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.8459E-010	4.1518E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.2464E-010	6.6512E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.4821E-010	5.1190E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.3064E-012	1.5326E-011
RCPTR_28	farmer_child	TOCDFDFS	Ethylbenzene	2.2163E-013	4.5669E-013
RCPTR_28	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.1595E-008	2.3392E-008
RCPTR_28	farmer_child	TOCDFDFS	Fluoranthene	1.5833E-006	2.6703E-006
RCPTR_28	farmer_child	TOCDFDFS	Fluorene	2.1721E-008	4.4807E-008
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.1076E-012	9.2592E-012
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.8706E-012	7.9746E-012
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.4468E-011	2.4865E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.0677E-010	2.0965E-010
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.2094E-010	1.2312E-010
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.2729E-011	9.4662E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.4993E-011	6.6540E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.8856E-011	6.0250E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	7.0056E-011	7.1703E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.3703E-011	5.4969E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.6906E-010	9.4622E-010
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorobenzene	9.4541E-007	1.9205E-006
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.2604E-009	2.5198E-009
RCPTR_28	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.7827E-010	5.7789E-010
RCPTR_28	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.4150E-002	3.4217E-002
RCPTR_28	farmer_child	TOCDFDFS	Isophorone	5.2274E-011	1.0960E-010
RCPTR_28	farmer_child	TOCDFDFS	Lead	1.5908E-006	1.6639E-006
RCPTR_28	farmer_child	TOCDFDFS	Mercuric chloride	4.6420E-007	5.5931E-007
RCPTR_28	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	8.7451E-016	1.8342E-015
RCPTR_28	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.7246E-016	3.6163E-016
RCPTR_28	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.2942E-013	9.0083E-013
RCPTR_28	farmer_child	TOCDFDFS	Methyl mercury	7.7045E-009	7.9975E-009
RCPTR_28	farmer_child	TOCDFDFS	Methylene chloride	2.5840E-014	5.4188E-014
RCPTR_28	farmer_child	TOCDFDFS	Mustard	3.0454E-012	6.3840E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Naphthalene	2.2203E-010	4.6323E-010
RCPTR_28	farmer_child	TOCDFDFS	Nickel	3.4320E-005	3.5459E-005
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.9313E-010	1.8698E-009
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.1219E-010	4.4486E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.7431E-010	5.7484E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitrobenzene	8.8196E-011	1.8498E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.0169E-011	8.4224E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.0676E-009	1.4864E-009
RCPTR_28	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.9854E-011	1.0437E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.9054E-011	1.0259E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.4561E-012	9.2299E-012
RCPTR_28	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4589E-011	1.4909E-011
RCPTR_28	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.5356E-011	1.5686E-011
RCPTR_28	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.7431E-010	3.8065E-010
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.6601E-011	4.7964E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8746E-010	1.9280E-010
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorobenzene	3.6423E-009	7.1664E-009
RCPTR_28	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4629E-009	2.8413E-009
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorophenol	1.4843E-006	1.7424E-006
RCPTR_28	farmer_child	TOCDFDFS	Phenanthrene	6.8467E-011	1.4183E-010
RCPTR_28	farmer_child	TOCDFDFS	Phenol	6.9985E-011	1.4659E-010
RCPTR_28	farmer_child	TOCDFDFS	Pronamide	6.8207E-009	1.4055E-008
RCPTR_28	farmer_child	TOCDFDFS	Pyrene	2.4419E-006	3.7419E-006
RCPTR_28	farmer_child	TOCDFDFS	Selenium	5.4257E-007	5.4401E-007
RCPTR_28	farmer_child	TOCDFDFS	Silver	3.6536E-006	3.7765E-006
RCPTR_28	farmer_child	TOCDFDFS	Styrene	2.6048E-012	5.4536E-012
RCPTR_28	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1624E-010	1.2088E-010
RCPTR_28	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.5733E-011	3.7703E-011
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.6435E-009	1.1421E-008
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.2775E-010	2.5597E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.3043E-014	1.5294E-013
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.7116E-008	8.8511E-008
RCPTR_28	farmer_child	TOCDFDFS	Thallium (l)	4.8757E-004	4.9841E-004
RCPTR_28	farmer_child	TOCDFDFS	Toluene	9.8124E-014	2.0465E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.1194E-010	4.3571E-010
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.0847E-014	1.2749E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.6031E-013	7.5543E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethylene	5.8665E-014	1.2285E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.1020E-015	1.6968E-014
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.4975E-008	5.0217E-008
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.8387E-008	5.2389E-008
RCPTR_28	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.3341E-012	2.7962E-012
RCPTR_28	farmer_child	TOCDFDFS	Vinyl Chloride	1.9040E-017	3.9908E-017
RCPTR_28	farmer_child	TOCDFDFS	Xylene, m-	9.6240E-013	1.3198E-012
RCPTR_28	farmer_child	TOCDFDFS	Xylene, o-	7.9486E-013	1.1509E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Xylene, p-	1.0967E-012	1.6510E-012
RCPTR_28	farmer_child	TOCDFDFS	Zinc	1.6929E-006	1.8863E-006
RCPTR_28	farmer_child	TOCDFLIC	Acenaphthene	1.1017E-009	2.2880E-009
RCPTR_28	farmer_child	TOCDFLIC	Acetone	3.9121E-014	8.2069E-014
RCPTR_28	farmer_child	TOCDFLIC	Acetophenone	5.7347E-012	1.2024E-011
RCPTR_28	farmer_child	TOCDFLIC	Aniline	3.4589E-013	7.2440E-013
RCPTR_28	farmer_child	TOCDFLIC	Anthracene	1.9463E-008	4.0381E-008
RCPTR_28	farmer_child	TOCDFLIC	Antimony	1.2684E-005	1.3729E-005
RCPTR_28	farmer_child	TOCDFLIC	Arsenic	2.2410E-005	2.2844E-005
RCPTR_28	farmer_child	TOCDFLIC	Barium	1.8605E-006	1.9764E-006
RCPTR_28	farmer_child	TOCDFLIC	Benzene	2.1565E-013	4.5136E-013
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.4997E-006	5.2266E-006
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.3005E-005	4.3772E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.4736E-005	2.6639E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.6315E-005	6.7081E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Benzoic acid	1.4848E-011	2.9146E-011
RCPTR_28	farmer_child	TOCDFLIC	Benzyl alcohol	1.2540E-009	2.6287E-009
RCPTR_28	farmer_child	TOCDFLIC	Beryllium	3.1036E-006	3.1943E-006
RCPTR_28	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.8362E-012	1.6439E-011
RCPTR_28	farmer_child	TOCDFLIC	Bromodichloromethane	7.7676E-015	1.6288E-014
RCPTR_28	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.4059E-011	2.9486E-011
RCPTR_28	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.6701E-007	6.3162E-007
RCPTR_28	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5482E-008	2.7530E-008
RCPTR_28	farmer_child	TOCDFLIC	Cadmium	4.2800E-007	4.9728E-007
RCPTR_28	farmer_child	TOCDFLIC	Carbon disulfide	5.0729E-014	1.0627E-013
RCPTR_28	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0049E-012	2.1029E-012
RCPTR_28	farmer_child	TOCDFLIC	Chlorine	8.3658E-006	1.7551E-005
RCPTR_28	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.4289E-010	1.3996E-009
RCPTR_28	farmer_child	TOCDFLIC	Chloroaniline, p-	3.6491E-011	7.6395E-011
RCPTR_28	farmer_child	TOCDFLIC	Chlorobenzene	4.0545E-013	8.4718E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Chloroethane	4.2132E-016	8.7147E-016
RCPTR_28	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.0248E-013	8.4389E-013
RCPTR_28	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.8704E-009	5.9741E-009
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.0109E-010	2.1204E-010
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.1354E-009	7.7790E-009
RCPTR_28	farmer_child	TOCDFLIC	Chromium	1.4247E-005	1.4613E-005
RCPTR_28	farmer_child	TOCDFLIC	Chromium, hexavalent	1.3176E-005	1.3287E-005
RCPTR_28	farmer_child	TOCDFLIC	Chrysene	1.2670E-005	1.3439E-005
RCPTR_28	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.5562E-008	1.6781E-008
RCPTR_28	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.7350E+001	7.7350E+001
RCPTR_28	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.4510E-004	9.5114E-004
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.6882E-012	9.6707E-012
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.6307E-012	1.1684E-011
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.4102E-012	1.1244E-011
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.1015E-008	3.4542E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.3121E-017	6.9338E-017
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3463E-015	2.8231E-015
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0338E-014	2.1681E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.1025E-016	1.0690E-015
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.0715E-015	1.0624E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.6658E-010	9.9262E-010
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.8573E-014	5.9797E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	9.6995E-015	2.0333E-014
RCPTR_28	farmer_child	TOCDFLIC	Diethyl phthalate	9.5644E-009	9.7731E-009
RCPTR_28	farmer_child	TOCDFLIC	Dimethyl phthalate	8.7522E-010	1.8101E-009
RCPTR_28	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.9242E-011	1.4468E-010
RCPTR_28	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.7172E-011	8.3399E-011
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.5181E-011	1.3356E-010
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.9846E-011	1.0280E-010
RCPTR_28	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.4674E-012	3.0780E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Ethylbenzene	9.6585E-014	1.9903E-013
RCPTR_28	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.2976E-008	3.5742E-008
RCPTR_28	farmer_child	TOCDFLIC	Fluoranthene	3.1785E-007	5.3613E-007
RCPTR_28	farmer_child	TOCDFLIC	Fluorene	4.3621E-009	8.9986E-009
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.5284E-011	7.6527E-011
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.4705E-010	2.5028E-010
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.7333E-010	5.8254E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.3475E-010	6.4349E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.7797E-010	3.8474E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.1124E-010	3.1770E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.4680E-010	6.6215E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.6191E-010	5.7520E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.7765E-010	5.9119E-010
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.7520E-010	4.8639E-010
RCPTR_28	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.4179E-011	1.9001E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorobenzene	1.8985E-007	3.8568E-007
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.5304E-010	5.0596E-010
RCPTR_28	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.5886E-011	1.1606E-010
RCPTR_28	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8514E-003	6.8644E-003
RCPTR_28	farmer_child	TOCDFLIC	Isophorone	1.0498E-011	2.2012E-011
RCPTR_28	farmer_child	TOCDFLIC	Lead	8.1901E-006	8.5665E-006
RCPTR_28	farmer_child	TOCDFLIC	Mercuric chloride	1.0864E-006	1.3102E-006
RCPTR_28	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.7314E-016	1.2021E-015
RCPTR_28	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0114E-015	2.1209E-015
RCPTR_28	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.9546E-013	1.6687E-012
RCPTR_28	farmer_child	TOCDFLIC	Methyl mercury	1.7887E-008	1.8577E-008
RCPTR_28	farmer_child	TOCDFLIC	Methylene chloride	1.0385E-013	2.1778E-013
RCPTR_28	farmer_child	TOCDFLIC	Mustard	1.0756E-012	2.2547E-012
RCPTR_28	farmer_child	TOCDFLIC	Naphthalene	6.8912E-012	1.4378E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Nickel	3.6220E-005	3.7422E-005
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.7938E-010	3.7553E-010
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.2617E-011	8.9347E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.5091E-011	1.1545E-010
RCPTR_28	farmer_child	TOCDFLIC	Nitrobenzene	1.7713E-011	3.7151E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.0673E-012	1.6915E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.1456E-011	2.9867E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0012E-011	2.0961E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	9.8518E-012	2.0604E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	8.9445E-013	1.8532E-012
RCPTR_28	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1046E-010	1.1288E-010
RCPTR_28	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0888E-010	1.1121E-010
RCPTR_28	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.4291E-009	1.4532E-009
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.2332E-010	2.2985E-010
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.5129E-010	8.7554E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorobenzene	3.6577E-009	7.2029E-009
RCPTR_28	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.9322E-010	5.7005E-010
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorophenol	5.9564E-008	6.9914E-008
RCPTR_28	farmer_child	TOCDFLIC	Phenanthrene	1.3750E-011	2.8484E-011
RCPTR_28	farmer_child	TOCDFLIC	Phenol	1.4055E-011	2.9439E-011
RCPTR_28	farmer_child	TOCDFLIC	Pronamide	1.3698E-009	2.8227E-009
RCPTR_28	farmer_child	TOCDFLIC	Pyrene	4.9035E-007	7.5143E-007
RCPTR_28	farmer_child	TOCDFLIC	Selenium	1.3726E-005	1.3762E-005
RCPTR_28	farmer_child	TOCDFLIC	Silver	3.6087E-005	3.7301E-005
RCPTR_28	farmer_child	TOCDFLIC	Styrene	1.6122E-010	3.3754E-010
RCPTR_28	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.8943E-010	1.9700E-010
RCPTR_28	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.3556E-011	7.7617E-011
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1334E-009	2.2936E-009
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.1780E-014	1.0846E-013
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.9366E-014	4.0549E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1477E-008	1.7782E-008
RCPTR_28	farmer_child	TOCDFLIC	Thallium (l)	4.7827E-005	4.8890E-005
RCPTR_28	farmer_child	TOCDFLIC	Toluene	3.8022E-013	7.9300E-013
RCPTR_28	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.2563E-011	8.7504E-011
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.6400E-013	3.4364E-013
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.4968E-013	3.1381E-013
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethylene	2.4370E-014	5.1031E-014
RCPTR_28	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.2024E-015	6.7067E-015
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.0162E-009	1.0086E-008
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1344E-009	2.0934E-009
RCPTR_28	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.5420E-013	1.1616E-012
RCPTR_28	farmer_child	TOCDFLIC	Vinyl Chloride	2.3707E-017	4.9691E-017
RCPTR_28	farmer_child	TOCDFLIC	Xylene, m-	8.4279E-013	1.1605E-012
RCPTR_28	farmer_child	TOCDFLIC	Xylene, o-	7.9798E-013	1.1602E-012
RCPTR_28	farmer_child	TOCDFLIC	Xylene, p-	9.6306E-013	1.4559E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Zinc	1.5348E-005	1.7100E-005
RCPTR_28	farmer_child	TOCDFMPF	Acenaphthene	1.6818E-009	3.4927E-009
RCPTR_28	farmer_child	TOCDFMPF	Acetone	1.4269E-013	2.9934E-013
RCPTR_28	farmer_child	TOCDFMPF	Acetophenone	9.1710E-012	1.9229E-011
RCPTR_28	farmer_child	TOCDFMPF	Aniline	5.2800E-013	1.1058E-012
RCPTR_28	farmer_child	TOCDFMPF	Anthracene	2.9711E-008	6.1643E-008
RCPTR_28	farmer_child	TOCDFMPF	Antimony	1.7281E-007	1.8705E-007
RCPTR_28	farmer_child	TOCDFMPF	Aroclor 1254	1.7630E-009	2.3418E-009
RCPTR_28	farmer_child	TOCDFMPF	Arsenic	1.1647E-006	1.1872E-006
RCPTR_28	farmer_child	TOCDFMPF	Barium	1.3181E-006	1.4002E-006
RCPTR_28	farmer_child	TOCDFMPF	Benzene	1.9245E-013	4.0282E-013
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.8695E-006	7.9792E-006
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.5657E-005	6.6828E-005
RCPTR_28	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.7764E-005	4.0668E-005
RCPTR_28	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.0124E-004	1.0241E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Benzoic acid	6.5611E-011	1.2879E-010
RCPTR_28	farmer_child	TOCDFMPF	Benzyl alcohol	1.1964E-011	2.5080E-011
RCPTR_28	farmer_child	TOCDFMPF	Beryllium	1.0578E-007	1.0886E-007
RCPTR_28	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.1962E-011	2.5094E-011
RCPTR_28	farmer_child	TOCDFMPF	Bromodichloromethane	2.3564E-013	4.9413E-013
RCPTR_28	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.2007E-012	1.7199E-011
RCPTR_28	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.6025E-007	9.6418E-007
RCPTR_28	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.8907E-008	4.2033E-008
RCPTR_28	farmer_child	TOCDFMPF	Cadmium	1.9537E-006	2.2699E-006
RCPTR_28	farmer_child	TOCDFMPF	Carbon disulfide	1.8520E-014	3.8796E-014
RCPTR_28	farmer_child	TOCDFMPF	Carbon tetrachloride	1.7479E-013	3.6577E-013
RCPTR_28	farmer_child	TOCDFMPF	Chlorine	1.5390E-006	3.2287E-006
RCPTR_28	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.1340E-009	2.1365E-009
RCPTR_28	farmer_child	TOCDFMPF	Chloroaniline, p-	5.5705E-011	1.1662E-010
RCPTR_28	farmer_child	TOCDFMPF	Chlorobenzene	7.2639E-013	1.5178E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Chloroethane	4.1459E-015	8.5754E-015
RCPTR_28	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.2639E-013	2.6500E-013
RCPTR_28	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.3818E-009	9.1196E-009
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.5432E-010	3.2368E-010
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.3128E-009	1.1875E-008
RCPTR_28	farmer_child	TOCDFMPF	Chromium	2.7027E-006	2.7723E-006
RCPTR_28	farmer_child	TOCDFMPF	Chromium, hexavalent	2.4996E-006	2.5207E-006
RCPTR_28	farmer_child	TOCDFMPF	Chrysene	1.9342E-005	2.0516E-005
RCPTR_28	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.5373E-007	1.6576E-007
RCPTR_28	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.6405E+002	7.6405E+002
RCPTR_28	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.4430E-003	1.4522E-003
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.1567E-012	1.4762E-011
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.5954E-012	1.7835E-011
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	8.2588E-012	1.7165E-011
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.4982E-008	1.0578E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.7202E-016	5.6947E-016
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.0843E-014	8.5644E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0732E-014	1.0639E-013
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.5479E-014	3.2431E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.4886E-014	5.2135E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.6490E-010	1.5153E-009
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.4021E-013	2.9343E-013
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.6165E-014	9.6776E-014
RCPTR_28	farmer_child	TOCDFMPF	Diethyl phthalate	9.4476E-008	9.6537E-008
RCPTR_28	farmer_child	TOCDFMPF	Dimethyl phthalate	9.3326E-011	1.9301E-010
RCPTR_28	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.0570E-010	2.2086E-010
RCPTR_28	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.7118E-011	1.2708E-010
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	9.9501E-011	2.0388E-010
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	7.6090E-011	1.5693E-010
RCPTR_28	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.2400E-012	4.6987E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Ethylbenzene	4.5178E-013	9.3094E-013
RCPTR_28	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.9575E-009	6.4571E-009
RCPTR_28	farmer_child	TOCDFMPF	Fluoranthene	4.8521E-007	8.1843E-007
RCPTR_28	farmer_child	TOCDFMPF	Fluorene	6.6589E-009	1.3737E-008
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.9334E-010	2.9818E-010
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.8837E-010	3.9345E-010
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.7087E-010	6.8165E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.8123E-010	1.8373E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.3977E-011	8.5483E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.3511E-011	7.5037E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.2776E-010	1.3080E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.4199E-011	5.5481E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.8026E-011	4.9152E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.2995E-011	4.4007E-011
RCPTR_28	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4377E-010	2.9005E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorobenzene	2.8982E-007	5.8875E-007
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.8628E-010	7.7236E-010
RCPTR_28	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.5312E-011	1.7717E-010
RCPTR_28	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0460E-002	1.0480E-002
RCPTR_28	farmer_child	TOCDFMPF	Isophorone	1.6026E-011	3.3601E-011
RCPTR_28	farmer_child	TOCDFMPF	Lead	9.4528E-007	9.8872E-007
RCPTR_28	farmer_child	TOCDFMPF	Mercuric chloride	1.8446E-005	2.2244E-005
RCPTR_28	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.9615E-015	6.2115E-015
RCPTR_28	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.7240E-016	3.6150E-016
RCPTR_28	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.6109E-013	3.3792E-013
RCPTR_28	farmer_child	TOCDFMPF	Methyl mercury	3.0374E-007	3.1545E-007
RCPTR_28	farmer_child	TOCDFMPF	Methylene chloride	8.1556E-014	1.7103E-013
RCPTR_28	farmer_child	TOCDFMPF	Mustard	7.6423E-012	1.6020E-011
RCPTR_28	farmer_child	TOCDFMPF	Naphthalene	6.8067E-011	1.4201E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Nickel	2.2708E-005	2.3461E-005
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.7332E-010	5.7221E-010
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.4938E-011	1.3614E-010
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 4-	8.3945E-011	1.7592E-010
RCPTR_28	farmer_child	TOCDFMPF	Nitrobenzene	2.7039E-011	5.6711E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.2315E-011	2.5821E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.2694E-010	4.5510E-010
RCPTR_28	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.5284E-011	3.1998E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.5039E-011	3.1452E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.3654E-012	2.8289E-012
RCPTR_28	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.0248E-009	7.1787E-009
RCPTR_28	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.2343E-008	1.2608E-008
RCPTR_28	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.4666E-011	7.5926E-011
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.6912E-011	9.9747E-011
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.7067E-011	5.8693E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorobenzene	1.1147E-009	2.1951E-009
RCPTR_28	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.4682E-010	8.6864E-010
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorophenol	4.5464E-007	5.3364E-007
RCPTR_28	farmer_child	TOCDFMPF	Phenanthrene	2.0990E-011	4.3481E-011
RCPTR_28	farmer_child	TOCDFMPF	Phenol	2.1456E-011	4.4939E-011
RCPTR_28	farmer_child	TOCDFMPF	Pronamide	2.0911E-009	4.3089E-009
RCPTR_28	farmer_child	TOCDFMPF	Pyrene	7.4853E-007	1.1471E-006
RCPTR_28	farmer_child	TOCDFMPF	Selenium	2.4062E-007	2.4126E-007
RCPTR_28	farmer_child	TOCDFMPF	Silver	4.8659E-006	5.0296E-006
RCPTR_28	farmer_child	TOCDFMPF	Styrene	3.6711E-012	7.6859E-012
RCPTR_28	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2638E-011	2.3543E-011
RCPTR_28	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.2786E-011	7.6804E-011
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7302E-009	3.5013E-009
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.5708E-012	3.2904E-012
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.4889E-013	3.1176E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7488E-008	2.7096E-008
RCPTR_28	farmer_child	TOCDFMPF	Thallium (l)	1.4630E-006	1.4955E-006
RCPTR_28	farmer_child	TOCDFMPF	Toluene	2.5474E-013	5.3129E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.4973E-011	1.3358E-010
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	9.6128E-014	2.0142E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	7.3449E-013	1.5399E-012
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethylene	1.1959E-013	2.5042E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.3000E-013	6.9112E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.6573E-009	1.5396E-008
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7318E-009	3.1957E-009
RCPTR_28	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.7195E-012	5.6999E-012
RCPTR_28	farmer_child	TOCDFMPF	Vinyl Chloride	6.4957E-017	1.3615E-016
RCPTR_28	farmer_child	TOCDFMPF	Xylene, m-	8.4264E-013	1.1602E-012
RCPTR_28	farmer_child	TOCDFMPF	Xylene, o-	7.9781E-013	1.1599E-012
RCPTR_28	farmer_child	TOCDFMPF	Xylene, p-	9.6283E-013	1.4554E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Zinc	4.3683E-006	4.8670E-006
RCPTR_28	farmer_child	TOCDHVAC	Mustard	1.9839E-012	4.1588E-012
RCPTR_28	farmer_child	TOCDLIC2	Acenaphthene	1.1017E-009	2.2880E-009
RCPTR_28	farmer_child	TOCDLIC2	Acetone	3.9121E-014	8.2069E-014
RCPTR_28	farmer_child	TOCDLIC2	Acetophenone	5.7347E-012	1.2024E-011
RCPTR_28	farmer_child	TOCDLIC2	Aniline	3.4589E-013	7.2440E-013
RCPTR_28	farmer_child	TOCDLIC2	Anthracene	1.9463E-008	4.0381E-008
RCPTR_28	farmer_child	TOCDLIC2	Antimony	1.2684E-005	1.3729E-005
RCPTR_28	farmer_child	TOCDLIC2	Arsenic	2.2410E-005	2.2844E-005
RCPTR_28	farmer_child	TOCDLIC2	Barium	1.8605E-006	1.9764E-006
RCPTR_28	farmer_child	TOCDLIC2	Benzene	2.1565E-013	4.5136E-013
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.4997E-006	5.2266E-006
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.3005E-005	4.3772E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.4736E-005	2.6639E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.6315E-005	6.7081E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Benzoic acid	1.4848E-011	2.9146E-011
RCPTR_28	farmer_child	TOCDLIC2	Benzyl alcohol	1.2540E-009	2.6287E-009
RCPTR_28	farmer_child	TOCDLIC2	Beryllium	3.1036E-006	3.1943E-006
RCPTR_28	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.8362E-012	1.6439E-011
RCPTR_28	farmer_child	TOCDLIC2	Bromodichloromethane	7.7676E-015	1.6288E-014
RCPTR_28	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.4059E-011	2.9486E-011
RCPTR_28	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.6701E-007	6.3162E-007
RCPTR_28	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.5482E-008	2.7530E-008
RCPTR_28	farmer_child	TOCDLIC2	Cadmium	4.2800E-007	4.9728E-007
RCPTR_28	farmer_child	TOCDLIC2	Carbon disulfide	5.0729E-014	1.0627E-013
RCPTR_28	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0049E-012	2.1029E-012
RCPTR_28	farmer_child	TOCDLIC2	Chlorine	8.3658E-006	1.7551E-005
RCPTR_28	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.4289E-010	1.3996E-009
RCPTR_28	farmer_child	TOCDLIC2	Chloroaniline, p-	3.6491E-011	7.6395E-011
RCPTR_28	farmer_child	TOCDLIC2	Chlorobenzene	4.0545E-013	8.4718E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Chloroethane	4.2132E-016	8.7147E-016
RCPTR_28	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.0248E-013	8.4389E-013
RCPTR_28	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.8704E-009	5.9741E-009
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.0109E-010	2.1204E-010
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.1354E-009	7.7790E-009
RCPTR_28	farmer_child	TOCDLIC2	Chromium	1.4247E-005	1.4613E-005
RCPTR_28	farmer_child	TOCDLIC2	Chromium, hexavalent	1.3176E-005	1.3287E-005
RCPTR_28	farmer_child	TOCDLIC2	Chrysene	1.2670E-005	1.3439E-005
RCPTR_28	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.5562E-008	1.6781E-008
RCPTR_28	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.7350E+001	7.7350E+001
RCPTR_28	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.4510E-004	9.5114E-004
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.6882E-012	9.6707E-012
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.6307E-012	1.1684E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.4102E-012	1.1244E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.1015E-008	3.4542E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.3121E-017	6.9338E-017
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.3463E-015	2.8231E-015
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0338E-014	2.1681E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.1025E-016	1.0690E-015
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.0715E-015	1.0624E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.6658E-010	9.9262E-010
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.8573E-014	5.9797E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	9.6995E-015	2.0333E-014
RCPTR_28	farmer_child	TOCDLIC2	Diethyl phthalate	9.5644E-009	9.7731E-009
RCPTR_28	farmer_child	TOCDLIC2	Dimethyl phthalate	8.7522E-010	1.8101E-009
RCPTR_28	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.9242E-011	1.4468E-010
RCPTR_28	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.7172E-011	8.3399E-011
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.5181E-011	1.3356E-010
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.9846E-011	1.0280E-010
RCPTR_28	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.4674E-012	3.0780E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Ethylbenzene	9.6585E-014	1.9903E-013
RCPTR_28	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.2976E-008	3.5742E-008
RCPTR_28	farmer_child	TOCDLIC2	Fluoranthene	3.1785E-007	5.3613E-007
RCPTR_28	farmer_child	TOCDLIC2	Fluorene	4.3621E-009	8.9986E-009
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.5284E-011	7.6527E-011
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.4705E-010	2.5028E-010
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.7333E-010	5.8254E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.3475E-010	6.4349E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.7797E-010	3.8474E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.1124E-010	3.1770E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.4680E-010	6.6215E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.6191E-010	5.7520E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.7765E-010	5.9119E-010
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.7520E-010	4.8639E-010
RCPTR_28	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.4179E-011	1.9001E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorobenzene	1.8985E-007	3.8568E-007
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.5304E-010	5.0596E-010
RCPTR_28	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.5886E-011	1.1606E-010
RCPTR_28	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8514E-003	6.8644E-003
RCPTR_28	farmer_child	TOCDLIC2	Isophorone	1.0498E-011	2.2012E-011
RCPTR_28	farmer_child	TOCDLIC2	Lead	8.1901E-006	8.5665E-006
RCPTR_28	farmer_child	TOCDLIC2	Mercuric chloride	1.0864E-006	1.3102E-006
RCPTR_28	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.7314E-016	1.2021E-015
RCPTR_28	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.0114E-015	2.1209E-015
RCPTR_28	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.9546E-013	1.6687E-012
RCPTR_28	farmer_child	TOCDLIC2	Methyl mercury	1.7887E-008	1.8577E-008
RCPTR_28	farmer_child	TOCDLIC2	Methylene chloride	1.0385E-013	2.1778E-013
RCPTR_28	farmer_child	TOCDLIC2	Mustard	1.1182E-012	2.3440E-012
RCPTR_28	farmer_child	TOCDLIC2	Naphthalene	6.8912E-012	1.4378E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Nickel	3.6220E-005	3.7422E-005
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.7938E-010	3.7553E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.2617E-011	8.9347E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.5091E-011	1.1545E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitrobenzene	1.7713E-011	3.7151E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 2-	8.0673E-012	1.6915E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.1456E-010	2.9867E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0012E-011	2.0961E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	9.8518E-012	2.0604E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	8.9445E-013	1.8532E-012
RCPTR_28	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1046E-010	1.1288E-010
RCPTR_28	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0888E-010	1.1121E-010
RCPTR_28	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.4291E-009	1.4532E-009
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.2332E-010	2.2985E-010
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.5129E-010	8.7554E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorobenzene	3.6577E-009	7.2029E-009
RCPTR_28	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.9322E-010	5.7005E-010
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorophenol	5.9564E-008	6.9914E-008
RCPTR_28	farmer_child	TOCDLIC2	Phenanthrene	1.3750E-011	2.8484E-011
RCPTR_28	farmer_child	TOCDLIC2	Phenol	1.4055E-011	2.9439E-011
RCPTR_28	farmer_child	TOCDLIC2	Pronamide	1.3698E-009	2.8227E-009
RCPTR_28	farmer_child	TOCDLIC2	Pyrene	4.9035E-007	7.5143E-007
RCPTR_28	farmer_child	TOCDLIC2	Selenium	1.3726E-005	1.3762E-005
RCPTR_28	farmer_child	TOCDLIC2	Silver	3.6087E-005	3.7301E-005
RCPTR_28	farmer_child	TOCDLIC2	Styrene	1.6122E-010	3.3754E-010
RCPTR_28	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.8943E-010	1.9700E-010
RCPTR_28	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.3556E-011	7.7617E-011
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1334E-009	2.2936E-009
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.1780E-014	1.0846E-013
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9366E-014	4.0549E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1477E-008	1.7782E-008
RCPTR_28	farmer_child	TOCDLIC2	Thallium (l)	4.7827E-005	4.8890E-005
RCPTR_28	farmer_child	TOCDLIC2	Toluene	3.8022E-013	7.9300E-013
RCPTR_28	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.2563E-011	8.7504E-011
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.6400E-013	3.4364E-013
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.4968E-013	3.1381E-013
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethylene	2.4370E-014	5.1031E-014
RCPTR_28	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.2024E-015	6.7067E-015
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.0162E-009	1.0086E-008
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1344E-009	2.0934E-009
RCPTR_28	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.5420E-013	1.1616E-012
RCPTR_28	farmer_child	TOCDLIC2	Vinyl Chloride	2.3707E-017	4.9691E-017
RCPTR_28	farmer_child	TOCDLIC2	Xylene, m-	1.7514E-012	2.4117E-012
RCPTR_28	farmer_child	TOCDLIC2	Xylene, o-	1.6582E-012	2.4110E-012
RCPTR_28	farmer_child	TOCDLIC2	Xylene, p-	2.0013E-012	3.0254E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Zinc	1.5348E-005	1.7100E-005
RCPTR_29	farmer_adult	TOCDFBRA	Antimony	3.5426E-006	4.1126E-006
RCPTR_29	farmer_adult	TOCDFBRA	Arsenic	6.0101E-006	6.2195E-006
RCPTR_29	farmer_adult	TOCDFBRA	Barium	4.9165E-007	5.4987E-007
RCPTR_29	farmer_adult	TOCDFBRA	Beryllium	1.5925E-006	1.6950E-006
RCPTR_29	farmer_adult	TOCDFBRA	Cadmium	2.6696E-007	3.6631E-007
RCPTR_29	farmer_adult	TOCDFBRA	Chromium	3.9737E-005	3.9889E-005
RCPTR_29	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.5754E-005	3.6290E-005
RCPTR_29	farmer_adult	TOCDFBRA	Lead	1.6230E-005	1.7827E-005
RCPTR_29	farmer_adult	TOCDFBRA	Mercuric chloride	1.7803E-003	1.8411E-003
RCPTR_29	farmer_adult	TOCDFBRA	Methyl mercury	2.9441E-005	3.0014E-005
RCPTR_29	farmer_adult	TOCDFBRA	Nickel	1.9592E-005	2.0866E-005
RCPTR_29	farmer_adult	TOCDFBRA	Selenium	6.7905E-006	6.8221E-006
RCPTR_29	farmer_adult	TOCDFBRA	Silver	2.2583E-006	2.3957E-006
RCPTR_29	farmer_adult	TOCDFBRA	Thallium (l)	6.1181E-005	6.3854E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFBRA	Zinc	1.0101E-005	1.2526E-005
RCPTR_29	farmer_adult	TOCDFDFS	Acenaphthene	7.9158E-010	9.8225E-009
RCPTR_29	farmer_adult	TOCDFDFS	Acetone	7.7456E-015	1.0829E-013
RCPTR_29	farmer_adult	TOCDFDFS	Acetophenone	3.9041E-012	5.4243E-011
RCPTR_29	farmer_adult	TOCDFDFS	Aniline	2.2685E-013	3.1084E-012
RCPTR_29	farmer_adult	TOCDFDFS	Anthracene	1.4168E-008	1.7342E-007
RCPTR_29	farmer_adult	TOCDFDFS	Antimony	3.0509E-007	3.5415E-007
RCPTR_29	farmer_adult	TOCDFDFS	Aroclor 1254	2.3678E-009	3.9294E-009
RCPTR_29	farmer_adult	TOCDFDFS	Arsenic	6.0385E-007	6.2488E-007
RCPTR_29	farmer_adult	TOCDFDFS	Barium	3.8972E-007	4.3585E-007
RCPTR_29	farmer_adult	TOCDFDFS	Benzene	2.8475E-014	3.8738E-013
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.7062E-005	2.3828E-005
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.0360E-004	2.1173E-004
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.0354E-004	1.2118E-004
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	3.1112E-004	3.2148E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Benzoic acid	4.7056E-012	3.6215E-011
RCPTR_29	farmer_adult	TOCDFDFS	Benzyl alcohol	5.0887E-012	7.0496E-011
RCPTR_29	farmer_adult	TOCDFDFS	Beryllium	3.1476E-007	3.3500E-007
RCPTR_29	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.0458E-012	7.0536E-011
RCPTR_29	farmer_adult	TOCDFDFS	Bromodichloromethane	9.0169E-015	1.2542E-013
RCPTR_29	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.4401E-012	2.0065E-011
RCPTR_29	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.8635E-007	2.7110E-006
RCPTR_29	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.2378E-007	1.3944E-007
RCPTR_29	farmer_adult	TOCDFDFS	Cadmium	1.1228E-007	1.5405E-007
RCPTR_29	farmer_adult	TOCDFDFS	Carbon disulfide	5.0346E-015	6.9176E-014
RCPTR_29	farmer_adult	TOCDFDFS	Carbon tetrachloride	8.0790E-015	1.0963E-013
RCPTR_29	farmer_adult	TOCDFDFS	Chlorine	1.5648E-013	2.1885E-012
RCPTR_29	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0070E-009	6.0062E-009
RCPTR_29	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.4029E-011	3.2780E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chlorobenzene	4.8150E-014	6.4170E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Chloroethane	1.5105E-016	1.8078E-015
RCPTR_29	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	6.2290E-015	8.6522E-014
RCPTR_29	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.0130E-009	2.5640E-008
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.5213E-011	9.0981E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.8621E-009	3.3601E-008
RCPTR_29	farmer_adult	TOCDFDFS	Chromium	1.0347E-005	1.0386E-005
RCPTR_29	farmer_adult	TOCDFDFS	Chromium, hexavalent	9.3103E-006	9.4496E-006
RCPTR_29	farmer_adult	TOCDFDFS	Chrysene	5.3113E-005	6.0919E-005
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.1853E-007	4.7864E-007
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.1479E+003	2.1479E+003
RCPTR_29	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.4542E-003	4.5425E-003
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.5859E-012	4.1515E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.0677E-012	5.0147E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.8465E-012	4.8260E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6875E-007	3.2351E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.1134E-017	1.5122E-016
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.6034E-015	3.6205E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2301E-015	4.4976E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	9.9582E-016	1.3710E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.6029E-015	2.2039E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0172E-009	4.2606E-009
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	9.1303E-015	1.2405E-013
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.9547E-015	4.0913E-014
RCPTR_29	farmer_adult	TOCDFDFS	Diethyl phthalate	2.6128E-007	2.7156E-007
RCPTR_29	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.9619E-011	8.2073E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.6487E-011	6.2081E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.6022E-010	3.5988E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.4573E-011	5.7518E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.8507E-011	4.4166E-010
RCPTR_29	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	9.4562E-013	1.3207E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Ethylbenzene	3.4400E-014	3.9378E-013
RCPTR_29	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.1173E-008	2.3941E-008
RCPTR_29	farmer_adult	TOCDFDFS	Fluoranthene	5.4490E-007	2.3241E-006
RCPTR_29	farmer_adult	TOCDFDFS	Fluorene	3.3456E-009	3.8642E-008
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0212E-011	1.0640E-011
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.2562E-012	8.5431E-012
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.7097E-011	2.8213E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.1438E-010	2.2206E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.3489E-010	1.4096E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.0887E-010	1.1436E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	7.5796E-011	7.9995E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	6.8338E-011	7.2107E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.0608E-011	8.5029E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.2052E-011	6.5464E-011
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.8875E-011	8.1838E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.6423E-007	1.6573E-006
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.5687E-010	2.1822E-009
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.9909E-011	4.9799E-010
RCPTR_29	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.0344E-002	3.0526E-002
RCPTR_29	farmer_adult	TOCDFDFS	Isophorone	6.8003E-012	9.4446E-011
RCPTR_29	farmer_adult	TOCDFDFS	Lead	1.9066E-006	2.0941E-006
RCPTR_29	farmer_adult	TOCDFDFS	Mercuric chloride	5.2234E-007	5.3981E-007
RCPTR_29	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.1332E-016	1.5806E-015
RCPTR_29	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.2419E-017	3.1164E-016
RCPTR_29	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.5545E-014	7.7627E-013
RCPTR_29	farmer_adult	TOCDFDFS	Methyl mercury	8.9175E-009	9.0822E-009
RCPTR_29	farmer_adult	TOCDFDFS	Methylene chloride	3.3543E-015	4.6696E-014
RCPTR_29	farmer_adult	TOCDFDFS	Mustard	3.9694E-013	5.5013E-012
RCPTR_29	farmer_adult	TOCDFDFS	Naphthalene	3.0483E-011	3.9925E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Nickel	4.1933E-005	4.4657E-005
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.1822E-010	1.6114E-009
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.7646E-011	3.8337E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.6032E-011	4.9550E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitrobenzene	1.1432E-011	1.5941E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.2257E-012	7.2580E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.4183E-010	1.2821E-009
RCPTR_29	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.5889E-012	8.9941E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.5537E-012	8.8407E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.0584E-013	8.0045E-012
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.7822E-011	1.8749E-011
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.8811E-011	1.9766E-011
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.5985E-010	3.7479E-010
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.4762E-011	4.7754E-011
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8902E-010	2.0125E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.1737E-010	6.3054E-009
RCPTR_29	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.0163E-010	2.5089E-009
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorophenol	1.1084E-006	1.5031E-006
RCPTR_29	farmer_adult	TOCDFDFS	Phenanthrene	1.0120E-011	1.2228E-010
RCPTR_29	farmer_adult	TOCDFDFS	Phenol	9.2050E-012	1.2632E-010
RCPTR_29	farmer_adult	TOCDFDFS	Pronamide	1.0556E-009	1.2116E-008
RCPTR_29	farmer_adult	TOCDFDFS	Pyrene	6.7529E-007	3.2382E-006
RCPTR_29	farmer_adult	TOCDFDFS	Selenium	6.8225E-007	6.8543E-007
RCPTR_29	farmer_adult	TOCDFDFS	Silver	4.4836E-006	4.7564E-006
RCPTR_29	farmer_adult	TOCDFDFS	Styrene	3.4445E-013	4.6998E-012
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0865E-010	1.1847E-010
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.1691E-011	3.5705E-011
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0154E-009	9.8478E-009
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.7766E-010	2.2080E-010
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.6719E-015	1.3182E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8374E-008	7.6372E-008
RCPTR_29	farmer_adult	TOCDFDFS	Thallium (l)	6.0152E-004	6.2780E-004
RCPTR_29	farmer_adult	TOCDFDFS	Toluene	1.3516E-014	1.7638E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.3632E-011	3.7576E-010
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.9757E-015	1.0987E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.6898E-014	6.5098E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethylene	7.7414E-015	1.0587E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0674E-015	1.4622E-014
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.6852E-009	4.3277E-008
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.4633E-009	4.5160E-008
RCPTR_29	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.7431E-013	2.4096E-012
RCPTR_29	farmer_adult	TOCDFDFS	Vinyl Chloride	2.4931E-018	3.4398E-017
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, m-	8.7696E-013	1.4234E-012
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, o-	6.5967E-013	1.2039E-012
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, p-	8.4153E-013	1.6890E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Zinc	1.9138E-006	2.3731E-006
RCPTR_29	farmer_adult	TOCDFLIC	Acenaphthene	1.7922E-010	2.2268E-009
RCPTR_29	farmer_adult	TOCDFLIC	Acetone	5.7107E-015	7.9838E-014
RCPTR_29	farmer_adult	TOCDFLIC	Acetophenone	8.4190E-013	1.1698E-011
RCPTR_29	farmer_adult	TOCDFLIC	Aniline	5.1429E-014	7.0474E-013
RCPTR_29	farmer_adult	TOCDFLIC	Anthracene	3.2041E-009	3.9310E-008
RCPTR_29	farmer_adult	TOCDFLIC	Antimony	1.5414E-005	1.7891E-005
RCPTR_29	farmer_adult	TOCDFLIC	Arsenic	2.8794E-005	2.9796E-005
RCPTR_29	farmer_adult	TOCDFLIC	Barium	2.3038E-006	2.5762E-006
RCPTR_29	farmer_adult	TOCDFLIC	Benzene	3.2275E-014	4.3912E-013
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.7955E-006	5.3228E-006
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.4810E-005	4.6561E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.3137E-005	2.7107E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.8698E-005	7.0882E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzoic acid	3.6912E-012	2.8370E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Benzyl alcohol	1.8459E-010	2.5573E-009
RCPTR_29	farmer_adult	TOCDFLIC	Beryllium	3.9128E-006	4.1642E-006
RCPTR_29	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.1440E-012	1.5992E-011
RCPTR_29	farmer_adult	TOCDFLIC	Bromodichloromethane	1.1392E-015	1.5846E-014
RCPTR_29	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.0587E-012	2.8685E-011
RCPTR_29	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.4872E-008	6.1459E-007
RCPTR_29	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.6716E-008	3.0261E-008
RCPTR_29	farmer_adult	TOCDFLIC	Cadmium	4.7189E-007	6.4726E-007
RCPTR_29	farmer_adult	TOCDFLIC	Carbon disulfide	7.5238E-015	1.0338E-013
RCPTR_29	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.5075E-013	2.0458E-012
RCPTR_29	farmer_adult	TOCDFLIC	Chlorine	1.2208E-006	1.7074E-005
RCPTR_29	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.2896E-010	1.3624E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.4479E-012	7.4322E-011
RCPTR_29	farmer_adult	TOCDFLIC	Chlorobenzene	6.1830E-014	8.2425E-013
RCPTR_29	farmer_adult	TOCDFLIC	Chloroethane	7.0893E-017	8.4785E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.9104E-014	8.2096E-013
RCPTR_29	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.5614E-010	5.8131E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.4786E-011	2.0628E-010
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3177E-009	7.6067E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chromium	1.8978E-005	1.9050E-005
RCPTR_29	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.7078E-005	1.7333E-005
RCPTR_29	farmer_adult	TOCDFLIC	Chrysene	1.1890E-005	1.3643E-005
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.4600E-008	1.6706E-008
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-octylphthalate	7.5632E+001	7.5632E+001
RCPTR_29	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.8148E-004	9.9934E-004
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	8.1228E-013	9.4119E-012
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	9.2176E-013	1.1369E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.7166E-013	1.0941E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.9705E-008	3.5875E-008
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.9613E-018	6.7471E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.9749E-016	2.7464E-015
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5148E-015	2.1092E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	7.5539E-017	1.0400E-015
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.5169E-016	1.0336E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.3139E-010	9.6674E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.2816E-015	5.8175E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.4283E-015	1.9781E-014
RCPTR_29	farmer_adult	TOCDFLIC	Diethyl phthalate	9.1981E-009	9.5581E-009
RCPTR_29	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.4900E-010	1.7626E-009
RCPTR_29	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.0542E-011	1.4076E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.6348E-011	8.1618E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.2246E-011	1.3028E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.7005E-012	1.0010E-010
RCPTR_29	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.1440E-013	2.9944E-012
RCPTR_29	farmer_adult	TOCDFLIC	Ethylbenzene	1.6904E-014	1.9372E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.4882E-008	3.9682E-008
RCPTR_29	farmer_adult	TOCDFLIC	Fluoranthene	1.2244E-007	5.2571E-007
RCPTR_29	farmer_adult	TOCDFLIC	Fluorene	7.5708E-010	8.7597E-009
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.9436E-011	9.3076E-011
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.7872E-010	2.8800E-010
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.7451E-010	7.0138E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.0948E-010	7.3393E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.4696E-010	4.6655E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.8330E-010	4.0227E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	7.9159E-010	8.3510E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.8528E-010	7.2278E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.9936E-010	7.3738E-010
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.7727E-010	6.0875E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9969E-011	1.8537E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.7120E-008	3.7564E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.7572E-011	4.9410E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.0531E-012	1.1291E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8357E-003	6.8725E-003
RCPTR_29	farmer_adult	TOCDFLIC	Isophorone	1.5419E-012	2.1413E-011
RCPTR_29	farmer_adult	TOCDFLIC	Lead	1.0164E-005	1.1162E-005
RCPTR_29	farmer_adult	TOCDFLIC	Mercuric chloride	1.3419E-006	1.3880E-006
RCPTR_29	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	8.3842E-017	1.1695E-015
RCPTR_29	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.4841E-016	2.0633E-015
RCPTR_29	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1616E-013	1.6234E-012
RCPTR_29	farmer_adult	TOCDFLIC	Methyl mercury	2.1940E-008	2.2375E-008
RCPTR_29	farmer_adult	TOCDFLIC	Methylene chloride	1.5219E-014	2.1187E-013
RCPTR_29	farmer_adult	TOCDFLIC	Mustard	1.5827E-013	2.1934E-012
RCPTR_29	farmer_adult	TOCDFLIC	Naphthalene	1.0676E-012	1.3989E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nickel	4.5824E-005	4.8798E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.6797E-011	3.6535E-010
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.2673E-012	8.6922E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.1595E-012	1.1234E-010
RCPTR_29	farmer_adult	TOCDFLIC	Nitrobenzene	2.5917E-012	3.6142E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.1847E-012	1.6456E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4615E-011	2.9132E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4941E-012	2.0392E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.4862E-012	2.0044E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.5662E-013	1.8114E-012
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.4048E-010	1.4770E-010
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.3879E-010	1.4575E-010
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5059E-009	1.5669E-009
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.3424E-010	2.4989E-010
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.2710E-010	9.8715E-010
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.9723E-010	7.1163E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.6917E-011	5.6472E-010
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorophenol	5.0407E-008	6.8271E-008
RCPTR_29	farmer_adult	TOCDFLIC	Phenanthrene	2.2915E-012	2.7722E-011
RCPTR_29	farmer_adult	TOCDFLIC	Phenol	2.0872E-012	2.8639E-011
RCPTR_29	farmer_adult	TOCDFLIC	Pronamide	2.3926E-010	2.7469E-009
RCPTR_29	farmer_adult	TOCDFLIC	Pyrene	1.5256E-007	7.3353E-007
RCPTR_29	farmer_adult	TOCDFLIC	Selenium	1.7872E-005	1.7955E-005
RCPTR_29	farmer_adult	TOCDFLIC	Silver	4.5856E-005	4.8643E-005
RCPTR_29	farmer_adult	TOCDFLIC	Styrene	2.4063E-011	3.2839E-010
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.9393E-010	2.1160E-010
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.2004E-011	8.1226E-011
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3014E-010	2.2327E-009
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.6858E-015	1.0552E-013
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.8923E-015	3.9454E-014
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.4557E-009	1.7339E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Thallium (l)	6.1097E-005	6.3764E-005
RCPTR_29	farmer_adult	TOCDFLIC	Toluene	5.9106E-014	7.7156E-013
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.6127E-012	8.5181E-011
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.4266E-014	3.3431E-013
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.1993E-014	3.0529E-013
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethylene	3.6300E-015	4.9647E-014
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.7626E-016	6.5247E-015
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0640E-009	9.8137E-009
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.8288E-010	2.0381E-009
RCPTR_29	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	8.1737E-014	1.1300E-012
RCPTR_29	farmer_adult	TOCDFLIC	Vinyl Chloride	3.5011E-018	4.8349E-017
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, m-	7.9184E-013	1.3403E-012
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, o-	6.8283E-013	1.3081E-012
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, p-	7.6238E-013	1.6130E-012
RCPTR_29	farmer_adult	TOCDFLIC	Zinc	1.7966E-005	2.2272E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Acenaphthene	2.7101E-010	3.3669E-009
RCPTR_29	farmer_adult	TOCDFMPF	Acetone	2.0631E-014	2.8844E-013
RCPTR_29	farmer_adult	TOCDFMPF	Acetophenone	1.3336E-012	1.8529E-011
RCPTR_29	farmer_adult	TOCDFMPF	Aniline	7.7761E-014	1.0656E-012
RCPTR_29	farmer_adult	TOCDFMPF	Anthracene	4.8455E-009	5.9437E-008
RCPTR_29	farmer_adult	TOCDFMPF	Antimony	2.0949E-007	2.4315E-007
RCPTR_29	farmer_adult	TOCDFMPF	Aroclor 1254	1.4405E-009	2.4305E-009
RCPTR_29	farmer_adult	TOCDFMPF	Arsenic	1.4927E-006	1.5447E-006
RCPTR_29	farmer_adult	TOCDFMPF	Barium	1.6282E-006	1.8207E-006
RCPTR_29	farmer_adult	TOCDFMPF	Benzene	2.8531E-014	3.8817E-013
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.7464E-006	8.0564E-006
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.7892E-005	7.0549E-005
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.5018E-005	4.1025E-005
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.0406E-004	1.0738E-004
RCPTR_29	farmer_adult	TOCDFMPF	Benzoic acid	1.6155E-011	1.2417E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Benzyl alcohol	1.7444E-012	2.4167E-011
RCPTR_29	farmer_adult	TOCDFMPF	Beryllium	1.3302E-007	1.4157E-007
RCPTR_29	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.7297E-012	2.4180E-011
RCPTR_29	farmer_adult	TOCDFMPF	Bromodichloromethane	3.4231E-014	4.7614E-013
RCPTR_29	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.1894E-012	1.6573E-011
RCPTR_29	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	9.8093E-008	9.2927E-007
RCPTR_29	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.0533E-008	4.5893E-008
RCPTR_29	farmer_adult	TOCDFMPF	Cadmium	2.1487E-006	2.9473E-006
RCPTR_29	farmer_adult	TOCDFMPF	Carbon disulfide	2.7207E-015	3.7385E-014
RCPTR_29	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.5972E-014	3.5247E-013
RCPTR_29	farmer_adult	TOCDFMPF	Chlorine	2.2245E-007	3.1111E-006
RCPTR_29	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.4613E-010	2.0599E-009
RCPTR_29	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.2374E-012	1.1238E-010
RCPTR_29	farmer_adult	TOCDFMPF	Chlorobenzene	1.0972E-013	1.4627E-012
RCPTR_29	farmer_adult	TOCDFMPF	Chloroethane	6.9093E-016	8.2636E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.8383E-014	2.5535E-013
RCPTR_29	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.8971E-010	8.7895E-009
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.2356E-011	3.1189E-010
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.9936E-009	1.1503E-008
RCPTR_29	farmer_adult	TOCDFMPF	Chromium	3.5914E-006	3.6051E-006
RCPTR_29	farmer_adult	TOCDFMPF	Chromium, hexavalent	3.2319E-006	3.2802E-006
RCPTR_29	farmer_adult	TOCDFMPF	Chrysene	1.7994E-005	2.0645E-005
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.4289E-007	1.6349E-007
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-octylphthalate	7.3973E+002	7.3973E+002
RCPTR_29	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.4868E-003	1.5140E-003
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2283E-012	1.4231E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3938E-012	1.7190E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3180E-012	1.6543E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.0253E-008	1.0898E-007
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.0364E-017	5.4888E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.9341E-015	8.2526E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3626E-015	1.0252E-013
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.2698E-015	3.1251E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.6536E-015	5.0237E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.4979E-010	1.4617E-009
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.0811E-014	2.8276E-013
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.7334E-015	9.3256E-014
RCPTR_29	farmer_adult	TOCDFMPF	Diethyl phthalate	8.9965E-008	9.3487E-008
RCPTR_29	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.5741E-011	1.8616E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.5940E-011	2.1282E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.4859E-011	1.2318E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.8529E-011	1.9699E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3158E-011	1.5136E-010
RCPTR_29	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.2417E-013	4.5275E-012
RCPTR_29	farmer_adult	TOCDFMPF	Ethylbenzene	7.8324E-014	8.9750E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.2638E-009	7.1227E-009
RCPTR_29	farmer_adult	TOCDFMPF	Fluoranthene	1.8525E-007	7.9501E-007
RCPTR_29	farmer_adult	TOCDFMPF	Fluorene	1.1449E-009	1.3245E-008
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.4693E-010	3.6108E-010
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.3565E-010	4.5018E-010
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.8558E-010	8.1695E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0137E-010	2.0833E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.8859E-011	1.0320E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.0209E-011	9.4680E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.5580E-010	1.6437E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.5856E-011	6.9462E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.7922E-011	6.1073E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.2033E-011	5.4873E-011
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.0213E-011	2.8030E-010
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.6138E-008	5.6799E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.7118E-011	7.4716E-010
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3688E-011	1.7072E-010
RCPTR_29	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0340E-002	1.0396E-002
RCPTR_29	farmer_adult	TOCDFMPF	Isophorone	2.3313E-012	3.2377E-011
RCPTR_29	farmer_adult	TOCDFMPF	Lead	1.1702E-006	1.2852E-006
RCPTR_29	farmer_adult	TOCDFMPF	Mercuric chloride	2.2615E-005	2.3392E-005
RCPTR_29	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.2910E-016	5.9853E-015
RCPTR_29	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.5057E-017	3.4835E-016
RCPTR_29	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.3299E-014	3.2562E-013
RCPTR_29	farmer_adult	TOCDFMPF	Methyl mercury	3.7090E-007	3.7822E-007
RCPTR_29	farmer_adult	TOCDFMPF	Methylene chloride	1.1838E-014	1.6480E-013
RCPTR_29	farmer_adult	TOCDFMPF	Mustard	1.1139E-012	1.5437E-011
RCPTR_29	farmer_adult	TOCDFMPF	Naphthalene	1.0446E-011	1.3686E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nickel	2.8658E-005	3.0518E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.0444E-011	5.5142E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.4592E-012	1.3119E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.2316E-011	1.6955E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nitrobenzene	3.9188E-012	5.4647E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.7913E-012	2.4881E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.2052E-010	4.3963E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.2590E-012	3.0833E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.2471E-012	3.0307E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.3715E-013	2.7392E-012
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	8.9086E-009	9.3667E-009
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.5690E-008	1.6478E-008
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.8102E-011	8.1273E-011
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.0094E-010	1.0769E-010
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	6.1771E-011	6.5771E-011
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.0192E-010	2.1490E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.3160E-010	8.5274E-010
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorophenol	3.8097E-007	5.1603E-007
RCPTR_29	farmer_adult	TOCDFMPF	Phenanthrene	3.4650E-012	4.1916E-011
RCPTR_29	farmer_adult	TOCDFMPF	Phenol	3.1558E-012	4.3303E-011
RCPTR_29	farmer_adult	TOCDFMPF	Pronamide	3.6177E-010	4.1533E-009
RCPTR_29	farmer_adult	TOCDFMPF	Pyrene	2.3072E-007	1.1092E-006
RCPTR_29	farmer_adult	TOCDFMPF	Selenium	3.1253E-007	3.1398E-007
RCPTR_29	farmer_adult	TOCDFMPF	Silver	6.1677E-006	6.5426E-006
RCPTR_29	farmer_adult	TOCDFMPF	Styrene	5.4273E-013	7.4065E-012
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3008E-011	2.5104E-011
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.0692E-011	7.9739E-011
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.4799E-010	3.3758E-009
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3095E-013	3.1707E-012
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.2027E-014	3.0046E-013
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.7413E-009	2.6167E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Thallium (l)	1.8643E-006	1.9456E-006
RCPTR_29	farmer_adult	TOCDFMPF	Toluene	3.9224E-014	5.1201E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1512E-011	1.2880E-010
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.4088E-014	1.9409E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.0690E-013	1.4839E-012
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethylene	1.7644E-014	2.4131E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.8612E-014	6.6598E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6087E-009	1.4838E-008
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.7881E-010	3.0815E-009
RCPTR_29	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.9728E-013	5.4925E-012
RCPTR_29	farmer_adult	TOCDFMPF	Vinyl Chloride	9.5025E-018	1.3122E-016
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, m-	7.8980E-013	1.3328E-012
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, o-	6.8100E-013	1.3000E-012
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, p-	7.6023E-013	1.6023E-012
RCPTR_29	farmer_adult	TOCDFMPF	Zinc	5.1008E-006	6.3237E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDHVAC	Mustard	3.7087E-013	5.1400E-012
RCPTR_29	farmer_adult	TOCDLIC2	Acenaphthene	1.7922E-010	2.2268E-009
RCPTR_29	farmer_adult	TOCDLIC2	Acetone	5.7107E-015	7.9838E-014
RCPTR_29	farmer_adult	TOCDLIC2	Acetophenone	8.4190E-013	1.1698E-011
RCPTR_29	farmer_adult	TOCDLIC2	Aniline	5.1429E-014	7.0474E-013
RCPTR_29	farmer_adult	TOCDLIC2	Anthracene	3.2041E-009	3.9310E-008
RCPTR_29	farmer_adult	TOCDLIC2	Antimony	1.5414E-005	1.7891E-005
RCPTR_29	farmer_adult	TOCDLIC2	Arsenic	2.8794E-005	2.9796E-005
RCPTR_29	farmer_adult	TOCDLIC2	Barium	2.3038E-006	2.5762E-006
RCPTR_29	farmer_adult	TOCDLIC2	Benzene	3.2275E-014	4.3912E-013
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.7955E-006	5.3228E-006
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.4810E-005	4.6561E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.3137E-005	2.7107E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.8698E-005	7.0882E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzoic acid	3.6912E-012	2.8370E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Benzyl alcohol	1.8459E-010	2.5573E-009
RCPTR_29	farmer_adult	TOCDLIC2	Beryllium	3.9128E-006	4.1642E-006
RCPTR_29	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.1440E-012	1.5992E-011
RCPTR_29	farmer_adult	TOCDLIC2	Bromodichloromethane	1.1392E-015	1.5846E-014
RCPTR_29	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.0587E-012	2.8685E-011
RCPTR_29	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.4872E-008	6.1459E-007
RCPTR_29	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.6716E-008	3.0261E-008
RCPTR_29	farmer_adult	TOCDLIC2	Cadmium	4.7189E-007	6.4726E-007
RCPTR_29	farmer_adult	TOCDLIC2	Carbon disulfide	7.5238E-015	1.0338E-013
RCPTR_29	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.5075E-013	2.0458E-012
RCPTR_29	farmer_adult	TOCDLIC2	Chlorine	1.2208E-006	1.7074E-005
RCPTR_29	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.2896E-010	1.3624E-009
RCPTR_29	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.4479E-012	7.4322E-011
RCPTR_29	farmer_adult	TOCDLIC2	Chlorobenzene	6.1830E-014	8.2425E-013
RCPTR_29	farmer_adult	TOCDLIC2	Chloroethane	7.0893E-017	8.4785E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.9104E-014	8.2096E-013
RCPTR_29	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.5614E-010	5.8131E-009
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.4786E-011	2.0628E-010
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3177E-009	7.6067E-009
RCPTR_29	farmer_adult	TOCDLIC2	Chromium	1.8978E-005	1.9050E-005
RCPTR_29	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.7078E-005	1.7333E-005
RCPTR_29	farmer_adult	TOCDLIC2	Chrysene	1.1890E-005	1.3643E-005
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.4600E-008	1.6706E-008
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.5632E+001	7.5632E+001
RCPTR_29	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.8148E-004	9.9934E-004
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.1228E-013	9.4119E-012
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	9.2176E-013	1.1369E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.7166E-013	1.0941E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.9705E-008	3.5875E-008
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.9613E-018	6.7471E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.9749E-016	2.7464E-015
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5148E-015	2.1092E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	7.5539E-017	1.0400E-015
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.5169E-016	1.0336E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.3139E-010	9.6674E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.2816E-015	5.8175E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.4283E-015	1.9781E-014
RCPTR_29	farmer_adult	TOCDLIC2	Diethyl phthalate	9.1981E-009	9.5581E-009
RCPTR_29	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4900E-010	1.7626E-009
RCPTR_29	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.0542E-011	1.4076E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.6348E-011	8.1618E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.2246E-011	1.3028E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.7005E-012	1.0010E-010
RCPTR_29	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.1440E-013	2.9944E-012
RCPTR_29	farmer_adult	TOCDLIC2	Ethylbenzene	1.6904E-014	1.9372E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.4882E-008	3.9682E-008
RCPTR_29	farmer_adult	TOCDLIC2	Fluoranthene	1.2244E-007	5.2571E-007
RCPTR_29	farmer_adult	TOCDLIC2	Fluorene	7.5708E-010	8.7597E-009
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	8.9436E-011	9.3076E-011
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.7872E-010	2.8800E-010
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.7451E-010	7.0138E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.0948E-010	7.3393E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.4696E-010	4.6655E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.8330E-010	4.0227E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.9159E-010	8.3510E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.8528E-010	7.2278E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.9936E-010	7.3738E-010
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.7727E-010	6.0875E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9969E-011	1.8537E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.7120E-008	3.7564E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.7572E-011	4.9410E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.0531E-012	1.1291E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8357E-003	6.8725E-003
RCPTR_29	farmer_adult	TOCDLIC2	Isophorone	1.5419E-012	2.1413E-011
RCPTR_29	farmer_adult	TOCDLIC2	Lead	1.0164E-005	1.1162E-005
RCPTR_29	farmer_adult	TOCDLIC2	Mercuric chloride	1.3419E-006	1.3880E-006
RCPTR_29	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	8.3842E-017	1.1695E-015
RCPTR_29	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.4841E-016	2.0633E-015
RCPTR_29	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1616E-013	1.6234E-012
RCPTR_29	farmer_adult	TOCDLIC2	Methyl mercury	2.1940E-008	2.2375E-008
RCPTR_29	farmer_adult	TOCDLIC2	Methylene chloride	1.5219E-014	2.1187E-013
RCPTR_29	farmer_adult	TOCDLIC2	Mustard	1.6454E-013	2.2803E-012
RCPTR_29	farmer_adult	TOCDLIC2	Naphthalene	1.0676E-012	1.3989E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nickel	4.5824E-005	4.8798E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.6797E-011	3.6535E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.2673E-012	8.6922E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 4-	8.1595E-012	1.1234E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitrobenzene	2.5917E-012	3.6142E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.1847E-012	1.6456E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4615E-010	2.9132E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4941E-012	2.0392E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.4862E-012	2.0044E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.5662E-013	1.8114E-012
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.4048E-010	1.4770E-010
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.3879E-010	1.4575E-010
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.5059E-009	1.5669E-009
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.3424E-010	2.4989E-010
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	9.2710E-010	9.8715E-010
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.9723E-010	7.1163E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.6917E-011	5.6472E-010
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorophenol	5.0407E-008	6.8271E-008
RCPTR_29	farmer_adult	TOCDLIC2	Phenanthrene	2.2915E-012	2.7722E-011
RCPTR_29	farmer_adult	TOCDLIC2	Phenol	2.0872E-012	2.8639E-011
RCPTR_29	farmer_adult	TOCDLIC2	Pronamide	2.3926E-010	2.7469E-009
RCPTR_29	farmer_adult	TOCDLIC2	Pyrene	1.5256E-007	7.3353E-007
RCPTR_29	farmer_adult	TOCDLIC2	Selenium	1.7872E-005	1.7955E-005
RCPTR_29	farmer_adult	TOCDLIC2	Silver	4.5856E-005	4.8643E-005
RCPTR_29	farmer_adult	TOCDLIC2	Styrene	2.4063E-011	3.2839E-010
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9393E-010	2.1160E-010
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.2004E-011	8.1226E-011
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.3014E-010	2.2327E-009
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.6858E-015	1.0552E-013
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8923E-015	3.9454E-014
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.4557E-009	1.7339E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Thallium (l)	6.1097E-005	6.3764E-005
RCPTR_29	farmer_adult	TOCDLIC2	Toluene	5.9106E-014	7.7156E-013
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.6127E-012	8.5181E-011
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.4266E-014	3.3431E-013
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.1993E-014	3.0529E-013
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethylene	3.6300E-015	4.9647E-014
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.7626E-016	6.5247E-015
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0640E-009	9.8137E-009
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.8288E-010	2.0381E-009
RCPTR_29	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	8.1737E-014	1.1300E-012
RCPTR_29	farmer_adult	TOCDLIC2	Vinyl Chloride	3.5011E-018	4.8349E-017
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, m-	1.6455E-012	2.7852E-012
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, o-	1.4190E-012	2.7183E-012
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, p-	1.5843E-012	3.3518E-012
RCPTR_29	farmer_adult	TOCDLIC2	Zinc	1.7966E-005	2.2272E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFBRA	Antimony	3.8011E-006	4.1126E-006
RCPTR_29	farmer_child	TOCDFBRA	Arsenic	6.1022E-006	6.2195E-006
RCPTR_29	farmer_child	TOCDFBRA	Barium	5.1782E-007	5.4987E-007
RCPTR_29	farmer_child	TOCDFBRA	Beryllium	1.6472E-006	1.6950E-006
RCPTR_29	farmer_child	TOCDFBRA	Cadmium	3.1551E-007	3.6631E-007
RCPTR_29	farmer_child	TOCDFBRA	Chromium	3.8893E-005	3.9889E-005
RCPTR_29	farmer_child	TOCDFBRA	Chromium, hexavalent	3.5988E-005	3.6290E-005
RCPTR_29	farmer_child	TOCDFBRA	Lead	1.7048E-005	1.7827E-005
RCPTR_29	farmer_child	TOCDFBRA	Mercuric chloride	1.5505E-003	1.8411E-003
RCPTR_29	farmer_child	TOCDFBRA	Methyl mercury	2.9119E-005	3.0014E-005
RCPTR_29	farmer_child	TOCDFBRA	Nickel	2.0200E-005	2.0866E-005
RCPTR_29	farmer_child	TOCDFBRA	Selenium	6.8043E-006	6.8221E-006
RCPTR_29	farmer_child	TOCDFBRA	Silver	2.3183E-006	2.3957E-006
RCPTR_29	farmer_child	TOCDFBRA	Thallium (l)	6.2475E-005	6.3854E-005
RCPTR_29	farmer_child	TOCDFBRA	Zinc	1.1249E-005	1.2526E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Acenaphthene	4.7324E-009	9.8225E-009
RCPTR_29	farmer_child	TOCDFDFS	Acetone	5.1619E-014	1.0829E-013
RCPTR_29	farmer_child	TOCDFDFS	Acetophenone	2.5870E-011	5.4243E-011
RCPTR_29	farmer_child	TOCDFDFS	Aniline	1.4843E-012	3.1084E-012
RCPTR_29	farmer_child	TOCDFDFS	Anthracene	8.3660E-008	1.7342E-007
RCPTR_29	farmer_child	TOCDFDFS	Antimony	3.2734E-007	3.5415E-007
RCPTR_29	farmer_child	TOCDFDFS	Aroclor 1254	3.0492E-009	3.9294E-009
RCPTR_29	farmer_child	TOCDFDFS	Arsenic	6.1310E-007	6.2488E-007
RCPTR_29	farmer_child	TOCDFDFS	Barium	4.1045E-007	4.3585E-007
RCPTR_29	farmer_child	TOCDFDFS	Benzene	1.8509E-013	3.8738E-013
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.0663E-005	2.3828E-005
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.0778E-004	2.1173E-004
RCPTR_29	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.1282E-004	1.2118E-004
RCPTR_29	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.1721E-004	3.2148E-004
RCPTR_29	farmer_child	TOCDFDFS	Benzoic acid	1.8455E-011	3.6215E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Benzyl alcohol	3.3630E-011	7.0496E-011
RCPTR_29	farmer_child	TOCDFDFS	Beryllium	3.2556E-007	3.3500E-007
RCPTR_29	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.3623E-011	7.0536E-011
RCPTR_29	farmer_child	TOCDFDFS	Bromodichloromethane	5.9810E-014	1.2542E-013
RCPTR_29	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.5672E-012	2.0065E-011
RCPTR_29	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.5756E-006	2.7110E-006
RCPTR_29	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.3061E-007	1.3944E-007
RCPTR_29	farmer_child	TOCDFDFS	Cadmium	1.3269E-007	1.5405E-007
RCPTR_29	farmer_child	TOCDFDFS	Carbon disulfide	3.3024E-014	6.9176E-014
RCPTR_29	farmer_child	TOCDFDFS	Carbon tetrachloride	5.2392E-014	1.0963E-013
RCPTR_29	farmer_child	TOCDFDFS	Chlorine	1.0432E-012	2.1885E-012
RCPTR_29	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.1885E-009	6.0062E-009
RCPTR_29	farmer_child	TOCDFDFS	Chloroaniline, p-	1.5659E-010	3.2780E-010
RCPTR_29	farmer_child	TOCDFDFS	Chlorobenzene	3.0715E-013	6.4170E-013
RCPTR_29	farmer_child	TOCDFDFS	Chloroethane	8.7399E-016	1.8078E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.1266E-014	8.6522E-014
RCPTR_29	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.2323E-008	2.5640E-008
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.3377E-010	9.0981E-010
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.7966E-008	3.3601E-008
RCPTR_29	farmer_child	TOCDFDFS	Chromium	1.0127E-005	1.0386E-005
RCPTR_29	farmer_child	TOCDFDFS	Chromium, hexavalent	9.3712E-006	9.4496E-006
RCPTR_29	farmer_child	TOCDFDFS	Chrysene	5.7509E-005	6.0919E-005
RCPTR_29	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.4476E-007	4.7864E-007
RCPTR_29	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.1479E+003	2.1479E+003
RCPTR_29	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.5039E-003	4.5425E-003
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.0137E-011	4.1515E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.4175E-011	5.0147E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.3227E-011	4.8260E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9265E-007	3.2351E-007
RCPTR_29	farmer_child	TOCDFDFS	Dichlorodifluoromethane	7.2263E-017	1.5122E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.7266E-014	3.6205E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1447E-014	4.4976E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	6.5439E-015	1.3710E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.0521E-014	2.2039E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.4325E-009	4.2606E-009
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.9277E-014	1.2405E-013
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.9518E-014	4.0913E-014
RCPTR_29	farmer_child	TOCDFDFS	Diethyl phthalate	2.6576E-007	2.7156E-007
RCPTR_29	farmer_child	TOCDFDFS	Dimethyl phthalate	3.9738E-010	8.2073E-010
RCPTR_29	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.9710E-010	6.2081E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.4735E-010	3.5988E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.8175E-010	5.7518E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.1443E-010	4.4166E-010
RCPTR_29	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.2961E-012	1.3207E-011
RCPTR_29	farmer_child	TOCDFDFS	Ethylbenzene	1.9122E-013	3.9378E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.2381E-008	2.3941E-008
RCPTR_29	farmer_child	TOCDFDFS	Fluoranthene	1.3866E-006	2.3241E-006
RCPTR_29	farmer_child	TOCDFDFS	Fluorene	1.8748E-008	3.8642E-008
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0447E-011	1.0640E-011
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.4142E-012	8.5431E-012
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.7712E-011	2.8213E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.1861E-010	2.2206E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.3824E-010	1.4096E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.1189E-010	1.1436E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	7.8111E-011	7.9995E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	7.0414E-011	7.2107E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.3045E-011	8.5029E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.3933E-011	6.5464E-011
RCPTR_29	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.0721E-010	8.1838E-010
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorobenzene	8.1708E-007	1.6573E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.0970E-009	2.1822E-009
RCPTR_29	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.3980E-010	4.9799E-010
RCPTR_29	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.0443E-002	3.0526E-002
RCPTR_29	farmer_child	TOCDFDFS	Isophorone	4.5046E-011	9.4446E-011
RCPTR_29	farmer_child	TOCDFDFS	Lead	2.0026E-006	2.0941E-006
RCPTR_29	farmer_child	TOCDFDFS	Mercuric chloride	4.5634E-007	5.3981E-007
RCPTR_29	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	7.5360E-016	1.5806E-015
RCPTR_29	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.4863E-016	3.1164E-016
RCPTR_29	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.7005E-013	7.7627E-013
RCPTR_29	farmer_child	TOCDFDFS	Methyl mercury	8.8251E-009	9.0822E-009
RCPTR_29	farmer_child	TOCDFDFS	Methylene chloride	2.2267E-014	4.6696E-014
RCPTR_29	farmer_child	TOCDFDFS	Mustard	2.6243E-012	5.5013E-012
RCPTR_29	farmer_child	TOCDFDFS	Naphthalene	1.9140E-010	3.9925E-010
RCPTR_29	farmer_child	TOCDFDFS	Nickel	4.3232E-005	4.4657E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 2-	7.6979E-010	1.6114E-009
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.8287E-010	3.8337E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.3653E-010	4.9550E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitrobenzene	7.6004E-011	1.5941E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.4617E-011	7.2580E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 4-	9.2124E-010	1.2821E-009
RCPTR_29	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.2961E-011	8.9941E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.2272E-011	8.8407E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.8907E-012	8.0045E-012
RCPTR_29	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.8332E-011	1.8749E-011
RCPTR_29	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.9336E-011	1.9766E-011
RCPTR_29	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.6811E-010	3.7479E-010
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.6417E-011	4.7754E-011
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.9577E-010	2.0125E-010
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorobenzene	3.2685E-009	6.3054E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3212E-009	2.5089E-009
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorophenol	1.2806E-006	1.5031E-006
RCPTR_29	farmer_child	TOCDFDFS	Phenanthrene	5.9065E-011	1.2228E-010
RCPTR_29	farmer_child	TOCDFDFS	Phenol	6.0309E-011	1.2632E-010
RCPTR_29	farmer_child	TOCDFDFS	Pronamide	5.8819E-009	1.2116E-008
RCPTR_29	farmer_child	TOCDFDFS	Pyrene	2.1173E-006	3.2382E-006
RCPTR_29	farmer_child	TOCDFDFS	Selenium	6.8364E-007	6.8543E-007
RCPTR_29	farmer_child	TOCDFDFS	Silver	4.6026E-006	4.7564E-006
RCPTR_29	farmer_child	TOCDFDFS	Styrene	2.2450E-012	4.6998E-012
RCPTR_29	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1411E-010	1.1847E-010
RCPTR_29	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.3924E-011	3.5705E-011
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.8695E-009	9.8478E-009
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9648E-010	2.2080E-010
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.2975E-014	1.3182E-013
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.9319E-008	7.6372E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Thallium (l)	6.1424E-004	6.2780E-004
RCPTR_29	farmer_child	TOCDFDFS	Toluene	8.4585E-014	1.7638E-013
RCPTR_29	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.8292E-010	3.7576E-010
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.2438E-014	1.0987E-013
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.1050E-013	6.5098E-013
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethylene	5.0559E-014	1.0587E-013
RCPTR_29	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.9824E-015	1.4622E-014
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.1525E-008	4.3277E-008
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.4477E-008	4.5160E-008
RCPTR_29	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.1497E-012	2.4096E-012
RCPTR_29	farmer_child	TOCDFDFS	Vinyl Chloride	1.6415E-017	3.4398E-017
RCPTR_29	farmer_child	TOCDFDFS	Xylene, m-	1.1154E-012	1.4234E-012
RCPTR_29	farmer_child	TOCDFDFS	Xylene, o-	8.9717E-013	1.2039E-012
RCPTR_29	farmer_child	TOCDFDFS	Xylene, p-	1.2114E-012	1.6890E-012
RCPTR_29	farmer_child	TOCDFDFS	Zinc	2.1313E-006	2.3731E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Acenaphthene	1.0727E-009	2.2268E-009
RCPTR_29	farmer_child	TOCDFLIC	Acetone	3.8058E-014	7.9838E-014
RCPTR_29	farmer_child	TOCDFLIC	Acetophenone	5.5790E-012	1.1698E-011
RCPTR_29	farmer_child	TOCDFLIC	Aniline	3.3651E-013	7.0474E-013
RCPTR_29	farmer_child	TOCDFLIC	Anthracene	1.8960E-008	3.9310E-008
RCPTR_29	farmer_child	TOCDFLIC	Antimony	1.6538E-005	1.7891E-005
RCPTR_29	farmer_child	TOCDFLIC	Arsenic	2.9235E-005	2.9796E-005
RCPTR_29	farmer_child	TOCDFLIC	Barium	2.4262E-006	2.5762E-006
RCPTR_29	farmer_child	TOCDFLIC	Benzene	2.0981E-013	4.3912E-013
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.6083E-006	5.3228E-006
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.5711E-005	4.6561E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.5227E-005	2.7107E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.9982E-005	7.0882E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzoic acid	1.4460E-011	2.8370E-011
RCPTR_29	farmer_child	TOCDFLIC	Benzyl alcohol	1.2200E-009	2.5573E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Beryllium	4.0469E-006	4.1642E-006
RCPTR_29	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.6233E-012	1.5992E-011
RCPTR_29	farmer_child	TOCDFLIC	Bromodichloromethane	7.5567E-015	1.5846E-014
RCPTR_29	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.3677E-011	2.8685E-011
RCPTR_29	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.5717E-007	6.1459E-007
RCPTR_29	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.8263E-008	3.0261E-008
RCPTR_29	farmer_child	TOCDFLIC	Cadmium	5.5759E-007	6.4726E-007
RCPTR_29	farmer_child	TOCDFLIC	Carbon disulfide	4.9354E-014	1.0338E-013
RCPTR_29	farmer_child	TOCDFLIC	Carbon tetrachloride	9.7771E-013	2.0458E-012
RCPTR_29	farmer_child	TOCDFLIC	Chlorine	8.1384E-006	1.7074E-005
RCPTR_29	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.2355E-010	1.3624E-009
RCPTR_29	farmer_child	TOCDFLIC	Chloroaniline, p-	3.5502E-011	7.4322E-011
RCPTR_29	farmer_child	TOCDFLIC	Chlorobenzene	3.9452E-013	8.2425E-013
RCPTR_29	farmer_child	TOCDFLIC	Chloroethane	4.0993E-016	8.4785E-016
RCPTR_29	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.9155E-013	8.2096E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.7937E-009	5.8131E-009
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.8346E-011	2.0628E-010
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.0620E-009	7.6067E-009
RCPTR_29	farmer_child	TOCDFLIC	Chromium	1.8575E-005	1.9050E-005
RCPTR_29	farmer_child	TOCDFLIC	Chromium, hexavalent	1.7190E-005	1.7333E-005
RCPTR_29	farmer_child	TOCDFLIC	Chrysene	1.2877E-005	1.3643E-005
RCPTR_29	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.5519E-008	1.6706E-008
RCPTR_29	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.5632E+001	7.5632E+001
RCPTR_29	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.9154E-004	9.9934E-004
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.5649E-012	9.4119E-012
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.4806E-012	1.1369E-011
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.2657E-012	1.0941E-011
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.2397E-008	3.5875E-008
RCPTR_29	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.2238E-017	6.7471E-017
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3098E-015	2.7464E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0058E-014	2.1092E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.9641E-016	1.0400E-015
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.9339E-015	1.0336E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.5227E-010	9.6674E-010
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.7799E-014	5.8175E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	9.4370E-015	1.9781E-014
RCPTR_29	farmer_child	TOCDFLIC	Diethyl phthalate	9.3552E-009	9.5581E-009
RCPTR_29	farmer_child	TOCDFLIC	Dimethyl phthalate	8.5312E-010	1.7626E-009
RCPTR_29	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.7363E-011	1.4076E-010
RCPTR_29	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.6103E-011	8.1618E-011
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.3751E-011	1.3028E-010
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.8586E-011	1.0010E-010
RCPTR_29	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.4275E-012	2.9944E-012
RCPTR_29	farmer_child	TOCDFLIC	Ethylbenzene	9.4059E-014	1.9372E-013
RCPTR_29	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.6976E-008	3.9682E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Fluoranthene	3.1323E-007	5.2571E-007
RCPTR_29	farmer_child	TOCDFLIC	Fluorene	4.2491E-009	8.7597E-009
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	9.1438E-011	9.3076E-011
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.8383E-010	2.8800E-010
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.8931E-010	7.0138E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.2293E-010	7.3393E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.5776E-010	4.6655E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.9375E-010	4.0227E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	8.1558E-010	8.3510E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	7.0594E-010	7.2278E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	7.2031E-010	7.3738E-010
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.9462E-010	6.0875E-010
RCPTR_29	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.2144E-011	1.8537E-010
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorobenzene	1.8514E-007	3.7564E-007
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.4806E-010	4.9410E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.4374E-011	1.1291E-010
RCPTR_29	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8557E-003	6.8725E-003
RCPTR_29	farmer_child	TOCDFLIC	Isophorone	1.0213E-011	2.1413E-011
RCPTR_29	farmer_child	TOCDFLIC	Lead	1.0675E-005	1.1162E-005
RCPTR_29	farmer_child	TOCDFLIC	Mercuric chloride	1.1674E-006	1.3880E-006
RCPTR_29	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.5758E-016	1.1695E-015
RCPTR_29	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.8400E-016	2.0633E-015
RCPTR_29	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.7385E-013	1.6234E-012
RCPTR_29	farmer_child	TOCDFLIC	Methyl mercury	2.1695E-008	2.2375E-008
RCPTR_29	farmer_child	TOCDFLIC	Methylene chloride	1.0103E-013	2.1187E-013
RCPTR_29	farmer_child	TOCDFLIC	Mustard	1.0463E-012	2.1934E-012
RCPTR_29	farmer_child	TOCDFLIC	Naphthalene	6.7061E-012	1.3989E-011
RCPTR_29	farmer_child	TOCDFLIC	Nickel	4.7242E-005	4.8798E-005
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.7453E-010	3.6535E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.1463E-011	8.6922E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.3620E-011	1.1234E-010
RCPTR_29	farmer_child	TOCDFLIC	Nitrobenzene	1.7232E-011	3.6142E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 2-	7.8485E-012	1.6456E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.0950E-011	2.9132E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.7405E-012	2.0392E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	9.5843E-012	2.0044E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	8.7871E-013	1.8114E-012
RCPTR_29	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.4445E-010	1.4770E-010
RCPTR_29	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.4262E-010	1.4575E-010
RCPTR_29	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5396E-009	1.5669E-009
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.4289E-010	2.4989E-010
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.6026E-010	9.8715E-010
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorobenzene	3.6674E-009	7.1163E-009
RCPTR_29	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.9542E-010	5.6472E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorophenol	5.8202E-008	6.8271E-008
RCPTR_29	farmer_child	TOCDFLIC	Phenanthrene	1.3389E-011	2.7722E-011
RCPTR_29	farmer_child	TOCDFLIC	Phenol	1.3674E-011	2.8639E-011
RCPTR_29	farmer_child	TOCDFLIC	Pronamide	1.3335E-009	2.7469E-009
RCPTR_29	farmer_child	TOCDFLIC	Pyrene	4.7944E-007	7.3353E-007
RCPTR_29	farmer_child	TOCDFLIC	Selenium	1.7908E-005	1.7955E-005
RCPTR_29	farmer_child	TOCDFLIC	Silver	4.7072E-005	4.8643E-005
RCPTR_29	farmer_child	TOCDFLIC	Styrene	1.5686E-010	3.2839E-010
RCPTR_29	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.0374E-010	2.1160E-010
RCPTR_29	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.7133E-011	8.1226E-011
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1040E-009	2.2327E-009
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.0377E-014	1.0552E-013
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.8847E-014	3.9454E-014
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1205E-008	1.7339E-008
RCPTR_29	farmer_child	TOCDFLIC	Thallium (l)	6.2388E-005	6.3764E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Toluene	3.7000E-013	7.7156E-013
RCPTR_29	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.1461E-011	8.5181E-011
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.5956E-013	3.3431E-013
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.4561E-013	3.0529E-013
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethylene	2.3710E-014	4.9647E-014
RCPTR_29	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.1156E-015	6.5247E-015
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.8821E-009	9.8137E-009
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1052E-009	2.0381E-009
RCPTR_29	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.3917E-013	1.1300E-012
RCPTR_29	farmer_child	TOCDFLIC	Vinyl Chloride	2.3071E-017	4.8349E-017
RCPTR_29	farmer_child	TOCDFLIC	Xylene, m-	1.0312E-012	1.3403E-012
RCPTR_29	farmer_child	TOCDFLIC	Xylene, o-	9.5567E-013	1.3081E-012
RCPTR_29	farmer_child	TOCDFLIC	Xylene, p-	1.1335E-012	1.6130E-012
RCPTR_29	farmer_child	TOCDFLIC	Zinc	2.0005E-005	2.2272E-005
RCPTR_29	farmer_child	TOCDFMPF	Acenaphthene	1.6220E-009	3.3669E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Acetone	1.3749E-013	2.8844E-013
RCPTR_29	farmer_child	TOCDFMPF	Acetophenone	8.8373E-012	1.8529E-011
RCPTR_29	farmer_child	TOCDFMPF	Aniline	5.0881E-013	1.0656E-012
RCPTR_29	farmer_child	TOCDFMPF	Anthracene	2.8668E-008	5.9437E-008
RCPTR_29	farmer_child	TOCDFMPF	Antimony	2.2476E-007	2.4315E-007
RCPTR_29	farmer_child	TOCDFMPF	Aroclor 1254	1.8725E-009	2.4305E-009
RCPTR_29	farmer_child	TOCDFMPF	Arsenic	1.5156E-006	1.5447E-006
RCPTR_29	farmer_child	TOCDFMPF	Barium	1.7147E-006	1.8207E-006
RCPTR_29	farmer_child	TOCDFMPF	Benzene	1.8547E-013	3.8817E-013
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.9757E-006	8.0564E-006
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.9259E-005	7.0549E-005
RCPTR_29	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.8180E-005	4.1025E-005
RCPTR_29	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.0601E-004	1.0738E-004
RCPTR_29	farmer_child	TOCDFMPF	Benzoic acid	6.3290E-011	1.2417E-010
RCPTR_29	farmer_child	TOCDFMPF	Benzyl alcohol	1.1529E-011	2.4167E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Beryllium	1.3758E-007	1.4157E-007
RCPTR_29	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.1526E-011	2.4180E-011
RCPTR_29	farmer_child	TOCDFMPF	Bromodichloromethane	2.2706E-013	4.7614E-013
RCPTR_29	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.9022E-012	1.6573E-011
RCPTR_29	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.4005E-007	9.2927E-007
RCPTR_29	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.2871E-008	4.5893E-008
RCPTR_29	farmer_child	TOCDFMPF	Cadmium	2.5390E-006	2.9473E-006
RCPTR_29	farmer_child	TOCDFMPF	Carbon disulfide	1.7847E-014	3.7385E-014
RCPTR_29	farmer_child	TOCDFMPF	Carbon tetrachloride	1.6845E-013	3.5247E-013
RCPTR_29	farmer_child	TOCDFMPF	Chlorine	1.4830E-006	3.1111E-006
RCPTR_29	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0940E-009	2.0599E-009
RCPTR_29	farmer_child	TOCDFMPF	Chloroaniline, p-	5.3680E-011	1.1238E-010
RCPTR_29	farmer_child	TOCDFMPF	Chlorobenzene	7.0010E-013	1.4627E-012
RCPTR_29	farmer_child	TOCDFMPF	Chloroethane	3.9954E-015	8.2636E-015
RCPTR_29	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.2179E-013	2.5535E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.2242E-009	8.7895E-009
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.4870E-010	3.1189E-010
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.1430E-009	1.1503E-008
RCPTR_29	farmer_child	TOCDFMPF	Chromium	3.5152E-006	3.6051E-006
RCPTR_29	farmer_child	TOCDFMPF	Chromium, hexavalent	3.2530E-006	3.2802E-006
RCPTR_29	farmer_child	TOCDFMPF	Chrysene	1.9487E-005	2.0645E-005
RCPTR_29	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.5188E-007	1.6349E-007
RCPTR_29	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.3973E+002	7.3973E+002
RCPTR_29	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.5022E-003	1.5140E-003
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.9022E-012	1.4231E-011
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.2869E-012	1.7190E-011
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.9619E-012	1.6543E-011
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.8423E-008	1.0898E-007
RCPTR_29	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.6226E-016	5.4888E-016
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.9356E-014	8.2526E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.8886E-014	1.0252E-013
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.4916E-014	3.1251E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.3981E-014	5.0237E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.3497E-010	1.4617E-009
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.3512E-013	2.8276E-013
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.4489E-014	9.3256E-014
RCPTR_29	farmer_child	TOCDFMPF	Diethyl phthalate	9.1502E-008	9.3487E-008
RCPTR_29	farmer_child	TOCDFMPF	Dimethyl phthalate	9.0108E-011	1.8616E-010
RCPTR_29	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.0185E-010	2.1282E-010
RCPTR_29	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.4673E-011	1.2318E-010
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	9.6405E-011	1.9699E-010
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	7.3466E-011	1.5136E-010
RCPTR_29	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.1584E-012	4.5275E-012
RCPTR_29	farmer_child	TOCDFMPF	Ethylbenzene	4.3579E-013	8.9750E-013
RCPTR_29	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.6386E-009	7.1227E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Fluoranthene	4.7372E-007	7.9501E-007
RCPTR_29	farmer_child	TOCDFMPF	Fluorene	6.4249E-009	1.3245E-008
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.5472E-010	3.6108E-010
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.4365E-010	4.5018E-010
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.0285E-010	8.1695E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0520E-010	2.0833E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0125E-010	1.0320E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.2673E-011	9.4680E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.6053E-010	1.6437E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.7843E-011	6.9462E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.9659E-011	6.1073E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.3598E-011	5.4873E-011
RCPTR_29	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.3934E-010	2.8030E-010
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorobenzene	2.7994E-007	5.6799E-007
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.7514E-010	7.4716E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.2213E-011	1.7072E-010
RCPTR_29	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0371E-002	1.0396E-002
RCPTR_29	farmer_child	TOCDFMPF	Isophorone	1.5442E-011	3.2377E-011
RCPTR_29	farmer_child	TOCDFMPF	Lead	1.2291E-006	1.2852E-006
RCPTR_29	farmer_child	TOCDFMPF	Mercuric chloride	1.9681E-005	2.3392E-005
RCPTR_29	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.8536E-015	5.9853E-015
RCPTR_29	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.6613E-016	3.4835E-016
RCPTR_29	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.5522E-013	3.2562E-013
RCPTR_29	farmer_child	TOCDFMPF	Methyl mercury	3.6679E-007	3.7822E-007
RCPTR_29	farmer_child	TOCDFMPF	Methylene chloride	7.8587E-014	1.6480E-013
RCPTR_29	farmer_child	TOCDFMPF	Mustard	7.3640E-012	1.5437E-011
RCPTR_29	farmer_child	TOCDFMPF	Naphthalene	6.5610E-011	1.3686E-010
RCPTR_29	farmer_child	TOCDFMPF	Nickel	2.9545E-005	3.0518E-005
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.6342E-010	5.5142E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.2578E-011	1.3119E-010
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 4-	8.0927E-011	1.6955E-010
RCPTR_29	farmer_child	TOCDFMPF	Nitrobenzene	2.6055E-011	5.4647E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.1867E-011	2.4881E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.1613E-010	4.3963E-010
RCPTR_29	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.4728E-011	3.0833E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.4492E-011	3.0307E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.3290E-012	2.7392E-012
RCPTR_29	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	9.1606E-009	9.3667E-009
RCPTR_29	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.6123E-008	1.6478E-008
RCPTR_29	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.9857E-011	8.1273E-011
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.0467E-010	1.0769E-010
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	6.3980E-011	6.5771E-011
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorobenzene	1.1079E-009	2.1490E-009
RCPTR_29	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.4628E-010	8.5274E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorophenol	4.3990E-007	5.1603E-007
RCPTR_29	farmer_child	TOCDFMPF	Phenanthrene	2.0244E-011	4.1916E-011
RCPTR_29	farmer_child	TOCDFMPF	Phenol	2.0675E-011	4.3303E-011
RCPTR_29	farmer_child	TOCDFMPF	Pronamide	2.0163E-009	4.1533E-009
RCPTR_29	farmer_child	TOCDFMPF	Pyrene	7.2498E-007	1.1092E-006
RCPTR_29	farmer_child	TOCDFMPF	Selenium	3.1316E-007	3.1398E-007
RCPTR_29	farmer_child	TOCDFMPF	Silver	6.3313E-006	6.5426E-006
RCPTR_29	farmer_child	TOCDFMPF	Styrene	3.5378E-012	7.4065E-012
RCPTR_29	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.4172E-011	2.5104E-011
RCPTR_29	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.5724E-011	7.9739E-011
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.6692E-009	3.3758E-009
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.5137E-012	3.1707E-012
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.4353E-013	3.0046E-013
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.6909E-008	2.6167E-008
RCPTR_29	farmer_child	TOCDFMPF	Thallium (l)	1.9037E-006	1.9456E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Toluene	2.4553E-013	5.1201E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.2691E-011	1.2880E-010
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	9.2634E-014	1.9409E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	7.0776E-013	1.4839E-012
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethylene	1.1524E-013	2.4131E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.1801E-013	6.6598E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.3816E-009	1.4838E-008
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.6709E-009	3.0815E-009
RCPTR_29	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.6207E-012	5.4925E-012
RCPTR_29	farmer_child	TOCDFMPF	Vinyl Chloride	6.2616E-017	1.3122E-016
RCPTR_29	farmer_child	TOCDFMPF	Xylene, m-	1.0267E-012	1.3328E-012
RCPTR_29	farmer_child	TOCDFMPF	Xylene, o-	9.5111E-013	1.3000E-012
RCPTR_29	farmer_child	TOCDFMPF	Xylene, p-	1.1277E-012	1.6023E-012
RCPTR_29	farmer_child	TOCDFMPF	Zinc	5.6798E-006	6.3237E-006
RCPTR_29	farmer_child	TOCDHVAC	Mustard	2.4520E-012	5.1400E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Acenaphthene	1.0727E-009	2.2268E-009
RCPTR_29	farmer_child	TOCDLIC2	Acetone	3.8058E-014	7.9838E-014
RCPTR_29	farmer_child	TOCDLIC2	Acetophenone	5.5790E-012	1.1698E-011
RCPTR_29	farmer_child	TOCDLIC2	Aniline	3.3651E-013	7.0474E-013
RCPTR_29	farmer_child	TOCDLIC2	Anthracene	1.8960E-008	3.9310E-008
RCPTR_29	farmer_child	TOCDLIC2	Antimony	1.6538E-005	1.7891E-005
RCPTR_29	farmer_child	TOCDLIC2	Arsenic	2.9235E-005	2.9796E-005
RCPTR_29	farmer_child	TOCDLIC2	Barium	2.4262E-006	2.5762E-006
RCPTR_29	farmer_child	TOCDLIC2	Benzene	2.0981E-013	4.3912E-013
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.6083E-006	5.3228E-006
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.5711E-005	4.6561E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.5227E-005	2.7107E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.9982E-005	7.0882E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzoic acid	1.4460E-011	2.8370E-011
RCPTR_29	farmer_child	TOCDLIC2	Benzyl alcohol	1.2200E-009	2.5573E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Beryllium	4.0469E-006	4.1642E-006
RCPTR_29	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.6233E-012	1.5992E-011
RCPTR_29	farmer_child	TOCDLIC2	Bromodichloromethane	7.5567E-015	1.5846E-014
RCPTR_29	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.3677E-011	2.8685E-011
RCPTR_29	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.5717E-007	6.1459E-007
RCPTR_29	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.8263E-008	3.0261E-008
RCPTR_29	farmer_child	TOCDLIC2	Cadmium	5.5759E-007	6.4726E-007
RCPTR_29	farmer_child	TOCDLIC2	Carbon disulfide	4.9354E-014	1.0338E-013
RCPTR_29	farmer_child	TOCDLIC2	Carbon tetrachloride	9.7771E-013	2.0458E-012
RCPTR_29	farmer_child	TOCDLIC2	Chlorine	8.1384E-006	1.7074E-005
RCPTR_29	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.2355E-010	1.3624E-009
RCPTR_29	farmer_child	TOCDLIC2	Chloroaniline, p-	3.5502E-011	7.4322E-011
RCPTR_29	farmer_child	TOCDLIC2	Chlorobenzene	3.9452E-013	8.2425E-013
RCPTR_29	farmer_child	TOCDLIC2	Chloroethane	4.0993E-016	8.4785E-016
RCPTR_29	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.9155E-013	8.2096E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.7937E-009	5.8131E-009
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.8346E-011	2.0628E-010
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.0620E-009	7.6067E-009
RCPTR_29	farmer_child	TOCDLIC2	Chromium	1.8575E-005	1.9050E-005
RCPTR_29	farmer_child	TOCDLIC2	Chromium, hexavalent	1.7190E-005	1.7333E-005
RCPTR_29	farmer_child	TOCDLIC2	Chrysene	1.2877E-005	1.3643E-005
RCPTR_29	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.5519E-008	1.6706E-008
RCPTR_29	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.5632E+001	7.5632E+001
RCPTR_29	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.9154E-004	9.9934E-004
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.5649E-012	9.4119E-012
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.4806E-012	1.1369E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.2657E-012	1.0941E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.2397E-008	3.5875E-008
RCPTR_29	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.2238E-017	6.7471E-017
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.3098E-015	2.7464E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0058E-014	2.1092E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.9641E-016	1.0400E-015
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.9339E-015	1.0336E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.5227E-010	9.6674E-010
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.7799E-014	5.8175E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	9.4370E-015	1.9781E-014
RCPTR_29	farmer_child	TOCDLIC2	Diethyl phthalate	9.3552E-009	9.5581E-009
RCPTR_29	farmer_child	TOCDLIC2	Dimethyl phthalate	8.5312E-010	1.7626E-009
RCPTR_29	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.7363E-011	1.4076E-010
RCPTR_29	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.6103E-011	8.1618E-011
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.3751E-011	1.3028E-010
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.8586E-011	1.0010E-010
RCPTR_29	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.4275E-012	2.9944E-012
RCPTR_29	farmer_child	TOCDLIC2	Ethylbenzene	9.4059E-014	1.9372E-013
RCPTR_29	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.6976E-008	3.9682E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Fluoranthene	3.1323E-007	5.2571E-007
RCPTR_29	farmer_child	TOCDLIC2	Fluorene	4.2491E-009	8.7597E-009
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	9.1438E-011	9.3076E-011
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.8383E-010	2.8800E-010
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.8931E-010	7.0138E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.2293E-010	7.3393E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.5776E-010	4.6655E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.9375E-010	4.0227E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.1558E-010	8.3510E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	7.0594E-010	7.2278E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	7.2031E-010	7.3738E-010
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.9462E-010	6.0875E-010
RCPTR_29	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.2144E-011	1.8537E-010
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorobenzene	1.8514E-007	3.7564E-007
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.4806E-010	4.9410E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.4374E-011	1.1291E-010
RCPTR_29	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.8557E-003	6.8725E-003
RCPTR_29	farmer_child	TOCDLIC2	Isophorone	1.0213E-011	2.1413E-011
RCPTR_29	farmer_child	TOCDLIC2	Lead	1.0675E-005	1.1162E-005
RCPTR_29	farmer_child	TOCDLIC2	Mercuric chloride	1.1674E-006	1.3880E-006
RCPTR_29	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.5758E-016	1.1695E-015
RCPTR_29	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.8400E-016	2.0633E-015
RCPTR_29	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.7385E-013	1.6234E-012
RCPTR_29	farmer_child	TOCDLIC2	Methyl mercury	2.1695E-008	2.2375E-008
RCPTR_29	farmer_child	TOCDLIC2	Methylene chloride	1.0103E-013	2.1187E-013
RCPTR_29	farmer_child	TOCDLIC2	Mustard	1.0878E-012	2.2803E-012
RCPTR_29	farmer_child	TOCDLIC2	Naphthalene	6.7061E-012	1.3989E-011
RCPTR_29	farmer_child	TOCDLIC2	Nickel	4.7242E-005	4.8798E-005
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.7453E-010	3.6535E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.1463E-011	8.6922E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.3620E-011	1.1234E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitrobenzene	1.7232E-011	3.6142E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.8485E-012	1.6456E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.0950E-010	2.9132E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.7405E-012	2.0392E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	9.5843E-012	2.0044E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	8.7871E-013	1.8114E-012
RCPTR_29	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.4445E-010	1.4770E-010
RCPTR_29	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.4262E-010	1.4575E-010
RCPTR_29	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.5396E-009	1.5669E-009
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.4289E-010	2.4989E-010
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	9.6026E-010	9.8715E-010
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorobenzene	3.6674E-009	7.1163E-009
RCPTR_29	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.9542E-010	5.6472E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorophenol	5.8202E-008	6.8271E-008
RCPTR_29	farmer_child	TOCDLIC2	Phenanthrene	1.3389E-011	2.7722E-011
RCPTR_29	farmer_child	TOCDLIC2	Phenol	1.3674E-011	2.8639E-011
RCPTR_29	farmer_child	TOCDLIC2	Pronamide	1.3335E-009	2.7469E-009
RCPTR_29	farmer_child	TOCDLIC2	Pyrene	4.7944E-007	7.3353E-007
RCPTR_29	farmer_child	TOCDLIC2	Selenium	1.7908E-005	1.7955E-005
RCPTR_29	farmer_child	TOCDLIC2	Silver	4.7072E-005	4.8643E-005
RCPTR_29	farmer_child	TOCDLIC2	Styrene	1.5686E-010	3.2839E-010
RCPTR_29	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0374E-010	2.1160E-010
RCPTR_29	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.7133E-011	8.1226E-011
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1040E-009	2.2327E-009
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.0377E-014	1.0552E-013
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.8847E-014	3.9454E-014
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1205E-008	1.7339E-008
RCPTR_29	farmer_child	TOCDLIC2	Thallium (l)	6.2388E-005	6.3764E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Toluene	3.7000E-013	7.7156E-013
RCPTR_29	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.1461E-011	8.5181E-011
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.5956E-013	3.3431E-013
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.4561E-013	3.0529E-013
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethylene	2.3710E-014	4.9647E-014
RCPTR_29	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.1156E-015	6.5247E-015
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.8821E-009	9.8137E-009
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1052E-009	2.0381E-009
RCPTR_29	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.3917E-013	1.1300E-012
RCPTR_29	farmer_child	TOCDLIC2	Vinyl Chloride	2.3071E-017	4.8349E-017
RCPTR_29	farmer_child	TOCDLIC2	Xylene, m-	2.1428E-012	2.7852E-012
RCPTR_29	farmer_child	TOCDLIC2	Xylene, o-	1.9859E-012	2.7183E-012
RCPTR_29	farmer_child	TOCDLIC2	Xylene, p-	2.3556E-012	3.3518E-012
RCPTR_29	farmer_child	TOCDLIC2	Zinc	2.0005E-005	2.2272E-005
RCPTR_30	farmer_adult	TOCDFBRA	Antimony	4.7550E-007	5.6045E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFBRA	Arsenic	8.0576E-007	8.3697E-007
RCPTR_30	farmer_adult	TOCDFBRA	Barium	6.5965E-008	7.4641E-008
RCPTR_30	farmer_adult	TOCDFBRA	Beryllium	2.1448E-007	2.2975E-007
RCPTR_30	farmer_adult	TOCDFBRA	Cadmium	3.5918E-008	5.0725E-008
RCPTR_30	farmer_adult	TOCDFBRA	Chromium	5.3863E-006	5.4088E-006
RCPTR_30	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.7927E-006	4.8724E-006
RCPTR_30	farmer_adult	TOCDFBRA	Lead	2.1940E-006	2.4319E-006
RCPTR_30	farmer_adult	TOCDFBRA	Mercuric chloride	2.8525E-004	2.9533E-004
RCPTR_30	farmer_adult	TOCDFBRA	Methyl mercury	4.4614E-006	4.5565E-006
RCPTR_30	farmer_adult	TOCDFBRA	Nickel	2.6276E-006	2.8174E-006
RCPTR_30	farmer_adult	TOCDFBRA	Selenium	9.1014E-007	9.1485E-007
RCPTR_30	farmer_adult	TOCDFBRA	Silver	3.0283E-007	3.2331E-007
RCPTR_30	farmer_adult	TOCDFBRA	Thallium (l)	8.2035E-006	8.6020E-006
RCPTR_30	farmer_adult	TOCDFBRA	Zinc	1.3570E-006	1.7184E-006
RCPTR_30	farmer_adult	TOCDFDFS	Acenaphthene	1.7450E-010	2.2025E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Acetone	1.7393E-015	2.4318E-014
RCPTR_30	farmer_adult	TOCDFDFS	Acetophenone	8.7582E-013	1.2180E-011
RCPTR_30	farmer_adult	TOCDFDFS	Aniline	5.0787E-014	6.9788E-013
RCPTR_30	farmer_adult	TOCDFDFS	Anthracene	3.1124E-009	3.8874E-008
RCPTR_30	farmer_adult	TOCDFDFS	Antimony	4.2759E-008	5.0253E-008
RCPTR_30	farmer_adult	TOCDFDFS	Aroclor 1254	4.3066E-010	7.8119E-010
RCPTR_30	farmer_adult	TOCDFDFS	Arsenic	8.4552E-008	8.7765E-008
RCPTR_30	farmer_adult	TOCDFDFS	Barium	5.4603E-008	6.1649E-008
RCPTR_30	farmer_adult	TOCDFDFS	Benzene	6.3681E-015	8.6967E-014
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)anthracene	3.2356E-006	4.7431E-006
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.7669E-005	3.9333E-005
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.9696E-005	2.3608E-005
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	5.7922E-005	5.9962E-005
RCPTR_30	farmer_adult	TOCDFDFS	Benzoic acid	9.8995E-013	8.0659E-012
RCPTR_30	farmer_adult	TOCDFDFS	Benzyl alcohol	1.1411E-012	1.5829E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Beryllium	4.4236E-008	4.7328E-008
RCPTR_30	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.1330E-012	1.5840E-011
RCPTR_30	farmer_adult	TOCDFDFS	Bromodichloromethane	2.0232E-015	2.8163E-014
RCPTR_30	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.2321E-013	4.5057E-012
RCPTR_30	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	6.4170E-008	6.0865E-007
RCPTR_30	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.2180E-008	2.5687E-008
RCPTR_30	farmer_adult	TOCDFDFS	Cadmium	1.5767E-008	2.2147E-008
RCPTR_30	farmer_adult	TOCDFDFS	Carbon disulfide	1.1276E-015	1.5532E-014
RCPTR_30	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.8060E-015	2.4611E-014
RCPTR_30	farmer_adult	TOCDFDFS	Chlorine	3.5140E-014	4.9147E-013
RCPTR_30	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.0820E-010	1.3308E-009
RCPTR_30	farmer_adult	TOCDFDFS	Chloroaniline, p-	5.3767E-012	7.3595E-011
RCPTR_30	farmer_adult	TOCDFDFS	Chlorobenzene	1.0734E-014	1.4402E-013
RCPTR_30	farmer_adult	TOCDFDFS	Chloroethane	3.3247E-017	4.0529E-016
RCPTR_30	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.3974E-015	1.9429E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	4.4582E-010	5.7517E-009
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.4640E-011	2.0431E-010
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1875E-009	7.4166E-009
RCPTR_30	farmer_adult	TOCDFDFS	Chromium	1.4618E-006	1.4678E-006
RCPTR_30	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.3035E-006	1.3247E-006
RCPTR_30	farmer_adult	TOCDFDFS	Chrysene	1.0139E-005	1.1862E-005
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	8.0853E-008	9.4343E-008
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.2064E+002	4.2064E+002
RCPTR_30	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	8.0818E-004	8.2171E-004
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	7.8409E-013	9.3018E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	8.9704E-013	1.1245E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	8.5026E-013	1.0824E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.0185E-008	6.2354E-008
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.4849E-018	3.3944E-017
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.8413E-016	8.1298E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.2487E-016	1.0100E-014
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.2311E-016	3.0783E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.5906E-016	4.9484E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.0625E-010	9.3460E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.0417E-015	2.7849E-014
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.6231E-016	9.1865E-015
RCPTR_30	farmer_adult	TOCDFDFS	Diethyl phthalate	5.1173E-008	5.3481E-008
RCPTR_30	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.5194E-011	1.8386E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.0375E-011	1.3935E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	3.1620E-011	7.6455E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	1.1637E-011	1.2854E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	8.3789E-012	9.8912E-011
RCPTR_30	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.1231E-013	2.9658E-012
RCPTR_30	farmer_adult	TOCDFDFS	Ethylbenzene	7.5080E-015	8.8212E-014
RCPTR_30	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.7663E-009	4.3853E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Fluoranthene	1.0898E-007	5.0833E-007
RCPTR_30	farmer_adult	TOCDFDFS	Fluorene	7.3025E-010	8.6566E-009
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.7457E-012	1.8246E-012
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.4579E-012	1.5113E-012
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.6594E-012	4.8652E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.8056E-011	3.9507E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.3101E-011	2.4228E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.8198E-011	1.9206E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.2692E-011	1.3481E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.1467E-011	1.2175E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.3582E-011	1.4416E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.0435E-011	1.1078E-011
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.8712E-011	1.8254E-010
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.5233E-008	3.7053E-007
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	5.3452E-011	4.8582E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	8.8285E-012	1.1170E-010
RCPTR_30	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.7927E-003	5.8206E-003
RCPTR_30	farmer_adult	TOCDFDFS	Isophorone	1.5257E-012	2.1208E-011
RCPTR_30	farmer_adult	TOCDFDFS	Lead	2.6877E-007	2.9740E-007
RCPTR_30	farmer_adult	TOCDFDFS	Mercuric chloride	1.0577E-007	1.0966E-007
RCPTR_30	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	2.5437E-017	3.5494E-016
RCPTR_30	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	5.0291E-018	6.9979E-017
RCPTR_30	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.2472E-014	1.7432E-013
RCPTR_30	farmer_adult	TOCDFDFS	Methyl mercury	1.5465E-009	1.5831E-009
RCPTR_30	farmer_adult	TOCDFDFS	Methylene chloride	7.5273E-016	1.0486E-014
RCPTR_30	farmer_adult	TOCDFDFS	Mustard	8.9029E-014	1.2353E-012
RCPTR_30	farmer_adult	TOCDFDFS	Naphthalene	6.7779E-012	8.9591E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nickel	5.8731E-006	6.2892E-006
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.6439E-011	3.6175E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 3-	6.1992E-012	8.6082E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 4-	8.0575E-012	1.1124E-010
RCPTR_30	farmer_adult	TOCDFDFS	Nitrobenzene	2.5659E-012	3.5796E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.1722E-012	1.6298E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.2705E-010	2.7084E-010
RCPTR_30	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.4747E-012	2.0193E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.4645E-012	1.9846E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.4602E-013	1.7850E-012
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.9263E-012	3.0951E-012
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.0856E-012	3.2594E-012
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.6170E-011	6.9186E-011
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	8.1897E-012	8.8158E-012
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	3.3790E-011	3.6291E-011
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.7822E-010	1.3882E-009
RCPTR_30	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	7.7089E-011	5.5032E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorophenol	2.1791E-007	3.0653E-007
RCPTR_30	farmer_adult	TOCDFDFS	Phenanthrene	2.2234E-012	2.7412E-011
RCPTR_30	farmer_adult	TOCDFDFS	Phenol	2.0617E-012	2.8361E-011
RCPTR_30	farmer_adult	TOCDFDFS	Pronamide	2.3077E-010	2.7145E-009
RCPTR_30	farmer_adult	TOCDFDFS	Pyrene	1.4219E-007	7.1755E-007
RCPTR_30	farmer_adult	TOCDFDFS	Selenium	9.5510E-008	9.5995E-008
RCPTR_30	farmer_adult	TOCDFDFS	Silver	6.2791E-007	6.6958E-007
RCPTR_30	farmer_adult	TOCDFDFS	Styrene	7.7057E-014	1.0551E-012
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.0045E-011	2.2146E-011
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	5.9587E-012	6.8362E-012
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.1777E-010	2.2012E-009
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.4886E-011	4.4574E-011
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.1611E-015	2.9592E-014
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.6554E-009	1.6434E-008
RCPTR_30	farmer_adult	TOCDFDFS	Thallium (l)	8.4235E-005	8.8249E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Toluene	3.0043E-015	3.9579E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	7.3141E-012	8.4144E-011
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.7869E-015	2.4669E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.0520E-014	1.4618E-013
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethylene	1.7325E-015	2.3768E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.3896E-016	3.2830E-015
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.0027E-009	9.6691E-009
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.7378E-009	9.9786E-009
RCPTR_30	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.9072E-014	5.4104E-013
RCPTR_30	farmer_adult	TOCDFDFS	Vinyl Chloride	5.5797E-019	7.7226E-018
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, m-	1.4349E-013	2.6621E-013
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, o-	1.0854E-013	2.3076E-013
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, p-	1.3925E-013	3.2958E-013
RCPTR_30	farmer_adult	TOCDFDFS	Zinc	2.6842E-007	3.3857E-007
RCPTR_30	farmer_adult	TOCDFLIC	Acenaphthene	3.6224E-011	4.5704E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Acetone	1.1736E-015	1.6409E-014
RCPTR_30	farmer_adult	TOCDFLIC	Acetophenone	1.7287E-013	2.4040E-012
RCPTR_30	farmer_adult	TOCDFLIC	Aniline	1.0540E-014	1.4481E-013
RCPTR_30	farmer_adult	TOCDFLIC	Anthracene	6.4589E-010	8.0663E-009
RCPTR_30	farmer_adult	TOCDFLIC	Antimony	2.1070E-006	2.4751E-006
RCPTR_30	farmer_adult	TOCDFLIC	Arsenic	3.9322E-006	4.0811E-006
RCPTR_30	farmer_adult	TOCDFLIC	Barium	3.1481E-007	3.5530E-007
RCPTR_30	farmer_adult	TOCDFLIC	Benzene	6.6078E-015	9.0224E-014
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)anthracene	6.7165E-007	9.8394E-007
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)pyrene	7.7840E-006	8.1219E-006
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	4.0980E-006	4.9075E-006
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.1987E-005	1.2397E-005
RCPTR_30	farmer_adult	TOCDFLIC	Benzoic acid	7.1304E-013	5.7852E-012
RCPTR_30	farmer_adult	TOCDFLIC	Benzyl alcohol	3.7888E-011	5.2554E-010
RCPTR_30	farmer_adult	TOCDFLIC	Beryllium	5.3627E-007	5.7364E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.3510E-013	3.2867E-012
RCPTR_30	farmer_adult	TOCDFLIC	Bromodichloromethane	2.3395E-016	3.2565E-015
RCPTR_30	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	4.2289E-013	5.8951E-012
RCPTR_30	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.3312E-008	1.2629E-007
RCPTR_30	farmer_adult	TOCDFLIC	Butylbenzylphthalate	4.5398E-009	5.2673E-009
RCPTR_30	farmer_adult	TOCDFLIC	Cadmium	6.4624E-008	9.0694E-008
RCPTR_30	farmer_adult	TOCDFLIC	Carbon disulfide	1.5425E-015	2.1244E-014
RCPTR_30	farmer_adult	TOCDFLIC	Carbon tetrachloride	3.0852E-014	4.2034E-013
RCPTR_30	farmer_adult	TOCDFLIC	Chlorine	2.5089E-007	3.5090E-006
RCPTR_30	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.3487E-011	2.7643E-010
RCPTR_30	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.1159E-012	1.5271E-011
RCPTR_30	farmer_adult	TOCDFLIC	Chlorobenzene	1.2622E-014	1.6932E-013
RCPTR_30	farmer_adult	TOCDFLIC	Chloroethane	1.4292E-017	1.7397E-016
RCPTR_30	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.2136E-014	1.6871E-013
RCPTR_30	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	9.2559E-011	1.1935E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.0378E-012	4.2394E-011
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.4690E-010	1.5394E-009
RCPTR_30	farmer_adult	TOCDFLIC	Chromium	2.6143E-006	2.6251E-006
RCPTR_30	farmer_adult	TOCDFLIC	Chromium, hexavalent	2.3319E-006	2.3699E-006
RCPTR_30	farmer_adult	TOCDFLIC	Chrysene	2.1112E-006	2.4673E-006
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	2.6118E-009	3.0443E-009
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.3644E+001	1.3644E+001
RCPTR_30	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.6716E-004	1.6983E-004
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.6289E-013	1.9303E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.8629E-013	2.3335E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.7655E-013	2.2461E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.1952E-009	6.4549E-009
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.0145E-018	1.3862E-017
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	4.0556E-017	5.6442E-016
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1112E-016	4.3348E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.5491E-017	2.1371E-016
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.5413E-016	2.1239E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	4.3149E-011	1.9428E-010
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	8.7649E-016	1.1953E-014
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.9307E-016	4.0651E-015
RCPTR_30	farmer_adult	TOCDFLIC	Diethyl phthalate	1.6597E-009	1.7337E-009
RCPTR_30	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.9869E-011	3.6149E-010
RCPTR_30	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.1538E-012	2.8915E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	6.6178E-012	1.5921E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.4099E-012	2.6667E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.7390E-012	2.0524E-011
RCPTR_30	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	4.4055E-014	6.1540E-013
RCPTR_30	farmer_adult	TOCDFLIC	Ethylbenzene	3.3845E-015	3.9723E-014
RCPTR_30	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.8971E-009	6.8809E-009
RCPTR_30	farmer_adult	TOCDFLIC	Fluoranthene	2.2672E-008	1.0553E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Fluorene	1.5165E-010	1.7964E-009
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.4697E-011	1.5348E-011
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.6885E-011	4.8556E-011
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.1131E-010	1.1613E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.1980E-010	1.2426E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.3550E-011	7.7074E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	6.1954E-011	6.5342E-011
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2814E-010	1.3603E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1110E-010	1.1791E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1373E-010	1.2065E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.3739E-011	9.9468E-011
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.8805E-012	3.7874E-011
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.3201E-009	7.6893E-008
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.1078E-011	1.0080E-010
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.8340E-012	2.3179E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2101E-003	1.2156E-003
RCPTR_30	farmer_adult	TOCDFLIC	Isophorone	3.1660E-013	4.4007E-012
RCPTR_30	farmer_adult	TOCDFLIC	Lead	1.3971E-006	1.5455E-006
RCPTR_30	farmer_adult	TOCDFLIC	Mercuric chloride	2.5442E-007	2.6384E-007
RCPTR_30	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.7225E-017	2.4035E-016
RCPTR_30	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.0473E-017	4.2402E-016
RCPTR_30	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.3871E-014	3.3363E-013
RCPTR_30	farmer_adult	TOCDFLIC	Methyl mercury	3.6556E-009	3.7445E-009
RCPTR_30	farmer_adult	TOCDFLIC	Methylene chloride	3.1257E-015	4.3541E-014
RCPTR_30	farmer_adult	TOCDFLIC	Mustard	3.2490E-014	4.5076E-013
RCPTR_30	farmer_adult	TOCDFLIC	Naphthalene	2.1744E-013	2.8731E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nickel	6.2595E-006	6.7016E-006
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 2-	5.4869E-012	7.5068E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.2864E-012	1.7863E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.6714E-012	2.3082E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitrobenzene	5.3242E-013	7.4277E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.4324E-013	3.3818E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.6639E-012	5.6476E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.0609E-013	4.1901E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.0401E-013	4.1181E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.0123E-014	3.7022E-013
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.2403E-011	2.3683E-011
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.2116E-011	2.3350E-011
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.6066E-010	2.7233E-010
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.0430E-011	4.3499E-011
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.5743E-010	1.6902E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.8259E-010	1.4402E-009
RCPTR_30	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.5753E-011	1.1395E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorophenol	9.1275E-009	1.2799E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Phenanthrene	4.6168E-013	5.6883E-012
RCPTR_30	farmer_adult	TOCDFLIC	Phenol	4.2789E-013	5.8850E-012
RCPTR_30	farmer_adult	TOCDFLIC	Pronamide	4.7956E-011	5.6333E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pyrene	2.9567E-008	1.4895E-007
RCPTR_30	farmer_adult	TOCDFLIC	Selenium	2.4401E-006	2.4525E-006
RCPTR_30	farmer_adult	TOCDFLIC	Silver	6.2633E-006	6.6776E-006
RCPTR_30	farmer_adult	TOCDFLIC	Styrene	4.9283E-012	6.7474E-011
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	3.3683E-011	3.7200E-011
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.2680E-011	1.4543E-011
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.5307E-011	4.5687E-010
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.5755E-015	2.1682E-014
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.9191E-016	8.1062E-015
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1847E-009	3.4214E-009
RCPTR_30	farmer_adult	TOCDFLIC	Thallium (l)	8.3446E-006	8.7410E-006
RCPTR_30	farmer_adult	TOCDFLIC	Toluene	1.2033E-014	1.5846E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.5194E-012	1.7462E-011
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	4.9766E-015	6.8698E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	4.5154E-015	6.2739E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethylene	7.4369E-016	1.0201E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.7599E-017	1.3407E-015
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.0886E-010	2.0071E-009
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	7.2252E-011	4.1244E-010
RCPTR_30	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.6771E-014	2.3222E-013
RCPTR_30	farmer_adult	TOCDFLIC	Vinyl Chloride	7.1763E-019	9.9349E-018
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, m-	1.2607E-013	2.3879E-013
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, o-	1.0925E-013	2.3775E-013
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, p-	1.2257E-013	2.9739E-013
RCPTR_30	farmer_adult	TOCDFLIC	Zinc	2.4574E-006	3.0976E-006
RCPTR_30	farmer_adult	TOCDFMPF	Acenaphthene	5.5218E-011	6.9669E-010
RCPTR_30	farmer_adult	TOCDFMPF	Acetone	4.2746E-015	5.9764E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Acetophenone	2.7606E-013	3.8390E-012
RCPTR_30	farmer_adult	TOCDFMPF	Aniline	1.6066E-014	2.2074E-013
RCPTR_30	farmer_adult	TOCDFMPF	Anthracene	9.8459E-010	1.2296E-008
RCPTR_30	farmer_adult	TOCDFMPF	Antimony	2.8699E-008	3.3715E-008
RCPTR_30	farmer_adult	TOCDFMPF	Aroclor 1254	2.4925E-010	4.5432E-010
RCPTR_30	farmer_adult	TOCDFMPF	Arsenic	2.0431E-007	2.1205E-007
RCPTR_30	farmer_adult	TOCDFMPF	Barium	2.2298E-007	2.5166E-007
RCPTR_30	farmer_adult	TOCDFMPF	Benzene	5.8888E-015	8.0407E-014
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.0240E-006	1.5001E-006
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.1871E-005	1.2387E-005
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	6.2473E-006	7.4816E-006
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.8279E-005	1.8906E-005
RCPTR_30	farmer_adult	TOCDFMPF	Benzoic acid	3.1459E-012	2.5527E-011
RCPTR_30	farmer_adult	TOCDFMPF	Benzyl alcohol	3.6097E-013	5.0069E-012
RCPTR_30	farmer_adult	TOCDFMPF	Beryllium	1.8273E-008	1.9546E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.5838E-013	5.0102E-012
RCPTR_30	farmer_adult	TOCDFMPF	Bromodichloromethane	7.0871E-015	9.8650E-014
RCPTR_30	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.4632E-013	3.4337E-012
RCPTR_30	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.0292E-008	1.9251E-007
RCPTR_30	farmer_adult	TOCDFMPF	Butylbenzylphthalate	6.9267E-009	8.0356E-009
RCPTR_30	farmer_adult	TOCDFMPF	Cadmium	2.9492E-007	4.1392E-007
RCPTR_30	farmer_adult	TOCDFMPF	Carbon disulfide	5.6234E-016	7.7447E-015
RCPTR_30	farmer_adult	TOCDFMPF	Carbon tetrachloride	5.3588E-015	7.3010E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chlorine	4.6091E-008	6.4463E-007
RCPTR_30	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	6.6277E-011	4.2137E-010
RCPTR_30	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.7010E-012	2.3278E-011
RCPTR_30	farmer_adult	TOCDFMPF	Chlorobenzene	2.2582E-014	3.0291E-013
RCPTR_30	farmer_adult	TOCDFMPF	Chloroethane	1.4043E-016	1.7095E-015
RCPTR_30	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.8055E-015	5.2905E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.4109E-010	1.8194E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenol, 2-	4.6306E-012	6.4623E-011
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.7637E-010	2.3466E-009
RCPTR_30	farmer_adult	TOCDFMPF	Chromium	4.9586E-007	4.9789E-007
RCPTR_30	farmer_adult	TOCDFMPF	Chromium, hexavalent	4.4229E-007	4.4949E-007
RCPTR_30	farmer_adult	TOCDFMPF	Chrysene	3.2184E-006	3.7613E-006
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.5758E-008	3.0024E-008
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.3454E+002	1.3454E+002
RCPTR_30	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.5487E-004	2.5894E-004
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.4830E-013	2.9425E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.8397E-013	3.5570E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.6913E-013	3.4238E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.5891E-008	1.9744E-008
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	8.3205E-018	1.1368E-016
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.2286E-015	1.7098E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5246E-015	2.1241E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	4.6929E-016	6.4742E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	7.5528E-016	1.0407E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	6.5758E-011	2.9614E-010
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	4.2949E-015	5.8571E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.3929E-015	1.9321E-014
RCPTR_30	farmer_adult	TOCDFMPF	Diethyl phthalate	1.6365E-008	1.7095E-008
RCPTR_30	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.1806E-012	3.8492E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.2830E-012	4.4077E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.0067E-011	2.4224E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	3.6741E-012	4.0651E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	2.6510E-012	3.1287E-011
RCPTR_30	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	6.7156E-014	9.3809E-013
RCPTR_30	farmer_adult	TOCDFMPF	Ethylbenzene	1.5808E-014	1.8554E-013
RCPTR_30	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0647E-009	1.2422E-009
RCPTR_30	farmer_adult	TOCDFMPF	Fluoranthene	3.4562E-008	1.6086E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Fluorene	2.3116E-010	2.7383E-009
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	5.7263E-011	5.9801E-011
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.3666E-011	7.6297E-011
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3024E-010	1.3587E-010
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.4186E-011	3.5459E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.6340E-011	1.7124E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.4637E-011	1.5438E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.5317E-011	2.6878E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0718E-011	1.1376E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.4569E-012	1.0033E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.4828E-012	9.0015E-012
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	5.9159E-012	5.7734E-011
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.1158E-008	1.1721E-007
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.6890E-011	1.5365E-010
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.7956E-012	3.5334E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.8443E-003	1.8527E-003
RCPTR_30	farmer_adult	TOCDFMPF	Isophorone	4.8260E-013	6.7082E-012
RCPTR_30	farmer_adult	TOCDFMPF	Lead	1.6122E-007	1.7835E-007
RCPTR_30	farmer_adult	TOCDFMPF	Mercuric chloride	4.3157E-006	4.4754E-006
RCPTR_30	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	8.8874E-017	1.2401E-015
RCPTR_30	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	5.1867E-018	7.2173E-017
RCPTR_30	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.8271E-015	6.7467E-014
RCPTR_30	farmer_adult	TOCDFMPF	Methyl mercury	6.2072E-008	6.3579E-008
RCPTR_30	farmer_adult	TOCDFMPF	Methylene chloride	2.4512E-015	3.4146E-014
RCPTR_30	farmer_adult	TOCDFMPF	Mustard	2.3052E-013	3.1983E-012
RCPTR_30	farmer_adult	TOCDFMPF	Naphthalene	2.1447E-012	2.8339E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nickel	3.9234E-006	4.2006E-006
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 2-	8.3488E-012	1.1422E-010
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.9574E-012	2.7180E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 4-	2.5433E-012	3.5122E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrobenzene	8.1159E-013	1.1322E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 2-	3.7078E-013	5.1550E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 4-	4.0521E-011	8.5921E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.6658E-013	6.3871E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	4.6341E-013	6.2775E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	4.5931E-014	5.6436E-013
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.4255E-009	1.5069E-009
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.5085E-009	2.6486E-009
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.3605E-011	1.4214E-011
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.7529E-011	1.8861E-011
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.0547E-011	1.1323E-011
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorobenzene	5.5611E-011	4.3832E-010
RCPTR_30	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.3990E-011	1.7341E-010
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorophenol	6.9545E-008	9.7529E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Phenanthrene	7.0375E-013	8.6709E-012
RCPTR_30	farmer_adult	TOCDFMPF	Phenol	6.5225E-013	8.9708E-012
RCPTR_30	farmer_adult	TOCDFMPF	Pronamide	7.3099E-011	8.5871E-010
RCPTR_30	farmer_adult	TOCDFMPF	Pyrene	4.5071E-008	2.2705E-007
RCPTR_30	farmer_adult	TOCDFMPF	Selenium	4.2767E-008	4.2983E-008
RCPTR_30	farmer_adult	TOCDFMPF	Silver	8.4433E-007	9.0019E-007
RCPTR_30	farmer_adult	TOCDFMPF	Styrene	1.1206E-013	1.5342E-012
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	4.0214E-012	4.4414E-012
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.2533E-011	1.4374E-011
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	6.9060E-011	6.9643E-010
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.7728E-014	6.5684E-013
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.5445E-015	6.2237E-014
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8021E-009	5.2055E-009
RCPTR_30	farmer_adult	TOCDFMPF	Thallium (l)	2.5519E-007	2.6732E-007
RCPTR_30	farmer_adult	TOCDFMPF	Toluene	8.0505E-015	1.0601E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.3161E-012	2.6617E-011
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.9128E-015	4.0209E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.2126E-014	3.0743E-013
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethylene	3.6442E-015	4.9988E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.0043E-014	1.3796E-013
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	3.1834E-010	3.0595E-009
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1012E-010	6.2868E-010
RCPTR_30	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	8.2181E-014	1.1379E-012
RCPTR_30	farmer_adult	TOCDFMPF	Vinyl Chloride	1.9636E-018	2.7183E-017
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, m-	1.2614E-013	2.3865E-013
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, o-	1.0931E-013	2.3756E-013
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, p-	1.2263E-013	2.9711E-013
RCPTR_30	farmer_adult	TOCDFMPF	Zinc	6.9928E-007	8.8149E-007
RCPTR_30	farmer_adult	TOCDHVAC	Mustard	6.5268E-014	9.0599E-013
RCPTR_30	farmer_adult	TOCDLIC2	Acenaphthene	3.6224E-011	4.5704E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Acetone	1.1736E-015	1.6409E-014
RCPTR_30	farmer_adult	TOCDLIC2	Acetophenone	1.7287E-013	2.4040E-012
RCPTR_30	farmer_adult	TOCDLIC2	Aniline	1.0540E-014	1.4481E-013
RCPTR_30	farmer_adult	TOCDLIC2	Anthracene	6.4589E-010	8.0663E-009
RCPTR_30	farmer_adult	TOCDLIC2	Antimony	2.1070E-006	2.4751E-006
RCPTR_30	farmer_adult	TOCDLIC2	Arsenic	3.9322E-006	4.0811E-006
RCPTR_30	farmer_adult	TOCDLIC2	Barium	3.1481E-007	3.5530E-007
RCPTR_30	farmer_adult	TOCDLIC2	Benzene	6.6078E-015	9.0224E-014
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)anthracene	6.7165E-007	9.8394E-007
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)pyrene	7.7840E-006	8.1219E-006
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.0980E-006	4.9075E-006
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.1987E-005	1.2397E-005
RCPTR_30	farmer_adult	TOCDLIC2	Benzoic acid	7.1304E-013	5.7852E-012
RCPTR_30	farmer_adult	TOCDLIC2	Benzyl alcohol	3.7888E-011	5.2554E-010
RCPTR_30	farmer_adult	TOCDLIC2	Beryllium	5.3627E-007	5.7364E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	2.3510E-013	3.2867E-012
RCPTR_30	farmer_adult	TOCDLIC2	Bromodichloromethane	2.3395E-016	3.2565E-015
RCPTR_30	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	4.2289E-013	5.8951E-012
RCPTR_30	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.3312E-008	1.2629E-007
RCPTR_30	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.5398E-009	5.2673E-009
RCPTR_30	farmer_adult	TOCDLIC2	Cadmium	6.4624E-008	9.0694E-008
RCPTR_30	farmer_adult	TOCDLIC2	Carbon disulfide	1.5425E-015	2.1244E-014
RCPTR_30	farmer_adult	TOCDLIC2	Carbon tetrachloride	3.0852E-014	4.2034E-013
RCPTR_30	farmer_adult	TOCDLIC2	Chlorine	2.5089E-007	3.5090E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	4.3487E-011	2.7643E-010
RCPTR_30	farmer_adult	TOCDLIC2	Chloroaniline, p-	1.1159E-012	1.5271E-011
RCPTR_30	farmer_adult	TOCDLIC2	Chlorobenzene	1.2622E-014	1.6932E-013
RCPTR_30	farmer_adult	TOCDLIC2	Chloroethane	1.4292E-017	1.7397E-016
RCPTR_30	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.2136E-014	1.6871E-013
RCPTR_30	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	9.2559E-011	1.1935E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenol, 2-	3.0378E-012	4.2394E-011
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.4690E-010	1.5394E-009
RCPTR_30	farmer_adult	TOCDLIC2	Chromium	2.6143E-006	2.6251E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chromium, hexavalent	2.3319E-006	2.3699E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chrysene	2.1112E-006	2.4673E-006
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	2.6118E-009	3.0443E-009
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.3644E+001	1.3644E+001
RCPTR_30	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.6716E-004	1.6983E-004
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.6289E-013	1.9303E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.8629E-013	2.3335E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.7655E-013	2.2461E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.1952E-009	6.4549E-009
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.0145E-018	1.3862E-017
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.0556E-017	5.6442E-016
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1112E-016	4.3348E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.5491E-017	2.1371E-016
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.5413E-016	2.1239E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.3149E-011	1.9428E-010
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	8.7649E-016	1.1953E-014
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.9307E-016	4.0651E-015
RCPTR_30	farmer_adult	TOCDLIC2	Diethyl phthalate	1.6597E-009	1.7337E-009
RCPTR_30	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.9869E-011	3.6149E-010
RCPTR_30	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	2.1538E-012	2.8915E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.6178E-012	1.5921E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	2.4099E-012	2.6667E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.7390E-012	2.0524E-011
RCPTR_30	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	4.4055E-014	6.1540E-013
RCPTR_30	farmer_adult	TOCDLIC2	Ethylbenzene	3.3845E-015	3.9723E-014
RCPTR_30	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.8971E-009	6.8809E-009
RCPTR_30	farmer_adult	TOCDLIC2	Fluoranthene	2.2672E-008	1.0553E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Fluorene	1.5165E-010	1.7964E-009
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.4697E-011	1.5348E-011
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.6885E-011	4.8556E-011
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.1131E-010	1.1613E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1980E-010	1.2426E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.3550E-011	7.7074E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	6.1954E-011	6.5342E-011
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2814E-010	1.3603E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1110E-010	1.1791E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1373E-010	1.2065E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.3739E-011	9.9468E-011
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.8805E-012	3.7874E-011
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorobenzene	7.3201E-009	7.6893E-008
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.1078E-011	1.0080E-010
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.8340E-012	2.3179E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2101E-003	1.2156E-003
RCPTR_30	farmer_adult	TOCDLIC2	Isophorone	3.1660E-013	4.4007E-012
RCPTR_30	farmer_adult	TOCDLIC2	Lead	1.3971E-006	1.5455E-006
RCPTR_30	farmer_adult	TOCDLIC2	Mercuric chloride	2.5442E-007	2.6384E-007
RCPTR_30	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.7225E-017	2.4035E-016
RCPTR_30	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	3.0473E-017	4.2402E-016
RCPTR_30	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.3871E-014	3.3363E-013
RCPTR_30	farmer_adult	TOCDLIC2	Methyl mercury	3.6556E-009	3.7445E-009
RCPTR_30	farmer_adult	TOCDLIC2	Methylene chloride	3.1257E-015	4.3541E-014
RCPTR_30	farmer_adult	TOCDLIC2	Mustard	3.3776E-014	4.6861E-013
RCPTR_30	farmer_adult	TOCDLIC2	Naphthalene	2.1744E-013	2.8731E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nickel	6.2595E-006	6.7016E-006
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 2-	5.4869E-012	7.5068E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 3-	1.2864E-012	1.7863E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.6714E-012	2.3082E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitrobenzene	5.3242E-013	7.4277E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 2-	2.4324E-013	3.3818E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.6639E-011	5.6476E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.0609E-013	4.1901E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	3.0401E-013	4.1181E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	3.0123E-014	3.7022E-013
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.2403E-011	2.3683E-011
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.2116E-011	2.3350E-011
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.6066E-010	2.7233E-010
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.0430E-011	4.3499E-011
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.5743E-010	1.6902E-010
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.8259E-010	1.4402E-009
RCPTR_30	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.5753E-011	1.1395E-010
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorophenol	9.1275E-009	1.2799E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Phenanthrene	4.6168E-013	5.6883E-012
RCPTR_30	farmer_adult	TOCDLIC2	Phenol	4.2789E-013	5.8850E-012
RCPTR_30	farmer_adult	TOCDLIC2	Pronamide	4.7956E-011	5.6333E-010
RCPTR_30	farmer_adult	TOCDLIC2	Pyrene	2.9567E-008	1.4895E-007
RCPTR_30	farmer_adult	TOCDLIC2	Selenium	2.4401E-006	2.4525E-006
RCPTR_30	farmer_adult	TOCDLIC2	Silver	6.2633E-006	6.6776E-006
RCPTR_30	farmer_adult	TOCDLIC2	Styrene	4.9283E-012	6.7474E-011
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	3.3683E-011	3.7200E-011
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2680E-011	1.4543E-011
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.5307E-011	4.5687E-010
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.5755E-015	2.1682E-014
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	5.9191E-016	8.1062E-015
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1847E-009	3.4214E-009
RCPTR_30	farmer_adult	TOCDLIC2	Thallium (l)	8.3446E-006	8.7410E-006
RCPTR_30	farmer_adult	TOCDLIC2	Toluene	1.2033E-014	1.5846E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.5194E-012	1.7462E-011
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	4.9766E-015	6.8698E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	4.5154E-015	6.2739E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethylene	7.4369E-016	1.0201E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	9.7599E-017	1.3407E-015
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	2.0886E-010	2.0071E-009
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	7.2252E-011	4.1244E-010
RCPTR_30	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.6771E-014	2.3222E-013
RCPTR_30	farmer_adult	TOCDLIC2	Vinyl Chloride	7.1763E-019	9.9349E-018
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, m-	2.6198E-013	4.9622E-013
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, o-	2.2702E-013	4.9406E-013
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, p-	2.5472E-013	6.1799E-013
RCPTR_30	farmer_adult	TOCDLIC2	Zinc	2.4574E-006	3.0976E-006
RCPTR_30	farmer_child	TOCDFBRA	Antimony	5.1403E-007	5.6045E-007
RCPTR_30	farmer_child	TOCDFBRA	Arsenic	8.1949E-007	8.3697E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFBRA	Barium	6.9864E-008	7.4641E-008
RCPTR_30	farmer_child	TOCDFBRA	Beryllium	2.2262E-007	2.2975E-007
RCPTR_30	farmer_child	TOCDFBRA	Cadmium	4.3154E-008	5.0725E-008
RCPTR_30	farmer_child	TOCDFBRA	Chromium	5.2605E-006	5.4088E-006
RCPTR_30	farmer_child	TOCDFBRA	Chromium, hexavalent	4.8275E-006	4.8724E-006
RCPTR_30	farmer_child	TOCDFBRA	Lead	2.3159E-006	2.4319E-006
RCPTR_30	farmer_child	TOCDFBRA	Mercuric chloride	2.4714E-004	2.9533E-004
RCPTR_30	farmer_child	TOCDFBRA	Methyl mercury	4.4081E-006	4.5565E-006
RCPTR_30	farmer_child	TOCDFBRA	Nickel	2.7181E-006	2.8174E-006
RCPTR_30	farmer_child	TOCDFBRA	Selenium	9.1220E-007	9.1485E-007
RCPTR_30	farmer_child	TOCDFBRA	Silver	3.1177E-007	3.2331E-007
RCPTR_30	farmer_child	TOCDFBRA	Thallium (l)	8.3964E-006	8.6020E-006
RCPTR_30	farmer_child	TOCDFBRA	Zinc	1.5281E-006	1.7184E-006
RCPTR_30	farmer_child	TOCDFDFS	Acenaphthene	1.0595E-009	2.2025E-009
RCPTR_30	farmer_child	TOCDFDFS	Acetone	1.1592E-014	2.4318E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Acetophenone	5.8087E-012	1.2180E-011
RCPTR_30	farmer_child	TOCDFDFS	Aniline	3.3316E-013	6.9788E-013
RCPTR_30	farmer_child	TOCDFDFS	Anthracene	1.8718E-008	3.8874E-008
RCPTR_30	farmer_child	TOCDFDFS	Antimony	4.6158E-008	5.0253E-008
RCPTR_30	farmer_child	TOCDFDFS	Aroclor 1254	5.8362E-010	7.8119E-010
RCPTR_30	farmer_child	TOCDFDFS	Arsenic	8.5965E-008	8.7765E-008
RCPTR_30	farmer_child	TOCDFDFS	Barium	5.7770E-008	6.1649E-008
RCPTR_30	farmer_child	TOCDFDFS	Benzene	4.1539E-014	8.6967E-014
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)anthracene	4.0378E-006	4.7431E-006
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.8525E-005	3.9333E-005
RCPTR_30	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.1755E-005	2.3608E-005
RCPTR_30	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.9122E-005	5.9962E-005
RCPTR_30	farmer_child	TOCDFDFS	Benzoic acid	4.0777E-012	8.0659E-012
RCPTR_30	farmer_child	TOCDFDFS	Benzyl alcohol	7.5506E-012	1.5829E-011
RCPTR_30	farmer_child	TOCDFDFS	Beryllium	4.5886E-008	4.7328E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	7.5506E-012	1.5840E-011
RCPTR_30	farmer_child	TOCDFDFS	Bromodichloromethane	1.3430E-014	2.8163E-014
RCPTR_30	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	2.1483E-012	4.5057E-012
RCPTR_30	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.5368E-007	6.0865E-007
RCPTR_30	farmer_child	TOCDFDFS	Butylbenzylphthalate	2.3710E-008	2.5687E-008
RCPTR_30	farmer_child	TOCDFDFS	Cadmium	1.8884E-008	2.2147E-008
RCPTR_30	farmer_child	TOCDFDFS	Carbon disulfide	7.4131E-015	1.5532E-014
RCPTR_30	farmer_child	TOCDFDFS	Carbon tetrachloride	1.1757E-014	2.4611E-014
RCPTR_30	farmer_child	TOCDFDFS	Chlorine	2.3427E-013	4.9147E-013
RCPTR_30	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	6.9807E-010	1.3308E-009
RCPTR_30	farmer_child	TOCDFDFS	Chloroaniline, p-	3.5145E-011	7.3595E-011
RCPTR_30	farmer_child	TOCDFDFS	Chlorobenzene	6.8898E-014	1.4402E-013
RCPTR_30	farmer_child	TOCDFDFS	Chloroethane	1.9560E-016	4.0529E-016
RCPTR_30	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.2656E-015	1.9429E-014
RCPTR_30	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.7611E-009	5.7517E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenol, 2-	9.7404E-011	2.0431E-010
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.9057E-009	7.4166E-009
RCPTR_30	farmer_child	TOCDFDFS	Chromium	1.4283E-006	1.4678E-006
RCPTR_30	farmer_child	TOCDFDFS	Chromium, hexavalent	1.3128E-006	1.3247E-006
RCPTR_30	farmer_child	TOCDFDFS	Chrysene	1.1109E-005	1.1862E-005
RCPTR_30	farmer_child	TOCDFDFS	Di-n-butyl phthalate	8.6740E-008	9.4343E-008
RCPTR_30	farmer_child	TOCDFDFS	Di-n-octylphthalate	4.2064E+002	4.2064E+002
RCPTR_30	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	8.1580E-004	8.2171E-004
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	4.5009E-012	9.3018E-012
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.4125E-012	1.1245E-011
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	5.2025E-012	1.0824E-011
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.5495E-008	6.2354E-008
RCPTR_30	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.6213E-017	3.3944E-017
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.8768E-015	8.1298E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.8157E-015	1.0100E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.4690E-015	3.0783E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.3617E-015	4.9484E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	5.2408E-010	9.3460E-010
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.3303E-014	2.7849E-014
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.3820E-015	9.1865E-015
RCPTR_30	farmer_child	TOCDFDFS	Diethyl phthalate	5.2180E-008	5.3481E-008
RCPTR_30	farmer_child	TOCDFDFS	Dimethyl phthalate	8.8796E-011	1.8386E-010
RCPTR_30	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	6.6654E-011	1.3935E-010
RCPTR_30	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	5.1184E-011	7.6455E-011
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	6.2650E-011	1.2854E-010
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	4.7884E-011	9.8912E-011
RCPTR_30	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.4138E-012	2.9658E-012
RCPTR_30	farmer_child	TOCDFDFS	Ethylbenzene	4.2725E-014	8.8212E-014
RCPTR_30	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.0364E-009	4.3853E-009
RCPTR_30	farmer_child	TOCDFDFS	Fluoranthene	2.9791E-007	5.0833E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Fluorene	4.1890E-009	8.6566E-009
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.7891E-012	1.8246E-012
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.4873E-012	1.5113E-012
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.7727E-012	4.8652E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.8855E-011	3.9507E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.3722E-011	2.4228E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.8754E-011	1.9206E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.3127E-011	1.3481E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.1857E-011	1.2175E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.4041E-011	1.4416E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.0789E-011	1.1078E-011
RCPTR_30	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.0199E-011	1.8254E-010
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorobenzene	1.8184E-007	3.7053E-007
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.4212E-010	4.8582E-010
RCPTR_30	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.3717E-011	1.1170E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.8079E-003	5.8206E-003
RCPTR_30	farmer_child	TOCDFDFS	Isophorone	1.0114E-011	2.1208E-011
RCPTR_30	farmer_child	TOCDFDFS	Lead	2.8343E-007	2.9740E-007
RCPTR_30	farmer_child	TOCDFDFS	Mercuric chloride	9.1101E-008	1.0966E-007
RCPTR_30	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.6922E-016	3.5494E-016
RCPTR_30	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	3.3371E-017	6.9979E-017
RCPTR_30	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.3098E-014	1.7432E-013
RCPTR_30	farmer_child	TOCDFDFS	Methyl mercury	1.5260E-009	1.5831E-009
RCPTR_30	farmer_child	TOCDFDFS	Methylene chloride	4.9999E-015	1.0486E-014
RCPTR_30	farmer_child	TOCDFDFS	Mustard	5.8922E-013	1.2353E-012
RCPTR_30	farmer_child	TOCDFDFS	Naphthalene	4.2915E-011	8.9591E-011
RCPTR_30	farmer_child	TOCDFDFS	Nickel	6.0716E-006	6.2892E-006
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.7276E-010	3.6175E-010
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 3-	4.1058E-011	8.6082E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 4-	5.3082E-011	1.1124E-010
RCPTR_30	farmer_child	TOCDFDFS	Nitrobenzene	1.7067E-011	3.5796E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 2-	7.7725E-012	1.6298E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.8980E-010	2.7084E-010
RCPTR_30	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	9.6426E-012	2.0193E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	9.4856E-012	1.9846E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	8.6123E-013	1.7850E-012
RCPTR_30	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.0192E-012	3.0951E-012
RCPTR_30	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.1812E-012	3.2594E-012
RCPTR_30	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.7839E-011	6.9186E-011
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	8.5359E-012	8.8158E-012
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	3.5171E-011	3.6291E-011
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorobenzene	7.0620E-010	1.3882E-009
RCPTR_30	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.8359E-010	5.5032E-010
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorophenol	2.5658E-007	3.0653E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Phenanthrene	1.3215E-011	2.7412E-011
RCPTR_30	farmer_child	TOCDFDFS	Phenol	1.3538E-011	2.8361E-011
RCPTR_30	farmer_child	TOCDFDFS	Pronamide	1.3146E-009	2.7145E-009
RCPTR_30	farmer_child	TOCDFDFS	Pyrene	4.6591E-007	7.1755E-007
RCPTR_30	farmer_child	TOCDFDFS	Selenium	9.5721E-008	9.5995E-008
RCPTR_30	farmer_child	TOCDFDFS	Silver	6.4609E-007	6.6958E-007
RCPTR_30	farmer_child	TOCDFDFS	Styrene	5.0386E-013	1.0551E-012
RCPTR_30	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.1212E-011	2.2146E-011
RCPTR_30	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	6.4467E-012	6.8362E-012
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0833E-009	2.2012E-009
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.9113E-011	4.4574E-011
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.4131E-014	2.9592E-014
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.0359E-008	1.6434E-008
RCPTR_30	farmer_child	TOCDFDFS	Thallium (l)	8.6178E-005	8.8249E-005
RCPTR_30	farmer_child	TOCDFDFS	Toluene	1.8964E-014	3.9579E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.0840E-011	8.4144E-011
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.1772E-014	2.4669E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	6.9716E-014	1.4618E-013
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethylene	1.1348E-014	2.3768E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.5673E-015	3.2830E-015
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	4.7844E-009	9.6691E-009
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	5.3338E-009	9.9786E-009
RCPTR_30	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.5812E-013	5.4104E-013
RCPTR_30	farmer_child	TOCDFDFS	Vinyl Chloride	3.6844E-018	7.7226E-018
RCPTR_30	farmer_child	TOCDFDFS	Xylene, m-	1.9704E-013	2.6621E-013
RCPTR_30	farmer_child	TOCDFDFS	Xylene, o-	1.6187E-013	2.3076E-013
RCPTR_30	farmer_child	TOCDFDFS	Xylene, p-	2.2230E-013	3.2958E-013
RCPTR_30	farmer_child	TOCDFDFS	Zinc	3.0163E-007	3.3857E-007
RCPTR_30	farmer_child	TOCDFLIC	Acenaphthene	2.1985E-010	4.5704E-010
RCPTR_30	farmer_child	TOCDFLIC	Acetone	7.8216E-015	1.6409E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Acetophenone	1.1465E-012	2.4040E-012
RCPTR_30	farmer_child	TOCDFLIC	Aniline	6.9131E-014	1.4481E-013
RCPTR_30	farmer_child	TOCDFLIC	Anthracene	3.8840E-009	8.0663E-009
RCPTR_30	farmer_child	TOCDFLIC	Antimony	2.2740E-006	2.4751E-006
RCPTR_30	farmer_child	TOCDFLIC	Arsenic	3.9977E-006	4.0811E-006
RCPTR_30	farmer_child	TOCDFLIC	Barium	3.3301E-007	3.5530E-007
RCPTR_30	farmer_child	TOCDFLIC	Benzene	4.3095E-014	9.0224E-014
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)anthracene	8.3784E-007	9.8394E-007
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)pyrene	7.9579E-006	8.1219E-006
RCPTR_30	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.5241E-006	4.9075E-006
RCPTR_30	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	1.2228E-005	1.2397E-005
RCPTR_30	farmer_child	TOCDFLIC	Benzoic acid	2.9264E-012	5.7852E-012
RCPTR_30	farmer_child	TOCDFLIC	Benzyl alcohol	2.5068E-010	5.2554E-010
RCPTR_30	farmer_child	TOCDFLIC	Beryllium	5.5620E-007	5.7364E-007
RCPTR_30	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.5667E-012	3.2867E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Bromodichloromethane	1.5529E-015	3.2565E-015
RCPTR_30	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.8108E-012	5.8951E-012
RCPTR_30	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	7.3385E-008	1.2629E-007
RCPTR_30	farmer_child	TOCDFLIC	Butylbenzylphthalate	4.8573E-009	5.2673E-009
RCPTR_30	farmer_child	TOCDFLIC	Cadmium	7.7364E-008	9.0694E-008
RCPTR_30	farmer_child	TOCDFLIC	Carbon disulfide	1.0140E-014	2.1244E-014
RCPTR_30	farmer_child	TOCDFLIC	Carbon tetrachloride	2.0081E-013	4.2034E-013
RCPTR_30	farmer_child	TOCDFLIC	Chlorine	1.6726E-006	3.5090E-006
RCPTR_30	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.4514E-010	2.7643E-010
RCPTR_30	farmer_child	TOCDFLIC	Chloroaniline, p-	7.2927E-012	1.5271E-011
RCPTR_30	farmer_child	TOCDFLIC	Chlorobenzene	8.0999E-014	1.6932E-013
RCPTR_30	farmer_child	TOCDFLIC	Chloroethane	8.3972E-017	1.7397E-016
RCPTR_30	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	8.0462E-014	1.6871E-013
RCPTR_30	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.7299E-010	1.1935E-009
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.0211E-011	4.2394E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	8.1091E-010	1.5394E-009
RCPTR_30	farmer_child	TOCDFLIC	Chromium	2.5545E-006	2.6251E-006
RCPTR_30	farmer_child	TOCDFLIC	Chromium, hexavalent	2.3485E-006	2.3699E-006
RCPTR_30	farmer_child	TOCDFLIC	Chrysene	2.3118E-006	2.4673E-006
RCPTR_30	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.8005E-009	3.0443E-009
RCPTR_30	farmer_child	TOCDFLIC	Di-n-octylphthalate	1.3644E+001	1.3644E+001
RCPTR_30	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.6866E-004	1.6983E-004
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	9.3413E-013	1.9303E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.1232E-012	2.3335E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.0796E-012	2.2461E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.7449E-009	6.4549E-009
RCPTR_30	farmer_child	TOCDFLIC	Dichlorodifluoromethane	6.6206E-018	1.3862E-017
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.6915E-016	5.6442E-016
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0669E-015	4.3348E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.0199E-016	2.1371E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0137E-015	2.1239E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.0910E-010	1.9428E-010
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.7098E-015	1.1953E-014
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9391E-015	4.0651E-015
RCPTR_30	farmer_child	TOCDFLIC	Diethyl phthalate	1.6920E-009	1.7337E-009
RCPTR_30	farmer_child	TOCDFLIC	Dimethyl phthalate	1.7458E-010	3.6149E-010
RCPTR_30	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.3832E-011	2.8915E-011
RCPTR_30	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0678E-011	1.5921E-011
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.2995E-011	2.6667E-011
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	9.9363E-012	2.0524E-011
RCPTR_30	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.9337E-013	6.1540E-013
RCPTR_30	farmer_child	TOCDFLIC	Ethylbenzene	1.9242E-014	3.9723E-014
RCPTR_30	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.3264E-009	6.8809E-009
RCPTR_30	farmer_child	TOCDFLIC	Fluoranthene	6.1871E-008	1.0553E-007
RCPTR_30	farmer_child	TOCDFLIC	Fluorene	8.6934E-010	1.7964E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.5055E-011	1.5348E-011
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.7805E-011	4.8556E-011
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.1396E-010	1.1613E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.2225E-010	1.2426E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.5492E-011	7.7074E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	6.3821E-011	6.5342E-011
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.3249E-010	1.3603E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1485E-010	1.1791E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.1754E-010	1.2065E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.6897E-011	9.9468E-011
RCPTR_30	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8714E-011	3.7874E-011
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorobenzene	3.7740E-008	7.6893E-008
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.0228E-011	1.0080E-010
RCPTR_30	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1148E-011	2.3179E-011
RCPTR_30	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2131E-003	1.2156E-003
RCPTR_30	farmer_child	TOCDFLIC	Isophorone	2.0987E-012	4.4007E-012
RCPTR_30	farmer_child	TOCDFLIC	Lead	1.4731E-006	1.5455E-006
RCPTR_30	farmer_child	TOCDFLIC	Mercuric chloride	2.1881E-007	2.6384E-007
RCPTR_30	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.1459E-016	2.4035E-016
RCPTR_30	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.0221E-016	4.2402E-016
RCPTR_30	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.5904E-013	3.3363E-013
RCPTR_30	farmer_child	TOCDFLIC	Methyl mercury	3.6057E-009	3.7445E-009
RCPTR_30	farmer_child	TOCDFLIC	Methylene chloride	2.0762E-014	4.3541E-014
RCPTR_30	farmer_child	TOCDFLIC	Mustard	2.1501E-013	4.5076E-013
RCPTR_30	farmer_child	TOCDFLIC	Naphthalene	1.3763E-012	2.8731E-012
RCPTR_30	farmer_child	TOCDFLIC	Nickel	6.4704E-006	6.7016E-006
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.5850E-011	7.5068E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 3-	8.5198E-012	1.7863E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.1014E-011	2.3082E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Nitrobenzene	3.5413E-012	7.4277E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.6128E-012	3.3818E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.9659E-012	5.6476E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0009E-012	4.1901E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.9684E-012	4.1181E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.7853E-013	3.7022E-013
RCPTR_30	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.3107E-011	2.3683E-011
RCPTR_30	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.2795E-011	2.3350E-011
RCPTR_30	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.6712E-010	2.7233E-010
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.2127E-011	4.3499E-011
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.6383E-010	1.6902E-010
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorobenzene	7.3137E-010	1.4402E-009
RCPTR_30	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.8604E-011	1.1395E-010
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorophenol	1.0730E-008	1.2799E-008
RCPTR_30	farmer_child	TOCDFLIC	Phenanthrene	2.7424E-012	5.6883E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Phenol	2.8092E-012	5.8850E-012
RCPTR_30	farmer_child	TOCDFLIC	Pronamide	2.7285E-010	5.6333E-010
RCPTR_30	farmer_child	TOCDFLIC	Pyrene	9.6736E-008	1.4895E-007
RCPTR_30	farmer_child	TOCDFLIC	Selenium	2.4455E-006	2.4525E-006
RCPTR_30	farmer_child	TOCDFLIC	Silver	6.4441E-006	6.6776E-006
RCPTR_30	farmer_child	TOCDFLIC	Styrene	3.2221E-011	6.7474E-011
RCPTR_30	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.5636E-011	3.7200E-011
RCPTR_30	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.3716E-011	1.4543E-011
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.2490E-010	4.5687E-010
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.0350E-014	2.1682E-014
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.8709E-015	8.1062E-015
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.1607E-009	3.4214E-009
RCPTR_30	farmer_child	TOCDFLIC	Thallium (l)	8.5365E-006	8.7410E-006
RCPTR_30	farmer_child	TOCDFLIC	Toluene	7.5929E-014	1.5846E-013
RCPTR_30	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.4760E-012	1.7462E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.2782E-014	6.8698E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.9922E-014	6.2739E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethylene	4.8706E-015	1.0201E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.4005E-016	1.3407E-015
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	9.9356E-010	2.0071E-009
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.2070E-010	4.1244E-010
RCPTR_30	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.1078E-013	2.3222E-013
RCPTR_30	farmer_child	TOCDFLIC	Vinyl Chloride	4.7397E-018	9.9349E-018
RCPTR_30	farmer_child	TOCDFLIC	Xylene, m-	1.7526E-013	2.3879E-013
RCPTR_30	farmer_child	TOCDFLIC	Xylene, o-	1.6532E-013	2.3775E-013
RCPTR_30	farmer_child	TOCDFLIC	Xylene, p-	1.9886E-013	2.9739E-013
RCPTR_30	farmer_child	TOCDFLIC	Zinc	2.7605E-006	3.0976E-006
RCPTR_30	farmer_child	TOCDFMPF	Acenaphthene	3.3514E-010	6.9669E-010
RCPTR_30	farmer_child	TOCDFMPF	Acetone	2.8488E-014	5.9764E-014
RCPTR_30	farmer_child	TOCDFMPF	Acetophenone	1.8308E-012	3.8390E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Aniline	1.0538E-013	2.2074E-013
RCPTR_30	farmer_child	TOCDFMPF	Anthracene	5.9206E-009	1.2296E-008
RCPTR_30	farmer_child	TOCDFMPF	Antimony	3.0974E-008	3.3715E-008
RCPTR_30	farmer_child	TOCDFMPF	Aroclor 1254	3.3873E-010	4.5432E-010
RCPTR_30	farmer_child	TOCDFMPF	Arsenic	2.0772E-007	2.1205E-007
RCPTR_30	farmer_child	TOCDFMPF	Barium	2.3587E-007	2.5166E-007
RCPTR_30	farmer_child	TOCDFMPF	Benzene	3.8406E-014	8.0407E-014
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.2774E-006	1.5001E-006
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.2136E-005	1.2387E-005
RCPTR_30	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	6.8970E-006	7.4816E-006
RCPTR_30	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.8648E-005	1.8906E-005
RCPTR_30	farmer_child	TOCDFMPF	Benzoic acid	1.2912E-011	2.5527E-011
RCPTR_30	farmer_child	TOCDFMPF	Benzyl alcohol	2.3883E-012	5.0069E-012
RCPTR_30	farmer_child	TOCDFMPF	Beryllium	1.8952E-008	1.9546E-008
RCPTR_30	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.3883E-012	5.0102E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Bromodichloromethane	4.7042E-014	9.8650E-014
RCPTR_30	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.6372E-012	3.4337E-012
RCPTR_30	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1186E-007	1.9251E-007
RCPTR_30	farmer_child	TOCDFMPF	Butylbenzylphthalate	7.4106E-009	8.0356E-009
RCPTR_30	farmer_child	TOCDFMPF	Cadmium	3.5307E-007	4.1392E-007
RCPTR_30	farmer_child	TOCDFMPF	Carbon disulfide	3.6965E-015	7.7447E-015
RCPTR_30	farmer_child	TOCDFMPF	Carbon tetrachloride	3.4880E-014	7.3010E-014
RCPTR_30	farmer_child	TOCDFMPF	Chlorine	3.0727E-007	6.4463E-007
RCPTR_30	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.2123E-010	4.2137E-010
RCPTR_30	farmer_child	TOCDFMPF	Chloroaniline, p-	1.1117E-011	2.3278E-011
RCPTR_30	farmer_child	TOCDFMPF	Chlorobenzene	1.4491E-013	3.0291E-013
RCPTR_30	farmer_child	TOCDFMPF	Chloroethane	8.2512E-016	1.7095E-015
RCPTR_30	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	2.5231E-014	5.2905E-014
RCPTR_30	farmer_child	TOCDFMPF	Chloronaphthalene,2-	8.7343E-010	1.8194E-009
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenol, 2-	3.0809E-011	6.4623E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.2361E-009	2.3466E-009
RCPTR_30	farmer_child	TOCDFMPF	Chromium	4.8451E-007	4.9789E-007
RCPTR_30	farmer_child	TOCDFMPF	Chromium, hexavalent	4.4543E-007	4.4949E-007
RCPTR_30	farmer_child	TOCDFMPF	Chrysene	3.5242E-006	3.7613E-006
RCPTR_30	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.7619E-008	3.0024E-008
RCPTR_30	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.3454E+002	1.3454E+002
RCPTR_30	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.5716E-004	2.5894E-004
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.4239E-012	2.9425E-012
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.7122E-012	3.5570E-012
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.6457E-012	3.4238E-012
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.7572E-008	1.9744E-008
RCPTR_30	farmer_child	TOCDFMPF	Dichlorodifluoromethane	5.4298E-017	1.1368E-016
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane 1,1-	8.1536E-015	1.7098E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0128E-014	2.1241E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	3.0896E-015	6.4742E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.9671E-015	1.0407E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.6629E-010	2.9614E-010
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.7979E-014	5.8571E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.2159E-015	1.9321E-014
RCPTR_30	farmer_child	TOCDFMPF	Diethyl phthalate	1.6684E-008	1.7095E-008
RCPTR_30	farmer_child	TOCDFMPF	Dimethyl phthalate	1.8589E-011	3.8492E-011
RCPTR_30	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.1084E-011	4.4077E-011
RCPTR_30	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.6245E-011	2.4224E-011
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.9809E-011	4.0651E-011
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.5147E-011	3.1287E-011
RCPTR_30	farmer_child	TOCDFMPF	Ethyl methanesulfonate	4.4720E-013	9.3809E-013
RCPTR_30	farmer_child	TOCDFMPF	Ethylbenzene	8.9875E-014	1.8554E-013
RCPTR_30	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1422E-009	1.2422E-009
RCPTR_30	farmer_child	TOCDFMPF	Fluoranthene	9.4315E-008	1.6086E-007
RCPTR_30	farmer_child	TOCDFMPF	Fluorene	1.3252E-009	2.7383E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	5.8659E-011	5.9801E-011
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.5115E-011	7.6297E-011
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3334E-010	1.3587E-010
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.4887E-011	3.5459E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.6772E-011	1.7124E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.5078E-011	1.5438E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.6177E-011	2.6878E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1081E-011	1.1376E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.7745E-012	1.0033E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.7687E-012	9.0015E-012
RCPTR_30	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.8527E-011	5.7734E-011
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorobenzene	5.7530E-008	1.1721E-007
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	7.6568E-011	1.5365E-010
RCPTR_30	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.6994E-011	3.5334E-011
RCPTR_30	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.8488E-003	1.8527E-003
RCPTR_30	farmer_child	TOCDFMPF	Isophorone	3.1992E-012	6.7082E-012
RCPTR_30	farmer_child	TOCDFMPF	Lead	1.6999E-007	1.7835E-007
RCPTR_30	farmer_child	TOCDFMPF	Mercuric chloride	3.7119E-006	4.4754E-006
RCPTR_30	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	5.9124E-016	1.2401E-015
RCPTR_30	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	3.4417E-017	7.2173E-017
RCPTR_30	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.2161E-014	6.7467E-014
RCPTR_30	farmer_child	TOCDFMPF	Methyl mercury	6.1226E-008	6.3579E-008
RCPTR_30	farmer_child	TOCDFMPF	Methylene chloride	1.6282E-014	3.4146E-014
RCPTR_30	farmer_child	TOCDFMPF	Mustard	1.5256E-012	3.1983E-012
RCPTR_30	farmer_child	TOCDFMPF	Naphthalene	1.3575E-011	2.8339E-011
RCPTR_30	farmer_child	TOCDFMPF	Nickel	4.0557E-006	4.2006E-006
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 2-	5.4549E-011	1.1422E-010
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.2964E-011	2.7180E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.6760E-011	3.5122E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Nitrobenzene	5.3982E-012	1.1322E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 2-	2.4585E-012	5.1550E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 4-	6.0332E-011	8.5921E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.0501E-012	6.3871E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	3.0005E-012	6.2775E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	2.7215E-013	5.6436E-013
RCPTR_30	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.4703E-009	1.5069E-009
RCPTR_30	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.5856E-009	2.6486E-009
RCPTR_30	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.3942E-011	1.4214E-011
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.8266E-011	1.8861E-011
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.0976E-011	1.1323E-011
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorobenzene	2.2261E-010	4.3832E-010
RCPTR_30	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.9192E-011	1.7341E-010
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorophenol	8.1756E-008	9.7529E-008
RCPTR_30	farmer_child	TOCDFMPF	Phenanthrene	4.1804E-012	8.6709E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Phenol	4.2822E-012	8.9708E-012
RCPTR_30	farmer_child	TOCDFMPF	Pronamide	4.1591E-010	8.5871E-010
RCPTR_30	farmer_child	TOCDFMPF	Pyrene	1.4746E-007	2.2705E-007
RCPTR_30	farmer_child	TOCDFMPF	Selenium	4.2861E-008	4.2983E-008
RCPTR_30	farmer_child	TOCDFMPF	Silver	8.6870E-007	9.0019E-007
RCPTR_30	farmer_child	TOCDFMPF	Styrene	7.3265E-013	1.5342E-012
RCPTR_30	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	4.2546E-012	4.4414E-012
RCPTR_30	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.3557E-011	1.4374E-011
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.4282E-010	6.9643E-010
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.1352E-013	6.5684E-013
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.9719E-014	6.2237E-014
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.2872E-009	5.2055E-009
RCPTR_30	farmer_child	TOCDFMPF	Thallium (l)	2.6106E-007	2.6732E-007
RCPTR_30	farmer_child	TOCDFMPF	Toluene	5.0798E-014	1.0601E-013
RCPTR_30	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2920E-011	2.6617E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.9187E-014	4.0209E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.4662E-013	3.0743E-013
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethylene	2.3867E-014	4.9988E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.5863E-014	1.3796E-013
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.5145E-009	3.0595E-009
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	3.3640E-010	6.2868E-010
RCPTR_30	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	5.4286E-013	1.1379E-012
RCPTR_30	farmer_child	TOCDFMPF	Vinyl Chloride	1.2969E-017	2.7183E-017
RCPTR_30	farmer_child	TOCDFMPF	Xylene, m-	1.7524E-013	2.3865E-013
RCPTR_30	farmer_child	TOCDFMPF	Xylene, o-	1.6527E-013	2.3756E-013
RCPTR_30	farmer_child	TOCDFMPF	Xylene, p-	1.9877E-013	2.9711E-013
RCPTR_30	farmer_child	TOCDFMPF	Zinc	7.8555E-007	8.8149E-007
RCPTR_30	farmer_child	TOCDHVAC	Mustard	4.3213E-013	9.0599E-013
RCPTR_30	farmer_child	TOCDLIC2	Acenaphthene	2.1985E-010	4.5704E-010
RCPTR_30	farmer_child	TOCDLIC2	Acetone	7.8216E-015	1.6409E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Acetophenone	1.1465E-012	2.4040E-012
RCPTR_30	farmer_child	TOCDLIC2	Aniline	6.9131E-014	1.4481E-013
RCPTR_30	farmer_child	TOCDLIC2	Anthracene	3.8840E-009	8.0663E-009
RCPTR_30	farmer_child	TOCDLIC2	Antimony	2.2740E-006	2.4751E-006
RCPTR_30	farmer_child	TOCDLIC2	Arsenic	3.9977E-006	4.0811E-006
RCPTR_30	farmer_child	TOCDLIC2	Barium	3.3301E-007	3.5530E-007
RCPTR_30	farmer_child	TOCDLIC2	Benzene	4.3095E-014	9.0224E-014
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)anthracene	8.3784E-007	9.8394E-007
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)pyrene	7.9579E-006	8.1219E-006
RCPTR_30	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.5241E-006	4.9075E-006
RCPTR_30	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2228E-005	1.2397E-005
RCPTR_30	farmer_child	TOCDLIC2	Benzoic acid	2.9264E-012	5.7852E-012
RCPTR_30	farmer_child	TOCDLIC2	Benzyl alcohol	2.5068E-010	5.2554E-010
RCPTR_30	farmer_child	TOCDLIC2	Beryllium	5.5620E-007	5.7364E-007
RCPTR_30	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.5667E-012	3.2867E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Bromodichloromethane	1.5529E-015	3.2565E-015
RCPTR_30	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.8108E-012	5.8951E-012
RCPTR_30	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	7.3385E-008	1.2629E-007
RCPTR_30	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.8573E-009	5.2673E-009
RCPTR_30	farmer_child	TOCDLIC2	Cadmium	7.7364E-008	9.0694E-008
RCPTR_30	farmer_child	TOCDLIC2	Carbon disulfide	1.0140E-014	2.1244E-014
RCPTR_30	farmer_child	TOCDLIC2	Carbon tetrachloride	2.0081E-013	4.2034E-013
RCPTR_30	farmer_child	TOCDLIC2	Chlorine	1.6726E-006	3.5090E-006
RCPTR_30	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.4514E-010	2.7643E-010
RCPTR_30	farmer_child	TOCDLIC2	Chloroaniline, p-	7.2927E-012	1.5271E-011
RCPTR_30	farmer_child	TOCDLIC2	Chlorobenzene	8.0999E-014	1.6932E-013
RCPTR_30	farmer_child	TOCDLIC2	Chloroethane	8.3972E-017	1.7397E-016
RCPTR_30	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	8.0462E-014	1.6871E-013
RCPTR_30	farmer_child	TOCDLIC2	Chloronaphthalene,2-	5.7299E-010	1.1935E-009
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenol, 2-	2.0211E-011	4.2394E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	8.1091E-010	1.5394E-009
RCPTR_30	farmer_child	TOCDLIC2	Chromium	2.5545E-006	2.6251E-006
RCPTR_30	farmer_child	TOCDLIC2	Chromium, hexavalent	2.3485E-006	2.3699E-006
RCPTR_30	farmer_child	TOCDLIC2	Chrysene	2.3118E-006	2.4673E-006
RCPTR_30	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.8005E-009	3.0443E-009
RCPTR_30	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.3644E+001	1.3644E+001
RCPTR_30	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.6866E-004	1.6983E-004
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	9.3413E-013	1.9303E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.1232E-012	2.3335E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.0796E-012	2.2461E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.7449E-009	6.4549E-009
RCPTR_30	farmer_child	TOCDLIC2	Dichlorodifluoromethane	6.6206E-018	1.3862E-017
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.6915E-016	5.6442E-016
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0669E-015	4.3348E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.0199E-016	2.1371E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0137E-015	2.1239E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.0910E-010	1.9428E-010
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	5.7098E-015	1.1953E-014
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.9391E-015	4.0651E-015
RCPTR_30	farmer_child	TOCDLIC2	Diethyl phthalate	1.6920E-009	1.7337E-009
RCPTR_30	farmer_child	TOCDLIC2	Dimethyl phthalate	1.7458E-010	3.6149E-010
RCPTR_30	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.3832E-011	2.8915E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.0678E-011	1.5921E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.2995E-011	2.6667E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	9.9363E-012	2.0524E-011
RCPTR_30	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.9337E-013	6.1540E-013
RCPTR_30	farmer_child	TOCDLIC2	Ethylbenzene	1.9242E-014	3.9723E-014
RCPTR_30	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.3264E-009	6.8809E-009
RCPTR_30	farmer_child	TOCDLIC2	Fluoranthene	6.1871E-008	1.0553E-007
RCPTR_30	farmer_child	TOCDLIC2	Fluorene	8.6934E-010	1.7964E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.5055E-011	1.5348E-011
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.7805E-011	4.8556E-011
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.1396E-010	1.1613E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2225E-010	1.2426E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.5492E-011	7.7074E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	6.3821E-011	6.5342E-011
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.3249E-010	1.3603E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1485E-010	1.1791E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1754E-010	1.2065E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.6897E-011	9.9468E-011
RCPTR_30	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8714E-011	3.7874E-011
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorobenzene	3.7740E-008	7.6893E-008
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.0228E-011	1.0080E-010
RCPTR_30	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.1148E-011	2.3179E-011
RCPTR_30	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2131E-003	1.2156E-003
RCPTR_30	farmer_child	TOCDLIC2	Isophorone	2.0987E-012	4.4007E-012
RCPTR_30	farmer_child	TOCDLIC2	Lead	1.4731E-006	1.5455E-006
RCPTR_30	farmer_child	TOCDLIC2	Mercuric chloride	2.1881E-007	2.6384E-007
RCPTR_30	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.1459E-016	2.4035E-016
RCPTR_30	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	2.0221E-016	4.2402E-016
RCPTR_30	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.5904E-013	3.3363E-013
RCPTR_30	farmer_child	TOCDLIC2	Methyl mercury	3.6057E-009	3.7445E-009
RCPTR_30	farmer_child	TOCDLIC2	Methylene chloride	2.0762E-014	4.3541E-014
RCPTR_30	farmer_child	TOCDLIC2	Mustard	2.2352E-013	4.6861E-013
RCPTR_30	farmer_child	TOCDLIC2	Naphthalene	1.3763E-012	2.8731E-012
RCPTR_30	farmer_child	TOCDLIC2	Nickel	6.4704E-006	6.7016E-006
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 2-	3.5850E-011	7.5068E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 3-	8.5198E-012	1.7863E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.1014E-011	2.3082E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Nitrobenzene	3.5413E-012	7.4277E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.6128E-012	3.3818E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 4-	3.9659E-011	5.6476E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.0009E-012	4.1901E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.9684E-012	4.1181E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.7853E-013	3.7022E-013
RCPTR_30	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.3107E-011	2.3683E-011
RCPTR_30	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.2795E-011	2.3350E-011
RCPTR_30	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.6712E-010	2.7233E-010
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.2127E-011	4.3499E-011
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.6383E-010	1.6902E-010
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorobenzene	7.3137E-010	1.4402E-009
RCPTR_30	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.8604E-011	1.1395E-010
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorophenol	1.0730E-008	1.2799E-008
RCPTR_30	farmer_child	TOCDLIC2	Phenanthrene	2.7424E-012	5.6883E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Phenol	2.8092E-012	5.8850E-012
RCPTR_30	farmer_child	TOCDLIC2	Pronamide	2.7285E-010	5.6333E-010
RCPTR_30	farmer_child	TOCDLIC2	Pyrene	9.6736E-008	1.4895E-007
RCPTR_30	farmer_child	TOCDLIC2	Selenium	2.4455E-006	2.4525E-006
RCPTR_30	farmer_child	TOCDLIC2	Silver	6.4441E-006	6.6776E-006
RCPTR_30	farmer_child	TOCDLIC2	Styrene	3.2221E-011	6.7474E-011
RCPTR_30	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	3.5636E-011	3.7200E-011
RCPTR_30	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3716E-011	1.4543E-011
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.2490E-010	4.5687E-010
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.0350E-014	2.1682E-014
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.8709E-015	8.1062E-015
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.1607E-009	3.4214E-009
RCPTR_30	farmer_child	TOCDLIC2	Thallium (l)	8.5365E-006	8.7410E-006
RCPTR_30	farmer_child	TOCDLIC2	Toluene	7.5929E-014	1.5846E-013
RCPTR_30	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	8.4760E-012	1.7462E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	3.2782E-014	6.8698E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.9922E-014	6.2739E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethylene	4.8706E-015	1.0201E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.4005E-016	1.3407E-015
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	9.9356E-010	2.0071E-009
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	2.2070E-010	4.1244E-010
RCPTR_30	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.1078E-013	2.3222E-013
RCPTR_30	farmer_child	TOCDLIC2	Vinyl Chloride	4.7397E-018	9.9349E-018
RCPTR_30	farmer_child	TOCDLIC2	Xylene, m-	3.6420E-013	4.9622E-013
RCPTR_30	farmer_child	TOCDLIC2	Xylene, o-	3.4355E-013	4.9406E-013
RCPTR_30	farmer_child	TOCDLIC2	Xylene, p-	4.1324E-013	6.1799E-013
RCPTR_30	farmer_child	TOCDLIC2	Zinc	2.7605E-006	3.0976E-006
RCPTR_31	farmer_adult	TOCDFBRA	Antimony	3.0738E-006	3.5751E-006
RCPTR_31	farmer_adult	TOCDFBRA	Arsenic	5.2140E-006	5.3982E-006
RCPTR_31	farmer_adult	TOCDFBRA	Barium	4.2657E-007	4.7777E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFBRA	Beryllium	1.3824E-006	1.4725E-006
RCPTR_31	farmer_adult	TOCDFBRA	Cadmium	2.3170E-007	3.1907E-007
RCPTR_31	farmer_adult	TOCDFBRA	Chromium	3.4521E-005	3.4654E-005
RCPTR_31	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.1018E-005	3.1489E-005
RCPTR_31	farmer_adult	TOCDFBRA	Lead	1.4095E-005	1.5499E-005
RCPTR_31	farmer_adult	TOCDFBRA	Mercuric chloride	1.8480E-003	1.9145E-003
RCPTR_31	farmer_adult	TOCDFBRA	Methyl mercury	2.8005E-005	2.8632E-005
RCPTR_31	farmer_adult	TOCDFBRA	Nickel	1.6998E-005	1.8118E-005
RCPTR_31	farmer_adult	TOCDFBRA	Selenium	5.8908E-006	5.9187E-006
RCPTR_31	farmer_adult	TOCDFBRA	Silver	1.9592E-006	2.0801E-006
RCPTR_31	farmer_adult	TOCDFBRA	Thallium (l)	5.3078E-005	5.5429E-005
RCPTR_31	farmer_adult	TOCDFBRA	Zinc	8.7653E-006	1.0898E-005
RCPTR_31	farmer_adult	TOCDFDFS	Acenaphthene	7.3761E-010	9.2148E-009
RCPTR_31	farmer_adult	TOCDFDFS	Acetone	7.2706E-015	1.0165E-013
RCPTR_31	farmer_adult	TOCDFDFS	Acetophenone	3.6634E-012	5.0916E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Aniline	2.1277E-013	2.9176E-012
RCPTR_31	farmer_adult	TOCDFDFS	Anthracene	1.3149E-008	1.6263E-007
RCPTR_31	farmer_adult	TOCDFDFS	Antimony	1.7385E-007	2.0225E-007
RCPTR_31	farmer_adult	TOCDFDFS	Aroclor 1254	1.8632E-009	3.3279E-009
RCPTR_31	farmer_adult	TOCDFDFS	Arsenic	3.4404E-007	3.5621E-007
RCPTR_31	farmer_adult	TOCDFDFS	Barium	2.2207E-007	2.4876E-007
RCPTR_31	farmer_adult	TOCDFDFS	Benzene	2.6701E-014	3.6360E-013
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.4691E-005	2.0950E-005
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.6873E-004	1.7510E-004
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	9.0461E-005	1.0664E-004
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.6082E-004	2.6833E-004
RCPTR_31	farmer_adult	TOCDFDFS	Benzoic acid	4.3884E-012	3.3966E-011
RCPTR_31	farmer_adult	TOCDFDFS	Benzyl alcohol	4.7752E-012	6.6172E-011
RCPTR_31	farmer_adult	TOCDFDFS	Beryllium	1.7945E-007	1.9116E-007
RCPTR_31	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.7362E-012	6.6211E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Bromodichloromethane	8.4619E-015	1.1773E-013
RCPTR_31	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.3516E-012	1.8834E-011
RCPTR_31	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.6807E-007	2.5440E-006
RCPTR_31	farmer_adult	TOCDFDFS	Butylbenzylphthalate	9.5597E-008	1.1023E-007
RCPTR_31	farmer_adult	TOCDFDFS	Cadmium	6.4001E-008	8.8175E-008
RCPTR_31	farmer_adult	TOCDFDFS	Carbon disulfide	4.7229E-015	6.4932E-014
RCPTR_31	farmer_adult	TOCDFDFS	Carbon tetrachloride	7.5743E-015	1.0290E-013
RCPTR_31	farmer_adult	TOCDFDFS	Chlorine	1.4689E-013	2.0544E-012
RCPTR_31	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	9.4003E-010	5.6326E-009
RCPTR_31	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.2541E-011	3.0769E-010
RCPTR_31	farmer_adult	TOCDFDFS	Chlorobenzene	4.5098E-014	6.0225E-013
RCPTR_31	farmer_adult	TOCDFDFS	Chloroethane	1.4162E-016	1.6968E-015
RCPTR_31	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	5.8461E-015	8.1216E-014
RCPTR_31	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.8818E-009	2.4060E-008
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.1213E-011	8.5402E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.2698E-009	3.1307E-008
RCPTR_31	farmer_adult	TOCDFDFS	Chromium	5.9044E-006	5.9272E-006
RCPTR_31	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.3044E-006	5.3850E-006
RCPTR_31	farmer_adult	TOCDFDFS	Chrysene	4.6697E-005	5.3789E-005
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.7818E-007	4.3453E-007
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.0006E+003	2.0006E+003
RCPTR_31	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.6848E-003	3.7361E-003
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.3417E-012	3.8946E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.8004E-012	4.7054E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.5954E-012	4.5286E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.2623E-007	2.7664E-007
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.0398E-017	1.4190E-016
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.4432E-015	3.3984E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0314E-015	4.2218E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	9.3429E-016	1.2869E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5039E-015	2.0687E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	9.4805E-010	3.9925E-009
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	8.5627E-015	1.1644E-013
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.7704E-015	3.8401E-014
RCPTR_31	farmer_adult	TOCDFDFS	Diethyl phthalate	2.4321E-007	2.5285E-007
RCPTR_31	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.4305E-011	7.6934E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.3621E-011	5.8273E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.4747E-010	3.3488E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.9222E-011	5.3786E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.5584E-011	4.1400E-010
RCPTR_31	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.8762E-013	1.2397E-011
RCPTR_31	farmer_adult	TOCDFDFS	Ethylbenzene	3.2018E-014	3.6936E-013
RCPTR_31	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.6091E-008	1.8670E-008
RCPTR_31	farmer_adult	TOCDFDFS	Fluoranthene	4.8824E-007	2.1568E-006
RCPTR_31	farmer_adult	TOCDFDFS	Fluorene	3.1074E-009	3.6239E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.0731E-012	7.3404E-012
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.1618E-012	6.3457E-012
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9026E-011	1.9726E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6184E-010	1.6693E-010
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.3768E-011	9.7631E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.1419E-011	7.4836E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.9880E-011	5.2622E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.5190E-011	4.7661E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.3830E-011	5.6750E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.1249E-011	4.3496E-011
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.0305E-011	7.6509E-010
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.5155E-007	1.5531E-006
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.2987E-010	2.0372E-009
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7423E-011	4.6742E-010
RCPTR_31	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.7180E-002	2.7286E-002
RCPTR_31	farmer_adult	TOCDFDFS	Isophorone	6.3830E-012	8.8655E-011
RCPTR_31	farmer_adult	TOCDFDFS	Lead	1.0876E-006	1.1961E-006
RCPTR_31	farmer_adult	TOCDFDFS	Mercuric chloride	4.3325E-007	4.4933E-007
RCPTR_31	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.0635E-016	1.4837E-015
RCPTR_31	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.1031E-017	2.9252E-016
RCPTR_31	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.2138E-014	7.2867E-013
RCPTR_31	farmer_adult	TOCDFDFS	Methyl mercury	6.1964E-009	6.3480E-009
RCPTR_31	farmer_adult	TOCDFDFS	Methylene chloride	3.1480E-015	4.3832E-014
RCPTR_31	farmer_adult	TOCDFDFS	Mustard	3.7258E-013	5.1639E-012
RCPTR_31	farmer_adult	TOCDFDFS	Naphthalene	2.8527E-011	3.7469E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nickel	2.3892E-005	2.5469E-005
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.1079E-010	1.5124E-009
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.5931E-011	3.5984E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.3673E-011	4.6497E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Nitrobenzene	1.0728E-011	1.4963E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.9031E-012	6.8128E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.9765E-010	1.1987E-009
RCPTR_31	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.1837E-012	8.4425E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.1500E-012	8.2984E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.1170E-013	7.4628E-012
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1193E-011	1.1758E-011
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1788E-011	1.2369E-011
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9282E-010	3.0421E-010
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.5868E-011	3.8322E-011
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4410E-010	1.5368E-010
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.3189E-010	5.7895E-009
RCPTR_31	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.1672E-010	2.2948E-009
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorophenol	1.0323E-006	1.4028E-006
RCPTR_31	farmer_adult	TOCDFDFS	Phenanthrene	9.4267E-012	1.1471E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Phenol	8.6388E-012	1.1857E-010
RCPTR_31	farmer_adult	TOCDFDFS	Pronamide	9.8542E-010	1.1367E-008
RCPTR_31	farmer_adult	TOCDFDFS	Pyrene	6.2027E-007	3.0246E-006
RCPTR_31	farmer_adult	TOCDFDFS	Selenium	3.8870E-007	3.9054E-007
RCPTR_31	farmer_adult	TOCDFDFS	Silver	2.5546E-006	2.7125E-006
RCPTR_31	farmer_adult	TOCDFDFS	Styrene	3.2295E-013	4.4113E-012
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	8.8269E-011	9.6676E-011
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.6628E-011	3.0211E-011
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.4483E-010	9.2357E-009
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6548E-010	2.0598E-010
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.0462E-015	1.2371E-013
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.6386E-008	7.1442E-008
RCPTR_31	farmer_adult	TOCDFDFS	Thallium (l)	3.4272E-004	3.5793E-004
RCPTR_31	farmer_adult	TOCDFDFS	Toluene	1.2653E-014	1.6553E-013
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.1242E-011	3.5239E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.4813E-015	1.0313E-013
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.4012E-014	6.1106E-013
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethylene	7.2593E-015	9.9367E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0011E-015	1.3725E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.3838E-009	4.0609E-008
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.8957E-009	4.2342E-008
RCPTR_31	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.6353E-013	2.2618E-012
RCPTR_31	farmer_adult	TOCDFDFS	Vinyl Chloride	2.3319E-018	3.2280E-017
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, m-	5.4014E-013	1.0531E-012
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, o-	4.0927E-013	9.2016E-013
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, p-	5.2646E-013	1.3220E-012
RCPTR_31	farmer_adult	TOCDFDFS	Zinc	1.0907E-006	1.3565E-006
RCPTR_31	farmer_adult	TOCDFLIC	Acenaphthene	1.4507E-010	1.8125E-009
RCPTR_31	farmer_adult	TOCDFLIC	Acetone	4.6505E-015	6.5017E-014
RCPTR_31	farmer_adult	TOCDFLIC	Acetophenone	6.8541E-013	9.5260E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Aniline	4.1851E-014	5.7389E-013
RCPTR_31	farmer_adult	TOCDFLIC	Anthracene	2.5859E-009	3.1988E-008
RCPTR_31	farmer_adult	TOCDFLIC	Antimony	8.3690E-006	9.7361E-006
RCPTR_31	farmer_adult	TOCDFLIC	Arsenic	1.5631E-005	1.6184E-005
RCPTR_31	farmer_adult	TOCDFLIC	Barium	1.2508E-006	1.4011E-006
RCPTR_31	farmer_adult	TOCDFLIC	Benzene	2.6258E-014	3.5758E-013
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.8844E-006	4.1150E-006
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.3091E-005	3.4338E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.7769E-005	2.0949E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.1170E-005	5.2635E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzoic acid	2.9823E-012	2.3080E-011
RCPTR_31	farmer_adult	TOCDFLIC	Benzyl alcohol	1.5028E-010	2.0825E-009
RCPTR_31	farmer_adult	TOCDFLIC	Beryllium	2.1255E-006	2.2642E-006
RCPTR_31	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	9.3160E-013	1.3023E-011
RCPTR_31	farmer_adult	TOCDFLIC	Bromodichloromethane	9.2751E-016	1.2904E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.6763E-012	2.3359E-011
RCPTR_31	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.2726E-008	5.0039E-007
RCPTR_31	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8707E-008	2.1585E-008
RCPTR_31	farmer_adult	TOCDFLIC	Cadmium	2.5630E-007	3.5311E-007
RCPTR_31	farmer_adult	TOCDFLIC	Carbon disulfide	6.1235E-015	8.4188E-014
RCPTR_31	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.2263E-013	1.6659E-012
RCPTR_31	farmer_adult	TOCDFLIC	Chlorine	9.9414E-007	1.3904E-005
RCPTR_31	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.8495E-010	1.1080E-009
RCPTR_31	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.4337E-012	6.0522E-011
RCPTR_31	farmer_adult	TOCDFLIC	Chlorobenzene	5.0255E-014	6.7114E-013
RCPTR_31	farmer_adult	TOCDFLIC	Chloroethane	5.7623E-017	6.9035E-016
RCPTR_31	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.8123E-014	6.6855E-013
RCPTR_31	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.7013E-010	4.7326E-009
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.2040E-011	1.6798E-010
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0357E-009	6.1572E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Chromium	1.0319E-005	1.0359E-005
RCPTR_31	farmer_adult	TOCDFLIC	Chromium, hexavalent	9.2705E-006	9.4114E-006
RCPTR_31	farmer_adult	TOCDFLIC	Chrysene	9.1744E-006	1.0568E-005
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.1491E-008	1.3204E-008
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.0842E+001	6.0842E+001
RCPTR_31	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2208E-004	7.3197E-004
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.5725E-013	7.6605E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	7.4750E-013	9.2554E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.0718E-013	8.9075E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.2195E-008	2.7150E-008
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.0248E-018	5.4930E-017
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.6079E-016	2.2366E-015
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2333E-015	1.7177E-014
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	6.1487E-017	8.4693E-016
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.1188E-016	8.4168E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.8653E-010	7.8537E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.4838E-015	4.7372E-014
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1621E-015	1.6108E-014
RCPTR_31	farmer_adult	TOCDFLIC	Diethyl phthalate	7.3962E-009	7.6895E-009
RCPTR_31	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.1981E-010	1.4338E-009
RCPTR_31	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.5802E-012	1.1462E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.9010E-011	6.5875E-011
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	9.6728E-012	1.0579E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.9971E-012	8.1431E-011
RCPTR_31	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.7459E-013	2.4385E-012
RCPTR_31	farmer_adult	TOCDFLIC	Ethylbenzene	1.3665E-014	1.5765E-013
RCPTR_31	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.4127E-008	2.8014E-008
RCPTR_31	farmer_adult	TOCDFLIC	Fluoranthene	9.5957E-008	4.2415E-007
RCPTR_31	farmer_adult	TOCDFLIC	Fluorene	6.1112E-010	7.1281E-009
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.7560E-011	5.9725E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9012E-010	1.9576E-010
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.3876E-010	4.5482E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.8823E-010	5.0349E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.8848E-010	3.0032E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.3627E-010	2.4754E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.8919E-010	5.1605E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.2514E-010	4.4835E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.3728E-010	4.6097E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.5963E-010	3.7919E-010
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.5783E-011	1.5048E-010
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.9802E-008	3.0547E-007
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.5168E-011	4.0066E-010
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.3614E-012	9.1940E-011
RCPTR_31	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3415E-003	5.3619E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Isophorone	1.2555E-012	1.7438E-011
RCPTR_31	farmer_adult	TOCDFLIC	Lead	5.5243E-006	6.0755E-006
RCPTR_31	farmer_adult	TOCDFLIC	Mercuric chloride	9.9578E-007	1.0329E-006
RCPTR_31	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.8268E-017	9.5237E-016
RCPTR_31	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.2080E-016	1.6802E-015
RCPTR_31	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.4592E-014	1.3220E-012
RCPTR_31	farmer_adult	TOCDFLIC	Methyl mercury	1.4163E-008	1.4513E-008
RCPTR_31	farmer_adult	TOCDFLIC	Methylene chloride	1.2391E-014	1.7253E-013
RCPTR_31	farmer_adult	TOCDFLIC	Mustard	1.2888E-013	1.7862E-012
RCPTR_31	farmer_adult	TOCDFLIC	Naphthalene	8.6715E-013	1.1390E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nickel	2.4876E-005	2.6518E-005
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.1793E-011	2.9750E-010
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.1007E-012	7.0783E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 4-	6.6230E-012	9.1462E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrobenzene	2.1102E-012	2.9432E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 2-	9.6442E-013	1.3401E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.1761E-011	2.3583E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2163E-012	1.6606E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.2097E-012	1.6323E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.2008E-013	1.4677E-012
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.3615E-011	8.7826E-011
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.2457E-011	8.6518E-011
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0971E-009	1.1396E-009
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.6870E-010	1.8024E-010
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.4288E-010	6.8561E-010
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorobenzene	7.1791E-010	5.7010E-009
RCPTR_31	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.2003E-011	4.5111E-010
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorophenol	4.0557E-008	5.5105E-008
RCPTR_31	farmer_adult	TOCDFLIC	Phenanthrene	1.8540E-012	2.2564E-011
RCPTR_31	farmer_adult	TOCDFLIC	Phenol	1.6992E-012	2.3322E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Pronamide	1.9382E-010	2.2359E-009
RCPTR_31	farmer_adult	TOCDFLIC	Pyrene	1.2197E-007	5.9488E-007
RCPTR_31	farmer_adult	TOCDFLIC	Selenium	9.7011E-006	9.7470E-006
RCPTR_31	farmer_adult	TOCDFLIC	Silver	2.4893E-005	2.6432E-005
RCPTR_31	farmer_adult	TOCDFLIC	Styrene	1.9576E-011	2.6740E-010
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4113E-010	1.5459E-010
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	5.3746E-011	6.0986E-011
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.8584E-010	1.8166E-009
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.2549E-015	8.5927E-014
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.3489E-015	3.2124E-014
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.1919E-009	1.4055E-008
RCPTR_31	farmer_adult	TOCDFLIC	Thallium (l)	3.3167E-005	3.4639E-005
RCPTR_31	farmer_adult	TOCDFLIC	Toluene	4.8018E-014	6.2822E-013
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.1443E-012	6.9313E-011
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.9749E-014	2.7224E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.7906E-014	2.4861E-013
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethylene	2.9535E-015	4.0428E-014
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.8755E-016	5.3132E-015
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	8.6240E-010	7.9878E-009
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.0905E-010	1.6570E-009
RCPTR_31	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.6531E-014	9.2021E-013
RCPTR_31	farmer_adult	TOCDFLIC	Vinyl Chloride	2.8436E-018	3.9366E-017
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, m-	4.6397E-013	9.1061E-013
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, o-	4.0252E-013	9.1170E-013
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, p-	4.5250E-013	1.1452E-012
RCPTR_31	farmer_adult	TOCDFLIC	Zinc	9.7555E-006	1.2133E-005
RCPTR_31	farmer_adult	TOCDFMPF	Acenaphthene	2.2174E-010	2.7705E-009
RCPTR_31	farmer_adult	TOCDFMPF	Acetone	1.6985E-014	2.3746E-013
RCPTR_31	farmer_adult	TOCDFMPF	Acetophenone	1.0976E-012	1.5254E-011
RCPTR_31	farmer_adult	TOCDFMPF	Aniline	6.3971E-014	8.7721E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Anthracene	3.9526E-009	4.8895E-008
RCPTR_31	farmer_adult	TOCDFMPF	Antimony	1.1414E-007	1.3278E-007
RCPTR_31	farmer_adult	TOCDFMPF	Aroclor 1254	1.0315E-009	1.8460E-009
RCPTR_31	farmer_adult	TOCDFMPF	Arsenic	8.1313E-007	8.4190E-007
RCPTR_31	farmer_adult	TOCDFMPF	Barium	8.8699E-007	9.9362E-007
RCPTR_31	farmer_adult	TOCDFMPF	Benzene	2.3465E-014	3.1955E-013
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.4090E-006	6.2900E-006
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.0582E-005	5.2487E-005
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.7162E-005	3.2022E-005
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	7.8217E-005	8.0456E-005
RCPTR_31	farmer_adult	TOCDFMPF	Benzoic acid	1.3196E-011	1.0212E-010
RCPTR_31	farmer_adult	TOCDFMPF	Benzyl alcohol	1.4357E-012	1.9895E-011
RCPTR_31	farmer_adult	TOCDFMPF	Beryllium	7.2511E-008	7.7244E-008
RCPTR_31	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.4240E-012	1.9907E-011
RCPTR_31	farmer_adult	TOCDFMPF	Bromodichloromethane	2.8175E-014	3.9198E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	9.7909E-013	1.3643E-011
RCPTR_31	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	8.0593E-008	7.6486E-007
RCPTR_31	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.8594E-008	3.2993E-008
RCPTR_31	farmer_adult	TOCDFMPF	Cadmium	1.1711E-006	1.6134E-006
RCPTR_31	farmer_adult	TOCDFMPF	Carbon disulfide	2.2385E-015	3.0776E-014
RCPTR_31	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.1358E-014	2.9015E-013
RCPTR_31	farmer_adult	TOCDFMPF	Chlorine	1.8313E-007	2.5613E-006
RCPTR_31	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.8270E-010	1.6936E-009
RCPTR_31	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.7771E-012	9.2510E-011
RCPTR_31	farmer_adult	TOCDFMPF	Chlorobenzene	9.0154E-014	1.2040E-012
RCPTR_31	farmer_adult	TOCDFMPF	Chloroethane	5.6777E-016	6.8020E-015
RCPTR_31	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.5132E-014	2.1022E-013
RCPTR_31	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.6576E-010	7.2340E-009
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.8404E-011	2.5677E-010
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.5832E-009	9.4115E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Chromium	1.9596E-006	1.9671E-006
RCPTR_31	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.7604E-006	1.7872E-006
RCPTR_31	farmer_adult	TOCDFMPF	Chrysene	1.4024E-005	1.6154E-005
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.1366E-007	1.3060E-007
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.0178E+002	6.0178E+002
RCPTR_31	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.1039E-003	1.1190E-003
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.0046E-012	1.1709E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.1426E-012	1.4147E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.0810E-012	1.3616E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.8054E-008	8.3247E-008
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.3099E-017	4.5174E-016
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.8843E-015	6.7939E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.0601E-015	8.4399E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.8678E-015	2.5727E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.0066E-015	4.1357E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.8513E-010	1.2005E-009
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.7118E-014	2.3277E-013
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.5384E-015	7.6770E-014
RCPTR_31	farmer_adult	TOCDFMPF	Diethyl phthalate	7.3155E-008	7.6055E-008
RCPTR_31	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.2792E-011	1.5309E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.3115E-011	1.7520E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.4264E-011	1.0051E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.4785E-011	1.6170E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.0695E-011	1.2447E-010
RCPTR_31	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.6687E-013	3.7273E-012
RCPTR_31	farmer_adult	TOCDFMPF	Ethylbenzene	6.4002E-014	7.3840E-013
RCPTR_31	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.3636E-009	5.0667E-009
RCPTR_31	farmer_adult	TOCDFMPF	Fluoranthene	1.4668E-007	6.4834E-007
RCPTR_31	farmer_adult	TOCDFMPF	Fluorene	9.3412E-010	1.0896E-008
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.2450E-010	2.3294E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.9919E-010	3.0806E-010
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.1392E-010	5.3273E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3955E-010	1.4391E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.4158E-011	6.6790E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.5854E-011	5.8518E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.6717E-011	1.0203E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.1044E-011	4.3285E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.6389E-011	3.8361E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.2568E-011	3.4340E-011
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.4125E-011	2.3001E-010
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.5554E-008	4.6693E-007
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.9041E-011	6.1242E-010
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1252E-011	1.4053E-010
RCPTR_31	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.1652E-003	8.1963E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Isophorone	1.9191E-012	2.6655E-011
RCPTR_31	farmer_adult	TOCDFMPF	Lead	6.3824E-007	7.0191E-007
RCPTR_31	farmer_adult	TOCDFMPF	Mercuric chloride	1.6926E-005	1.7556E-005
RCPTR_31	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.5321E-016	4.9274E-015
RCPTR_31	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.0618E-017	2.8677E-016
RCPTR_31	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.9181E-014	2.6807E-013
RCPTR_31	farmer_adult	TOCDFMPF	Methyl mercury	2.4074E-007	2.4668E-007
RCPTR_31	farmer_adult	TOCDFMPF	Methylene chloride	9.7442E-015	1.3567E-013
RCPTR_31	farmer_adult	TOCDFMPF	Mustard	9.1692E-013	1.2709E-011
RCPTR_31	farmer_adult	TOCDFMPF	Naphthalene	8.5766E-012	1.1265E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nickel	1.5611E-005	1.6642E-005
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.3252E-011	4.5392E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.7825E-012	1.0800E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.0105E-011	1.3955E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nitrobenzene	3.2255E-012	4.4988E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.4742E-012	2.0483E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.7944E-010	3.5983E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.8592E-012	2.5383E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.8491E-012	2.4950E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.8354E-013	2.2434E-012
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.3219E-009	5.5899E-009
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.3557E-009	9.8165E-009
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.7383E-011	5.9610E-011
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.3295E-011	7.8309E-011
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.3143E-011	4.6010E-011
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.1907E-010	1.7397E-009
RCPTR_31	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	9.4601E-011	6.8828E-010
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorophenol	3.0997E-007	4.2116E-007
RCPTR_31	farmer_adult	TOCDFMPF	Phenanthrene	2.8339E-012	3.4489E-011
RCPTR_31	farmer_adult	TOCDFMPF	Phenol	2.5973E-012	3.5649E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Pronamide	2.9627E-010	3.4177E-009
RCPTR_31	farmer_adult	TOCDFMPF	Pyrene	1.8643E-007	9.0930E-007
RCPTR_31	farmer_adult	TOCDFMPF	Selenium	1.7023E-007	1.7104E-007
RCPTR_31	farmer_adult	TOCDFMPF	Silver	3.3598E-006	3.5675E-006
RCPTR_31	farmer_adult	TOCDFMPF	Styrene	4.4635E-013	6.0970E-012
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.6886E-011	1.8496E-011
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	5.3248E-011	6.0421E-011
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.8407E-010	2.7768E-009
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.9000E-013	2.6102E-012
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.8083E-014	2.4731E-013
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.9219E-009	2.1444E-008
RCPTR_31	farmer_adult	TOCDFMPF	Thallium (l)	1.0155E-006	1.0606E-006
RCPTR_31	farmer_adult	TOCDFMPF	Toluene	3.2213E-014	4.2144E-013
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.3919E-012	1.0595E-010
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.1591E-014	1.5978E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.7985E-014	1.2216E-012
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethylene	1.4512E-014	1.9865E-013
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.9990E-014	5.4825E-013
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.3182E-009	1.2210E-008
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	4.7241E-010	2.5328E-009
RCPTR_31	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.2691E-013	4.5216E-012
RCPTR_31	farmer_adult	TOCDFMPF	Vinyl Chloride	7.8018E-018	1.0801E-016
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, m-	4.6433E-013	9.1133E-013
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, o-	4.0283E-013	9.1243E-013
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, p-	4.5285E-013	1.1461E-012
RCPTR_31	farmer_adult	TOCDFMPF	Zinc	2.7794E-006	3.4567E-006
RCPTR_31	farmer_adult	TOCDHVAC	Mustard	2.8929E-013	4.0099E-012
RCPTR_31	farmer_adult	TOCDLIC2	Acenaphthene	1.4507E-010	1.8125E-009
RCPTR_31	farmer_adult	TOCDLIC2	Acetone	4.6505E-015	6.5017E-014
RCPTR_31	farmer_adult	TOCDLIC2	Acetophenone	6.8541E-013	9.5260E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Aniline	4.1851E-014	5.7389E-013
RCPTR_31	farmer_adult	TOCDLIC2	Anthracene	2.5859E-009	3.1988E-008
RCPTR_31	farmer_adult	TOCDLIC2	Antimony	8.3690E-006	9.7361E-006
RCPTR_31	farmer_adult	TOCDLIC2	Arsenic	1.5631E-005	1.6184E-005
RCPTR_31	farmer_adult	TOCDLIC2	Barium	1.2508E-006	1.4011E-006
RCPTR_31	farmer_adult	TOCDLIC2	Benzene	2.6258E-014	3.5758E-013
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.8844E-006	4.1150E-006
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.3091E-005	3.4338E-005
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.7769E-005	2.0949E-005
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.1170E-005	5.2635E-005
RCPTR_31	farmer_adult	TOCDLIC2	Benzoic acid	2.9823E-012	2.3080E-011
RCPTR_31	farmer_adult	TOCDLIC2	Benzyl alcohol	1.5028E-010	2.0825E-009
RCPTR_31	farmer_adult	TOCDLIC2	Beryllium	2.1255E-006	2.2642E-006
RCPTR_31	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.3160E-013	1.3023E-011
RCPTR_31	farmer_adult	TOCDLIC2	Bromodichloromethane	9.2751E-016	1.2904E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.6763E-012	2.3359E-011
RCPTR_31	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.2726E-008	5.0039E-007
RCPTR_31	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.8707E-008	2.1585E-008
RCPTR_31	farmer_adult	TOCDLIC2	Cadmium	2.5630E-007	3.5311E-007
RCPTR_31	farmer_adult	TOCDLIC2	Carbon disulfide	6.1235E-015	8.4188E-014
RCPTR_31	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.2263E-013	1.6659E-012
RCPTR_31	farmer_adult	TOCDLIC2	Chlorine	9.9414E-007	1.3904E-005
RCPTR_31	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.8495E-010	1.1080E-009
RCPTR_31	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.4337E-012	6.0522E-011
RCPTR_31	farmer_adult	TOCDLIC2	Chlorobenzene	5.0255E-014	6.7114E-013
RCPTR_31	farmer_adult	TOCDLIC2	Chloroethane	5.7623E-017	6.9035E-016
RCPTR_31	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.8123E-014	6.6855E-013
RCPTR_31	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.7013E-010	4.7326E-009
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2040E-011	1.6798E-010
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.0357E-009	6.1572E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Chromium	1.0319E-005	1.0359E-005
RCPTR_31	farmer_adult	TOCDLIC2	Chromium, hexavalent	9.2705E-006	9.4114E-006
RCPTR_31	farmer_adult	TOCDLIC2	Chrysene	9.1744E-006	1.0568E-005
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.1491E-008	1.3204E-008
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.0842E+001	6.0842E+001
RCPTR_31	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.2208E-004	7.3197E-004
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.5725E-013	7.6605E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.4750E-013	9.2554E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.0718E-013	8.9075E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.2195E-008	2.7150E-008
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.0248E-018	5.4930E-017
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.6079E-016	2.2366E-015
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2333E-015	1.7177E-014
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	6.1487E-017	8.4693E-016
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.1188E-016	8.4168E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.8653E-010	7.8537E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.4838E-015	4.7372E-014
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1621E-015	1.6108E-014
RCPTR_31	farmer_adult	TOCDLIC2	Diethyl phthalate	7.3962E-009	7.6895E-009
RCPTR_31	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.1981E-010	1.4338E-009
RCPTR_31	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.5802E-012	1.1462E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.9010E-011	6.5875E-011
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	9.6728E-012	1.0579E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.9971E-012	8.1431E-011
RCPTR_31	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.7459E-013	2.4385E-012
RCPTR_31	farmer_adult	TOCDLIC2	Ethylbenzene	1.3665E-014	1.5765E-013
RCPTR_31	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.4127E-008	2.8014E-008
RCPTR_31	farmer_adult	TOCDLIC2	Fluoranthene	9.5957E-008	4.2415E-007
RCPTR_31	farmer_adult	TOCDLIC2	Fluorene	6.1112E-010	7.1281E-009
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.7560E-011	5.9725E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9012E-010	1.9576E-010
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.3876E-010	4.5482E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.8823E-010	5.0349E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.8848E-010	3.0032E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.3627E-010	2.4754E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.8919E-010	5.1605E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.2514E-010	4.4835E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.3728E-010	4.6097E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.5963E-010	3.7919E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.5783E-011	1.5048E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.9802E-008	3.0547E-007
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.5168E-011	4.0066E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.3614E-012	9.1940E-011
RCPTR_31	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3415E-003	5.3619E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Isophorone	1.2555E-012	1.7438E-011
RCPTR_31	farmer_adult	TOCDLIC2	Lead	5.5243E-006	6.0755E-006
RCPTR_31	farmer_adult	TOCDLIC2	Mercuric chloride	9.9578E-007	1.0329E-006
RCPTR_31	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.8268E-017	9.5237E-016
RCPTR_31	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.2080E-016	1.6802E-015
RCPTR_31	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.4592E-014	1.3220E-012
RCPTR_31	farmer_adult	TOCDLIC2	Methyl mercury	1.4163E-008	1.4513E-008
RCPTR_31	farmer_adult	TOCDLIC2	Methylene chloride	1.2391E-014	1.7253E-013
RCPTR_31	farmer_adult	TOCDLIC2	Mustard	1.3398E-013	1.8570E-012
RCPTR_31	farmer_adult	TOCDLIC2	Naphthalene	8.6715E-013	1.1390E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nickel	2.4876E-005	2.6518E-005
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.1793E-011	2.9750E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.1007E-012	7.0783E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.6230E-012	9.1462E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrobenzene	2.1102E-012	2.9432E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.6442E-013	1.3401E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.1761E-010	2.3583E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2163E-012	1.6606E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2097E-012	1.6323E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.2008E-013	1.4677E-012
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.3615E-011	8.7826E-011
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.2457E-011	8.6518E-011
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.0971E-009	1.1396E-009
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.6870E-010	1.8024E-010
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.4288E-010	6.8561E-010
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.1791E-010	5.7010E-009
RCPTR_31	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.2003E-011	4.5111E-010
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorophenol	4.0557E-008	5.5105E-008
RCPTR_31	farmer_adult	TOCDLIC2	Phenanthrene	1.8540E-012	2.2564E-011
RCPTR_31	farmer_adult	TOCDLIC2	Phenol	1.6992E-012	2.3322E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Pronamide	1.9382E-010	2.2359E-009
RCPTR_31	farmer_adult	TOCDLIC2	Pyrene	1.2197E-007	5.9488E-007
RCPTR_31	farmer_adult	TOCDLIC2	Selenium	9.7011E-006	9.7470E-006
RCPTR_31	farmer_adult	TOCDLIC2	Silver	2.4893E-005	2.6432E-005
RCPTR_31	farmer_adult	TOCDLIC2	Styrene	1.9576E-011	2.6740E-010
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4113E-010	1.5459E-010
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	5.3746E-011	6.0986E-011
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.8584E-010	1.8166E-009
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.2549E-015	8.5927E-014
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3489E-015	3.2124E-014
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.1919E-009	1.4055E-008
RCPTR_31	farmer_adult	TOCDLIC2	Thallium (l)	3.3167E-005	3.4639E-005
RCPTR_31	farmer_adult	TOCDLIC2	Toluene	4.8018E-014	6.2822E-013
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.1443E-012	6.9313E-011
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.9749E-014	2.7224E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.7906E-014	2.4861E-013
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethylene	2.9535E-015	4.0428E-014
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.8755E-016	5.3132E-015
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	8.6240E-010	7.9878E-009
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.0905E-010	1.6570E-009
RCPTR_31	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.6531E-014	9.2021E-013
RCPTR_31	farmer_adult	TOCDLIC2	Vinyl Chloride	2.8436E-018	3.9366E-017
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, m-	9.6417E-013	1.8923E-012
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, o-	8.3647E-013	1.8946E-012
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, p-	9.4033E-013	2.3798E-012
RCPTR_31	farmer_adult	TOCDLIC2	Zinc	9.7555E-006	1.2133E-005
RCPTR_31	farmer_child	TOCDFBRA	Antimony	3.3012E-006	3.5751E-006
RCPTR_31	farmer_child	TOCDFBRA	Arsenic	5.2951E-006	5.3982E-006
RCPTR_31	farmer_child	TOCDFBRA	Barium	4.4958E-007	4.7777E-007
RCPTR_31	farmer_child	TOCDFBRA	Beryllium	1.4304E-006	1.4725E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFBRA	Cadmium	2.7440E-007	3.1907E-007
RCPTR_31	farmer_child	TOCDFBRA	Chromium	3.3778E-005	3.4654E-005
RCPTR_31	farmer_child	TOCDFBRA	Chromium, hexavalent	3.1223E-005	3.1489E-005
RCPTR_31	farmer_child	TOCDFBRA	Lead	1.4814E-005	1.5499E-005
RCPTR_31	farmer_child	TOCDFBRA	Mercuric chloride	1.5966E-003	1.9145E-003
RCPTR_31	farmer_child	TOCDFBRA	Methyl mercury	2.7653E-005	2.8632E-005
RCPTR_31	farmer_child	TOCDFBRA	Nickel	1.7532E-005	1.8118E-005
RCPTR_31	farmer_child	TOCDFBRA	Selenium	5.9030E-006	5.9187E-006
RCPTR_31	farmer_child	TOCDFBRA	Silver	2.0120E-006	2.0801E-006
RCPTR_31	farmer_child	TOCDFBRA	Thallium (l)	5.4216E-005	5.5429E-005
RCPTR_31	farmer_child	TOCDFBRA	Zinc	9.7750E-006	1.0898E-005
RCPTR_31	farmer_child	TOCDFDFS	Acenaphthene	4.4368E-009	9.2148E-009
RCPTR_31	farmer_child	TOCDFDFS	Acetone	4.8454E-014	1.0165E-013
RCPTR_31	farmer_child	TOCDFDFS	Acetophenone	2.4283E-011	5.0916E-011
RCPTR_31	farmer_child	TOCDFDFS	Aniline	1.3931E-012	2.9176E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Anthracene	7.8379E-008	1.6263E-007
RCPTR_31	farmer_child	TOCDFDFS	Antimony	1.8673E-007	2.0225E-007
RCPTR_31	farmer_child	TOCDFDFS	Aroclor 1254	2.5023E-009	3.3279E-009
RCPTR_31	farmer_child	TOCDFDFS	Arsenic	3.4940E-007	3.5621E-007
RCPTR_31	farmer_child	TOCDFDFS	Barium	2.3407E-007	2.4876E-007
RCPTR_31	farmer_child	TOCDFDFS	Benzene	1.7371E-013	3.6360E-013
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.8021E-005	2.0950E-005
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.7201E-004	1.7510E-004
RCPTR_31	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	9.8977E-005	1.0664E-004
RCPTR_31	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.6523E-004	2.6833E-004
RCPTR_31	farmer_child	TOCDFDFS	Benzoic acid	1.7295E-011	3.3966E-011
RCPTR_31	farmer_child	TOCDFDFS	Benzyl alcohol	3.1567E-011	6.6172E-011
RCPTR_31	farmer_child	TOCDFDFS	Beryllium	1.8570E-007	1.9116E-007
RCPTR_31	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.1562E-011	6.6211E-011
RCPTR_31	farmer_child	TOCDFDFS	Bromodichloromethane	5.6141E-014	1.1773E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	8.9804E-012	1.8834E-011
RCPTR_31	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.4782E-006	2.5440E-006
RCPTR_31	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.0198E-007	1.1023E-007
RCPTR_31	farmer_child	TOCDFDFS	Cadmium	7.5815E-008	8.8175E-008
RCPTR_31	farmer_child	TOCDFDFS	Carbon disulfide	3.0996E-014	6.4932E-014
RCPTR_31	farmer_child	TOCDFDFS	Carbon tetrachloride	4.9170E-014	1.0290E-013
RCPTR_31	farmer_child	TOCDFDFS	Chlorine	9.7924E-013	2.0544E-012
RCPTR_31	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.9877E-009	5.6326E-009
RCPTR_31	farmer_child	TOCDFDFS	Chloroaniline, p-	1.4697E-010	3.0769E-010
RCPTR_31	farmer_child	TOCDFDFS	Chlorobenzene	2.8822E-013	6.0225E-013
RCPTR_31	farmer_child	TOCDFDFS	Chloroethane	8.2024E-016	1.6968E-015
RCPTR_31	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.8735E-014	8.1216E-014
RCPTR_31	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.1560E-008	2.4060E-008
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.0717E-010	8.5402E-010
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.6632E-008	3.1307E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Chromium	5.7773E-006	5.9272E-006
RCPTR_31	farmer_child	TOCDFDFS	Chromium, hexavalent	5.3396E-006	5.3850E-006
RCPTR_31	farmer_child	TOCDFDFS	Chrysene	5.0692E-005	5.3789E-005
RCPTR_31	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.0277E-007	4.3453E-007
RCPTR_31	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.0006E+003	2.0006E+003
RCPTR_31	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.7137E-003	3.7361E-003
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.8878E-011	3.8946E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.2675E-011	4.7054E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.1788E-011	4.5286E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.4823E-007	2.7664E-007
RCPTR_31	farmer_child	TOCDFDFS	Dichlorodifluoromethane	6.7780E-017	1.4190E-016
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.6207E-014	3.3984E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0131E-014	4.2218E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	6.1421E-015	1.2869E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.8749E-015	2.0687E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.2766E-009	3.9925E-009
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.5635E-014	1.1644E-013
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.8319E-014	3.8401E-014
RCPTR_31	farmer_child	TOCDFDFS	Diethyl phthalate	2.4742E-007	2.5285E-007
RCPTR_31	farmer_child	TOCDFDFS	Dimethyl phthalate	3.7196E-010	7.6934E-010
RCPTR_31	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.7887E-010	5.8273E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.2925E-010	3.3488E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.6245E-010	5.3786E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.0071E-010	4.1400E-010
RCPTR_31	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.9100E-012	1.2397E-011
RCPTR_31	farmer_child	TOCDFDFS	Ethylbenzene	1.7922E-013	3.6936E-013
RCPTR_31	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.7216E-008	1.8670E-008
RCPTR_31	farmer_child	TOCDFDFS	Fluoranthene	1.2776E-006	2.1568E-006
RCPTR_31	farmer_child	TOCDFDFS	Fluorene	1.7565E-008	3.6239E-008
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.2201E-012	7.3404E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.2630E-012	6.3457E-012
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9411E-011	1.9726E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6464E-010	1.6693E-010
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	9.5897E-011	9.7631E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.3302E-011	7.4836E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.1392E-011	5.2622E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.6551E-011	4.7661E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.5440E-011	5.6750E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.2487E-011	4.3496E-011
RCPTR_31	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.7912E-010	7.6509E-010
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorobenzene	7.6435E-007	1.5531E-006
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.0185E-009	2.0372E-009
RCPTR_31	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.2506E-010	4.6742E-010
RCPTR_31	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.7238E-002	2.7286E-002

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Isophorone	4.2284E-011	8.8655E-011
RCPTR_31	farmer_child	TOCDFDFS	Lead	1.1431E-006	1.1961E-006
RCPTR_31	farmer_child	TOCDFDFS	Mercuric chloride	3.7245E-007	4.4933E-007
RCPTR_31	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	7.0738E-016	1.4837E-015
RCPTR_31	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.3950E-016	2.9252E-016
RCPTR_31	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.4736E-013	7.2867E-013
RCPTR_31	farmer_child	TOCDFDFS	Methyl mercury	6.1112E-009	6.3480E-009
RCPTR_31	farmer_child	TOCDFDFS	Methylene chloride	2.0901E-014	4.3832E-014
RCPTR_31	farmer_child	TOCDFDFS	Mustard	2.4634E-012	5.1639E-012
RCPTR_31	farmer_child	TOCDFDFS	Naphthalene	1.7958E-010	3.7469E-010
RCPTR_31	farmer_child	TOCDFDFS	Nickel	2.4644E-005	2.5469E-005
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 2-	7.2241E-010	1.5124E-009
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.7164E-010	3.5984E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.2188E-010	4.6497E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitrobenzene	7.1341E-011	1.4963E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.2492E-011	6.8128E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 4-	8.5992E-010	1.1987E-009
RCPTR_31	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.0325E-011	8.4425E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.9678E-011	8.2984E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.6013E-012	7.4628E-012
RCPTR_31	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1504E-011	1.1758E-011
RCPTR_31	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2108E-011	1.2369E-011
RCPTR_31	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9912E-010	3.0421E-010
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.7225E-011	3.8322E-011
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.4939E-010	1.5368E-010
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorobenzene	2.9389E-009	5.7895E-009
RCPTR_31	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1799E-009	2.2948E-009
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorophenol	1.1940E-006	1.4028E-006
RCPTR_31	farmer_child	TOCDFDFS	Phenanthrene	5.5371E-011	1.1471E-010
RCPTR_31	farmer_child	TOCDFDFS	Phenol	5.6609E-011	1.1857E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Pronamide	5.5158E-009	1.1367E-008
RCPTR_31	farmer_child	TOCDFDFS	Pyrene	1.9731E-006	3.0246E-006
RCPTR_31	farmer_child	TOCDFDFS	Selenium	3.8950E-007	3.9054E-007
RCPTR_31	farmer_child	TOCDFDFS	Silver	2.6235E-006	2.7125E-006
RCPTR_31	farmer_child	TOCDFDFS	Styrene	2.1070E-012	4.4113E-012
RCPTR_31	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	9.2938E-011	9.6676E-011
RCPTR_31	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.8621E-011	3.0211E-011
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.5627E-009	9.2357E-009
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8315E-010	2.0598E-010
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.9081E-014	1.2371E-013
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.6047E-008	7.1442E-008
RCPTR_31	farmer_child	TOCDFDFS	Thallium (l)	3.5008E-004	3.5793E-004
RCPTR_31	farmer_child	TOCDFDFS	Toluene	7.9365E-014	1.6553E-013
RCPTR_31	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.7138E-010	3.5239E-010
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.9218E-014	1.0313E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.9145E-013	6.1106E-013
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethylene	4.7452E-014	9.9367E-014
RCPTR_31	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.5534E-015	1.3725E-014
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.0191E-008	4.0609E-008
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.2927E-008	4.2342E-008
RCPTR_31	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.0791E-012	2.2618E-012
RCPTR_31	farmer_child	TOCDFDFS	Vinyl Chloride	1.5400E-017	3.2280E-017
RCPTR_31	farmer_child	TOCDFDFS	Xylene, m-	7.6398E-013	1.0531E-012
RCPTR_31	farmer_child	TOCDFDFS	Xylene, o-	6.3221E-013	9.2016E-013
RCPTR_31	farmer_child	TOCDFDFS	Xylene, p-	8.7361E-013	1.3220E-012
RCPTR_31	farmer_child	TOCDFDFS	Zinc	1.2165E-006	1.3565E-006
RCPTR_31	farmer_child	TOCDFLIC	Acenaphthene	8.7268E-010	1.8125E-009
RCPTR_31	farmer_child	TOCDFLIC	Acetone	3.0993E-014	6.5017E-014
RCPTR_31	farmer_child	TOCDFLIC	Acetophenone	4.5432E-012	9.5260E-012
RCPTR_31	farmer_child	TOCDFLIC	Aniline	2.7401E-013	5.7389E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Anthracene	1.5416E-008	3.1988E-008
RCPTR_31	farmer_child	TOCDFLIC	Antimony	8.9891E-006	9.7361E-006
RCPTR_31	farmer_child	TOCDFLIC	Arsenic	1.5874E-005	1.6184E-005
RCPTR_31	farmer_child	TOCDFLIC	Barium	1.3183E-006	1.4011E-006
RCPTR_31	farmer_child	TOCDFLIC	Benzene	1.7084E-013	3.5758E-013
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.5393E-006	4.1150E-006
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.3733E-005	3.4338E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.9443E-005	2.0949E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.2032E-005	5.2635E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzoic acid	1.1752E-011	2.3080E-011
RCPTR_31	farmer_child	TOCDFLIC	Benzyl alcohol	9.9346E-010	2.0825E-009
RCPTR_31	farmer_child	TOCDFLIC	Beryllium	2.1995E-006	2.2642E-006
RCPTR_31	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.2081E-012	1.3023E-011
RCPTR_31	farmer_child	TOCDFLIC	Bromodichloromethane	6.1537E-015	1.2904E-014
RCPTR_31	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.1138E-011	2.3359E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.9075E-007	5.0039E-007
RCPTR_31	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.9963E-008	2.1585E-008
RCPTR_31	farmer_child	TOCDFLIC	Cadmium	3.0361E-007	3.5311E-007
RCPTR_31	farmer_child	TOCDFLIC	Carbon disulfide	4.0188E-014	8.4188E-014
RCPTR_31	farmer_child	TOCDFLIC	Carbon tetrachloride	7.9607E-013	1.6659E-012
RCPTR_31	farmer_child	TOCDFLIC	Chlorine	6.6276E-006	1.3904E-005
RCPTR_31	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	5.8772E-010	1.1080E-009
RCPTR_31	farmer_child	TOCDFLIC	Chloroaniline, p-	2.8909E-011	6.0522E-011
RCPTR_31	farmer_child	TOCDFLIC	Chlorobenzene	3.2119E-013	6.7114E-013
RCPTR_31	farmer_child	TOCDFLIC	Chloroethane	3.3372E-016	6.9035E-016
RCPTR_31	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.1886E-013	6.6855E-013
RCPTR_31	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.2738E-009	4.7326E-009
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.0089E-011	1.6798E-010
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.2706E-009	6.1572E-009
RCPTR_31	farmer_child	TOCDFLIC	Chromium	1.0097E-005	1.0359E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Chromium, hexavalent	9.3320E-006	9.4114E-006
RCPTR_31	farmer_child	TOCDFLIC	Chrysene	9.9593E-006	1.0568E-005
RCPTR_31	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.2239E-008	1.3204E-008
RCPTR_31	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.0842E+001	6.0842E+001
RCPTR_31	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.2765E-004	7.3197E-004
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.7132E-012	7.6605E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.4601E-012	9.2554E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.2855E-012	8.9075E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.4357E-008	2.7150E-008
RCPTR_31	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.6238E-017	5.4930E-017
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.0666E-015	2.2366E-015
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.1904E-015	1.7177E-014
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.0423E-016	8.4693E-016
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.0177E-015	8.4168E-015
RCPTR_31	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.4785E-010	7.8537E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.2635E-014	4.7372E-014
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.6841E-015	1.6108E-014
RCPTR_31	farmer_child	TOCDFLIC	Diethyl phthalate	7.5242E-009	7.6895E-009
RCPTR_31	farmer_child	TOCDFLIC	Dimethyl phthalate	6.9320E-010	1.4338E-009
RCPTR_31	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.4853E-011	1.1462E-010
RCPTR_31	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.5097E-011	6.5875E-011
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.1613E-011	1.0579E-010
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.9478E-011	8.1431E-011
RCPTR_31	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.1625E-012	2.4385E-012
RCPTR_31	farmer_child	TOCDFLIC	Ethylbenzene	7.6497E-014	1.5765E-013
RCPTR_31	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.5823E-008	2.8014E-008
RCPTR_31	farmer_child	TOCDFLIC	Fluoranthene	2.5122E-007	4.2415E-007
RCPTR_31	farmer_child	TOCDFLIC	Fluorene	3.4549E-009	7.1281E-009
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.8750E-011	5.9725E-011
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9323E-010	1.9576E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.4761E-010	4.5482E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.9663E-010	5.0349E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.9500E-010	3.0032E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.4248E-010	2.4754E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.0400E-010	5.1605E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.3793E-010	4.4835E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.5034E-010	4.6097E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.7041E-010	3.7919E-010
RCPTR_31	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	7.4559E-011	1.5048E-010
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorobenzene	1.5034E-007	3.0547E-007
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.0029E-010	4.0066E-010
RCPTR_31	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.4269E-011	9.1940E-011
RCPTR_31	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3526E-003	5.3619E-003
RCPTR_31	farmer_child	TOCDFLIC	Isophorone	8.3171E-012	1.7438E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Lead	5.8066E-006	6.0755E-006
RCPTR_31	farmer_child	TOCDFLIC	Mercuric chloride	8.5566E-007	1.0329E-006
RCPTR_31	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.5406E-016	9.5237E-016
RCPTR_31	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	8.0127E-016	1.6802E-015
RCPTR_31	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.3019E-013	1.3220E-012
RCPTR_31	farmer_child	TOCDFLIC	Methyl mercury	1.3967E-008	1.4513E-008
RCPTR_31	farmer_child	TOCDFLIC	Methylene chloride	8.2272E-014	1.7253E-013
RCPTR_31	farmer_child	TOCDFLIC	Mustard	8.5209E-013	1.7862E-012
RCPTR_31	farmer_child	TOCDFLIC	Naphthalene	5.4589E-012	1.1390E-011
RCPTR_31	farmer_child	TOCDFLIC	Nickel	2.5659E-005	2.6518E-005
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.4210E-010	2.9750E-010
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.3762E-011	7.0783E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.3644E-011	9.1462E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrobenzene	1.4032E-011	2.9432E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 2-	6.3911E-012	1.3401E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.6920E-011	2.3583E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.9319E-012	1.6606E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.8046E-012	1.6323E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.0812E-013	1.4677E-012
RCPTR_31	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.5932E-011	8.7826E-011
RCPTR_31	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.4690E-011	8.6518E-011
RCPTR_31	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1206E-009	1.1396E-009
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.7508E-010	1.8024E-010
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.6648E-010	6.8561E-010
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorobenzene	2.8924E-009	5.7010E-009
RCPTR_31	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.3180E-010	4.5111E-010
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorophenol	4.6905E-008	5.5105E-008
RCPTR_31	farmer_child	TOCDFLIC	Phenanthrene	1.0891E-011	2.2564E-011
RCPTR_31	farmer_child	TOCDFLIC	Phenol	1.1135E-011	2.3322E-011
RCPTR_31	farmer_child	TOCDFLIC	Pronamide	1.0849E-009	2.2359E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Pyrene	3.8805E-007	5.9488E-007
RCPTR_31	farmer_child	TOCDFLIC	Selenium	9.7212E-006	9.7470E-006
RCPTR_31	farmer_child	TOCDFLIC	Silver	2.5564E-005	2.6432E-005
RCPTR_31	farmer_child	TOCDFLIC	Styrene	1.2772E-010	2.6740E-010
RCPTR_31	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4861E-010	1.5459E-010
RCPTR_31	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.7773E-011	6.0986E-011
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	8.9746E-010	1.8166E-009
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.1021E-014	8.5927E-014
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.5342E-014	3.2124E-014
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.0593E-009	1.4055E-008
RCPTR_31	farmer_child	TOCDFLIC	Thallium (l)	3.3879E-005	3.4639E-005
RCPTR_31	farmer_child	TOCDFLIC	Toluene	3.0120E-013	6.2822E-013
RCPTR_31	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.3709E-011	6.9313E-011
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.2993E-013	2.7224E-013
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.1858E-013	2.4861E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethylene	1.9306E-014	4.0428E-014
RCPTR_31	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.5369E-015	5.3132E-015
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.9717E-009	7.9878E-009
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	8.9726E-010	1.6570E-009
RCPTR_31	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.3905E-013	9.2021E-013
RCPTR_31	farmer_child	TOCDFLIC	Vinyl Chloride	1.8781E-017	3.9366E-017
RCPTR_31	farmer_child	TOCDFLIC	Xylene, m-	6.5887E-013	9.1061E-013
RCPTR_31	farmer_child	TOCDFLIC	Xylene, o-	6.2471E-013	9.1170E-013
RCPTR_31	farmer_child	TOCDFLIC	Xylene, p-	7.5477E-013	1.1452E-012
RCPTR_31	farmer_child	TOCDFLIC	Zinc	1.0881E-005	1.2133E-005
RCPTR_31	farmer_child	TOCDFMPF	Acenaphthene	1.3339E-009	2.7705E-009
RCPTR_31	farmer_child	TOCDFMPF	Acetone	1.1319E-013	2.3746E-013
RCPTR_31	farmer_child	TOCDFMPF	Acetophenone	7.2751E-012	1.5254E-011
RCPTR_31	farmer_child	TOCDFMPF	Aniline	4.1884E-013	8.7721E-013
RCPTR_31	farmer_child	TOCDFMPF	Anthracene	2.3564E-008	4.8895E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Antimony	1.2259E-007	1.3278E-007
RCPTR_31	farmer_child	TOCDFMPF	Aroclor 1254	1.3869E-009	1.8460E-009
RCPTR_31	farmer_child	TOCDFMPF	Arsenic	8.2578E-007	8.4190E-007
RCPTR_31	farmer_child	TOCDFMPF	Barium	9.3491E-007	9.9362E-007
RCPTR_31	farmer_child	TOCDFMPF	Benzene	1.5266E-013	3.1955E-013
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)anthracene	5.4100E-006	6.2900E-006
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.1562E-005	5.2487E-005
RCPTR_31	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.9720E-005	3.2022E-005
RCPTR_31	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.9533E-005	8.0456E-005
RCPTR_31	farmer_child	TOCDFMPF	Benzoic acid	5.2001E-011	1.0212E-010
RCPTR_31	farmer_child	TOCDFMPF	Benzyl alcohol	9.4908E-012	1.9895E-011
RCPTR_31	farmer_child	TOCDFMPF	Beryllium	7.5036E-008	7.7244E-008
RCPTR_31	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	9.4893E-012	1.9907E-011
RCPTR_31	farmer_child	TOCDFMPF	Bromodichloromethane	1.8693E-013	3.9198E-013
RCPTR_31	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	6.5054E-012	1.3643E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.4443E-007	7.6486E-007
RCPTR_31	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.0514E-008	3.2993E-008
RCPTR_31	farmer_child	TOCDFMPF	Cadmium	1.3872E-006	1.6134E-006
RCPTR_31	farmer_child	TOCDFMPF	Carbon disulfide	1.4691E-014	3.0776E-014
RCPTR_31	farmer_child	TOCDFMPF	Carbon tetrachloride	1.3865E-013	2.9015E-013
RCPTR_31	farmer_child	TOCDFMPF	Chlorine	1.2209E-006	2.5613E-006
RCPTR_31	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.9836E-010	1.6936E-009
RCPTR_31	farmer_child	TOCDFMPF	Chloroaniline, p-	4.4188E-011	9.2510E-011
RCPTR_31	farmer_child	TOCDFMPF	Chlorobenzene	5.7619E-013	1.2040E-012
RCPTR_31	farmer_child	TOCDFMPF	Chloroethane	3.2882E-015	6.8020E-015
RCPTR_31	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.0026E-013	2.1022E-013
RCPTR_31	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.4755E-009	7.2340E-009
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.2242E-010	2.5677E-010
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.9992E-009	9.4115E-009
RCPTR_31	farmer_child	TOCDFMPF	Chromium	1.9174E-006	1.9671E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Chromium, hexavalent	1.7721E-006	1.7872E-006
RCPTR_31	farmer_child	TOCDFMPF	Chrysene	1.5224E-005	1.6154E-005
RCPTR_31	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.2105E-007	1.3060E-007
RCPTR_31	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.0178E+002	6.0178E+002
RCPTR_31	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.1124E-003	1.1190E-003
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.6758E-012	1.1709E-011
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.8174E-012	1.4147E-011
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.5506E-012	1.3616E-011
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.4684E-008	8.3247E-008
RCPTR_31	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.1578E-016	4.5174E-016
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.2399E-014	6.7939E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.0245E-014	8.4399E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.2279E-014	2.5727E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.9741E-014	4.1357E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	6.8456E-010	1.2005E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.1122E-013	2.3277E-013
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.6621E-014	7.6770E-014
RCPTR_31	farmer_child	TOCDFMPF	Diethyl phthalate	7.4421E-008	7.6055E-008
RCPTR_31	farmer_child	TOCDFMPF	Dimethyl phthalate	7.4014E-011	1.5309E-010
RCPTR_31	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	8.3844E-011	1.7520E-010
RCPTR_31	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	6.8808E-011	1.0051E-010
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.8893E-011	1.6170E-010
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.0343E-011	1.2447E-010
RCPTR_31	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.7769E-012	3.7273E-012
RCPTR_31	farmer_child	TOCDFMPF	Ethylbenzene	3.5829E-013	7.3840E-013
RCPTR_31	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.6704E-009	5.0667E-009
RCPTR_31	farmer_child	TOCDFMPF	Fluoranthene	3.8401E-007	6.4834E-007
RCPTR_31	farmer_child	TOCDFMPF	Fluorene	5.2809E-009	1.0896E-008
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.2914E-010	2.3294E-010
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.0408E-010	3.0806E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.2428E-010	5.3273E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4195E-010	1.4391E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.5608E-011	6.6790E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.7322E-011	5.8518E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.9645E-011	1.0203E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.2279E-011	4.3285E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.7476E-011	3.8361E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.3545E-011	3.4340E-011
RCPTR_31	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.1397E-010	2.3001E-010
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorobenzene	2.2980E-007	4.6693E-007
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.0616E-010	6.1242E-010
RCPTR_31	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.7666E-011	1.4053E-010
RCPTR_31	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.1821E-003	8.1963E-003
RCPTR_31	farmer_child	TOCDFMPF	Isophorone	1.2713E-011	2.6655E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Lead	6.7084E-007	7.0191E-007
RCPTR_31	farmer_child	TOCDFMPF	Mercuric chloride	1.4544E-005	1.7556E-005
RCPTR_31	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.3492E-015	4.9274E-015
RCPTR_31	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.3676E-016	2.8677E-016
RCPTR_31	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2779E-013	2.6807E-013
RCPTR_31	farmer_child	TOCDFMPF	Methyl mercury	2.3741E-007	2.4668E-007
RCPTR_31	farmer_child	TOCDFMPF	Methylene chloride	6.4696E-014	1.3567E-013
RCPTR_31	farmer_child	TOCDFMPF	Mustard	6.0624E-012	1.2709E-011
RCPTR_31	farmer_child	TOCDFMPF	Naphthalene	5.3992E-011	1.1265E-010
RCPTR_31	farmer_child	TOCDFMPF	Nickel	1.6103E-005	1.6642E-005
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.1682E-010	4.5392E-010
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.1513E-011	1.0800E-010
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.6590E-011	1.3955E-010
RCPTR_31	farmer_child	TOCDFMPF	Nitrobenzene	2.1449E-011	4.4988E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 2-	9.7691E-012	2.0483E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.5816E-010	3.5983E-010
RCPTR_31	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.2124E-011	2.5383E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1930E-011	2.4950E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.0824E-012	2.2434E-012
RCPTR_31	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.4694E-009	5.5899E-009
RCPTR_31	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	9.6091E-009	9.8165E-009
RCPTR_31	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.8615E-011	5.9610E-011
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.6067E-011	7.8309E-011
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.4727E-011	4.6010E-011
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorobenzene	8.8261E-010	1.7397E-009
RCPTR_31	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.5366E-010	6.8828E-010
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorophenol	3.5849E-007	4.2116E-007
RCPTR_31	farmer_child	TOCDFMPF	Phenanthrene	1.6647E-011	3.4489E-011
RCPTR_31	farmer_child	TOCDFMPF	Phenol	1.7020E-011	3.5649E-011
RCPTR_31	farmer_child	TOCDFMPF	Pronamide	1.6584E-009	3.4177E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Pyrene	5.9315E-007	9.0930E-007
RCPTR_31	farmer_child	TOCDFMPF	Selenium	1.7059E-007	1.7104E-007
RCPTR_31	farmer_child	TOCDFMPF	Silver	3.4504E-006	3.5675E-006
RCPTR_31	farmer_child	TOCDFMPF	Styrene	2.9121E-012	6.0970E-012
RCPTR_31	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7780E-011	1.8496E-011
RCPTR_31	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	5.7237E-011	6.0421E-011
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.3718E-009	2.7768E-009
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.2461E-012	2.6102E-012
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.1811E-013	2.4731E-013
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.3823E-008	2.1444E-008
RCPTR_31	farmer_child	TOCDFMPF	Thallium (l)	1.0374E-006	1.0606E-006
RCPTR_31	farmer_child	TOCDFMPF	Toluene	2.0206E-013	4.2144E-013
RCPTR_31	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.1526E-011	1.0595E-010
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.6255E-014	1.5978E-013
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.8265E-013	1.2216E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethylene	9.4863E-014	1.9865E-013
RCPTR_31	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.6178E-013	5.4825E-013
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.0709E-009	1.2210E-008
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.3715E-009	2.5328E-009
RCPTR_31	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.1573E-012	4.5216E-012
RCPTR_31	farmer_child	TOCDFMPF	Vinyl Chloride	5.1528E-017	1.0801E-016
RCPTR_31	farmer_child	TOCDFMPF	Xylene, m-	6.5939E-013	9.1133E-013
RCPTR_31	farmer_child	TOCDFMPF	Xylene, o-	6.2520E-013	9.1243E-013
RCPTR_31	farmer_child	TOCDFMPF	Xylene, p-	7.5536E-013	1.1461E-012
RCPTR_31	farmer_child	TOCDFMPF	Zinc	3.1001E-006	3.4567E-006
RCPTR_31	farmer_child	TOCDHVAC	Mustard	1.9128E-012	4.0099E-012
RCPTR_31	farmer_child	TOCDLIC2	Acenaphthene	8.7268E-010	1.8125E-009
RCPTR_31	farmer_child	TOCDLIC2	Acetone	3.0993E-014	6.5017E-014
RCPTR_31	farmer_child	TOCDLIC2	Acetophenone	4.5432E-012	9.5260E-012
RCPTR_31	farmer_child	TOCDLIC2	Aniline	2.7401E-013	5.7389E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Anthracene	1.5416E-008	3.1988E-008
RCPTR_31	farmer_child	TOCDLIC2	Antimony	8.9891E-006	9.7361E-006
RCPTR_31	farmer_child	TOCDLIC2	Arsenic	1.5874E-005	1.6184E-005
RCPTR_31	farmer_child	TOCDLIC2	Barium	1.3183E-006	1.4011E-006
RCPTR_31	farmer_child	TOCDLIC2	Benzene	1.7084E-013	3.5758E-013
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.5393E-006	4.1150E-006
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.3733E-005	3.4338E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.9443E-005	2.0949E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.2032E-005	5.2635E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzoic acid	1.1752E-011	2.3080E-011
RCPTR_31	farmer_child	TOCDLIC2	Benzyl alcohol	9.9346E-010	2.0825E-009
RCPTR_31	farmer_child	TOCDLIC2	Beryllium	2.1995E-006	2.2642E-006
RCPTR_31	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.2081E-012	1.3023E-011
RCPTR_31	farmer_child	TOCDLIC2	Bromodichloromethane	6.1537E-015	1.2904E-014
RCPTR_31	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.1138E-011	2.3359E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.9075E-007	5.0039E-007
RCPTR_31	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.9963E-008	2.1585E-008
RCPTR_31	farmer_child	TOCDLIC2	Cadmium	3.0361E-007	3.5311E-007
RCPTR_31	farmer_child	TOCDLIC2	Carbon disulfide	4.0188E-014	8.4188E-014
RCPTR_31	farmer_child	TOCDLIC2	Carbon tetrachloride	7.9607E-013	1.6659E-012
RCPTR_31	farmer_child	TOCDLIC2	Chlorine	6.6276E-006	1.3904E-005
RCPTR_31	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.8772E-010	1.1080E-009
RCPTR_31	farmer_child	TOCDLIC2	Chloroaniline, p-	2.8909E-011	6.0522E-011
RCPTR_31	farmer_child	TOCDLIC2	Chlorobenzene	3.2119E-013	6.7114E-013
RCPTR_31	farmer_child	TOCDLIC2	Chloroethane	3.3372E-016	6.9035E-016
RCPTR_31	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.1886E-013	6.6855E-013
RCPTR_31	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.2738E-009	4.7326E-009
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.0089E-011	1.6798E-010
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.2706E-009	6.1572E-009
RCPTR_31	farmer_child	TOCDLIC2	Chromium	1.0097E-005	1.0359E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Chromium, hexavalent	9.3320E-006	9.4114E-006
RCPTR_31	farmer_child	TOCDLIC2	Chrysene	9.9593E-006	1.0568E-005
RCPTR_31	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2239E-008	1.3204E-008
RCPTR_31	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.0842E+001	6.0842E+001
RCPTR_31	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.2765E-004	7.3197E-004
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.7132E-012	7.6605E-012
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.4601E-012	9.2554E-012
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.2855E-012	8.9075E-012
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.4357E-008	2.7150E-008
RCPTR_31	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.6238E-017	5.4930E-017
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.0666E-015	2.2366E-015
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.1904E-015	1.7177E-014
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.0423E-016	8.4693E-016
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.0177E-015	8.4168E-015
RCPTR_31	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.4785E-010	7.8537E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.2635E-014	4.7372E-014
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.6841E-015	1.6108E-014
RCPTR_31	farmer_child	TOCDLIC2	Diethyl phthalate	7.5242E-009	7.6895E-009
RCPTR_31	farmer_child	TOCDLIC2	Dimethyl phthalate	6.9320E-010	1.4338E-009
RCPTR_31	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.4853E-011	1.1462E-010
RCPTR_31	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	4.5097E-011	6.5875E-011
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.1613E-011	1.0579E-010
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.9478E-011	8.1431E-011
RCPTR_31	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.1625E-012	2.4385E-012
RCPTR_31	farmer_child	TOCDLIC2	Ethylbenzene	7.6497E-014	1.5765E-013
RCPTR_31	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.5823E-008	2.8014E-008
RCPTR_31	farmer_child	TOCDLIC2	Fluoranthene	2.5122E-007	4.2415E-007
RCPTR_31	farmer_child	TOCDLIC2	Fluorene	3.4549E-009	7.1281E-009
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.8750E-011	5.9725E-011
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9323E-010	1.9576E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.4761E-010	4.5482E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.9663E-010	5.0349E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.9500E-010	3.0032E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.4248E-010	2.4754E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.0400E-010	5.1605E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.3793E-010	4.4835E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.5034E-010	4.6097E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.7041E-010	3.7919E-010
RCPTR_31	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.4559E-011	1.5048E-010
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorobenzene	1.5034E-007	3.0547E-007
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.0029E-010	4.0066E-010
RCPTR_31	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.4269E-011	9.1940E-011
RCPTR_31	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3526E-003	5.3619E-003
RCPTR_31	farmer_child	TOCDLIC2	Isophorone	8.3171E-012	1.7438E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Lead	5.8066E-006	6.0755E-006
RCPTR_31	farmer_child	TOCDLIC2	Mercuric chloride	8.5566E-007	1.0329E-006
RCPTR_31	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.5406E-016	9.5237E-016
RCPTR_31	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.0127E-016	1.6802E-015
RCPTR_31	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.3019E-013	1.3220E-012
RCPTR_31	farmer_child	TOCDLIC2	Methyl mercury	1.3967E-008	1.4513E-008
RCPTR_31	farmer_child	TOCDLIC2	Methylene chloride	8.2272E-014	1.7253E-013
RCPTR_31	farmer_child	TOCDLIC2	Mustard	8.8583E-013	1.8570E-012
RCPTR_31	farmer_child	TOCDLIC2	Naphthalene	5.4589E-012	1.1390E-011
RCPTR_31	farmer_child	TOCDLIC2	Nickel	2.5659E-005	2.6518E-005
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.4210E-010	2.9750E-010
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.3762E-011	7.0783E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.3644E-011	9.1462E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrobenzene	1.4032E-011	2.9432E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.3911E-012	1.3401E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.6920E-010	2.3583E-010
RCPTR_31	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.9319E-012	1.6606E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.8046E-012	1.6323E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.0812E-013	1.4677E-012
RCPTR_31	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.5932E-011	8.7826E-011
RCPTR_31	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	8.4690E-011	8.6518E-011
RCPTR_31	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1206E-009	1.1396E-009
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.7508E-010	1.8024E-010
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.6648E-010	6.8561E-010
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorobenzene	2.8924E-009	5.7010E-009
RCPTR_31	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.3180E-010	4.5111E-010
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorophenol	4.6905E-008	5.5105E-008
RCPTR_31	farmer_child	TOCDLIC2	Phenanthrene	1.0891E-011	2.2564E-011
RCPTR_31	farmer_child	TOCDLIC2	Phenol	1.1135E-011	2.3322E-011
RCPTR_31	farmer_child	TOCDLIC2	Pronamide	1.0849E-009	2.2359E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Pyrene	3.8805E-007	5.9488E-007
RCPTR_31	farmer_child	TOCDLIC2	Selenium	9.7212E-006	9.7470E-006
RCPTR_31	farmer_child	TOCDLIC2	Silver	2.5564E-005	2.6432E-005
RCPTR_31	farmer_child	TOCDLIC2	Styrene	1.2772E-010	2.6740E-010
RCPTR_31	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4861E-010	1.5459E-010
RCPTR_31	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	5.7773E-011	6.0986E-011
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.9746E-010	1.8166E-009
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.1021E-014	8.5927E-014
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.5342E-014	3.2124E-014
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.0593E-009	1.4055E-008
RCPTR_31	farmer_child	TOCDLIC2	Thallium (l)	3.3879E-005	3.4639E-005
RCPTR_31	farmer_child	TOCDLIC2	Toluene	3.0120E-013	6.2822E-013
RCPTR_31	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.3709E-011	6.9313E-011
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.2993E-013	2.7224E-013
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.1858E-013	2.4861E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethylene	1.9306E-014	4.0428E-014
RCPTR_31	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.5369E-015	5.3132E-015
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.9717E-009	7.9878E-009
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	8.9726E-010	1.6570E-009
RCPTR_31	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.3905E-013	9.2021E-013
RCPTR_31	farmer_child	TOCDLIC2	Vinyl Chloride	1.8781E-017	3.9366E-017
RCPTR_31	farmer_child	TOCDLIC2	Xylene, m-	1.3692E-012	1.8923E-012
RCPTR_31	farmer_child	TOCDLIC2	Xylene, o-	1.2982E-012	1.8946E-012
RCPTR_31	farmer_child	TOCDLIC2	Xylene, p-	1.5685E-012	2.3798E-012
RCPTR_31	farmer_child	TOCDLIC2	Zinc	1.0881E-005	1.2133E-005
RCPTR_32	farmer_adult	TOCDFBRA	Antimony	4.8731E-006	5.6591E-006
RCPTR_32	farmer_adult	TOCDFBRA	Arsenic	8.2670E-006	8.5559E-006
RCPTR_32	farmer_adult	TOCDFBRA	Barium	6.7629E-007	7.5658E-007
RCPTR_32	farmer_adult	TOCDFBRA	Beryllium	2.1908E-006	2.3321E-006
RCPTR_32	farmer_adult	TOCDFBRA	Cadmium	3.6724E-007	5.0425E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFBRA	Chromium	5.4674E-005	5.4882E-005
RCPTR_32	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.9181E-005	4.9919E-005
RCPTR_32	farmer_adult	TOCDFBRA	Lead	2.2329E-005	2.4531E-005
RCPTR_32	farmer_adult	TOCDFBRA	Mercuric chloride	2.6967E-003	2.7915E-003
RCPTR_32	farmer_adult	TOCDFBRA	Methyl mercury	4.2492E-005	4.3386E-005
RCPTR_32	farmer_adult	TOCDFBRA	Nickel	2.6950E-005	2.8706E-005
RCPTR_32	farmer_adult	TOCDFBRA	Selenium	9.3403E-006	9.3840E-006
RCPTR_32	farmer_adult	TOCDFBRA	Silver	3.1063E-006	3.2959E-006
RCPTR_32	farmer_adult	TOCDFBRA	Thallium (l)	8.4155E-005	8.7843E-005
RCPTR_32	farmer_adult	TOCDFBRA	Zinc	1.3895E-005	1.7239E-005
RCPTR_32	farmer_adult	TOCDFDFS	Acenaphthene	9.3125E-010	1.1589E-008
RCPTR_32	farmer_adult	TOCDFDFS	Acetone	9.1408E-015	1.2779E-013
RCPTR_32	farmer_adult	TOCDFDFS	Acetophenone	4.6067E-012	6.4013E-011
RCPTR_32	farmer_adult	TOCDFDFS	Aniline	2.6764E-013	3.6682E-012
RCPTR_32	farmer_adult	TOCDFDFS	Anthracene	1.6635E-008	2.0457E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Antimony	2.8726E-007	3.3353E-007
RCPTR_32	farmer_adult	TOCDFDFS	Aroclor 1254	2.5737E-009	4.4158E-009
RCPTR_32	farmer_adult	TOCDFDFS	Arsenic	5.6855E-007	5.8839E-007
RCPTR_32	farmer_adult	TOCDFDFS	Barium	3.6695E-007	4.1045E-007
RCPTR_32	farmer_adult	TOCDFDFS	Benzene	3.3591E-014	4.5715E-013
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.9375E-005	2.7300E-005
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.2695E-004	2.3573E-004
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.1846E-004	1.3902E-004
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	3.4875E-004	3.5954E-004
RCPTR_32	farmer_adult	TOCDFDFS	Benzoic acid	5.5497E-012	4.2735E-011
RCPTR_32	farmer_adult	TOCDFDFS	Benzyl alcohol	6.0047E-012	8.3194E-011
RCPTR_32	farmer_adult	TOCDFDFS	Beryllium	2.9638E-007	3.1547E-007
RCPTR_32	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.9546E-012	8.3241E-011
RCPTR_32	farmer_adult	TOCDFDFS	Bromodichloromethane	1.0640E-014	1.4801E-013
RCPTR_32	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.6994E-012	2.3679E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.3748E-007	3.1988E-006
RCPTR_32	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.3340E-007	1.5183E-007
RCPTR_32	farmer_adult	TOCDFDFS	Cadmium	1.0572E-007	1.4511E-007
RCPTR_32	farmer_adult	TOCDFDFS	Carbon disulfide	5.9402E-015	8.1636E-014
RCPTR_32	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.5299E-015	1.2937E-013
RCPTR_32	farmer_adult	TOCDFDFS	Chlorine	1.8467E-013	2.5828E-012
RCPTR_32	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1891E-009	7.0888E-009
RCPTR_32	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.8352E-011	3.8685E-010
RCPTR_32	farmer_adult	TOCDFDFS	Chlorobenzene	5.6774E-014	7.5724E-013
RCPTR_32	farmer_adult	TOCDFDFS	Chloroethane	1.7831E-016	2.1335E-015
RCPTR_32	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	7.3507E-015	1.0211E-013
RCPTR_32	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.3718E-009	3.0255E-008
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.6960E-011	1.0737E-009
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.7903E-009	3.9525E-008
RCPTR_32	farmer_adult	TOCDFDFS	Chromium	9.7439E-006	9.7810E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Chromium, hexavalent	8.7661E-006	8.8974E-006
RCPTR_32	farmer_adult	TOCDFDFS	Chrysene	6.0956E-005	7.0015E-005
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.8705E-007	5.5795E-007
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.5389E+003	2.5389E+003
RCPTR_32	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.9537E-003	5.0371E-003
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.2203E-012	4.8982E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.7922E-012	5.9172E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.5323E-012	5.6946E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.0186E-007	3.6583E-007
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.3107E-017	1.7843E-016
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.0721E-015	4.2726E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8116E-015	5.3078E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.1750E-015	1.6179E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8914E-015	2.6009E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.2011E-009	5.0287E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.0772E-014	1.4639E-013
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4851E-015	4.8281E-014
RCPTR_32	farmer_adult	TOCDFDFS	Diethyl phthalate	3.0874E-007	3.2086E-007
RCPTR_32	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.1553E-011	9.6795E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.4866E-011	7.3264E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.8813E-010	4.2375E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.3186E-011	6.7754E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.5125E-011	5.2089E-010
RCPTR_32	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.1160E-012	1.5586E-011
RCPTR_32	farmer_adult	TOCDFDFS	Ethylbenzene	4.0463E-014	4.6458E-013
RCPTR_32	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.2646E-008	2.5900E-008
RCPTR_32	farmer_adult	TOCDFDFS	Fluoranthene	6.3042E-007	2.7291E-006
RCPTR_32	farmer_adult	TOCDFDFS	Fluorene	3.9308E-009	4.5585E-008
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0471E-011	1.0889E-011
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.7566E-012	9.0397E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.7954E-011	2.9045E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.2858E-010	2.3627E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.3853E-010	1.4451E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.0902E-010	1.1437E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	7.6001E-011	8.0177E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	6.8665E-011	7.2420E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.1340E-011	8.5758E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.2491E-011	6.5897E-011
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0306E-010	9.6398E-010
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.9243E-007	1.9545E-006
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.9649E-010	2.5687E-009
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.7103E-011	5.8770E-010
RCPTR_32	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.5141E-002	3.5313E-002
RCPTR_32	farmer_adult	TOCDFDFS	Isophorone	8.0254E-012	1.1146E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Lead	1.7954E-006	1.9722E-006
RCPTR_32	farmer_adult	TOCDFDFS	Mercuric chloride	5.8033E-007	6.0074E-007
RCPTR_32	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.3372E-016	1.8653E-015
RCPTR_32	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.6450E-017	3.6777E-016
RCPTR_32	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5551E-014	9.1610E-013
RCPTR_32	farmer_adult	TOCDFDFS	Methyl mercury	9.1521E-009	9.3445E-009
RCPTR_32	farmer_adult	TOCDFDFS	Methylene chloride	3.9582E-015	5.5107E-014
RCPTR_32	farmer_adult	TOCDFDFS	Mustard	4.6845E-013	6.4923E-012
RCPTR_32	farmer_adult	TOCDFDFS	Naphthalene	3.5931E-011	4.7113E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nickel	3.9482E-005	4.2051E-005
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.3942E-010	1.9016E-009
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.2615E-011	4.5241E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.2429E-011	5.8466E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitrobenzene	1.3490E-011	1.8812E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.1659E-012	8.5653E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.5823E-010	1.5139E-009
RCPTR_32	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.7761E-012	1.0614E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.7347E-012	1.0433E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.0128E-013	9.4146E-012
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.7520E-011	1.8416E-011
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.8474E-011	1.9397E-011
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.9754E-010	4.1347E-010
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.9083E-011	5.2383E-011
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.0244E-010	2.1564E-010
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.0013E-009	7.3598E-009
RCPTR_32	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.3605E-010	2.9230E-009
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorophenol	1.3099E-006	1.7757E-006
RCPTR_32	farmer_adult	TOCDFDFS	Phenanthrene	1.1905E-011	1.4427E-010
RCPTR_32	farmer_adult	TOCDFDFS	Phenol	1.0863E-011	1.4907E-010
RCPTR_32	farmer_adult	TOCDFDFS	Pronamide	1.2435E-009	1.4296E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Pyrene	7.8992E-007	3.8136E-006
RCPTR_32	farmer_adult	TOCDFDFS	Selenium	6.4237E-007	6.4537E-007
RCPTR_32	farmer_adult	TOCDFDFS	Silver	4.2215E-006	4.4788E-006
RCPTR_32	farmer_adult	TOCDFDFS	Styrene	4.0630E-013	5.5462E-012
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1992E-010	1.3098E-010
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.5552E-011	4.0169E-011
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1951E-009	1.1618E-008
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.0998E-010	2.6090E-010
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1395E-014	1.5555E-013
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.3487E-008	9.0132E-008
RCPTR_32	farmer_adult	TOCDFDFS	Thallium (l)	5.6636E-004	5.9114E-004
RCPTR_32	farmer_adult	TOCDFDFS	Toluene	1.5934E-014	2.0814E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.9524E-011	4.4328E-010
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	9.4097E-015	1.2966E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.5341E-014	7.6824E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethylene	9.1323E-015	1.2493E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2593E-015	1.7256E-014
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.5313E-009	5.1074E-008
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.9936E-009	5.3301E-008
RCPTR_32	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.0566E-013	2.8436E-012
RCPTR_32	farmer_adult	TOCDFDFS	Vinyl Chloride	2.9370E-018	4.0589E-017
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, m-	8.5495E-013	1.4999E-012
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, o-	6.4498E-013	1.2873E-012
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, p-	8.2557E-013	1.8258E-012
RCPTR_32	farmer_adult	TOCDFDFS	Zinc	1.8020E-006	2.2352E-006
RCPTR_32	farmer_adult	TOCDFLIC	Acenaphthene	1.9518E-010	2.4302E-009
RCPTR_32	farmer_adult	TOCDFLIC	Acetone	6.2336E-015	8.7150E-014
RCPTR_32	farmer_adult	TOCDFLIC	Acetophenone	9.1890E-013	1.2769E-011
RCPTR_32	farmer_adult	TOCDFLIC	Aniline	5.6125E-014	7.6927E-013
RCPTR_32	farmer_adult	TOCDFLIC	Anthracene	3.4846E-009	4.2896E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Antimony	1.4117E-005	1.6390E-005
RCPTR_32	farmer_adult	TOCDFLIC	Arsenic	2.6370E-005	2.7289E-005
RCPTR_32	farmer_adult	TOCDFLIC	Barium	2.1099E-006	2.3599E-006
RCPTR_32	farmer_adult	TOCDFLIC	Benzene	3.5219E-014	4.7933E-013
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.0288E-006	5.6874E-006
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.6949E-005	4.8745E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.4683E-005	2.8983E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	7.2260E-005	7.4442E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzoic acid	4.0237E-012	3.0963E-011
RCPTR_32	farmer_adult	TOCDFLIC	Benzyl alcohol	2.0148E-010	2.7915E-009
RCPTR_32	farmer_adult	TOCDFLIC	Beryllium	3.5837E-006	3.8144E-006
RCPTR_32	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.2488E-012	1.7457E-011
RCPTR_32	farmer_adult	TOCDFLIC	Bromodichloromethane	1.2434E-015	1.7297E-014
RCPTR_32	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.2472E-012	3.1311E-011
RCPTR_32	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	7.0748E-008	6.7080E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.7326E-008	3.1189E-008
RCPTR_32	farmer_adult	TOCDFLIC	Cadmium	4.3219E-007	5.9317E-007
RCPTR_32	farmer_adult	TOCDFLIC	Carbon disulfide	8.2113E-015	1.1285E-013
RCPTR_32	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.6449E-013	2.2331E-012
RCPTR_32	farmer_adult	TOCDFLIC	Chlorine	1.3326E-006	1.8637E-005
RCPTR_32	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.4973E-010	1.4870E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.9458E-012	8.1127E-011
RCPTR_32	farmer_adult	TOCDFLIC	Chlorobenzene	6.7447E-014	8.9969E-013
RCPTR_32	farmer_adult	TOCDFLIC	Chloroethane	7.7375E-017	9.2548E-016
RCPTR_32	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.4513E-014	8.9614E-013
RCPTR_32	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.9729E-010	6.3448E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.6140E-011	2.2517E-010
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.4187E-009	8.2836E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chromium	1.7384E-005	1.7450E-005
RCPTR_32	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.5640E-005	1.5875E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Chrysene	1.2713E-005	1.4604E-005
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.5758E-008	1.8055E-008
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-octylphthalate	8.2487E+001	8.2487E+001
RCPTR_32	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.0248E-003	1.0412E-003
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	8.8474E-013	1.0272E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.0048E-012	1.2409E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	9.5029E-013	1.1942E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.1289E-008	3.7979E-008
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.4064E-018	7.3641E-017
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.1556E-016	2.9980E-015
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6534E-015	2.3024E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	8.2445E-017	1.1353E-015
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.2043E-016	1.1282E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.5230E-010	1.0550E-009
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.6725E-015	6.3501E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5585E-015	2.1593E-014
RCPTR_32	farmer_adult	TOCDFLIC	Diethyl phthalate	1.0030E-008	1.0423E-008
RCPTR_32	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.6179E-010	1.9231E-009
RCPTR_32	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.1507E-011	1.5365E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.9474E-011	8.8888E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.3190E-011	1.4203E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	9.4491E-012	1.0922E-010
RCPTR_32	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.3403E-013	3.2686E-012
RCPTR_32	farmer_adult	TOCDFLIC	Ethylbenzene	1.8405E-014	2.1141E-013
RCPTR_32	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.5484E-008	4.0710E-008
RCPTR_32	farmer_adult	TOCDFLIC	Fluoranthene	1.3169E-007	5.7176E-007
RCPTR_32	farmer_adult	TOCDFLIC	Fluorene	8.2367E-010	9.5591E-009
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.8181E-011	9.1639E-011
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.8180E-010	2.9069E-010
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.6807E-010	6.9366E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.2009E-010	7.4378E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.4122E-010	4.5995E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.7114E-010	3.8916E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	7.6728E-010	8.0925E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.6530E-010	7.0152E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.8118E-010	7.1800E-010
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.6141E-010	5.9187E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.1526E-011	2.0207E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.0302E-008	4.0982E-007
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.1860E-011	5.3837E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.8808E-012	1.2325E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.3488E-003	7.3826E-003
RCPTR_32	farmer_adult	TOCDFLIC	Isophorone	1.6831E-012	2.3375E-011
RCPTR_32	farmer_adult	TOCDFLIC	Lead	9.3098E-006	1.0226E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Mercuric chloride	1.4043E-006	1.4544E-006
RCPTR_32	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	9.1516E-017	1.2766E-015
RCPTR_32	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.6197E-016	2.2522E-015
RCPTR_32	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2679E-013	1.7720E-012
RCPTR_32	farmer_adult	TOCDFLIC	Methyl mercury	2.1649E-008	2.2121E-008
RCPTR_32	farmer_adult	TOCDFLIC	Methylene chloride	1.6611E-014	2.3127E-013
RCPTR_32	farmer_adult	TOCDFLIC	Mustard	1.7277E-013	2.3943E-012
RCPTR_32	farmer_adult	TOCDFLIC	Naphthalene	1.1643E-012	1.5269E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nickel	4.1966E-005	4.4696E-005
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.9236E-011	3.9880E-010
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.8396E-012	9.4881E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.8934E-012	1.2261E-010
RCPTR_32	farmer_adult	TOCDFLIC	Nitrobenzene	2.8289E-012	3.9451E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.2930E-012	1.7963E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5936E-011	3.1783E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.6309E-012	2.2260E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.6222E-012	2.1880E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.6639E-013	1.9727E-012
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.3409E-010	1.4089E-010
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.3238E-010	1.3894E-010
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5678E-009	1.6299E-009
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.4259E-010	2.5890E-010
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.4406E-010	1.0056E-009
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.0302E-009	7.7097E-009
RCPTR_32	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.9446E-011	6.1101E-010
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorophenol	5.4972E-008	7.4473E-008
RCPTR_32	farmer_adult	TOCDFLIC	Phenanthrene	2.4953E-012	3.0255E-011
RCPTR_32	farmer_adult	TOCDFLIC	Phenol	2.2782E-012	3.1262E-011
RCPTR_32	farmer_adult	TOCDFLIC	Pronamide	2.6076E-010	2.9980E-009
RCPTR_32	farmer_adult	TOCDFLIC	Pyrene	1.6541E-007	7.9946E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Selenium	1.6367E-005	1.6443E-005
RCPTR_32	farmer_adult	TOCDFLIC	Silver	4.1995E-005	4.4553E-005
RCPTR_32	farmer_adult	TOCDFLIC	Styrene	2.6257E-011	3.5845E-010
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	2.0178E-010	2.2047E-010
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.5788E-011	8.5680E-011
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.5061E-010	2.4365E-009
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	8.3878E-015	1.1518E-013
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.1534E-015	4.3064E-014
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.0353E-009	1.8915E-008
RCPTR_32	farmer_adult	TOCDFLIC	Thallium (l)	5.5953E-005	5.8401E-005
RCPTR_32	farmer_adult	TOCDFLIC	Toluene	6.4467E-014	8.4217E-013
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.2830E-012	9.2955E-011
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.6483E-014	3.6492E-013
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.4006E-014	3.3325E-013
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethylene	3.9612E-015	5.4192E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.1974E-016	7.1221E-015
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1610E-009	1.0712E-008
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.1756E-010	2.2244E-009
RCPTR_32	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	8.9207E-014	1.2335E-012
RCPTR_32	farmer_adult	TOCDFLIC	Vinyl Chloride	3.8171E-018	5.2772E-017
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, m-	7.5090E-013	1.3496E-012
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, o-	6.4904E-013	1.3316E-012
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, p-	7.2659E-013	1.6551E-012
RCPTR_32	farmer_adult	TOCDFLIC	Zinc	1.6454E-005	2.0407E-005
RCPTR_32	farmer_adult	TOCDFMPF	Acenaphthene	2.9692E-010	3.6970E-009
RCPTR_32	farmer_adult	TOCDFMPF	Acetone	2.2658E-014	3.1677E-013
RCPTR_32	farmer_adult	TOCDFMPF	Acetophenone	1.4644E-012	2.0349E-011
RCPTR_32	farmer_adult	TOCDFMPF	Aniline	8.5379E-014	1.1702E-012
RCPTR_32	farmer_adult	TOCDFMPF	Anthracene	5.3013E-009	6.5256E-008
RCPTR_32	farmer_adult	TOCDFMPF	Antimony	1.9223E-007	2.2319E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Aroclor 1254	1.4889E-009	2.5758E-009
RCPTR_32	farmer_adult	TOCDFMPF	Arsenic	1.3697E-006	1.4175E-006
RCPTR_32	farmer_adult	TOCDFMPF	Barium	1.4940E-006	1.6711E-006
RCPTR_32	farmer_adult	TOCDFMPF	Benzene	3.1323E-014	4.2629E-013
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)anthracene	6.1317E-006	8.6552E-006
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.1476E-005	7.4212E-005
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.7563E-005	4.4105E-005
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.1000E-004	1.1333E-004
RCPTR_32	farmer_adult	TOCDFMPF	Benzoic acid	1.7718E-011	1.3635E-010
RCPTR_32	farmer_adult	TOCDFMPF	Benzyl alcohol	1.9156E-012	2.6541E-011
RCPTR_32	farmer_adult	TOCDFMPF	Beryllium	1.2207E-007	1.2993E-007
RCPTR_32	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.8996E-012	2.6556E-011
RCPTR_32	farmer_adult	TOCDFMPF	Bromodichloromethane	3.7590E-014	5.2291E-013
RCPTR_32	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.3062E-012	1.8201E-011
RCPTR_32	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0763E-007	1.0204E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.1625E-008	4.7503E-008
RCPTR_32	farmer_adult	TOCDFMPF	Cadmium	1.9718E-006	2.7062E-006
RCPTR_32	farmer_adult	TOCDFMPF	Carbon disulfide	2.9874E-015	4.1056E-014
RCPTR_32	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.8512E-014	3.8709E-013
RCPTR_32	farmer_adult	TOCDFMPF	Chlorine	2.4430E-007	3.4167E-006
RCPTR_32	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.7986E-010	2.2620E-009
RCPTR_32	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.0449E-012	1.2341E-010
RCPTR_32	farmer_adult	TOCDFMPF	Chlorobenzene	1.2042E-013	1.6063E-012
RCPTR_32	farmer_adult	TOCDFMPF	Chloroethane	7.5872E-016	9.0753E-015
RCPTR_32	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.0188E-014	2.8043E-013
RCPTR_32	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.5650E-010	9.6519E-009
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.4552E-011	3.4253E-010
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.1586E-009	1.2602E-008
RCPTR_32	farmer_adult	TOCDFMPF	Chromium	3.2962E-006	3.3088E-006
RCPTR_32	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.9656E-006	3.0100E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Chrysene	1.9345E-005	2.2223E-005
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.5512E-007	1.7774E-007
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-octylphthalate	8.1184E+002	8.1184E+002
RCPTR_32	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.5602E-003	1.5853E-003
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.3459E-012	1.5626E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.5285E-012	1.8877E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.4456E-012	1.8167E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.5542E-008	1.1596E-007
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.4250E-017	6.0272E-016
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.5166E-015	9.0632E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.0852E-015	1.1259E-013
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.4924E-015	3.4320E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.0120E-015	5.5171E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.8378E-010	1.6049E-009
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.2849E-014	3.1053E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.3920E-015	1.0241E-013
RCPTR_32	farmer_adult	TOCDFMPF	Diethyl phthalate	9.8711E-008	1.0258E-007
RCPTR_32	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.7193E-011	2.0435E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.7505E-011	2.3373E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.9939E-011	1.3497E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.0070E-011	2.1606E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.4375E-011	1.6615E-010
RCPTR_32	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.5602E-013	4.9723E-012
RCPTR_32	farmer_adult	TOCDFMPF	Ethylbenzene	8.5791E-014	9.8544E-013
RCPTR_32	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.3966E-009	7.3372E-009
RCPTR_32	farmer_adult	TOCDFMPF	Fluoranthene	2.0038E-007	8.6983E-007
RCPTR_32	farmer_adult	TOCDFMPF	Fluorene	1.2530E-009	1.4542E-008
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.4306E-010	3.5653E-010
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.4207E-010	4.5603E-010
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.8045E-010	8.1037E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0516E-010	2.1191E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.7877E-011	1.0204E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.7557E-011	9.1810E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.5138E-010	1.5967E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.4094E-011	6.7584E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.6561E-011	5.9620E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.0732E-011	5.3485E-011
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.2754E-011	3.0741E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorobenzene	6.1314E-008	6.2344E-007
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	9.4131E-011	8.1901E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.5031E-011	1.8749E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.1181E-002	1.1233E-002
RCPTR_32	farmer_adult	TOCDFMPF	Isophorone	2.5603E-012	3.5558E-011
RCPTR_32	farmer_adult	TOCDFMPF	Lead	1.0740E-006	1.1797E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Mercuric chloride	2.3778E-005	2.4625E-005
RCPTR_32	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.7123E-016	6.5732E-015
RCPTR_32	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.7512E-017	3.8256E-016
RCPTR_32	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.5588E-014	3.5760E-013
RCPTR_32	farmer_adult	TOCDFMPF	Methyl mercury	3.6706E-007	3.7504E-007
RCPTR_32	farmer_adult	TOCDFMPF	Methylene chloride	1.3000E-014	1.8099E-013
RCPTR_32	farmer_adult	TOCDFMPF	Mustard	1.2233E-012	1.6953E-011
RCPTR_32	farmer_adult	TOCDFMPF	Naphthalene	1.1461E-011	1.5030E-010
RCPTR_32	farmer_adult	TOCDFMPF	Nickel	2.6296E-005	2.8007E-005
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.4394E-011	6.0556E-010
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.0386E-011	1.4407E-010
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.3505E-011	1.8618E-010
RCPTR_32	farmer_adult	TOCDFMPF	Nitrobenzene	4.3033E-012	6.0014E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.9670E-012	2.7325E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.4195E-010	4.8259E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.4809E-012	3.3862E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.4678E-012	3.3284E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.5326E-013	3.0011E-012
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	8.5202E-009	8.9528E-009
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.4995E-008	1.5738E-008
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.1693E-011	8.4927E-011
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.0501E-010	1.1207E-010
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	6.3145E-011	6.7263E-011
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.1324E-010	2.3417E-009
RCPTR_32	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.3599E-010	9.2797E-010
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorophenol	4.1808E-007	5.6640E-007
RCPTR_32	farmer_adult	TOCDFMPF	Phenanthrene	3.7960E-012	4.6025E-011
RCPTR_32	farmer_adult	TOCDFMPF	Phenol	3.4657E-012	4.7557E-011
RCPTR_32	farmer_adult	TOCDFMPF	Pronamide	3.9668E-010	4.5607E-009
RCPTR_32	farmer_adult	TOCDFMPF	Pyrene	2.5164E-007	1.2162E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Selenium	2.8677E-007	2.8811E-007
RCPTR_32	farmer_adult	TOCDFMPF	Silver	5.6595E-006	6.0043E-006
RCPTR_32	farmer_adult	TOCDFMPF	Styrene	5.9583E-013	8.1338E-012
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.4050E-011	2.6277E-011
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.4777E-011	8.4535E-011
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.8124E-010	3.7065E-009
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.5358E-013	3.4821E-012
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.4161E-014	3.2995E-013
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.0682E-008	2.8721E-008
RCPTR_32	farmer_adult	TOCDFMPF	Thallium (l)	1.7107E-006	1.7855E-006
RCPTR_32	farmer_adult	TOCDFMPF	Toluene	4.3041E-014	5.6227E-013
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2601E-011	1.4141E-010
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.5468E-014	2.1315E-013
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1739E-013	1.6296E-012
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethylene	1.9371E-014	2.6501E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.3374E-014	7.3139E-013
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.7660E-009	1.6295E-008
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.3516E-010	3.3837E-009
RCPTR_32	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.3623E-013	6.0319E-012
RCPTR_32	farmer_adult	TOCDFMPF	Vinyl Chloride	1.0423E-017	1.4410E-016
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, m-	7.5035E-013	1.3467E-012
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, o-	6.4853E-013	1.3283E-012
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, p-	7.2597E-013	1.6508E-012
RCPTR_32	farmer_adult	TOCDFMPF	Zinc	4.6807E-006	5.8054E-006
RCPTR_32	farmer_adult	TOCDHVAC	Mustard	4.3286E-013	5.9991E-012
RCPTR_32	farmer_adult	TOCDLIC2	Acenaphthene	1.9518E-010	2.4302E-009
RCPTR_32	farmer_adult	TOCDLIC2	Acetone	6.2336E-015	8.7150E-014
RCPTR_32	farmer_adult	TOCDLIC2	Acetophenone	9.1890E-013	1.2769E-011
RCPTR_32	farmer_adult	TOCDLIC2	Aniline	5.6125E-014	7.6927E-013
RCPTR_32	farmer_adult	TOCDLIC2	Anthracene	3.4846E-009	4.2896E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Antimony	1.4117E-005	1.6390E-005
RCPTR_32	farmer_adult	TOCDLIC2	Arsenic	2.6370E-005	2.7289E-005
RCPTR_32	farmer_adult	TOCDLIC2	Barium	2.1099E-006	2.3599E-006
RCPTR_32	farmer_adult	TOCDLIC2	Benzene	3.5219E-014	4.7933E-013
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.0288E-006	5.6874E-006
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.6949E-005	4.8745E-005
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.4683E-005	2.8983E-005
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	7.2260E-005	7.4442E-005
RCPTR_32	farmer_adult	TOCDLIC2	Benzoic acid	4.0237E-012	3.0963E-011
RCPTR_32	farmer_adult	TOCDLIC2	Benzyl alcohol	2.0148E-010	2.7915E-009
RCPTR_32	farmer_adult	TOCDLIC2	Beryllium	3.5837E-006	3.8144E-006
RCPTR_32	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.2488E-012	1.7457E-011
RCPTR_32	farmer_adult	TOCDLIC2	Bromodichloromethane	1.2434E-015	1.7297E-014
RCPTR_32	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.2472E-012	3.1311E-011
RCPTR_32	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	7.0748E-008	6.7080E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.7326E-008	3.1189E-008
RCPTR_32	farmer_adult	TOCDLIC2	Cadmium	4.3219E-007	5.9317E-007
RCPTR_32	farmer_adult	TOCDLIC2	Carbon disulfide	8.2113E-015	1.1285E-013
RCPTR_32	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6449E-013	2.2331E-012
RCPTR_32	farmer_adult	TOCDLIC2	Chlorine	1.3326E-006	1.8637E-005
RCPTR_32	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.4973E-010	1.4870E-009
RCPTR_32	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.9458E-012	8.1127E-011
RCPTR_32	farmer_adult	TOCDLIC2	Chlorobenzene	6.7447E-014	8.9969E-013
RCPTR_32	farmer_adult	TOCDLIC2	Chloroethane	7.7375E-017	9.2548E-016
RCPTR_32	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	6.4513E-014	8.9614E-013
RCPTR_32	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.9729E-010	6.3448E-009
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.6140E-011	2.2517E-010
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.4187E-009	8.2836E-009
RCPTR_32	farmer_adult	TOCDLIC2	Chromium	1.7384E-005	1.7450E-005
RCPTR_32	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.5640E-005	1.5875E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Chrysene	1.2713E-005	1.4604E-005
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.5758E-008	1.8055E-008
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.2487E+001	8.2487E+001
RCPTR_32	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.0248E-003	1.0412E-003
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.8474E-013	1.0272E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.0048E-012	1.2409E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	9.5029E-013	1.1942E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.1289E-008	3.7979E-008
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.4064E-018	7.3641E-017
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.1556E-016	2.9980E-015
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6534E-015	2.3024E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	8.2445E-017	1.1353E-015
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.2043E-016	1.1282E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.5230E-010	1.0550E-009
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.6725E-015	6.3501E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5585E-015	2.1593E-014
RCPTR_32	farmer_adult	TOCDLIC2	Diethyl phthalate	1.0030E-008	1.0423E-008
RCPTR_32	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.6179E-010	1.9231E-009
RCPTR_32	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.1507E-011	1.5365E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.9474E-011	8.8888E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.3190E-011	1.4203E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	9.4491E-012	1.0922E-010
RCPTR_32	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.3403E-013	3.2686E-012
RCPTR_32	farmer_adult	TOCDLIC2	Ethylbenzene	1.8405E-014	2.1141E-013
RCPTR_32	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.5484E-008	4.0710E-008
RCPTR_32	farmer_adult	TOCDLIC2	Fluoranthene	1.3169E-007	5.7176E-007
RCPTR_32	farmer_adult	TOCDLIC2	Fluorene	8.2367E-010	9.5591E-009
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	8.8181E-011	9.1639E-011
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.8180E-010	2.9069E-010
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.6807E-010	6.9366E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.2009E-010	7.4378E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.4122E-010	4.5995E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.7114E-010	3.8916E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.6728E-010	8.0925E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.6530E-010	7.0152E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.8118E-010	7.1800E-010
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.6141E-010	5.9187E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.1526E-011	2.0207E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.0302E-008	4.0982E-007
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.1860E-011	5.3837E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.8808E-012	1.2325E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.3488E-003	7.3826E-003
RCPTR_32	farmer_adult	TOCDLIC2	Isophorone	1.6831E-012	2.3375E-011
RCPTR_32	farmer_adult	TOCDLIC2	Lead	9.3098E-006	1.0226E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Mercuric chloride	1.4043E-006	1.4544E-006
RCPTR_32	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	9.1516E-017	1.2766E-015
RCPTR_32	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.6197E-016	2.2522E-015
RCPTR_32	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2679E-013	1.7720E-012
RCPTR_32	farmer_adult	TOCDLIC2	Methyl mercury	2.1649E-008	2.2121E-008
RCPTR_32	farmer_adult	TOCDLIC2	Methylene chloride	1.6611E-014	2.3127E-013
RCPTR_32	farmer_adult	TOCDLIC2	Mustard	1.7961E-013	2.4891E-012
RCPTR_32	farmer_adult	TOCDLIC2	Naphthalene	1.1643E-012	1.5269E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nickel	4.1966E-005	4.4696E-005
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.9236E-011	3.9880E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.8396E-012	9.4881E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 4-	8.8934E-012	1.2261E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitrobenzene	2.8289E-012	3.9451E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.2930E-012	1.7963E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.5936E-010	3.1783E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.6309E-012	2.2260E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.6222E-012	2.1880E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.6639E-013	1.9727E-012
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.3409E-010	1.4089E-010
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.3238E-010	1.3894E-010
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.5678E-009	1.6299E-009
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.4259E-010	2.5890E-010
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	9.4406E-010	1.0056E-009
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.0302E-009	7.7097E-009
RCPTR_32	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.9446E-011	6.1101E-010
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorophenol	5.4972E-008	7.4473E-008
RCPTR_32	farmer_adult	TOCDLIC2	Phenanthrene	2.4953E-012	3.0255E-011
RCPTR_32	farmer_adult	TOCDLIC2	Phenol	2.2782E-012	3.1262E-011
RCPTR_32	farmer_adult	TOCDLIC2	Pronamide	2.6076E-010	2.9980E-009
RCPTR_32	farmer_adult	TOCDLIC2	Pyrene	1.6541E-007	7.9946E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Selenium	1.6367E-005	1.6443E-005
RCPTR_32	farmer_adult	TOCDLIC2	Silver	4.1995E-005	4.4553E-005
RCPTR_32	farmer_adult	TOCDLIC2	Styrene	2.6257E-011	3.5845E-010
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0178E-010	2.2047E-010
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.5788E-011	8.5680E-011
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.5061E-010	2.4365E-009
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	8.3878E-015	1.1518E-013
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.1534E-015	4.3064E-014
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	7.0353E-009	1.8915E-008
RCPTR_32	farmer_adult	TOCDLIC2	Thallium (l)	5.5953E-005	5.8401E-005
RCPTR_32	farmer_adult	TOCDLIC2	Toluene	6.4467E-014	8.4217E-013
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	8.2830E-012	9.2955E-011
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.6483E-014	3.6492E-013
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.4006E-014	3.3325E-013
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethylene	3.9612E-015	5.4192E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.1974E-016	7.1221E-015
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.1610E-009	1.0712E-008
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	4.1756E-010	2.2244E-009
RCPTR_32	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	8.9207E-014	1.2335E-012
RCPTR_32	farmer_adult	TOCDLIC2	Vinyl Chloride	3.8171E-018	5.2772E-017
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, m-	1.5604E-012	2.8045E-012
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, o-	1.3487E-012	2.7670E-012
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, p-	1.5099E-012	3.4393E-012
RCPTR_32	farmer_adult	TOCDLIC2	Zinc	1.6454E-005	2.0407E-005
RCPTR_32	farmer_child	TOCDFBRA	Antimony	5.2296E-006	5.6591E-006
RCPTR_32	farmer_child	TOCDFBRA	Arsenic	8.3941E-006	8.5559E-006
RCPTR_32	farmer_child	TOCDFBRA	Barium	7.1237E-007	7.5658E-007
RCPTR_32	farmer_child	TOCDFBRA	Beryllium	2.2662E-006	2.3321E-006
RCPTR_32	farmer_child	TOCDFBRA	Cadmium	4.3420E-007	5.0425E-007
RCPTR_32	farmer_child	TOCDFBRA	Chromium	5.3510E-005	5.4882E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFBRA	Chromium, hexavalent	4.9503E-005	4.9919E-005
RCPTR_32	farmer_child	TOCDFBRA	Lead	2.3457E-005	2.4531E-005
RCPTR_32	farmer_child	TOCDFBRA	Mercuric chloride	2.3380E-003	2.7915E-003
RCPTR_32	farmer_child	TOCDFBRA	Methyl mercury	4.1989E-005	4.3386E-005
RCPTR_32	farmer_child	TOCDFBRA	Nickel	2.7788E-005	2.8706E-005
RCPTR_32	farmer_child	TOCDFBRA	Selenium	9.3594E-006	9.3840E-006
RCPTR_32	farmer_child	TOCDFBRA	Silver	3.1890E-006	3.2959E-006
RCPTR_32	farmer_child	TOCDFBRA	Thallium (l)	8.5940E-005	8.7843E-005
RCPTR_32	farmer_child	TOCDFBRA	Zinc	1.5478E-005	1.7239E-005
RCPTR_32	farmer_child	TOCDFDFS	Acenaphthene	5.5819E-009	1.1589E-008
RCPTR_32	farmer_child	TOCDFDFS	Acetone	6.0917E-014	1.2779E-013
RCPTR_32	farmer_child	TOCDFDFS	Acetophenone	3.0530E-011	6.4013E-011
RCPTR_32	farmer_child	TOCDFDFS	Aniline	1.7515E-012	3.6682E-012
RCPTR_32	farmer_child	TOCDFDFS	Anthracene	9.8643E-008	2.0457E-007
RCPTR_32	farmer_child	TOCDFDFS	Antimony	3.0825E-007	3.3353E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Aroclor 1254	3.3776E-009	4.4158E-009
RCPTR_32	farmer_child	TOCDFDFS	Arsenic	5.7728E-007	5.8839E-007
RCPTR_32	farmer_child	TOCDFDFS	Barium	3.8650E-007	4.1045E-007
RCPTR_32	farmer_child	TOCDFDFS	Benzene	2.1842E-013	4.5715E-013
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.3593E-005	2.7300E-005
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.3147E-004	2.3573E-004
RCPTR_32	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.2928E-004	1.3902E-004
RCPTR_32	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.5509E-004	3.5954E-004
RCPTR_32	farmer_child	TOCDFDFS	Benzoic acid	2.1776E-011	4.2735E-011
RCPTR_32	farmer_child	TOCDFDFS	Benzyl alcohol	3.9688E-011	8.3194E-011
RCPTR_32	farmer_child	TOCDFDFS	Beryllium	3.0657E-007	3.1547E-007
RCPTR_32	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.9680E-011	8.3241E-011
RCPTR_32	farmer_child	TOCDFDFS	Bromodichloromethane	7.0583E-014	1.4801E-013
RCPTR_32	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1291E-011	2.3679E-011
RCPTR_32	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.8589E-006	3.1988E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.4144E-007	1.5183E-007
RCPTR_32	farmer_child	TOCDFDFS	Cadmium	1.2497E-007	1.4511E-007
RCPTR_32	farmer_child	TOCDFDFS	Carbon disulfide	3.8971E-014	8.1636E-014
RCPTR_32	farmer_child	TOCDFDFS	Carbon tetrachloride	6.1825E-014	1.2937E-013
RCPTR_32	farmer_child	TOCDFDFS	Chlorine	1.2311E-012	2.5828E-012
RCPTR_32	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.7635E-009	7.0888E-009
RCPTR_32	farmer_child	TOCDFDFS	Chloroaniline, p-	1.8479E-010	3.8685E-010
RCPTR_32	farmer_child	TOCDFDFS	Chlorobenzene	3.6243E-013	7.5724E-013
RCPTR_32	farmer_child	TOCDFDFS	Chloroethane	1.0315E-015	2.1335E-015
RCPTR_32	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.8699E-014	1.0211E-013
RCPTR_32	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4539E-008	3.0255E-008
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.1190E-010	1.0737E-009
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.1075E-008	3.9525E-008
RCPTR_32	farmer_child	TOCDFDFS	Chromium	9.5367E-006	9.7810E-006
RCPTR_32	farmer_child	TOCDFDFS	Chromium, hexavalent	8.8234E-006	8.8974E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Chrysene	6.6059E-005	7.0015E-005
RCPTR_32	farmer_child	TOCDFDFS	Di-n-butyl phthalate	5.1799E-007	5.5795E-007
RCPTR_32	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.5389E+003	2.5389E+003
RCPTR_32	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	5.0007E-003	5.0371E-003
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.3753E-011	4.8982E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.8522E-011	5.9172E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.7404E-011	5.6946E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.2977E-007	3.6583E-007
RCPTR_32	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.5248E-017	1.7843E-016
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.0376E-014	4.2726E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5310E-014	5.3078E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.7224E-015	1.6179E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2416E-014	2.6009E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.8713E-009	5.0287E-009
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.9952E-014	1.4639E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.3033E-014	4.8281E-014
RCPTR_32	farmer_child	TOCDFDFS	Diethyl phthalate	3.1403E-007	3.2086E-007
RCPTR_32	farmer_child	TOCDFDFS	Dimethyl phthalate	4.6835E-010	9.6795E-010
RCPTR_32	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.5062E-010	7.3264E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.9095E-010	4.2375E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.3127E-010	6.7754E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.5273E-010	5.2089E-010
RCPTR_32	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.4302E-012	1.5586E-011
RCPTR_32	farmer_child	TOCDFDFS	Ethylbenzene	2.2553E-013	4.6458E-013
RCPTR_32	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.4066E-008	2.5900E-008
RCPTR_32	farmer_child	TOCDFDFS	Fluoranthene	1.6233E-006	2.7291E-006
RCPTR_32	farmer_child	TOCDFDFS	Fluorene	2.2107E-008	4.5585E-008
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0701E-011	1.0889E-011
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.9125E-012	9.0397E-012
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.8555E-011	2.9045E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.3281E-010	2.3627E-010
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.4183E-010	1.4451E-010
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.1197E-010	1.1437E-010
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	7.8304E-011	8.0177E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	7.0734E-011	7.2420E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	8.3775E-011	8.5758E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.4368E-011	6.5897E-011
RCPTR_32	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.7873E-010	9.6398E-010
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorobenzene	9.6287E-007	1.9545E-006
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.2880E-009	2.5687E-009
RCPTR_32	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.8300E-010	5.8770E-010
RCPTR_32	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.5235E-002	3.5313E-002
RCPTR_32	farmer_child	TOCDFDFS	Isophorone	5.3161E-011	1.1146E-010
RCPTR_32	farmer_child	TOCDFDFS	Lead	1.8859E-006	1.9722E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Mercuric chloride	5.0319E-007	6.0074E-007
RCPTR_32	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	8.8934E-016	1.8653E-015
RCPTR_32	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.7539E-016	3.6777E-016
RCPTR_32	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.3670E-013	9.1610E-013
RCPTR_32	farmer_child	TOCDFDFS	Methyl mercury	9.0441E-009	9.3445E-009
RCPTR_32	farmer_child	TOCDFDFS	Methylene chloride	2.6278E-014	5.5107E-014
RCPTR_32	farmer_child	TOCDFDFS	Mustard	3.0970E-012	6.4923E-012
RCPTR_32	farmer_child	TOCDFDFS	Naphthalene	2.2584E-010	4.7113E-010
RCPTR_32	farmer_child	TOCDFDFS	Nickel	4.0707E-005	4.2051E-005
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.0836E-010	1.9016E-009
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.1580E-010	4.5241E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.7904E-010	5.8466E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitrobenzene	8.9693E-011	1.8812E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.0852E-011	8.5653E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.0880E-009	1.5139E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.0700E-011	1.0614E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.9887E-011	1.0433E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.5599E-012	9.4146E-012
RCPTR_32	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.8013E-011	1.8416E-011
RCPTR_32	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.8982E-011	1.9397E-011
RCPTR_32	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	4.0636E-010	4.1347E-010
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.0908E-011	5.2383E-011
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.0973E-010	2.1564E-010
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorobenzene	3.7759E-009	7.3598E-009
RCPTR_32	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.5213E-009	2.9230E-009
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorophenol	1.5132E-006	1.7757E-006
RCPTR_32	farmer_child	TOCDFDFS	Phenanthrene	6.9667E-011	1.4427E-010
RCPTR_32	farmer_child	TOCDFDFS	Phenol	7.1172E-011	1.4907E-010
RCPTR_32	farmer_child	TOCDFDFS	Pronamide	6.9392E-009	1.4296E-008
RCPTR_32	farmer_child	TOCDFDFS	Pyrene	2.4912E-006	3.8136E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Selenium	6.4368E-007	6.4537E-007
RCPTR_32	farmer_child	TOCDFDFS	Silver	4.3338E-006	4.4788E-006
RCPTR_32	farmer_child	TOCDFDFS	Styrene	2.6492E-012	5.5462E-012
RCPTR_32	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2606E-010	1.3098E-010
RCPTR_32	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.8120E-011	4.0169E-011
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.7435E-009	1.1618E-008
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.3220E-010	2.6090E-010
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.4299E-014	1.5555E-013
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.8205E-008	9.0132E-008
RCPTR_32	farmer_child	TOCDFDFS	Thallium (l)	5.7836E-004	5.9114E-004
RCPTR_32	farmer_child	TOCDFDFS	Toluene	9.9806E-014	2.0814E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.1571E-010	4.4328E-010
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.1882E-014	1.2966E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.6643E-013	7.6824E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethylene	5.9663E-014	1.2493E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.2398E-015	1.7256E-014
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.5405E-008	5.1074E-008
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.8891E-008	5.3301E-008
RCPTR_32	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.3568E-012	2.8436E-012
RCPTR_32	farmer_child	TOCDFDFS	Vinyl Chloride	1.9367E-017	4.0589E-017
RCPTR_32	farmer_child	TOCDFDFS	Xylene, m-	1.1364E-012	1.4999E-012
RCPTR_32	farmer_child	TOCDFDFS	Xylene, o-	9.2526E-013	1.2873E-012
RCPTR_32	farmer_child	TOCDFDFS	Xylene, p-	1.2620E-012	1.8258E-012
RCPTR_32	farmer_child	TOCDFDFS	Zinc	2.0071E-006	2.2352E-006
RCPTR_32	farmer_child	TOCDFLIC	Acenaphthene	1.1705E-009	2.4302E-009
RCPTR_32	farmer_child	TOCDFLIC	Acetone	4.1543E-014	8.7150E-014
RCPTR_32	farmer_child	TOCDFLIC	Acetophenone	6.0899E-012	1.2769E-011
RCPTR_32	farmer_child	TOCDFLIC	Aniline	3.6732E-013	7.6927E-013
RCPTR_32	farmer_child	TOCDFLIC	Anthracene	2.0683E-008	4.2896E-008
RCPTR_32	farmer_child	TOCDFLIC	Antimony	1.5148E-005	1.6390E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Arsenic	2.6774E-005	2.7289E-005
RCPTR_32	farmer_child	TOCDFLIC	Barium	2.2223E-006	2.3599E-006
RCPTR_32	farmer_child	TOCDFLIC	Benzene	2.2901E-013	4.7933E-013
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.9114E-006	5.6874E-006
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.7873E-005	4.8745E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.6946E-005	2.8983E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	7.3543E-005	7.4442E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzoic acid	1.5779E-011	3.0963E-011
RCPTR_32	farmer_child	TOCDFLIC	Benzyl alcohol	1.3317E-009	2.7915E-009
RCPTR_32	farmer_child	TOCDFLIC	Beryllium	3.7068E-006	3.8144E-006
RCPTR_32	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	8.3214E-012	1.7457E-011
RCPTR_32	farmer_child	TOCDFLIC	Bromodichloromethane	8.2486E-015	1.7297E-014
RCPTR_32	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.4930E-011	3.1311E-011
RCPTR_32	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.8981E-007	6.7080E-007
RCPTR_32	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.9012E-008	3.1189E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Cadmium	5.1086E-007	5.9317E-007
RCPTR_32	farmer_child	TOCDFLIC	Carbon disulfide	5.3872E-014	1.1285E-013
RCPTR_32	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0672E-012	2.2331E-012
RCPTR_32	farmer_child	TOCDFLIC	Chlorine	8.8837E-006	1.8637E-005
RCPTR_32	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.8961E-010	1.4870E-009
RCPTR_32	farmer_child	TOCDFLIC	Chloroaniline, p-	3.8752E-011	8.1127E-011
RCPTR_32	farmer_child	TOCDFLIC	Chlorobenzene	4.3061E-013	8.9969E-013
RCPTR_32	farmer_child	TOCDFLIC	Chloroethane	4.4746E-016	9.2548E-016
RCPTR_32	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.2741E-013	8.9614E-013
RCPTR_32	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.0490E-009	6.3448E-009
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.0735E-010	2.2517E-010
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.4143E-009	8.2836E-009
RCPTR_32	farmer_child	TOCDFLIC	Chromium	1.7015E-005	1.7450E-005
RCPTR_32	farmer_child	TOCDFLIC	Chromium, hexavalent	1.5743E-005	1.5875E-005
RCPTR_32	farmer_child	TOCDFLIC	Chrysene	1.3778E-005	1.4604E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.6760E-008	1.8055E-008
RCPTR_32	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.2487E+001	8.2487E+001
RCPTR_32	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.0341E-003	1.0412E-003
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.9810E-012	1.0272E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.9812E-012	1.2409E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.7468E-012	1.1942E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.4208E-008	3.7979E-008
RCPTR_32	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.5182E-017	7.3641E-017
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.4297E-015	2.9980E-015
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0979E-014	2.3024E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.4186E-016	1.1353E-015
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.3856E-015	1.1282E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	6.0257E-010	1.0550E-009
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.0343E-014	6.3501E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0301E-014	2.1593E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Diethyl phthalate	1.0201E-008	1.0423E-008
RCPTR_32	farmer_child	TOCDFLIC	Dimethyl phthalate	9.3038E-010	1.9231E-009
RCPTR_32	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	7.3532E-011	1.5365E-010
RCPTR_32	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.1037E-011	8.8888E-011
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.9410E-011	1.4203E-010
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.2987E-011	1.0922E-010
RCPTR_32	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.5582E-012	3.2686E-012
RCPTR_32	farmer_child	TOCDFLIC	Ethylbenzene	1.0263E-013	2.1141E-013
RCPTR_32	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.7764E-008	4.0710E-008
RCPTR_32	farmer_child	TOCDFLIC	Fluoranthene	3.3989E-007	5.7176E-007
RCPTR_32	farmer_child	TOCDFLIC	Fluorene	4.6355E-009	9.5591E-009
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	9.0083E-011	9.1639E-011
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.8669E-010	2.9069E-010
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.8216E-010	6.9366E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.3312E-010	7.4378E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.5154E-010	4.5995E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.8107E-010	3.8916E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	7.9042E-010	8.0925E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.8526E-010	7.0152E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	7.0148E-010	7.1800E-010
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.7820E-010	5.9187E-010
RCPTR_32	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.0031E-010	2.0207E-010
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorobenzene	2.0187E-007	4.0982E-007
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.6979E-010	5.3837E-010
RCPTR_32	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.9352E-011	1.2325E-010
RCPTR_32	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.3672E-003	7.3826E-003
RCPTR_32	farmer_child	TOCDFLIC	Isophorone	1.1148E-011	2.3375E-011
RCPTR_32	farmer_child	TOCDFLIC	Lead	9.7791E-006	1.0226E-005
RCPTR_32	farmer_child	TOCDFLIC	Mercuric chloride	1.2152E-006	1.4544E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	6.0864E-016	1.2766E-015
RCPTR_32	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0741E-015	2.2522E-015
RCPTR_32	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.4472E-013	1.7720E-012
RCPTR_32	farmer_child	TOCDFLIC	Methyl mercury	2.1384E-008	2.2121E-008
RCPTR_32	farmer_child	TOCDFLIC	Methylene chloride	1.1028E-013	2.3127E-013
RCPTR_32	farmer_child	TOCDFLIC	Mustard	1.1422E-012	2.3943E-012
RCPTR_32	farmer_child	TOCDFLIC	Naphthalene	7.3192E-012	1.5269E-011
RCPTR_32	farmer_child	TOCDFLIC	Nickel	4.3268E-005	4.4696E-005
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.9050E-010	3.9880E-010
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.5258E-011	9.4881E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.8517E-011	1.2261E-010
RCPTR_32	farmer_child	TOCDFLIC	Nitrobenzene	1.8810E-011	3.9451E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.5670E-012	1.7963E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.2851E-011	3.1783E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0633E-011	2.2260E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.0462E-011	2.1880E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	9.5461E-013	1.9727E-012
RCPTR_32	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.3783E-010	1.4089E-010
RCPTR_32	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.3598E-010	1.3894E-010
RCPTR_32	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.6022E-009	1.6299E-009
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.5161E-010	2.5890E-010
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.7806E-010	1.0056E-009
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorobenzene	3.9449E-009	7.7097E-009
RCPTR_32	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.1704E-010	6.1101E-010
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorophenol	6.3482E-008	7.4473E-008
RCPTR_32	farmer_child	TOCDFLIC	Phenanthrene	1.4609E-011	3.0255E-011
RCPTR_32	farmer_child	TOCDFLIC	Phenol	1.4926E-011	3.1262E-011
RCPTR_32	farmer_child	TOCDFLIC	Pronamide	1.4552E-009	2.9980E-009
RCPTR_32	farmer_child	TOCDFLIC	Pyrene	5.2215E-007	7.9946E-007
RCPTR_32	farmer_child	TOCDFLIC	Selenium	1.6400E-005	1.6443E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Silver	4.3111E-005	4.4553E-005
RCPTR_32	farmer_child	TOCDFLIC	Styrene	1.7122E-010	3.5845E-010
RCPTR_32	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.1216E-010	2.2047E-010
RCPTR_32	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	8.1289E-011	8.5680E-011
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.2045E-009	2.4365E-009
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.4989E-014	1.1518E-013
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.0569E-014	4.3064E-014
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.2219E-008	1.8915E-008
RCPTR_32	farmer_child	TOCDFLIC	Thallium (l)	5.7138E-005	5.8401E-005
RCPTR_32	farmer_child	TOCDFLIC	Toluene	4.0383E-013	8.4217E-013
RCPTR_32	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.5231E-011	9.2955E-011
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.7417E-013	3.6492E-013
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.5895E-013	3.3325E-013
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethylene	2.5880E-014	5.4192E-014
RCPTR_32	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.4008E-015	7.1221E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.3287E-009	1.0712E-008
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.2060E-009	2.2244E-009
RCPTR_32	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.8854E-013	1.2335E-012
RCPTR_32	farmer_child	TOCDFLIC	Vinyl Chloride	2.5179E-017	5.2772E-017
RCPTR_32	farmer_child	TOCDFLIC	Xylene, m-	1.0121E-012	1.3496E-012
RCPTR_32	farmer_child	TOCDFLIC	Xylene, o-	9.4687E-013	1.3316E-012
RCPTR_32	farmer_child	TOCDFLIC	Xylene, p-	1.1318E-012	1.6551E-012
RCPTR_32	farmer_child	TOCDFLIC	Zinc	1.8326E-005	2.0407E-005
RCPTR_32	farmer_child	TOCDFMPF	Acenaphthene	1.7806E-009	3.6970E-009
RCPTR_32	farmer_child	TOCDFMPF	Acetone	1.5100E-013	3.1677E-013
RCPTR_32	farmer_child	TOCDFMPF	Acetophenone	9.7052E-012	2.0349E-011
RCPTR_32	farmer_child	TOCDFMPF	Aniline	5.5878E-013	1.1702E-012
RCPTR_32	farmer_child	TOCDFMPF	Anthracene	3.1464E-008	6.5256E-008
RCPTR_32	farmer_child	TOCDFMPF	Antimony	2.0627E-007	2.2319E-007
RCPTR_32	farmer_child	TOCDFMPF	Aroclor 1254	1.9632E-009	2.5758E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Arsenic	1.3907E-006	1.4175E-006
RCPTR_32	farmer_child	TOCDFMPF	Barium	1.5736E-006	1.6711E-006
RCPTR_32	farmer_child	TOCDFMPF	Benzene	2.0368E-013	4.2629E-013
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)anthracene	7.4746E-006	8.6552E-006
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)pyrene	7.2884E-005	7.4212E-005
RCPTR_32	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	4.1006E-005	4.4105E-005
RCPTR_32	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.1196E-004	1.1333E-004
RCPTR_32	farmer_child	TOCDFMPF	Benzoic acid	6.9484E-011	1.3635E-010
RCPTR_32	farmer_child	TOCDFMPF	Benzyl alcohol	1.2661E-011	2.6541E-011
RCPTR_32	farmer_child	TOCDFMPF	Beryllium	1.2627E-007	1.2993E-007
RCPTR_32	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.2659E-011	2.6556E-011
RCPTR_32	farmer_child	TOCDFMPF	Bromodichloromethane	2.4937E-013	5.2291E-013
RCPTR_32	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.6784E-012	1.8201E-011
RCPTR_32	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.9299E-007	1.0204E-006
RCPTR_32	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.4190E-008	4.7503E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Cadmium	2.3307E-006	2.7062E-006
RCPTR_32	farmer_child	TOCDFMPF	Carbon disulfide	1.9599E-014	4.1056E-014
RCPTR_32	farmer_child	TOCDFMPF	Carbon tetrachloride	1.8498E-013	3.8709E-013
RCPTR_32	farmer_child	TOCDFMPF	Chlorine	1.6286E-006	3.4167E-006
RCPTR_32	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2012E-009	2.2620E-009
RCPTR_32	farmer_child	TOCDFMPF	Chloroaniline, p-	5.8951E-011	1.2341E-010
RCPTR_32	farmer_child	TOCDFMPF	Chlorobenzene	7.6879E-013	1.6063E-012
RCPTR_32	farmer_child	TOCDFMPF	Chloroethane	4.3878E-015	9.0753E-015
RCPTR_32	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.3375E-013	2.8043E-013
RCPTR_32	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.6382E-009	9.6519E-009
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.6331E-010	3.4253E-010
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.7157E-009	1.2602E-008
RCPTR_32	farmer_child	TOCDFMPF	Chromium	3.2262E-006	3.3088E-006
RCPTR_32	farmer_child	TOCDFMPF	Chromium, hexavalent	2.9850E-006	3.0100E-006
RCPTR_32	farmer_child	TOCDFMPF	Chrysene	2.0966E-005	2.2223E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.6499E-007	1.7774E-007
RCPTR_32	farmer_child	TOCDFMPF	Di-n-octylphthalate	8.1184E+002	8.1184E+002
RCPTR_32	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.5743E-003	1.5853E-003
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.5772E-012	1.5626E-011
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	9.0987E-012	1.8877E-011
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	8.7422E-012	1.8167E-011
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.0445E-007	1.1596E-007
RCPTR_32	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.8795E-016	6.0272E-016
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.3222E-014	9.0632E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.3687E-014	1.1259E-013
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.6381E-014	3.4320E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.6336E-014	5.5171E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	9.1662E-010	1.6049E-009
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.4838E-013	3.1053E-013
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.8857E-014	1.0241E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Diethyl phthalate	1.0040E-007	1.0258E-007
RCPTR_32	farmer_child	TOCDFMPF	Dimethyl phthalate	9.8864E-011	2.0435E-010
RCPTR_32	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.1186E-010	2.3373E-010
RCPTR_32	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	9.2682E-011	1.3497E-010
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.0559E-010	2.1606E-010
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	8.0607E-011	1.6615E-010
RCPTR_32	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.3704E-012	4.9723E-012
RCPTR_32	farmer_child	TOCDFMPF	Ethylbenzene	4.7837E-013	9.8544E-013
RCPTR_32	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.8071E-009	7.3372E-009
RCPTR_32	farmer_child	TOCDFMPF	Fluoranthene	5.1709E-007	8.6983E-007
RCPTR_32	farmer_child	TOCDFMPF	Fluorene	7.0517E-009	1.4542E-008
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.5047E-010	3.5653E-010
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.4976E-010	4.5603E-010
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.9693E-010	8.1037E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0888E-010	2.1191E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0017E-010	1.0204E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.9901E-011	9.1810E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.5595E-010	1.5967E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.6017E-011	6.7584E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.8247E-011	5.9620E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.2249E-011	5.3485E-011
RCPTR_32	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.5260E-010	3.0741E-010
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorobenzene	3.0710E-007	6.2344E-007
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.1044E-010	8.1901E-010
RCPTR_32	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.0287E-011	1.8749E-010
RCPTR_32	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.1209E-002	1.1233E-002
RCPTR_32	farmer_child	TOCDFMPF	Isophorone	1.6959E-011	3.5558E-011
RCPTR_32	farmer_child	TOCDFMPF	Lead	1.1281E-006	1.1797E-006
RCPTR_32	farmer_child	TOCDFMPF	Mercuric chloride	2.0578E-005	2.4625E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.1339E-015	6.5732E-015
RCPTR_32	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.8244E-016	3.8256E-016
RCPTR_32	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.7047E-013	3.5760E-013
RCPTR_32	farmer_child	TOCDFMPF	Methyl mercury	3.6257E-007	3.7504E-007
RCPTR_32	farmer_child	TOCDFMPF	Methylene chloride	8.6306E-014	1.8099E-013
RCPTR_32	farmer_child	TOCDFMPF	Mustard	8.0874E-012	1.6953E-011
RCPTR_32	farmer_child	TOCDFMPF	Naphthalene	7.2045E-011	1.5030E-010
RCPTR_32	farmer_child	TOCDFMPF	Nickel	2.7113E-005	2.8007E-005
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.8927E-010	6.0556E-010
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.8723E-011	1.4407E-010
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 4-	8.8856E-011	1.8618E-010
RCPTR_32	farmer_child	TOCDFMPF	Nitrobenzene	2.8614E-011	6.0014E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.3032E-011	2.7325E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.4696E-010	4.8259E-010
RCPTR_32	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.6174E-011	3.3862E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.5915E-011	3.3284E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.4523E-012	3.0011E-012
RCPTR_32	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	8.7582E-009	8.9528E-009
RCPTR_32	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.5404E-008	1.5738E-008
RCPTR_32	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.3483E-011	8.4927E-011
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.0891E-010	1.1207E-010
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	6.5419E-011	6.7263E-011
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorobenzene	1.1984E-009	2.3417E-009
RCPTR_32	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.8159E-010	9.2797E-010
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorophenol	4.8280E-007	5.6640E-007
RCPTR_32	farmer_child	TOCDFMPF	Phenanthrene	2.2223E-011	4.6025E-011
RCPTR_32	farmer_child	TOCDFMPF	Phenol	2.2706E-011	4.7557E-011
RCPTR_32	farmer_child	TOCDFMPF	Pronamide	2.2137E-009	4.5607E-009
RCPTR_32	farmer_child	TOCDFMPF	Pyrene	7.9434E-007	1.2162E-006
RCPTR_32	farmer_child	TOCDFMPF	Selenium	2.8736E-007	2.8811E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Silver	5.8100E-006	6.0043E-006
RCPTR_32	farmer_child	TOCDFMPF	Styrene	3.8851E-012	8.1338E-012
RCPTR_32	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.5287E-011	2.6277E-011
RCPTR_32	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	8.0204E-011	8.4535E-011
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.8323E-009	3.7065E-009
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.6624E-012	3.4821E-012
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.5760E-013	3.2995E-013
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8554E-008	2.8721E-008
RCPTR_32	farmer_child	TOCDFMPF	Thallium (l)	1.7469E-006	1.7855E-006
RCPTR_32	farmer_child	TOCDFMPF	Toluene	2.6962E-013	5.6227E-013
RCPTR_32	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.8808E-011	1.4141E-010
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.0173E-013	2.1315E-013
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	7.7728E-013	1.6296E-012
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethylene	1.2656E-013	2.6501E-013
RCPTR_32	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.4924E-013	7.3139E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	8.1061E-009	1.6295E-008
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.8345E-009	3.3837E-009
RCPTR_32	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.8780E-012	6.0319E-012
RCPTR_32	farmer_child	TOCDFMPF	Vinyl Chloride	6.8753E-017	1.4410E-016
RCPTR_32	farmer_child	TOCDFMPF	Xylene, m-	1.0106E-012	1.3467E-012
RCPTR_32	farmer_child	TOCDFMPF	Xylene, o-	9.4517E-013	1.3283E-012
RCPTR_32	farmer_child	TOCDFMPF	Xylene, p-	1.1295E-012	1.6508E-012
RCPTR_32	farmer_child	TOCDFMPF	Zinc	5.2132E-006	5.8054E-006
RCPTR_32	farmer_child	TOCDHVAC	Mustard	2.8618E-012	5.9991E-012
RCPTR_32	farmer_child	TOCDLIC2	Acenaphthene	1.1705E-009	2.4302E-009
RCPTR_32	farmer_child	TOCDLIC2	Acetone	4.1543E-014	8.7150E-014
RCPTR_32	farmer_child	TOCDLIC2	Acetophenone	6.0899E-012	1.2769E-011
RCPTR_32	farmer_child	TOCDLIC2	Aniline	3.6732E-013	7.6927E-013
RCPTR_32	farmer_child	TOCDLIC2	Anthracene	2.0683E-008	4.2896E-008
RCPTR_32	farmer_child	TOCDLIC2	Antimony	1.5148E-005	1.6390E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Arsenic	2.6774E-005	2.7289E-005
RCPTR_32	farmer_child	TOCDLIC2	Barium	2.2223E-006	2.3599E-006
RCPTR_32	farmer_child	TOCDLIC2	Benzene	2.2901E-013	4.7933E-013
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.9114E-006	5.6874E-006
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.7873E-005	4.8745E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.6946E-005	2.8983E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	7.3543E-005	7.4442E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzoic acid	1.5779E-011	3.0963E-011
RCPTR_32	farmer_child	TOCDLIC2	Benzyl alcohol	1.3317E-009	2.7915E-009
RCPTR_32	farmer_child	TOCDLIC2	Beryllium	3.7068E-006	3.8144E-006
RCPTR_32	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	8.3214E-012	1.7457E-011
RCPTR_32	farmer_child	TOCDLIC2	Bromodichloromethane	8.2486E-015	1.7297E-014
RCPTR_32	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.4930E-011	3.1311E-011
RCPTR_32	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.8981E-007	6.7080E-007
RCPTR_32	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.9012E-008	3.1189E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Cadmium	5.1086E-007	5.9317E-007
RCPTR_32	farmer_child	TOCDLIC2	Carbon disulfide	5.3872E-014	1.1285E-013
RCPTR_32	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0672E-012	2.2331E-012
RCPTR_32	farmer_child	TOCDLIC2	Chlorine	8.8837E-006	1.8637E-005
RCPTR_32	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.8961E-010	1.4870E-009
RCPTR_32	farmer_child	TOCDLIC2	Chloroaniline, p-	3.8752E-011	8.1127E-011
RCPTR_32	farmer_child	TOCDLIC2	Chlorobenzene	4.3061E-013	8.9969E-013
RCPTR_32	farmer_child	TOCDLIC2	Chloroethane	4.4746E-016	9.2548E-016
RCPTR_32	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.2741E-013	8.9614E-013
RCPTR_32	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.0490E-009	6.3448E-009
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.0735E-010	2.2517E-010
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.4143E-009	8.2836E-009
RCPTR_32	farmer_child	TOCDLIC2	Chromium	1.7015E-005	1.7450E-005
RCPTR_32	farmer_child	TOCDLIC2	Chromium, hexavalent	1.5743E-005	1.5875E-005
RCPTR_32	farmer_child	TOCDLIC2	Chrysene	1.3778E-005	1.4604E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.6760E-008	1.8055E-008
RCPTR_32	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.2487E+001	8.2487E+001
RCPTR_32	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.0341E-003	1.0412E-003
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.9810E-012	1.0272E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.9812E-012	1.2409E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.7468E-012	1.1942E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.4208E-008	3.7979E-008
RCPTR_32	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.5182E-017	7.3641E-017
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.4297E-015	2.9980E-015
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0979E-014	2.3024E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.4186E-016	1.1353E-015
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.3856E-015	1.1282E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	6.0257E-010	1.0550E-009
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.0343E-014	6.3501E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0301E-014	2.1593E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Diethyl phthalate	1.0201E-008	1.0423E-008
RCPTR_32	farmer_child	TOCDLIC2	Dimethyl phthalate	9.3038E-010	1.9231E-009
RCPTR_32	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	7.3532E-011	1.5365E-010
RCPTR_32	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.1037E-011	8.8888E-011
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.9410E-011	1.4203E-010
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.2987E-011	1.0922E-010
RCPTR_32	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.5582E-012	3.2686E-012
RCPTR_32	farmer_child	TOCDLIC2	Ethylbenzene	1.0263E-013	2.1141E-013
RCPTR_32	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.7764E-008	4.0710E-008
RCPTR_32	farmer_child	TOCDLIC2	Fluoranthene	3.3989E-007	5.7176E-007
RCPTR_32	farmer_child	TOCDLIC2	Fluorene	4.6355E-009	9.5591E-009
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	9.0083E-011	9.1639E-011
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.8669E-010	2.9069E-010
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.8216E-010	6.9366E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.3312E-010	7.4378E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.5154E-010	4.5995E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.8107E-010	3.8916E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.9042E-010	8.0925E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.8526E-010	7.0152E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	7.0148E-010	7.1800E-010
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.7820E-010	5.9187E-010
RCPTR_32	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0031E-010	2.0207E-010
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorobenzene	2.0187E-007	4.0982E-007
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.6979E-010	5.3837E-010
RCPTR_32	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.9352E-011	1.2325E-010
RCPTR_32	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.3672E-003	7.3826E-003
RCPTR_32	farmer_child	TOCDLIC2	Isophorone	1.1148E-011	2.3375E-011
RCPTR_32	farmer_child	TOCDLIC2	Lead	9.7791E-006	1.0226E-005
RCPTR_32	farmer_child	TOCDLIC2	Mercuric chloride	1.2152E-006	1.4544E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	6.0864E-016	1.2766E-015
RCPTR_32	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.0741E-015	2.2522E-015
RCPTR_32	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.4472E-013	1.7720E-012
RCPTR_32	farmer_child	TOCDLIC2	Methyl mercury	2.1384E-008	2.2121E-008
RCPTR_32	farmer_child	TOCDLIC2	Methylene chloride	1.1028E-013	2.3127E-013
RCPTR_32	farmer_child	TOCDLIC2	Mustard	1.1874E-012	2.4891E-012
RCPTR_32	farmer_child	TOCDLIC2	Naphthalene	7.3192E-012	1.5269E-011
RCPTR_32	farmer_child	TOCDLIC2	Nickel	4.3268E-005	4.4696E-005
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.9050E-010	3.9880E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.5258E-011	9.4881E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.8517E-011	1.2261E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitrobenzene	1.8810E-011	3.9451E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 2-	8.5670E-012	1.7963E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.2851E-010	3.1783E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0633E-011	2.2260E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.0462E-011	2.1880E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	9.5461E-013	1.9727E-012
RCPTR_32	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.3783E-010	1.4089E-010
RCPTR_32	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.3598E-010	1.3894E-010
RCPTR_32	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.6022E-009	1.6299E-009
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.5161E-010	2.5890E-010
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	9.7806E-010	1.0056E-009
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorobenzene	3.9449E-009	7.7097E-009
RCPTR_32	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.1704E-010	6.1101E-010
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorophenol	6.3482E-008	7.4473E-008
RCPTR_32	farmer_child	TOCDLIC2	Phenanthrene	1.4609E-011	3.0255E-011
RCPTR_32	farmer_child	TOCDLIC2	Phenol	1.4926E-011	3.1262E-011
RCPTR_32	farmer_child	TOCDLIC2	Pronamide	1.4552E-009	2.9980E-009
RCPTR_32	farmer_child	TOCDLIC2	Pyrene	5.2215E-007	7.9946E-007
RCPTR_32	farmer_child	TOCDLIC2	Selenium	1.6400E-005	1.6443E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Silver	4.3111E-005	4.4553E-005
RCPTR_32	farmer_child	TOCDLIC2	Styrene	1.7122E-010	3.5845E-010
RCPTR_32	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.1216E-010	2.2047E-010
RCPTR_32	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	8.1289E-011	8.5680E-011
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.2045E-009	2.4365E-009
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.4989E-014	1.1518E-013
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.0569E-014	4.3064E-014
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.2219E-008	1.8915E-008
RCPTR_32	farmer_child	TOCDLIC2	Thallium (l)	5.7138E-005	5.8401E-005
RCPTR_32	farmer_child	TOCDLIC2	Toluene	4.0383E-013	8.4217E-013
RCPTR_32	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.5231E-011	9.2955E-011
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.7417E-013	3.6492E-013
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.5895E-013	3.3325E-013
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethylene	2.5880E-014	5.4192E-014
RCPTR_32	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.4008E-015	7.1221E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.3287E-009	1.0712E-008
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2060E-009	2.2244E-009
RCPTR_32	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.8854E-013	1.2335E-012
RCPTR_32	farmer_child	TOCDLIC2	Vinyl Chloride	2.5179E-017	5.2772E-017
RCPTR_32	farmer_child	TOCDLIC2	Xylene, m-	2.1033E-012	2.8045E-012
RCPTR_32	farmer_child	TOCDLIC2	Xylene, o-	1.9676E-012	2.7670E-012
RCPTR_32	farmer_child	TOCDLIC2	Xylene, p-	2.3518E-012	3.4393E-012
RCPTR_32	farmer_child	TOCDLIC2	Zinc	1.8326E-005	2.0407E-005
RCPTR_33	farmer_adult	TOCDFBRA	Antimony	2.8844E-006	3.3516E-006
RCPTR_33	farmer_adult	TOCDFBRA	Arsenic	4.8932E-006	5.0648E-006
RCPTR_33	farmer_adult	TOCDFBRA	Barium	4.0030E-007	4.4802E-007
RCPTR_33	farmer_adult	TOCDFBRA	Beryllium	1.2969E-006	1.3809E-006
RCPTR_33	farmer_adult	TOCDFBRA	Cadmium	2.1739E-007	2.9882E-007
RCPTR_33	farmer_adult	TOCDFBRA	Chromium	3.2374E-005	3.2498E-005
RCPTR_33	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.9110E-005	2.9548E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFBRA	Lead	1.3221E-005	1.4529E-005
RCPTR_33	farmer_adult	TOCDFBRA	Mercuric chloride	1.6297E-003	1.6872E-003
RCPTR_33	farmer_adult	TOCDFBRA	Methyl mercury	2.5540E-005	2.6083E-005
RCPTR_33	farmer_adult	TOCDFBRA	Nickel	1.5952E-005	1.6996E-005
RCPTR_33	farmer_adult	TOCDFBRA	Selenium	5.5284E-006	5.5544E-006
RCPTR_33	farmer_adult	TOCDFBRA	Silver	1.8386E-006	1.9513E-006
RCPTR_33	farmer_adult	TOCDFBRA	Thallium (l)	4.9811E-005	5.2003E-005
RCPTR_33	farmer_adult	TOCDFBRA	Zinc	8.2249E-006	1.0212E-005
RCPTR_33	farmer_adult	TOCDFDFS	Acenaphthene	9.5149E-010	1.1863E-008
RCPTR_33	farmer_adult	TOCDFDFS	Acetone	9.3589E-015	1.3084E-013
RCPTR_33	farmer_adult	TOCDFDFS	Acetophenone	4.7162E-012	6.5540E-011
RCPTR_33	farmer_adult	TOCDFDFS	Aniline	2.7396E-013	3.7557E-012
RCPTR_33	farmer_adult	TOCDFDFS	Anthracene	1.6976E-008	2.0939E-007
RCPTR_33	farmer_adult	TOCDFDFS	Antimony	2.5177E-007	2.9250E-007
RCPTR_33	farmer_adult	TOCDFDFS	Aroclor 1254	2.4974E-009	4.3830E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Arsenic	4.9829E-007	5.1575E-007
RCPTR_33	farmer_adult	TOCDFDFS	Barium	3.2161E-007	3.5990E-007
RCPTR_33	farmer_adult	TOCDFDFS	Benzene	3.4383E-014	4.6805E-013
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.9344E-005	2.7421E-005
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.2390E-004	2.3239E-004
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.1881E-004	1.3972E-004
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	3.4530E-004	3.5548E-004
RCPTR_33	farmer_adult	TOCDFDFS	Benzoic acid	5.6747E-012	4.3747E-011
RCPTR_33	farmer_adult	TOCDFDFS	Benzyl alcohol	6.1474E-012	8.5179E-011
RCPTR_33	farmer_adult	TOCDFDFS	Beryllium	2.5980E-007	2.7660E-007
RCPTR_33	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.0966E-012	8.5227E-011
RCPTR_33	farmer_adult	TOCDFDFS	Bromodichloromethane	1.0893E-014	1.5154E-013
RCPTR_33	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.7399E-012	2.4244E-011
RCPTR_33	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.4525E-007	3.2748E-006
RCPTR_33	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.2868E-007	1.4753E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Cadmium	9.2666E-008	1.2734E-007
RCPTR_33	farmer_adult	TOCDFDFS	Carbon disulfide	6.0809E-015	8.3583E-014
RCPTR_33	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.7540E-015	1.3246E-013
RCPTR_33	farmer_adult	TOCDFDFS	Chlorine	1.8907E-013	2.6444E-012
RCPTR_33	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.2165E-009	7.2569E-009
RCPTR_33	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.9024E-011	3.9607E-010
RCPTR_33	farmer_adult	TOCDFDFS	Chlorobenzene	5.8094E-014	7.7527E-013
RCPTR_33	farmer_adult	TOCDFDFS	Chloroethane	1.8253E-016	2.1843E-015
RCPTR_33	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	7.5258E-015	1.0454E-013
RCPTR_33	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.4257E-009	3.0974E-008
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.8796E-011	1.0993E-009
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.8670E-009	4.0383E-008
RCPTR_33	farmer_adult	TOCDFDFS	Chromium	8.5432E-006	8.5759E-006
RCPTR_33	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.6827E-006	7.7983E-006
RCPTR_33	farmer_adult	TOCDFDFS	Chrysene	6.1256E-005	7.0439E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.9360E-007	5.6616E-007
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.5970E+003	2.5970E+003
RCPTR_33	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.8901E-003	4.9636E-003
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.3126E-012	5.0142E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.9003E-012	6.0577E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.6351E-012	5.8299E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9925E-007	3.6437E-007
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.3399E-017	1.8267E-016
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.1452E-015	4.3745E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.9023E-015	5.4343E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.2029E-015	1.6565E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.9363E-015	2.6629E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.2284E-009	5.1473E-009
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.1026E-014	1.4988E-013
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.5671E-015	4.9432E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Diethyl phthalate	3.1574E-007	3.2816E-007
RCPTR_33	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.3107E-011	9.9064E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.6172E-011	7.5011E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.9172E-010	4.3295E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.3929E-011	6.9292E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.5993E-011	5.3310E-010
RCPTR_33	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.1426E-012	1.5958E-011
RCPTR_33	farmer_adult	TOCDFDFS	Ethylbenzene	4.1332E-014	4.7557E-013
RCPTR_33	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.1733E-008	2.5056E-008
RCPTR_33	farmer_adult	TOCDFDFS	Fluoranthene	6.3697E-007	2.7851E-006
RCPTR_33	farmer_adult	TOCDFDFS	Fluorene	4.0126E-009	4.6661E-008
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.7485E-012	1.0124E-011
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.3539E-012	8.6103E-012
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.6142E-011	2.7123E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.1888E-010	2.2591E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.2913E-010	1.3452E-010
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	9.9680E-011	1.0448E-010
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.9564E-011	7.3369E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	6.2951E-011	6.6376E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	7.4815E-011	7.8856E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.7390E-011	6.0502E-011
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0434E-010	9.8580E-010
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.9608E-007	2.0001E-006
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.9932E-010	2.6257E-009
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.8220E-011	6.0172E-010
RCPTR_33	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.5532E-002	3.5684E-002
RCPTR_33	farmer_adult	TOCDFDFS	Isophorone	8.2168E-012	1.1412E-010
RCPTR_33	farmer_adult	TOCDFDFS	Lead	1.5740E-006	1.7296E-006
RCPTR_33	farmer_adult	TOCDFDFS	Mercuric chloride	5.7203E-007	5.9281E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.3691E-016	1.9098E-015
RCPTR_33	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.7076E-017	3.7654E-016
RCPTR_33	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.7114E-014	9.3796E-013
RCPTR_33	farmer_adult	TOCDFDFS	Methyl mercury	8.5279E-009	8.7237E-009
RCPTR_33	farmer_adult	TOCDFDFS	Methylene chloride	4.0525E-015	5.6421E-014
RCPTR_33	farmer_adult	TOCDFDFS	Mustard	4.7962E-013	6.6471E-012
RCPTR_33	farmer_adult	TOCDFDFS	Naphthalene	3.6757E-011	4.8234E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nickel	3.4603E-005	3.6864E-005
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.4268E-010	1.9469E-009
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.3386E-011	4.6320E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.3383E-011	5.9855E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitrobenzene	1.3810E-011	1.9261E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.3122E-012	8.7696E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.7544E-010	1.5491E-009
RCPTR_33	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.9614E-012	1.0867E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.9189E-012	1.0682E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.0081E-013	9.6196E-012
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.5787E-011	1.6584E-011
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.6635E-011	1.7456E-011
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.8992E-010	4.0519E-010
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.7906E-011	5.1146E-011
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.9446E-010	2.0722E-010
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.7510E-010	7.4853E-009
RCPTR_33	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.2312E-010	2.9694E-009
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorophenol	1.3399E-006	1.8167E-006
RCPTR_33	farmer_adult	TOCDFDFS	Phenanthrene	1.2163E-011	1.4769E-010
RCPTR_33	farmer_adult	TOCDFDFS	Phenol	1.1122E-011	1.5263E-010
RCPTR_33	farmer_adult	TOCDFDFS	Pronamide	1.2714E-009	1.4635E-008
RCPTR_33	farmer_adult	TOCDFDFS	Pyrene	8.0389E-007	3.8991E-006
RCPTR_33	farmer_adult	TOCDFDFS	Selenium	5.6298E-007	5.6561E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Silver	3.6998E-006	3.9263E-006
RCPTR_33	farmer_adult	TOCDFDFS	Styrene	4.1586E-013	5.6784E-012
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1755E-010	1.2856E-010
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.5222E-011	3.9877E-011
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2209E-009	1.1893E-008
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.1479E-010	2.6692E-010
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1654E-014	1.5925E-013
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.4231E-008	9.2227E-008
RCPTR_33	farmer_adult	TOCDFDFS	Thallium (l)	4.9637E-004	5.1818E-004
RCPTR_33	farmer_adult	TOCDFDFS	Toluene	1.6303E-014	2.1309E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.0351E-011	4.5374E-010
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	9.6323E-015	1.3275E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.6658E-014	7.8657E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethylene	9.3475E-015	1.2791E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2891E-015	1.7667E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.6606E-009	5.2290E-008
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0223E-008	5.4563E-008
RCPTR_33	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.1053E-013	2.9114E-012
RCPTR_33	farmer_adult	TOCDFDFS	Vinyl Chloride	3.0039E-018	4.1554E-017
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, m-	7.6529E-013	1.4256E-012
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, o-	5.7874E-013	1.2364E-012
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, p-	7.4283E-013	1.7669E-012
RCPTR_33	farmer_adult	TOCDFDFS	Zinc	1.5794E-006	1.9607E-006
RCPTR_33	farmer_adult	TOCDFLIC	Acenaphthene	1.8972E-010	2.3660E-009
RCPTR_33	farmer_adult	TOCDFLIC	Acetone	6.0697E-015	8.4858E-014
RCPTR_33	farmer_adult	TOCDFLIC	Acetophenone	8.9466E-013	1.2433E-011
RCPTR_33	farmer_adult	TOCDFLIC	Aniline	5.4639E-014	7.4903E-013
RCPTR_33	farmer_adult	TOCDFLIC	Anthracene	3.3843E-009	4.1759E-008
RCPTR_33	farmer_adult	TOCDFLIC	Antimony	1.2160E-005	1.4127E-005
RCPTR_33	farmer_adult	TOCDFLIC	Arsenic	2.2714E-005	2.3510E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Barium	1.8174E-006	2.0338E-006
RCPTR_33	farmer_adult	TOCDFLIC	Benzene	3.4284E-014	4.6671E-013
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.8455E-006	5.4554E-006
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.4423E-005	4.6101E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.3638E-005	2.7804E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.8553E-005	7.0554E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzoic acid	3.9108E-012	3.0142E-011
RCPTR_33	farmer_adult	TOCDFLIC	Benzyl alcohol	1.9617E-010	2.7181E-009
RCPTR_33	farmer_adult	TOCDFLIC	Beryllium	3.0874E-006	3.2871E-006
RCPTR_33	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.2159E-012	1.6998E-011
RCPTR_33	farmer_adult	TOCDFLIC	Bromodichloromethane	1.2107E-015	1.6842E-014
RCPTR_33	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.1880E-012	3.0488E-011
RCPTR_33	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.8847E-008	6.5312E-007
RCPTR_33	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.5432E-008	2.9190E-008
RCPTR_33	farmer_adult	TOCDFLIC	Cadmium	3.7232E-007	5.1162E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Carbon disulfide	7.9941E-015	1.0988E-013
RCPTR_33	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.6012E-013	2.1744E-012
RCPTR_33	farmer_adult	TOCDFLIC	Chlorine	1.2975E-006	1.8147E-005
RCPTR_33	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.4274E-010	1.4474E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.7885E-012	7.8993E-011
RCPTR_33	farmer_adult	TOCDFLIC	Chlorobenzene	6.5639E-014	8.7600E-013
RCPTR_33	farmer_adult	TOCDFLIC	Chloroethane	7.5311E-017	9.0112E-016
RCPTR_33	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.2814E-014	8.7257E-013
RCPTR_33	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.8374E-010	6.1775E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.5715E-011	2.1925E-010
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3676E-009	8.0520E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chromium	1.4981E-005	1.5038E-005
RCPTR_33	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.3472E-005	1.3675E-005
RCPTR_33	farmer_adult	TOCDFLIC	Chrysene	1.2191E-005	1.4020E-005
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.5204E-008	1.7440E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-octylphthalate	8.0117E+001	8.0117E+001
RCPTR_33	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.6939E-004	9.8361E-004
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	8.5999E-013	1.0000E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	9.7725E-013	1.2082E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	9.2436E-013	1.1627E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.9712E-008	3.6199E-008
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.2583E-018	7.1698E-017
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.0988E-016	2.9191E-015
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6098E-015	2.2418E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	8.0267E-017	1.1054E-015
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.9877E-016	1.0985E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.4514E-010	1.0267E-009
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.5486E-015	6.1831E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5171E-015	2.1024E-014
RCPTR_33	farmer_adult	TOCDFLIC	Diethyl phthalate	9.7401E-009	1.0123E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.5696E-010	1.8720E-009
RCPTR_33	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.1203E-011	1.4960E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.8244E-011	8.6358E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.2728E-011	1.3817E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	9.1677E-012	1.0632E-010
RCPTR_33	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.2788E-013	3.1826E-012
RCPTR_33	farmer_adult	TOCDFLIC	Ethylbenzene	1.7885E-014	2.0581E-013
RCPTR_33	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.2898E-008	3.7977E-008
RCPTR_33	farmer_adult	TOCDFLIC	Fluoranthene	1.2685E-007	5.5527E-007
RCPTR_33	farmer_adult	TOCDFLIC	Fluorene	8.0004E-010	9.3058E-009
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.9916E-011	8.2967E-011
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.6012E-010	2.6802E-010
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.0751E-010	6.3012E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.6653E-010	6.8776E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.0023E-010	4.1684E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.3177E-010	3.4766E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.8643E-010	7.2391E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.9594E-010	6.2830E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.1169E-010	6.4466E-010
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.0355E-010	5.3080E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.0779E-011	1.9658E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.9087E-008	3.9889E-007
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.9584E-011	5.2356E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.6179E-012	1.2001E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.0770E-003	7.1063E-003
RCPTR_33	farmer_adult	TOCDFLIC	Isophorone	1.6388E-012	2.2760E-011
RCPTR_33	farmer_adult	TOCDFLIC	Lead	8.0218E-006	8.8148E-006
RCPTR_33	farmer_adult	TOCDFLIC	Mercuric chloride	1.3295E-006	1.3781E-006
RCPTR_33	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	8.9106E-017	1.2430E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.5769E-016	2.1930E-015
RCPTR_33	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2346E-013	1.7254E-012
RCPTR_33	farmer_adult	TOCDFLIC	Methyl mercury	1.9636E-008	2.0094E-008
RCPTR_33	farmer_adult	TOCDFLIC	Methylene chloride	1.6174E-014	2.2519E-013
RCPTR_33	farmer_adult	TOCDFLIC	Mustard	1.6822E-013	2.3313E-012
RCPTR_33	farmer_adult	TOCDFLIC	Naphthalene	1.1329E-012	1.4867E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nickel	3.6148E-005	3.8511E-005
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.8457E-011	3.8830E-010
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.6586E-012	9.2385E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.6510E-012	1.1938E-010
RCPTR_33	farmer_adult	TOCDFLIC	Nitrobenzene	2.7543E-012	3.8414E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.2589E-012	1.7490E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5478E-011	3.0908E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5879E-012	2.1674E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.5794E-012	2.1304E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.5913E-013	1.9179E-012
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1853E-010	1.2449E-010
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.1694E-010	1.2270E-010
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.4772E-009	1.5348E-009
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.2776E-010	2.4316E-010
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.7591E-010	9.3341E-010
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.6644E-010	7.4703E-009
RCPTR_33	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.3676E-011	5.9152E-010
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorophenol	5.3394E-008	7.2382E-008
RCPTR_33	farmer_adult	TOCDFLIC	Phenanthrene	2.4253E-012	2.9455E-011
RCPTR_33	farmer_adult	TOCDFLIC	Phenol	2.2182E-012	3.0440E-011
RCPTR_33	farmer_adult	TOCDFLIC	Pronamide	2.5356E-010	2.9188E-009
RCPTR_33	farmer_adult	TOCDFLIC	Pyrene	1.6024E-007	7.7753E-007
RCPTR_33	farmer_adult	TOCDFLIC	Selenium	1.4098E-005	1.4164E-005
RCPTR_33	farmer_adult	TOCDFLIC	Silver	3.6173E-005	3.8387E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Styrene	2.5560E-011	3.4902E-010
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.9005E-010	2.0788E-010
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.1940E-011	8.1466E-011
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.4349E-010	2.3719E-009
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	8.1658E-015	1.1215E-013
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.0680E-015	4.1929E-014
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.8316E-009	1.8399E-008
RCPTR_33	farmer_adult	TOCDFLIC	Thallium (l)	4.8196E-005	5.0314E-005
RCPTR_33	farmer_adult	TOCDFLIC	Toluene	6.2731E-014	8.1999E-013
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.0455E-012	9.0491E-011
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.5782E-014	3.5532E-013
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.3373E-014	3.2448E-013
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethylene	3.8561E-015	5.2766E-014
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.0597E-016	6.9347E-015
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1293E-009	1.0429E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.0582E-010	2.1651E-009
RCPTR_33	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	8.6849E-014	1.2010E-012
RCPTR_33	farmer_adult	TOCDFLIC	Vinyl Chloride	3.7137E-018	5.1382E-017
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, m-	6.6038E-013	1.2433E-012
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, o-	5.7189E-013	1.2365E-012
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, p-	6.4161E-013	1.5457E-012
RCPTR_33	farmer_adult	TOCDFLIC	Zinc	1.4174E-005	1.7595E-005
RCPTR_33	farmer_adult	TOCDFMPF	Acenaphthene	2.9052E-010	3.6231E-009
RCPTR_33	farmer_adult	TOCDFMPF	Acetone	2.2208E-014	3.1049E-013
RCPTR_33	farmer_adult	TOCDFMPF	Acetophenone	1.4352E-012	1.9946E-011
RCPTR_33	farmer_adult	TOCDFMPF	Aniline	8.3669E-014	1.1470E-012
RCPTR_33	farmer_adult	TOCDFMPF	Anthracene	5.1822E-009	6.3947E-008
RCPTR_33	farmer_adult	TOCDFMPF	Antimony	1.6590E-007	1.9273E-007
RCPTR_33	farmer_adult	TOCDFMPF	Aroclor 1254	1.3988E-009	2.4640E-009
RCPTR_33	farmer_adult	TOCDFMPF	Arsenic	1.1820E-006	1.2234E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Barium	1.2893E-006	1.4428E-006
RCPTR_33	farmer_adult	TOCDFMPF	Benzene	3.0693E-014	4.1783E-013
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.8876E-006	8.3527E-006
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.8006E-005	7.0574E-005
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.6192E-005	4.2570E-005
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.0495E-004	1.0801E-004
RCPTR_33	farmer_adult	TOCDFMPF	Benzoic acid	1.7336E-011	1.3361E-010
RCPTR_33	farmer_adult	TOCDFMPF	Benzyl alcohol	1.8775E-012	2.6014E-011
RCPTR_33	farmer_adult	TOCDFMPF	Beryllium	1.0536E-007	1.1218E-007
RCPTR_33	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.8619E-012	2.6029E-011
RCPTR_33	farmer_adult	TOCDFMPF	Bromodichloromethane	3.6842E-014	5.1253E-013
RCPTR_33	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.2803E-012	1.7839E-011
RCPTR_33	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0543E-007	1.0001E-006
RCPTR_33	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.8925E-008	4.4680E-008
RCPTR_33	farmer_adult	TOCDFMPF	Cadmium	1.7018E-006	2.3385E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Carbon disulfide	2.9276E-015	4.0241E-014
RCPTR_33	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.7938E-014	3.7940E-013
RCPTR_33	farmer_adult	TOCDFMPF	Chlorine	2.3945E-007	3.3489E-006
RCPTR_33	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.7172E-010	2.2165E-009
RCPTR_33	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.8640E-012	1.2096E-010
RCPTR_33	farmer_adult	TOCDFMPF	Chlorobenzene	1.1796E-013	1.5743E-012
RCPTR_33	farmer_adult	TOCDFMPF	Chloroethane	7.4340E-016	8.8949E-015
RCPTR_33	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.9787E-014	2.7487E-013
RCPTR_33	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.4075E-010	9.4597E-009
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.4065E-011	3.3573E-010
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.0941E-009	1.2330E-008
RCPTR_33	farmer_adult	TOCDFMPF	Chromium	2.8458E-006	2.8567E-006
RCPTR_33	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.5592E-006	2.5977E-006
RCPTR_33	farmer_adult	TOCDFMPF	Chrysene	1.8666E-005	2.1466E-005
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.5064E-007	1.7280E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-octylphthalate	7.9386E+002	7.9386E+002
RCPTR_33	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.4842E-003	1.5059E-003
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.3169E-012	1.5314E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4965E-012	1.8501E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.4155E-012	1.7805E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.1245E-008	1.1117E-007
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.3321E-017	5.9071E-016
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.3869E-015	8.8833E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9244E-015	1.1036E-013
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.4427E-015	3.3639E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.9320E-015	5.4076E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.7539E-010	1.5722E-009
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.2391E-014	3.0436E-013
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.2434E-015	1.0038E-013
RCPTR_33	farmer_adult	TOCDFMPF	Diethyl phthalate	9.6513E-008	1.0030E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.6788E-011	2.0024E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.7156E-011	2.2909E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.8457E-011	1.3200E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.9489E-011	2.1158E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.4038E-011	1.6280E-010
RCPTR_33	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.4895E-013	4.8736E-012
RCPTR_33	farmer_adult	TOCDFMPF	Ethylbenzene	8.3917E-014	9.6571E-013
RCPTR_33	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.9576E-009	6.8780E-009
RCPTR_33	farmer_adult	TOCDFMPF	Fluoranthene	1.9424E-007	8.5027E-007
RCPTR_33	farmer_adult	TOCDFMPF	Fluorene	1.2251E-009	1.4250E-008
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.1201E-010	3.2392E-010
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.0985E-010	4.2229E-010
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.1233E-010	7.3882E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9076E-010	1.9683E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.9102E-011	9.2799E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.8497E-011	8.2255E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.3583E-010	1.4325E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.7584E-011	6.0712E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.0949E-011	5.3696E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.5643E-011	4.8112E-011
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.1817E-011	3.0102E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.9853E-008	6.1082E-007
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	9.1231E-011	8.0172E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4728E-011	1.8377E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0837E-002	1.0882E-002
RCPTR_33	farmer_adult	TOCDFMPF	Isophorone	2.5095E-012	3.4852E-011
RCPTR_33	farmer_adult	TOCDFMPF	Lead	9.2710E-007	1.0188E-006
RCPTR_33	farmer_adult	TOCDFMPF	Mercuric chloride	2.2633E-005	2.3460E-005
RCPTR_33	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.6186E-016	6.4428E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.6962E-017	3.7497E-016
RCPTR_33	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.5080E-014	3.5051E-013
RCPTR_33	farmer_adult	TOCDFMPF	Methyl mercury	3.3411E-007	3.4190E-007
RCPTR_33	farmer_adult	TOCDFMPF	Methylene chloride	1.2742E-014	1.7740E-013
RCPTR_33	farmer_adult	TOCDFMPF	Mustard	1.1990E-012	1.6617E-011
RCPTR_33	farmer_adult	TOCDFMPF	Naphthalene	1.1225E-011	1.4731E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nickel	2.2693E-005	2.4176E-005
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.3497E-011	5.9353E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.0178E-011	1.4121E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.3223E-011	1.8248E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nitrobenzene	4.2177E-012	5.8823E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.9277E-012	2.6783E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.3659E-010	4.7245E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.4315E-012	3.3190E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.4186E-012	3.2624E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.4363E-013	2.9369E-012
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.5495E-009	7.9294E-009
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.3278E-008	1.3931E-008
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.7384E-011	8.0398E-011
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	9.9095E-011	1.0580E-010
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.8858E-011	6.2722E-011
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.9532E-010	2.2836E-009
RCPTR_33	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2784E-010	9.0411E-010
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorophenol	4.0883E-007	5.5421E-007
RCPTR_33	farmer_adult	TOCDFMPF	Phenanthrene	3.7138E-012	4.5105E-011
RCPTR_33	farmer_adult	TOCDFMPF	Phenol	3.3968E-012	4.6613E-011
RCPTR_33	farmer_adult	TOCDFMPF	Pronamide	3.8828E-010	4.4696E-009
RCPTR_33	farmer_adult	TOCDFMPF	Pyrene	2.4537E-007	1.1906E-006
RCPTR_33	farmer_adult	TOCDFMPF	Selenium	2.4747E-007	2.4863E-007
RCPTR_33	farmer_adult	TOCDFMPF	Silver	4.8840E-006	5.1829E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Styrene	5.8384E-013	7.9722E-012
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2773E-011	2.4909E-011
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.1384E-011	8.0837E-011
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.7286E-010	3.6322E-009
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.4850E-013	3.4129E-012
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.3662E-014	3.2338E-013
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.0443E-008	2.8124E-008
RCPTR_33	farmer_adult	TOCDFMPF	Thallium (l)	1.4762E-006	1.5411E-006
RCPTR_33	farmer_adult	TOCDFMPF	Toluene	4.2160E-014	5.5109E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2320E-011	1.3857E-010
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.5159E-014	2.0892E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1505E-013	1.5973E-012
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethylene	1.8982E-014	2.5974E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.2304E-014	7.1687E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.7293E-009	1.5970E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.2144E-010	3.3155E-009
RCPTR_33	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.2752E-013	5.9122E-012
RCPTR_33	farmer_adult	TOCDFMPF	Vinyl Chloride	1.0208E-017	1.4123E-016
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, m-	6.6132E-013	1.2458E-012
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, o-	5.7272E-013	1.2390E-012
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, p-	6.4256E-013	1.5490E-012
RCPTR_33	farmer_adult	TOCDFMPF	Zinc	4.0396E-006	5.0146E-006
RCPTR_33	farmer_adult	TOCDHVAC	Mustard	4.2341E-013	5.8683E-012
RCPTR_33	farmer_adult	TOCDLIC2	Acenaphthene	1.8972E-010	2.3660E-009
RCPTR_33	farmer_adult	TOCDLIC2	Acetone	6.0697E-015	8.4858E-014
RCPTR_33	farmer_adult	TOCDLIC2	Acetophenone	8.9466E-013	1.2433E-011
RCPTR_33	farmer_adult	TOCDLIC2	Aniline	5.4639E-014	7.4903E-013
RCPTR_33	farmer_adult	TOCDLIC2	Anthracene	3.3843E-009	4.1759E-008
RCPTR_33	farmer_adult	TOCDLIC2	Antimony	1.2160E-005	1.4127E-005
RCPTR_33	farmer_adult	TOCDLIC2	Arsenic	2.2714E-005	2.3510E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Barium	1.8174E-006	2.0338E-006
RCPTR_33	farmer_adult	TOCDLIC2	Benzene	3.4284E-014	4.6671E-013
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.8455E-006	5.4554E-006
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.4423E-005	4.6101E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.3638E-005	2.7804E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.8553E-005	7.0554E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzoic acid	3.9108E-012	3.0142E-011
RCPTR_33	farmer_adult	TOCDLIC2	Benzyl alcohol	1.9617E-010	2.7181E-009
RCPTR_33	farmer_adult	TOCDLIC2	Beryllium	3.0874E-006	3.2871E-006
RCPTR_33	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.2159E-012	1.6998E-011
RCPTR_33	farmer_adult	TOCDLIC2	Bromodichloromethane	1.2107E-015	1.6842E-014
RCPTR_33	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.1880E-012	3.0488E-011
RCPTR_33	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.8847E-008	6.5312E-007
RCPTR_33	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.5432E-008	2.9190E-008
RCPTR_33	farmer_adult	TOCDLIC2	Cadmium	3.7232E-007	5.1162E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Carbon disulfide	7.9941E-015	1.0988E-013
RCPTR_33	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6012E-013	2.1744E-012
RCPTR_33	farmer_adult	TOCDLIC2	Chlorine	1.2975E-006	1.8147E-005
RCPTR_33	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.4274E-010	1.4474E-009
RCPTR_33	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.7885E-012	7.8993E-011
RCPTR_33	farmer_adult	TOCDLIC2	Chlorobenzene	6.5639E-014	8.7600E-013
RCPTR_33	farmer_adult	TOCDLIC2	Chloroethane	7.5311E-017	9.0112E-016
RCPTR_33	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	6.2814E-014	8.7257E-013
RCPTR_33	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.8374E-010	6.1775E-009
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.5715E-011	2.1925E-010
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3676E-009	8.0520E-009
RCPTR_33	farmer_adult	TOCDLIC2	Chromium	1.4981E-005	1.5038E-005
RCPTR_33	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.3472E-005	1.3675E-005
RCPTR_33	farmer_adult	TOCDLIC2	Chrysene	1.2191E-005	1.4020E-005
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.5204E-008	1.7440E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.0117E+001	8.0117E+001
RCPTR_33	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.6939E-004	9.8361E-004
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.5999E-013	1.0000E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	9.7725E-013	1.2082E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	9.2436E-013	1.1627E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.9712E-008	3.6199E-008
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.2583E-018	7.1698E-017
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.0988E-016	2.9191E-015
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6098E-015	2.2418E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	8.0267E-017	1.1054E-015
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.9877E-016	1.0985E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.4514E-010	1.0267E-009
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.5486E-015	6.1831E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5171E-015	2.1024E-014
RCPTR_33	farmer_adult	TOCDLIC2	Diethyl phthalate	9.7401E-009	1.0123E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.5696E-010	1.8720E-009
RCPTR_33	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.1203E-011	1.4960E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.8244E-011	8.6358E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.2728E-011	1.3817E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	9.1677E-012	1.0632E-010
RCPTR_33	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.2788E-013	3.1826E-012
RCPTR_33	farmer_adult	TOCDLIC2	Ethylbenzene	1.7885E-014	2.0581E-013
RCPTR_33	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.2898E-008	3.7977E-008
RCPTR_33	farmer_adult	TOCDLIC2	Fluoranthene	1.2685E-007	5.5527E-007
RCPTR_33	farmer_adult	TOCDLIC2	Fluorene	8.0004E-010	9.3058E-009
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.9916E-011	8.2967E-011
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.6012E-010	2.6802E-010
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.0751E-010	6.3012E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.6653E-010	6.8776E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.0023E-010	4.1684E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.3177E-010	3.4766E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.8643E-010	7.2391E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.9594E-010	6.2830E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.1169E-010	6.4466E-010
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.0355E-010	5.3080E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.0779E-011	1.9658E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.9087E-008	3.9889E-007
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.9584E-011	5.2356E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.6179E-012	1.2001E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.0770E-003	7.1063E-003
RCPTR_33	farmer_adult	TOCDLIC2	Isophorone	1.6388E-012	2.2760E-011
RCPTR_33	farmer_adult	TOCDLIC2	Lead	8.0218E-006	8.8148E-006
RCPTR_33	farmer_adult	TOCDLIC2	Mercuric chloride	1.3295E-006	1.3781E-006
RCPTR_33	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	8.9106E-017	1.2430E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.5769E-016	2.1930E-015
RCPTR_33	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2346E-013	1.7254E-012
RCPTR_33	farmer_adult	TOCDLIC2	Methyl mercury	1.9636E-008	2.0094E-008
RCPTR_33	farmer_adult	TOCDLIC2	Methylene chloride	1.6174E-014	2.2519E-013
RCPTR_33	farmer_adult	TOCDLIC2	Mustard	1.7488E-013	2.4237E-012
RCPTR_33	farmer_adult	TOCDLIC2	Naphthalene	1.1329E-012	1.4867E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nickel	3.6148E-005	3.8511E-005
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.8457E-011	3.8830E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.6586E-012	9.2385E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 4-	8.6510E-012	1.1938E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitrobenzene	2.7543E-012	3.8414E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.2589E-012	1.7490E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.5478E-010	3.0908E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.5879E-012	2.1674E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.5794E-012	2.1304E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.5913E-013	1.9179E-012
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1853E-010	1.2449E-010
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1694E-010	1.2270E-010
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.4772E-009	1.5348E-009
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.2776E-010	2.4316E-010
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.7591E-010	9.3341E-010
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.6644E-010	7.4703E-009
RCPTR_33	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.3676E-011	5.9152E-010
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorophenol	5.3394E-008	7.2382E-008
RCPTR_33	farmer_adult	TOCDLIC2	Phenanthrene	2.4253E-012	2.9455E-011
RCPTR_33	farmer_adult	TOCDLIC2	Phenol	2.2182E-012	3.0440E-011
RCPTR_33	farmer_adult	TOCDLIC2	Pronamide	2.5356E-010	2.9188E-009
RCPTR_33	farmer_adult	TOCDLIC2	Pyrene	1.6024E-007	7.7753E-007
RCPTR_33	farmer_adult	TOCDLIC2	Selenium	1.4098E-005	1.4164E-005
RCPTR_33	farmer_adult	TOCDLIC2	Silver	3.6173E-005	3.8387E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Styrene	2.5560E-011	3.4902E-010
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9005E-010	2.0788E-010
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.1940E-011	8.1466E-011
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.4349E-010	2.3719E-009
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	8.1658E-015	1.1215E-013
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.0680E-015	4.1929E-014
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.8316E-009	1.8399E-008
RCPTR_33	farmer_adult	TOCDLIC2	Thallium (l)	4.8196E-005	5.0314E-005
RCPTR_33	farmer_adult	TOCDLIC2	Toluene	6.2731E-014	8.1999E-013
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	8.0455E-012	9.0491E-011
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.5782E-014	3.5532E-013
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.3373E-014	3.2448E-013
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethylene	3.8561E-015	5.2766E-014
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.0597E-016	6.9347E-015
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.1293E-009	1.0429E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	4.0582E-010	2.1651E-009
RCPTR_33	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	8.6849E-014	1.2010E-012
RCPTR_33	farmer_adult	TOCDLIC2	Vinyl Chloride	3.7137E-018	5.1382E-017
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, m-	1.3723E-012	2.5837E-012
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, o-	1.1884E-012	2.5694E-012
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, p-	1.3333E-012	3.2120E-012
RCPTR_33	farmer_adult	TOCDLIC2	Zinc	1.4174E-005	1.7595E-005
RCPTR_33	farmer_child	TOCDFBRA	Antimony	3.0963E-006	3.3516E-006
RCPTR_33	farmer_child	TOCDFBRA	Arsenic	4.9687E-006	5.0648E-006
RCPTR_33	farmer_child	TOCDFBRA	Barium	4.2175E-007	4.4802E-007
RCPTR_33	farmer_child	TOCDFBRA	Beryllium	1.3417E-006	1.3809E-006
RCPTR_33	farmer_child	TOCDFBRA	Cadmium	2.5719E-007	2.9882E-007
RCPTR_33	farmer_child	TOCDFBRA	Chromium	3.1682E-005	3.2498E-005
RCPTR_33	farmer_child	TOCDFBRA	Chromium, hexavalent	2.9301E-005	2.9548E-005
RCPTR_33	farmer_child	TOCDFBRA	Lead	1.3891E-005	1.4529E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFBRA	Mercuric chloride	1.4122E-003	1.6872E-003
RCPTR_33	farmer_child	TOCDFBRA	Methyl mercury	2.5236E-005	2.6083E-005
RCPTR_33	farmer_child	TOCDFBRA	Nickel	1.6450E-005	1.6996E-005
RCPTR_33	farmer_child	TOCDFBRA	Selenium	5.5397E-006	5.5544E-006
RCPTR_33	farmer_child	TOCDFBRA	Silver	1.8878E-006	1.9513E-006
RCPTR_33	farmer_child	TOCDFBRA	Thallium (l)	5.0872E-005	5.2003E-005
RCPTR_33	farmer_child	TOCDFBRA	Zinc	9.1659E-006	1.0212E-005
RCPTR_33	farmer_child	TOCDFDFS	Acenaphthene	5.7131E-009	1.1863E-008
RCPTR_33	farmer_child	TOCDFDFS	Acetone	6.2371E-014	1.3084E-013
RCPTR_33	farmer_child	TOCDFDFS	Acetophenone	3.1258E-011	6.5540E-011
RCPTR_33	farmer_child	TOCDFDFS	Aniline	1.7933E-012	3.7557E-012
RCPTR_33	farmer_child	TOCDFDFS	Anthracene	1.0094E-007	2.0939E-007
RCPTR_33	farmer_child	TOCDFDFS	Antimony	2.7024E-007	2.9250E-007
RCPTR_33	farmer_child	TOCDFDFS	Aroclor 1254	3.3202E-009	4.3830E-009
RCPTR_33	farmer_child	TOCDFDFS	Arsenic	5.0597E-007	5.1575E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Barium	3.3881E-007	3.5990E-007
RCPTR_33	farmer_child	TOCDFDFS	Benzene	2.2362E-013	4.6805E-013
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.3642E-005	2.7421E-005
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.2827E-004	2.3239E-004
RCPTR_33	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.2981E-004	1.3972E-004
RCPTR_33	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.5129E-004	3.5548E-004
RCPTR_33	farmer_child	TOCDFDFS	Benzoic acid	2.2288E-011	4.3747E-011
RCPTR_33	farmer_child	TOCDFDFS	Benzyl alcohol	4.0634E-011	8.5179E-011
RCPTR_33	farmer_child	TOCDFDFS	Beryllium	2.6876E-007	2.7660E-007
RCPTR_33	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.0627E-011	8.5227E-011
RCPTR_33	farmer_child	TOCDFDFS	Bromodichloromethane	7.2267E-014	1.5154E-013
RCPTR_33	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1560E-011	2.4244E-011
RCPTR_33	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.9029E-006	3.2748E-006
RCPTR_33	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.3690E-007	1.4753E-007
RCPTR_33	farmer_child	TOCDFDFS	Cadmium	1.0961E-007	1.2734E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Carbon disulfide	3.9900E-014	8.3583E-014
RCPTR_33	farmer_child	TOCDFDFS	Carbon tetrachloride	6.3297E-014	1.3246E-013
RCPTR_33	farmer_child	TOCDFDFS	Chlorine	1.2605E-012	2.6444E-012
RCPTR_33	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.8523E-009	7.2569E-009
RCPTR_33	farmer_child	TOCDFDFS	Chloroaniline, p-	1.8919E-010	3.9607E-010
RCPTR_33	farmer_child	TOCDFDFS	Chlorobenzene	3.7105E-013	7.7527E-013
RCPTR_33	farmer_child	TOCDFDFS	Chloroethane	1.0561E-015	2.1843E-015
RCPTR_33	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.9861E-014	1.0454E-013
RCPTR_33	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4883E-008	3.0974E-008
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.2411E-010	1.0993E-009
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.1492E-008	4.0383E-008
RCPTR_33	farmer_child	TOCDFDFS	Chromium	8.3609E-006	8.5759E-006
RCPTR_33	farmer_child	TOCDFDFS	Chromium, hexavalent	7.7331E-006	7.7983E-006
RCPTR_33	farmer_child	TOCDFDFS	Chrysene	6.6428E-005	7.0439E-005
RCPTR_33	farmer_child	TOCDFDFS	Di-n-butyl phthalate	5.2526E-007	5.6616E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.5970E+003	2.5970E+003
RCPTR_33	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.9315E-003	4.9636E-003
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.4311E-011	5.0142E-011
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.9196E-011	6.0577E-011
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.8052E-011	5.8299E-011
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.2767E-007	3.6437E-007
RCPTR_33	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.7262E-017	1.8267E-016
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.0862E-014	4.3745E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5913E-014	5.4343E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.9065E-015	1.6565E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2712E-014	2.6629E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.9385E-009	5.1473E-009
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	7.1618E-014	1.4988E-013
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.3581E-014	4.9432E-014
RCPTR_33	farmer_child	TOCDFDFS	Diethyl phthalate	3.2116E-007	3.2816E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Dimethyl phthalate	4.7912E-010	9.9064E-010
RCPTR_33	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.5899E-010	7.5011E-010
RCPTR_33	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.9699E-010	4.3295E-010
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.3840E-010	6.9292E-010
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.5855E-010	5.3310E-010
RCPTR_33	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.6075E-012	1.5958E-011
RCPTR_33	farmer_child	TOCDFDFS	Ethylbenzene	2.3082E-013	4.7557E-013
RCPTR_33	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.3183E-008	2.5056E-008
RCPTR_33	farmer_child	TOCDFDFS	Fluoranthene	1.6533E-006	2.7851E-006
RCPTR_33	farmer_child	TOCDFDFS	Fluorene	2.2623E-008	4.6661E-008
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.9548E-012	1.0124E-011
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.4951E-012	8.6103E-012
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.6682E-011	2.7123E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.2275E-010	2.2591E-010
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.3210E-010	1.3452E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.0232E-010	1.0448E-010
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	7.1662E-011	7.3369E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	6.4838E-011	6.6376E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	7.7042E-011	7.8856E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.9106E-011	6.0502E-011
RCPTR_33	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.8898E-010	9.8580E-010
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorobenzene	9.8488E-007	2.0001E-006
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.3145E-009	2.6257E-009
RCPTR_33	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.8975E-010	6.0172E-010
RCPTR_33	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.5615E-002	3.5684E-002
RCPTR_33	farmer_child	TOCDFDFS	Isophorone	5.4429E-011	1.1412E-010
RCPTR_33	farmer_child	TOCDFDFS	Lead	1.6537E-006	1.7296E-006
RCPTR_33	farmer_child	TOCDFDFS	Mercuric chloride	4.9351E-007	5.9281E-007
RCPTR_33	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	9.1055E-016	1.9098E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.7957E-016	3.7654E-016
RCPTR_33	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.4712E-013	9.3796E-013
RCPTR_33	farmer_child	TOCDFDFS	Methyl mercury	8.4179E-009	8.7237E-009
RCPTR_33	farmer_child	TOCDFDFS	Methylene chloride	2.6904E-014	5.6421E-014
RCPTR_33	farmer_child	TOCDFDFS	Mustard	3.1709E-012	6.6471E-012
RCPTR_33	farmer_child	TOCDFDFS	Naphthalene	2.3119E-010	4.8234E-010
RCPTR_33	farmer_child	TOCDFDFS	Nickel	3.5682E-005	3.6864E-005
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.2997E-010	1.9469E-009
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.2094E-010	4.6320E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.8564E-010	5.9855E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitrobenzene	9.1832E-011	1.9261E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.1825E-011	8.7696E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.1130E-009	1.5491E-009
RCPTR_33	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.1909E-011	1.0867E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.1077E-011	1.0682E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.6490E-012	9.6196E-012
RCPTR_33	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.6226E-011	1.6584E-011
RCPTR_33	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.7086E-011	1.7456E-011
RCPTR_33	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.9837E-010	4.0519E-010
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.9697E-011	5.1146E-011
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.0150E-010	2.0722E-010
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorobenzene	3.8159E-009	7.4853E-009
RCPTR_33	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.5342E-009	2.9694E-009
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorophenol	1.5479E-006	1.8167E-006
RCPTR_33	farmer_child	TOCDFDFS	Phenanthrene	7.1303E-011	1.4769E-010
RCPTR_33	farmer_child	TOCDFDFS	Phenol	7.2870E-011	1.5263E-010
RCPTR_33	farmer_child	TOCDFDFS	Pronamide	7.1029E-009	1.4635E-008
RCPTR_33	farmer_child	TOCDFDFS	Pyrene	2.5454E-006	3.8991E-006
RCPTR_33	farmer_child	TOCDFDFS	Selenium	5.6413E-007	5.6561E-007
RCPTR_33	farmer_child	TOCDFDFS	Silver	3.7986E-006	3.9263E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Styrene	2.7123E-012	5.6784E-012
RCPTR_33	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2367E-010	1.2856E-010
RCPTR_33	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.7811E-011	3.9877E-011
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.8778E-009	1.1893E-008
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.3754E-010	2.6692E-010
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.6059E-014	1.5925E-013
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.9538E-008	9.2227E-008
RCPTR_33	farmer_child	TOCDFDFS	Thallium (l)	5.0693E-004	5.1818E-004
RCPTR_33	farmer_child	TOCDFDFS	Toluene	1.0218E-013	2.1309E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.2074E-010	4.5374E-010
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.3356E-014	1.3275E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.7517E-013	7.8657E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethylene	6.1084E-014	1.2791E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.4360E-015	1.7667E-014
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.6008E-008	5.2290E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.9571E-008	5.4563E-008
RCPTR_33	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.3891E-012	2.9114E-012
RCPTR_33	farmer_child	TOCDFDFS	Vinyl Chloride	1.9826E-017	4.1554E-017
RCPTR_33	farmer_child	TOCDFDFS	Xylene, m-	1.0534E-012	1.4256E-012
RCPTR_33	farmer_child	TOCDFDFS	Xylene, o-	8.6571E-013	1.2364E-012
RCPTR_33	farmer_child	TOCDFDFS	Xylene, p-	1.1897E-012	1.7669E-012
RCPTR_33	farmer_child	TOCDFDFS	Zinc	1.7599E-006	1.9607E-006
RCPTR_33	farmer_child	TOCDFLIC	Acenaphthene	1.1394E-009	2.3660E-009
RCPTR_33	farmer_child	TOCDFLIC	Acetone	4.0450E-014	8.4858E-014
RCPTR_33	farmer_child	TOCDFLIC	Acetophenone	5.9297E-012	1.2433E-011
RCPTR_33	farmer_child	TOCDFLIC	Aniline	3.5765E-013	7.4903E-013
RCPTR_33	farmer_child	TOCDFLIC	Anthracene	2.0130E-008	4.1759E-008
RCPTR_33	farmer_child	TOCDFLIC	Antimony	1.3053E-005	1.4127E-005
RCPTR_33	farmer_child	TOCDFLIC	Arsenic	2.3064E-005	2.3510E-005
RCPTR_33	farmer_child	TOCDFLIC	Barium	1.9147E-006	2.0338E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Benzene	2.2298E-013	4.6671E-013
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.7022E-006	5.4554E-006
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.5286E-005	4.6101E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.5830E-005	2.7804E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.9730E-005	7.0554E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzoic acid	1.5357E-011	3.0142E-011
RCPTR_33	farmer_child	TOCDFLIC	Benzyl alcohol	1.2966E-009	2.7181E-009
RCPTR_33	farmer_child	TOCDFLIC	Beryllium	3.1939E-006	3.2871E-006
RCPTR_33	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	8.1026E-012	1.6998E-011
RCPTR_33	farmer_child	TOCDFLIC	Bromodichloromethane	8.0316E-015	1.6842E-014
RCPTR_33	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.4537E-011	3.0488E-011
RCPTR_33	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.7952E-007	6.5312E-007
RCPTR_33	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.7072E-008	2.9190E-008
RCPTR_33	farmer_child	TOCDFLIC	Cadmium	4.4040E-007	5.1162E-007
RCPTR_33	farmer_child	TOCDFLIC	Carbon disulfide	5.2454E-014	1.0988E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0391E-012	2.1744E-012
RCPTR_33	farmer_child	TOCDFLIC	Chlorine	8.6501E-006	1.8147E-005
RCPTR_33	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.6843E-010	1.4474E-009
RCPTR_33	farmer_child	TOCDFLIC	Chloroaniline, p-	3.7732E-011	7.8993E-011
RCPTR_33	farmer_child	TOCDFLIC	Chlorobenzene	4.1925E-013	8.7600E-013
RCPTR_33	farmer_child	TOCDFLIC	Chloroethane	4.3567E-016	9.0112E-016
RCPTR_33	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.1617E-013	8.7257E-013
RCPTR_33	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.9683E-009	6.1775E-009
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.0453E-010	2.1925E-010
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.2845E-009	8.0520E-009
RCPTR_33	farmer_child	TOCDFLIC	Chromium	1.4661E-005	1.5038E-005
RCPTR_33	farmer_child	TOCDFLIC	Chromium, hexavalent	1.3560E-005	1.3675E-005
RCPTR_33	farmer_child	TOCDFLIC	Chrysene	1.3221E-005	1.4020E-005
RCPTR_33	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.6180E-008	1.7440E-008
RCPTR_33	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.0117E+001	8.0117E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.7740E-004	9.8361E-004
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.8485E-012	1.0000E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.8228E-012	1.2082E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.5947E-012	1.1627E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.2543E-008	3.6199E-008
RCPTR_33	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.4251E-017	7.1698E-017
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3921E-015	2.9191E-015
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0690E-014	2.2418E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.2760E-016	1.1054E-015
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.2439E-015	1.0985E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.8620E-010	1.0267E-009
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.9545E-014	6.1831E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0029E-014	2.1024E-014
RCPTR_33	farmer_child	TOCDFLIC	Diethyl phthalate	9.9071E-009	1.0123E-008
RCPTR_33	farmer_child	TOCDFLIC	Dimethyl phthalate	9.0533E-010	1.8720E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	7.1597E-011	1.4960E-010
RCPTR_33	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.9240E-011	8.6358E-011
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.7468E-011	1.3817E-010
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.1560E-011	1.0632E-010
RCPTR_33	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.5172E-012	3.1826E-012
RCPTR_33	farmer_child	TOCDFLIC	Ethylbenzene	9.9891E-014	2.0581E-013
RCPTR_33	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.5114E-008	3.7977E-008
RCPTR_33	farmer_child	TOCDFLIC	Fluoranthene	3.2953E-007	5.5527E-007
RCPTR_33	farmer_child	TOCDFLIC	Fluorene	4.5117E-009	9.3058E-009
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.1594E-011	8.2967E-011
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.6447E-010	2.6802E-010
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.1996E-010	6.3012E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.7821E-010	6.8776E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.0938E-010	4.1684E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.4052E-010	3.4766E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	7.0710E-010	7.2391E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.1377E-010	6.2830E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.2986E-010	6.4466E-010
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.1857E-010	5.3080E-010
RCPTR_33	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.7492E-011	1.9658E-010
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorobenzene	1.9641E-007	3.9889E-007
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.6205E-010	5.2356E-010
RCPTR_33	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.7788E-011	1.2001E-010
RCPTR_33	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.0930E-003	7.1063E-003
RCPTR_33	farmer_child	TOCDFLIC	Isophorone	1.0855E-011	2.2760E-011
RCPTR_33	farmer_child	TOCDFLIC	Lead	8.4279E-006	8.8148E-006
RCPTR_33	farmer_child	TOCDFLIC	Mercuric chloride	1.1461E-006	1.3781E-006
RCPTR_33	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.9263E-016	1.2430E-015
RCPTR_33	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0458E-015	2.1930E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.2250E-013	1.7254E-012
RCPTR_33	farmer_child	TOCDFLIC	Methyl mercury	1.9379E-008	2.0094E-008
RCPTR_33	farmer_child	TOCDFLIC	Methylene chloride	1.0738E-013	2.2519E-013
RCPTR_33	farmer_child	TOCDFLIC	Mustard	1.1121E-012	2.3313E-012
RCPTR_33	farmer_child	TOCDFLIC	Naphthalene	7.1259E-012	1.4867E-011
RCPTR_33	farmer_child	TOCDFLIC	Nickel	3.7275E-005	3.8511E-005
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.8548E-010	3.8830E-010
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.4067E-011	9.2385E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.6969E-011	1.1938E-010
RCPTR_33	farmer_child	TOCDFLIC	Nitrobenzene	1.8315E-011	3.8414E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.3416E-012	1.7490E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.2211E-011	3.0908E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0353E-011	2.1674E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.0187E-011	2.1304E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	9.2662E-013	1.9179E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2181E-010	1.2449E-010
RCPTR_33	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.2011E-010	1.2270E-010
RCPTR_33	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5091E-009	1.5348E-009
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.3628E-010	2.4316E-010
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.0767E-010	9.3341E-010
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorobenzene	3.8045E-009	7.4703E-009
RCPTR_33	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.0528E-010	5.9152E-010
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorophenol	6.1680E-008	7.2382E-008
RCPTR_33	farmer_child	TOCDFLIC	Phenanthrene	1.4220E-011	2.9455E-011
RCPTR_33	farmer_child	TOCDFLIC	Phenol	1.4533E-011	3.0440E-011
RCPTR_33	farmer_child	TOCDFLIC	Pronamide	1.4166E-009	2.9188E-009
RCPTR_33	farmer_child	TOCDFLIC	Pyrene	5.0756E-007	7.7753E-007
RCPTR_33	farmer_child	TOCDFLIC	Selenium	1.4127E-005	1.4164E-005
RCPTR_33	farmer_child	TOCDFLIC	Silver	3.7139E-005	3.8387E-005
RCPTR_33	farmer_child	TOCDFLIC	Styrene	1.6671E-010	3.4902E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.9995E-010	2.0788E-010
RCPTR_33	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.7238E-011	8.1466E-011
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1723E-009	2.3719E-009
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.3541E-014	1.1215E-013
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.0026E-014	4.1929E-014
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1879E-008	1.8399E-008
RCPTR_33	farmer_child	TOCDFLIC	Thallium (l)	4.9222E-005	5.0314E-005
RCPTR_33	farmer_child	TOCDFLIC	Toluene	3.9317E-013	8.1999E-013
RCPTR_33	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.4022E-011	9.0491E-011
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.6958E-013	3.5532E-013
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.5477E-013	3.2448E-013
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethylene	2.5199E-014	5.2766E-014
RCPTR_33	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.3113E-015	6.9347E-015
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.1874E-009	1.0429E-008
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1735E-009	2.1651E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.7305E-013	1.2010E-012
RCPTR_33	farmer_child	TOCDFLIC	Vinyl Chloride	2.4514E-017	5.1382E-017
RCPTR_33	farmer_child	TOCDFLIC	Xylene, m-	9.1475E-013	1.2433E-012
RCPTR_33	farmer_child	TOCDFLIC	Xylene, o-	8.6188E-013	1.2365E-012
RCPTR_33	farmer_child	TOCDFLIC	Xylene, p-	1.0361E-012	1.5457E-012
RCPTR_33	farmer_child	TOCDFLIC	Zinc	1.5793E-005	1.7595E-005
RCPTR_33	farmer_child	TOCDFMPF	Acenaphthene	1.7447E-009	3.6231E-009
RCPTR_33	farmer_child	TOCDFMPF	Acetone	1.4800E-013	3.1049E-013
RCPTR_33	farmer_child	TOCDFMPF	Acetophenone	9.5125E-012	1.9946E-011
RCPTR_33	farmer_child	TOCDFMPF	Aniline	5.4767E-013	1.1470E-012
RCPTR_33	farmer_child	TOCDFMPF	Anthracene	3.0825E-008	6.3947E-008
RCPTR_33	farmer_child	TOCDFMPF	Antimony	1.7807E-007	1.9273E-007
RCPTR_33	farmer_child	TOCDFMPF	Aroclor 1254	1.8636E-009	2.4640E-009
RCPTR_33	farmer_child	TOCDFMPF	Arsenic	1.2002E-006	1.2234E-006
RCPTR_33	farmer_child	TOCDFMPF	Barium	1.3583E-006	1.4428E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Benzene	1.9963E-013	4.1783E-013
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)anthracene	7.1995E-006	8.3527E-006
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.9327E-005	7.0574E-005
RCPTR_33	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.9549E-005	4.2570E-005
RCPTR_33	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.0675E-004	1.0801E-004
RCPTR_33	farmer_child	TOCDFMPF	Benzoic acid	6.8074E-011	1.3361E-010
RCPTR_33	farmer_child	TOCDFMPF	Benzyl alcohol	1.2410E-011	2.6014E-011
RCPTR_33	farmer_child	TOCDFMPF	Beryllium	1.0900E-007	1.1218E-007
RCPTR_33	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.2408E-011	2.6029E-011
RCPTR_33	farmer_child	TOCDFMPF	Bromodichloromethane	2.4442E-013	5.1253E-013
RCPTR_33	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.5061E-012	1.7839E-011
RCPTR_33	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.8116E-007	1.0001E-006
RCPTR_33	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.1436E-008	4.4680E-008
RCPTR_33	farmer_child	TOCDFMPF	Cadmium	2.0130E-006	2.3385E-006
RCPTR_33	farmer_child	TOCDFMPF	Carbon disulfide	1.9210E-014	4.0241E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Carbon tetrachloride	1.8130E-013	3.7940E-013
RCPTR_33	farmer_child	TOCDFMPF	Chlorine	1.5963E-006	3.3489E-006
RCPTR_33	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.1767E-009	2.2165E-009
RCPTR_33	farmer_child	TOCDFMPF	Chloroaniline, p-	5.7780E-011	1.2096E-010
RCPTR_33	farmer_child	TOCDFMPF	Chlorobenzene	7.5348E-013	1.5743E-012
RCPTR_33	farmer_child	TOCDFMPF	Chloroethane	4.3005E-015	8.8949E-015
RCPTR_33	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.3110E-013	2.7487E-013
RCPTR_33	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.5454E-009	9.4597E-009
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.6007E-010	3.3573E-010
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.5607E-009	1.2330E-008
RCPTR_33	farmer_child	TOCDFMPF	Chromium	2.7851E-006	2.8567E-006
RCPTR_33	farmer_child	TOCDFMPF	Chromium, hexavalent	2.5760E-006	2.5977E-006
RCPTR_33	farmer_child	TOCDFMPF	Chrysene	2.0243E-005	2.1466E-005
RCPTR_33	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.6031E-007	1.7280E-007
RCPTR_33	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.9386E+002	7.9386E+002

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.4964E-003	1.5059E-003
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.4246E-012	1.5314E-011
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.9165E-012	1.8501E-011
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	8.5672E-012	1.7805E-011
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.9940E-008	1.1117E-007
RCPTR_33	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.8218E-016	5.9071E-016
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.2364E-014	8.8833E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2622E-014	1.1036E-013
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.6056E-014	3.3639E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.5813E-014	5.4076E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.9766E-010	1.5722E-009
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.4543E-013	3.0436E-013
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.7885E-014	1.0038E-013
RCPTR_33	farmer_child	TOCDFMPF	Diethyl phthalate	9.8167E-008	1.0030E-007
RCPTR_33	farmer_child	TOCDFMPF	Dimethyl phthalate	9.6838E-011	2.0024E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.0964E-010	2.2909E-010
RCPTR_33	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	9.0549E-011	1.3200E-010
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.0331E-010	2.1158E-010
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	7.8955E-011	1.6280E-010
RCPTR_33	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.3234E-012	4.8736E-012
RCPTR_33	farmer_child	TOCDFMPF	Ethylbenzene	4.6870E-013	9.6571E-013
RCPTR_33	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.3592E-009	6.8780E-009
RCPTR_33	farmer_child	TOCDFMPF	Fluoranthene	5.0460E-007	8.5027E-007
RCPTR_33	farmer_child	TOCDFMPF	Fluorene	6.9087E-009	1.4250E-008
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.1856E-010	3.2392E-010
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.1670E-010	4.2229E-010
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.2692E-010	7.3882E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9410E-010	1.9683E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.1139E-011	9.2799E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.0568E-011	8.2255E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.3992E-010	1.4325E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.9307E-011	6.0712E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	5.2463E-011	5.3696E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.7004E-011	4.8112E-011
RCPTR_33	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4929E-010	3.0102E-010
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorobenzene	3.0076E-007	6.1082E-007
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.0127E-010	8.0172E-010
RCPTR_33	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.8492E-011	1.8377E-010
RCPTR_33	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0861E-002	1.0882E-002
RCPTR_33	farmer_child	TOCDFMPF	Isophorone	1.6623E-011	3.4852E-011
RCPTR_33	farmer_child	TOCDFMPF	Lead	9.7404E-007	1.0188E-006
RCPTR_33	farmer_child	TOCDFMPF	Mercuric chloride	1.9510E-005	2.3460E-005
RCPTR_33	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.0717E-015	6.4428E-015
RCPTR_33	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.7882E-016	3.7497E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.6709E-013	3.5051E-013
RCPTR_33	farmer_child	TOCDFMPF	Methyl mercury	3.2974E-007	3.4190E-007
RCPTR_33	farmer_child	TOCDFMPF	Methylene chloride	8.4593E-014	1.7740E-013
RCPTR_33	farmer_child	TOCDFMPF	Mustard	7.9269E-012	1.6617E-011
RCPTR_33	farmer_child	TOCDFMPF	Naphthalene	7.0607E-011	1.4731E-010
RCPTR_33	farmer_child	TOCDFMPF	Nickel	2.3401E-005	2.4176E-005
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.8351E-010	5.9353E-010
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.7357E-011	1.4121E-010
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 4-	8.7079E-011	1.8248E-010
RCPTR_33	farmer_child	TOCDFMPF	Nitrobenzene	2.8046E-011	5.8823E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.2774E-011	2.6783E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.3951E-010	4.7245E-010
RCPTR_33	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.5853E-011	3.3190E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.5599E-011	3.2624E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.4189E-012	2.9369E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.7585E-009	7.9294E-009
RCPTR_33	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.3637E-008	1.3931E-008
RCPTR_33	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.9052E-011	8.0398E-011
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.0280E-010	1.0580E-010
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	6.0992E-011	6.2722E-011
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorobenzene	1.1629E-009	2.2836E-009
RCPTR_33	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.6658E-010	9.0411E-010
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorophenol	4.7227E-007	5.5421E-007
RCPTR_33	farmer_child	TOCDFMPF	Phenanthrene	2.1775E-011	4.5105E-011
RCPTR_33	farmer_child	TOCDFMPF	Phenol	2.2255E-011	4.6613E-011
RCPTR_33	farmer_child	TOCDFMPF	Pronamide	2.1692E-009	4.4696E-009
RCPTR_33	farmer_child	TOCDFMPF	Pyrene	7.7722E-007	1.1906E-006
RCPTR_33	farmer_child	TOCDFMPF	Selenium	2.4798E-007	2.4863E-007
RCPTR_33	farmer_child	TOCDFMPF	Silver	5.0144E-006	5.1829E-006
RCPTR_33	farmer_child	TOCDFMPF	Styrene	3.8079E-012	7.9722E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3959E-011	2.4909E-011
RCPTR_33	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.6641E-011	8.0837E-011
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7951E-009	3.6322E-009
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.6294E-012	3.4129E-012
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.5445E-013	3.2338E-013
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8158E-008	2.8124E-008
RCPTR_33	farmer_child	TOCDFMPF	Thallium (l)	1.5076E-006	1.5411E-006
RCPTR_33	farmer_child	TOCDFMPF	Toluene	2.6424E-013	5.5109E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.7411E-011	1.3857E-010
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	9.9709E-014	2.0892E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	7.6185E-013	1.5973E-012
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethylene	1.2404E-013	2.5974E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.4230E-013	7.1687E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.9436E-009	1.5970E-008
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7970E-009	3.3155E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.8209E-012	5.9122E-012
RCPTR_33	farmer_child	TOCDFMPF	Vinyl Chloride	6.7381E-017	1.4123E-016
RCPTR_33	farmer_child	TOCDFMPF	Xylene, m-	9.1637E-013	1.2458E-012
RCPTR_33	farmer_child	TOCDFMPF	Xylene, o-	8.6348E-013	1.2390E-012
RCPTR_33	farmer_child	TOCDFMPF	Xylene, p-	1.0381E-012	1.5490E-012
RCPTR_33	farmer_child	TOCDFMPF	Zinc	4.5012E-006	5.0146E-006
RCPTR_33	farmer_child	TOCDHVAC	Mustard	2.7994E-012	5.8683E-012
RCPTR_33	farmer_child	TOCDLIC2	Acenaphthene	1.1394E-009	2.3660E-009
RCPTR_33	farmer_child	TOCDLIC2	Acetone	4.0450E-014	8.4858E-014
RCPTR_33	farmer_child	TOCDLIC2	Acetophenone	5.9297E-012	1.2433E-011
RCPTR_33	farmer_child	TOCDLIC2	Aniline	3.5765E-013	7.4903E-013
RCPTR_33	farmer_child	TOCDLIC2	Anthracene	2.0130E-008	4.1759E-008
RCPTR_33	farmer_child	TOCDLIC2	Antimony	1.3053E-005	1.4127E-005
RCPTR_33	farmer_child	TOCDLIC2	Arsenic	2.3064E-005	2.3510E-005
RCPTR_33	farmer_child	TOCDLIC2	Barium	1.9147E-006	2.0338E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Benzene	2.2298E-013	4.6671E-013
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.7022E-006	5.4554E-006
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.5286E-005	4.6101E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.5830E-005	2.7804E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.9730E-005	7.0554E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzoic acid	1.5357E-011	3.0142E-011
RCPTR_33	farmer_child	TOCDLIC2	Benzyl alcohol	1.2966E-009	2.7181E-009
RCPTR_33	farmer_child	TOCDLIC2	Beryllium	3.1939E-006	3.2871E-006
RCPTR_33	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	8.1026E-012	1.6998E-011
RCPTR_33	farmer_child	TOCDLIC2	Bromodichloromethane	8.0316E-015	1.6842E-014
RCPTR_33	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.4537E-011	3.0488E-011
RCPTR_33	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.7952E-007	6.5312E-007
RCPTR_33	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.7072E-008	2.9190E-008
RCPTR_33	farmer_child	TOCDLIC2	Cadmium	4.4040E-007	5.1162E-007
RCPTR_33	farmer_child	TOCDLIC2	Carbon disulfide	5.2454E-014	1.0988E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0391E-012	2.1744E-012
RCPTR_33	farmer_child	TOCDLIC2	Chlorine	8.6501E-006	1.8147E-005
RCPTR_33	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.6843E-010	1.4474E-009
RCPTR_33	farmer_child	TOCDLIC2	Chloroaniline, p-	3.7732E-011	7.8993E-011
RCPTR_33	farmer_child	TOCDLIC2	Chlorobenzene	4.1925E-013	8.7600E-013
RCPTR_33	farmer_child	TOCDLIC2	Chloroethane	4.3567E-016	9.0112E-016
RCPTR_33	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.1617E-013	8.7257E-013
RCPTR_33	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.9683E-009	6.1775E-009
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.0453E-010	2.1925E-010
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.2845E-009	8.0520E-009
RCPTR_33	farmer_child	TOCDLIC2	Chromium	1.4661E-005	1.5038E-005
RCPTR_33	farmer_child	TOCDLIC2	Chromium, hexavalent	1.3560E-005	1.3675E-005
RCPTR_33	farmer_child	TOCDLIC2	Chrysene	1.3221E-005	1.4020E-005
RCPTR_33	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.6180E-008	1.7440E-008
RCPTR_33	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.0117E+001	8.0117E+001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.7740E-004	9.8361E-004
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.8485E-012	1.0000E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.8228E-012	1.2082E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.5947E-012	1.1627E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.2543E-008	3.6199E-008
RCPTR_33	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.4251E-017	7.1698E-017
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.3921E-015	2.9191E-015
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0690E-014	2.2418E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.2760E-016	1.1054E-015
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.2439E-015	1.0985E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.8620E-010	1.0267E-009
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.9545E-014	6.1831E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0029E-014	2.1024E-014
RCPTR_33	farmer_child	TOCDLIC2	Diethyl phthalate	9.9071E-009	1.0123E-008
RCPTR_33	farmer_child	TOCDLIC2	Dimethyl phthalate	9.0533E-010	1.8720E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	7.1597E-011	1.4960E-010
RCPTR_33	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.9240E-011	8.6358E-011
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.7468E-011	1.3817E-010
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.1560E-011	1.0632E-010
RCPTR_33	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.5172E-012	3.1826E-012
RCPTR_33	farmer_child	TOCDLIC2	Ethylbenzene	9.9891E-014	2.0581E-013
RCPTR_33	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.5114E-008	3.7977E-008
RCPTR_33	farmer_child	TOCDLIC2	Fluoranthene	3.2953E-007	5.5527E-007
RCPTR_33	farmer_child	TOCDLIC2	Fluorene	4.5117E-009	9.3058E-009
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	8.1594E-011	8.2967E-011
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.6447E-010	2.6802E-010
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.1996E-010	6.3012E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.7821E-010	6.8776E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.0938E-010	4.1684E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.4052E-010	3.4766E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.0710E-010	7.2391E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.1377E-010	6.2830E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.2986E-010	6.4466E-010
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.1857E-010	5.3080E-010
RCPTR_33	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.7492E-011	1.9658E-010
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorobenzene	1.9641E-007	3.9889E-007
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.6205E-010	5.2356E-010
RCPTR_33	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.7788E-011	1.2001E-010
RCPTR_33	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.0930E-003	7.1063E-003
RCPTR_33	farmer_child	TOCDLIC2	Isophorone	1.0855E-011	2.2760E-011
RCPTR_33	farmer_child	TOCDLIC2	Lead	8.4279E-006	8.8148E-006
RCPTR_33	farmer_child	TOCDLIC2	Mercuric chloride	1.1461E-006	1.3781E-006
RCPTR_33	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.9263E-016	1.2430E-015
RCPTR_33	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.0458E-015	2.1930E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.2250E-013	1.7254E-012
RCPTR_33	farmer_child	TOCDLIC2	Methyl mercury	1.9379E-008	2.0094E-008
RCPTR_33	farmer_child	TOCDLIC2	Methylene chloride	1.0738E-013	2.2519E-013
RCPTR_33	farmer_child	TOCDLIC2	Mustard	1.1562E-012	2.4237E-012
RCPTR_33	farmer_child	TOCDLIC2	Naphthalene	7.1259E-012	1.4867E-011
RCPTR_33	farmer_child	TOCDLIC2	Nickel	3.7275E-005	3.8511E-005
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.8548E-010	3.8830E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.4067E-011	9.2385E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.6969E-011	1.1938E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitrobenzene	1.8315E-011	3.8414E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 2-	8.3416E-012	1.7490E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.2211E-010	3.0908E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0353E-011	2.1674E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.0187E-011	2.1304E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	9.2662E-013	1.9179E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2181E-010	1.2449E-010
RCPTR_33	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.2011E-010	1.2270E-010
RCPTR_33	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.5091E-009	1.5348E-009
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.3628E-010	2.4316E-010
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	9.0767E-010	9.3341E-010
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorobenzene	3.8045E-009	7.4703E-009
RCPTR_33	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.0528E-010	5.9152E-010
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorophenol	6.1680E-008	7.2382E-008
RCPTR_33	farmer_child	TOCDLIC2	Phenanthrene	1.4220E-011	2.9455E-011
RCPTR_33	farmer_child	TOCDLIC2	Phenol	1.4533E-011	3.0440E-011
RCPTR_33	farmer_child	TOCDLIC2	Pronamide	1.4166E-009	2.9188E-009
RCPTR_33	farmer_child	TOCDLIC2	Pyrene	5.0756E-007	7.7753E-007
RCPTR_33	farmer_child	TOCDLIC2	Selenium	1.4127E-005	1.4164E-005
RCPTR_33	farmer_child	TOCDLIC2	Silver	3.7139E-005	3.8387E-005
RCPTR_33	farmer_child	TOCDLIC2	Styrene	1.6671E-010	3.4902E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9995E-010	2.0788E-010
RCPTR_33	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.7238E-011	8.1466E-011
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1723E-009	2.3719E-009
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.3541E-014	1.1215E-013
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.0026E-014	4.1929E-014
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1879E-008	1.8399E-008
RCPTR_33	farmer_child	TOCDLIC2	Thallium (l)	4.9222E-005	5.0314E-005
RCPTR_33	farmer_child	TOCDLIC2	Toluene	3.9317E-013	8.1999E-013
RCPTR_33	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.4022E-011	9.0491E-011
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.6958E-013	3.5532E-013
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.5477E-013	3.2448E-013
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethylene	2.5199E-014	5.2766E-014
RCPTR_33	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.3113E-015	6.9347E-015
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.1874E-009	1.0429E-008
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1735E-009	2.1651E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.7305E-013	1.2010E-012
RCPTR_33	farmer_child	TOCDLIC2	Vinyl Chloride	2.4514E-017	5.1382E-017
RCPTR_33	farmer_child	TOCDLIC2	Xylene, m-	1.9009E-012	2.5837E-012
RCPTR_33	farmer_child	TOCDLIC2	Xylene, o-	1.7910E-012	2.5694E-012
RCPTR_33	farmer_child	TOCDLIC2	Xylene, p-	2.1531E-012	3.2120E-012
RCPTR_33	farmer_child	TOCDLIC2	Zinc	1.5793E-005	1.7595E-005
RCPTR_34	farmer_adult	TOCDFBRA	Antimony	1.7863E-006	2.0793E-006
RCPTR_34	farmer_adult	TOCDFBRA	Arsenic	3.0298E-006	3.1375E-006
RCPTR_34	farmer_adult	TOCDFBRA	Barium	2.4789E-007	2.7782E-007
RCPTR_34	farmer_adult	TOCDFBRA	Beryllium	8.0348E-007	8.5616E-007
RCPTR_34	farmer_adult	TOCDFBRA	Cadmium	1.3466E-007	1.8575E-007
RCPTR_34	farmer_adult	TOCDFBRA	Chromium	2.0072E-005	2.0150E-005
RCPTR_34	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.8024E-005	1.8299E-005
RCPTR_34	farmer_adult	TOCDFBRA	Lead	8.1942E-006	9.0151E-006
RCPTR_34	farmer_adult	TOCDFBRA	Mercuric chloride	9.1058E-004	9.4259E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFBRA	Methyl mercury	1.4374E-005	1.4676E-005
RCPTR_34	farmer_adult	TOCDFBRA	Nickel	9.8776E-006	1.0532E-005
RCPTR_34	farmer_adult	TOCDFBRA	Selenium	3.4230E-006	3.4393E-006
RCPTR_34	farmer_adult	TOCDFBRA	Silver	1.1385E-006	1.2092E-006
RCPTR_34	farmer_adult	TOCDFBRA	Thallium (l)	3.0843E-005	3.2218E-005
RCPTR_34	farmer_adult	TOCDFBRA	Zinc	5.0940E-006	6.3409E-006
RCPTR_34	farmer_adult	TOCDFDFS	Acenaphthene	6.3209E-010	7.9010E-009
RCPTR_34	farmer_adult	TOCDFDFS	Acetone	6.2343E-015	8.7160E-014
RCPTR_34	farmer_adult	TOCDFDFS	Acetophenone	3.1411E-012	4.3658E-011
RCPTR_34	farmer_adult	TOCDFDFS	Aniline	1.8241E-013	2.5017E-012
RCPTR_34	farmer_adult	TOCDFDFS	Anthracene	1.1271E-008	1.3945E-007
RCPTR_34	farmer_adult	TOCDFDFS	Antimony	1.6985E-007	1.9755E-007
RCPTR_34	farmer_adult	TOCDFDFS	Aroclor 1254	1.6102E-009	2.8662E-009
RCPTR_34	farmer_adult	TOCDFDFS	Arsenic	3.3614E-007	3.4801E-007
RCPTR_34	farmer_adult	TOCDFDFS	Barium	2.1696E-007	2.4300E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Benzene	2.2890E-014	3.1177E-013
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.2569E-005	1.7944E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.4488E-004	1.5046E-004
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.7250E-005	9.1156E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.2369E-004	2.3032E-004
RCPTR_34	farmer_adult	TOCDFDFS	Benzoic acid	3.7444E-012	2.9106E-011
RCPTR_34	farmer_adult	TOCDFDFS	Benzyl alcohol	4.0942E-012	5.6740E-011
RCPTR_34	farmer_adult	TOCDFDFS	Beryllium	1.7531E-007	1.8674E-007
RCPTR_34	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.0611E-012	5.6773E-011
RCPTR_34	farmer_adult	TOCDFDFS	Bromodichloromethane	7.2555E-015	1.0095E-013
RCPTR_34	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.1589E-012	1.6150E-011
RCPTR_34	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.2991E-007	2.1814E-006
RCPTR_34	farmer_adult	TOCDFDFS	Butylbenzylphthalate	8.2750E-008	9.5302E-008
RCPTR_34	farmer_adult	TOCDFDFS	Cadmium	6.2527E-008	8.6103E-008
RCPTR_34	farmer_adult	TOCDFDFS	Carbon disulfide	4.0491E-015	5.5676E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Carbon tetrachloride	6.4931E-015	8.8229E-014
RCPTR_34	farmer_adult	TOCDFDFS	Chlorine	1.2595E-013	1.7615E-012
RCPTR_34	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.0075E-010	4.8245E-009
RCPTR_34	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.9323E-011	2.6383E-010
RCPTR_34	farmer_adult	TOCDFDFS	Chlorobenzene	3.8656E-014	5.1640E-013
RCPTR_34	farmer_adult	TOCDFDFS	Chloroethane	1.2123E-016	1.4547E-015
RCPTR_34	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	5.0125E-015	6.9639E-014
RCPTR_34	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.6125E-009	2.0630E-008
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.2486E-011	7.3229E-010
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.5057E-009	2.6832E-008
RCPTR_34	farmer_adult	TOCDFDFS	Chromium	5.7677E-006	5.7900E-006
RCPTR_34	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.1826E-006	5.2612E-006
RCPTR_34	farmer_adult	TOCDFDFS	Chrysene	3.9853E-005	4.5955E-005
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	3.2179E-007	3.7012E-007
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.6969E+003	1.6969E+003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.2209E-003	3.2709E-003
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.8615E-012	3.3391E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.2555E-012	4.0344E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.0804E-012	3.8828E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.9395E-007	2.3726E-007
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	8.9177E-018	1.2167E-016
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.0949E-015	2.9140E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5992E-015	3.6200E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.0100E-016	1.1034E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2894E-015	1.7738E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	8.0641E-010	3.4169E-009
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.3403E-015	9.9837E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.3755E-015	3.2928E-014
RCPTR_34	farmer_adult	TOCDFDFS	Diethyl phthalate	2.0631E-007	2.1458E-007
RCPTR_34	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.5127E-011	6.5967E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.7383E-011	4.9965E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.2538E-010	2.8607E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.2258E-011	4.6125E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.0495E-011	3.5498E-010
RCPTR_34	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	7.6109E-013	1.0630E-011
RCPTR_34	farmer_adult	TOCDFDFS	Ethylbenzene	2.7417E-014	3.1668E-013
RCPTR_34	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.3955E-008	1.6168E-008
RCPTR_34	farmer_adult	TOCDFDFS	Fluoranthene	4.1719E-007	1.8481E-006
RCPTR_34	farmer_adult	TOCDFDFS	Fluorene	2.6618E-009	3.1071E-008
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.2061E-012	6.4476E-012
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.3561E-012	5.5216E-012
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6665E-011	1.7296E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.4049E-010	1.4504E-010
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.2238E-011	8.5718E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.3121E-011	6.6208E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.4067E-011	4.6528E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.9898E-011	4.2113E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.7464E-011	5.0080E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.6393E-011	3.8406E-011
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.8845E-011	6.5602E-010
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.2974E-007	1.3315E-006
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.9715E-010	1.7469E-009
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.2050E-011	4.0075E-010
RCPTR_34	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3277E-002	2.3380E-002
RCPTR_34	farmer_adult	TOCDFDFS	Isophorone	5.4727E-012	7.6018E-011
RCPTR_34	farmer_adult	TOCDFDFS	Lead	1.0624E-006	1.1682E-006
RCPTR_34	farmer_adult	TOCDFDFS	Mercuric chloride	3.7502E-007	3.8884E-007
RCPTR_34	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	9.1194E-017	1.2722E-015
RCPTR_34	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.8033E-017	2.5083E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.4706E-014	6.2481E-013
RCPTR_34	farmer_adult	TOCDFDFS	Methyl mercury	5.4410E-009	5.5713E-009
RCPTR_34	farmer_adult	TOCDFDFS	Methylene chloride	2.6992E-015	3.7584E-014
RCPTR_34	farmer_adult	TOCDFDFS	Mustard	3.1944E-013	4.4279E-012
RCPTR_34	farmer_adult	TOCDFDFS	Naphthalene	2.4450E-011	3.2127E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nickel	2.3343E-005	2.4881E-005
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 2-	9.4988E-011	1.2968E-009
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.2235E-011	3.0855E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.8881E-011	3.9870E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitrobenzene	9.1988E-012	1.2830E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.2041E-012	5.8417E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.0740E-010	1.0228E-009
RCPTR_34	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.3008E-012	7.2390E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.2713E-012	7.1154E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.2663E-013	6.4012E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.9523E-012	1.0464E-011
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0484E-011	1.1012E-011
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.5200E-010	2.6201E-010
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.0928E-011	3.3064E-011
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2497E-010	1.3335E-010
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.3493E-010	4.9716E-009
RCPTR_34	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.7496E-010	1.9711E-009
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorophenol	8.7592E-007	1.1936E-006
RCPTR_34	farmer_adult	TOCDFDFS	Phenanthrene	8.0760E-012	9.8356E-011
RCPTR_34	farmer_adult	TOCDFDFS	Phenol	7.4059E-012	1.0167E-010
RCPTR_34	farmer_adult	TOCDFDFS	Pronamide	8.4358E-010	9.7457E-009
RCPTR_34	farmer_adult	TOCDFDFS	Pyrene	5.3046E-007	2.5922E-006
RCPTR_34	farmer_adult	TOCDFDFS	Selenium	3.7977E-007	3.8156E-007
RCPTR_34	farmer_adult	TOCDFDFS	Silver	2.4959E-006	2.6499E-006
RCPTR_34	farmer_adult	TOCDFDFS	Styrene	2.7687E-013	3.7825E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	7.6005E-011	8.3287E-011
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.2849E-011	2.5938E-011
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.0781E-010	7.9169E-009
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4039E-010	1.7512E-010
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.7574E-015	1.0608E-013
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.2419E-008	6.1052E-008
RCPTR_34	farmer_adult	TOCDFDFS	Thallium (l)	3.3485E-004	3.4968E-004
RCPTR_34	farmer_adult	TOCDFDFS	Toluene	1.0843E-014	1.4193E-013
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.6752E-011	3.0212E-010
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	6.4142E-015	8.8427E-014
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.7736E-014	5.2396E-013
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethylene	6.2236E-015	8.5202E-014
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.5829E-016	1.1769E-014
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.7443E-009	3.4806E-008
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	6.7224E-009	3.6259E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.4021E-013	1.9394E-012
RCPTR_34	farmer_adult	TOCDFDFS	Vinyl Chloride	2.0000E-018	2.7680E-017
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, m-	4.8175E-013	9.2159E-013
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, o-	3.6474E-013	8.0282E-013
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, p-	4.6874E-013	1.1509E-012
RCPTR_34	farmer_adult	TOCDFDFS	Zinc	1.0656E-006	1.3248E-006
RCPTR_34	farmer_adult	TOCDFLIC	Acenaphthene	1.2885E-010	1.6107E-009
RCPTR_34	farmer_adult	TOCDFLIC	Acetone	4.1328E-015	5.7780E-014
RCPTR_34	farmer_adult	TOCDFLIC	Acetophenone	6.0909E-013	8.4657E-012
RCPTR_34	farmer_adult	TOCDFLIC	Aniline	3.7188E-014	5.1000E-013
RCPTR_34	farmer_adult	TOCDFLIC	Anthracene	2.2971E-009	2.8427E-008
RCPTR_34	farmer_adult	TOCDFLIC	Antimony	8.3690E-006	9.7327E-006
RCPTR_34	farmer_adult	TOCDFLIC	Arsenic	1.5631E-005	1.6183E-005
RCPTR_34	farmer_adult	TOCDFLIC	Barium	1.2508E-006	1.4008E-006
RCPTR_34	farmer_adult	TOCDFLIC	Benzene	2.3331E-014	3.1777E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.5561E-006	3.6509E-006
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.9395E-005	3.0519E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.5726E-005	1.8557E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.5418E-005	4.6749E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzoic acid	2.6397E-012	2.0501E-011
RCPTR_34	farmer_adult	TOCDFLIC	Benzyl alcohol	1.3354E-010	1.8507E-009
RCPTR_34	farmer_adult	TOCDFLIC	Beryllium	2.1253E-006	2.2637E-006
RCPTR_34	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	8.2790E-013	1.1574E-011
RCPTR_34	farmer_adult	TOCDFLIC	Bromodichloromethane	8.2424E-016	1.1468E-014
RCPTR_34	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.4897E-012	2.0759E-011
RCPTR_34	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	4.6863E-008	4.4470E-007
RCPTR_34	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.6710E-008	1.9268E-008
RCPTR_34	farmer_adult	TOCDFLIC	Cadmium	2.5628E-007	3.5285E-007
RCPTR_34	farmer_adult	TOCDFLIC	Carbon disulfide	5.4412E-015	7.4817E-014
RCPTR_34	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.0896E-013	1.4805E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Chlorine	8.8348E-007	1.2356E-005
RCPTR_34	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.6349E-010	9.8377E-010
RCPTR_34	farmer_adult	TOCDFLIC	Chloroaniline, p-	3.9395E-012	5.3785E-011
RCPTR_34	farmer_adult	TOCDFLIC	Chlorobenzene	4.4648E-014	5.9642E-013
RCPTR_34	farmer_adult	TOCDFLIC	Chloroethane	5.1140E-017	6.1344E-016
RCPTR_34	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.2764E-014	5.9413E-013
RCPTR_34	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.2874E-010	4.2056E-009
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.0700E-011	1.4929E-010
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.1787E-010	5.4693E-009
RCPTR_34	farmer_adult	TOCDFLIC	Chromium	1.0317E-005	1.0357E-005
RCPTR_34	farmer_adult	TOCDFLIC	Chromium, hexavalent	9.2707E-006	9.4113E-006
RCPTR_34	farmer_adult	TOCDFLIC	Chrysene	8.1160E-006	9.3576E-006
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.0145E-008	1.1668E-008
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.3598E+001	5.3598E+001
RCPTR_34	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.5305E-004	6.6290E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.8341E-013	6.8071E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.6374E-013	8.2247E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.2802E-013	7.9156E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.9695E-008	2.4105E-008
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.5771E-018	4.8816E-017
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.4289E-016	1.9876E-015
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0960E-015	1.5265E-014
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	5.4637E-017	7.5265E-016
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.4370E-016	7.4798E-015
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.6470E-010	6.9688E-010
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.0953E-015	4.2099E-014
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0327E-015	1.4315E-014
RCPTR_34	farmer_adult	TOCDFLIC	Diethyl phthalate	6.5161E-009	6.7767E-009
RCPTR_34	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0643E-010	1.2742E-009
RCPTR_34	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	7.6219E-012	1.0186E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.5600E-011	5.8361E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	8.6006E-012	9.4016E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.2143E-012	7.2363E-011
RCPTR_34	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.5516E-013	2.1671E-012
RCPTR_34	farmer_adult	TOCDFLIC	Ethylbenzene	1.2130E-014	1.4009E-013
RCPTR_34	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.1579E-008	2.5035E-008
RCPTR_34	farmer_adult	TOCDFLIC	Fluoranthene	8.4990E-008	3.7668E-007
RCPTR_34	farmer_adult	TOCDFLIC	Fluorene	5.4258E-010	6.3342E-009
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.1901E-011	5.3898E-011
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.7032E-010	1.7550E-010
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.9514E-010	4.0995E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.3697E-010	4.5096E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.6004E-010	2.7094E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.1413E-010	2.2452E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.4322E-010	4.6788E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.8501E-010	4.0632E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.9564E-010	4.1737E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.2553E-010	3.4347E-010
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4017E-011	1.3372E-010
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.6445E-008	2.7143E-007
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.0123E-011	3.5605E-010
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.5355E-012	8.1700E-011
RCPTR_34	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7451E-003	4.7654E-003
RCPTR_34	farmer_adult	TOCDFLIC	Isophorone	1.1157E-012	1.5497E-011
RCPTR_34	farmer_adult	TOCDFLIC	Lead	5.5234E-006	6.0732E-006
RCPTR_34	farmer_adult	TOCDFLIC	Mercuric chloride	8.9035E-007	9.2334E-007
RCPTR_34	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.0669E-017	8.4636E-016
RCPTR_34	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.0735E-016	1.4932E-015
RCPTR_34	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.4063E-014	1.1748E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Methyl mercury	1.2779E-008	1.3090E-008
RCPTR_34	farmer_adult	TOCDFLIC	Methylene chloride	1.1012E-014	1.5333E-013
RCPTR_34	farmer_adult	TOCDFLIC	Mustard	1.1452E-013	1.5874E-012
RCPTR_34	farmer_adult	TOCDFLIC	Naphthalene	7.7031E-013	1.0122E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nickel	2.4876E-005	2.6514E-005
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.9365E-011	2.6438E-010
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.5329E-012	6.2904E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 4-	5.8868E-012	8.1282E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrobenzene	1.8753E-012	2.6156E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 2-	8.5704E-013	1.1909E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.0368E-011	2.0875E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0807E-012	1.4757E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.0747E-012	1.4506E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.0694E-013	1.3045E-012
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.6099E-011	7.9994E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.5061E-011	7.8818E-011
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.7605E-010	1.0145E-009
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.5029E-010	1.6066E-010
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.7502E-010	6.1356E-010
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorobenzene	6.4270E-010	5.0712E-009
RCPTR_34	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.5532E-011	4.0133E-010
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorophenol	3.5737E-008	4.8666E-008
RCPTR_34	farmer_adult	TOCDFLIC	Phenanthrene	1.6463E-012	2.0051E-011
RCPTR_34	farmer_adult	TOCDFLIC	Phenol	1.5098E-012	2.0726E-011
RCPTR_34	farmer_adult	TOCDFLIC	Pronamide	1.7201E-010	1.9868E-009
RCPTR_34	farmer_adult	TOCDFLIC	Pyrene	1.0813E-007	5.2843E-007
RCPTR_34	farmer_adult	TOCDFLIC	Selenium	9.7014E-006	9.7472E-006
RCPTR_34	farmer_adult	TOCDFLIC	Silver	2.4893E-005	2.6428E-005
RCPTR_34	farmer_adult	TOCDFLIC	Styrene	1.7394E-011	2.3764E-010
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.2562E-010	1.3766E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	4.7726E-011	5.4185E-011
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6476E-010	1.6140E-009
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.5579E-015	7.6362E-014
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.0875E-015	2.8548E-014
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.5798E-009	1.2456E-008
RCPTR_34	farmer_adult	TOCDFLIC	Thallium (l)	3.3167E-005	3.4636E-005
RCPTR_34	farmer_adult	TOCDFLIC	Toluene	4.2653E-014	5.5827E-013
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.4537E-012	6.1591E-011
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.7549E-014	2.4193E-013
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.5912E-014	2.2094E-013
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethylene	2.6243E-015	3.5928E-014
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.4437E-016	4.7217E-015
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	7.6400E-010	7.0963E-009
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.7308E-010	1.4710E-009
RCPTR_34	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	5.9121E-014	8.1778E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Vinyl Chloride	2.5274E-018	3.4985E-017
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, m-	4.2320E-013	8.2012E-013
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, o-	3.6696E-013	8.1946E-013
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, p-	4.1226E-013	1.0278E-012
RCPTR_34	farmer_adult	TOCDFLIC	Zinc	9.7553E-006	1.2127E-005
RCPTR_34	farmer_adult	TOCDFMPF	Acenaphthene	1.9645E-010	2.4558E-009
RCPTR_34	farmer_adult	TOCDFMPF	Acetone	1.5056E-014	2.1050E-013
RCPTR_34	farmer_adult	TOCDFMPF	Acetophenone	9.7289E-013	1.3522E-011
RCPTR_34	farmer_adult	TOCDFMPF	Aniline	5.6699E-014	7.7759E-013
RCPTR_34	farmer_adult	TOCDFMPF	Anthracene	3.5024E-009	4.3342E-008
RCPTR_34	farmer_adult	TOCDFMPF	Antimony	1.1395E-007	1.3252E-007
RCPTR_34	farmer_adult	TOCDFMPF	Aroclor 1254	9.1821E-010	1.6403E-009
RCPTR_34	farmer_adult	TOCDFMPF	Arsenic	8.1183E-007	8.4049E-007
RCPTR_34	farmer_adult	TOCDFMPF	Barium	8.8557E-007	9.9177E-007
RCPTR_34	farmer_adult	TOCDFMPF	Benzene	2.0797E-014	2.8326E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.8972E-006	5.5665E-006
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.4820E-005	4.6535E-005
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.3976E-005	2.8292E-005
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	6.9250E-005	7.1280E-005
RCPTR_34	farmer_adult	TOCDFMPF	Benzoic acid	1.1650E-011	9.0479E-011
RCPTR_34	farmer_adult	TOCDFMPF	Benzyl alcohol	1.2726E-012	1.7636E-011
RCPTR_34	farmer_adult	TOCDFMPF	Beryllium	7.2388E-008	7.7103E-008
RCPTR_34	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.2623E-012	1.7646E-011
RCPTR_34	farmer_adult	TOCDFMPF	Bromodichloromethane	2.4974E-014	3.4747E-013
RCPTR_34	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	8.6789E-013	1.2094E-011
RCPTR_34	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.1452E-008	6.7802E-007
RCPTR_34	farmer_adult	TOCDFMPF	Butylbenzylphthalate	2.5483E-008	2.9383E-008
RCPTR_34	farmer_adult	TOCDFMPF	Cadmium	1.1691E-006	1.6097E-006
RCPTR_34	farmer_adult	TOCDFMPF	Carbon disulfide	1.9841E-015	2.7281E-014
RCPTR_34	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.8929E-014	2.5720E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Chlorine	1.6234E-007	2.2704E-006
RCPTR_34	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.4924E-010	1.4999E-009
RCPTR_34	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.0064E-012	8.2004E-011
RCPTR_34	farmer_adult	TOCDFMPF	Chlorobenzene	7.9892E-014	1.0672E-012
RCPTR_34	farmer_adult	TOCDFMPF	Chloroethane	5.0260E-016	6.0290E-015
RCPTR_34	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.3413E-014	1.8634E-013
RCPTR_34	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.0122E-010	6.4122E-009
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.6314E-011	2.2761E-010
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.3994E-009	8.3388E-009
RCPTR_34	farmer_adult	TOCDFMPF	Chromium	1.9560E-006	1.9635E-006
RCPTR_34	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.7576E-006	1.7843E-006
RCPTR_34	farmer_adult	TOCDFMPF	Chrysene	1.2373E-005	1.4267E-005
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.0008E-007	1.1510E-007
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-octylphthalate	5.2868E+002	5.2868E+002
RCPTR_34	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	9.9585E-004	1.0109E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.8948E-013	1.0379E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0120E-012	1.2540E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.5751E-013	1.2069E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.0237E-008	7.3726E-008
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.9344E-017	4.0045E-016
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.3295E-015	6.0224E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.3718E-015	7.4815E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.6555E-015	2.2805E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.6648E-015	3.6660E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.5107E-010	1.0625E-009
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.5171E-014	2.0633E-013
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.9094E-015	6.8052E-014
RCPTR_34	farmer_adult	TOCDFMPF	Diethyl phthalate	6.4273E-008	6.6844E-008
RCPTR_34	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.1335E-011	1.3570E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.1621E-011	1.5530E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.8956E-011	8.8815E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.3113E-011	1.4334E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.4748E-012	1.1033E-010
RCPTR_34	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.3656E-013	3.3041E-012
RCPTR_34	farmer_adult	TOCDFMPF	Ethylbenzene	5.6666E-014	6.5448E-013
RCPTR_34	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.8940E-009	4.5176E-009
RCPTR_34	farmer_adult	TOCDFMPF	Fluoranthene	1.2958E-007	5.7430E-007
RCPTR_34	farmer_adult	TOCDFMPF	Fluorene	8.2725E-010	9.6575E-009
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.0202E-010	2.0979E-010
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.6743E-010	2.7558E-010
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.6188E-010	4.7919E-010
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.2462E-010	1.2861E-010
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.7715E-011	6.0134E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.0524E-011	5.2979E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	8.7465E-011	9.2332E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.7100E-011	3.9153E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.2861E-011	3.4666E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.9424E-011	3.1046E-011
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.1372E-011	2.0388E-010
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.0319E-008	4.1385E-007
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.1176E-011	5.4286E-010
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.9643E-012	1.2457E-010
RCPTR_34	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.2342E-003	7.2652E-003
RCPTR_34	farmer_adult	TOCDFMPF	Isophorone	1.7011E-012	2.3628E-011
RCPTR_34	farmer_adult	TOCDFMPF	Lead	6.3710E-007	7.0052E-007
RCPTR_34	farmer_adult	TOCDFMPF	Mercuric chloride	1.5099E-005	1.5658E-005
RCPTR_34	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.1310E-016	4.3679E-015
RCPTR_34	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.8276E-017	2.5421E-016
RCPTR_34	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.7003E-014	2.3763E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Methyl mercury	2.1678E-007	2.2206E-007
RCPTR_34	farmer_adult	TOCDFMPF	Methylene chloride	8.6374E-015	1.2027E-013
RCPTR_34	farmer_adult	TOCDFMPF	Mustard	8.1273E-013	1.1265E-011
RCPTR_34	farmer_adult	TOCDFMPF	Naphthalene	7.5995E-012	9.9857E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nickel	1.5586E-005	1.6612E-005
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.9472E-011	4.0237E-010
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.8986E-012	9.5734E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.9592E-012	1.2370E-010
RCPTR_34	farmer_adult	TOCDFMPF	Nitrobenzene	2.8592E-012	3.9879E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.3067E-012	1.8157E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.5777E-010	3.1767E-010
RCPTR_34	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.6477E-012	2.2500E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.6386E-012	2.2116E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.6307E-013	1.9890E-012
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.8351E-009	5.0827E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	8.5018E-009	8.9274E-009
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.0930E-011	5.2939E-011
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.5142E-011	6.9636E-011
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.8502E-011	4.1082E-011
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.9567E-010	1.5436E-009
RCPTR_34	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.4536E-011	6.1080E-010
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorophenol	2.7239E-007	3.7095E-007
RCPTR_34	farmer_adult	TOCDFMPF	Phenanthrene	2.5101E-012	3.0571E-011
RCPTR_34	farmer_adult	TOCDFMPF	Phenol	2.3020E-012	3.1601E-011
RCPTR_34	farmer_adult	TOCDFMPF	Pronamide	2.6226E-010	3.0292E-009
RCPTR_34	farmer_adult	TOCDFMPF	Pyrene	1.6486E-007	8.0568E-007
RCPTR_34	farmer_adult	TOCDFMPF	Selenium	1.6996E-007	1.7077E-007
RCPTR_34	farmer_adult	TOCDFMPF	Silver	3.3545E-006	3.5613E-006
RCPTR_34	farmer_adult	TOCDFMPF	Styrene	3.9560E-013	5.4046E-012
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4993E-011	1.6431E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	4.7165E-011	5.3549E-011
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.5119E-010	2.4608E-009
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.6840E-013	2.3137E-012
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.6030E-014	2.1923E-013
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.9691E-009	1.8956E-008
RCPTR_34	farmer_adult	TOCDFMPF	Thallium (l)	1.0139E-006	1.0588E-006
RCPTR_34	farmer_adult	TOCDFMPF	Toluene	2.8541E-014	3.7357E-013
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.3149E-012	9.3907E-011
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.0274E-014	1.4163E-013
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.7989E-014	1.0829E-012
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethylene	1.2862E-014	1.7609E-013
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.5444E-014	4.8599E-013
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1648E-009	1.0819E-008
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	4.1631E-010	2.2427E-009
RCPTR_34	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.8976E-013	4.0081E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Vinyl Chloride	6.9168E-018	9.5743E-017
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, m-	4.2282E-013	8.1906E-013
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, o-	3.6662E-013	8.1836E-013
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, p-	4.1187E-013	1.0264E-012
RCPTR_34	farmer_adult	TOCDFMPF	Zinc	2.7749E-006	3.4494E-006
RCPTR_34	farmer_adult	TOCDHVAC	Mustard	1.9601E-013	2.7177E-012
RCPTR_34	farmer_adult	TOCDLIC2	Acenaphthene	1.2885E-010	1.6107E-009
RCPTR_34	farmer_adult	TOCDLIC2	Acetone	4.1328E-015	5.7780E-014
RCPTR_34	farmer_adult	TOCDLIC2	Acetophenone	6.0909E-013	8.4657E-012
RCPTR_34	farmer_adult	TOCDLIC2	Aniline	3.7188E-014	5.1000E-013
RCPTR_34	farmer_adult	TOCDLIC2	Anthracene	2.2971E-009	2.8427E-008
RCPTR_34	farmer_adult	TOCDLIC2	Antimony	8.3690E-006	9.7327E-006
RCPTR_34	farmer_adult	TOCDLIC2	Arsenic	1.5631E-005	1.6183E-005
RCPTR_34	farmer_adult	TOCDLIC2	Barium	1.2508E-006	1.4008E-006
RCPTR_34	farmer_adult	TOCDLIC2	Benzene	2.3331E-014	3.1777E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.5561E-006	3.6509E-006
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.9395E-005	3.0519E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.5726E-005	1.8557E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.5418E-005	4.6749E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzoic acid	2.6397E-012	2.0501E-011
RCPTR_34	farmer_adult	TOCDLIC2	Benzyl alcohol	1.3354E-010	1.8507E-009
RCPTR_34	farmer_adult	TOCDLIC2	Beryllium	2.1253E-006	2.2637E-006
RCPTR_34	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.2790E-013	1.1574E-011
RCPTR_34	farmer_adult	TOCDLIC2	Bromodichloromethane	8.2424E-016	1.1468E-014
RCPTR_34	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.4897E-012	2.0759E-011
RCPTR_34	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.6863E-008	4.4470E-007
RCPTR_34	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.6710E-008	1.9268E-008
RCPTR_34	farmer_adult	TOCDLIC2	Cadmium	2.5628E-007	3.5285E-007
RCPTR_34	farmer_adult	TOCDLIC2	Carbon disulfide	5.4412E-015	7.4817E-014
RCPTR_34	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.0896E-013	1.4805E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Chlorine	8.8348E-007	1.2356E-005
RCPTR_34	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.6349E-010	9.8377E-010
RCPTR_34	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.9395E-012	5.3785E-011
RCPTR_34	farmer_adult	TOCDLIC2	Chlorobenzene	4.4648E-014	5.9642E-013
RCPTR_34	farmer_adult	TOCDLIC2	Chloroethane	5.1140E-017	6.1344E-016
RCPTR_34	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.2764E-014	5.9413E-013
RCPTR_34	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.2874E-010	4.2056E-009
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.0700E-011	1.4929E-010
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.1787E-010	5.4693E-009
RCPTR_34	farmer_adult	TOCDLIC2	Chromium	1.0317E-005	1.0357E-005
RCPTR_34	farmer_adult	TOCDLIC2	Chromium, hexavalent	9.2707E-006	9.4113E-006
RCPTR_34	farmer_adult	TOCDLIC2	Chrysene	8.1160E-006	9.3576E-006
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.0145E-008	1.1668E-008
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.3598E+001	5.3598E+001
RCPTR_34	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.5305E-004	6.6290E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.8341E-013	6.8071E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.6374E-013	8.2247E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.2802E-013	7.9156E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.9695E-008	2.4105E-008
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.5771E-018	4.8816E-017
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.4289E-016	1.9876E-015
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0960E-015	1.5265E-014
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	5.4637E-017	7.5265E-016
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.4370E-016	7.4798E-015
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.6470E-010	6.9688E-010
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.0953E-015	4.2099E-014
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0327E-015	1.4315E-014
RCPTR_34	farmer_adult	TOCDLIC2	Diethyl phthalate	6.5161E-009	6.7767E-009
RCPTR_34	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0643E-010	1.2742E-009
RCPTR_34	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.6219E-012	1.0186E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.5600E-011	5.8361E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.6006E-012	9.4016E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.2143E-012	7.2363E-011
RCPTR_34	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.5516E-013	2.1671E-012
RCPTR_34	farmer_adult	TOCDLIC2	Ethylbenzene	1.2130E-014	1.4009E-013
RCPTR_34	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.1579E-008	2.5035E-008
RCPTR_34	farmer_adult	TOCDLIC2	Fluoranthene	8.4990E-008	3.7668E-007
RCPTR_34	farmer_adult	TOCDLIC2	Fluorene	5.4258E-010	6.3342E-009
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.1901E-011	5.3898E-011
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.7032E-010	1.7550E-010
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.9514E-010	4.0995E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.3697E-010	4.5096E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.6004E-010	2.7094E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.1413E-010	2.2452E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.4322E-010	4.6788E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.8501E-010	4.0632E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.9564E-010	4.1737E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.2553E-010	3.4347E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4017E-011	1.3372E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.6445E-008	2.7143E-007
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.0123E-011	3.5605E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.5355E-012	8.1700E-011
RCPTR_34	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7451E-003	4.7654E-003
RCPTR_34	farmer_adult	TOCDLIC2	Isophorone	1.1157E-012	1.5497E-011
RCPTR_34	farmer_adult	TOCDLIC2	Lead	5.5234E-006	6.0732E-006
RCPTR_34	farmer_adult	TOCDLIC2	Mercuric chloride	8.9035E-007	9.2334E-007
RCPTR_34	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.0669E-017	8.4636E-016
RCPTR_34	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.0735E-016	1.4932E-015
RCPTR_34	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.4063E-014	1.1748E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Methyl mercury	1.2779E-008	1.3090E-008
RCPTR_34	farmer_adult	TOCDLIC2	Methylene chloride	1.1012E-014	1.5333E-013
RCPTR_34	farmer_adult	TOCDLIC2	Mustard	1.1906E-013	1.6503E-012
RCPTR_34	farmer_adult	TOCDLIC2	Naphthalene	7.7031E-013	1.0122E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nickel	2.4876E-005	2.6514E-005
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.9365E-011	2.6438E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.5329E-012	6.2904E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.8868E-012	8.1282E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrobenzene	1.8753E-012	2.6156E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 2-	8.5704E-013	1.1909E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.0368E-010	2.0875E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0807E-012	1.4757E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.0747E-012	1.4506E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0694E-013	1.3045E-012
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.6099E-011	7.9994E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.5061E-011	7.8818E-011
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	9.7605E-010	1.0145E-009
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.5029E-010	1.6066E-010
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.7502E-010	6.1356E-010
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.4270E-010	5.0712E-009
RCPTR_34	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.5532E-011	4.0133E-010
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorophenol	3.5737E-008	4.8666E-008
RCPTR_34	farmer_adult	TOCDLIC2	Phenanthrene	1.6463E-012	2.0051E-011
RCPTR_34	farmer_adult	TOCDLIC2	Phenol	1.5098E-012	2.0726E-011
RCPTR_34	farmer_adult	TOCDLIC2	Pronamide	1.7201E-010	1.9868E-009
RCPTR_34	farmer_adult	TOCDLIC2	Pyrene	1.0813E-007	5.2843E-007
RCPTR_34	farmer_adult	TOCDLIC2	Selenium	9.7014E-006	9.7472E-006
RCPTR_34	farmer_adult	TOCDLIC2	Silver	2.4893E-005	2.6428E-005
RCPTR_34	farmer_adult	TOCDLIC2	Styrene	1.7394E-011	2.3764E-010
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.2562E-010	1.3766E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	4.7726E-011	5.4185E-011
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.6476E-010	1.6140E-009
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.5579E-015	7.6362E-014
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.0875E-015	2.8548E-014
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.5798E-009	1.2456E-008
RCPTR_34	farmer_adult	TOCDLIC2	Thallium (l)	3.3167E-005	3.4636E-005
RCPTR_34	farmer_adult	TOCDLIC2	Toluene	4.2653E-014	5.5827E-013
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.4537E-012	6.1591E-011
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.7549E-014	2.4193E-013
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.5912E-014	2.2094E-013
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethylene	2.6243E-015	3.5928E-014
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.4437E-016	4.7217E-015
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	7.6400E-010	7.0963E-009
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.7308E-010	1.4710E-009
RCPTR_34	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.9121E-014	8.1778E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Vinyl Chloride	2.5274E-018	3.4985E-017
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, m-	8.7944E-013	1.7043E-012
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, o-	7.6257E-013	1.7029E-012
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, p-	8.5670E-013	2.1359E-012
RCPTR_34	farmer_adult	TOCDLIC2	Zinc	9.7553E-006	1.2127E-005
RCPTR_34	farmer_child	TOCDFBRA	Antimony	1.9192E-006	2.0793E-006
RCPTR_34	farmer_child	TOCDFBRA	Arsenic	3.0772E-006	3.1375E-006
RCPTR_34	farmer_child	TOCDFBRA	Barium	2.6134E-007	2.7782E-007
RCPTR_34	farmer_child	TOCDFBRA	Beryllium	8.3158E-007	8.5616E-007
RCPTR_34	farmer_child	TOCDFBRA	Cadmium	1.5963E-007	1.8575E-007
RCPTR_34	farmer_child	TOCDFBRA	Chromium	1.9638E-005	2.0150E-005
RCPTR_34	farmer_child	TOCDFBRA	Chromium, hexavalent	1.8144E-005	1.8299E-005
RCPTR_34	farmer_child	TOCDFBRA	Lead	8.6146E-006	9.0151E-006
RCPTR_34	farmer_child	TOCDFBRA	Mercuric chloride	7.8962E-004	9.4259E-004
RCPTR_34	farmer_child	TOCDFBRA	Methyl mercury	1.4205E-005	1.4676E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFBRA	Nickel	1.0190E-005	1.0532E-005
RCPTR_34	farmer_child	TOCDFBRA	Selenium	3.4301E-006	3.4393E-006
RCPTR_34	farmer_child	TOCDFBRA	Silver	1.1693E-006	1.2092E-006
RCPTR_34	farmer_child	TOCDFBRA	Thallium (l)	3.1509E-005	3.2218E-005
RCPTR_34	farmer_child	TOCDFBRA	Zinc	5.6843E-006	6.3409E-006
RCPTR_34	farmer_child	TOCDFDFS	Acenaphthene	3.8040E-009	7.9010E-009
RCPTR_34	farmer_child	TOCDFDFS	Acetone	4.1548E-014	8.7160E-014
RCPTR_34	farmer_child	TOCDFDFS	Acetophenone	2.0821E-011	4.3658E-011
RCPTR_34	farmer_child	TOCDFDFS	Aniline	1.1945E-012	2.5017E-012
RCPTR_34	farmer_child	TOCDFDFS	Anthracene	6.7203E-008	1.3945E-007
RCPTR_34	farmer_child	TOCDFDFS	Antimony	1.8241E-007	1.9755E-007
RCPTR_34	farmer_child	TOCDFDFS	Aroclor 1254	2.1583E-009	2.8662E-009
RCPTR_34	farmer_child	TOCDFDFS	Arsenic	3.4136E-007	3.4801E-007
RCPTR_34	farmer_child	TOCDFDFS	Barium	2.2867E-007	2.4300E-007
RCPTR_34	farmer_child	TOCDFDFS	Benzene	1.4895E-013	3.1177E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.5429E-005	1.7944E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.4775E-004	1.5046E-004
RCPTR_34	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	8.4569E-005	9.1156E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.2759E-004	2.3032E-004
RCPTR_34	farmer_child	TOCDFDFS	Benzoic acid	1.4811E-011	2.9106E-011
RCPTR_34	farmer_child	TOCDFDFS	Benzyl alcohol	2.7067E-011	5.6740E-011
RCPTR_34	farmer_child	TOCDFDFS	Beryllium	1.8141E-007	1.8674E-007
RCPTR_34	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.7063E-011	5.6773E-011
RCPTR_34	farmer_child	TOCDFDFS	Bromodichloromethane	4.8139E-014	1.0095E-013
RCPTR_34	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	7.7003E-012	1.6150E-011
RCPTR_34	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.2676E-006	2.1814E-006
RCPTR_34	farmer_child	TOCDFDFS	Butylbenzylphthalate	8.8227E-008	9.5302E-008
RCPTR_34	farmer_child	TOCDFDFS	Cadmium	7.4049E-008	8.6103E-008
RCPTR_34	farmer_child	TOCDFDFS	Carbon disulfide	2.6577E-014	5.5676E-014
RCPTR_34	farmer_child	TOCDFDFS	Carbon tetrachloride	4.2160E-014	8.8229E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Chlorine	8.3967E-013	1.7615E-012
RCPTR_34	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.5566E-009	4.8245E-009
RCPTR_34	farmer_child	TOCDFDFS	Chloroaniline, p-	1.2602E-010	2.6383E-010
RCPTR_34	farmer_child	TOCDFDFS	Chlorobenzene	2.4713E-013	5.1640E-013
RCPTR_34	farmer_child	TOCDFDFS	Chloroethane	7.0312E-016	1.4547E-015
RCPTR_34	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.3214E-014	6.9639E-014
RCPTR_34	farmer_child	TOCDFDFS	Chloronaphthalene,2-	9.9111E-009	2.0630E-008
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.4913E-010	7.3229E-010
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.4248E-008	2.6832E-008
RCPTR_34	farmer_child	TOCDFDFS	Chromium	5.6437E-006	5.7900E-006
RCPTR_34	farmer_child	TOCDFDFS	Chromium, hexavalent	5.2169E-006	5.2612E-006
RCPTR_34	farmer_child	TOCDFDFS	Chrysene	4.3290E-005	4.5955E-005
RCPTR_34	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.4288E-007	3.7012E-007
RCPTR_34	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.6969E+003	1.6969E+003
RCPTR_34	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.2491E-003	3.2709E-003

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.6183E-011	3.3391E-011
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.9440E-011	4.0344E-011
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.8680E-011	3.8828E-011
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.1285E-007	2.3726E-007
RCPTR_34	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.8120E-017	1.2167E-016
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.3897E-014	2.9140E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7262E-014	3.6200E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.2666E-015	1.1034E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.4672E-015	1.7738E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.9456E-009	3.4169E-009
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.7703E-014	9.9837E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.5708E-014	3.2928E-014
RCPTR_34	farmer_child	TOCDFDFS	Diethyl phthalate	2.0992E-007	2.1458E-007
RCPTR_34	farmer_child	TOCDFDFS	Dimethyl phthalate	3.1893E-010	6.5967E-010
RCPTR_34	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.3910E-010	4.9965E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.9550E-010	2.8607E-010
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.2509E-010	4.6125E-010
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.7209E-010	3.5498E-010
RCPTR_34	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.0676E-012	1.0630E-011
RCPTR_34	farmer_child	TOCDFDFS	Ethylbenzene	1.5364E-013	3.1668E-013
RCPTR_34	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.4921E-008	1.6168E-008
RCPTR_34	farmer_child	TOCDFDFS	Fluoranthene	1.0941E-006	1.8481E-006
RCPTR_34	farmer_child	TOCDFDFS	Fluorene	1.5059E-008	3.1071E-008
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.3389E-012	6.4476E-012
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.4472E-012	5.5216E-012
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.7012E-011	1.7296E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.4299E-010	1.4504E-010
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.4156E-011	8.5718E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.4822E-011	6.6208E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.5424E-011	4.6528E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.1119E-011	4.2113E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.8906E-011	5.0080E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.7503E-011	3.8406E-011
RCPTR_34	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.2507E-010	6.5602E-010
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorobenzene	6.5519E-007	1.3315E-006
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	8.7339E-010	1.7469E-009
RCPTR_34	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.9294E-010	4.0075E-010
RCPTR_34	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3333E-002	2.3380E-002
RCPTR_34	farmer_child	TOCDFDFS	Isophorone	3.6256E-011	7.6018E-011
RCPTR_34	farmer_child	TOCDFDFS	Lead	1.1166E-006	1.1682E-006
RCPTR_34	farmer_child	TOCDFDFS	Mercuric chloride	3.2279E-007	3.8884E-007
RCPTR_34	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	6.0655E-016	1.2722E-015
RCPTR_34	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.1962E-016	2.5083E-016
RCPTR_34	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.9784E-013	6.2481E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Methyl mercury	5.3678E-009	5.5713E-009
RCPTR_34	farmer_child	TOCDFDFS	Methylene chloride	1.7922E-014	3.7584E-014
RCPTR_34	farmer_child	TOCDFDFS	Mustard	2.1122E-012	4.4279E-012
RCPTR_34	farmer_child	TOCDFDFS	Naphthalene	1.5397E-010	3.2127E-010
RCPTR_34	farmer_child	TOCDFDFS	Nickel	2.4077E-005	2.4881E-005
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.1943E-010	1.2968E-009
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.4717E-010	3.0855E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.9026E-010	3.9870E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitrobenzene	6.1172E-011	1.2830E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.7861E-011	5.8417E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 4-	7.3229E-010	1.0228E-009
RCPTR_34	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.4576E-011	7.2390E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.4020E-011	7.1154E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.0901E-012	6.4012E-012
RCPTR_34	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0234E-011	1.0464E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0774E-011	1.1012E-011
RCPTR_34	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.5754E-010	2.6201E-010
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.2109E-011	3.3064E-011
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2960E-010	1.3335E-010
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorobenzene	2.5273E-009	4.9716E-009
RCPTR_34	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.0151E-009	1.9711E-009
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorophenol	1.0145E-006	1.1936E-006
RCPTR_34	farmer_child	TOCDFDFS	Phenanthrene	4.7471E-011	9.8356E-011
RCPTR_34	farmer_child	TOCDFDFS	Phenol	4.8539E-011	1.0167E-010
RCPTR_34	farmer_child	TOCDFDFS	Pronamide	4.7282E-009	9.7457E-009
RCPTR_34	farmer_child	TOCDFDFS	Pyrene	1.6905E-006	2.5922E-006
RCPTR_34	farmer_child	TOCDFDFS	Selenium	3.8055E-007	3.8156E-007
RCPTR_34	farmer_child	TOCDFDFS	Silver	2.5631E-006	2.6499E-006
RCPTR_34	farmer_child	TOCDFDFS	Styrene	1.8066E-012	3.7825E-012
RCPTR_34	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	8.0050E-011	8.3287E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.4567E-011	2.5938E-011
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.9100E-009	7.9169E-009
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5555E-010	1.7512E-010
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.0660E-014	1.0608E-013
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.9277E-008	6.1052E-008
RCPTR_34	farmer_child	TOCDFDFS	Thallium (l)	3.4203E-004	3.4968E-004
RCPTR_34	farmer_child	TOCDFDFS	Toluene	6.8046E-014	1.4193E-013
RCPTR_34	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.4692E-010	3.0212E-010
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.2202E-014	8.8427E-014
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.4991E-013	5.2396E-013
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethylene	4.0687E-014	8.5202E-014
RCPTR_34	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.6192E-015	1.1769E-014
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7299E-008	3.4806E-008
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.9611E-008	3.6259E-008
RCPTR_34	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	9.2530E-013	1.9394E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Vinyl Chloride	1.3206E-017	2.7680E-017
RCPTR_34	farmer_child	TOCDFDFS	Xylene, m-	6.7368E-013	9.2159E-013
RCPTR_34	farmer_child	TOCDFDFS	Xylene, o-	5.5590E-013	8.0282E-013
RCPTR_34	farmer_child	TOCDFDFS	Xylene, p-	7.6641E-013	1.1509E-012
RCPTR_34	farmer_child	TOCDFDFS	Zinc	1.1883E-006	1.3248E-006
RCPTR_34	farmer_child	TOCDFLIC	Acenaphthene	7.7547E-010	1.6107E-009
RCPTR_34	farmer_child	TOCDFLIC	Acetone	2.7543E-014	5.7780E-014
RCPTR_34	farmer_child	TOCDFLIC	Acetophenone	4.0374E-012	8.4657E-012
RCPTR_34	farmer_child	TOCDFLIC	Aniline	2.4351E-013	5.1000E-013
RCPTR_34	farmer_child	TOCDFLIC	Anthracene	1.3699E-008	2.8427E-008
RCPTR_34	farmer_child	TOCDFLIC	Antimony	8.9875E-006	9.7327E-006
RCPTR_34	farmer_child	TOCDFLIC	Arsenic	1.5874E-005	1.6183E-005
RCPTR_34	farmer_child	TOCDFLIC	Barium	1.3182E-006	1.4008E-006
RCPTR_34	farmer_child	TOCDFLIC	Benzene	1.5182E-013	3.1777E-013
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.1387E-006	3.6509E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.9973E-005	3.0519E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.7216E-005	1.8557E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.6201E-005	4.6749E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzoic acid	1.0434E-011	2.0501E-011
RCPTR_34	farmer_child	TOCDFLIC	Benzyl alcohol	8.8287E-010	1.8507E-009
RCPTR_34	farmer_child	TOCDFLIC	Beryllium	2.1991E-006	2.2637E-006
RCPTR_34	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	5.5171E-012	1.1574E-011
RCPTR_34	farmer_child	TOCDFLIC	Bromodichloromethane	5.4687E-015	1.1468E-014
RCPTR_34	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	9.8983E-012	2.0759E-011
RCPTR_34	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	2.5840E-007	4.4470E-007
RCPTR_34	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.7826E-008	1.9268E-008
RCPTR_34	farmer_child	TOCDFLIC	Cadmium	3.0347E-007	3.5285E-007
RCPTR_34	farmer_child	TOCDFLIC	Carbon disulfide	3.5714E-014	7.4817E-014
RCPTR_34	farmer_child	TOCDFLIC	Carbon tetrachloride	7.0744E-013	1.4805E-012
RCPTR_34	farmer_child	TOCDFLIC	Chlorine	5.8899E-006	1.2356E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	5.2143E-010	9.8377E-010
RCPTR_34	farmer_child	TOCDFLIC	Chloroaniline, p-	2.5690E-011	5.3785E-011
RCPTR_34	farmer_child	TOCDFLIC	Chlorobenzene	2.8542E-013	5.9642E-013
RCPTR_34	farmer_child	TOCDFLIC	Chloroethane	2.9651E-016	6.1344E-016
RCPTR_34	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.8336E-013	5.9413E-013
RCPTR_34	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.0205E-009	4.2056E-009
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenol, 2-	7.1174E-011	1.4929E-010
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.9040E-009	5.4693E-009
RCPTR_34	farmer_child	TOCDFLIC	Chromium	1.0095E-005	1.0357E-005
RCPTR_34	farmer_child	TOCDFLIC	Chromium, hexavalent	9.3321E-006	9.4113E-006
RCPTR_34	farmer_child	TOCDFLIC	Chrysene	8.8153E-006	9.3576E-006
RCPTR_34	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0810E-008	1.1668E-008
RCPTR_34	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.3598E+001	5.3598E+001
RCPTR_34	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.5860E-004	6.6290E-004
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.2992E-012	6.8071E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	3.9631E-012	8.2247E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	3.8081E-012	7.9156E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.1619E-008	2.4105E-008
RCPTR_34	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.3318E-017	4.8816E-017
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane 1,1-	9.4787E-016	1.9876E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.2787E-015	1.5265E-014
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.5923E-016	7.5265E-016
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.5704E-015	7.4798E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	3.9692E-010	6.9688E-010
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.0115E-014	4.2099E-014
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.8288E-015	1.4315E-014
RCPTR_34	farmer_child	TOCDFLIC	Diethyl phthalate	6.6298E-009	6.7767E-009
RCPTR_34	farmer_child	TOCDFLIC	Dimethyl phthalate	6.1600E-010	1.2742E-009
RCPTR_34	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	4.8744E-011	1.0186E-010
RCPTR_34	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.9896E-011	5.8361E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.5873E-011	9.4016E-011
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.5080E-011	7.2363E-011
RCPTR_34	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.0331E-012	2.1671E-012
RCPTR_34	farmer_child	TOCDFLIC	Ethylbenzene	6.7968E-014	1.4009E-013
RCPTR_34	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.3087E-008	2.5035E-008
RCPTR_34	farmer_child	TOCDFLIC	Fluoranthene	2.2298E-007	3.7668E-007
RCPTR_34	farmer_child	TOCDFLIC	Fluorene	3.0698E-009	6.3342E-009
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.2999E-011	5.3898E-011
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.7317E-010	1.7550E-010
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.0330E-010	4.0995E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.4466E-010	4.5096E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.6604E-010	2.7094E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.1986E-010	2.2452E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.5682E-010	4.6788E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.9675E-010	4.0632E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.0762E-010	4.1737E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.3542E-010	3.4347E-010
RCPTR_34	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	6.6251E-011	1.3372E-010
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorobenzene	1.3356E-007	2.7143E-007
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.7798E-010	3.5605E-010
RCPTR_34	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.9335E-011	8.1700E-011
RCPTR_34	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7561E-003	4.7654E-003
RCPTR_34	farmer_child	TOCDFLIC	Isophorone	7.3913E-012	1.5497E-011
RCPTR_34	farmer_child	TOCDFLIC	Lead	5.8049E-006	6.0732E-006
RCPTR_34	farmer_child	TOCDFLIC	Mercuric chloride	7.6564E-007	9.2334E-007
RCPTR_34	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.0352E-016	8.4636E-016
RCPTR_34	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	7.1208E-016	1.4932E-015
RCPTR_34	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.6004E-013	1.1748E-012
RCPTR_34	farmer_child	TOCDFLIC	Methyl mercury	1.2605E-008	1.3090E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Methylene chloride	7.3114E-014	1.5333E-013
RCPTR_34	farmer_child	TOCDFLIC	Mustard	7.5723E-013	1.5874E-012
RCPTR_34	farmer_child	TOCDFLIC	Naphthalene	4.8510E-012	1.0122E-011
RCPTR_34	farmer_child	TOCDFLIC	Nickel	2.5658E-005	2.6514E-005
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.2628E-010	2.6438E-010
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.0004E-011	6.2904E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 4-	3.8787E-011	8.1282E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrobenzene	1.2471E-011	2.6156E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 2-	5.6797E-012	1.1909E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.4953E-011	2.0875E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.0488E-012	1.4757E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	6.9355E-012	1.4506E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.2953E-013	1.3045E-012
RCPTR_34	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.8242E-011	7.9994E-011
RCPTR_34	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.7127E-011	7.8818E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.9734E-010	1.0145E-009
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.5603E-010	1.6066E-010
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.9630E-010	6.1356E-010
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorobenzene	2.5751E-009	5.0712E-009
RCPTR_34	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.0643E-010	4.0133E-010
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorophenol	4.1379E-008	4.8666E-008
RCPTR_34	farmer_child	TOCDFLIC	Phenanthrene	9.6775E-012	2.0051E-011
RCPTR_34	farmer_child	TOCDFLIC	Phenol	9.8952E-012	2.0726E-011
RCPTR_34	farmer_child	TOCDFLIC	Pronamide	9.6393E-010	1.9868E-009
RCPTR_34	farmer_child	TOCDFLIC	Pyrene	3.4461E-007	5.2843E-007
RCPTR_34	farmer_child	TOCDFLIC	Selenium	9.7214E-006	9.7472E-006
RCPTR_34	farmer_child	TOCDFLIC	Silver	2.5563E-005	2.6428E-005
RCPTR_34	farmer_child	TOCDFLIC	Styrene	1.1350E-010	2.3764E-010
RCPTR_34	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.3231E-010	1.3766E-010
RCPTR_34	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.1318E-011	5.4185E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	7.9717E-010	1.6140E-009
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	3.6454E-014	7.6362E-014
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.3634E-014	2.8548E-014
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.0168E-009	1.2456E-008
RCPTR_34	farmer_child	TOCDFLIC	Thallium (l)	3.3878E-005	3.4636E-005
RCPTR_34	farmer_child	TOCDFLIC	Toluene	2.6765E-013	5.5827E-013
RCPTR_34	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.9950E-011	6.1591E-011
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.1546E-013	2.4193E-013
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.0538E-013	2.2094E-013
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethylene	1.7157E-014	3.5928E-014
RCPTR_34	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.2545E-015	4.7217E-015
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.5272E-009	7.0963E-009
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	7.9581E-010	1.4710E-009
RCPTR_34	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	3.9018E-013	8.1778E-013
RCPTR_34	farmer_child	TOCDFLIC	Vinyl Chloride	1.6691E-017	3.4985E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Xylene, m-	5.9641E-013	8.2012E-013
RCPTR_34	farmer_child	TOCDFLIC	Xylene, o-	5.6442E-013	8.1946E-013
RCPTR_34	farmer_child	TOCDFLIC	Xylene, p-	6.8088E-013	1.0278E-012
RCPTR_34	farmer_child	TOCDFLIC	Zinc	1.0878E-005	1.2127E-005
RCPTR_34	farmer_child	TOCDFMPF	Acenaphthene	1.1823E-009	2.4558E-009
RCPTR_34	farmer_child	TOCDFMPF	Acetone	1.0034E-013	2.1050E-013
RCPTR_34	farmer_child	TOCDFMPF	Acetophenone	6.4489E-012	1.3522E-011
RCPTR_34	farmer_child	TOCDFMPF	Aniline	3.7127E-013	7.7759E-013
RCPTR_34	farmer_child	TOCDFMPF	Anthracene	2.0887E-008	4.3342E-008
RCPTR_34	farmer_child	TOCDFMPF	Antimony	1.2237E-007	1.3252E-007
RCPTR_34	farmer_child	TOCDFMPF	Aroclor 1254	1.2333E-009	1.6403E-009
RCPTR_34	farmer_child	TOCDFMPF	Arsenic	8.2444E-007	8.4049E-007
RCPTR_34	farmer_child	TOCDFMPF	Barium	9.3329E-007	9.9177E-007
RCPTR_34	farmer_child	TOCDFMPF	Benzene	1.3532E-013	2.8326E-013
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.7855E-006	5.5665E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.5703E-005	4.6535E-005
RCPTR_34	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.6248E-005	2.8292E-005
RCPTR_34	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.0444E-005	7.1280E-005
RCPTR_34	farmer_child	TOCDFMPF	Benzoic acid	4.6048E-011	9.0479E-011
RCPTR_34	farmer_child	TOCDFMPF	Benzyl alcohol	8.4130E-012	1.7636E-011
RCPTR_34	farmer_child	TOCDFMPF	Beryllium	7.4903E-008	7.7103E-008
RCPTR_34	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	8.4117E-012	1.7646E-011
RCPTR_34	farmer_child	TOCDFMPF	Bromodichloromethane	1.6570E-013	3.4747E-013
RCPTR_34	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	5.7667E-012	1.2094E-011
RCPTR_34	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.9397E-007	6.7802E-007
RCPTR_34	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.7185E-008	2.9383E-008
RCPTR_34	farmer_child	TOCDFMPF	Cadmium	1.3844E-006	1.6097E-006
RCPTR_34	farmer_child	TOCDFMPF	Carbon disulfide	1.3023E-014	2.7281E-014
RCPTR_34	farmer_child	TOCDFMPF	Carbon tetrachloride	1.2290E-013	2.5720E-013
RCPTR_34	farmer_child	TOCDFMPF	Chlorine	1.0822E-006	2.2704E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	7.9498E-010	1.4999E-009
RCPTR_34	farmer_child	TOCDFMPF	Chloroaniline, p-	3.9169E-011	8.2004E-011
RCPTR_34	farmer_child	TOCDFMPF	Chlorobenzene	5.1074E-013	1.0672E-012
RCPTR_34	farmer_child	TOCDFMPF	Chloroethane	2.9141E-015	6.0290E-015
RCPTR_34	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	8.8874E-014	1.8634E-013
RCPTR_34	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.0806E-009	6.4122E-009
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.0852E-010	2.2761E-010
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.4275E-009	8.3388E-009
RCPTR_34	farmer_child	TOCDFMPF	Chromium	1.9140E-006	1.9635E-006
RCPTR_34	farmer_child	TOCDFMPF	Chromium, hexavalent	1.7693E-006	1.7843E-006
RCPTR_34	farmer_child	TOCDFMPF	Chrysene	1.3440E-005	1.4267E-005
RCPTR_34	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.0663E-007	1.1510E-007
RCPTR_34	farmer_child	TOCDFMPF	Di-n-octylphthalate	5.2868E+002	5.2868E+002
RCPTR_34	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.0043E-003	1.0109E-003
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.0302E-012	1.0379E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.0424E-012	1.2540E-011
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	5.8061E-012	1.2069E-011
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	6.6123E-008	7.3726E-008
RCPTR_34	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.9128E-016	4.0045E-016
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.8720E-014	6.0224E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5675E-014	7.4815E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.0884E-014	2.2805E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.7499E-014	3.6660E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	6.0515E-010	1.0625E-009
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	9.8588E-014	2.0633E-013
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.2463E-014	6.8052E-014
RCPTR_34	farmer_child	TOCDFMPF	Diethyl phthalate	6.5395E-008	6.6844E-008
RCPTR_34	farmer_child	TOCDFMPF	Dimethyl phthalate	6.5606E-011	1.3570E-010
RCPTR_34	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	7.4319E-011	1.5530E-010
RCPTR_34	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	6.0713E-011	8.8815E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.9942E-011	1.4334E-010
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.3485E-011	1.1033E-010
RCPTR_34	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.5751E-012	3.3041E-012
RCPTR_34	farmer_child	TOCDFMPF	Ethylbenzene	3.1753E-013	6.5448E-013
RCPTR_34	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.1661E-009	4.5176E-009
RCPTR_34	farmer_child	TOCDFMPF	Fluoranthene	3.3997E-007	5.7430E-007
RCPTR_34	farmer_child	TOCDFMPF	Fluorene	4.6805E-009	9.6575E-009
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.0629E-010	2.0979E-010
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.7192E-010	2.7558E-010
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.7141E-010	4.7919E-010
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.2681E-010	1.2861E-010
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.9048E-011	6.0134E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.1877E-011	5.2979E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.0148E-011	9.2332E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.8231E-011	3.9153E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.3856E-011	3.4666E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.0318E-011	3.1046E-011
RCPTR_34	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0101E-010	2.0388E-010
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorobenzene	2.0364E-007	4.1385E-007
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.7137E-010	5.4286E-010
RCPTR_34	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.9972E-011	1.2457E-010
RCPTR_34	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.2511E-003	7.2652E-003
RCPTR_34	farmer_child	TOCDFMPF	Isophorone	1.1269E-011	2.3628E-011
RCPTR_34	farmer_child	TOCDFMPF	Lead	6.6958E-007	7.0052E-007
RCPTR_34	farmer_child	TOCDFMPF	Mercuric chloride	1.2984E-005	1.5658E-005
RCPTR_34	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.0825E-015	4.3679E-015
RCPTR_34	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.2123E-016	2.5421E-016
RCPTR_34	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.1328E-013	2.3763E-013
RCPTR_34	farmer_child	TOCDFMPF	Methyl mercury	2.1382E-007	2.2206E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Methylene chloride	5.7349E-014	1.2027E-013
RCPTR_34	farmer_child	TOCDFMPF	Mustard	5.3739E-012	1.1265E-011
RCPTR_34	farmer_child	TOCDFMPF	Naphthalene	4.7858E-011	9.9857E-011
RCPTR_34	farmer_child	TOCDFMPF	Nickel	1.6076E-005	1.6612E-005
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.9219E-010	4.0237E-010
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.5664E-011	9.5734E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.9030E-011	1.2370E-010
RCPTR_34	farmer_child	TOCDFMPF	Nitrobenzene	1.9013E-011	3.9879E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 2-	8.6597E-012	1.8157E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.2754E-010	3.1767E-010
RCPTR_34	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.0747E-011	2.2500E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.0574E-011	2.2116E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	9.5985E-013	1.9890E-012
RCPTR_34	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.9713E-009	5.0827E-009
RCPTR_34	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	8.7358E-009	8.9274E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.2042E-011	5.2939E-011
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.7627E-011	6.9636E-011
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.9927E-011	4.1082E-011
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorobenzene	7.8387E-010	1.5436E-009
RCPTR_34	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.1418E-010	6.1080E-010
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorophenol	3.1540E-007	3.7095E-007
RCPTR_34	farmer_child	TOCDFMPF	Phenanthrene	1.4755E-011	3.0571E-011
RCPTR_34	farmer_child	TOCDFMPF	Phenol	1.5087E-011	3.1601E-011
RCPTR_34	farmer_child	TOCDFMPF	Pronamide	1.4697E-009	3.0292E-009
RCPTR_34	farmer_child	TOCDFMPF	Pyrene	5.2542E-007	8.0568E-007
RCPTR_34	farmer_child	TOCDFMPF	Selenium	1.7031E-007	1.7077E-007
RCPTR_34	farmer_child	TOCDFMPF	Silver	3.4447E-006	3.5613E-006
RCPTR_34	farmer_child	TOCDFMPF	Styrene	2.5814E-012	5.4046E-012
RCPTR_34	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.5792E-011	1.6431E-011
RCPTR_34	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	5.0715E-011	5.3549E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.2154E-009	2.4608E-009
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.1046E-012	2.3137E-012
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.0470E-013	2.1923E-013
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.2200E-008	1.8956E-008
RCPTR_34	farmer_child	TOCDFMPF	Thallium (l)	1.0356E-006	1.0588E-006
RCPTR_34	farmer_child	TOCDFMPF	Toluene	1.7910E-013	3.7357E-013
RCPTR_34	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.5664E-011	9.3907E-011
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	6.7595E-014	1.4163E-013
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.1648E-013	1.0829E-012
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethylene	8.4089E-014	1.7609E-013
RCPTR_34	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.3205E-013	4.8599E-013
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.3777E-009	1.0819E-008
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.2133E-009	2.2427E-009
RCPTR_34	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.9123E-012	4.0081E-012
RCPTR_34	farmer_child	TOCDFMPF	Vinyl Chloride	4.5678E-017	9.5743E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Xylene, m-	5.9573E-013	8.1906E-013
RCPTR_34	farmer_child	TOCDFMPF	Xylene, o-	5.6374E-013	8.1836E-013
RCPTR_34	farmer_child	TOCDFMPF	Xylene, p-	6.8003E-013	1.0264E-012
RCPTR_34	farmer_child	TOCDFMPF	Zinc	3.0942E-006	3.4494E-006
RCPTR_34	farmer_child	TOCDHVAC	Mustard	1.2964E-012	2.7177E-012
RCPTR_34	farmer_child	TOCDLIC2	Acenaphthene	7.7547E-010	1.6107E-009
RCPTR_34	farmer_child	TOCDLIC2	Acetone	2.7543E-014	5.7780E-014
RCPTR_34	farmer_child	TOCDLIC2	Acetophenone	4.0374E-012	8.4657E-012
RCPTR_34	farmer_child	TOCDLIC2	Aniline	2.4351E-013	5.1000E-013
RCPTR_34	farmer_child	TOCDLIC2	Anthracene	1.3699E-008	2.8427E-008
RCPTR_34	farmer_child	TOCDLIC2	Antimony	8.9875E-006	9.7327E-006
RCPTR_34	farmer_child	TOCDLIC2	Arsenic	1.5874E-005	1.6183E-005
RCPTR_34	farmer_child	TOCDLIC2	Barium	1.3182E-006	1.4008E-006
RCPTR_34	farmer_child	TOCDLIC2	Benzene	1.5182E-013	3.1777E-013
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.1387E-006	3.6509E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.9973E-005	3.0519E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.7216E-005	1.8557E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.6201E-005	4.6749E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzoic acid	1.0434E-011	2.0501E-011
RCPTR_34	farmer_child	TOCDLIC2	Benzyl alcohol	8.8287E-010	1.8507E-009
RCPTR_34	farmer_child	TOCDLIC2	Beryllium	2.1991E-006	2.2637E-006
RCPTR_34	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.5171E-012	1.1574E-011
RCPTR_34	farmer_child	TOCDLIC2	Bromodichloromethane	5.4687E-015	1.1468E-014
RCPTR_34	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	9.8983E-012	2.0759E-011
RCPTR_34	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.5840E-007	4.4470E-007
RCPTR_34	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.7826E-008	1.9268E-008
RCPTR_34	farmer_child	TOCDLIC2	Cadmium	3.0347E-007	3.5285E-007
RCPTR_34	farmer_child	TOCDLIC2	Carbon disulfide	3.5714E-014	7.4817E-014
RCPTR_34	farmer_child	TOCDLIC2	Carbon tetrachloride	7.0744E-013	1.4805E-012
RCPTR_34	farmer_child	TOCDLIC2	Chlorine	5.8899E-006	1.2356E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.2143E-010	9.8377E-010
RCPTR_34	farmer_child	TOCDLIC2	Chloroaniline, p-	2.5690E-011	5.3785E-011
RCPTR_34	farmer_child	TOCDLIC2	Chlorobenzene	2.8542E-013	5.9642E-013
RCPTR_34	farmer_child	TOCDLIC2	Chloroethane	2.9651E-016	6.1344E-016
RCPTR_34	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.8336E-013	5.9413E-013
RCPTR_34	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.0205E-009	4.2056E-009
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenol, 2-	7.1174E-011	1.4929E-010
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.9040E-009	5.4693E-009
RCPTR_34	farmer_child	TOCDLIC2	Chromium	1.0095E-005	1.0357E-005
RCPTR_34	farmer_child	TOCDLIC2	Chromium, hexavalent	9.3321E-006	9.4113E-006
RCPTR_34	farmer_child	TOCDLIC2	Chrysene	8.8153E-006	9.3576E-006
RCPTR_34	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.0810E-008	1.1668E-008
RCPTR_34	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.3598E+001	5.3598E+001
RCPTR_34	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.5860E-004	6.6290E-004
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.2992E-012	6.8071E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.9631E-012	8.2247E-012
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.8081E-012	7.9156E-012
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.1619E-008	2.4105E-008
RCPTR_34	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.3318E-017	4.8816E-017
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane 1,1-	9.4787E-016	1.9876E-015
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.2787E-015	1.5265E-014
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	3.5923E-016	7.5265E-016
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.5704E-015	7.4798E-015
RCPTR_34	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.9692E-010	6.9688E-010
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.0115E-014	4.2099E-014
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.8288E-015	1.4315E-014
RCPTR_34	farmer_child	TOCDLIC2	Diethyl phthalate	6.6298E-009	6.7767E-009
RCPTR_34	farmer_child	TOCDLIC2	Dimethyl phthalate	6.1600E-010	1.2742E-009
RCPTR_34	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.8744E-011	1.0186E-010
RCPTR_34	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.9896E-011	5.8361E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.5873E-011	9.4016E-011
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.5080E-011	7.2363E-011
RCPTR_34	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.0331E-012	2.1671E-012
RCPTR_34	farmer_child	TOCDLIC2	Ethylbenzene	6.7968E-014	1.4009E-013
RCPTR_34	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.3087E-008	2.5035E-008
RCPTR_34	farmer_child	TOCDLIC2	Fluoranthene	2.2298E-007	3.7668E-007
RCPTR_34	farmer_child	TOCDLIC2	Fluorene	3.0698E-009	6.3342E-009
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.2999E-011	5.3898E-011
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.7317E-010	1.7550E-010
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.0330E-010	4.0995E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.4466E-010	4.5096E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.6604E-010	2.7094E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.1986E-010	2.2452E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.5682E-010	4.6788E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.9675E-010	4.0632E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.0762E-010	4.1737E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.3542E-010	3.4347E-010
RCPTR_34	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.6251E-011	1.3372E-010
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorobenzene	1.3356E-007	2.7143E-007
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.7798E-010	3.5605E-010
RCPTR_34	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.9335E-011	8.1700E-011
RCPTR_34	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.7561E-003	4.7654E-003
RCPTR_34	farmer_child	TOCDLIC2	Isophorone	7.3913E-012	1.5497E-011
RCPTR_34	farmer_child	TOCDLIC2	Lead	5.8049E-006	6.0732E-006
RCPTR_34	farmer_child	TOCDLIC2	Mercuric chloride	7.6564E-007	9.2334E-007
RCPTR_34	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.0352E-016	8.4636E-016
RCPTR_34	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.1208E-016	1.4932E-015
RCPTR_34	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.6004E-013	1.1748E-012
RCPTR_34	farmer_child	TOCDLIC2	Methyl mercury	1.2605E-008	1.3090E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Methylene chloride	7.3114E-014	1.5333E-013
RCPTR_34	farmer_child	TOCDLIC2	Mustard	7.8722E-013	1.6503E-012
RCPTR_34	farmer_child	TOCDLIC2	Naphthalene	4.8510E-012	1.0122E-011
RCPTR_34	farmer_child	TOCDLIC2	Nickel	2.5658E-005	2.6514E-005
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.2628E-010	2.6438E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.0004E-011	6.2904E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.8787E-011	8.1282E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrobenzene	1.2471E-011	2.6156E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.6797E-012	1.1909E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.4953E-010	2.0875E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.0488E-012	1.4757E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.9355E-012	1.4506E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.2953E-013	1.3045E-012
RCPTR_34	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.8242E-011	7.9994E-011
RCPTR_34	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.7127E-011	7.8818E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	9.9734E-010	1.0145E-009
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.5603E-010	1.6066E-010
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.9630E-010	6.1356E-010
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorobenzene	2.5751E-009	5.0712E-009
RCPTR_34	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.0643E-010	4.0133E-010
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorophenol	4.1379E-008	4.8666E-008
RCPTR_34	farmer_child	TOCDLIC2	Phenanthrene	9.6775E-012	2.0051E-011
RCPTR_34	farmer_child	TOCDLIC2	Phenol	9.8952E-012	2.0726E-011
RCPTR_34	farmer_child	TOCDLIC2	Pronamide	9.6393E-010	1.9868E-009
RCPTR_34	farmer_child	TOCDLIC2	Pyrene	3.4461E-007	5.2843E-007
RCPTR_34	farmer_child	TOCDLIC2	Selenium	9.7214E-006	9.7472E-006
RCPTR_34	farmer_child	TOCDLIC2	Silver	2.5563E-005	2.6428E-005
RCPTR_34	farmer_child	TOCDLIC2	Styrene	1.1350E-010	2.3764E-010
RCPTR_34	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.3231E-010	1.3766E-010
RCPTR_34	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	5.1318E-011	5.4185E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.9717E-010	1.6140E-009
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	3.6454E-014	7.6362E-014
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3634E-014	2.8548E-014
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.0168E-009	1.2456E-008
RCPTR_34	farmer_child	TOCDLIC2	Thallium (l)	3.3878E-005	3.4636E-005
RCPTR_34	farmer_child	TOCDLIC2	Toluene	2.6765E-013	5.5827E-013
RCPTR_34	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.9950E-011	6.1591E-011
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.1546E-013	2.4193E-013
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.0538E-013	2.2094E-013
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethylene	1.7157E-014	3.5928E-014
RCPTR_34	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.2545E-015	4.7217E-015
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.5272E-009	7.0963E-009
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	7.9581E-010	1.4710E-009
RCPTR_34	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	3.9018E-013	8.1778E-013
RCPTR_34	farmer_child	TOCDLIC2	Vinyl Chloride	1.6691E-017	3.4985E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Xylene, m-	1.2394E-012	1.7043E-012
RCPTR_34	farmer_child	TOCDLIC2	Xylene, o-	1.1729E-012	1.7029E-012
RCPTR_34	farmer_child	TOCDLIC2	Xylene, p-	1.4149E-012	2.1359E-012
RCPTR_34	farmer_child	TOCDLIC2	Zinc	1.0878E-005	1.2127E-005
RCPTR_35	farmer_adult	TOCDFBRA	Antimony	2.4518E-006	2.8514E-006
RCPTR_35	farmer_adult	TOCDFBRA	Arsenic	4.1589E-006	4.3058E-006
RCPTR_35	farmer_adult	TOCDFBRA	Barium	3.4025E-007	3.8107E-007
RCPTR_35	farmer_adult	TOCDFBRA	Beryllium	1.1026E-006	1.1744E-006
RCPTR_35	farmer_adult	TOCDFBRA	Cadmium	1.8481E-007	2.5447E-007
RCPTR_35	farmer_adult	TOCDFBRA	Chromium	2.7534E-005	2.7640E-005
RCPTR_35	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.4741E-005	2.5116E-005
RCPTR_35	farmer_adult	TOCDFBRA	Lead	1.1242E-005	1.2361E-005
RCPTR_35	farmer_adult	TOCDFBRA	Mercuric chloride	1.2609E-003	1.3054E-003
RCPTR_35	farmer_adult	TOCDFBRA	Methyl mercury	1.9787E-005	2.0206E-005
RCPTR_35	farmer_adult	TOCDFBRA	Nickel	1.3558E-005	1.4451E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFBRA	Selenium	4.6988E-006	4.7210E-006
RCPTR_35	farmer_adult	TOCDFBRA	Silver	1.5627E-006	1.6591E-006
RCPTR_35	farmer_adult	TOCDFBRA	Thallium (l)	4.2337E-005	4.4212E-005
RCPTR_35	farmer_adult	TOCDFBRA	Zinc	6.9915E-006	8.6916E-006
RCPTR_35	farmer_adult	TOCDFDFS	Acenaphthene	8.3748E-010	1.0459E-008
RCPTR_35	farmer_adult	TOCDFDFS	Acetone	8.2517E-015	1.1536E-013
RCPTR_35	farmer_adult	TOCDFDFS	Acetophenone	4.1579E-012	5.7786E-011
RCPTR_35	farmer_adult	TOCDFDFS	Aniline	2.4149E-013	3.3113E-012
RCPTR_35	farmer_adult	TOCDFDFS	Anthracene	1.4933E-008	1.8458E-007
RCPTR_35	farmer_adult	TOCDFDFS	Antimony	2.2129E-007	2.5725E-007
RCPTR_35	farmer_adult	TOCDFDFS	Aroclor 1254	2.1347E-009	3.7971E-009
RCPTR_35	farmer_adult	TOCDFDFS	Arsenic	4.3796E-007	4.5337E-007
RCPTR_35	farmer_adult	TOCDFDFS	Barium	2.8268E-007	3.1648E-007
RCPTR_35	farmer_adult	TOCDFDFS	Benzene	3.0305E-014	4.1267E-013
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.6752E-005	2.3861E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.9279E-004	2.0009E-004
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.0308E-004	1.2146E-004
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.9783E-004	3.0647E-004
RCPTR_35	farmer_adult	TOCDFDFS	Benzoic acid	4.9835E-012	3.8552E-011
RCPTR_35	farmer_adult	TOCDFDFS	Benzyl alcohol	5.4196E-012	7.5101E-011
RCPTR_35	farmer_adult	TOCDFDFS	Beryllium	2.2838E-007	2.4322E-007
RCPTR_35	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.3753E-012	7.5145E-011
RCPTR_35	farmer_adult	TOCDFDFS	Bromodichloromethane	9.6039E-015	1.3361E-013
RCPTR_35	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.5340E-012	2.1376E-011
RCPTR_35	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.0429E-007	2.8873E-006
RCPTR_35	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.0965E-007	1.2626E-007
RCPTR_35	farmer_adult	TOCDFDFS	Cadmium	8.1458E-008	1.1206E-007
RCPTR_35	farmer_adult	TOCDFDFS	Carbon disulfide	5.3604E-015	7.3694E-014
RCPTR_35	farmer_adult	TOCDFDFS	Carbon tetrachloride	8.5970E-015	1.1678E-013
RCPTR_35	farmer_adult	TOCDFDFS	Chlorine	1.6671E-013	2.3316E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.0675E-009	6.3933E-009
RCPTR_35	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.5584E-011	3.4921E-010
RCPTR_35	farmer_adult	TOCDFDFS	Chlorobenzene	5.1190E-014	6.8352E-013
RCPTR_35	farmer_adult	TOCDFDFS	Chloroethane	1.6075E-016	1.9257E-015
RCPTR_35	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	6.6350E-015	9.2175E-014
RCPTR_35	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.1363E-009	2.7308E-008
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.9473E-011	9.6926E-010
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.9954E-009	3.5546E-008
RCPTR_35	farmer_adult	TOCDFDFS	Chromium	7.5121E-006	7.5409E-006
RCPTR_35	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.7524E-006	6.8545E-006
RCPTR_35	farmer_adult	TOCDFDFS	Chrysene	5.3196E-005	6.1257E-005
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	4.3024E-007	4.9420E-007
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.2727E+003	2.2727E+003
RCPTR_35	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.2856E-003	4.3505E-003
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.7943E-012	4.4202E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.3145E-012	5.3405E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.0817E-012	5.1397E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.5828E-007	3.1554E-007
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.1804E-017	1.6105E-016
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.7729E-015	3.8570E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4405E-015	4.7914E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.0604E-015	1.4605E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7069E-015	2.3479E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0768E-009	4.5321E-009
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	9.7187E-015	1.3215E-013
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.1444E-015	4.3583E-014
RCPTR_35	farmer_adult	TOCDFDFS	Diethyl phthalate	2.7630E-007	2.8724E-007
RCPTR_35	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.3044E-011	8.7321E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.9509E-011	6.6136E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.6762E-010	3.8031E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.5978E-011	6.1055E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.0419E-011	4.6990E-010
RCPTR_35	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0074E-012	1.4070E-011
RCPTR_35	farmer_adult	TOCDFDFS	Ethylbenzene	3.6357E-014	4.1922E-013
RCPTR_35	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.8472E-008	2.1400E-008
RCPTR_35	farmer_adult	TOCDFDFS	Fluoranthene	5.5558E-007	2.4494E-006
RCPTR_35	farmer_adult	TOCDFDFS	Fluorene	3.5289E-009	4.1131E-008
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.1645E-012	8.4750E-012
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.0810E-012	7.2942E-012
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1943E-011	2.2756E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8586E-010	1.9174E-010
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.0821E-010	1.1269E-010
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.2724E-011	8.6693E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.7763E-011	6.0938E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.2315E-011	5.5176E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.2279E-011	6.5658E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.7737E-011	5.0337E-011
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.1324E-011	8.6850E-010
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.7217E-007	1.7628E-006
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.6155E-010	2.3127E-009
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.2478E-011	5.3049E-010
RCPTR_35	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.1110E-002	3.1243E-002
RCPTR_35	farmer_adult	TOCDFDFS	Isophorone	7.2443E-012	1.0062E-010
RCPTR_35	farmer_adult	TOCDFDFS	Lead	1.3839E-006	1.5212E-006
RCPTR_35	farmer_adult	TOCDFDFS	Mercuric chloride	4.9480E-007	5.1307E-007
RCPTR_35	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.2071E-016	1.6839E-015
RCPTR_35	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.3870E-017	3.3199E-016
RCPTR_35	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.9174E-014	8.2699E-013
RCPTR_35	farmer_adult	TOCDFDFS	Methyl mercury	7.1506E-009	7.3229E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Methylene chloride	3.5728E-015	4.9746E-014
RCPTR_35	farmer_adult	TOCDFDFS	Mustard	4.2285E-013	5.8607E-012
RCPTR_35	farmer_adult	TOCDFDFS	Naphthalene	3.2382E-011	4.2525E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nickel	3.0414E-005	3.2410E-005
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.2576E-010	1.7165E-009
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.9431E-011	4.0840E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.8225E-011	5.2772E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitrobenzene	1.2176E-011	1.6982E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.5648E-012	7.7321E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.7892E-010	1.3610E-009
RCPTR_35	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.0182E-012	9.5817E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.9801E-012	9.4182E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.9704E-013	8.4725E-012
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.3002E-011	1.3660E-011
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.3695E-011	1.4372E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3489E-010	3.4796E-010
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.1055E-011	4.3859E-011
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6539E-010	1.7636E-010
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.3768E-010	6.5777E-009
RCPTR_35	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.6274E-010	2.6078E-009
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorophenol	1.1727E-006	1.5932E-006
RCPTR_35	farmer_adult	TOCDFDFS	Phenanthrene	1.0703E-011	1.3020E-010
RCPTR_35	farmer_adult	TOCDFDFS	Phenol	9.8047E-012	1.3457E-010
RCPTR_35	farmer_adult	TOCDFDFS	Pronamide	1.1188E-009	1.2902E-008
RCPTR_35	farmer_adult	TOCDFDFS	Pyrene	7.0486E-007	3.4337E-006
RCPTR_35	farmer_adult	TOCDFDFS	Selenium	4.9481E-007	4.9714E-007
RCPTR_35	farmer_adult	TOCDFDFS	Silver	3.2519E-006	3.4518E-006
RCPTR_35	farmer_adult	TOCDFDFS	Styrene	3.6655E-013	5.0065E-012
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0096E-010	1.1054E-010
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.0402E-011	3.4479E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0730E-009	1.0483E-008
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8799E-010	2.3395E-010
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0269E-014	1.4040E-013
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.9975E-008	8.1110E-008
RCPTR_35	farmer_adult	TOCDFDFS	Thallium (l)	4.3627E-004	4.5553E-004
RCPTR_35	farmer_adult	TOCDFDFS	Toluene	1.4363E-014	1.8787E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.5480E-011	3.9996E-010
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	8.4911E-015	1.1704E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.9951E-014	6.9351E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethylene	8.2394E-015	1.1278E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1363E-015	1.5577E-014
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.9771E-009	4.6090E-008
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.9673E-009	4.8062E-008
RCPTR_35	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.8560E-013	2.5670E-012
RCPTR_35	farmer_adult	TOCDFDFS	Vinyl Chloride	2.6470E-018	3.6636E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, m-	6.2826E-013	1.2104E-012
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, o-	4.7580E-013	1.0556E-012
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, p-	6.1169E-013	1.5146E-012
RCPTR_35	farmer_adult	TOCDFDFS	Zinc	1.3883E-006	1.7248E-006
RCPTR_35	farmer_adult	TOCDFLIC	Acenaphthene	1.6864E-010	2.1063E-009
RCPTR_35	farmer_adult	TOCDFLIC	Acetone	5.4040E-015	7.5552E-014
RCPTR_35	farmer_adult	TOCDFLIC	Acetophenone	7.9648E-013	1.1069E-011
RCPTR_35	farmer_adult	TOCDFLIC	Aniline	4.8635E-014	6.6687E-013
RCPTR_35	farmer_adult	TOCDFLIC	Anthracene	3.0064E-009	3.7173E-008
RCPTR_35	farmer_adult	TOCDFLIC	Antimony	1.0823E-005	1.2581E-005
RCPTR_35	farmer_adult	TOCDFLIC	Arsenic	2.0216E-005	2.0927E-005
RCPTR_35	farmer_adult	TOCDFLIC	Barium	1.6176E-006	1.8109E-006
RCPTR_35	farmer_adult	TOCDFLIC	Benzene	3.0515E-014	4.1552E-013
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3655E-006	4.7960E-006
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.8658E-005	4.0115E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0725E-005	2.4423E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.9757E-005	6.1473E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzoic acid	3.4690E-012	2.6823E-011
RCPTR_35	farmer_adult	TOCDFLIC	Benzyl alcohol	1.7464E-010	2.4200E-009
RCPTR_35	farmer_adult	TOCDFLIC	Beryllium	2.7483E-006	2.9268E-006
RCPTR_35	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.0825E-012	1.5134E-011
RCPTR_35	farmer_adult	TOCDFLIC	Bromodichloromethane	1.0778E-015	1.4995E-014
RCPTR_35	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.9480E-012	2.7144E-011
RCPTR_35	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	6.1274E-008	5.8147E-007
RCPTR_35	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.1904E-008	2.5248E-008
RCPTR_35	farmer_adult	TOCDFLIC	Cadmium	3.3142E-007	4.5590E-007
RCPTR_35	farmer_adult	TOCDFLIC	Carbon disulfide	7.1160E-015	9.7829E-014
RCPTR_35	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.4251E-013	1.9359E-012
RCPTR_35	farmer_adult	TOCDFLIC	Chlorine	1.1552E-006	1.6157E-005
RCPTR_35	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.1517E-010	1.2877E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.1524E-012	7.0328E-011
RCPTR_35	farmer_adult	TOCDFLIC	Chlorobenzene	5.8406E-014	7.7989E-013
RCPTR_35	farmer_adult	TOCDFLIC	Chloroethane	6.6979E-017	8.0222E-016
RCPTR_35	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.5922E-014	7.7687E-013
RCPTR_35	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.3022E-010	5.4995E-009
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.3991E-011	1.9520E-010
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2063E-009	7.1576E-009
RCPTR_35	farmer_adult	TOCDFLIC	Chromium	1.3339E-005	1.3390E-005
RCPTR_35	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.1990E-005	1.2171E-005
RCPTR_35	farmer_adult	TOCDFLIC	Chrysene	1.0698E-005	1.2319E-005
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.3390E-008	1.5381E-008
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-octylphthalate	7.0836E+001	7.0836E+001
RCPTR_35	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.5870E-004	8.7140E-004
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.6413E-013	8.9020E-012
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	8.6890E-013	1.0755E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.2201E-013	1.0351E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5916E-008	3.1677E-008
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.6778E-018	6.3831E-017
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.8685E-016	2.5990E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4332E-015	1.9960E-014
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	7.1452E-017	9.8415E-016
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.1105E-016	9.7805E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.1708E-010	9.1294E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.0486E-015	5.5048E-014
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3504E-015	1.8718E-014
RCPTR_35	farmer_adult	TOCDFLIC	Diethyl phthalate	8.6112E-009	8.9520E-009
RCPTR_35	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.3932E-010	1.6662E-009
RCPTR_35	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	9.9713E-012	1.3319E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.3781E-011	7.6618E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1257E-011	1.2294E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.1368E-012	9.4631E-011
RCPTR_35	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.0288E-013	2.8336E-012
RCPTR_35	farmer_adult	TOCDFLIC	Ethylbenzene	1.5888E-014	1.8321E-013
RCPTR_35	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.8265E-008	3.2783E-008
RCPTR_35	farmer_adult	TOCDFLIC	Fluoranthene	1.1178E-007	4.9317E-007
RCPTR_35	farmer_adult	TOCDFLIC	Fluorene	7.1056E-010	8.2834E-009
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.7653E-011	7.0204E-011
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.2286E-010	2.2950E-010
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.1544E-010	5.3436E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.7209E-010	5.9003E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.3902E-010	3.5295E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.7828E-010	2.9156E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.7609E-010	6.0768E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.0056E-010	5.2786E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.1466E-010	5.4251E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.2335E-010	4.4635E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8370E-011	1.7489E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.4664E-008	3.5500E-007
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.2592E-011	4.6568E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.5560E-012	1.0684E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2609E-003	6.2871E-003
RCPTR_35	farmer_adult	TOCDFLIC	Isophorone	1.4590E-012	2.0264E-011
RCPTR_35	farmer_adult	TOCDFLIC	Lead	7.1418E-006	7.8504E-006
RCPTR_35	farmer_adult	TOCDFLIC	Mercuric chloride	1.1619E-006	1.2050E-006
RCPTR_35	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.9330E-017	1.1067E-015
RCPTR_35	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.4038E-016	1.9524E-015
RCPTR_35	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0992E-013	1.5362E-012
RCPTR_35	farmer_adult	TOCDFLIC	Methyl mercury	1.6642E-008	1.7048E-008
RCPTR_35	farmer_adult	TOCDFLIC	Methylene chloride	1.4399E-014	2.0049E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Mustard	1.4976E-013	2.0756E-012
RCPTR_35	farmer_adult	TOCDFLIC	Naphthalene	1.0078E-012	1.3236E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nickel	3.2173E-005	3.4284E-005
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.5327E-011	3.4571E-010
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.9274E-012	8.2252E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.6972E-012	1.0628E-010
RCPTR_35	farmer_adult	TOCDFLIC	Nitrobenzene	2.4521E-012	3.4201E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.1207E-012	1.5572E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3691E-011	2.7429E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4135E-012	1.9297E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.4058E-012	1.8968E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.3992E-013	1.7058E-012
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	9.8655E-011	1.0362E-010
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.7298E-011	1.0209E-010
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.2823E-009	1.3321E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.9728E-010	2.1074E-010
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.5302E-010	8.0294E-010
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.3894E-010	6.6295E-009
RCPTR_35	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.2490E-011	5.2464E-010
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorophenol	4.7216E-008	6.4122E-008
RCPTR_35	farmer_adult	TOCDFLIC	Phenanthrene	2.1553E-012	2.6221E-011
RCPTR_35	farmer_adult	TOCDFLIC	Phenol	1.9746E-012	2.7101E-011
RCPTR_35	farmer_adult	TOCDFLIC	Pronamide	2.2534E-010	2.5983E-009
RCPTR_35	farmer_adult	TOCDFLIC	Pyrene	1.4191E-007	6.9146E-007
RCPTR_35	farmer_adult	TOCDFLIC	Selenium	1.2547E-005	1.2606E-005
RCPTR_35	farmer_adult	TOCDFLIC	Silver	3.2195E-005	3.4173E-005
RCPTR_35	farmer_adult	TOCDFLIC	Styrene	2.2750E-011	3.1073E-010
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.6496E-010	1.8064E-010
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.2754E-011	7.1179E-011
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.1612E-010	2.1111E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.2687E-015	9.9849E-014
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.7298E-015	3.7329E-014
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.0437E-009	1.6342E-008
RCPTR_35	farmer_adult	TOCDFLIC	Thallium (l)	4.2896E-005	4.4788E-005
RCPTR_35	farmer_adult	TOCDFLIC	Toluene	5.5808E-014	7.3001E-013
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.1445E-012	8.0548E-011
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.2950E-014	3.1635E-013
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.0808E-014	2.8889E-013
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethylene	3.4322E-015	4.6979E-014
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.5037E-016	6.1741E-015
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0028E-009	9.2827E-009
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.5960E-010	1.9260E-009
RCPTR_35	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.7313E-014	1.0693E-012
RCPTR_35	farmer_adult	TOCDFLIC	Vinyl Chloride	3.3047E-018	4.5745E-017
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, m-	5.4784E-013	1.0668E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, o-	4.7512E-013	1.0668E-012
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, p-	5.3390E-013	1.3388E-012
RCPTR_35	farmer_adult	TOCDFLIC	Zinc	1.2616E-005	1.5673E-005
RCPTR_35	farmer_adult	TOCDFMPF	Acenaphthene	2.5729E-010	3.2134E-009
RCPTR_35	farmer_adult	TOCDFMPF	Acetone	1.9699E-014	2.7541E-013
RCPTR_35	farmer_adult	TOCDFMPF	Acetophenone	1.2730E-012	1.7692E-011
RCPTR_35	farmer_adult	TOCDFMPF	Aniline	7.4200E-014	1.0174E-012
RCPTR_35	farmer_adult	TOCDFMPF	Anthracene	4.5868E-009	5.6713E-008
RCPTR_35	farmer_adult	TOCDFMPF	Antimony	1.4742E-007	1.7136E-007
RCPTR_35	farmer_adult	TOCDFMPF	Aroclor 1254	1.2050E-009	2.1497E-009
RCPTR_35	farmer_adult	TOCDFMPF	Arsenic	1.0503E-006	1.0873E-006
RCPTR_35	farmer_adult	TOCDFMPF	Barium	1.1457E-006	1.2826E-006
RCPTR_35	farmer_adult	TOCDFMPF	Benzene	2.7218E-014	3.7062E-013
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.1351E-006	7.3177E-006
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.8991E-005	6.1214E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.1622E-005	3.7263E-005
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	9.1184E-005	9.3803E-005
RCPTR_35	farmer_adult	TOCDFMPF	Benzoic acid	1.5320E-011	1.1846E-010
RCPTR_35	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6652E-012	2.3075E-011
RCPTR_35	farmer_adult	TOCDFMPF	Beryllium	9.3640E-008	9.9719E-008
RCPTR_35	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.6516E-012	2.3088E-011
RCPTR_35	farmer_adult	TOCDFMPF	Bromodichloromethane	3.2678E-014	4.5463E-013
RCPTR_35	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.1356E-012	1.5824E-011
RCPTR_35	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	9.3482E-008	8.8711E-007
RCPTR_35	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.3429E-008	3.8532E-008
RCPTR_35	farmer_adult	TOCDFMPF	Cadmium	1.5124E-006	2.0804E-006
RCPTR_35	farmer_adult	TOCDFMPF	Carbon disulfide	2.5964E-015	3.5695E-014
RCPTR_35	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.4774E-014	3.3653E-013
RCPTR_35	farmer_adult	TOCDFMPF	Chlorine	2.1240E-007	2.9706E-006
RCPTR_35	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.2827E-010	1.9646E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.8608E-012	1.0730E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chlorobenzene	1.0458E-013	1.3964E-012
RCPTR_35	farmer_adult	TOCDFMPF	Chloroethane	6.5870E-016	7.8894E-015
RCPTR_35	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.7550E-014	2.4381E-013
RCPTR_35	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.5636E-010	8.3903E-009
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.1346E-011	2.9781E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.8405E-009	1.0920E-008
RCPTR_35	farmer_adult	TOCDFMPF	Chromium	2.5297E-006	2.5394E-006
RCPTR_35	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.2740E-006	2.3083E-006
RCPTR_35	farmer_adult	TOCDFMPF	Chrysene	1.6323E-005	1.8796E-005
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.3219E-007	1.5184E-007
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.9925E+002	6.9925E+002
RCPTR_35	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.3103E-003	1.3297E-003
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.1658E-012	1.3581E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3256E-012	1.6409E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.2541E-012	1.5792E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.9324E-008	9.6956E-008
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.8397E-017	5.2395E-016
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.6650E-015	7.8798E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.0288E-015	9.7888E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.1664E-015	2.9839E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.4872E-015	4.7967E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.3117E-010	1.3928E-009
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.9855E-014	2.6997E-013
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.4238E-015	8.9040E-014
RCPTR_35	farmer_adult	TOCDFMPF	Diethyl phthalate	8.5005E-008	8.8369E-008
RCPTR_35	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.4848E-011	1.7757E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.5213E-011	2.0320E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.1444E-011	1.1668E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.7175E-011	1.8757E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.2414E-011	1.4437E-010
RCPTR_35	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.0953E-013	4.3231E-012
RCPTR_35	farmer_adult	TOCDFMPF	Ethylbenzene	7.4273E-014	8.5646E-013
RCPTR_35	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.1044E-009	5.9200E-009
RCPTR_35	farmer_adult	TOCDFMPF	Fluoranthene	1.7055E-007	7.5241E-007
RCPTR_35	farmer_adult	TOCDFMPF	Fluorene	1.0841E-009	1.2638E-008
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.6354E-010	2.7348E-010
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.5021E-010	3.6064E-010
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.0297E-010	6.2511E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6328E-010	1.6840E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.5304E-011	7.8400E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.5715E-011	6.8851E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1378E-010	1.2002E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.8273E-011	5.0906E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.2781E-011	4.5096E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.8296E-011	4.0377E-011
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.8028E-011	2.6682E-010
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.2886E-008	5.4161E-007
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.0242E-011	7.1047E-010
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3053E-011	1.6300E-010
RCPTR_35	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.5522E-003	9.5922E-003
RCPTR_35	farmer_adult	TOCDFMPF	Isophorone	2.2259E-012	3.0915E-011
RCPTR_35	farmer_adult	TOCDFMPF	Lead	8.2405E-007	9.0582E-007
RCPTR_35	farmer_adult	TOCDFMPF	Mercuric chloride	1.9717E-005	2.0449E-005
RCPTR_35	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.0967E-016	5.7150E-015
RCPTR_35	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.3914E-017	3.3261E-016
RCPTR_35	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.2247E-014	3.1091E-013
RCPTR_35	farmer_adult	TOCDFMPF	Methyl mercury	2.8252E-007	2.8942E-007
RCPTR_35	farmer_adult	TOCDFMPF	Methylene chloride	1.1302E-014	1.5736E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Mustard	1.0635E-012	1.4740E-011
RCPTR_35	farmer_adult	TOCDFMPF	Naphthalene	9.9493E-012	1.3066E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nickel	2.0165E-005	2.1488E-005
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.8569E-011	5.2647E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.0267E-012	1.2526E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.1722E-011	1.6185E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nitrobenzene	3.7410E-012	5.2178E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.7098E-012	2.3757E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.0848E-010	4.1770E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.1564E-012	2.9440E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.1448E-012	2.8938E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.1350E-013	2.6025E-012
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.2734E-009	6.5892E-009
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1029E-008	1.1572E-008
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.6962E-011	6.9562E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.5572E-011	9.1412E-011
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.0460E-011	5.3804E-011
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.5560E-010	2.0192E-009
RCPTR_35	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1043E-010	7.9900E-010
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorophenol	3.6016E-007	4.8912E-007
RCPTR_35	farmer_adult	TOCDFMPF	Phenanthrene	3.2883E-012	4.0003E-011
RCPTR_35	farmer_adult	TOCDFMPF	Phenol	3.0126E-012	4.1347E-011
RCPTR_35	farmer_adult	TOCDFMPF	Pronamide	3.4378E-010	3.9641E-009
RCPTR_35	farmer_adult	TOCDFMPF	Pyrene	2.1651E-007	1.0549E-006
RCPTR_35	farmer_adult	TOCDFMPF	Selenium	2.1989E-007	2.2093E-007
RCPTR_35	farmer_adult	TOCDFMPF	Silver	4.3398E-006	4.6065E-006
RCPTR_35	farmer_adult	TOCDFMPF	Styrene	5.1773E-013	7.0715E-012
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9705E-011	2.1577E-011
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.2064E-011	7.0396E-011
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.2973E-010	3.2208E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.2038E-013	3.0273E-012
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0976E-014	2.8684E-013
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.2034E-009	2.4887E-008
RCPTR_35	farmer_adult	TOCDFMPF	Thallium (l)	1.3118E-006	1.3696E-006
RCPTR_35	farmer_adult	TOCDFMPF	Toluene	3.7369E-014	4.8881E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0900E-011	1.2289E-010
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.3444E-014	1.8531E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.0205E-013	1.4168E-012
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethylene	1.6833E-014	2.3040E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.6384E-014	6.3587E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.5300E-009	1.4162E-008
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	5.4860E-010	2.9383E-009
RCPTR_35	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.7917E-013	5.2443E-012
RCPTR_35	farmer_adult	TOCDFMPF	Vinyl Chloride	9.0498E-018	1.2527E-016
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, m-	5.4778E-013	1.0662E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, o-	4.7506E-013	1.0661E-012
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, p-	5.3383E-013	1.3379E-012
RCPTR_35	farmer_adult	TOCDFMPF	Zinc	3.5898E-006	4.4596E-006
RCPTR_35	farmer_adult	TOCDHVAC	Mustard	2.6939E-013	3.7345E-012
RCPTR_35	farmer_adult	TOCDLIC2	Acenaphthene	1.6864E-010	2.1063E-009
RCPTR_35	farmer_adult	TOCDLIC2	Acetone	5.4040E-015	7.5552E-014
RCPTR_35	farmer_adult	TOCDLIC2	Acetophenone	7.9648E-013	1.1069E-011
RCPTR_35	farmer_adult	TOCDLIC2	Aniline	4.8635E-014	6.6687E-013
RCPTR_35	farmer_adult	TOCDLIC2	Anthracene	3.0064E-009	3.7173E-008
RCPTR_35	farmer_adult	TOCDLIC2	Antimony	1.0823E-005	1.2581E-005
RCPTR_35	farmer_adult	TOCDLIC2	Arsenic	2.0216E-005	2.0927E-005
RCPTR_35	farmer_adult	TOCDLIC2	Barium	1.6176E-006	1.8109E-006
RCPTR_35	farmer_adult	TOCDLIC2	Benzene	3.0515E-014	4.1552E-013
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3655E-006	4.7960E-006
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.8658E-005	4.0115E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.0725E-005	2.4423E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.9757E-005	6.1473E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzoic acid	3.4690E-012	2.6823E-011
RCPTR_35	farmer_adult	TOCDLIC2	Benzyl alcohol	1.7464E-010	2.4200E-009
RCPTR_35	farmer_adult	TOCDLIC2	Beryllium	2.7483E-006	2.9268E-006
RCPTR_35	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0825E-012	1.5134E-011
RCPTR_35	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0778E-015	1.4995E-014
RCPTR_35	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.9480E-012	2.7144E-011
RCPTR_35	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	6.1274E-008	5.8147E-007
RCPTR_35	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.1904E-008	2.5248E-008
RCPTR_35	farmer_adult	TOCDLIC2	Cadmium	3.3142E-007	4.5590E-007
RCPTR_35	farmer_adult	TOCDLIC2	Carbon disulfide	7.1160E-015	9.7829E-014
RCPTR_35	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.4251E-013	1.9359E-012
RCPTR_35	farmer_adult	TOCDLIC2	Chlorine	1.1552E-006	1.6157E-005
RCPTR_35	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.1517E-010	1.2877E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.1524E-012	7.0328E-011
RCPTR_35	farmer_adult	TOCDLIC2	Chlorobenzene	5.8406E-014	7.7989E-013
RCPTR_35	farmer_adult	TOCDLIC2	Chloroethane	6.6979E-017	8.0222E-016
RCPTR_35	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.5922E-014	7.7687E-013
RCPTR_35	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.3022E-010	5.4995E-009
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3991E-011	1.9520E-010
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2063E-009	7.1576E-009
RCPTR_35	farmer_adult	TOCDLIC2	Chromium	1.3339E-005	1.3390E-005
RCPTR_35	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.1990E-005	1.2171E-005
RCPTR_35	farmer_adult	TOCDLIC2	Chrysene	1.0698E-005	1.2319E-005
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.3390E-008	1.5381E-008
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.0836E+001	7.0836E+001
RCPTR_35	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.5870E-004	8.7140E-004
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.6413E-013	8.9020E-012
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	8.6890E-013	1.0755E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.2201E-013	1.0351E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.5916E-008	3.1677E-008
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.6778E-018	6.3831E-017
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.8685E-016	2.5990E-015
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4332E-015	1.9960E-014
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	7.1452E-017	9.8415E-016
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.1105E-016	9.7805E-015
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	2.1708E-010	9.1294E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.0486E-015	5.5048E-014
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3504E-015	1.8718E-014
RCPTR_35	farmer_adult	TOCDLIC2	Diethyl phthalate	8.6112E-009	8.9520E-009
RCPTR_35	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.3932E-010	1.6662E-009
RCPTR_35	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	9.9713E-012	1.3319E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.3781E-011	7.6618E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1257E-011	1.2294E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.1368E-012	9.4631E-011
RCPTR_35	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.0288E-013	2.8336E-012
RCPTR_35	farmer_adult	TOCDLIC2	Ethylbenzene	1.5888E-014	1.8321E-013
RCPTR_35	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.8265E-008	3.2783E-008
RCPTR_35	farmer_adult	TOCDLIC2	Fluoranthene	1.1178E-007	4.9317E-007
RCPTR_35	farmer_adult	TOCDLIC2	Fluorene	7.1056E-010	8.2834E-009
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.7653E-011	7.0204E-011
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.2286E-010	2.2950E-010
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.1544E-010	5.3436E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.7209E-010	5.9003E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.3902E-010	3.5295E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.7828E-010	2.9156E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.7609E-010	6.0768E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.0056E-010	5.2786E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.1466E-010	5.4251E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.2335E-010	4.4635E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8370E-011	1.7489E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.4664E-008	3.5500E-007
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.2592E-011	4.6568E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.5560E-012	1.0684E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2609E-003	6.2871E-003
RCPTR_35	farmer_adult	TOCDLIC2	Isophorone	1.4590E-012	2.0264E-011
RCPTR_35	farmer_adult	TOCDLIC2	Lead	7.1418E-006	7.8504E-006
RCPTR_35	farmer_adult	TOCDLIC2	Mercuric chloride	1.1619E-006	1.2050E-006
RCPTR_35	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.9330E-017	1.1067E-015
RCPTR_35	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.4038E-016	1.9524E-015
RCPTR_35	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0992E-013	1.5362E-012
RCPTR_35	farmer_adult	TOCDLIC2	Methyl mercury	1.6642E-008	1.7048E-008
RCPTR_35	farmer_adult	TOCDLIC2	Methylene chloride	1.4399E-014	2.0049E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Mustard	1.5569E-013	2.1578E-012
RCPTR_35	farmer_adult	TOCDLIC2	Naphthalene	1.0078E-012	1.3236E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nickel	3.2173E-005	3.4284E-005
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.5327E-011	3.4571E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.9274E-012	8.2252E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.6972E-012	1.0628E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitrobenzene	2.4521E-012	3.4201E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.1207E-012	1.5572E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3691E-010	2.7429E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4135E-012	1.9297E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.4058E-012	1.8968E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.3992E-013	1.7058E-012
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.8655E-011	1.0362E-010
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.7298E-011	1.0209E-010
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.2823E-009	1.3321E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.9728E-010	2.1074E-010
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.5302E-010	8.0294E-010
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.3894E-010	6.6295E-009
RCPTR_35	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.2490E-011	5.2464E-010
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorophenol	4.7216E-008	6.4122E-008
RCPTR_35	farmer_adult	TOCDLIC2	Phenanthrene	2.1553E-012	2.6221E-011
RCPTR_35	farmer_adult	TOCDLIC2	Phenol	1.9746E-012	2.7101E-011
RCPTR_35	farmer_adult	TOCDLIC2	Pronamide	2.2534E-010	2.5983E-009
RCPTR_35	farmer_adult	TOCDLIC2	Pyrene	1.4191E-007	6.9146E-007
RCPTR_35	farmer_adult	TOCDLIC2	Selenium	1.2547E-005	1.2606E-005
RCPTR_35	farmer_adult	TOCDLIC2	Silver	3.2195E-005	3.4173E-005
RCPTR_35	farmer_adult	TOCDLIC2	Styrene	2.2750E-011	3.1073E-010
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6496E-010	1.8064E-010
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.2754E-011	7.1179E-011
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.1612E-010	2.1111E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.2687E-015	9.9849E-014
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.7298E-015	3.7329E-014
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.0437E-009	1.6342E-008
RCPTR_35	farmer_adult	TOCDLIC2	Thallium (l)	4.2896E-005	4.4788E-005
RCPTR_35	farmer_adult	TOCDLIC2	Toluene	5.5808E-014	7.3001E-013
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.1445E-012	8.0548E-011
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.2950E-014	3.1635E-013
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.0808E-014	2.8889E-013
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethylene	3.4322E-015	4.6979E-014
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.5037E-016	6.1741E-015
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0028E-009	9.2827E-009
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	3.5960E-010	1.9260E-009
RCPTR_35	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.7313E-014	1.0693E-012
RCPTR_35	farmer_adult	TOCDLIC2	Vinyl Chloride	3.3047E-018	4.5745E-017
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, m-	1.1384E-012	2.2170E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, o-	9.8732E-013	2.2169E-012
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, p-	1.1095E-012	2.7821E-012
RCPTR_35	farmer_adult	TOCDLIC2	Zinc	1.2616E-005	1.5673E-005
RCPTR_35	farmer_child	TOCDFBRA	Antimony	2.6330E-006	2.8514E-006
RCPTR_35	farmer_child	TOCDFBRA	Arsenic	4.2235E-006	4.3058E-006
RCPTR_35	farmer_child	TOCDFBRA	Barium	3.5859E-007	3.8107E-007
RCPTR_35	farmer_child	TOCDFBRA	Beryllium	1.1409E-006	1.1744E-006
RCPTR_35	farmer_child	TOCDFBRA	Cadmium	2.1885E-007	2.5447E-007
RCPTR_35	farmer_child	TOCDFBRA	Chromium	2.6942E-005	2.7640E-005
RCPTR_35	farmer_child	TOCDFBRA	Chromium, hexavalent	2.4905E-005	2.5116E-005
RCPTR_35	farmer_child	TOCDFBRA	Lead	1.1815E-005	1.2361E-005
RCPTR_35	farmer_child	TOCDFBRA	Mercuric chloride	1.0928E-003	1.3054E-003
RCPTR_35	farmer_child	TOCDFBRA	Methyl mercury	1.9552E-005	2.0206E-005
RCPTR_35	farmer_child	TOCDFBRA	Nickel	1.3984E-005	1.4451E-005
RCPTR_35	farmer_child	TOCDFBRA	Selenium	4.7085E-006	4.7210E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFBRA	Silver	1.6048E-006	1.6591E-006
RCPTR_35	farmer_child	TOCDFBRA	Thallium (l)	4.3245E-005	4.4212E-005
RCPTR_35	farmer_child	TOCDFBRA	Zinc	7.7964E-006	8.6916E-006
RCPTR_35	farmer_child	TOCDFDFS	Acenaphthene	5.0358E-009	1.0459E-008
RCPTR_35	farmer_child	TOCDFDFS	Acetone	5.4992E-014	1.1536E-013
RCPTR_35	farmer_child	TOCDFDFS	Acetophenone	2.7559E-011	5.7786E-011
RCPTR_35	farmer_child	TOCDFDFS	Aniline	1.5811E-012	3.3113E-012
RCPTR_35	farmer_child	TOCDFDFS	Anthracene	8.8964E-008	1.8458E-007
RCPTR_35	farmer_child	TOCDFDFS	Antimony	2.3760E-007	2.5725E-007
RCPTR_35	farmer_child	TOCDFDFS	Aroclor 1254	2.8601E-009	3.7971E-009
RCPTR_35	farmer_child	TOCDFDFS	Arsenic	4.4474E-007	4.5337E-007
RCPTR_35	farmer_child	TOCDFDFS	Barium	2.9787E-007	3.1648E-007
RCPTR_35	farmer_child	TOCDFDFS	Benzene	1.9715E-013	4.1267E-013
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.0535E-005	2.3861E-005
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.9654E-004	2.0009E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.1276E-004	1.2146E-004
RCPTR_35	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.0291E-004	3.0647E-004
RCPTR_35	farmer_child	TOCDFDFS	Benzoic acid	1.9632E-011	3.8552E-011
RCPTR_35	farmer_child	TOCDFDFS	Benzyl alcohol	3.5826E-011	7.5101E-011
RCPTR_35	farmer_child	TOCDFDFS	Beryllium	2.3629E-007	2.4322E-007
RCPTR_35	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.5820E-011	7.5145E-011
RCPTR_35	farmer_child	TOCDFDFS	Bromodichloromethane	6.3717E-014	1.3361E-013
RCPTR_35	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.0192E-011	2.1376E-011
RCPTR_35	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.6777E-006	2.8873E-006
RCPTR_35	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.1689E-007	1.2626E-007
RCPTR_35	farmer_child	TOCDFDFS	Cadmium	9.6414E-008	1.1206E-007
RCPTR_35	farmer_child	TOCDFDFS	Carbon disulfide	3.5179E-014	7.3694E-014
RCPTR_35	farmer_child	TOCDFDFS	Carbon tetrachloride	5.5806E-014	1.1678E-013
RCPTR_35	farmer_child	TOCDFDFS	Chlorine	1.1114E-012	2.3316E-012
RCPTR_35	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.3915E-009	6.3933E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Chloroaniline, p-	1.6680E-010	3.4921E-010
RCPTR_35	farmer_child	TOCDFDFS	Chlorobenzene	3.2712E-013	6.8352E-013
RCPTR_35	farmer_child	TOCDFDFS	Chloroethane	9.3094E-016	1.9257E-015
RCPTR_35	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.3962E-014	9.2175E-014
RCPTR_35	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.3120E-008	2.7308E-008
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.6211E-010	9.6926E-010
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.8890E-008	3.5546E-008
RCPTR_35	farmer_child	TOCDFDFS	Chromium	7.3511E-006	7.5409E-006
RCPTR_35	farmer_child	TOCDFDFS	Chromium, hexavalent	6.7970E-006	6.8545E-006
RCPTR_35	farmer_child	TOCDFDFS	Chrysene	5.7736E-005	6.1257E-005
RCPTR_35	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.5815E-007	4.9420E-007
RCPTR_35	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.2727E+003	2.2727E+003
RCPTR_35	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.3222E-003	4.3505E-003
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.1427E-011	4.4202E-011
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.5736E-011	5.3405E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.4729E-011	5.1397E-011
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.8327E-007	3.1554E-007
RCPTR_35	farmer_child	TOCDFDFS	Dichlorodifluoromethane	7.6929E-017	1.6105E-016
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.8394E-014	3.8570E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2847E-014	4.7914E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	6.9710E-015	1.4605E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1207E-014	2.3479E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.5846E-009	4.5321E-009
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.3142E-014	1.3215E-013
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.0791E-014	4.3583E-014
RCPTR_35	farmer_child	TOCDFDFS	Diethyl phthalate	2.8107E-007	2.8724E-007
RCPTR_35	farmer_child	TOCDFDFS	Dimethyl phthalate	4.2221E-010	8.7321E-010
RCPTR_35	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.1650E-010	6.6136E-010
RCPTR_35	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.6043E-010	3.8031E-010
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.9797E-010	6.1055E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.2783E-010	4.6990E-010
RCPTR_35	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.7075E-012	1.4070E-011
RCPTR_35	farmer_child	TOCDFDFS	Ethylbenzene	2.0343E-013	4.1922E-013
RCPTR_35	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9750E-008	2.1400E-008
RCPTR_35	farmer_child	TOCDFDFS	Fluoranthene	1.4515E-006	2.4494E-006
RCPTR_35	farmer_child	TOCDFDFS	Fluorene	1.9937E-008	4.1131E-008
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.3352E-012	8.4750E-012
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.1984E-012	7.2942E-012
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2391E-011	2.2756E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8910E-010	1.9174E-010
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.1068E-010	1.1269E-010
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.4911E-011	8.6693E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.9514E-011	6.0938E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.3891E-011	5.5176E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.4141E-011	6.5658E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.9170E-011	5.0337E-011
RCPTR_35	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.3046E-010	8.6850E-010
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorobenzene	8.6765E-007	1.7628E-006
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.1566E-009	2.3127E-009
RCPTR_35	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.5543E-010	5.3049E-010
RCPTR_35	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.1182E-002	3.1243E-002
RCPTR_35	farmer_child	TOCDFDFS	Isophorone	4.7989E-011	1.0062E-010
RCPTR_35	farmer_child	TOCDFDFS	Lead	1.4542E-006	1.5212E-006
RCPTR_35	farmer_child	TOCDFDFS	Mercuric chloride	4.2574E-007	5.1307E-007
RCPTR_35	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	8.0282E-016	1.6839E-015
RCPTR_35	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.5832E-016	3.3199E-016
RCPTR_35	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.9422E-013	8.2699E-013
RCPTR_35	farmer_child	TOCDFDFS	Methyl mercury	7.0539E-009	7.3229E-009
RCPTR_35	farmer_child	TOCDFDFS	Methylene chloride	2.3721E-014	4.9746E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Mustard	2.7958E-012	5.8607E-012
RCPTR_35	farmer_child	TOCDFDFS	Naphthalene	2.0382E-010	4.2525E-010
RCPTR_35	farmer_child	TOCDFDFS	Nickel	3.1366E-005	3.2410E-005
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.1990E-010	1.7165E-009
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.9480E-010	4.0840E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.5182E-010	5.2772E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitrobenzene	8.0967E-011	1.6982E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.6877E-011	7.7321E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 4-	9.7658E-010	1.3610E-009
RCPTR_35	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.5767E-011	9.5817E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.5032E-011	9.4182E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.0900E-012	8.4725E-012
RCPTR_35	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.3364E-011	1.3660E-011
RCPTR_35	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4067E-011	1.4372E-011
RCPTR_35	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.4212E-010	3.4796E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.2606E-011	4.3859E-011
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7145E-010	1.7636E-010
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorobenzene	3.3424E-009	6.5777E-009
RCPTR_35	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3424E-009	2.6078E-009
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorophenol	1.3562E-006	1.5932E-006
RCPTR_35	farmer_child	TOCDFDFS	Phenanthrene	6.2847E-011	1.3020E-010
RCPTR_35	farmer_child	TOCDFDFS	Phenol	6.4248E-011	1.3457E-010
RCPTR_35	farmer_child	TOCDFDFS	Pronamide	6.2604E-009	1.2902E-008
RCPTR_35	farmer_child	TOCDFDFS	Pyrene	2.2402E-006	3.4337E-006
RCPTR_35	farmer_child	TOCDFDFS	Selenium	4.9583E-007	4.9714E-007
RCPTR_35	farmer_child	TOCDFDFS	Silver	3.3391E-006	3.4518E-006
RCPTR_35	farmer_child	TOCDFDFS	Styrene	2.3913E-012	5.0065E-012
RCPTR_35	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0628E-010	1.1054E-010
RCPTR_35	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.2669E-011	3.4479E-011
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.1790E-009	1.0483E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.0805E-010	2.3395E-010
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.7055E-014	1.4040E-013
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.2289E-008	8.1110E-008
RCPTR_35	farmer_child	TOCDFDFS	Thallium (l)	4.4559E-004	4.5553E-004
RCPTR_35	farmer_child	TOCDFDFS	Toluene	9.0076E-014	1.8787E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.9453E-010	3.9996E-010
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.5859E-014	1.1704E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.3078E-013	6.9351E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethylene	5.3855E-014	1.1278E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.4377E-015	1.5577E-014
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.2918E-008	4.6090E-008
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.6027E-008	4.8062E-008
RCPTR_35	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.2247E-012	2.5670E-012
RCPTR_35	farmer_child	TOCDFDFS	Vinyl Chloride	1.7479E-017	3.6636E-017
RCPTR_35	farmer_child	TOCDFDFS	Xylene, m-	8.8231E-013	1.2104E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Xylene, o-	7.2882E-013	1.0556E-012
RCPTR_35	farmer_child	TOCDFDFS	Xylene, p-	1.0057E-012	1.5146E-012
RCPTR_35	farmer_child	TOCDFDFS	Zinc	1.5476E-006	1.7248E-006
RCPTR_35	farmer_child	TOCDFLIC	Acenaphthene	1.0141E-009	2.1063E-009
RCPTR_35	farmer_child	TOCDFLIC	Acetone	3.6014E-014	7.5552E-014
RCPTR_35	farmer_child	TOCDFLIC	Acetophenone	5.2793E-012	1.1069E-011
RCPTR_35	farmer_child	TOCDFLIC	Aniline	3.1841E-013	6.6687E-013
RCPTR_35	farmer_child	TOCDFLIC	Anthracene	1.7916E-008	3.7173E-008
RCPTR_35	farmer_child	TOCDFLIC	Antimony	1.1621E-005	1.2581E-005
RCPTR_35	farmer_child	TOCDFLIC	Arsenic	2.0529E-005	2.0927E-005
RCPTR_35	farmer_child	TOCDFLIC	Barium	1.7045E-006	1.8109E-006
RCPTR_35	farmer_child	TOCDFLIC	Benzene	1.9852E-013	4.1552E-013
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.1268E-006	4.7960E-006
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.9408E-005	4.0115E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2671E-005	2.4423E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.0766E-005	6.1473E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzoic acid	1.3660E-011	2.6823E-011
RCPTR_35	farmer_child	TOCDFLIC	Benzyl alcohol	1.1544E-009	2.4200E-009
RCPTR_35	farmer_child	TOCDFLIC	Beryllium	2.8435E-006	2.9268E-006
RCPTR_35	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.2139E-012	1.5134E-011
RCPTR_35	farmer_child	TOCDFLIC	Bromodichloromethane	7.1507E-015	1.4995E-014
RCPTR_35	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.2943E-011	2.7144E-011
RCPTR_35	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.3787E-007	5.8147E-007
RCPTR_35	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3363E-008	2.5248E-008
RCPTR_35	farmer_child	TOCDFLIC	Cadmium	3.9225E-007	4.5590E-007
RCPTR_35	farmer_child	TOCDFLIC	Carbon disulfide	4.6700E-014	9.7829E-014
RCPTR_35	farmer_child	TOCDFLIC	Carbon tetrachloride	9.2507E-013	1.9359E-012
RCPTR_35	farmer_child	TOCDFLIC	Chlorine	7.7014E-006	1.6157E-005
RCPTR_35	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.8321E-010	1.2877E-009
RCPTR_35	farmer_child	TOCDFLIC	Chloroaniline, p-	3.3593E-011	7.0328E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Chlorobenzene	3.7324E-013	7.7989E-013
RCPTR_35	farmer_child	TOCDFLIC	Chloroethane	3.8781E-016	8.0222E-016
RCPTR_35	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.7052E-013	7.7687E-013
RCPTR_35	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.6423E-009	5.4995E-009
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.3065E-011	1.9520E-010
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.8032E-009	7.1576E-009
RCPTR_35	farmer_child	TOCDFLIC	Chromium	1.3053E-005	1.3390E-005
RCPTR_35	farmer_child	TOCDFLIC	Chromium, hexavalent	1.2069E-005	1.2171E-005
RCPTR_35	farmer_child	TOCDFLIC	Chrysene	1.1611E-005	1.2319E-005
RCPTR_35	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.4259E-008	1.5381E-008
RCPTR_35	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.0836E+001	7.0836E+001
RCPTR_35	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.6585E-004	8.7140E-004
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.3152E-012	8.9020E-012
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.1830E-012	1.0755E-011
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.9802E-012	1.0351E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8430E-008	3.1677E-008
RCPTR_35	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.0490E-017	6.3831E-017
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.2394E-015	2.5990E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5175E-015	1.9960E-014
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.6972E-016	9.8415E-016
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.6687E-015	9.7805E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.2073E-010	9.1294E-010
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.6303E-014	5.5048E-014
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.9292E-015	1.8718E-014
RCPTR_35	farmer_child	TOCDFLIC	Diethyl phthalate	8.7599E-009	8.9520E-009
RCPTR_35	farmer_child	TOCDFLIC	Dimethyl phthalate	8.0562E-010	1.6662E-009
RCPTR_35	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.3741E-011	1.3319E-010
RCPTR_35	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.2474E-011	7.6618E-011
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.9993E-011	1.2294E-010
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.5880E-011	9.4631E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.3508E-012	2.8336E-012
RCPTR_35	farmer_child	TOCDFLIC	Ethylbenzene	8.8900E-014	1.8321E-013
RCPTR_35	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.0236E-008	3.2783E-008
RCPTR_35	farmer_child	TOCDFLIC	Fluoranthene	2.9221E-007	4.9317E-007
RCPTR_35	farmer_child	TOCDFLIC	Fluorene	4.0151E-009	8.2834E-009
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.9056E-011	7.0204E-011
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.2652E-010	2.2950E-010
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.2586E-010	5.3436E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.8196E-010	5.9003E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.4670E-010	3.5295E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.8560E-010	2.9156E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.9351E-010	6.0768E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.1560E-010	5.2786E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	5.3001E-010	5.4251E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.3602E-010	4.4635E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.6670E-011	1.7489E-010
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorobenzene	1.7473E-007	3.5500E-007
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.3285E-010	4.6568E-010
RCPTR_35	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.1443E-011	1.0684E-010
RCPTR_35	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2752E-003	6.2871E-003
RCPTR_35	farmer_child	TOCDFLIC	Isophorone	9.6647E-012	2.0264E-011
RCPTR_35	farmer_child	TOCDFLIC	Lead	7.5047E-006	7.8504E-006
RCPTR_35	farmer_child	TOCDFLIC	Mercuric chloride	9.9897E-007	1.2050E-006
RCPTR_35	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.2763E-016	1.1067E-015
RCPTR_35	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.3110E-016	1.9524E-015
RCPTR_35	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.3230E-013	1.5362E-012
RCPTR_35	farmer_child	TOCDFLIC	Methyl mercury	1.6414E-008	1.7048E-008
RCPTR_35	farmer_child	TOCDFLIC	Methylene chloride	9.5603E-014	2.0049E-013
RCPTR_35	farmer_child	TOCDFLIC	Mustard	9.9015E-013	2.0756E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Naphthalene	6.3436E-012	1.3236E-011
RCPTR_35	farmer_child	TOCDFLIC	Nickel	3.3180E-005	3.4284E-005
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.6513E-010	3.4571E-010
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.9233E-011	8.2252E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.0716E-011	1.0628E-010
RCPTR_35	farmer_child	TOCDFLIC	Nitrobenzene	1.6306E-011	3.4201E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 2-	7.4267E-012	1.5572E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.9686E-011	2.7429E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.2172E-012	1.9297E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	9.0692E-012	1.8968E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	8.2324E-013	1.7058E-012
RCPTR_35	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0139E-010	1.0362E-010
RCPTR_35	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.9931E-011	1.0209E-010
RCPTR_35	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3098E-009	1.3321E-009
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.0472E-010	2.1074E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.8059E-010	8.0294E-010
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorobenzene	3.3657E-009	6.6295E-009
RCPTR_35	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.6979E-010	5.2464E-010
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorophenol	5.4593E-008	6.4122E-008
RCPTR_35	farmer_child	TOCDFLIC	Phenanthrene	1.2657E-011	2.6221E-011
RCPTR_35	farmer_child	TOCDFLIC	Phenol	1.2939E-011	2.7101E-011
RCPTR_35	farmer_child	TOCDFLIC	Pronamide	1.2608E-009	2.5983E-009
RCPTR_35	farmer_child	TOCDFLIC	Pyrene	4.5112E-007	6.9146E-007
RCPTR_35	farmer_child	TOCDFLIC	Selenium	1.2573E-005	1.2606E-005
RCPTR_35	farmer_child	TOCDFLIC	Silver	3.3058E-005	3.4173E-005
RCPTR_35	farmer_child	TOCDFLIC	Styrene	1.4842E-010	3.1073E-010
RCPTR_35	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7367E-010	1.8064E-010
RCPTR_35	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.7439E-011	7.1179E-011
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.0430E-009	2.1111E-009
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.7668E-014	9.9849E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.7828E-014	3.7329E-014
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0538E-008	1.6342E-008
RCPTR_35	farmer_child	TOCDFLIC	Thallium (l)	4.3812E-005	4.4788E-005
RCPTR_35	farmer_child	TOCDFLIC	Toluene	3.5001E-013	7.3001E-013
RCPTR_35	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.9176E-011	8.0548E-011
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.5098E-013	3.1635E-013
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.3779E-013	2.8889E-013
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethylene	2.2434E-014	4.6979E-014
RCPTR_35	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.9480E-015	6.1741E-015
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.6159E-009	9.2827E-009
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0431E-009	1.9260E-009
RCPTR_35	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.1019E-013	1.0693E-012
RCPTR_35	farmer_child	TOCDFLIC	Vinyl Chloride	2.1824E-017	4.5745E-017
RCPTR_35	farmer_child	TOCDFLIC	Xylene, m-	7.7431E-013	1.0668E-012
RCPTR_35	farmer_child	TOCDFLIC	Xylene, o-	7.3330E-013	1.0668E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Xylene, p-	8.8514E-013	1.3388E-012
RCPTR_35	farmer_child	TOCDFLIC	Zinc	1.4063E-005	1.5673E-005
RCPTR_35	farmer_child	TOCDFMPF	Acenaphthene	1.5472E-009	3.2134E-009
RCPTR_35	farmer_child	TOCDFMPF	Acetone	1.3128E-013	2.7541E-013
RCPTR_35	farmer_child	TOCDFMPF	Acetophenone	8.4378E-012	1.7692E-011
RCPTR_35	farmer_child	TOCDFMPF	Aniline	4.8579E-013	1.0174E-012
RCPTR_35	farmer_child	TOCDFMPF	Anthracene	2.7333E-008	5.6713E-008
RCPTR_35	farmer_child	TOCDFMPF	Antimony	1.5828E-007	1.7136E-007
RCPTR_35	farmer_child	TOCDFMPF	Aroclor 1254	1.6172E-009	2.1497E-009
RCPTR_35	farmer_child	TOCDFMPF	Arsenic	1.0666E-006	1.0873E-006
RCPTR_35	farmer_child	TOCDFMPF	Barium	1.2072E-006	1.2826E-006
RCPTR_35	farmer_child	TOCDFMPF	Benzene	1.7707E-013	3.7062E-013
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)anthracene	6.2966E-006	7.3177E-006
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.0135E-005	6.1214E-005
RCPTR_35	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	3.4591E-005	3.7263E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.2724E-005	9.3803E-005
RCPTR_35	farmer_child	TOCDFMPF	Benzoic acid	6.0327E-011	1.1846E-010
RCPTR_35	farmer_child	TOCDFMPF	Benzyl alcohol	1.1008E-011	2.3075E-011
RCPTR_35	farmer_child	TOCDFMPF	Beryllium	9.6882E-008	9.9719E-008
RCPTR_35	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.1006E-011	2.3088E-011
RCPTR_35	farmer_child	TOCDFMPF	Bromodichloromethane	2.1680E-013	4.5463E-013
RCPTR_35	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.5452E-012	1.5824E-011
RCPTR_35	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.1547E-007	8.8711E-007
RCPTR_35	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.5656E-008	3.8532E-008
RCPTR_35	farmer_child	TOCDFMPF	Cadmium	1.7900E-006	2.0804E-006
RCPTR_35	farmer_child	TOCDFMPF	Carbon disulfide	1.7039E-014	3.5695E-014
RCPTR_35	farmer_child	TOCDFMPF	Carbon tetrachloride	1.6081E-013	3.3653E-013
RCPTR_35	farmer_child	TOCDFMPF	Chlorine	1.4160E-006	2.9706E-006
RCPTR_35	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0423E-009	1.9646E-009
RCPTR_35	farmer_child	TOCDFMPF	Chloroaniline, p-	5.1251E-011	1.0730E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Chlorobenzene	6.6830E-013	1.3964E-012
RCPTR_35	farmer_child	TOCDFMPF	Chloroethane	3.8139E-015	7.8894E-015
RCPTR_35	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.1628E-013	2.4381E-013
RCPTR_35	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.0312E-009	8.3903E-009
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.4198E-010	2.9781E-010
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.8025E-009	1.0920E-008
RCPTR_35	farmer_child	TOCDFMPF	Chromium	2.4755E-006	2.5394E-006
RCPTR_35	farmer_child	TOCDFMPF	Chromium, hexavalent	2.2890E-006	2.3083E-006
RCPTR_35	farmer_child	TOCDFMPF	Chrysene	1.7716E-005	1.8796E-005
RCPTR_35	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.4076E-007	1.5184E-007
RCPTR_35	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.9925E+002	6.9925E+002
RCPTR_35	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.3212E-003	1.3297E-003
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.5835E-012	1.3581E-011
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.9074E-012	1.6409E-011
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.5979E-012	1.5792E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.7018E-008	9.6956E-008
RCPTR_35	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.5027E-016	5.2395E-016
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.7578E-014	7.8798E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6677E-014	9.7888E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.4242E-014	2.9839E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.2897E-014	4.7967E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.9444E-010	1.3928E-009
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.2900E-013	2.6997E-013
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.2475E-014	8.9040E-014
RCPTR_35	farmer_child	TOCDFMPF	Diethyl phthalate	8.6473E-008	8.8369E-008
RCPTR_35	farmer_child	TOCDFMPF	Dimethyl phthalate	8.5854E-011	1.7757E-010
RCPTR_35	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.7246E-011	2.0320E-010
RCPTR_35	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	7.9910E-011	1.1668E-010
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	9.1529E-011	1.8757E-010
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.9997E-011	1.4437E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.0609E-012	4.3231E-012
RCPTR_35	farmer_child	TOCDFMPF	Ethylbenzene	4.1559E-013	8.5646E-013
RCPTR_35	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.4603E-009	5.9200E-009
RCPTR_35	farmer_child	TOCDFMPF	Fluoranthene	4.4582E-007	7.5241E-007
RCPTR_35	farmer_child	TOCDFMPF	Fluorene	6.1256E-009	1.2638E-008
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.6900E-010	2.7348E-010
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.5596E-010	3.6064E-010
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.1516E-010	6.2511E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6610E-010	1.6840E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.7010E-011	7.8400E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.7443E-011	6.8851E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.1722E-010	1.2002E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.9724E-011	5.0906E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.4057E-011	4.5096E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.9443E-011	4.0377E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.3223E-010	2.6682E-010
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorobenzene	2.6657E-007	5.4161E-007
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.5525E-010	7.1047E-010
RCPTR_35	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.8484E-011	1.6300E-010
RCPTR_35	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.5740E-003	9.5922E-003
RCPTR_35	farmer_child	TOCDFMPF	Isophorone	1.4745E-011	3.0915E-011
RCPTR_35	farmer_child	TOCDFMPF	Lead	8.6592E-007	9.0582E-007
RCPTR_35	farmer_child	TOCDFMPF	Mercuric chloride	1.6953E-005	2.0449E-005
RCPTR_35	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.7247E-015	5.7150E-015
RCPTR_35	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.5862E-016	3.3261E-016
RCPTR_35	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.4821E-013	3.1091E-013
RCPTR_35	farmer_child	TOCDFMPF	Methyl mercury	2.7865E-007	2.8942E-007
RCPTR_35	farmer_child	TOCDFMPF	Methylene chloride	7.5036E-014	1.5736E-013
RCPTR_35	farmer_child	TOCDFMPF	Mustard	7.0314E-012	1.4740E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Naphthalene	6.2623E-011	1.3066E-010
RCPTR_35	farmer_child	TOCDFMPF	Nickel	2.0796E-005	2.1488E-005
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.5147E-010	5.2647E-010
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.9747E-011	1.2526E-010
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.7235E-011	1.6185E-010
RCPTR_35	farmer_child	TOCDFMPF	Nitrobenzene	2.4877E-011	5.2178E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.1330E-011	2.3757E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.9978E-010	4.1770E-010
RCPTR_35	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.4062E-011	2.9440E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3836E-011	2.8938E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.2560E-012	2.6025E-012
RCPTR_35	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.4471E-009	6.5892E-009
RCPTR_35	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1328E-008	1.1572E-008
RCPTR_35	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.8401E-011	6.9562E-011
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	8.8802E-011	9.1412E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.2307E-011	5.3804E-011
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorobenzene	1.0252E-009	2.0192E-009
RCPTR_35	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.1090E-010	7.9900E-010
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorophenol	4.1643E-007	4.8912E-007
RCPTR_35	farmer_child	TOCDFMPF	Phenanthrene	1.9309E-011	4.0003E-011
RCPTR_35	farmer_child	TOCDFMPF	Phenol	1.9740E-011	4.1347E-011
RCPTR_35	farmer_child	TOCDFMPF	Pronamide	1.9236E-009	3.9641E-009
RCPTR_35	farmer_child	TOCDFMPF	Pyrene	6.8825E-007	1.0549E-006
RCPTR_35	farmer_child	TOCDFMPF	Selenium	2.2035E-007	2.2093E-007
RCPTR_35	farmer_child	TOCDFMPF	Silver	4.4562E-006	4.6065E-006
RCPTR_35	farmer_child	TOCDFMPF	Styrene	3.3776E-012	7.0715E-012
RCPTR_35	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0745E-011	2.1577E-011
RCPTR_35	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	6.6698E-011	7.0396E-011
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.5913E-009	3.2208E-009
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.4452E-012	3.0273E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.3699E-013	2.8684E-013
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.6047E-008	2.4887E-008
RCPTR_35	farmer_child	TOCDFMPF	Thallium (l)	1.3398E-006	1.3696E-006
RCPTR_35	farmer_child	TOCDFMPF	Toluene	2.3436E-013	4.8881E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.9768E-011	1.2289E-010
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.8443E-014	1.8531E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.7578E-013	1.4168E-012
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethylene	1.1003E-013	2.3040E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.0362E-013	6.3587E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.0422E-009	1.4162E-008
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.5914E-009	2.9383E-009
RCPTR_35	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.5021E-012	5.2443E-012
RCPTR_35	farmer_child	TOCDFMPF	Vinyl Chloride	5.9764E-017	1.2527E-016
RCPTR_35	farmer_child	TOCDFMPF	Xylene, m-	7.7401E-013	1.0662E-012
RCPTR_35	farmer_child	TOCDFMPF	Xylene, o-	7.3297E-013	1.0661E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Xylene, p-	8.8469E-013	1.3379E-012
RCPTR_35	farmer_child	TOCDFMPF	Zinc	4.0016E-006	4.4596E-006
RCPTR_35	farmer_child	TOCDHVAC	Mustard	1.7815E-012	3.7345E-012
RCPTR_35	farmer_child	TOCDLIC2	Acenaphthene	1.0141E-009	2.1063E-009
RCPTR_35	farmer_child	TOCDLIC2	Acetone	3.6014E-014	7.5552E-014
RCPTR_35	farmer_child	TOCDLIC2	Acetophenone	5.2793E-012	1.1069E-011
RCPTR_35	farmer_child	TOCDLIC2	Aniline	3.1841E-013	6.6687E-013
RCPTR_35	farmer_child	TOCDLIC2	Anthracene	1.7916E-008	3.7173E-008
RCPTR_35	farmer_child	TOCDLIC2	Antimony	1.1621E-005	1.2581E-005
RCPTR_35	farmer_child	TOCDLIC2	Arsenic	2.0529E-005	2.0927E-005
RCPTR_35	farmer_child	TOCDLIC2	Barium	1.7045E-006	1.8109E-006
RCPTR_35	farmer_child	TOCDLIC2	Benzene	1.9852E-013	4.1552E-013
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.1268E-006	4.7960E-006
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.9408E-005	4.0115E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2671E-005	2.4423E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.0766E-005	6.1473E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzoic acid	1.3660E-011	2.6823E-011
RCPTR_35	farmer_child	TOCDLIC2	Benzyl alcohol	1.1544E-009	2.4200E-009
RCPTR_35	farmer_child	TOCDLIC2	Beryllium	2.8435E-006	2.9268E-006
RCPTR_35	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.2139E-012	1.5134E-011
RCPTR_35	farmer_child	TOCDLIC2	Bromodichloromethane	7.1507E-015	1.4995E-014
RCPTR_35	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2943E-011	2.7144E-011
RCPTR_35	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3787E-007	5.8147E-007
RCPTR_35	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.3363E-008	2.5248E-008
RCPTR_35	farmer_child	TOCDLIC2	Cadmium	3.9225E-007	4.5590E-007
RCPTR_35	farmer_child	TOCDLIC2	Carbon disulfide	4.6700E-014	9.7829E-014
RCPTR_35	farmer_child	TOCDLIC2	Carbon tetrachloride	9.2507E-013	1.9359E-012
RCPTR_35	farmer_child	TOCDLIC2	Chlorine	7.7014E-006	1.6157E-005
RCPTR_35	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.8321E-010	1.2877E-009
RCPTR_35	farmer_child	TOCDLIC2	Chloroaniline, p-	3.3593E-011	7.0328E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Chlorobenzene	3.7324E-013	7.7989E-013
RCPTR_35	farmer_child	TOCDLIC2	Chloroethane	3.8781E-016	8.0222E-016
RCPTR_35	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.7052E-013	7.7687E-013
RCPTR_35	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.6423E-009	5.4995E-009
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.3065E-011	1.9520E-010
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.8032E-009	7.1576E-009
RCPTR_35	farmer_child	TOCDLIC2	Chromium	1.3053E-005	1.3390E-005
RCPTR_35	farmer_child	TOCDLIC2	Chromium, hexavalent	1.2069E-005	1.2171E-005
RCPTR_35	farmer_child	TOCDLIC2	Chrysene	1.1611E-005	1.2319E-005
RCPTR_35	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.4259E-008	1.5381E-008
RCPTR_35	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.0836E+001	7.0836E+001
RCPTR_35	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.6585E-004	8.7140E-004
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.3152E-012	8.9020E-012
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.1830E-012	1.0755E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.9802E-012	1.0351E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.8430E-008	3.1677E-008
RCPTR_35	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.0490E-017	6.3831E-017
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.2394E-015	2.5990E-015
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5175E-015	1.9960E-014
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.6972E-016	9.8415E-016
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.6687E-015	9.7805E-015
RCPTR_35	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.2073E-010	9.1294E-010
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.6303E-014	5.5048E-014
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.9292E-015	1.8718E-014
RCPTR_35	farmer_child	TOCDLIC2	Diethyl phthalate	8.7599E-009	8.9520E-009
RCPTR_35	farmer_child	TOCDLIC2	Dimethyl phthalate	8.0562E-010	1.6662E-009
RCPTR_35	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.3741E-011	1.3319E-010
RCPTR_35	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	5.2474E-011	7.6618E-011
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.9993E-011	1.2294E-010
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.5880E-011	9.4631E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.3508E-012	2.8336E-012
RCPTR_35	farmer_child	TOCDLIC2	Ethylbenzene	8.8900E-014	1.8321E-013
RCPTR_35	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.0236E-008	3.2783E-008
RCPTR_35	farmer_child	TOCDLIC2	Fluoranthene	2.9221E-007	4.9317E-007
RCPTR_35	farmer_child	TOCDLIC2	Fluorene	4.0151E-009	8.2834E-009
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.9056E-011	7.0204E-011
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.2652E-010	2.2950E-010
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.2586E-010	5.3436E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.8196E-010	5.9003E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.4670E-010	3.5295E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.8560E-010	2.9156E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.9351E-010	6.0768E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.1560E-010	5.2786E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3001E-010	5.4251E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.3602E-010	4.4635E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.6670E-011	1.7489E-010
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorobenzene	1.7473E-007	3.5500E-007
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.3285E-010	4.6568E-010
RCPTR_35	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.1443E-011	1.0684E-010
RCPTR_35	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2752E-003	6.2871E-003
RCPTR_35	farmer_child	TOCDLIC2	Isophorone	9.6647E-012	2.0264E-011
RCPTR_35	farmer_child	TOCDLIC2	Lead	7.5047E-006	7.8504E-006
RCPTR_35	farmer_child	TOCDLIC2	Mercuric chloride	9.9897E-007	1.2050E-006
RCPTR_35	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.2763E-016	1.1067E-015
RCPTR_35	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.3110E-016	1.9524E-015
RCPTR_35	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.3230E-013	1.5362E-012
RCPTR_35	farmer_child	TOCDLIC2	Methyl mercury	1.6414E-008	1.7048E-008
RCPTR_35	farmer_child	TOCDLIC2	Methylene chloride	9.5603E-014	2.0049E-013
RCPTR_35	farmer_child	TOCDLIC2	Mustard	1.0294E-012	2.1578E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Naphthalene	6.3436E-012	1.3236E-011
RCPTR_35	farmer_child	TOCDLIC2	Nickel	3.3180E-005	3.4284E-005
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.6513E-010	3.4571E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.9233E-011	8.2252E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.0716E-011	1.0628E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitrobenzene	1.6306E-011	3.4201E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.4267E-012	1.5572E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.9686E-010	2.7429E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.2172E-012	1.9297E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	9.0692E-012	1.8968E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	8.2324E-013	1.7058E-012
RCPTR_35	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0139E-010	1.0362E-010
RCPTR_35	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.9931E-011	1.0209E-010
RCPTR_35	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.3098E-009	1.3321E-009
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0472E-010	2.1074E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.8059E-010	8.0294E-010
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorobenzene	3.3657E-009	6.6295E-009
RCPTR_35	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6979E-010	5.2464E-010
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorophenol	5.4593E-008	6.4122E-008
RCPTR_35	farmer_child	TOCDLIC2	Phenanthrene	1.2657E-011	2.6221E-011
RCPTR_35	farmer_child	TOCDLIC2	Phenol	1.2939E-011	2.7101E-011
RCPTR_35	farmer_child	TOCDLIC2	Pronamide	1.2608E-009	2.5983E-009
RCPTR_35	farmer_child	TOCDLIC2	Pyrene	4.5112E-007	6.9146E-007
RCPTR_35	farmer_child	TOCDLIC2	Selenium	1.2573E-005	1.2606E-005
RCPTR_35	farmer_child	TOCDLIC2	Silver	3.3058E-005	3.4173E-005
RCPTR_35	farmer_child	TOCDLIC2	Styrene	1.4842E-010	3.1073E-010
RCPTR_35	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7367E-010	1.8064E-010
RCPTR_35	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	6.7439E-011	7.1179E-011
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0430E-009	2.1111E-009
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.7668E-014	9.9849E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.7828E-014	3.7329E-014
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0538E-008	1.6342E-008
RCPTR_35	farmer_child	TOCDLIC2	Thallium (l)	4.3812E-005	4.4788E-005
RCPTR_35	farmer_child	TOCDLIC2	Toluene	3.5001E-013	7.3001E-013
RCPTR_35	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.9176E-011	8.0548E-011
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.5098E-013	3.1635E-013
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.3779E-013	2.8889E-013
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethylene	2.2434E-014	4.6979E-014
RCPTR_35	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.9480E-015	6.1741E-015
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.6159E-009	9.2827E-009
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0431E-009	1.9260E-009
RCPTR_35	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.1019E-013	1.0693E-012
RCPTR_35	farmer_child	TOCDLIC2	Vinyl Chloride	2.1824E-017	4.5745E-017
RCPTR_35	farmer_child	TOCDLIC2	Xylene, m-	1.6091E-012	2.2170E-012
RCPTR_35	farmer_child	TOCDLIC2	Xylene, o-	1.5238E-012	2.2169E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Xylene, p-	1.8394E-012	2.7821E-012
RCPTR_35	farmer_child	TOCDLIC2	Zinc	1.4063E-005	1.5673E-005
RCPTR_36	farmer_adult	TOCDFBRA	Antimony	1.0360E-006	1.2062E-006
RCPTR_36	farmer_adult	TOCDFBRA	Arsenic	1.7572E-006	1.8198E-006
RCPTR_36	farmer_adult	TOCDFBRA	Barium	1.4377E-007	1.6115E-007
RCPTR_36	farmer_adult	TOCDFBRA	Beryllium	4.6603E-007	4.9662E-007
RCPTR_36	farmer_adult	TOCDFBRA	Cadmium	7.8106E-008	1.0777E-007
RCPTR_36	farmer_adult	TOCDFBRA	Chromium	1.1643E-005	1.1688E-005
RCPTR_36	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.0454E-005	1.0613E-005
RCPTR_36	farmer_adult	TOCDFBRA	Lead	4.7529E-006	5.2296E-006
RCPTR_36	farmer_adult	TOCDFBRA	Mercuric chloride	8.4852E-004	8.8162E-004
RCPTR_36	farmer_adult	TOCDFBRA	Methyl mercury	1.0933E-005	1.1245E-005
RCPTR_36	farmer_adult	TOCDFBRA	Nickel	5.7288E-006	6.1091E-006
RCPTR_36	farmer_adult	TOCDFBRA	Selenium	1.9853E-006	1.9947E-006
RCPTR_36	farmer_adult	TOCDFBRA	Silver	6.6030E-007	7.0134E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFBRA	Thallium (l)	1.7889E-005	1.8687E-005
RCPTR_36	farmer_adult	TOCDFBRA	Zinc	2.9545E-006	3.6785E-006
RCPTR_36	farmer_adult	TOCDFDFS	Acenaphthene	4.7617E-010	5.9620E-009
RCPTR_36	farmer_adult	TOCDFDFS	Acetone	4.7050E-015	6.5779E-014
RCPTR_36	farmer_adult	TOCDFDFS	Acetophenone	2.3705E-012	3.2949E-011
RCPTR_36	farmer_adult	TOCDFDFS	Aniline	1.3767E-013	1.8880E-012
RCPTR_36	farmer_adult	TOCDFDFS	Anthracene	8.4714E-009	1.0520E-007
RCPTR_36	farmer_adult	TOCDFDFS	Antimony	8.1958E-008	9.5405E-008
RCPTR_36	farmer_adult	TOCDFDFS	Aroclor 1254	1.0949E-009	2.0423E-009
RCPTR_36	farmer_adult	TOCDFDFS	Arsenic	1.6218E-007	1.6795E-007
RCPTR_36	farmer_adult	TOCDFDFS	Barium	1.0469E-007	1.1733E-007
RCPTR_36	farmer_adult	TOCDFDFS	Benzene	1.7275E-014	2.3529E-013
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)anthracene	9.1654E-006	1.3183E-005
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.0281E-004	1.0649E-004
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	5.6966E-005	6.7302E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.6011E-004	1.6418E-004
RCPTR_36	farmer_adult	TOCDFDFS	Benzoic acid	2.8487E-012	2.1989E-011
RCPTR_36	farmer_adult	TOCDFDFS	Benzyl alcohol	3.0900E-012	4.2822E-011
RCPTR_36	farmer_adult	TOCDFDFS	Beryllium	8.4609E-008	9.0157E-008
RCPTR_36	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	3.0649E-012	4.2847E-011
RCPTR_36	farmer_adult	TOCDFDFS	Bromodichloromethane	5.4756E-015	7.6183E-014
RCPTR_36	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	8.7462E-013	1.2188E-011
RCPTR_36	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.7324E-007	1.6460E-006
RCPTR_36	farmer_adult	TOCDFDFS	Butylbenzylphthalate	5.5459E-008	6.4907E-008
RCPTR_36	farmer_adult	TOCDFDFS	Cadmium	3.0175E-008	4.1622E-008
RCPTR_36	farmer_adult	TOCDFDFS	Carbon disulfide	3.0560E-015	4.2019E-014
RCPTR_36	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.9003E-015	6.6587E-014
RCPTR_36	farmer_adult	TOCDFDFS	Chlorine	9.5054E-014	1.3294E-012
RCPTR_36	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.1166E-010	3.6484E-009
RCPTR_36	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.4587E-011	1.9911E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Chlorobenzene	2.9168E-014	3.8972E-013
RCPTR_36	farmer_adult	TOCDFDFS	Chloroethane	9.1782E-017	1.0982E-015
RCPTR_36	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	3.7832E-015	5.2557E-014
RCPTR_36	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.2166E-009	1.5569E-008
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenol, 2-	3.9613E-011	5.5266E-010
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.3576E-009	2.0207E-008
RCPTR_36	farmer_adult	TOCDFDFS	Chromium	2.7846E-006	2.7954E-006
RCPTR_36	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.5005E-006	2.5387E-006
RCPTR_36	farmer_adult	TOCDFDFS	Chrysene	2.9516E-005	3.4023E-005
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.4291E-007	2.7935E-007
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.3071E+003	1.3071E+003
RCPTR_36	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.2726E-003	2.2970E-003
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.1593E-012	2.5200E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	2.4573E-012	3.0448E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.3248E-012	2.9304E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.3922E-007	1.7150E-007
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	6.7127E-018	9.1809E-017
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.5810E-015	2.1992E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9616E-015	2.7320E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	6.0457E-016	8.3278E-015
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.7324E-016	1.3387E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.1753E-010	2.5877E-009
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	5.5407E-015	7.5348E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.7920E-015	2.4850E-014
RCPTR_36	farmer_adult	TOCDFDFS	Diethyl phthalate	1.5884E-007	1.6508E-007
RCPTR_36	farmer_adult	TOCDFDFS	Dimethyl phthalate	4.1335E-011	4.9757E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	2.8241E-011	3.7711E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	9.5598E-011	2.1687E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.1251E-011	3.4744E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.2887E-011	2.6777E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	5.7441E-013	8.0226E-012
RCPTR_36	farmer_adult	TOCDFDFS	Ethylbenzene	2.0678E-014	2.3898E-013
RCPTR_36	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	9.2234E-009	1.0885E-008
RCPTR_36	farmer_adult	TOCDFDFS	Fluoranthene	3.1085E-007	1.3901E-006
RCPTR_36	farmer_adult	TOCDFDFS	Fluorene	2.0043E-009	2.3445E-008
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.7545E-012	3.8798E-012
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.4825E-012	3.5713E-012
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0222E-011	1.0552E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.2281E-011	9.4824E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.9933E-011	5.1783E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.6003E-011	3.7601E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.5222E-011	2.6573E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.2960E-011	2.4182E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.7613E-011	2.9069E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.1066E-011	2.2182E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.1116E-011	4.9426E-010
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorobenzene	9.7546E-008	1.0045E-006
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.4561E-010	1.3152E-009
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.4243E-011	3.0250E-010
RCPTR_36	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.7443E-002	1.7493E-002
RCPTR_36	farmer_adult	TOCDFDFS	Isophorone	4.1309E-012	5.7371E-011
RCPTR_36	farmer_adult	TOCDFDFS	Lead	5.1286E-007	5.6423E-007
RCPTR_36	farmer_adult	TOCDFDFS	Mercuric chloride	2.6141E-007	2.7171E-007
RCPTR_36	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.8821E-017	9.6013E-016
RCPTR_36	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.3606E-017	1.8929E-016
RCPTR_36	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.3740E-014	4.7154E-013
RCPTR_36	farmer_adult	TOCDFDFS	Methyl mercury	3.2924E-009	3.3895E-009
RCPTR_36	farmer_adult	TOCDFDFS	Methylene chloride	2.0371E-015	2.8365E-014
RCPTR_36	farmer_adult	TOCDFDFS	Mustard	2.4113E-013	3.3417E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Naphthalene	1.8447E-011	2.4245E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nickel	1.1263E-005	1.2010E-005
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 2-	7.1662E-011	9.7868E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.6776E-011	2.3286E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.1742E-011	3.0084E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitrobenzene	6.9417E-012	9.6829E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 2-	3.1725E-012	4.4087E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 4-	3.9000E-010	7.7894E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.0026E-012	5.4634E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	3.9813E-012	5.3703E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	3.7956E-013	4.8130E-012
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.3914E-012	5.6490E-012
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.6639E-012	5.9292E-012
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.7622E-010	1.8267E-010
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.1355E-011	2.2818E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.2758E-011	8.8280E-011
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorobenzene	4.3119E-010	3.7041E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.8520E-010	1.4653E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorophenol	6.7421E-007	9.1395E-007
RCPTR_36	farmer_adult	TOCDFDFS	Phenanthrene	6.0864E-012	7.4221E-011
RCPTR_36	farmer_adult	TOCDFDFS	Phenol	5.5913E-012	7.6731E-011
RCPTR_36	farmer_adult	TOCDFDFS	Pronamide	6.3745E-010	7.3559E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pyrene	3.9889E-007	1.9543E-006
RCPTR_36	farmer_adult	TOCDFDFS	Selenium	1.8323E-007	1.8410E-007
RCPTR_36	farmer_adult	TOCDFDFS	Silver	1.2043E-006	1.2790E-006
RCPTR_36	farmer_adult	TOCDFDFS	Styrene	2.0892E-013	2.8546E-012
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.3039E-011	5.8194E-011
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.6354E-011	1.8608E-011
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.1126E-010	5.9765E-009
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0809E-010	1.3430E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.8444E-015	8.0045E-014
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.7194E-008	4.6350E-008
RCPTR_36	farmer_adult	TOCDFDFS	Thallium (l)	1.6156E-004	1.6876E-004
RCPTR_36	farmer_adult	TOCDFDFS	Toluene	8.1839E-015	1.0712E-013
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.0161E-011	2.2798E-010
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	4.8405E-015	6.6735E-014
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	2.8480E-014	3.9543E-013
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethylene	4.6966E-015	6.4302E-014
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.4775E-016	8.8817E-015
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.8462E-009	2.6288E-008
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.1395E-009	2.7431E-008
RCPTR_36	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.0581E-013	1.4636E-012
RCPTR_36	farmer_adult	TOCDFDFS	Vinyl Chloride	1.5063E-018	2.0887E-017
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, m-	2.5436E-013	5.8631E-013
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, o-	1.9424E-013	5.2485E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, p-	2.5209E-013	7.6690E-013
RCPTR_36	farmer_adult	TOCDFDFS	Zinc	5.1421E-007	6.4007E-007
RCPTR_36	farmer_adult	TOCDFLIC	Acenaphthene	9.5548E-011	1.1969E-009
RCPTR_36	farmer_adult	TOCDFLIC	Acetone	3.0717E-015	4.2945E-014
RCPTR_36	farmer_adult	TOCDFLIC	Acetophenone	4.5266E-013	6.2920E-012
RCPTR_36	farmer_adult	TOCDFLIC	Aniline	2.7638E-014	3.7905E-013
RCPTR_36	farmer_adult	TOCDFLIC	Anthracene	1.6994E-009	2.1120E-008
RCPTR_36	farmer_adult	TOCDFLIC	Antimony	3.8274E-006	4.4572E-006
RCPTR_36	farmer_adult	TOCDFLIC	Arsenic	7.1478E-006	7.4025E-006
RCPTR_36	farmer_adult	TOCDFLIC	Barium	5.7199E-007	6.4126E-007
RCPTR_36	farmer_adult	TOCDFLIC	Benzene	1.7339E-014	2.3618E-013
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.8278E-006	2.6336E-006
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.0438E-005	2.1165E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.1373E-005	1.3445E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.1858E-005	3.2658E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Benzoic acid	1.9745E-012	1.5249E-011
RCPTR_36	farmer_adult	TOCDFLIC	Benzyl alcohol	9.9257E-011	1.3755E-009
RCPTR_36	farmer_adult	TOCDFLIC	Beryllium	9.7227E-007	1.0362E-006
RCPTR_36	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	6.1533E-013	8.6021E-012
RCPTR_36	farmer_adult	TOCDFLIC	Bromodichloromethane	6.1259E-016	8.5232E-015
RCPTR_36	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.1072E-012	1.5429E-011
RCPTR_36	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	3.4774E-008	3.3045E-007
RCPTR_36	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.0950E-008	1.2847E-008
RCPTR_36	farmer_adult	TOCDFLIC	Cadmium	1.1723E-007	1.6183E-007
RCPTR_36	farmer_adult	TOCDFLIC	Carbon disulfide	4.0440E-015	5.5607E-014
RCPTR_36	farmer_adult	TOCDFLIC	Carbon tetrachloride	8.0970E-014	1.1003E-012
RCPTR_36	farmer_adult	TOCDFLIC	Chlorine	6.5664E-007	9.1838E-006
RCPTR_36	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2272E-010	7.3239E-010
RCPTR_36	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.9284E-012	3.9975E-011
RCPTR_36	farmer_adult	TOCDFLIC	Chlorobenzene	3.3172E-014	4.4328E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Chloroethane	3.8109E-017	4.5603E-016
RCPTR_36	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	3.1786E-014	4.4159E-013
RCPTR_36	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.4418E-010	3.1256E-009
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenol, 2-	7.9529E-012	1.1096E-010
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.7188E-010	4.0546E-009
RCPTR_36	farmer_adult	TOCDFLIC	Chromium	4.7224E-006	4.7407E-006
RCPTR_36	farmer_adult	TOCDFLIC	Chromium, hexavalent	4.2393E-006	4.3042E-006
RCPTR_36	farmer_adult	TOCDFLIC	Chrysene	5.8959E-006	6.7986E-006
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.5139E-009	8.6446E-009
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.0518E+001	4.0518E+001
RCPTR_36	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.5112E-004	4.5569E-004
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	4.3328E-013	5.0590E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	4.9316E-013	6.1128E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	4.6659E-013	5.8830E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.3856E-008	1.7092E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.6514E-018	3.6275E-017
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.0620E-016	1.4773E-015
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.1457E-016	1.1345E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	4.0609E-017	5.5940E-016
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.0415E-016	5.5594E-015
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.2388E-010	5.1942E-010
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	2.3008E-015	3.1290E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.6717E-016	1.0639E-014
RCPTR_36	farmer_adult	TOCDFLIC	Diethyl phthalate	4.9235E-009	5.1172E-009
RCPTR_36	farmer_adult	TOCDFLIC	Dimethyl phthalate	7.8541E-011	9.4645E-010
RCPTR_36	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	5.6696E-012	7.5711E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.9161E-011	4.3509E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	6.2562E-012	6.9736E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	4.5897E-012	5.3753E-011
RCPTR_36	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.1532E-013	1.6107E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Ethylbenzene	9.0028E-015	1.0411E-013
RCPTR_36	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.3937E-008	1.6493E-008
RCPTR_36	farmer_adult	TOCDFLIC	Fluoranthene	6.2186E-008	2.7885E-007
RCPTR_36	farmer_adult	TOCDFLIC	Fluorene	4.0207E-010	4.7066E-009
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.0540E-011	3.1541E-011
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0814E-010	1.1084E-010
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.3595E-010	2.4343E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.8043E-010	2.8802E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.5361E-010	1.5922E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.1831E-010	1.2351E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.4580E-010	2.5895E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.1477E-010	2.2619E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.2329E-010	2.3505E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.8273E-010	1.9240E-010
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.0234E-011	9.9201E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.9559E-008	2.0164E-007
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	2.9131E-011	2.6394E-010
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.8665E-012	6.0732E-011
RCPTR_36	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.4877E-003	3.4971E-003
RCPTR_36	farmer_adult	TOCDFLIC	Isophorone	8.2934E-013	1.1518E-011
RCPTR_36	farmer_adult	TOCDFLIC	Lead	2.5276E-006	2.7815E-006
RCPTR_36	farmer_adult	TOCDFLIC	Mercuric chloride	6.0942E-007	6.3364E-007
RCPTR_36	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	4.5089E-017	6.2905E-016
RCPTR_36	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	7.9766E-017	1.1098E-015
RCPTR_36	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.2479E-014	8.7319E-013
RCPTR_36	farmer_adult	TOCDFLIC	Methyl mercury	7.5251E-009	7.7534E-009
RCPTR_36	farmer_adult	TOCDFLIC	Methylene chloride	8.1844E-015	1.1396E-013
RCPTR_36	farmer_adult	TOCDFLIC	Mustard	8.5131E-014	1.1798E-012
RCPTR_36	farmer_adult	TOCDFLIC	Naphthalene	5.7223E-013	7.5226E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Nickel	1.1376E-005	1.2132E-005
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.4386E-011	1.9649E-010
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 3-	3.3680E-012	4.6752E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 4-	4.3640E-012	6.0401E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrobenzene	1.3936E-012	1.9440E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 2-	6.3690E-013	8.8511E-012
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 4-	7.8230E-012	1.5632E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.0356E-013	1.0969E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	7.9928E-013	1.0782E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	7.5748E-014	9.6584E-013
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.9763E-011	4.1651E-011
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.9104E-011	4.0924E-011
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	6.6849E-010	6.9278E-010
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.0160E-010	1.0858E-010
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.7219E-010	3.9710E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.2791E-010	3.7193E-009
RCPTR_36	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.6652E-011	2.9366E-010
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorophenol	2.6999E-008	3.6608E-008
RCPTR_36	farmer_adult	TOCDFLIC	Phenanthrene	1.2212E-012	1.4900E-011
RCPTR_36	farmer_adult	TOCDFLIC	Phenol	1.1225E-012	1.5405E-011
RCPTR_36	farmer_adult	TOCDFLIC	Pronamide	1.2792E-010	1.4767E-009
RCPTR_36	farmer_adult	TOCDFLIC	Pyrene	7.9951E-008	3.9221E-007
RCPTR_36	farmer_adult	TOCDFLIC	Selenium	4.4362E-006	4.4573E-006
RCPTR_36	farmer_adult	TOCDFLIC	Silver	1.1384E-005	1.2092E-005
RCPTR_36	farmer_adult	TOCDFLIC	Styrene	1.2925E-011	1.7662E-010
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	8.5859E-011	9.4244E-011
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	3.3485E-011	3.8123E-011
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.2263E-010	1.1998E-009
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.1306E-015	5.6755E-014
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.5486E-015	2.1215E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.4486E-009	9.3026E-009
RCPTR_36	farmer_adult	TOCDFLIC	Thallium (l)	1.5167E-005	1.5845E-005
RCPTR_36	farmer_adult	TOCDFLIC	Toluene	3.1694E-014	4.1492E-013
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.0444E-012	4.5768E-011
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.3042E-014	1.7981E-013
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.1827E-014	1.6421E-013
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethylene	1.9502E-015	2.6703E-014
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.5592E-016	3.5094E-015
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	5.7121E-010	5.2776E-009
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.0513E-010	1.0955E-009
RCPTR_36	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	4.3937E-014	6.0780E-013
RCPTR_36	farmer_adult	TOCDFLIC	Vinyl Chloride	1.8746E-018	2.5998E-017
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, m-	2.1505E-013	5.1006E-013
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, o-	1.8826E-013	5.2457E-013
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, p-	2.1380E-013	6.7132E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Zinc	4.4618E-006	5.5569E-006
RCPTR_36	farmer_adult	TOCDFMPF	Acenaphthene	1.4622E-010	1.8317E-009
RCPTR_36	farmer_adult	TOCDFMPF	Acetone	1.1232E-014	1.5703E-013
RCPTR_36	farmer_adult	TOCDFMPF	Acetophenone	7.2573E-013	1.0088E-011
RCPTR_36	farmer_adult	TOCDFMPF	Aniline	4.2295E-014	5.8009E-013
RCPTR_36	farmer_adult	TOCDFMPF	Anthracene	2.6006E-009	3.2321E-008
RCPTR_36	farmer_adult	TOCDFMPF	Antimony	5.2437E-008	6.1071E-008
RCPTR_36	farmer_adult	TOCDFMPF	Aroclor 1254	6.1344E-010	1.1518E-009
RCPTR_36	farmer_adult	TOCDFMPF	Arsenic	3.7354E-007	3.8686E-007
RCPTR_36	farmer_adult	TOCDFMPF	Barium	4.0750E-007	4.5688E-007
RCPTR_36	farmer_adult	TOCDFMPF	Benzene	1.5513E-014	2.1131E-013
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.7967E-006	4.0299E-006
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.1279E-005	3.2393E-005
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.7400E-005	2.0571E-005
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	4.8753E-005	4.9979E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Benzoic acid	8.7441E-012	6.7552E-011
RCPTR_36	farmer_adult	TOCDFMPF	Benzyl alcohol	9.4937E-013	1.3157E-011
RCPTR_36	farmer_adult	TOCDFMPF	Beryllium	3.3322E-008	3.5514E-008
RCPTR_36	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	9.4167E-013	1.3164E-011
RCPTR_36	farmer_adult	TOCDFMPF	Bromodichloromethane	1.8631E-014	2.5922E-013
RCPTR_36	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	6.4745E-013	9.0225E-012
RCPTR_36	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	5.3217E-008	5.0571E-007
RCPTR_36	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.6769E-008	1.9671E-008
RCPTR_36	farmer_adult	TOCDFMPF	Cadmium	5.3812E-007	7.4298E-007
RCPTR_36	farmer_adult	TOCDFMPF	Carbon disulfide	1.4801E-015	2.0352E-014
RCPTR_36	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.4119E-014	1.9187E-013
RCPTR_36	farmer_adult	TOCDFMPF	Chlorine	1.2110E-007	1.6938E-006
RCPTR_36	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.8773E-010	1.1207E-009
RCPTR_36	farmer_adult	TOCDFMPF	Chloroaniline, p-	4.4814E-012	6.1177E-011
RCPTR_36	farmer_adult	TOCDFMPF	Chlorobenzene	5.9578E-014	7.9616E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Chloroethane	3.7590E-016	4.4986E-015
RCPTR_36	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.0006E-014	1.3902E-013
RCPTR_36	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.7366E-010	4.7834E-009
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.2171E-011	1.6980E-010
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0280E-009	6.2049E-009
RCPTR_36	farmer_adult	TOCDFMPF	Chromium	9.0094E-007	9.0444E-007
RCPTR_36	farmer_adult	TOCDFMPF	Chromium, hexavalent	8.0871E-007	8.2110E-007
RCPTR_36	farmer_adult	TOCDFMPF	Chrysene	9.0196E-006	1.0401E-005
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	7.4366E-008	8.5562E-008
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-octylphthalate	4.0093E+002	4.0093E+002
RCPTR_36	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	6.9037E-004	6.9741E-004
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	6.6301E-013	7.7420E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	7.5466E-013	9.3547E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	7.1401E-013	9.0031E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.2534E-008	5.2468E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.1831E-017	2.9868E-016
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.2298E-015	4.4928E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.0073E-015	5.5813E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.2350E-015	1.7013E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.9882E-015	2.7349E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.8948E-010	7.9480E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.1318E-014	1.5393E-013
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.6606E-015	5.0766E-014
RCPTR_36	farmer_adult	TOCDFMPF	Diethyl phthalate	4.8719E-008	5.0637E-008
RCPTR_36	farmer_adult	TOCDFMPF	Dimethyl phthalate	8.3958E-012	1.0117E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	8.6762E-012	1.1586E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	2.9253E-011	6.6447E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	9.5749E-012	1.0672E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.0237E-012	8.2262E-011
RCPTR_36	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.7648E-013	2.4649E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Ethylbenzene	4.2213E-014	4.8819E-013
RCPTR_36	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.5258E-009	2.9886E-009
RCPTR_36	farmer_adult	TOCDFMPF	Fluoranthene	9.5143E-008	4.2672E-007
RCPTR_36	farmer_adult	TOCDFMPF	Fluorene	6.1527E-010	7.2027E-009
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1947E-010	1.2340E-010
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.7055E-010	1.7482E-010
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.7715E-010	2.8598E-010
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.0320E-011	8.2501E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.4265E-011	3.5519E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.8074E-011	2.9311E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.8779E-011	5.1392E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.0811E-011	2.1918E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.8648E-011	1.9631E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.6608E-011	1.7488E-011
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.5661E-011	1.5181E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.9929E-008	3.0858E-007
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.4581E-011	4.0392E-010
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.4469E-012	9.2941E-011
RCPTR_36	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.3348E-003	5.3493E-003
RCPTR_36	farmer_adult	TOCDFMPF	Isophorone	1.2692E-012	1.7627E-011
RCPTR_36	farmer_adult	TOCDFMPF	Lead	2.9338E-007	3.2287E-007
RCPTR_36	farmer_adult	TOCDFMPF	Mercuric chloride	1.0378E-005	1.0790E-005
RCPTR_36	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.3357E-016	3.2585E-015
RCPTR_36	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.3630E-017	1.8964E-016
RCPTR_36	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2684E-014	1.7727E-013
RCPTR_36	farmer_adult	TOCDFMPF	Methyl mercury	1.2831E-007	1.3219E-007
RCPTR_36	farmer_adult	TOCDFMPF	Methylene chloride	6.4436E-015	8.9722E-014
RCPTR_36	farmer_adult	TOCDFMPF	Mustard	6.0641E-013	8.4043E-012
RCPTR_36	farmer_adult	TOCDFMPF	Naphthalene	5.6662E-012	7.4492E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Nickel	7.1718E-006	7.6490E-006
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.1976E-011	3.0016E-010
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.1448E-012	7.1418E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.6665E-012	9.2268E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrobenzene	2.1327E-012	2.9750E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 2-	9.7469E-013	1.3545E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.1942E-010	2.3871E-010
RCPTR_36	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.2297E-012	1.6786E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.2232E-012	1.6500E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.1596E-013	1.4781E-012
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.5423E-009	2.6632E-009
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.4569E-009	4.6648E-009
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.5015E-011	3.6290E-011
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.4210E-011	4.7247E-011
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.5027E-011	2.6703E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.3084E-010	1.1364E-009
RCPTR_36	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.6038E-011	4.4864E-010
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorophenol	2.0644E-007	2.7997E-007
RCPTR_36	farmer_adult	TOCDFMPF	Phenanthrene	1.8688E-012	2.2803E-011
RCPTR_36	farmer_adult	TOCDFMPF	Phenol	1.7178E-012	2.3575E-011
RCPTR_36	farmer_adult	TOCDFMPF	Pronamide	1.9574E-010	2.2599E-009
RCPTR_36	farmer_adult	TOCDFMPF	Pyrene	1.2233E-007	6.0020E-007
RCPTR_36	farmer_adult	TOCDFMPF	Selenium	7.8201E-008	7.8575E-008
RCPTR_36	farmer_adult	TOCDFMPF	Silver	1.5435E-006	1.6396E-006
RCPTR_36	farmer_adult	TOCDFMPF	Styrene	2.9506E-013	4.0318E-012
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.0287E-011	1.1293E-011
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.3214E-011	3.7816E-011
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.8763E-010	1.8361E-009
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.2562E-013	1.7261E-012
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.1937E-014	1.6352E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	5.2648E-009	1.4207E-008
RCPTR_36	farmer_adult	TOCDFMPF	Thallium (l)	4.6653E-007	4.8740E-007
RCPTR_36	farmer_adult	TOCDFMPF	Toluene	2.1287E-014	2.7869E-013
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.1887E-012	7.0041E-011
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	7.6633E-015	1.0566E-013
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	5.8182E-014	8.0784E-013
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethylene	9.5939E-015	1.3136E-013
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.6439E-014	3.6255E-013
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	8.7392E-010	8.0764E-009
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.1378E-010	1.6763E-009
RCPTR_36	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.1614E-013	2.9901E-012
RCPTR_36	farmer_adult	TOCDFMPF	Vinyl Chloride	5.1494E-018	7.1415E-017
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, m-	2.1628E-013	5.1188E-013
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, o-	1.8931E-013	5.2630E-013
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, p-	2.1496E-013	6.7341E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Zinc	1.2770E-006	1.5907E-006
RCPTR_36	farmer_adult	TOCDHVAC	Mustard	2.0174E-013	2.7959E-012
RCPTR_36	farmer_adult	TOCDLIC2	Acenaphthene	9.5548E-011	1.1969E-009
RCPTR_36	farmer_adult	TOCDLIC2	Acetone	3.0717E-015	4.2945E-014
RCPTR_36	farmer_adult	TOCDLIC2	Acetophenone	4.5266E-013	6.2920E-012
RCPTR_36	farmer_adult	TOCDLIC2	Aniline	2.7638E-014	3.7905E-013
RCPTR_36	farmer_adult	TOCDLIC2	Anthracene	1.6994E-009	2.1120E-008
RCPTR_36	farmer_adult	TOCDLIC2	Antimony	3.8274E-006	4.4572E-006
RCPTR_36	farmer_adult	TOCDLIC2	Arsenic	7.1478E-006	7.4025E-006
RCPTR_36	farmer_adult	TOCDLIC2	Barium	5.7199E-007	6.4126E-007
RCPTR_36	farmer_adult	TOCDLIC2	Benzene	1.7339E-014	2.3618E-013
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.8278E-006	2.6336E-006
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.0438E-005	2.1165E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.1373E-005	1.3445E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	3.1858E-005	3.2658E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Benzoic acid	1.9745E-012	1.5249E-011
RCPTR_36	farmer_adult	TOCDLIC2	Benzyl alcohol	9.9257E-011	1.3755E-009
RCPTR_36	farmer_adult	TOCDLIC2	Beryllium	9.7227E-007	1.0362E-006
RCPTR_36	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.1533E-013	8.6021E-012
RCPTR_36	farmer_adult	TOCDLIC2	Bromodichloromethane	6.1259E-016	8.5232E-015
RCPTR_36	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.1072E-012	1.5429E-011
RCPTR_36	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.4774E-008	3.3045E-007
RCPTR_36	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.0950E-008	1.2847E-008
RCPTR_36	farmer_adult	TOCDLIC2	Cadmium	1.1723E-007	1.6183E-007
RCPTR_36	farmer_adult	TOCDLIC2	Carbon disulfide	4.0440E-015	5.5607E-014
RCPTR_36	farmer_adult	TOCDLIC2	Carbon tetrachloride	8.0970E-014	1.1003E-012
RCPTR_36	farmer_adult	TOCDLIC2	Chlorine	6.5664E-007	9.1838E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.2272E-010	7.3239E-010
RCPTR_36	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.9284E-012	3.9975E-011
RCPTR_36	farmer_adult	TOCDLIC2	Chlorobenzene	3.3172E-014	4.4328E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Chloroethane	3.8109E-017	4.5603E-016
RCPTR_36	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.1786E-014	4.4159E-013
RCPTR_36	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.4418E-010	3.1256E-009
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenol, 2-	7.9529E-012	1.1096E-010
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.7188E-010	4.0546E-009
RCPTR_36	farmer_adult	TOCDLIC2	Chromium	4.7224E-006	4.7407E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chromium, hexavalent	4.2393E-006	4.3042E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chrysene	5.8959E-006	6.7986E-006
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	7.5139E-009	8.6446E-009
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.0518E+001	4.0518E+001
RCPTR_36	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.5112E-004	4.5569E-004
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.3328E-013	5.0590E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.9316E-013	6.1128E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.6659E-013	5.8830E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.3856E-008	1.7092E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.6514E-018	3.6275E-017
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.0620E-016	1.4773E-015
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.1457E-016	1.1345E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	4.0609E-017	5.5940E-016
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.0415E-016	5.5594E-015
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.2388E-010	5.1942E-010
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.3008E-015	3.1290E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.6717E-016	1.0639E-014
RCPTR_36	farmer_adult	TOCDLIC2	Diethyl phthalate	4.9235E-009	5.1172E-009
RCPTR_36	farmer_adult	TOCDLIC2	Dimethyl phthalate	7.8541E-011	9.4645E-010
RCPTR_36	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.6696E-012	7.5711E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.9161E-011	4.3509E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	6.2562E-012	6.9736E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.5897E-012	5.3753E-011
RCPTR_36	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.1532E-013	1.6107E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Ethylbenzene	9.0028E-015	1.0411E-013
RCPTR_36	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.3937E-008	1.6493E-008
RCPTR_36	farmer_adult	TOCDLIC2	Fluoranthene	6.2186E-008	2.7885E-007
RCPTR_36	farmer_adult	TOCDLIC2	Fluorene	4.0207E-010	4.7066E-009
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.0540E-011	3.1541E-011
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0814E-010	1.1084E-010
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.3595E-010	2.4343E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.8043E-010	2.8802E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.5361E-010	1.5922E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1831E-010	1.2351E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.4580E-010	2.5895E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.1477E-010	2.2619E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.2329E-010	2.3505E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.8273E-010	1.9240E-010
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0234E-011	9.9201E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.9559E-008	2.0164E-007
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.9131E-011	2.6394E-010
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.8665E-012	6.0732E-011
RCPTR_36	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.4877E-003	3.4971E-003
RCPTR_36	farmer_adult	TOCDLIC2	Isophorone	8.2934E-013	1.1518E-011
RCPTR_36	farmer_adult	TOCDLIC2	Lead	2.5276E-006	2.7815E-006
RCPTR_36	farmer_adult	TOCDLIC2	Mercuric chloride	6.0942E-007	6.3364E-007
RCPTR_36	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.5089E-017	6.2905E-016
RCPTR_36	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	7.9766E-017	1.1098E-015
RCPTR_36	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.2479E-014	8.7319E-013
RCPTR_36	farmer_adult	TOCDLIC2	Methyl mercury	7.5251E-009	7.7534E-009
RCPTR_36	farmer_adult	TOCDLIC2	Methylene chloride	8.1844E-015	1.1396E-013
RCPTR_36	farmer_adult	TOCDLIC2	Mustard	8.8502E-014	1.2266E-012
RCPTR_36	farmer_adult	TOCDLIC2	Naphthalene	5.7223E-013	7.5226E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Nickel	1.1376E-005	1.2132E-005
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.4386E-011	1.9649E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.3680E-012	4.6752E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.3640E-012	6.0401E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrobenzene	1.3936E-012	1.9440E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.3690E-013	8.8511E-012
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 4-	7.8230E-011	1.5632E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.0356E-013	1.0969E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	7.9928E-013	1.0782E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.5748E-014	9.6584E-013
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.9763E-011	4.1651E-011
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.9104E-011	4.0924E-011
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	6.6849E-010	6.9278E-010
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0160E-010	1.0858E-010
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.7219E-010	3.9710E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorobenzene	4.2791E-010	3.7193E-009
RCPTR_36	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.6652E-011	2.9366E-010
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorophenol	2.6999E-008	3.6608E-008
RCPTR_36	farmer_adult	TOCDLIC2	Phenanthrene	1.2212E-012	1.4900E-011
RCPTR_36	farmer_adult	TOCDLIC2	Phenol	1.1225E-012	1.5405E-011
RCPTR_36	farmer_adult	TOCDLIC2	Pronamide	1.2792E-010	1.4767E-009
RCPTR_36	farmer_adult	TOCDLIC2	Pyrene	7.9951E-008	3.9221E-007
RCPTR_36	farmer_adult	TOCDLIC2	Selenium	4.4362E-006	4.4573E-006
RCPTR_36	farmer_adult	TOCDLIC2	Silver	1.1384E-005	1.2092E-005
RCPTR_36	farmer_adult	TOCDLIC2	Styrene	1.2925E-011	1.7662E-010
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	8.5859E-011	9.4244E-011
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	3.3485E-011	3.8123E-011
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.2263E-010	1.1998E-009
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.1306E-015	5.6755E-014
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.5486E-015	2.1215E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.4486E-009	9.3026E-009
RCPTR_36	farmer_adult	TOCDLIC2	Thallium (l)	1.5167E-005	1.5845E-005
RCPTR_36	farmer_adult	TOCDLIC2	Toluene	3.1694E-014	4.1492E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.0444E-012	4.5768E-011
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.3042E-014	1.7981E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.1827E-014	1.6421E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethylene	1.9502E-015	2.6703E-014
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.5592E-016	3.5094E-015
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.7121E-010	5.2776E-009
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.0513E-010	1.0955E-009
RCPTR_36	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.3937E-014	6.0780E-013
RCPTR_36	farmer_adult	TOCDLIC2	Vinyl Chloride	1.8746E-018	2.5998E-017
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, m-	4.4690E-013	1.0599E-012
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, o-	3.9121E-013	1.0901E-012
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, p-	4.4428E-013	1.3950E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Zinc	4.4618E-006	5.5569E-006
RCPTR_36	farmer_child	TOCDFBRA	Antimony	1.1132E-006	1.2062E-006
RCPTR_36	farmer_child	TOCDFBRA	Arsenic	1.7847E-006	1.8198E-006
RCPTR_36	farmer_child	TOCDFBRA	Barium	1.5158E-007	1.6115E-007
RCPTR_36	farmer_child	TOCDFBRA	Beryllium	4.8235E-007	4.9662E-007
RCPTR_36	farmer_child	TOCDFBRA	Cadmium	9.2603E-008	1.0777E-007
RCPTR_36	farmer_child	TOCDFBRA	Chromium	1.1391E-005	1.1688E-005
RCPTR_36	farmer_child	TOCDFBRA	Chromium, hexavalent	1.0523E-005	1.0613E-005
RCPTR_36	farmer_child	TOCDFBRA	Lead	4.9970E-006	5.2296E-006
RCPTR_36	farmer_child	TOCDFBRA	Mercuric chloride	7.2339E-004	8.8162E-004
RCPTR_36	farmer_child	TOCDFBRA	Methyl mercury	1.0758E-005	1.1245E-005
RCPTR_36	farmer_child	TOCDFBRA	Nickel	5.9102E-006	6.1091E-006
RCPTR_36	farmer_child	TOCDFBRA	Selenium	1.9894E-006	1.9947E-006
RCPTR_36	farmer_child	TOCDFBRA	Silver	6.7821E-007	7.0134E-007
RCPTR_36	farmer_child	TOCDFBRA	Thallium (l)	1.8275E-005	1.8687E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFBRA	Zinc	3.2973E-006	3.6785E-006
RCPTR_36	farmer_child	TOCDFDFS	Acenaphthene	2.8700E-009	5.9620E-009
RCPTR_36	farmer_child	TOCDFDFS	Acetone	3.1356E-014	6.5779E-014
RCPTR_36	farmer_child	TOCDFDFS	Acetophenone	1.5714E-011	3.2949E-011
RCPTR_36	farmer_child	TOCDFDFS	Aniline	9.0148E-013	1.8880E-012
RCPTR_36	farmer_child	TOCDFDFS	Anthracene	5.0682E-008	1.0520E-007
RCPTR_36	farmer_child	TOCDFDFS	Antimony	8.8057E-008	9.5405E-008
RCPTR_36	farmer_child	TOCDFDFS	Aroclor 1254	1.5083E-009	2.0423E-009
RCPTR_36	farmer_child	TOCDFDFS	Arsenic	1.6472E-007	1.6795E-007
RCPTR_36	farmer_child	TOCDFDFS	Barium	1.1037E-007	1.1733E-007
RCPTR_36	farmer_child	TOCDFDFS	Benzene	1.1241E-013	2.3529E-013
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.1303E-005	1.3183E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.0471E-004	1.0649E-004
RCPTR_36	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	6.2406E-005	6.7302E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.6250E-004	1.6418E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Benzoic acid	1.1201E-011	2.1989E-011
RCPTR_36	farmer_child	TOCDFDFS	Benzyl alcohol	2.0428E-011	4.2822E-011
RCPTR_36	farmer_child	TOCDFDFS	Beryllium	8.7568E-008	9.0157E-008
RCPTR_36	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.0424E-011	4.2847E-011
RCPTR_36	farmer_child	TOCDFDFS	Bromodichloromethane	3.6330E-014	7.6183E-014
RCPTR_36	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	5.8114E-012	1.2188E-011
RCPTR_36	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	9.5633E-007	1.6460E-006
RCPTR_36	farmer_child	TOCDFDFS	Butylbenzylphthalate	5.9582E-008	6.4907E-008
RCPTR_36	farmer_child	TOCDFDFS	Cadmium	3.5769E-008	4.1622E-008
RCPTR_36	farmer_child	TOCDFDFS	Carbon disulfide	2.0058E-014	4.2019E-014
RCPTR_36	farmer_child	TOCDFDFS	Carbon tetrachloride	3.1818E-014	6.6587E-014
RCPTR_36	farmer_child	TOCDFDFS	Chlorine	6.3369E-013	1.3294E-012
RCPTR_36	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.9368E-009	3.6484E-009
RCPTR_36	farmer_child	TOCDFDFS	Chloroaniline, p-	9.5109E-011	1.9911E-010
RCPTR_36	farmer_child	TOCDFDFS	Chlorobenzene	1.8650E-013	3.8972E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Chloroethane	5.3093E-016	1.0982E-015
RCPTR_36	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	2.5066E-014	5.2557E-014
RCPTR_36	farmer_child	TOCDFDFS	Chloronaphthalene,2-	7.4795E-009	1.5569E-008
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.6349E-010	5.5266E-010
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.0710E-008	2.0207E-008
RCPTR_36	farmer_child	TOCDFDFS	Chromium	2.7244E-006	2.7954E-006
RCPTR_36	farmer_child	TOCDFDFS	Chromium, hexavalent	2.5172E-006	2.5387E-006
RCPTR_36	farmer_child	TOCDFDFS	Chrysene	3.2054E-005	3.4023E-005
RCPTR_36	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.5881E-007	2.7935E-007
RCPTR_36	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.3071E+003	1.3071E+003
RCPTR_36	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.2863E-003	2.2970E-003
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.2213E-011	2.5200E-011
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.4672E-011	3.0448E-011
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.4098E-011	2.9304E-011
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5331E-007	1.7150E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Dichlorodifluoromethane	4.3846E-017	9.1809E-017
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.0488E-014	2.1992E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3027E-014	2.7320E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	3.9747E-015	8.3278E-015
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.3903E-015	1.3387E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.4772E-009	2.5877E-009
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	3.6002E-014	7.5348E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.1854E-014	2.4850E-014
RCPTR_36	farmer_child	TOCDFDFS	Diethyl phthalate	1.6156E-007	1.6508E-007
RCPTR_36	farmer_child	TOCDFDFS	Dimethyl phthalate	2.4042E-010	4.9757E-010
RCPTR_36	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.8048E-010	3.7711E-010
RCPTR_36	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.4852E-010	2.1687E-010
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.6923E-010	3.4744E-010
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.2975E-010	2.6777E-010
RCPTR_36	farmer_child	TOCDFDFS	Ethyl methanesulfonate	3.8245E-012	8.0226E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Ethylbenzene	1.1594E-013	2.3898E-013
RCPTR_36	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	9.9484E-009	1.0885E-008
RCPTR_36	farmer_child	TOCDFDFS	Fluoranthene	8.2143E-007	1.3901E-006
RCPTR_36	farmer_child	TOCDFDFS	Fluorene	1.1360E-008	2.3445E-008
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.8234E-012	3.8798E-012
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.5314E-012	3.5713E-012
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0404E-011	1.0552E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.3680E-011	9.4824E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.0953E-011	5.1783E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.6884E-011	3.7601E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.5967E-011	2.6573E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.3633E-011	2.4182E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.8416E-011	2.9069E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.1681E-011	2.2182E-011
RCPTR_36	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.4449E-010	4.9426E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorobenzene	4.9409E-007	1.0045E-006
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	6.5597E-010	1.3152E-009
RCPTR_36	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.4567E-010	3.0250E-010
RCPTR_36	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.7471E-002	1.7493E-002
RCPTR_36	farmer_child	TOCDFDFS	Isophorone	2.7363E-011	5.7371E-011
RCPTR_36	farmer_child	TOCDFDFS	Lead	5.3917E-007	5.6423E-007
RCPTR_36	farmer_child	TOCDFDFS	Mercuric chloride	2.2248E-007	2.7171E-007
RCPTR_36	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.5776E-016	9.6013E-016
RCPTR_36	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	9.0271E-017	1.8929E-016
RCPTR_36	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.2478E-013	4.7154E-013
RCPTR_36	farmer_child	TOCDFDFS	Methyl mercury	3.2379E-009	3.3895E-009
RCPTR_36	farmer_child	TOCDFDFS	Methylene chloride	1.3526E-014	2.8365E-014
RCPTR_36	farmer_child	TOCDFDFS	Mustard	1.5941E-012	3.3417E-012
RCPTR_36	farmer_child	TOCDFDFS	Naphthalene	1.1620E-010	2.4245E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Nickel	1.1619E-005	1.2010E-005
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 2-	4.6746E-010	9.7868E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.1107E-010	2.3286E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.4353E-010	3.0084E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitrobenzene	4.6166E-011	9.6829E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.1026E-011	4.4087E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.5972E-010	7.7894E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.6097E-011	5.4634E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.5678E-011	5.3703E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.3142E-012	4.8130E-012
RCPTR_36	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.5332E-012	5.6490E-012
RCPTR_36	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.8098E-012	5.9292E-012
RCPTR_36	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.7979E-010	1.8267E-010
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.2164E-011	2.2818E-011
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.5807E-011	8.8280E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorobenzene	1.8594E-009	3.7041E-009
RCPTR_36	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	7.4379E-010	1.4653E-009
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorophenol	7.7882E-007	9.1395E-007
RCPTR_36	farmer_child	TOCDFDFS	Phenanthrene	3.5818E-011	7.4221E-011
RCPTR_36	farmer_child	TOCDFDFS	Phenol	3.6634E-011	7.6731E-011
RCPTR_36	farmer_child	TOCDFDFS	Pronamide	3.5691E-009	7.3559E-009
RCPTR_36	farmer_child	TOCDFDFS	Pyrene	1.2740E-006	1.9543E-006
RCPTR_36	farmer_child	TOCDFDFS	Selenium	1.8361E-007	1.8410E-007
RCPTR_36	farmer_child	TOCDFDFS	Silver	1.2369E-006	1.2790E-006
RCPTR_36	farmer_child	TOCDFDFS	Styrene	1.3634E-012	2.8546E-012
RCPTR_36	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	5.5902E-011	5.8194E-011
RCPTR_36	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.7607E-011	1.8608E-011
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.9525E-009	5.9765E-009
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1953E-010	1.3430E-010
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.8223E-014	8.0045E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.9917E-008	4.6350E-008
RCPTR_36	farmer_child	TOCDFDFS	Thallium (l)	1.6505E-004	1.6876E-004
RCPTR_36	farmer_child	TOCDFDFS	Toluene	5.1355E-014	1.0712E-013
RCPTR_36	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.1085E-010	2.2798E-010
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	3.1849E-014	6.6735E-014
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.8860E-013	3.9543E-013
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethylene	3.0706E-014	6.4302E-014
RCPTR_36	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.2408E-015	8.8817E-015
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.3076E-008	2.6288E-008
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.4867E-008	2.7431E-008
RCPTR_36	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	6.9832E-013	1.4636E-012
RCPTR_36	farmer_child	TOCDFDFS	Vinyl Chloride	9.9633E-018	2.0887E-017
RCPTR_36	farmer_child	TOCDFDFS	Xylene, m-	3.9921E-013	5.8631E-013
RCPTR_36	farmer_child	TOCDFDFS	Xylene, o-	3.3851E-013	5.2485E-013
RCPTR_36	farmer_child	TOCDFDFS	Xylene, p-	4.7673E-013	7.6690E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Zinc	5.7380E-007	6.4007E-007
RCPTR_36	farmer_child	TOCDFLIC	Acenaphthene	5.7615E-010	1.1969E-009
RCPTR_36	farmer_child	TOCDFLIC	Acetone	2.0471E-014	4.2945E-014
RCPTR_36	farmer_child	TOCDFLIC	Acetophenone	3.0008E-012	6.2920E-012
RCPTR_36	farmer_child	TOCDFLIC	Aniline	1.8098E-013	3.7905E-013
RCPTR_36	farmer_child	TOCDFLIC	Anthracene	1.0174E-008	2.1120E-008
RCPTR_36	farmer_child	TOCDFLIC	Antimony	4.1130E-006	4.4572E-006
RCPTR_36	farmer_child	TOCDFLIC	Arsenic	7.2598E-006	7.4025E-006
RCPTR_36	farmer_child	TOCDFLIC	Barium	6.0312E-007	6.4126E-007
RCPTR_36	farmer_child	TOCDFLIC	Benzene	1.1283E-013	2.3618E-013
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.2566E-006	2.6336E-006
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.0812E-005	2.1165E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.2464E-005	1.3445E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.2329E-005	3.2658E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzoic acid	7.7672E-012	1.5249E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Benzyl alcohol	6.5618E-010	1.3755E-009
RCPTR_36	farmer_child	TOCDFLIC	Beryllium	1.0064E-006	1.0362E-006
RCPTR_36	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	4.1005E-012	8.6021E-012
RCPTR_36	farmer_child	TOCDFLIC	Bromodichloromethane	4.0645E-015	8.5232E-015
RCPTR_36	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.3568E-012	1.5429E-011
RCPTR_36	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.9199E-007	3.3045E-007
RCPTR_36	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.1778E-008	1.2847E-008
RCPTR_36	farmer_child	TOCDFLIC	Cadmium	1.3902E-007	1.6183E-007
RCPTR_36	farmer_child	TOCDFLIC	Carbon disulfide	2.6544E-014	5.5607E-014
RCPTR_36	farmer_child	TOCDFLIC	Carbon tetrachloride	5.2579E-013	1.1003E-012
RCPTR_36	farmer_child	TOCDFLIC	Chlorine	4.3776E-006	9.1838E-006
RCPTR_36	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	3.8876E-010	7.3239E-010
RCPTR_36	farmer_child	TOCDFLIC	Chloroaniline, p-	1.9094E-011	3.9975E-011
RCPTR_36	farmer_child	TOCDFLIC	Chlorobenzene	2.1213E-013	4.4328E-013
RCPTR_36	farmer_child	TOCDFLIC	Chloroethane	2.2048E-016	4.5603E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.1061E-013	4.4159E-013
RCPTR_36	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.5016E-009	3.1256E-009
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenol, 2-	5.2900E-011	1.1096E-010
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1480E-009	4.0546E-009
RCPTR_36	farmer_child	TOCDFLIC	Chromium	4.6200E-006	4.7407E-006
RCPTR_36	farmer_child	TOCDFLIC	Chromium, hexavalent	4.2676E-006	4.3042E-006
RCPTR_36	farmer_child	TOCDFLIC	Chrysene	6.4043E-006	6.7986E-006
RCPTR_36	farmer_child	TOCDFLIC	Di-n-butyl phthalate	8.0073E-009	8.6446E-009
RCPTR_36	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.0518E+001	4.0518E+001
RCPTR_36	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.5370E-004	4.5569E-004
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.4518E-012	5.0590E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	2.9454E-012	6.1128E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	2.8301E-012	5.8830E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.5268E-008	1.7092E-008
RCPTR_36	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.7324E-017	3.6275E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane 1,1-	7.0449E-016	1.4773E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4098E-015	1.1345E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	2.6699E-016	5.5940E-016
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.6537E-015	5.5594E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	2.9648E-010	5.1942E-010
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.4951E-014	3.1290E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.0750E-015	1.0639E-014
RCPTR_36	farmer_child	TOCDFLIC	Diethyl phthalate	5.0080E-009	5.1172E-009
RCPTR_36	farmer_child	TOCDFLIC	Dimethyl phthalate	4.5727E-010	9.4645E-010
RCPTR_36	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	3.6233E-011	7.5711E-011
RCPTR_36	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.9786E-011	4.3509E-011
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	3.3957E-011	6.9736E-011
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	2.6043E-011	5.3753E-011
RCPTR_36	farmer_child	TOCDFLIC	Ethyl methanesulfonate	7.6784E-013	1.6107E-012
RCPTR_36	farmer_child	TOCDFLIC	Ethylbenzene	5.0504E-014	1.0411E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.5053E-008	1.6493E-008
RCPTR_36	farmer_child	TOCDFLIC	Fluoranthene	1.6469E-007	2.7885E-007
RCPTR_36	farmer_child	TOCDFLIC	Fluorene	2.2804E-009	4.7066E-009
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.1090E-011	3.1541E-011
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0963E-010	1.1084E-010
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4007E-010	2.4343E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.8460E-010	2.8802E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.5670E-010	1.5922E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.2117E-010	1.2351E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.5305E-010	2.5895E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.2106E-010	2.2619E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.2977E-010	2.3505E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.8806E-010	1.9240E-010
RCPTR_36	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.9056E-011	9.9201E-011
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorobenzene	9.9172E-008	2.0164E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.3159E-010	2.6394E-010
RCPTR_36	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.9244E-011	6.0732E-011
RCPTR_36	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.4929E-003	3.4971E-003
RCPTR_36	farmer_child	TOCDFLIC	Isophorone	5.4936E-012	1.1518E-011
RCPTR_36	farmer_child	TOCDFLIC	Lead	2.6577E-006	2.7815E-006
RCPTR_36	farmer_child	TOCDFLIC	Mercuric chloride	5.1791E-007	6.3364E-007
RCPTR_36	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	2.9991E-016	6.2905E-016
RCPTR_36	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	5.2923E-016	1.1098E-015
RCPTR_36	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.1625E-013	8.7319E-013
RCPTR_36	farmer_child	TOCDFLIC	Methyl mercury	7.3969E-009	7.7534E-009
RCPTR_36	farmer_child	TOCDFLIC	Methylene chloride	5.4342E-014	1.1396E-013
RCPTR_36	farmer_child	TOCDFLIC	Mustard	5.6282E-013	1.1798E-012
RCPTR_36	farmer_child	TOCDFLIC	Naphthalene	3.6052E-012	7.5226E-012
RCPTR_36	farmer_child	TOCDFLIC	Nickel	1.1737E-005	1.2132E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 2-	9.3852E-011	1.9649E-010
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.2299E-011	4.6752E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 4-	2.8817E-011	6.0401E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrobenzene	9.2685E-012	1.9440E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 2-	4.2213E-012	8.8511E-012
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.1231E-011	1.5632E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.2393E-012	1.0969E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	5.1553E-012	1.0782E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	4.6415E-013	9.6584E-013
RCPTR_36	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.0802E-011	4.1651E-011
RCPTR_36	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.0105E-011	4.0924E-011
RCPTR_36	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	6.8193E-010	6.9278E-010
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.0546E-010	1.0858E-010
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.8595E-010	3.9710E-010
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorobenzene	1.8642E-009	3.7193E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4880E-010	2.9366E-010
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorophenol	3.1192E-008	3.6608E-008
RCPTR_36	farmer_child	TOCDFLIC	Phenanthrene	7.1903E-012	1.4900E-011
RCPTR_36	farmer_child	TOCDFLIC	Phenol	7.3549E-012	1.5405E-011
RCPTR_36	farmer_child	TOCDFLIC	Pronamide	7.1650E-010	1.4767E-009
RCPTR_36	farmer_child	TOCDFLIC	Pyrene	2.5564E-007	3.9221E-007
RCPTR_36	farmer_child	TOCDFLIC	Selenium	4.4454E-006	4.4573E-006
RCPTR_36	farmer_child	TOCDFLIC	Silver	1.1693E-005	1.2092E-005
RCPTR_36	farmer_child	TOCDFLIC	Styrene	8.4356E-011	1.7662E-010
RCPTR_36	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	9.0516E-011	9.4244E-011
RCPTR_36	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.6065E-011	3.8123E-011
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.9266E-010	1.1998E-009
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	2.7094E-014	5.6755E-014
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.0130E-014	2.1215E-014
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.0031E-009	9.3026E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Thallium (l)	1.5495E-005	1.5845E-005
RCPTR_36	farmer_child	TOCDFLIC	Toluene	1.9892E-013	4.1492E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.2251E-011	4.5768E-011
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	8.5815E-014	1.7981E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	7.8322E-014	1.6421E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethylene	1.2751E-014	2.6703E-014
RCPTR_36	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.6756E-015	3.5094E-015
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	2.6249E-009	5.2776E-009
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	5.9365E-010	1.0955E-009
RCPTR_36	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	2.8999E-013	6.0780E-013
RCPTR_36	farmer_child	TOCDFLIC	Vinyl Chloride	1.2401E-017	2.5998E-017
RCPTR_36	farmer_child	TOCDFLIC	Xylene, m-	3.4379E-013	5.1006E-013
RCPTR_36	farmer_child	TOCDFLIC	Xylene, o-	3.3501E-013	5.2457E-013
RCPTR_36	farmer_child	TOCDFLIC	Xylene, p-	4.1345E-013	6.7132E-013
RCPTR_36	farmer_child	TOCDFLIC	Zinc	4.9803E-006	5.5569E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Acenaphthene	8.8171E-010	1.8317E-009
RCPTR_36	farmer_child	TOCDFMPF	Acetone	7.4855E-014	1.5703E-013
RCPTR_36	farmer_child	TOCDFMPF	Acetophenone	4.8109E-012	1.0088E-011
RCPTR_36	farmer_child	TOCDFMPF	Aniline	2.7697E-013	5.8009E-013
RCPTR_36	farmer_child	TOCDFMPF	Anthracene	1.5570E-008	3.2321E-008
RCPTR_36	farmer_child	TOCDFMPF	Antimony	5.6353E-008	6.1071E-008
RCPTR_36	farmer_child	TOCDFMPF	Aroclor 1254	8.4838E-010	1.1518E-009
RCPTR_36	farmer_child	TOCDFMPF	Arsenic	3.7940E-007	3.8686E-007
RCPTR_36	farmer_child	TOCDFMPF	Barium	4.2969E-007	4.5688E-007
RCPTR_36	farmer_child	TOCDFMPF	Benzene	1.0095E-013	2.1131E-013
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.4530E-006	4.0299E-006
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.1852E-005	3.2393E-005
RCPTR_36	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.9069E-005	2.0571E-005
RCPTR_36	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	4.9474E-005	4.9979E-005
RCPTR_36	farmer_child	TOCDFMPF	Benzoic acid	3.4406E-011	6.7552E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Benzyl alcohol	6.2763E-012	1.3157E-011
RCPTR_36	farmer_child	TOCDFMPF	Beryllium	3.4491E-008	3.5514E-008
RCPTR_36	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	6.2753E-012	1.3164E-011
RCPTR_36	farmer_child	TOCDFMPF	Bromodichloromethane	1.2361E-013	2.5922E-013
RCPTR_36	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	4.3020E-012	9.0225E-012
RCPTR_36	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.9382E-007	5.0571E-007
RCPTR_36	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.8035E-008	1.9671E-008
RCPTR_36	farmer_child	TOCDFMPF	Cadmium	6.3823E-007	7.4298E-007
RCPTR_36	farmer_child	TOCDFMPF	Carbon disulfide	9.7152E-015	2.0352E-014
RCPTR_36	farmer_child	TOCDFMPF	Carbon tetrachloride	9.1686E-014	1.9187E-013
RCPTR_36	farmer_child	TOCDFMPF	Chlorine	8.0737E-007	1.6938E-006
RCPTR_36	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.9486E-010	1.1207E-009
RCPTR_36	farmer_child	TOCDFMPF	Chloroaniline, p-	2.9221E-011	6.1177E-011
RCPTR_36	farmer_child	TOCDFMPF	Chlorobenzene	3.8100E-013	7.9616E-013
RCPTR_36	farmer_child	TOCDFMPF	Chloroethane	2.1749E-015	4.4986E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.6302E-014	1.3902E-013
RCPTR_36	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.2979E-009	4.7834E-009
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenol, 2-	8.0956E-011	1.6980E-010
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.2870E-009	6.2049E-009
RCPTR_36	farmer_child	TOCDFMPF	Chromium	8.8140E-007	9.0444E-007
RCPTR_36	farmer_child	TOCDFMPF	Chromium, hexavalent	8.1412E-007	8.2110E-007
RCPTR_36	farmer_child	TOCDFMPF	Chrysene	9.7979E-006	1.0401E-005
RCPTR_36	farmer_child	TOCDFMPF	Di-n-butyl phthalate	7.9251E-008	8.5562E-008
RCPTR_36	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.0093E+002	4.0093E+002
RCPTR_36	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	6.9433E-004	6.9741E-004
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.7521E-012	7.7420E-012
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.5074E-012	9.3547E-012
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.3311E-012	9.0031E-012
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.6869E-008	5.2468E-008
RCPTR_36	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.4264E-016	2.9868E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.1426E-014	4.4928E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6614E-014	5.5813E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	8.1200E-015	1.7013E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.3055E-014	2.7349E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.5362E-010	7.9480E-010
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	7.3549E-014	1.5393E-013
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.4216E-014	5.0766E-014
RCPTR_36	farmer_child	TOCDFMPF	Diethyl phthalate	4.9556E-008	5.0637E-008
RCPTR_36	farmer_child	TOCDFMPF	Dimethyl phthalate	4.8881E-011	1.0117E-010
RCPTR_36	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.5450E-011	1.1586E-010
RCPTR_36	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.5483E-011	6.6447E-011
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.1967E-011	1.0672E-010
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.9855E-011	8.2262E-011
RCPTR_36	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.1751E-012	2.4649E-012
RCPTR_36	farmer_child	TOCDFMPF	Ethylbenzene	2.3682E-013	4.8819E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.7277E-009	2.9886E-009
RCPTR_36	farmer_child	TOCDFMPF	Fluoranthene	2.5201E-007	4.2672E-007
RCPTR_36	farmer_child	TOCDFMPF	Fluorene	3.4898E-009	7.2027E-009
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2163E-010	1.2340E-010
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.7290E-010	1.7482E-010
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.8201E-010	2.8598E-010
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.1520E-011	8.2501E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.4956E-011	3.5519E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.8755E-011	2.9311E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.0220E-011	5.1392E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.1421E-011	2.1918E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9190E-011	1.9631E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.7093E-011	1.7488E-011
RCPTR_36	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.5073E-011	1.5181E-010
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorobenzene	1.5177E-007	3.0858E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.0139E-010	4.0392E-010
RCPTR_36	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.4754E-011	9.2941E-011
RCPTR_36	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.3427E-003	5.3493E-003
RCPTR_36	farmer_child	TOCDFMPF	Isophorone	8.4072E-012	1.7627E-011
RCPTR_36	farmer_child	TOCDFMPF	Lead	3.0848E-007	3.2287E-007
RCPTR_36	farmer_child	TOCDFMPF	Mercuric chloride	8.8205E-006	1.0790E-005
RCPTR_36	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.5536E-015	3.2585E-015
RCPTR_36	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	9.0435E-017	1.8964E-016
RCPTR_36	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.4505E-014	1.7727E-013
RCPTR_36	farmer_child	TOCDFMPF	Methyl mercury	1.2613E-007	1.3219E-007
RCPTR_36	farmer_child	TOCDFMPF	Methylene chloride	4.2783E-014	8.9722E-014
RCPTR_36	farmer_child	TOCDFMPF	Mustard	4.0091E-012	8.4043E-012
RCPTR_36	farmer_child	TOCDFMPF	Naphthalene	3.5699E-011	7.4492E-011
RCPTR_36	farmer_child	TOCDFMPF	Nickel	7.3994E-006	7.6490E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.4337E-010	3.0016E-010
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.4064E-011	7.1418E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.4020E-011	9.2268E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrobenzene	1.4184E-011	2.9750E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.4601E-012	1.3545E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.7148E-010	2.3871E-010
RCPTR_36	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	8.0180E-012	1.6786E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	7.8894E-012	1.6500E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	7.1036E-013	1.4781E-012
RCPTR_36	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.6088E-009	2.6632E-009
RCPTR_36	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.5713E-009	4.6648E-009
RCPTR_36	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.5720E-011	3.6290E-011
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.5889E-011	4.7247E-011
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.5953E-011	2.6703E-011
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorobenzene	5.6964E-010	1.1364E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.2736E-010	4.4864E-010
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorophenol	2.3853E-007	2.7997E-007
RCPTR_36	farmer_child	TOCDFMPF	Phenanthrene	1.1004E-011	2.2803E-011
RCPTR_36	farmer_child	TOCDFMPF	Phenol	1.1256E-011	2.3575E-011
RCPTR_36	farmer_child	TOCDFMPF	Pronamide	1.0965E-009	2.2599E-009
RCPTR_36	farmer_child	TOCDFMPF	Pyrene	3.9120E-007	6.0020E-007
RCPTR_36	farmer_child	TOCDFMPF	Selenium	7.8364E-008	7.8575E-008
RCPTR_36	farmer_child	TOCDFMPF	Silver	1.5854E-006	1.6396E-006
RCPTR_36	farmer_child	TOCDFMPF	Styrene	1.9257E-012	4.0318E-012
RCPTR_36	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.0846E-011	1.1293E-011
RCPTR_36	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.5774E-011	3.7816E-011
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.0695E-010	1.8361E-009
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	8.2401E-013	1.7261E-012
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	7.8085E-014	1.6352E-013
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.1670E-009	1.4207E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Thallium (l)	4.7663E-007	4.8740E-007
RCPTR_36	farmer_child	TOCDFMPF	Toluene	1.3361E-013	2.7869E-013
RCPTR_36	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.4052E-011	7.0041E-011
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.0426E-014	1.0566E-013
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.8531E-013	8.0784E-013
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethylene	6.2730E-014	1.3136E-013
RCPTR_36	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.7311E-013	3.6255E-013
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.0169E-009	8.0764E-009
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	9.0835E-010	1.6763E-009
RCPTR_36	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.4266E-012	2.9901E-012
RCPTR_36	farmer_child	TOCDFMPF	Vinyl Chloride	3.4066E-017	7.1415E-017
RCPTR_36	farmer_child	TOCDFMPF	Xylene, m-	3.4527E-013	5.1188E-013
RCPTR_36	farmer_child	TOCDFMPF	Xylene, o-	3.3636E-013	5.2630E-013
RCPTR_36	farmer_child	TOCDFMPF	Xylene, p-	4.1502E-013	6.7341E-013
RCPTR_36	farmer_child	TOCDFMPF	Zinc	1.4255E-006	1.5907E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDHVAC	Mustard	1.3338E-012	2.7959E-012
RCPTR_36	farmer_child	TOCDLIC2	Acenaphthene	5.7615E-010	1.1969E-009
RCPTR_36	farmer_child	TOCDLIC2	Acetone	2.0471E-014	4.2945E-014
RCPTR_36	farmer_child	TOCDLIC2	Acetophenone	3.0008E-012	6.2920E-012
RCPTR_36	farmer_child	TOCDLIC2	Aniline	1.8098E-013	3.7905E-013
RCPTR_36	farmer_child	TOCDLIC2	Anthracene	1.0174E-008	2.1120E-008
RCPTR_36	farmer_child	TOCDLIC2	Antimony	4.1130E-006	4.4572E-006
RCPTR_36	farmer_child	TOCDLIC2	Arsenic	7.2598E-006	7.4025E-006
RCPTR_36	farmer_child	TOCDLIC2	Barium	6.0312E-007	6.4126E-007
RCPTR_36	farmer_child	TOCDLIC2	Benzene	1.1283E-013	2.3618E-013
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.2566E-006	2.6336E-006
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.0812E-005	2.1165E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.2464E-005	1.3445E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.2329E-005	3.2658E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzoic acid	7.7672E-012	1.5249E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Benzyl alcohol	6.5618E-010	1.3755E-009
RCPTR_36	farmer_child	TOCDLIC2	Beryllium	1.0064E-006	1.0362E-006
RCPTR_36	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.1005E-012	8.6021E-012
RCPTR_36	farmer_child	TOCDLIC2	Bromodichloromethane	4.0645E-015	8.5232E-015
RCPTR_36	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	7.3568E-012	1.5429E-011
RCPTR_36	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.9199E-007	3.3045E-007
RCPTR_36	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.1778E-008	1.2847E-008
RCPTR_36	farmer_child	TOCDLIC2	Cadmium	1.3902E-007	1.6183E-007
RCPTR_36	farmer_child	TOCDLIC2	Carbon disulfide	2.6544E-014	5.5607E-014
RCPTR_36	farmer_child	TOCDLIC2	Carbon tetrachloride	5.2579E-013	1.1003E-012
RCPTR_36	farmer_child	TOCDLIC2	Chlorine	4.3776E-006	9.1838E-006
RCPTR_36	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.8876E-010	7.3239E-010
RCPTR_36	farmer_child	TOCDLIC2	Chloroaniline, p-	1.9094E-011	3.9975E-011
RCPTR_36	farmer_child	TOCDLIC2	Chlorobenzene	2.1213E-013	4.4328E-013
RCPTR_36	farmer_child	TOCDLIC2	Chloroethane	2.2048E-016	4.5603E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.1061E-013	4.4159E-013
RCPTR_36	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.5016E-009	3.1256E-009
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.2900E-011	1.1096E-010
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.1480E-009	4.0546E-009
RCPTR_36	farmer_child	TOCDLIC2	Chromium	4.6200E-006	4.7407E-006
RCPTR_36	farmer_child	TOCDLIC2	Chromium, hexavalent	4.2676E-006	4.3042E-006
RCPTR_36	farmer_child	TOCDLIC2	Chrysene	6.4043E-006	6.7986E-006
RCPTR_36	farmer_child	TOCDLIC2	Di-n-butyl phthalate	8.0073E-009	8.6446E-009
RCPTR_36	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.0518E+001	4.0518E+001
RCPTR_36	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	4.5370E-004	4.5569E-004
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.4518E-012	5.0590E-012
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.9454E-012	6.1128E-012
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.8301E-012	5.8830E-012
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.5268E-008	1.7092E-008
RCPTR_36	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.7324E-017	3.6275E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane 1,1-	7.0449E-016	1.4773E-015
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4098E-015	1.1345E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.6699E-016	5.5940E-016
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.6537E-015	5.5594E-015
RCPTR_36	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.9648E-010	5.1942E-010
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.4951E-014	3.1290E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.0750E-015	1.0639E-014
RCPTR_36	farmer_child	TOCDLIC2	Diethyl phthalate	5.0080E-009	5.1172E-009
RCPTR_36	farmer_child	TOCDLIC2	Dimethyl phthalate	4.5727E-010	9.4645E-010
RCPTR_36	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.6233E-011	7.5711E-011
RCPTR_36	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.9786E-011	4.3509E-011
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.3957E-011	6.9736E-011
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.6043E-011	5.3753E-011
RCPTR_36	farmer_child	TOCDLIC2	Ethyl methanesulfonate	7.6784E-013	1.6107E-012
RCPTR_36	farmer_child	TOCDLIC2	Ethylbenzene	5.0504E-014	1.0411E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.5053E-008	1.6493E-008
RCPTR_36	farmer_child	TOCDLIC2	Fluoranthene	1.6469E-007	2.7885E-007
RCPTR_36	farmer_child	TOCDLIC2	Fluorene	2.2804E-009	4.7066E-009
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.1090E-011	3.1541E-011
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0963E-010	1.1084E-010
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.4007E-010	2.4343E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.8460E-010	2.8802E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.5670E-010	1.5922E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.2117E-010	1.2351E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.5305E-010	2.5895E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.2106E-010	2.2619E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.2977E-010	2.3505E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.8806E-010	1.9240E-010
RCPTR_36	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.9056E-011	9.9201E-011
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorobenzene	9.9172E-008	2.0164E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.3159E-010	2.6394E-010
RCPTR_36	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.9244E-011	6.0732E-011
RCPTR_36	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.4929E-003	3.4971E-003
RCPTR_36	farmer_child	TOCDLIC2	Isophorone	5.4936E-012	1.1518E-011
RCPTR_36	farmer_child	TOCDLIC2	Lead	2.6577E-006	2.7815E-006
RCPTR_36	farmer_child	TOCDLIC2	Mercuric chloride	5.1791E-007	6.3364E-007
RCPTR_36	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.9991E-016	6.2905E-016
RCPTR_36	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	5.2923E-016	1.1098E-015
RCPTR_36	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.1625E-013	8.7319E-013
RCPTR_36	farmer_child	TOCDLIC2	Methyl mercury	7.3969E-009	7.7534E-009
RCPTR_36	farmer_child	TOCDLIC2	Methylene chloride	5.4342E-014	1.1396E-013
RCPTR_36	farmer_child	TOCDLIC2	Mustard	5.8511E-013	1.2266E-012
RCPTR_36	farmer_child	TOCDLIC2	Naphthalene	3.6052E-012	7.5226E-012
RCPTR_36	farmer_child	TOCDLIC2	Nickel	1.1737E-005	1.2132E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 2-	9.3852E-011	1.9649E-010
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.2299E-011	4.6752E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.8817E-011	6.0401E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrobenzene	9.2685E-012	1.9440E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.2213E-012	8.8511E-012
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.1231E-010	1.5632E-010
RCPTR_36	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.2393E-012	1.0969E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.1553E-012	1.0782E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.6415E-013	9.6584E-013
RCPTR_36	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.0802E-011	4.1651E-011
RCPTR_36	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.0105E-011	4.0924E-011
RCPTR_36	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	6.8193E-010	6.9278E-010
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0546E-010	1.0858E-010
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.8595E-010	3.9710E-010
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorobenzene	1.8642E-009	3.7193E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.4880E-010	2.9366E-010
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorophenol	3.1192E-008	3.6608E-008
RCPTR_36	farmer_child	TOCDLIC2	Phenanthrene	7.1903E-012	1.4900E-011
RCPTR_36	farmer_child	TOCDLIC2	Phenol	7.3549E-012	1.5405E-011
RCPTR_36	farmer_child	TOCDLIC2	Pronamide	7.1650E-010	1.4767E-009
RCPTR_36	farmer_child	TOCDLIC2	Pyrene	2.5564E-007	3.9221E-007
RCPTR_36	farmer_child	TOCDLIC2	Selenium	4.4454E-006	4.4573E-006
RCPTR_36	farmer_child	TOCDLIC2	Silver	1.1693E-005	1.2092E-005
RCPTR_36	farmer_child	TOCDLIC2	Styrene	8.4356E-011	1.7662E-010
RCPTR_36	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	9.0516E-011	9.4244E-011
RCPTR_36	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.6065E-011	3.8123E-011
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.9266E-010	1.1998E-009
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	2.7094E-014	5.6755E-014
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.0130E-014	2.1215E-014
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.0031E-009	9.3026E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Thallium (l)	1.5495E-005	1.5845E-005
RCPTR_36	farmer_child	TOCDLIC2	Toluene	1.9892E-013	4.1492E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.2251E-011	4.5768E-011
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	8.5815E-014	1.7981E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	7.8322E-014	1.6421E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethylene	1.2751E-014	2.6703E-014
RCPTR_36	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.6756E-015	3.5094E-015
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.6249E-009	5.2776E-009
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.9365E-010	1.0955E-009
RCPTR_36	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.8999E-013	6.0780E-013
RCPTR_36	farmer_child	TOCDLIC2	Vinyl Chloride	1.2401E-017	2.5998E-017
RCPTR_36	farmer_child	TOCDLIC2	Xylene, m-	7.1441E-013	1.0599E-012
RCPTR_36	farmer_child	TOCDLIC2	Xylene, o-	6.9618E-013	1.0901E-012
RCPTR_36	farmer_child	TOCDLIC2	Xylene, p-	8.5917E-013	1.3950E-012
RCPTR_36	farmer_child	TOCDLIC2	Zinc	4.9803E-006	5.5569E-006