CHICKEN CONCENTRATIONS

Date : 12/11/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Cadmium	1.3783E-009	1.6227E-008
RCPTR_22	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Mercuric chloride	9.0029E-006	9.4767E-006
RCPTR_22	farmer_adult	TOCDFBRA	Methyl mercury	2.4152E-008	2.8619E-008
RCPTR_22	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Selenium	9.0696E-010	1.2685E-008
RCPTR_22	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFBRA	Zinc	4.5791E-009	5.7153E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Acenaphthene	6.5489E-013	9.1592E-012
RCPTR_22	farmer_adult	TOCDFDFS	Acetone	5.6997E-018	7.9715E-017
RCPTR_22	farmer_adult	TOCDFDFS	Acetophenone	2.8936E-015	4.0470E-014
RCPTR_22	farmer_adult	TOCDFDFS	Aniline	1.6418E-016	2.2963E-015
RCPTR_22	farmer_adult	TOCDFDFS	Anthracene	1.3259E-011	1.8544E-010
RCPTR_22	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Aroclor 1254	2.0205E-013	2.8259E-012
RCPTR_22	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Benzene	2.0917E-017	2.9255E-016
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.2049E-009	1.1451E-008
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.2937E-009	1.3543E-008
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.3115E-009	3.2554E-008
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	4.7063E-009	1.9853E-008
RCPTR_22	farmer_adult	TOCDFDFS	Benzoic acid	1.8214E-015	2.5475E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Benzyl alcohol	3.7309E-015	5.2180E-014
RCPTR_22	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	3.7440E-015	5.2364E-014
RCPTR_22	farmer_adult	TOCDFDFS	Bromodichloromethane	6.7576E-018	9.4512E-017
RCPTR_22	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.0954E-015	1.5320E-014
RCPTR_22	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.6634E-010	3.4908E-009
RCPTR_22	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.2783E-012	1.7878E-011
RCPTR_22	farmer_adult	TOCDFDFS	Cadmium	5.8151E-010	6.8461E-009
RCPTR_22	farmer_adult	TOCDFDFS	Carbon disulfide	3.7207E-018	5.2038E-017
RCPTR_22	farmer_adult	TOCDFDFS	Carbon tetrachloride	6.1074E-018	8.5418E-017
RCPTR_22	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.1165E-013	4.3588E-012
RCPTR_22	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.7555E-014	2.4552E-013
RCPTR_22	farmer_adult	TOCDFDFS	Chlorobenzene	3.5901E-017	5.0211E-016
RCPTR_22	farmer_adult	TOCDFDFS	Chloroethane	1.0328E-019	1.4445E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	4.6504E-018	6.5041E-017
RCPTR_22	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.7588E-012	2.4598E-011
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenol, 2-	4.9269E-014	6.8908E-013
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.5301E-012	3.5385E-011
RCPTR_22	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Chrysene	1.8101E-009	1.3667E-008
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	5.3992E-012	7.5513E-011
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.0570E-007	2.8769E-006
RCPTR_22	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	9.9197E-009	7.4973E-008
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.4788E-015	3.4669E-014
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.0544E-015	4.2719E-014
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.8874E-015	4.0384E-014
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.6184E-012	5.0607E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	8.1715E-021	1.1429E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.9380E-018	2.7104E-017
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3921E-018	3.3456E-017
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	7.4054E-019	1.0357E-017
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1848E-018	1.6571E-017
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.0075E-013	2.8076E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	6.7280E-018	9.4099E-017
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.1870E-018	3.0587E-017
RCPTR_22	farmer_adult	TOCDFDFS	Diethyl phthalate	8.4711E-013	1.1848E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dimethyl phthalate	4.3169E-014	6.0377E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.3794E-014	4.7264E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.1451E-014	1.6015E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.0193E-014	4.2228E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.3308E-014	3.2598E-013
RCPTR_22	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	6.9548E-016	9.7270E-015
RCPTR_22	farmer_adult	TOCDFDFS	Ethylbenzene	2.2462E-017	3.1415E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.8696E-013	4.0135E-012
RCPTR_22	farmer_adult	TOCDFDFS	Fluoranthene	2.0190E-010	2.5232E-009
RCPTR_22	farmer_adult	TOCDFDFS	Fluorene	2.6958E-012	3.7703E-011
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.5859E-012	4.2871E-012
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.7178E-013	2.3654E-012
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6821E-012	4.5641E-012
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.2690E-011	6.1421E-011
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.3171E-011	3.5838E-011
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.3302E-012	1.7224E-011
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	8.8593E-012	2.4146E-011
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	9.5662E-012	2.6008E-011
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.0703E-012	1.3802E-011
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.5795E-014	9.2021E-013
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.6880E-010	2.3560E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.8337E-013	2.5647E-012
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.3383E-014	4.6690E-013
RCPTR_22	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.7651E-008	1.5567E-007
RCPTR_22	farmer_adult	TOCDFDFS	Isophorone	5.0443E-015	7.0549E-014
RCPTR_22	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Mercuric chloride	3.6290E-009	3.8199E-009
RCPTR_22	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.3706E-020	1.1707E-018
RCPTR_22	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.6469E-020	2.3034E-019
RCPTR_22	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.0907E-017	5.7213E-016
RCPTR_22	farmer_adult	TOCDFDFS	Methyl mercury	9.7355E-012	1.1536E-011
RCPTR_22	farmer_adult	TOCDFDFS	Methylene chloride	2.4764E-018	3.4635E-017
RCPTR_22	farmer_adult	TOCDFDFS	Mustard	2.9598E-016	4.1396E-015
RCPTR_22	farmer_adult	TOCDFDFS	Naphthalene	2.3828E-014	3.3326E-013
RCPTR_22	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 2-	8.6244E-014	1.2062E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.0355E-014	2.8469E-013
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.6300E-014	3.6783E-013
RCPTR_22	farmer_adult	TOCDFDFS	Nitrobenzene	8.5430E-015	1.1948E-013
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 2-	3.8845E-015	5.4329E-014
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 4-	3.7042E-014	5.1807E-013
RCPTR_22	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.9170E-015	6.8769E-014
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.0617E-015	7.0793E-014
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.1771E-016	5.8420E-015
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.2897E-013	1.1612E-012
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.8062E-013	4.8799E-013
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.5699E-011	9.8448E-011
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.4447E-011	1.2175E-010
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.4210E-013	7.5819E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.8478E-013	2.5844E-012
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorophenol	3.9622E-011	5.5415E-010
RCPTR_22	farmer_adult	TOCDFDFS	Phenanthrene	9.5679E-015	1.3382E-013
RCPTR_22	farmer_adult	TOCDFDFS	Phenol	6.7123E-015	9.3878E-014
RCPTR_22	farmer_adult	TOCDFDFS	Pronamide	7.3059E-013	1.0218E-011
RCPTR_22	farmer_adult	TOCDFDFS	Pyrene	4.9503E-010	3.7576E-009
RCPTR_22	farmer_adult	TOCDFDFS	Selenium	9.1411E-011	1.2785E-009
RCPTR_22	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Styrene	2.6669E-016	3.7300E-015
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.2367E-011	9.0456E-011
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.4046E-011	9.5605E-011
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.7447E-013	1.0832E-011
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.7869E-015	5.2964E-014
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.2613E-018	1.0156E-016
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.8035E-012	5.3195E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Toluene	9.7599E-018	1.3650E-016
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.4953E-014	3.4899E-013
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	6.0144E-018	8.4118E-017
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.5155E-017	4.9168E-016
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethylene	5.7954E-018	8.1055E-017
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.0510E-019	1.1260E-017
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.7375E-012	3.8287E-011
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	2.5166E-012	3.5197E-011
RCPTR_22	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.3087E-016	1.8303E-015
RCPTR_22	farmer_adult	TOCDFDFS	Vinyl Chloride	1.8207E-021	2.5464E-020
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, m-	3.4485E-017	4.8231E-016
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, o-	3.4049E-017	4.7621E-016
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, p-	5.3275E-017	7.4511E-016
RCPTR_22	farmer_adult	TOCDFDFS	Zinc	8.7033E-010	1.0863E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Acenaphthene	1.4287E-013	1.9982E-012
RCPTR_22	farmer_adult	TOCDFLIC	Acetone	4.0435E-018	5.6552E-017
RCPTR_22	farmer_adult	TOCDFLIC	Acetophenone	6.0045E-016	8.3979E-015
RCPTR_22	farmer_adult	TOCDFLIC	Aniline	3.5818E-017	5.0095E-016
RCPTR_22	farmer_adult	TOCDFLIC	Anthracene	2.8925E-012	4.0454E-011
RCPTR_22	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Benzene	2.2815E-017	3.1909E-016
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.6211E-010	2.4911E-009
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.7222E-010	2.8498E-009
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	7.1921E-010	7.0702E-009
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	9.7470E-010	4.1116E-009
RCPTR_22	farmer_adult	TOCDFLIC	Benzoic acid	1.3727E-015	1.9199E-014
RCPTR_22	farmer_adult	TOCDFLIC	Benzyl alcohol	1.3023E-013	1.8214E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	8.1680E-016	1.1424E-014
RCPTR_22	farmer_adult	TOCDFLIC	Bromodichloromethane	8.2152E-019	1.1490E-017
RCPTR_22	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.5068E-015	2.1074E-014
RCPTR_22	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	7.9920E-011	7.6154E-010
RCPTR_22	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.7865E-013	3.8972E-012
RCPTR_22	farmer_adult	TOCDFLIC	Cadmium	2.4293E-009	2.8600E-008
RCPTR_22	farmer_adult	TOCDFLIC	Carbon disulfide	5.3505E-018	7.4832E-017
RCPTR_22	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.0967E-016	1.5338E-015
RCPTR_22	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	6.7989E-014	9.5090E-013
RCPTR_22	farmer_adult	TOCDFLIC	Chloroaniline, p-	3.8297E-015	5.3562E-014
RCPTR_22	farmer_adult	TOCDFLIC	Chlorobenzene	4.4373E-017	6.2060E-016
RCPTR_22	farmer_adult	TOCDFLIC	Chloroethane	4.6606E-020	6.5184E-019
RCPTR_22	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.2458E-017	5.9382E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.8369E-013	5.3663E-012
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.0748E-014	1.5033E-013
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.5195E-013	7.7196E-012
RCPTR_22	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Chrysene	3.9240E-010	2.9627E-009
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.8199E-013	2.5454E-012
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.9204E-009	9.6788E-008
RCPTR_22	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.9967E-009	1.5091E-008
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.4078E-016	7.5633E-015
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.6635E-016	9.3195E-015
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.2992E-016	8.8101E-015
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.9321E-013	5.4995E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.5085E-021	4.9070E-020
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.4146E-019	1.9784E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0794E-018	1.5097E-017
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	5.4054E-020	7.5600E-019
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.3465E-019	7.4776E-018
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	4.3795E-014	6.1251E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.0360E-018	4.2462E-017
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0175E-018	1.4230E-017
RCPTR_22	farmer_adult	TOCDFLIC	Diethyl phthalate	2.8560E-014	3.9945E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dimethyl phthalate	8.9236E-014	1.2481E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	7.3724E-015	1.0311E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.4982E-015	3.4940E-014
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	6.5868E-015	9.2122E-014
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	5.0848E-015	7.1116E-014
RCPTR_22	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.5172E-016	2.1220E-015
RCPTR_22	farmer_adult	TOCDFLIC	Ethylbenzene	1.0633E-017	1.4872E-016
RCPTR_22	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.7922E-013	6.7024E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Fluoranthene	4.4038E-011	5.5037E-010
RCPTR_22	farmer_adult	TOCDFLIC	Fluorene	5.8811E-013	8.2253E-012
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.3282E-011	3.5906E-011
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.7773E-011	7.5356E-011
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.9958E-011	1.0842E-010
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.1142E-011	1.9258E-010
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.1870E-011	1.1392E-010
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.1591E-011	5.8747E-011
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	9.0483E-011	2.4661E-010
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	9.3779E-011	2.5497E-010
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.6094E-011	1.2547E-010
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4354E-014	2.0075E-013
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.6825E-011	5.1397E-010
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.0005E-014	5.5950E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.2829E-015	1.0186E-013
RCPTR_22	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.5513E-009	3.1320E-008
RCPTR_22	farmer_adult	TOCDFLIC	Isophorone	1.1005E-015	1.5391E-014
RCPTR_22	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Mercuric chloride	9.2479E-009	9.7345E-009
RCPTR_22	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	5.9593E-020	8.3347E-019
RCPTR_22	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.0492E-019	1.4674E-018
RCPTR_22	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.2314E-017	1.1512E-015
RCPTR_22	farmer_adult	TOCDFLIC	Methyl mercury	2.4810E-011	2.9398E-011
RCPTR_22	farmer_adult	TOCDFLIC	Methylene chloride	1.0811E-017	1.5121E-016
RCPTR_22	farmer_adult	TOCDFLIC	Mustard	1.1355E-016	1.5881E-015
RCPTR_22	farmer_adult	TOCDFLIC	Naphthalene	8.0337E-016	1.1236E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.8816E-014	2.6316E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.4409E-015	6.2110E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 4-	5.7378E-015	8.0249E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nitrobenzene	1.8637E-015	2.6066E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 2-	8.4744E-016	1.1852E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 4-	8.0815E-016	1.1303E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0727E-015	1.5003E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.1043E-015	1.5444E-014
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	9.1126E-017	1.2745E-015
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.2939E-012	8.9165E-012
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.2988E-012	3.5091E-012
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.4281E-010	3.9382E-010
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.1330E-010	5.8430E-010
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorobenzene	5.9240E-013	8.2853E-012
RCPTR_22	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.0314E-014	5.6383E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorophenol	1.7257E-012	2.4136E-011
RCPTR_22	farmer_adult	TOCDFLIC	Phenanthrene	2.0873E-015	2.9193E-014
RCPTR_22	farmer_adult	TOCDFLIC	Phenol	1.4643E-015	2.0480E-014
RCPTR_22	farmer_adult	TOCDFLIC	Pronamide	1.5938E-013	2.2292E-012
RCPTR_22	farmer_adult	TOCDFLIC	Pyrene	1.0798E-010	8.1966E-010
RCPTR_22	farmer_adult	TOCDFLIC	Selenium	2.3800E-009	3.3287E-008
RCPTR_22	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Styrene	1.7930E-014	2.5078E-013
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.6573E-011	1.5810E-010
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.5664E-011	2.1247E-010
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6896E-013	2.3630E-012
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.6266E-018	7.8694E-017
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.0913E-018	2.9249E-017
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.2980E-013	1.1606E-011
RCPTR_22	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Toluene	4.1082E-017	5.7457E-016
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.4437E-015	7.6135E-014
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.7609E-017	2.4629E-016
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.5864E-017	2.2187E-016
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethylene	2.6152E-018	3.6576E-017
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.4567E-019	4.8346E-018
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	5.9721E-013	8.3526E-012
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0922E-013	1.5276E-012
RCPTR_22	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	5.9053E-017	8.2592E-016
RCPTR_22	farmer_adult	TOCDFLIC	Vinyl Chloride	2.4626E-021	3.4442E-020
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, m-	3.3303E-017	4.6577E-016
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, o-	3.7637E-017	5.2639E-016
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, p-	5.1448E-017	7.1955E-016
RCPTR_22	farmer_adult	TOCDFLIC	Zinc	8.1208E-009	1.0136E-007
RCPTR_22	farmer_adult	TOCDFMPF	Acenaphthene	2.1703E-013	3.0353E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Acetone	1.4676E-017	2.0526E-016
RCPTR_22	farmer_adult	TOCDFMPF	Acetophenone	9.5554E-016	1.3364E-014
RCPTR_22	farmer_adult	TOCDFMPF	Aniline	5.4409E-017	7.6097E-016
RCPTR_22	farmer_adult	TOCDFMPF	Anthracene	4.3939E-012	6.1452E-011
RCPTR_22	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Aroclor 1254	1.2383E-013	1.7320E-012
RCPTR_22	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Benzene	2.0262E-017	2.8338E-016
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.9823E-010	3.7847E-009
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.1440E-010	4.3383E-009
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.0928E-009	1.0743E-008
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.4852E-009	6.2650E-009
RCPTR_22	farmer_adult	TOCDFMPF	Benzoic acid	6.0361E-015	8.4421E-014
RCPTR_22	farmer_adult	TOCDFMPF	Benzyl alcohol	1.2364E-015	1.7292E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.2408E-015	1.7353E-014
RCPTR_22	farmer_adult	TOCDFMPF	Bromodichloromethane	2.4800E-017	3.4686E-016
RCPTR_22	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	8.7461E-016	1.2232E-014
RCPTR_22	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.2140E-010	1.1568E-009
RCPTR_22	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.2330E-013	5.9203E-012
RCPTR_22	farmer_adult	TOCDFMPF	Cadmium	1.1068E-008	1.3031E-007
RCPTR_22	farmer_adult	TOCDFMPF	Carbon disulfide	1.9438E-018	2.7186E-017
RCPTR_22	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.8982E-017	2.6549E-016
RCPTR_22	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0328E-013	1.4445E-012
RCPTR_22	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.8175E-015	8.1364E-014
RCPTR_22	farmer_adult	TOCDFMPF	Chlorobenzene	7.9108E-017	1.1064E-015
RCPTR_22	farmer_adult	TOCDFMPF	Chloroethane	4.5637E-019	6.3827E-018
RCPTR_22	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.3267E-017	1.8556E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.8285E-013	8.1517E-012
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.6328E-014	2.2836E-013
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.3845E-013	1.1727E-011
RCPTR_22	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Chrysene	5.9630E-010	4.5021E-009
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.7889E-012	2.5019E-011
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.8030E-008	9.5146E-007
RCPTR_22	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.0445E-009	2.3010E-008
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.2147E-016	1.1489E-014
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0122E-015	1.4157E-014
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.5688E-016	1.3383E-014
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.1984E-012	1.6761E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.8674E-020	4.0104E-019
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.2703E-018	5.9725E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2710E-018	7.3721E-017
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.6318E-018	2.2822E-017
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.6107E-018	3.6514E-017
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	6.6526E-014	9.3044E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.4825E-017	2.0735E-016
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.8190E-018	6.7399E-017
RCPTR_22	farmer_adult	TOCDFMPF	Diethyl phthalate	2.8072E-013	3.9262E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dimethyl phthalate	9.4687E-015	1.3243E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.1199E-014	1.5663E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.7881E-015	5.2980E-014
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.0006E-014	1.3994E-013
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.7240E-015	1.0803E-013
RCPTR_22	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.3048E-016	3.2235E-015
RCPTR_22	farmer_adult	TOCDFMPF	Ethylbenzene	4.9495E-017	6.9223E-016
RCPTR_22	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.6143E-014	1.2048E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Fluoranthene	6.6897E-011	8.3605E-010
RCPTR_22	farmer_adult	TOCDFMPF	Fluorene	8.9336E-013	1.2495E-011
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	5.1745E-011	1.3988E-010
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.3639E-011	1.1840E-010
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.6744E-011	1.2683E-010
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0294E-011	5.4938E-011
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.2988E-012	2.5301E-011
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.0984E-012	1.3872E-011
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.7858E-011	4.8673E-011
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.0374E-012	2.4571E-011
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.1665E-012	1.1342E-011
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.1804E-014	3.0495E-013
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.5938E-011	7.8075E-010
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.0769E-014	8.4991E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1063E-014	1.5473E-013
RCPTR_22	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.4151E-009	4.7757E-008
RCPTR_22	farmer_adult	TOCDFMPF	Isophorone	1.6716E-015	2.3380E-014
RCPTR_22	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Mercuric chloride	1.5626E-007	1.6448E-007
RCPTR_22	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.0642E-019	4.2855E-018
RCPTR_22	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.7796E-020	2.4890E-019
RCPTR_22	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.6588E-017	2.3199E-016
RCPTR_22	farmer_adult	TOCDFMPF	Methyl mercury	4.1919E-010	4.9671E-010
RCPTR_22	farmer_adult	TOCDFMPF	Methylene chloride	8.4489E-018	1.1817E-016
RCPTR_22	farmer_adult	TOCDFMPF	Mustard	8.0288E-016	1.1229E-014
RCPTR_22	farmer_adult	TOCDFMPF	Naphthalene	7.8965E-015	1.1044E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.8530E-014	3.9902E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.7337E-015	9.4177E-014
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.7002E-015	1.2168E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nitrobenzene	2.8311E-015	3.9596E-014
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.2873E-015	1.8004E-014
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.2254E-014	1.7138E-013
RCPTR_22	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.6295E-015	2.2790E-014
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.6774E-015	2.3461E-014
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.3843E-016	1.9360E-015
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.0948E-010	5.6706E-010
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.4725E-010	3.9783E-010
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.4415E-012	2.0522E-011
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4256E-011	3.9052E-011
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.7965E-013	2.5126E-012
RCPTR_22	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.1127E-014	8.5493E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorophenol	1.3107E-011	1.8332E-010
RCPTR_22	farmer_adult	TOCDFMPF	Phenanthrene	3.1707E-015	4.4346E-014
RCPTR_22	farmer_adult	TOCDFMPF	Phenol	2.2244E-015	3.1111E-014
RCPTR_22	farmer_adult	TOCDFMPF	Pronamide	2.4211E-013	3.3862E-012
RCPTR_22	farmer_adult	TOCDFMPF	Pyrene	1.6403E-010	1.2451E-009
RCPTR_22	farmer_adult	TOCDFMPF	Selenium	4.1645E-011	5.8244E-010
RCPTR_22	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFMPF	Styrene	4.0629E-016	5.6824E-015
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	6.7338E-012	1.8819E-011
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.4539E-011	2.0931E-010
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.5666E-013	3.5896E-012
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.6986E-016	2.3756E-015
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.6000E-017	2.2378E-016
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.2582E-012	1.7597E-011
RCPTR_22	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Toluene	2.7389E-017	3.8306E-016
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.2692E-015	1.1565E-013
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.0271E-017	1.4365E-016
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.7465E-017	1.0834E-015
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethylene	1.2770E-017	1.7861E-016
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.5447E-017	4.9577E-016
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.0720E-013	1.2688E-011
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.6592E-013	2.3205E-012
RCPTR_22	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.8836E-016	4.0331E-015
RCPTR_22	farmer_adult	TOCDFMPF	Vinyl Chloride	6.7147E-021	9.3912E-020
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, m-	3.3123E-017	4.6326E-016
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, o-	3.7434E-017	5.2356E-016
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, p-	5.1171E-017	7.1568E-016
RCPTR_22	farmer_adult	TOCDFMPF	Zinc	2.3071E-009	2.8795E-008
RCPTR_22	farmer_adult	TOCDHVAC	Mustard	1.9248E-016	2.6920E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Acenaphthene	1.4287E-013	1.9982E-012
RCPTR_22	farmer_adult	TOCDLIC2	Acetone	4.0435E-018	5.6552E-017
RCPTR_22	farmer_adult	TOCDLIC2	Acetophenone	6.0045E-016	8.3979E-015
RCPTR_22	farmer_adult	TOCDLIC2	Aniline	3.5818E-017	5.0095E-016
RCPTR_22	farmer_adult	TOCDLIC2	Anthracene	2.8925E-012	4.0454E-011
RCPTR_22	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Benzene	2.2815E-017	3.1909E-016
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.6211E-010	2.4911E-009
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.7222E-010	2.8498E-009
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	7.1921E-010	7.0702E-009
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	9.7470E-010	4.1116E-009
RCPTR_22	farmer_adult	TOCDLIC2	Benzoic acid	1.3727E-015	1.9199E-014
RCPTR_22	farmer_adult	TOCDLIC2	Benzyl alcohol	1.3023E-013	1.8214E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.1680E-016	1.1424E-014
RCPTR_22	farmer_adult	TOCDLIC2	Bromodichloromethane	8.2152E-019	1.1490E-017
RCPTR_22	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.5068E-015	2.1074E-014
RCPTR_22	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	7.9920E-011	7.6154E-010
RCPTR_22	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.7865E-013	3.8972E-012
RCPTR_22	farmer_adult	TOCDLIC2	Cadmium	2.4293E-009	2.8600E-008
RCPTR_22	farmer_adult	TOCDLIC2	Carbon disulfide	5.3505E-018	7.4832E-017
RCPTR_22	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.0967E-016	1.5338E-015
RCPTR_22	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	6.7989E-014	9.5090E-013
RCPTR_22	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.8297E-015	5.3562E-014
RCPTR_22	farmer_adult	TOCDLIC2	Chlorobenzene	4.4373E-017	6.2060E-016
RCPTR_22	farmer_adult	TOCDLIC2	Chloroethane	4.6606E-020	6.5184E-019
RCPTR_22	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.2458E-017	5.9382E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.8369E-013	5.3663E-012
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.0748E-014	1.5033E-013
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.5195E-013	7.7196E-012
RCPTR_22	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Chrysene	3.9240E-010	2.9627E-009
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.8199E-013	2.5454E-012
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.9204E-009	9.6788E-008
RCPTR_22	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.9967E-009	1.5091E-008
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.4078E-016	7.5633E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.6635E-016	9.3195E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.2992E-016	8.8101E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.9321E-013	5.4995E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.5085E-021	4.9070E-020
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.4146E-019	1.9784E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0794E-018	1.5097E-017
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	5.4054E-020	7.5600E-019
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.3465E-019	7.4776E-018
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.3795E-014	6.1251E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.0360E-018	4.2462E-017
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0175E-018	1.4230E-017
RCPTR_22	farmer_adult	TOCDLIC2	Diethyl phthalate	2.8560E-014	3.9945E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dimethyl phthalate	8.9236E-014	1.2481E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.3724E-015	1.0311E-013
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.4982E-015	3.4940E-014
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	6.5868E-015	9.2122E-014
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.0848E-015	7.1116E-014
RCPTR_22	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.5172E-016	2.1220E-015
RCPTR_22	farmer_adult	TOCDLIC2	Ethylbenzene	1.0633E-017	1.4872E-016
RCPTR_22	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.7922E-013	6.7024E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Fluoranthene	4.4038E-011	5.5037E-010
RCPTR_22	farmer_adult	TOCDLIC2	Fluorene	5.8811E-013	8.2253E-012
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.3282E-011	3.5906E-011
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.7773E-011	7.5356E-011
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.9958E-011	1.0842E-010
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.1142E-011	1.9258E-010
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.1870E-011	1.1392E-010
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.1591E-011	5.8747E-011
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.0483E-011	2.4661E-010
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	9.3779E-011	2.5497E-010
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.6094E-011	1.2547E-010
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4354E-014	2.0075E-013
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.6825E-011	5.1397E-010
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.0005E-014	5.5950E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.2829E-015	1.0186E-013
RCPTR_22	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.5513E-009	3.1320E-008
RCPTR_22	farmer_adult	TOCDLIC2	Isophorone	1.1005E-015	1.5391E-014
RCPTR_22	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Mercuric chloride	9.2479E-009	9.7345E-009
RCPTR_22	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	5.9593E-020	8.3347E-019
RCPTR_22	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.0492E-019	1.4674E-018
RCPTR_22	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.2314E-017	1.1512E-015
RCPTR_22	farmer_adult	TOCDLIC2	Methyl mercury	2.4810E-011	2.9398E-011
RCPTR_22	farmer_adult	TOCDLIC2	Methylene chloride	1.0811E-017	1.5121E-016
RCPTR_22	farmer_adult	TOCDLIC2	Mustard	1.1805E-016	1.6510E-015
RCPTR_22	farmer_adult	TOCDLIC2	Naphthalene	8.0337E-016	1.1236E-014
RCPTR_22	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.8816E-014	2.6316E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.4409E-015	6.2110E-014
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.7378E-015	8.0249E-014
RCPTR_22	farmer_adult	TOCDLIC2	Nitrobenzene	1.8637E-015	2.6066E-014
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 2-	8.4744E-016	1.1852E-014
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 4-	8.0815E-015	1.1303E-013
RCPTR_22	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0727E-015	1.5003E-014
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1043E-015	1.5444E-014
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	9.1126E-017	1.2745E-015
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.2939E-012	8.9165E-012
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.2988E-012	3.5091E-012
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.4281E-010	3.9382E-010
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.1330E-010	5.8430E-010
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorobenzene	5.9240E-013	8.2853E-012
RCPTR_22	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.0314E-014	5.6383E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorophenol	1.7257E-012	2.4136E-011
RCPTR_22	farmer_adult	TOCDLIC2	Phenanthrene	2.0873E-015	2.9193E-014
RCPTR_22	farmer_adult	TOCDLIC2	Phenol	1.4643E-015	2.0480E-014
RCPTR_22	farmer_adult	TOCDLIC2	Pronamide	1.5938E-013	2.2292E-012
RCPTR_22	farmer_adult	TOCDLIC2	Pyrene	1.0798E-010	8.1966E-010
RCPTR_22	farmer_adult	TOCDLIC2	Selenium	2.3800E-009	3.3287E-008
RCPTR_22	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Styrene	1.7930E-014	2.5078E-013
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	5.6573E-011	1.5810E-010
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.5664E-011	2.1247E-010
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.6896E-013	2.3630E-012
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.6266E-018	7.8694E-017
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.0913E-018	2.9249E-017
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.2980E-013	1.1606E-011
RCPTR_22	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Toluene	4.1082E-017	5.7457E-016
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.4437E-015	7.6135E-014
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.7609E-017	2.4629E-016
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.5864E-017	2.2187E-016
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethylene	2.6152E-018	3.6576E-017
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.4567E-019	4.8346E-018
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.9721E-013	8.3526E-012
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0922E-013	1.5276E-012
RCPTR_22	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.9053E-017	8.2592E-016
RCPTR_22	farmer_adult	TOCDLIC2	Vinyl Chloride	2.4626E-021	3.4442E-020
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, m-	6.9205E-017	9.6790E-016
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, o-	7.8212E-017	1.0939E-015
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, p-	1.0691E-016	1.4953E-015
RCPTR_22	farmer_adult	TOCDLIC2	Zinc	8.1208E-009	1.0136E-007
RCPTR_22	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Cadmium	8.6344E-009	1.6227E-008
RCPTR_22	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Mercuric chloride	7.2125E-006	9.4767E-006
RCPTR_22	farmer_child	TOCDFBRA	Methyl mercury	2.1644E-008	2.8619E-008
RCPTR_22	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Selenium	6.0464E-009	1.2685E-008
RCPTR_22	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFBRA	Zinc	2.9471E-008	5.7153E-008
RCPTR_22	farmer_child	TOCDFDFS	Acenaphthene	4.3659E-012	9.1592E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Acetone	3.7998E-017	7.9715E-017
RCPTR_22	farmer_child	TOCDFDFS	Acetophenone	1.9291E-014	4.0470E-014
RCPTR_22	farmer_child	TOCDFDFS	Aniline	1.0946E-015	2.2963E-015
RCPTR_22	farmer_child	TOCDFDFS	Anthracene	8.8392E-011	1.8544E-010
RCPTR_22	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Aroclor 1254	1.3470E-012	2.8259E-012
RCPTR_22	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Benzene	1.3945E-016	2.9255E-016
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)anthracene	6.6576E-009	1.1451E-008
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.5969E-009	1.3543E-008
RCPTR_22	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.8703E-008	3.2554E-008
RCPTR_22	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.3614E-008	1.9853E-008
RCPTR_22	farmer_child	TOCDFDFS	Benzoic acid	1.2143E-014	2.5475E-014
RCPTR_22	farmer_child	TOCDFDFS	Benzyl alcohol	2.4873E-014	5.2180E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.4960E-014	5.2364E-014
RCPTR_22	farmer_child	TOCDFDFS	Bromodichloromethane	4.5051E-017	9.4512E-017
RCPTR_22	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	7.3025E-015	1.5320E-014
RCPTR_22	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.0277E-009	3.4908E-009
RCPTR_22	farmer_child	TOCDFDFS	Butylbenzylphthalate	8.5220E-012	1.7878E-011
RCPTR_22	farmer_child	TOCDFDFS	Cadmium	3.6429E-009	6.8461E-009
RCPTR_22	farmer_child	TOCDFDFS	Carbon disulfide	2.4805E-017	5.2038E-017
RCPTR_22	farmer_child	TOCDFDFS	Carbon tetrachloride	4.0716E-017	8.5418E-017
RCPTR_22	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.0777E-012	4.3588E-012
RCPTR_22	farmer_child	TOCDFDFS	Chloroaniline, p-	1.1703E-013	2.4552E-013
RCPTR_22	farmer_child	TOCDFDFS	Chlorobenzene	2.3934E-016	5.0211E-016
RCPTR_22	farmer_child	TOCDFDFS	Chloroethane	6.8855E-019	1.4445E-018
RCPTR_22	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.1003E-017	6.5041E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.1725E-011	2.4598E-011
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.2846E-013	6.8908E-013
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.6867E-011	3.5385E-011
RCPTR_22	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Chrysene	8.4880E-009	1.3667E-008
RCPTR_22	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.5995E-011	7.5513E-011
RCPTR_22	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.3713E-006	2.8769E-006
RCPTR_22	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.6552E-008	7.4973E-008
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.6525E-014	3.4669E-014
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.0363E-014	4.2719E-014
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.9250E-014	4.0384E-014
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.4123E-011	5.0607E-011
RCPTR_22	farmer_child	TOCDFDFS	Dichlorodifluoromethane	5.4477E-020	1.1429E-019
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.2920E-017	2.7104E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5947E-017	3.3456E-017
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	4.9369E-018	1.0357E-017
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	7.8987E-018	1.6571E-017
RCPTR_22	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.3383E-012	2.8076E-012
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.4854E-017	9.4099E-017
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.4580E-017	3.0587E-017
RCPTR_22	farmer_child	TOCDFDFS	Diethyl phthalate	5.6474E-012	1.1848E-011
RCPTR_22	farmer_child	TOCDFDFS	Dimethyl phthalate	2.8780E-013	6.0377E-013
RCPTR_22	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.2529E-013	4.7264E-013
RCPTR_22	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	7.6340E-014	1.6015E-013
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.0129E-013	4.2228E-013
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.5538E-013	3.2598E-013
RCPTR_22	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.6365E-015	9.7270E-015
RCPTR_22	farmer_child	TOCDFDFS	Ethylbenzene	1.4974E-016	3.1415E-016
RCPTR_22	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9131E-012	4.0135E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Fluoranthene	1.3001E-009	2.5232E-009
RCPTR_22	farmer_child	TOCDFDFS	Fluorene	1.7972E-011	3.7703E-011
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.0716E-012	4.2871E-012
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.6942E-012	2.3654E-012
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.2691E-012	4.5641E-012
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.4002E-011	6.1421E-011
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.5663E-011	3.5838E-011
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.2334E-011	1.7224E-011
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.7289E-011	2.4146E-011
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.8626E-011	2.6008E-011
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	9.8831E-012	1.3802E-011
RCPTR_22	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.3863E-013	9.2021E-013
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorobenzene	1.1251E-009	2.3560E-009
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.2225E-012	2.5647E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.2256E-013	4.6690E-013
RCPTR_22	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.2702E-008	1.5567E-007
RCPTR_22	farmer_child	TOCDFDFS	Isophorone	3.3628E-014	7.0549E-014
RCPTR_22	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Mercuric chloride	2.9072E-009	3.8199E-009
RCPTR_22	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.5804E-019	1.1707E-018
RCPTR_22	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.0979E-019	2.3034E-019
RCPTR_22	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.7272E-016	5.7213E-016
RCPTR_22	farmer_child	TOCDFDFS	Methyl mercury	8.7245E-012	1.1536E-011
RCPTR_22	farmer_child	TOCDFDFS	Methylene chloride	1.6509E-017	3.4635E-017
RCPTR_22	farmer_child	TOCDFDFS	Mustard	1.9732E-015	4.1396E-015
RCPTR_22	farmer_child	TOCDFDFS	Naphthalene	1.5885E-013	3.3326E-013
RCPTR_22	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.7496E-013	1.2062E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.3570E-013	2.8469E-013
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.7533E-013	3.6783E-013
RCPTR_22	farmer_child	TOCDFDFS	Nitrobenzene	5.6954E-014	1.1948E-013
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.5897E-014	5.4329E-014
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.4695E-013	5.1807E-013
RCPTR_22	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.2780E-014	6.8769E-014
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.3745E-014	7.0793E-014
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.7847E-015	5.8420E-015
RCPTR_22	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.3188E-013	1.1612E-012
RCPTR_22	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.4965E-013	4.8799E-013
RCPTR_22	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.0419E-011	9.8448E-011
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.7138E-011	1.2175E-010
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorobenzene	3.6140E-012	7.5819E-012
RCPTR_22	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2319E-012	2.5844E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorophenol	2.6415E-010	5.5415E-010
RCPTR_22	farmer_child	TOCDFDFS	Phenanthrene	6.3786E-014	1.3382E-013
RCPTR_22	farmer_child	TOCDFDFS	Phenol	4.4748E-014	9.3878E-014
RCPTR_22	farmer_child	TOCDFDFS	Pronamide	4.8706E-012	1.0218E-011
RCPTR_22	farmer_child	TOCDFDFS	Pyrene	2.3307E-009	3.7576E-009
RCPTR_22	farmer_child	TOCDFDFS	Selenium	6.0941E-010	1.2785E-009
RCPTR_22	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Styrene	1.7780E-015	3.7300E-015
RCPTR_22	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	6.4630E-011	9.0456E-011
RCPTR_22	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	6.8282E-011	9.5605E-011
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.1631E-012	1.0832E-011
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.5246E-014	5.2964E-014
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	4.8409E-017	1.0156E-016
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.5356E-011	5.3195E-011
RCPTR_22	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Toluene	6.5066E-017	1.3650E-016
RCPTR_22	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.6635E-013	3.4899E-013
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.0096E-017	8.4118E-017
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.3437E-016	4.9168E-016
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethylene	3.8636E-017	8.1055E-017
RCPTR_22	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.3673E-018	1.1260E-017
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.8250E-011	3.8287E-011
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.6777E-011	3.5197E-011
RCPTR_22	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	8.7244E-016	1.8303E-015
RCPTR_22	farmer_child	TOCDFDFS	Vinyl Chloride	1.2138E-020	2.5464E-020
RCPTR_22	farmer_child	TOCDFDFS	Xylene, m-	2.2990E-016	4.8231E-016
RCPTR_22	farmer_child	TOCDFDFS	Xylene, o-	2.2699E-016	4.7621E-016
RCPTR_22	farmer_child	TOCDFDFS	Xylene, p-	3.5517E-016	7.4511E-016
RCPTR_22	farmer_child	TOCDFDFS	Zinc	5.6013E-009	1.0863E-008
RCPTR_22	farmer_child	TOCDFLIC	Acenaphthene	9.5246E-013	1.9982E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Acetone	2.6956E-017	5.6552E-017
RCPTR_22	farmer_child	TOCDFLIC	Acetophenone	4.0030E-015	8.3979E-015
RCPTR_22	farmer_child	TOCDFLIC	Aniline	2.3879E-016	5.0095E-016
RCPTR_22	farmer_child	TOCDFLIC	Anthracene	1.9283E-011	4.0454E-011
RCPTR_22	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Benzene	1.5210E-016	3.1909E-016
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.4483E-009	2.4911E-009
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.5986E-009	2.8498E-009
RCPTR_22	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.0621E-009	7.0702E-009
RCPTR_22	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.8195E-009	4.1116E-009
RCPTR_22	farmer_child	TOCDFLIC	Benzoic acid	9.1514E-015	1.9199E-014
RCPTR_22	farmer_child	TOCDFLIC	Benzyl alcohol	8.6819E-013	1.8214E-012
RCPTR_22	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	5.4453E-015	1.1424E-014
RCPTR_22	farmer_child	TOCDFLIC	Bromodichloromethane	5.4768E-018	1.1490E-017
RCPTR_22	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.0045E-014	2.1074E-014
RCPTR_22	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.4235E-010	7.6154E-010
RCPTR_22	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.8576E-012	3.8972E-012
RCPTR_22	farmer_child	TOCDFLIC	Cadmium	1.5219E-008	2.8600E-008
RCPTR_22	farmer_child	TOCDFLIC	Carbon disulfide	3.5670E-017	7.4832E-017
RCPTR_22	farmer_child	TOCDFLIC	Carbon tetrachloride	7.3113E-016	1.5338E-015
RCPTR_22	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	4.5326E-013	9.5090E-013
RCPTR_22	farmer_child	TOCDFLIC	Chloroaniline, p-	2.5531E-014	5.3562E-014
RCPTR_22	farmer_child	TOCDFLIC	Chlorobenzene	2.9582E-016	6.2060E-016
RCPTR_22	farmer_child	TOCDFLIC	Chloroethane	3.1071E-019	6.5184E-019
RCPTR_22	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.8305E-016	5.9382E-016
RCPTR_22	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.5579E-012	5.3663E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenol, 2-	7.1657E-014	1.5033E-013
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.6797E-012	7.7196E-012
RCPTR_22	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Chrysene	1.8400E-009	2.9627E-009
RCPTR_22	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.2133E-012	2.5454E-012
RCPTR_22	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.6136E-008	9.6788E-008
RCPTR_22	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.3700E-009	1.5091E-008
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.6052E-015	7.5633E-015
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.4423E-015	9.3195E-015
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.1995E-015	8.8101E-015
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6214E-012	5.4995E-012
RCPTR_22	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.3390E-020	4.9070E-020
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane 1,1-	9.4305E-019	1.9784E-018
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.1962E-018	1.5097E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.6036E-019	7.5600E-019
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.5643E-018	7.4776E-018
RCPTR_22	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	2.9196E-013	6.1251E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.0240E-017	4.2462E-017
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.7832E-018	1.4230E-017
RCPTR_22	farmer_child	TOCDFLIC	Diethyl phthalate	1.9040E-013	3.9945E-013
RCPTR_22	farmer_child	TOCDFLIC	Dimethyl phthalate	5.9491E-013	1.2481E-012
RCPTR_22	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	4.9149E-014	1.0311E-013
RCPTR_22	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.6655E-014	3.4940E-014
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.3912E-014	9.2122E-014
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.3898E-014	7.1116E-014
RCPTR_22	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.0115E-015	2.1220E-015
RCPTR_22	farmer_child	TOCDFLIC	Ethylbenzene	7.0890E-017	1.4872E-016
RCPTR_22	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.1948E-012	6.7024E-012
RCPTR_22	farmer_child	TOCDFLIC	Fluoranthene	2.8358E-010	5.5037E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Fluorene	3.9207E-012	8.2253E-012
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.5726E-011	3.5906E-011
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.3974E-011	7.5356E-011
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	7.7653E-011	1.0842E-010
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.3796E-010	1.9258E-010
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	8.1579E-011	1.1392E-010
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.2068E-011	5.8747E-011
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.7657E-010	2.4661E-010
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.8259E-010	2.5497E-010
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.9847E-011	1.2547E-010
RCPTR_22	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.5692E-014	2.0075E-013
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorobenzene	2.4545E-010	5.1397E-010
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.6670E-013	5.5950E-013
RCPTR_22	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.8553E-014	1.0186E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.8652E-008	3.1320E-008
RCPTR_22	farmer_child	TOCDFLIC	Isophorone	7.3363E-015	1.5391E-014
RCPTR_22	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Mercuric chloride	7.4087E-009	9.7345E-009
RCPTR_22	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	3.9729E-019	8.3347E-019
RCPTR_22	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	6.9946E-019	1.4674E-018
RCPTR_22	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.4876E-016	1.1512E-015
RCPTR_22	farmer_child	TOCDFLIC	Methyl mercury	2.2233E-011	2.9398E-011
RCPTR_22	farmer_child	TOCDFLIC	Methylene chloride	7.2076E-017	1.5121E-016
RCPTR_22	farmer_child	TOCDFLIC	Mustard	7.5701E-016	1.5881E-015
RCPTR_22	farmer_child	TOCDFLIC	Naphthalene	5.3558E-015	1.1236E-014
RCPTR_22	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.2544E-013	2.6316E-013
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.9606E-014	6.2110E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 4-	3.8252E-014	8.0249E-014
RCPTR_22	farmer_child	TOCDFLIC	Nitrobenzene	1.2425E-014	2.6066E-014
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 2-	5.6496E-015	1.1852E-014
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 4-	5.3877E-015	1.1303E-014
RCPTR_22	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.1512E-015	1.5003E-014
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.3617E-015	1.5444E-014
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.0751E-016	1.2745E-015
RCPTR_22	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.3877E-012	8.9165E-012
RCPTR_22	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.5143E-012	3.5091E-012
RCPTR_22	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.8170E-010	3.9382E-010
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.1818E-010	5.8430E-010
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorobenzene	3.9493E-012	8.2853E-012
RCPTR_22	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.6876E-013	5.6383E-013
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorophenol	1.1505E-011	2.4136E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Phenanthrene	1.3915E-014	2.9193E-014
RCPTR_22	farmer_child	TOCDFLIC	Phenol	9.7623E-015	2.0480E-014
RCPTR_22	farmer_child	TOCDFLIC	Pronamide	1.0626E-012	2.2292E-012
RCPTR_22	farmer_child	TOCDFLIC	Pyrene	5.0840E-010	8.1966E-010
RCPTR_22	farmer_child	TOCDFLIC	Selenium	1.5867E-008	3.3287E-008
RCPTR_22	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Styrene	1.1954E-013	2.5078E-013
RCPTR_22	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1296E-010	1.5810E-010
RCPTR_22	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5175E-010	2.1247E-010
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1264E-012	2.3630E-012
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	3.7511E-017	7.8694E-017
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.3942E-017	2.9249E-017
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.5320E-012	1.1606E-011
RCPTR_22	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Toluene	2.7388E-016	5.7457E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.6291E-014	7.6135E-014
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.1740E-016	2.4629E-016
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.0576E-016	2.2187E-016
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethylene	1.7435E-017	3.6576E-017
RCPTR_22	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.3045E-018	4.8346E-018
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	3.9814E-012	8.3526E-012
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	7.2816E-013	1.5276E-012
RCPTR_22	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	3.9369E-016	8.2592E-016
RCPTR_22	farmer_child	TOCDFLIC	Vinyl Chloride	1.6418E-020	3.4442E-020
RCPTR_22	farmer_child	TOCDFLIC	Xylene, m-	2.2202E-016	4.6577E-016
RCPTR_22	farmer_child	TOCDFLIC	Xylene, o-	2.5091E-016	5.2639E-016
RCPTR_22	farmer_child	TOCDFLIC	Xylene, p-	3.4299E-016	7.1955E-016
RCPTR_22	farmer_child	TOCDFLIC	Zinc	5.2264E-008	1.0136E-007
RCPTR_22	farmer_child	TOCDFMPF	Acenaphthene	1.4468E-012	3.0353E-012
RCPTR_22	farmer_child	TOCDFMPF	Acetone	9.7841E-017	2.0526E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Acetophenone	6.3703E-015	1.3364E-014
RCPTR_22	farmer_child	TOCDFMPF	Aniline	3.6273E-016	7.6097E-016
RCPTR_22	farmer_child	TOCDFMPF	Anthracene	2.9293E-011	6.1452E-011
RCPTR_22	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Aroclor 1254	8.2557E-013	1.7320E-012
RCPTR_22	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Benzene	1.3508E-016	2.8338E-016
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.2003E-009	3.7847E-009
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.4336E-009	4.3383E-009
RCPTR_22	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	6.1721E-009	1.0743E-008
RCPTR_22	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	4.2961E-009	6.2650E-009
RCPTR_22	farmer_child	TOCDFMPF	Benzoic acid	4.0241E-014	8.4421E-014
RCPTR_22	farmer_child	TOCDFMPF	Benzyl alcohol	8.2426E-015	1.7292E-014
RCPTR_22	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	8.2717E-015	1.7353E-014
RCPTR_22	farmer_child	TOCDFMPF	Bromodichloromethane	1.6533E-016	3.4686E-016
RCPTR_22	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	5.8307E-015	1.2232E-014
RCPTR_22	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	6.7195E-010	1.1568E-009
RCPTR_22	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.8220E-012	5.9203E-012
RCPTR_22	farmer_child	TOCDFMPF	Cadmium	6.9338E-008	1.3031E-007
RCPTR_22	farmer_child	TOCDFMPF	Carbon disulfide	1.2959E-017	2.7186E-017
RCPTR_22	farmer_child	TOCDFMPF	Carbon tetrachloride	1.2655E-016	2.6549E-016
RCPTR_22	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	6.8853E-013	1.4445E-012
RCPTR_22	farmer_child	TOCDFMPF	Chloroaniline, p-	3.8783E-014	8.1364E-014
RCPTR_22	farmer_child	TOCDFMPF	Chlorobenzene	5.2738E-016	1.1064E-015
RCPTR_22	farmer_child	TOCDFMPF	Chloroethane	3.0424E-018	6.3827E-018
RCPTR_22	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	8.8450E-017	1.8556E-016
RCPTR_22	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.8857E-012	8.1517E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.0885E-013	2.2836E-013
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.5896E-012	1.1727E-011
RCPTR_22	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Chrysene	2.7961E-009	4.5021E-009
RCPTR_22	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.1926E-011	2.5019E-011
RCPTR_22	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.5353E-007	9.5146E-007
RCPTR_22	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.4287E-008	2.3010E-008
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.4764E-015	1.1489E-014
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.7481E-015	1.4157E-014
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.3792E-015	1.3383E-014
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	7.9896E-012	1.6761E-011
RCPTR_22	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.9116E-019	4.0104E-019
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.8469E-017	5.9725E-017
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5140E-017	7.3721E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.0879E-017	2.2822E-017
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.7405E-017	3.6514E-017
RCPTR_22	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.4351E-013	9.3044E-013
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	9.8835E-017	2.0735E-016
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.2127E-017	6.7399E-017
RCPTR_22	farmer_child	TOCDFMPF	Diethyl phthalate	1.8715E-012	3.9262E-012
RCPTR_22	farmer_child	TOCDFMPF	Dimethyl phthalate	6.3125E-014	1.3243E-013
RCPTR_22	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	7.4660E-014	1.5663E-013
RCPTR_22	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.5254E-014	5.2980E-014
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.6704E-014	1.3994E-013
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.1493E-014	1.0803E-013
RCPTR_22	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.5365E-015	3.2235E-015
RCPTR_22	farmer_child	TOCDFMPF	Ethylbenzene	3.2996E-016	6.9223E-016
RCPTR_22	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.7429E-013	1.2048E-012
RCPTR_22	farmer_child	TOCDFMPF	Fluoranthene	4.3078E-010	8.3605E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Fluorene	5.9558E-012	1.2495E-011
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.0022E-010	1.3988E-010
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	8.4808E-011	1.1840E-010
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.0842E-011	1.2683E-010
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.9357E-011	5.4938E-011
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.8118E-011	2.5301E-011
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.9337E-012	1.3872E-011
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.4849E-011	4.8673E-011
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.7596E-011	2.4571E-011
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.1214E-012	1.1342E-011
RCPTR_22	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4536E-013	3.0495E-013
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorobenzene	3.7285E-010	7.8075E-010
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.0513E-013	8.4991E-013
RCPTR_22	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.3754E-014	1.5473E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.8440E-008	4.7757E-008
RCPTR_22	farmer_child	TOCDFMPF	Isophorone	1.1144E-014	2.3380E-014
RCPTR_22	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Mercuric chloride	1.2518E-007	1.6448E-007
RCPTR_22	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.0428E-018	4.2855E-018
RCPTR_22	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.1864E-019	2.4890E-019
RCPTR_22	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.1058E-016	2.3199E-016
RCPTR_22	farmer_child	TOCDFMPF	Methyl mercury	3.7566E-010	4.9671E-010
RCPTR_22	farmer_child	TOCDFMPF	Methylene chloride	5.6326E-017	1.1817E-016
RCPTR_22	farmer_child	TOCDFMPF	Mustard	5.3525E-015	1.1229E-014
RCPTR_22	farmer_child	TOCDFMPF	Naphthalene	5.2643E-014	1.1044E-013
RCPTR_22	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.9020E-013	3.9902E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.4891E-014	9.4177E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.8001E-014	1.2168E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitrobenzene	1.8874E-014	3.9596E-014
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 2-	8.5820E-015	1.8004E-014
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 4-	8.1693E-014	1.7138E-013
RCPTR_22	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.0863E-014	2.2790E-014
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1183E-014	2.3461E-014
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	9.2284E-016	1.9360E-015
RCPTR_22	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0624E-010	5.6706E-010
RCPTR_22	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.8505E-010	3.9783E-010
RCPTR_22	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.4679E-011	2.0522E-011
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.7949E-011	3.9052E-011
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorobenzene	1.1977E-012	2.5126E-012
RCPTR_22	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.0752E-013	8.5493E-013
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorophenol	8.7382E-011	1.8332E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Phenanthrene	2.1138E-014	4.4346E-014
RCPTR_22	farmer_child	TOCDFMPF	Phenol	1.4829E-014	3.1111E-014
RCPTR_22	farmer_child	TOCDFMPF	Pronamide	1.6141E-012	3.3862E-012
RCPTR_22	farmer_child	TOCDFMPF	Pyrene	7.7230E-010	1.2451E-009
RCPTR_22	farmer_child	TOCDFMPF	Selenium	2.7763E-010	5.8244E-010
RCPTR_22	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Styrene	2.7086E-015	5.6824E-015
RCPTR_22	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3446E-011	1.8819E-011
RCPTR_22	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.4949E-010	2.0931E-010
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7110E-012	3.5896E-012
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.1324E-015	2.3756E-015
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.0667E-016	2.2378E-016
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.3881E-012	1.7597E-011
RCPTR_22	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Toluene	1.8259E-016	3.8306E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.5128E-014	1.1565E-013
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	6.8473E-017	1.4365E-016
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.1643E-016	1.0834E-015
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethylene	8.5136E-017	1.7861E-016
RCPTR_22	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.3632E-016	4.9577E-016
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.0480E-012	1.2688E-011
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1061E-012	2.3205E-012
RCPTR_22	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.9224E-015	4.0331E-015
RCPTR_22	farmer_child	TOCDFMPF	Vinyl Chloride	4.4765E-020	9.3912E-020
RCPTR_22	farmer_child	TOCDFMPF	Xylene, m-	2.2082E-016	4.6326E-016
RCPTR_22	farmer_child	TOCDFMPF	Xylene, o-	2.4956E-016	5.2356E-016
RCPTR_22	farmer_child	TOCDFMPF	Xylene, p-	3.4114E-016	7.1568E-016
RCPTR_22	farmer_child	TOCDFMPF	Zinc	1.4848E-008	2.8795E-008
RCPTR_22	farmer_child	TOCDHVAC	Mustard	1.2832E-015	2.6920E-015
RCPTR_22	farmer_child	TOCDLIC2	Acenaphthene	9.5246E-013	1.9982E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Acetone	2.6956E-017	5.6552E-017
RCPTR_22	farmer_child	TOCDLIC2	Acetophenone	4.0030E-015	8.3979E-015
RCPTR_22	farmer_child	TOCDLIC2	Aniline	2.3879E-016	5.0095E-016
RCPTR_22	farmer_child	TOCDLIC2	Anthracene	1.9283E-011	4.0454E-011
RCPTR_22	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Benzene	1.5210E-016	3.1909E-016
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.4483E-009	2.4911E-009
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.5986E-009	2.8498E-009
RCPTR_22	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.0621E-009	7.0702E-009
RCPTR_22	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.8195E-009	4.1116E-009
RCPTR_22	farmer_child	TOCDLIC2	Benzoic acid	9.1514E-015	1.9199E-014
RCPTR_22	farmer_child	TOCDLIC2	Benzyl alcohol	8.6819E-013	1.8214E-012
RCPTR_22	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.4453E-015	1.1424E-014
RCPTR_22	farmer_child	TOCDLIC2	Bromodichloromethane	5.4768E-018	1.1490E-017
RCPTR_22	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0045E-014	2.1074E-014
RCPTR_22	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	4.4235E-010	7.6154E-010
RCPTR_22	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.8576E-012	3.8972E-012
RCPTR_22	farmer_child	TOCDLIC2	Cadmium	1.5219E-008	2.8600E-008
RCPTR_22	farmer_child	TOCDLIC2	Carbon disulfide	3.5670E-017	7.4832E-017
RCPTR_22	farmer_child	TOCDLIC2	Carbon tetrachloride	7.3113E-016	1.5338E-015
RCPTR_22	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.5326E-013	9.5090E-013
RCPTR_22	farmer_child	TOCDLIC2	Chloroaniline, p-	2.5531E-014	5.3562E-014
RCPTR_22	farmer_child	TOCDLIC2	Chlorobenzene	2.9582E-016	6.2060E-016
RCPTR_22	farmer_child	TOCDLIC2	Chloroethane	3.1071E-019	6.5184E-019
RCPTR_22	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.8305E-016	5.9382E-016
RCPTR_22	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.5579E-012	5.3663E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenol, 2-	7.1657E-014	1.5033E-013
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.6797E-012	7.7196E-012
RCPTR_22	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Chrysene	1.8400E-009	2.9627E-009
RCPTR_22	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2133E-012	2.5454E-012
RCPTR_22	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.6136E-008	9.6788E-008
RCPTR_22	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.3700E-009	1.5091E-008
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.6052E-015	7.5633E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.4423E-015	9.3195E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.1995E-015	8.8101E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.6214E-012	5.4995E-012
RCPTR_22	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.3390E-020	4.9070E-020
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane 1,1-	9.4305E-019	1.9784E-018
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.1962E-018	1.5097E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	3.6036E-019	7.5600E-019
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.5643E-018	7.4776E-018
RCPTR_22	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.9196E-013	6.1251E-013
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.0240E-017	4.2462E-017
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.7832E-018	1.4230E-017
RCPTR_22	farmer_child	TOCDLIC2	Diethyl phthalate	1.9040E-013	3.9945E-013
RCPTR_22	farmer_child	TOCDLIC2	Dimethyl phthalate	5.9491E-013	1.2481E-012
RCPTR_22	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.9149E-014	1.0311E-013
RCPTR_22	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.6655E-014	3.4940E-014
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.3912E-014	9.2122E-014
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.3898E-014	7.1116E-014
RCPTR_22	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.0115E-015	2.1220E-015
RCPTR_22	farmer_child	TOCDLIC2	Ethylbenzene	7.0890E-017	1.4872E-016
RCPTR_22	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.1948E-012	6.7024E-012
RCPTR_22	farmer_child	TOCDLIC2	Fluoranthene	2.8358E-010	5.5037E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Fluorene	3.9207E-012	8.2253E-012
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5726E-011	3.5906E-011
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.3974E-011	7.5356E-011
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.7653E-011	1.0842E-010
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3796E-010	1.9258E-010
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.1579E-011	1.1392E-010
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.2068E-011	5.8747E-011
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.7657E-010	2.4661E-010
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.8259E-010	2.5497E-010
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.9847E-011	1.2547E-010
RCPTR_22	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.5692E-014	2.0075E-013
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorobenzene	2.4545E-010	5.1397E-010
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.6670E-013	5.5950E-013
RCPTR_22	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.8553E-014	1.0186E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.8652E-008	3.1320E-008
RCPTR_22	farmer_child	TOCDLIC2	Isophorone	7.3363E-015	1.5391E-014
RCPTR_22	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Mercuric chloride	7.4087E-009	9.7345E-009
RCPTR_22	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	3.9729E-019	8.3347E-019
RCPTR_22	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.9946E-019	1.4674E-018
RCPTR_22	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.4876E-016	1.1512E-015
RCPTR_22	farmer_child	TOCDLIC2	Methyl mercury	2.2233E-011	2.9398E-011
RCPTR_22	farmer_child	TOCDLIC2	Methylene chloride	7.2076E-017	1.5121E-016
RCPTR_22	farmer_child	TOCDLIC2	Mustard	7.8699E-016	1.6510E-015
RCPTR_22	farmer_child	TOCDLIC2	Naphthalene	5.3558E-015	1.1236E-014
RCPTR_22	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.2544E-013	2.6316E-013
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.9606E-014	6.2110E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.8252E-014	8.0249E-014
RCPTR_22	farmer_child	TOCDLIC2	Nitrobenzene	1.2425E-014	2.6066E-014
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.6496E-015	1.1852E-014
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.3877E-014	1.1303E-013
RCPTR_22	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.1512E-015	1.5003E-014
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.3617E-015	1.5444E-014
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.0751E-016	1.2745E-015
RCPTR_22	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.3877E-012	8.9165E-012
RCPTR_22	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5143E-012	3.5091E-012
RCPTR_22	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.8170E-010	3.9382E-010
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.1818E-010	5.8430E-010
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorobenzene	3.9493E-012	8.2853E-012
RCPTR_22	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6876E-013	5.6383E-013
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorophenol	1.1505E-011	2.4136E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Phenanthrene	1.3915E-014	2.9193E-014
RCPTR_22	farmer_child	TOCDLIC2	Phenol	9.7623E-015	2.0480E-014
RCPTR_22	farmer_child	TOCDLIC2	Pronamide	1.0626E-012	2.2292E-012
RCPTR_22	farmer_child	TOCDLIC2	Pyrene	5.0840E-010	8.1966E-010
RCPTR_22	farmer_child	TOCDLIC2	Selenium	1.5867E-008	3.3287E-008
RCPTR_22	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Styrene	1.1954E-013	2.5078E-013
RCPTR_22	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1296E-010	1.5810E-010
RCPTR_22	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5175E-010	2.1247E-010
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1264E-012	2.3630E-012
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	3.7511E-017	7.8694E-017
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3942E-017	2.9249E-017
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.5320E-012	1.1606E-011
RCPTR_22	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Toluene	2.7388E-016	5.7457E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6291E-014	7.6135E-014
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.1740E-016	2.4629E-016
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.0576E-016	2.2187E-016
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethylene	1.7435E-017	3.6576E-017
RCPTR_22	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.3045E-018	4.8346E-018
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.9814E-012	8.3526E-012
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	7.2816E-013	1.5276E-012
RCPTR_22	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	3.9369E-016	8.2592E-016
RCPTR_22	farmer_child	TOCDLIC2	Vinyl Chloride	1.6418E-020	3.4442E-020
RCPTR_22	farmer_child	TOCDLIC2	Xylene, m-	4.6137E-016	9.6790E-016
RCPTR_22	farmer_child	TOCDLIC2	Xylene, o-	5.2141E-016	1.0939E-015
RCPTR_22	farmer_child	TOCDLIC2	Xylene, p-	7.1275E-016	1.4953E-015
RCPTR_22	farmer_child	TOCDLIC2	Zinc	5.2264E-008	1.0136E-007
RCPTR_23	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Cadmium	3.2586E-009	3.8364E-008
RCPTR_23	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Mercuric chloride	1.5798E-005	1.6630E-005
RCPTR_23	farmer_adult	TOCDFBRA	Methyl mercury	4.2382E-008	5.0220E-008
RCPTR_23	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Selenium	2.1443E-009	2.9990E-008
RCPTR_23	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFBRA	Zinc	1.0826E-008	1.3512E-007
RCPTR_23	farmer_adult	TOCDFDFS	Acenaphthene	1.1626E-012	1.6260E-011
RCPTR_23	farmer_adult	TOCDFDFS	Acetone	1.0118E-017	1.4152E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Acetophenone	5.1369E-015	7.1845E-014
RCPTR_23	farmer_adult	TOCDFDFS	Aniline	2.9147E-016	4.0765E-015
RCPTR_23	farmer_adult	TOCDFDFS	Anthracene	2.3538E-011	3.2920E-010
RCPTR_23	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Aroclor 1254	3.5873E-013	5.0172E-012
RCPTR_23	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Benzene	3.7133E-017	5.1935E-016
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.1435E-009	2.0371E-008
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.3560E-009	2.4665E-008
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	5.8980E-009	5.7980E-008
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.6642E-009	3.6548E-008
RCPTR_23	farmer_adult	TOCDFDFS	Benzoic acid	3.2335E-015	4.5224E-014
RCPTR_23	farmer_adult	TOCDFDFS	Benzyl alcohol	6.6233E-015	9.2633E-014
RCPTR_23	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.6466E-015	9.2960E-014
RCPTR_23	farmer_adult	TOCDFDFS	Bromodichloromethane	1.1996E-017	1.6778E-016
RCPTR_23	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.9446E-015	2.7197E-014
RCPTR_23	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	6.5035E-010	6.1970E-009
RCPTR_23	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.2707E-012	3.1757E-011
RCPTR_23	farmer_adult	TOCDFDFS	Cadmium	1.4827E-009	1.7456E-008
RCPTR_23	farmer_adult	TOCDFDFS	Carbon disulfide	6.6052E-018	9.2380E-017
RCPTR_23	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.0842E-017	1.5164E-016
RCPTR_23	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.5326E-013	7.7379E-012
RCPTR_23	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.1164E-014	4.3586E-013
RCPTR_23	farmer_adult	TOCDFDFS	Chlorobenzene	6.3733E-017	8.9137E-016
RCPTR_23	farmer_adult	TOCDFDFS	Chloroethane	1.8335E-019	2.5644E-018
RCPTR_23	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	8.2557E-018	1.1546E-016
RCPTR_23	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.1223E-012	4.3668E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.7465E-014	1.2233E-012
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.4915E-012	6.2818E-011
RCPTR_23	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Chrysene	3.2283E-009	2.4374E-008
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	9.5866E-012	1.3408E-010
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.6574E-007	5.1153E-006
RCPTR_23	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.5185E-008	1.9035E-007
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.4005E-015	6.1546E-014
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.4224E-015	7.5837E-014
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.1259E-015	7.1692E-014
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.4412E-012	9.0086E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.4507E-020	2.0289E-019
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.4404E-018	4.8117E-017
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.2466E-018	5.9393E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.3146E-018	1.8387E-017
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.1033E-018	2.9417E-017
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.5638E-013	4.9843E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.1944E-017	1.6705E-016
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.8825E-018	5.4300E-017
RCPTR_23	farmer_adult	TOCDFDFS	Diethyl phthalate	1.5038E-012	2.1033E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.6637E-014	1.0718E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.9992E-014	8.3906E-013
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.0329E-014	2.8432E-013
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.3601E-014	7.4967E-013
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.1377E-014	5.7871E-013
RCPTR_23	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.2347E-015	1.7268E-014
RCPTR_23	farmer_adult	TOCDFDFS	Ethylbenzene	3.9875E-017	5.5770E-016
RCPTR_23	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.0999E-013	7.1327E-012
RCPTR_23	farmer_adult	TOCDFDFS	Fluoranthene	3.5847E-010	4.4800E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Fluorene	4.7857E-012	6.6933E-011
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.9806E-012	8.0573E-012
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.6323E-012	4.4290E-012
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.1588E-012	8.5707E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.2294E-011	1.1449E-010
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.4691E-011	6.7180E-011
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.1899E-011	3.2377E-011
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.6546E-011	4.5096E-011
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.7857E-011	4.8549E-011
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	9.4592E-012	2.5749E-011
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.1680E-013	1.6336E-012
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.9966E-010	4.1825E-009
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.2553E-013	4.5529E-012
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.9264E-014	8.2887E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.4880E-008	3.9581E-007
RCPTR_23	farmer_adult	TOCDFDFS	Isophorone	8.9549E-015	1.2524E-013
RCPTR_23	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Mercuric chloride	6.4597E-009	6.7996E-009
RCPTR_23	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.4860E-019	2.0783E-018
RCPTR_23	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.9237E-020	4.0891E-019
RCPTR_23	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.2621E-017	1.0157E-015
RCPTR_23	farmer_adult	TOCDFDFS	Methyl mercury	1.7329E-011	2.0534E-011
RCPTR_23	farmer_adult	TOCDFDFS	Methylene chloride	4.3963E-018	6.1486E-017
RCPTR_23	farmer_adult	TOCDFDFS	Mustard	5.2544E-016	7.3488E-015
RCPTR_23	farmer_adult	TOCDFDFS	Naphthalene	4.2301E-014	5.9162E-013
RCPTR_23	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.5311E-013	2.1413E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.6136E-014	5.0539E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.6689E-014	6.5299E-013
RCPTR_23	farmer_adult	TOCDFDFS	Nitrobenzene	1.5166E-014	2.1211E-013
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.8960E-015	9.6447E-014
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.5760E-014	9.1972E-013
RCPTR_23	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.7289E-015	1.2208E-013
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.9859E-015	1.2568E-013
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.4154E-016	1.0371E-014
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.0878E-013	2.1894E-012
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.4054E-013	9.2007E-013
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.5257E-011	1.7996E-010
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.0955E-011	2.2176E-010
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.6237E-013	1.3460E-011
RCPTR_23	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.2803E-013	4.5879E-012
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorophenol	7.0339E-011	9.8376E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Phenanthrene	1.6985E-014	2.3756E-013
RCPTR_23	farmer_adult	TOCDFDFS	Phenol	1.1916E-014	1.6666E-013
RCPTR_23	farmer_adult	TOCDFDFS	Pronamide	1.2970E-012	1.8140E-011
RCPTR_23	farmer_adult	TOCDFDFS	Pyrene	8.7887E-010	6.6713E-009
RCPTR_23	farmer_adult	TOCDFDFS	Selenium	2.3308E-010	3.2598E-009
RCPTR_23	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Styrene	4.7345E-016	6.6217E-015
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.8212E-011	1.6268E-010
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	6.0873E-011	1.7094E-010
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.3749E-012	1.9229E-011
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.7228E-015	9.4025E-014
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.2891E-017	1.8029E-016
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.7521E-012	9.4435E-011
RCPTR_23	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Toluene	1.7326E-017	2.4233E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.4298E-014	6.1955E-013
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.0677E-017	1.4933E-016
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.2409E-017	8.7286E-016
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethylene	1.0288E-017	1.4389E-016
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.4293E-018	1.9990E-017
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.8598E-012	6.7969E-011
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.4676E-012	6.2484E-011
RCPTR_23	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.3232E-016	3.2492E-015
RCPTR_23	farmer_adult	TOCDFDFS	Vinyl Chloride	3.2322E-021	4.5206E-020
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, m-	6.1221E-017	8.5623E-016
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, o-	6.0445E-017	8.4539E-016
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, p-	9.4577E-017	1.3228E-015
RCPTR_23	farmer_adult	TOCDFDFS	Zinc	2.2191E-009	2.7698E-008
RCPTR_23	farmer_adult	TOCDFLIC	Acenaphthene	2.3987E-013	3.3549E-012
RCPTR_23	farmer_adult	TOCDFLIC	Acetone	6.7888E-018	9.4948E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Acetophenone	1.0081E-015	1.4100E-014
RCPTR_23	farmer_adult	TOCDFLIC	Aniline	6.0137E-017	8.4108E-016
RCPTR_23	farmer_adult	TOCDFLIC	Anthracene	4.8565E-012	6.7922E-011
RCPTR_23	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Benzene	3.8306E-017	5.3575E-016
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.4161E-010	4.1969E-009
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.7744E-010	4.9982E-009
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.2141E-009	1.1935E-008
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.7426E-009	7.3507E-009
RCPTR_23	farmer_adult	TOCDFLIC	Benzoic acid	2.3047E-015	3.2234E-014
RCPTR_23	farmer_adult	TOCDFLIC	Benzyl alcohol	2.1865E-013	3.0580E-012
RCPTR_23	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.3714E-015	1.9180E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Bromodichloromethane	1.3793E-018	1.9291E-017
RCPTR_23	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.5299E-015	3.5383E-014
RCPTR_23	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.3418E-010	1.2786E-009
RCPTR_23	farmer_adult	TOCDFLIC	Butylbenzylphthalate	4.6830E-013	6.5496E-012
RCPTR_23	farmer_adult	TOCDFLIC	Cadmium	6.0829E-009	7.1613E-008
RCPTR_23	farmer_adult	TOCDFLIC	Carbon disulfide	8.9833E-018	1.2564E-016
RCPTR_23	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.8413E-016	2.5752E-015
RCPTR_23	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.1415E-013	1.5965E-012
RCPTR_23	farmer_adult	TOCDFLIC	Chloroaniline, p-	6.4299E-015	8.9929E-014
RCPTR_23	farmer_adult	TOCDFLIC	Chlorobenzene	7.4500E-017	1.0420E-015
RCPTR_23	farmer_adult	TOCDFLIC	Chloroethane	7.8250E-020	1.0944E-018
RCPTR_23	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.1285E-017	9.9700E-016
RCPTR_23	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.4421E-013	9.0099E-012
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.8046E-014	2.5240E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.2671E-013	1.2961E-011
RCPTR_23	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Chrysene	6.6392E-010	5.0127E-009
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.0565E-013	4.2748E-012
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.1649E-008	1.6293E-007
RCPTR_23	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.9745E-009	3.7597E-008
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	9.0794E-016	1.2698E-014
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.1188E-015	1.5647E-014
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.0576E-015	1.4792E-014
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	6.6321E-013	9.2756E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.8907E-021	8.2387E-020
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.3750E-019	3.3217E-018
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8123E-018	2.5347E-017
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.0755E-020	1.2693E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.9765E-019	1.2555E-017
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	7.3530E-014	1.0284E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.0974E-018	7.1292E-017
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.7083E-018	2.3892E-017
RCPTR_23	farmer_adult	TOCDFLIC	Diethyl phthalate	4.7952E-014	6.7066E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.4982E-013	2.0955E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.2378E-014	1.7312E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.1945E-015	5.8664E-014
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1059E-014	1.5467E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.5372E-015	1.1940E-013
RCPTR_23	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.5474E-016	3.5628E-015
RCPTR_23	farmer_adult	TOCDFLIC	Ethylbenzene	1.7853E-017	2.4969E-016
RCPTR_23	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.0605E-013	1.1273E-011
RCPTR_23	farmer_adult	TOCDFLIC	Fluoranthene	7.3955E-011	9.2425E-010
RCPTR_23	farmer_adult	TOCDFLIC	Fluorene	9.8741E-013	1.3810E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.4666E-011	6.6678E-011
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.1216E-011	1.3896E-010
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	7.4086E-011	2.0102E-010
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.3010E-010	3.5219E-010
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.7376E-011	2.1053E-010
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.0109E-011	1.0913E-010
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.6606E-010	4.5261E-010
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.7195E-010	4.6749E-010
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.4427E-011	2.2982E-010
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.4099E-014	3.3706E-013
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.1828E-011	8.6295E-010
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.7166E-014	9.3939E-013
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.2228E-014	1.7102E-013
RCPTR_23	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	8.8633E-009	7.8167E-008
RCPTR_23	farmer_adult	TOCDFLIC	Isophorone	1.8476E-015	2.5841E-014
RCPTR_23	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Mercuric chloride	1.5597E-008	1.6417E-008
RCPTR_23	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.0005E-019	1.3994E-018
RCPTR_23	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.7615E-019	2.4637E-018
RCPTR_23	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.3820E-016	1.9329E-015
RCPTR_23	farmer_adult	TOCDFLIC	Methyl mercury	4.1841E-011	4.9579E-011
RCPTR_23	farmer_adult	TOCDFLIC	Methylene chloride	1.8152E-017	2.5387E-016
RCPTR_23	farmer_adult	TOCDFLIC	Mustard	1.9065E-016	2.6664E-015
RCPTR_23	farmer_adult	TOCDFLIC	Naphthalene	1.3488E-015	1.8865E-014
RCPTR_23	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.1591E-014	4.4183E-013
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 3-	7.4561E-015	1.0428E-013
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 4-	9.6336E-015	1.3474E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Nitrobenzene	3.1292E-015	4.3764E-014
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.4228E-015	1.9900E-014
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3569E-015	1.8977E-014
RCPTR_23	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.8010E-015	2.5189E-014
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.8540E-015	2.5930E-014
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.5300E-016	2.1398E-015
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.1536E-012	1.6658E-011
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.4264E-012	6.5558E-012
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.5211E-010	6.9525E-010
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.7416E-010	1.0249E-009
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.9462E-013	1.3911E-011
RCPTR_23	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.7685E-014	9.4665E-013
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorophenol	2.8974E-012	4.0523E-011
RCPTR_23	farmer_adult	TOCDFLIC	Phenanthrene	3.5045E-015	4.9014E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Phenol	2.4586E-015	3.4386E-014
RCPTR_23	farmer_adult	TOCDFLIC	Pronamide	2.6760E-013	3.7427E-012
RCPTR_23	farmer_adult	TOCDFLIC	Pyrene	1.8132E-010	1.3764E-009
RCPTR_23	farmer_adult	TOCDFLIC	Selenium	5.9594E-009	8.3349E-008
RCPTR_23	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Styrene	3.0105E-014	4.2104E-013
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	9.7086E-011	2.7132E-010
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.2856E-010	3.6101E-010
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.8367E-013	3.9675E-012
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	9.4469E-018	1.3212E-016
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.5112E-018	4.9108E-017
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.3932E-012	1.9485E-011
RCPTR_23	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Toluene	6.8974E-017	9.6468E-016
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.1397E-015	1.2783E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.9566E-017	4.1351E-016
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.6635E-017	3.7251E-016
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethylene	4.3908E-018	6.1410E-017
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.8037E-019	8.1171E-018
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0027E-012	1.4024E-011
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.8338E-013	2.5648E-012
RCPTR_23	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	9.9148E-017	1.3867E-015
RCPTR_23	farmer_adult	TOCDFLIC	Vinyl Chloride	4.1347E-021	5.7828E-020
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, m-	5.5914E-017	7.8201E-016
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, o-	6.3191E-017	8.8379E-016
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, p-	8.6379E-017	1.2081E-015
RCPTR_23	farmer_adult	TOCDFLIC	Zinc	2.0334E-008	2.5379E-007
RCPTR_23	farmer_adult	TOCDFMPF	Acenaphthene	3.6565E-013	5.1140E-012
RCPTR_23	farmer_adult	TOCDFMPF	Acetone	2.4727E-017	3.4583E-016
RCPTR_23	farmer_adult	TOCDFMPF	Acetophenone	1.6099E-015	2.2517E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Aniline	9.1671E-017	1.2821E-015
RCPTR_23	farmer_adult	TOCDFMPF	Anthracene	7.4030E-012	1.0354E-010
RCPTR_23	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Aroclor 1254	2.0868E-013	2.9186E-012
RCPTR_23	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Benzene	3.4138E-017	4.7746E-016
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)anthracene	6.7321E-010	6.3981E-009
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.2838E-010	7.6252E-009
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.8509E-009	1.8196E-008
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.6593E-009	1.1218E-008
RCPTR_23	farmer_adult	TOCDFMPF	Benzoic acid	1.0170E-014	1.4224E-013
RCPTR_23	farmer_adult	TOCDFMPF	Benzyl alcohol	2.0831E-015	2.9135E-014
RCPTR_23	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.0905E-015	2.9237E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Bromodichloromethane	4.1784E-017	5.8440E-016
RCPTR_23	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.4736E-015	2.0610E-014
RCPTR_23	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.0454E-010	1.9491E-009
RCPTR_23	farmer_adult	TOCDFMPF	Butylbenzylphthalate	7.1387E-013	9.9842E-012
RCPTR_23	farmer_adult	TOCDFMPF	Cadmium	2.7758E-008	3.2680E-007
RCPTR_23	farmer_adult	TOCDFMPF	Carbon disulfide	3.2750E-018	4.5804E-017
RCPTR_23	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.1982E-017	4.4731E-016
RCPTR_23	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.7401E-013	2.4337E-012
RCPTR_23	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.8016E-015	1.3708E-013
RCPTR_23	farmer_adult	TOCDFMPF	Chlorobenzene	1.3328E-016	1.8641E-015
RCPTR_23	farmer_adult	TOCDFMPF	Chloroethane	7.6890E-019	1.0754E-017
RCPTR_23	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.2354E-017	3.1264E-016
RCPTR_23	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	9.8201E-013	1.3734E-011
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.7509E-014	3.8474E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.4127E-012	1.9757E-011
RCPTR_23	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Chrysene	1.0122E-009	7.6422E-009
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.0148E-012	4.2165E-011
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.1491E-007	1.6071E-006
RCPTR_23	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	7.5973E-009	5.7420E-008
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.3840E-015	1.9357E-014
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.7054E-015	2.3852E-014
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.6122E-015	2.2548E-014
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.0281E-012	2.8365E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.8312E-020	6.7569E-019
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.1948E-018	1.0063E-016
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.8808E-018	1.2421E-016
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.7493E-018	3.8452E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.3987E-018	6.1520E-017
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.1209E-013	1.5676E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.4978E-017	3.4935E-016
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.1193E-018	1.1356E-016
RCPTR_23	farmer_adult	TOCDFMPF	Diethyl phthalate	4.7298E-013	6.6151E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.5953E-014	2.2312E-013
RCPTR_23	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.8869E-014	2.6390E-013
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	6.3823E-015	8.9264E-014
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.6858E-014	2.3578E-013
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3014E-014	1.8201E-013
RCPTR_23	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.8832E-016	5.4310E-015
RCPTR_23	farmer_adult	TOCDFMPF	Ethylbenzene	8.3390E-017	1.1663E-015
RCPTR_23	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4539E-013	2.0335E-012
RCPTR_23	farmer_adult	TOCDFMPF	Fluoranthene	1.1273E-010	1.4089E-009
RCPTR_23	farmer_adult	TOCDFMPF	Fluorene	1.5052E-012	2.1051E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	9.6114E-011	2.5982E-010
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	8.0513E-011	2.1845E-010
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.6695E-011	2.3523E-010
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.7143E-011	1.0055E-010
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.7191E-011	4.6775E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.4733E-012	2.5776E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.2796E-011	8.9386E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.6582E-011	4.5082E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.6370E-012	2.0789E-011
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.6736E-014	5.1380E-013
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorobenzene	9.4248E-011	1.3155E-009
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.0239E-013	1.4320E-012
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.8640E-014	2.6069E-013
RCPTR_23	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3536E-008	1.1938E-007
RCPTR_23	farmer_adult	TOCDFMPF	Isophorone	2.8164E-015	3.9391E-014
RCPTR_23	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Mercuric chloride	2.6441E-007	2.7832E-007
RCPTR_23	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.1626E-019	7.2204E-018
RCPTR_23	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.9983E-020	4.1935E-019
RCPTR_23	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.7947E-017	3.9087E-016
RCPTR_23	farmer_adult	TOCDFMPF	Methyl mercury	7.0934E-010	8.4052E-010
RCPTR_23	farmer_adult	TOCDFMPF	Methylene chloride	1.4235E-017	1.9909E-016
RCPTR_23	farmer_adult	TOCDFMPF	Mustard	1.3527E-015	1.8919E-014
RCPTR_23	farmer_adult	TOCDFMPF	Naphthalene	1.3304E-014	1.8607E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.8069E-014	6.7229E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.1345E-014	1.5867E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.4658E-014	2.0501E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Nitrobenzene	4.7700E-015	6.6713E-014
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.1689E-015	3.0334E-014
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.0646E-014	2.8875E-013
RCPTR_23	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.7454E-015	3.8397E-014
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.8262E-015	3.9527E-014
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.3323E-016	3.2619E-015
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.9136E-010	1.0594E-009
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.7509E-010	7.4325E-010
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.3163E-011	3.6300E-011
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.5061E-011	6.8651E-011
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.0268E-013	4.2333E-012
RCPTR_23	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.0299E-013	1.4404E-012
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorophenol	2.2084E-011	3.0886E-010
RCPTR_23	farmer_adult	TOCDFMPF	Phenanthrene	5.3422E-015	7.4716E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Phenol	3.7478E-015	5.2416E-014
RCPTR_23	farmer_adult	TOCDFMPF	Pronamide	4.0792E-013	5.7052E-012
RCPTR_23	farmer_adult	TOCDFMPF	Pyrene	2.7640E-010	2.0981E-009
RCPTR_23	farmer_adult	TOCDFMPF	Selenium	1.0444E-010	1.4607E-009
RCPTR_23	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Styrene	6.8453E-016	9.5739E-015
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1589E-011	3.2387E-011
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.2705E-010	3.5676E-010
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.3242E-013	6.0479E-012
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.8618E-016	4.0025E-015
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.6958E-017	3.7704E-016
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.1199E-012	2.9649E-011
RCPTR_23	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Toluene	4.6146E-017	6.4539E-016
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.3932E-014	1.9486E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.7305E-017	2.4203E-016
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.3052E-016	1.8254E-015
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethylene	2.1516E-017	3.0092E-016
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.9723E-017	8.3529E-016
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.5285E-012	2.1377E-011
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.7954E-013	3.9097E-012
RCPTR_23	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.8585E-016	6.7951E-015
RCPTR_23	farmer_adult	TOCDFMPF	Vinyl Chloride	1.1313E-020	1.5823E-019
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, m-	5.5808E-017	7.8053E-016
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, o-	6.3071E-017	8.8211E-016
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, p-	8.6215E-017	1.2058E-015
RCPTR_23	farmer_adult	TOCDFMPF	Zinc	5.7859E-009	7.2215E-008
RCPTR_23	farmer_adult	TOCDHVAC	Mustard	3.4204E-016	4.7838E-015
RCPTR_23	farmer_adult	TOCDLIC2	Acenaphthene	2.3987E-013	3.3549E-012
RCPTR_23	farmer_adult	TOCDLIC2	Acetone	6.7888E-018	9.4948E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Acetophenone	1.0081E-015	1.4100E-014
RCPTR_23	farmer_adult	TOCDLIC2	Aniline	6.0137E-017	8.4108E-016
RCPTR_23	farmer_adult	TOCDLIC2	Anthracene	4.8565E-012	6.7922E-011
RCPTR_23	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Benzene	3.8306E-017	5.3575E-016
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.4161E-010	4.1969E-009
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.7744E-010	4.9982E-009
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.2141E-009	1.1935E-008
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.7426E-009	7.3507E-009
RCPTR_23	farmer_adult	TOCDLIC2	Benzoic acid	2.3047E-015	3.2234E-014
RCPTR_23	farmer_adult	TOCDLIC2	Benzyl alcohol	2.1865E-013	3.0580E-012
RCPTR_23	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.3714E-015	1.9180E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Bromodichloromethane	1.3793E-018	1.9291E-017
RCPTR_23	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.5299E-015	3.5383E-014
RCPTR_23	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.3418E-010	1.2786E-009
RCPTR_23	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.6830E-013	6.5496E-012
RCPTR_23	farmer_adult	TOCDLIC2	Cadmium	6.0829E-009	7.1613E-008
RCPTR_23	farmer_adult	TOCDLIC2	Carbon disulfide	8.9833E-018	1.2564E-016
RCPTR_23	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.8413E-016	2.5752E-015
RCPTR_23	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.1415E-013	1.5965E-012
RCPTR_23	farmer_adult	TOCDLIC2	Chloroaniline, p-	6.4299E-015	8.9929E-014
RCPTR_23	farmer_adult	TOCDLIC2	Chlorobenzene	7.4500E-017	1.0420E-015
RCPTR_23	farmer_adult	TOCDLIC2	Chloroethane	7.8250E-020	1.0944E-018
RCPTR_23	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	7.1285E-017	9.9700E-016
RCPTR_23	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.4421E-013	9.0099E-012
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.8046E-014	2.5240E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.2671E-013	1.2961E-011
RCPTR_23	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Chrysene	6.6392E-010	5.0127E-009
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.0565E-013	4.2748E-012
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.1649E-008	1.6293E-007
RCPTR_23	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.9745E-009	3.7597E-008
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	9.0794E-016	1.2698E-014
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.1188E-015	1.5647E-014
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.0576E-015	1.4792E-014
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.6321E-013	9.2756E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.8907E-021	8.2387E-020
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.3750E-019	3.3217E-018
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8123E-018	2.5347E-017
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	9.0755E-020	1.2693E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.9765E-019	1.2555E-017
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.3530E-014	1.0284E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.0974E-018	7.1292E-017
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.7083E-018	2.3892E-017
RCPTR_23	farmer_adult	TOCDLIC2	Diethyl phthalate	4.7952E-014	6.7066E-013
RCPTR_23	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4982E-013	2.0955E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.2378E-014	1.7312E-013
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.1945E-015	5.8664E-014
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1059E-014	1.5467E-013
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.5372E-015	1.1940E-013
RCPTR_23	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.5474E-016	3.5628E-015
RCPTR_23	farmer_adult	TOCDLIC2	Ethylbenzene	1.7853E-017	2.4969E-016
RCPTR_23	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.0605E-013	1.1273E-011
RCPTR_23	farmer_adult	TOCDLIC2	Fluoranthene	7.3955E-011	9.2425E-010
RCPTR_23	farmer_adult	TOCDLIC2	Fluorene	9.8741E-013	1.3810E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.4666E-011	6.6678E-011
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.1216E-011	1.3896E-010
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.4086E-011	2.0102E-010
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3010E-010	3.5219E-010
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.7376E-011	2.1053E-010
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.0109E-011	1.0913E-010
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.6606E-010	4.5261E-010
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.7195E-010	4.6749E-010
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.4427E-011	2.2982E-010
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.4099E-014	3.3706E-013
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorobenzene	6.1828E-011	8.6295E-010
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.7166E-014	9.3939E-013
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.2228E-014	1.7102E-013
RCPTR_23	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.8633E-009	7.8167E-008
RCPTR_23	farmer_adult	TOCDLIC2	Isophorone	1.8476E-015	2.5841E-014
RCPTR_23	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Mercuric chloride	1.5597E-008	1.6417E-008
RCPTR_23	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.0005E-019	1.3994E-018
RCPTR_23	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.7615E-019	2.4637E-018
RCPTR_23	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.3820E-016	1.9329E-015
RCPTR_23	farmer_adult	TOCDLIC2	Methyl mercury	4.1841E-011	4.9579E-011
RCPTR_23	farmer_adult	TOCDLIC2	Methylene chloride	1.8152E-017	2.5387E-016
RCPTR_23	farmer_adult	TOCDLIC2	Mustard	1.9820E-016	2.7720E-015
RCPTR_23	farmer_adult	TOCDLIC2	Naphthalene	1.3488E-015	1.8865E-014
RCPTR_23	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.1591E-014	4.4183E-013
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 3-	7.4561E-015	1.0428E-013
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 4-	9.6336E-015	1.3474E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Nitrobenzene	3.1292E-015	4.3764E-014
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.4228E-015	1.9900E-014
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3569E-014	1.8977E-013
RCPTR_23	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.8010E-015	2.5189E-014
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.8540E-015	2.5930E-014
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.5300E-016	2.1398E-015
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.1536E-012	1.6658E-011
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.4264E-012	6.5558E-012
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.5211E-010	6.9525E-010
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.7416E-010	1.0249E-009
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.9462E-013	1.3911E-011
RCPTR_23	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.7685E-014	9.4665E-013
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorophenol	2.8974E-012	4.0523E-011
RCPTR_23	farmer_adult	TOCDLIC2	Phenanthrene	3.5045E-015	4.9014E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Phenol	2.4586E-015	3.4386E-014
RCPTR_23	farmer_adult	TOCDLIC2	Pronamide	2.6760E-013	3.7427E-012
RCPTR_23	farmer_adult	TOCDLIC2	Pyrene	1.8132E-010	1.3764E-009
RCPTR_23	farmer_adult	TOCDLIC2	Selenium	5.9594E-009	8.3349E-008
RCPTR_23	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Styrene	3.0105E-014	4.2104E-013
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	9.7086E-011	2.7132E-010
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2856E-010	3.6101E-010
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.8367E-013	3.9675E-012
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	9.4469E-018	1.3212E-016
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.5112E-018	4.9108E-017
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3932E-012	1.9485E-011
RCPTR_23	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Toluene	6.8974E-017	9.6468E-016
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.1397E-015	1.2783E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.9566E-017	4.1351E-016
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.6635E-017	3.7251E-016
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethylene	4.3908E-018	6.1410E-017
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.8037E-019	8.1171E-018
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0027E-012	1.4024E-011
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.8338E-013	2.5648E-012
RCPTR_23	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	9.9148E-017	1.3867E-015
RCPTR_23	farmer_adult	TOCDLIC2	Vinyl Chloride	4.1347E-021	5.7828E-020
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, m-	1.1619E-016	1.6251E-015
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, o-	1.3131E-016	1.8366E-015
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, p-	1.7950E-016	2.5105E-015
RCPTR_23	farmer_adult	TOCDLIC2	Zinc	2.0334E-008	2.5379E-007
RCPTR_23	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Cadmium	2.0414E-008	3.8364E-008
RCPTR_23	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Mercuric chloride	1.2656E-005	1.6630E-005
RCPTR_23	farmer_child	TOCDFBRA	Methyl mercury	3.7981E-008	5.0220E-008
RCPTR_23	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Selenium	1.4295E-008	2.9990E-008
RCPTR_23	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFBRA	Zinc	6.9676E-008	1.3512E-007
RCPTR_23	farmer_child	TOCDFDFS	Acenaphthene	7.7506E-012	1.6260E-011
RCPTR_23	farmer_child	TOCDFDFS	Acetone	6.7456E-017	1.4152E-016
RCPTR_23	farmer_child	TOCDFDFS	Acetophenone	3.4246E-014	7.1845E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Aniline	1.9431E-015	4.0765E-015
RCPTR_23	farmer_child	TOCDFDFS	Anthracene	1.5692E-010	3.2920E-010
RCPTR_23	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Aroclor 1254	2.3916E-012	5.0172E-012
RCPTR_23	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Benzene	2.4756E-016	5.1935E-016
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.1844E-008	2.0371E-008
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.3836E-008	2.4665E-008
RCPTR_23	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.3312E-008	5.7980E-008
RCPTR_23	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.5062E-008	3.6548E-008
RCPTR_23	farmer_child	TOCDFDFS	Benzoic acid	2.1557E-014	4.5224E-014
RCPTR_23	farmer_child	TOCDFDFS	Benzyl alcohol	4.4155E-014	9.2633E-014
RCPTR_23	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.4311E-014	9.2960E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Bromodichloromethane	7.9976E-017	1.6778E-016
RCPTR_23	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.2964E-014	2.7197E-014
RCPTR_23	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.5996E-009	6.1970E-009
RCPTR_23	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.5138E-011	3.1757E-011
RCPTR_23	farmer_child	TOCDFDFS	Cadmium	9.2885E-009	1.7456E-008
RCPTR_23	farmer_child	TOCDFDFS	Carbon disulfide	4.4035E-017	9.2380E-017
RCPTR_23	farmer_child	TOCDFDFS	Carbon tetrachloride	7.2281E-017	1.5164E-016
RCPTR_23	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.6884E-012	7.7379E-012
RCPTR_23	farmer_child	TOCDFDFS	Chloroaniline, p-	2.0776E-013	4.3586E-013
RCPTR_23	farmer_child	TOCDFDFS	Chlorobenzene	4.2489E-016	8.9137E-016
RCPTR_23	farmer_child	TOCDFDFS	Chloroethane	1.2224E-018	2.5644E-018
RCPTR_23	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.5038E-017	1.1546E-016
RCPTR_23	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.0815E-011	4.3668E-011
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.8310E-013	1.2233E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.9943E-011	6.2818E-011
RCPTR_23	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Chrysene	1.5138E-008	2.4374E-008
RCPTR_23	farmer_child	TOCDFDFS	Di-n-butyl phthalate	6.3911E-011	1.3408E-010
RCPTR_23	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.4383E-006	5.1153E-006
RCPTR_23	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1819E-007	1.9035E-007
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.9337E-014	6.1546E-014
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.6149E-014	7.5837E-014
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.4173E-014	7.1692E-014
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.2941E-011	9.0086E-011
RCPTR_23	farmer_child	TOCDFDFS	Dichlorodifluoromethane	9.6711E-020	2.0289E-019
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.2936E-017	4.8117E-017
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8311E-017	5.9393E-017
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	8.7643E-018	1.8387E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4022E-017	2.9417E-017
RCPTR_23	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.3759E-012	4.9843E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	7.9627E-017	1.6705E-016
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.5883E-017	5.4300E-017
RCPTR_23	farmer_child	TOCDFDFS	Diethyl phthalate	1.0026E-011	2.1033E-011
RCPTR_23	farmer_child	TOCDFDFS	Dimethyl phthalate	5.1091E-013	1.0718E-012
RCPTR_23	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.9995E-013	8.3906E-013
RCPTR_23	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3552E-013	2.8432E-013
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.5734E-013	7.4967E-013
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.7585E-013	5.7871E-013
RCPTR_23	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.2310E-015	1.7268E-014
RCPTR_23	farmer_child	TOCDFDFS	Ethylbenzene	2.6584E-016	5.5770E-016
RCPTR_23	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.3999E-012	7.1327E-012
RCPTR_23	farmer_child	TOCDFDFS	Fluoranthene	2.3083E-009	4.4800E-009
RCPTR_23	farmer_child	TOCDFDFS	Fluorene	3.1905E-011	6.6933E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.7728E-012	8.0573E-012
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.1723E-012	4.4290E-012
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	6.1388E-012	8.5707E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.2020E-011	1.1449E-010
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.8107E-011	6.7180E-011
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.3185E-011	3.2377E-011
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.2288E-011	4.5096E-011
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.4767E-011	4.8549E-011
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.8438E-011	2.5749E-011
RCPTR_23	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.7869E-013	1.6336E-012
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorobenzene	1.9974E-009	4.1825E-009
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.1702E-012	4.5529E-012
RCPTR_23	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.9509E-013	8.2887E-013
RCPTR_23	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3571E-007	3.9581E-007
RCPTR_23	farmer_child	TOCDFDFS	Isophorone	5.9699E-014	1.2524E-013
RCPTR_23	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Mercuric chloride	5.1750E-009	6.7996E-009
RCPTR_23	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	9.9067E-019	2.0783E-018
RCPTR_23	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.9491E-019	4.0891E-019
RCPTR_23	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.8414E-016	1.0157E-015
RCPTR_23	farmer_child	TOCDFDFS	Methyl mercury	1.5530E-011	2.0534E-011
RCPTR_23	farmer_child	TOCDFDFS	Methylene chloride	2.9308E-017	6.1486E-017
RCPTR_23	farmer_child	TOCDFDFS	Mustard	3.5029E-015	7.3488E-015
RCPTR_23	farmer_child	TOCDFDFS	Naphthalene	2.8200E-013	5.9162E-013
RCPTR_23	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.0207E-012	2.1413E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.4090E-013	5.0539E-013
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.1126E-013	6.5299E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Nitrobenzene	1.0111E-013	2.1211E-013
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.5973E-014	9.6447E-014
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.3840E-013	9.1972E-013
RCPTR_23	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.8193E-014	1.2208E-013
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.9906E-014	1.2568E-013
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.9436E-015	1.0371E-014
RCPTR_23	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.5684E-012	2.1894E-012
RCPTR_23	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.5923E-013	9.2007E-013
RCPTR_23	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.2873E-010	1.7996E-010
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.5871E-010	2.2176E-010
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorobenzene	6.4158E-012	1.3460E-011
RCPTR_23	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.1869E-012	4.5879E-012
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorophenol	4.6893E-010	9.8376E-010
RCPTR_23	farmer_child	TOCDFDFS	Phenanthrene	1.1324E-013	2.3756E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Phenol	7.9440E-014	1.6666E-013
RCPTR_23	farmer_child	TOCDFDFS	Pronamide	8.6466E-012	1.8140E-011
RCPTR_23	farmer_child	TOCDFDFS	Pyrene	4.1380E-009	6.6713E-009
RCPTR_23	farmer_child	TOCDFDFS	Selenium	1.5538E-009	3.2598E-009
RCPTR_23	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Styrene	3.1563E-015	6.6217E-015
RCPTR_23	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1624E-010	1.6268E-010
RCPTR_23	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.2208E-010	1.7094E-010
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.1659E-012	1.9229E-011
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.4818E-014	9.4025E-014
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.5938E-017	1.8029E-016
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.5014E-011	9.4435E-011
RCPTR_23	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Toluene	1.1551E-016	2.4233E-016
RCPTR_23	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.9532E-013	6.1955E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.1181E-017	1.4933E-016
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.1606E-016	8.7286E-016
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethylene	6.8589E-017	1.4389E-016
RCPTR_23	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.5284E-018	1.9990E-017
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.2399E-011	6.7969E-011
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.9784E-011	6.2484E-011
RCPTR_23	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.5488E-015	3.2492E-015
RCPTR_23	farmer_child	TOCDFDFS	Vinyl Chloride	2.1548E-020	4.5206E-020
RCPTR_23	farmer_child	TOCDFDFS	Xylene, m-	4.0814E-016	8.5623E-016
RCPTR_23	farmer_child	TOCDFDFS	Xylene, o-	4.0297E-016	8.4539E-016
RCPTR_23	farmer_child	TOCDFDFS	Xylene, p-	6.3051E-016	1.3228E-015
RCPTR_23	farmer_child	TOCDFDFS	Zinc	1.4282E-008	2.7698E-008
RCPTR_23	farmer_child	TOCDFLIC	Acenaphthene	1.5991E-012	3.3549E-012
RCPTR_23	farmer_child	TOCDFLIC	Acetone	4.5259E-017	9.4948E-017
RCPTR_23	farmer_child	TOCDFLIC	Acetophenone	6.7209E-015	1.4100E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Aniline	4.0091E-016	8.4108E-016
RCPTR_23	farmer_child	TOCDFLIC	Anthracene	3.2376E-011	6.7922E-011
RCPTR_23	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Benzene	2.5537E-016	5.3575E-016
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.4400E-009	4.1969E-009
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.8038E-009	4.9982E-009
RCPTR_23	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	6.8573E-009	1.1935E-008
RCPTR_23	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.0406E-009	7.3507E-009
RCPTR_23	farmer_child	TOCDFLIC	Benzoic acid	1.5365E-014	3.2234E-014
RCPTR_23	farmer_child	TOCDFLIC	Benzyl alcohol	1.4577E-012	3.0580E-012
RCPTR_23	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	9.1425E-015	1.9180E-014
RCPTR_23	farmer_child	TOCDFLIC	Bromodichloromethane	9.1954E-018	1.9291E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.6866E-014	3.5383E-014
RCPTR_23	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	7.4269E-010	1.2786E-009
RCPTR_23	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.1220E-012	6.5496E-012
RCPTR_23	farmer_child	TOCDFLIC	Cadmium	3.8106E-008	7.1613E-008
RCPTR_23	farmer_child	TOCDFLIC	Carbon disulfide	5.9888E-017	1.2564E-016
RCPTR_23	farmer_child	TOCDFLIC	Carbon tetrachloride	1.2275E-015	2.5752E-015
RCPTR_23	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.6101E-013	1.5965E-012
RCPTR_23	farmer_child	TOCDFLIC	Chloroaniline, p-	4.2866E-014	8.9929E-014
RCPTR_23	farmer_child	TOCDFLIC	Chlorobenzene	4.9667E-016	1.0420E-015
RCPTR_23	farmer_child	TOCDFLIC	Chloroethane	5.2167E-019	1.0944E-018
RCPTR_23	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.7524E-016	9.9700E-016
RCPTR_23	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.2947E-012	9.0099E-012
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.2031E-013	2.5240E-013
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.1781E-012	1.2961E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Chrysene	3.1132E-009	5.0127E-009
RCPTR_23	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.0377E-012	4.2748E-012
RCPTR_23	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.7663E-008	1.6293E-007
RCPTR_23	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.3345E-008	3.7597E-008
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.0529E-015	1.2698E-014
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.4585E-015	1.5647E-014
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.0508E-015	1.4792E-014
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.4214E-012	9.2756E-012
RCPTR_23	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.9271E-020	8.2387E-020
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.5833E-018	3.3217E-018
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2082E-017	2.5347E-017
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.0503E-019	1.2693E-018
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.9843E-018	1.2555E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.9020E-013	1.0284E-012
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.3983E-017	7.1292E-017
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1389E-017	2.3892E-017
RCPTR_23	farmer_child	TOCDFLIC	Diethyl phthalate	3.1968E-013	6.7066E-013
RCPTR_23	farmer_child	TOCDFLIC	Dimethyl phthalate	9.9883E-013	2.0955E-012
RCPTR_23	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.2520E-014	1.7312E-013
RCPTR_23	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.7963E-014	5.8664E-014
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	7.3728E-014	1.5467E-013
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.6915E-014	1.1940E-013
RCPTR_23	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.6983E-015	3.5628E-015
RCPTR_23	farmer_child	TOCDFLIC	Ethylbenzene	1.1902E-016	2.4969E-016
RCPTR_23	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.3737E-012	1.1273E-011
RCPTR_23	farmer_child	TOCDFLIC	Fluoranthene	4.7622E-010	9.2425E-010
RCPTR_23	farmer_child	TOCDFLIC	Fluorene	6.5827E-012	1.3810E-011
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.7773E-011	6.6678E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.9532E-011	1.3896E-010
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.4398E-010	2.0102E-010
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.5230E-010	3.5219E-010
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.5076E-010	2.1053E-010
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	7.8148E-011	1.0913E-010
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.2406E-010	4.5261E-010
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.3478E-010	4.6749E-010
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.6456E-010	2.2982E-010
RCPTR_23	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6066E-013	3.3706E-013
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorobenzene	4.1211E-010	8.6295E-010
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.4777E-013	9.3939E-013
RCPTR_23	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.1518E-014	1.7102E-013
RCPTR_23	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.6550E-008	7.8167E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Isophorone	1.2317E-014	2.5841E-014
RCPTR_23	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Mercuric chloride	1.2495E-008	1.6417E-008
RCPTR_23	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	6.6703E-019	1.3994E-018
RCPTR_23	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.1744E-018	2.4637E-018
RCPTR_23	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.2135E-016	1.9329E-015
RCPTR_23	farmer_child	TOCDFLIC	Methyl mercury	3.7496E-011	4.9579E-011
RCPTR_23	farmer_child	TOCDFLIC	Methylene chloride	1.2101E-016	2.5387E-016
RCPTR_23	farmer_child	TOCDFLIC	Mustard	1.2710E-015	2.6664E-015
RCPTR_23	farmer_child	TOCDFLIC	Naphthalene	8.9922E-015	1.8865E-014
RCPTR_23	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.1061E-013	4.4183E-013
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.9707E-014	1.0428E-013
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.4224E-014	1.3474E-013
RCPTR_23	farmer_child	TOCDFLIC	Nitrobenzene	2.0861E-014	4.3764E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 2-	9.4854E-015	1.9900E-014
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 4-	9.0457E-015	1.8977E-014
RCPTR_23	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2007E-014	2.5189E-014
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.2360E-014	2.5930E-014
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.0200E-015	2.1398E-015
RCPTR_23	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1933E-011	1.6658E-011
RCPTR_23	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.6972E-012	6.5558E-012
RCPTR_23	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.9731E-010	6.9525E-010
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.3354E-010	1.0249E-009
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorobenzene	6.6308E-012	1.3911E-011
RCPTR_23	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.5123E-013	9.4665E-013
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorophenol	1.9316E-011	4.0523E-011
RCPTR_23	farmer_child	TOCDFLIC	Phenanthrene	2.3364E-014	4.9014E-014
RCPTR_23	farmer_child	TOCDFLIC	Phenol	1.6390E-014	3.4386E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Pronamide	1.7840E-012	3.7427E-012
RCPTR_23	farmer_child	TOCDFLIC	Pyrene	8.5371E-010	1.3764E-009
RCPTR_23	farmer_child	TOCDFLIC	Selenium	3.9729E-008	8.3349E-008
RCPTR_23	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Styrene	2.0070E-013	4.2104E-013
RCPTR_23	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.9386E-010	2.7132E-010
RCPTR_23	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.5784E-010	3.6101E-010
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.8912E-012	3.9675E-012
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.2979E-017	1.3212E-016
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.3408E-017	4.9108E-017
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.2880E-012	1.9485E-011
RCPTR_23	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Toluene	4.5983E-016	9.6468E-016
RCPTR_23	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.0931E-014	1.2783E-013
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.9710E-016	4.1351E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.7756E-016	3.7251E-016
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethylene	2.9272E-017	6.1410E-017
RCPTR_23	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.8692E-018	8.1171E-018
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.6846E-012	1.4024E-011
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.2226E-012	2.5648E-012
RCPTR_23	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	6.6099E-016	1.3867E-015
RCPTR_23	farmer_child	TOCDFLIC	Vinyl Chloride	2.7565E-020	5.7828E-020
RCPTR_23	farmer_child	TOCDFLIC	Xylene, m-	3.7276E-016	7.8201E-016
RCPTR_23	farmer_child	TOCDFLIC	Xylene, o-	4.2127E-016	8.8379E-016
RCPTR_23	farmer_child	TOCDFLIC	Xylene, p-	5.7586E-016	1.2081E-015
RCPTR_23	farmer_child	TOCDFLIC	Zinc	1.3087E-007	2.5379E-007
RCPTR_23	farmer_child	TOCDFMPF	Acenaphthene	2.4377E-012	5.1140E-012
RCPTR_23	farmer_child	TOCDFMPF	Acetone	1.6485E-016	3.4583E-016
RCPTR_23	farmer_child	TOCDFMPF	Acetophenone	1.0733E-014	2.2517E-014
RCPTR_23	farmer_child	TOCDFMPF	Aniline	6.1114E-016	1.2821E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Anthracene	4.9354E-011	1.0354E-010
RCPTR_23	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Aroclor 1254	1.3912E-012	2.9186E-012
RCPTR_23	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Benzene	2.2759E-016	4.7746E-016
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.7197E-009	6.3981E-009
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.2774E-009	7.6252E-009
RCPTR_23	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0454E-008	1.8196E-008
RCPTR_23	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.6925E-009	1.1218E-008
RCPTR_23	farmer_child	TOCDFMPF	Benzoic acid	6.7799E-014	1.4224E-013
RCPTR_23	farmer_child	TOCDFMPF	Benzyl alcohol	1.3888E-014	2.9135E-014
RCPTR_23	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.3936E-014	2.9237E-014
RCPTR_23	farmer_child	TOCDFMPF	Bromodichloromethane	2.7856E-016	5.8440E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.8239E-015	2.0610E-014
RCPTR_23	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1321E-009	1.9491E-009
RCPTR_23	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.7592E-012	9.9842E-012
RCPTR_23	farmer_child	TOCDFMPF	Cadmium	1.7389E-007	3.2680E-007
RCPTR_23	farmer_child	TOCDFMPF	Carbon disulfide	2.1833E-017	4.5804E-017
RCPTR_23	farmer_child	TOCDFMPF	Carbon tetrachloride	2.1322E-016	4.4731E-016
RCPTR_23	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.1601E-012	2.4337E-012
RCPTR_23	farmer_child	TOCDFMPF	Chloroaniline, p-	6.5344E-014	1.3708E-013
RCPTR_23	farmer_child	TOCDFMPF	Chlorobenzene	8.8856E-016	1.8641E-015
RCPTR_23	farmer_child	TOCDFMPF	Chloroethane	5.1260E-018	1.0754E-017
RCPTR_23	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.4902E-016	3.1264E-016
RCPTR_23	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.5467E-012	1.3734E-011
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.8339E-013	3.8474E-013
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.4177E-012	1.9757E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Chrysene	4.7464E-009	7.6422E-009
RCPTR_23	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.0099E-011	4.2165E-011
RCPTR_23	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.6607E-007	1.6071E-006
RCPTR_23	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.5653E-008	5.7420E-008
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.2269E-015	1.9357E-014
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.1369E-014	2.3852E-014
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.0748E-014	2.2548E-014
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.3521E-011	2.8365E-011
RCPTR_23	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.2208E-019	6.7569E-019
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.7965E-017	1.0063E-016
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.9206E-017	1.2421E-016
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.8329E-017	3.8452E-017
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.9325E-017	6.1520E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.4724E-013	1.5676E-012
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.6652E-016	3.4935E-016
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.4129E-017	1.1356E-016
RCPTR_23	farmer_child	TOCDFMPF	Diethyl phthalate	3.1532E-012	6.6151E-012
RCPTR_23	farmer_child	TOCDFMPF	Dimethyl phthalate	1.0636E-013	2.2312E-013
RCPTR_23	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.2579E-013	2.6390E-013
RCPTR_23	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.2549E-014	8.9264E-014
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.1239E-013	2.3578E-013
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	8.6759E-014	1.8201E-013
RCPTR_23	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.5888E-015	5.4310E-015
RCPTR_23	farmer_child	TOCDFMPF	Ethylbenzene	5.5594E-016	1.1663E-015
RCPTR_23	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.6928E-013	2.0335E-012
RCPTR_23	farmer_child	TOCDFMPF	Fluoranthene	7.2594E-010	1.4089E-009
RCPTR_23	farmer_child	TOCDFMPF	Fluorene	1.0035E-011	2.1051E-011
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.8616E-010	2.5982E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.5647E-010	2.1845E-010
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.6848E-010	2.3523E-010
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	7.2030E-011	1.0055E-010
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.3495E-011	4.6775E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.8458E-011	2.5776E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.3999E-011	8.9386E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.2285E-011	4.5082E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4886E-011	2.0789E-011
RCPTR_23	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.4491E-013	5.1380E-013
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorobenzene	6.2821E-010	1.3155E-009
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	6.8257E-013	1.4320E-012
RCPTR_23	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2426E-013	2.6069E-013
RCPTR_23	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.1093E-008	1.1938E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Isophorone	1.8776E-014	3.9391E-014
RCPTR_23	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Mercuric chloride	2.1183E-007	2.7832E-007
RCPTR_23	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.4417E-018	7.2204E-018
RCPTR_23	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.9989E-019	4.1935E-019
RCPTR_23	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.8632E-016	3.9087E-016
RCPTR_23	farmer_child	TOCDFMPF	Methyl mercury	6.3568E-010	8.4052E-010
RCPTR_23	farmer_child	TOCDFMPF	Methylene chloride	9.4901E-017	1.9909E-016
RCPTR_23	farmer_child	TOCDFMPF	Mustard	9.0182E-015	1.8919E-014
RCPTR_23	farmer_child	TOCDFMPF	Naphthalene	8.8695E-014	1.8607E-013
RCPTR_23	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.2046E-013	6.7229E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 3-	7.5634E-014	1.5867E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 4-	9.7723E-014	2.0501E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitrobenzene	3.1800E-014	6.6713E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.4459E-014	3.0334E-014
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.3764E-013	2.8875E-013
RCPTR_23	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.8303E-014	3.8397E-014
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.8841E-014	3.9527E-014
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.5548E-015	3.2619E-015
RCPTR_23	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.5895E-010	1.0594E-009
RCPTR_23	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.3254E-010	7.4325E-010
RCPTR_23	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.5965E-011	3.6300E-011
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.9133E-011	6.8651E-011
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorobenzene	2.0179E-012	4.2333E-012
RCPTR_23	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.8660E-013	1.4404E-012
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorophenol	1.4722E-010	3.0886E-010
RCPTR_23	farmer_child	TOCDFMPF	Phenanthrene	3.5615E-014	7.4716E-014
RCPTR_23	farmer_child	TOCDFMPF	Phenol	2.4985E-014	5.2416E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Pronamide	2.7195E-012	5.7052E-012
RCPTR_23	farmer_child	TOCDFMPF	Pyrene	1.3014E-009	2.0981E-009
RCPTR_23	farmer_child	TOCDFMPF	Selenium	6.9628E-010	1.4607E-009
RCPTR_23	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Styrene	4.5635E-015	9.5739E-015
RCPTR_23	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3141E-011	3.2387E-011
RCPTR_23	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.5480E-010	3.5676E-010
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.8828E-012	6.0479E-012
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.9079E-015	4.0025E-015
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.7972E-016	3.7704E-016
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4133E-011	2.9649E-011
RCPTR_23	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFMPF	Toluene	3.0764E-016	6.4539E-016
RCPTR_23	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.2882E-014	1.9486E-013
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.1537E-016	2.4203E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	8.7010E-016	1.8254E-015
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethylene	1.4344E-016	3.0092E-016
RCPTR_23	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.9815E-016	8.3529E-016
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0190E-011	2.1377E-011
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.8636E-012	3.9097E-012
RCPTR_23	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.2390E-015	6.7951E-015
RCPTR_23	farmer_child	TOCDFMPF	Vinyl Chloride	7.5421E-020	1.5823E-019
RCPTR_23	farmer_child	TOCDFMPF	Xylene, m-	3.7205E-016	7.8053E-016
RCPTR_23	farmer_child	TOCDFMPF	Xylene, o-	4.2047E-016	8.8211E-016
RCPTR_23	farmer_child	TOCDFMPF	Xylene, p-	5.7477E-016	1.2058E-015
RCPTR_23	farmer_child	TOCDFMPF	Zinc	3.7237E-008	7.2215E-008
RCPTR_23	farmer_child	TOCDHVAC	Mustard	2.2803E-015	4.7838E-015
RCPTR_23	farmer_child	TOCDLIC2	Acenaphthene	1.5991E-012	3.3549E-012
RCPTR_23	farmer_child	TOCDLIC2	Acetone	4.5259E-017	9.4948E-017
RCPTR_23	farmer_child	TOCDLIC2	Acetophenone	6.7209E-015	1.4100E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Aniline	4.0091E-016	8.4108E-016
RCPTR_23	farmer_child	TOCDLIC2	Anthracene	3.2376E-011	6.7922E-011
RCPTR_23	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Benzene	2.5537E-016	5.3575E-016
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.4400E-009	4.1969E-009
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.8038E-009	4.9982E-009
RCPTR_23	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	6.8573E-009	1.1935E-008
RCPTR_23	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.0406E-009	7.3507E-009
RCPTR_23	farmer_child	TOCDLIC2	Benzoic acid	1.5365E-014	3.2234E-014
RCPTR_23	farmer_child	TOCDLIC2	Benzyl alcohol	1.4577E-012	3.0580E-012
RCPTR_23	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.1425E-015	1.9180E-014
RCPTR_23	farmer_child	TOCDLIC2	Bromodichloromethane	9.1954E-018	1.9291E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.6866E-014	3.5383E-014
RCPTR_23	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	7.4269E-010	1.2786E-009
RCPTR_23	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.1220E-012	6.5496E-012
RCPTR_23	farmer_child	TOCDLIC2	Cadmium	3.8106E-008	7.1613E-008
RCPTR_23	farmer_child	TOCDLIC2	Carbon disulfide	5.9888E-017	1.2564E-016
RCPTR_23	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2275E-015	2.5752E-015
RCPTR_23	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.6101E-013	1.5965E-012
RCPTR_23	farmer_child	TOCDLIC2	Chloroaniline, p-	4.2866E-014	8.9929E-014
RCPTR_23	farmer_child	TOCDLIC2	Chlorobenzene	4.9667E-016	1.0420E-015
RCPTR_23	farmer_child	TOCDLIC2	Chloroethane	5.2167E-019	1.0944E-018
RCPTR_23	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.7524E-016	9.9700E-016
RCPTR_23	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.2947E-012	9.0099E-012
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.2031E-013	2.5240E-013
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.1781E-012	1.2961E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Chrysene	3.1132E-009	5.0127E-009
RCPTR_23	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.0377E-012	4.2748E-012
RCPTR_23	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.7663E-008	1.6293E-007
RCPTR_23	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.3345E-008	3.7597E-008
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.0529E-015	1.2698E-014
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.4585E-015	1.5647E-014
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.0508E-015	1.4792E-014
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.4214E-012	9.2756E-012
RCPTR_23	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.9271E-020	8.2387E-020
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.5833E-018	3.3217E-018
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2082E-017	2.5347E-017
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.0503E-019	1.2693E-018
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.9843E-018	1.2555E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.9020E-013	1.0284E-012
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.3983E-017	7.1292E-017
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1389E-017	2.3892E-017
RCPTR_23	farmer_child	TOCDLIC2	Diethyl phthalate	3.1968E-013	6.7066E-013
RCPTR_23	farmer_child	TOCDLIC2	Dimethyl phthalate	9.9883E-013	2.0955E-012
RCPTR_23	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.2520E-014	1.7312E-013
RCPTR_23	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.7963E-014	5.8664E-014
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	7.3728E-014	1.5467E-013
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.6915E-014	1.1940E-013
RCPTR_23	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.6983E-015	3.5628E-015
RCPTR_23	farmer_child	TOCDLIC2	Ethylbenzene	1.1902E-016	2.4969E-016
RCPTR_23	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.3737E-012	1.1273E-011
RCPTR_23	farmer_child	TOCDLIC2	Fluoranthene	4.7622E-010	9.2425E-010
RCPTR_23	farmer_child	TOCDLIC2	Fluorene	6.5827E-012	1.3810E-011
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.7773E-011	6.6678E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	9.9532E-011	1.3896E-010
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.4398E-010	2.0102E-010
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.5230E-010	3.5219E-010
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.5076E-010	2.1053E-010
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.8148E-011	1.0913E-010
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.2406E-010	4.5261E-010
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.3478E-010	4.6749E-010
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.6456E-010	2.2982E-010
RCPTR_23	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.6066E-013	3.3706E-013
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorobenzene	4.1211E-010	8.6295E-010
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	4.4777E-013	9.3939E-013
RCPTR_23	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.1518E-014	1.7102E-013
RCPTR_23	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.6550E-008	7.8167E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Isophorone	1.2317E-014	2.5841E-014
RCPTR_23	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Mercuric chloride	1.2495E-008	1.6417E-008
RCPTR_23	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	6.6703E-019	1.3994E-018
RCPTR_23	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.1744E-018	2.4637E-018
RCPTR_23	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.2135E-016	1.9329E-015
RCPTR_23	farmer_child	TOCDLIC2	Methyl mercury	3.7496E-011	4.9579E-011
RCPTR_23	farmer_child	TOCDLIC2	Methylene chloride	1.2101E-016	2.5387E-016
RCPTR_23	farmer_child	TOCDLIC2	Mustard	1.3213E-015	2.7720E-015
RCPTR_23	farmer_child	TOCDLIC2	Naphthalene	8.9922E-015	1.8865E-014
RCPTR_23	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.1061E-013	4.4183E-013
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.9707E-014	1.0428E-013
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.4224E-014	1.3474E-013
RCPTR_23	farmer_child	TOCDLIC2	Nitrobenzene	2.0861E-014	4.3764E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 2-	9.4854E-015	1.9900E-014
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 4-	9.0457E-014	1.8977E-013
RCPTR_23	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2007E-014	2.5189E-014
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.2360E-014	2.5930E-014
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.0200E-015	2.1398E-015
RCPTR_23	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1933E-011	1.6658E-011
RCPTR_23	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.6972E-012	6.5558E-012
RCPTR_23	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.9731E-010	6.9525E-010
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.3354E-010	1.0249E-009
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorobenzene	6.6308E-012	1.3911E-011
RCPTR_23	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.5123E-013	9.4665E-013
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorophenol	1.9316E-011	4.0523E-011
RCPTR_23	farmer_child	TOCDLIC2	Phenanthrene	2.3364E-014	4.9014E-014
RCPTR_23	farmer_child	TOCDLIC2	Phenol	1.6390E-014	3.4386E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Pronamide	1.7840E-012	3.7427E-012
RCPTR_23	farmer_child	TOCDLIC2	Pyrene	8.5371E-010	1.3764E-009
RCPTR_23	farmer_child	TOCDLIC2	Selenium	3.9729E-008	8.3349E-008
RCPTR_23	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Styrene	2.0070E-013	4.2104E-013
RCPTR_23	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9386E-010	2.7132E-010
RCPTR_23	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.5784E-010	3.6101E-010
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.8912E-012	3.9675E-012
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.2979E-017	1.3212E-016
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3408E-017	4.9108E-017
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.2880E-012	1.9485E-011
RCPTR_23	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Toluene	4.5983E-016	9.6468E-016
RCPTR_23	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.0931E-014	1.2783E-013
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.9710E-016	4.1351E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.7756E-016	3.7251E-016
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethylene	2.9272E-017	6.1410E-017
RCPTR_23	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.8692E-018	8.1171E-018
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.6846E-012	1.4024E-011
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2226E-012	2.5648E-012
RCPTR_23	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	6.6099E-016	1.3867E-015
RCPTR_23	farmer_child	TOCDLIC2	Vinyl Chloride	2.7565E-020	5.7828E-020
RCPTR_23	farmer_child	TOCDLIC2	Xylene, m-	7.7462E-016	1.6251E-015
RCPTR_23	farmer_child	TOCDLIC2	Xylene, o-	8.7543E-016	1.8366E-015
RCPTR_23	farmer_child	TOCDLIC2	Xylene, p-	1.1967E-015	2.5105E-015
RCPTR_23	farmer_child	TOCDLIC2	Zinc	1.3087E-007	2.5379E-007
RCPTR_24	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFBRA	Cadmium	3.3981E-009	4.0005E-008
RCPTR_24	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Mercuric chloride	1.9297E-005	2.0312E-005
RCPTR_24	farmer_adult	TOCDFBRA	Methyl mercury	5.1768E-008	6.1341E-008
RCPTR_24	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Selenium	2.2360E-009	3.1273E-008
RCPTR_24	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFBRA	Zinc	1.1290E-008	1.4091E-007
RCPTR_24	farmer_adult	TOCDFDFS	Acenaphthene	1.4023E-012	1.9612E-011
RCPTR_24	farmer_adult	TOCDFDFS	Acetone	1.2204E-017	1.7069E-016
RCPTR_24	farmer_adult	TOCDFDFS	Acetophenone	6.1958E-015	8.6655E-014
RCPTR_24	farmer_adult	TOCDFDFS	Aniline	3.5155E-016	4.9168E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Anthracene	2.8390E-011	3.9706E-010
RCPTR_24	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Aroclor 1254	4.3257E-013	6.0500E-012
RCPTR_24	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Benzene	4.4788E-017	6.2641E-016
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.5733E-009	2.4456E-008
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.6810E-009	2.8067E-008
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.0620E-009	6.9422E-008
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.6142E-009	4.0556E-008
RCPTR_24	farmer_adult	TOCDFDFS	Benzoic acid	3.9001E-015	5.4547E-014
RCPTR_24	farmer_adult	TOCDFDFS	Benzyl alcohol	7.9886E-015	1.1173E-013
RCPTR_24	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.0168E-015	1.1212E-013
RCPTR_24	farmer_adult	TOCDFDFS	Bromodichloromethane	1.4469E-017	2.0237E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.3454E-015	3.2803E-014
RCPTR_24	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	7.8441E-010	7.4745E-009
RCPTR_24	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.7351E-012	3.8253E-011
RCPTR_24	farmer_adult	TOCDFDFS	Cadmium	1.4761E-009	1.7378E-008
RCPTR_24	farmer_adult	TOCDFDFS	Carbon disulfide	7.9668E-018	1.1142E-016
RCPTR_24	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.3077E-017	1.8290E-016
RCPTR_24	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.6731E-013	9.3330E-012
RCPTR_24	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.7588E-014	5.2571E-013
RCPTR_24	farmer_adult	TOCDFDFS	Chlorobenzene	7.6871E-017	1.0751E-015
RCPTR_24	farmer_adult	TOCDFDFS	Chloroethane	2.2115E-019	3.0930E-018
RCPTR_24	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.9576E-018	1.3927E-016
RCPTR_24	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.7659E-012	5.2670E-011
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0550E-013	1.4755E-012
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.4174E-012	7.5768E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Chrysene	3.8537E-009	2.9096E-008
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1558E-011	1.6166E-010
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.3959E-007	6.1481E-006
RCPTR_24	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.5124E-008	1.8989E-007
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.3077E-015	7.4233E-014
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.5402E-015	9.1471E-014
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.1826E-015	8.6470E-014
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	7.7214E-012	1.0799E-010
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.7497E-020	2.4471E-019
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.1496E-018	5.8036E-017
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.1220E-018	7.1637E-017
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.5857E-018	2.2177E-017
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.5369E-018	3.5482E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.2984E-013	6.0118E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.4406E-017	2.0149E-016
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.6828E-018	6.5494E-017
RCPTR_24	farmer_adult	TOCDFDFS	Diethyl phthalate	1.8138E-012	2.5368E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.2435E-014	1.2928E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.2360E-014	1.0120E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.4519E-014	3.4292E-013
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.4649E-014	9.0418E-013
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.9907E-014	6.9800E-013
RCPTR_24	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.4892E-015	2.0828E-014
RCPTR_24	farmer_adult	TOCDFDFS	Ethylbenzene	4.8095E-017	6.7266E-016
RCPTR_24	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	6.1362E-013	8.5821E-012
RCPTR_24	farmer_adult	TOCDFDFS	Fluoranthene	4.3224E-010	5.4020E-009
RCPTR_24	farmer_adult	TOCDFDFS	Fluorene	5.7722E-012	8.0730E-011
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.1485E-012	8.5112E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.7399E-012	4.7208E-012
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.3435E-012	9.0718E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.5568E-011	1.2336E-010
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.6245E-011	7.1410E-011
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.2564E-011	3.4186E-011
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.7745E-011	4.8365E-011
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.9175E-011	5.2132E-011
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.0171E-011	2.7687E-011
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.4088E-013	1.9704E-012
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.6143E-010	5.0446E-009
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.9264E-013	5.4915E-012
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.1481E-014	9.9974E-013
RCPTR_24	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.4740E-008	3.9457E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Isophorone	1.0801E-014	1.5106E-013
RCPTR_24	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Mercuric chloride	7.7445E-009	8.1520E-009
RCPTR_24	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.7923E-019	2.5068E-018
RCPTR_24	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.5264E-020	4.9320E-019
RCPTR_24	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.7591E-017	1.2251E-015
RCPTR_24	farmer_adult	TOCDFDFS	Methyl mercury	2.0776E-011	2.4618E-011
RCPTR_24	farmer_adult	TOCDFDFS	Methylene chloride	5.3025E-018	7.4161E-017
RCPTR_24	farmer_adult	TOCDFDFS	Mustard	6.3376E-016	8.8638E-015
RCPTR_24	farmer_adult	TOCDFDFS	Naphthalene	5.1021E-014	7.1358E-013
RCPTR_24	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8467E-013	2.5828E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.3585E-014	6.0958E-013
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.6314E-014	7.8760E-013
RCPTR_24	farmer_adult	TOCDFDFS	Nitrobenzene	1.8293E-014	2.5584E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.3176E-015	1.1633E-013
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.9316E-014	1.1093E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0528E-014	1.4725E-013
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0838E-014	1.5158E-013
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.9440E-016	1.2509E-014
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.4780E-013	2.2950E-012
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.5696E-013	9.6443E-013
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.3620E-011	2.0303E-010
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.2103E-011	2.5230E-010
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1608E-012	1.6234E-011
RCPTR_24	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.9566E-013	5.5337E-012
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorophenol	8.4839E-011	1.1866E-009
RCPTR_24	farmer_adult	TOCDFDFS	Phenanthrene	2.0487E-014	2.8653E-013
RCPTR_24	farmer_adult	TOCDFDFS	Phenol	1.4372E-014	2.0101E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Pronamide	1.5644E-012	2.1879E-011
RCPTR_24	farmer_adult	TOCDFDFS	Pyrene	1.0598E-009	8.0450E-009
RCPTR_24	farmer_adult	TOCDFDFS	Selenium	2.3203E-010	3.2452E-009
RCPTR_24	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Styrene	5.7105E-016	7.9867E-015
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.8181E-011	1.9054E-010
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	7.2254E-011	2.0290E-010
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.6583E-012	2.3193E-011
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.1086E-015	1.1341E-013
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.5548E-017	2.1746E-016
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	8.1440E-012	1.1390E-010
RCPTR_24	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Toluene	2.0898E-017	2.9228E-016
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.3429E-014	7.4726E-013
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.2878E-017	1.8011E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.5275E-017	1.0528E-015
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethylene	1.2409E-017	1.7356E-016
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.7239E-018	2.4110E-017
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.8616E-012	8.1980E-011
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.3886E-012	7.5365E-011
RCPTR_24	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.8021E-016	3.9190E-015
RCPTR_24	farmer_adult	TOCDFDFS	Vinyl Chloride	3.8985E-021	5.4525E-020
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, m-	7.3841E-017	1.0327E-015
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, o-	7.2906E-017	1.0197E-015
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, p-	1.1407E-016	1.5954E-015
RCPTR_24	farmer_adult	TOCDFDFS	Zinc	2.2092E-009	2.7573E-008
RCPTR_24	farmer_adult	TOCDFLIC	Acenaphthene	2.8973E-013	4.0522E-012
RCPTR_24	farmer_adult	TOCDFLIC	Acetone	8.2000E-018	1.1469E-016
RCPTR_24	farmer_adult	TOCDFLIC	Acetophenone	1.2177E-015	1.7031E-014
RCPTR_24	farmer_adult	TOCDFLIC	Aniline	7.2638E-017	1.0159E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Anthracene	5.8659E-012	8.2040E-011
RCPTR_24	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Benzene	4.6269E-017	6.4711E-016
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)anthracene	5.3098E-010	5.0463E-009
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)pyrene	5.4442E-010	5.6994E-009
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.4561E-009	1.4314E-008
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.9369E-009	8.1704E-009
RCPTR_24	farmer_adult	TOCDFLIC	Benzoic acid	2.7838E-015	3.8934E-014
RCPTR_24	farmer_adult	TOCDFLIC	Benzyl alcohol	2.6410E-013	3.6937E-012
RCPTR_24	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.6564E-015	2.3167E-014
RCPTR_24	farmer_adult	TOCDFLIC	Bromodichloromethane	1.6660E-018	2.3301E-017
RCPTR_24	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.0557E-015	4.2738E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6207E-010	1.5444E-009
RCPTR_24	farmer_adult	TOCDFLIC	Butylbenzylphthalate	5.6491E-013	7.9009E-012
RCPTR_24	farmer_adult	TOCDFLIC	Cadmium	6.0368E-009	7.1071E-008
RCPTR_24	farmer_adult	TOCDFLIC	Carbon disulfide	1.0851E-017	1.5176E-016
RCPTR_24	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.2240E-016	3.1106E-015
RCPTR_24	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3788E-013	1.9284E-012
RCPTR_24	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.7665E-015	1.0862E-013
RCPTR_24	farmer_adult	TOCDFLIC	Chlorobenzene	8.9986E-017	1.2586E-015
RCPTR_24	farmer_adult	TOCDFLIC	Chloroethane	9.4516E-020	1.3219E-018
RCPTR_24	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.6104E-017	1.2042E-015
RCPTR_24	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	7.7812E-013	1.0883E-011
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.1798E-014	3.0486E-013
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1193E-012	1.5655E-011
RCPTR_24	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Chrysene	7.9387E-010	5.9938E-009
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.6905E-013	5.1615E-012
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.4023E-008	1.9612E-007
RCPTR_24	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.9478E-009	3.7395E-008
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0967E-015	1.5338E-014
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.3513E-015	1.8900E-014
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.2775E-015	1.7867E-014
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	7.9629E-013	1.1137E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.1152E-021	9.9513E-020
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.8687E-019	4.0122E-018
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1891E-018	3.0616E-017
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0962E-019	1.5331E-018
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0842E-018	1.5164E-017
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	8.8814E-014	1.2422E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.1570E-018	8.6111E-017
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.0634E-018	2.8859E-017
RCPTR_24	farmer_adult	TOCDFLIC	Diethyl phthalate	5.7920E-014	8.1006E-013
RCPTR_24	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.8097E-013	2.5310E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.4951E-014	2.0910E-013
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	5.0663E-015	7.0857E-014
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.3358E-014	1.8682E-013
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.0312E-014	1.4422E-013
RCPTR_24	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.0769E-016	4.3034E-015
RCPTR_24	farmer_adult	TOCDFLIC	Ethylbenzene	2.1564E-017	3.0160E-016
RCPTR_24	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.7130E-013	1.3585E-011
RCPTR_24	farmer_adult	TOCDFLIC	Fluoranthene	8.9303E-011	1.1161E-009
RCPTR_24	farmer_adult	TOCDFLIC	Fluorene	1.1927E-012	1.6681E-011
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.6050E-011	7.0420E-011
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.4604E-011	1.4816E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	7.8410E-011	2.1275E-010
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.4028E-010	3.7974E-010
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	8.2258E-011	2.2381E-010
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.2340E-011	1.1520E-010
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.7819E-010	4.8568E-010
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.8475E-010	5.0229E-010
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.0840E-011	2.4728E-010
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.9109E-014	4.0712E-013
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.4679E-011	1.0423E-009
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	8.1128E-014	1.1347E-012
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.4769E-014	2.0657E-013
RCPTR_24	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	8.8089E-009	7.7688E-008
RCPTR_24	farmer_adult	TOCDFLIC	Isophorone	2.2317E-015	3.1212E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Mercuric chloride	1.8728E-008	1.9714E-008
RCPTR_24	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.2085E-019	1.6903E-018
RCPTR_24	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.1277E-019	2.9758E-018
RCPTR_24	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.6693E-016	2.3347E-015
RCPTR_24	farmer_adult	TOCDFLIC	Methyl mercury	5.0243E-011	5.9534E-011
RCPTR_24	farmer_adult	TOCDFLIC	Methylene chloride	2.1925E-017	3.0665E-016
RCPTR_24	farmer_adult	TOCDFLIC	Mustard	2.3028E-016	3.2207E-015
RCPTR_24	farmer_adult	TOCDFLIC	Naphthalene	1.6292E-015	2.2786E-014
RCPTR_24	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.8158E-014	5.3368E-013
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 3-	9.0059E-015	1.2596E-013
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1636E-014	1.6274E-013
RCPTR_24	farmer_adult	TOCDFLIC	Nitrobenzene	3.7796E-015	5.2862E-014
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.7186E-015	2.4036E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.6389E-015	2.2922E-014
RCPTR_24	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.1754E-015	3.0425E-014
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.2394E-015	3.1320E-014
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.8480E-016	2.5846E-015
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.4463E-012	1.7450E-011
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.5418E-012	6.8675E-012
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.8498E-010	7.8590E-010
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.2656E-010	1.1685E-009
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.2014E-012	1.6802E-011
RCPTR_24	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.1755E-014	1.1434E-012
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorophenol	3.4997E-012	4.8947E-011
RCPTR_24	farmer_adult	TOCDFLIC	Phenanthrene	4.2330E-015	5.9203E-014
RCPTR_24	farmer_adult	TOCDFLIC	Phenol	2.9696E-015	4.1533E-014
RCPTR_24	farmer_adult	TOCDFLIC	Pronamide	3.2323E-013	4.5207E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Pyrene	2.1897E-010	1.6622E-009
RCPTR_24	farmer_adult	TOCDFLIC	Selenium	5.9143E-009	8.2718E-008
RCPTR_24	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Styrene	3.6362E-014	5.0857E-013
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1394E-010	3.1842E-010
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5287E-010	4.2928E-010
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.4264E-013	4.7922E-012
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.1411E-017	1.5959E-016
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.2411E-018	5.9316E-017
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.6828E-012	2.3536E-011
RCPTR_24	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Toluene	8.3312E-017	1.1652E-015
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.1040E-014	1.5440E-013
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.5711E-017	4.9946E-016
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.2171E-017	4.4995E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethylene	5.3035E-018	7.4175E-017
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.0102E-019	9.8044E-018
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.2111E-012	1.6939E-011
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.2150E-013	3.0979E-012
RCPTR_24	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1976E-016	1.6749E-015
RCPTR_24	farmer_adult	TOCDFLIC	Vinyl Chloride	4.9942E-021	6.9848E-020
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, m-	6.7537E-017	9.4457E-016
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, o-	7.6327E-017	1.0675E-015
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, p-	1.0433E-016	1.4592E-015
RCPTR_24	farmer_adult	TOCDFLIC	Zinc	2.0180E-008	2.5187E-007
RCPTR_24	farmer_adult	TOCDFMPF	Acenaphthene	4.4134E-013	6.1726E-012
RCPTR_24	farmer_adult	TOCDFMPF	Acetone	2.9845E-017	4.1742E-016
RCPTR_24	farmer_adult	TOCDFMPF	Acetophenone	1.9432E-015	2.7177E-014
RCPTR_24	farmer_adult	TOCDFMPF	Aniline	1.1065E-016	1.5475E-015
RCPTR_24	farmer_adult	TOCDFMPF	Anthracene	8.9354E-012	1.2497E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Aroclor 1254	2.5181E-013	3.5219E-012
RCPTR_24	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Benzene	4.1205E-017	5.7629E-016
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)anthracene	8.0883E-010	7.6869E-009
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)pyrene	8.2934E-010	8.6822E-009
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.2180E-009	2.1804E-008
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.9507E-009	1.2447E-008
RCPTR_24	farmer_adult	TOCDFMPF	Benzoic acid	1.2275E-014	1.7168E-013
RCPTR_24	farmer_adult	TOCDFMPF	Benzyl alcohol	2.5143E-015	3.5165E-014
RCPTR_24	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.5232E-015	3.5289E-014
RCPTR_24	farmer_adult	TOCDFMPF	Bromodichloromethane	5.0433E-017	7.0536E-016
RCPTR_24	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.7786E-015	2.4876E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.4688E-010	2.3525E-009
RCPTR_24	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.6051E-013	1.2035E-011
RCPTR_24	farmer_adult	TOCDFMPF	Cadmium	2.7531E-008	3.2412E-007
RCPTR_24	farmer_adult	TOCDFMPF	Carbon disulfide	3.9529E-018	5.5285E-017
RCPTR_24	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.8603E-017	5.3990E-016
RCPTR_24	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.1003E-013	2.9375E-012
RCPTR_24	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.1830E-014	1.6546E-013
RCPTR_24	farmer_adult	TOCDFMPF	Chlorobenzene	1.6087E-016	2.2500E-015
RCPTR_24	farmer_adult	TOCDFMPF	Chloroethane	9.2806E-019	1.2980E-017
RCPTR_24	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.6981E-017	3.7735E-016
RCPTR_24	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.1853E-012	1.6577E-011
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.3204E-014	4.6438E-013
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7051E-012	2.3847E-011
RCPTR_24	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Chrysene	1.2093E-009	9.1303E-009
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.6375E-012	5.0874E-011
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.3822E-007	1.9331E-006
RCPTR_24	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	7.5517E-009	5.7075E-008
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.6705E-015	2.3364E-014
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.0584E-015	2.8789E-014
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.9459E-015	2.7215E-014
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.4332E-012	3.4030E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.8312E-020	8.1555E-019
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.6841E-018	1.2146E-016
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0719E-017	1.4992E-016
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.3184E-018	4.6411E-017
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.3092E-018	7.4255E-017
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3529E-013	1.8921E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.0149E-017	4.2166E-016
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.8000E-018	1.3706E-016
RCPTR_24	farmer_adult	TOCDFMPF	Diethyl phthalate	5.7088E-013	7.9843E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.9256E-014	2.6931E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.2774E-014	3.1852E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.7033E-015	1.0774E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.0347E-014	2.8458E-013
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.5707E-014	2.1968E-013
RCPTR_24	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.6870E-016	6.5552E-015
RCPTR_24	farmer_adult	TOCDFMPF	Ethylbenzene	1.0065E-016	1.4077E-015
RCPTR_24	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.7507E-013	2.4485E-012
RCPTR_24	farmer_adult	TOCDFMPF	Fluoranthene	1.3603E-010	1.7001E-009
RCPTR_24	farmer_adult	TOCDFMPF	Fluorene	1.8167E-012	2.5409E-011
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.0127E-010	2.7376E-010
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	8.5646E-011	2.3238E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.1539E-011	2.4837E-010
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.9963E-011	1.0818E-010
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.8234E-011	4.9613E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.9765E-012	2.7145E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.5115E-011	9.5708E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.7778E-011	4.8333E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.1994E-012	2.2320E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.4341E-014	6.2015E-013
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.1376E-010	1.5877E-009
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.2358E-013	1.7284E-012
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.2498E-014	3.1466E-013
RCPTR_24	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3445E-008	1.1857E-007
RCPTR_24	farmer_adult	TOCDFMPF	Isophorone	3.3994E-015	4.7545E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Mercuric chloride	3.1725E-007	3.3395E-007
RCPTR_24	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.2313E-019	8.7150E-018
RCPTR_24	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.6190E-020	5.0615E-019
RCPTR_24	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.3732E-017	4.7178E-016
RCPTR_24	farmer_adult	TOCDFMPF	Methyl mercury	8.5110E-010	1.0085E-009
RCPTR_24	farmer_adult	TOCDFMPF	Methylene chloride	1.7182E-017	2.4030E-016
RCPTR_24	farmer_adult	TOCDFMPF	Mustard	1.6327E-015	2.2835E-014
RCPTR_24	farmer_adult	TOCDFMPF	Naphthalene	1.6058E-014	2.2459E-013
RCPTR_24	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.8019E-014	8.1145E-013
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.3694E-014	1.9152E-013
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.7693E-014	2.4745E-013
RCPTR_24	farmer_adult	TOCDFMPF	Nitrobenzene	5.7574E-015	8.0522E-014
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.6178E-015	3.6613E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.4919E-014	3.4852E-013
RCPTR_24	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.3137E-015	4.6345E-014
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.4112E-015	4.7709E-014
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.8150E-016	3.9371E-015
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0897E-010	1.1071E-009
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.8746E-010	7.7667E-010
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.4856E-011	4.0969E-011
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.8529E-011	7.8150E-011
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.6533E-013	5.1096E-012
RCPTR_24	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2431E-013	1.7386E-012
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorophenol	2.6655E-011	3.7280E-010
RCPTR_24	farmer_adult	TOCDFMPF	Phenanthrene	6.4480E-015	9.0182E-014
RCPTR_24	farmer_adult	TOCDFMPF	Phenol	4.5235E-015	6.3266E-014
RCPTR_24	farmer_adult	TOCDFMPF	Pronamide	4.9236E-013	6.8862E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Pyrene	3.3356E-010	2.5319E-009
RCPTR_24	farmer_adult	TOCDFMPF	Selenium	1.0358E-010	1.4487E-009
RCPTR_24	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Styrene	8.2623E-016	1.1556E-014
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3586E-011	3.7968E-011
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.5093E-010	4.2384E-010
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.2193E-013	7.2998E-012
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.4542E-016	4.8310E-015
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.2538E-017	4.5508E-016
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.5587E-012	3.5786E-011
RCPTR_24	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Toluene	5.5698E-017	7.7899E-016
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.6816E-014	2.3519E-013
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.0887E-017	2.9213E-016
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.5753E-016	2.2032E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethylene	2.5970E-017	3.6321E-016
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.2086E-017	1.0082E-015
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.8449E-012	2.5802E-011
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.3741E-013	4.7190E-012
RCPTR_24	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.8641E-016	8.2016E-015
RCPTR_24	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3655E-020	1.9098E-019
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, m-	6.7360E-017	9.4209E-016
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, o-	7.6126E-017	1.0647E-015
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, p-	1.0406E-016	1.4554E-015
RCPTR_24	farmer_adult	TOCDFMPF	Zinc	5.7384E-009	7.1622E-008
RCPTR_24	farmer_adult	TOCDHVAC	Mustard	4.3678E-016	6.1088E-015
RCPTR_24	farmer_adult	TOCDLIC2	Acenaphthene	2.8973E-013	4.0522E-012
RCPTR_24	farmer_adult	TOCDLIC2	Acetone	8.2000E-018	1.1469E-016
RCPTR_24	farmer_adult	TOCDLIC2	Acetophenone	1.2177E-015	1.7031E-014
RCPTR_24	farmer_adult	TOCDLIC2	Aniline	7.2638E-017	1.0159E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Anthracene	5.8659E-012	8.2040E-011
RCPTR_24	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Benzene	4.6269E-017	6.4711E-016
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.3098E-010	5.0463E-009
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.4442E-010	5.6994E-009
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.4561E-009	1.4314E-008
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.9369E-009	8.1704E-009
RCPTR_24	farmer_adult	TOCDLIC2	Benzoic acid	2.7838E-015	3.8934E-014
RCPTR_24	farmer_adult	TOCDLIC2	Benzyl alcohol	2.6410E-013	3.6937E-012
RCPTR_24	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.6564E-015	2.3167E-014
RCPTR_24	farmer_adult	TOCDLIC2	Bromodichloromethane	1.6660E-018	2.3301E-017
RCPTR_24	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.0557E-015	4.2738E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.6207E-010	1.5444E-009
RCPTR_24	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.6491E-013	7.9009E-012
RCPTR_24	farmer_adult	TOCDLIC2	Cadmium	6.0368E-009	7.1071E-008
RCPTR_24	farmer_adult	TOCDLIC2	Carbon disulfide	1.0851E-017	1.5176E-016
RCPTR_24	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.2240E-016	3.1106E-015
RCPTR_24	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.3788E-013	1.9284E-012
RCPTR_24	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.7665E-015	1.0862E-013
RCPTR_24	farmer_adult	TOCDLIC2	Chlorobenzene	8.9986E-017	1.2586E-015
RCPTR_24	farmer_adult	TOCDLIC2	Chloroethane	9.4516E-020	1.3219E-018
RCPTR_24	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.6104E-017	1.2042E-015
RCPTR_24	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	7.7812E-013	1.0883E-011
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.1798E-014	3.0486E-013
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1193E-012	1.5655E-011
RCPTR_24	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Chrysene	7.9387E-010	5.9938E-009
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.6905E-013	5.1615E-012
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.4023E-008	1.9612E-007
RCPTR_24	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.9478E-009	3.7395E-008
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.0967E-015	1.5338E-014
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3513E-015	1.8900E-014
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.2775E-015	1.7867E-014
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.9629E-013	1.1137E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.1152E-021	9.9513E-020
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.8687E-019	4.0122E-018
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1891E-018	3.0616E-017
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0962E-019	1.5331E-018
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0842E-018	1.5164E-017
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	8.8814E-014	1.2422E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.1570E-018	8.6111E-017
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.0634E-018	2.8859E-017
RCPTR_24	farmer_adult	TOCDLIC2	Diethyl phthalate	5.7920E-014	8.1006E-013
RCPTR_24	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.8097E-013	2.5310E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.4951E-014	2.0910E-013
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	5.0663E-015	7.0857E-014
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.3358E-014	1.8682E-013
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.0312E-014	1.4422E-013
RCPTR_24	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.0769E-016	4.3034E-015
RCPTR_24	farmer_adult	TOCDLIC2	Ethylbenzene	2.1564E-017	3.0160E-016
RCPTR_24	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.7130E-013	1.3585E-011
RCPTR_24	farmer_adult	TOCDLIC2	Fluoranthene	8.9303E-011	1.1161E-009
RCPTR_24	farmer_adult	TOCDLIC2	Fluorene	1.1927E-012	1.6681E-011
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.6050E-011	7.0420E-011
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.4604E-011	1.4816E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.8410E-011	2.1275E-010
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4028E-010	3.7974E-010
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.2258E-011	2.2381E-010
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.2340E-011	1.1520E-010
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.7819E-010	4.8568E-010
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.8475E-010	5.0229E-010
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.0840E-011	2.4728E-010
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.9109E-014	4.0712E-013
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorobenzene	7.4679E-011	1.0423E-009
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	8.1128E-014	1.1347E-012
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.4769E-014	2.0657E-013
RCPTR_24	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.8089E-009	7.7688E-008
RCPTR_24	farmer_adult	TOCDLIC2	Isophorone	2.2317E-015	3.1212E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Mercuric chloride	1.8728E-008	1.9714E-008
RCPTR_24	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.2085E-019	1.6903E-018
RCPTR_24	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.1277E-019	2.9758E-018
RCPTR_24	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.6693E-016	2.3347E-015
RCPTR_24	farmer_adult	TOCDLIC2	Methyl mercury	5.0243E-011	5.9534E-011
RCPTR_24	farmer_adult	TOCDLIC2	Methylene chloride	2.1925E-017	3.0665E-016
RCPTR_24	farmer_adult	TOCDLIC2	Mustard	2.3940E-016	3.3482E-015
RCPTR_24	farmer_adult	TOCDLIC2	Naphthalene	1.6292E-015	2.2786E-014
RCPTR_24	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.8158E-014	5.3368E-013
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 3-	9.0059E-015	1.2596E-013
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.1636E-014	1.6274E-013
RCPTR_24	farmer_adult	TOCDLIC2	Nitrobenzene	3.7796E-015	5.2862E-014
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.7186E-015	2.4036E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.6389E-014	2.2922E-013
RCPTR_24	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.1754E-015	3.0425E-014
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.2394E-015	3.1320E-014
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.8480E-016	2.5846E-015
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.4463E-012	1.7450E-011
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5418E-012	6.8675E-012
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.8498E-010	7.8590E-010
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.2656E-010	1.1685E-009
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.2014E-012	1.6802E-011
RCPTR_24	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.1755E-014	1.1434E-012
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorophenol	3.4997E-012	4.8947E-011
RCPTR_24	farmer_adult	TOCDLIC2	Phenanthrene	4.2330E-015	5.9203E-014
RCPTR_24	farmer_adult	TOCDLIC2	Phenol	2.9696E-015	4.1533E-014
RCPTR_24	farmer_adult	TOCDLIC2	Pronamide	3.2323E-013	4.5207E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Pyrene	2.1897E-010	1.6622E-009
RCPTR_24	farmer_adult	TOCDLIC2	Selenium	5.9143E-009	8.2718E-008
RCPTR_24	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Styrene	3.6362E-014	5.0857E-013
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1394E-010	3.1842E-010
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5287E-010	4.2928E-010
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.4264E-013	4.7922E-012
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.1411E-017	1.5959E-016
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.2411E-018	5.9316E-017
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.6828E-012	2.3536E-011
RCPTR_24	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Toluene	8.3312E-017	1.1652E-015
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.1040E-014	1.5440E-013
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.5711E-017	4.9946E-016
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.2171E-017	4.4995E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethylene	5.3035E-018	7.4175E-017
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.0102E-019	9.8044E-018
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.2111E-012	1.6939E-011
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.2150E-013	3.0979E-012
RCPTR_24	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.1976E-016	1.6749E-015
RCPTR_24	farmer_adult	TOCDLIC2	Vinyl Chloride	4.9942E-021	6.9848E-020
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, m-	1.4035E-016	1.9629E-015
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, o-	1.5861E-016	2.2183E-015
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, p-	2.1681E-016	3.0324E-015
RCPTR_24	farmer_adult	TOCDLIC2	Zinc	2.0180E-008	2.5187E-007
RCPTR_24	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Cadmium	2.1288E-008	4.0005E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Mercuric chloride	1.5459E-005	2.0312E-005
RCPTR_24	farmer_child	TOCDFBRA	Methyl mercury	4.6392E-008	6.1341E-008
RCPTR_24	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Selenium	1.4907E-008	3.1273E-008
RCPTR_24	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFBRA	Zinc	7.2658E-008	1.4091E-007
RCPTR_24	farmer_child	TOCDFDFS	Acenaphthene	9.3483E-012	1.9612E-011
RCPTR_24	farmer_child	TOCDFDFS	Acetone	8.1361E-017	1.7069E-016
RCPTR_24	farmer_child	TOCDFDFS	Acetophenone	4.1306E-014	8.6655E-014
RCPTR_24	farmer_child	TOCDFDFS	Aniline	2.3437E-015	4.9168E-015
RCPTR_24	farmer_child	TOCDFDFS	Anthracene	1.8927E-010	3.9706E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Aroclor 1254	2.8838E-012	6.0500E-012
RCPTR_24	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Benzene	2.9859E-016	6.2641E-016
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.4218E-008	2.4456E-008
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.5744E-008	2.8067E-008
RCPTR_24	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.9886E-008	6.9422E-008
RCPTR_24	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.7811E-008	4.0556E-008
RCPTR_24	farmer_child	TOCDFDFS	Benzoic acid	2.6001E-014	5.4547E-014
RCPTR_24	farmer_child	TOCDFDFS	Benzyl alcohol	5.3258E-014	1.1173E-013
RCPTR_24	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.3445E-014	1.1212E-013
RCPTR_24	farmer_child	TOCDFDFS	Bromodichloromethane	9.6463E-017	2.0237E-016
RCPTR_24	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.5636E-014	3.2803E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.3416E-009	7.4745E-009
RCPTR_24	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.8234E-011	3.8253E-011
RCPTR_24	farmer_child	TOCDFDFS	Cadmium	9.2469E-009	1.7378E-008
RCPTR_24	farmer_child	TOCDFDFS	Carbon disulfide	5.3112E-017	1.1142E-016
RCPTR_24	farmer_child	TOCDFDFS	Carbon tetrachloride	8.7182E-017	1.8290E-016
RCPTR_24	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.4487E-012	9.3330E-012
RCPTR_24	farmer_child	TOCDFDFS	Chloroaniline, p-	2.5059E-013	5.2571E-013
RCPTR_24	farmer_child	TOCDFDFS	Chlorobenzene	5.1248E-016	1.0751E-015
RCPTR_24	farmer_child	TOCDFDFS	Chloroethane	1.4743E-018	3.0930E-018
RCPTR_24	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.6384E-017	1.3927E-016
RCPTR_24	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.5106E-011	5.2670E-011
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.0331E-013	1.4755E-012
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.6116E-011	7.5768E-011
RCPTR_24	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Chrysene	1.8071E-008	2.9096E-008
RCPTR_24	farmer_child	TOCDFDFS	Di-n-butyl phthalate	7.7056E-011	1.6166E-010
RCPTR_24	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.9306E-006	6.1481E-006
RCPTR_24	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1790E-007	1.8989E-007
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.5385E-014	7.4233E-014
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.3601E-014	9.1471E-014
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	4.1218E-014	8.6470E-014
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.1476E-011	1.0799E-010
RCPTR_24	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1665E-019	2.4471E-019
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.7664E-017	5.8036E-017
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4147E-017	7.1637E-017
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0571E-017	2.2177E-017
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.6913E-017	3.5482E-017
RCPTR_24	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.8656E-012	6.0118E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.6041E-017	2.0149E-016
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.1219E-017	6.5494E-017
RCPTR_24	farmer_child	TOCDFDFS	Diethyl phthalate	1.2092E-011	2.5368E-011
RCPTR_24	farmer_child	TOCDFDFS	Dimethyl phthalate	6.1623E-013	1.2928E-012
RCPTR_24	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.8240E-013	1.0120E-012
RCPTR_24	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6346E-013	3.4292E-013
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.3099E-013	9.0418E-013
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.3271E-013	6.9800E-013
RCPTR_24	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.9278E-015	2.0828E-014
RCPTR_24	farmer_child	TOCDFDFS	Ethylbenzene	3.2064E-016	6.7266E-016
RCPTR_24	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.0908E-012	8.5821E-012
RCPTR_24	farmer_child	TOCDFDFS	Fluoranthene	2.7834E-009	5.4020E-009
RCPTR_24	farmer_child	TOCDFDFS	Fluorene	3.8481E-011	8.0730E-011
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.0980E-012	8.5112E-012
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.3813E-012	4.7208E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	6.4977E-012	9.0718E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.8370E-011	1.2336E-010
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.1136E-011	7.1410E-011
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.4480E-011	3.4186E-011
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.4628E-011	4.8365E-011
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.7333E-011	5.2132E-011
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.9825E-011	2.7687E-011
RCPTR_24	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.3921E-013	1.9704E-012
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorobenzene	2.4091E-009	5.0446E-009
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.6176E-012	5.4915E-012
RCPTR_24	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.7654E-013	9.9974E-013
RCPTR_24	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3497E-007	3.9457E-007
RCPTR_24	farmer_child	TOCDFDFS	Isophorone	7.2006E-014	1.5106E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Mercuric chloride	6.2043E-009	8.1520E-009
RCPTR_24	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.1949E-018	2.5068E-018
RCPTR_24	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.3509E-019	4.9320E-019
RCPTR_24	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.8394E-016	1.2251E-015
RCPTR_24	farmer_child	TOCDFDFS	Methyl mercury	1.8619E-011	2.4618E-011
RCPTR_24	farmer_child	TOCDFDFS	Methylene chloride	3.5350E-017	7.4161E-017
RCPTR_24	farmer_child	TOCDFDFS	Mustard	4.2251E-015	8.8638E-015
RCPTR_24	farmer_child	TOCDFDFS	Naphthalene	3.4014E-013	7.1358E-013
RCPTR_24	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.2311E-012	2.5828E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.9057E-013	6.0958E-013
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.7542E-013	7.8760E-013
RCPTR_24	farmer_child	TOCDFDFS	Nitrobenzene	1.2195E-013	2.5584E-013
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.5450E-014	1.1633E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.2877E-013	1.1093E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.0189E-014	1.4725E-013
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.2255E-014	1.5158E-013
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.9627E-015	1.2509E-014
RCPTR_24	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.6441E-012	2.2950E-012
RCPTR_24	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.9102E-013	9.6443E-013
RCPTR_24	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.4522E-010	2.0303E-010
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8057E-010	2.5230E-010
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorobenzene	7.7384E-012	1.6234E-011
RCPTR_24	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.6377E-012	5.5337E-012
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorophenol	5.6559E-010	1.1866E-009
RCPTR_24	farmer_child	TOCDFDFS	Phenanthrene	1.3658E-013	2.8653E-013
RCPTR_24	farmer_child	TOCDFDFS	Phenol	9.5816E-014	2.0101E-013
RCPTR_24	farmer_child	TOCDFDFS	Pronamide	1.0429E-011	2.1879E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Pyrene	4.9900E-009	8.0450E-009
RCPTR_24	farmer_child	TOCDFDFS	Selenium	1.5469E-009	3.2452E-009
RCPTR_24	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Styrene	3.8070E-015	7.9867E-015
RCPTR_24	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3614E-010	1.9054E-010
RCPTR_24	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4491E-010	2.0290E-010
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1055E-011	2.3193E-011
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	5.4058E-014	1.1341E-013
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0365E-016	2.1746E-016
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.4293E-011	1.1390E-010
RCPTR_24	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Toluene	1.3932E-016	2.9228E-016
RCPTR_24	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.5620E-013	7.4726E-013
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.5855E-017	1.8011E-016
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.0183E-016	1.0528E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethylene	8.2729E-017	1.7356E-016
RCPTR_24	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1493E-017	2.4110E-017
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.9077E-011	8.1980E-011
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.5924E-011	7.5365E-011
RCPTR_24	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.8681E-015	3.9190E-015
RCPTR_24	farmer_child	TOCDFDFS	Vinyl Chloride	2.5990E-020	5.4525E-020
RCPTR_24	farmer_child	TOCDFDFS	Xylene, m-	4.9227E-016	1.0327E-015
RCPTR_24	farmer_child	TOCDFDFS	Xylene, o-	4.8604E-016	1.0197E-015
RCPTR_24	farmer_child	TOCDFDFS	Xylene, p-	7.6049E-016	1.5954E-015
RCPTR_24	farmer_child	TOCDFDFS	Zinc	1.4218E-008	2.7573E-008
RCPTR_24	farmer_child	TOCDFLIC	Acenaphthene	1.9316E-012	4.0522E-012
RCPTR_24	farmer_child	TOCDFLIC	Acetone	5.4667E-017	1.1469E-016
RCPTR_24	farmer_child	TOCDFLIC	Acetophenone	8.1179E-015	1.7031E-014
RCPTR_24	farmer_child	TOCDFLIC	Aniline	4.8425E-016	1.0159E-015
RCPTR_24	farmer_child	TOCDFLIC	Anthracene	3.9106E-011	8.2040E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Benzene	3.0846E-016	6.4711E-016
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.9339E-009	5.0463E-009
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.1971E-009	5.6994E-009
RCPTR_24	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	8.2239E-009	1.4314E-008
RCPTR_24	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.6028E-009	8.1704E-009
RCPTR_24	farmer_child	TOCDFLIC	Benzoic acid	1.8559E-014	3.8934E-014
RCPTR_24	farmer_child	TOCDFLIC	Benzyl alcohol	1.7607E-012	3.6937E-012
RCPTR_24	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.1043E-014	2.3167E-014
RCPTR_24	farmer_child	TOCDFLIC	Bromodichloromethane	1.1107E-017	2.3301E-017
RCPTR_24	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.0372E-014	4.2738E-014
RCPTR_24	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.9707E-010	1.5444E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.7661E-012	7.9009E-012
RCPTR_24	farmer_child	TOCDFLIC	Cadmium	3.7818E-008	7.1071E-008
RCPTR_24	farmer_child	TOCDFLIC	Carbon disulfide	7.2338E-017	1.5176E-016
RCPTR_24	farmer_child	TOCDFLIC	Carbon tetrachloride	1.4827E-015	3.1106E-015
RCPTR_24	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.1920E-013	1.9284E-012
RCPTR_24	farmer_child	TOCDFLIC	Chloroaniline, p-	5.1777E-014	1.0862E-013
RCPTR_24	farmer_child	TOCDFLIC	Chlorobenzene	5.9991E-016	1.2586E-015
RCPTR_24	farmer_child	TOCDFLIC	Chloroethane	6.3011E-019	1.3219E-018
RCPTR_24	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.7402E-016	1.2042E-015
RCPTR_24	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.1874E-012	1.0883E-011
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.4532E-013	3.0486E-013
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.4623E-012	1.5655E-011
RCPTR_24	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Chrysene	3.7226E-009	5.9938E-009
RCPTR_24	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.4603E-012	5.1615E-012
RCPTR_24	farmer_child	TOCDFLIC	Di-n-octylphthalate	9.3486E-008	1.9612E-007
RCPTR_24	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.3219E-008	3.7395E-008
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.3112E-015	1.5338E-014
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	9.0089E-015	1.8900E-014
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.5164E-015	1.7867E-014
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.3086E-012	1.1137E-011
RCPTR_24	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.7434E-020	9.9513E-020
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.9125E-018	4.0122E-018
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4594E-017	3.0616E-017
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.3080E-019	1.5331E-018
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.2283E-018	1.5164E-017
RCPTR_24	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.9210E-013	1.2422E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.1046E-017	8.6111E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3756E-017	2.8859E-017
RCPTR_24	farmer_child	TOCDFLIC	Diethyl phthalate	3.8613E-013	8.1006E-013
RCPTR_24	farmer_child	TOCDFLIC	Dimethyl phthalate	1.2064E-012	2.5310E-012
RCPTR_24	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	9.9673E-014	2.0910E-013
RCPTR_24	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.3775E-014	7.0857E-014
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.9051E-014	1.8682E-013
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.8745E-014	1.4422E-013
RCPTR_24	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.0513E-015	4.3034E-015
RCPTR_24	farmer_child	TOCDFLIC	Ethylbenzene	1.4376E-016	3.0160E-016
RCPTR_24	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.4753E-012	1.3585E-011
RCPTR_24	farmer_child	TOCDFLIC	Fluoranthene	5.7506E-010	1.1161E-009
RCPTR_24	farmer_child	TOCDFLIC	Fluorene	7.9511E-012	1.6681E-011
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.0454E-011	7.0420E-011
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0612E-010	1.4816E-010
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.5238E-010	2.1275E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.7204E-010	3.7974E-010
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.6027E-010	2.2381E-010
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	8.2495E-011	1.1520E-010
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.4774E-010	4.8568E-010
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.5971E-010	5.0229E-010
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.7706E-010	2.4728E-010
RCPTR_24	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9406E-013	4.0712E-013
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorobenzene	4.9777E-010	1.0423E-009
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.4085E-013	1.1347E-012
RCPTR_24	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.8463E-014	2.0657E-013
RCPTR_24	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.6264E-008	7.7688E-008
RCPTR_24	farmer_child	TOCDFLIC	Isophorone	1.4878E-014	3.1212E-014
RCPTR_24	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Mercuric chloride	1.5004E-008	1.9714E-008
RCPTR_24	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.0569E-019	1.6903E-018
RCPTR_24	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4185E-018	2.9758E-018
RCPTR_24	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1129E-015	2.3347E-015
RCPTR_24	farmer_child	TOCDFLIC	Methyl mercury	4.5025E-011	5.9534E-011
RCPTR_24	farmer_child	TOCDFLIC	Methylene chloride	1.4617E-016	3.0665E-016
RCPTR_24	farmer_child	TOCDFLIC	Mustard	1.5352E-015	3.2207E-015
RCPTR_24	farmer_child	TOCDFLIC	Naphthalene	1.0861E-014	2.2786E-014
RCPTR_24	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.5439E-013	5.3368E-013
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.0040E-014	1.2596E-013
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.7574E-014	1.6274E-013
RCPTR_24	farmer_child	TOCDFLIC	Nitrobenzene	2.5197E-014	5.2862E-014
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.1457E-014	2.4036E-014
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.0926E-014	2.2922E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4502E-014	3.0425E-014
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4929E-014	3.1320E-014
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.2320E-015	2.5846E-015
RCPTR_24	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2501E-011	1.7450E-011
RCPTR_24	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.9206E-012	6.8675E-012
RCPTR_24	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.6215E-010	7.8590E-010
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.3626E-010	1.1685E-009
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorobenzene	8.0091E-012	1.6802E-011
RCPTR_24	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.4503E-013	1.1434E-012
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorophenol	2.3331E-011	4.8947E-011
RCPTR_24	farmer_child	TOCDFLIC	Phenanthrene	2.8220E-014	5.9203E-014
RCPTR_24	farmer_child	TOCDFLIC	Phenol	1.9798E-014	4.1533E-014
RCPTR_24	farmer_child	TOCDFLIC	Pronamide	2.1549E-012	4.5207E-012
RCPTR_24	farmer_child	TOCDFLIC	Pyrene	1.0310E-009	1.6622E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Selenium	3.9429E-008	8.2718E-008
RCPTR_24	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Styrene	2.4242E-013	5.0857E-013
RCPTR_24	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.2751E-010	3.1842E-010
RCPTR_24	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.0660E-010	4.2928E-010
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.2843E-012	4.7922E-012
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.6071E-017	1.5959E-016
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.8274E-017	5.9316E-017
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1219E-011	2.3536E-011
RCPTR_24	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Toluene	5.5541E-016	1.1652E-015
RCPTR_24	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.3597E-014	1.5440E-013
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.3808E-016	4.9946E-016
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.1447E-016	4.4995E-016
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethylene	3.5357E-017	7.4175E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.6734E-018	9.8044E-018
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	8.0742E-012	1.6939E-011
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4767E-012	3.0979E-012
RCPTR_24	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.9838E-016	1.6749E-015
RCPTR_24	farmer_child	TOCDFLIC	Vinyl Chloride	3.3294E-020	6.9848E-020
RCPTR_24	farmer_child	TOCDFLIC	Xylene, m-	4.5025E-016	9.4457E-016
RCPTR_24	farmer_child	TOCDFLIC	Xylene, o-	5.0884E-016	1.0675E-015
RCPTR_24	farmer_child	TOCDFLIC	Xylene, p-	6.9557E-016	1.4592E-015
RCPTR_24	farmer_child	TOCDFLIC	Zinc	1.2988E-007	2.5187E-007
RCPTR_24	farmer_child	TOCDFMPF	Acenaphthene	2.9423E-012	6.1726E-012
RCPTR_24	farmer_child	TOCDFMPF	Acetone	1.9897E-016	4.1742E-016
RCPTR_24	farmer_child	TOCDFMPF	Acetophenone	1.2955E-014	2.7177E-014
RCPTR_24	farmer_child	TOCDFMPF	Aniline	7.3764E-016	1.5475E-015
RCPTR_24	farmer_child	TOCDFMPF	Anthracene	5.9569E-011	1.2497E-010
RCPTR_24	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Aroclor 1254	1.6788E-012	3.5219E-012
RCPTR_24	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Benzene	2.7470E-016	5.7629E-016
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.4691E-009	7.6869E-009
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.8703E-009	8.6822E-009
RCPTR_24	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.2527E-008	2.1804E-008
RCPTR_24	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	8.5352E-009	1.2447E-008
RCPTR_24	farmer_child	TOCDFMPF	Benzoic acid	8.1834E-014	1.7168E-013
RCPTR_24	farmer_child	TOCDFMPF	Benzyl alcohol	1.6762E-014	3.5165E-014
RCPTR_24	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.6821E-014	3.5289E-014
RCPTR_24	farmer_child	TOCDFMPF	Bromodichloromethane	3.3622E-016	7.0536E-016
RCPTR_24	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1857E-014	2.4876E-014
RCPTR_24	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3665E-009	2.3525E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.7368E-012	1.2035E-011
RCPTR_24	farmer_child	TOCDFMPF	Cadmium	1.7247E-007	3.2412E-007
RCPTR_24	farmer_child	TOCDFMPF	Carbon disulfide	2.6353E-017	5.5285E-017
RCPTR_24	farmer_child	TOCDFMPF	Carbon tetrachloride	2.5735E-016	5.3990E-016
RCPTR_24	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4002E-012	2.9375E-012
RCPTR_24	farmer_child	TOCDFMPF	Chloroaniline, p-	7.8870E-014	1.6546E-013
RCPTR_24	farmer_child	TOCDFMPF	Chlorobenzene	1.0725E-015	2.2500E-015
RCPTR_24	farmer_child	TOCDFMPF	Chloroethane	6.1871E-018	1.2980E-017
RCPTR_24	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.7987E-016	3.7735E-016
RCPTR_24	farmer_child	TOCDFMPF	Chloronaphthalene,2-	7.9018E-012	1.6577E-011
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.2136E-013	4.6438E-013
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1367E-011	2.3847E-011
RCPTR_24	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Chrysene	5.6705E-009	9.1303E-009
RCPTR_24	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.4250E-011	5.0874E-011
RCPTR_24	farmer_child	TOCDFMPF	Di-n-octylphthalate	9.2144E-007	1.9331E-006
RCPTR_24	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.5439E-008	5.7075E-008
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.1137E-014	2.3364E-014
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.3723E-014	2.8789E-014
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2973E-014	2.7215E-014
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.6221E-011	3.4030E-011
RCPTR_24	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.8875E-019	8.1555E-019
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.7894E-017	1.2146E-016
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.1461E-017	1.4992E-016
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.2123E-017	4.6411E-017
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.5395E-017	7.4255E-017
RCPTR_24	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	9.0192E-013	1.8921E-012
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.0099E-016	4.2166E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.5333E-017	1.3706E-016
RCPTR_24	farmer_child	TOCDFMPF	Diethyl phthalate	3.8059E-012	7.9843E-012
RCPTR_24	farmer_child	TOCDFMPF	Dimethyl phthalate	1.2837E-013	2.6931E-013
RCPTR_24	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.5183E-013	3.1852E-013
RCPTR_24	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	5.1355E-014	1.0774E-013
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.3565E-013	2.8458E-013
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0472E-013	2.1968E-013
RCPTR_24	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.1247E-015	6.5552E-015
RCPTR_24	farmer_child	TOCDFMPF	Ethylbenzene	6.7101E-016	1.4077E-015
RCPTR_24	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1671E-012	2.4485E-012
RCPTR_24	farmer_child	TOCDFMPF	Fluoranthene	8.7596E-010	1.7001E-009
RCPTR_24	farmer_child	TOCDFMPF	Fluorene	1.2112E-011	2.5409E-011
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9614E-010	2.7376E-010
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6644E-010	2.3238E-010
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.7790E-010	2.4837E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	7.7499E-011	1.0818E-010
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.5527E-011	4.9613E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.9438E-011	2.7145E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.8525E-011	9.5708E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.4613E-011	4.8333E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5982E-011	2.2320E-011
RCPTR_24	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.9561E-013	6.2015E-013
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorobenzene	7.5823E-010	1.5877E-009
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	8.2386E-013	1.7284E-012
RCPTR_24	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4999E-013	3.1466E-013
RCPTR_24	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	7.0612E-008	1.1857E-007
RCPTR_24	farmer_child	TOCDFMPF	Isophorone	2.2663E-014	4.7545E-014
RCPTR_24	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Mercuric chloride	2.5416E-007	3.3395E-007
RCPTR_24	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.1542E-018	8.7150E-018
RCPTR_24	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.4127E-019	5.0615E-019
RCPTR_24	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.2488E-016	4.7178E-016
RCPTR_24	farmer_child	TOCDFMPF	Methyl mercury	7.6271E-010	1.0085E-009
RCPTR_24	farmer_child	TOCDFMPF	Methylene chloride	1.1454E-016	2.4030E-016
RCPTR_24	farmer_child	TOCDFMPF	Mustard	1.0885E-014	2.2835E-014
RCPTR_24	farmer_child	TOCDFMPF	Naphthalene	1.0705E-013	2.2459E-013
RCPTR_24	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.8679E-013	8.1145E-013
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 3-	9.1290E-014	1.9152E-013
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.1795E-013	2.4745E-013
RCPTR_24	farmer_child	TOCDFMPF	Nitrobenzene	3.8382E-014	8.0522E-014
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.7452E-014	3.6613E-014
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.6613E-013	3.4852E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.2091E-014	4.6345E-014
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.2741E-014	4.7709E-014
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.8767E-015	3.9371E-015
RCPTR_24	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.9309E-010	1.1071E-009
RCPTR_24	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.5649E-010	7.7667E-010
RCPTR_24	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.9305E-011	4.0969E-011
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.5931E-011	7.8150E-011
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorobenzene	2.4356E-012	5.1096E-012
RCPTR_24	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.2872E-013	1.7386E-012
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorophenol	1.7770E-010	3.7280E-010
RCPTR_24	farmer_child	TOCDFMPF	Phenanthrene	4.2987E-014	9.0182E-014
RCPTR_24	farmer_child	TOCDFMPF	Phenol	3.0157E-014	6.3266E-014
RCPTR_24	farmer_child	TOCDFMPF	Pronamide	3.2824E-012	6.8862E-012
RCPTR_24	farmer_child	TOCDFMPF	Pyrene	1.5705E-009	2.5319E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Selenium	6.9056E-010	1.4487E-009
RCPTR_24	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Styrene	5.5082E-015	1.1556E-014
RCPTR_24	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.7128E-011	3.7968E-011
RCPTR_24	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.0271E-010	4.2384E-010
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.4796E-012	7.2998E-012
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3028E-015	4.8310E-015
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.1692E-016	4.5508E-016
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7058E-011	3.5786E-011
RCPTR_24	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Toluene	3.7132E-016	7.7899E-016
RCPTR_24	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1211E-013	2.3519E-013
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.3925E-016	2.9213E-016
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.0502E-015	2.2032E-015
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethylene	1.7313E-016	3.6321E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.8057E-016	1.0082E-015
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2299E-011	2.5802E-011
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2494E-012	4.7190E-012
RCPTR_24	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.9094E-015	8.2016E-015
RCPTR_24	farmer_child	TOCDFMPF	Vinyl Chloride	9.1033E-020	1.9098E-019
RCPTR_24	farmer_child	TOCDFMPF	Xylene, m-	4.4906E-016	9.4209E-016
RCPTR_24	farmer_child	TOCDFMPF	Xylene, o-	5.0751E-016	1.0647E-015
RCPTR_24	farmer_child	TOCDFMPF	Xylene, p-	6.9374E-016	1.4554E-015
RCPTR_24	farmer_child	TOCDFMPF	Zinc	3.6932E-008	7.1622E-008
RCPTR_24	farmer_child	TOCDHVAC	Mustard	2.9119E-015	6.1088E-015
RCPTR_24	farmer_child	TOCDLIC2	Acenaphthene	1.9316E-012	4.0522E-012
RCPTR_24	farmer_child	TOCDLIC2	Acetone	5.4667E-017	1.1469E-016
RCPTR_24	farmer_child	TOCDLIC2	Acetophenone	8.1179E-015	1.7031E-014
RCPTR_24	farmer_child	TOCDLIC2	Aniline	4.8425E-016	1.0159E-015
RCPTR_24	farmer_child	TOCDLIC2	Anthracene	3.9106E-011	8.2040E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Benzene	3.0846E-016	6.4711E-016
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.9339E-009	5.0463E-009
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.1971E-009	5.6994E-009
RCPTR_24	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	8.2239E-009	1.4314E-008
RCPTR_24	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.6028E-009	8.1704E-009
RCPTR_24	farmer_child	TOCDLIC2	Benzoic acid	1.8559E-014	3.8934E-014
RCPTR_24	farmer_child	TOCDLIC2	Benzyl alcohol	1.7607E-012	3.6937E-012
RCPTR_24	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.1043E-014	2.3167E-014
RCPTR_24	farmer_child	TOCDLIC2	Bromodichloromethane	1.1107E-017	2.3301E-017
RCPTR_24	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.0372E-014	4.2738E-014
RCPTR_24	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	8.9707E-010	1.5444E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.7661E-012	7.9009E-012
RCPTR_24	farmer_child	TOCDLIC2	Cadmium	3.7818E-008	7.1071E-008
RCPTR_24	farmer_child	TOCDLIC2	Carbon disulfide	7.2338E-017	1.5176E-016
RCPTR_24	farmer_child	TOCDLIC2	Carbon tetrachloride	1.4827E-015	3.1106E-015
RCPTR_24	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	9.1920E-013	1.9284E-012
RCPTR_24	farmer_child	TOCDLIC2	Chloroaniline, p-	5.1777E-014	1.0862E-013
RCPTR_24	farmer_child	TOCDLIC2	Chlorobenzene	5.9991E-016	1.2586E-015
RCPTR_24	farmer_child	TOCDLIC2	Chloroethane	6.3011E-019	1.3219E-018
RCPTR_24	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.7402E-016	1.2042E-015
RCPTR_24	farmer_child	TOCDLIC2	Chloronaphthalene,2-	5.1874E-012	1.0883E-011
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.4532E-013	3.0486E-013
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.4623E-012	1.5655E-011
RCPTR_24	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Chrysene	3.7226E-009	5.9938E-009
RCPTR_24	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.4603E-012	5.1615E-012
RCPTR_24	farmer_child	TOCDLIC2	Di-n-octylphthalate	9.3486E-008	1.9612E-007
RCPTR_24	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.3219E-008	3.7395E-008
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	7.3112E-015	1.5338E-014
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	9.0089E-015	1.8900E-014
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	8.5164E-015	1.7867E-014
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.3086E-012	1.1137E-011
RCPTR_24	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.7434E-020	9.9513E-020
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.9125E-018	4.0122E-018
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4594E-017	3.0616E-017
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.3080E-019	1.5331E-018
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.2283E-018	1.5164E-017
RCPTR_24	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.9210E-013	1.2422E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.1046E-017	8.6111E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3756E-017	2.8859E-017
RCPTR_24	farmer_child	TOCDLIC2	Diethyl phthalate	3.8613E-013	8.1006E-013
RCPTR_24	farmer_child	TOCDLIC2	Dimethyl phthalate	1.2064E-012	2.5310E-012
RCPTR_24	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	9.9673E-014	2.0910E-013
RCPTR_24	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.3775E-014	7.0857E-014
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.9051E-014	1.8682E-013
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.8745E-014	1.4422E-013
RCPTR_24	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.0513E-015	4.3034E-015
RCPTR_24	farmer_child	TOCDLIC2	Ethylbenzene	1.4376E-016	3.0160E-016
RCPTR_24	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.4753E-012	1.3585E-011
RCPTR_24	farmer_child	TOCDLIC2	Fluoranthene	5.7506E-010	1.1161E-009
RCPTR_24	farmer_child	TOCDLIC2	Fluorene	7.9511E-012	1.6681E-011
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.0454E-011	7.0420E-011
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0612E-010	1.4816E-010
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.5238E-010	2.1275E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.7204E-010	3.7974E-010
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.6027E-010	2.2381E-010
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.2495E-011	1.1520E-010
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.4774E-010	4.8568E-010
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.5971E-010	5.0229E-010
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.7706E-010	2.4728E-010
RCPTR_24	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9406E-013	4.0712E-013
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorobenzene	4.9777E-010	1.0423E-009
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.4085E-013	1.1347E-012
RCPTR_24	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.8463E-014	2.0657E-013
RCPTR_24	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.6264E-008	7.7688E-008
RCPTR_24	farmer_child	TOCDLIC2	Isophorone	1.4878E-014	3.1212E-014
RCPTR_24	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Mercuric chloride	1.5004E-008	1.9714E-008
RCPTR_24	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.0569E-019	1.6903E-018
RCPTR_24	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4185E-018	2.9758E-018
RCPTR_24	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1129E-015	2.3347E-015
RCPTR_24	farmer_child	TOCDLIC2	Methyl mercury	4.5025E-011	5.9534E-011
RCPTR_24	farmer_child	TOCDLIC2	Methylene chloride	1.4617E-016	3.0665E-016
RCPTR_24	farmer_child	TOCDLIC2	Mustard	1.5960E-015	3.3482E-015
RCPTR_24	farmer_child	TOCDLIC2	Naphthalene	1.0861E-014	2.2786E-014
RCPTR_24	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.5439E-013	5.3368E-013
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 3-	6.0040E-014	1.2596E-013
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.7574E-014	1.6274E-013
RCPTR_24	farmer_child	TOCDLIC2	Nitrobenzene	2.5197E-014	5.2862E-014
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.1457E-014	2.4036E-014
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.0926E-013	2.2922E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4502E-014	3.0425E-014
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.4929E-014	3.1320E-014
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.2320E-015	2.5846E-015
RCPTR_24	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2501E-011	1.7450E-011
RCPTR_24	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.9206E-012	6.8675E-012
RCPTR_24	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.6215E-010	7.8590E-010
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.3626E-010	1.1685E-009
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorobenzene	8.0091E-012	1.6802E-011
RCPTR_24	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.4503E-013	1.1434E-012
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorophenol	2.3331E-011	4.8947E-011
RCPTR_24	farmer_child	TOCDLIC2	Phenanthrene	2.8220E-014	5.9203E-014
RCPTR_24	farmer_child	TOCDLIC2	Phenol	1.9798E-014	4.1533E-014
RCPTR_24	farmer_child	TOCDLIC2	Pronamide	2.1549E-012	4.5207E-012
RCPTR_24	farmer_child	TOCDLIC2	Pyrene	1.0310E-009	1.6622E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Selenium	3.9429E-008	8.2718E-008
RCPTR_24	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Styrene	2.4242E-013	5.0857E-013
RCPTR_24	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.2751E-010	3.1842E-010
RCPTR_24	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.0660E-010	4.2928E-010
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.2843E-012	4.7922E-012
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.6071E-017	1.5959E-016
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8274E-017	5.9316E-017
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1219E-011	2.3536E-011
RCPTR_24	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Toluene	5.5541E-016	1.1652E-015
RCPTR_24	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.3597E-014	1.5440E-013
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.3808E-016	4.9946E-016
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.1447E-016	4.4995E-016
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethylene	3.5357E-017	7.4175E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.6734E-018	9.8044E-018
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	8.0742E-012	1.6939E-011
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4767E-012	3.0979E-012
RCPTR_24	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.9838E-016	1.6749E-015
RCPTR_24	farmer_child	TOCDLIC2	Vinyl Chloride	3.3294E-020	6.9848E-020
RCPTR_24	farmer_child	TOCDLIC2	Xylene, m-	9.3564E-016	1.9629E-015
RCPTR_24	farmer_child	TOCDLIC2	Xylene, o-	1.0574E-015	2.2183E-015
RCPTR_24	farmer_child	TOCDLIC2	Xylene, p-	1.4454E-015	3.0324E-015
RCPTR_24	farmer_child	TOCDLIC2	Zinc	1.2988E-007	2.5187E-007
RCPTR_25	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Cadmium	5.2343E-008	6.1623E-007
RCPTR_25	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Mercuric chloride	1.9910E-004	2.0957E-004
RCPTR_25	farmer_adult	TOCDFBRA	Methyl mercury	5.3412E-007	6.3289E-007
RCPTR_25	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Selenium	3.4443E-008	4.8172E-007
RCPTR_25	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFBRA	Zinc	1.7390E-007	2.1705E-006
RCPTR_25	farmer_adult	TOCDFDFS	Acenaphthene	1.0655E-011	1.4903E-010
RCPTR_25	farmer_adult	TOCDFDFS	Acetone	9.2737E-017	1.2970E-015
RCPTR_25	farmer_adult	TOCDFDFS	Acetophenone	4.7081E-014	6.5847E-013
RCPTR_25	farmer_adult	TOCDFDFS	Aniline	2.6714E-015	3.7362E-014
RCPTR_25	farmer_adult	TOCDFDFS	Anthracene	2.1573E-010	3.0172E-009
RCPTR_25	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Aroclor 1254	3.2885E-012	4.5993E-011
RCPTR_25	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Benzene	3.4033E-016	4.7599E-015
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.9718E-008	1.8739E-007
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.2554E-008	2.3612E-007
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	5.4367E-008	5.3445E-007
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.4409E-008	3.5606E-007
RCPTR_25	farmer_adult	TOCDFDFS	Benzoic acid	2.9636E-014	4.1449E-013
RCPTR_25	farmer_adult	TOCDFDFS	Benzyl alcohol	6.0704E-014	8.4900E-013
RCPTR_25	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.0918E-014	8.5200E-013
RCPTR_25	farmer_adult	TOCDFDFS	Bromodichloromethane	1.0995E-016	1.5378E-015
RCPTR_25	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.7822E-014	2.4927E-013
RCPTR_25	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	5.9606E-009	5.6798E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.0833E-011	2.9137E-010
RCPTR_25	farmer_adult	TOCDFDFS	Cadmium	2.1832E-008	2.5702E-007
RCPTR_25	farmer_adult	TOCDFDFS	Carbon disulfide	6.0538E-017	8.4669E-016
RCPTR_25	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.9371E-017	1.3898E-015
RCPTR_25	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.0708E-012	7.0920E-011
RCPTR_25	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.8562E-013	3.9947E-012
RCPTR_25	farmer_adult	TOCDFDFS	Chlorobenzene	5.8413E-016	8.1696E-015
RCPTR_25	farmer_adult	TOCDFDFS	Chloroethane	1.6805E-018	2.3503E-017
RCPTR_25	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	7.5665E-017	1.0583E-015
RCPTR_25	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.8616E-011	4.0023E-010
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.0164E-013	1.1212E-011
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.1166E-011	5.7575E-010
RCPTR_25	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Chrysene	2.9828E-008	2.2521E-007
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	8.7890E-011	1.2292E-009
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.3614E-006	4.7012E-005
RCPTR_25	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.6946E-007	2.7924E-006
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.0332E-014	5.6408E-013
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.9697E-014	6.9506E-013
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.6980E-014	6.5707E-013
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.9319E-011	8.2963E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.3296E-019	1.8595E-018
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.1532E-017	4.4100E-016
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8921E-017	5.4435E-016
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.2049E-017	1.6852E-016
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.9278E-017	2.6962E-016
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.2663E-012	4.5682E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.0947E-016	1.5310E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.5584E-017	4.9767E-016
RCPTR_25	farmer_adult	TOCDFDFS	Diethyl phthalate	1.3783E-011	1.9277E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.0240E-013	9.8238E-012
RCPTR_25	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.4984E-013	7.6901E-012
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.8632E-013	2.6059E-012
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.9128E-013	6.8710E-012
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.7924E-013	5.3040E-012
RCPTR_25	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.1316E-014	1.5826E-013
RCPTR_25	farmer_adult	TOCDFDFS	Ethylbenzene	3.6547E-016	5.1114E-015
RCPTR_25	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.6831E-012	6.5498E-011
RCPTR_25	farmer_adult	TOCDFDFS	Fluoranthene	3.2862E-009	4.1069E-008
RCPTR_25	farmer_adult	TOCDFDFS	Fluorene	4.3862E-011	6.1345E-010
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.9988E-011	8.1065E-011
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.6330E-011	4.4308E-011
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.1741E-011	8.6122E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.2019E-010	1.1375E-009
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.4744E-010	6.7324E-010
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.1975E-010	3.2584E-010
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.6487E-010	4.4936E-010
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.7779E-010	4.8338E-010
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	9.4100E-011	2.5615E-010
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0705E-012	1.4972E-011
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.7465E-009	3.8334E-008
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.9836E-012	4.1729E-011
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.4317E-013	7.5968E-012
RCPTR_25	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.5923E-007	5.8139E-006
RCPTR_25	farmer_adult	TOCDFDFS	Isophorone	8.2073E-014	1.1479E-012
RCPTR_25	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Mercuric chloride	5.9484E-008	6.2614E-008
RCPTR_25	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.3620E-018	1.9048E-017
RCPTR_25	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.6796E-019	3.7477E-018
RCPTR_25	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.6559E-016	9.3089E-015
RCPTR_25	farmer_adult	TOCDFDFS	Methyl mercury	1.5958E-010	1.8909E-010
RCPTR_25	farmer_adult	TOCDFDFS	Methylene chloride	4.0293E-017	5.6353E-016
RCPTR_25	farmer_adult	TOCDFDFS	Mustard	4.8158E-015	6.7354E-014
RCPTR_25	farmer_adult	TOCDFDFS	Naphthalene	3.8769E-013	5.4223E-012
RCPTR_25	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.4032E-012	1.9626E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.3119E-013	4.6320E-012
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.2791E-013	5.9848E-012
RCPTR_25	farmer_adult	TOCDFDFS	Nitrobenzene	1.3900E-013	1.9441E-012
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.3203E-014	8.8396E-013
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.0270E-013	8.4294E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.0002E-014	1.1189E-012
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.2357E-014	1.1518E-012
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.7964E-015	9.5054E-014
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.1765E-012	2.2134E-011
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.4427E-012	9.3016E-012
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.2853E-010	1.7333E-009
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.7511E-010	2.1233E-009
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.8204E-012	1.2336E-010
RCPTR_25	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.0065E-012	4.2049E-011
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorophenol	6.4467E-010	9.0164E-009
RCPTR_25	farmer_adult	TOCDFDFS	Phenanthrene	1.5567E-013	2.1773E-012
RCPTR_25	farmer_adult	TOCDFDFS	Phenol	1.0921E-013	1.5274E-012
RCPTR_25	farmer_adult	TOCDFDFS	Pronamide	1.1887E-011	1.6625E-010
RCPTR_25	farmer_adult	TOCDFDFS	Pyrene	8.0563E-009	6.1153E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Selenium	3.4319E-009	4.7998E-008
RCPTR_25	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Styrene	4.3393E-015	6.0689E-014
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.4568E-010	1.5250E-009
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	5.6490E-010	1.5863E-009
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2601E-011	1.7624E-010
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.1616E-014	8.6176E-013
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1815E-016	1.6524E-015
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.1884E-011	8.6552E-010
RCPTR_25	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Toluene	1.5880E-016	2.2210E-015
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.0600E-013	5.6783E-012
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	9.7858E-017	1.3686E-015
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.7199E-016	7.9999E-015
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethylene	9.4295E-017	1.3188E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.3099E-017	1.8321E-016
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.4541E-011	6.2295E-010
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.0947E-011	5.7268E-010
RCPTR_25	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.1293E-015	2.9780E-014
RCPTR_25	farmer_adult	TOCDFDFS	Vinyl Chloride	2.9624E-020	4.1432E-019
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, m-	5.6110E-016	7.8475E-015
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, o-	5.5399E-016	7.7482E-015
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, p-	8.6682E-016	1.2123E-014
RCPTR_25	farmer_adult	TOCDFDFS	Zinc	3.2675E-008	4.0783E-007
RCPTR_25	farmer_adult	TOCDFLIC	Acenaphthene	2.4035E-012	3.3615E-011
RCPTR_25	farmer_adult	TOCDFLIC	Acetone	6.8023E-017	9.5136E-016
RCPTR_25	farmer_adult	TOCDFLIC	Acetophenone	1.0101E-014	1.4128E-013
RCPTR_25	farmer_adult	TOCDFLIC	Aniline	6.0256E-016	8.4274E-015
RCPTR_25	farmer_adult	TOCDFLIC	Anthracene	4.8661E-011	6.8056E-010
RCPTR_25	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Benzene	3.8382E-016	5.3681E-015
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.4311E-009	4.2113E-008
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.8683E-009	5.0965E-008
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.2192E-008	1.1986E-007
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.7899E-008	7.5505E-008
RCPTR_25	farmer_adult	TOCDFLIC	Benzoic acid	2.3093E-014	3.2298E-013
RCPTR_25	farmer_adult	TOCDFLIC	Benzyl alcohol	2.1908E-012	3.0641E-011
RCPTR_25	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.3741E-014	1.9218E-013
RCPTR_25	farmer_adult	TOCDFLIC	Bromodichloromethane	1.3820E-017	1.9329E-016
RCPTR_25	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.5349E-014	3.5453E-013
RCPTR_25	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.3445E-009	1.2811E-008
RCPTR_25	farmer_adult	TOCDFLIC	Butylbenzylphthalate	4.6942E-012	6.5653E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Cadmium	9.2728E-008	1.0917E-006
RCPTR_25	farmer_adult	TOCDFLIC	Carbon disulfide	9.0011E-017	1.2589E-015
RCPTR_25	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.8449E-015	2.5803E-014
RCPTR_25	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.1438E-012	1.5997E-011
RCPTR_25	farmer_adult	TOCDFLIC	Chloroaniline, p-	6.4426E-014	9.0107E-013
RCPTR_25	farmer_adult	TOCDFLIC	Chlorobenzene	7.4648E-016	1.0440E-014
RCPTR_25	farmer_adult	TOCDFLIC	Chloroethane	7.8405E-019	1.0966E-017
RCPTR_25	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.1427E-016	9.9897E-015
RCPTR_25	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.4548E-012	9.0277E-011
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.8082E-013	2.5290E-012
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.2855E-012	1.2987E-010
RCPTR_25	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Chrysene	6.6734E-009	5.0385E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.0629E-012	4.2838E-011
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.1685E-007	1.6343E-006
RCPTR_25	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.5567E-008	5.7113E-007
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	9.0974E-015	1.2724E-013
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.1210E-014	1.5678E-013
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.0597E-014	1.4821E-013
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	6.6577E-012	9.3114E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.9023E-020	8.2550E-019
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.3797E-018	3.3283E-017
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8159E-017	2.5398E-016
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.0934E-019	1.2718E-017
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.9943E-018	1.2579E-016
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	7.3675E-013	1.0304E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.1075E-017	7.1433E-016
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.7117E-017	2.3940E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Diethyl phthalate	4.8047E-013	6.7199E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.5012E-012	2.0996E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.2402E-013	1.7346E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.2028E-014	5.8781E-013
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1081E-013	1.5498E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	8.5541E-014	1.1964E-012
RCPTR_25	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.5524E-015	3.5699E-014
RCPTR_25	farmer_adult	TOCDFLIC	Ethylbenzene	1.7889E-016	2.5019E-015
RCPTR_25	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.0825E-012	1.1304E-010
RCPTR_25	farmer_adult	TOCDFLIC	Fluoranthene	7.4107E-010	9.2616E-009
RCPTR_25	farmer_adult	TOCDFLIC	Fluorene	9.8937E-012	1.3837E-010
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.5694E-010	6.9457E-010
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.3216E-010	1.4439E-009
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	7.7130E-010	2.0927E-009
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.3477E-009	3.6483E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	8.0459E-010	2.1892E-009
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.1785E-010	1.1369E-009
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.7225E-009	4.6946E-009
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.7829E-009	4.8473E-009
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.7507E-010	2.3820E-009
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.4147E-013	3.3772E-012
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.1950E-010	8.6466E-009
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.7299E-013	9.4125E-012
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.2252E-013	1.7136E-012
RCPTR_25	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.3480E-007	1.1889E-006
RCPTR_25	farmer_adult	TOCDFLIC	Isophorone	1.8513E-014	2.5892E-013
RCPTR_25	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Mercuric chloride	1.5656E-007	1.6480E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.0025E-018	1.4021E-017
RCPTR_25	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.7650E-018	2.4686E-017
RCPTR_25	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.3848E-015	1.9367E-014
RCPTR_25	farmer_adult	TOCDFLIC	Methyl mercury	4.2001E-010	4.9768E-010
RCPTR_25	farmer_adult	TOCDFLIC	Methylene chloride	1.8188E-016	2.5438E-015
RCPTR_25	farmer_adult	TOCDFLIC	Mustard	1.9103E-015	2.6717E-014
RCPTR_25	farmer_adult	TOCDFLIC	Naphthalene	1.3515E-014	1.8902E-013
RCPTR_25	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.1654E-013	4.4271E-012
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 3-	7.4708E-014	1.0449E-012
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 4-	9.6527E-014	1.3500E-012
RCPTR_25	farmer_adult	TOCDFLIC	Nitrobenzene	3.1354E-014	4.3851E-013
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.4256E-014	1.9939E-013
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3595E-014	1.9015E-013
RCPTR_25	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.8046E-014	2.5239E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.8577E-014	2.5982E-013
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.5330E-015	2.1441E-014
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.4238E-011	1.7389E-010
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.5330E-011	6.8437E-011
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.5772E-009	7.1072E-009
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.8154E-009	1.0452E-008
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.9658E-012	1.3938E-010
RCPTR_25	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.7819E-013	9.4852E-012
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorophenol	2.9032E-011	4.0604E-010
RCPTR_25	farmer_adult	TOCDFLIC	Phenanthrene	3.5115E-014	4.9111E-013
RCPTR_25	farmer_adult	TOCDFLIC	Phenol	2.4634E-014	3.4454E-013
RCPTR_25	farmer_adult	TOCDFLIC	Pronamide	2.6813E-012	3.7501E-011
RCPTR_25	farmer_adult	TOCDFLIC	Pyrene	1.8169E-009	1.3792E-008
RCPTR_25	farmer_adult	TOCDFLIC	Selenium	9.0846E-008	1.2706E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Styrene	3.0164E-013	4.2188E-012
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	9.8149E-010	2.7429E-009
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.2945E-009	3.6350E-009
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.8424E-012	3.9753E-011
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	9.4656E-017	1.3239E-015
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.5182E-017	4.9205E-016
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.3960E-011	1.9524E-010
RCPTR_25	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Toluene	6.9111E-016	9.6659E-015
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.1578E-014	1.2808E-012
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.9624E-016	4.1432E-015
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.6687E-016	3.7325E-015
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethylene	4.3995E-017	6.1532E-016
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.8152E-018	8.1332E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0047E-011	1.4051E-010
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.8375E-012	2.5699E-011
RCPTR_25	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	9.9344E-016	1.3894E-014
RCPTR_25	farmer_adult	TOCDFLIC	Vinyl Chloride	4.1429E-020	5.7942E-019
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, m-	5.6025E-016	7.8356E-015
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, o-	6.3316E-016	8.8554E-015
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, p-	8.6550E-016	1.2105E-014
RCPTR_25	farmer_adult	TOCDFLIC	Zinc	3.0998E-007	3.8689E-006
RCPTR_25	farmer_adult	TOCDFMPF	Acenaphthene	3.6348E-012	5.0836E-011
RCPTR_25	farmer_adult	TOCDFMPF	Acetone	2.4580E-016	3.4377E-015
RCPTR_25	farmer_adult	TOCDFMPF	Acetophenone	1.6003E-014	2.2382E-013
RCPTR_25	farmer_adult	TOCDFMPF	Aniline	9.1125E-016	1.2745E-014
RCPTR_25	farmer_adult	TOCDFMPF	Anthracene	7.3590E-011	1.0292E-009
RCPTR_25	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Aroclor 1254	2.0746E-012	2.9015E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Benzene	3.3935E-016	4.7461E-015
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)anthracene	6.7029E-009	6.3703E-008
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.3849E-009	7.7310E-008
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.8446E-008	1.8133E-007
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.7186E-008	1.1468E-007
RCPTR_25	farmer_adult	TOCDFMPF	Benzoic acid	1.0109E-013	1.4139E-012
RCPTR_25	farmer_adult	TOCDFMPF	Benzyl alcohol	2.0707E-014	2.8961E-013
RCPTR_25	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.0780E-014	2.9063E-013
RCPTR_25	farmer_adult	TOCDFMPF	Bromodichloromethane	4.1535E-016	5.8091E-015
RCPTR_25	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.4648E-014	2.0487E-013
RCPTR_25	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.0333E-009	1.9375E-008
RCPTR_25	farmer_adult	TOCDFMPF	Butylbenzylphthalate	7.0995E-012	9.9293E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Cadmium	4.2196E-007	4.9677E-006
RCPTR_25	farmer_adult	TOCDFMPF	Carbon disulfide	3.2555E-017	4.5531E-016
RCPTR_25	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.1792E-016	4.4464E-015
RCPTR_25	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.7297E-012	2.4192E-011
RCPTR_25	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.7432E-014	1.3627E-012
RCPTR_25	farmer_adult	TOCDFMPF	Chlorobenzene	1.3249E-015	1.8530E-014
RCPTR_25	farmer_adult	TOCDFMPF	Chloroethane	7.6432E-018	1.0690E-016
RCPTR_25	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.2220E-016	3.1078E-015
RCPTR_25	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	9.7616E-012	1.3653E-010
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.7345E-013	3.8245E-012
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.4042E-011	1.9640E-010
RCPTR_25	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Chrysene	1.0098E-008	7.6240E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.9972E-011	4.1919E-010
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.1436E-006	1.5995E-005
RCPTR_25	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.1508E-007	8.6977E-007
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.3758E-014	1.9242E-013
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.6953E-014	2.3710E-013
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.6026E-014	2.2414E-013
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.0203E-011	2.8256E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.8024E-019	6.7166E-018
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.1519E-017	1.0003E-015
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.8279E-017	1.2347E-015
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.7329E-017	3.8223E-016
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.3725E-017	6.1154E-016
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.1142E-012	1.5583E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.4829E-016	3.4727E-015
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.0710E-017	1.1288E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Diethyl phthalate	4.7016E-012	6.5757E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.5858E-013	2.2180E-012
RCPTR_25	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.8756E-013	2.6232E-012
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	6.3444E-014	8.8732E-013
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.6758E-013	2.3438E-012
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.2936E-013	1.8093E-012
RCPTR_25	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.8600E-015	5.3987E-014
RCPTR_25	farmer_adult	TOCDFMPF	Ethylbenzene	8.2894E-016	1.1594E-014
RCPTR_25	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4465E-012	2.0231E-011
RCPTR_25	farmer_adult	TOCDFMPF	Fluoranthene	1.1207E-009	1.4006E-008
RCPTR_25	farmer_adult	TOCDFMPF	Fluorene	1.4962E-011	2.0926E-010
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	9.9818E-010	2.6984E-009
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	8.3379E-010	2.2623E-009
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.9978E-010	2.4414E-009
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.8334E-010	1.0377E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.7819E-010	4.8482E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.8396E-011	2.6772E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.3897E-010	9.2387E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.7132E-010	4.6578E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.8870E-011	2.1469E-010
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.6518E-013	5.1074E-012
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorobenzene	9.3687E-010	1.3076E-008
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.0178E-012	1.4234E-011
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.8528E-013	2.5914E-012
RCPTR_25	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.0530E-007	1.8105E-006
RCPTR_25	farmer_adult	TOCDFMPF	Isophorone	2.7997E-014	3.9156E-013
RCPTR_25	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Mercuric chloride	2.6338E-006	2.7724E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.1319E-018	7.1774E-017
RCPTR_25	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.9805E-019	4.1685E-018
RCPTR_25	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.7781E-016	3.8854E-015
RCPTR_25	farmer_adult	TOCDFMPF	Methyl mercury	7.0659E-009	8.3725E-009
RCPTR_25	farmer_adult	TOCDFMPF	Methylene chloride	1.4150E-016	1.9791E-015
RCPTR_25	farmer_adult	TOCDFMPF	Mustard	1.3447E-014	1.8806E-013
RCPTR_25	farmer_adult	TOCDFMPF	Naphthalene	1.3225E-013	1.8497E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.7783E-013	6.6829E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.1278E-013	1.5773E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.4571E-013	2.0379E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitrobenzene	4.7416E-014	6.6316E-013
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.1560E-014	3.0154E-013
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.0523E-013	2.8703E-012
RCPTR_25	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.7290E-014	3.8168E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.8094E-014	3.9292E-013
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.3184E-015	3.2425E-014
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0742E-009	1.1029E-008
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.8638E-009	7.7375E-009
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.3384E-010	3.6909E-010
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.5411E-010	6.9608E-010
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.0088E-012	4.2081E-011
RCPTR_25	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.0238E-012	1.4318E-011
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorophenol	2.1952E-010	3.0702E-009
RCPTR_25	farmer_adult	TOCDFMPF	Phenanthrene	5.3104E-014	7.4271E-013
RCPTR_25	farmer_adult	TOCDFMPF	Phenol	3.7254E-014	5.2104E-013
RCPTR_25	farmer_adult	TOCDFMPF	Pronamide	4.0549E-012	5.6712E-011
RCPTR_25	farmer_adult	TOCDFMPF	Pyrene	2.7478E-009	2.0857E-008
RCPTR_25	farmer_adult	TOCDFMPF	Selenium	1.5876E-009	2.2205E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Styrene	6.8045E-015	9.5168E-014
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1637E-010	3.2520E-010
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.2699E-009	3.5660E-009
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.2985E-012	6.0119E-011
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.8448E-015	3.9787E-014
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.6797E-016	3.7479E-015
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.1073E-011	2.9472E-010
RCPTR_25	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFMPF	Toluene	4.5871E-016	6.4155E-015
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.3849E-013	1.9370E-012
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.7202E-016	2.4058E-015
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.2974E-015	1.8145E-014
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethylene	2.1388E-016	2.9913E-015
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.9367E-016	8.3031E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.5194E-011	2.1250E-010
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.7788E-012	3.8864E-011
RCPTR_25	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.8295E-015	6.7546E-014
RCPTR_25	farmer_adult	TOCDFMPF	Vinyl Chloride	1.1246E-019	1.5728E-018
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, m-	5.5475E-016	7.7588E-015
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, o-	6.2695E-016	8.7686E-015
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, p-	8.5701E-016	1.1986E-014
RCPTR_25	farmer_adult	TOCDFMPF	Zinc	8.7953E-008	1.0978E-006
RCPTR_25	farmer_adult	TOCDHVAC	Mustard	4.2792E-015	5.9849E-014
RCPTR_25	farmer_adult	TOCDLIC2	Acenaphthene	2.4035E-012	3.3615E-011
RCPTR_25	farmer_adult	TOCDLIC2	Acetone	6.8023E-017	9.5136E-016
RCPTR_25	farmer_adult	TOCDLIC2	Acetophenone	1.0101E-014	1.4128E-013
RCPTR_25	farmer_adult	TOCDLIC2	Aniline	6.0256E-016	8.4274E-015
RCPTR_25	farmer_adult	TOCDLIC2	Anthracene	4.8661E-011	6.8056E-010
RCPTR_25	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Benzene	3.8382E-016	5.3681E-015
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.4311E-009	4.2113E-008
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.8683E-009	5.0965E-008
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.2192E-008	1.1986E-007
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.7899E-008	7.5505E-008
RCPTR_25	farmer_adult	TOCDLIC2	Benzoic acid	2.3093E-014	3.2298E-013
RCPTR_25	farmer_adult	TOCDLIC2	Benzyl alcohol	2.1908E-012	3.0641E-011
RCPTR_25	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.3741E-014	1.9218E-013
RCPTR_25	farmer_adult	TOCDLIC2	Bromodichloromethane	1.3820E-017	1.9329E-016
RCPTR_25	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.5349E-014	3.5453E-013
RCPTR_25	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.3445E-009	1.2811E-008
RCPTR_25	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.6942E-012	6.5653E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Cadmium	9.2728E-008	1.0917E-006
RCPTR_25	farmer_adult	TOCDLIC2	Carbon disulfide	9.0011E-017	1.2589E-015
RCPTR_25	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.8449E-015	2.5803E-014
RCPTR_25	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.1438E-012	1.5997E-011
RCPTR_25	farmer_adult	TOCDLIC2	Chloroaniline, p-	6.4426E-014	9.0107E-013
RCPTR_25	farmer_adult	TOCDLIC2	Chlorobenzene	7.4648E-016	1.0440E-014
RCPTR_25	farmer_adult	TOCDLIC2	Chloroethane	7.8405E-019	1.0966E-017
RCPTR_25	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	7.1427E-016	9.9897E-015
RCPTR_25	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.4548E-012	9.0277E-011
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.8082E-013	2.5290E-012
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.2855E-012	1.2987E-010
RCPTR_25	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Chrysene	6.6734E-009	5.0385E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.0629E-012	4.2838E-011
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.1685E-007	1.6343E-006
RCPTR_25	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.5567E-008	5.7113E-007
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	9.0974E-015	1.2724E-013
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.1210E-014	1.5678E-013
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.0597E-014	1.4821E-013
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.6577E-012	9.3114E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.9023E-020	8.2550E-019
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.3797E-018	3.3283E-017
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8159E-017	2.5398E-016
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	9.0934E-019	1.2718E-017
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.9943E-018	1.2579E-016
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.3675E-013	1.0304E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.1075E-017	7.1433E-016
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.7117E-017	2.3940E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Diethyl phthalate	4.8047E-013	6.7199E-012
RCPTR_25	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.5012E-012	2.0996E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.2402E-013	1.7346E-012
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.2028E-014	5.8781E-013
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1081E-013	1.5498E-012
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.5541E-014	1.1964E-012
RCPTR_25	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.5524E-015	3.5699E-014
RCPTR_25	farmer_adult	TOCDLIC2	Ethylbenzene	1.7889E-016	2.5019E-015
RCPTR_25	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.0825E-012	1.1304E-010
RCPTR_25	farmer_adult	TOCDLIC2	Fluoranthene	7.4107E-010	9.2616E-009
RCPTR_25	farmer_adult	TOCDLIC2	Fluorene	9.8937E-012	1.3837E-010
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5694E-010	6.9457E-010
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.3216E-010	1.4439E-009
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.7130E-010	2.0927E-009
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3477E-009	3.6483E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.0459E-010	2.1892E-009
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.1785E-010	1.1369E-009
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.7225E-009	4.6946E-009
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.7829E-009	4.8473E-009
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.7507E-010	2.3820E-009
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.4147E-013	3.3772E-012
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorobenzene	6.1950E-010	8.6466E-009
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.7299E-013	9.4125E-012
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.2252E-013	1.7136E-012
RCPTR_25	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.3480E-007	1.1889E-006
RCPTR_25	farmer_adult	TOCDLIC2	Isophorone	1.8513E-014	2.5892E-013
RCPTR_25	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Mercuric chloride	1.5656E-007	1.6480E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.0025E-018	1.4021E-017
RCPTR_25	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.7650E-018	2.4686E-017
RCPTR_25	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.3848E-015	1.9367E-014
RCPTR_25	farmer_adult	TOCDLIC2	Methyl mercury	4.2001E-010	4.9768E-010
RCPTR_25	farmer_adult	TOCDLIC2	Methylene chloride	1.8188E-016	2.5438E-015
RCPTR_25	farmer_adult	TOCDLIC2	Mustard	1.9859E-015	2.7775E-014
RCPTR_25	farmer_adult	TOCDLIC2	Naphthalene	1.3515E-014	1.8902E-013
RCPTR_25	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.1654E-013	4.4271E-012
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 3-	7.4708E-014	1.0449E-012
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 4-	9.6527E-014	1.3500E-012
RCPTR_25	farmer_adult	TOCDLIC2	Nitrobenzene	3.1354E-014	4.3851E-013
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.4256E-014	1.9939E-013
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.3595E-013	1.9015E-012
RCPTR_25	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.8046E-014	2.5239E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.8577E-014	2.5982E-013
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.5330E-015	2.1441E-014
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.4238E-011	1.7389E-010
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5330E-011	6.8437E-011
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.5772E-009	7.1072E-009
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.8154E-009	1.0452E-008
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.9658E-012	1.3938E-010
RCPTR_25	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.7819E-013	9.4852E-012
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorophenol	2.9032E-011	4.0604E-010
RCPTR_25	farmer_adult	TOCDLIC2	Phenanthrene	3.5115E-014	4.9111E-013
RCPTR_25	farmer_adult	TOCDLIC2	Phenol	2.4634E-014	3.4454E-013
RCPTR_25	farmer_adult	TOCDLIC2	Pronamide	2.6813E-012	3.7501E-011
RCPTR_25	farmer_adult	TOCDLIC2	Pyrene	1.8169E-009	1.3792E-008
RCPTR_25	farmer_adult	TOCDLIC2	Selenium	9.0846E-008	1.2706E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Styrene	3.0164E-013	4.2188E-012
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	9.8149E-010	2.7429E-009
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2945E-009	3.6350E-009
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.8424E-012	3.9753E-011
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	9.4656E-017	1.3239E-015
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.5182E-017	4.9205E-016
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3960E-011	1.9524E-010
RCPTR_25	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Toluene	6.9111E-016	9.6659E-015
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.1578E-014	1.2808E-012
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.9624E-016	4.1432E-015
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.6687E-016	3.7325E-015
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethylene	4.3995E-017	6.1532E-016
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.8152E-018	8.1332E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0047E-011	1.4051E-010
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.8375E-012	2.5699E-011
RCPTR_25	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	9.9344E-016	1.3894E-014
RCPTR_25	farmer_adult	TOCDLIC2	Vinyl Chloride	4.1429E-020	5.7942E-019
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, m-	1.1642E-015	1.6283E-014
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, o-	1.3157E-015	1.8402E-014
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, p-	1.7986E-015	2.5155E-014
RCPTR_25	farmer_adult	TOCDLIC2	Zinc	3.0998E-007	3.8689E-006
RCPTR_25	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Cadmium	3.2790E-007	6.1623E-007
RCPTR_25	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Mercuric chloride	1.5950E-004	2.0957E-004
RCPTR_25	farmer_child	TOCDFBRA	Methyl mercury	4.7865E-007	6.3289E-007
RCPTR_25	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Selenium	2.2962E-007	4.8172E-007
RCPTR_25	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFBRA	Zinc	1.1192E-006	2.1705E-006
RCPTR_25	farmer_child	TOCDFDFS	Acenaphthene	7.1036E-011	1.4903E-010
RCPTR_25	farmer_child	TOCDFDFS	Acetone	6.1825E-016	1.2970E-015
RCPTR_25	farmer_child	TOCDFDFS	Acetophenone	3.1387E-013	6.5847E-013
RCPTR_25	farmer_child	TOCDFDFS	Aniline	1.7809E-014	3.7362E-014
RCPTR_25	farmer_child	TOCDFDFS	Anthracene	1.4382E-009	3.0172E-009
RCPTR_25	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Aroclor 1254	2.1923E-011	4.5993E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Benzene	2.2689E-015	4.7599E-015
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.0895E-007	1.8739E-007
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.3245E-007	2.3612E-007
RCPTR_25	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.0706E-007	5.3445E-007
RCPTR_25	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.4416E-007	3.5606E-007
RCPTR_25	farmer_child	TOCDFDFS	Benzoic acid	1.9757E-013	4.1449E-013
RCPTR_25	farmer_child	TOCDFDFS	Benzyl alcohol	4.0469E-013	8.4900E-013
RCPTR_25	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.0612E-013	8.5200E-013
RCPTR_25	farmer_child	TOCDFDFS	Bromodichloromethane	7.3300E-016	1.5378E-015
RCPTR_25	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1882E-013	2.4927E-013
RCPTR_25	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.2992E-008	5.6798E-008
RCPTR_25	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.3889E-010	2.9137E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Cadmium	1.3677E-007	2.5702E-007
RCPTR_25	farmer_child	TOCDFDFS	Carbon disulfide	4.0359E-016	8.4669E-016
RCPTR_25	farmer_child	TOCDFDFS	Carbon tetrachloride	6.6247E-016	1.3898E-015
RCPTR_25	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.3805E-011	7.0920E-011
RCPTR_25	farmer_child	TOCDFDFS	Chloroaniline, p-	1.9042E-012	3.9947E-012
RCPTR_25	farmer_child	TOCDFDFS	Chlorobenzene	3.8942E-015	8.1696E-015
RCPTR_25	farmer_child	TOCDFDFS	Chloroethane	1.1203E-017	2.3503E-017
RCPTR_25	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.0443E-016	1.0583E-015
RCPTR_25	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.9078E-010	4.0023E-010
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.3442E-012	1.1212E-011
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.7444E-010	5.7575E-010
RCPTR_25	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Chrysene	1.3987E-007	2.2521E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Di-n-butyl phthalate	5.8593E-010	1.2292E-009
RCPTR_25	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.2409E-005	4.7012E-005
RCPTR_25	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.7338E-006	2.7924E-006
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.6888E-013	5.6408E-013
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.3131E-013	6.9506E-013
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.1320E-013	6.5707E-013
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.9546E-010	8.2963E-010
RCPTR_25	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.8637E-019	1.8595E-018
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.1021E-016	4.4100E-016
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5947E-016	5.4435E-016
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	8.0327E-017	1.6852E-016
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2852E-016	2.6962E-016
RCPTR_25	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.1775E-011	4.5682E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	7.2980E-016	1.5310E-015
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.3722E-016	4.9767E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Diethyl phthalate	9.1887E-011	1.9277E-010
RCPTR_25	farmer_child	TOCDFDFS	Dimethyl phthalate	4.6827E-012	9.8238E-012
RCPTR_25	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.6656E-012	7.6901E-012
RCPTR_25	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.2421E-012	2.6059E-012
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.2752E-012	6.8710E-012
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.5282E-012	5.3040E-012
RCPTR_25	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.5439E-014	1.5826E-013
RCPTR_25	farmer_child	TOCDFDFS	Ethylbenzene	2.4364E-015	5.1114E-015
RCPTR_25	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.1221E-011	6.5498E-011
RCPTR_25	farmer_child	TOCDFDFS	Fluoranthene	2.1161E-008	4.1069E-008
RCPTR_25	farmer_child	TOCDFDFS	Fluorene	2.9241E-010	6.1345E-010
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.8081E-011	8.1065E-011
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.1735E-011	4.4308E-011
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	6.1685E-011	8.6122E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.1487E-010	1.1375E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.8210E-010	6.7324E-010
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.3333E-010	3.2584E-010
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.2174E-010	4.4936E-010
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.4617E-010	4.8338E-010
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.8342E-010	2.5615E-010
RCPTR_25	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.1368E-012	1.4972E-011
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorobenzene	1.8307E-008	3.8334E-008
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.9891E-011	4.1729E-011
RCPTR_25	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.6211E-012	7.5968E-012
RCPTR_25	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.4623E-006	5.8139E-006
RCPTR_25	farmer_child	TOCDFDFS	Isophorone	5.4715E-013	1.1479E-012
RCPTR_25	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Mercuric chloride	4.7654E-008	6.2614E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	9.0797E-018	1.9048E-017
RCPTR_25	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.7864E-018	3.7477E-018
RCPTR_25	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.4372E-015	9.3089E-015
RCPTR_25	farmer_child	TOCDFDFS	Methyl mercury	1.4301E-010	1.8909E-010
RCPTR_25	farmer_child	TOCDFDFS	Methylene chloride	2.6862E-016	5.6353E-016
RCPTR_25	farmer_child	TOCDFDFS	Mustard	3.2105E-014	6.7354E-014
RCPTR_25	farmer_child	TOCDFDFS	Naphthalene	2.5846E-012	5.4223E-012
RCPTR_25	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.3549E-012	1.9626E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.2079E-012	4.6320E-012
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.8528E-012	5.9848E-012
RCPTR_25	farmer_child	TOCDFDFS	Nitrobenzene	9.2667E-013	1.9441E-012
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.2135E-013	8.8396E-013
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.0180E-012	8.4294E-012
RCPTR_25	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.3335E-013	1.1189E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.4905E-013	1.1518E-012
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.5309E-014	9.5054E-014
RCPTR_25	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.5856E-011	2.2134E-011
RCPTR_25	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.6646E-012	9.3016E-012
RCPTR_25	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.2398E-009	1.7333E-009
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.5196E-009	2.1233E-009
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorobenzene	5.8802E-011	1.2336E-010
RCPTR_25	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0043E-011	4.2049E-011
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorophenol	4.2978E-009	9.0164E-009
RCPTR_25	farmer_child	TOCDFDFS	Phenanthrene	1.0378E-012	2.1773E-012
RCPTR_25	farmer_child	TOCDFDFS	Phenol	7.2808E-013	1.5274E-012
RCPTR_25	farmer_child	TOCDFDFS	Pronamide	7.9248E-011	1.6625E-010
RCPTR_25	farmer_child	TOCDFDFS	Pyrene	3.7931E-008	6.1153E-008
RCPTR_25	farmer_child	TOCDFDFS	Selenium	2.2879E-008	4.7998E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Styrene	2.8928E-014	6.0689E-014
RCPTR_25	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0896E-009	1.5250E-009
RCPTR_25	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.1329E-009	1.5863E-009
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.4007E-011	1.7624E-010
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.1077E-013	8.6176E-013
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.8764E-016	1.6524E-015
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.1256E-010	8.6552E-010
RCPTR_25	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Toluene	1.0587E-015	2.2210E-015
RCPTR_25	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.7066E-012	5.6783E-012
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.5239E-016	1.3686E-015
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.8133E-015	7.9999E-015
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethylene	6.2864E-016	1.3188E-015
RCPTR_25	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.7329E-017	1.8321E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.9694E-010	6.2295E-010
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.7298E-010	5.7268E-010
RCPTR_25	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.4195E-014	2.9780E-014
RCPTR_25	farmer_child	TOCDFDFS	Vinyl Chloride	1.9749E-019	4.1432E-019
RCPTR_25	farmer_child	TOCDFDFS	Xylene, m-	3.7407E-015	7.8475E-015
RCPTR_25	farmer_child	TOCDFDFS	Xylene, o-	3.6933E-015	7.7482E-015
RCPTR_25	farmer_child	TOCDFDFS	Xylene, p-	5.7788E-015	1.2123E-014
RCPTR_25	farmer_child	TOCDFDFS	Zinc	2.1029E-007	4.0783E-007
RCPTR_25	farmer_child	TOCDFLIC	Acenaphthene	1.6023E-011	3.3615E-011
RCPTR_25	farmer_child	TOCDFLIC	Acetone	4.5348E-016	9.5136E-016
RCPTR_25	farmer_child	TOCDFLIC	Acetophenone	6.7342E-014	1.4128E-013
RCPTR_25	farmer_child	TOCDFLIC	Aniline	4.0171E-015	8.4274E-015
RCPTR_25	farmer_child	TOCDFLIC	Anthracene	3.2441E-010	6.8056E-010
RCPTR_25	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Benzene	2.5588E-015	5.3681E-015
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.4484E-008	4.2113E-008
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.8589E-008	5.0965E-008
RCPTR_25	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	6.8863E-008	1.1986E-007
RCPTR_25	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.1776E-008	7.5505E-008
RCPTR_25	farmer_child	TOCDFLIC	Benzoic acid	1.5395E-013	3.2298E-013
RCPTR_25	farmer_child	TOCDFLIC	Benzyl alcohol	1.4605E-011	3.0641E-011
RCPTR_25	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	9.1606E-014	1.9218E-013
RCPTR_25	farmer_child	TOCDFLIC	Bromodichloromethane	9.2136E-017	1.9329E-016
RCPTR_25	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.6899E-013	3.5453E-013
RCPTR_25	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	7.4417E-009	1.2811E-008
RCPTR_25	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.1294E-011	6.5653E-011
RCPTR_25	farmer_child	TOCDFLIC	Cadmium	5.8090E-007	1.0917E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Carbon disulfide	6.0007E-016	1.2589E-015
RCPTR_25	farmer_child	TOCDFLIC	Carbon tetrachloride	1.2300E-014	2.5803E-014
RCPTR_25	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.6252E-012	1.5997E-011
RCPTR_25	farmer_child	TOCDFLIC	Chloroaniline, p-	4.2951E-013	9.0107E-013
RCPTR_25	farmer_child	TOCDFLIC	Chlorobenzene	4.9765E-015	1.0440E-014
RCPTR_25	farmer_child	TOCDFLIC	Chloroethane	5.2270E-018	1.0966E-017
RCPTR_25	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.7618E-015	9.9897E-015
RCPTR_25	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.3032E-011	9.0277E-011
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.2055E-012	2.5290E-012
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.1903E-011	1.2987E-010
RCPTR_25	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Chrysene	3.1293E-008	5.0385E-008
RCPTR_25	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.0419E-011	4.2838E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.7900E-007	1.6343E-006
RCPTR_25	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.5462E-007	5.7113E-007
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.0649E-014	1.2724E-013
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.4733E-014	1.5678E-013
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.0647E-014	1.4821E-013
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.4384E-011	9.3114E-011
RCPTR_25	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.9349E-019	8.2550E-019
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.5865E-017	3.3283E-017
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2106E-016	2.5398E-016
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.0623E-018	1.2718E-017
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.9962E-017	1.2579E-016
RCPTR_25	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.9117E-012	1.0304E-011
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.4050E-016	7.1433E-016
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1411E-016	2.3940E-016
RCPTR_25	farmer_child	TOCDFLIC	Diethyl phthalate	3.2032E-012	6.7199E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Dimethyl phthalate	1.0008E-011	2.0996E-011
RCPTR_25	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.2683E-013	1.7346E-012
RCPTR_25	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.8019E-013	5.8781E-013
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	7.3875E-013	1.5498E-012
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.7028E-013	1.1964E-012
RCPTR_25	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.7016E-014	3.5699E-014
RCPTR_25	farmer_child	TOCDFLIC	Ethylbenzene	1.1926E-015	2.5019E-015
RCPTR_25	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.3883E-011	1.1304E-010
RCPTR_25	farmer_child	TOCDFLIC	Fluoranthene	4.7721E-009	9.2616E-009
RCPTR_25	farmer_child	TOCDFLIC	Fluorene	6.5958E-011	1.3837E-010
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.9764E-010	6.9457E-010
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0342E-009	1.4439E-009
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.4989E-009	2.0927E-009
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.6136E-009	3.6483E-009
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.5677E-009	2.1892E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	8.1414E-010	1.1369E-009
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.3613E-009	4.6946E-009
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.4713E-009	4.8473E-009
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.7057E-009	2.3820E-009
RCPTR_25	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6098E-012	3.3772E-012
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorobenzene	4.1293E-009	8.6466E-009
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.4866E-012	9.4125E-012
RCPTR_25	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.1679E-013	1.7136E-012
RCPTR_25	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.0799E-007	1.1889E-006
RCPTR_25	farmer_child	TOCDFLIC	Isophorone	1.2342E-013	2.5892E-013
RCPTR_25	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Mercuric chloride	1.2543E-007	1.6480E-007
RCPTR_25	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	6.6835E-018	1.4021E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.1767E-017	2.4686E-017
RCPTR_25	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.2317E-015	1.9367E-014
RCPTR_25	farmer_child	TOCDFLIC	Methyl mercury	3.7639E-010	4.9768E-010
RCPTR_25	farmer_child	TOCDFLIC	Methylene chloride	1.2125E-015	2.5438E-015
RCPTR_25	farmer_child	TOCDFLIC	Mustard	1.2735E-014	2.6717E-014
RCPTR_25	farmer_child	TOCDFLIC	Naphthalene	9.0100E-014	1.8902E-013
RCPTR_25	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.1102E-012	4.4271E-012
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.9805E-013	1.0449E-012
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.4351E-013	1.3500E-012
RCPTR_25	farmer_child	TOCDFLIC	Nitrobenzene	2.0902E-013	4.3851E-013
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 2-	9.5042E-014	1.9939E-013
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 4-	9.0636E-014	1.9015E-013
RCPTR_25	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2030E-013	2.5239E-013
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.2385E-013	2.5982E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.0220E-014	2.1441E-014
RCPTR_25	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2457E-010	1.7389E-010
RCPTR_25	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.9035E-011	6.8437E-011
RCPTR_25	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.0837E-009	7.1072E-009
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.4800E-009	1.0452E-008
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorobenzene	6.6439E-011	1.3938E-010
RCPTR_25	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.5213E-012	9.4852E-012
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorophenol	1.9354E-010	4.0604E-010
RCPTR_25	farmer_child	TOCDFLIC	Phenanthrene	2.3410E-013	4.9111E-013
RCPTR_25	farmer_child	TOCDFLIC	Phenol	1.6423E-013	3.4454E-013
RCPTR_25	farmer_child	TOCDFLIC	Pronamide	1.7875E-011	3.7501E-011
RCPTR_25	farmer_child	TOCDFLIC	Pyrene	8.5545E-009	1.3792E-008
RCPTR_25	farmer_child	TOCDFLIC	Selenium	6.0564E-007	1.2706E-006
RCPTR_25	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Styrene	2.0109E-012	4.2188E-012
RCPTR_25	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.9598E-009	2.7429E-009
RCPTR_25	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.5961E-009	3.6350E-009
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.8949E-011	3.9753E-011
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.3104E-016	1.3239E-015
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.3454E-016	4.9205E-016
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.3064E-011	1.9524E-010
RCPTR_25	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Toluene	4.6074E-015	9.6659E-015
RCPTR_25	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.1052E-013	1.2808E-012
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.9749E-015	4.1432E-015
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.7792E-015	3.7325E-015
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethylene	2.9330E-016	6.1532E-016
RCPTR_25	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.8768E-017	8.1332E-017
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.6979E-011	1.4051E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.2250E-011	2.5699E-011
RCPTR_25	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	6.6229E-015	1.3894E-014
RCPTR_25	farmer_child	TOCDFLIC	Vinyl Chloride	2.7619E-019	5.7942E-019
RCPTR_25	farmer_child	TOCDFLIC	Xylene, m-	3.7350E-015	7.8356E-015
RCPTR_25	farmer_child	TOCDFLIC	Xylene, o-	4.2211E-015	8.8554E-015
RCPTR_25	farmer_child	TOCDFLIC	Xylene, p-	5.7700E-015	1.2105E-014
RCPTR_25	farmer_child	TOCDFLIC	Zinc	1.9950E-006	3.8689E-006
RCPTR_25	farmer_child	TOCDFMPF	Acenaphthene	2.4232E-011	5.0836E-011
RCPTR_25	farmer_child	TOCDFMPF	Acetone	1.6386E-015	3.4377E-015
RCPTR_25	farmer_child	TOCDFMPF	Acetophenone	1.0669E-013	2.2382E-013
RCPTR_25	farmer_child	TOCDFMPF	Aniline	6.0750E-015	1.2745E-014
RCPTR_25	farmer_child	TOCDFMPF	Anthracene	4.9060E-010	1.0292E-009
RCPTR_25	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Aroclor 1254	1.3830E-011	2.9015E-011
RCPTR_25	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Benzene	2.2623E-015	4.7461E-015
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.7036E-008	6.3703E-008
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.3367E-008	7.7310E-008
RCPTR_25	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0418E-007	1.8133E-007
RCPTR_25	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.8641E-008	1.1468E-007
RCPTR_25	farmer_child	TOCDFMPF	Benzoic acid	6.7395E-013	1.4139E-012
RCPTR_25	farmer_child	TOCDFMPF	Benzyl alcohol	1.3805E-013	2.8961E-013
RCPTR_25	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.3853E-013	2.9063E-013
RCPTR_25	farmer_child	TOCDFMPF	Bromodichloromethane	2.7690E-015	5.8091E-015
RCPTR_25	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.7654E-014	2.0487E-013
RCPTR_25	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1254E-008	1.9375E-008
RCPTR_25	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.7330E-011	9.9293E-011
RCPTR_25	farmer_child	TOCDFMPF	Cadmium	2.6434E-006	4.9677E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Carbon disulfide	2.1703E-016	4.5531E-016
RCPTR_25	farmer_child	TOCDFMPF	Carbon tetrachloride	2.1195E-015	4.4464E-015
RCPTR_25	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.1532E-011	2.4192E-011
RCPTR_25	farmer_child	TOCDFMPF	Chloroaniline, p-	6.4954E-013	1.3627E-012
RCPTR_25	farmer_child	TOCDFMPF	Chlorobenzene	8.8327E-015	1.8530E-014
RCPTR_25	farmer_child	TOCDFMPF	Chloroethane	5.0955E-017	1.0690E-016
RCPTR_25	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.4814E-015	3.1078E-015
RCPTR_25	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.5077E-011	1.3653E-010
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.8230E-012	3.8245E-012
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.3616E-011	1.9640E-010
RCPTR_25	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Chrysene	4.7350E-008	7.6240E-008
RCPTR_25	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.9982E-010	4.1919E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.6243E-006	1.5995E-005
RCPTR_25	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	5.4005E-007	8.6977E-007
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.1720E-014	1.9242E-013
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.1302E-013	2.3710E-013
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.0684E-013	2.2414E-013
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.3469E-010	2.8256E-010
RCPTR_25	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.2016E-018	6.7166E-018
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.7680E-016	1.0003E-015
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.8853E-016	1.2347E-015
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.8219E-016	3.8223E-016
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.9150E-016	6.1154E-016
RCPTR_25	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.4279E-012	1.5583E-011
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.6553E-015	3.4727E-015
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.3806E-016	1.1288E-015
RCPTR_25	farmer_child	TOCDFMPF	Diethyl phthalate	3.1344E-011	6.5757E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Dimethyl phthalate	1.0572E-012	2.2180E-012
RCPTR_25	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.2504E-012	2.6232E-012
RCPTR_25	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.2296E-013	8.8732E-013
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.1172E-012	2.3438E-012
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	8.6242E-013	1.8093E-012
RCPTR_25	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.5734E-014	5.3987E-014
RCPTR_25	farmer_child	TOCDFMPF	Ethylbenzene	5.5262E-015	1.1594E-014
RCPTR_25	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.6432E-012	2.0231E-011
RCPTR_25	farmer_child	TOCDFMPF	Fluoranthene	7.2169E-009	1.4006E-008
RCPTR_25	farmer_child	TOCDFMPF	Fluorene	9.9747E-011	2.0926E-010
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9333E-009	2.6984E-009
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6204E-009	2.2623E-009
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.7486E-009	2.4414E-009
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	7.4340E-010	1.0377E-009
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.4718E-010	4.8482E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.9171E-010	2.6772E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.6148E-010	9.2387E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.3356E-010	4.6578E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5373E-010	2.1469E-010
RCPTR_25	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.4345E-012	5.1074E-012
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorobenzene	6.2447E-009	1.3076E-008
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	6.7851E-012	1.4234E-011
RCPTR_25	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2352E-012	2.5914E-012
RCPTR_25	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.0782E-006	1.8105E-006
RCPTR_25	farmer_child	TOCDFMPF	Isophorone	1.8664E-013	3.9156E-013
RCPTR_25	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Mercuric chloride	2.1100E-006	2.7724E-006
RCPTR_25	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.4212E-017	7.1774E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.9870E-018	4.1685E-018
RCPTR_25	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.8521E-015	3.8854E-015
RCPTR_25	farmer_child	TOCDFMPF	Methyl mercury	6.3321E-009	8.3725E-009
RCPTR_25	farmer_child	TOCDFMPF	Methylene chloride	9.4335E-016	1.9791E-015
RCPTR_25	farmer_child	TOCDFMPF	Mustard	8.9644E-014	1.8806E-013
RCPTR_25	farmer_child	TOCDFMPF	Naphthalene	8.8167E-013	1.8497E-012
RCPTR_25	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.1855E-012	6.6829E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 3-	7.5184E-013	1.5773E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 4-	9.7141E-013	2.0379E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitrobenzene	3.1610E-013	6.6316E-013
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.4373E-013	3.0154E-013
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.3682E-012	2.8703E-012
RCPTR_25	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.8194E-013	3.8168E-013
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.8729E-013	3.9292E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.5456E-014	3.2425E-014
RCPTR_25	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.9009E-009	1.1029E-008
RCPTR_25	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.5439E-009	7.7375E-009
RCPTR_25	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.6401E-010	3.6909E-010
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.9818E-010	6.9608E-010
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorobenzene	2.0059E-011	4.2081E-011
RCPTR_25	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.8251E-012	1.4318E-011
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorophenol	1.4635E-009	3.0702E-009
RCPTR_25	farmer_child	TOCDFMPF	Phenanthrene	3.5402E-013	7.4271E-013
RCPTR_25	farmer_child	TOCDFMPF	Phenol	2.4836E-013	5.2104E-013
RCPTR_25	farmer_child	TOCDFMPF	Pronamide	2.7033E-011	5.6712E-011
RCPTR_25	farmer_child	TOCDFMPF	Pyrene	1.2937E-008	2.0857E-008
RCPTR_25	farmer_child	TOCDFMPF	Selenium	1.0584E-008	2.2205E-008
RCPTR_25	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Styrene	4.5364E-014	9.5168E-014
RCPTR_25	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3236E-010	3.2520E-010
RCPTR_25	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.5469E-009	3.5660E-009
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.8656E-011	6.0119E-011
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.8965E-014	3.9787E-014
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.7865E-015	3.7479E-015
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4048E-010	2.9472E-010
RCPTR_25	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Toluene	3.0580E-015	6.4155E-015
RCPTR_25	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.2329E-013	1.9370E-012
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.1468E-015	2.4058E-015
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	8.6492E-015	1.8145E-014
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethylene	1.4259E-015	2.9913E-015
RCPTR_25	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.9578E-015	8.3031E-015
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0129E-010	2.1250E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.8525E-011	3.8864E-011
RCPTR_25	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.2197E-014	6.7546E-014
RCPTR_25	farmer_child	TOCDFMPF	Vinyl Chloride	7.4972E-019	1.5728E-018
RCPTR_25	farmer_child	TOCDFMPF	Xylene, m-	3.6984E-015	7.7588E-015
RCPTR_25	farmer_child	TOCDFMPF	Xylene, o-	4.1797E-015	8.7686E-015
RCPTR_25	farmer_child	TOCDFMPF	Xylene, p-	5.7134E-015	1.1986E-014
RCPTR_25	farmer_child	TOCDFMPF	Zinc	5.6605E-007	1.0978E-006
RCPTR_25	farmer_child	TOCDHVAC	Mustard	2.8528E-014	5.9849E-014
RCPTR_25	farmer_child	TOCDLIC2	Acenaphthene	1.6023E-011	3.3615E-011
RCPTR_25	farmer_child	TOCDLIC2	Acetone	4.5348E-016	9.5136E-016
RCPTR_25	farmer_child	TOCDLIC2	Acetophenone	6.7342E-014	1.4128E-013
RCPTR_25	farmer_child	TOCDLIC2	Aniline	4.0171E-015	8.4274E-015
RCPTR_25	farmer_child	TOCDLIC2	Anthracene	3.2441E-010	6.8056E-010
RCPTR_25	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Benzene	2.5588E-015	5.3681E-015
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.4484E-008	4.2113E-008
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.8589E-008	5.0965E-008
RCPTR_25	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	6.8863E-008	1.1986E-007
RCPTR_25	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.1776E-008	7.5505E-008
RCPTR_25	farmer_child	TOCDLIC2	Benzoic acid	1.5395E-013	3.2298E-013
RCPTR_25	farmer_child	TOCDLIC2	Benzyl alcohol	1.4605E-011	3.0641E-011
RCPTR_25	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.1606E-014	1.9218E-013
RCPTR_25	farmer_child	TOCDLIC2	Bromodichloromethane	9.2136E-017	1.9329E-016
RCPTR_25	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.6899E-013	3.5453E-013
RCPTR_25	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	7.4417E-009	1.2811E-008
RCPTR_25	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.1294E-011	6.5653E-011
RCPTR_25	farmer_child	TOCDLIC2	Cadmium	5.8090E-007	1.0917E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Carbon disulfide	6.0007E-016	1.2589E-015
RCPTR_25	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2300E-014	2.5803E-014
RCPTR_25	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	7.6252E-012	1.5997E-011
RCPTR_25	farmer_child	TOCDLIC2	Chloroaniline, p-	4.2951E-013	9.0107E-013
RCPTR_25	farmer_child	TOCDLIC2	Chlorobenzene	4.9765E-015	1.0440E-014
RCPTR_25	farmer_child	TOCDLIC2	Chloroethane	5.2270E-018	1.0966E-017
RCPTR_25	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.7618E-015	9.9897E-015
RCPTR_25	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.3032E-011	9.0277E-011
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.2055E-012	2.5290E-012
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.1903E-011	1.2987E-010
RCPTR_25	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Chrysene	3.1293E-008	5.0385E-008
RCPTR_25	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.0419E-011	4.2838E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.7900E-007	1.6343E-006
RCPTR_25	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.5462E-007	5.7113E-007
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.0649E-014	1.2724E-013
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.4733E-014	1.5678E-013
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.0647E-014	1.4821E-013
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.4384E-011	9.3114E-011
RCPTR_25	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.9349E-019	8.2550E-019
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.5865E-017	3.3283E-017
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2106E-016	2.5398E-016
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.0623E-018	1.2718E-017
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.9962E-017	1.2579E-016
RCPTR_25	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.9117E-012	1.0304E-011
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.4050E-016	7.1433E-016
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1411E-016	2.3940E-016
RCPTR_25	farmer_child	TOCDLIC2	Diethyl phthalate	3.2032E-012	6.7199E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0008E-011	2.0996E-011
RCPTR_25	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.2683E-013	1.7346E-012
RCPTR_25	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.8019E-013	5.8781E-013
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	7.3875E-013	1.5498E-012
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.7028E-013	1.1964E-012
RCPTR_25	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.7016E-014	3.5699E-014
RCPTR_25	farmer_child	TOCDLIC2	Ethylbenzene	1.1926E-015	2.5019E-015
RCPTR_25	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.3883E-011	1.1304E-010
RCPTR_25	farmer_child	TOCDLIC2	Fluoranthene	4.7721E-009	9.2616E-009
RCPTR_25	farmer_child	TOCDLIC2	Fluorene	6.5958E-011	1.3837E-010
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.9764E-010	6.9457E-010
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0342E-009	1.4439E-009
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.4989E-009	2.0927E-009
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.6136E-009	3.6483E-009
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.5677E-009	2.1892E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.1414E-010	1.1369E-009
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.3613E-009	4.6946E-009
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.4713E-009	4.8473E-009
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.7057E-009	2.3820E-009
RCPTR_25	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.6098E-012	3.3772E-012
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorobenzene	4.1293E-009	8.6466E-009
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	4.4866E-012	9.4125E-012
RCPTR_25	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.1679E-013	1.7136E-012
RCPTR_25	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.0799E-007	1.1889E-006
RCPTR_25	farmer_child	TOCDLIC2	Isophorone	1.2342E-013	2.5892E-013
RCPTR_25	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Mercuric chloride	1.2543E-007	1.6480E-007
RCPTR_25	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	6.6835E-018	1.4021E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.1767E-017	2.4686E-017
RCPTR_25	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.2317E-015	1.9367E-014
RCPTR_25	farmer_child	TOCDLIC2	Methyl mercury	3.7639E-010	4.9768E-010
RCPTR_25	farmer_child	TOCDLIC2	Methylene chloride	1.2125E-015	2.5438E-015
RCPTR_25	farmer_child	TOCDLIC2	Mustard	1.3239E-014	2.7775E-014
RCPTR_25	farmer_child	TOCDLIC2	Naphthalene	9.0100E-014	1.8902E-013
RCPTR_25	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.1102E-012	4.4271E-012
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.9805E-013	1.0449E-012
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.4351E-013	1.3500E-012
RCPTR_25	farmer_child	TOCDLIC2	Nitrobenzene	2.0902E-013	4.3851E-013
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 2-	9.5042E-014	1.9939E-013
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 4-	9.0636E-013	1.9015E-012
RCPTR_25	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2030E-013	2.5239E-013
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.2385E-013	2.5982E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.0220E-014	2.1441E-014
RCPTR_25	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2457E-010	1.7389E-010
RCPTR_25	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.9035E-011	6.8437E-011
RCPTR_25	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.0837E-009	7.1072E-009
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.4800E-009	1.0452E-008
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorobenzene	6.6439E-011	1.3938E-010
RCPTR_25	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.5213E-012	9.4852E-012
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorophenol	1.9354E-010	4.0604E-010
RCPTR_25	farmer_child	TOCDLIC2	Phenanthrene	2.3410E-013	4.9111E-013
RCPTR_25	farmer_child	TOCDLIC2	Phenol	1.6423E-013	3.4454E-013
RCPTR_25	farmer_child	TOCDLIC2	Pronamide	1.7875E-011	3.7501E-011
RCPTR_25	farmer_child	TOCDLIC2	Pyrene	8.5545E-009	1.3792E-008
RCPTR_25	farmer_child	TOCDLIC2	Selenium	6.0564E-007	1.2706E-006
RCPTR_25	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Styrene	2.0109E-012	4.2188E-012
RCPTR_25	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9598E-009	2.7429E-009
RCPTR_25	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.5961E-009	3.6350E-009
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.8949E-011	3.9753E-011
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.3104E-016	1.3239E-015
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3454E-016	4.9205E-016
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.3064E-011	1.9524E-010
RCPTR_25	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Toluene	4.6074E-015	9.6659E-015
RCPTR_25	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.1052E-013	1.2808E-012
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.9749E-015	4.1432E-015
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.7792E-015	3.7325E-015
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethylene	2.9330E-016	6.1532E-016
RCPTR_25	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.8768E-017	8.1332E-017
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.6979E-011	1.4051E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2250E-011	2.5699E-011
RCPTR_25	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	6.6229E-015	1.3894E-014
RCPTR_25	farmer_child	TOCDLIC2	Vinyl Chloride	2.7619E-019	5.7942E-019
RCPTR_25	farmer_child	TOCDLIC2	Xylene, m-	7.7615E-015	1.6283E-014
RCPTR_25	farmer_child	TOCDLIC2	Xylene, o-	8.7717E-015	1.8402E-014
RCPTR_25	farmer_child	TOCDLIC2	Xylene, p-	1.1990E-014	2.5155E-014
RCPTR_25	farmer_child	TOCDLIC2	Zinc	1.9950E-006	3.8689E-006
RCPTR_26	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Cadmium	2.4219E-009	2.8513E-008
RCPTR_26	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFBRA	Mercuric chloride	1.1457E-005	1.2059E-005
RCPTR_26	farmer_adult	TOCDFBRA	Methyl mercury	3.0735E-008	3.6418E-008
RCPTR_26	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Selenium	1.5937E-009	2.2289E-008
RCPTR_26	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFBRA	Zinc	8.0463E-009	1.0043E-007
RCPTR_26	farmer_adult	TOCDFDFS	Acenaphthene	8.1124E-013	1.1346E-011
RCPTR_26	farmer_adult	TOCDFDFS	Acetone	7.0604E-018	9.8747E-017
RCPTR_26	farmer_adult	TOCDFDFS	Acetophenone	3.5844E-015	5.0132E-014
RCPTR_26	farmer_adult	TOCDFDFS	Aniline	2.0338E-016	2.8445E-015
RCPTR_26	farmer_adult	TOCDFDFS	Anthracene	1.6424E-011	2.2971E-010
RCPTR_26	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Aroclor 1254	2.5025E-013	3.5001E-012
RCPTR_26	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Benzene	2.5911E-017	3.6239E-016
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.4888E-009	1.4149E-008
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.5515E-009	1.6242E-008
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.0857E-009	4.0164E-008
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	5.5644E-009	2.3472E-008
RCPTR_26	farmer_adult	TOCDFDFS	Benzoic acid	2.2563E-015	3.1557E-014
RCPTR_26	farmer_adult	TOCDFDFS	Benzyl alcohol	4.6216E-015	6.4638E-014
RCPTR_26	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.6379E-015	6.4866E-014
RCPTR_26	farmer_adult	TOCDFDFS	Bromodichloromethane	8.3709E-018	1.1708E-016
RCPTR_26	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.3569E-015	1.8978E-014
RCPTR_26	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.5380E-010	4.3242E-009
RCPTR_26	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.5823E-012	2.2131E-011
RCPTR_26	farmer_adult	TOCDFDFS	Cadmium	9.8278E-010	1.1570E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Carbon disulfide	4.6090E-018	6.4462E-017
RCPTR_26	farmer_adult	TOCDFDFS	Carbon tetrachloride	7.5655E-018	1.0581E-016
RCPTR_26	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.8606E-013	5.3994E-012
RCPTR_26	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.1746E-014	3.0414E-013
RCPTR_26	farmer_adult	TOCDFDFS	Chlorobenzene	4.4472E-017	6.2199E-016
RCPTR_26	farmer_adult	TOCDFDFS	Chloroethane	1.2794E-019	1.7894E-018
RCPTR_26	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	5.7607E-018	8.0569E-017
RCPTR_26	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.1787E-012	3.0471E-011
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.1032E-014	8.5359E-013
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.1341E-012	4.3833E-011
RCPTR_26	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Chrysene	2.2296E-009	1.6833E-008
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	6.6869E-012	9.3522E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.5432E-007	3.5569E-006
RCPTR_26	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.6702E-008	1.2623E-007
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.0706E-015	4.2946E-014
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.7836E-015	5.2918E-014
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.5768E-015	5.0025E-014
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.4672E-012	6.2478E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.0122E-020	1.4157E-019
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.4006E-018	3.3575E-017
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9632E-018	4.1444E-017
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	9.1734E-019	1.2830E-017
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4677E-018	2.0527E-017
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.4867E-013	3.4780E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	8.3343E-018	1.1656E-016
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.7091E-018	3.7890E-017
RCPTR_26	farmer_adult	TOCDFDFS	Diethyl phthalate	1.0493E-012	1.4676E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.3476E-014	7.4791E-013
RCPTR_26	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.1862E-014	5.8548E-013
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.4185E-014	1.9839E-013
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.7401E-014	5.2309E-013
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.8872E-014	4.0381E-013
RCPTR_26	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.6152E-016	1.2049E-014
RCPTR_26	farmer_adult	TOCDFDFS	Ethylbenzene	2.7824E-017	3.8915E-016
RCPTR_26	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.5500E-013	4.9650E-012
RCPTR_26	farmer_adult	TOCDFDFS	Fluoranthene	2.5006E-010	3.1252E-009
RCPTR_26	farmer_adult	TOCDFDFS	Fluorene	3.3394E-012	4.6704E-011
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.8227E-012	4.9273E-012
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.0072E-012	2.7328E-012
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9356E-012	5.2518E-012
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.6378E-011	7.1405E-011
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.5193E-011	4.1339E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.2737E-012	1.9791E-011
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.0272E-011	2.7997E-011
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.1100E-011	3.0177E-011
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	5.8876E-012	1.6027E-011
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.1503E-014	1.1399E-012
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.0910E-010	2.9184E-009
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.2715E-013	3.1770E-012
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.1354E-014	5.7837E-013
RCPTR_26	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.9758E-008	2.6244E-007
RCPTR_26	farmer_adult	TOCDFDFS	Isophorone	6.2486E-015	8.7393E-014
RCPTR_26	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Mercuric chloride	4.4805E-009	4.7163E-009
RCPTR_26	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.0369E-019	1.4502E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.0401E-020	2.8533E-019
RCPTR_26	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.0674E-017	7.0872E-016
RCPTR_26	farmer_adult	TOCDFDFS	Methyl mercury	1.2020E-011	1.4243E-011
RCPTR_26	farmer_adult	TOCDFDFS	Methylene chloride	3.0676E-018	4.2904E-017
RCPTR_26	farmer_adult	TOCDFDFS	Mustard	3.6664E-016	5.1279E-015
RCPTR_26	farmer_adult	TOCDFDFS	Naphthalene	2.9517E-014	4.1282E-013
RCPTR_26	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.0683E-013	1.4942E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.5215E-014	3.5266E-013
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.2579E-014	4.5565E-013
RCPTR_26	farmer_adult	TOCDFDFS	Nitrobenzene	1.0583E-014	1.4801E-013
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.8119E-015	6.7299E-014
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 4-	4.5886E-014	6.4176E-013
RCPTR_26	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.0909E-015	8.5187E-014
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.2702E-015	8.7695E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.1743E-016	7.2368E-015
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.9083E-013	1.3287E-012
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.0666E-013	5.5835E-013
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	4.2605E-011	1.1750E-010
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	5.3299E-011	1.4600E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.7153E-013	9.3920E-012
RCPTR_26	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.2890E-013	3.2014E-012
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorophenol	4.9081E-011	6.8645E-010
RCPTR_26	farmer_adult	TOCDFDFS	Phenanthrene	1.1852E-014	1.6576E-013
RCPTR_26	farmer_adult	TOCDFDFS	Phenol	8.3148E-015	1.1629E-013
RCPTR_26	farmer_adult	TOCDFDFS	Pronamide	9.0502E-013	1.2658E-011
RCPTR_26	farmer_adult	TOCDFDFS	Pyrene	6.1315E-010	4.6542E-009
RCPTR_26	farmer_adult	TOCDFDFS	Selenium	1.5449E-010	2.1607E-009
RCPTR_26	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Styrene	3.3036E-016	4.6205E-015
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.9450E-011	1.1025E-010
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.1804E-011	1.1739E-010
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.5937E-013	1.3418E-011
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.6910E-015	6.5609E-014
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.9949E-018	1.2580E-016
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.7115E-012	6.5895E-011
RCPTR_26	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Toluene	1.2090E-017	1.6909E-016
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.0910E-014	4.3231E-013
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.4503E-018	1.0420E-016
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	4.3548E-017	6.0907E-016
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethylene	7.1791E-018	1.0041E-016
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.9731E-019	1.3948E-017
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.3911E-012	4.7428E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	3.1174E-012	4.3600E-011
RCPTR_26	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.6211E-016	2.2673E-015
RCPTR_26	farmer_adult	TOCDFDFS	Vinyl Chloride	2.2554E-021	3.1544E-020
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, m-	4.2719E-017	5.9746E-016
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, o-	4.2178E-017	5.8990E-016
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, p-	6.5994E-017	9.2300E-016
RCPTR_26	farmer_adult	TOCDFDFS	Zinc	1.4709E-009	1.8359E-008
RCPTR_26	farmer_adult	TOCDFLIC	Acenaphthene	1.7133E-013	2.3963E-012
RCPTR_26	farmer_adult	TOCDFLIC	Acetone	4.8490E-018	6.7818E-017
RCPTR_26	farmer_adult	TOCDFLIC	Acetophenone	7.2007E-016	1.0071E-014
RCPTR_26	farmer_adult	TOCDFLIC	Aniline	4.2954E-017	6.0075E-016
RCPTR_26	farmer_adult	TOCDFLIC	Anthracene	3.4688E-012	4.8514E-011
RCPTR_26	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Benzene	2.7361E-017	3.8266E-016
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.1390E-010	2.9832E-009
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.2065E-010	3.3568E-009
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	8.6062E-010	8.4603E-009
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.1387E-009	4.8032E-009
RCPTR_26	farmer_adult	TOCDFLIC	Benzoic acid	1.6462E-015	2.3023E-014
RCPTR_26	farmer_adult	TOCDFLIC	Benzyl alcohol	1.5617E-013	2.1842E-012
RCPTR_26	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	9.7952E-016	1.3700E-014
RCPTR_26	farmer_adult	TOCDFLIC	Bromodichloromethane	9.8519E-019	1.3779E-017
RCPTR_26	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.8070E-015	2.5273E-014
RCPTR_26	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	9.5842E-011	9.1325E-010
RCPTR_26	farmer_adult	TOCDFLIC	Butylbenzylphthalate	3.3403E-013	4.6717E-012
RCPTR_26	farmer_adult	TOCDFLIC	Cadmium	4.0719E-009	4.7938E-008
RCPTR_26	farmer_adult	TOCDFLIC	Carbon disulfide	6.4164E-018	8.9740E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.3152E-016	1.8394E-015
RCPTR_26	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	8.1535E-014	1.1403E-012
RCPTR_26	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.5927E-015	6.4233E-014
RCPTR_26	farmer_adult	TOCDFLIC	Chlorobenzene	5.3213E-017	7.4423E-016
RCPTR_26	farmer_adult	TOCDFLIC	Chloroethane	5.5891E-020	7.8170E-019
RCPTR_26	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.0917E-017	7.1212E-016
RCPTR_26	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	4.6013E-013	6.4354E-012
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.2890E-014	1.8028E-013
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.6192E-013	9.2576E-012
RCPTR_26	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Chrysene	4.6913E-010	3.5420E-009
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	2.1823E-013	3.0521E-012
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-octylphthalate	8.2904E-009	1.1595E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	3.3322E-009	2.5185E-008
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	6.4851E-016	9.0701E-015
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	7.9910E-016	1.1176E-014
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	7.5542E-016	1.0565E-014
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.7069E-013	6.5831E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.2075E-021	5.8846E-020
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.6964E-019	2.3726E-018
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2945E-018	1.8105E-017
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	6.4823E-020	9.0662E-019
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.4116E-019	8.9673E-018
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	5.2520E-014	7.3454E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.6409E-018	5.0921E-017
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2202E-018	1.7066E-017
RCPTR_26	farmer_adult	TOCDFLIC	Diethyl phthalate	3.4250E-014	4.7902E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0701E-013	1.4967E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.8412E-015	1.2365E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.9959E-015	4.1901E-014
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	7.8989E-015	1.1047E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.0978E-015	8.5283E-014
RCPTR_26	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.8195E-016	2.5448E-015
RCPTR_26	farmer_adult	TOCDFLIC	Ethylbenzene	1.2752E-017	1.7835E-016
RCPTR_26	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.7428E-013	8.0319E-012
RCPTR_26	farmer_adult	TOCDFLIC	Fluoranthene	5.2808E-011	6.5996E-010
RCPTR_26	farmer_adult	TOCDFLIC	Fluorene	7.0527E-013	9.8639E-012
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.5255E-011	4.1239E-011
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.2000E-011	8.6824E-011
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.5925E-011	1.2461E-010
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.2279E-011	2.2273E-010
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.8195E-011	1.3113E-010
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.4794E-011	6.7461E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.0448E-010	2.8476E-010
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.0833E-010	2.9453E-010
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.3273E-011	1.4501E-010
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7213E-014	2.4075E-013
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.4161E-011	6.1637E-010
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.7974E-014	6.7097E-013
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.7338E-015	1.2215E-013
RCPTR_26	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.9357E-009	5.2348E-008
RCPTR_26	farmer_adult	TOCDFLIC	Isophorone	1.3197E-015	1.8457E-014
RCPTR_26	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Mercuric chloride	1.1071E-008	1.1653E-008
RCPTR_26	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	7.1466E-020	9.9952E-019
RCPTR_26	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.2582E-019	1.7597E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.8713E-017	1.3806E-015
RCPTR_26	farmer_adult	TOCDFLIC	Methyl mercury	2.9699E-011	3.5191E-011
RCPTR_26	farmer_adult	TOCDFLIC	Methylene chloride	1.2965E-017	1.8133E-016
RCPTR_26	farmer_adult	TOCDFLIC	Mustard	1.3617E-016	1.9045E-015
RCPTR_26	farmer_adult	TOCDFLIC	Naphthalene	9.6342E-016	1.3474E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.2564E-014	3.1558E-013
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.3256E-015	7.4484E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 4-	6.8809E-015	9.6237E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nitrobenzene	2.2350E-015	3.1259E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.0163E-015	1.4214E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 4-	9.6915E-016	1.3555E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2864E-015	1.7991E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.3243E-015	1.8521E-014
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.0928E-016	1.5284E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.7726E-012	1.0212E-011
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.4875E-012	4.0191E-012
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.6774E-010	4.6259E-010
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.5123E-010	6.8819E-010
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorobenzene	7.1042E-013	9.9359E-012
RCPTR_26	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.8345E-014	6.7616E-013
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorophenol	2.0695E-012	2.8944E-011
RCPTR_26	farmer_adult	TOCDFLIC	Phenanthrene	2.5032E-015	3.5009E-014
RCPTR_26	farmer_adult	TOCDFLIC	Phenol	1.7561E-015	2.4560E-014
RCPTR_26	farmer_adult	TOCDFLIC	Pronamide	1.9114E-013	2.6733E-012
RCPTR_26	farmer_adult	TOCDFLIC	Pyrene	1.2949E-010	9.8290E-010
RCPTR_26	farmer_adult	TOCDFLIC	Selenium	3.9892E-009	5.5794E-008
RCPTR_26	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Styrene	2.1503E-014	3.0074E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.7244E-011	1.8792E-010
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	9.0304E-011	2.5358E-010
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0262E-013	2.8338E-012
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.7476E-018	9.4372E-017
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5079E-018	3.5076E-017
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.9511E-013	1.3918E-011
RCPTR_26	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Toluene	4.9266E-017	6.8903E-016
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.5282E-015	9.1303E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.1118E-017	2.9535E-016
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.9024E-017	2.6607E-016
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethylene	3.1362E-018	4.3863E-017
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.1454E-019	5.7978E-018
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	7.1619E-013	1.0017E-011
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.3098E-013	1.8319E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	7.0818E-017	9.9046E-016
RCPTR_26	farmer_adult	TOCDFLIC	Vinyl Chloride	2.9533E-021	4.1304E-020
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, m-	3.9937E-017	5.5857E-016
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, o-	4.5135E-017	6.3126E-016
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, p-	6.1698E-017	8.6290E-016
RCPTR_26	farmer_adult	TOCDFLIC	Zinc	1.3612E-008	1.6989E-007
RCPTR_26	farmer_adult	TOCDFMPF	Acenaphthene	2.6074E-013	3.6467E-012
RCPTR_26	farmer_adult	TOCDFMPF	Acetone	1.7632E-017	2.4661E-016
RCPTR_26	farmer_adult	TOCDFMPF	Acetophenone	1.1480E-015	1.6056E-014
RCPTR_26	farmer_adult	TOCDFMPF	Aniline	6.5369E-017	9.1426E-016
RCPTR_26	farmer_adult	TOCDFMPF	Anthracene	5.2790E-012	7.3831E-011
RCPTR_26	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Aroclor 1254	1.4877E-013	2.0807E-012
RCPTR_26	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Benzene	2.4343E-017	3.4047E-016
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.7775E-010	4.5404E-009
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)pyrene	4.8864E-010	5.1155E-009
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.3100E-009	1.2877E-008
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.7363E-009	7.3244E-009
RCPTR_26	farmer_adult	TOCDFMPF	Benzoic acid	7.2520E-015	1.0143E-013
RCPTR_26	farmer_adult	TOCDFMPF	Benzyl alcohol	1.4854E-015	2.0775E-014
RCPTR_26	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.4907E-015	2.0849E-014
RCPTR_26	farmer_adult	TOCDFMPF	Bromodichloromethane	2.9796E-017	4.1672E-016
RCPTR_26	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.0508E-015	1.4696E-014
RCPTR_26	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.4586E-010	1.3898E-009
RCPTR_26	farmer_adult	TOCDFMPF	Butylbenzylphthalate	5.0836E-013	7.1099E-012
RCPTR_26	farmer_adult	TOCDFMPF	Cadmium	1.8529E-008	2.1814E-007
RCPTR_26	farmer_adult	TOCDFMPF	Carbon disulfide	2.3353E-018	3.2662E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.2806E-017	3.1897E-016
RCPTR_26	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2408E-013	1.7354E-012
RCPTR_26	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.9893E-015	9.7753E-014
RCPTR_26	farmer_adult	TOCDFMPF	Chlorobenzene	9.5043E-017	1.3293E-015
RCPTR_26	farmer_adult	TOCDFMPF	Chloroethane	5.4829E-019	7.6684E-018
RCPTR_26	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.5940E-017	2.2294E-016
RCPTR_26	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.0025E-013	9.7938E-012
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.9616E-014	2.7436E-013
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0073E-012	1.4089E-011
RCPTR_26	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Chrysene	7.1410E-010	5.3916E-009
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.1490E-012	3.0055E-011
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-octylphthalate	8.1644E-008	1.1419E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	5.0748E-009	3.8355E-008
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	9.8694E-016	1.3803E-014
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.2161E-015	1.7009E-014
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.1496E-015	1.6079E-014
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.4371E-012	2.0099E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.4450E-020	4.8182E-019
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.1305E-018	7.1755E-017
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3328E-018	8.8571E-017
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.9605E-018	2.7419E-017
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.1366E-018	4.3869E-017
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	7.9927E-014	1.1179E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.7812E-017	2.4911E-016
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.7898E-018	8.0976E-017
RCPTR_26	farmer_adult	TOCDFMPF	Diethyl phthalate	3.3727E-013	4.7171E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.1376E-014	1.5911E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.3455E-014	1.8818E-013
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	4.5511E-015	6.3651E-014
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.2021E-014	1.6813E-013
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.2799E-015	1.2979E-013
RCPTR_26	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.7690E-016	3.8728E-015
RCPTR_26	farmer_adult	TOCDFMPF	Ethylbenzene	5.9464E-017	8.3167E-016
RCPTR_26	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0342E-013	1.4464E-012
RCPTR_26	farmer_adult	TOCDFMPF	Fluoranthene	8.0366E-011	1.0044E-009
RCPTR_26	farmer_adult	TOCDFMPF	Fluorene	1.0733E-012	1.5011E-011
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	5.9436E-011	1.6067E-010
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.0292E-011	1.3646E-010
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.3732E-011	1.4579E-010
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.3480E-011	6.3561E-011
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0706E-011	2.9129E-011
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.8553E-012	1.5931E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.0627E-011	5.6219E-011
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0443E-011	2.8393E-011
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	4.8171E-012	1.3113E-011
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.6196E-014	3.6638E-013
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorobenzene	6.7206E-011	9.3802E-010
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	7.3010E-014	1.0211E-012
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3292E-014	1.8590E-013
RCPTR_26	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.0398E-009	7.9724E-008
RCPTR_26	farmer_adult	TOCDFMPF	Isophorone	2.0084E-015	2.8089E-014
RCPTR_26	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Mercuric chloride	1.8738E-007	1.9724E-007
RCPTR_26	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.6814E-019	5.1488E-018
RCPTR_26	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.1381E-020	2.9903E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.9929E-017	2.7873E-016
RCPTR_26	farmer_adult	TOCDFMPF	Methyl mercury	5.0269E-010	5.9565E-010
RCPTR_26	farmer_adult	TOCDFMPF	Methylene chloride	1.0151E-017	1.4197E-016
RCPTR_26	farmer_adult	TOCDFMPF	Mustard	9.6461E-016	1.3491E-014
RCPTR_26	farmer_adult	TOCDFMPF	Naphthalene	9.4871E-015	1.3269E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.4277E-014	4.7940E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 3-	8.0901E-015	1.1315E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.0453E-014	1.4619E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitrobenzene	3.4014E-015	4.7572E-014
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.5466E-015	2.1631E-014
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.4722E-014	2.0591E-013
RCPTR_26	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.9577E-015	2.7380E-014
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.0153E-015	2.8186E-014
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.6631E-016	2.3260E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.3993E-010	6.4948E-010
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.6864E-010	4.5565E-010
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.7493E-012	2.4128E-011
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.6809E-011	4.6045E-011
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.1584E-013	3.0187E-012
RCPTR_26	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.3440E-014	1.0271E-012
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorophenol	1.5748E-011	2.2025E-010
RCPTR_26	farmer_adult	TOCDFMPF	Phenanthrene	3.8094E-015	5.3279E-014
RCPTR_26	farmer_adult	TOCDFMPF	Phenol	2.6725E-015	3.7377E-014
RCPTR_26	farmer_adult	TOCDFMPF	Pronamide	2.9088E-013	4.0683E-012
RCPTR_26	farmer_adult	TOCDFMPF	Pyrene	1.9706E-010	1.4958E-009
RCPTR_26	farmer_adult	TOCDFMPF	Selenium	6.9715E-011	9.7504E-010
RCPTR_26	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Styrene	4.8813E-016	6.8270E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	8.0157E-012	2.2401E-011
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	8.9107E-011	2.5022E-010
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.0835E-013	4.3127E-012
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.0407E-016	2.8541E-015
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9223E-017	2.6886E-016
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.5117E-012	2.1142E-011
RCPTR_26	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Toluene	3.2906E-017	4.6022E-016
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.9349E-015	1.3895E-013
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.2340E-017	1.7259E-016
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	9.3069E-017	1.3017E-015
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethylene	1.5343E-017	2.1458E-016
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.2588E-017	5.9563E-016
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0899E-012	1.5244E-011
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.9934E-013	2.7879E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.4645E-016	4.8455E-015
RCPTR_26	farmer_adult	TOCDFMPF	Vinyl Chloride	8.0672E-021	1.1283E-019
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, m-	3.9796E-017	5.5658E-016
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, o-	4.4975E-017	6.2902E-016
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, p-	6.1479E-017	8.5984E-016
RCPTR_26	farmer_adult	TOCDFMPF	Zinc	3.8621E-009	4.8204E-008
RCPTR_26	farmer_adult	TOCDHVAC	Mustard	2.3118E-016	3.2333E-015
RCPTR_26	farmer_adult	TOCDLIC2	Acenaphthene	1.7133E-013	2.3963E-012
RCPTR_26	farmer_adult	TOCDLIC2	Acetone	4.8490E-018	6.7818E-017
RCPTR_26	farmer_adult	TOCDLIC2	Acetophenone	7.2007E-016	1.0071E-014
RCPTR_26	farmer_adult	TOCDLIC2	Aniline	4.2954E-017	6.0075E-016
RCPTR_26	farmer_adult	TOCDLIC2	Anthracene	3.4688E-012	4.8514E-011
RCPTR_26	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Benzene	2.7361E-017	3.8266E-016
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.1390E-010	2.9832E-009
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.2065E-010	3.3568E-009
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	8.6062E-010	8.4603E-009
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.1387E-009	4.8032E-009
RCPTR_26	farmer_adult	TOCDLIC2	Benzoic acid	1.6462E-015	2.3023E-014
RCPTR_26	farmer_adult	TOCDLIC2	Benzyl alcohol	1.5617E-013	2.1842E-012
RCPTR_26	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.7952E-016	1.3700E-014
RCPTR_26	farmer_adult	TOCDLIC2	Bromodichloromethane	9.8519E-019	1.3779E-017
RCPTR_26	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.8070E-015	2.5273E-014
RCPTR_26	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	9.5842E-011	9.1325E-010
RCPTR_26	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.3403E-013	4.6717E-012
RCPTR_26	farmer_adult	TOCDLIC2	Cadmium	4.0719E-009	4.7938E-008
RCPTR_26	farmer_adult	TOCDLIC2	Carbon disulfide	6.4164E-018	8.9740E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.3152E-016	1.8394E-015
RCPTR_26	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	8.1535E-014	1.1403E-012
RCPTR_26	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.5927E-015	6.4233E-014
RCPTR_26	farmer_adult	TOCDLIC2	Chlorobenzene	5.3213E-017	7.4423E-016
RCPTR_26	farmer_adult	TOCDLIC2	Chloroethane	5.5891E-020	7.8170E-019
RCPTR_26	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.0917E-017	7.1212E-016
RCPTR_26	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.6013E-013	6.4354E-012
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2890E-014	1.8028E-013
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.6192E-013	9.2576E-012
RCPTR_26	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Chrysene	4.6913E-010	3.5420E-009
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	2.1823E-013	3.0521E-012
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.2904E-009	1.1595E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	3.3322E-009	2.5185E-008
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.4851E-016	9.0701E-015
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.9910E-016	1.1176E-014
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.5542E-016	1.0565E-014
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.7069E-013	6.5831E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.2075E-021	5.8846E-020
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.6964E-019	2.3726E-018
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2945E-018	1.8105E-017
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	6.4823E-020	9.0662E-019
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.4116E-019	8.9673E-018
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	5.2520E-014	7.3454E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.6409E-018	5.0921E-017
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2202E-018	1.7066E-017
RCPTR_26	farmer_adult	TOCDLIC2	Diethyl phthalate	3.4250E-014	4.7902E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0701E-013	1.4967E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.8412E-015	1.2365E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.9959E-015	4.1901E-014
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	7.8989E-015	1.1047E-013
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.0978E-015	8.5283E-014
RCPTR_26	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.8195E-016	2.5448E-015
RCPTR_26	farmer_adult	TOCDLIC2	Ethylbenzene	1.2752E-017	1.7835E-016
RCPTR_26	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.7428E-013	8.0319E-012
RCPTR_26	farmer_adult	TOCDLIC2	Fluoranthene	5.2808E-011	6.5996E-010
RCPTR_26	farmer_adult	TOCDLIC2	Fluorene	7.0527E-013	9.8639E-012
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.5255E-011	4.1239E-011
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.2000E-011	8.6824E-011
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.5925E-011	1.2461E-010
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	8.2279E-011	2.2273E-010
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.8195E-011	1.3113E-010
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.4794E-011	6.7461E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0448E-010	2.8476E-010
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.0833E-010	2.9453E-010
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.3273E-011	1.4501E-010
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.7213E-014	2.4075E-013
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.4161E-011	6.1637E-010
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.7974E-014	6.7097E-013
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.7338E-015	1.2215E-013
RCPTR_26	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.9357E-009	5.2348E-008
RCPTR_26	farmer_adult	TOCDLIC2	Isophorone	1.3197E-015	1.8457E-014
RCPTR_26	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Mercuric chloride	1.1071E-008	1.1653E-008
RCPTR_26	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	7.1466E-020	9.9952E-019
RCPTR_26	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.2582E-019	1.7597E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.8713E-017	1.3806E-015
RCPTR_26	farmer_adult	TOCDLIC2	Methyl mercury	2.9699E-011	3.5191E-011
RCPTR_26	farmer_adult	TOCDLIC2	Methylene chloride	1.2965E-017	1.8133E-016
RCPTR_26	farmer_adult	TOCDLIC2	Mustard	1.4157E-016	1.9799E-015
RCPTR_26	farmer_adult	TOCDLIC2	Naphthalene	9.6342E-016	1.3474E-014
RCPTR_26	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.2564E-014	3.1558E-013
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.3256E-015	7.4484E-014
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.8809E-015	9.6237E-014
RCPTR_26	farmer_adult	TOCDLIC2	Nitrobenzene	2.2350E-015	3.1259E-014
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0163E-015	1.4214E-014
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 4-	9.6915E-015	1.3555E-013
RCPTR_26	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2864E-015	1.7991E-014
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.3243E-015	1.8521E-014
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0928E-016	1.5284E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.7726E-012	1.0212E-011
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.4875E-012	4.0191E-012
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.6774E-010	4.6259E-010
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.5123E-010	6.8819E-010
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.1042E-013	9.9359E-012
RCPTR_26	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.8345E-014	6.7616E-013
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorophenol	2.0695E-012	2.8944E-011
RCPTR_26	farmer_adult	TOCDLIC2	Phenanthrene	2.5032E-015	3.5009E-014
RCPTR_26	farmer_adult	TOCDLIC2	Phenol	1.7561E-015	2.4560E-014
RCPTR_26	farmer_adult	TOCDLIC2	Pronamide	1.9114E-013	2.6733E-012
RCPTR_26	farmer_adult	TOCDLIC2	Pyrene	1.2949E-010	9.8290E-010
RCPTR_26	farmer_adult	TOCDLIC2	Selenium	3.9892E-009	5.5794E-008
RCPTR_26	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Styrene	2.1503E-014	3.0074E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	6.7244E-011	1.8792E-010
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	9.0304E-011	2.5358E-010
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0262E-013	2.8338E-012
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.7476E-018	9.4372E-017
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5079E-018	3.5076E-017
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.9511E-013	1.3918E-011
RCPTR_26	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Toluene	4.9266E-017	6.8903E-016
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.5282E-015	9.1303E-014
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.1118E-017	2.9535E-016
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.9024E-017	2.6607E-016
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethylene	3.1362E-018	4.3863E-017
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.1454E-019	5.7978E-018
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	7.1619E-013	1.0017E-011
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3098E-013	1.8319E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	7.0818E-017	9.9046E-016
RCPTR_26	farmer_adult	TOCDLIC2	Vinyl Chloride	2.9533E-021	4.1304E-020
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, m-	8.2992E-017	1.1607E-015
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, o-	9.3793E-017	1.3118E-015
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, p-	1.2821E-016	1.7932E-015
RCPTR_26	farmer_adult	TOCDLIC2	Zinc	1.3612E-008	1.6989E-007
RCPTR_26	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Cadmium	1.5172E-008	2.8513E-008
RCPTR_26	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Mercuric chloride	9.1781E-006	1.2059E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFBRA	Methyl mercury	2.7543E-008	3.6418E-008
RCPTR_26	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Selenium	1.0625E-008	2.2289E-008
RCPTR_26	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFBRA	Zinc	5.1785E-008	1.0043E-007
RCPTR_26	farmer_child	TOCDFDFS	Acenaphthene	5.4082E-012	1.1346E-011
RCPTR_26	farmer_child	TOCDFDFS	Acetone	4.7070E-017	9.8747E-017
RCPTR_26	farmer_child	TOCDFDFS	Acetophenone	2.3896E-014	5.0132E-014
RCPTR_26	farmer_child	TOCDFDFS	Aniline	1.3559E-015	2.8445E-015
RCPTR_26	farmer_child	TOCDFDFS	Anthracene	1.0950E-010	2.2971E-010
RCPTR_26	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Aroclor 1254	1.6684E-012	3.5001E-012
RCPTR_26	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Benzene	1.7274E-016	3.6239E-016
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.2259E-009	1.4149E-008
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)pyrene	9.1110E-009	1.6242E-008
RCPTR_26	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.3076E-008	4.0164E-008
RCPTR_26	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.6096E-008	2.3472E-008
RCPTR_26	farmer_child	TOCDFDFS	Benzoic acid	1.5042E-014	3.1557E-014
RCPTR_26	farmer_child	TOCDFDFS	Benzyl alcohol	3.0811E-014	6.4638E-014
RCPTR_26	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.0919E-014	6.4866E-014
RCPTR_26	farmer_child	TOCDFDFS	Bromodichloromethane	5.5806E-017	1.1708E-016
RCPTR_26	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.0460E-015	1.8978E-014
RCPTR_26	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.5117E-009	4.3242E-009
RCPTR_26	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.0549E-011	2.2131E-011
RCPTR_26	farmer_child	TOCDFDFS	Cadmium	6.1567E-009	1.1570E-008
RCPTR_26	farmer_child	TOCDFDFS	Carbon disulfide	3.0727E-017	6.4462E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Carbon tetrachloride	5.0437E-017	1.0581E-016
RCPTR_26	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.5737E-012	5.3994E-012
RCPTR_26	farmer_child	TOCDFDFS	Chloroaniline, p-	1.4497E-013	3.0414E-013
RCPTR_26	farmer_child	TOCDFDFS	Chlorobenzene	2.9648E-016	6.2199E-016
RCPTR_26	farmer_child	TOCDFDFS	Chloroethane	8.5294E-019	1.7894E-018
RCPTR_26	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.8405E-017	8.0569E-017
RCPTR_26	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4524E-011	3.0471E-011
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.0688E-013	8.5359E-013
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.0894E-011	4.3833E-011
RCPTR_26	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Chrysene	1.0455E-008	1.6833E-008
RCPTR_26	farmer_child	TOCDFDFS	Di-n-butyl phthalate	4.4579E-011	9.3522E-011
RCPTR_26	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.6954E-006	3.5569E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	7.8380E-008	1.2623E-007
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.0471E-014	4.2946E-014
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.5224E-014	5.2918E-014
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.3845E-014	5.0025E-014
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.9781E-011	6.2478E-011
RCPTR_26	farmer_child	TOCDFDFS	Dichlorodifluoromethane	6.7483E-020	1.4157E-019
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.6004E-017	3.3575E-017
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9755E-017	4.1444E-017
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	6.1156E-018	1.2830E-017
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	9.7846E-018	2.0527E-017
RCPTR_26	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.6578E-012	3.4780E-012
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.5562E-017	1.1656E-016
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.8061E-017	3.7890E-017
RCPTR_26	farmer_child	TOCDFDFS	Diethyl phthalate	6.9956E-012	1.4676E-011
RCPTR_26	farmer_child	TOCDFDFS	Dimethyl phthalate	3.5650E-013	7.4791E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.7908E-013	5.8548E-013
RCPTR_26	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	9.4565E-014	1.9839E-013
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.4934E-013	5.2309E-013
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.9248E-013	4.0381E-013
RCPTR_26	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.7435E-015	1.2049E-014
RCPTR_26	farmer_child	TOCDFDFS	Ethylbenzene	1.8550E-016	3.8915E-016
RCPTR_26	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.3667E-012	4.9650E-012
RCPTR_26	farmer_child	TOCDFDFS	Fluoranthene	1.6103E-009	3.1252E-009
RCPTR_26	farmer_child	TOCDFDFS	Fluorene	2.2262E-011	4.6704E-011
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.5303E-012	4.9273E-012
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.9574E-012	2.7328E-012
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.7616E-012	5.2518E-012
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	5.1154E-011	7.1405E-011
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.9603E-011	4.1339E-011
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.4172E-011	1.9791E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.0045E-011	2.7997E-011
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.1611E-011	3.0177E-011
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.1476E-011	1.6027E-011
RCPTR_26	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.4336E-013	1.1399E-012
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorobenzene	1.3937E-009	2.9184E-009
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.5144E-012	3.1770E-012
RCPTR_26	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.7569E-013	5.7837E-013
RCPTR_26	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.5629E-007	2.6244E-007
RCPTR_26	farmer_child	TOCDFDFS	Isophorone	4.1657E-014	8.7393E-014
RCPTR_26	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Mercuric chloride	3.5894E-009	4.7163E-009
RCPTR_26	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	6.9127E-019	1.4502E-018
RCPTR_26	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.3601E-019	2.8533E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.3782E-016	7.0872E-016
RCPTR_26	farmer_child	TOCDFDFS	Methyl mercury	1.0772E-011	1.4243E-011
RCPTR_26	farmer_child	TOCDFDFS	Methylene chloride	2.0451E-017	4.2904E-017
RCPTR_26	farmer_child	TOCDFDFS	Mustard	2.4443E-015	5.1279E-015
RCPTR_26	farmer_child	TOCDFDFS	Naphthalene	1.9678E-013	4.1282E-013
RCPTR_26	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 2-	7.1223E-013	1.4942E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.6810E-013	3.5266E-013
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.1719E-013	4.5565E-013
RCPTR_26	farmer_child	TOCDFDFS	Nitrobenzene	7.0551E-014	1.4801E-013
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.2079E-014	6.7299E-014
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.0591E-013	6.4176E-013
RCPTR_26	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.0606E-014	8.5187E-014
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.1801E-014	8.7695E-014
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.4495E-015	7.2368E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.5184E-013	1.3287E-012
RCPTR_26	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.0006E-013	5.5835E-013
RCPTR_26	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	8.4043E-011	1.1750E-010
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0449E-010	1.4600E-010
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorobenzene	4.4769E-012	9.3920E-012
RCPTR_26	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.5260E-012	3.2014E-012
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorophenol	3.2721E-010	6.8645E-010
RCPTR_26	farmer_child	TOCDFDFS	Phenanthrene	7.9014E-014	1.6576E-013
RCPTR_26	farmer_child	TOCDFDFS	Phenol	5.5432E-014	1.1629E-013
RCPTR_26	farmer_child	TOCDFDFS	Pronamide	6.0334E-012	1.2658E-011
RCPTR_26	farmer_child	TOCDFDFS	Pyrene	2.8868E-009	4.6542E-009
RCPTR_26	farmer_child	TOCDFDFS	Selenium	1.0299E-009	2.1607E-009
RCPTR_26	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Styrene	2.2024E-015	4.6205E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	7.8772E-011	1.1025E-010
RCPTR_26	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	8.3841E-011	1.1739E-010
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.3958E-012	1.3418E-011
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.1274E-014	6.5609E-014
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.9966E-017	1.2580E-016
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.1410E-011	6.5895E-011
RCPTR_26	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Toluene	8.0600E-017	1.6909E-016
RCPTR_26	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.0607E-013	4.3231E-013
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.9669E-017	1.0420E-016
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.9032E-016	6.0907E-016
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethylene	4.7861E-017	1.0041E-016
RCPTR_26	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.6487E-018	1.3948E-017
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.2607E-011	4.7428E-011
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.0783E-011	4.3600E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.0807E-015	2.2673E-015
RCPTR_26	farmer_child	TOCDFDFS	Vinyl Chloride	1.5036E-020	3.1544E-020
RCPTR_26	farmer_child	TOCDFDFS	Xylene, m-	2.8479E-016	5.9746E-016
RCPTR_26	farmer_child	TOCDFDFS	Xylene, o-	2.8118E-016	5.8990E-016
RCPTR_26	farmer_child	TOCDFDFS	Xylene, p-	4.3996E-016	9.2300E-016
RCPTR_26	farmer_child	TOCDFDFS	Zinc	9.4665E-009	1.8359E-008
RCPTR_26	farmer_child	TOCDFLIC	Acenaphthene	1.1422E-012	2.3963E-012
RCPTR_26	farmer_child	TOCDFLIC	Acetone	3.2327E-017	6.7818E-017
RCPTR_26	farmer_child	TOCDFLIC	Acetophenone	4.8005E-015	1.0071E-014
RCPTR_26	farmer_child	TOCDFLIC	Aniline	2.8636E-016	6.0075E-016
RCPTR_26	farmer_child	TOCDFLIC	Anthracene	2.3125E-011	4.8514E-011
RCPTR_26	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Benzene	1.8240E-016	3.8266E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.7344E-009	2.9832E-009
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.8830E-009	3.3568E-009
RCPTR_26	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.8608E-009	8.4603E-009
RCPTR_26	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.2938E-009	4.8032E-009
RCPTR_26	farmer_child	TOCDFLIC	Benzoic acid	1.0975E-014	2.3023E-014
RCPTR_26	farmer_child	TOCDFLIC	Benzyl alcohol	1.0412E-012	2.1842E-012
RCPTR_26	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	6.5301E-015	1.3700E-014
RCPTR_26	farmer_child	TOCDFLIC	Bromodichloromethane	6.5679E-018	1.3779E-017
RCPTR_26	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.2047E-014	2.5273E-014
RCPTR_26	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.3047E-010	9.1325E-010
RCPTR_26	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.2269E-012	4.6717E-012
RCPTR_26	farmer_child	TOCDFLIC	Cadmium	2.5508E-008	4.7938E-008
RCPTR_26	farmer_child	TOCDFLIC	Carbon disulfide	4.2776E-017	8.9740E-017
RCPTR_26	farmer_child	TOCDFLIC	Carbon tetrachloride	8.7678E-016	1.8394E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	5.4356E-013	1.1403E-012
RCPTR_26	farmer_child	TOCDFLIC	Chloroaniline, p-	3.0618E-014	6.4233E-014
RCPTR_26	farmer_child	TOCDFLIC	Chlorobenzene	3.5475E-016	7.4423E-016
RCPTR_26	farmer_child	TOCDFLIC	Chloroethane	3.7261E-019	7.8170E-019
RCPTR_26	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.3944E-016	7.1212E-016
RCPTR_26	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.0676E-012	6.4354E-012
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenol, 2-	8.5932E-014	1.8028E-013
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.4128E-012	9.2576E-012
RCPTR_26	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Chrysene	2.1998E-009	3.5420E-009
RCPTR_26	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.4549E-012	3.0521E-012
RCPTR_26	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.5269E-008	1.1595E-007
RCPTR_26	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.5638E-008	2.5185E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.3234E-015	9.0701E-015
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.3273E-015	1.1176E-014
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.0361E-015	1.0565E-014
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.1379E-012	6.5831E-012
RCPTR_26	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.8050E-020	5.8846E-020
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.1309E-018	2.3726E-018
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6299E-018	1.8105E-017
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.3215E-019	9.0662E-019
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.2744E-018	8.9673E-018
RCPTR_26	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	3.5013E-013	7.3454E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.4273E-017	5.0921E-017
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	8.1346E-018	1.7066E-017
RCPTR_26	farmer_child	TOCDFLIC	Diethyl phthalate	2.2834E-013	4.7902E-013
RCPTR_26	farmer_child	TOCDFLIC	Dimethyl phthalate	7.1342E-013	1.4967E-012
RCPTR_26	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.8941E-014	1.2365E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.9973E-014	4.1901E-014
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	5.2659E-014	1.1047E-013
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.0652E-014	8.5283E-014
RCPTR_26	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.2130E-015	2.5448E-015
RCPTR_26	farmer_child	TOCDFLIC	Ethylbenzene	8.5013E-017	1.7835E-016
RCPTR_26	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.8285E-012	8.0319E-012
RCPTR_26	farmer_child	TOCDFLIC	Fluoranthene	3.4005E-010	6.5996E-010
RCPTR_26	farmer_child	TOCDFLIC	Fluorene	4.7018E-012	9.8639E-012
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.9546E-011	4.1239E-011
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.2188E-011	8.6824E-011
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.9249E-011	1.2461E-010
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.5956E-010	2.2273E-010
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	9.3903E-011	1.3113E-010
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.8308E-011	6.7461E-011
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.0389E-010	2.8476E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.1093E-010	2.9453E-010
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0384E-010	1.4501E-010
RCPTR_26	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.1476E-013	2.4075E-013
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorobenzene	2.9435E-010	6.1637E-010
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.1983E-013	6.7097E-013
RCPTR_26	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.8226E-014	1.2215E-013
RCPTR_26	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.1174E-008	5.2348E-008
RCPTR_26	farmer_child	TOCDFLIC	Isophorone	8.7979E-015	1.8457E-014
RCPTR_26	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Mercuric chloride	8.8688E-009	1.1653E-008
RCPTR_26	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.7644E-019	9.9952E-019
RCPTR_26	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	8.3881E-019	1.7597E-018
RCPTR_26	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.5809E-016	1.3806E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Methyl mercury	2.6615E-011	3.5191E-011
RCPTR_26	farmer_child	TOCDFLIC	Methylene chloride	8.6435E-017	1.8133E-016
RCPTR_26	farmer_child	TOCDFLIC	Mustard	9.0782E-016	1.9045E-015
RCPTR_26	farmer_child	TOCDFLIC	Naphthalene	6.4228E-015	1.3474E-014
RCPTR_26	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.5043E-013	3.1558E-013
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.5504E-014	7.4484E-014
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 4-	4.5873E-014	9.6237E-014
RCPTR_26	farmer_child	TOCDFLIC	Nitrobenzene	1.4900E-014	3.1259E-014
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 2-	6.7751E-015	1.4214E-014
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 4-	6.4610E-015	1.3555E-014
RCPTR_26	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.5759E-015	1.7991E-014
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	8.8284E-015	1.8521E-014
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	7.2854E-016	1.5284E-015
RCPTR_26	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.3160E-012	1.0212E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.8797E-012	4.0191E-012
RCPTR_26	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.3088E-010	4.6259E-010
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.9253E-010	6.8819E-010
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorobenzene	4.7361E-012	9.9359E-012
RCPTR_26	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.2230E-013	6.7616E-013
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorophenol	1.3797E-011	2.8944E-011
RCPTR_26	farmer_child	TOCDFLIC	Phenanthrene	1.6688E-014	3.5009E-014
RCPTR_26	farmer_child	TOCDFLIC	Phenol	1.1707E-014	2.4560E-014
RCPTR_26	farmer_child	TOCDFLIC	Pronamide	1.2743E-012	2.6733E-012
RCPTR_26	farmer_child	TOCDFLIC	Pyrene	6.0966E-010	9.8290E-010
RCPTR_26	farmer_child	TOCDFLIC	Selenium	2.6595E-008	5.5794E-008
RCPTR_26	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Styrene	1.4335E-013	3.0074E-013
RCPTR_26	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.3427E-010	1.8792E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.8111E-010	2.5358E-010
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.3508E-012	2.8338E-012
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	4.4984E-017	9.4372E-017
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.6720E-017	3.5076E-017
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.6341E-012	1.3918E-011
RCPTR_26	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Toluene	3.2844E-016	6.8903E-016
RCPTR_26	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.3521E-014	9.1303E-014
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.4078E-016	2.9535E-016
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.2683E-016	2.6607E-016
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethylene	2.0908E-017	4.3863E-017
RCPTR_26	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.7636E-018	5.7978E-018
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.7746E-012	1.0017E-011
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	8.7323E-013	1.8319E-012
RCPTR_26	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.7212E-016	9.9046E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Vinyl Chloride	1.9688E-020	4.1304E-020
RCPTR_26	farmer_child	TOCDFLIC	Xylene, m-	2.6625E-016	5.5857E-016
RCPTR_26	farmer_child	TOCDFLIC	Xylene, o-	3.0090E-016	6.3126E-016
RCPTR_26	farmer_child	TOCDFLIC	Xylene, p-	4.1132E-016	8.6290E-016
RCPTR_26	farmer_child	TOCDFLIC	Zinc	8.7602E-008	1.6989E-007
RCPTR_26	farmer_child	TOCDFMPF	Acenaphthene	1.7383E-012	3.6467E-012
RCPTR_26	farmer_child	TOCDFMPF	Acetone	1.1755E-016	2.4661E-016
RCPTR_26	farmer_child	TOCDFMPF	Acetophenone	7.6535E-015	1.6056E-014
RCPTR_26	farmer_child	TOCDFMPF	Aniline	4.3580E-016	9.1426E-016
RCPTR_26	farmer_child	TOCDFMPF	Anthracene	3.5193E-011	7.3831E-011
RCPTR_26	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Aroclor 1254	9.9178E-013	2.0807E-012
RCPTR_26	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Benzene	1.6229E-016	3.4047E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.6397E-009	4.5404E-009
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.8695E-009	5.1155E-009
RCPTR_26	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	7.3986E-009	1.2877E-008
RCPTR_26	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	5.0226E-009	7.3244E-009
RCPTR_26	farmer_child	TOCDFMPF	Benzoic acid	4.8347E-014	1.0143E-013
RCPTR_26	farmer_child	TOCDFMPF	Benzyl alcohol	9.9030E-015	2.0775E-014
RCPTR_26	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	9.9379E-015	2.0849E-014
RCPTR_26	farmer_child	TOCDFMPF	Bromodichloromethane	1.9864E-016	4.1672E-016
RCPTR_26	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.0053E-015	1.4696E-014
RCPTR_26	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	8.0730E-010	1.3898E-009
RCPTR_26	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.3890E-012	7.1099E-012
RCPTR_26	farmer_child	TOCDFMPF	Cadmium	1.1608E-007	2.1814E-007
RCPTR_26	farmer_child	TOCDFMPF	Carbon disulfide	1.5569E-017	3.2662E-017
RCPTR_26	farmer_child	TOCDFMPF	Carbon tetrachloride	1.5204E-016	3.1897E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.2722E-013	1.7354E-012
RCPTR_26	farmer_child	TOCDFMPF	Chloroaniline, p-	4.6596E-014	9.7753E-014
RCPTR_26	farmer_child	TOCDFMPF	Chlorobenzene	6.3362E-016	1.3293E-015
RCPTR_26	farmer_child	TOCDFMPF	Chloroethane	3.6553E-018	7.6684E-018
RCPTR_26	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.0627E-016	2.2294E-016
RCPTR_26	farmer_child	TOCDFMPF	Chloronaphthalene,2-	4.6684E-012	9.7938E-012
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.3078E-013	2.7436E-013
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.7156E-012	1.4089E-011
RCPTR_26	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Chrysene	3.3486E-009	5.3916E-009
RCPTR_26	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.4326E-011	3.0055E-011
RCPTR_26	farmer_child	TOCDFMPF	Di-n-octylphthalate	5.4430E-007	1.1419E-006
RCPTR_26	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.3815E-008	3.8355E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.5796E-015	1.3803E-014
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	8.1074E-015	1.7009E-014
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.6642E-015	1.6079E-014
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	9.5807E-012	2.0099E-011
RCPTR_26	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.2967E-019	4.8182E-019
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.4203E-017	7.1755E-017
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.2219E-017	8.8571E-017
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.3070E-017	2.7419E-017
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.0911E-017	4.3869E-017
RCPTR_26	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.3285E-013	1.1179E-012
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.1874E-016	2.4911E-016
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.8598E-017	8.0976E-017
RCPTR_26	farmer_child	TOCDFMPF	Diethyl phthalate	2.2485E-012	4.7171E-012
RCPTR_26	farmer_child	TOCDFMPF	Dimethyl phthalate	7.5840E-014	1.5911E-013
RCPTR_26	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	8.9699E-014	1.8818E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.0340E-014	6.3651E-014
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.0140E-014	1.6813E-013
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.1866E-014	1.2979E-013
RCPTR_26	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.8460E-015	3.8728E-015
RCPTR_26	farmer_child	TOCDFMPF	Ethylbenzene	3.9643E-016	8.3167E-016
RCPTR_26	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.8945E-013	1.4464E-012
RCPTR_26	farmer_child	TOCDFMPF	Fluoranthene	5.1751E-010	1.0044E-009
RCPTR_26	farmer_child	TOCDFMPF	Fluorene	7.1554E-012	1.5011E-011
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1512E-010	1.6067E-010
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	9.7737E-011	1.3646E-010
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0442E-010	1.4579E-010
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.5534E-011	6.3561E-011
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.0859E-011	2.9129E-011
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1408E-011	1.5931E-011
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.0252E-011	5.6219E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.0333E-011	2.8393E-011
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	9.3894E-012	1.3113E-011
RCPTR_26	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.7464E-013	3.6638E-013
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorobenzene	4.4796E-010	9.3802E-010
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.8673E-013	1.0211E-012
RCPTR_26	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.8610E-014	1.8590E-013
RCPTR_26	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	4.7477E-008	7.9724E-008
RCPTR_26	farmer_child	TOCDFMPF	Isophorone	1.3389E-014	2.8089E-014
RCPTR_26	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Mercuric chloride	1.5011E-007	1.9724E-007
RCPTR_26	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.4543E-018	5.1488E-018
RCPTR_26	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.4254E-019	2.9903E-019
RCPTR_26	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.3286E-016	2.7873E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Methyl mercury	4.5048E-010	5.9565E-010
RCPTR_26	farmer_child	TOCDFMPF	Methylene chloride	6.7672E-017	1.4197E-016
RCPTR_26	farmer_child	TOCDFMPF	Mustard	6.4307E-015	1.3491E-014
RCPTR_26	farmer_child	TOCDFMPF	Naphthalene	6.3247E-014	1.3269E-013
RCPTR_26	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.2851E-013	4.7940E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.3934E-014	1.1315E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.9685E-014	1.4619E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitrobenzene	2.2676E-014	4.7572E-014
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.0311E-014	2.1631E-014
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 4-	9.8148E-014	2.0591E-013
RCPTR_26	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3051E-014	2.7380E-014
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3435E-014	2.8186E-014
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.1087E-015	2.3260E-015
RCPTR_26	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.6528E-010	6.4948E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.2647E-010	4.5565E-010
RCPTR_26	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.7259E-011	2.4128E-011
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.2954E-011	4.6045E-011
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorobenzene	1.4389E-012	3.0187E-012
RCPTR_26	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.8960E-013	1.0271E-012
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorophenol	1.0498E-010	2.2025E-010
RCPTR_26	farmer_child	TOCDFMPF	Phenanthrene	2.5396E-014	5.3279E-014
RCPTR_26	farmer_child	TOCDFMPF	Phenol	1.7817E-014	3.7377E-014
RCPTR_26	farmer_child	TOCDFMPF	Pronamide	1.9392E-012	4.0683E-012
RCPTR_26	farmer_child	TOCDFMPF	Pyrene	9.2781E-010	1.4958E-009
RCPTR_26	farmer_child	TOCDFMPF	Selenium	4.6477E-010	9.7504E-010
RCPTR_26	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Styrene	3.2542E-015	6.8270E-015
RCPTR_26	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.6006E-011	2.2401E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.7871E-010	2.5022E-010
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.0557E-012	4.3127E-012
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.3605E-015	2.8541E-015
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.2816E-016	2.6886E-016
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.0078E-011	2.1142E-011
RCPTR_26	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFMPF	Toluene	2.1937E-016	4.6022E-016
RCPTR_26	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.6233E-014	1.3895E-013
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.2266E-017	1.7259E-016
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.2046E-016	1.3017E-015
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethylene	1.0228E-016	2.1458E-016
RCPTR_26	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.8392E-016	5.9563E-016
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	7.2662E-012	1.5244E-011
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.3289E-012	2.7879E-012
RCPTR_26	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.3097E-015	4.8455E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Vinyl Chloride	5.3782E-020	1.1283E-019
RCPTR_26	farmer_child	TOCDFMPF	Xylene, m-	2.6530E-016	5.5658E-016
RCPTR_26	farmer_child	TOCDFMPF	Xylene, o-	2.9983E-016	6.2902E-016
RCPTR_26	farmer_child	TOCDFMPF	Xylene, p-	4.0986E-016	8.5984E-016
RCPTR_26	farmer_child	TOCDFMPF	Zinc	2.4856E-008	4.8204E-008
RCPTR_26	farmer_child	TOCDHVAC	Mustard	1.5412E-015	3.2333E-015
RCPTR_26	farmer_child	TOCDLIC2	Acenaphthene	1.1422E-012	2.3963E-012
RCPTR_26	farmer_child	TOCDLIC2	Acetone	3.2327E-017	6.7818E-017
RCPTR_26	farmer_child	TOCDLIC2	Acetophenone	4.8005E-015	1.0071E-014
RCPTR_26	farmer_child	TOCDLIC2	Aniline	2.8636E-016	6.0075E-016
RCPTR_26	farmer_child	TOCDLIC2	Anthracene	2.3125E-011	4.8514E-011
RCPTR_26	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Benzene	1.8240E-016	3.8266E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.7344E-009	2.9832E-009
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.8830E-009	3.3568E-009
RCPTR_26	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.8608E-009	8.4603E-009
RCPTR_26	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.2938E-009	4.8032E-009
RCPTR_26	farmer_child	TOCDLIC2	Benzoic acid	1.0975E-014	2.3023E-014
RCPTR_26	farmer_child	TOCDLIC2	Benzyl alcohol	1.0412E-012	2.1842E-012
RCPTR_26	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.5301E-015	1.3700E-014
RCPTR_26	farmer_child	TOCDLIC2	Bromodichloromethane	6.5679E-018	1.3779E-017
RCPTR_26	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2047E-014	2.5273E-014
RCPTR_26	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	5.3047E-010	9.1325E-010
RCPTR_26	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.2269E-012	4.6717E-012
RCPTR_26	farmer_child	TOCDLIC2	Cadmium	2.5508E-008	4.7938E-008
RCPTR_26	farmer_child	TOCDLIC2	Carbon disulfide	4.2776E-017	8.9740E-017
RCPTR_26	farmer_child	TOCDLIC2	Carbon tetrachloride	8.7678E-016	1.8394E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.4356E-013	1.1403E-012
RCPTR_26	farmer_child	TOCDLIC2	Chloroaniline, p-	3.0618E-014	6.4233E-014
RCPTR_26	farmer_child	TOCDLIC2	Chlorobenzene	3.5475E-016	7.4423E-016
RCPTR_26	farmer_child	TOCDLIC2	Chloroethane	3.7261E-019	7.8170E-019
RCPTR_26	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.3944E-016	7.1212E-016
RCPTR_26	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.0676E-012	6.4354E-012
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.5932E-014	1.8028E-013
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.4128E-012	9.2576E-012
RCPTR_26	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Chrysene	2.1998E-009	3.5420E-009
RCPTR_26	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.4549E-012	3.0521E-012
RCPTR_26	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.5269E-008	1.1595E-007
RCPTR_26	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.5638E-008	2.5185E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.3234E-015	9.0701E-015
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	5.3273E-015	1.1176E-014
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.0361E-015	1.0565E-014
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.1379E-012	6.5831E-012
RCPTR_26	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.8050E-020	5.8846E-020
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.1309E-018	2.3726E-018
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6299E-018	1.8105E-017
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.3215E-019	9.0662E-019
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.2744E-018	8.9673E-018
RCPTR_26	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.5013E-013	7.3454E-013
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.4273E-017	5.0921E-017
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.1346E-018	1.7066E-017
RCPTR_26	farmer_child	TOCDLIC2	Diethyl phthalate	2.2834E-013	4.7902E-013
RCPTR_26	farmer_child	TOCDLIC2	Dimethyl phthalate	7.1342E-013	1.4967E-012
RCPTR_26	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.8941E-014	1.2365E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.9973E-014	4.1901E-014
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.2659E-014	1.1047E-013
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.0652E-014	8.5283E-014
RCPTR_26	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.2130E-015	2.5448E-015
RCPTR_26	farmer_child	TOCDLIC2	Ethylbenzene	8.5013E-017	1.7835E-016
RCPTR_26	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.8285E-012	8.0319E-012
RCPTR_26	farmer_child	TOCDLIC2	Fluoranthene	3.4005E-010	6.5996E-010
RCPTR_26	farmer_child	TOCDLIC2	Fluorene	4.7018E-012	9.8639E-012
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.9546E-011	4.1239E-011
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.2188E-011	8.6824E-011
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	8.9249E-011	1.2461E-010
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5956E-010	2.2273E-010
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.3903E-011	1.3113E-010
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.8308E-011	6.7461E-011
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.0389E-010	2.8476E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.1093E-010	2.9453E-010
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.0384E-010	1.4501E-010
RCPTR_26	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.1476E-013	2.4075E-013
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorobenzene	2.9435E-010	6.1637E-010
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.1983E-013	6.7097E-013
RCPTR_26	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.8226E-014	1.2215E-013
RCPTR_26	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.1174E-008	5.2348E-008
RCPTR_26	farmer_child	TOCDLIC2	Isophorone	8.7979E-015	1.8457E-014
RCPTR_26	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Mercuric chloride	8.8688E-009	1.1653E-008
RCPTR_26	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.7644E-019	9.9952E-019
RCPTR_26	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.3881E-019	1.7597E-018
RCPTR_26	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.5809E-016	1.3806E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Methyl mercury	2.6615E-011	3.5191E-011
RCPTR_26	farmer_child	TOCDLIC2	Methylene chloride	8.6435E-017	1.8133E-016
RCPTR_26	farmer_child	TOCDLIC2	Mustard	9.4378E-016	1.9799E-015
RCPTR_26	farmer_child	TOCDLIC2	Naphthalene	6.4228E-015	1.3474E-014
RCPTR_26	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.5043E-013	3.1558E-013
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.5504E-014	7.4484E-014
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.5873E-014	9.6237E-014
RCPTR_26	farmer_child	TOCDLIC2	Nitrobenzene	1.4900E-014	3.1259E-014
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.7751E-015	1.4214E-014
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.4610E-014	1.3555E-013
RCPTR_26	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.5759E-015	1.7991E-014
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.8284E-015	1.8521E-014
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.2854E-016	1.5284E-015
RCPTR_26	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.3160E-012	1.0212E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.8797E-012	4.0191E-012
RCPTR_26	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.3088E-010	4.6259E-010
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.9253E-010	6.8819E-010
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorobenzene	4.7361E-012	9.9359E-012
RCPTR_26	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.2230E-013	6.7616E-013
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorophenol	1.3797E-011	2.8944E-011
RCPTR_26	farmer_child	TOCDLIC2	Phenanthrene	1.6688E-014	3.5009E-014
RCPTR_26	farmer_child	TOCDLIC2	Phenol	1.1707E-014	2.4560E-014
RCPTR_26	farmer_child	TOCDLIC2	Pronamide	1.2743E-012	2.6733E-012
RCPTR_26	farmer_child	TOCDLIC2	Pyrene	6.0966E-010	9.8290E-010
RCPTR_26	farmer_child	TOCDLIC2	Selenium	2.6595E-008	5.5794E-008
RCPTR_26	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Styrene	1.4335E-013	3.0074E-013
RCPTR_26	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.3427E-010	1.8792E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.8111E-010	2.5358E-010
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3508E-012	2.8338E-012
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	4.4984E-017	9.4372E-017
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.6720E-017	3.5076E-017
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	6.6341E-012	1.3918E-011
RCPTR_26	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Toluene	3.2844E-016	6.8903E-016
RCPTR_26	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.3521E-014	9.1303E-014
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.4078E-016	2.9535E-016
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.2683E-016	2.6607E-016
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethylene	2.0908E-017	4.3863E-017
RCPTR_26	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.7636E-018	5.7978E-018
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.7746E-012	1.0017E-011
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	8.7323E-013	1.8319E-012
RCPTR_26	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.7212E-016	9.9046E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Vinyl Chloride	1.9688E-020	4.1304E-020
RCPTR_26	farmer_child	TOCDLIC2	Xylene, m-	5.5328E-016	1.1607E-015
RCPTR_26	farmer_child	TOCDLIC2	Xylene, o-	6.2529E-016	1.3118E-015
RCPTR_26	farmer_child	TOCDLIC2	Xylene, p-	8.5474E-016	1.7932E-015
RCPTR_26	farmer_child	TOCDLIC2	Zinc	8.7602E-008	1.6989E-007
RCPTR_27	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Cadmium	6.0643E-008	7.1394E-007
RCPTR_27	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Mercuric chloride	2.7918E-004	2.9387E-004
RCPTR_27	farmer_adult	TOCDFBRA	Methyl mercury	7.4897E-007	8.8747E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Selenium	3.9905E-008	5.5811E-007
RCPTR_27	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFBRA	Zinc	2.0147E-007	2.5146E-006
RCPTR_27	farmer_adult	TOCDFDFS	Acenaphthene	1.2908E-011	1.8053E-010
RCPTR_27	farmer_adult	TOCDFDFS	Acetone	1.1234E-016	1.5712E-015
RCPTR_27	farmer_adult	TOCDFDFS	Acetophenone	5.7033E-014	7.9767E-013
RCPTR_27	farmer_adult	TOCDFDFS	Aniline	3.2361E-015	4.5260E-014
RCPTR_27	farmer_adult	TOCDFDFS	Anthracene	2.6133E-010	3.6549E-009
RCPTR_27	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Aroclor 1254	3.9815E-012	5.5685E-011
RCPTR_27	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Benzene	4.1228E-016	5.7661E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.3646E-008	2.2473E-007
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.4125E-008	2.5256E-007
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.4827E-008	6.3728E-007
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.5616E-008	3.6116E-007
RCPTR_27	farmer_adult	TOCDFDFS	Benzoic acid	3.5901E-014	5.0211E-013
RCPTR_27	farmer_adult	TOCDFDFS	Benzyl alcohol	7.3536E-014	1.0285E-012
RCPTR_27	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.3795E-014	1.0321E-012
RCPTR_27	farmer_adult	TOCDFDFS	Bromodichloromethane	1.3319E-016	1.8628E-015
RCPTR_27	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.1590E-014	3.0196E-013
RCPTR_27	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	7.2205E-009	6.8803E-008
RCPTR_27	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.5164E-011	3.5195E-010
RCPTR_27	farmer_adult	TOCDFDFS	Cadmium	1.8316E-008	2.1563E-007
RCPTR_27	farmer_adult	TOCDFDFS	Carbon disulfide	7.3335E-017	1.0257E-015
RCPTR_27	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.2038E-016	1.6836E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.1427E-012	8.5911E-011
RCPTR_27	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.4600E-013	4.8392E-012
RCPTR_27	farmer_adult	TOCDFDFS	Chlorobenzene	7.0761E-016	9.8966E-015
RCPTR_27	farmer_adult	TOCDFDFS	Chloroethane	2.0357E-018	2.8471E-017
RCPTR_27	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.1660E-017	1.2820E-015
RCPTR_27	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.4666E-011	4.8483E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenol, 2-	9.7110E-013	1.3582E-011
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.9868E-011	6.9745E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Chrysene	3.5335E-008	2.6678E-007
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.0638E-010	1.4879E-009
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.0411E-006	5.6519E-005
RCPTR_27	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.1081E-007	2.3491E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.8858E-014	6.8332E-013
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.0203E-014	8.4200E-013
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.6912E-014	7.9597E-013
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	7.0913E-011	9.9178E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.6106E-019	2.2526E-018
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.8197E-017	5.3423E-016
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.7149E-017	6.5942E-016
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.4596E-017	2.0414E-016
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.3353E-017	3.2661E-016
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.9567E-012	5.5339E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.3261E-016	1.8547E-015
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.3106E-017	6.0288E-016
RCPTR_27	farmer_adult	TOCDFDFS	Diethyl phthalate	1.6696E-011	2.3352E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.5087E-013	1.1900E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.6608E-013	9.3158E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.2570E-013	3.1566E-012
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.9509E-013	8.3229E-012
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.5939E-013	6.4251E-012
RCPTR_27	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.3708E-014	1.9172E-013
RCPTR_27	farmer_adult	TOCDFDFS	Ethylbenzene	4.4272E-016	6.1919E-015
RCPTR_27	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.6433E-012	7.8927E-011
RCPTR_27	farmer_adult	TOCDFDFS	Fluoranthene	3.9784E-009	4.9720E-008
RCPTR_27	farmer_adult	TOCDFDFS	Fluorene	5.3134E-011	7.4313E-010
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.7442E-011	7.4183E-011
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.5226E-011	4.1312E-011
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.9168E-011	7.9141E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.0068E-010	1.0847E-009
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.2940E-010	6.2416E-010
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.0949E-010	2.9790E-010
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.5572E-010	4.2441E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.6835E-010	4.5771E-010
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	8.9354E-011	2.4323E-010
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2968E-012	1.8137E-011
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.3270E-009	4.6436E-008
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.6143E-012	5.0550E-011
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.5799E-013	9.2027E-012
RCPTR_27	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.5405E-007	4.8863E-006
RCPTR_27	farmer_adult	TOCDFDFS	Isophorone	9.9423E-014	1.3905E-012
RCPTR_27	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Mercuric chloride	7.1128E-008	7.4870E-008
RCPTR_27	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.6499E-018	2.3075E-017
RCPTR_27	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.2461E-019	4.5400E-018
RCPTR_27	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.0629E-016	1.1277E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Methyl mercury	1.9082E-010	2.2610E-010
RCPTR_27	farmer_adult	TOCDFDFS	Methylene chloride	4.8810E-017	6.8266E-016
RCPTR_27	farmer_adult	TOCDFDFS	Mustard	5.8338E-015	8.1592E-014
RCPTR_27	farmer_adult	TOCDFDFS	Naphthalene	4.6965E-013	6.5685E-012
RCPTR_27	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.6999E-012	2.3774E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.0120E-013	5.6112E-012
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.1837E-013	7.2500E-012
RCPTR_27	farmer_adult	TOCDFDFS	Nitrobenzene	1.6838E-013	2.3550E-012
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.6564E-014	1.0708E-012
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.3011E-013	1.0211E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	9.6914E-014	1.3554E-012
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	9.9767E-014	1.3953E-012
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.2330E-015	1.1515E-013
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	7.3635E-012	1.9933E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.1003E-012	8.3765E-012
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.6013E-010	1.8205E-009
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.2870E-010	2.2701E-009
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.0685E-011	1.4944E-010
RCPTR_27	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.6421E-012	5.0938E-011
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorophenol	7.8095E-010	1.0922E-008
RCPTR_27	farmer_adult	TOCDFDFS	Phenanthrene	1.8858E-013	2.6375E-012
RCPTR_27	farmer_adult	TOCDFDFS	Phenol	1.3230E-013	1.8503E-012
RCPTR_27	farmer_adult	TOCDFDFS	Pronamide	1.4400E-011	2.0140E-010
RCPTR_27	farmer_adult	TOCDFDFS	Pyrene	9.7553E-009	7.4050E-008
RCPTR_27	farmer_adult	TOCDFDFS	Selenium	2.8792E-009	4.0269E-008
RCPTR_27	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Styrene	5.2565E-015	7.3518E-014
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.2060E-010	1.7344E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	6.6108E-010	1.8564E-009
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.5265E-011	2.1350E-010
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	7.4641E-014	1.0439E-012
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.4312E-016	2.0017E-015
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.4966E-011	1.0485E-009
RCPTR_27	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Toluene	1.9237E-016	2.6905E-015
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.9182E-013	6.8786E-012
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.1854E-016	1.6580E-015
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.9291E-016	9.6910E-015
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethylene	1.1423E-016	1.5976E-015
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.5869E-017	2.2194E-016
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.3957E-011	7.5464E-010
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.9602E-011	6.9374E-010
RCPTR_27	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.5794E-015	3.6075E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Vinyl Chloride	3.5886E-020	5.0190E-019
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, m-	6.7971E-016	9.5064E-015
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, o-	6.7110E-016	9.3861E-015
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, p-	1.0501E-015	1.4686E-014
RCPTR_27	farmer_adult	TOCDFDFS	Zinc	2.7413E-008	3.4215E-007
RCPTR_27	farmer_adult	TOCDFLIC	Acenaphthene	2.5654E-012	3.5879E-011
RCPTR_27	farmer_adult	TOCDFLIC	Acetone	7.2604E-017	1.0154E-015
RCPTR_27	farmer_adult	TOCDFLIC	Acetophenone	1.0782E-014	1.5079E-013
RCPTR_27	farmer_adult	TOCDFLIC	Aniline	6.4315E-016	8.9951E-015
RCPTR_27	farmer_adult	TOCDFLIC	Anthracene	5.1938E-011	7.2639E-010
RCPTR_27	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Benzene	4.0967E-016	5.7296E-015
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.6964E-009	4.4633E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.7537E-009	4.9766E-008
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.2871E-008	1.2653E-007
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.6803E-008	7.0880E-008
RCPTR_27	farmer_adult	TOCDFLIC	Benzoic acid	2.4648E-014	3.4473E-013
RCPTR_27	farmer_adult	TOCDFLIC	Benzyl alcohol	2.3384E-012	3.2704E-011
RCPTR_27	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.4666E-014	2.0512E-013
RCPTR_27	farmer_adult	TOCDFLIC	Bromodichloromethane	1.4751E-017	2.0631E-016
RCPTR_27	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.7056E-014	3.7841E-013
RCPTR_27	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.4350E-009	1.3674E-008
RCPTR_27	farmer_adult	TOCDFLIC	Butylbenzylphthalate	5.0003E-012	6.9935E-011
RCPTR_27	farmer_adult	TOCDFLIC	Cadmium	7.3543E-008	8.6581E-007
RCPTR_27	farmer_adult	TOCDFLIC	Carbon disulfide	9.6073E-017	1.3437E-015
RCPTR_27	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.9692E-015	2.7541E-014
RCPTR_27	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2208E-012	1.7074E-011
RCPTR_27	farmer_adult	TOCDFLIC	Chloroaniline, p-	6.8766E-014	9.6176E-013
RCPTR_27	farmer_adult	TOCDFLIC	Chlorobenzene	7.9675E-016	1.1143E-014
RCPTR_27	farmer_adult	TOCDFLIC	Chloroethane	8.3686E-019	1.1704E-017
RCPTR_27	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.6237E-016	1.0663E-014
RCPTR_27	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.8896E-012	9.6357E-011
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.9300E-013	2.6993E-012
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.9108E-012	1.3861E-010
RCPTR_27	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Chrysene	7.0124E-009	5.2945E-008
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.2673E-012	4.5697E-011
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.2406E-007	1.7351E-006
RCPTR_27	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.0072E-008	4.5402E-007
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	9.7101E-015	1.3581E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.1965E-014	1.6734E-013
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.1311E-014	1.5819E-013
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	7.0407E-012	9.8471E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.2999E-020	8.8110E-019
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.5400E-018	3.5525E-017
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9382E-017	2.7108E-016
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.7059E-019	1.3575E-017
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.6001E-018	1.3427E-016
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	7.8638E-013	1.0998E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.4515E-017	7.6244E-016
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.8270E-017	2.5552E-016
RCPTR_27	farmer_adult	TOCDFLIC	Diethyl phthalate	5.1283E-013	7.1724E-012
RCPTR_27	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.6023E-012	2.2410E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.3238E-013	1.8514E-012
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.4858E-014	6.2738E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1827E-013	1.6541E-012
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	9.1301E-014	1.2769E-012
RCPTR_27	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.7244E-015	3.8103E-014
RCPTR_27	farmer_adult	TOCDFLIC	Ethylbenzene	1.9093E-016	2.6704E-015
RCPTR_27	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.5953E-012	1.2021E-010
RCPTR_27	farmer_adult	TOCDFLIC	Fluoranthene	7.9065E-010	9.8812E-009
RCPTR_27	farmer_adult	TOCDFLIC	Fluorene	1.0560E-011	1.4769E-010
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.2292E-010	6.0262E-010
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.6849E-010	1.2711E-009
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.7138E-010	1.8216E-009
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.2072E-009	3.2680E-009
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.0520E-010	1.9188E-009
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.6228E-010	9.8572E-010
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.5315E-009	4.1743E-009
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.5884E-009	4.3186E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	7.8131E-010	2.1268E-009
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5774E-013	3.6047E-012
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.6122E-010	9.2288E-009
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	7.1832E-013	1.0046E-011
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.3077E-013	1.8290E-012
RCPTR_27	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.0708E-007	9.4433E-007
RCPTR_27	farmer_adult	TOCDFLIC	Isophorone	1.9760E-014	2.7636E-013
RCPTR_27	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Mercuric chloride	1.6560E-007	1.7431E-007
RCPTR_27	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.0701E-018	1.4966E-017
RCPTR_27	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.8839E-018	2.6348E-017
RCPTR_27	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.4780E-015	2.0672E-014
RCPTR_27	farmer_adult	TOCDFLIC	Methyl mercury	4.4425E-010	5.2640E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Methylene chloride	1.9413E-016	2.7151E-015
RCPTR_27	farmer_adult	TOCDFLIC	Mustard	2.0389E-015	2.8516E-014
RCPTR_27	farmer_adult	TOCDFLIC	Naphthalene	1.4425E-014	2.0175E-013
RCPTR_27	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.3786E-013	4.7252E-012
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 3-	7.9740E-014	1.1152E-012
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.0303E-013	1.4409E-012
RCPTR_27	farmer_adult	TOCDFLIC	Nitrobenzene	3.3465E-014	4.6805E-013
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.5217E-014	2.1282E-013
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4511E-014	2.0295E-013
RCPTR_27	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.9261E-014	2.6939E-013
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.9828E-014	2.7732E-013
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.6363E-015	2.2885E-014
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	5.5040E-011	1.4899E-010
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.1702E-011	5.8636E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.4829E-009	6.8473E-009
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.7244E-009	1.0202E-008
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.0637E-011	1.4877E-010
RCPTR_27	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.2387E-013	1.0124E-011
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorophenol	3.0987E-011	4.3338E-010
RCPTR_27	farmer_adult	TOCDFLIC	Phenanthrene	3.7480E-014	5.2419E-013
RCPTR_27	farmer_adult	TOCDFLIC	Phenol	2.6294E-014	3.6774E-013
RCPTR_27	farmer_adult	TOCDFLIC	Pronamide	2.8619E-012	4.0027E-011
RCPTR_27	farmer_adult	TOCDFLIC	Pyrene	1.9387E-009	1.4716E-008
RCPTR_27	farmer_adult	TOCDFLIC	Selenium	7.2051E-008	1.0077E-006
RCPTR_27	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Styrene	3.2196E-013	4.5029E-012
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.0020E-009	2.8002E-009
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.3486E-009	3.7869E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.0338E-012	4.2431E-011
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.0103E-016	1.4130E-015
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.7551E-017	5.2519E-016
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.4900E-011	2.0839E-010
RCPTR_27	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Toluene	7.3766E-016	1.0317E-014
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.7746E-014	1.3671E-012
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.1620E-016	4.4223E-015
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.8485E-016	3.9839E-015
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethylene	4.6958E-017	6.5676E-016
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.2069E-018	8.6810E-017
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0724E-011	1.4998E-010
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.9612E-012	2.7430E-011
RCPTR_27	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.0604E-015	1.4830E-014
RCPTR_27	farmer_adult	TOCDFLIC	Vinyl Chloride	4.4219E-020	6.1845E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, m-	5.9798E-016	8.3634E-015
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, o-	6.7581E-016	9.4518E-015
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, p-	9.2380E-016	1.2920E-014
RCPTR_27	farmer_adult	TOCDFLIC	Zinc	2.4584E-007	3.0684E-006
RCPTR_27	farmer_adult	TOCDFMPF	Acenaphthene	3.9138E-012	5.4739E-011
RCPTR_27	farmer_adult	TOCDFMPF	Acetone	2.6467E-016	3.7016E-015
RCPTR_27	farmer_adult	TOCDFMPF	Acetophenone	1.7232E-014	2.4101E-013
RCPTR_27	farmer_adult	TOCDFMPF	Aniline	9.8121E-016	1.3723E-014
RCPTR_27	farmer_adult	TOCDFMPF	Anthracene	7.9239E-011	1.1082E-009
RCPTR_27	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Aroclor 1254	2.2329E-012	3.1230E-011
RCPTR_27	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Benzene	3.6540E-016	5.1105E-015
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)anthracene	7.1653E-009	6.8097E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.2562E-009	7.5964E-008
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.9637E-008	1.9304E-007
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.5654E-008	1.0822E-007
RCPTR_27	farmer_adult	TOCDFMPF	Benzoic acid	1.0885E-013	1.5224E-012
RCPTR_27	farmer_adult	TOCDFMPF	Benzyl alcohol	2.2297E-014	3.1185E-013
RCPTR_27	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.2376E-014	3.1295E-013
RCPTR_27	farmer_adult	TOCDFMPF	Bromodichloromethane	4.4724E-016	6.2551E-015
RCPTR_27	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5773E-014	2.2060E-013
RCPTR_27	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.1893E-009	2.0862E-008
RCPTR_27	farmer_adult	TOCDFMPF	Butylbenzylphthalate	7.6288E-012	1.0670E-010
RCPTR_27	farmer_adult	TOCDFMPF	Cadmium	3.3580E-007	3.9533E-006
RCPTR_27	farmer_adult	TOCDFMPF	Carbon disulfide	3.5054E-017	4.9027E-016
RCPTR_27	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.4233E-016	4.7878E-015
RCPTR_27	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.8625E-012	2.6049E-011
RCPTR_27	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.0491E-013	1.4673E-012
RCPTR_27	farmer_adult	TOCDFMPF	Chlorobenzene	1.4266E-015	1.9953E-014
RCPTR_27	farmer_adult	TOCDFMPF	Chloroethane	8.2301E-018	1.1511E-016
RCPTR_27	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.3926E-016	3.3464E-015
RCPTR_27	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.0511E-011	1.4701E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.9445E-013	4.1182E-012
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.5120E-011	2.1147E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Chrysene	1.0699E-008	8.0782E-008
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.2254E-011	4.5111E-010
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.2247E-006	1.7129E-005
RCPTR_27	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	9.1798E-008	6.9380E-007
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.4814E-014	2.0719E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.8254E-014	2.5530E-013
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.7256E-014	2.4135E-013
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.1548E-011	3.0137E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.1711E-019	7.2323E-018
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.7011E-017	1.0771E-015
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5057E-017	1.3295E-015
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.9427E-017	4.1157E-016
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.7082E-017	6.5849E-016
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.1997E-012	1.6779E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.6736E-016	3.7393E-015
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.6906E-017	1.2155E-015
RCPTR_27	farmer_adult	TOCDFMPF	Diethyl phthalate	5.0625E-012	7.0805E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.7076E-013	2.3882E-012
RCPTR_27	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.0196E-013	2.8246E-012
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	6.8313E-014	9.5542E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.8044E-013	2.5236E-012
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3929E-013	1.9482E-012
RCPTR_27	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.1564E-015	5.8132E-014
RCPTR_27	farmer_adult	TOCDFMPF	Ethylbenzene	8.9258E-016	1.2484E-014
RCPTR_27	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.5517E-012	2.1702E-011
RCPTR_27	farmer_adult	TOCDFMPF	Fluoranthene	1.2063E-009	1.5075E-008
RCPTR_27	farmer_adult	TOCDFMPF	Fluorene	1.6111E-011	2.2533E-010
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	8.6892E-010	2.3489E-009
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.3672E-010	1.9989E-009
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.8589E-010	2.1323E-009
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.4477E-010	9.3331E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.5673E-010	4.2644E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.5592E-011	2.3289E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.0257E-010	8.2467E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.5323E-010	4.1661E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.0701E-011	1.9246E-010
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.9321E-013	5.4995E-012
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.0088E-009	1.4080E-008
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.0959E-012	1.5327E-011
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.9951E-013	2.7904E-012
RCPTR_27	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.6363E-007	1.4431E-006
RCPTR_27	farmer_adult	TOCDFMPF	Isophorone	3.0146E-014	4.2163E-013
RCPTR_27	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Mercuric chloride	2.8097E-006	2.9575E-006
RCPTR_27	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.5259E-018	7.7285E-017
RCPTR_27	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.2093E-019	4.4886E-018
RCPTR_27	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.9914E-016	4.1838E-015
RCPTR_27	farmer_adult	TOCDFMPF	Methyl mercury	7.5375E-009	8.9314E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Methylene chloride	1.5237E-016	2.1310E-015
RCPTR_27	farmer_adult	TOCDFMPF	Mustard	1.4479E-014	2.0250E-013
RCPTR_27	farmer_adult	TOCDFMPF	Naphthalene	1.4240E-013	1.9917E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.1451E-013	7.1960E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.2143E-013	1.6984E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.5690E-013	2.1944E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nitrobenzene	5.1056E-014	7.1407E-013
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.3215E-014	3.2469E-013
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.2099E-013	3.0907E-012
RCPTR_27	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.9386E-014	4.1099E-013
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.0251E-014	4.2308E-013
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.4963E-015	3.4914E-014
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.5015E-009	9.4784E-009
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.4612E-009	6.6496E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.2970E-010	3.5769E-010
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.4960E-010	6.8373E-010
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.2398E-012	4.5312E-011
RCPTR_27	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1024E-012	1.5418E-011
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorophenol	2.3637E-010	3.3059E-009
RCPTR_27	farmer_adult	TOCDFMPF	Phenanthrene	5.7181E-014	7.9973E-013
RCPTR_27	farmer_adult	TOCDFMPF	Phenol	4.0115E-014	5.6104E-013
RCPTR_27	farmer_adult	TOCDFMPF	Pronamide	4.3662E-012	6.1066E-011
RCPTR_27	farmer_adult	TOCDFMPF	Pyrene	2.9578E-009	2.2452E-008
RCPTR_27	farmer_adult	TOCDFMPF	Selenium	1.2634E-009	1.7671E-008
RCPTR_27	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Styrene	7.3270E-015	1.0248E-013
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1968E-010	3.3448E-010
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.3337E-009	3.7452E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.6285E-012	6.4734E-011
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.0632E-015	4.2842E-014
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.8855E-016	4.0356E-015
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.2691E-011	3.1735E-010
RCPTR_27	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Toluene	4.9392E-016	6.9080E-015
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.4913E-013	2.0857E-012
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.8523E-016	2.5906E-015
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.3970E-015	1.9538E-014
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethylene	2.3030E-016	3.2210E-015
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.3925E-016	8.9406E-015
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6360E-011	2.2881E-010
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.9921E-012	4.1848E-011
RCPTR_27	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.2003E-015	7.2732E-014
RCPTR_27	farmer_adult	TOCDFMPF	Vinyl Chloride	1.2109E-019	1.6936E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, m-	5.9734E-016	8.3545E-015
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, o-	6.7509E-016	9.4418E-015
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, p-	9.2281E-016	1.2906E-014
RCPTR_27	farmer_adult	TOCDFMPF	Zinc	6.9993E-008	8.7359E-007
RCPTR_27	farmer_adult	TOCDHVAC	Mustard	5.1705E-015	7.2315E-014
RCPTR_27	farmer_adult	TOCDLIC2	Acenaphthene	2.5654E-012	3.5879E-011
RCPTR_27	farmer_adult	TOCDLIC2	Acetone	7.2604E-017	1.0154E-015
RCPTR_27	farmer_adult	TOCDLIC2	Acetophenone	1.0782E-014	1.5079E-013
RCPTR_27	farmer_adult	TOCDLIC2	Aniline	6.4315E-016	8.9951E-015
RCPTR_27	farmer_adult	TOCDLIC2	Anthracene	5.1938E-011	7.2639E-010
RCPTR_27	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Benzene	4.0967E-016	5.7296E-015
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.6964E-009	4.4633E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.7537E-009	4.9766E-008
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.2871E-008	1.2653E-007
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.6803E-008	7.0880E-008
RCPTR_27	farmer_adult	TOCDLIC2	Benzoic acid	2.4648E-014	3.4473E-013
RCPTR_27	farmer_adult	TOCDLIC2	Benzyl alcohol	2.3384E-012	3.2704E-011
RCPTR_27	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.4666E-014	2.0512E-013
RCPTR_27	farmer_adult	TOCDLIC2	Bromodichloromethane	1.4751E-017	2.0631E-016
RCPTR_27	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.7056E-014	3.7841E-013
RCPTR_27	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.4350E-009	1.3674E-008
RCPTR_27	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.0003E-012	6.9935E-011
RCPTR_27	farmer_adult	TOCDLIC2	Cadmium	7.3543E-008	8.6581E-007
RCPTR_27	farmer_adult	TOCDLIC2	Carbon disulfide	9.6073E-017	1.3437E-015
RCPTR_27	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.9692E-015	2.7541E-014
RCPTR_27	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.2208E-012	1.7074E-011
RCPTR_27	farmer_adult	TOCDLIC2	Chloroaniline, p-	6.8766E-014	9.6176E-013
RCPTR_27	farmer_adult	TOCDLIC2	Chlorobenzene	7.9675E-016	1.1143E-014
RCPTR_27	farmer_adult	TOCDLIC2	Chloroethane	8.3686E-019	1.1704E-017
RCPTR_27	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	7.6237E-016	1.0663E-014
RCPTR_27	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.8896E-012	9.6357E-011
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.9300E-013	2.6993E-012
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.9108E-012	1.3861E-010
RCPTR_27	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Chrysene	7.0124E-009	5.2945E-008
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.2673E-012	4.5697E-011
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.2406E-007	1.7351E-006
RCPTR_27	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.0072E-008	4.5402E-007
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	9.7101E-015	1.3581E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.1965E-014	1.6734E-013
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.1311E-014	1.5819E-013
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.0407E-012	9.8471E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.2999E-020	8.8110E-019
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.5400E-018	3.5525E-017
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9382E-017	2.7108E-016
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	9.7059E-019	1.3575E-017
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	9.6001E-018	1.3427E-016
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.8638E-013	1.0998E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.4515E-017	7.6244E-016
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.8270E-017	2.5552E-016
RCPTR_27	farmer_adult	TOCDLIC2	Diethyl phthalate	5.1283E-013	7.1724E-012
RCPTR_27	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.6023E-012	2.2410E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.3238E-013	1.8514E-012
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.4858E-014	6.2738E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1827E-013	1.6541E-012
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	9.1301E-014	1.2769E-012
RCPTR_27	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.7244E-015	3.8103E-014
RCPTR_27	farmer_adult	TOCDLIC2	Ethylbenzene	1.9093E-016	2.6704E-015
RCPTR_27	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.5953E-012	1.2021E-010
RCPTR_27	farmer_adult	TOCDLIC2	Fluoranthene	7.9065E-010	9.8812E-009
RCPTR_27	farmer_adult	TOCDLIC2	Fluorene	1.0560E-011	1.4769E-010
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.2292E-010	6.0262E-010
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.6849E-010	1.2711E-009
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.7138E-010	1.8216E-009
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2072E-009	3.2680E-009
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.0520E-010	1.9188E-009
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.6228E-010	9.8572E-010
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.5315E-009	4.1743E-009
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.5884E-009	4.3186E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.8131E-010	2.1268E-009
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.5774E-013	3.6047E-012
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorobenzene	6.6122E-010	9.2288E-009
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	7.1832E-013	1.0046E-011
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.3077E-013	1.8290E-012
RCPTR_27	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.0708E-007	9.4433E-007
RCPTR_27	farmer_adult	TOCDLIC2	Isophorone	1.9760E-014	2.7636E-013
RCPTR_27	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Mercuric chloride	1.6560E-007	1.7431E-007
RCPTR_27	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.0701E-018	1.4966E-017
RCPTR_27	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.8839E-018	2.6348E-017
RCPTR_27	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.4780E-015	2.0672E-014
RCPTR_27	farmer_adult	TOCDLIC2	Methyl mercury	4.4425E-010	5.2640E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Methylene chloride	1.9413E-016	2.7151E-015
RCPTR_27	farmer_adult	TOCDLIC2	Mustard	2.1197E-015	2.9646E-014
RCPTR_27	farmer_adult	TOCDLIC2	Naphthalene	1.4425E-014	2.0175E-013
RCPTR_27	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.3786E-013	4.7252E-012
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 3-	7.9740E-014	1.1152E-012
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.0303E-013	1.4409E-012
RCPTR_27	farmer_adult	TOCDLIC2	Nitrobenzene	3.3465E-014	4.6805E-013
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.5217E-014	2.1282E-013
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4511E-013	2.0295E-012
RCPTR_27	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.9261E-014	2.6939E-013
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.9828E-014	2.7732E-013
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.6363E-015	2.2885E-014
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.5040E-011	1.4899E-010
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.1702E-011	5.8636E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.4829E-009	6.8473E-009
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.7244E-009	1.0202E-008
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.0637E-011	1.4877E-010
RCPTR_27	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.2387E-013	1.0124E-011
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorophenol	3.0987E-011	4.3338E-010
RCPTR_27	farmer_adult	TOCDLIC2	Phenanthrene	3.7480E-014	5.2419E-013
RCPTR_27	farmer_adult	TOCDLIC2	Phenol	2.6294E-014	3.6774E-013
RCPTR_27	farmer_adult	TOCDLIC2	Pronamide	2.8619E-012	4.0027E-011
RCPTR_27	farmer_adult	TOCDLIC2	Pyrene	1.9387E-009	1.4716E-008
RCPTR_27	farmer_adult	TOCDLIC2	Selenium	7.2051E-008	1.0077E-006
RCPTR_27	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Styrene	3.2196E-013	4.5029E-012
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.0020E-009	2.8002E-009
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3486E-009	3.7869E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.0338E-012	4.2431E-011
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.0103E-016	1.4130E-015
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.7551E-017	5.2519E-016
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.4900E-011	2.0839E-010
RCPTR_27	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Toluene	7.3766E-016	1.0317E-014
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.7746E-014	1.3671E-012
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.1620E-016	4.4223E-015
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.8485E-016	3.9839E-015
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethylene	4.6958E-017	6.5676E-016
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.2069E-018	8.6810E-017
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0724E-011	1.4998E-010
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.9612E-012	2.7430E-011
RCPTR_27	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.0604E-015	1.4830E-014
RCPTR_27	farmer_adult	TOCDLIC2	Vinyl Chloride	4.4219E-020	6.1845E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, m-	1.2426E-015	1.7380E-014
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, o-	1.4044E-015	1.9641E-014
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, p-	1.9197E-015	2.6849E-014
RCPTR_27	farmer_adult	TOCDLIC2	Zinc	2.4584E-007	3.0684E-006
RCPTR_27	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Cadmium	3.7990E-007	7.1394E-007
RCPTR_27	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Mercuric chloride	2.2366E-004	2.9387E-004
RCPTR_27	farmer_child	TOCDFBRA	Methyl mercury	6.7119E-007	8.8747E-007
RCPTR_27	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFBRA	Selenium	2.6603E-007	5.5811E-007
RCPTR_27	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFBRA	Zinc	1.2967E-006	2.5146E-006
RCPTR_27	farmer_child	TOCDFDFS	Acenaphthene	8.6052E-011	1.8053E-010
RCPTR_27	farmer_child	TOCDFDFS	Acetone	7.4894E-016	1.5712E-015
RCPTR_27	farmer_child	TOCDFDFS	Acetophenone	3.8022E-013	7.9767E-013
RCPTR_27	farmer_child	TOCDFDFS	Aniline	2.1574E-014	4.5260E-014
RCPTR_27	farmer_child	TOCDFDFS	Anthracene	1.7422E-009	3.6549E-009
RCPTR_27	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Aroclor 1254	2.6543E-011	5.5685E-011
RCPTR_27	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Benzene	2.7485E-015	5.7661E-015
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.3065E-007	2.2473E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.4167E-007	2.5256E-007
RCPTR_27	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.6614E-007	6.3728E-007
RCPTR_27	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.4766E-007	3.6116E-007
RCPTR_27	farmer_child	TOCDFDFS	Benzoic acid	2.3934E-013	5.0211E-013
RCPTR_27	farmer_child	TOCDFDFS	Benzyl alcohol	4.9024E-013	1.0285E-012
RCPTR_27	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.9197E-013	1.0321E-012
RCPTR_27	farmer_child	TOCDFDFS	Bromodichloromethane	8.8795E-016	1.8628E-015
RCPTR_27	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.4393E-013	3.0196E-013
RCPTR_27	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.9965E-008	6.8803E-008
RCPTR_27	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.6776E-010	3.5195E-010
RCPTR_27	farmer_child	TOCDFDFS	Cadmium	1.1474E-007	2.1563E-007
RCPTR_27	farmer_child	TOCDFDFS	Carbon disulfide	4.8890E-016	1.0257E-015
RCPTR_27	farmer_child	TOCDFDFS	Carbon tetrachloride	8.0252E-016	1.6836E-015
RCPTR_27	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.0951E-011	8.5911E-011
RCPTR_27	farmer_child	TOCDFDFS	Chloroaniline, p-	2.3067E-012	4.8392E-012
RCPTR_27	farmer_child	TOCDFDFS	Chlorobenzene	4.7174E-015	9.8966E-015
RCPTR_27	farmer_child	TOCDFDFS	Chloroethane	1.3571E-017	2.8471E-017
RCPTR_27	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.1107E-016	1.2820E-015
RCPTR_27	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.3110E-010	4.8483E-010
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenol, 2-	6.4740E-012	1.3582E-011
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.3245E-010	6.9745E-010
RCPTR_27	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Chrysene	1.6569E-007	2.6678E-007
RCPTR_27	farmer_child	TOCDFDFS	Di-n-butyl phthalate	7.0921E-010	1.4879E-009
RCPTR_27	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.6941E-005	5.6519E-005
RCPTR_27	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.4586E-006	2.3491E-006
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.2572E-013	6.8332E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.0135E-013	8.4200E-013
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.7941E-013	7.9597E-013
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.7275E-010	9.9178E-010
RCPTR_27	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.0737E-018	2.2526E-018
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.5465E-016	5.3423E-016
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1432E-016	6.5942E-016
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	9.7307E-017	2.0414E-016
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5569E-016	3.2661E-016
RCPTR_27	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.6378E-011	5.5339E-011
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.8407E-016	1.8547E-015
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.8737E-016	6.0288E-016
RCPTR_27	farmer_child	TOCDFDFS	Diethyl phthalate	1.1131E-010	2.3352E-010
RCPTR_27	farmer_child	TOCDFDFS	Dimethyl phthalate	5.6724E-012	1.1900E-011
RCPTR_27	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.4405E-012	9.3158E-012
RCPTR_27	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.5046E-012	3.1566E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.9673E-012	8.3229E-012
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.0626E-012	6.4251E-012
RCPTR_27	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.1386E-014	1.9172E-013
RCPTR_27	farmer_child	TOCDFDFS	Ethylbenzene	2.9515E-015	6.1919E-015
RCPTR_27	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.7622E-011	7.8927E-011
RCPTR_27	farmer_child	TOCDFDFS	Fluoranthene	2.5619E-008	4.9720E-008
RCPTR_27	farmer_child	TOCDFDFS	Fluorene	3.5423E-010	7.4313E-010
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.3150E-011	7.4183E-011
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.9590E-011	4.1312E-011
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	5.6685E-011	7.9141E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.7704E-010	1.0847E-009
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.4695E-010	6.2416E-010
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.1332E-010	2.9790E-010
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.0387E-010	4.2441E-010
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.2778E-010	4.5771E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.7417E-010	2.4323E-010
RCPTR_27	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.6455E-012	1.8137E-011
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorobenzene	2.2176E-008	4.6436E-008
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.4095E-011	5.0550E-011
RCPTR_27	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.3866E-012	9.2027E-012
RCPTR_27	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.9099E-006	4.8863E-006
RCPTR_27	farmer_child	TOCDFDFS	Isophorone	6.6282E-013	1.3905E-012
RCPTR_27	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Mercuric chloride	5.6982E-008	7.4870E-008
RCPTR_27	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.0999E-017	2.3075E-017
RCPTR_27	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.1641E-018	4.5400E-018
RCPTR_27	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.3752E-015	1.1277E-014
RCPTR_27	farmer_child	TOCDFDFS	Methyl mercury	1.7100E-010	2.2610E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Methylene chloride	3.2540E-016	6.8266E-016
RCPTR_27	farmer_child	TOCDFDFS	Mustard	3.8892E-014	8.1592E-014
RCPTR_27	farmer_child	TOCDFDFS	Naphthalene	3.1310E-012	6.5685E-012
RCPTR_27	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.1332E-011	2.3774E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.6747E-012	5.6112E-012
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.4558E-012	7.2500E-012
RCPTR_27	farmer_child	TOCDFDFS	Nitrobenzene	1.1226E-012	2.3550E-012
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.1043E-013	1.0708E-012
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.8674E-012	1.0211E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.4610E-013	1.3554E-012
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	6.6511E-013	1.3953E-012
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.4887E-014	1.1515E-013
RCPTR_27	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4280E-011	1.9933E-011
RCPTR_27	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.0018E-012	8.3765E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.3022E-009	1.8205E-009
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.6247E-009	2.2701E-009
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorobenzene	7.1233E-011	1.4944E-010
RCPTR_27	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.4280E-011	5.0938E-011
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorophenol	5.2063E-009	1.0922E-008
RCPTR_27	farmer_child	TOCDFDFS	Phenanthrene	1.2572E-012	2.6375E-012
RCPTR_27	farmer_child	TOCDFDFS	Phenol	8.8200E-013	1.8503E-012
RCPTR_27	farmer_child	TOCDFDFS	Pronamide	9.6000E-011	2.0140E-010
RCPTR_27	farmer_child	TOCDFDFS	Pyrene	4.5930E-008	7.4050E-008
RCPTR_27	farmer_child	TOCDFDFS	Selenium	1.9195E-008	4.0269E-008
RCPTR_27	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Styrene	3.5044E-014	7.3518E-014
RCPTR_27	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2392E-009	1.7344E-009
RCPTR_27	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3258E-009	1.8564E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0177E-010	2.1350E-010
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.9760E-013	1.0439E-012
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.5414E-016	2.0017E-015
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.9978E-010	1.0485E-009
RCPTR_27	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Toluene	1.2825E-015	2.6905E-015
RCPTR_27	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.2788E-012	6.8786E-012
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.9030E-016	1.6580E-015
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.6194E-015	9.6910E-015
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethylene	7.6153E-016	1.5976E-015
RCPTR_27	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0579E-016	2.2194E-016
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.5971E-010	7.5464E-010
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.3068E-010	6.9374E-010
RCPTR_27	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.7196E-014	3.6075E-014
RCPTR_27	farmer_child	TOCDFDFS	Vinyl Chloride	2.3924E-019	5.0190E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Xylene, m-	4.5314E-015	9.5064E-015
RCPTR_27	farmer_child	TOCDFDFS	Xylene, o-	4.4740E-015	9.3861E-015
RCPTR_27	farmer_child	TOCDFDFS	Xylene, p-	7.0004E-015	1.4686E-014
RCPTR_27	farmer_child	TOCDFDFS	Zinc	1.7643E-007	3.4215E-007
RCPTR_27	farmer_child	TOCDFLIC	Acenaphthene	1.7102E-011	3.5879E-011
RCPTR_27	farmer_child	TOCDFLIC	Acetone	4.8403E-016	1.0154E-015
RCPTR_27	farmer_child	TOCDFLIC	Acetophenone	7.1877E-014	1.5079E-013
RCPTR_27	farmer_child	TOCDFLIC	Aniline	4.2876E-015	8.9951E-015
RCPTR_27	farmer_child	TOCDFLIC	Anthracene	3.4625E-010	7.2639E-010
RCPTR_27	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Benzene	2.7311E-015	5.7296E-015
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.5949E-008	4.4633E-008
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.7916E-008	4.9766E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	7.2694E-008	1.2653E-007
RCPTR_27	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.8605E-008	7.0880E-008
RCPTR_27	farmer_child	TOCDFLIC	Benzoic acid	1.6432E-013	3.4473E-013
RCPTR_27	farmer_child	TOCDFLIC	Benzyl alcohol	1.5589E-011	3.2704E-011
RCPTR_27	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	9.7776E-014	2.0512E-013
RCPTR_27	farmer_child	TOCDFLIC	Bromodichloromethane	9.8341E-017	2.0631E-016
RCPTR_27	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.8037E-013	3.7841E-013
RCPTR_27	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	7.9428E-009	1.3674E-008
RCPTR_27	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.3335E-011	6.9935E-011
RCPTR_27	farmer_child	TOCDFLIC	Cadmium	4.6072E-007	8.6581E-007
RCPTR_27	farmer_child	TOCDFLIC	Carbon disulfide	6.4049E-016	1.3437E-015
RCPTR_27	farmer_child	TOCDFLIC	Carbon tetrachloride	1.3128E-014	2.7541E-014
RCPTR_27	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	8.1388E-012	1.7074E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Chloroaniline, p-	4.5844E-013	9.6176E-013
RCPTR_27	farmer_child	TOCDFLIC	Chlorobenzene	5.3117E-015	1.1143E-014
RCPTR_27	farmer_child	TOCDFLIC	Chloroethane	5.5791E-018	1.1704E-017
RCPTR_27	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.0825E-015	1.0663E-014
RCPTR_27	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.5930E-011	9.6357E-011
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.2867E-012	2.6993E-012
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.6072E-011	1.3861E-010
RCPTR_27	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Chrysene	3.2882E-008	5.2945E-008
RCPTR_27	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.1782E-011	4.5697E-011
RCPTR_27	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.2708E-007	1.7351E-006
RCPTR_27	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.8191E-007	4.5402E-007
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.4734E-014	1.3581E-013
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.9766E-014	1.6734E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.5405E-014	1.5819E-013
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.6938E-011	9.8471E-011
RCPTR_27	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.1999E-019	8.8110E-019
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.6933E-017	3.5525E-017
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2922E-016	2.7108E-016
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.4706E-018	1.3575E-017
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.4001E-017	1.3427E-016
RCPTR_27	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.2425E-012	1.0998E-011
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.6343E-016	7.6244E-016
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2180E-016	2.5552E-016
RCPTR_27	farmer_child	TOCDFLIC	Diethyl phthalate	3.4188E-012	7.1724E-012
RCPTR_27	farmer_child	TOCDFLIC	Dimethyl phthalate	1.0682E-011	2.2410E-011
RCPTR_27	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.8252E-013	1.8514E-012
RCPTR_27	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.9905E-013	6.2738E-013
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	7.8846E-013	1.6541E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.0868E-013	1.2769E-012
RCPTR_27	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.8162E-014	3.8103E-014
RCPTR_27	farmer_child	TOCDFLIC	Ethylbenzene	1.2729E-015	2.6704E-015
RCPTR_27	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.7302E-011	1.2021E-010
RCPTR_27	farmer_child	TOCDFLIC	Fluoranthene	5.0913E-009	9.8812E-009
RCPTR_27	farmer_child	TOCDFLIC	Fluorene	7.0400E-011	1.4769E-010
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.3176E-010	6.0262E-010
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.1045E-010	1.2711E-009
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.3048E-009	1.8216E-009
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.3411E-009	3.2680E-009
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.3740E-009	1.9188E-009
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	7.0586E-010	9.8572E-010
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.9887E-009	4.1743E-009
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.0927E-009	4.3186E-009
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.5229E-009	2.1268E-009
RCPTR_27	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7182E-012	3.6047E-012
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorobenzene	4.4073E-009	9.2288E-009
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.7888E-012	1.0046E-011
RCPTR_27	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.7181E-013	1.8290E-012
RCPTR_27	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.6236E-007	9.4433E-007
RCPTR_27	farmer_child	TOCDFLIC	Isophorone	1.3173E-013	2.7636E-013
RCPTR_27	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Mercuric chloride	1.3266E-007	1.7431E-007
RCPTR_27	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.1337E-018	1.4966E-017
RCPTR_27	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.2559E-017	2.6348E-017
RCPTR_27	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.8535E-015	2.0672E-014
RCPTR_27	farmer_child	TOCDFLIC	Methyl mercury	3.9811E-010	5.2640E-010
RCPTR_27	farmer_child	TOCDFLIC	Methylene chloride	1.2942E-015	2.7151E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Mustard	1.3593E-014	2.8516E-014
RCPTR_27	farmer_child	TOCDFLIC	Naphthalene	9.6169E-014	2.0175E-013
RCPTR_27	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.2524E-012	4.7252E-012
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.3160E-013	1.1152E-012
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.8685E-013	1.4409E-012
RCPTR_27	farmer_child	TOCDFLIC	Nitrobenzene	2.2310E-013	4.6805E-013
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0144E-013	2.1282E-013
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 4-	9.6741E-014	2.0295E-013
RCPTR_27	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2841E-013	2.6939E-013
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.3219E-013	2.7732E-013
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.0908E-014	2.2885E-014
RCPTR_27	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0674E-010	1.4899E-010
RCPTR_27	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.2012E-011	5.8636E-011
RCPTR_27	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.8978E-009	6.8473E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.3017E-009	1.0202E-008
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorobenzene	7.0914E-011	1.4877E-010
RCPTR_27	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.8258E-012	1.0124E-011
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorophenol	2.0658E-010	4.3338E-010
RCPTR_27	farmer_child	TOCDFLIC	Phenanthrene	2.4987E-013	5.2419E-013
RCPTR_27	farmer_child	TOCDFLIC	Phenol	1.7529E-013	3.6774E-013
RCPTR_27	farmer_child	TOCDFLIC	Pronamide	1.9079E-011	4.0027E-011
RCPTR_27	farmer_child	TOCDFLIC	Pyrene	9.1281E-009	1.4716E-008
RCPTR_27	farmer_child	TOCDFLIC	Selenium	4.8034E-007	1.0077E-006
RCPTR_27	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Styrene	2.1464E-012	4.5029E-012
RCPTR_27	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.0007E-009	2.8002E-009
RCPTR_27	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.7047E-009	3.7869E-009
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0225E-011	4.2431E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.7354E-016	1.4130E-015
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5034E-016	5.2519E-016
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.9332E-011	2.0839E-010
RCPTR_27	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Toluene	4.9177E-015	1.0317E-014
RCPTR_27	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.5164E-013	1.3671E-012
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.1080E-015	4.4223E-015
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.8990E-015	3.9839E-015
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethylene	3.1306E-016	6.5676E-016
RCPTR_27	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.1379E-017	8.6810E-017
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.1490E-011	1.4998E-010
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.3075E-011	2.7430E-011
RCPTR_27	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.0690E-015	1.4830E-014
RCPTR_27	farmer_child	TOCDFLIC	Vinyl Chloride	2.9479E-019	6.1845E-019
RCPTR_27	farmer_child	TOCDFLIC	Xylene, m-	3.9865E-015	8.3634E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Xylene, o-	4.5054E-015	9.4518E-015
RCPTR_27	farmer_child	TOCDFLIC	Xylene, p-	6.1586E-015	1.2920E-014
RCPTR_27	farmer_child	TOCDFLIC	Zinc	1.5822E-006	3.0684E-006
RCPTR_27	farmer_child	TOCDFMPF	Acenaphthene	2.6092E-011	5.4739E-011
RCPTR_27	farmer_child	TOCDFMPF	Acetone	1.7644E-015	3.7016E-015
RCPTR_27	farmer_child	TOCDFMPF	Acetophenone	1.1488E-013	2.4101E-013
RCPTR_27	farmer_child	TOCDFMPF	Aniline	6.5414E-015	1.3723E-014
RCPTR_27	farmer_child	TOCDFMPF	Anthracene	5.2826E-010	1.1082E-009
RCPTR_27	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Aroclor 1254	1.4886E-011	3.1230E-011
RCPTR_27	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Benzene	2.4360E-015	5.1105E-015
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.9591E-008	6.8097E-008
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.2612E-008	7.5964E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1091E-007	1.9304E-007
RCPTR_27	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.4209E-008	1.0822E-007
RCPTR_27	farmer_child	TOCDFMPF	Benzoic acid	7.2570E-013	1.5224E-012
RCPTR_27	farmer_child	TOCDFMPF	Benzyl alcohol	1.4865E-013	3.1185E-013
RCPTR_27	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.4917E-013	3.1295E-013
RCPTR_27	farmer_child	TOCDFMPF	Bromodichloromethane	2.9816E-015	6.2551E-015
RCPTR_27	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.0515E-013	2.2060E-013
RCPTR_27	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.2118E-008	2.0862E-008
RCPTR_27	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.0859E-011	1.0670E-010
RCPTR_27	farmer_child	TOCDFMPF	Cadmium	2.1036E-006	3.9533E-006
RCPTR_27	farmer_child	TOCDFMPF	Carbon disulfide	2.3369E-016	4.9027E-016
RCPTR_27	farmer_child	TOCDFMPF	Carbon tetrachloride	2.2822E-015	4.7878E-015
RCPTR_27	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2417E-011	2.6049E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Chloroaniline, p-	6.9941E-013	1.4673E-012
RCPTR_27	farmer_child	TOCDFMPF	Chlorobenzene	9.5108E-015	1.9953E-014
RCPTR_27	farmer_child	TOCDFMPF	Chloroethane	5.4867E-017	1.1511E-016
RCPTR_27	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.5951E-015	3.3464E-015
RCPTR_27	farmer_child	TOCDFMPF	Chloronaphthalene,2-	7.0073E-011	1.4701E-010
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.9630E-012	4.1182E-012
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0080E-010	2.1147E-010
RCPTR_27	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Chrysene	5.0171E-008	8.0782E-008
RCPTR_27	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.1503E-010	4.5111E-010
RCPTR_27	farmer_child	TOCDFMPF	Di-n-octylphthalate	8.1650E-006	1.7129E-005
RCPTR_27	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.3079E-007	6.9380E-007
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.8761E-014	2.0719E-013
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2169E-013	2.5530E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.1504E-013	2.4135E-013
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.4365E-010	3.0137E-010
RCPTR_27	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.4474E-018	7.2323E-018
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.1340E-016	1.0771E-015
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3371E-016	1.3295E-015
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.9618E-016	4.1157E-016
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.1388E-016	6.5849E-016
RCPTR_27	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.9982E-012	1.6779E-011
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.7824E-015	3.7393E-015
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.7937E-016	1.2155E-015
RCPTR_27	farmer_child	TOCDFMPF	Diethyl phthalate	3.3750E-011	7.0805E-011
RCPTR_27	farmer_child	TOCDFMPF	Dimethyl phthalate	1.1384E-012	2.3882E-012
RCPTR_27	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.3464E-012	2.8246E-012
RCPTR_27	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.5542E-013	9.5542E-013
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.2029E-012	2.5236E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	9.2862E-013	1.9482E-012
RCPTR_27	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.7709E-014	5.8132E-014
RCPTR_27	farmer_child	TOCDFMPF	Ethylbenzene	5.9505E-015	1.2484E-014
RCPTR_27	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0344E-011	2.1702E-011
RCPTR_27	farmer_child	TOCDFMPF	Fluoranthene	7.7675E-009	1.5075E-008
RCPTR_27	farmer_child	TOCDFMPF	Fluorene	1.0741E-010	2.2533E-010
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6829E-009	2.3489E-009
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.4317E-009	1.9989E-009
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.5273E-009	2.1323E-009
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.6861E-010	9.3331E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.0537E-010	4.2644E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.6677E-010	2.3289E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.9045E-010	8.2467E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.9835E-010	4.1661E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3781E-010	1.9246E-010
RCPTR_27	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.6214E-012	5.4995E-012
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorobenzene	6.7240E-009	1.4080E-008
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	7.3060E-012	1.5327E-011
RCPTR_27	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3301E-012	2.7904E-012
RCPTR_27	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.5937E-007	1.4431E-006
RCPTR_27	farmer_child	TOCDFMPF	Isophorone	2.0097E-013	4.2163E-013
RCPTR_27	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Mercuric chloride	2.2509E-006	2.9575E-006
RCPTR_27	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.6839E-017	7.7285E-017
RCPTR_27	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.1395E-018	4.4886E-018
RCPTR_27	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.9943E-015	4.1838E-015
RCPTR_27	farmer_child	TOCDFMPF	Methyl mercury	6.7547E-009	8.9314E-009
RCPTR_27	farmer_child	TOCDFMPF	Methylene chloride	1.0158E-015	2.1310E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Mustard	9.6527E-014	2.0250E-013
RCPTR_27	farmer_child	TOCDFMPF	Naphthalene	9.4936E-013	1.9917E-012
RCPTR_27	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.4301E-012	7.1960E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.0956E-013	1.6984E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.0460E-012	2.1944E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitrobenzene	3.4037E-013	7.1407E-013
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.5477E-013	3.2469E-013
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.4732E-012	3.0907E-012
RCPTR_27	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.9590E-013	4.1099E-013
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.0167E-013	4.2308E-013
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.6642E-014	3.4914E-014
RCPTR_27	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.7902E-009	9.4784E-009
RCPTR_27	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.7645E-009	6.6496E-009
RCPTR_27	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.5585E-010	3.5769E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.8934E-010	6.8373E-010
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorobenzene	2.1599E-011	4.5312E-011
RCPTR_27	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.3491E-012	1.5418E-011
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorophenol	1.5758E-009	3.3059E-009
RCPTR_27	farmer_child	TOCDFMPF	Phenanthrene	3.8121E-013	7.9973E-013
RCPTR_27	farmer_child	TOCDFMPF	Phenol	2.6743E-013	5.6104E-013
RCPTR_27	farmer_child	TOCDFMPF	Pronamide	2.9108E-011	6.1066E-011
RCPTR_27	farmer_child	TOCDFMPF	Pyrene	1.3926E-008	2.2452E-008
RCPTR_27	farmer_child	TOCDFMPF	Selenium	8.4230E-009	1.7671E-008
RCPTR_27	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Styrene	4.8846E-014	1.0248E-013
RCPTR_27	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3898E-010	3.3448E-010
RCPTR_27	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.6748E-009	3.7452E-009
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.0857E-011	6.4734E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.0421E-014	4.2842E-014
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9237E-015	4.0356E-015
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.5127E-010	3.1735E-010
RCPTR_27	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Toluene	3.2928E-015	6.9080E-015
RCPTR_27	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.9417E-013	2.0857E-012
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2348E-015	2.5906E-015
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.3132E-015	1.9538E-014
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethylene	1.5353E-015	3.2210E-015
RCPTR_27	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.2617E-015	8.9406E-015
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0907E-010	2.2881E-010
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.9947E-011	4.1848E-011
RCPTR_27	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.4669E-014	7.2732E-014
RCPTR_27	farmer_child	TOCDFMPF	Vinyl Chloride	8.0728E-019	1.6936E-018
RCPTR_27	farmer_child	TOCDFMPF	Xylene, m-	3.9823E-015	8.3545E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Xylene, o-	4.5006E-015	9.4418E-015
RCPTR_27	farmer_child	TOCDFMPF	Xylene, p-	6.1521E-015	1.2906E-014
RCPTR_27	farmer_child	TOCDFMPF	Zinc	4.5046E-007	8.7359E-007
RCPTR_27	farmer_child	TOCDHVAC	Mustard	3.4470E-014	7.2315E-014
RCPTR_27	farmer_child	TOCDLIC2	Acenaphthene	1.7102E-011	3.5879E-011
RCPTR_27	farmer_child	TOCDLIC2	Acetone	4.8403E-016	1.0154E-015
RCPTR_27	farmer_child	TOCDLIC2	Acetophenone	7.1877E-014	1.5079E-013
RCPTR_27	farmer_child	TOCDLIC2	Aniline	4.2876E-015	8.9951E-015
RCPTR_27	farmer_child	TOCDLIC2	Anthracene	3.4625E-010	7.2639E-010
RCPTR_27	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Benzene	2.7311E-015	5.7296E-015
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.5949E-008	4.4633E-008
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.7916E-008	4.9766E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	7.2694E-008	1.2653E-007
RCPTR_27	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.8605E-008	7.0880E-008
RCPTR_27	farmer_child	TOCDLIC2	Benzoic acid	1.6432E-013	3.4473E-013
RCPTR_27	farmer_child	TOCDLIC2	Benzyl alcohol	1.5589E-011	3.2704E-011
RCPTR_27	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.7776E-014	2.0512E-013
RCPTR_27	farmer_child	TOCDLIC2	Bromodichloromethane	9.8341E-017	2.0631E-016
RCPTR_27	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.8037E-013	3.7841E-013
RCPTR_27	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	7.9428E-009	1.3674E-008
RCPTR_27	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.3335E-011	6.9935E-011
RCPTR_27	farmer_child	TOCDLIC2	Cadmium	4.6072E-007	8.6581E-007
RCPTR_27	farmer_child	TOCDLIC2	Carbon disulfide	6.4049E-016	1.3437E-015
RCPTR_27	farmer_child	TOCDLIC2	Carbon tetrachloride	1.3128E-014	2.7541E-014
RCPTR_27	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	8.1388E-012	1.7074E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Chloroaniline, p-	4.5844E-013	9.6176E-013
RCPTR_27	farmer_child	TOCDLIC2	Chlorobenzene	5.3117E-015	1.1143E-014
RCPTR_27	farmer_child	TOCDLIC2	Chloroethane	5.5791E-018	1.1704E-017
RCPTR_27	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.0825E-015	1.0663E-014
RCPTR_27	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.5930E-011	9.6357E-011
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.2867E-012	2.6993E-012
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.6072E-011	1.3861E-010
RCPTR_27	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Chrysene	3.2882E-008	5.2945E-008
RCPTR_27	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.1782E-011	4.5697E-011
RCPTR_27	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.2708E-007	1.7351E-006
RCPTR_27	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.8191E-007	4.5402E-007
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.4734E-014	1.3581E-013
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.9766E-014	1.6734E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.5405E-014	1.5819E-013
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.6938E-011	9.8471E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.1999E-019	8.8110E-019
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.6933E-017	3.5525E-017
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2922E-016	2.7108E-016
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.4706E-018	1.3575E-017
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.4001E-017	1.3427E-016
RCPTR_27	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.2425E-012	1.0998E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.6343E-016	7.6244E-016
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2180E-016	2.5552E-016
RCPTR_27	farmer_child	TOCDLIC2	Diethyl phthalate	3.4188E-012	7.1724E-012
RCPTR_27	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0682E-011	2.2410E-011
RCPTR_27	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.8252E-013	1.8514E-012
RCPTR_27	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.9905E-013	6.2738E-013
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	7.8846E-013	1.6541E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.0868E-013	1.2769E-012
RCPTR_27	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.8162E-014	3.8103E-014
RCPTR_27	farmer_child	TOCDLIC2	Ethylbenzene	1.2729E-015	2.6704E-015
RCPTR_27	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.7302E-011	1.2021E-010
RCPTR_27	farmer_child	TOCDLIC2	Fluoranthene	5.0913E-009	9.8812E-009
RCPTR_27	farmer_child	TOCDLIC2	Fluorene	7.0400E-011	1.4769E-010
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.3176E-010	6.0262E-010
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	9.1045E-010	1.2711E-009
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.3048E-009	1.8216E-009
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.3411E-009	3.2680E-009
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3740E-009	1.9188E-009
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.0586E-010	9.8572E-010
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.9887E-009	4.1743E-009
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.0927E-009	4.3186E-009
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.5229E-009	2.1268E-009
RCPTR_27	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.7182E-012	3.6047E-012
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorobenzene	4.4073E-009	9.2288E-009
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	4.7888E-012	1.0046E-011
RCPTR_27	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.7181E-013	1.8290E-012
RCPTR_27	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.6236E-007	9.4433E-007
RCPTR_27	farmer_child	TOCDLIC2	Isophorone	1.3173E-013	2.7636E-013
RCPTR_27	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Mercuric chloride	1.3266E-007	1.7431E-007
RCPTR_27	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.1337E-018	1.4966E-017
RCPTR_27	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.2559E-017	2.6348E-017
RCPTR_27	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.8535E-015	2.0672E-014
RCPTR_27	farmer_child	TOCDLIC2	Methyl mercury	3.9811E-010	5.2640E-010
RCPTR_27	farmer_child	TOCDLIC2	Methylene chloride	1.2942E-015	2.7151E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Mustard	1.4131E-014	2.9646E-014
RCPTR_27	farmer_child	TOCDLIC2	Naphthalene	9.6169E-014	2.0175E-013
RCPTR_27	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.2524E-012	4.7252E-012
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.3160E-013	1.1152E-012
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.8685E-013	1.4409E-012
RCPTR_27	farmer_child	TOCDLIC2	Nitrobenzene	2.2310E-013	4.6805E-013
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0144E-013	2.1282E-013
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 4-	9.6741E-013	2.0295E-012
RCPTR_27	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2841E-013	2.6939E-013
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.3219E-013	2.7732E-013
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.0908E-014	2.2885E-014
RCPTR_27	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0674E-010	1.4899E-010
RCPTR_27	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.2012E-011	5.8636E-011
RCPTR_27	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.8978E-009	6.8473E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.3017E-009	1.0202E-008
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorobenzene	7.0914E-011	1.4877E-010
RCPTR_27	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.8258E-012	1.0124E-011
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorophenol	2.0658E-010	4.3338E-010
RCPTR_27	farmer_child	TOCDLIC2	Phenanthrene	2.4987E-013	5.2419E-013
RCPTR_27	farmer_child	TOCDLIC2	Phenol	1.7529E-013	3.6774E-013
RCPTR_27	farmer_child	TOCDLIC2	Pronamide	1.9079E-011	4.0027E-011
RCPTR_27	farmer_child	TOCDLIC2	Pyrene	9.1281E-009	1.4716E-008
RCPTR_27	farmer_child	TOCDLIC2	Selenium	4.8034E-007	1.0077E-006
RCPTR_27	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Styrene	2.1464E-012	4.5029E-012
RCPTR_27	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0007E-009	2.8002E-009
RCPTR_27	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.7047E-009	3.7869E-009
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0225E-011	4.2431E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.7354E-016	1.4130E-015
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5034E-016	5.2519E-016
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.9332E-011	2.0839E-010
RCPTR_27	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Toluene	4.9177E-015	1.0317E-014
RCPTR_27	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.5164E-013	1.3671E-012
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.1080E-015	4.4223E-015
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.8990E-015	3.9839E-015
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethylene	3.1306E-016	6.5676E-016
RCPTR_27	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.1379E-017	8.6810E-017
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.1490E-011	1.4998E-010
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3075E-011	2.7430E-011
RCPTR_27	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.0690E-015	1.4830E-014
RCPTR_27	farmer_child	TOCDLIC2	Vinyl Chloride	2.9479E-019	6.1845E-019
RCPTR_27	farmer_child	TOCDLIC2	Xylene, m-	8.2843E-015	1.7380E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Xylene, o-	9.3624E-015	1.9641E-014
RCPTR_27	farmer_child	TOCDLIC2	Xylene, p-	1.2798E-014	2.6849E-014
RCPTR_27	farmer_child	TOCDLIC2	Zinc	1.5822E-006	3.0684E-006
RCPTR_28	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Cadmium	4.6816E-008	5.5116E-007
RCPTR_28	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Mercuric chloride	1.8908E-004	1.9903E-004
RCPTR_28	farmer_adult	TOCDFBRA	Methyl mercury	5.0724E-007	6.0105E-007
RCPTR_28	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Selenium	3.0806E-008	4.3085E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFBRA	Zinc	1.5554E-007	1.9413E-006
RCPTR_28	farmer_adult	TOCDFDFS	Acenaphthene	1.3867E-011	1.9394E-010
RCPTR_28	farmer_adult	TOCDFDFS	Acetone	1.2069E-016	1.6879E-015
RCPTR_28	farmer_adult	TOCDFDFS	Acetophenone	6.1270E-014	8.5693E-013
RCPTR_28	farmer_adult	TOCDFDFS	Aniline	3.4765E-015	4.8622E-014
RCPTR_28	farmer_adult	TOCDFDFS	Anthracene	2.8075E-010	3.9265E-009
RCPTR_28	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Aroclor 1254	4.2769E-012	5.9817E-011
RCPTR_28	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Benzene	4.4291E-016	6.1945E-015
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.5365E-008	2.4106E-007
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.5417E-008	2.6609E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.9482E-008	6.8304E-007
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.9376E-008	3.7701E-007
RCPTR_28	farmer_adult	TOCDFDFS	Benzoic acid	3.8568E-014	5.3941E-013
RCPTR_28	farmer_adult	TOCDFDFS	Benzyl alcohol	7.8999E-014	1.1049E-012
RCPTR_28	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.9278E-014	1.1088E-012
RCPTR_28	farmer_adult	TOCDFDFS	Bromodichloromethane	1.4309E-016	2.0012E-015
RCPTR_28	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.3194E-014	3.2439E-013
RCPTR_28	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	7.7569E-009	7.3914E-008
RCPTR_28	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.7023E-011	3.7794E-010
RCPTR_28	farmer_adult	TOCDFDFS	Cadmium	2.0336E-008	2.3941E-007
RCPTR_28	farmer_adult	TOCDFDFS	Carbon disulfide	7.8784E-017	1.1019E-015
RCPTR_28	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.2932E-016	1.8087E-015
RCPTR_28	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.5990E-012	9.2294E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.7171E-013	5.1987E-012
RCPTR_28	farmer_adult	TOCDFDFS	Chlorobenzene	7.6018E-016	1.0632E-014
RCPTR_28	farmer_adult	TOCDFDFS	Chloroethane	2.1869E-018	3.0587E-017
RCPTR_28	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.8470E-017	1.3772E-015
RCPTR_28	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.7241E-011	5.2085E-010
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0432E-012	1.4591E-011
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.3572E-011	7.4926E-010
RCPTR_28	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Chrysene	3.7835E-008	2.8566E-007
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1427E-010	1.5982E-009
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.3365E-006	6.0651E-005
RCPTR_28	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.4498E-007	2.6073E-006
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.2487E-014	7.3409E-013
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.4675E-014	9.0455E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.1140E-014	8.5510E-013
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	7.6033E-011	1.0634E-009
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.7303E-019	2.4200E-018
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.1035E-017	5.7392E-016
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0651E-017	7.0841E-016
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.5680E-017	2.1931E-016
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.5088E-017	3.5088E-016
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.2507E-012	5.9450E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.4246E-016	1.9925E-015
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.6308E-017	6.4767E-016
RCPTR_28	farmer_adult	TOCDFDFS	Diethyl phthalate	1.7937E-011	2.5086E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.1408E-013	1.2784E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.1556E-013	1.0008E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.4246E-013	3.3911E-012
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.3929E-013	8.9412E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.9352E-013	6.9024E-012
RCPTR_28	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.4726E-014	2.0596E-013
RCPTR_28	farmer_adult	TOCDFDFS	Ethylbenzene	4.7561E-016	6.6519E-015
RCPTR_28	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	6.0579E-012	8.4726E-011
RCPTR_28	farmer_adult	TOCDFDFS	Fluoranthene	4.2736E-009	5.3409E-008
RCPTR_28	farmer_adult	TOCDFDFS	Fluorene	5.7081E-011	7.9834E-010
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.8091E-011	7.5939E-011
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.5645E-011	4.2449E-011
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.9884E-011	8.1082E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.1351E-010	1.1194E-009
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.3544E-010	6.4061E-010
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.1206E-010	3.0490E-010
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.6040E-010	4.3719E-010
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.7351E-010	4.7173E-010
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	9.2140E-011	2.5082E-010
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.3932E-012	1.9485E-011
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.5741E-009	4.9886E-008
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.8828E-012	5.4305E-011
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.0687E-013	9.8864E-012
RCPTR_28	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.1503E-007	5.4241E-006
RCPTR_28	farmer_adult	TOCDFDFS	Isophorone	1.0681E-013	1.4938E-012
RCPTR_28	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Mercuric chloride	7.6266E-008	8.0279E-008
RCPTR_28	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.7724E-018	2.4789E-017
RCPTR_28	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.4872E-019	4.8773E-018
RCPTR_28	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.6619E-016	1.2115E-014
RCPTR_28	farmer_adult	TOCDFDFS	Methyl mercury	2.0460E-010	2.4244E-010
RCPTR_28	farmer_adult	TOCDFDFS	Methylene chloride	5.2436E-017	7.3338E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Mustard	6.2672E-015	8.7653E-014
RCPTR_28	farmer_adult	TOCDFDFS	Naphthalene	5.0454E-013	7.0565E-012
RCPTR_28	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8262E-012	2.5541E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.3101E-013	6.0281E-012
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.5688E-013	7.7886E-012
RCPTR_28	farmer_adult	TOCDFDFS	Nitrobenzene	1.8089E-013	2.5300E-012
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.2252E-014	1.1504E-012
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.8435E-013	1.0970E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0411E-013	1.4561E-012
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0718E-013	1.4990E-012
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.8446E-015	1.2370E-013
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	7.5132E-012	2.0338E-011
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.1633E-012	8.5468E-012
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.9334E-010	1.9121E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.7303E-010	2.3915E-009
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1479E-011	1.6054E-010
RCPTR_28	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.9126E-012	5.4722E-011
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorophenol	8.3897E-010	1.1734E-008
RCPTR_28	farmer_adult	TOCDFDFS	Phenanthrene	2.0259E-013	2.8335E-012
RCPTR_28	farmer_adult	TOCDFDFS	Phenol	1.4213E-013	1.9878E-012
RCPTR_28	farmer_adult	TOCDFDFS	Pronamide	1.5470E-011	2.1636E-010
RCPTR_28	farmer_adult	TOCDFDFS	Pyrene	1.0479E-008	7.9546E-008
RCPTR_28	farmer_adult	TOCDFDFS	Selenium	3.1967E-009	4.4709E-008
RCPTR_28	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Styrene	5.6471E-015	7.8980E-014
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.6038E-010	1.8456E-009
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	7.0656E-010	1.9841E-009
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.6399E-011	2.2936E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.0186E-014	1.1215E-012
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.5375E-016	2.1504E-015
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	8.0536E-011	1.1264E-009
RCPTR_28	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Toluene	2.0666E-016	2.8904E-015
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.2836E-013	7.3896E-012
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.2735E-016	1.7811E-015
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.4439E-016	1.0411E-014
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethylene	1.2272E-016	1.7163E-015
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.7047E-017	2.3843E-016
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.7965E-011	8.1070E-010
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.3288E-011	7.4528E-010
RCPTR_28	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.7710E-015	3.8755E-014
RCPTR_28	farmer_adult	TOCDFDFS	Vinyl Chloride	3.8552E-020	5.3919E-019
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, m-	7.3021E-016	1.0213E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, o-	7.2096E-016	1.0083E-014
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, p-	1.1281E-015	1.5777E-014
RCPTR_28	farmer_adult	TOCDFDFS	Zinc	3.0436E-008	3.7988E-007
RCPTR_28	farmer_adult	TOCDFLIC	Acenaphthene	2.7849E-012	3.8950E-011
RCPTR_28	farmer_adult	TOCDFLIC	Acetone	7.8818E-017	1.1023E-015
RCPTR_28	farmer_adult	TOCDFLIC	Acetophenone	1.1704E-014	1.6370E-013
RCPTR_28	farmer_adult	TOCDFLIC	Aniline	6.9819E-016	9.7649E-015
RCPTR_28	farmer_adult	TOCDFLIC	Anthracene	5.6383E-011	7.8856E-010
RCPTR_28	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Benzene	4.4473E-016	6.2200E-015
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)anthracene	5.0908E-009	4.8382E-008
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)pyrene	5.0604E-009	5.2976E-008
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.3940E-008	1.3704E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.7720E-008	7.4748E-008
RCPTR_28	farmer_adult	TOCDFLIC	Benzoic acid	2.6758E-014	3.7423E-013
RCPTR_28	farmer_adult	TOCDFLIC	Benzyl alcohol	2.5385E-012	3.5504E-011
RCPTR_28	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.5922E-014	2.2268E-013
RCPTR_28	farmer_adult	TOCDFLIC	Bromodichloromethane	1.6014E-017	2.2397E-016
RCPTR_28	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.9372E-014	4.1079E-013
RCPTR_28	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.5578E-009	1.4844E-008
RCPTR_28	farmer_adult	TOCDFLIC	Butylbenzylphthalate	5.4260E-012	7.5888E-011
RCPTR_28	farmer_adult	TOCDFLIC	Cadmium	8.2524E-008	9.7154E-007
RCPTR_28	farmer_adult	TOCDFLIC	Carbon disulfide	1.0430E-016	1.4587E-015
RCPTR_28	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.1377E-015	2.9899E-014
RCPTR_28	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3253E-012	1.8536E-011
RCPTR_28	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.4651E-014	1.0441E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Chlorobenzene	8.6494E-016	1.2097E-014
RCPTR_28	farmer_adult	TOCDFLIC	Chloroethane	9.0848E-019	1.2706E-017
RCPTR_28	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.2762E-016	1.1575E-014
RCPTR_28	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	7.4792E-012	1.0460E-010
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.0952E-013	2.9303E-012
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0759E-011	1.5048E-010
RCPTR_28	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Chrysene	7.5875E-009	5.7287E-008
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.5465E-012	4.9602E-011
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.3453E-007	1.8815E-006
RCPTR_28	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.7388E-008	5.0931E-007
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0541E-014	1.4743E-013
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.2989E-014	1.8166E-013
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.2279E-014	1.7173E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	7.6284E-012	1.0669E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.8390E-020	9.5651E-019
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.7574E-018	3.8565E-017
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1041E-017	2.9428E-016
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0537E-018	1.4737E-017
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0422E-017	1.4576E-016
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	8.5368E-013	1.1940E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.9180E-017	8.2770E-016
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9833E-017	2.7739E-016
RCPTR_28	farmer_adult	TOCDFLIC	Diethyl phthalate	5.5672E-013	7.7862E-012
RCPTR_28	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.7394E-012	2.4328E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.4371E-013	2.0099E-012
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.8697E-014	6.8107E-013
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.2839E-013	1.7957E-012
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	9.9115E-014	1.3862E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.9575E-015	4.1364E-014
RCPTR_28	farmer_adult	TOCDFLIC	Ethylbenzene	2.0728E-016	2.8990E-015
RCPTR_28	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.3237E-012	1.3040E-010
RCPTR_28	farmer_adult	TOCDFLIC	Fluoranthene	8.5824E-010	1.0726E-008
RCPTR_28	farmer_adult	TOCDFLIC	Fluorene	1.1464E-011	1.6033E-010
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.3038E-010	6.2278E-010
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.8605E-010	1.3188E-009
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.9445E-010	1.8842E-009
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.2582E-009	3.4059E-009
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.3078E-010	1.9884E-009
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.7433E-010	1.0185E-009
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.5931E-009	4.3421E-009
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.6531E-009	4.4945E-009
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.1361E-010	2.2147E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.7979E-013	3.9132E-012
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.1780E-010	1.0019E-008
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	7.7980E-013	1.0906E-011
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.4196E-013	1.9855E-012
RCPTR_28	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2013E-007	1.0594E-006
RCPTR_28	farmer_adult	TOCDFLIC	Isophorone	2.1451E-014	3.0001E-013
RCPTR_28	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Mercuric chloride	1.7943E-007	1.8887E-007
RCPTR_28	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.1616E-018	1.6247E-017
RCPTR_28	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.0451E-018	2.8603E-017
RCPTR_28	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.6045E-015	2.2441E-014
RCPTR_28	farmer_adult	TOCDFLIC	Methyl mercury	4.8135E-010	5.7037E-010
RCPTR_28	farmer_adult	TOCDFLIC	Methylene chloride	2.1074E-016	2.9475E-015
RCPTR_28	farmer_adult	TOCDFLIC	Mustard	2.2134E-015	3.0957E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Naphthalene	1.5660E-014	2.1902E-013
RCPTR_28	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.6677E-013	5.1297E-012
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.6565E-014	1.2107E-012
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1185E-013	1.5643E-012
RCPTR_28	farmer_adult	TOCDFLIC	Nitrobenzene	3.6329E-014	5.0810E-013
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.6519E-014	2.3103E-013
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5753E-014	2.2032E-013
RCPTR_28	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0910E-014	2.9244E-013
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.1525E-014	3.0105E-013
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.7763E-015	2.4843E-014
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	5.6688E-011	1.5345E-010
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.2352E-011	6.0391E-011
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.6348E-009	7.2661E-009
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.9644E-009	1.0860E-008
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.1547E-011	1.6150E-010
RCPTR_28	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.8582E-013	1.0991E-011
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorophenol	3.3639E-011	4.7047E-010
RCPTR_28	farmer_adult	TOCDFLIC	Phenanthrene	4.0688E-014	5.6906E-013
RCPTR_28	farmer_adult	TOCDFLIC	Phenol	2.8544E-014	3.9922E-013
RCPTR_28	farmer_adult	TOCDFLIC	Pronamide	3.1068E-012	4.3452E-011
RCPTR_28	farmer_adult	TOCDFLIC	Pyrene	2.1045E-009	1.5975E-008
RCPTR_28	farmer_adult	TOCDFLIC	Selenium	8.0849E-008	1.1308E-006
RCPTR_28	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Styrene	3.4951E-013	4.8883E-012
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.0774E-009	3.0109E-009
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.4565E-009	4.0900E-009
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.2934E-012	4.6062E-011
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.0968E-016	1.5340E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.0765E-017	5.7014E-016
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.6175E-011	2.2622E-010
RCPTR_28	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Toluene	8.0079E-016	1.1200E-014
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0611E-013	1.4841E-012
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.4326E-016	4.8008E-015
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.0923E-016	4.3248E-015
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethylene	5.0977E-017	7.1297E-016
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.7381E-018	9.4240E-017
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1641E-011	1.6282E-010
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.1291E-012	2.9777E-011
RCPTR_28	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1511E-015	1.6099E-014
RCPTR_28	farmer_adult	TOCDFLIC	Vinyl Chloride	4.8004E-020	6.7138E-019
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, m-	6.4916E-016	9.0792E-015
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, o-	7.3365E-016	1.0261E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, p-	1.0029E-015	1.4026E-014
RCPTR_28	farmer_adult	TOCDFLIC	Zinc	2.7586E-007	3.4431E-006
RCPTR_28	farmer_adult	TOCDFMPF	Acenaphthene	4.2512E-012	5.9457E-011
RCPTR_28	farmer_adult	TOCDFMPF	Acetone	2.8748E-016	4.0207E-015
RCPTR_28	farmer_adult	TOCDFMPF	Acetophenone	1.8718E-014	2.6179E-013
RCPTR_28	farmer_adult	TOCDFMPF	Aniline	1.0658E-015	1.4906E-014
RCPTR_28	farmer_adult	TOCDFMPF	Anthracene	8.6069E-011	1.2038E-009
RCPTR_28	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Aroclor 1254	2.4252E-012	3.3919E-011
RCPTR_28	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Benzene	3.9690E-016	5.5511E-015
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)anthracene	7.7713E-009	7.3857E-008
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.7262E-009	8.0884E-008
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.1280E-008	2.0919E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.7057E-008	1.1413E-007
RCPTR_28	farmer_adult	TOCDFMPF	Benzoic acid	1.1824E-013	1.6537E-012
RCPTR_28	farmer_adult	TOCDFMPF	Benzyl alcohol	2.4219E-014	3.3873E-013
RCPTR_28	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.4305E-014	3.3992E-013
RCPTR_28	farmer_adult	TOCDFMPF	Bromodichloromethane	4.8580E-016	6.7944E-015
RCPTR_28	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.7132E-014	2.3961E-013
RCPTR_28	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.3781E-009	2.2660E-008
RCPTR_28	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.2829E-012	1.1585E-010
RCPTR_28	farmer_adult	TOCDFMPF	Cadmium	3.7669E-007	4.4347E-006
RCPTR_28	farmer_adult	TOCDFMPF	Carbon disulfide	3.8076E-017	5.3253E-016
RCPTR_28	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.7184E-016	5.2005E-015
RCPTR_28	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.0231E-012	2.8295E-011
RCPTR_28	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.1396E-013	1.5938E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Chlorobenzene	1.5496E-015	2.1673E-014
RCPTR_28	farmer_adult	TOCDFMPF	Chloroethane	8.9395E-018	1.2503E-016
RCPTR_28	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.5989E-016	3.6348E-015
RCPTR_28	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.1417E-011	1.5968E-010
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.1983E-013	4.4732E-012
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.6424E-011	2.2970E-010
RCPTR_28	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Chrysene	1.1583E-008	8.7452E-008
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.5031E-011	4.8994E-010
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.3288E-006	1.8585E-005
RCPTR_28	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.0295E-007	7.7807E-007
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.6091E-014	2.2505E-013
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.9828E-014	2.7731E-013
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.8744E-014	2.6215E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.3360E-011	3.2671E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.6169E-019	7.8558E-018
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.3649E-017	1.1699E-015
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0325E-016	1.4441E-015
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.1964E-017	4.4705E-016
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.1141E-017	7.1525E-016
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3032E-012	1.8226E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.9041E-016	4.0616E-015
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.4398E-017	1.3203E-015
RCPTR_28	farmer_adult	TOCDFMPF	Diethyl phthalate	5.4989E-012	7.6908E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.8548E-013	2.5941E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.1937E-013	3.0682E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.4201E-014	1.0378E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.9599E-013	2.7411E-012
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.5130E-013	2.1161E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.5147E-015	6.3143E-014
RCPTR_28	farmer_adult	TOCDFMPF	Ethylbenzene	9.6953E-016	1.3560E-014
RCPTR_28	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.6841E-012	2.3554E-011
RCPTR_28	farmer_adult	TOCDFMPF	Fluoranthene	1.3101E-009	1.6373E-008
RCPTR_28	farmer_adult	TOCDFMPF	Fluorene	1.7500E-011	2.4475E-010
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	8.9779E-010	2.4270E-009
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.6421E-010	2.0735E-009
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.1272E-010	2.2051E-009
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.5929E-010	9.7260E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.6238E-010	4.4183E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.8418E-011	2.4058E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.1470E-010	8.5772E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.5946E-010	4.3353E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.3615E-011	2.0039E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.2711E-013	5.9736E-012
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.0957E-009	1.5294E-008
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.1904E-012	1.6649E-011
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.1671E-013	3.0309E-012
RCPTR_28	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.8352E-007	1.6185E-006
RCPTR_28	farmer_adult	TOCDFMPF	Isophorone	3.2745E-014	4.5797E-013
RCPTR_28	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Mercuric chloride	3.0460E-006	3.2062E-006
RCPTR_28	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.0022E-018	8.3947E-017
RCPTR_28	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.4860E-019	4.8755E-018
RCPTR_28	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.2493E-016	4.5444E-015
RCPTR_28	farmer_adult	TOCDFMPF	Methyl mercury	8.1715E-009	9.6826E-009
RCPTR_28	farmer_adult	TOCDFMPF	Methylene chloride	1.6550E-016	2.3147E-015
RCPTR_28	farmer_adult	TOCDFMPF	Mustard	1.5727E-014	2.1996E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Naphthalene	1.5468E-013	2.1634E-012
RCPTR_28	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.5887E-013	7.8163E-012
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.3190E-013	1.8448E-012
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.7042E-013	2.3836E-012
RCPTR_28	farmer_adult	TOCDFMPF	Nitrobenzene	5.5458E-014	7.7563E-013
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.5216E-014	3.5268E-013
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.4004E-013	3.3571E-012
RCPTR_28	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.1919E-014	4.4642E-013
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.2858E-014	4.5956E-013
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.7115E-015	3.7924E-014
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.6053E-009	9.7594E-009
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.5341E-009	6.8468E-009
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.3766E-010	3.7964E-010
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.6574E-010	7.2796E-010
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.5191E-012	4.9218E-011
RCPTR_28	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1974E-012	1.6747E-011
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorophenol	2.5675E-010	3.5909E-009
RCPTR_28	farmer_adult	TOCDFMPF	Phenanthrene	6.2110E-014	8.6867E-013
RCPTR_28	farmer_adult	TOCDFMPF	Phenol	4.3573E-014	6.0941E-013
RCPTR_28	farmer_adult	TOCDFMPF	Pronamide	4.7427E-012	6.6331E-011
RCPTR_28	farmer_adult	TOCDFMPF	Pyrene	3.2126E-009	2.4386E-008
RCPTR_28	farmer_adult	TOCDFMPF	Selenium	1.4173E-009	1.9822E-008
RCPTR_28	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Styrene	7.9586E-015	1.1131E-013
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.2875E-010	3.5980E-010
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.4412E-009	4.0469E-009
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.0275E-012	7.0315E-011
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.3272E-015	4.6535E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.1342E-016	4.3835E-015
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.4647E-011	3.4471E-010
RCPTR_28	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFMPF	Toluene	5.3650E-016	7.5036E-015
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.6198E-013	2.2655E-012
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.0119E-016	2.8139E-015
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.5174E-015	2.1223E-014
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethylene	2.5015E-016	3.4986E-015
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.9436E-016	9.7114E-015
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.7771E-011	2.4854E-010
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.2501E-012	4.5455E-011
RCPTR_28	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.6486E-015	7.9002E-014
RCPTR_28	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3153E-019	1.8396E-018
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, m-	6.4884E-016	9.0747E-015
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, o-	7.3328E-016	1.0256E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, p-	1.0024E-015	1.4019E-014
RCPTR_28	farmer_adult	TOCDFMPF	Zinc	7.8516E-008	9.7998E-007
RCPTR_28	farmer_adult	TOCDHVAC	Mustard	4.0828E-015	5.7102E-014
RCPTR_28	farmer_adult	TOCDLIC2	Acenaphthene	2.7849E-012	3.8950E-011
RCPTR_28	farmer_adult	TOCDLIC2	Acetone	7.8818E-017	1.1023E-015
RCPTR_28	farmer_adult	TOCDLIC2	Acetophenone	1.1704E-014	1.6370E-013
RCPTR_28	farmer_adult	TOCDLIC2	Aniline	6.9819E-016	9.7649E-015
RCPTR_28	farmer_adult	TOCDLIC2	Anthracene	5.6383E-011	7.8856E-010
RCPTR_28	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Benzene	4.4473E-016	6.2200E-015
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.0908E-009	4.8382E-008
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.0604E-009	5.2976E-008
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.3940E-008	1.3704E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.7720E-008	7.4748E-008
RCPTR_28	farmer_adult	TOCDLIC2	Benzoic acid	2.6758E-014	3.7423E-013
RCPTR_28	farmer_adult	TOCDLIC2	Benzyl alcohol	2.5385E-012	3.5504E-011
RCPTR_28	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.5922E-014	2.2268E-013
RCPTR_28	farmer_adult	TOCDLIC2	Bromodichloromethane	1.6014E-017	2.2397E-016
RCPTR_28	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.9372E-014	4.1079E-013
RCPTR_28	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.5578E-009	1.4844E-008
RCPTR_28	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.4260E-012	7.5888E-011
RCPTR_28	farmer_adult	TOCDLIC2	Cadmium	8.2524E-008	9.7154E-007
RCPTR_28	farmer_adult	TOCDLIC2	Carbon disulfide	1.0430E-016	1.4587E-015
RCPTR_28	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.1377E-015	2.9899E-014
RCPTR_28	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.3253E-012	1.8536E-011
RCPTR_28	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.4651E-014	1.0441E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Chlorobenzene	8.6494E-016	1.2097E-014
RCPTR_28	farmer_adult	TOCDLIC2	Chloroethane	9.0848E-019	1.2706E-017
RCPTR_28	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.2762E-016	1.1575E-014
RCPTR_28	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	7.4792E-012	1.0460E-010
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.0952E-013	2.9303E-012
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.0759E-011	1.5048E-010
RCPTR_28	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Chrysene	7.5875E-009	5.7287E-008
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.5465E-012	4.9602E-011
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.3453E-007	1.8815E-006
RCPTR_28	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.7388E-008	5.0931E-007
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.0541E-014	1.4743E-013
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.2989E-014	1.8166E-013
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.2279E-014	1.7173E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.6284E-012	1.0669E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.8390E-020	9.5651E-019
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.7574E-018	3.8565E-017
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1041E-017	2.9428E-016
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0537E-018	1.4737E-017
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0422E-017	1.4576E-016
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	8.5368E-013	1.1940E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.9180E-017	8.2770E-016
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.9833E-017	2.7739E-016
RCPTR_28	farmer_adult	TOCDLIC2	Diethyl phthalate	5.5672E-013	7.7862E-012
RCPTR_28	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.7394E-012	2.4328E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.4371E-013	2.0099E-012
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.8697E-014	6.8107E-013
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.2839E-013	1.7957E-012
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	9.9115E-014	1.3862E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.9575E-015	4.1364E-014
RCPTR_28	farmer_adult	TOCDLIC2	Ethylbenzene	2.0728E-016	2.8990E-015
RCPTR_28	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.3237E-012	1.3040E-010
RCPTR_28	farmer_adult	TOCDLIC2	Fluoranthene	8.5824E-010	1.0726E-008
RCPTR_28	farmer_adult	TOCDLIC2	Fluorene	1.1464E-011	1.6033E-010
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.3038E-010	6.2278E-010
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.8605E-010	1.3188E-009
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.9445E-010	1.8842E-009
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2582E-009	3.4059E-009
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.3078E-010	1.9884E-009
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.7433E-010	1.0185E-009
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.5931E-009	4.3421E-009
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.6531E-009	4.4945E-009
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.1361E-010	2.2147E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.7979E-013	3.9132E-012
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorobenzene	7.1780E-010	1.0019E-008
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	7.7980E-013	1.0906E-011
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.4196E-013	1.9855E-012
RCPTR_28	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2013E-007	1.0594E-006
RCPTR_28	farmer_adult	TOCDLIC2	Isophorone	2.1451E-014	3.0001E-013
RCPTR_28	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Mercuric chloride	1.7943E-007	1.8887E-007
RCPTR_28	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.1616E-018	1.6247E-017
RCPTR_28	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.0451E-018	2.8603E-017
RCPTR_28	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.6045E-015	2.2441E-014
RCPTR_28	farmer_adult	TOCDLIC2	Methyl mercury	4.8135E-010	5.7037E-010
RCPTR_28	farmer_adult	TOCDLIC2	Methylene chloride	2.1074E-016	2.9475E-015
RCPTR_28	farmer_adult	TOCDLIC2	Mustard	2.3011E-015	3.2183E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Naphthalene	1.5660E-014	2.1902E-013
RCPTR_28	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.6677E-013	5.1297E-012
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 3-	8.6565E-014	1.2107E-012
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.1185E-013	1.5643E-012
RCPTR_28	farmer_adult	TOCDLIC2	Nitrobenzene	3.6329E-014	5.0810E-013
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.6519E-014	2.3103E-013
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.5753E-013	2.2032E-012
RCPTR_28	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.0910E-014	2.9244E-013
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.1525E-014	3.0105E-013
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.7763E-015	2.4843E-014
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.6688E-011	1.5345E-010
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.2352E-011	6.0391E-011
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.6348E-009	7.2661E-009
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.9644E-009	1.0860E-008
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.1547E-011	1.6150E-010
RCPTR_28	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.8582E-013	1.0991E-011
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorophenol	3.3639E-011	4.7047E-010
RCPTR_28	farmer_adult	TOCDLIC2	Phenanthrene	4.0688E-014	5.6906E-013
RCPTR_28	farmer_adult	TOCDLIC2	Phenol	2.8544E-014	3.9922E-013
RCPTR_28	farmer_adult	TOCDLIC2	Pronamide	3.1068E-012	4.3452E-011
RCPTR_28	farmer_adult	TOCDLIC2	Pyrene	2.1045E-009	1.5975E-008
RCPTR_28	farmer_adult	TOCDLIC2	Selenium	8.0849E-008	1.1308E-006
RCPTR_28	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Styrene	3.4951E-013	4.8883E-012
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.0774E-009	3.0109E-009
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4565E-009	4.0900E-009
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.2934E-012	4.6062E-011
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.0968E-016	1.5340E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.0765E-017	5.7014E-016
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.6175E-011	2.2622E-010
RCPTR_28	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Toluene	8.0079E-016	1.1200E-014
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0611E-013	1.4841E-012
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.4326E-016	4.8008E-015
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.0923E-016	4.3248E-015
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethylene	5.0977E-017	7.1297E-016
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.7381E-018	9.4240E-017
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.1641E-011	1.6282E-010
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.1291E-012	2.9777E-011
RCPTR_28	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.1511E-015	1.6099E-014
RCPTR_28	farmer_adult	TOCDLIC2	Vinyl Chloride	4.8004E-020	6.7138E-019
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, m-	1.3490E-015	1.8867E-014
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, o-	1.5246E-015	2.1323E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, p-	2.0840E-015	2.9147E-014
RCPTR_28	farmer_adult	TOCDLIC2	Zinc	2.7586E-007	3.4431E-006
RCPTR_28	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Cadmium	2.9328E-007	5.5116E-007
RCPTR_28	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Mercuric chloride	1.5147E-004	1.9903E-004
RCPTR_28	farmer_child	TOCDFBRA	Methyl mercury	4.5457E-007	6.0105E-007
RCPTR_28	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Selenium	2.0537E-007	4.3085E-007
RCPTR_28	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFBRA	Zinc	1.0010E-006	1.9413E-006
RCPTR_28	farmer_child	TOCDFDFS	Acenaphthene	9.2445E-011	1.9394E-010
RCPTR_28	farmer_child	TOCDFDFS	Acetone	8.0458E-016	1.6879E-015
RCPTR_28	farmer_child	TOCDFDFS	Acetophenone	4.0847E-013	8.5693E-013
RCPTR_28	farmer_child	TOCDFDFS	Aniline	2.3177E-014	4.8622E-014
RCPTR_28	farmer_child	TOCDFDFS	Anthracene	1.8716E-009	3.9265E-009
RCPTR_28	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Aroclor 1254	2.8513E-011	5.9817E-011
RCPTR_28	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Benzene	2.9527E-015	6.1945E-015
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.4015E-007	2.4106E-007
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.4926E-007	2.6609E-007
RCPTR_28	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.9243E-007	6.8304E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.5853E-007	3.7701E-007
RCPTR_28	farmer_child	TOCDFDFS	Benzoic acid	2.5712E-013	5.3941E-013
RCPTR_28	farmer_child	TOCDFDFS	Benzyl alcohol	5.2666E-013	1.1049E-012
RCPTR_28	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.2852E-013	1.1088E-012
RCPTR_28	farmer_child	TOCDFDFS	Bromodichloromethane	9.5392E-016	2.0012E-015
RCPTR_28	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.5463E-013	3.2439E-013
RCPTR_28	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.2934E-008	7.3914E-008
RCPTR_28	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.8015E-010	3.7794E-010
RCPTR_28	farmer_child	TOCDFDFS	Cadmium	1.2739E-007	2.3941E-007
RCPTR_28	farmer_child	TOCDFDFS	Carbon disulfide	5.2522E-016	1.1019E-015
RCPTR_28	farmer_child	TOCDFDFS	Carbon tetrachloride	8.6214E-016	1.8087E-015
RCPTR_28	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.3993E-011	9.2294E-011
RCPTR_28	farmer_child	TOCDFDFS	Chloroaniline, p-	2.4781E-012	5.1987E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Chlorobenzene	5.0679E-015	1.0632E-014
RCPTR_28	farmer_child	TOCDFDFS	Chloroethane	1.4580E-017	3.0587E-017
RCPTR_28	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.5647E-016	1.3772E-015
RCPTR_28	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.4827E-010	5.2085E-010
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenol, 2-	6.9550E-012	1.4591E-011
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.5715E-010	7.4926E-010
RCPTR_28	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Chrysene	1.7742E-007	2.8566E-007
RCPTR_28	farmer_child	TOCDFDFS	Di-n-butyl phthalate	7.6181E-010	1.5982E-009
RCPTR_28	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.8910E-005	6.0651E-005
RCPTR_28	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.6189E-006	2.6073E-006
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.4992E-013	7.3409E-013
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.3117E-013	9.0455E-013
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	4.0760E-013	8.5510E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.0689E-010	1.0634E-009
RCPTR_28	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1535E-018	2.4200E-018
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.7357E-016	5.7392E-016
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.3768E-016	7.0841E-016
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0454E-016	2.1931E-016
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.6725E-016	3.5088E-016
RCPTR_28	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.8338E-011	5.9450E-011
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.4975E-016	1.9925E-015
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.0872E-016	6.4767E-016
RCPTR_28	farmer_child	TOCDFDFS	Diethyl phthalate	1.1958E-010	2.5086E-010
RCPTR_28	farmer_child	TOCDFDFS	Dimethyl phthalate	6.0938E-012	1.2784E-011
RCPTR_28	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.7704E-012	1.0008E-011
RCPTR_28	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6164E-012	3.3911E-012
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.2620E-012	8.9412E-012
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.2901E-012	6.9024E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.8176E-014	2.0596E-013
RCPTR_28	farmer_child	TOCDFDFS	Ethylbenzene	3.1708E-015	6.6519E-015
RCPTR_28	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.0386E-011	8.4726E-011
RCPTR_28	farmer_child	TOCDFDFS	Fluoranthene	2.7519E-008	5.3409E-008
RCPTR_28	farmer_child	TOCDFDFS	Fluorene	3.8054E-010	7.9834E-010
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.4408E-011	7.5939E-011
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.0404E-011	4.2449E-011
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	5.8076E-011	8.1082E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.0192E-010	1.1194E-009
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.5873E-010	6.4061E-010
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.1833E-010	3.0490E-010
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.1302E-010	4.3719E-010
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.3782E-010	4.7173E-010
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.7960E-010	2.5082E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.2878E-012	1.9485E-011
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorobenzene	2.3823E-008	4.9886E-008
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.5885E-011	5.4305E-011
RCPTR_28	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.7125E-012	9.8864E-012
RCPTR_28	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.2301E-006	5.4241E-006
RCPTR_28	farmer_child	TOCDFDFS	Isophorone	7.1206E-013	1.4938E-012
RCPTR_28	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Mercuric chloride	6.1099E-008	8.0279E-008
RCPTR_28	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.1816E-017	2.4789E-017
RCPTR_28	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.3248E-018	4.8773E-018
RCPTR_28	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.7746E-015	1.2115E-014
RCPTR_28	farmer_child	TOCDFDFS	Methyl mercury	1.8335E-010	2.4244E-010
RCPTR_28	farmer_child	TOCDFDFS	Methylene chloride	3.4958E-016	7.3338E-016
RCPTR_28	farmer_child	TOCDFDFS	Mustard	4.1781E-014	8.7653E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Naphthalene	3.3636E-012	7.0565E-012
RCPTR_28	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.2174E-011	2.5541E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.8734E-012	6.0281E-012
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.7125E-012	7.7886E-012
RCPTR_28	farmer_child	TOCDFDFS	Nitrobenzene	1.2060E-012	2.5300E-012
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.4835E-013	1.1504E-012
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.2290E-012	1.0970E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.9410E-013	1.4561E-012
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.1453E-013	1.4990E-012
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.8964E-014	1.2370E-013
RCPTR_28	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4570E-011	2.0338E-011
RCPTR_28	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.1238E-012	8.5468E-012
RCPTR_28	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.3677E-009	1.9121E-009
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7116E-009	2.3915E-009
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorobenzene	7.6525E-011	1.6054E-010
RCPTR_28	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.6084E-011	5.4722E-011
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorophenol	5.5931E-009	1.1734E-008
RCPTR_28	farmer_child	TOCDFDFS	Phenanthrene	1.3506E-012	2.8335E-012
RCPTR_28	farmer_child	TOCDFDFS	Phenol	9.4752E-013	1.9878E-012
RCPTR_28	farmer_child	TOCDFDFS	Pronamide	1.0313E-010	2.1636E-010
RCPTR_28	farmer_child	TOCDFDFS	Pyrene	4.9340E-008	7.9546E-008
RCPTR_28	farmer_child	TOCDFDFS	Selenium	2.1311E-008	4.4709E-008
RCPTR_28	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Styrene	3.7647E-014	7.8980E-014
RCPTR_28	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3186E-009	1.8456E-009
RCPTR_28	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4170E-009	1.9841E-009
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0933E-010	2.2936E-010
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	5.3457E-013	1.1215E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0250E-015	2.1504E-015
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.3690E-010	1.1264E-009
RCPTR_28	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Toluene	1.3777E-015	2.8904E-015
RCPTR_28	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.5224E-012	7.3896E-012
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.4901E-016	1.7811E-015
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.9626E-015	1.0411E-014
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethylene	8.1810E-016	1.7163E-015
RCPTR_28	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1365E-016	2.3843E-016
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.8643E-010	8.1070E-010
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.5525E-010	7.4528E-010
RCPTR_28	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.8473E-014	3.8755E-014
RCPTR_28	farmer_child	TOCDFDFS	Vinyl Chloride	2.5701E-019	5.3919E-019
RCPTR_28	farmer_child	TOCDFDFS	Xylene, m-	4.8680E-015	1.0213E-014
RCPTR_28	farmer_child	TOCDFDFS	Xylene, o-	4.8064E-015	1.0083E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Xylene, p-	7.5204E-015	1.5777E-014
RCPTR_28	farmer_child	TOCDFDFS	Zinc	1.9588E-007	3.7988E-007
RCPTR_28	farmer_child	TOCDFLIC	Acenaphthene	1.8566E-011	3.8950E-011
RCPTR_28	farmer_child	TOCDFLIC	Acetone	5.2545E-016	1.1023E-015
RCPTR_28	farmer_child	TOCDFLIC	Acetophenone	7.8029E-014	1.6370E-013
RCPTR_28	farmer_child	TOCDFLIC	Aniline	4.6546E-015	9.7649E-015
RCPTR_28	farmer_child	TOCDFLIC	Anthracene	3.7589E-010	7.8856E-010
RCPTR_28	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Benzene	2.9649E-015	6.2200E-015
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.8128E-008	4.8382E-008
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.9717E-008	5.2976E-008
RCPTR_28	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	7.8733E-008	1.3704E-007
RCPTR_28	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.1257E-008	7.4748E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Benzoic acid	1.7838E-013	3.7423E-013
RCPTR_28	farmer_child	TOCDFLIC	Benzyl alcohol	1.6923E-011	3.5504E-011
RCPTR_28	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.0614E-013	2.2268E-013
RCPTR_28	farmer_child	TOCDFLIC	Bromodichloromethane	1.0676E-016	2.2397E-016
RCPTR_28	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.9581E-013	4.1079E-013
RCPTR_28	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.6225E-009	1.4844E-008
RCPTR_28	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.6173E-011	7.5888E-011
RCPTR_28	farmer_child	TOCDFLIC	Cadmium	5.1697E-007	9.7154E-007
RCPTR_28	farmer_child	TOCDFLIC	Carbon disulfide	6.9530E-016	1.4587E-015
RCPTR_28	farmer_child	TOCDFLIC	Carbon tetrachloride	1.4252E-014	2.9899E-014
RCPTR_28	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	8.8353E-012	1.8536E-011
RCPTR_28	farmer_child	TOCDFLIC	Chloroaniline, p-	4.9767E-013	1.0441E-012
RCPTR_28	farmer_child	TOCDFLIC	Chlorobenzene	5.7663E-015	1.2097E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Chloroethane	6.0565E-018	1.2706E-017
RCPTR_28	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.5175E-015	1.1575E-014
RCPTR_28	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.9861E-011	1.0460E-010
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.3968E-012	2.9303E-012
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.1727E-011	1.5048E-010
RCPTR_28	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Chrysene	3.5579E-008	5.7287E-008
RCPTR_28	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.3644E-011	4.9602E-011
RCPTR_28	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.9687E-007	1.8815E-006
RCPTR_28	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.1624E-007	5.0931E-007
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.0275E-014	1.4743E-013
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.6593E-014	1.8166E-013
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.1859E-014	1.7173E-013
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.0856E-011	1.0669E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.5594E-019	9.5651E-019
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.8383E-017	3.8565E-017
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4027E-016	2.9428E-016
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.0244E-018	1.4737E-017
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.9478E-017	1.4576E-016
RCPTR_28	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.6912E-012	1.1940E-011
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.9454E-016	8.2770E-016
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3222E-016	2.7739E-016
RCPTR_28	farmer_child	TOCDFLIC	Diethyl phthalate	3.7114E-012	7.7862E-012
RCPTR_28	farmer_child	TOCDFLIC	Dimethyl phthalate	1.1596E-011	2.4328E-011
RCPTR_28	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	9.5805E-013	2.0099E-012
RCPTR_28	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.2464E-013	6.8107E-013
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.5594E-013	1.7957E-012
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.6077E-013	1.3862E-012
RCPTR_28	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.9717E-014	4.1364E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Ethylbenzene	1.3818E-015	2.8990E-015
RCPTR_28	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.2158E-011	1.3040E-010
RCPTR_28	farmer_child	TOCDFLIC	Fluoranthene	5.5266E-009	1.0726E-008
RCPTR_28	farmer_child	TOCDFLIC	Fluorene	7.6425E-011	1.6033E-010
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.4621E-010	6.2278E-010
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.4459E-010	1.3188E-009
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.3496E-009	1.8842E-009
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.4399E-009	3.4059E-009
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.4238E-009	1.9884E-009
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	7.2934E-010	1.0185E-009
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.1089E-009	4.3421E-009
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.2187E-009	4.4945E-009
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.5859E-009	2.2147E-009
RCPTR_28	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8653E-012	3.9132E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorobenzene	4.7845E-009	1.0019E-008
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.1986E-012	1.0906E-011
RCPTR_28	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.4642E-013	1.9855E-012
RCPTR_28	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.3091E-007	1.0594E-006
RCPTR_28	farmer_child	TOCDFLIC	Isophorone	1.4301E-013	3.0001E-013
RCPTR_28	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Mercuric chloride	1.4374E-007	1.8887E-007
RCPTR_28	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.7442E-018	1.6247E-017
RCPTR_28	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.3634E-017	2.8603E-017
RCPTR_28	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0697E-014	2.2441E-014
RCPTR_28	farmer_child	TOCDFLIC	Methyl mercury	4.3137E-010	5.7037E-010
RCPTR_28	farmer_child	TOCDFLIC	Methylene chloride	1.4050E-015	2.9475E-015
RCPTR_28	farmer_child	TOCDFLIC	Mustard	1.4756E-014	3.0957E-014
RCPTR_28	farmer_child	TOCDFLIC	Naphthalene	1.0440E-013	2.1902E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.4451E-012	5.1297E-012
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.7710E-013	1.2107E-012
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.4564E-013	1.5643E-012
RCPTR_28	farmer_child	TOCDFLIC	Nitrobenzene	2.4220E-013	5.0810E-013
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.1013E-013	2.3103E-013
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.0502E-013	2.2032E-013
RCPTR_28	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3940E-013	2.9244E-013
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4350E-013	3.0105E-013
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.1842E-014	2.4843E-014
RCPTR_28	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0993E-010	1.5345E-010
RCPTR_28	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.3270E-011	6.0391E-011
RCPTR_28	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.1973E-009	7.2661E-009
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.7721E-009	1.0860E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorobenzene	7.6983E-011	1.6150E-010
RCPTR_28	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.2388E-012	1.0991E-011
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorophenol	2.2426E-010	4.7047E-010
RCPTR_28	farmer_child	TOCDFLIC	Phenanthrene	2.7125E-013	5.6906E-013
RCPTR_28	farmer_child	TOCDFLIC	Phenol	1.9029E-013	3.9922E-013
RCPTR_28	farmer_child	TOCDFLIC	Pronamide	2.0712E-011	4.3452E-011
RCPTR_28	farmer_child	TOCDFLIC	Pyrene	9.9087E-009	1.5975E-008
RCPTR_28	farmer_child	TOCDFLIC	Selenium	5.3899E-007	1.1308E-006
RCPTR_28	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Styrene	2.3301E-012	4.8883E-012
RCPTR_28	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.1513E-009	3.0109E-009
RCPTR_28	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.9211E-009	4.0900E-009
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.1956E-011	4.6062E-011
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.3119E-016	1.5340E-015
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.7177E-016	5.7014E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0783E-010	2.2622E-010
RCPTR_28	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Toluene	5.3386E-015	1.1200E-014
RCPTR_28	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.0741E-013	1.4841E-012
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.2884E-015	4.8008E-015
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.0615E-015	4.3248E-015
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethylene	3.3985E-016	7.1297E-016
RCPTR_28	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.4921E-017	9.4240E-017
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.7609E-011	1.6282E-010
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4194E-011	2.9777E-011
RCPTR_28	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.6740E-015	1.6099E-014
RCPTR_28	farmer_child	TOCDFLIC	Vinyl Chloride	3.2002E-019	6.7138E-019
RCPTR_28	farmer_child	TOCDFLIC	Xylene, m-	4.3277E-015	9.0792E-015
RCPTR_28	farmer_child	TOCDFLIC	Xylene, o-	4.8910E-015	1.0261E-014
RCPTR_28	farmer_child	TOCDFLIC	Xylene, p-	6.6857E-015	1.4026E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Zinc	1.7754E-006	3.4431E-006
RCPTR_28	farmer_child	TOCDFMPF	Acenaphthene	2.8341E-011	5.9457E-011
RCPTR_28	farmer_child	TOCDFMPF	Acetone	1.9166E-015	4.0207E-015
RCPTR_28	farmer_child	TOCDFMPF	Acetophenone	1.2478E-013	2.6179E-013
RCPTR_28	farmer_child	TOCDFMPF	Aniline	7.1053E-015	1.4906E-014
RCPTR_28	farmer_child	TOCDFMPF	Anthracene	5.7380E-010	1.2038E-009
RCPTR_28	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Aroclor 1254	1.6168E-011	3.3919E-011
RCPTR_28	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Benzene	2.6460E-015	5.5511E-015
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.2939E-008	7.3857E-008
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.5372E-008	8.0884E-008
RCPTR_28	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.2019E-007	2.0919E-007
RCPTR_28	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.8266E-008	1.1413E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Benzoic acid	7.8826E-013	1.6537E-012
RCPTR_28	farmer_child	TOCDFMPF	Benzyl alcohol	1.6146E-013	3.3873E-013
RCPTR_28	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.6203E-013	3.3992E-013
RCPTR_28	farmer_child	TOCDFMPF	Bromodichloromethane	3.2387E-015	6.7944E-015
RCPTR_28	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1422E-013	2.3961E-013
RCPTR_28	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3162E-008	2.2660E-008
RCPTR_28	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.5220E-011	1.1585E-010
RCPTR_28	farmer_child	TOCDFMPF	Cadmium	2.3598E-006	4.4347E-006
RCPTR_28	farmer_child	TOCDFMPF	Carbon disulfide	2.5384E-016	5.3253E-016
RCPTR_28	farmer_child	TOCDFMPF	Carbon tetrachloride	2.4789E-015	5.2005E-015
RCPTR_28	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.3487E-011	2.8295E-011
RCPTR_28	farmer_child	TOCDFMPF	Chloroaniline, p-	7.5971E-013	1.5938E-012
RCPTR_28	farmer_child	TOCDFMPF	Chlorobenzene	1.0331E-014	2.1673E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Chloroethane	5.9597E-017	1.2503E-016
RCPTR_28	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.7326E-015	3.6348E-015
RCPTR_28	farmer_child	TOCDFMPF	Chloronaphthalene,2-	7.6114E-011	1.5968E-010
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.1322E-012	4.4732E-012
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0949E-010	2.2970E-010
RCPTR_28	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Chrysene	5.4314E-008	8.7452E-008
RCPTR_28	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.3354E-010	4.8994E-010
RCPTR_28	farmer_child	TOCDFMPF	Di-n-octylphthalate	8.8589E-006	1.8585E-005
RCPTR_28	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.8311E-007	7.7807E-007
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.0728E-013	2.2505E-013
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.3219E-013	2.7731E-013
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2496E-013	2.6215E-013
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.5573E-010	3.2671E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.7446E-018	7.8558E-018
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.5766E-016	1.1699E-015
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.8835E-016	1.4441E-015
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.1310E-016	4.4705E-016
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.4094E-016	7.1525E-016
RCPTR_28	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.6877E-012	1.8226E-011
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.9360E-015	4.0616E-015
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.2932E-016	1.3203E-015
RCPTR_28	farmer_child	TOCDFMPF	Diethyl phthalate	3.6660E-011	7.6908E-011
RCPTR_28	farmer_child	TOCDFMPF	Dimethyl phthalate	1.2365E-012	2.5941E-012
RCPTR_28	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.4625E-012	3.0682E-012
RCPTR_28	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.9468E-013	1.0378E-012
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.3066E-012	2.7411E-012
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0087E-012	2.1161E-012
RCPTR_28	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.0098E-014	6.3143E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Ethylbenzene	6.4635E-015	1.3560E-014
RCPTR_28	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1227E-011	2.3554E-011
RCPTR_28	farmer_child	TOCDFMPF	Fluoranthene	8.4364E-009	1.6373E-008
RCPTR_28	farmer_child	TOCDFMPF	Fluorene	1.1666E-010	2.4475E-010
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.7389E-009	2.4270E-009
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.4852E-009	2.0735E-009
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.5794E-009	2.2051E-009
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.9676E-010	9.7260E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.1639E-010	4.4183E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.7227E-010	2.4058E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.1411E-010	8.5772E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.1046E-010	4.3353E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4349E-010	2.0039E-010
RCPTR_28	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.8474E-012	5.9736E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorobenzene	7.3036E-009	1.5294E-008
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	7.9358E-012	1.6649E-011
RCPTR_28	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4447E-012	3.0309E-012
RCPTR_28	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.6384E-007	1.6185E-006
RCPTR_28	farmer_child	TOCDFMPF	Isophorone	2.1830E-013	4.5797E-013
RCPTR_28	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Mercuric chloride	2.4402E-006	3.2062E-006
RCPTR_28	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.0015E-017	8.3947E-017
RCPTR_28	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.3240E-018	4.8755E-018
RCPTR_28	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.1662E-015	4.5444E-015
RCPTR_28	farmer_child	TOCDFMPF	Methyl mercury	7.3229E-009	9.6826E-009
RCPTR_28	farmer_child	TOCDFMPF	Methylene chloride	1.1033E-015	2.3147E-015
RCPTR_28	farmer_child	TOCDFMPF	Mustard	1.0485E-013	2.1996E-013
RCPTR_28	farmer_child	TOCDFMPF	Naphthalene	1.0312E-012	2.1634E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.7258E-012	7.8163E-012
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.7935E-013	1.8448E-012
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.1362E-012	2.3836E-012
RCPTR_28	farmer_child	TOCDFMPF	Nitrobenzene	3.6972E-013	7.7563E-013
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.6811E-013	3.5268E-013
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.6002E-012	3.3571E-012
RCPTR_28	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.1279E-013	4.4642E-013
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.1906E-013	4.5956E-013
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.8077E-014	3.7924E-014
RCPTR_28	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.9915E-009	9.7594E-009
RCPTR_28	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.9057E-009	6.8468E-009
RCPTR_28	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.7155E-010	3.7964E-010
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.2099E-010	7.2796E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorobenzene	2.3460E-011	4.9218E-011
RCPTR_28	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.9826E-012	1.6747E-011
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorophenol	1.7117E-009	3.5909E-009
RCPTR_28	farmer_child	TOCDFMPF	Phenanthrene	4.1407E-013	8.6867E-013
RCPTR_28	farmer_child	TOCDFMPF	Phenol	2.9049E-013	6.0941E-013
RCPTR_28	farmer_child	TOCDFMPF	Pronamide	3.1618E-011	6.6331E-011
RCPTR_28	farmer_child	TOCDFMPF	Pyrene	1.5126E-008	2.4386E-008
RCPTR_28	farmer_child	TOCDFMPF	Selenium	9.4487E-009	1.9822E-008
RCPTR_28	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Styrene	5.3057E-014	1.1131E-013
RCPTR_28	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.5708E-010	3.5980E-010
RCPTR_28	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.8903E-009	4.0469E-009
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.3517E-011	7.0315E-011
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.2182E-014	4.6535E-014
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0895E-015	4.3835E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.6431E-010	3.4471E-010
RCPTR_28	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Toluene	3.5767E-015	7.5036E-015
RCPTR_28	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0799E-012	2.2655E-012
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.3413E-015	2.8139E-015
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.0116E-014	2.1223E-014
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethylene	1.6677E-015	3.4986E-015
RCPTR_28	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.6291E-015	9.7114E-015
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1847E-010	2.4854E-010
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.1667E-011	4.5455E-011
RCPTR_28	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.7657E-014	7.9002E-014
RCPTR_28	farmer_child	TOCDFMPF	Vinyl Chloride	8.7687E-019	1.8396E-018
RCPTR_28	farmer_child	TOCDFMPF	Xylene, m-	4.3256E-015	9.0747E-015
RCPTR_28	farmer_child	TOCDFMPF	Xylene, o-	4.8886E-015	1.0256E-014
RCPTR_28	farmer_child	TOCDFMPF	Xylene, p-	6.6824E-015	1.4019E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Zinc	5.0532E-007	9.7998E-007
RCPTR_28	farmer_child	TOCDHVAC	Mustard	2.7218E-014	5.7102E-014
RCPTR_28	farmer_child	TOCDLIC2	Acenaphthene	1.8566E-011	3.8950E-011
RCPTR_28	farmer_child	TOCDLIC2	Acetone	5.2545E-016	1.1023E-015
RCPTR_28	farmer_child	TOCDLIC2	Acetophenone	7.8029E-014	1.6370E-013
RCPTR_28	farmer_child	TOCDLIC2	Aniline	4.6546E-015	9.7649E-015
RCPTR_28	farmer_child	TOCDLIC2	Anthracene	3.7589E-010	7.8856E-010
RCPTR_28	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Benzene	2.9649E-015	6.2200E-015
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.8128E-008	4.8382E-008
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.9717E-008	5.2976E-008
RCPTR_28	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	7.8733E-008	1.3704E-007
RCPTR_28	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.1257E-008	7.4748E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Benzoic acid	1.7838E-013	3.7423E-013
RCPTR_28	farmer_child	TOCDLIC2	Benzyl alcohol	1.6923E-011	3.5504E-011
RCPTR_28	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.0614E-013	2.2268E-013
RCPTR_28	farmer_child	TOCDLIC2	Bromodichloromethane	1.0676E-016	2.2397E-016
RCPTR_28	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.9581E-013	4.1079E-013
RCPTR_28	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	8.6225E-009	1.4844E-008
RCPTR_28	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.6173E-011	7.5888E-011
RCPTR_28	farmer_child	TOCDLIC2	Cadmium	5.1697E-007	9.7154E-007
RCPTR_28	farmer_child	TOCDLIC2	Carbon disulfide	6.9530E-016	1.4587E-015
RCPTR_28	farmer_child	TOCDLIC2	Carbon tetrachloride	1.4252E-014	2.9899E-014
RCPTR_28	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	8.8353E-012	1.8536E-011
RCPTR_28	farmer_child	TOCDLIC2	Chloroaniline, p-	4.9767E-013	1.0441E-012
RCPTR_28	farmer_child	TOCDLIC2	Chlorobenzene	5.7663E-015	1.2097E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Chloroethane	6.0565E-018	1.2706E-017
RCPTR_28	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.5175E-015	1.1575E-014
RCPTR_28	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.9861E-011	1.0460E-010
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.3968E-012	2.9303E-012
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.1727E-011	1.5048E-010
RCPTR_28	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Chrysene	3.5579E-008	5.7287E-008
RCPTR_28	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.3644E-011	4.9602E-011
RCPTR_28	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.9687E-007	1.8815E-006
RCPTR_28	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.1624E-007	5.0931E-007
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	7.0275E-014	1.4743E-013
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	8.6593E-014	1.8166E-013
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	8.1859E-014	1.7173E-013
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.0856E-011	1.0669E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.5594E-019	9.5651E-019
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.8383E-017	3.8565E-017
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4027E-016	2.9428E-016
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.0244E-018	1.4737E-017
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.9478E-017	1.4576E-016
RCPTR_28	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.6912E-012	1.1940E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.9454E-016	8.2770E-016
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3222E-016	2.7739E-016
RCPTR_28	farmer_child	TOCDLIC2	Diethyl phthalate	3.7114E-012	7.7862E-012
RCPTR_28	farmer_child	TOCDLIC2	Dimethyl phthalate	1.1596E-011	2.4328E-011
RCPTR_28	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	9.5805E-013	2.0099E-012
RCPTR_28	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.2464E-013	6.8107E-013
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.5594E-013	1.7957E-012
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.6077E-013	1.3862E-012
RCPTR_28	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.9717E-014	4.1364E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Ethylbenzene	1.3818E-015	2.8990E-015
RCPTR_28	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.2158E-011	1.3040E-010
RCPTR_28	farmer_child	TOCDLIC2	Fluoranthene	5.5266E-009	1.0726E-008
RCPTR_28	farmer_child	TOCDLIC2	Fluorene	7.6425E-011	1.6033E-010
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.4621E-010	6.2278E-010
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	9.4459E-010	1.3188E-009
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.3496E-009	1.8842E-009
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.4399E-009	3.4059E-009
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.4238E-009	1.9884E-009
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.2934E-010	1.0185E-009
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.1089E-009	4.3421E-009
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.2187E-009	4.4945E-009
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.5859E-009	2.2147E-009
RCPTR_28	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8653E-012	3.9132E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorobenzene	4.7845E-009	1.0019E-008
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.1986E-012	1.0906E-011
RCPTR_28	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.4642E-013	1.9855E-012
RCPTR_28	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.3091E-007	1.0594E-006
RCPTR_28	farmer_child	TOCDLIC2	Isophorone	1.4301E-013	3.0001E-013
RCPTR_28	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Mercuric chloride	1.4374E-007	1.8887E-007
RCPTR_28	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.7442E-018	1.6247E-017
RCPTR_28	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.3634E-017	2.8603E-017
RCPTR_28	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0697E-014	2.2441E-014
RCPTR_28	farmer_child	TOCDLIC2	Methyl mercury	4.3137E-010	5.7037E-010
RCPTR_28	farmer_child	TOCDLIC2	Methylene chloride	1.4050E-015	2.9475E-015
RCPTR_28	farmer_child	TOCDLIC2	Mustard	1.5341E-014	3.2183E-014
RCPTR_28	farmer_child	TOCDLIC2	Naphthalene	1.0440E-013	2.1902E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.4451E-012	5.1297E-012
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.7710E-013	1.2107E-012
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.4564E-013	1.5643E-012
RCPTR_28	farmer_child	TOCDLIC2	Nitrobenzene	2.4220E-013	5.0810E-013
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.1013E-013	2.3103E-013
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.0502E-012	2.2032E-012
RCPTR_28	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3940E-013	2.9244E-013
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.4350E-013	3.0105E-013
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.1842E-014	2.4843E-014
RCPTR_28	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0993E-010	1.5345E-010
RCPTR_28	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.3270E-011	6.0391E-011
RCPTR_28	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.1973E-009	7.2661E-009
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.7721E-009	1.0860E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorobenzene	7.6983E-011	1.6150E-010
RCPTR_28	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.2388E-012	1.0991E-011
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorophenol	2.2426E-010	4.7047E-010
RCPTR_28	farmer_child	TOCDLIC2	Phenanthrene	2.7125E-013	5.6906E-013
RCPTR_28	farmer_child	TOCDLIC2	Phenol	1.9029E-013	3.9922E-013
RCPTR_28	farmer_child	TOCDLIC2	Pronamide	2.0712E-011	4.3452E-011
RCPTR_28	farmer_child	TOCDLIC2	Pyrene	9.9087E-009	1.5975E-008
RCPTR_28	farmer_child	TOCDLIC2	Selenium	5.3899E-007	1.1308E-006
RCPTR_28	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Styrene	2.3301E-012	4.8883E-012
RCPTR_28	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.1513E-009	3.0109E-009
RCPTR_28	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.9211E-009	4.0900E-009
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.1956E-011	4.6062E-011
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.3119E-016	1.5340E-015
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.7177E-016	5.7014E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0783E-010	2.2622E-010
RCPTR_28	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Toluene	5.3386E-015	1.1200E-014
RCPTR_28	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.0741E-013	1.4841E-012
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.2884E-015	4.8008E-015
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.0615E-015	4.3248E-015
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethylene	3.3985E-016	7.1297E-016
RCPTR_28	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.4921E-017	9.4240E-017
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.7609E-011	1.6282E-010
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4194E-011	2.9777E-011
RCPTR_28	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.6740E-015	1.6099E-014
RCPTR_28	farmer_child	TOCDLIC2	Vinyl Chloride	3.2002E-019	6.7138E-019
RCPTR_28	farmer_child	TOCDLIC2	Xylene, m-	8.9933E-015	1.8867E-014
RCPTR_28	farmer_child	TOCDLIC2	Xylene, o-	1.0164E-014	2.1323E-014
RCPTR_28	farmer_child	TOCDLIC2	Xylene, p-	1.3893E-014	2.9147E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Zinc	1.7754E-006	3.4431E-006
RCPTR_29	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Cadmium	6.0508E-008	7.1235E-007
RCPTR_29	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Mercuric chloride	2.3298E-004	2.4524E-004
RCPTR_29	farmer_adult	TOCDFBRA	Methyl mercury	6.2502E-007	7.4060E-007
RCPTR_29	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Selenium	3.9816E-008	5.5687E-007
RCPTR_29	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFBRA	Zinc	2.0103E-007	2.5091E-006
RCPTR_29	farmer_adult	TOCDFDFS	Acenaphthene	1.1949E-011	1.6712E-010
RCPTR_29	farmer_adult	TOCDFDFS	Acetone	1.0400E-016	1.4545E-015
RCPTR_29	farmer_adult	TOCDFDFS	Acetophenone	5.2798E-014	7.3844E-013
RCPTR_29	farmer_adult	TOCDFDFS	Aniline	2.9958E-015	4.1899E-014
RCPTR_29	farmer_adult	TOCDFDFS	Anthracene	2.4193E-010	3.3836E-009
RCPTR_29	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Aroclor 1254	3.6884E-012	5.1586E-011
RCPTR_29	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Benzene	3.8166E-016	5.3380E-015
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.2169E-008	2.1069E-007
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.6055E-008	2.7276E-007
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.1215E-008	6.0177E-007
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.8622E-008	4.1602E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Benzoic acid	3.3235E-014	4.6482E-013
RCPTR_29	farmer_adult	TOCDFDFS	Benzyl alcohol	6.8075E-014	9.5210E-013
RCPTR_29	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.8316E-014	9.5546E-013
RCPTR_29	farmer_adult	TOCDFDFS	Bromodichloromethane	1.2330E-016	1.7245E-015
RCPTR_29	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.9987E-014	2.7954E-013
RCPTR_29	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	6.6845E-009	6.3695E-008
RCPTR_29	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.3380E-011	3.2699E-010
RCPTR_29	farmer_adult	TOCDFDFS	Cadmium	2.5439E-008	2.9948E-007
RCPTR_29	farmer_adult	TOCDFDFS	Carbon disulfide	6.7890E-017	9.4951E-016
RCPTR_29	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.1144E-016	1.5586E-015
RCPTR_29	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.6865E-012	7.9532E-011
RCPTR_29	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.2031E-013	4.4799E-012
RCPTR_29	farmer_adult	TOCDFDFS	Chlorobenzene	6.5506E-016	9.1617E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Chloroethane	1.8845E-018	2.6357E-017
RCPTR_29	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	8.4854E-017	1.1868E-015
RCPTR_29	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.2091E-011	4.4883E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.9899E-013	1.2573E-011
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.6165E-011	6.4567E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Chrysene	3.3640E-008	2.5399E-007
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	9.8584E-011	1.3788E-009
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.7769E-006	5.2824E-005
RCPTR_29	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.3040E-007	3.2529E-006
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.5230E-014	6.3258E-013
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.5732E-014	7.7947E-013
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.2686E-014	7.3686E-013
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.6748E-011	9.3353E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.4910E-019	2.0853E-018
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.5361E-017	4.9456E-016
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3648E-017	6.1046E-016
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.3512E-017	1.8898E-016
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.1619E-017	3.0236E-016
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.6629E-012	5.1230E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.2276E-016	1.7170E-015
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.9905E-017	5.5811E-016
RCPTR_29	farmer_adult	TOCDFDFS	Diethyl phthalate	1.5457E-011	2.1618E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.8770E-013	1.1017E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.1662E-013	8.6240E-012
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.0895E-013	2.9223E-012
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.5095E-013	7.7056E-012
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.2529E-013	5.9482E-012
RCPTR_29	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.2690E-014	1.7748E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Ethylbenzene	4.0985E-016	5.7321E-015
RCPTR_29	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.2589E-012	7.3551E-011
RCPTR_29	farmer_adult	TOCDFDFS	Fluoranthene	3.6858E-009	4.6064E-008
RCPTR_29	farmer_adult	TOCDFDFS	Fluorene	4.9189E-011	6.8795E-010
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.5746E-011	9.6631E-011
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.9398E-011	5.2633E-011
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.7807E-011	1.0258E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.9703E-010	1.3455E-009
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.9424E-010	8.0060E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.4277E-010	3.8847E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.9538E-010	5.3251E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.1059E-010	5.7254E-010
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.1140E-010	3.0323E-010
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2005E-012	1.6791E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.0800E-009	4.2989E-008
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.3459E-012	4.6796E-011
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.0913E-013	8.5193E-012
RCPTR_29	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	7.6803E-007	6.7733E-006
RCPTR_29	farmer_adult	TOCDFDFS	Isophorone	9.2040E-014	1.2873E-012
RCPTR_29	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Mercuric chloride	6.6929E-008	7.0451E-008
RCPTR_29	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.5273E-018	2.1362E-017
RCPTR_29	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.0050E-019	4.2029E-018
RCPTR_29	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.4641E-016	1.0439E-014
RCPTR_29	farmer_adult	TOCDFDFS	Methyl mercury	1.7955E-010	2.1276E-010
RCPTR_29	farmer_adult	TOCDFDFS	Methylene chloride	4.5186E-017	6.3197E-016
RCPTR_29	farmer_adult	TOCDFDFS	Mustard	5.4006E-015	7.5533E-014
RCPTR_29	farmer_adult	TOCDFDFS	Naphthalene	4.3478E-013	6.0808E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.5736E-012	2.2009E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.7141E-013	5.1945E-012
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.7988E-013	6.7116E-012
RCPTR_29	farmer_adult	TOCDFDFS	Nitrobenzene	1.5588E-013	2.1801E-012
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.0878E-014	9.9131E-013
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.7589E-013	9.4531E-012
RCPTR_29	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.9718E-014	1.2548E-012
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	9.2359E-014	1.2917E-012
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.6217E-015	1.0660E-013
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.7748E-012	2.6460E-011
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.1157E-012	1.1120E-011
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.2898E-010	2.0104E-009
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.9550E-010	2.4530E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.8915E-012	1.3834E-010
RCPTR_29	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.3716E-012	4.7155E-011
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorophenol	7.2296E-010	1.0111E-008
RCPTR_29	farmer_adult	TOCDFDFS	Phenanthrene	1.7458E-013	2.4417E-012
RCPTR_29	farmer_adult	TOCDFDFS	Phenol	1.2248E-013	1.7129E-012
RCPTR_29	farmer_adult	TOCDFDFS	Pronamide	1.3331E-011	1.8644E-010
RCPTR_29	farmer_adult	TOCDFDFS	Pyrene	9.0356E-009	6.8587E-008
RCPTR_29	farmer_adult	TOCDFDFS	Selenium	3.9988E-009	5.5928E-008
RCPTR_29	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Styrene	4.8662E-015	6.8059E-014
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.2157E-010	1.7371E-009
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	6.3903E-010	1.7945E-009
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.4131E-011	1.9764E-010
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.9098E-014	9.6641E-013
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3249E-016	1.8531E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.9400E-011	9.7063E-010
RCPTR_29	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Toluene	1.7808E-016	2.4907E-015
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.5530E-013	6.3678E-012
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.0974E-016	1.5349E-015
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.4146E-016	8.9714E-015
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethylene	1.0575E-016	1.4790E-015
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.4690E-017	2.0546E-016
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.9950E-011	6.9860E-010
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.5919E-011	6.4223E-010
RCPTR_29	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.3878E-015	3.3396E-014
RCPTR_29	farmer_adult	TOCDFDFS	Vinyl Chloride	3.3221E-020	4.6463E-019
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, m-	6.2924E-016	8.8005E-015
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, o-	6.2127E-016	8.6891E-015
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, p-	9.7208E-016	1.3596E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Zinc	3.8073E-008	4.7520E-007
RCPTR_29	farmer_adult	TOCDFLIC	Acenaphthene	2.7092E-012	3.7891E-011
RCPTR_29	farmer_adult	TOCDFLIC	Acetone	7.6676E-017	1.0724E-015
RCPTR_29	farmer_adult	TOCDFLIC	Acetophenone	1.1386E-014	1.5925E-013
RCPTR_29	farmer_adult	TOCDFLIC	Aniline	6.7922E-016	9.4995E-015
RCPTR_29	farmer_adult	TOCDFLIC	Anthracene	5.4851E-011	7.6714E-010
RCPTR_29	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Benzene	4.3264E-016	6.0510E-015
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)anthracene	5.0038E-009	4.7556E-008
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)pyrene	5.6074E-009	5.8703E-008
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.3782E-008	1.3549E-007
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.0800E-008	8.7740E-008
RCPTR_29	farmer_adult	TOCDFLIC	Benzoic acid	2.6031E-014	3.6406E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Benzyl alcohol	2.4695E-012	3.4539E-011
RCPTR_29	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.5489E-014	2.1663E-013
RCPTR_29	farmer_adult	TOCDFLIC	Bromodichloromethane	1.5579E-017	2.1788E-016
RCPTR_29	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.8573E-014	3.9963E-013
RCPTR_29	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.5155E-009	1.4441E-008
RCPTR_29	farmer_adult	TOCDFLIC	Butylbenzylphthalate	5.2941E-012	7.4043E-011
RCPTR_29	farmer_adult	TOCDFLIC	Cadmium	1.0681E-007	1.2574E-006
RCPTR_29	farmer_adult	TOCDFLIC	Carbon disulfide	1.0146E-016	1.4190E-015
RCPTR_29	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.0796E-015	2.9086E-014
RCPTR_29	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2893E-012	1.8032E-011
RCPTR_29	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.2622E-014	1.0157E-012
RCPTR_29	farmer_adult	TOCDFLIC	Chlorobenzene	8.4144E-016	1.1768E-014
RCPTR_29	farmer_adult	TOCDFLIC	Chloroethane	8.8379E-019	1.2361E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.0513E-016	1.1261E-014
RCPTR_29	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	7.2760E-012	1.0176E-010
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.0382E-013	2.8507E-012
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0467E-011	1.4639E-010
RCPTR_29	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Chrysene	7.5523E-009	5.7021E-008
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.4530E-012	4.8294E-011
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.3189E-007	1.8447E-006
RCPTR_29	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.7026E-008	6.5773E-007
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0255E-014	1.4342E-013
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.2636E-014	1.7673E-013
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.1945E-014	1.6707E-013
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	7.5223E-012	1.0521E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.6532E-020	9.3051E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.6825E-018	3.7517E-017
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0469E-017	2.8628E-016
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0250E-018	1.4336E-017
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0138E-017	1.4180E-016
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	8.3048E-013	1.1615E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.7572E-017	8.0520E-016
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9294E-017	2.6985E-016
RCPTR_29	farmer_adult	TOCDFLIC	Diethyl phthalate	5.4160E-013	7.5748E-012
RCPTR_29	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.6922E-012	2.3667E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.3980E-013	1.9553E-012
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.7375E-014	6.6259E-013
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.2491E-013	1.7470E-012
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	9.6424E-014	1.3486E-012
RCPTR_29	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.8772E-015	4.0240E-014
RCPTR_29	farmer_adult	TOCDFLIC	Ethylbenzene	2.0164E-016	2.8202E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.1192E-012	1.2754E-010
RCPTR_29	farmer_adult	TOCDFLIC	Fluoranthene	8.3544E-010	1.0441E-008
RCPTR_29	farmer_adult	TOCDFLIC	Fluorene	1.1152E-011	1.5598E-010
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.0352E-010	8.2051E-010
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.2681E-010	1.7007E-009
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	9.1056E-010	2.4706E-009
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.5818E-009	4.2820E-009
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	9.4855E-010	2.5809E-009
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.9369E-010	1.3433E-009
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.0247E-009	5.5185E-009
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.0949E-009	5.6956E-009
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0278E-009	2.7977E-009
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.7219E-013	3.8069E-012
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.9831E-010	9.7466E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	7.5861E-013	1.0610E-011
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.3811E-013	1.9315E-012
RCPTR_29	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.5525E-007	1.3692E-006
RCPTR_29	farmer_adult	TOCDFLIC	Isophorone	2.0868E-014	2.9186E-013
RCPTR_29	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Mercuric chloride	1.7689E-007	1.8620E-007
RCPTR_29	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.1301E-018	1.5805E-017
RCPTR_29	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.9896E-018	2.7826E-017
RCPTR_29	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.5609E-015	2.1831E-014
RCPTR_29	farmer_adult	TOCDFLIC	Methyl mercury	4.7454E-010	5.6230E-010
RCPTR_29	farmer_adult	TOCDFLIC	Methylene chloride	2.0502E-016	2.8674E-015
RCPTR_29	farmer_adult	TOCDFLIC	Mustard	2.1533E-015	3.0116E-014
RCPTR_29	farmer_adult	TOCDFLIC	Naphthalene	1.5234E-014	2.1307E-013
RCPTR_29	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.5680E-013	4.9903E-012
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.4212E-014	1.1778E-012
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.0881E-013	1.5218E-012
RCPTR_29	farmer_adult	TOCDFLIC	Nitrobenzene	3.5342E-014	4.9430E-013
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.6070E-014	2.2475E-013
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5325E-014	2.1434E-013
RCPTR_29	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0341E-014	2.8449E-013
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.0940E-014	2.9287E-013
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.7280E-015	2.4168E-014
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.6074E-011	2.0593E-010
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.9997E-011	8.1047E-011
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.9776E-009	8.2114E-009
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.3950E-009	1.2039E-008
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.1234E-011	1.5711E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.6447E-013	1.0692E-011
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorophenol	3.2725E-011	4.5769E-010
RCPTR_29	farmer_adult	TOCDFLIC	Phenanthrene	3.9582E-014	5.5359E-013
RCPTR_29	farmer_adult	TOCDFLIC	Phenol	2.7768E-014	3.8837E-013
RCPTR_29	farmer_adult	TOCDFLIC	Pronamide	3.0224E-012	4.2272E-011
RCPTR_29	farmer_adult	TOCDFLIC	Pyrene	2.0482E-009	1.5547E-008
RCPTR_29	farmer_adult	TOCDFLIC	Selenium	1.0464E-007	1.4635E-006
RCPTR_29	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Styrene	3.4002E-013	4.7555E-012
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1187E-009	3.1264E-009
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.4681E-009	4.1225E-009
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.2039E-012	4.4810E-011
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.0670E-016	1.4923E-015
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.9657E-017	5.5465E-016
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.5735E-011	2.2008E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Toluene	7.7903E-016	1.0895E-014
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0323E-013	1.4438E-012
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.3393E-016	4.6703E-015
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.0082E-016	4.2073E-015
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethylene	4.9592E-017	6.9359E-016
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.5550E-018	9.1678E-017
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1325E-011	1.5839E-010
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.0712E-012	2.8968E-011
RCPTR_29	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1198E-015	1.5662E-014
RCPTR_29	farmer_adult	TOCDFLIC	Vinyl Chloride	4.6699E-020	6.5313E-019
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, m-	6.3152E-016	8.8324E-015
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, o-	7.1371E-016	9.9820E-015
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, p-	9.7561E-016	1.3645E-014
RCPTR_29	farmer_adult	TOCDFLIC	Zinc	3.5703E-007	4.4562E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Acenaphthene	4.0964E-012	5.7292E-011
RCPTR_29	farmer_adult	TOCDFMPF	Acetone	2.7701E-016	3.8743E-015
RCPTR_29	farmer_adult	TOCDFMPF	Acetophenone	1.8036E-014	2.5225E-013
RCPTR_29	farmer_adult	TOCDFMPF	Aniline	1.0270E-015	1.4363E-014
RCPTR_29	farmer_adult	TOCDFMPF	Anthracene	8.2936E-011	1.1599E-009
RCPTR_29	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Aroclor 1254	2.3383E-012	3.2703E-011
RCPTR_29	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Benzene	3.8245E-016	5.3489E-015
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)anthracene	7.5682E-009	7.1926E-008
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)pyrene	8.5092E-009	8.9080E-008
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.0849E-008	2.0495E-007
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	3.1609E-008	1.3334E-007
RCPTR_29	farmer_adult	TOCDFMPF	Benzoic acid	1.1393E-013	1.5935E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Benzyl alcohol	2.3337E-014	3.2639E-013
RCPTR_29	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.3419E-014	3.2754E-013
RCPTR_29	farmer_adult	TOCDFMPF	Bromodichloromethane	4.6811E-016	6.5469E-015
RCPTR_29	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.6508E-014	2.3089E-013
RCPTR_29	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.2915E-009	2.1835E-008
RCPTR_29	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.0054E-012	1.1196E-010
RCPTR_29	farmer_adult	TOCDFMPF	Cadmium	4.8636E-007	5.7258E-006
RCPTR_29	farmer_adult	TOCDFMPF	Carbon disulfide	3.6689E-017	5.1314E-016
RCPTR_29	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.5830E-016	5.0111E-015
RCPTR_29	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.9494E-012	2.7265E-011
RCPTR_29	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.0981E-013	1.5357E-012
RCPTR_29	farmer_adult	TOCDFMPF	Chlorobenzene	1.4932E-015	2.0883E-014
RCPTR_29	farmer_adult	TOCDFMPF	Chloroethane	8.6140E-018	1.2047E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.5043E-016	3.5025E-015
RCPTR_29	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.1001E-011	1.5386E-010
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.0818E-013	4.3103E-012
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.5826E-011	2.2134E-010
RCPTR_29	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Chrysene	1.1427E-008	8.6274E-008
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.3784E-011	4.7250E-010
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.2907E-006	1.8052E-005
RCPTR_29	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.3262E-007	1.0024E-006
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.5505E-014	2.1686E-013
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.9106E-014	2.6721E-013
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.8061E-014	2.5260E-013
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2825E-011	3.1922E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.4123E-019	7.5697E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.0603E-017	1.1273E-015
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.9491E-017	1.3915E-015
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.0800E-017	4.3077E-016
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.9278E-017	6.8920E-016
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.2557E-012	1.7562E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.7983E-016	3.9137E-015
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.0960E-017	1.2722E-015
RCPTR_29	farmer_adult	TOCDFMPF	Diethyl phthalate	5.2988E-012	7.4109E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.7873E-013	2.4997E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.1138E-013	2.9564E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.1502E-014	1.0000E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.8887E-013	2.6415E-012
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.4579E-013	2.0391E-012
RCPTR_29	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.3503E-015	6.0843E-014
RCPTR_29	farmer_adult	TOCDFMPF	Ethylbenzene	9.3422E-016	1.3066E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.6318E-012	2.2822E-011
RCPTR_29	farmer_adult	TOCDFMPF	Fluoranthene	1.2632E-009	1.5787E-008
RCPTR_29	farmer_adult	TOCDFMPF	Fluorene	1.6862E-011	2.3584E-010
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1801E-009	3.1902E-009
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	9.8284E-010	2.6667E-009
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0631E-009	2.8845E-009
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.5024E-010	1.2188E-009
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.1023E-010	5.7201E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1635E-010	3.1657E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.9875E-010	1.0868E-009
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.0145E-010	5.4769E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	9.2698E-011	2.5233E-010
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.1156E-013	5.7560E-012
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.0559E-009	1.4737E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.1470E-012	1.6042E-011
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.0882E-013	2.9205E-012
RCPTR_29	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.3660E-007	2.0867E-006
RCPTR_29	farmer_adult	TOCDFMPF	Isophorone	3.1552E-014	4.4129E-013
RCPTR_29	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Mercuric chloride	2.9754E-006	3.1320E-006
RCPTR_29	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.7836E-018	8.0890E-017
RCPTR_29	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.3590E-019	4.6979E-018
RCPTR_29	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.1309E-016	4.3789E-015
RCPTR_29	farmer_adult	TOCDFMPF	Methyl mercury	7.9822E-009	9.4584E-009
RCPTR_29	farmer_adult	TOCDFMPF	Methylene chloride	1.5947E-016	2.2304E-015
RCPTR_29	farmer_adult	TOCDFMPF	Mustard	1.5154E-014	2.1195E-013
RCPTR_29	farmer_adult	TOCDFMPF	Naphthalene	1.4905E-013	2.0846E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.3851E-013	7.5316E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.2710E-013	1.7776E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.6422E-013	2.2968E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitrobenzene	5.3438E-014	7.4738E-013
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.4298E-014	3.3983E-013
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.3129E-013	3.2349E-012
RCPTR_29	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.0756E-014	4.3016E-013
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.1662E-014	4.4282E-013
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.6128E-015	3.6543E-014
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.8289E-009	1.3072E-008
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.3943E-009	9.1709E-009
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.5470E-010	4.2662E-010
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.9282E-010	8.0212E-010
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.3909E-012	4.7425E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1538E-012	1.6137E-011
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorophenol	2.4740E-010	3.4602E-009
RCPTR_29	farmer_adult	TOCDFMPF	Phenanthrene	5.9848E-014	8.3704E-013
RCPTR_29	farmer_adult	TOCDFMPF	Phenol	4.1986E-014	5.8722E-013
RCPTR_29	farmer_adult	TOCDFMPF	Pronamide	4.5699E-012	6.3915E-011
RCPTR_29	farmer_adult	TOCDFMPF	Pyrene	3.0970E-009	2.3508E-008
RCPTR_29	farmer_adult	TOCDFMPF	Selenium	1.8299E-009	2.5593E-008
RCPTR_29	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Styrene	7.6687E-015	1.0726E-013
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3265E-010	3.7071E-010
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.4402E-009	4.0443E-009
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.8444E-012	6.7754E-011
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.2061E-015	4.4840E-014
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.0201E-016	4.2239E-015
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.3749E-011	3.3215E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Toluene	5.1696E-016	7.2303E-015
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.5608E-013	2.1830E-012
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.9387E-016	2.7114E-015
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.4622E-015	2.0450E-014
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethylene	2.4104E-016	3.3712E-015
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.6907E-016	9.3577E-015
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.7123E-011	2.3949E-010
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.1317E-012	4.3800E-011
RCPTR_29	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.4429E-015	7.6124E-014
RCPTR_29	farmer_adult	TOCDFMPF	Vinyl Chloride	1.2674E-019	1.7726E-018
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, m-	6.2521E-016	8.7442E-015
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, o-	7.0658E-016	9.8822E-015
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, p-	9.6586E-016	1.3509E-014
RCPTR_29	farmer_adult	TOCDFMPF	Zinc	1.0138E-007	1.2653E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDHVAC	Mustard	5.0460E-015	7.0573E-014
RCPTR_29	farmer_adult	TOCDLIC2	Acenaphthene	2.7092E-012	3.7891E-011
RCPTR_29	farmer_adult	TOCDLIC2	Acetone	7.6676E-017	1.0724E-015
RCPTR_29	farmer_adult	TOCDLIC2	Acetophenone	1.1386E-014	1.5925E-013
RCPTR_29	farmer_adult	TOCDLIC2	Aniline	6.7922E-016	9.4995E-015
RCPTR_29	farmer_adult	TOCDLIC2	Anthracene	5.4851E-011	7.6714E-010
RCPTR_29	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Benzene	4.3264E-016	6.0510E-015
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.0038E-009	4.7556E-008
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.6074E-009	5.8703E-008
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.3782E-008	1.3549E-007
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.0800E-008	8.7740E-008
RCPTR_29	farmer_adult	TOCDLIC2	Benzoic acid	2.6031E-014	3.6406E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Benzyl alcohol	2.4695E-012	3.4539E-011
RCPTR_29	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.5489E-014	2.1663E-013
RCPTR_29	farmer_adult	TOCDLIC2	Bromodichloromethane	1.5579E-017	2.1788E-016
RCPTR_29	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.8573E-014	3.9963E-013
RCPTR_29	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.5155E-009	1.4441E-008
RCPTR_29	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.2941E-012	7.4043E-011
RCPTR_29	farmer_adult	TOCDLIC2	Cadmium	1.0681E-007	1.2574E-006
RCPTR_29	farmer_adult	TOCDLIC2	Carbon disulfide	1.0146E-016	1.4190E-015
RCPTR_29	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.0796E-015	2.9086E-014
RCPTR_29	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.2893E-012	1.8032E-011
RCPTR_29	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.2622E-014	1.0157E-012
RCPTR_29	farmer_adult	TOCDLIC2	Chlorobenzene	8.4144E-016	1.1768E-014
RCPTR_29	farmer_adult	TOCDLIC2	Chloroethane	8.8379E-019	1.2361E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.0513E-016	1.1261E-014
RCPTR_29	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	7.2760E-012	1.0176E-010
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.0382E-013	2.8507E-012
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.0467E-011	1.4639E-010
RCPTR_29	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Chrysene	7.5523E-009	5.7021E-008
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.4530E-012	4.8294E-011
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.3189E-007	1.8447E-006
RCPTR_29	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.7026E-008	6.5773E-007
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.0255E-014	1.4342E-013
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.2636E-014	1.7673E-013
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.1945E-014	1.6707E-013
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.5223E-012	1.0521E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.6532E-020	9.3051E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.6825E-018	3.7517E-017
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0469E-017	2.8628E-016
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0250E-018	1.4336E-017
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0138E-017	1.4180E-016
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	8.3048E-013	1.1615E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.7572E-017	8.0520E-016
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.9294E-017	2.6985E-016
RCPTR_29	farmer_adult	TOCDLIC2	Diethyl phthalate	5.4160E-013	7.5748E-012
RCPTR_29	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.6922E-012	2.3667E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.3980E-013	1.9553E-012
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.7375E-014	6.6259E-013
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.2491E-013	1.7470E-012
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	9.6424E-014	1.3486E-012
RCPTR_29	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.8772E-015	4.0240E-014
RCPTR_29	farmer_adult	TOCDLIC2	Ethylbenzene	2.0164E-016	2.8202E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.1192E-012	1.2754E-010
RCPTR_29	farmer_adult	TOCDLIC2	Fluoranthene	8.3544E-010	1.0441E-008
RCPTR_29	farmer_adult	TOCDLIC2	Fluorene	1.1152E-011	1.5598E-010
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.0352E-010	8.2051E-010
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.2681E-010	1.7007E-009
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	9.1056E-010	2.4706E-009
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5818E-009	4.2820E-009
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.4855E-010	2.5809E-009
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.9369E-010	1.3433E-009
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.0247E-009	5.5185E-009
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.0949E-009	5.6956E-009
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.0278E-009	2.7977E-009
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.7219E-013	3.8069E-012
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorobenzene	6.9831E-010	9.7466E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	7.5861E-013	1.0610E-011
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.3811E-013	1.9315E-012
RCPTR_29	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.5525E-007	1.3692E-006
RCPTR_29	farmer_adult	TOCDLIC2	Isophorone	2.0868E-014	2.9186E-013
RCPTR_29	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Mercuric chloride	1.7689E-007	1.8620E-007
RCPTR_29	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.1301E-018	1.5805E-017
RCPTR_29	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.9896E-018	2.7826E-017
RCPTR_29	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.5609E-015	2.1831E-014
RCPTR_29	farmer_adult	TOCDLIC2	Methyl mercury	4.7454E-010	5.6230E-010
RCPTR_29	farmer_adult	TOCDLIC2	Methylene chloride	2.0502E-016	2.8674E-015
RCPTR_29	farmer_adult	TOCDLIC2	Mustard	2.2385E-015	3.1308E-014
RCPTR_29	farmer_adult	TOCDLIC2	Naphthalene	1.5234E-014	2.1307E-013
RCPTR_29	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.5680E-013	4.9903E-012
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 3-	8.4212E-014	1.1778E-012
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.0881E-013	1.5218E-012
RCPTR_29	farmer_adult	TOCDLIC2	Nitrobenzene	3.5342E-014	4.9430E-013
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.6070E-014	2.2475E-013
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.5325E-013	2.1434E-012
RCPTR_29	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.0341E-014	2.8449E-013
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.0940E-014	2.9287E-013
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.7280E-015	2.4168E-014
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.6074E-011	2.0593E-010
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.9997E-011	8.1047E-011
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.9776E-009	8.2114E-009
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.3950E-009	1.2039E-008
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.1234E-011	1.5711E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.6447E-013	1.0692E-011
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorophenol	3.2725E-011	4.5769E-010
RCPTR_29	farmer_adult	TOCDLIC2	Phenanthrene	3.9582E-014	5.5359E-013
RCPTR_29	farmer_adult	TOCDLIC2	Phenol	2.7768E-014	3.8837E-013
RCPTR_29	farmer_adult	TOCDLIC2	Pronamide	3.0224E-012	4.2272E-011
RCPTR_29	farmer_adult	TOCDLIC2	Pyrene	2.0482E-009	1.5547E-008
RCPTR_29	farmer_adult	TOCDLIC2	Selenium	1.0464E-007	1.4635E-006
RCPTR_29	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Styrene	3.4002E-013	4.7555E-012
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1187E-009	3.1264E-009
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4681E-009	4.1225E-009
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.2039E-012	4.4810E-011
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.0670E-016	1.4923E-015
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.9657E-017	5.5465E-016
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.5735E-011	2.2008E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Toluene	7.7903E-016	1.0895E-014
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0323E-013	1.4438E-012
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.3393E-016	4.6703E-015
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.0082E-016	4.2073E-015
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethylene	4.9592E-017	6.9359E-016
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.5550E-018	9.1678E-017
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.1325E-011	1.5839E-010
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.0712E-012	2.8968E-011
RCPTR_29	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.1198E-015	1.5662E-014
RCPTR_29	farmer_adult	TOCDLIC2	Vinyl Chloride	4.6699E-020	6.5313E-019
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, m-	1.3123E-015	1.8354E-014
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, o-	1.4831E-015	2.0743E-014
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, p-	2.0274E-015	2.8355E-014
RCPTR_29	farmer_adult	TOCDLIC2	Zinc	3.5703E-007	4.4562E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Cadmium	3.7906E-007	7.1235E-007
RCPTR_29	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Mercuric chloride	1.8665E-004	2.4524E-004
RCPTR_29	farmer_child	TOCDFBRA	Methyl mercury	5.6011E-007	7.4060E-007
RCPTR_29	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Selenium	2.6544E-007	5.5687E-007
RCPTR_29	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFBRA	Zinc	1.2938E-006	2.5091E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Acenaphthene	7.9663E-011	1.6712E-010
RCPTR_29	farmer_child	TOCDFDFS	Acetone	6.9333E-016	1.4545E-015
RCPTR_29	farmer_child	TOCDFDFS	Acetophenone	3.5199E-013	7.3844E-013
RCPTR_29	farmer_child	TOCDFDFS	Aniline	1.9972E-014	4.1899E-014
RCPTR_29	farmer_child	TOCDFDFS	Anthracene	1.6129E-009	3.3836E-009
RCPTR_29	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Aroclor 1254	2.4589E-011	5.1586E-011
RCPTR_29	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Benzene	2.5444E-015	5.3380E-015
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.2249E-007	2.1069E-007
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.5301E-007	2.7276E-007
RCPTR_29	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.4574E-007	6.0177E-007
RCPTR_29	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.8528E-007	4.1602E-007
RCPTR_29	farmer_child	TOCDFDFS	Benzoic acid	2.2156E-013	4.6482E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Benzyl alcohol	4.5384E-013	9.5210E-013
RCPTR_29	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.5544E-013	9.5546E-013
RCPTR_29	farmer_child	TOCDFDFS	Bromodichloromethane	8.2201E-016	1.7245E-015
RCPTR_29	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3325E-013	2.7954E-013
RCPTR_29	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.6998E-008	6.3695E-008
RCPTR_29	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.5587E-010	3.2699E-010
RCPTR_29	farmer_child	TOCDFDFS	Cadmium	1.5936E-007	2.9948E-007
RCPTR_29	farmer_child	TOCDFDFS	Carbon disulfide	4.5260E-016	9.4951E-016
RCPTR_29	farmer_child	TOCDFDFS	Carbon tetrachloride	7.4292E-016	1.5586E-015
RCPTR_29	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.7910E-011	7.9532E-011
RCPTR_29	farmer_child	TOCDFDFS	Chloroaniline, p-	2.1354E-012	4.4799E-012
RCPTR_29	farmer_child	TOCDFDFS	Chlorobenzene	4.3671E-015	9.1617E-015
RCPTR_29	farmer_child	TOCDFDFS	Chloroethane	1.2564E-017	2.6357E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.6569E-016	1.1868E-015
RCPTR_29	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.1394E-010	4.4883E-010
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.9932E-012	1.2573E-011
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.0777E-010	6.4567E-010
RCPTR_29	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Chrysene	1.5775E-007	2.5399E-007
RCPTR_29	farmer_child	TOCDFDFS	Di-n-butyl phthalate	6.5723E-010	1.3788E-009
RCPTR_29	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.5179E-005	5.2824E-005
RCPTR_29	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.0198E-006	3.2529E-006
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.0153E-013	6.3258E-013
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.7155E-013	7.7947E-013
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.5124E-013	7.3686E-013
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.4498E-010	9.3353E-010
RCPTR_29	farmer_child	TOCDFDFS	Dichlorodifluoromethane	9.9401E-019	2.0853E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.3574E-016	4.9456E-016
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9098E-016	6.1046E-016
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	9.0082E-017	1.8898E-016
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.4412E-016	3.0236E-016
RCPTR_29	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.4420E-011	5.1230E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.1842E-016	1.7170E-015
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.6603E-016	5.5811E-016
RCPTR_29	farmer_child	TOCDFDFS	Diethyl phthalate	1.0305E-010	2.1618E-010
RCPTR_29	farmer_child	TOCDFDFS	Dimethyl phthalate	5.2514E-012	1.1017E-011
RCPTR_29	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.1108E-012	8.6240E-012
RCPTR_29	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3930E-012	2.9223E-012
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.6730E-012	7.7056E-012
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.8353E-012	5.9482E-012
RCPTR_29	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.4600E-014	1.7748E-013
RCPTR_29	farmer_child	TOCDFDFS	Ethylbenzene	2.7323E-015	5.7321E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.5059E-011	7.3551E-011
RCPTR_29	farmer_child	TOCDFDFS	Fluoranthene	2.3735E-008	4.6064E-008
RCPTR_29	farmer_child	TOCDFDFS	Fluorene	3.2792E-010	6.8795E-010
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.9233E-011	9.6631E-011
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.7699E-011	5.2633E-011
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	7.3474E-011	1.0258E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.6388E-010	1.3455E-009
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.7330E-010	8.0060E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.7818E-010	3.8847E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.8127E-010	5.3251E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.1002E-010	5.7254E-010
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.1713E-010	3.0323E-010
RCPTR_29	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.0035E-012	1.6791E-011
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorobenzene	2.0530E-008	4.2989E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.2306E-011	4.6796E-011
RCPTR_29	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.0609E-012	8.5193E-012
RCPTR_29	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.0336E-006	6.7733E-006
RCPTR_29	farmer_child	TOCDFDFS	Isophorone	6.1360E-013	1.2873E-012
RCPTR_29	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Mercuric chloride	5.3619E-008	7.0451E-008
RCPTR_29	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.0182E-017	2.1362E-017
RCPTR_29	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.0034E-018	4.2029E-018
RCPTR_29	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.9761E-015	1.0439E-014
RCPTR_29	farmer_child	TOCDFDFS	Methyl mercury	1.6091E-010	2.1276E-010
RCPTR_29	farmer_child	TOCDFDFS	Methylene chloride	3.0124E-016	6.3197E-016
RCPTR_29	farmer_child	TOCDFDFS	Mustard	3.6004E-014	7.5533E-014
RCPTR_29	farmer_child	TOCDFDFS	Naphthalene	2.8985E-012	6.0808E-012
RCPTR_29	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.0491E-011	2.2009E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.4761E-012	5.1945E-012
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.1992E-012	6.7116E-012
RCPTR_29	farmer_child	TOCDFDFS	Nitrobenzene	1.0392E-012	2.1801E-012
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.7252E-013	9.9131E-013
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.5060E-012	9.4531E-012
RCPTR_29	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.9812E-013	1.2548E-012
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	6.1572E-013	1.2917E-012
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.0811E-014	1.0660E-013
RCPTR_29	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.8956E-011	2.6460E-011
RCPTR_29	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	7.9674E-012	1.1120E-011
RCPTR_29	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.4380E-009	2.0104E-009
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.7556E-009	2.4530E-009
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorobenzene	6.5943E-011	1.3834E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.2477E-011	4.7155E-011
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorophenol	4.8197E-009	1.0111E-008
RCPTR_29	farmer_child	TOCDFDFS	Phenanthrene	1.1639E-012	2.4417E-012
RCPTR_29	farmer_child	TOCDFDFS	Phenol	8.1650E-013	1.7129E-012
RCPTR_29	farmer_child	TOCDFDFS	Pronamide	8.8872E-011	1.8644E-010
RCPTR_29	farmer_child	TOCDFDFS	Pyrene	4.2542E-008	6.8587E-008
RCPTR_29	farmer_child	TOCDFDFS	Selenium	2.6659E-008	5.5928E-008
RCPTR_29	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Styrene	3.2441E-014	6.8059E-014
RCPTR_29	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2411E-009	1.7371E-009
RCPTR_29	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.2816E-009	1.7945E-009
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.4209E-011	1.9764E-010
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.6065E-013	9.6641E-013
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.8329E-016	1.8531E-015
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.6267E-010	9.7063E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Toluene	1.1872E-015	2.4907E-015
RCPTR_29	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.0353E-012	6.3678E-012
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.3161E-016	1.5349E-015
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.2764E-015	8.9714E-015
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethylene	7.0498E-016	1.4790E-015
RCPTR_29	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.7935E-017	2.0546E-016
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.3300E-010	6.9860E-010
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.0613E-010	6.4223E-010
RCPTR_29	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.5919E-014	3.3396E-014
RCPTR_29	farmer_child	TOCDFDFS	Vinyl Chloride	2.2148E-019	4.6463E-019
RCPTR_29	farmer_child	TOCDFDFS	Xylene, m-	4.1949E-015	8.8005E-015
RCPTR_29	farmer_child	TOCDFDFS	Xylene, o-	4.1418E-015	8.6891E-015
RCPTR_29	farmer_child	TOCDFDFS	Xylene, p-	6.4806E-015	1.3596E-014
RCPTR_29	farmer_child	TOCDFDFS	Zinc	2.4503E-007	4.7520E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Acenaphthene	1.8062E-011	3.7891E-011
RCPTR_29	farmer_child	TOCDFLIC	Acetone	5.1117E-016	1.0724E-015
RCPTR_29	farmer_child	TOCDFLIC	Acetophenone	7.5908E-014	1.5925E-013
RCPTR_29	farmer_child	TOCDFLIC	Aniline	4.5281E-015	9.4995E-015
RCPTR_29	farmer_child	TOCDFLIC	Anthracene	3.6568E-010	7.6714E-010
RCPTR_29	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Benzene	2.8843E-015	6.0510E-015
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.7648E-008	4.7556E-008
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.2929E-008	5.8703E-008
RCPTR_29	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	7.7841E-008	1.3549E-007
RCPTR_29	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.0166E-008	8.7740E-008
RCPTR_29	farmer_child	TOCDFLIC	Benzoic acid	1.7354E-013	3.6406E-013
RCPTR_29	farmer_child	TOCDFLIC	Benzyl alcohol	1.6463E-011	3.4539E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.0326E-013	2.1663E-013
RCPTR_29	farmer_child	TOCDFLIC	Bromodichloromethane	1.0386E-016	2.1788E-016
RCPTR_29	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.9049E-013	3.9963E-013
RCPTR_29	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.3884E-009	1.4441E-008
RCPTR_29	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.5294E-011	7.4043E-011
RCPTR_29	farmer_child	TOCDFLIC	Cadmium	6.6909E-007	1.2574E-006
RCPTR_29	farmer_child	TOCDFLIC	Carbon disulfide	6.7641E-016	1.4190E-015
RCPTR_29	farmer_child	TOCDFLIC	Carbon tetrachloride	1.3864E-014	2.9086E-014
RCPTR_29	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	8.5952E-012	1.8032E-011
RCPTR_29	farmer_child	TOCDFLIC	Chloroaniline, p-	4.8415E-013	1.0157E-012
RCPTR_29	farmer_child	TOCDFLIC	Chlorobenzene	5.6096E-015	1.1768E-014
RCPTR_29	farmer_child	TOCDFLIC	Chloroethane	5.8920E-018	1.2361E-017
RCPTR_29	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.3675E-015	1.1261E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.8506E-011	1.0176E-010
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.3588E-012	2.8507E-012
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.9779E-011	1.4639E-010
RCPTR_29	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Chrysene	3.5414E-008	5.7021E-008
RCPTR_29	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.3020E-011	4.8294E-011
RCPTR_29	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.7929E-007	1.8447E-006
RCPTR_29	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.0840E-007	6.5773E-007
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.8365E-014	1.4342E-013
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.4240E-014	1.7673E-013
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.9634E-014	1.6707E-013
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.0149E-011	1.0521E-010
RCPTR_29	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.4355E-019	9.3051E-019
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.7883E-017	3.7517E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3646E-016	2.8628E-016
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.8335E-018	1.4336E-017
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.7590E-017	1.4180E-016
RCPTR_29	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.5365E-012	1.1615E-011
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.8381E-016	8.0520E-016
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2863E-016	2.6985E-016
RCPTR_29	farmer_child	TOCDFLIC	Diethyl phthalate	3.6107E-012	7.5748E-012
RCPTR_29	farmer_child	TOCDFLIC	Dimethyl phthalate	1.1281E-011	2.3667E-011
RCPTR_29	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	9.3202E-013	1.9553E-012
RCPTR_29	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.1583E-013	6.6259E-013
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.3274E-013	1.7470E-012
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.4283E-013	1.3486E-012
RCPTR_29	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.9181E-014	4.0240E-014
RCPTR_29	farmer_child	TOCDFLIC	Ethylbenzene	1.3443E-015	2.8202E-015
RCPTR_29	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.0795E-011	1.2754E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Fluoranthene	5.3797E-009	1.0441E-008
RCPTR_29	farmer_child	TOCDFLIC	Fluorene	7.4349E-011	1.5598E-010
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.8787E-010	8.2051E-010
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.2181E-009	1.7007E-009
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.7696E-009	2.4706E-009
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.0676E-009	4.2820E-009
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.8481E-009	2.5809E-009
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.6190E-010	1.3433E-009
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.9511E-009	5.5185E-009
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.0788E-009	5.6956E-009
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.0033E-009	2.7977E-009
RCPTR_29	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8146E-012	3.8069E-012
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorobenzene	4.6546E-009	9.7466E-009
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.0574E-012	1.0610E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.2070E-013	1.9315E-012
RCPTR_29	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	8.1539E-007	1.3692E-006
RCPTR_29	farmer_child	TOCDFLIC	Isophorone	1.3912E-013	2.9186E-013
RCPTR_29	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Mercuric chloride	1.4171E-007	1.8620E-007
RCPTR_29	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.5338E-018	1.5805E-017
RCPTR_29	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.3264E-017	2.7826E-017
RCPTR_29	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0406E-014	2.1831E-014
RCPTR_29	farmer_child	TOCDFLIC	Methyl mercury	4.2526E-010	5.6230E-010
RCPTR_29	farmer_child	TOCDFLIC	Methylene chloride	1.3668E-015	2.8674E-015
RCPTR_29	farmer_child	TOCDFLIC	Mustard	1.4355E-014	3.0116E-014
RCPTR_29	farmer_child	TOCDFLIC	Naphthalene	1.0156E-013	2.1307E-013
RCPTR_29	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.3787E-012	4.9903E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.6141E-013	1.1778E-012
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.2538E-013	1.5218E-012
RCPTR_29	farmer_child	TOCDFLIC	Nitrobenzene	2.3561E-013	4.9430E-013
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0713E-013	2.2475E-013
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.0217E-013	2.1434E-013
RCPTR_29	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.3561E-013	2.8449E-013
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.3960E-013	2.9287E-013
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.1520E-014	2.4168E-014
RCPTR_29	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.4753E-010	2.0593E-010
RCPTR_29	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.8070E-011	8.1047E-011
RCPTR_29	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.8735E-009	8.2114E-009
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.6164E-009	1.2039E-008
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorobenzene	7.4891E-011	1.5711E-010
RCPTR_29	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.0964E-012	1.0692E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorophenol	2.1817E-010	4.5769E-010
RCPTR_29	farmer_child	TOCDFLIC	Phenanthrene	2.6388E-013	5.5359E-013
RCPTR_29	farmer_child	TOCDFLIC	Phenol	1.8512E-013	3.8837E-013
RCPTR_29	farmer_child	TOCDFLIC	Pronamide	2.0149E-011	4.2272E-011
RCPTR_29	farmer_child	TOCDFLIC	Pyrene	9.6435E-009	1.5547E-008
RCPTR_29	farmer_child	TOCDFLIC	Selenium	6.9758E-007	1.4635E-006
RCPTR_29	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Styrene	2.2668E-012	4.7555E-012
RCPTR_29	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.2338E-009	3.1264E-009
RCPTR_29	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.9443E-009	4.1225E-009
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.1360E-011	4.4810E-011
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.1132E-016	1.4923E-015
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.6438E-016	5.5465E-016
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0490E-010	2.2008E-010
RCPTR_29	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Toluene	5.1935E-015	1.0895E-014
RCPTR_29	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.8819E-013	1.4438E-012
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.2262E-015	4.6703E-015
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.0055E-015	4.2073E-015
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethylene	3.3061E-016	6.9359E-016
RCPTR_29	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.3700E-017	9.1678E-017
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.5499E-011	1.5839E-010
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.3808E-011	2.8968E-011
RCPTR_29	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.4655E-015	1.5662E-014
RCPTR_29	farmer_child	TOCDFLIC	Vinyl Chloride	3.1133E-019	6.5313E-019
RCPTR_29	farmer_child	TOCDFLIC	Xylene, m-	4.2101E-015	8.8324E-015
RCPTR_29	farmer_child	TOCDFLIC	Xylene, o-	4.7581E-015	9.9820E-015
RCPTR_29	farmer_child	TOCDFLIC	Xylene, p-	6.5041E-015	1.3645E-014
RCPTR_29	farmer_child	TOCDFLIC	Zinc	2.2978E-006	4.4562E-006
RCPTR_29	farmer_child	TOCDFMPF	Acenaphthene	2.7309E-011	5.7292E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Acetone	1.8468E-015	3.8743E-015
RCPTR_29	farmer_child	TOCDFMPF	Acetophenone	1.2024E-013	2.5225E-013
RCPTR_29	farmer_child	TOCDFMPF	Aniline	6.8466E-015	1.4363E-014
RCPTR_29	farmer_child	TOCDFMPF	Anthracene	5.5291E-010	1.1599E-009
RCPTR_29	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Aroclor 1254	1.5589E-011	3.2703E-011
RCPTR_29	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Benzene	2.5496E-015	5.3489E-015
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.1817E-008	7.1926E-008
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.9970E-008	8.9080E-008
RCPTR_29	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1775E-007	2.0495E-007
RCPTR_29	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.1434E-008	1.3334E-007
RCPTR_29	farmer_child	TOCDFMPF	Benzoic acid	7.5955E-013	1.5935E-012
RCPTR_29	farmer_child	TOCDFMPF	Benzyl alcohol	1.5558E-013	3.2639E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.5613E-013	3.2754E-013
RCPTR_29	farmer_child	TOCDFMPF	Bromodichloromethane	3.1207E-015	6.5469E-015
RCPTR_29	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1006E-013	2.3089E-013
RCPTR_29	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.2683E-008	2.1835E-008
RCPTR_29	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.3369E-011	1.1196E-010
RCPTR_29	farmer_child	TOCDFMPF	Cadmium	3.0468E-006	5.7258E-006
RCPTR_29	farmer_child	TOCDFMPF	Carbon disulfide	2.4460E-016	5.1314E-016
RCPTR_29	farmer_child	TOCDFMPF	Carbon tetrachloride	2.3886E-015	5.0111E-015
RCPTR_29	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2996E-011	2.7265E-011
RCPTR_29	farmer_child	TOCDFMPF	Chloroaniline, p-	7.3204E-013	1.5357E-012
RCPTR_29	farmer_child	TOCDFMPF	Chlorobenzene	9.9544E-015	2.0883E-014
RCPTR_29	farmer_child	TOCDFMPF	Chloroethane	5.7426E-017	1.2047E-016
RCPTR_29	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.6695E-015	3.5025E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Chloronaphthalene,2-	7.3342E-011	1.5386E-010
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.0546E-012	4.3103E-012
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0551E-010	2.2134E-010
RCPTR_29	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Chrysene	5.3582E-008	8.6274E-008
RCPTR_29	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.2523E-010	4.7250E-010
RCPTR_29	farmer_child	TOCDFMPF	Di-n-octylphthalate	8.6046E-006	1.8052E-005
RCPTR_29	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	6.2238E-007	1.0024E-006
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.0337E-013	2.1686E-013
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2737E-013	2.6721E-013
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2041E-013	2.5260E-013
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.5216E-010	3.1922E-010
RCPTR_29	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.6082E-018	7.5697E-018
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.3735E-016	1.1273E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.6328E-016	1.3915E-015
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.0533E-016	4.3077E-016
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.2852E-016	6.8920E-016
RCPTR_29	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.3713E-012	1.7562E-011
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.8655E-015	3.9137E-015
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.0640E-016	1.2722E-015
RCPTR_29	farmer_child	TOCDFMPF	Diethyl phthalate	3.5325E-011	7.4109E-011
RCPTR_29	farmer_child	TOCDFMPF	Dimethyl phthalate	1.1915E-012	2.4997E-012
RCPTR_29	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.4092E-012	2.9564E-012
RCPTR_29	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.7668E-013	1.0000E-012
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.2591E-012	2.6415E-012
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	9.7196E-013	2.0391E-012
RCPTR_29	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.9002E-014	6.0843E-014
RCPTR_29	farmer_child	TOCDFMPF	Ethylbenzene	6.2281E-015	1.3066E-014
RCPTR_29	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0878E-011	2.2822E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Fluoranthene	8.1344E-009	1.5787E-008
RCPTR_29	farmer_child	TOCDFMPF	Fluorene	1.1242E-010	2.3584E-010
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.2857E-009	3.1902E-009
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.9101E-009	2.6667E-009
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.0660E-009	2.8845E-009
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.7315E-010	1.2188E-009
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.0961E-010	5.7201E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.2669E-010	3.1657E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.7813E-010	1.0868E-009
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.9222E-010	5.4769E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.8069E-010	2.5233E-010
RCPTR_29	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.7437E-012	5.7560E-012
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorobenzene	7.0378E-009	1.4737E-008
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	7.6468E-012	1.6042E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3921E-012	2.9205E-012
RCPTR_29	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.2426E-006	2.0867E-006
RCPTR_29	farmer_child	TOCDFMPF	Isophorone	2.1035E-013	4.4129E-013
RCPTR_29	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Mercuric chloride	2.3837E-006	3.1320E-006
RCPTR_29	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.8558E-017	8.0890E-017
RCPTR_29	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.2393E-018	4.6979E-018
RCPTR_29	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.0873E-015	4.3789E-015
RCPTR_29	farmer_child	TOCDFMPF	Methyl mercury	7.1533E-009	9.4584E-009
RCPTR_29	farmer_child	TOCDFMPF	Methylene chloride	1.0632E-015	2.2304E-015
RCPTR_29	farmer_child	TOCDFMPF	Mustard	1.0103E-013	2.1195E-013
RCPTR_29	farmer_child	TOCDFMPF	Naphthalene	9.9364E-013	2.0846E-012
RCPTR_29	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.5901E-012	7.5316E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.4732E-013	1.7776E-012
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.0948E-012	2.2968E-012
RCPTR_29	farmer_child	TOCDFMPF	Nitrobenzene	3.5625E-013	7.4738E-013
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.6199E-013	3.3983E-013
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.5420E-012	3.2349E-012
RCPTR_29	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.0504E-013	4.3016E-013
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.1108E-013	4.4282E-013
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.7419E-014	3.6543E-014
RCPTR_29	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	9.3645E-009	1.3072E-008
RCPTR_29	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.5710E-009	9.1709E-009
RCPTR_29	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.0516E-010	4.2662E-010
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.7407E-010	8.0212E-010
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorobenzene	2.2606E-011	4.7425E-011
RCPTR_29	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.6919E-012	1.6137E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorophenol	1.6493E-009	3.4602E-009
RCPTR_29	farmer_child	TOCDFMPF	Phenanthrene	3.9899E-013	8.3704E-013
RCPTR_29	farmer_child	TOCDFMPF	Phenol	2.7991E-013	5.8722E-013
RCPTR_29	farmer_child	TOCDFMPF	Pronamide	3.0466E-011	6.3915E-011
RCPTR_29	farmer_child	TOCDFMPF	Pyrene	1.4581E-008	2.3508E-008
RCPTR_29	farmer_child	TOCDFMPF	Selenium	1.2200E-008	2.5593E-008
RCPTR_29	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFMPF	Styrene	5.1125E-014	1.0726E-013
RCPTR_29	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.6487E-010	3.7071E-010
RCPTR_29	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.8885E-009	4.0443E-009
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.2296E-011	6.7754E-011
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.1374E-014	4.4840E-014
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0134E-015	4.2239E-015
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.5833E-010	3.3215E-010
RCPTR_29	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Toluene	3.4464E-015	7.2303E-015
RCPTR_29	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0405E-012	2.1830E-012
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2924E-015	2.7114E-015
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.7477E-015	2.0450E-014
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethylene	1.6069E-015	3.3712E-015
RCPTR_29	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.4605E-015	9.3577E-015
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1416E-010	2.3949E-010
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.0878E-011	4.3800E-011
RCPTR_29	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.6286E-014	7.6124E-014
RCPTR_29	farmer_child	TOCDFMPF	Vinyl Chloride	8.4494E-019	1.7726E-018
RCPTR_29	farmer_child	TOCDFMPF	Xylene, m-	4.1681E-015	8.7442E-015
RCPTR_29	farmer_child	TOCDFMPF	Xylene, o-	4.7105E-015	9.8822E-015
RCPTR_29	farmer_child	TOCDFMPF	Xylene, p-	6.4391E-015	1.3509E-014
RCPTR_29	farmer_child	TOCDFMPF	Zinc	6.5243E-007	1.2653E-006
RCPTR_29	farmer_child	TOCDHVAC	Mustard	3.3640E-014	7.0573E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Acenaphthene	1.8062E-011	3.7891E-011
RCPTR_29	farmer_child	TOCDLIC2	Acetone	5.1117E-016	1.0724E-015
RCPTR_29	farmer_child	TOCDLIC2	Acetophenone	7.5908E-014	1.5925E-013
RCPTR_29	farmer_child	TOCDLIC2	Aniline	4.5281E-015	9.4995E-015
RCPTR_29	farmer_child	TOCDLIC2	Anthracene	3.6568E-010	7.6714E-010
RCPTR_29	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Benzene	2.8843E-015	6.0510E-015
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.7648E-008	4.7556E-008
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.2929E-008	5.8703E-008
RCPTR_29	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	7.7841E-008	1.3549E-007
RCPTR_29	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.0166E-008	8.7740E-008
RCPTR_29	farmer_child	TOCDLIC2	Benzoic acid	1.7354E-013	3.6406E-013
RCPTR_29	farmer_child	TOCDLIC2	Benzyl alcohol	1.6463E-011	3.4539E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.0326E-013	2.1663E-013
RCPTR_29	farmer_child	TOCDLIC2	Bromodichloromethane	1.0386E-016	2.1788E-016
RCPTR_29	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.9049E-013	3.9963E-013
RCPTR_29	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	8.3884E-009	1.4441E-008
RCPTR_29	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.5294E-011	7.4043E-011
RCPTR_29	farmer_child	TOCDLIC2	Cadmium	6.6909E-007	1.2574E-006
RCPTR_29	farmer_child	TOCDLIC2	Carbon disulfide	6.7641E-016	1.4190E-015
RCPTR_29	farmer_child	TOCDLIC2	Carbon tetrachloride	1.3864E-014	2.9086E-014
RCPTR_29	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	8.5952E-012	1.8032E-011
RCPTR_29	farmer_child	TOCDLIC2	Chloroaniline, p-	4.8415E-013	1.0157E-012
RCPTR_29	farmer_child	TOCDLIC2	Chlorobenzene	5.6096E-015	1.1768E-014
RCPTR_29	farmer_child	TOCDLIC2	Chloroethane	5.8920E-018	1.2361E-017
RCPTR_29	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.3675E-015	1.1261E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.8506E-011	1.0176E-010
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.3588E-012	2.8507E-012
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.9779E-011	1.4639E-010
RCPTR_29	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Chrysene	3.5414E-008	5.7021E-008
RCPTR_29	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.3020E-011	4.8294E-011
RCPTR_29	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.7929E-007	1.8447E-006
RCPTR_29	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	4.0840E-007	6.5773E-007
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.8365E-014	1.4342E-013
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	8.4240E-014	1.7673E-013
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.9634E-014	1.6707E-013
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.0149E-011	1.0521E-010
RCPTR_29	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.4355E-019	9.3051E-019
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.7883E-017	3.7517E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3646E-016	2.8628E-016
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.8335E-018	1.4336E-017
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.7590E-017	1.4180E-016
RCPTR_29	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.5365E-012	1.1615E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.8381E-016	8.0520E-016
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2863E-016	2.6985E-016
RCPTR_29	farmer_child	TOCDLIC2	Diethyl phthalate	3.6107E-012	7.5748E-012
RCPTR_29	farmer_child	TOCDLIC2	Dimethyl phthalate	1.1281E-011	2.3667E-011
RCPTR_29	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	9.3202E-013	1.9553E-012
RCPTR_29	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.1583E-013	6.6259E-013
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.3274E-013	1.7470E-012
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.4283E-013	1.3486E-012
RCPTR_29	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.9181E-014	4.0240E-014
RCPTR_29	farmer_child	TOCDLIC2	Ethylbenzene	1.3443E-015	2.8202E-015
RCPTR_29	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.0795E-011	1.2754E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Fluoranthene	5.3797E-009	1.0441E-008
RCPTR_29	farmer_child	TOCDLIC2	Fluorene	7.4349E-011	1.5598E-010
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.8787E-010	8.2051E-010
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.2181E-009	1.7007E-009
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.7696E-009	2.4706E-009
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.0676E-009	4.2820E-009
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.8481E-009	2.5809E-009
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.6190E-010	1.3433E-009
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.9511E-009	5.5185E-009
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.0788E-009	5.6956E-009
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.0033E-009	2.7977E-009
RCPTR_29	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.8146E-012	3.8069E-012
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorobenzene	4.6546E-009	9.7466E-009
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.0574E-012	1.0610E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.2070E-013	1.9315E-012
RCPTR_29	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.1539E-007	1.3692E-006
RCPTR_29	farmer_child	TOCDLIC2	Isophorone	1.3912E-013	2.9186E-013
RCPTR_29	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Mercuric chloride	1.4171E-007	1.8620E-007
RCPTR_29	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.5338E-018	1.5805E-017
RCPTR_29	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.3264E-017	2.7826E-017
RCPTR_29	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0406E-014	2.1831E-014
RCPTR_29	farmer_child	TOCDLIC2	Methyl mercury	4.2526E-010	5.6230E-010
RCPTR_29	farmer_child	TOCDLIC2	Methylene chloride	1.3668E-015	2.8674E-015
RCPTR_29	farmer_child	TOCDLIC2	Mustard	1.4924E-014	3.1308E-014
RCPTR_29	farmer_child	TOCDLIC2	Naphthalene	1.0156E-013	2.1307E-013
RCPTR_29	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.3787E-012	4.9903E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.6141E-013	1.1778E-012
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.2538E-013	1.5218E-012
RCPTR_29	farmer_child	TOCDLIC2	Nitrobenzene	2.3561E-013	4.9430E-013
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0713E-013	2.2475E-013
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.0217E-012	2.1434E-012
RCPTR_29	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.3561E-013	2.8449E-013
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.3960E-013	2.9287E-013
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.1520E-014	2.4168E-014
RCPTR_29	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.4753E-010	2.0593E-010
RCPTR_29	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	5.8070E-011	8.1047E-011
RCPTR_29	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.8735E-009	8.2114E-009
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.6164E-009	1.2039E-008
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorobenzene	7.4891E-011	1.5711E-010
RCPTR_29	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.0964E-012	1.0692E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorophenol	2.1817E-010	4.5769E-010
RCPTR_29	farmer_child	TOCDLIC2	Phenanthrene	2.6388E-013	5.5359E-013
RCPTR_29	farmer_child	TOCDLIC2	Phenol	1.8512E-013	3.8837E-013
RCPTR_29	farmer_child	TOCDLIC2	Pronamide	2.0149E-011	4.2272E-011
RCPTR_29	farmer_child	TOCDLIC2	Pyrene	9.6435E-009	1.5547E-008
RCPTR_29	farmer_child	TOCDLIC2	Selenium	6.9758E-007	1.4635E-006
RCPTR_29	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Styrene	2.2668E-012	4.7555E-012
RCPTR_29	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.2338E-009	3.1264E-009
RCPTR_29	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.9443E-009	4.1225E-009
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.1360E-011	4.4810E-011
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.1132E-016	1.4923E-015
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.6438E-016	5.5465E-016
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.0490E-010	2.2008E-010
RCPTR_29	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Toluene	5.1935E-015	1.0895E-014
RCPTR_29	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.8819E-013	1.4438E-012
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.2262E-015	4.6703E-015
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.0055E-015	4.2073E-015
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethylene	3.3061E-016	6.9359E-016
RCPTR_29	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.3700E-017	9.1678E-017
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.5499E-011	1.5839E-010
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3808E-011	2.8968E-011
RCPTR_29	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.4655E-015	1.5662E-014
RCPTR_29	farmer_child	TOCDLIC2	Vinyl Chloride	3.1133E-019	6.5313E-019
RCPTR_29	farmer_child	TOCDLIC2	Xylene, m-	8.7489E-015	1.8354E-014
RCPTR_29	farmer_child	TOCDLIC2	Xylene, o-	9.8875E-015	2.0743E-014
RCPTR_29	farmer_child	TOCDLIC2	Xylene, p-	1.3516E-014	2.8355E-014
RCPTR_29	farmer_child	TOCDLIC2	Zinc	2.2978E-006	4.4562E-006
RCPTR_30	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Cadmium	9.0182E-009	1.0617E-007
RCPTR_30	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Mercuric chloride	3.8636E-005	4.0669E-005
RCPTR_30	farmer_adult	TOCDFBRA	Methyl mercury	1.0365E-007	1.2282E-007
RCPTR_30	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Selenium	5.9342E-009	8.2996E-008
RCPTR_30	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFBRA	Zinc	2.9961E-008	3.7395E-007
RCPTR_30	farmer_adult	TOCDFDFS	Acenaphthene	2.6834E-012	3.7530E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Acetone	2.3355E-017	3.2664E-016
RCPTR_30	farmer_adult	TOCDFDFS	Acetophenone	1.1857E-014	1.6583E-013
RCPTR_30	farmer_adult	TOCDFDFS	Aniline	6.7275E-016	9.4091E-015
RCPTR_30	farmer_adult	TOCDFDFS	Anthracene	5.4329E-011	7.5983E-010
RCPTR_30	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Aroclor 1254	8.2793E-013	1.1579E-011
RCPTR_30	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Benzene	8.5709E-017	1.1987E-015
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)anthracene	4.9392E-009	4.6941E-008
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.3281E-009	5.5779E-008
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.3578E-008	1.3348E-007
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.9426E-008	8.1947E-008
RCPTR_30	farmer_adult	TOCDFDFS	Benzoic acid	7.4634E-015	1.0438E-013
RCPTR_30	farmer_adult	TOCDFDFS	Benzyl alcohol	1.5287E-014	2.1381E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.5341E-014	2.1456E-013
RCPTR_30	farmer_adult	TOCDFDFS	Bromodichloromethane	2.7690E-017	3.8727E-016
RCPTR_30	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	4.4884E-015	6.2774E-014
RCPTR_30	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.5011E-009	1.4304E-008
RCPTR_30	farmer_adult	TOCDFDFS	Butylbenzylphthalate	5.2385E-012	7.3266E-011
RCPTR_30	farmer_adult	TOCDFDFS	Cadmium	3.8856E-009	4.5745E-008
RCPTR_30	farmer_adult	TOCDFDFS	Carbon disulfide	1.5246E-017	2.1323E-016
RCPTR_30	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.5025E-017	3.5001E-016
RCPTR_30	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.2770E-012	1.7860E-011
RCPTR_30	farmer_adult	TOCDFDFS	Chloroaniline, p-	7.1931E-014	1.0060E-012
RCPTR_30	farmer_adult	TOCDFDFS	Chlorobenzene	1.4711E-016	2.0574E-015
RCPTR_30	farmer_adult	TOCDFDFS	Chloroethane	4.2321E-019	5.9190E-018
RCPTR_30	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.9055E-017	2.6651E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	7.2067E-012	1.0079E-010
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.0188E-013	2.8235E-012
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.0367E-011	1.4499E-010
RCPTR_30	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Chrysene	7.4239E-009	5.6052E-008
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.2124E-011	3.0943E-010
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-octylphthalate	8.4313E-007	1.1792E-005
RCPTR_30	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	6.5923E-008	4.9824E-007
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.0157E-014	1.4206E-013
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	1.2516E-014	1.7504E-013
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	1.1831E-014	1.6547E-013
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4835E-011	2.0748E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.3483E-020	4.6830E-019
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.9409E-018	1.1106E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	9.8018E-018	1.3709E-016
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.0344E-018	4.2439E-017
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.8548E-018	6.7900E-017
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	8.2257E-013	1.1504E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.7568E-017	3.8557E-016
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	8.9613E-018	1.2533E-016
RCPTR_30	farmer_adult	TOCDFDFS	Diethyl phthalate	3.4711E-012	4.8546E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.7689E-013	2.4740E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.3847E-013	1.9367E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	4.6921E-014	6.5624E-013
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	1.2372E-013	1.7303E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	9.5505E-014	1.3357E-012
RCPTR_30	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.8498E-015	3.9857E-014
RCPTR_30	farmer_adult	TOCDFDFS	Ethylbenzene	9.2038E-017	1.2872E-015
RCPTR_30	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.1761E-012	1.6449E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Fluoranthene	8.2731E-010	1.0339E-008
RCPTR_30	farmer_adult	TOCDFDFS	Fluorene	1.1046E-011	1.5449E-010
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.5742E-012	1.7772E-011
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.6111E-012	9.7979E-012
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	6.9720E-012	1.8917E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.3898E-011	2.5418E-010
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.4572E-011	1.4848E-010
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.6243E-011	7.1403E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.6678E-011	9.9966E-011
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.9600E-011	1.0766E-010
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.0986E-011	5.7128E-011
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.6960E-013	3.7706E-012
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorobenzene	6.9166E-010	9.6537E-009
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	7.5138E-013	1.0509E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.3679E-013	1.9131E-012
RCPTR_30	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1752E-007	1.0365E-006
RCPTR_30	farmer_adult	TOCDFDFS	Isophorone	2.0669E-014	2.8908E-013
RCPTR_30	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Mercuric chloride	1.4878E-008	1.5661E-008
RCPTR_30	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	3.4299E-019	4.7971E-018
RCPTR_30	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	6.7483E-020	9.4382E-019
RCPTR_30	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.6762E-016	2.3443E-015
RCPTR_30	farmer_adult	TOCDFDFS	Methyl mercury	3.9913E-011	4.7294E-011
RCPTR_30	farmer_adult	TOCDFDFS	Methylene chloride	1.0147E-017	1.4192E-016
RCPTR_30	farmer_adult	TOCDFDFS	Mustard	1.2128E-015	1.6962E-014
RCPTR_30	farmer_adult	TOCDFDFS	Naphthalene	9.7636E-014	1.3655E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.5339E-013	4.9425E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 3-	8.3406E-014	1.1665E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.0776E-013	1.5072E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitrobenzene	3.5006E-014	4.8959E-013
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.5917E-014	2.2261E-013
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.5178E-013	2.1228E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.0148E-014	2.8178E-013
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	2.0741E-014	2.9008E-013
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.7116E-015	2.3938E-014
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.7794E-012	4.8169E-012
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	7.4923E-013	2.0243E-012
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.4714E-010	4.0578E-010
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8307E-010	5.0148E-010
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorobenzene	2.2213E-012	3.1067E-011
RCPTR_30	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	7.5715E-013	1.0590E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorophenol	1.6235E-010	2.2707E-009
RCPTR_30	farmer_adult	TOCDFDFS	Phenanthrene	3.9205E-014	5.4832E-013
RCPTR_30	farmer_adult	TOCDFDFS	Phenol	2.7504E-014	3.8467E-013
RCPTR_30	farmer_adult	TOCDFDFS	Pronamide	2.9936E-012	4.1869E-011
RCPTR_30	farmer_adult	TOCDFDFS	Pyrene	2.0284E-009	1.5397E-008
RCPTR_30	farmer_adult	TOCDFDFS	Selenium	6.1080E-010	8.5426E-009
RCPTR_30	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Styrene	1.0928E-015	1.5284E-014
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3297E-010	3.7161E-010
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3971E-010	3.9230E-010
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.1734E-012	4.4384E-011
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5517E-014	2.1702E-013
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.9754E-017	4.1613E-016
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.5585E-011	2.1797E-010
RCPTR_30	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Toluene	3.9992E-017	5.5932E-016
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.0225E-013	1.4300E-012
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.4644E-017	3.4468E-016
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.4405E-016	2.0147E-015
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethylene	2.3747E-017	3.3213E-016
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.2989E-018	4.6139E-017
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.1217E-011	1.5688E-010
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0312E-011	1.4422E-010
RCPTR_30	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	5.3623E-016	7.4997E-015
RCPTR_30	farmer_adult	TOCDFDFS	Vinyl Chloride	7.4604E-021	1.0434E-019
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, m-	1.4131E-016	1.9763E-015
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, o-	1.3952E-016	1.9513E-015
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, p-	2.1830E-016	3.0531E-015
RCPTR_30	farmer_adult	TOCDFDFS	Zinc	5.8155E-009	7.2584E-008
RCPTR_30	farmer_adult	TOCDFLIC	Acenaphthene	5.5681E-013	7.7875E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Acetone	1.5759E-017	2.2040E-016
RCPTR_30	farmer_adult	TOCDFLIC	Acetophenone	2.3401E-015	3.2729E-014
RCPTR_30	farmer_adult	TOCDFLIC	Aniline	1.3959E-016	1.9524E-015
RCPTR_30	farmer_adult	TOCDFLIC	Anthracene	1.1273E-011	1.5766E-010
RCPTR_30	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Benzene	8.8918E-017	1.2436E-015
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.0231E-009	9.7237E-009
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.0823E-009	1.1330E-008
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.8099E-009	2.7622E-008
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.9096E-009	1.6492E-008
RCPTR_30	farmer_adult	TOCDFLIC	Benzoic acid	5.3499E-015	7.4823E-014
RCPTR_30	farmer_adult	TOCDFLIC	Benzyl alcohol	5.0754E-013	7.0985E-012
RCPTR_30	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.1833E-015	4.4522E-014
RCPTR_30	farmer_adult	TOCDFLIC	Bromodichloromethane	3.2017E-018	4.4780E-017
RCPTR_30	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.8725E-015	8.2133E-014
RCPTR_30	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	3.1147E-010	2.9680E-009
RCPTR_30	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.0865E-012	1.5195E-011
RCPTR_30	farmer_adult	TOCDFLIC	Cadmium	1.5877E-008	1.8692E-007
RCPTR_30	farmer_adult	TOCDFLIC	Carbon disulfide	2.0853E-017	2.9164E-016
RCPTR_30	farmer_adult	TOCDFLIC	Carbon tetrachloride	4.2742E-016	5.9778E-015
RCPTR_30	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.6498E-013	3.7060E-012
RCPTR_30	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.4926E-014	2.0875E-013
RCPTR_30	farmer_adult	TOCDFLIC	Chlorobenzene	1.7293E-016	2.4187E-015
RCPTR_30	farmer_adult	TOCDFLIC	Chloroethane	1.8164E-019	2.5404E-018
RCPTR_30	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.6547E-016	2.3143E-015
RCPTR_30	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.4954E-012	2.0914E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.1890E-014	5.8588E-013
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1511E-012	3.0086E-011
RCPTR_30	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Chrysene	1.5346E-009	1.1587E-008
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.0938E-013	9.9214E-012
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.7003E-008	3.7766E-007
RCPTR_30	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.2969E-008	9.8021E-008
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.1076E-015	2.9477E-014
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.5970E-015	3.6321E-014
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.4550E-015	3.4336E-014
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.5356E-012	2.1477E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.3674E-020	1.9124E-019
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	5.5131E-019	7.7106E-018
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.2069E-018	5.8838E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	2.1067E-019	2.9464E-018
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.0837E-018	2.9143E-017
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.7068E-013	2.3872E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.1832E-017	1.6549E-016
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.9654E-018	5.5461E-017
RCPTR_30	farmer_adult	TOCDFLIC	Diethyl phthalate	1.1131E-013	1.5568E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dimethyl phthalate	3.4778E-013	4.8641E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.8733E-014	4.0186E-013
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	9.7365E-015	1.3617E-013
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.5671E-014	3.5904E-013
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.9817E-014	2.7716E-013
RCPTR_30	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.9132E-016	8.2702E-015
RCPTR_30	farmer_adult	TOCDFLIC	Ethylbenzene	4.1442E-017	5.7961E-016
RCPTR_30	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.8692E-012	2.6143E-011
RCPTR_30	farmer_adult	TOCDFLIC	Fluoranthene	1.7165E-010	2.1452E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Fluorene	2.2920E-012	3.2057E-011
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.4239E-011	1.4662E-010
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1304E-010	3.0670E-010
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.6305E-010	4.4239E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.8841E-010	7.8072E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.7058E-010	4.6413E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	8.8182E-011	2.3993E-010
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.6743E-010	1.0014E-009
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.8064E-010	1.0349E-009
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.8700E-010	5.0904E-010
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.5941E-014	7.8240E-013
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.4352E-010	2.0031E-009
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.5591E-013	2.1806E-012
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.8384E-014	3.9698E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.3117E-008	2.0387E-007
RCPTR_30	farmer_adult	TOCDFLIC	Isophorone	4.2888E-015	5.9984E-014
RCPTR_30	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Mercuric chloride	3.6115E-008	3.8015E-008
RCPTR_30	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.3225E-019	3.2483E-018
RCPTR_30	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	4.0890E-019	5.7189E-018
RCPTR_30	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.2080E-016	4.4868E-015
RCPTR_30	farmer_adult	TOCDFLIC	Methyl mercury	9.6886E-011	1.1480E-010
RCPTR_30	farmer_adult	TOCDFLIC	Methylene chloride	4.2136E-017	5.8931E-016
RCPTR_30	farmer_adult	TOCDFLIC	Mustard	4.4255E-016	6.1895E-015
RCPTR_30	farmer_adult	TOCDFLIC	Naphthalene	3.1310E-015	4.3790E-014
RCPTR_30	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.3331E-014	1.0256E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.7308E-014	2.4206E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.2362E-014	3.1276E-013
RCPTR_30	farmer_adult	TOCDFLIC	Nitrobenzene	7.2636E-015	1.0159E-013
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.3027E-015	4.6192E-014
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 4-	3.1496E-015	4.4051E-014
RCPTR_30	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.1806E-015	5.8470E-014
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	4.3037E-015	6.0191E-014
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.5515E-016	4.9671E-015
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.3489E-011	3.6515E-011
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.3188E-012	1.4371E-011
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.6947E-010	1.5704E-009
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.4807E-010	2.3231E-009
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.3088E-012	3.2290E-011
RCPTR_30	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.5712E-013	2.1974E-012
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorophenol	6.7257E-012	9.4066E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Phenanthrene	8.1350E-015	1.1378E-013
RCPTR_30	farmer_adult	TOCDFLIC	Phenol	5.7070E-015	7.9818E-014
RCPTR_30	farmer_adult	TOCDFLIC	Pronamide	6.2118E-013	8.6878E-012
RCPTR_30	farmer_adult	TOCDFLIC	Pyrene	4.2087E-010	3.1947E-009
RCPTR_30	farmer_adult	TOCDFLIC	Selenium	1.5555E-008	2.1755E-007
RCPTR_30	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Styrene	6.9881E-014	9.7736E-013
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	2.2268E-010	6.2232E-010
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	2.9648E-010	8.3254E-010
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.5848E-013	9.2096E-012
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	2.1929E-017	3.0670E-016
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	8.1505E-018	1.1399E-016
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.2340E-012	4.5231E-011
RCPTR_30	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Toluene	1.6011E-016	2.2393E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.1216E-014	2.9672E-013
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	6.8630E-017	9.5986E-016
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.1826E-017	8.6470E-016
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethylene	1.0192E-017	1.4255E-016
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.3472E-018	1.8842E-017
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.3275E-012	3.2553E-011
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.2568E-013	5.9536E-012
RCPTR_30	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.3015E-016	3.2189E-015
RCPTR_30	farmer_adult	TOCDFLIC	Vinyl Chloride	9.5977E-021	1.3423E-019
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, m-	1.2979E-016	1.8153E-015
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, o-	1.4668E-016	2.0515E-015
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, p-	2.0051E-016	2.8043E-015
RCPTR_30	farmer_adult	TOCDFLIC	Zinc	5.3074E-008	6.6242E-007
RCPTR_30	farmer_adult	TOCDFMPF	Acenaphthene	8.4877E-013	1.1871E-011
RCPTR_30	farmer_adult	TOCDFMPF	Acetone	5.7397E-017	8.0276E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Acetophenone	3.7371E-015	5.2267E-014
RCPTR_30	farmer_adult	TOCDFMPF	Aniline	2.1279E-016	2.9761E-015
RCPTR_30	farmer_adult	TOCDFMPF	Anthracene	1.7184E-011	2.4034E-010
RCPTR_30	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Aroclor 1254	4.8435E-013	6.7741E-012
RCPTR_30	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Benzene	7.9243E-017	1.1083E-015
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.5598E-009	1.4824E-008
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.6518E-009	1.7292E-008
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	4.2839E-009	4.2113E-008
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	5.9704E-009	2.5185E-008
RCPTR_30	farmer_adult	TOCDFMPF	Benzoic acid	2.3607E-014	3.3017E-013
RCPTR_30	farmer_adult	TOCDFMPF	Benzyl alcohol	4.8355E-015	6.7629E-014
RCPTR_30	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	4.8525E-015	6.7867E-014
RCPTR_30	farmer_adult	TOCDFMPF	Bromodichloromethane	9.6992E-017	1.3565E-015
RCPTR_30	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	3.4205E-015	4.7840E-014
RCPTR_30	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	4.7480E-010	4.5242E-009
RCPTR_30	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.6562E-012	2.3164E-011
RCPTR_30	farmer_adult	TOCDFMPF	Cadmium	7.2470E-008	8.5318E-007
RCPTR_30	farmer_adult	TOCDFMPF	Carbon disulfide	7.6021E-018	1.0632E-016
RCPTR_30	farmer_adult	TOCDFMPF	Carbon tetrachloride	7.4239E-017	1.0383E-015
RCPTR_30	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	4.0392E-013	5.6492E-012
RCPTR_30	farmer_adult	TOCDFMPF	Chloroaniline, p-	2.2752E-014	3.1821E-013
RCPTR_30	farmer_adult	TOCDFMPF	Chlorobenzene	3.0938E-016	4.3271E-015
RCPTR_30	farmer_adult	TOCDFMPF	Chloroethane	1.7848E-018	2.4962E-017
RCPTR_30	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	5.1888E-017	7.2571E-016
RCPTR_30	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	2.2795E-012	3.1881E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenol, 2-	6.3856E-014	8.9309E-013
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.2791E-012	4.5862E-011
RCPTR_30	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Chrysene	2.3398E-009	1.7666E-008
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	6.9970E-012	9.7861E-011
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.6636E-007	3.7253E-006
RCPTR_30	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.9812E-008	1.4974E-007
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	3.2127E-015	4.4933E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	3.9587E-015	5.5367E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	3.7423E-015	5.2340E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.6962E-012	6.5682E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.1214E-019	1.5684E-018
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.6701E-017	2.3358E-016
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0615E-017	2.8832E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	6.3818E-018	8.9256E-017
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.0210E-017	1.4280E-016
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.6018E-013	3.6389E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	5.7981E-017	8.1092E-016
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.8847E-017	2.6359E-016
RCPTR_30	farmer_adult	TOCDFMPF	Diethyl phthalate	1.0979E-012	1.5355E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.7032E-014	5.1793E-013
RCPTR_30	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	4.3799E-014	6.1257E-013
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.4815E-014	2.0720E-013
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	3.9132E-014	5.4730E-013
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	3.0208E-014	4.2249E-013
RCPTR_30	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	9.0138E-016	1.2607E-014
RCPTR_30	farmer_adult	TOCDFMPF	Ethylbenzene	1.9357E-016	2.7073E-015
RCPTR_30	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.3716E-013	4.7156E-012
RCPTR_30	farmer_adult	TOCDFMPF	Fluoranthene	2.6165E-010	3.2700E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Fluorene	3.4939E-012	4.8865E-011
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1158E-010	5.7197E-010
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.7788E-010	4.8263E-010
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.9100E-010	5.1824E-010
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.2412E-011	2.2309E-010
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.7939E-011	1.0323E-010
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.0851E-011	5.6732E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.2634E-011	1.9797E-010
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.6742E-011	9.9895E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.6931E-011	4.6090E-011
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.5274E-014	1.1926E-012
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.1877E-010	3.0535E-009
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.3766E-013	3.3240E-012
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.3267E-014	6.0513E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.5314E-008	3.1144E-007
RCPTR_30	farmer_adult	TOCDFMPF	Isophorone	6.5377E-015	9.1436E-014
RCPTR_30	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Mercuric chloride	6.1229E-007	6.4450E-007
RCPTR_30	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	1.1984E-018	1.6760E-017
RCPTR_30	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	6.9599E-020	9.7341E-019
RCPTR_30	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.4873E-017	9.0731E-016
RCPTR_30	farmer_adult	TOCDFMPF	Methyl mercury	1.6426E-009	1.9464E-009
RCPTR_30	farmer_adult	TOCDFMPF	Methylene chloride	3.3043E-017	4.6214E-016
RCPTR_30	farmer_adult	TOCDFMPF	Mustard	3.1400E-015	4.3916E-014
RCPTR_30	farmer_adult	TOCDFMPF	Naphthalene	3.0882E-014	4.3192E-013
RCPTR_30	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.1158E-013	1.5606E-012
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 3-	2.6335E-014	3.6832E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 4-	3.4026E-014	4.7589E-013
RCPTR_30	farmer_adult	TOCDFMPF	Nitrobenzene	1.1072E-014	1.5486E-013
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 2-	5.0345E-015	7.0413E-014
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 4-	4.7924E-014	6.7027E-013
RCPTR_30	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	6.3727E-015	8.9129E-014
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	6.5603E-015	9.1752E-014
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	5.4137E-016	7.5716E-015
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	8.5889E-010	2.3250E-009
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.0372E-010	1.6311E-009
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.9748E-011	8.2038E-011
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.6829E-011	1.5567E-010
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorobenzene	7.0260E-013	9.8266E-012
RCPTR_30	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.3906E-013	3.3436E-012
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorophenol	5.1262E-011	7.1695E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Phenanthrene	1.2401E-014	1.7343E-013
RCPTR_30	farmer_adult	TOCDFMPF	Phenol	8.6995E-015	1.2167E-013
RCPTR_30	farmer_adult	TOCDFMPF	Pronamide	9.4689E-013	1.3243E-011
RCPTR_30	farmer_adult	TOCDFMPF	Pyrene	6.4155E-010	4.8698E-009
RCPTR_30	farmer_adult	TOCDFMPF	Selenium	2.7267E-010	3.8135E-009
RCPTR_30	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Styrene	1.5890E-015	2.2223E-014
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.6587E-011	7.4301E-011
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.9302E-010	8.2284E-010
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.0038E-012	1.4039E-011
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	6.6430E-016	9.2909E-015
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	6.2576E-017	8.7519E-016
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.9208E-012	6.8822E-011
RCPTR_30	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Toluene	1.0712E-016	1.4981E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.2340E-014	4.5231E-013
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	4.0169E-017	5.6180E-016
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	3.0296E-016	4.2372E-015
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethylene	4.9944E-017	6.9852E-016
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.3863E-016	1.9389E-015
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	3.5480E-012	4.9622E-011
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.4889E-013	9.0754E-012
RCPTR_30	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.1278E-015	1.5773E-014
RCPTR_30	farmer_adult	TOCDFMPF	Vinyl Chloride	2.6261E-020	3.6728E-019
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, m-	1.2954E-016	1.8118E-015
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, o-	1.4640E-016	2.0476E-015
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, p-	2.0013E-016	2.7990E-015
RCPTR_30	farmer_adult	TOCDFMPF	Zinc	1.5105E-008	1.8853E-007
RCPTR_30	farmer_adult	TOCDHVAC	Mustard	8.8951E-016	1.2441E-014
RCPTR_30	farmer_adult	TOCDLIC2	Acenaphthene	5.5681E-013	7.7875E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Acetone	1.5759E-017	2.2040E-016
RCPTR_30	farmer_adult	TOCDLIC2	Acetophenone	2.3401E-015	3.2729E-014
RCPTR_30	farmer_adult	TOCDLIC2	Aniline	1.3959E-016	1.9524E-015
RCPTR_30	farmer_adult	TOCDLIC2	Anthracene	1.1273E-011	1.5766E-010
RCPTR_30	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Benzene	8.8918E-017	1.2436E-015
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.0231E-009	9.7237E-009
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.0823E-009	1.1330E-008
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.8099E-009	2.7622E-008
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	3.9096E-009	1.6492E-008
RCPTR_30	farmer_adult	TOCDLIC2	Benzoic acid	5.3499E-015	7.4823E-014
RCPTR_30	farmer_adult	TOCDLIC2	Benzyl alcohol	5.0754E-013	7.0985E-012
RCPTR_30	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	3.1833E-015	4.4522E-014
RCPTR_30	farmer_adult	TOCDLIC2	Bromodichloromethane	3.2017E-018	4.4780E-017
RCPTR_30	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	5.8725E-015	8.2133E-014
RCPTR_30	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.1147E-010	2.9680E-009
RCPTR_30	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.0865E-012	1.5195E-011
RCPTR_30	farmer_adult	TOCDLIC2	Cadmium	1.5877E-008	1.8692E-007
RCPTR_30	farmer_adult	TOCDLIC2	Carbon disulfide	2.0853E-017	2.9164E-016
RCPTR_30	farmer_adult	TOCDLIC2	Carbon tetrachloride	4.2742E-016	5.9778E-015
RCPTR_30	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	2.6498E-013	3.7060E-012
RCPTR_30	farmer_adult	TOCDLIC2	Chloroaniline, p-	1.4926E-014	2.0875E-013
RCPTR_30	farmer_adult	TOCDLIC2	Chlorobenzene	1.7293E-016	2.4187E-015
RCPTR_30	farmer_adult	TOCDLIC2	Chloroethane	1.8164E-019	2.5404E-018
RCPTR_30	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.6547E-016	2.3143E-015
RCPTR_30	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.4954E-012	2.0914E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenol, 2-	4.1890E-014	5.8588E-013
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.1511E-012	3.0086E-011
RCPTR_30	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Chrysene	1.5346E-009	1.1587E-008
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	7.0938E-013	9.9214E-012
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-octylphthalate	2.7003E-008	3.7766E-007
RCPTR_30	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.2969E-008	9.8021E-008
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	2.1076E-015	2.9477E-014
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	2.5970E-015	3.6321E-014
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	2.4550E-015	3.4336E-014
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.5356E-012	2.1477E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.3674E-020	1.9124E-019
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.5131E-019	7.7106E-018
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.2069E-018	5.8838E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.1067E-019	2.9464E-018
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.0837E-018	2.9143E-017
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.7068E-013	2.3872E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.1832E-017	1.6549E-016
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.9654E-018	5.5461E-017
RCPTR_30	farmer_adult	TOCDLIC2	Diethyl phthalate	1.1131E-013	1.5568E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dimethyl phthalate	3.4778E-013	4.8641E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	2.8733E-014	4.0186E-013
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	9.7365E-015	1.3617E-013
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	2.5671E-014	3.5904E-013
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.9817E-014	2.7716E-013
RCPTR_30	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	5.9132E-016	8.2702E-015
RCPTR_30	farmer_adult	TOCDLIC2	Ethylbenzene	4.1442E-017	5.7961E-016
RCPTR_30	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.8692E-012	2.6143E-011
RCPTR_30	farmer_adult	TOCDLIC2	Fluoranthene	1.7165E-010	2.1452E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Fluorene	2.2920E-012	3.2057E-011
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.4239E-011	1.4662E-010
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.1304E-010	3.0670E-010
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.6305E-010	4.4239E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.8841E-010	7.8072E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.7058E-010	4.6413E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.8182E-011	2.3993E-010
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.6743E-010	1.0014E-009
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.8064E-010	1.0349E-009
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.8700E-010	5.0904E-010
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.5941E-014	7.8240E-013
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.4352E-010	2.0031E-009
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.5591E-013	2.1806E-012
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.8384E-014	3.9698E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.3117E-008	2.0387E-007
RCPTR_30	farmer_adult	TOCDLIC2	Isophorone	4.2888E-015	5.9984E-014
RCPTR_30	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Mercuric chloride	3.6115E-008	3.8015E-008
RCPTR_30	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.3225E-019	3.2483E-018
RCPTR_30	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	4.0890E-019	5.7189E-018
RCPTR_30	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.2080E-016	4.4868E-015
RCPTR_30	farmer_adult	TOCDLIC2	Methyl mercury	9.6886E-011	1.1480E-010
RCPTR_30	farmer_adult	TOCDLIC2	Methylene chloride	4.2136E-017	5.8931E-016
RCPTR_30	farmer_adult	TOCDLIC2	Mustard	4.6007E-016	6.4346E-015
RCPTR_30	farmer_adult	TOCDLIC2	Naphthalene	3.1310E-015	4.3790E-014
RCPTR_30	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 2-	7.3331E-014	1.0256E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 3-	1.7308E-014	2.4206E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 4-	2.2362E-014	3.1276E-013
RCPTR_30	farmer_adult	TOCDLIC2	Nitrobenzene	7.2636E-015	1.0159E-013
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 2-	3.3027E-015	4.6192E-014
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.1496E-014	4.4051E-013
RCPTR_30	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.1806E-015	5.8470E-014
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	4.3037E-015	6.0191E-014
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	3.5515E-016	4.9671E-015
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.3489E-011	3.6515E-011
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	5.3188E-012	1.4371E-011
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.6947E-010	1.5704E-009
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.4807E-010	2.3231E-009
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorobenzene	2.3088E-012	3.2290E-011
RCPTR_30	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.5712E-013	2.1974E-012
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorophenol	6.7257E-012	9.4066E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Phenanthrene	8.1350E-015	1.1378E-013
RCPTR_30	farmer_adult	TOCDLIC2	Phenol	5.7070E-015	7.9818E-014
RCPTR_30	farmer_adult	TOCDLIC2	Pronamide	6.2118E-013	8.6878E-012
RCPTR_30	farmer_adult	TOCDLIC2	Pyrene	4.2087E-010	3.1947E-009
RCPTR_30	farmer_adult	TOCDLIC2	Selenium	1.5555E-008	2.1755E-007
RCPTR_30	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Styrene	6.9881E-014	9.7736E-013
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.2268E-010	6.2232E-010
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	2.9648E-010	8.3254E-010
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.5848E-013	9.2096E-012
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	2.1929E-017	3.0670E-016
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	8.1505E-018	1.1399E-016
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.2340E-012	4.5231E-011
RCPTR_30	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Toluene	1.6011E-016	2.2393E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.1216E-014	2.9672E-013
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	6.8630E-017	9.5986E-016
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	6.1826E-017	8.6470E-016
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethylene	1.0192E-017	1.4255E-016
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.3472E-018	1.8842E-017
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	2.3275E-012	3.2553E-011
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	4.2568E-013	5.9536E-012
RCPTR_30	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.3015E-016	3.2189E-015
RCPTR_30	farmer_adult	TOCDLIC2	Vinyl Chloride	9.5977E-021	1.3423E-019
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, m-	2.6971E-016	3.7722E-015
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, o-	3.0482E-016	4.2632E-015
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, p-	4.1667E-016	5.8276E-015
RCPTR_30	farmer_adult	TOCDLIC2	Zinc	5.3074E-008	6.6242E-007
RCPTR_30	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Cadmium	5.6495E-008	1.0617E-007
RCPTR_30	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Mercuric chloride	3.0952E-005	4.0669E-005
RCPTR_30	farmer_child	TOCDFBRA	Methyl mercury	9.2885E-008	1.2282E-007
RCPTR_30	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Selenium	3.9562E-008	8.2996E-008
RCPTR_30	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFBRA	Zinc	1.9283E-007	3.7395E-007
RCPTR_30	farmer_child	TOCDFDFS	Acenaphthene	1.7889E-011	3.7530E-011
RCPTR_30	farmer_child	TOCDFDFS	Acetone	1.5570E-016	3.2664E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Acetophenone	7.9045E-014	1.6583E-013
RCPTR_30	farmer_child	TOCDFDFS	Aniline	4.4850E-015	9.4091E-015
RCPTR_30	farmer_child	TOCDFDFS	Anthracene	3.6219E-010	7.5983E-010
RCPTR_30	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Aroclor 1254	5.5195E-012	1.1579E-011
RCPTR_30	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Benzene	5.7139E-016	1.1987E-015
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)anthracene	2.7291E-008	4.6941E-008
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.1289E-008	5.5779E-008
RCPTR_30	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	7.6688E-008	1.3348E-007
RCPTR_30	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.6194E-008	8.1947E-008
RCPTR_30	farmer_child	TOCDFDFS	Benzoic acid	4.9756E-014	1.0438E-013
RCPTR_30	farmer_child	TOCDFDFS	Benzyl alcohol	1.0192E-013	2.1381E-013
RCPTR_30	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.0228E-013	2.1456E-013
RCPTR_30	farmer_child	TOCDFDFS	Bromodichloromethane	1.8460E-016	3.8727E-016
RCPTR_30	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	2.9922E-014	6.2774E-014
RCPTR_30	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	8.3084E-009	1.4304E-008
RCPTR_30	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.4923E-011	7.3266E-011
RCPTR_30	farmer_child	TOCDFDFS	Cadmium	2.4342E-008	4.5745E-008
RCPTR_30	farmer_child	TOCDFDFS	Carbon disulfide	1.0164E-016	2.1323E-016
RCPTR_30	farmer_child	TOCDFDFS	Carbon tetrachloride	1.6684E-016	3.5001E-016
RCPTR_30	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	8.5134E-012	1.7860E-011
RCPTR_30	farmer_child	TOCDFDFS	Chloroaniline, p-	4.7954E-013	1.0060E-012
RCPTR_30	farmer_child	TOCDFDFS	Chlorobenzene	9.8070E-016	2.0574E-015
RCPTR_30	farmer_child	TOCDFDFS	Chloroethane	2.8214E-018	5.9190E-018
RCPTR_30	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.2704E-016	2.6651E-016
RCPTR_30	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.8044E-011	1.0079E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.3459E-012	2.8235E-012
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.9114E-011	1.4499E-010
RCPTR_30	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Chrysene	3.4812E-008	5.6052E-008
RCPTR_30	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.4750E-010	3.0943E-010
RCPTR_30	farmer_child	TOCDFDFS	Di-n-octylphthalate	5.6208E-006	1.1792E-005
RCPTR_30	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	3.0937E-007	4.9824E-007
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	6.7714E-014	1.4206E-013
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	8.3437E-014	1.7504E-013
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	7.8876E-014	1.6547E-013
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	9.8897E-011	2.0748E-010
RCPTR_30	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.2322E-019	4.6830E-019
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.2939E-017	1.1106E-016
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5345E-017	1.3709E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.0229E-017	4.2439E-017
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.2366E-017	6.7900E-017
RCPTR_30	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	5.4838E-012	1.1504E-011
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.8379E-016	3.8557E-016
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.9742E-017	1.2533E-016
RCPTR_30	farmer_child	TOCDFDFS	Diethyl phthalate	2.3140E-011	4.8546E-011
RCPTR_30	farmer_child	TOCDFDFS	Dimethyl phthalate	1.1793E-012	2.4740E-012
RCPTR_30	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	9.2314E-013	1.9367E-012
RCPTR_30	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	3.1281E-013	6.5624E-013
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	8.2478E-013	1.7303E-012
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	6.3670E-013	1.3357E-012
RCPTR_30	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.8998E-014	3.9857E-014
RCPTR_30	farmer_child	TOCDFDFS	Ethylbenzene	6.1359E-016	1.2872E-015
RCPTR_30	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	7.8407E-012	1.6449E-011
RCPTR_30	farmer_child	TOCDFDFS	Fluoranthene	5.3274E-009	1.0339E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Fluorene	7.3640E-011	1.5449E-010
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2733E-011	1.7772E-011
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.0178E-012	9.7979E-012
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.3549E-011	1.8917E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.8209E-010	2.5418E-010
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.0633E-010	1.4848E-010
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.1131E-011	7.1403E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	7.1574E-011	9.9966E-011
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	7.7101E-011	1.0766E-010
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.0907E-011	5.7128E-011
RCPTR_30	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.7973E-012	3.7706E-012
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorobenzene	4.6102E-009	9.6537E-009
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	5.0092E-012	1.0509E-011
RCPTR_30	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	9.1193E-013	1.9131E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.1723E-007	1.0365E-006
RCPTR_30	farmer_child	TOCDFDFS	Isophorone	1.3779E-013	2.8908E-013
RCPTR_30	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Mercuric chloride	1.1919E-008	1.5661E-008
RCPTR_30	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.2866E-018	4.7971E-018
RCPTR_30	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	4.4989E-019	9.4382E-019
RCPTR_30	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.1175E-015	2.3443E-015
RCPTR_30	farmer_child	TOCDFDFS	Methyl mercury	3.5768E-011	4.7294E-011
RCPTR_30	farmer_child	TOCDFDFS	Methylene chloride	6.7648E-017	1.4192E-016
RCPTR_30	farmer_child	TOCDFDFS	Mustard	8.0853E-015	1.6962E-014
RCPTR_30	farmer_child	TOCDFDFS	Naphthalene	6.5091E-013	1.3655E-012
RCPTR_30	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 2-	2.3559E-012	4.9425E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 3-	5.5604E-013	1.1665E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 4-	7.1843E-013	1.5072E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitrobenzene	2.3337E-013	4.8959E-013
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.0611E-013	2.2261E-013
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.0119E-012	2.1228E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.3432E-013	2.8178E-013
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.3827E-013	2.9008E-013
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.1410E-014	2.3938E-014
RCPTR_30	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.4508E-012	4.8169E-012
RCPTR_30	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4504E-012	2.0243E-012
RCPTR_30	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9025E-010	4.0578E-010
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	3.5890E-010	5.0148E-010
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorobenzene	1.4809E-011	3.1067E-011
RCPTR_30	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	5.0477E-012	1.0590E-011
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorophenol	1.0823E-009	2.2707E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Phenanthrene	2.6137E-013	5.4832E-013
RCPTR_30	farmer_child	TOCDFDFS	Phenol	1.8336E-013	3.8467E-013
RCPTR_30	farmer_child	TOCDFDFS	Pronamide	1.9958E-011	4.1869E-011
RCPTR_30	farmer_child	TOCDFDFS	Pyrene	9.5503E-009	1.5397E-008
RCPTR_30	farmer_child	TOCDFDFS	Selenium	4.0720E-009	8.5426E-009
RCPTR_30	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Styrene	7.2852E-015	1.5284E-014
RCPTR_30	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.6552E-010	3.7161E-010
RCPTR_30	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.8019E-010	3.9230E-010
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.1156E-011	4.4384E-011
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0345E-013	2.1702E-013
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9836E-016	4.1613E-016
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.0390E-010	2.1797E-010
RCPTR_30	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Toluene	2.6661E-016	5.5932E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	6.8163E-013	1.4300E-012
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.6430E-016	3.4468E-016
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	9.6033E-016	2.0147E-015
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethylene	1.5831E-016	3.3213E-016
RCPTR_30	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.1993E-017	4.6139E-017
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	7.4780E-011	1.5688E-010
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	6.8746E-011	1.4422E-010
RCPTR_30	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.5749E-015	7.4997E-015
RCPTR_30	farmer_child	TOCDFDFS	Vinyl Chloride	4.9736E-020	1.0434E-019
RCPTR_30	farmer_child	TOCDFDFS	Xylene, m-	9.4204E-016	1.9763E-015
RCPTR_30	farmer_child	TOCDFDFS	Xylene, o-	9.3011E-016	1.9513E-015
RCPTR_30	farmer_child	TOCDFDFS	Xylene, p-	1.4553E-015	3.0531E-015
RCPTR_30	farmer_child	TOCDFDFS	Zinc	3.7427E-008	7.2584E-008
RCPTR_30	farmer_child	TOCDFLIC	Acenaphthene	3.7121E-012	7.7875E-012
RCPTR_30	farmer_child	TOCDFLIC	Acetone	1.0506E-016	2.2040E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Acetophenone	1.5601E-014	3.2729E-014
RCPTR_30	farmer_child	TOCDFLIC	Aniline	9.3063E-016	1.9524E-015
RCPTR_30	farmer_child	TOCDFLIC	Anthracene	7.5154E-011	1.5766E-010
RCPTR_30	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Benzene	5.9279E-016	1.2436E-015
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.6532E-009	9.7237E-009
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)pyrene	6.3556E-009	1.1330E-008
RCPTR_30	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.5870E-008	2.7622E-008
RCPTR_30	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	1.1309E-008	1.6492E-008
RCPTR_30	farmer_child	TOCDFLIC	Benzoic acid	3.5666E-014	7.4823E-014
RCPTR_30	farmer_child	TOCDFLIC	Benzyl alcohol	3.3836E-012	7.0985E-012
RCPTR_30	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.1222E-014	4.4522E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Bromodichloromethane	2.1345E-017	4.4780E-017
RCPTR_30	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.9150E-014	8.2133E-014
RCPTR_30	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.7240E-009	2.9680E-009
RCPTR_30	farmer_child	TOCDFLIC	Butylbenzylphthalate	7.2431E-012	1.5195E-011
RCPTR_30	farmer_child	TOCDFLIC	Cadmium	9.9461E-008	1.8692E-007
RCPTR_30	farmer_child	TOCDFLIC	Carbon disulfide	1.3902E-016	2.9164E-016
RCPTR_30	farmer_child	TOCDFLIC	Carbon tetrachloride	2.8494E-015	5.9778E-015
RCPTR_30	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.7665E-012	3.7060E-012
RCPTR_30	farmer_child	TOCDFLIC	Chloroaniline, p-	9.9504E-014	2.0875E-013
RCPTR_30	farmer_child	TOCDFLIC	Chlorobenzene	1.1529E-015	2.4187E-015
RCPTR_30	farmer_child	TOCDFLIC	Chloroethane	1.2109E-018	2.5404E-018
RCPTR_30	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.1032E-015	2.3143E-015
RCPTR_30	farmer_child	TOCDFLIC	Chloronaphthalene,2-	9.9692E-012	2.0914E-011
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.7927E-013	5.8588E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.4341E-011	3.0086E-011
RCPTR_30	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Chrysene	7.1962E-009	1.1587E-008
RCPTR_30	farmer_child	TOCDFLIC	Di-n-butyl phthalate	4.7292E-012	9.9214E-012
RCPTR_30	farmer_child	TOCDFLIC	Di-n-octylphthalate	1.8002E-007	3.7766E-007
RCPTR_30	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.0863E-008	9.8021E-008
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.4051E-014	2.9477E-014
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.7313E-014	3.6321E-014
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.6367E-014	3.4336E-014
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.0238E-011	2.1477E-011
RCPTR_30	farmer_child	TOCDFLIC	Dichlorodifluoromethane	9.1159E-020	1.9124E-019
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane 1,1-	3.6754E-018	7.7106E-018
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8046E-017	5.8838E-017
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.4044E-018	2.9464E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.3891E-017	2.9143E-017
RCPTR_30	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.1379E-012	2.3872E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	7.8883E-017	1.6549E-016
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.6436E-017	5.5461E-017
RCPTR_30	farmer_child	TOCDFLIC	Diethyl phthalate	7.4206E-013	1.5568E-012
RCPTR_30	farmer_child	TOCDFLIC	Dimethyl phthalate	2.3186E-012	4.8641E-012
RCPTR_30	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.9155E-013	4.0186E-013
RCPTR_30	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.4910E-014	1.3617E-013
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.7114E-013	3.5904E-013
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.3211E-013	2.7716E-013
RCPTR_30	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.9421E-015	8.2702E-015
RCPTR_30	farmer_child	TOCDFLIC	Ethylbenzene	2.7628E-016	5.7961E-016
RCPTR_30	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.2461E-011	2.6143E-011
RCPTR_30	farmer_child	TOCDFLIC	Fluoranthene	1.1053E-009	2.1452E-009
RCPTR_30	farmer_child	TOCDFLIC	Fluorene	1.5280E-011	3.2057E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0505E-010	1.4662E-010
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	2.1967E-010	3.0670E-010
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	3.1686E-010	4.4239E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.5930E-010	7.8072E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.3236E-010	4.6413E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.7181E-010	2.3993E-010
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	7.1702E-010	1.0014E-009
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	7.4112E-010	1.0349E-009
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.6450E-010	5.0904E-010
RCPTR_30	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.7294E-013	7.8240E-013
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorobenzene	9.5661E-010	2.0031E-009
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.0394E-012	2.1806E-012
RCPTR_30	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.8923E-013	3.9698E-013
RCPTR_30	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2141E-007	2.0387E-007
RCPTR_30	farmer_child	TOCDFLIC	Isophorone	2.8592E-014	5.9984E-014
RCPTR_30	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Mercuric chloride	2.8932E-008	3.8015E-008
RCPTR_30	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.5484E-018	3.2483E-018
RCPTR_30	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.7260E-018	5.7189E-018
RCPTR_30	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.1387E-015	4.4868E-015
RCPTR_30	farmer_child	TOCDFLIC	Methyl mercury	8.6825E-011	1.1480E-010
RCPTR_30	farmer_child	TOCDFLIC	Methylene chloride	2.8090E-016	5.8931E-016
RCPTR_30	farmer_child	TOCDFLIC	Mustard	2.9503E-015	6.1895E-015
RCPTR_30	farmer_child	TOCDFLIC	Naphthalene	2.0873E-014	4.3790E-014
RCPTR_30	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 2-	4.8887E-013	1.0256E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.1538E-013	2.4206E-013
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.4908E-013	3.1276E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Nitrobenzene	4.8424E-014	1.0159E-013
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.2018E-014	4.6192E-014
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.0997E-014	4.4051E-014
RCPTR_30	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.7871E-014	5.8470E-014
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.8691E-014	6.0191E-014
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.3677E-015	4.9671E-015
RCPTR_30	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.6159E-011	3.6515E-011
RCPTR_30	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0297E-011	1.4371E-011
RCPTR_30	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1233E-009	1.5704E-009
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.6626E-009	2.3231E-009
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorobenzene	1.5392E-011	3.2290E-011
RCPTR_30	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.0474E-012	2.1974E-012
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorophenol	4.4838E-011	9.4066E-011
RCPTR_30	farmer_child	TOCDFLIC	Phenanthrene	5.4233E-014	1.1378E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Phenol	3.8047E-014	7.9818E-014
RCPTR_30	farmer_child	TOCDFLIC	Pronamide	4.1412E-012	8.6878E-012
RCPTR_30	farmer_child	TOCDFLIC	Pyrene	1.9815E-009	3.1947E-009
RCPTR_30	farmer_child	TOCDFLIC	Selenium	1.0370E-007	2.1755E-007
RCPTR_30	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Styrene	4.6587E-013	9.7736E-013
RCPTR_30	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	4.4464E-010	6.2232E-010
RCPTR_30	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.9461E-010	8.3254E-010
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.3899E-012	9.2096E-012
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.4619E-016	3.0670E-016
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.4337E-017	1.1399E-016
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.1560E-011	4.5231E-011
RCPTR_30	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Toluene	1.0674E-015	2.2393E-015
RCPTR_30	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.4144E-013	2.9672E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.5753E-016	9.5986E-016
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.1217E-016	8.6470E-016
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethylene	6.7948E-017	1.4255E-016
RCPTR_30	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	8.9814E-018	1.8842E-017
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.5517E-011	3.2553E-011
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.8379E-012	5.9536E-012
RCPTR_30	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.5343E-015	3.2189E-015
RCPTR_30	farmer_child	TOCDFLIC	Vinyl Chloride	6.3985E-020	1.3423E-019
RCPTR_30	farmer_child	TOCDFLIC	Xylene, m-	8.6528E-016	1.8153E-015
RCPTR_30	farmer_child	TOCDFLIC	Xylene, o-	9.7789E-016	2.0515E-015
RCPTR_30	farmer_child	TOCDFLIC	Xylene, p-	1.3367E-015	2.8043E-015
RCPTR_30	farmer_child	TOCDFLIC	Zinc	3.4157E-007	6.6242E-007
RCPTR_30	farmer_child	TOCDFMPF	Acenaphthene	5.6585E-012	1.1871E-011
RCPTR_30	farmer_child	TOCDFMPF	Acetone	3.8265E-016	8.0276E-016
RCPTR_30	farmer_child	TOCDFMPF	Acetophenone	2.4914E-014	5.2267E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Aniline	1.4186E-015	2.9761E-015
RCPTR_30	farmer_child	TOCDFMPF	Anthracene	1.1456E-010	2.4034E-010
RCPTR_30	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Aroclor 1254	3.2290E-012	6.7741E-012
RCPTR_30	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Benzene	5.2829E-016	1.1083E-015
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)anthracene	8.6183E-009	1.4824E-008
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)pyrene	9.7002E-009	1.7292E-008
RCPTR_30	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.4196E-008	4.2113E-008
RCPTR_30	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.7270E-008	2.5185E-008
RCPTR_30	farmer_child	TOCDFMPF	Benzoic acid	1.5738E-013	3.3017E-013
RCPTR_30	farmer_child	TOCDFMPF	Benzyl alcohol	3.2236E-014	6.7629E-014
RCPTR_30	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	3.2350E-014	6.7867E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Bromodichloromethane	6.4661E-016	1.3565E-015
RCPTR_30	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	2.2804E-014	4.7840E-014
RCPTR_30	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.6280E-009	4.5242E-009
RCPTR_30	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.1041E-011	2.3164E-011
RCPTR_30	farmer_child	TOCDFMPF	Cadmium	4.5399E-007	8.5318E-007
RCPTR_30	farmer_child	TOCDFMPF	Carbon disulfide	5.0680E-017	1.0632E-016
RCPTR_30	farmer_child	TOCDFMPF	Carbon tetrachloride	4.9493E-016	1.0383E-015
RCPTR_30	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.6928E-012	5.6492E-012
RCPTR_30	farmer_child	TOCDFMPF	Chloroaniline, p-	1.5168E-013	3.1821E-013
RCPTR_30	farmer_child	TOCDFMPF	Chlorobenzene	2.0626E-015	4.3271E-015
RCPTR_30	farmer_child	TOCDFMPF	Chloroethane	1.1899E-017	2.4962E-017
RCPTR_30	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	3.4592E-016	7.2571E-016
RCPTR_30	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.5197E-011	3.1881E-011
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenol, 2-	4.2570E-013	8.9309E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.1861E-011	4.5862E-011
RCPTR_30	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Chrysene	1.0972E-008	1.7666E-008
RCPTR_30	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.6647E-011	9.7861E-011
RCPTR_30	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.7757E-006	3.7253E-006
RCPTR_30	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	9.2975E-008	1.4974E-007
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	2.1418E-014	4.4933E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	2.6391E-014	5.5367E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	2.4949E-014	5.2340E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.1308E-011	6.5682E-011
RCPTR_30	farmer_child	TOCDFMPF	Dichlorodifluoromethane	7.4762E-019	1.5684E-018
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.1134E-016	2.3358E-016
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3743E-016	2.8832E-016
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	4.2545E-017	8.9256E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	6.8070E-017	1.4280E-016
RCPTR_30	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.7345E-012	3.6389E-012
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	3.8654E-016	8.1092E-016
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.2565E-016	2.6359E-016
RCPTR_30	farmer_child	TOCDFMPF	Diethyl phthalate	7.3193E-012	1.5355E-011
RCPTR_30	farmer_child	TOCDFMPF	Dimethyl phthalate	2.4688E-013	5.1793E-013
RCPTR_30	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	2.9199E-013	6.1257E-013
RCPTR_30	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	9.8766E-014	2.0720E-013
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	2.6088E-013	5.4730E-013
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	2.0139E-013	4.2249E-013
RCPTR_30	farmer_child	TOCDFMPF	Ethyl methanesulfonate	6.0092E-015	1.2607E-014
RCPTR_30	farmer_child	TOCDFMPF	Ethylbenzene	1.2905E-015	2.7073E-015
RCPTR_30	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	2.2477E-012	4.7156E-012
RCPTR_30	farmer_child	TOCDFMPF	Fluoranthene	1.6849E-009	3.2700E-009
RCPTR_30	farmer_child	TOCDFMPF	Fluorene	2.3293E-011	4.8865E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	4.0980E-010	5.7197E-010
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.4568E-010	4.8263E-010
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.7119E-010	5.1824E-010
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.5982E-010	2.2309E-010
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.3920E-011	1.0323E-010
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.0625E-011	5.6732E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.4174E-010	1.9797E-010
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	7.1538E-011	9.9895E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.3003E-011	4.6090E-011
RCPTR_30	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	5.6850E-013	1.1926E-012
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorobenzene	1.4582E-009	3.0535E-009
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.5844E-012	3.3240E-012
RCPTR_30	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.8845E-013	6.0513E-013
RCPTR_30	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.8547E-007	3.1144E-007
RCPTR_30	farmer_child	TOCDFMPF	Isophorone	4.3585E-014	9.1436E-014
RCPTR_30	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Mercuric chloride	4.9052E-007	6.4450E-007
RCPTR_30	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	7.9891E-018	1.6760E-017
RCPTR_30	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.6399E-019	9.7341E-019
RCPTR_30	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.3249E-016	9.0731E-016
RCPTR_30	farmer_child	TOCDFMPF	Methyl mercury	1.4720E-009	1.9464E-009
RCPTR_30	farmer_child	TOCDFMPF	Methylene chloride	2.2029E-016	4.6214E-016
RCPTR_30	farmer_child	TOCDFMPF	Mustard	2.0933E-014	4.3916E-014
RCPTR_30	farmer_child	TOCDFMPF	Naphthalene	2.0588E-013	4.3192E-013
RCPTR_30	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 2-	7.4387E-013	1.5606E-012
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.7557E-013	3.6832E-013
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.2684E-013	4.7589E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Nitrobenzene	7.3815E-014	1.5486E-013
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.3564E-014	7.0413E-014
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 4-	3.1950E-013	6.7027E-013
RCPTR_30	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.2485E-014	8.9129E-014
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	4.3735E-014	9.1752E-014
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	3.6091E-015	7.5716E-015
RCPTR_30	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.6656E-009	2.3250E-009
RCPTR_30	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.1687E-009	1.6311E-009
RCPTR_30	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.8681E-011	8.2038E-011
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.1141E-010	1.5567E-010
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorobenzene	4.6840E-012	9.8266E-012
RCPTR_30	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.5938E-012	3.3436E-012
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorophenol	3.4174E-010	7.1695E-010
RCPTR_30	farmer_child	TOCDFMPF	Phenanthrene	8.2670E-014	1.7343E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Phenol	5.7997E-014	1.2167E-013
RCPTR_30	farmer_child	TOCDFMPF	Pronamide	6.3126E-012	1.3243E-011
RCPTR_30	farmer_child	TOCDFMPF	Pyrene	3.0206E-009	4.8698E-009
RCPTR_30	farmer_child	TOCDFMPF	Selenium	1.8178E-009	3.8135E-009
RCPTR_30	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Styrene	1.0593E-014	2.2223E-014
RCPTR_30	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	5.3088E-011	7.4301E-011
RCPTR_30	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	5.8768E-010	8.2284E-010
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	6.6917E-012	1.4039E-011
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	4.4286E-015	9.2909E-015
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.1718E-016	8.7519E-016
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.2805E-011	6.8822E-011
RCPTR_30	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Toluene	7.1410E-016	1.4981E-015
RCPTR_30	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.1560E-013	4.5231E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.6779E-016	5.6180E-016
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	2.0197E-015	4.2372E-015
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethylene	3.3296E-016	6.9852E-016
RCPTR_30	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.2421E-016	1.9389E-015
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.3653E-011	4.9622E-011
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.3259E-012	9.0754E-012
RCPTR_30	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	7.5185E-015	1.5773E-014
RCPTR_30	farmer_child	TOCDFMPF	Vinyl Chloride	1.7507E-019	3.6728E-019
RCPTR_30	farmer_child	TOCDFMPF	Xylene, m-	8.6362E-016	1.8118E-015
RCPTR_30	farmer_child	TOCDFMPF	Xylene, o-	9.7602E-016	2.0476E-015
RCPTR_30	farmer_child	TOCDFMPF	Xylene, p-	1.3342E-015	2.7990E-015
RCPTR_30	farmer_child	TOCDFMPF	Zinc	9.7216E-008	1.8853E-007
RCPTR_30	farmer_child	TOCDHVAC	Mustard	5.9301E-015	1.2441E-014
RCPTR_30	farmer_child	TOCDLIC2	Acenaphthene	3.7121E-012	7.7875E-012
RCPTR_30	farmer_child	TOCDLIC2	Acetone	1.0506E-016	2.2040E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Acetophenone	1.5601E-014	3.2729E-014
RCPTR_30	farmer_child	TOCDLIC2	Aniline	9.3063E-016	1.9524E-015
RCPTR_30	farmer_child	TOCDLIC2	Anthracene	7.5154E-011	1.5766E-010
RCPTR_30	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Benzene	5.9279E-016	1.2436E-015
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)anthracene	5.6532E-009	9.7237E-009
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)pyrene	6.3556E-009	1.1330E-008
RCPTR_30	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.5870E-008	2.7622E-008
RCPTR_30	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.1309E-008	1.6492E-008
RCPTR_30	farmer_child	TOCDLIC2	Benzoic acid	3.5666E-014	7.4823E-014
RCPTR_30	farmer_child	TOCDLIC2	Benzyl alcohol	3.3836E-012	7.0985E-012
RCPTR_30	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.1222E-014	4.4522E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Bromodichloromethane	2.1345E-017	4.4780E-017
RCPTR_30	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.9150E-014	8.2133E-014
RCPTR_30	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.7240E-009	2.9680E-009
RCPTR_30	farmer_child	TOCDLIC2	Butylbenzylphthalate	7.2431E-012	1.5195E-011
RCPTR_30	farmer_child	TOCDLIC2	Cadmium	9.9461E-008	1.8692E-007
RCPTR_30	farmer_child	TOCDLIC2	Carbon disulfide	1.3902E-016	2.9164E-016
RCPTR_30	farmer_child	TOCDLIC2	Carbon tetrachloride	2.8494E-015	5.9778E-015
RCPTR_30	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.7665E-012	3.7060E-012
RCPTR_30	farmer_child	TOCDLIC2	Chloroaniline, p-	9.9504E-014	2.0875E-013
RCPTR_30	farmer_child	TOCDLIC2	Chlorobenzene	1.1529E-015	2.4187E-015
RCPTR_30	farmer_child	TOCDLIC2	Chloroethane	1.2109E-018	2.5404E-018
RCPTR_30	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.1032E-015	2.3143E-015
RCPTR_30	farmer_child	TOCDLIC2	Chloronaphthalene,2-	9.9692E-012	2.0914E-011
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenol, 2-	2.7927E-013	5.8588E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.4341E-011	3.0086E-011
RCPTR_30	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Chrysene	7.1962E-009	1.1587E-008
RCPTR_30	farmer_child	TOCDLIC2	Di-n-butyl phthalate	4.7292E-012	9.9214E-012
RCPTR_30	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.8002E-007	3.7766E-007
RCPTR_30	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.0863E-008	9.8021E-008
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.4051E-014	2.9477E-014
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.7313E-014	3.6321E-014
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.6367E-014	3.4336E-014
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.0238E-011	2.1477E-011
RCPTR_30	farmer_child	TOCDLIC2	Dichlorodifluoromethane	9.1159E-020	1.9124E-019
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.6754E-018	7.7106E-018
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8046E-017	5.8838E-017
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.4044E-018	2.9464E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.3891E-017	2.9143E-017
RCPTR_30	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.1379E-012	2.3872E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	7.8883E-017	1.6549E-016
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.6436E-017	5.5461E-017
RCPTR_30	farmer_child	TOCDLIC2	Diethyl phthalate	7.4206E-013	1.5568E-012
RCPTR_30	farmer_child	TOCDLIC2	Dimethyl phthalate	2.3186E-012	4.8641E-012
RCPTR_30	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.9155E-013	4.0186E-013
RCPTR_30	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	6.4910E-014	1.3617E-013
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.7114E-013	3.5904E-013
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.3211E-013	2.7716E-013
RCPTR_30	farmer_child	TOCDLIC2	Ethyl methanesulfonate	3.9421E-015	8.2702E-015
RCPTR_30	farmer_child	TOCDLIC2	Ethylbenzene	2.7628E-016	5.7961E-016
RCPTR_30	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.2461E-011	2.6143E-011
RCPTR_30	farmer_child	TOCDLIC2	Fluoranthene	1.1053E-009	2.1452E-009
RCPTR_30	farmer_child	TOCDLIC2	Fluorene	1.5280E-011	3.2057E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.0505E-010	1.4662E-010
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.1967E-010	3.0670E-010
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.1686E-010	4.4239E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.5930E-010	7.8072E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.3236E-010	4.6413E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.7181E-010	2.3993E-010
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.1702E-010	1.0014E-009
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	7.4112E-010	1.0349E-009
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.6450E-010	5.0904E-010
RCPTR_30	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.7294E-013	7.8240E-013
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorobenzene	9.5661E-010	2.0031E-009
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.0394E-012	2.1806E-012
RCPTR_30	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.8923E-013	3.9698E-013
RCPTR_30	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2141E-007	2.0387E-007
RCPTR_30	farmer_child	TOCDLIC2	Isophorone	2.8592E-014	5.9984E-014
RCPTR_30	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Mercuric chloride	2.8932E-008	3.8015E-008
RCPTR_30	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.5484E-018	3.2483E-018
RCPTR_30	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	2.7260E-018	5.7189E-018
RCPTR_30	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.1387E-015	4.4868E-015
RCPTR_30	farmer_child	TOCDLIC2	Methyl mercury	8.6825E-011	1.1480E-010
RCPTR_30	farmer_child	TOCDLIC2	Methylene chloride	2.8090E-016	5.8931E-016
RCPTR_30	farmer_child	TOCDLIC2	Mustard	3.0671E-015	6.4346E-015
RCPTR_30	farmer_child	TOCDLIC2	Naphthalene	2.0873E-014	4.3790E-014
RCPTR_30	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 2-	4.8887E-013	1.0256E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.1538E-013	2.4206E-013
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.4908E-013	3.1276E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Nitrobenzene	4.8424E-014	1.0159E-013
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 2-	2.2018E-014	4.6192E-014
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.0997E-013	4.4051E-013
RCPTR_30	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.7871E-014	5.8470E-014
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	2.8691E-014	6.0191E-014
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	2.3677E-015	4.9671E-015
RCPTR_30	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.6159E-011	3.6515E-011
RCPTR_30	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0297E-011	1.4371E-011
RCPTR_30	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1233E-009	1.5704E-009
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.6626E-009	2.3231E-009
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorobenzene	1.5392E-011	3.2290E-011
RCPTR_30	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.0474E-012	2.1974E-012
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorophenol	4.4838E-011	9.4066E-011
RCPTR_30	farmer_child	TOCDLIC2	Phenanthrene	5.4233E-014	1.1378E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Phenol	3.8047E-014	7.9818E-014
RCPTR_30	farmer_child	TOCDLIC2	Pronamide	4.1412E-012	8.6878E-012
RCPTR_30	farmer_child	TOCDLIC2	Pyrene	1.9815E-009	3.1947E-009
RCPTR_30	farmer_child	TOCDLIC2	Selenium	1.0370E-007	2.1755E-007
RCPTR_30	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Styrene	4.6587E-013	9.7736E-013
RCPTR_30	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	4.4464E-010	6.2232E-010
RCPTR_30	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	5.9461E-010	8.3254E-010
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.3899E-012	9.2096E-012
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.4619E-016	3.0670E-016
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	5.4337E-017	1.1399E-016
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.1560E-011	4.5231E-011
RCPTR_30	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Toluene	1.0674E-015	2.2393E-015
RCPTR_30	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.4144E-013	2.9672E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	4.5753E-016	9.5986E-016
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.1217E-016	8.6470E-016
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethylene	6.7948E-017	1.4255E-016
RCPTR_30	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	8.9814E-018	1.8842E-017
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.5517E-011	3.2553E-011
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	2.8379E-012	5.9536E-012
RCPTR_30	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.5343E-015	3.2189E-015
RCPTR_30	farmer_child	TOCDLIC2	Vinyl Chloride	6.3985E-020	1.3423E-019
RCPTR_30	farmer_child	TOCDLIC2	Xylene, m-	1.7981E-015	3.7722E-015
RCPTR_30	farmer_child	TOCDLIC2	Xylene, o-	2.0321E-015	4.2632E-015
RCPTR_30	farmer_child	TOCDLIC2	Xylene, p-	2.7778E-015	5.8276E-015
RCPTR_30	farmer_child	TOCDLIC2	Zinc	3.4157E-007	6.6242E-007
RCPTR_31	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Cadmium	5.3212E-008	6.2646E-007
RCPTR_31	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Mercuric chloride	2.5489E-004	2.6830E-004
RCPTR_31	farmer_adult	TOCDFBRA	Methyl mercury	6.8380E-007	8.1025E-007
RCPTR_31	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Selenium	3.5015E-008	4.8972E-007
RCPTR_31	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFBRA	Zinc	1.7679E-007	2.2065E-006
RCPTR_31	farmer_adult	TOCDFDFS	Acenaphthene	1.1217E-011	1.5688E-010
RCPTR_31	farmer_adult	TOCDFDFS	Acetone	9.7622E-017	1.3653E-015
RCPTR_31	farmer_adult	TOCDFDFS	Acetophenone	4.9561E-014	6.9316E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Aniline	2.8121E-015	3.9330E-014
RCPTR_31	farmer_adult	TOCDFDFS	Anthracene	2.2709E-010	3.1761E-009
RCPTR_31	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Aroclor 1254	3.4595E-012	4.8384E-011
RCPTR_31	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Benzene	3.5826E-016	5.0107E-015
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.0506E-008	1.9488E-007
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.0403E-008	2.1360E-007
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	5.6153E-008	5.5201E-007
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	7.1483E-008	3.0154E-007
RCPTR_31	farmer_adult	TOCDFDFS	Benzoic acid	3.1197E-014	4.3632E-013
RCPTR_31	farmer_adult	TOCDFDFS	Benzyl alcohol	6.3902E-014	8.9373E-013
RCPTR_31	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.4127E-014	8.9688E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Bromodichloromethane	1.1574E-016	1.6188E-015
RCPTR_31	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.8761E-014	2.6240E-013
RCPTR_31	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	6.2745E-009	5.9788E-008
RCPTR_31	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.1855E-011	3.0566E-010
RCPTR_31	farmer_adult	TOCDFDFS	Cadmium	1.4723E-008	1.7333E-007
RCPTR_31	farmer_adult	TOCDFDFS	Carbon disulfide	6.3727E-017	8.9129E-016
RCPTR_31	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.0461E-016	1.4630E-015
RCPTR_31	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.3379E-012	7.4655E-011
RCPTR_31	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.0067E-013	4.2052E-012
RCPTR_31	farmer_adult	TOCDFDFS	Chlorobenzene	6.1490E-016	8.6000E-015
RCPTR_31	farmer_adult	TOCDFDFS	Chloroethane	1.7690E-018	2.4741E-017
RCPTR_31	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	7.9651E-017	1.1140E-015
RCPTR_31	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.0124E-011	4.2131E-010
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.4387E-013	1.1802E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.3334E-011	6.0607E-010
RCPTR_31	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Chrysene	3.0566E-008	2.3077E-007
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	9.2428E-011	1.2927E-009
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.5063E-006	4.9039E-005
RCPTR_31	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.5001E-007	1.8896E-006
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.2456E-014	5.9380E-013
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.2315E-014	7.3168E-013
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.9455E-014	6.9168E-013
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.1456E-011	8.5952E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.3996E-019	1.9575E-018
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.3193E-017	4.6424E-016
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.0971E-017	5.7303E-016
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.2684E-017	1.7740E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.0293E-017	2.8382E-016
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.4383E-012	4.8089E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.1524E-016	1.6117E-015
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.7458E-017	5.2389E-016
RCPTR_31	farmer_adult	TOCDFDFS	Diethyl phthalate	1.4509E-011	2.0292E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.3938E-013	1.0341E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.7881E-013	8.0952E-012
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.9612E-013	2.7430E-012
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.1712E-013	7.2324E-012
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.9920E-013	5.5833E-012
RCPTR_31	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.1912E-014	1.6660E-013
RCPTR_31	farmer_adult	TOCDFDFS	Ethylbenzene	3.8472E-016	5.3807E-015
RCPTR_31	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.8987E-012	6.8513E-011
RCPTR_31	farmer_adult	TOCDFDFS	Fluoranthene	3.4567E-009	4.3201E-008
RCPTR_31	farmer_adult	TOCDFDFS	Fluorene	4.6172E-011	6.4577E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.2289E-011	6.0254E-011
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.2433E-011	3.3733E-011
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3719E-011	6.4357E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.2920E-010	8.9115E-010
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.8701E-010	5.0884E-010
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.8905E-011	2.4190E-010
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.2760E-010	3.4778E-010
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.3805E-010	3.7534E-010
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	7.3329E-011	1.9961E-010
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.1269E-012	1.5761E-011
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.8911E-009	4.0352E-008
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.1408E-012	4.3927E-011
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.7178E-013	7.9970E-012
RCPTR_31	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.4556E-007	3.9295E-006
RCPTR_31	farmer_adult	TOCDFDFS	Isophorone	8.6397E-014	1.2083E-012
RCPTR_31	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Mercuric chloride	6.1645E-008	6.4889E-008
RCPTR_31	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.4337E-018	2.0052E-017
RCPTR_31	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.8208E-019	3.9452E-018
RCPTR_31	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.0065E-016	9.7993E-015
RCPTR_31	farmer_adult	TOCDFDFS	Methyl mercury	1.6538E-010	1.9596E-010
RCPTR_31	farmer_adult	TOCDFDFS	Methylene chloride	4.2415E-017	5.9322E-016
RCPTR_31	farmer_adult	TOCDFDFS	Mustard	5.0695E-015	7.0902E-014
RCPTR_31	farmer_adult	TOCDFDFS	Naphthalene	4.0812E-013	5.7079E-012
RCPTR_31	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.4772E-012	2.0660E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.4864E-013	4.8760E-012
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.5046E-013	6.3001E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Nitrobenzene	1.4632E-013	2.0465E-012
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.6533E-014	9.3053E-013
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 4-	6.3445E-013	8.8734E-012
RCPTR_31	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.4217E-014	1.1779E-012
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.6696E-014	1.2125E-012
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.1543E-015	1.0006E-013
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.9533E-012	1.6115E-011
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.5065E-012	6.7722E-012
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.5589E-010	1.5330E-009
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.0080E-010	1.9197E-009
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorobenzene	9.2850E-012	1.2986E-010
RCPTR_31	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.1649E-012	4.4264E-011
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorophenol	6.7863E-010	9.4914E-009
RCPTR_31	farmer_adult	TOCDFDFS	Phenanthrene	1.6388E-013	2.2920E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Phenol	1.1497E-013	1.6079E-012
RCPTR_31	farmer_adult	TOCDFDFS	Pronamide	1.2513E-011	1.7501E-010
RCPTR_31	farmer_adult	TOCDFDFS	Pyrene	8.4764E-009	6.4342E-008
RCPTR_31	farmer_adult	TOCDFDFS	Selenium	2.3144E-009	3.2369E-008
RCPTR_31	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Styrene	4.5678E-015	6.3886E-014
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.3220E-010	1.4873E-009
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	5.7039E-010	1.6017E-009
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.3265E-011	1.8552E-010
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.4861E-014	9.0715E-013
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.2437E-016	1.7394E-015
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	6.5144E-011	9.1111E-010
RCPTR_31	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Toluene	1.6717E-016	2.3380E-015
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.2738E-013	5.9774E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.0301E-016	1.4407E-015
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.0213E-016	8.4213E-015
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethylene	9.9263E-017	1.3883E-015
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.3789E-017	1.9286E-016
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.6887E-011	6.5577E-010
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.3104E-011	6.0285E-010
RCPTR_31	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.2414E-015	3.1349E-014
RCPTR_31	farmer_adult	TOCDFDFS	Vinyl Chloride	3.1184E-020	4.3614E-019
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, m-	5.9066E-016	8.2609E-015
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, o-	5.8318E-016	8.1563E-015
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, p-	9.1248E-016	1.2762E-014
RCPTR_31	farmer_adult	TOCDFDFS	Zinc	2.2035E-008	2.7503E-007
RCPTR_31	farmer_adult	TOCDFLIC	Acenaphthene	2.2063E-012	3.0857E-011
RCPTR_31	farmer_adult	TOCDFLIC	Acetone	6.2442E-017	8.7331E-016
RCPTR_31	farmer_adult	TOCDFLIC	Acetophenone	9.2725E-015	1.2969E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Aniline	5.5313E-016	7.7361E-015
RCPTR_31	farmer_adult	TOCDFLIC	Anthracene	4.4668E-011	6.2472E-010
RCPTR_31	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Benzene	3.5233E-016	4.9277E-015
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.0318E-009	3.8317E-008
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.9917E-009	4.1788E-008
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.1038E-008	1.0851E-007
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.3948E-008	5.8837E-008
RCPTR_31	farmer_adult	TOCDFLIC	Benzoic acid	2.1198E-014	2.9648E-013
RCPTR_31	farmer_adult	TOCDFLIC	Benzyl alcohol	2.0111E-012	2.8127E-011
RCPTR_31	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.2614E-014	1.7641E-013
RCPTR_31	farmer_adult	TOCDFLIC	Bromodichloromethane	1.2687E-017	1.7743E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.3269E-014	3.2544E-013
RCPTR_31	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.2342E-009	1.1760E-008
RCPTR_31	farmer_adult	TOCDFLIC	Butylbenzylphthalate	4.2983E-012	6.0115E-011
RCPTR_31	farmer_adult	TOCDFLIC	Cadmium	5.8960E-008	6.9412E-007
RCPTR_31	farmer_adult	TOCDFLIC	Carbon disulfide	8.2626E-017	1.1556E-015
RCPTR_31	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.6936E-015	2.3687E-014
RCPTR_31	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.0499E-012	1.4685E-011
RCPTR_31	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.9141E-014	8.2715E-013
RCPTR_31	farmer_adult	TOCDFLIC	Chlorobenzene	6.8524E-016	9.5837E-015
RCPTR_31	farmer_adult	TOCDFLIC	Chloroethane	7.1973E-019	1.0066E-017
RCPTR_31	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.5567E-016	9.1702E-015
RCPTR_31	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	5.9253E-012	8.2871E-011
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.6599E-013	2.3215E-012
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	8.5236E-012	1.1921E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Chrysene	6.0067E-009	4.5352E-008
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	2.8096E-012	3.9295E-011
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.0655E-007	1.4903E-006
RCPTR_31	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.8192E-008	3.6423E-007
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	8.3511E-015	1.1680E-013
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.0290E-014	1.4392E-013
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	9.7277E-015	1.3605E-013
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	6.0409E-012	8.4488E-011
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	5.4181E-020	7.5778E-019
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.1845E-018	3.0552E-017
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6669E-017	2.3314E-016
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	8.3474E-019	1.1675E-017
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.2564E-018	1.1547E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	6.7631E-013	9.4589E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.6885E-017	6.5573E-016
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5713E-017	2.1976E-016
RCPTR_31	farmer_adult	TOCDFLIC	Diethyl phthalate	4.4105E-013	6.1685E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.3780E-012	1.9273E-011
RCPTR_31	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.1385E-013	1.5923E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.8579E-014	5.3956E-013
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.0171E-013	1.4226E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	7.8522E-014	1.0982E-012
RCPTR_31	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.3430E-015	3.2770E-014
RCPTR_31	farmer_adult	TOCDFLIC	Ethylbenzene	1.6421E-016	2.2966E-015
RCPTR_31	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.3853E-012	1.0329E-010
RCPTR_31	farmer_adult	TOCDFLIC	Fluoranthene	6.7991E-010	8.4972E-009
RCPTR_31	farmer_adult	TOCDFLIC	Fluorene	9.0819E-012	1.2702E-010
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.8050E-010	4.8795E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.8116E-010	1.0342E-009
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.4422E-010	1.4766E-009
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.8770E-010	2.6737E-009
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.7292E-010	1.5589E-009
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.9327E-010	7.9796E-010
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2501E-009	3.4072E-009
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2973E-009	3.5272E-009
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	6.3858E-010	1.7383E-009
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.2166E-013	3.1002E-012
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.6867E-010	7.9371E-009
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.1778E-013	8.6403E-012
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1247E-013	1.5730E-012
RCPTR_31	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	8.5880E-008	7.5739E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Isophorone	1.6994E-014	2.3768E-013
RCPTR_31	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Mercuric chloride	1.4209E-007	1.4957E-007
RCPTR_31	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	9.2028E-019	1.2871E-017
RCPTR_31	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.6202E-018	2.2661E-017
RCPTR_31	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.2712E-015	1.7778E-014
RCPTR_31	farmer_adult	TOCDFLIC	Methyl mercury	3.8118E-010	4.5168E-010
RCPTR_31	farmer_adult	TOCDFLIC	Methylene chloride	1.6696E-016	2.3351E-015
RCPTR_31	farmer_adult	TOCDFLIC	Mustard	1.7535E-015	2.4525E-014
RCPTR_31	farmer_adult	TOCDFLIC	Naphthalene	1.2406E-014	1.7351E-013
RCPTR_31	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.9057E-013	4.0639E-012
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.8579E-014	9.5915E-013
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 4-	8.8607E-014	1.2393E-012
RCPTR_31	farmer_adult	TOCDFLIC	Nitrobenzene	2.8781E-014	4.0254E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.3087E-014	1.8303E-013
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2480E-014	1.7455E-013
RCPTR_31	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.6565E-014	2.3168E-013
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.7053E-014	2.3850E-013
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.4072E-015	1.9682E-014
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.4380E-011	1.2014E-010
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.7499E-011	4.7279E-011
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0769E-009	5.7275E-009
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.1271E-009	8.5660E-009
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorobenzene	9.1482E-012	1.2795E-010
RCPTR_31	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.2255E-013	8.7070E-012
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorophenol	2.6650E-011	3.7272E-010
RCPTR_31	farmer_adult	TOCDFLIC	Phenanthrene	3.2234E-014	4.5082E-013
RCPTR_31	farmer_adult	TOCDFLIC	Phenol	2.2613E-014	3.1627E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Pronamide	2.4613E-012	3.4424E-011
RCPTR_31	farmer_adult	TOCDFLIC	Pyrene	1.6673E-009	1.2656E-008
RCPTR_31	farmer_adult	TOCDFLIC	Selenium	5.7763E-008	8.0788E-007
RCPTR_31	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Styrene	2.7690E-013	3.8727E-012
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	8.5175E-010	2.3803E-009
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.1526E-009	3.2366E-009
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.6092E-012	3.6492E-011
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	8.6890E-017	1.2153E-015
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.2295E-017	4.5168E-016
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.2814E-011	1.7922E-010
RCPTR_31	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Toluene	6.3441E-016	8.8729E-015
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.4065E-014	1.1757E-012
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.7194E-016	3.8033E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.4498E-016	3.4263E-015
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethylene	4.0386E-017	5.6484E-016
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.3381E-018	7.4659E-017
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	9.2226E-012	1.2899E-010
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.6867E-012	2.3590E-011
RCPTR_31	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	9.1194E-016	1.2754E-014
RCPTR_31	farmer_adult	TOCDFLIC	Vinyl Chloride	3.8030E-020	5.3189E-019
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, m-	5.1428E-016	7.1928E-015
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, o-	5.8122E-016	8.1289E-015
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, p-	7.9450E-016	1.1112E-014
RCPTR_31	farmer_adult	TOCDFLIC	Zinc	1.9709E-007	2.4600E-006
RCPTR_31	farmer_adult	TOCDFMPF	Acenaphthene	3.3724E-012	4.7166E-011
RCPTR_31	farmer_adult	TOCDFMPF	Acetone	2.2805E-016	3.1896E-015
RCPTR_31	farmer_adult	TOCDFMPF	Acetophenone	1.4848E-014	2.0767E-013
RCPTR_31	farmer_adult	TOCDFMPF	Aniline	8.4548E-016	1.1825E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Anthracene	6.8277E-011	9.5491E-010
RCPTR_31	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Aroclor 1254	1.9239E-012	2.6907E-011
RCPTR_31	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Benzene	3.1485E-016	4.4035E-015
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)anthracene	6.1627E-009	5.8569E-008
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.1012E-009	6.3872E-008
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.6872E-008	1.6586E-007
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.1319E-008	8.9929E-008
RCPTR_31	farmer_adult	TOCDFMPF	Benzoic acid	9.3796E-014	1.3118E-012
RCPTR_31	farmer_adult	TOCDFMPF	Benzyl alcohol	1.9213E-014	2.6871E-013
RCPTR_31	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.9280E-014	2.6965E-013
RCPTR_31	farmer_adult	TOCDFMPF	Bromodichloromethane	3.8537E-016	5.3898E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.3591E-014	1.9008E-013
RCPTR_31	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.8865E-009	1.7976E-008
RCPTR_31	farmer_adult	TOCDFMPF	Butylbenzylphthalate	6.5700E-012	9.1889E-011
RCPTR_31	farmer_adult	TOCDFMPF	Cadmium	2.6939E-007	3.1715E-006
RCPTR_31	farmer_adult	TOCDFMPF	Carbon disulfide	3.0205E-017	4.2245E-016
RCPTR_31	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.9497E-016	4.1255E-015
RCPTR_31	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6049E-012	2.2446E-011
RCPTR_31	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.0399E-014	1.2643E-012
RCPTR_31	farmer_adult	TOCDFMPF	Chlorobenzene	1.2293E-015	1.7193E-014
RCPTR_31	farmer_adult	TOCDFMPF	Chloroethane	7.0915E-018	9.9182E-017
RCPTR_31	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.0617E-016	2.8834E-015
RCPTR_31	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	9.0570E-012	1.2667E-010
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.5372E-013	3.5485E-012
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.3029E-011	1.8222E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Chrysene	9.1815E-009	6.9322E-008
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.7788E-011	3.8865E-010
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.0539E-006	1.4739E-005
RCPTR_31	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	7.3693E-008	5.5696E-007
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2765E-014	1.7853E-013
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.5729E-014	2.1999E-013
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.4869E-014	2.0796E-013
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.8522E-011	2.5905E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	4.4558E-019	6.2318E-018
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.6357E-017	9.2807E-016
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.1907E-017	1.1456E-015
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.5357E-017	3.5464E-016
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.0569E-017	5.6740E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.0338E-012	1.4458E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.3037E-016	3.2220E-015
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.4884E-017	1.0473E-015
RCPTR_31	farmer_adult	TOCDFMPF	Diethyl phthalate	4.3622E-012	6.1010E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.4713E-013	2.0578E-012
RCPTR_31	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.7402E-013	2.4339E-012
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.8862E-014	8.2325E-013
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5547E-013	2.1745E-012
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.2002E-013	1.6787E-012
RCPTR_31	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.5814E-015	5.0090E-014
RCPTR_31	farmer_adult	TOCDFMPF	Ethylbenzene	7.6910E-016	1.0757E-014
RCPTR_31	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.3357E-012	1.8682E-011
RCPTR_31	farmer_adult	TOCDFMPF	Fluoranthene	1.0393E-009	1.2988E-008
RCPTR_31	farmer_adult	TOCDFMPF	Fluorene	1.3882E-011	1.9415E-010
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	7.0396E-010	1.9030E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.9978E-010	1.6274E-009
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.3739E-010	1.7294E-009
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.8229E-010	7.6418E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.2741E-010	3.4667E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.9326E-011	1.8863E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.4714E-010	6.7360E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2524E-010	3.4051E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.7828E-011	1.5741E-010
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.3882E-013	4.7387E-012
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorobenzene	8.6923E-010	1.2132E-008
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	9.4430E-013	1.3207E-011
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.7191E-013	2.4044E-012
RCPTR_31	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3132E-007	1.1582E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Isophorone	2.5976E-014	3.6330E-013
RCPTR_31	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Mercuric chloride	2.4152E-006	2.5423E-006
RCPTR_31	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.7614E-018	6.6594E-017
RCPTR_31	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.7654E-019	3.8676E-018
RCPTR_31	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.5776E-016	3.6050E-015
RCPTR_31	farmer_adult	TOCDFMPF	Methyl mercury	6.4794E-009	7.6776E-009
RCPTR_31	farmer_adult	TOCDFMPF	Methylene chloride	1.3129E-016	1.8362E-015
RCPTR_31	farmer_adult	TOCDFMPF	Mustard	1.2476E-014	1.7449E-013
RCPTR_31	farmer_adult	TOCDFMPF	Naphthalene	1.2270E-013	1.7161E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.4334E-013	6.2005E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.0464E-013	1.4634E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.3519E-013	1.8908E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitrobenzene	4.3993E-014	6.1529E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.0004E-014	2.7977E-013
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.9042E-013	2.6632E-012
RCPTR_31	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.5321E-014	3.5413E-013
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.6066E-014	3.6456E-013
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.1510E-015	3.0084E-014
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.8245E-009	7.6460E-009
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.9853E-009	5.3641E-009
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.0863E-010	2.9957E-010
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0985E-010	5.7484E-010
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.7916E-012	3.9043E-011
RCPTR_31	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	9.4987E-013	1.3285E-011
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorophenol	2.0368E-010	2.8486E-009
RCPTR_31	farmer_adult	TOCDFMPF	Phenanthrene	4.9271E-014	6.8910E-013
RCPTR_31	farmer_adult	TOCDFMPF	Phenol	3.4565E-014	4.8343E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Pronamide	3.7622E-012	5.2619E-011
RCPTR_31	farmer_adult	TOCDFMPF	Pyrene	2.5485E-009	1.9345E-008
RCPTR_31	farmer_adult	TOCDFMPF	Selenium	1.0136E-009	1.4176E-008
RCPTR_31	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Styrene	6.3134E-015	8.8299E-014
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.0191E-010	2.8479E-010
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.1419E-009	3.2065E-009
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.9882E-012	5.5779E-011
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.6394E-015	3.6915E-014
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.4863E-016	3.4774E-015
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.9552E-011	2.7345E-010
RCPTR_31	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFMPF	Toluene	4.2560E-016	5.9524E-015
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.2850E-013	1.7972E-012
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.5960E-016	2.2322E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.2037E-015	1.6835E-014
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethylene	1.9844E-016	2.7754E-015
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.5082E-016	7.7038E-015
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.4097E-011	1.9716E-010
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.5782E-012	3.6059E-011
RCPTR_31	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.4809E-015	6.2670E-014
RCPTR_31	farmer_adult	TOCDFMPF	Vinyl Chloride	1.0434E-019	1.4593E-018
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, m-	5.1471E-016	7.1987E-015
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, o-	5.8170E-016	8.1356E-015
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, p-	7.9515E-016	1.1121E-014
RCPTR_31	farmer_adult	TOCDFMPF	Zinc	5.6150E-008	7.0082E-007
RCPTR_31	farmer_adult	TOCDHVAC	Mustard	3.9365E-015	5.5056E-014
RCPTR_31	farmer_adult	TOCDLIC2	Acenaphthene	2.2063E-012	3.0857E-011
RCPTR_31	farmer_adult	TOCDLIC2	Acetone	6.2442E-017	8.7331E-016
RCPTR_31	farmer_adult	TOCDLIC2	Acetophenone	9.2725E-015	1.2969E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Aniline	5.5313E-016	7.7361E-015
RCPTR_31	farmer_adult	TOCDLIC2	Anthracene	4.4668E-011	6.2472E-010
RCPTR_31	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Benzene	3.5233E-016	4.9277E-015
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.0318E-009	3.8317E-008
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.9917E-009	4.1788E-008
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.1038E-008	1.0851E-007
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.3948E-008	5.8837E-008
RCPTR_31	farmer_adult	TOCDLIC2	Benzoic acid	2.1198E-014	2.9648E-013
RCPTR_31	farmer_adult	TOCDLIC2	Benzyl alcohol	2.0111E-012	2.8127E-011
RCPTR_31	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.2614E-014	1.7641E-013
RCPTR_31	farmer_adult	TOCDLIC2	Bromodichloromethane	1.2687E-017	1.7743E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.3269E-014	3.2544E-013
RCPTR_31	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.2342E-009	1.1760E-008
RCPTR_31	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.2983E-012	6.0115E-011
RCPTR_31	farmer_adult	TOCDLIC2	Cadmium	5.8960E-008	6.9412E-007
RCPTR_31	farmer_adult	TOCDLIC2	Carbon disulfide	8.2626E-017	1.1556E-015
RCPTR_31	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6936E-015	2.3687E-014
RCPTR_31	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0499E-012	1.4685E-011
RCPTR_31	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.9141E-014	8.2715E-013
RCPTR_31	farmer_adult	TOCDLIC2	Chlorobenzene	6.8524E-016	9.5837E-015
RCPTR_31	farmer_adult	TOCDLIC2	Chloroethane	7.1973E-019	1.0066E-017
RCPTR_31	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	6.5567E-016	9.1702E-015
RCPTR_31	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	5.9253E-012	8.2871E-011
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.6599E-013	2.3215E-012
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	8.5236E-012	1.1921E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Chrysene	6.0067E-009	4.5352E-008
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	2.8096E-012	3.9295E-011
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.0655E-007	1.4903E-006
RCPTR_31	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.8192E-008	3.6423E-007
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.3511E-015	1.1680E-013
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.0290E-014	1.4392E-013
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	9.7277E-015	1.3605E-013
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.0409E-012	8.4488E-011
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.4181E-020	7.5778E-019
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.1845E-018	3.0552E-017
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6669E-017	2.3314E-016
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	8.3474E-019	1.1675E-017
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.2564E-018	1.1547E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.7631E-013	9.4589E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.6885E-017	6.5573E-016
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5713E-017	2.1976E-016
RCPTR_31	farmer_adult	TOCDLIC2	Diethyl phthalate	4.4105E-013	6.1685E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.3780E-012	1.9273E-011
RCPTR_31	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.1385E-013	1.5923E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.8579E-014	5.3956E-013
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.0171E-013	1.4226E-012
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	7.8522E-014	1.0982E-012
RCPTR_31	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.3430E-015	3.2770E-014
RCPTR_31	farmer_adult	TOCDLIC2	Ethylbenzene	1.6421E-016	2.2966E-015
RCPTR_31	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	7.3853E-012	1.0329E-010
RCPTR_31	farmer_adult	TOCDLIC2	Fluoranthene	6.7991E-010	8.4972E-009
RCPTR_31	farmer_adult	TOCDLIC2	Fluorene	9.0819E-012	1.2702E-010
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.8050E-010	4.8795E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.8116E-010	1.0342E-009
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.4422E-010	1.4766E-009
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	9.8770E-010	2.6737E-009
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.7292E-010	1.5589E-009
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.9327E-010	7.9796E-010
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2501E-009	3.4072E-009
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.2973E-009	3.5272E-009
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.3858E-010	1.7383E-009
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.2166E-013	3.1002E-012
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorobenzene	5.6867E-010	7.9371E-009
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.1778E-013	8.6403E-012
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.1247E-013	1.5730E-012
RCPTR_31	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.5880E-008	7.5739E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Isophorone	1.6994E-014	2.3768E-013
RCPTR_31	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Mercuric chloride	1.4209E-007	1.4957E-007
RCPTR_31	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	9.2028E-019	1.2871E-017
RCPTR_31	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.6202E-018	2.2661E-017
RCPTR_31	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.2712E-015	1.7778E-014
RCPTR_31	farmer_adult	TOCDLIC2	Methyl mercury	3.8118E-010	4.5168E-010
RCPTR_31	farmer_adult	TOCDLIC2	Methylene chloride	1.6696E-016	2.3351E-015
RCPTR_31	farmer_adult	TOCDLIC2	Mustard	1.8230E-015	2.5496E-014
RCPTR_31	farmer_adult	TOCDLIC2	Naphthalene	1.2406E-014	1.7351E-013
RCPTR_31	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.9057E-013	4.0639E-012
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.8579E-014	9.5915E-013
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 4-	8.8607E-014	1.2393E-012
RCPTR_31	farmer_adult	TOCDLIC2	Nitrobenzene	2.8781E-014	4.0254E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.3087E-014	1.8303E-013
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.2480E-013	1.7455E-012
RCPTR_31	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.6565E-014	2.3168E-013
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.7053E-014	2.3850E-013
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.4072E-015	1.9682E-014
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.4380E-011	1.2014E-010
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.7499E-011	4.7279E-011
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.0769E-009	5.7275E-009
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1271E-009	8.5660E-009
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.1482E-012	1.2795E-010
RCPTR_31	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.2255E-013	8.7070E-012
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorophenol	2.6650E-011	3.7272E-010
RCPTR_31	farmer_adult	TOCDLIC2	Phenanthrene	3.2234E-014	4.5082E-013
RCPTR_31	farmer_adult	TOCDLIC2	Phenol	2.2613E-014	3.1627E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Pronamide	2.4613E-012	3.4424E-011
RCPTR_31	farmer_adult	TOCDLIC2	Pyrene	1.6673E-009	1.2656E-008
RCPTR_31	farmer_adult	TOCDLIC2	Selenium	5.7763E-008	8.0788E-007
RCPTR_31	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Styrene	2.7690E-013	3.8727E-012
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	8.5175E-010	2.3803E-009
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.1526E-009	3.2366E-009
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.6092E-012	3.6492E-011
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	8.6890E-017	1.2153E-015
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.2295E-017	4.5168E-016
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.2814E-011	1.7922E-010
RCPTR_31	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Toluene	6.3441E-016	8.8729E-015
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	8.4065E-014	1.1757E-012
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.7194E-016	3.8033E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.4498E-016	3.4263E-015
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethylene	4.0386E-017	5.6484E-016
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.3381E-018	7.4659E-017
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.2226E-012	1.2899E-010
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.6867E-012	2.3590E-011
RCPTR_31	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	9.1194E-016	1.2754E-014
RCPTR_31	farmer_adult	TOCDLIC2	Vinyl Chloride	3.8030E-020	5.3189E-019
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, m-	1.0687E-015	1.4947E-014
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, o-	1.2078E-015	1.6892E-014
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, p-	1.6510E-015	2.3091E-014
RCPTR_31	farmer_adult	TOCDLIC2	Zinc	1.9709E-007	2.4600E-006
RCPTR_31	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFBRA	Cadmium	3.3335E-007	6.2646E-007
RCPTR_31	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Mercuric chloride	2.0420E-004	2.6830E-004
RCPTR_31	farmer_child	TOCDFBRA	Methyl mercury	6.1279E-007	8.1025E-007
RCPTR_31	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Selenium	2.3343E-007	4.8972E-007
RCPTR_31	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFBRA	Zinc	1.1378E-006	2.2065E-006
RCPTR_31	farmer_child	TOCDFDFS	Acenaphthene	7.4778E-011	1.5688E-010
RCPTR_31	farmer_child	TOCDFDFS	Acetone	6.5081E-016	1.3653E-015
RCPTR_31	farmer_child	TOCDFDFS	Acetophenone	3.3041E-013	6.9316E-013
RCPTR_31	farmer_child	TOCDFDFS	Aniline	1.8747E-014	3.9330E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Anthracene	1.5139E-009	3.1761E-009
RCPTR_31	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Aroclor 1254	2.3063E-011	4.8384E-011
RCPTR_31	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Benzene	2.3884E-015	5.0107E-015
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.1330E-007	1.9488E-007
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.1982E-007	2.1360E-007
RCPTR_31	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.1715E-007	5.5201E-007
RCPTR_31	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.0677E-007	3.0154E-007
RCPTR_31	farmer_child	TOCDFDFS	Benzoic acid	2.0798E-013	4.3632E-013
RCPTR_31	farmer_child	TOCDFDFS	Benzyl alcohol	4.2601E-013	8.9373E-013
RCPTR_31	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.2751E-013	8.9688E-013
RCPTR_31	farmer_child	TOCDFDFS	Bromodichloromethane	7.7161E-016	1.6188E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.2508E-013	2.6240E-013
RCPTR_31	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.4729E-008	5.9788E-008
RCPTR_31	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.4570E-010	3.0566E-010
RCPTR_31	farmer_child	TOCDFDFS	Cadmium	9.2232E-008	1.7333E-007
RCPTR_31	farmer_child	TOCDFDFS	Carbon disulfide	4.2485E-016	8.9129E-016
RCPTR_31	farmer_child	TOCDFDFS	Carbon tetrachloride	6.9737E-016	1.4630E-015
RCPTR_31	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.5586E-011	7.4655E-011
RCPTR_31	farmer_child	TOCDFDFS	Chloroaniline, p-	2.0045E-012	4.2052E-012
RCPTR_31	farmer_child	TOCDFDFS	Chlorobenzene	4.0993E-015	8.6000E-015
RCPTR_31	farmer_child	TOCDFDFS	Chloroethane	1.1793E-017	2.4741E-017
RCPTR_31	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.3101E-016	1.1140E-015
RCPTR_31	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.0083E-010	4.2131E-010
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.6258E-012	1.1802E-011
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.8889E-010	6.0607E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Chrysene	1.4333E-007	2.3077E-007
RCPTR_31	farmer_child	TOCDFDFS	Di-n-butyl phthalate	6.1619E-010	1.2927E-009
RCPTR_31	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.3375E-005	4.9039E-005
RCPTR_31	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1733E-006	1.8896E-006
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.8304E-013	5.9380E-013
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.4877E-013	7.3168E-013
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.2970E-013	6.9168E-013
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.0971E-010	8.5952E-010
RCPTR_31	farmer_child	TOCDFDFS	Dichlorodifluoromethane	9.3307E-019	1.9575E-018
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.2129E-016	4.6424E-016
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.7314E-016	5.7303E-016
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	8.4558E-017	1.7740E-016
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.3529E-016	2.8382E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.2922E-011	4.8089E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	7.6824E-016	1.6117E-015
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.4972E-016	5.2389E-016
RCPTR_31	farmer_child	TOCDFDFS	Diethyl phthalate	9.6725E-011	2.0292E-010
RCPTR_31	farmer_child	TOCDFDFS	Dimethyl phthalate	4.9292E-012	1.0341E-011
RCPTR_31	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.8587E-012	8.0952E-012
RCPTR_31	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3075E-012	2.7430E-012
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.4474E-012	7.2324E-012
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.6614E-012	5.5833E-012
RCPTR_31	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.9413E-014	1.6660E-013
RCPTR_31	farmer_child	TOCDFDFS	Ethylbenzene	2.5648E-015	5.3807E-015
RCPTR_31	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.2658E-011	6.8513E-011
RCPTR_31	farmer_child	TOCDFDFS	Fluoranthene	2.2259E-008	4.3201E-008
RCPTR_31	farmer_child	TOCDFDFS	Fluorene	3.0781E-010	6.4577E-010
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.3170E-011	6.0254E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.4161E-011	3.3733E-011
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.6096E-011	6.4357E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.3841E-010	8.9115E-010
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.6437E-010	5.0884E-010
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.7322E-010	2.4190E-010
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.4901E-010	3.4778E-010
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.6879E-010	3.7534E-010
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.4293E-010	1.9961E-010
RCPTR_31	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.5128E-012	1.5761E-011
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorobenzene	1.9270E-008	4.0352E-008
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.0938E-011	4.3927E-011
RCPTR_31	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.8119E-012	7.9970E-012
RCPTR_31	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.3401E-006	3.9295E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Isophorone	5.7598E-013	1.2083E-012
RCPTR_31	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Mercuric chloride	4.9386E-008	6.4889E-008
RCPTR_31	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	9.5580E-018	2.0052E-017
RCPTR_31	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.8805E-018	3.9452E-018
RCPTR_31	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.6710E-015	9.7993E-015
RCPTR_31	farmer_child	TOCDFDFS	Methyl mercury	1.4820E-010	1.9596E-010
RCPTR_31	farmer_child	TOCDFDFS	Methylene chloride	2.8277E-016	5.9322E-016
RCPTR_31	farmer_child	TOCDFDFS	Mustard	3.3796E-014	7.0902E-014
RCPTR_31	farmer_child	TOCDFDFS	Naphthalene	2.7208E-012	5.7079E-012
RCPTR_31	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.8477E-012	2.0660E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.3242E-012	4.8760E-012
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.0030E-012	6.3001E-012
RCPTR_31	farmer_child	TOCDFDFS	Nitrobenzene	9.7549E-013	2.0465E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.4355E-013	9.3053E-013
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.2297E-012	8.8734E-012
RCPTR_31	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.6145E-013	1.1779E-012
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.7797E-013	1.2125E-012
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.7695E-014	1.0006E-013
RCPTR_31	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1545E-011	1.6115E-011
RCPTR_31	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.8523E-012	6.7722E-012
RCPTR_31	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.0965E-009	1.5330E-009
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.3739E-009	1.9197E-009
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorobenzene	6.1900E-011	1.2986E-010
RCPTR_31	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.1099E-011	4.4264E-011
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorophenol	4.5242E-009	9.4914E-009
RCPTR_31	farmer_child	TOCDFDFS	Phenanthrene	1.0925E-012	2.2920E-012
RCPTR_31	farmer_child	TOCDFDFS	Phenol	7.6644E-013	1.6079E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Pronamide	8.3422E-011	1.7501E-010
RCPTR_31	farmer_child	TOCDFDFS	Pyrene	3.9909E-008	6.4342E-008
RCPTR_31	farmer_child	TOCDFDFS	Selenium	1.5429E-008	3.2369E-008
RCPTR_31	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Styrene	3.0452E-014	6.3886E-014
RCPTR_31	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0627E-009	1.4873E-009
RCPTR_31	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.1440E-009	1.6017E-009
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.8433E-011	1.8552E-010
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.3241E-013	9.0715E-013
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.2913E-016	1.7394E-015
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.3430E-010	9.1111E-010
RCPTR_31	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Toluene	1.1144E-015	2.3380E-015
RCPTR_31	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.8492E-012	5.9774E-012
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.8676E-016	1.4407E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.0142E-015	8.4213E-015
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethylene	6.6175E-016	1.3883E-015
RCPTR_31	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.1930E-017	1.9286E-016
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.1258E-010	6.5577E-010
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.8736E-010	6.0285E-010
RCPTR_31	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.4943E-014	3.1349E-014
RCPTR_31	farmer_child	TOCDFDFS	Vinyl Chloride	2.0790E-019	4.3614E-019
RCPTR_31	farmer_child	TOCDFDFS	Xylene, m-	3.9377E-015	8.2609E-015
RCPTR_31	farmer_child	TOCDFDFS	Xylene, o-	3.8878E-015	8.1563E-015
RCPTR_31	farmer_child	TOCDFDFS	Xylene, p-	6.0832E-015	1.2762E-014
RCPTR_31	farmer_child	TOCDFDFS	Zinc	1.4182E-007	2.7503E-007
RCPTR_31	farmer_child	TOCDFLIC	Acenaphthene	1.4709E-011	3.0857E-011
RCPTR_31	farmer_child	TOCDFLIC	Acetone	4.1628E-016	8.7331E-016
RCPTR_31	farmer_child	TOCDFLIC	Acetophenone	6.1817E-014	1.2969E-013
RCPTR_31	farmer_child	TOCDFLIC	Aniline	3.6875E-015	7.7361E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Anthracene	2.9779E-010	6.2472E-010
RCPTR_31	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Benzene	2.3489E-015	4.9277E-015
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.2277E-008	3.8317E-008
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.3441E-008	4.1788E-008
RCPTR_31	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	6.2343E-008	1.0851E-007
RCPTR_31	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.0347E-008	5.8837E-008
RCPTR_31	farmer_child	TOCDFLIC	Benzoic acid	1.4132E-013	2.9648E-013
RCPTR_31	farmer_child	TOCDFLIC	Benzyl alcohol	1.3407E-011	2.8127E-011
RCPTR_31	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	8.4090E-014	1.7641E-013
RCPTR_31	farmer_child	TOCDFLIC	Bromodichloromethane	8.4577E-017	1.7743E-016
RCPTR_31	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.5513E-013	3.2544E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.8310E-009	1.1760E-008
RCPTR_31	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.8655E-011	6.0115E-011
RCPTR_31	farmer_child	TOCDFLIC	Cadmium	3.6936E-007	6.9412E-007
RCPTR_31	farmer_child	TOCDFLIC	Carbon disulfide	5.5084E-016	1.1556E-015
RCPTR_31	farmer_child	TOCDFLIC	Carbon tetrachloride	1.1291E-014	2.3687E-014
RCPTR_31	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.9996E-012	1.4685E-011
RCPTR_31	farmer_child	TOCDFLIC	Chloroaniline, p-	3.9427E-013	8.2715E-013
RCPTR_31	farmer_child	TOCDFLIC	Chlorobenzene	4.5682E-015	9.5837E-015
RCPTR_31	farmer_child	TOCDFLIC	Chloroethane	4.7982E-018	1.0066E-017
RCPTR_31	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.3711E-015	9.1702E-015
RCPTR_31	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.9502E-011	8.2871E-011
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.1066E-012	2.3215E-012
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.6824E-011	1.1921E-010
RCPTR_31	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Chrysene	2.8167E-008	4.5352E-008
RCPTR_31	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.8731E-011	3.9295E-011
RCPTR_31	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.1035E-007	1.4903E-006
RCPTR_31	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.2616E-007	3.6423E-007
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	5.5674E-014	1.1680E-013
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	6.8602E-014	1.4392E-013
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	6.4851E-014	1.3605E-013
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.0273E-011	8.4488E-011
RCPTR_31	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.6121E-019	7.5778E-019
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.4563E-017	3.0552E-017
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1113E-016	2.3314E-016
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.5650E-018	1.1675E-017
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.5043E-017	1.1547E-016
RCPTR_31	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.5087E-012	9.4589E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.1256E-016	6.5573E-016
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0475E-016	2.1976E-016
RCPTR_31	farmer_child	TOCDFLIC	Diethyl phthalate	2.9403E-012	6.1685E-012
RCPTR_31	farmer_child	TOCDFLIC	Dimethyl phthalate	9.1869E-012	1.9273E-011
RCPTR_31	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	7.5900E-013	1.5923E-012
RCPTR_31	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.5719E-013	5.3956E-013
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.7810E-013	1.4226E-012
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.2348E-013	1.0982E-012
RCPTR_31	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.5620E-014	3.2770E-014
RCPTR_31	farmer_child	TOCDFLIC	Ethylbenzene	1.0947E-015	2.2966E-015
RCPTR_31	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.9235E-011	1.0329E-010
RCPTR_31	farmer_child	TOCDFLIC	Fluoranthene	4.3782E-009	8.4972E-009
RCPTR_31	farmer_child	TOCDFLIC	Fluorene	6.0546E-011	1.2702E-010
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.4960E-010	4.8795E-010
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.4075E-010	1.0342E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.0576E-009	1.4766E-009
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.9154E-009	2.6737E-009
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1163E-009	1.5589E-009
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.7141E-010	7.9796E-010
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.4395E-009	3.4072E-009
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.5259E-009	3.5272E-009
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.2447E-009	1.7383E-009
RCPTR_31	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4777E-012	3.1002E-012
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorobenzene	3.7904E-009	7.9371E-009
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.1185E-012	8.6403E-012
RCPTR_31	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.4979E-013	1.5730E-012
RCPTR_31	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.5104E-007	7.5739E-007
RCPTR_31	farmer_child	TOCDFLIC	Isophorone	1.1329E-013	2.3768E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Mercuric chloride	1.1383E-007	1.4957E-007
RCPTR_31	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	6.1352E-018	1.2871E-017
RCPTR_31	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0802E-017	2.2661E-017
RCPTR_31	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.4744E-015	1.7778E-014
RCPTR_31	farmer_child	TOCDFLIC	Methyl mercury	3.4160E-010	4.5168E-010
RCPTR_31	farmer_child	TOCDFLIC	Methylene chloride	1.1130E-015	2.3351E-015
RCPTR_31	farmer_child	TOCDFLIC	Mustard	1.1690E-014	2.4525E-014
RCPTR_31	farmer_child	TOCDFLIC	Naphthalene	8.2708E-014	1.7351E-013
RCPTR_31	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.9371E-012	4.0639E-012
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.5719E-013	9.5915E-013
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.9072E-013	1.2393E-012
RCPTR_31	farmer_child	TOCDFLIC	Nitrobenzene	1.9188E-013	4.0254E-013
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.7245E-014	1.8303E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 4-	8.3200E-014	1.7455E-013
RCPTR_31	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.1043E-013	2.3168E-013
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.1369E-013	2.3850E-013
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	9.3816E-015	1.9682E-014
RCPTR_31	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.6064E-011	1.2014E-010
RCPTR_31	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.3875E-011	4.7279E-011
RCPTR_31	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.0968E-009	5.7275E-009
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.1306E-009	8.5660E-009
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorobenzene	6.0988E-011	1.2795E-010
RCPTR_31	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.1504E-012	8.7070E-012
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorophenol	1.7767E-010	3.7272E-010
RCPTR_31	farmer_child	TOCDFLIC	Phenanthrene	2.1489E-013	4.5082E-013
RCPTR_31	farmer_child	TOCDFLIC	Phenol	1.5076E-013	3.1627E-013
RCPTR_31	farmer_child	TOCDFLIC	Pronamide	1.6409E-011	3.4424E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Pyrene	7.8499E-009	1.2656E-008
RCPTR_31	farmer_child	TOCDFLIC	Selenium	3.8509E-007	8.0788E-007
RCPTR_31	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Styrene	1.8460E-012	3.8727E-012
RCPTR_31	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.7007E-009	2.3803E-009
RCPTR_31	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.3116E-009	3.2366E-009
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.7394E-011	3.6492E-011
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.7927E-016	1.2153E-015
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.1530E-016	4.5168E-016
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.5429E-011	1.7922E-010
RCPTR_31	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Toluene	4.2294E-015	8.8729E-015
RCPTR_31	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.6043E-013	1.1757E-012
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.8129E-015	3.8033E-015
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.6332E-015	3.4263E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethylene	2.6924E-016	5.6484E-016
RCPTR_31	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.5588E-017	7.4659E-017
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.1484E-011	1.2899E-010
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1245E-011	2.3590E-011
RCPTR_31	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	6.0796E-015	1.2754E-014
RCPTR_31	farmer_child	TOCDFLIC	Vinyl Chloride	2.5353E-019	5.3189E-019
RCPTR_31	farmer_child	TOCDFLIC	Xylene, m-	3.4286E-015	7.1928E-015
RCPTR_31	farmer_child	TOCDFLIC	Xylene, o-	3.8748E-015	8.1289E-015
RCPTR_31	farmer_child	TOCDFLIC	Xylene, p-	5.2966E-015	1.1112E-014
RCPTR_31	farmer_child	TOCDFLIC	Zinc	1.2685E-006	2.4600E-006
RCPTR_31	farmer_child	TOCDFMPF	Acenaphthene	2.2483E-011	4.7166E-011
RCPTR_31	farmer_child	TOCDFMPF	Acetone	1.5204E-015	3.1896E-015
RCPTR_31	farmer_child	TOCDFMPF	Acetophenone	9.8989E-014	2.0767E-013
RCPTR_31	farmer_child	TOCDFMPF	Aniline	5.6365E-015	1.1825E-014
RCPTR_31	farmer_child	TOCDFMPF	Anthracene	4.5518E-010	9.5491E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Aroclor 1254	1.2826E-011	2.6907E-011
RCPTR_31	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Benzene	2.0990E-015	4.4035E-015
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.4051E-008	5.8569E-008
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.5829E-008	6.3872E-008
RCPTR_31	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	9.5293E-008	1.6586E-007
RCPTR_31	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	6.1668E-008	8.9929E-008
RCPTR_31	farmer_child	TOCDFMPF	Benzoic acid	6.2531E-013	1.3118E-012
RCPTR_31	farmer_child	TOCDFMPF	Benzyl alcohol	1.2808E-013	2.6871E-013
RCPTR_31	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.2854E-013	2.6965E-013
RCPTR_31	farmer_child	TOCDFMPF	Bromodichloromethane	2.5692E-015	5.3898E-015
RCPTR_31	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.0605E-014	1.9008E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0441E-008	1.7976E-008
RCPTR_31	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.3800E-011	9.1889E-011
RCPTR_31	farmer_child	TOCDFMPF	Cadmium	1.6876E-006	3.1715E-006
RCPTR_31	farmer_child	TOCDFMPF	Carbon disulfide	2.0137E-016	4.2245E-016
RCPTR_31	farmer_child	TOCDFMPF	Carbon tetrachloride	1.9665E-015	4.1255E-015
RCPTR_31	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0699E-011	2.2446E-011
RCPTR_31	farmer_child	TOCDFMPF	Chloroaniline, p-	6.0266E-013	1.2643E-012
RCPTR_31	farmer_child	TOCDFMPF	Chlorobenzene	8.1951E-015	1.7193E-014
RCPTR_31	farmer_child	TOCDFMPF	Chloroethane	4.7277E-017	9.9182E-017
RCPTR_31	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.3744E-015	2.8834E-015
RCPTR_31	farmer_child	TOCDFMPF	Chloronaphthalene,2-	6.0380E-011	1.2667E-010
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.6914E-012	3.5485E-012
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.6858E-011	1.8222E-010
RCPTR_31	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Chrysene	4.3053E-008	6.9322E-008
RCPTR_31	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.8526E-010	3.8865E-010
RCPTR_31	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.0258E-006	1.4739E-005
RCPTR_31	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.4583E-007	5.5696E-007
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	8.5099E-014	1.7853E-013
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.0486E-013	2.1999E-013
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	9.9128E-014	2.0796E-013
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.2348E-010	2.5905E-010
RCPTR_31	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.9705E-018	6.2318E-018
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.4238E-016	9.2807E-016
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4605E-016	1.1456E-015
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.6904E-016	3.5464E-016
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.7046E-016	5.6740E-016
RCPTR_31	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	6.8918E-012	1.4458E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.5358E-015	3.2220E-015
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.9923E-016	1.0473E-015
RCPTR_31	farmer_child	TOCDFMPF	Diethyl phthalate	2.9081E-011	6.1010E-011
RCPTR_31	farmer_child	TOCDFMPF	Dimethyl phthalate	9.8090E-013	2.0578E-012
RCPTR_31	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.1602E-012	2.4339E-012
RCPTR_31	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.9241E-013	8.2325E-013
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.0365E-012	2.1745E-012
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	8.0016E-013	1.6787E-012
RCPTR_31	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.3876E-014	5.0090E-014
RCPTR_31	farmer_child	TOCDFMPF	Ethylbenzene	5.1274E-015	1.0757E-014
RCPTR_31	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.9049E-012	1.8682E-011
RCPTR_31	farmer_child	TOCDFMPF	Fluoranthene	6.6923E-009	1.2988E-008
RCPTR_31	farmer_child	TOCDFMPF	Fluorene	9.2547E-011	1.9415E-010
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.3634E-009	1.9030E-009
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.1656E-009	1.6274E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.2387E-009	1.7294E-009
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	5.4745E-010	7.6418E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.4824E-010	3.4667E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.3507E-010	1.8863E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.8229E-010	6.7360E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.4385E-010	3.4051E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1272E-010	1.5741E-010
RCPTR_31	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.2588E-012	4.7387E-012
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorobenzene	5.7938E-009	1.2132E-008
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	6.2953E-012	1.3207E-011
RCPTR_31	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1461E-012	2.4044E-012
RCPTR_31	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.8971E-007	1.1582E-006
RCPTR_31	farmer_child	TOCDFMPF	Isophorone	1.7317E-013	3.6330E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Mercuric chloride	1.9349E-006	2.5423E-006
RCPTR_31	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.1743E-017	6.6594E-017
RCPTR_31	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.8436E-018	3.8676E-018
RCPTR_31	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.7184E-015	3.6050E-015
RCPTR_31	farmer_child	TOCDFMPF	Methyl mercury	5.8065E-009	7.6776E-009
RCPTR_31	farmer_child	TOCDFMPF	Methylene chloride	8.7526E-016	1.8362E-015
RCPTR_31	farmer_child	TOCDFMPF	Mustard	8.3174E-014	1.7449E-013
RCPTR_31	farmer_child	TOCDFMPF	Naphthalene	8.1803E-013	1.7161E-012
RCPTR_31	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.9556E-012	6.2005E-012
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.9757E-013	1.4634E-012
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 4-	9.0129E-013	1.8908E-012
RCPTR_31	farmer_child	TOCDFMPF	Nitrobenzene	2.9329E-013	6.1529E-013
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.3336E-013	2.7977E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.2694E-012	2.6632E-012
RCPTR_31	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.6880E-013	3.5413E-013
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.7377E-013	3.6456E-013
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.4340E-014	3.0084E-014
RCPTR_31	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.4775E-009	7.6460E-009
RCPTR_31	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.8434E-009	5.3641E-009
RCPTR_31	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.1428E-010	2.9957E-010
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.1141E-010	5.7484E-010
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorobenzene	1.8611E-011	3.9043E-011
RCPTR_31	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.3324E-012	1.3285E-011
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorophenol	1.3578E-009	2.8486E-009
RCPTR_31	farmer_child	TOCDFMPF	Phenanthrene	3.2847E-013	6.8910E-013
RCPTR_31	farmer_child	TOCDFMPF	Phenol	2.3044E-013	4.8343E-013
RCPTR_31	farmer_child	TOCDFMPF	Pronamide	2.5082E-011	5.2619E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Pyrene	1.1999E-008	1.9345E-008
RCPTR_31	farmer_child	TOCDFMPF	Selenium	6.7572E-009	1.4176E-008
RCPTR_31	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Styrene	4.2089E-014	8.8299E-014
RCPTR_31	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0348E-010	2.8479E-010
RCPTR_31	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.2901E-009	3.2065E-009
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.6588E-011	5.5779E-011
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.7596E-014	3.6915E-014
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.6575E-015	3.4774E-015
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.3034E-010	2.7345E-010
RCPTR_31	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Toluene	2.8373E-015	5.9524E-015
RCPTR_31	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.5664E-013	1.7972E-012
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.0640E-015	2.2322E-015
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	8.0249E-015	1.6835E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethylene	1.3229E-015	2.7754E-015
RCPTR_31	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.6722E-015	7.7038E-015
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	9.3980E-011	1.9716E-010
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7188E-011	3.6059E-011
RCPTR_31	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.9873E-014	6.2670E-014
RCPTR_31	farmer_child	TOCDFMPF	Vinyl Chloride	6.9560E-019	1.4593E-018
RCPTR_31	farmer_child	TOCDFMPF	Xylene, m-	3.4314E-015	7.1987E-015
RCPTR_31	farmer_child	TOCDFMPF	Xylene, o-	3.8780E-015	8.1356E-015
RCPTR_31	farmer_child	TOCDFMPF	Xylene, p-	5.3010E-015	1.1121E-014
RCPTR_31	farmer_child	TOCDFMPF	Zinc	3.6138E-007	7.0082E-007
RCPTR_31	farmer_child	TOCDHVAC	Mustard	2.6243E-014	5.5056E-014
RCPTR_31	farmer_child	TOCDLIC2	Acenaphthene	1.4709E-011	3.0857E-011
RCPTR_31	farmer_child	TOCDLIC2	Acetone	4.1628E-016	8.7331E-016
RCPTR_31	farmer_child	TOCDLIC2	Acetophenone	6.1817E-014	1.2969E-013
RCPTR_31	farmer_child	TOCDLIC2	Aniline	3.6875E-015	7.7361E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Anthracene	2.9779E-010	6.2472E-010
RCPTR_31	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Benzene	2.3489E-015	4.9277E-015
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.2277E-008	3.8317E-008
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.3441E-008	4.1788E-008
RCPTR_31	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	6.2343E-008	1.0851E-007
RCPTR_31	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.0347E-008	5.8837E-008
RCPTR_31	farmer_child	TOCDLIC2	Benzoic acid	1.4132E-013	2.9648E-013
RCPTR_31	farmer_child	TOCDLIC2	Benzyl alcohol	1.3407E-011	2.8127E-011
RCPTR_31	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	8.4090E-014	1.7641E-013
RCPTR_31	farmer_child	TOCDLIC2	Bromodichloromethane	8.4577E-017	1.7743E-016
RCPTR_31	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.5513E-013	3.2544E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	6.8310E-009	1.1760E-008
RCPTR_31	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.8655E-011	6.0115E-011
RCPTR_31	farmer_child	TOCDLIC2	Cadmium	3.6936E-007	6.9412E-007
RCPTR_31	farmer_child	TOCDLIC2	Carbon disulfide	5.5084E-016	1.1556E-015
RCPTR_31	farmer_child	TOCDLIC2	Carbon tetrachloride	1.1291E-014	2.3687E-014
RCPTR_31	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.9996E-012	1.4685E-011
RCPTR_31	farmer_child	TOCDLIC2	Chloroaniline, p-	3.9427E-013	8.2715E-013
RCPTR_31	farmer_child	TOCDLIC2	Chlorobenzene	4.5682E-015	9.5837E-015
RCPTR_31	farmer_child	TOCDLIC2	Chloroethane	4.7982E-018	1.0066E-017
RCPTR_31	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.3711E-015	9.1702E-015
RCPTR_31	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.9502E-011	8.2871E-011
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.1066E-012	2.3215E-012
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.6824E-011	1.1921E-010
RCPTR_31	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Chrysene	2.8167E-008	4.5352E-008
RCPTR_31	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.8731E-011	3.9295E-011
RCPTR_31	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.1035E-007	1.4903E-006
RCPTR_31	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.2616E-007	3.6423E-007
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	5.5674E-014	1.1680E-013
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	6.8602E-014	1.4392E-013
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	6.4851E-014	1.3605E-013
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.0273E-011	8.4488E-011
RCPTR_31	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.6121E-019	7.5778E-019
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.4563E-017	3.0552E-017
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1113E-016	2.3314E-016
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.5650E-018	1.1675E-017
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.5043E-017	1.1547E-016
RCPTR_31	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.5087E-012	9.4589E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.1256E-016	6.5573E-016
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0475E-016	2.1976E-016
RCPTR_31	farmer_child	TOCDLIC2	Diethyl phthalate	2.9403E-012	6.1685E-012
RCPTR_31	farmer_child	TOCDLIC2	Dimethyl phthalate	9.1869E-012	1.9273E-011
RCPTR_31	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	7.5900E-013	1.5923E-012
RCPTR_31	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.5719E-013	5.3956E-013
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.7810E-013	1.4226E-012
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	5.2348E-013	1.0982E-012
RCPTR_31	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.5620E-014	3.2770E-014
RCPTR_31	farmer_child	TOCDLIC2	Ethylbenzene	1.0947E-015	2.2966E-015
RCPTR_31	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.9235E-011	1.0329E-010
RCPTR_31	farmer_child	TOCDLIC2	Fluoranthene	4.3782E-009	8.4972E-009
RCPTR_31	farmer_child	TOCDLIC2	Fluorene	6.0546E-011	1.2702E-010
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.4960E-010	4.8795E-010
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	7.4075E-010	1.0342E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.0576E-009	1.4766E-009
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.9154E-009	2.6737E-009
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1163E-009	1.5589E-009
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.7141E-010	7.9796E-010
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.4395E-009	3.4072E-009
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.5259E-009	3.5272E-009
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.2447E-009	1.7383E-009
RCPTR_31	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4777E-012	3.1002E-012
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorobenzene	3.7904E-009	7.9371E-009
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	4.1185E-012	8.6403E-012
RCPTR_31	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.4979E-013	1.5730E-012
RCPTR_31	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.5104E-007	7.5739E-007
RCPTR_31	farmer_child	TOCDLIC2	Isophorone	1.1329E-013	2.3768E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Mercuric chloride	1.1383E-007	1.4957E-007
RCPTR_31	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	6.1352E-018	1.2871E-017
RCPTR_31	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.0802E-017	2.2661E-017
RCPTR_31	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.4744E-015	1.7778E-014
RCPTR_31	farmer_child	TOCDLIC2	Methyl mercury	3.4160E-010	4.5168E-010
RCPTR_31	farmer_child	TOCDLIC2	Methylene chloride	1.1130E-015	2.3351E-015
RCPTR_31	farmer_child	TOCDLIC2	Mustard	1.2153E-014	2.5496E-014
RCPTR_31	farmer_child	TOCDLIC2	Naphthalene	8.2708E-014	1.7351E-013
RCPTR_31	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.9371E-012	4.0639E-012
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.5719E-013	9.5915E-013
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.9072E-013	1.2393E-012
RCPTR_31	farmer_child	TOCDLIC2	Nitrobenzene	1.9188E-013	4.0254E-013
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 2-	8.7245E-014	1.8303E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 4-	8.3200E-013	1.7455E-012
RCPTR_31	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1043E-013	2.3168E-013
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.1369E-013	2.3850E-013
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	9.3816E-015	1.9682E-014
RCPTR_31	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.6064E-011	1.2014E-010
RCPTR_31	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.3875E-011	4.7279E-011
RCPTR_31	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.0968E-009	5.7275E-009
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.1306E-009	8.5660E-009
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorobenzene	6.0988E-011	1.2795E-010
RCPTR_31	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.1504E-012	8.7070E-012
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorophenol	1.7767E-010	3.7272E-010
RCPTR_31	farmer_child	TOCDLIC2	Phenanthrene	2.1489E-013	4.5082E-013
RCPTR_31	farmer_child	TOCDLIC2	Phenol	1.5076E-013	3.1627E-013
RCPTR_31	farmer_child	TOCDLIC2	Pronamide	1.6409E-011	3.4424E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Pyrene	7.8499E-009	1.2656E-008
RCPTR_31	farmer_child	TOCDLIC2	Selenium	3.8509E-007	8.0788E-007
RCPTR_31	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Styrene	1.8460E-012	3.8727E-012
RCPTR_31	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7007E-009	2.3803E-009
RCPTR_31	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.3116E-009	3.2366E-009
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.7394E-011	3.6492E-011
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.7927E-016	1.2153E-015
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.1530E-016	4.5168E-016
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.5429E-011	1.7922E-010
RCPTR_31	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Toluene	4.2294E-015	8.8729E-015
RCPTR_31	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.6043E-013	1.1757E-012
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.8129E-015	3.8033E-015
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.6332E-015	3.4263E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethylene	2.6924E-016	5.6484E-016
RCPTR_31	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.5588E-017	7.4659E-017
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	6.1484E-011	1.2899E-010
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1245E-011	2.3590E-011
RCPTR_31	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	6.0796E-015	1.2754E-014
RCPTR_31	farmer_child	TOCDLIC2	Vinyl Chloride	2.5353E-019	5.3189E-019
RCPTR_31	farmer_child	TOCDLIC2	Xylene, m-	7.1248E-015	1.4947E-014
RCPTR_31	farmer_child	TOCDLIC2	Xylene, o-	8.0520E-015	1.6892E-014
RCPTR_31	farmer_child	TOCDLIC2	Xylene, p-	1.1007E-014	2.3091E-014
RCPTR_31	farmer_child	TOCDLIC2	Zinc	1.2685E-006	2.4600E-006
RCPTR_32	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Cadmium	8.3449E-008	9.8243E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Mercuric chloride	3.6365E-004	3.8279E-004
RCPTR_32	farmer_adult	TOCDFBRA	Methyl mercury	9.7557E-007	1.1560E-006
RCPTR_32	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Selenium	5.4912E-008	7.6800E-007
RCPTR_32	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFBRA	Zinc	2.7724E-007	3.4603E-006
RCPTR_32	farmer_adult	TOCDFDFS	Acenaphthene	1.4102E-011	1.9723E-010
RCPTR_32	farmer_adult	TOCDFDFS	Acetone	1.2273E-016	1.7165E-015
RCPTR_32	farmer_adult	TOCDFDFS	Acetophenone	6.2309E-014	8.7145E-013
RCPTR_32	farmer_adult	TOCDFDFS	Aniline	3.5354E-015	4.9446E-014
RCPTR_32	farmer_adult	TOCDFDFS	Anthracene	2.8551E-010	3.9931E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Aroclor 1254	4.3510E-012	6.0853E-011
RCPTR_32	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Benzene	4.5042E-016	6.2995E-015
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.5965E-008	2.4677E-007
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.8118E-008	2.9436E-007
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.1393E-008	7.0182E-007
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0270E-007	4.3322E-007
RCPTR_32	farmer_adult	TOCDFDFS	Benzoic acid	3.9221E-014	5.4855E-013
RCPTR_32	farmer_adult	TOCDFDFS	Benzyl alcohol	8.0338E-014	1.1236E-012
RCPTR_32	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.0622E-014	1.1276E-012
RCPTR_32	farmer_adult	TOCDFDFS	Bromodichloromethane	1.4551E-016	2.0352E-015
RCPTR_32	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.3587E-014	3.2989E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	7.8885E-009	7.5168E-008
RCPTR_32	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.7532E-011	3.8506E-010
RCPTR_32	farmer_adult	TOCDFDFS	Cadmium	2.3993E-008	2.8246E-007
RCPTR_32	farmer_adult	TOCDFDFS	Carbon disulfide	8.0119E-017	1.1205E-015
RCPTR_32	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.3151E-016	1.8393E-015
RCPTR_32	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.7109E-012	9.3858E-011
RCPTR_32	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.7801E-013	5.2868E-012
RCPTR_32	farmer_adult	TOCDFDFS	Chlorobenzene	7.7306E-016	1.0812E-014
RCPTR_32	farmer_adult	TOCDFDFS	Chloroethane	2.2240E-018	3.1105E-017
RCPTR_32	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.0014E-016	1.4005E-015
RCPTR_32	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.7872E-011	5.2968E-010
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0609E-012	1.4838E-011
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.4481E-011	7.6197E-010
RCPTR_32	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Chrysene	3.9043E-008	2.9478E-007
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1627E-010	1.6262E-009
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.4319E-006	6.1985E-005
RCPTR_32	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.0654E-007	3.0726E-006
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.3377E-014	7.4653E-013
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.5772E-014	9.1988E-013
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.2176E-014	8.6960E-013
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	7.7993E-011	1.0908E-009
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.7596E-019	2.4610E-018
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.1731E-017	5.8365E-016
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.1510E-017	7.2042E-016
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.5946E-017	2.2302E-016
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.5513E-017	3.5682E-016
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.3227E-012	6.0458E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.4488E-016	2.0263E-015
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.7093E-017	6.5864E-016
RCPTR_32	farmer_adult	TOCDFDFS	Diethyl phthalate	1.8241E-011	2.5512E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.2958E-013	1.3001E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.2769E-013	1.0177E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.4658E-013	3.4487E-012
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.5016E-013	9.0931E-012
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.0189E-013	7.0195E-012
RCPTR_32	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.4976E-014	2.0945E-013
RCPTR_32	farmer_adult	TOCDFDFS	Ethylbenzene	4.8368E-016	6.7647E-015
RCPTR_32	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	6.1817E-012	8.6457E-011
RCPTR_32	farmer_adult	TOCDFDFS	Fluoranthene	4.3478E-009	5.4336E-008
RCPTR_32	farmer_adult	TOCDFDFS	Fluorene	5.8049E-011	8.1187E-010
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.4874E-011	9.4275E-011
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.9144E-011	5.1943E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.6979E-011	1.0033E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.9742E-010	1.3465E-009
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.8936E-010	7.8732E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.3921E-010	3.7878E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.9436E-010	5.2974E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0983E-010	5.7048E-010
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.1119E-010	3.0267E-010
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.4168E-012	1.9815E-011
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.6348E-009	5.0732E-008
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.9486E-012	5.5226E-011
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.1886E-013	1.0054E-011
RCPTR_32	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	7.2508E-007	6.3946E-006
RCPTR_32	farmer_adult	TOCDFDFS	Isophorone	1.0862E-013	1.5192E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Mercuric chloride	7.8220E-008	8.2336E-008
RCPTR_32	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.8025E-018	2.5209E-017
RCPTR_32	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.5464E-019	4.9599E-018
RCPTR_32	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.8087E-016	1.2320E-014
RCPTR_32	farmer_adult	TOCDFDFS	Methyl mercury	2.0984E-010	2.4865E-010
RCPTR_32	farmer_adult	TOCDFDFS	Methylene chloride	5.3325E-017	7.4581E-016
RCPTR_32	farmer_adult	TOCDFDFS	Mustard	6.3734E-015	8.9139E-014
RCPTR_32	farmer_adult	TOCDFDFS	Naphthalene	5.1309E-013	7.1761E-012
RCPTR_32	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8571E-012	2.5974E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.3831E-013	6.1303E-012
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.6632E-013	7.9206E-012
RCPTR_32	farmer_adult	TOCDFDFS	Nitrobenzene	1.8396E-013	2.5729E-012
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.3646E-014	1.1699E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.9764E-013	1.1156E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0588E-013	1.4808E-012
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0900E-013	1.5244E-012
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.9946E-015	1.2580E-013
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	9.4445E-012	2.5566E-011
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.9765E-012	1.0744E-011
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.7697E-010	2.1427E-009
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.6609E-010	2.6464E-009
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1673E-011	1.6326E-010
RCPTR_32	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.9790E-012	5.5650E-011
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorophenol	8.5319E-010	1.1933E-008
RCPTR_32	farmer_adult	TOCDFDFS	Phenanthrene	2.0603E-013	2.8815E-012
RCPTR_32	farmer_adult	TOCDFDFS	Phenol	1.4454E-013	2.0215E-012
RCPTR_32	farmer_adult	TOCDFDFS	Pronamide	1.5732E-011	2.2003E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Pyrene	1.0660E-008	8.0916E-008
RCPTR_32	farmer_adult	TOCDFDFS	Selenium	3.7716E-009	5.2749E-008
RCPTR_32	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Styrene	5.7428E-015	8.0319E-014
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	7.0028E-010	1.9570E-009
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	7.3503E-010	2.0640E-009
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.6677E-011	2.3324E-010
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.1545E-014	1.1405E-012
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.5636E-016	2.1869E-015
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	8.1901E-011	1.1455E-009
RCPTR_32	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Toluene	2.1016E-016	2.9393E-015
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.3732E-013	7.5149E-012
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.2951E-016	1.8113E-015
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.5701E-016	1.0587E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethylene	1.2480E-016	1.7454E-015
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.7336E-017	2.4247E-016
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.8948E-011	8.2444E-010
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.4191E-011	7.5791E-010
RCPTR_32	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.8180E-015	3.9412E-014
RCPTR_32	farmer_adult	TOCDFDFS	Vinyl Chloride	3.9206E-020	5.4833E-019
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, m-	7.4259E-016	1.0386E-014
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, o-	7.3318E-016	1.0254E-014
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, p-	1.1472E-015	1.6045E-014
RCPTR_32	farmer_adult	TOCDFDFS	Zinc	3.5909E-008	4.4819E-007
RCPTR_32	farmer_adult	TOCDFLIC	Acenaphthene	2.9573E-012	4.1361E-011
RCPTR_32	farmer_adult	TOCDFLIC	Acetone	8.3698E-017	1.1706E-015
RCPTR_32	farmer_adult	TOCDFLIC	Acetophenone	1.2429E-014	1.7383E-013
RCPTR_32	farmer_adult	TOCDFLIC	Aniline	7.4142E-016	1.0370E-014
RCPTR_32	farmer_adult	TOCDFLIC	Anthracene	5.9874E-011	8.3739E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Benzene	4.7227E-016	6.6051E-015
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)anthracene	5.4343E-009	5.1647E-008
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)pyrene	5.7508E-009	6.0204E-008
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.4925E-008	1.4672E-007
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.0779E-008	8.7651E-008
RCPTR_32	farmer_adult	TOCDFLIC	Benzoic acid	2.8414E-014	3.9741E-013
RCPTR_32	farmer_adult	TOCDFLIC	Benzyl alcohol	2.6957E-012	3.7702E-011
RCPTR_32	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.6907E-014	2.3647E-013
RCPTR_32	farmer_adult	TOCDFLIC	Bromodichloromethane	1.7005E-017	2.3784E-016
RCPTR_32	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.1190E-014	4.3623E-013
RCPTR_32	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6543E-009	1.5764E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Butylbenzylphthalate	5.7705E-012	8.0706E-011
RCPTR_32	farmer_adult	TOCDFLIC	Cadmium	9.8040E-008	1.1542E-006
RCPTR_32	farmer_adult	TOCDFLIC	Carbon disulfide	1.1075E-016	1.5490E-015
RCPTR_32	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.2701E-015	3.1750E-014
RCPTR_32	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.4074E-012	1.9683E-011
RCPTR_32	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.9273E-014	1.1087E-012
RCPTR_32	farmer_adult	TOCDFLIC	Chlorobenzene	9.1850E-016	1.2846E-014
RCPTR_32	farmer_adult	TOCDFLIC	Chloroethane	9.6473E-019	1.3493E-017
RCPTR_32	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.7887E-016	1.2292E-014
RCPTR_32	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	7.9423E-012	1.1108E-010
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.2249E-013	3.1117E-012
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1425E-011	1.5979E-010
RCPTR_32	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Chrysene	8.1515E-009	6.1545E-008
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.7677E-012	5.2695E-011
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.4342E-007	2.0059E-006
RCPTR_32	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.9983E-008	6.0451E-007
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.1194E-014	1.5656E-013
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.3793E-014	1.9291E-013
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.3039E-014	1.8237E-013
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	8.1565E-012	1.1408E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.2625E-020	1.0157E-018
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.9281E-018	4.0953E-017
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2344E-017	3.1250E-016
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1189E-018	1.5649E-017
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.1067E-017	1.5478E-016
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	9.0654E-013	1.2679E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.2845E-017	8.7895E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.1061E-017	2.9457E-016
RCPTR_32	farmer_adult	TOCDFLIC	Diethyl phthalate	5.9119E-013	8.2684E-012
RCPTR_32	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.8472E-012	2.5834E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.5261E-013	2.1344E-012
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	5.1713E-014	7.2326E-013
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.3635E-013	1.9069E-012
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.0525E-013	1.4721E-012
RCPTR_32	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.1406E-015	4.3925E-014
RCPTR_32	farmer_adult	TOCDFLIC	Ethylbenzene	2.2011E-016	3.0784E-015
RCPTR_32	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.9280E-012	1.3885E-010
RCPTR_32	farmer_adult	TOCDFLIC	Fluoranthene	9.1167E-010	1.1394E-008
RCPTR_32	farmer_adult	TOCDFLIC	Fluorene	1.2174E-011	1.7026E-010
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.8838E-010	7.7957E-010
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.0095E-010	1.6305E-009
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.6687E-010	2.3521E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.5332E-009	4.1503E-009
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	9.0691E-010	2.4676E-009
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.6885E-010	1.2757E-009
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.9533E-009	5.3239E-009
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.0235E-009	5.5016E-009
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.9411E-010	2.7061E-009
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.9712E-013	4.1555E-012
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.6226E-010	1.0639E-008
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	8.2808E-013	1.1582E-011
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.5075E-013	2.1084E-012
RCPTR_32	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.4263E-007	1.2579E-006
RCPTR_32	farmer_adult	TOCDFLIC	Isophorone	2.2779E-014	3.1859E-013
RCPTR_32	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Mercuric chloride	1.9182E-007	2.0192E-007
RCPTR_32	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.2336E-018	1.7253E-017
RCPTR_32	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.1718E-018	3.0374E-017
RCPTR_32	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.7039E-015	2.3830E-014
RCPTR_32	farmer_adult	TOCDFLIC	Methyl mercury	5.1461E-010	6.0978E-010
RCPTR_32	farmer_adult	TOCDFLIC	Methylene chloride	2.2379E-016	3.1300E-015
RCPTR_32	farmer_adult	TOCDFLIC	Mustard	2.3505E-015	3.2874E-014
RCPTR_32	farmer_adult	TOCDFLIC	Naphthalene	1.6629E-014	2.3258E-013
RCPTR_32	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.8948E-013	5.4473E-012
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 3-	9.1924E-014	1.2857E-012
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1877E-013	1.6611E-012
RCPTR_32	farmer_adult	TOCDFLIC	Nitrobenzene	3.8579E-014	5.3956E-013
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.7542E-014	2.4534E-013
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.6728E-014	2.3396E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.2204E-014	3.1055E-013
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.2858E-014	3.1969E-013
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.8863E-015	2.6382E-014
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.1724E-011	1.9416E-010
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.8281E-011	7.6411E-011
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.0262E-009	8.3454E-009
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.5064E-009	1.2344E-008
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.2262E-011	1.7150E-010
RCPTR_32	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.3448E-013	1.1671E-011
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorophenol	3.5722E-011	4.9961E-010
RCPTR_32	farmer_adult	TOCDFLIC	Phenanthrene	4.3207E-014	6.0429E-013
RCPTR_32	farmer_adult	TOCDFLIC	Phenol	3.0311E-014	4.2393E-013
RCPTR_32	farmer_adult	TOCDFLIC	Pronamide	3.2992E-012	4.6143E-011
RCPTR_32	farmer_adult	TOCDFLIC	Pyrene	2.2353E-009	1.6968E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Selenium	9.6050E-008	1.3434E-006
RCPTR_32	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Styrene	3.7115E-013	5.1910E-012
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1830E-009	3.3060E-009
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5749E-009	4.4224E-009
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.4974E-012	4.8914E-011
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.1647E-016	1.6289E-015
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.3289E-017	6.0544E-016
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.7177E-011	2.4023E-010
RCPTR_32	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Toluene	8.5037E-016	1.1893E-014
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.1268E-013	1.5760E-012
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.6451E-016	5.0980E-015
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.2837E-016	4.5926E-015
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethylene	5.4134E-017	7.5711E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.1553E-018	1.0007E-016
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.2362E-011	1.7290E-010
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.2609E-012	3.1621E-011
RCPTR_32	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.2224E-015	1.7096E-014
RCPTR_32	farmer_adult	TOCDFLIC	Vinyl Chloride	5.0976E-020	7.1295E-019
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, m-	6.8935E-016	9.6413E-015
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, o-	7.7907E-016	1.0896E-014
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, p-	1.0650E-015	1.4894E-014
RCPTR_32	farmer_adult	TOCDFLIC	Zinc	3.2773E-007	4.0905E-006
RCPTR_32	farmer_adult	TOCDFMPF	Acenaphthene	4.4988E-012	6.2920E-011
RCPTR_32	farmer_adult	TOCDFMPF	Acetone	3.0422E-016	4.2549E-015
RCPTR_32	farmer_adult	TOCDFMPF	Acetophenone	1.9808E-014	2.7703E-013
RCPTR_32	farmer_adult	TOCDFMPF	Aniline	1.1279E-015	1.5774E-014
RCPTR_32	farmer_adult	TOCDFMPF	Anthracene	9.1082E-011	1.2739E-009
RCPTR_32	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Aroclor 1254	2.5672E-012	3.5905E-011
RCPTR_32	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Benzene	4.2002E-016	5.8743E-015
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)anthracene	8.2678E-009	7.8575E-008
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)pyrene	8.7607E-009	9.1714E-008
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.2708E-008	2.2323E-007
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	3.1674E-008	1.3361E-007
RCPTR_32	farmer_adult	TOCDFMPF	Benzoic acid	1.2512E-013	1.7500E-012
RCPTR_32	farmer_adult	TOCDFMPF	Benzyl alcohol	2.5630E-014	3.5846E-013
RCPTR_32	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.5720E-014	3.5972E-013
RCPTR_32	farmer_adult	TOCDFMPF	Bromodichloromethane	5.1409E-016	7.1901E-015
RCPTR_32	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8130E-014	2.5357E-013
RCPTR_32	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.5166E-009	2.3980E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.7785E-012	1.2278E-010
RCPTR_32	farmer_adult	TOCDFMPF	Cadmium	4.4730E-007	5.2661E-006
RCPTR_32	farmer_adult	TOCDFMPF	Carbon disulfide	4.0294E-017	5.6355E-016
RCPTR_32	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.9349E-016	5.5034E-015
RCPTR_32	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.1409E-012	2.9943E-011
RCPTR_32	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.2059E-013	1.6866E-012
RCPTR_32	farmer_adult	TOCDFMPF	Chlorobenzene	1.6398E-015	2.2935E-014
RCPTR_32	farmer_adult	TOCDFMPF	Chloroethane	9.4601E-018	1.3231E-016
RCPTR_32	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.7503E-016	3.8465E-015
RCPTR_32	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.2082E-011	1.6898E-010
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.3846E-013	4.7337E-012
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7380E-011	2.4308E-010
RCPTR_32	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Chrysene	1.2403E-008	9.3647E-008
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.7087E-011	5.1870E-010
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.4119E-006	1.9746E-005
RCPTR_32	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.2213E-007	9.2304E-007
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.7028E-014	2.3816E-013
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.0983E-014	2.9346E-013
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.9835E-014	2.7742E-013
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.4893E-011	3.4816E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.9440E-019	8.3133E-018
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.8521E-017	1.2381E-015
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0926E-016	1.5282E-015
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.3826E-017	4.7309E-016
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.4119E-017	7.5691E-016
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3790E-012	1.9287E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.0732E-016	4.2982E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.9895E-017	1.3971E-015
RCPTR_32	farmer_adult	TOCDFMPF	Diethyl phthalate	5.8192E-012	8.1388E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.9628E-013	2.7452E-012
RCPTR_32	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.3215E-013	3.2468E-012
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.8524E-014	1.0982E-012
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.0741E-013	2.9009E-012
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.6011E-013	2.2394E-012
RCPTR_32	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.7776E-015	6.6820E-014
RCPTR_32	farmer_adult	TOCDFMPF	Ethylbenzene	1.0260E-015	1.4349E-014
RCPTR_32	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.7871E-012	2.4995E-011
RCPTR_32	farmer_adult	TOCDFMPF	Fluoranthene	1.3869E-009	1.7332E-008
RCPTR_32	farmer_adult	TOCDFMPF	Fluorene	1.8519E-011	2.5900E-010
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1231E-009	3.0361E-009
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	9.4409E-010	2.5616E-009
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0138E-009	2.7508E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.3735E-010	1.1839E-009
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.0137E-010	5.4790E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1068E-010	3.0114E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.8548E-010	1.0506E-009
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.9500E-010	5.3015E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.9856E-011	2.4460E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.5198E-013	6.3215E-012
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.1596E-009	1.6184E-008
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.2597E-012	1.7618E-011
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.2933E-013	3.2074E-012
RCPTR_32	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.1779E-007	1.9207E-006
RCPTR_32	farmer_adult	TOCDFMPF	Isophorone	3.4652E-014	4.8464E-013
RCPTR_32	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Mercuric chloride	3.2455E-006	3.4163E-006
RCPTR_32	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.3518E-018	8.8836E-017
RCPTR_32	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.6890E-019	5.1594E-018
RCPTR_32	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.4385E-016	4.8091E-015
RCPTR_32	farmer_adult	TOCDFMPF	Methyl mercury	8.7069E-009	1.0317E-008
RCPTR_32	farmer_adult	TOCDFMPF	Methylene chloride	1.7514E-016	2.4495E-015
RCPTR_32	farmer_adult	TOCDFMPF	Mustard	1.6643E-014	2.3277E-013
RCPTR_32	farmer_adult	TOCDFMPF	Naphthalene	1.6369E-013	2.2893E-012
RCPTR_32	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.9141E-013	8.2715E-012
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.3958E-013	1.9522E-012
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.8035E-013	2.5224E-012
RCPTR_32	farmer_adult	TOCDFMPF	Nitrobenzene	5.8687E-014	8.2080E-013
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.6685E-014	3.7321E-013
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.5402E-013	3.5527E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.3778E-014	4.7241E-013
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.4772E-014	4.8632E-013
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.8695E-015	4.0132E-014
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.5595E-009	1.2342E-008
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.2049E-009	8.6590E-009
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.5779E-010	4.3515E-010
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.0141E-010	8.2565E-010
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.7240E-012	5.2084E-011
RCPTR_32	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2671E-012	1.7722E-011
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorophenol	2.7170E-010	3.8001E-009
RCPTR_32	farmer_adult	TOCDFMPF	Phenanthrene	6.5727E-014	9.1926E-013
RCPTR_32	farmer_adult	TOCDFMPF	Phenol	4.6110E-014	6.4490E-013
RCPTR_32	farmer_adult	TOCDFMPF	Pronamide	5.0189E-012	7.0194E-011
RCPTR_32	farmer_adult	TOCDFMPF	Pyrene	3.4005E-009	2.5812E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Selenium	1.6830E-009	2.3538E-008
RCPTR_32	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Styrene	8.4221E-015	1.1779E-013
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4096E-010	3.9394E-010
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.5534E-009	4.3621E-009
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.3203E-012	7.4410E-011
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.5210E-015	4.9245E-014
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.3168E-016	4.6388E-015
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.6082E-011	3.6478E-010
RCPTR_32	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Toluene	5.6775E-016	7.9405E-015
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.7141E-013	2.3974E-012
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.1291E-016	2.9778E-015
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.6058E-015	2.2459E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethylene	2.6472E-016	3.7024E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.3480E-016	1.0277E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.8805E-011	2.6301E-010
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.4393E-012	4.8103E-011
RCPTR_32	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.9776E-015	8.3602E-014
RCPTR_32	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3919E-019	1.9467E-018
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, m-	6.8663E-016	9.6031E-015
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, o-	7.7599E-016	1.0853E-014
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, p-	1.0607E-015	1.4836E-014
RCPTR_32	farmer_adult	TOCDFMPF	Zinc	9.3235E-008	1.1637E-006
RCPTR_32	farmer_adult	TOCDHVAC	Mustard	5.8893E-015	8.2368E-014
RCPTR_32	farmer_adult	TOCDLIC2	Acenaphthene	2.9573E-012	4.1361E-011
RCPTR_32	farmer_adult	TOCDLIC2	Acetone	8.3698E-017	1.1706E-015
RCPTR_32	farmer_adult	TOCDLIC2	Acetophenone	1.2429E-014	1.7383E-013
RCPTR_32	farmer_adult	TOCDLIC2	Aniline	7.4142E-016	1.0370E-014
RCPTR_32	farmer_adult	TOCDLIC2	Anthracene	5.9874E-011	8.3739E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Benzene	4.7227E-016	6.6051E-015
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.4343E-009	5.1647E-008
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.7508E-009	6.0204E-008
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.4925E-008	1.4672E-007
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.0779E-008	8.7651E-008
RCPTR_32	farmer_adult	TOCDLIC2	Benzoic acid	2.8414E-014	3.9741E-013
RCPTR_32	farmer_adult	TOCDLIC2	Benzyl alcohol	2.6957E-012	3.7702E-011
RCPTR_32	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.6907E-014	2.3647E-013
RCPTR_32	farmer_adult	TOCDLIC2	Bromodichloromethane	1.7005E-017	2.3784E-016
RCPTR_32	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.1190E-014	4.3623E-013
RCPTR_32	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.6543E-009	1.5764E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.7705E-012	8.0706E-011
RCPTR_32	farmer_adult	TOCDLIC2	Cadmium	9.8040E-008	1.1542E-006
RCPTR_32	farmer_adult	TOCDLIC2	Carbon disulfide	1.1075E-016	1.5490E-015
RCPTR_32	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.2701E-015	3.1750E-014
RCPTR_32	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.4074E-012	1.9683E-011
RCPTR_32	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.9273E-014	1.1087E-012
RCPTR_32	farmer_adult	TOCDLIC2	Chlorobenzene	9.1850E-016	1.2846E-014
RCPTR_32	farmer_adult	TOCDLIC2	Chloroethane	9.6473E-019	1.3493E-017
RCPTR_32	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.7887E-016	1.2292E-014
RCPTR_32	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	7.9423E-012	1.1108E-010
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.2249E-013	3.1117E-012
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1425E-011	1.5979E-010
RCPTR_32	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Chrysene	8.1515E-009	6.1545E-008
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.7677E-012	5.2695E-011
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.4342E-007	2.0059E-006
RCPTR_32	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.9983E-008	6.0451E-007
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.1194E-014	1.5656E-013
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3793E-014	1.9291E-013
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.3039E-014	1.8237E-013
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.1565E-012	1.1408E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.2625E-020	1.0157E-018
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.9281E-018	4.0953E-017
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2344E-017	3.1250E-016
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.1189E-018	1.5649E-017
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.1067E-017	1.5478E-016
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	9.0654E-013	1.2679E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.2845E-017	8.7895E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.1061E-017	2.9457E-016
RCPTR_32	farmer_adult	TOCDLIC2	Diethyl phthalate	5.9119E-013	8.2684E-012
RCPTR_32	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.8472E-012	2.5834E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.5261E-013	2.1344E-012
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	5.1713E-014	7.2326E-013
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.3635E-013	1.9069E-012
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.0525E-013	1.4721E-012
RCPTR_32	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.1406E-015	4.3925E-014
RCPTR_32	farmer_adult	TOCDLIC2	Ethylbenzene	2.2011E-016	3.0784E-015
RCPTR_32	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.9280E-012	1.3885E-010
RCPTR_32	farmer_adult	TOCDLIC2	Fluoranthene	9.1167E-010	1.1394E-008
RCPTR_32	farmer_adult	TOCDLIC2	Fluorene	1.2174E-011	1.7026E-010
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.8838E-010	7.7957E-010
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.0095E-010	1.6305E-009
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	8.6687E-010	2.3521E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5332E-009	4.1503E-009
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.0691E-010	2.4676E-009
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.6885E-010	1.2757E-009
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.9533E-009	5.3239E-009
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.0235E-009	5.5016E-009
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	9.9411E-010	2.7061E-009
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.9712E-013	4.1555E-012
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorobenzene	7.6226E-010	1.0639E-008
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	8.2808E-013	1.1582E-011
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.5075E-013	2.1084E-012
RCPTR_32	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.4263E-007	1.2579E-006
RCPTR_32	farmer_adult	TOCDLIC2	Isophorone	2.2779E-014	3.1859E-013
RCPTR_32	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Mercuric chloride	1.9182E-007	2.0192E-007
RCPTR_32	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.2336E-018	1.7253E-017
RCPTR_32	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.1718E-018	3.0374E-017
RCPTR_32	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.7039E-015	2.3830E-014
RCPTR_32	farmer_adult	TOCDLIC2	Methyl mercury	5.1461E-010	6.0978E-010
RCPTR_32	farmer_adult	TOCDLIC2	Methylene chloride	2.2379E-016	3.1300E-015
RCPTR_32	farmer_adult	TOCDLIC2	Mustard	2.4436E-015	3.4176E-014
RCPTR_32	farmer_adult	TOCDLIC2	Naphthalene	1.6629E-014	2.3258E-013
RCPTR_32	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.8948E-013	5.4473E-012
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 3-	9.1924E-014	1.2857E-012
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.1877E-013	1.6611E-012
RCPTR_32	farmer_adult	TOCDLIC2	Nitrobenzene	3.8579E-014	5.3956E-013
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.7542E-014	2.4534E-013
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.6728E-013	2.3396E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.2204E-014	3.1055E-013
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.2858E-014	3.1969E-013
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.8863E-015	2.6382E-014
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.1724E-011	1.9416E-010
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.8281E-011	7.6411E-011
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.0262E-009	8.3454E-009
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.5064E-009	1.2344E-008
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.2262E-011	1.7150E-010
RCPTR_32	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.3448E-013	1.1671E-011
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorophenol	3.5722E-011	4.9961E-010
RCPTR_32	farmer_adult	TOCDLIC2	Phenanthrene	4.3207E-014	6.0429E-013
RCPTR_32	farmer_adult	TOCDLIC2	Phenol	3.0311E-014	4.2393E-013
RCPTR_32	farmer_adult	TOCDLIC2	Pronamide	3.2992E-012	4.6143E-011
RCPTR_32	farmer_adult	TOCDLIC2	Pyrene	2.2353E-009	1.6968E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Selenium	9.6050E-008	1.3434E-006
RCPTR_32	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Styrene	3.7115E-013	5.1910E-012
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1830E-009	3.3060E-009
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5749E-009	4.4224E-009
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.4974E-012	4.8914E-011
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.1647E-016	1.6289E-015
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.3289E-017	6.0544E-016
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.7177E-011	2.4023E-010
RCPTR_32	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Toluene	8.5037E-016	1.1893E-014
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.1268E-013	1.5760E-012
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.6451E-016	5.0980E-015
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.2837E-016	4.5926E-015
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethylene	5.4134E-017	7.5711E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.1553E-018	1.0007E-016
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.2362E-011	1.7290E-010
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.2609E-012	3.1621E-011
RCPTR_32	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.2224E-015	1.7096E-014
RCPTR_32	farmer_adult	TOCDLIC2	Vinyl Chloride	5.0976E-020	7.1295E-019
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, m-	1.4325E-015	2.0035E-014
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, o-	1.6190E-015	2.2643E-014
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, p-	2.2130E-015	3.0952E-014
RCPTR_32	farmer_adult	TOCDLIC2	Zinc	3.2773E-007	4.0905E-006
RCPTR_32	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Cadmium	5.2277E-007	9.8243E-007
RCPTR_32	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Mercuric chloride	2.9133E-004	3.8279E-004
RCPTR_32	farmer_child	TOCDFBRA	Methyl mercury	8.7426E-007	1.1560E-006
RCPTR_32	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Selenium	3.6608E-007	7.6800E-007
RCPTR_32	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFBRA	Zinc	1.7843E-006	3.4603E-006
RCPTR_32	farmer_child	TOCDFDFS	Acenaphthene	9.4012E-011	1.9723E-010
RCPTR_32	farmer_child	TOCDFDFS	Acetone	8.1822E-016	1.7165E-015
RCPTR_32	farmer_child	TOCDFDFS	Acetophenone	4.1539E-013	8.7145E-013
RCPTR_32	farmer_child	TOCDFDFS	Aniline	2.3569E-014	4.9446E-014
RCPTR_32	farmer_child	TOCDFDFS	Anthracene	1.9034E-009	3.9931E-009
RCPTR_32	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Aroclor 1254	2.9007E-011	6.0853E-011
RCPTR_32	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Benzene	3.0028E-015	6.2995E-015
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.4347E-007	2.4677E-007
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.6512E-007	2.9436E-007
RCPTR_32	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.0322E-007	7.0182E-007
RCPTR_32	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.9707E-007	4.3322E-007
RCPTR_32	farmer_child	TOCDFDFS	Benzoic acid	2.6148E-013	5.4855E-013
RCPTR_32	farmer_child	TOCDFDFS	Benzyl alcohol	5.3559E-013	1.1236E-012
RCPTR_32	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.3748E-013	1.1276E-012
RCPTR_32	farmer_child	TOCDFDFS	Bromodichloromethane	9.7009E-016	2.0352E-015
RCPTR_32	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.5725E-013	3.2989E-013
RCPTR_32	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.3662E-008	7.5168E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.8355E-010	3.8506E-010
RCPTR_32	farmer_child	TOCDFDFS	Cadmium	1.5030E-007	2.8246E-007
RCPTR_32	farmer_child	TOCDFDFS	Carbon disulfide	5.3413E-016	1.1205E-015
RCPTR_32	farmer_child	TOCDFDFS	Carbon tetrachloride	8.7675E-016	1.8393E-015
RCPTR_32	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.4739E-011	9.3858E-011
RCPTR_32	farmer_child	TOCDFDFS	Chloroaniline, p-	2.5201E-012	5.2868E-012
RCPTR_32	farmer_child	TOCDFDFS	Chlorobenzene	5.1538E-015	1.0812E-014
RCPTR_32	farmer_child	TOCDFDFS	Chloroethane	1.4827E-017	3.1105E-017
RCPTR_32	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.6759E-016	1.4005E-015
RCPTR_32	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.5248E-010	5.2968E-010
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.0728E-012	1.4838E-011
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.6320E-010	7.6197E-010
RCPTR_32	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Chrysene	1.8308E-007	2.9478E-007
RCPTR_32	farmer_child	TOCDFDFS	Di-n-butyl phthalate	7.7513E-010	1.6262E-009
RCPTR_32	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.9546E-005	6.1985E-005
RCPTR_32	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.9078E-006	3.0726E-006
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.5585E-013	7.4653E-013
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.3848E-013	9.1988E-013
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	4.1451E-013	8.6960E-013
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.1995E-010	1.0908E-009
RCPTR_32	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1731E-018	2.4610E-018
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.7821E-016	5.8365E-016
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4340E-016	7.2042E-016
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0631E-016	2.2302E-016
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7009E-016	3.5682E-016
RCPTR_32	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.8818E-011	6.0458E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.6585E-016	2.0263E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.1395E-016	6.5864E-016
RCPTR_32	farmer_child	TOCDFDFS	Diethyl phthalate	1.2161E-010	2.5512E-010
RCPTR_32	farmer_child	TOCDFDFS	Dimethyl phthalate	6.1972E-012	1.3001E-011
RCPTR_32	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.8513E-012	1.0177E-011
RCPTR_32	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6439E-012	3.4487E-012
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.3344E-012	9.0931E-012
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.3460E-012	7.0195E-012
RCPTR_32	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.9840E-014	2.0945E-013
RCPTR_32	farmer_child	TOCDFDFS	Ethylbenzene	3.2245E-015	6.7647E-015
RCPTR_32	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.1211E-011	8.6457E-011
RCPTR_32	farmer_child	TOCDFDFS	Fluoranthene	2.7997E-008	5.4336E-008
RCPTR_32	farmer_child	TOCDFDFS	Fluorene	3.8699E-010	8.1187E-010
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.7545E-011	9.4275E-011
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.7204E-011	5.1943E-011
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	7.1865E-011	1.0033E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.6464E-010	1.3465E-009
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.6379E-010	7.8732E-010
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.7124E-010	3.7878E-010
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.7928E-010	5.2974E-010
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.0854E-010	5.7048E-010
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.1673E-010	3.0267E-010
RCPTR_32	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.4452E-012	1.9815E-011
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorobenzene	2.4228E-008	5.0732E-008
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.6324E-011	5.5226E-011
RCPTR_32	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.7924E-012	1.0054E-011
RCPTR_32	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.8081E-006	6.3946E-006
RCPTR_32	farmer_child	TOCDFDFS	Isophorone	7.2413E-013	1.5192E-012
RCPTR_32	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Mercuric chloride	6.2664E-008	8.2336E-008
RCPTR_32	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.2017E-017	2.5209E-017
RCPTR_32	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.3642E-018	4.9599E-018
RCPTR_32	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.8725E-015	1.2320E-014
RCPTR_32	farmer_child	TOCDFDFS	Methyl mercury	1.8805E-010	2.4865E-010
RCPTR_32	farmer_child	TOCDFDFS	Methylene chloride	3.5550E-016	7.4581E-016
RCPTR_32	farmer_child	TOCDFDFS	Mustard	4.2490E-014	8.9139E-014
RCPTR_32	farmer_child	TOCDFDFS	Naphthalene	3.4206E-012	7.1761E-012
RCPTR_32	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.2381E-011	2.5974E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.9221E-012	6.1303E-012
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.7755E-012	7.9206E-012
RCPTR_32	farmer_child	TOCDFDFS	Nitrobenzene	1.2264E-012	2.5729E-012
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.5764E-013	1.1699E-012
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.3176E-012	1.1156E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.0586E-013	1.4808E-012
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.2664E-013	1.5244E-012
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.9964E-014	1.2580E-013
RCPTR_32	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.8315E-011	2.5566E-011
RCPTR_32	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	7.6980E-012	1.0744E-011
RCPTR_32	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.5327E-009	2.1427E-009
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8940E-009	2.6464E-009
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorobenzene	7.7822E-011	1.6326E-010
RCPTR_32	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.6526E-011	5.5650E-011
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorophenol	5.6879E-009	1.1933E-008
RCPTR_32	farmer_child	TOCDFDFS	Phenanthrene	1.3735E-012	2.8815E-012
RCPTR_32	farmer_child	TOCDFDFS	Phenol	9.6358E-013	2.0215E-012
RCPTR_32	farmer_child	TOCDFDFS	Pronamide	1.0488E-010	2.2003E-010
RCPTR_32	farmer_child	TOCDFDFS	Pyrene	5.0189E-008	8.0916E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Selenium	2.5144E-008	5.2749E-008
RCPTR_32	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Styrene	3.8285E-014	8.0319E-014
RCPTR_32	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3983E-009	1.9570E-009
RCPTR_32	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4741E-009	2.0640E-009
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1118E-010	2.3324E-010
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	5.4363E-013	1.1405E-012
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0424E-015	2.1869E-015
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.4601E-010	1.1455E-009
RCPTR_32	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Toluene	1.4011E-015	2.9393E-015
RCPTR_32	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.5821E-012	7.5149E-012
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.6340E-016	1.8113E-015
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.0467E-015	1.0587E-014
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethylene	8.3197E-016	1.7454E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1558E-016	2.4247E-016
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.9298E-010	8.2444E-010
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.6127E-010	7.5791E-010
RCPTR_32	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.8786E-014	3.9412E-014
RCPTR_32	farmer_child	TOCDFDFS	Vinyl Chloride	2.6137E-019	5.4833E-019
RCPTR_32	farmer_child	TOCDFDFS	Xylene, m-	4.9506E-015	1.0386E-014
RCPTR_32	farmer_child	TOCDFDFS	Xylene, o-	4.8879E-015	1.0254E-014
RCPTR_32	farmer_child	TOCDFDFS	Xylene, p-	7.6479E-015	1.6045E-014
RCPTR_32	farmer_child	TOCDFDFS	Zinc	2.3111E-007	4.4819E-007
RCPTR_32	farmer_child	TOCDFLIC	Acenaphthene	1.9716E-011	4.1361E-011
RCPTR_32	farmer_child	TOCDFLIC	Acetone	5.5799E-016	1.1706E-015
RCPTR_32	farmer_child	TOCDFLIC	Acetophenone	8.2860E-014	1.7383E-013
RCPTR_32	farmer_child	TOCDFLIC	Aniline	4.9428E-015	1.0370E-014
RCPTR_32	farmer_child	TOCDFLIC	Anthracene	3.9916E-010	8.3739E-010
RCPTR_32	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Benzene	3.1484E-015	6.6051E-015
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.0026E-008	5.1647E-008
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.3771E-008	6.0204E-008
RCPTR_32	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	8.4295E-008	1.4672E-007
RCPTR_32	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.0105E-008	8.7651E-008
RCPTR_32	farmer_child	TOCDFLIC	Benzoic acid	1.8943E-013	3.9741E-013
RCPTR_32	farmer_child	TOCDFLIC	Benzyl alcohol	1.7971E-011	3.7702E-011
RCPTR_32	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.1272E-013	2.3647E-013
RCPTR_32	farmer_child	TOCDFLIC	Bromodichloromethane	1.1337E-016	2.3784E-016
RCPTR_32	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.0793E-013	4.3623E-013
RCPTR_32	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	9.1565E-009	1.5764E-008
RCPTR_32	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.8470E-011	8.0706E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Cadmium	6.1417E-007	1.1542E-006
RCPTR_32	farmer_child	TOCDFLIC	Carbon disulfide	7.3836E-016	1.5490E-015
RCPTR_32	farmer_child	TOCDFLIC	Carbon tetrachloride	1.5134E-014	3.1750E-014
RCPTR_32	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.3824E-012	1.9683E-011
RCPTR_32	farmer_child	TOCDFLIC	Chloroaniline, p-	5.2849E-013	1.1087E-012
RCPTR_32	farmer_child	TOCDFLIC	Chlorobenzene	6.1233E-015	1.2846E-014
RCPTR_32	farmer_child	TOCDFLIC	Chloroethane	6.4315E-018	1.3493E-017
RCPTR_32	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.8591E-015	1.2292E-014
RCPTR_32	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.2949E-011	1.1108E-010
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.4833E-012	3.1117E-012
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.6168E-011	1.5979E-010
RCPTR_32	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Chrysene	3.8224E-008	6.1545E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.5118E-011	5.2695E-011
RCPTR_32	farmer_child	TOCDFLIC	Di-n-octylphthalate	9.5614E-007	2.0059E-006
RCPTR_32	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.7535E-007	6.0451E-007
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.4626E-014	1.5656E-013
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	9.1954E-014	1.9291E-013
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.6928E-014	1.8237E-013
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.4377E-011	1.1408E-010
RCPTR_32	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.8417E-019	1.0157E-018
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.9521E-017	4.0953E-017
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4896E-016	3.1250E-016
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.4593E-018	1.5649E-017
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.3780E-017	1.5478E-016
RCPTR_32	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	6.0436E-012	1.2679E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.1896E-016	8.7895E-016
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.4041E-016	2.9457E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Diethyl phthalate	3.9413E-012	8.2684E-012
RCPTR_32	farmer_child	TOCDFLIC	Dimethyl phthalate	1.2314E-011	2.5834E-011
RCPTR_32	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.0174E-012	2.1344E-012
RCPTR_32	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.4475E-013	7.2326E-013
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.0897E-013	1.9069E-012
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.0169E-013	1.4721E-012
RCPTR_32	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.0938E-014	4.3925E-014
RCPTR_32	farmer_child	TOCDFLIC	Ethylbenzene	1.4674E-015	3.0784E-015
RCPTR_32	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.6186E-011	1.3885E-010
RCPTR_32	farmer_child	TOCDFLIC	Fluoranthene	5.8706E-009	1.1394E-008
RCPTR_32	farmer_child	TOCDFLIC	Fluorene	8.1157E-011	1.7026E-010
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.5854E-010	7.7957E-010
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1679E-009	1.6305E-009
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.6847E-009	2.3521E-009
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.9732E-009	4.1503E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.7670E-009	2.4676E-009
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.1350E-010	1.2757E-009
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.8118E-009	5.3239E-009
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.9399E-009	5.5016E-009
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.9377E-009	2.7061E-009
RCPTR_32	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9808E-012	4.1555E-012
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorobenzene	5.0808E-009	1.0639E-008
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.5205E-012	1.1582E-011
RCPTR_32	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.0050E-012	2.1084E-012
RCPTR_32	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.4908E-007	1.2579E-006
RCPTR_32	farmer_child	TOCDFLIC	Isophorone	1.5186E-013	3.1859E-013
RCPTR_32	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Mercuric chloride	1.5367E-007	2.0192E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.2237E-018	1.7253E-017
RCPTR_32	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4479E-017	3.0374E-017
RCPTR_32	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1359E-014	2.3830E-014
RCPTR_32	farmer_child	TOCDFLIC	Methyl mercury	4.6117E-010	6.0978E-010
RCPTR_32	farmer_child	TOCDFLIC	Methylene chloride	1.4919E-015	3.1300E-015
RCPTR_32	farmer_child	TOCDFLIC	Mustard	1.5670E-014	3.2874E-014
RCPTR_32	farmer_child	TOCDFLIC	Naphthalene	1.1086E-013	2.3258E-013
RCPTR_32	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.5965E-012	5.4473E-012
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.1283E-013	1.2857E-012
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.9181E-013	1.6611E-012
RCPTR_32	farmer_child	TOCDFLIC	Nitrobenzene	2.5719E-013	5.3956E-013
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.1694E-013	2.4534E-013
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.1152E-013	2.3396E-013
RCPTR_32	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4803E-013	3.1055E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.5239E-013	3.1969E-013
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.2575E-014	2.6382E-014
RCPTR_32	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.3909E-010	1.9416E-010
RCPTR_32	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.4749E-011	7.6411E-011
RCPTR_32	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.9694E-009	8.3454E-009
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.8347E-009	1.2344E-008
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorobenzene	8.1750E-011	1.7150E-010
RCPTR_32	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.5632E-012	1.1671E-011
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorophenol	2.3815E-010	4.9961E-010
RCPTR_32	farmer_child	TOCDFLIC	Phenanthrene	2.8805E-013	6.0429E-013
RCPTR_32	farmer_child	TOCDFLIC	Phenol	2.0208E-013	4.2393E-013
RCPTR_32	farmer_child	TOCDFLIC	Pronamide	2.1995E-011	4.6143E-011
RCPTR_32	farmer_child	TOCDFLIC	Pyrene	1.0524E-008	1.6968E-008
RCPTR_32	farmer_child	TOCDFLIC	Selenium	6.4033E-007	1.3434E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Styrene	2.4744E-012	5.1910E-012
RCPTR_32	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.3621E-009	3.3060E-009
RCPTR_32	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.1585E-009	4.4224E-009
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3316E-011	4.8914E-011
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.7646E-016	1.6289E-015
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.8860E-016	6.0544E-016
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1451E-010	2.4023E-010
RCPTR_32	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Toluene	5.6692E-015	1.1893E-014
RCPTR_32	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.5121E-013	1.5760E-012
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.4301E-015	5.0980E-015
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.1892E-015	4.5926E-015
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethylene	3.6089E-016	7.5711E-016
RCPTR_32	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.7702E-017	1.0007E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	8.2414E-011	1.7290E-010
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.5073E-011	3.1621E-011
RCPTR_32	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.1492E-015	1.7096E-014
RCPTR_32	farmer_child	TOCDFLIC	Vinyl Chloride	3.3984E-019	7.1295E-019
RCPTR_32	farmer_child	TOCDFLIC	Xylene, m-	4.5957E-015	9.6413E-015
RCPTR_32	farmer_child	TOCDFLIC	Xylene, o-	5.1938E-015	1.0896E-014
RCPTR_32	farmer_child	TOCDFLIC	Xylene, p-	7.0997E-015	1.4894E-014
RCPTR_32	farmer_child	TOCDFLIC	Zinc	2.1092E-006	4.0905E-006
RCPTR_32	farmer_child	TOCDFMPF	Acenaphthene	2.9992E-011	6.2920E-011
RCPTR_32	farmer_child	TOCDFMPF	Acetone	2.0282E-015	4.2549E-015
RCPTR_32	farmer_child	TOCDFMPF	Acetophenone	1.3205E-013	2.7703E-013
RCPTR_32	farmer_child	TOCDFMPF	Aniline	7.5191E-015	1.5774E-014
RCPTR_32	farmer_child	TOCDFMPF	Anthracene	6.0722E-010	1.2739E-009
RCPTR_32	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Aroclor 1254	1.7115E-011	3.5905E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Benzene	2.8001E-015	5.8743E-015
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.5682E-008	7.8575E-008
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)pyrene	5.1447E-008	9.1714E-008
RCPTR_32	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.2825E-007	2.2323E-007
RCPTR_32	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	9.1622E-008	1.3361E-007
RCPTR_32	farmer_child	TOCDFMPF	Benzoic acid	8.3416E-013	1.7500E-012
RCPTR_32	farmer_child	TOCDFMPF	Benzyl alcohol	1.7086E-013	3.5846E-013
RCPTR_32	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.7147E-013	3.5972E-013
RCPTR_32	farmer_child	TOCDFMPF	Bromodichloromethane	3.4273E-015	7.1901E-015
RCPTR_32	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2087E-013	2.5357E-013
RCPTR_32	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3929E-008	2.3980E-008
RCPTR_32	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.8523E-011	1.2278E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Cadmium	2.8022E-006	5.2661E-006
RCPTR_32	farmer_child	TOCDFMPF	Carbon disulfide	2.6862E-016	5.6355E-016
RCPTR_32	farmer_child	TOCDFMPF	Carbon tetrachloride	2.6233E-015	5.5034E-015
RCPTR_32	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4273E-011	2.9943E-011
RCPTR_32	farmer_child	TOCDFMPF	Chloroaniline, p-	8.0395E-013	1.6866E-012
RCPTR_32	farmer_child	TOCDFMPF	Chlorobenzene	1.0932E-014	2.2935E-014
RCPTR_32	farmer_child	TOCDFMPF	Chloroethane	6.3068E-017	1.3231E-016
RCPTR_32	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.8335E-015	3.8465E-015
RCPTR_32	farmer_child	TOCDFMPF	Chloronaphthalene,2-	8.0547E-011	1.6898E-010
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.2564E-012	4.7337E-012
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1587E-010	2.4308E-010
RCPTR_32	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Chrysene	5.8161E-008	9.3647E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.4725E-010	5.1870E-010
RCPTR_32	farmer_child	TOCDFMPF	Di-n-octylphthalate	9.4123E-006	1.9746E-005
RCPTR_32	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	5.7313E-007	9.2304E-007
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.1352E-013	2.3816E-013
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.3988E-013	2.9346E-013
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.3224E-013	2.7742E-013
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.6596E-010	3.4816E-010
RCPTR_32	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.9627E-018	8.3133E-018
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.9014E-016	1.2381E-015
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.2843E-016	1.5282E-015
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.2551E-016	4.7309E-016
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.6079E-016	7.5691E-016
RCPTR_32	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	9.1936E-012	1.9287E-011
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.0488E-015	4.2982E-015
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.6597E-016	1.3971E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Diethyl phthalate	3.8795E-011	8.1388E-011
RCPTR_32	farmer_child	TOCDFMPF	Dimethyl phthalate	1.3085E-012	2.7452E-012
RCPTR_32	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.5477E-012	3.2468E-012
RCPTR_32	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	5.2349E-013	1.0982E-012
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.3827E-012	2.9009E-012
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0674E-012	2.2394E-012
RCPTR_32	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.1851E-014	6.6820E-014
RCPTR_32	farmer_child	TOCDFMPF	Ethylbenzene	6.8399E-015	1.4349E-014
RCPTR_32	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1914E-011	2.4995E-011
RCPTR_32	farmer_child	TOCDFMPF	Fluoranthene	8.9306E-009	1.7332E-008
RCPTR_32	farmer_child	TOCDFMPF	Fluorene	1.2346E-010	2.5900E-010
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1752E-009	3.0361E-009
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.8347E-009	2.5616E-009
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.9703E-009	2.7508E-009
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.4816E-010	1.1839E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.9235E-010	5.4790E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.1564E-010	3.0114E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	7.5225E-010	1.0506E-009
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.7966E-010	5.3015E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.7515E-010	2.4460E-010
RCPTR_32	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.0132E-012	6.3215E-012
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorobenzene	7.7290E-009	1.6184E-008
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	8.3980E-012	1.7618E-011
RCPTR_32	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.5289E-012	3.2074E-012
RCPTR_32	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.1438E-006	1.9207E-006
RCPTR_32	farmer_child	TOCDFMPF	Isophorone	2.3101E-013	4.8464E-013
RCPTR_32	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Mercuric chloride	2.6001E-006	3.4163E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.2345E-017	8.8836E-017
RCPTR_32	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.4593E-018	5.1594E-018
RCPTR_32	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.2923E-015	4.8091E-015
RCPTR_32	farmer_child	TOCDFMPF	Methyl mercury	7.8027E-009	1.0317E-008
RCPTR_32	farmer_child	TOCDFMPF	Methylene chloride	1.1676E-015	2.4495E-015
RCPTR_32	farmer_child	TOCDFMPF	Mustard	1.1095E-013	2.3277E-013
RCPTR_32	farmer_child	TOCDFMPF	Naphthalene	1.0913E-012	2.2893E-012
RCPTR_32	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.9427E-012	8.2715E-012
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 3-	9.3056E-013	1.9522E-012
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.2023E-012	2.5224E-012
RCPTR_32	farmer_child	TOCDFMPF	Nitrobenzene	3.9125E-013	8.2080E-013
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.7790E-013	3.7321E-013
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.6934E-012	3.5527E-012
RCPTR_32	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.2518E-013	4.7241E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.3181E-013	4.8632E-013
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.9130E-014	4.0132E-014
RCPTR_32	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	8.8419E-009	1.2342E-008
RCPTR_32	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.2042E-009	8.6590E-009
RCPTR_32	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.1126E-010	4.3515E-010
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.9091E-010	8.2565E-010
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorobenzene	2.4827E-011	5.2084E-011
RCPTR_32	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.4475E-012	1.7722E-011
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorophenol	1.8114E-009	3.8001E-009
RCPTR_32	farmer_child	TOCDFMPF	Phenanthrene	4.3818E-013	9.1926E-013
RCPTR_32	farmer_child	TOCDFMPF	Phenol	3.0740E-013	6.4490E-013
RCPTR_32	farmer_child	TOCDFMPF	Pronamide	3.3459E-011	7.0194E-011
RCPTR_32	farmer_child	TOCDFMPF	Pyrene	1.6010E-008	2.5812E-008
RCPTR_32	farmer_child	TOCDFMPF	Selenium	1.1220E-008	2.3538E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Styrene	5.6147E-014	1.1779E-013
RCPTR_32	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.8147E-010	3.9394E-010
RCPTR_32	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.1154E-009	4.3621E-009
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.5469E-011	7.4410E-011
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3473E-014	4.9245E-014
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.2112E-015	4.6388E-015
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7388E-010	3.6478E-010
RCPTR_32	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFMPF	Toluene	3.7850E-015	7.9405E-015
RCPTR_32	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1428E-012	2.3974E-012
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.4194E-015	2.9778E-015
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.0705E-014	2.2459E-014
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethylene	1.7648E-015	3.7024E-015
RCPTR_32	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.8987E-015	1.0277E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2537E-010	2.6301E-010
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2929E-011	4.8103E-011
RCPTR_32	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.9850E-014	8.3602E-014
RCPTR_32	farmer_child	TOCDFMPF	Vinyl Chloride	9.2794E-019	1.9467E-018
RCPTR_32	farmer_child	TOCDFMPF	Xylene, m-	4.5775E-015	9.6031E-015
RCPTR_32	farmer_child	TOCDFMPF	Xylene, o-	5.1732E-015	1.0853E-014
RCPTR_32	farmer_child	TOCDFMPF	Xylene, p-	7.0716E-015	1.4836E-014
RCPTR_32	farmer_child	TOCDFMPF	Zinc	6.0004E-007	1.1637E-006
RCPTR_32	farmer_child	TOCDHVAC	Mustard	3.9262E-014	8.2368E-014
RCPTR_32	farmer_child	TOCDLIC2	Acenaphthene	1.9716E-011	4.1361E-011
RCPTR_32	farmer_child	TOCDLIC2	Acetone	5.5799E-016	1.1706E-015
RCPTR_32	farmer_child	TOCDLIC2	Acetophenone	8.2860E-014	1.7383E-013
RCPTR_32	farmer_child	TOCDLIC2	Aniline	4.9428E-015	1.0370E-014
RCPTR_32	farmer_child	TOCDLIC2	Anthracene	3.9916E-010	8.3739E-010
RCPTR_32	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Benzene	3.1484E-015	6.6051E-015
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)anthracene	3.0026E-008	5.1647E-008
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.3771E-008	6.0204E-008
RCPTR_32	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	8.4295E-008	1.4672E-007
RCPTR_32	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.0105E-008	8.7651E-008
RCPTR_32	farmer_child	TOCDLIC2	Benzoic acid	1.8943E-013	3.9741E-013
RCPTR_32	farmer_child	TOCDLIC2	Benzyl alcohol	1.7971E-011	3.7702E-011
RCPTR_32	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.1272E-013	2.3647E-013
RCPTR_32	farmer_child	TOCDLIC2	Bromodichloromethane	1.1337E-016	2.3784E-016
RCPTR_32	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.0793E-013	4.3623E-013
RCPTR_32	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	9.1565E-009	1.5764E-008
RCPTR_32	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.8470E-011	8.0706E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Cadmium	6.1417E-007	1.1542E-006
RCPTR_32	farmer_child	TOCDLIC2	Carbon disulfide	7.3836E-016	1.5490E-015
RCPTR_32	farmer_child	TOCDLIC2	Carbon tetrachloride	1.5134E-014	3.1750E-014
RCPTR_32	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	9.3824E-012	1.9683E-011
RCPTR_32	farmer_child	TOCDLIC2	Chloroaniline, p-	5.2849E-013	1.1087E-012
RCPTR_32	farmer_child	TOCDLIC2	Chlorobenzene	6.1233E-015	1.2846E-014
RCPTR_32	farmer_child	TOCDLIC2	Chloroethane	6.4315E-018	1.3493E-017
RCPTR_32	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.8591E-015	1.2292E-014
RCPTR_32	farmer_child	TOCDLIC2	Chloronaphthalene,2-	5.2949E-011	1.1108E-010
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.4833E-012	3.1117E-012
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.6168E-011	1.5979E-010
RCPTR_32	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Chrysene	3.8224E-008	6.1545E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.5118E-011	5.2695E-011
RCPTR_32	farmer_child	TOCDLIC2	Di-n-octylphthalate	9.5614E-007	2.0059E-006
RCPTR_32	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.7535E-007	6.0451E-007
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	7.4626E-014	1.5656E-013
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	9.1954E-014	1.9291E-013
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	8.6928E-014	1.8237E-013
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.4377E-011	1.1408E-010
RCPTR_32	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.8417E-019	1.0157E-018
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.9521E-017	4.0953E-017
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4896E-016	3.1250E-016
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.4593E-018	1.5649E-017
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.3780E-017	1.5478E-016
RCPTR_32	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	6.0436E-012	1.2679E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.1896E-016	8.7895E-016
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.4041E-016	2.9457E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Diethyl phthalate	3.9413E-012	8.2684E-012
RCPTR_32	farmer_child	TOCDLIC2	Dimethyl phthalate	1.2314E-011	2.5834E-011
RCPTR_32	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.0174E-012	2.1344E-012
RCPTR_32	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.4475E-013	7.2326E-013
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	9.0897E-013	1.9069E-012
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	7.0169E-013	1.4721E-012
RCPTR_32	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.0938E-014	4.3925E-014
RCPTR_32	farmer_child	TOCDLIC2	Ethylbenzene	1.4674E-015	3.0784E-015
RCPTR_32	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.6186E-011	1.3885E-010
RCPTR_32	farmer_child	TOCDLIC2	Fluoranthene	5.8706E-009	1.1394E-008
RCPTR_32	farmer_child	TOCDLIC2	Fluorene	8.1157E-011	1.7026E-010
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.5854E-010	7.7957E-010
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.1679E-009	1.6305E-009
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.6847E-009	2.3521E-009
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.9732E-009	4.1503E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.7670E-009	2.4676E-009
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.1350E-010	1.2757E-009
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.8118E-009	5.3239E-009
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.9399E-009	5.5016E-009
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.9377E-009	2.7061E-009
RCPTR_32	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9808E-012	4.1555E-012
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorobenzene	5.0808E-009	1.0639E-008
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.5205E-012	1.1582E-011
RCPTR_32	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.0050E-012	2.1084E-012
RCPTR_32	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.4908E-007	1.2579E-006
RCPTR_32	farmer_child	TOCDLIC2	Isophorone	1.5186E-013	3.1859E-013
RCPTR_32	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Mercuric chloride	1.5367E-007	2.0192E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.2237E-018	1.7253E-017
RCPTR_32	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4479E-017	3.0374E-017
RCPTR_32	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1359E-014	2.3830E-014
RCPTR_32	farmer_child	TOCDLIC2	Methyl mercury	4.6117E-010	6.0978E-010
RCPTR_32	farmer_child	TOCDLIC2	Methylene chloride	1.4919E-015	3.1300E-015
RCPTR_32	farmer_child	TOCDLIC2	Mustard	1.6290E-014	3.4176E-014
RCPTR_32	farmer_child	TOCDLIC2	Naphthalene	1.1086E-013	2.3258E-013
RCPTR_32	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.5965E-012	5.4473E-012
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 3-	6.1283E-013	1.2857E-012
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.9181E-013	1.6611E-012
RCPTR_32	farmer_child	TOCDLIC2	Nitrobenzene	2.5719E-013	5.3956E-013
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.1694E-013	2.4534E-013
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.1152E-012	2.3396E-012
RCPTR_32	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4803E-013	3.1055E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.5239E-013	3.1969E-013
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.2575E-014	2.6382E-014
RCPTR_32	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.3909E-010	1.9416E-010
RCPTR_32	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	5.4749E-011	7.6411E-011
RCPTR_32	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.9694E-009	8.3454E-009
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.8347E-009	1.2344E-008
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorobenzene	8.1750E-011	1.7150E-010
RCPTR_32	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.5632E-012	1.1671E-011
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorophenol	2.3815E-010	4.9961E-010
RCPTR_32	farmer_child	TOCDLIC2	Phenanthrene	2.8805E-013	6.0429E-013
RCPTR_32	farmer_child	TOCDLIC2	Phenol	2.0208E-013	4.2393E-013
RCPTR_32	farmer_child	TOCDLIC2	Pronamide	2.1995E-011	4.6143E-011
RCPTR_32	farmer_child	TOCDLIC2	Pyrene	1.0524E-008	1.6968E-008
RCPTR_32	farmer_child	TOCDLIC2	Selenium	6.4033E-007	1.3434E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Styrene	2.4744E-012	5.1910E-012
RCPTR_32	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.3621E-009	3.3060E-009
RCPTR_32	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.1585E-009	4.4224E-009
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.3316E-011	4.8914E-011
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.7646E-016	1.6289E-015
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8860E-016	6.0544E-016
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1451E-010	2.4023E-010
RCPTR_32	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Toluene	5.6692E-015	1.1893E-014
RCPTR_32	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.5121E-013	1.5760E-012
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.4301E-015	5.0980E-015
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.1892E-015	4.5926E-015
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethylene	3.6089E-016	7.5711E-016
RCPTR_32	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.7702E-017	1.0007E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	8.2414E-011	1.7290E-010
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5073E-011	3.1621E-011
RCPTR_32	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	8.1492E-015	1.7096E-014
RCPTR_32	farmer_child	TOCDLIC2	Vinyl Chloride	3.3984E-019	7.1295E-019
RCPTR_32	farmer_child	TOCDLIC2	Xylene, m-	9.5501E-015	2.0035E-014
RCPTR_32	farmer_child	TOCDLIC2	Xylene, o-	1.0793E-014	2.2643E-014
RCPTR_32	farmer_child	TOCDLIC2	Xylene, p-	1.4754E-014	3.0952E-014
RCPTR_32	farmer_child	TOCDLIC2	Zinc	2.1092E-006	4.0905E-006
RCPTR_33	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Cadmium	4.9593E-008	5.8385E-007
RCPTR_33	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Mercuric chloride	2.2047E-004	2.3207E-004
RCPTR_33	farmer_adult	TOCDFBRA	Methyl mercury	5.9147E-007	7.0084E-007
RCPTR_33	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Selenium	3.2634E-008	4.5642E-007
RCPTR_33	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFBRA	Zinc	1.6476E-007	2.0565E-006
RCPTR_33	farmer_adult	TOCDFDFS	Acenaphthene	1.4438E-011	2.0193E-010
RCPTR_33	farmer_adult	TOCDFDFS	Acetone	1.2566E-016	1.7575E-015
RCPTR_33	farmer_adult	TOCDFDFS	Acetophenone	6.3795E-014	8.9224E-013
RCPTR_33	farmer_adult	TOCDFDFS	Aniline	3.6197E-015	5.0626E-014
RCPTR_33	farmer_adult	TOCDFDFS	Anthracene	2.9232E-010	4.0883E-009
RCPTR_33	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Aroclor 1254	4.4537E-012	6.2289E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Benzene	4.6116E-016	6.4498E-015
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.6465E-008	2.5152E-007
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.7195E-008	2.8470E-007
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.2582E-008	7.1351E-007
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.6862E-008	4.0859E-007
RCPTR_33	farmer_adult	TOCDFDFS	Benzoic acid	4.0157E-014	5.6164E-013
RCPTR_33	farmer_adult	TOCDFDFS	Benzyl alcohol	8.2255E-014	1.1504E-012
RCPTR_33	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.2545E-014	1.1545E-012
RCPTR_33	farmer_adult	TOCDFDFS	Bromodichloromethane	1.4898E-016	2.0837E-015
RCPTR_33	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.4150E-014	3.3776E-013
RCPTR_33	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	8.0766E-009	7.6960E-008
RCPTR_33	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.8153E-011	3.9374E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Cadmium	2.1117E-008	2.4860E-007
RCPTR_33	farmer_adult	TOCDFDFS	Carbon disulfide	8.2030E-017	1.1473E-015
RCPTR_33	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.3465E-016	1.8832E-015
RCPTR_33	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.8710E-012	9.6097E-011
RCPTR_33	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.8703E-013	5.4130E-012
RCPTR_33	farmer_adult	TOCDFDFS	Chlorobenzene	7.9151E-016	1.1070E-014
RCPTR_33	farmer_adult	TOCDFDFS	Chloroethane	2.2771E-018	3.1847E-017
RCPTR_33	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.0253E-016	1.4340E-015
RCPTR_33	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.8776E-011	5.4232E-010
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0862E-012	1.5192E-011
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	5.5780E-011	7.8014E-010
RCPTR_33	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Chrysene	3.9577E-008	2.9881E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1900E-010	1.6643E-009
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.5223E-006	6.3249E-005
RCPTR_33	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.5823E-007	2.7075E-006
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.4650E-014	7.6434E-013
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.7341E-014	9.4183E-013
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	6.3659E-014	8.9034E-013
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	7.9383E-011	1.1102E-009
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.8016E-019	2.5197E-018
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.2726E-017	5.9757E-016
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2739E-017	7.3761E-016
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.6327E-017	2.2835E-016
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.6122E-017	3.6534E-016
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.4259E-012	6.1900E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.4833E-016	2.0746E-015
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.8217E-017	6.7436E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Diethyl phthalate	1.8676E-011	2.6120E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.5175E-013	1.3311E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.4505E-013	1.0420E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.5246E-013	3.5309E-012
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.6565E-013	9.3098E-012
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.1386E-013	7.1869E-012
RCPTR_33	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.5333E-014	2.1445E-013
RCPTR_33	farmer_adult	TOCDFDFS	Ethylbenzene	4.9521E-016	6.9261E-015
RCPTR_33	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	6.3143E-012	8.8313E-011
RCPTR_33	farmer_adult	TOCDFDFS	Fluoranthene	4.4503E-009	5.5617E-008
RCPTR_33	farmer_adult	TOCDFDFS	Fluorene	5.9434E-011	8.3124E-010
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.1280E-011	8.4559E-011
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.7331E-011	4.7024E-011
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.3237E-011	9.0182E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.5532E-010	1.2326E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.6122E-010	7.1076E-010
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.2481E-010	3.3959E-010
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.7707E-010	4.8262E-010
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.9141E-010	5.2040E-010
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.0157E-010	2.7649E-010
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.4506E-012	2.0288E-011
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.7215E-009	5.1942E-008
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.0428E-012	5.6543E-011
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.3600E-013	1.0294E-011
RCPTR_33	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.3865E-007	5.6324E-006
RCPTR_33	farmer_adult	TOCDFDFS	Isophorone	1.1121E-013	1.5554E-012
RCPTR_33	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Mercuric chloride	7.9622E-008	8.3812E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.8455E-018	2.5811E-017
RCPTR_33	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.6310E-019	5.0783E-018
RCPTR_33	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.0188E-016	1.2614E-014
RCPTR_33	farmer_adult	TOCDFDFS	Methyl mercury	2.1360E-010	2.5310E-010
RCPTR_33	farmer_adult	TOCDFDFS	Methylene chloride	5.4597E-017	7.6360E-016
RCPTR_33	farmer_adult	TOCDFDFS	Mustard	6.5255E-015	9.1266E-014
RCPTR_33	farmer_adult	TOCDFDFS	Naphthalene	5.2534E-013	7.3473E-012
RCPTR_33	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.9014E-012	2.6593E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.4877E-013	6.2765E-012
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.7983E-013	8.1095E-012
RCPTR_33	farmer_adult	TOCDFDFS	Nitrobenzene	1.8835E-013	2.6342E-012
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.5642E-014	1.1978E-012
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 4-	8.1667E-013	1.1422E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0840E-013	1.5162E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.1160E-013	1.5608E-012
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.2092E-015	1.2880E-013
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	8.4038E-012	2.2749E-011
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.5383E-012	9.5600E-012
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	7.4506E-010	2.0547E-009
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.3421E-010	2.5591E-009
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1952E-011	1.6716E-010
RCPTR_33	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.0739E-012	5.6977E-011
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorophenol	8.7354E-010	1.2217E-008
RCPTR_33	farmer_adult	TOCDFDFS	Phenanthrene	2.1094E-013	2.9503E-012
RCPTR_33	farmer_adult	TOCDFDFS	Phenol	1.4799E-013	2.0697E-012
RCPTR_33	farmer_adult	TOCDFDFS	Pronamide	1.6107E-011	2.2528E-010
RCPTR_33	farmer_adult	TOCDFDFS	Pyrene	1.0912E-008	8.2831E-008
RCPTR_33	farmer_adult	TOCDFDFS	Selenium	3.3194E-009	4.6426E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Styrene	5.8798E-015	8.2235E-014
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.9684E-010	1.9474E-009
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	7.4099E-010	2.0808E-009
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.7075E-011	2.3881E-010
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.3490E-014	1.1677E-012
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.6009E-016	2.2390E-015
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	8.3855E-011	1.1728E-009
RCPTR_33	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Toluene	2.1518E-016	3.0095E-015
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	5.5013E-013	7.6942E-012
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.3260E-016	1.8545E-015
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.7506E-016	1.0840E-014
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethylene	1.2777E-016	1.7870E-015
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.7750E-017	2.4825E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	6.0354E-011	8.4411E-010
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.5484E-011	7.7599E-010
RCPTR_33	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.8852E-015	4.0352E-014
RCPTR_33	farmer_adult	TOCDFDFS	Vinyl Chloride	4.0141E-020	5.6141E-019
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, m-	7.6030E-016	1.0634E-014
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, o-	7.5067E-016	1.0499E-014
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, p-	1.1746E-015	1.6427E-014
RCPTR_33	farmer_adult	TOCDFDFS	Zinc	3.1605E-008	3.9446E-007
RCPTR_33	farmer_adult	TOCDFLIC	Acenaphthene	2.8796E-012	4.0274E-011
RCPTR_33	farmer_adult	TOCDFLIC	Acetone	8.1497E-017	1.1398E-015
RCPTR_33	farmer_adult	TOCDFLIC	Acetophenone	1.2102E-014	1.6926E-013
RCPTR_33	farmer_adult	TOCDFLIC	Aniline	7.2192E-016	1.0097E-014
RCPTR_33	farmer_adult	TOCDFLIC	Anthracene	5.8300E-011	8.1537E-010
RCPTR_33	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Benzene	4.5985E-016	6.4314E-015
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)anthracene	5.2743E-009	5.0126E-008
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)pyrene	5.3720E-009	5.6238E-008
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.4459E-008	1.4214E-007
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.9048E-008	8.0351E-008
RCPTR_33	farmer_adult	TOCDFLIC	Benzoic acid	2.7667E-014	3.8695E-013
RCPTR_33	farmer_adult	TOCDFLIC	Benzyl alcohol	2.6248E-012	3.6710E-011
RCPTR_33	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.6463E-014	2.3025E-013
RCPTR_33	farmer_adult	TOCDFLIC	Bromodichloromethane	1.6558E-017	2.3158E-016
RCPTR_33	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	3.0370E-014	4.2475E-013
RCPTR_33	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6108E-009	1.5349E-008
RCPTR_33	farmer_adult	TOCDFLIC	Butylbenzylphthalate	5.6136E-012	7.8512E-011
RCPTR_33	farmer_adult	TOCDFLIC	Cadmium	8.4834E-008	9.9874E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Carbon disulfide	1.0784E-016	1.5083E-015
RCPTR_33	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.2104E-015	3.0915E-014
RCPTR_33	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3703E-012	1.9166E-011
RCPTR_33	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.7189E-014	1.0796E-012
RCPTR_33	farmer_adult	TOCDFLIC	Chlorobenzene	8.9434E-016	1.2508E-014
RCPTR_33	farmer_adult	TOCDFLIC	Chloroethane	9.3936E-019	1.3138E-017
RCPTR_33	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.5575E-016	1.1969E-014
RCPTR_33	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	7.7334E-012	1.0816E-010
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.1664E-013	3.0299E-012
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1125E-011	1.5559E-010
RCPTR_33	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Chrysene	7.8803E-009	5.9497E-008
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.6677E-012	5.1296E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.3931E-007	1.9484E-006
RCPTR_33	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.9278E-008	5.2360E-007
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0900E-014	1.5244E-013
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.3430E-014	1.8784E-013
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.2696E-014	1.7757E-013
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	7.9084E-012	1.1061E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.0715E-020	9.8902E-019
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.8511E-018	3.9876E-017
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1756E-017	3.0429E-016
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0895E-018	1.5237E-017
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0776E-017	1.5071E-016
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	8.8270E-013	1.2345E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.1192E-017	8.5583E-016
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.0508E-017	2.8682E-016
RCPTR_33	farmer_adult	TOCDFLIC	Diethyl phthalate	5.7564E-013	8.0509E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.7986E-012	2.5155E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.4859E-013	2.0782E-012
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	5.0352E-014	7.0423E-013
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.3276E-013	1.8567E-012
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.0248E-013	1.4334E-012
RCPTR_33	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.0581E-015	4.2770E-014
RCPTR_33	farmer_adult	TOCDFLIC	Ethylbenzene	2.1432E-016	2.9975E-015
RCPTR_33	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.6506E-012	1.3497E-010
RCPTR_33	farmer_adult	TOCDFLIC	Fluoranthene	8.8752E-010	1.1092E-008
RCPTR_33	farmer_adult	TOCDFLIC	Fluorene	1.1853E-011	1.6578E-010
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.5440E-010	6.8771E-010
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.3396E-010	1.4488E-009
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	7.6595E-010	2.0782E-009
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.3739E-009	3.7191E-009
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	8.0405E-010	2.1877E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.1346E-010	1.1250E-009
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.7441E-009	4.7535E-009
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.8085E-009	4.9170E-009
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	8.8942E-010	2.4211E-009
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.8931E-013	4.0462E-012
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.4221E-010	1.0359E-008
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	8.0630E-013	1.1277E-011
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.4679E-013	2.0530E-012
RCPTR_33	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2350E-007	1.0891E-006
RCPTR_33	farmer_adult	TOCDFLIC	Isophorone	2.2180E-014	3.1021E-013
RCPTR_33	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Mercuric chloride	1.8600E-007	1.9579E-007
RCPTR_33	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.2011E-018	1.6799E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.1147E-018	2.9576E-017
RCPTR_33	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.6591E-015	2.3204E-014
RCPTR_33	farmer_adult	TOCDFLIC	Methyl mercury	4.9899E-010	5.9127E-010
RCPTR_33	farmer_adult	TOCDFLIC	Methylene chloride	2.1791E-016	3.0476E-015
RCPTR_33	farmer_adult	TOCDFLIC	Mustard	2.2887E-015	3.2009E-014
RCPTR_33	farmer_adult	TOCDFLIC	Naphthalene	1.6192E-014	2.2646E-013
RCPTR_33	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.7924E-013	5.3040E-012
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.9507E-014	1.2518E-012
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1565E-013	1.6174E-012
RCPTR_33	farmer_adult	TOCDFLIC	Nitrobenzene	3.7564E-014	5.2538E-013
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.7080E-014	2.3889E-013
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.6288E-014	2.2781E-013
RCPTR_33	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.1620E-014	3.0238E-013
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.2257E-014	3.1128E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.8367E-015	2.5688E-014
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.2880E-011	1.7022E-010
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.4794E-011	6.6989E-011
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.8088E-009	7.7460E-009
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.2089E-009	1.1529E-008
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.1940E-011	1.6699E-010
RCPTR_33	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.1253E-013	1.1364E-011
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorophenol	3.4782E-011	4.8647E-010
RCPTR_33	farmer_adult	TOCDFLIC	Phenanthrene	4.2071E-014	5.8840E-013
RCPTR_33	farmer_adult	TOCDFLIC	Phenol	2.9514E-014	4.1279E-013
RCPTR_33	farmer_adult	TOCDFLIC	Pronamide	3.2125E-012	4.4929E-011
RCPTR_33	farmer_adult	TOCDFLIC	Pyrene	2.1763E-009	1.6519E-008
RCPTR_33	farmer_adult	TOCDFLIC	Selenium	8.3112E-008	1.1624E-006
RCPTR_33	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Styrene	3.6139E-013	5.0545E-012
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.1284E-009	3.1535E-009
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.5165E-009	4.2583E-009
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.4054E-012	4.7628E-011
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.1341E-016	1.5861E-015
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.2151E-017	5.8952E-016
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.6725E-011	2.3391E-010
RCPTR_33	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Toluene	8.2801E-016	1.1581E-014
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0972E-013	1.5345E-012
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.5492E-016	4.9640E-015
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.1974E-016	4.4719E-015
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethylene	5.2710E-017	7.3720E-016
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.9672E-018	9.7443E-017
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.2037E-011	1.6835E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.2014E-012	3.0789E-011
RCPTR_33	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1902E-015	1.6647E-014
RCPTR_33	farmer_adult	TOCDFLIC	Vinyl Chloride	4.9635E-020	6.9420E-019
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, m-	6.7123E-016	9.3878E-015
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, o-	7.5858E-016	1.0610E-014
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, p-	1.0369E-015	1.4503E-014
RCPTR_33	farmer_adult	TOCDFLIC	Zinc	2.8359E-007	3.5395E-006
RCPTR_33	farmer_adult	TOCDFMPF	Acenaphthene	4.4095E-012	6.1672E-011
RCPTR_33	farmer_adult	TOCDFMPF	Acetone	2.9819E-016	4.1705E-015
RCPTR_33	farmer_adult	TOCDFMPF	Acetophenone	1.9415E-014	2.7153E-013
RCPTR_33	farmer_adult	TOCDFMPF	Aniline	1.1055E-015	1.5461E-014
RCPTR_33	farmer_adult	TOCDFMPF	Anthracene	8.9275E-011	1.2486E-009
RCPTR_33	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Aroclor 1254	2.5158E-012	3.5186E-011
RCPTR_33	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Benzene	4.1168E-016	5.7578E-015
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)anthracene	8.0763E-009	7.6756E-008
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)pyrene	8.2218E-009	8.6073E-008
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	2.2140E-008	2.1764E-007
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.9146E-008	1.2295E-007
RCPTR_33	farmer_adult	TOCDFMPF	Benzoic acid	1.2264E-013	1.7153E-012
RCPTR_33	farmer_adult	TOCDFMPF	Benzyl alcohol	2.5121E-014	3.5134E-013
RCPTR_33	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.5210E-014	3.5258E-013
RCPTR_33	farmer_adult	TOCDFMPF	Bromodichloromethane	5.0389E-016	7.0474E-015
RCPTR_33	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.7770E-014	2.4854E-013
RCPTR_33	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.4666E-009	2.3504E-008
RCPTR_33	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.5961E-012	1.2022E-010
RCPTR_33	farmer_adult	TOCDFMPF	Cadmium	3.8776E-007	4.5650E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Carbon disulfide	3.9494E-017	5.5236E-016
RCPTR_33	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.8569E-016	5.3942E-015
RCPTR_33	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.0984E-012	2.9349E-011
RCPTR_33	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.1820E-013	1.6531E-012
RCPTR_33	farmer_adult	TOCDFMPF	Chlorobenzene	1.6073E-015	2.2480E-014
RCPTR_33	farmer_adult	TOCDFMPF	Chloroethane	9.2724E-018	1.2968E-016
RCPTR_33	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.6957E-016	3.7702E-015
RCPTR_33	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.1842E-011	1.6563E-010
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.3174E-013	4.6397E-012
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7035E-011	2.3826E-010
RCPTR_33	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Chrysene	1.2066E-008	9.1101E-008
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.6341E-011	5.0827E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.3803E-006	1.9305E-005
RCPTR_33	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.0598E-007	8.0098E-007
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.6691E-014	2.3343E-013
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.0566E-014	2.8764E-013
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.9442E-014	2.7191E-013
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.4291E-011	3.3974E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.8261E-019	8.1483E-018
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	8.6764E-017	1.2135E-015
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0710E-016	1.4979E-015
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.3155E-017	4.6370E-016
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.3045E-017	7.4189E-016
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3517E-012	1.8905E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.0122E-016	4.2129E-015
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	9.7913E-017	1.3694E-015
RCPTR_33	farmer_adult	TOCDFMPF	Diethyl phthalate	5.7037E-012	7.9773E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.9238E-013	2.6907E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.2754E-013	3.1824E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.6965E-014	1.0764E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.0329E-013	2.8432E-012
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.5694E-013	2.1949E-012
RCPTR_33	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.6828E-015	6.5494E-014
RCPTR_33	farmer_adult	TOCDFMPF	Ethylbenzene	1.0056E-015	1.4065E-014
RCPTR_33	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.7486E-012	2.4456E-011
RCPTR_33	farmer_adult	TOCDFMPF	Fluoranthene	1.3591E-009	1.6985E-008
RCPTR_33	farmer_adult	TOCDFMPF	Fluorene	1.8151E-011	2.5386E-010
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	9.9277E-010	2.6837E-009
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	8.4082E-010	2.2814E-009
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.9768E-010	2.4357E-009
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.9299E-010	1.0638E-009
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.7893E-010	4.8686E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.7796E-011	2.6609E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.4507E-010	9.4051E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.7473E-010	4.7506E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.0608E-011	2.1942E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.4302E-013	6.1960E-012
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.1365E-009	1.5863E-008
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.2347E-012	1.7269E-011
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.2478E-013	3.1438E-012
RCPTR_33	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.8892E-007	1.6661E-006
RCPTR_33	farmer_adult	TOCDFMPF	Isophorone	3.3964E-014	4.7503E-013
RCPTR_33	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Mercuric chloride	3.1673E-006	3.3339E-006
RCPTR_33	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	6.2257E-018	8.7073E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.6158E-019	5.0571E-018
RCPTR_33	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.3703E-016	4.7137E-015
RCPTR_33	farmer_adult	TOCDFMPF	Methyl mercury	8.4969E-009	1.0068E-008
RCPTR_33	farmer_adult	TOCDFMPF	Methylene chloride	1.7167E-016	2.4009E-015
RCPTR_33	farmer_adult	TOCDFMPF	Mustard	1.6313E-014	2.2815E-013
RCPTR_33	farmer_adult	TOCDFMPF	Naphthalene	1.6044E-013	2.2439E-012
RCPTR_33	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.7968E-013	8.1074E-012
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.3681E-013	1.9135E-012
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.7677E-013	2.4723E-012
RCPTR_33	farmer_adult	TOCDFMPF	Nitrobenzene	5.7523E-014	8.0451E-013
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.6155E-014	3.6581E-013
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.4897E-013	3.4822E-012
RCPTR_33	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.3107E-014	4.6304E-013
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.4082E-014	4.7667E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.8125E-015	3.9336E-014
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0042E-009	1.0839E-008
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.8146E-009	7.6045E-009
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.4710E-010	4.0566E-010
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.8282E-010	7.7473E-010
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.6501E-012	5.1051E-011
RCPTR_33	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2420E-012	1.7370E-011
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorophenol	2.6631E-010	3.7247E-009
RCPTR_33	farmer_adult	TOCDFMPF	Phenanthrene	6.4423E-014	9.0102E-013
RCPTR_33	farmer_adult	TOCDFMPF	Phenol	4.5195E-014	6.3210E-013
RCPTR_33	farmer_adult	TOCDFMPF	Pronamide	4.9193E-012	6.8801E-011
RCPTR_33	farmer_adult	TOCDFMPF	Pyrene	3.3325E-009	2.5296E-008
RCPTR_33	farmer_adult	TOCDFMPF	Selenium	1.4590E-009	2.0405E-008
RCPTR_33	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Styrene	8.2550E-015	1.1545E-013
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3522E-010	3.7789E-010
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.5049E-009	4.2259E-009
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.2147E-012	7.2933E-011
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.4511E-015	4.8268E-014
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.2509E-016	4.5468E-015
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.5564E-011	3.5754E-010
RCPTR_33	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Toluene	5.5648E-016	7.7830E-015
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.6801E-013	2.3498E-012
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.0869E-016	2.9187E-015
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.5739E-015	2.2013E-014
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethylene	2.5947E-016	3.6289E-015
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.2022E-016	1.0073E-014
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.8432E-011	2.5780E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.3711E-012	4.7148E-011
RCPTR_33	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.8590E-015	8.1944E-014
RCPTR_33	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3643E-019	1.9081E-018
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, m-	6.7300E-016	9.4126E-015
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, o-	7.6059E-016	1.0638E-014
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, p-	1.0397E-015	1.4541E-014
RCPTR_33	farmer_adult	TOCDFMPF	Zinc	8.0823E-008	1.0088E-006
RCPTR_33	farmer_adult	TOCDHVAC	Mustard	5.7609E-015	8.0572E-014
RCPTR_33	farmer_adult	TOCDLIC2	Acenaphthene	2.8796E-012	4.0274E-011
RCPTR_33	farmer_adult	TOCDLIC2	Acetone	8.1497E-017	1.1398E-015
RCPTR_33	farmer_adult	TOCDLIC2	Acetophenone	1.2102E-014	1.6926E-013
RCPTR_33	farmer_adult	TOCDLIC2	Aniline	7.2192E-016	1.0097E-014
RCPTR_33	farmer_adult	TOCDLIC2	Anthracene	5.8300E-011	8.1537E-010
RCPTR_33	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Benzene	4.5985E-016	6.4314E-015
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.2743E-009	5.0126E-008
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.3720E-009	5.6238E-008
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.4459E-008	1.4214E-007
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.9048E-008	8.0351E-008
RCPTR_33	farmer_adult	TOCDLIC2	Benzoic acid	2.7667E-014	3.8695E-013
RCPTR_33	farmer_adult	TOCDLIC2	Benzyl alcohol	2.6248E-012	3.6710E-011
RCPTR_33	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.6463E-014	2.3025E-013
RCPTR_33	farmer_adult	TOCDLIC2	Bromodichloromethane	1.6558E-017	2.3158E-016
RCPTR_33	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.0370E-014	4.2475E-013
RCPTR_33	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.6108E-009	1.5349E-008
RCPTR_33	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.6136E-012	7.8512E-011
RCPTR_33	farmer_adult	TOCDLIC2	Cadmium	8.4834E-008	9.9874E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Carbon disulfide	1.0784E-016	1.5083E-015
RCPTR_33	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.2104E-015	3.0915E-014
RCPTR_33	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.3703E-012	1.9166E-011
RCPTR_33	farmer_adult	TOCDLIC2	Chloroaniline, p-	7.7189E-014	1.0796E-012
RCPTR_33	farmer_adult	TOCDLIC2	Chlorobenzene	8.9434E-016	1.2508E-014
RCPTR_33	farmer_adult	TOCDLIC2	Chloroethane	9.3936E-019	1.3138E-017
RCPTR_33	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.5575E-016	1.1969E-014
RCPTR_33	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	7.7334E-012	1.0816E-010
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.1664E-013	3.0299E-012
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1125E-011	1.5559E-010
RCPTR_33	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Chrysene	7.8803E-009	5.9497E-008
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.6677E-012	5.1296E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.3931E-007	1.9484E-006
RCPTR_33	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.9278E-008	5.2360E-007
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.0900E-014	1.5244E-013
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3430E-014	1.8784E-013
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.2696E-014	1.7757E-013
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.9084E-012	1.1061E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	7.0715E-020	9.8902E-019
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.8511E-018	3.9876E-017
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1756E-017	3.0429E-016
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0895E-018	1.5237E-017
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.0776E-017	1.5071E-016
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	8.8270E-013	1.2345E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	6.1192E-017	8.5583E-016
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.0508E-017	2.8682E-016
RCPTR_33	farmer_adult	TOCDLIC2	Diethyl phthalate	5.7564E-013	8.0509E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.7986E-012	2.5155E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.4859E-013	2.0782E-012
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	5.0352E-014	7.0423E-013
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.3276E-013	1.8567E-012
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.0248E-013	1.4334E-012
RCPTR_33	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.0581E-015	4.2770E-014
RCPTR_33	farmer_adult	TOCDLIC2	Ethylbenzene	2.1432E-016	2.9975E-015
RCPTR_33	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	9.6506E-012	1.3497E-010
RCPTR_33	farmer_adult	TOCDLIC2	Fluoranthene	8.8752E-010	1.1092E-008
RCPTR_33	farmer_adult	TOCDLIC2	Fluorene	1.1853E-011	1.6578E-010
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5440E-010	6.8771E-010
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.3396E-010	1.4488E-009
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	7.6595E-010	2.0782E-009
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3739E-009	3.7191E-009
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.0405E-010	2.1877E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.1346E-010	1.1250E-009
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.7441E-009	4.7535E-009
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.8085E-009	4.9170E-009
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.8942E-010	2.4211E-009
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.8931E-013	4.0462E-012
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorobenzene	7.4221E-010	1.0359E-008
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	8.0630E-013	1.1277E-011
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.4679E-013	2.0530E-012
RCPTR_33	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2350E-007	1.0891E-006
RCPTR_33	farmer_adult	TOCDLIC2	Isophorone	2.2180E-014	3.1021E-013
RCPTR_33	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Mercuric chloride	1.8600E-007	1.9579E-007
RCPTR_33	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.2011E-018	1.6799E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.1147E-018	2.9576E-017
RCPTR_33	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.6591E-015	2.3204E-014
RCPTR_33	farmer_adult	TOCDLIC2	Methyl mercury	4.9899E-010	5.9127E-010
RCPTR_33	farmer_adult	TOCDLIC2	Methylene chloride	2.1791E-016	3.0476E-015
RCPTR_33	farmer_adult	TOCDLIC2	Mustard	2.3793E-015	3.3277E-014
RCPTR_33	farmer_adult	TOCDLIC2	Naphthalene	1.6192E-014	2.2646E-013
RCPTR_33	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.7924E-013	5.3040E-012
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 3-	8.9507E-014	1.2518E-012
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.1565E-013	1.6174E-012
RCPTR_33	farmer_adult	TOCDLIC2	Nitrobenzene	3.7564E-014	5.2538E-013
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.7080E-014	2.3889E-013
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.6288E-013	2.2781E-012
RCPTR_33	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.1620E-014	3.0238E-013
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.2257E-014	3.1128E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.8367E-015	2.5688E-014
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.2880E-011	1.7022E-010
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.4794E-011	6.6989E-011
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.8088E-009	7.7460E-009
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	4.2089E-009	1.1529E-008
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.1940E-011	1.6699E-010
RCPTR_33	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.1253E-013	1.1364E-011
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorophenol	3.4782E-011	4.8647E-010
RCPTR_33	farmer_adult	TOCDLIC2	Phenanthrene	4.2071E-014	5.8840E-013
RCPTR_33	farmer_adult	TOCDLIC2	Phenol	2.9514E-014	4.1279E-013
RCPTR_33	farmer_adult	TOCDLIC2	Pronamide	3.2125E-012	4.4929E-011
RCPTR_33	farmer_adult	TOCDLIC2	Pyrene	2.1763E-009	1.6519E-008
RCPTR_33	farmer_adult	TOCDLIC2	Selenium	8.3112E-008	1.1624E-006
RCPTR_33	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Styrene	3.6139E-013	5.0545E-012
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1284E-009	3.1535E-009
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5165E-009	4.2583E-009
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.4054E-012	4.7628E-011
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.1341E-016	1.5861E-015
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.2151E-017	5.8952E-016
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.6725E-011	2.3391E-010
RCPTR_33	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Toluene	8.2801E-016	1.1581E-014
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0972E-013	1.5345E-012
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.5492E-016	4.9640E-015
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	3.1974E-016	4.4719E-015
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethylene	5.2710E-017	7.3720E-016
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.9672E-018	9.7443E-017
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.2037E-011	1.6835E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.2014E-012	3.0789E-011
RCPTR_33	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.1902E-015	1.6647E-014
RCPTR_33	farmer_adult	TOCDLIC2	Vinyl Chloride	4.9635E-020	6.9420E-019
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, m-	1.3948E-015	1.9508E-014
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, o-	1.5764E-015	2.2047E-014
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, p-	2.1548E-015	3.0138E-014
RCPTR_33	farmer_adult	TOCDLIC2	Zinc	2.8359E-007	3.5395E-006
RCPTR_33	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Cadmium	3.1068E-007	5.8385E-007
RCPTR_33	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFBRA	Mercuric chloride	1.7663E-004	2.3207E-004
RCPTR_33	farmer_child	TOCDFBRA	Methyl mercury	5.3004E-007	7.0084E-007
RCPTR_33	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Selenium	2.1756E-007	4.5642E-007
RCPTR_33	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFBRA	Zinc	1.0604E-006	2.0565E-006
RCPTR_33	farmer_child	TOCDFDFS	Acenaphthene	9.6255E-011	2.0193E-010
RCPTR_33	farmer_child	TOCDFDFS	Acetone	8.3774E-016	1.7575E-015
RCPTR_33	farmer_child	TOCDFDFS	Acetophenone	4.2530E-013	8.9224E-013
RCPTR_33	farmer_child	TOCDFDFS	Aniline	2.4132E-014	5.0626E-014
RCPTR_33	farmer_child	TOCDFDFS	Anthracene	1.9488E-009	4.0883E-009
RCPTR_33	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Aroclor 1254	2.9691E-011	6.2289E-011
RCPTR_33	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Benzene	3.0744E-015	6.4498E-015
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.4623E-007	2.5152E-007
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.5970E-007	2.8470E-007
RCPTR_33	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.0994E-007	7.1351E-007
RCPTR_33	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.8019E-007	4.0859E-007
RCPTR_33	farmer_child	TOCDFDFS	Benzoic acid	2.6771E-013	5.6164E-013
RCPTR_33	farmer_child	TOCDFDFS	Benzyl alcohol	5.4837E-013	1.1504E-012
RCPTR_33	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.5030E-013	1.1545E-012
RCPTR_33	farmer_child	TOCDFDFS	Bromodichloromethane	9.9323E-016	2.0837E-015
RCPTR_33	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6100E-013	3.3776E-013
RCPTR_33	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	4.4703E-008	7.6960E-008
RCPTR_33	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.8768E-010	3.9374E-010
RCPTR_33	farmer_child	TOCDFDFS	Cadmium	1.3229E-007	2.4860E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Carbon disulfide	5.4687E-016	1.1473E-015
RCPTR_33	farmer_child	TOCDFDFS	Carbon tetrachloride	8.9767E-016	1.8832E-015
RCPTR_33	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.5806E-011	9.6097E-011
RCPTR_33	farmer_child	TOCDFDFS	Chloroaniline, p-	2.5802E-012	5.4130E-012
RCPTR_33	farmer_child	TOCDFDFS	Chlorobenzene	5.2767E-015	1.1070E-014
RCPTR_33	farmer_child	TOCDFDFS	Chloroethane	1.5180E-017	3.1847E-017
RCPTR_33	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.8352E-016	1.4340E-015
RCPTR_33	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.5850E-010	5.4232E-010
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.2416E-012	1.5192E-011
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.7187E-010	7.8014E-010
RCPTR_33	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Chrysene	1.8558E-007	2.9881E-007
RCPTR_33	farmer_child	TOCDFDFS	Di-n-butyl phthalate	7.9333E-010	1.6643E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Di-n-octylphthalate	3.0149E-005	6.3249E-005
RCPTR_33	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.6811E-006	2.7075E-006
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.6434E-013	7.6434E-013
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	4.4894E-013	9.4183E-013
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	4.2440E-013	8.9034E-013
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.2922E-010	1.1102E-009
RCPTR_33	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.2011E-018	2.5197E-018
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.8484E-016	5.9757E-016
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5159E-016	7.3761E-016
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0884E-016	2.2835E-016
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7414E-016	3.6534E-016
RCPTR_33	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.9506E-011	6.1900E-011
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.8889E-016	2.0746E-015
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.2144E-016	6.7436E-016
RCPTR_33	farmer_child	TOCDFDFS	Diethyl phthalate	1.2451E-010	2.6120E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Dimethyl phthalate	6.3450E-012	1.3311E-011
RCPTR_33	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.9670E-012	1.0420E-011
RCPTR_33	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6830E-012	3.5309E-012
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.4377E-012	9.3098E-012
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.4257E-012	7.1869E-012
RCPTR_33	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.0222E-013	2.1445E-013
RCPTR_33	farmer_child	TOCDFDFS	Ethylbenzene	3.3014E-015	6.9261E-015
RCPTR_33	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.2096E-011	8.8313E-011
RCPTR_33	farmer_child	TOCDFDFS	Fluoranthene	2.8657E-008	5.5617E-008
RCPTR_33	farmer_child	TOCDFDFS	Fluorene	3.9622E-010	8.3124E-010
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.0584E-011	8.4559E-011
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.3681E-011	4.7024E-011
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	6.4593E-011	9.0182E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.8299E-010	1.2326E-009
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.0897E-010	7.1076E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.4318E-010	3.3959E-010
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.4555E-010	4.8262E-010
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.7267E-010	5.2040E-010
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.9798E-010	2.7649E-010
RCPTR_33	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.6706E-012	2.0288E-011
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorobenzene	2.4805E-008	5.1942E-008
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.6952E-011	5.6543E-011
RCPTR_33	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.9067E-012	1.0294E-011
RCPTR_33	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.3542E-006	5.6324E-006
RCPTR_33	farmer_child	TOCDFDFS	Isophorone	7.4141E-013	1.5554E-012
RCPTR_33	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Mercuric chloride	6.3787E-008	8.3812E-008
RCPTR_33	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.2303E-017	2.5811E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.4206E-018	5.0783E-018
RCPTR_33	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.0126E-015	1.2614E-014
RCPTR_33	farmer_child	TOCDFDFS	Methyl mercury	1.9142E-010	2.5310E-010
RCPTR_33	farmer_child	TOCDFDFS	Methylene chloride	3.6398E-016	7.6360E-016
RCPTR_33	farmer_child	TOCDFDFS	Mustard	4.3503E-014	9.1266E-014
RCPTR_33	farmer_child	TOCDFDFS	Naphthalene	3.5022E-012	7.3473E-012
RCPTR_33	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.2676E-011	2.6593E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.9918E-012	6.2765E-012
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.8655E-012	8.1095E-012
RCPTR_33	farmer_child	TOCDFDFS	Nitrobenzene	1.2557E-012	2.6342E-012
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.7094E-013	1.1978E-012
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.4445E-012	1.1422E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.2270E-013	1.5162E-012
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.4397E-013	1.5608E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.1394E-014	1.2880E-013
RCPTR_33	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.6297E-011	2.2749E-011
RCPTR_33	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.8497E-012	9.5600E-012
RCPTR_33	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.4697E-009	2.0547E-009
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8315E-009	2.5591E-009
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorobenzene	7.9678E-011	1.6716E-010
RCPTR_33	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.7159E-011	5.6977E-011
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorophenol	5.8236E-009	1.2217E-008
RCPTR_33	farmer_child	TOCDFDFS	Phenanthrene	1.4063E-012	2.9503E-012
RCPTR_33	farmer_child	TOCDFDFS	Phenol	9.8657E-013	2.0697E-012
RCPTR_33	farmer_child	TOCDFDFS	Pronamide	1.0738E-010	2.2528E-010
RCPTR_33	farmer_child	TOCDFDFS	Pyrene	5.1377E-008	8.2831E-008
RCPTR_33	farmer_child	TOCDFDFS	Selenium	2.2130E-008	4.6426E-008
RCPTR_33	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Styrene	3.9199E-014	8.2235E-014
RCPTR_33	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3914E-009	1.9474E-009
RCPTR_33	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.4861E-009	2.0808E-009
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1383E-010	2.3881E-010
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	5.5660E-013	1.1677E-012
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0673E-015	2.2390E-015
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.5903E-010	1.1728E-009
RCPTR_33	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Toluene	1.4345E-015	3.0095E-015
RCPTR_33	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.6676E-012	7.6942E-012
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.8400E-016	1.8545E-015
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.1671E-015	1.0840E-014
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethylene	8.5182E-016	1.7870E-015
RCPTR_33	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1833E-016	2.4825E-016
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	4.0236E-010	8.4411E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.6989E-010	7.7599E-010
RCPTR_33	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.9235E-014	4.0352E-014
RCPTR_33	farmer_child	TOCDFDFS	Vinyl Chloride	2.6761E-019	5.6141E-019
RCPTR_33	farmer_child	TOCDFDFS	Xylene, m-	5.0687E-015	1.0634E-014
RCPTR_33	farmer_child	TOCDFDFS	Xylene, o-	5.0045E-015	1.0499E-014
RCPTR_33	farmer_child	TOCDFDFS	Xylene, p-	7.8304E-015	1.6427E-014
RCPTR_33	farmer_child	TOCDFDFS	Zinc	2.0340E-007	3.9446E-007
RCPTR_33	farmer_child	TOCDFLIC	Acenaphthene	1.9197E-011	4.0274E-011
RCPTR_33	farmer_child	TOCDFLIC	Acetone	5.4331E-016	1.1398E-015
RCPTR_33	farmer_child	TOCDFLIC	Acetophenone	8.0681E-014	1.6926E-013
RCPTR_33	farmer_child	TOCDFLIC	Aniline	4.8128E-015	1.0097E-014
RCPTR_33	farmer_child	TOCDFLIC	Anthracene	3.8866E-010	8.1537E-010
RCPTR_33	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Benzene	3.0656E-015	6.4314E-015
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.9142E-008	5.0126E-008
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.1547E-008	5.6238E-008
RCPTR_33	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	8.1663E-008	1.4214E-007
RCPTR_33	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.5099E-008	8.0351E-008
RCPTR_33	farmer_child	TOCDFLIC	Benzoic acid	1.8445E-013	3.8695E-013
RCPTR_33	farmer_child	TOCDFLIC	Benzyl alcohol	1.7499E-011	3.6710E-011
RCPTR_33	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.0975E-013	2.3025E-013
RCPTR_33	farmer_child	TOCDFLIC	Bromodichloromethane	1.1039E-016	2.3158E-016
RCPTR_33	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.0247E-013	4.2475E-013
RCPTR_33	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.9156E-009	1.5349E-008
RCPTR_33	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.7424E-011	7.8512E-011
RCPTR_33	farmer_child	TOCDFLIC	Cadmium	5.3145E-007	9.9874E-007
RCPTR_33	farmer_child	TOCDFLIC	Carbon disulfide	7.1894E-016	1.5083E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Carbon tetrachloride	1.4736E-014	3.0915E-014
RCPTR_33	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.1357E-012	1.9166E-011
RCPTR_33	farmer_child	TOCDFLIC	Chloroaniline, p-	5.1459E-013	1.0796E-012
RCPTR_33	farmer_child	TOCDFLIC	Chlorobenzene	5.9623E-015	1.2508E-014
RCPTR_33	farmer_child	TOCDFLIC	Chloroethane	6.2624E-018	1.3138E-017
RCPTR_33	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.7050E-015	1.1969E-014
RCPTR_33	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.1556E-011	1.0816E-010
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.4443E-012	3.0299E-012
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.4165E-011	1.5559E-010
RCPTR_33	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Chrysene	3.6952E-008	5.9497E-008
RCPTR_33	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.4451E-011	5.1296E-011
RCPTR_33	farmer_child	TOCDFLIC	Di-n-octylphthalate	9.2874E-007	1.9484E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.2511E-007	5.2360E-007
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.2663E-014	1.5244E-013
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.9536E-014	1.8784E-013
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.4642E-014	1.7757E-013
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.2722E-011	1.1061E-010
RCPTR_33	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.7143E-019	9.8902E-019
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.9007E-017	3.9876E-017
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4504E-016	3.0429E-016
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.2632E-018	1.5237E-017
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.1840E-017	1.5071E-016
RCPTR_33	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.8846E-012	1.2345E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.0795E-016	8.5583E-016
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3672E-016	2.8682E-016
RCPTR_33	farmer_child	TOCDFLIC	Diethyl phthalate	3.8376E-012	8.0509E-012
RCPTR_33	farmer_child	TOCDFLIC	Dimethyl phthalate	1.1990E-011	2.5155E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	9.9062E-013	2.0782E-012
RCPTR_33	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.3568E-013	7.0423E-013
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.8504E-013	1.8567E-012
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.8323E-013	1.4334E-012
RCPTR_33	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.0387E-014	4.2770E-014
RCPTR_33	farmer_child	TOCDFLIC	Ethylbenzene	1.4288E-015	2.9975E-015
RCPTR_33	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.4338E-011	1.3497E-010
RCPTR_33	farmer_child	TOCDFLIC	Fluoranthene	5.7151E-009	1.1092E-008
RCPTR_33	farmer_child	TOCDFLIC	Fluorene	7.9023E-011	1.6578E-010
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.9272E-010	6.8771E-010
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0377E-009	1.4488E-009
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.4885E-009	2.0782E-009
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.6643E-009	3.7191E-009
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.5666E-009	2.1877E-009
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	8.0557E-010	1.1250E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.4035E-009	4.7535E-009
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.5212E-009	4.9170E-009
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.7337E-009	2.4211E-009
RCPTR_33	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9287E-012	4.0462E-012
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorobenzene	4.9472E-009	1.0359E-008
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.3754E-012	1.1277E-011
RCPTR_33	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.7859E-013	2.0530E-012
RCPTR_33	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.4860E-007	1.0891E-006
RCPTR_33	farmer_child	TOCDFLIC	Isophorone	1.4787E-013	3.1021E-013
RCPTR_33	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Mercuric chloride	1.4901E-007	1.9579E-007
RCPTR_33	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.0075E-018	1.6799E-017
RCPTR_33	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4098E-017	2.9576E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1060E-014	2.3204E-014
RCPTR_33	farmer_child	TOCDFLIC	Methyl mercury	4.4717E-010	5.9127E-010
RCPTR_33	farmer_child	TOCDFLIC	Methylene chloride	1.4527E-015	3.0476E-015
RCPTR_33	farmer_child	TOCDFLIC	Mustard	1.5258E-014	3.2009E-014
RCPTR_33	farmer_child	TOCDFLIC	Naphthalene	1.0795E-013	2.2646E-013
RCPTR_33	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.5283E-012	5.3040E-012
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.9671E-013	1.2518E-012
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.7098E-013	1.6174E-012
RCPTR_33	farmer_child	TOCDFLIC	Nitrobenzene	2.5043E-013	5.2538E-013
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.1387E-013	2.3889E-013
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.0859E-013	2.2781E-013
RCPTR_33	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4414E-013	3.0238E-013
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4838E-013	3.1128E-013
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.2245E-014	2.5688E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2194E-010	1.7022E-010
RCPTR_33	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.7997E-011	6.6989E-011
RCPTR_33	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	5.5406E-009	7.7460E-009
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.2515E-009	1.1529E-008
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorobenzene	7.9600E-011	1.6699E-010
RCPTR_33	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.4169E-012	1.1364E-011
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorophenol	2.3188E-010	4.8647E-010
RCPTR_33	farmer_child	TOCDFLIC	Phenanthrene	2.8047E-013	5.8840E-013
RCPTR_33	farmer_child	TOCDFLIC	Phenol	1.9676E-013	4.1279E-013
RCPTR_33	farmer_child	TOCDFLIC	Pronamide	2.1416E-011	4.4929E-011
RCPTR_33	farmer_child	TOCDFLIC	Pyrene	1.0246E-008	1.6519E-008
RCPTR_33	farmer_child	TOCDFLIC	Selenium	5.5408E-007	1.1624E-006
RCPTR_33	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Styrene	2.4093E-012	5.0545E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	2.2532E-009	3.1535E-009
RCPTR_33	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	3.0413E-009	4.2583E-009
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.2703E-011	4.7628E-011
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.5604E-016	1.5861E-015
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.8101E-016	5.8952E-016
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1150E-010	2.3391E-010
RCPTR_33	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Toluene	5.5201E-015	1.1581E-014
RCPTR_33	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.3146E-013	1.5345E-012
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.3662E-015	4.9640E-015
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.1316E-015	4.4719E-015
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethylene	3.5140E-016	7.3720E-016
RCPTR_33	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.6448E-017	9.7443E-017
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	8.0247E-011	1.6835E-010
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4676E-011	3.0789E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.9349E-015	1.6647E-014
RCPTR_33	farmer_child	TOCDFLIC	Vinyl Chloride	3.3090E-019	6.9420E-019
RCPTR_33	farmer_child	TOCDFLIC	Xylene, m-	4.4748E-015	9.3878E-015
RCPTR_33	farmer_child	TOCDFLIC	Xylene, o-	5.0572E-015	1.0610E-014
RCPTR_33	farmer_child	TOCDFLIC	Xylene, p-	6.9130E-015	1.4503E-014
RCPTR_33	farmer_child	TOCDFLIC	Zinc	1.8251E-006	3.5395E-006
RCPTR_33	farmer_child	TOCDFMPF	Acenaphthene	2.9397E-011	6.1672E-011
RCPTR_33	farmer_child	TOCDFMPF	Acetone	1.9879E-015	4.1705E-015
RCPTR_33	farmer_child	TOCDFMPF	Acetophenone	1.2943E-013	2.7153E-013
RCPTR_33	farmer_child	TOCDFMPF	Aniline	7.3699E-015	1.5461E-014
RCPTR_33	farmer_child	TOCDFMPF	Anthracene	5.9516E-010	1.2486E-009
RCPTR_33	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Aroclor 1254	1.6772E-011	3.5186E-011
RCPTR_33	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Benzene	2.7445E-015	5.7578E-015
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.4624E-008	7.6756E-008
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.8283E-008	8.6073E-008
RCPTR_33	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.2504E-007	2.1764E-007
RCPTR_33	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	8.4310E-008	1.2295E-007
RCPTR_33	farmer_child	TOCDFMPF	Benzoic acid	8.1761E-013	1.7153E-012
RCPTR_33	farmer_child	TOCDFMPF	Benzyl alcohol	1.6747E-013	3.5134E-013
RCPTR_33	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.6806E-013	3.5258E-013
RCPTR_33	farmer_child	TOCDFMPF	Bromodichloromethane	3.3593E-015	7.0474E-015
RCPTR_33	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1847E-013	2.4854E-013
RCPTR_33	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3653E-008	2.3504E-008
RCPTR_33	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.7307E-011	1.2022E-010
RCPTR_33	farmer_child	TOCDFMPF	Cadmium	2.4291E-006	4.5650E-006
RCPTR_33	farmer_child	TOCDFMPF	Carbon disulfide	2.6329E-016	5.5236E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Carbon tetrachloride	2.5712E-015	5.3942E-015
RCPTR_33	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.3990E-011	2.9349E-011
RCPTR_33	farmer_child	TOCDFMPF	Chloroaniline, p-	7.8800E-013	1.6531E-012
RCPTR_33	farmer_child	TOCDFMPF	Chlorobenzene	1.0715E-014	2.2480E-014
RCPTR_33	farmer_child	TOCDFMPF	Chloroethane	6.1816E-017	1.2968E-016
RCPTR_33	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.7971E-015	3.7702E-015
RCPTR_33	farmer_child	TOCDFMPF	Chloronaphthalene,2-	7.8949E-011	1.6563E-010
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.2116E-012	4.6397E-012
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1357E-010	2.3826E-010
RCPTR_33	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Chrysene	5.6580E-008	9.1101E-008
RCPTR_33	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.4227E-010	5.0827E-010
RCPTR_33	farmer_child	TOCDFMPF	Di-n-octylphthalate	9.2021E-006	1.9305E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.9734E-007	8.0098E-007
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.1127E-013	2.3343E-013
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.3711E-013	2.8764E-013
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.2961E-013	2.7191E-013
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.6194E-010	3.3974E-010
RCPTR_33	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.8840E-018	8.1483E-018
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.7843E-016	1.2135E-015
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.1398E-016	1.4979E-015
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.2103E-016	4.6370E-016
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.5363E-016	7.4189E-016
RCPTR_33	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	9.0112E-012	1.8905E-011
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.0081E-015	4.2129E-015
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.5276E-016	1.3694E-015
RCPTR_33	farmer_child	TOCDFMPF	Diethyl phthalate	3.8025E-011	7.9773E-011
RCPTR_33	farmer_child	TOCDFMPF	Dimethyl phthalate	1.2826E-012	2.6907E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.5169E-012	3.1824E-012
RCPTR_33	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	5.1310E-013	1.0764E-012
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.3553E-012	2.8432E-012
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.0462E-012	2.1949E-012
RCPTR_33	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.1219E-014	6.5494E-014
RCPTR_33	farmer_child	TOCDFMPF	Ethylbenzene	6.7042E-015	1.4065E-014
RCPTR_33	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1657E-011	2.4456E-011
RCPTR_33	farmer_child	TOCDFMPF	Fluoranthene	8.7516E-009	1.6985E-008
RCPTR_33	farmer_child	TOCDFMPF	Fluorene	1.2101E-010	2.5386E-010
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9228E-009	2.6837E-009
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.6340E-009	2.2814E-009
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.7445E-009	2.4357E-009
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	7.6212E-010	1.0638E-009
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	3.4863E-010	4.8686E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.9055E-010	2.6609E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.7339E-010	9.4051E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	3.4021E-010	4.7506E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5712E-010	2.1942E-010
RCPTR_33	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.9534E-012	6.1960E-012
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorobenzene	7.5756E-009	1.5863E-008
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	8.2313E-012	1.7269E-011
RCPTR_33	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4985E-012	3.1438E-012
RCPTR_33	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.9220E-007	1.6661E-006
RCPTR_33	farmer_child	TOCDFMPF	Isophorone	2.2643E-013	4.7503E-013
RCPTR_33	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Mercuric chloride	2.5374E-006	3.3339E-006
RCPTR_33	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.1505E-017	8.7073E-017
RCPTR_33	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.4105E-018	5.0571E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.2468E-015	4.7137E-015
RCPTR_33	farmer_child	TOCDFMPF	Methyl mercury	7.6145E-009	1.0068E-008
RCPTR_33	farmer_child	TOCDFMPF	Methylene chloride	1.1444E-015	2.4009E-015
RCPTR_33	farmer_child	TOCDFMPF	Mustard	1.0875E-013	2.2815E-013
RCPTR_33	farmer_child	TOCDFMPF	Naphthalene	1.0696E-012	2.2439E-012
RCPTR_33	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.8645E-012	8.1074E-012
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 3-	9.1210E-013	1.9135E-012
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.1785E-012	2.4723E-012
RCPTR_33	farmer_child	TOCDFMPF	Nitrobenzene	3.8348E-013	8.0451E-013
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.7437E-013	3.6581E-013
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.6598E-012	3.4822E-012
RCPTR_33	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.2072E-013	4.6304E-013
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.2721E-013	4.7667E-013
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.8750E-014	3.9336E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.7652E-009	1.0839E-008
RCPTR_33	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.4486E-009	7.6045E-009
RCPTR_33	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.9016E-010	4.0566E-010
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	5.5447E-010	7.7473E-010
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorobenzene	2.4334E-011	5.1051E-011
RCPTR_33	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.2799E-012	1.7370E-011
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorophenol	1.7754E-009	3.7247E-009
RCPTR_33	farmer_child	TOCDFMPF	Phenanthrene	4.2949E-013	9.0102E-013
RCPTR_33	farmer_child	TOCDFMPF	Phenol	3.0130E-013	6.3210E-013
RCPTR_33	farmer_child	TOCDFMPF	Pronamide	3.2795E-011	6.8801E-011
RCPTR_33	farmer_child	TOCDFMPF	Pyrene	1.5690E-008	2.5296E-008
RCPTR_33	farmer_child	TOCDFMPF	Selenium	9.7263E-009	2.0405E-008
RCPTR_33	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Styrene	5.5033E-014	1.1545E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.7000E-010	3.7789E-010
RCPTR_33	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.0181E-009	4.2259E-009
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.4765E-011	7.2933E-011
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3008E-014	4.8268E-014
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.1673E-015	4.5468E-015
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7043E-010	3.5754E-010
RCPTR_33	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Toluene	3.7099E-015	7.7830E-015
RCPTR_33	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1201E-012	2.3498E-012
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.3912E-015	2.9187E-015
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.0493E-014	2.2013E-014
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethylene	1.7298E-015	3.6289E-015
RCPTR_33	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.8015E-015	1.0073E-014
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2288E-010	2.5780E-010
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2474E-011	4.7148E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.9060E-014	8.1944E-014
RCPTR_33	farmer_child	TOCDFMPF	Vinyl Chloride	9.0953E-019	1.9081E-018
RCPTR_33	farmer_child	TOCDFMPF	Xylene, m-	4.4867E-015	9.4126E-015
RCPTR_33	farmer_child	TOCDFMPF	Xylene, o-	5.0706E-015	1.0638E-014
RCPTR_33	farmer_child	TOCDFMPF	Xylene, p-	6.9313E-015	1.4541E-014
RCPTR_33	farmer_child	TOCDFMPF	Zinc	5.2017E-007	1.0088E-006
RCPTR_33	farmer_child	TOCDHVAC	Mustard	3.8406E-014	8.0572E-014
RCPTR_33	farmer_child	TOCDLIC2	Acenaphthene	1.9197E-011	4.0274E-011
RCPTR_33	farmer_child	TOCDLIC2	Acetone	5.4331E-016	1.1398E-015
RCPTR_33	farmer_child	TOCDLIC2	Acetophenone	8.0681E-014	1.6926E-013
RCPTR_33	farmer_child	TOCDLIC2	Aniline	4.8128E-015	1.0097E-014
RCPTR_33	farmer_child	TOCDLIC2	Anthracene	3.8866E-010	8.1537E-010
RCPTR_33	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Benzene	3.0656E-015	6.4314E-015
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.9142E-008	5.0126E-008
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.1547E-008	5.6238E-008
RCPTR_33	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	8.1663E-008	1.4214E-007
RCPTR_33	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.5099E-008	8.0351E-008
RCPTR_33	farmer_child	TOCDLIC2	Benzoic acid	1.8445E-013	3.8695E-013
RCPTR_33	farmer_child	TOCDLIC2	Benzyl alcohol	1.7499E-011	3.6710E-011
RCPTR_33	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.0975E-013	2.3025E-013
RCPTR_33	farmer_child	TOCDLIC2	Bromodichloromethane	1.1039E-016	2.3158E-016
RCPTR_33	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.0247E-013	4.2475E-013
RCPTR_33	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	8.9156E-009	1.5349E-008
RCPTR_33	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.7424E-011	7.8512E-011
RCPTR_33	farmer_child	TOCDLIC2	Cadmium	5.3145E-007	9.9874E-007
RCPTR_33	farmer_child	TOCDLIC2	Carbon disulfide	7.1894E-016	1.5083E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Carbon tetrachloride	1.4736E-014	3.0915E-014
RCPTR_33	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	9.1357E-012	1.9166E-011
RCPTR_33	farmer_child	TOCDLIC2	Chloroaniline, p-	5.1459E-013	1.0796E-012
RCPTR_33	farmer_child	TOCDLIC2	Chlorobenzene	5.9623E-015	1.2508E-014
RCPTR_33	farmer_child	TOCDLIC2	Chloroethane	6.2624E-018	1.3138E-017
RCPTR_33	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.7050E-015	1.1969E-014
RCPTR_33	farmer_child	TOCDLIC2	Chloronaphthalene,2-	5.1556E-011	1.0816E-010
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.4443E-012	3.0299E-012
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.4165E-011	1.5559E-010
RCPTR_33	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Chrysene	3.6952E-008	5.9497E-008
RCPTR_33	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.4451E-011	5.1296E-011
RCPTR_33	farmer_child	TOCDLIC2	Di-n-octylphthalate	9.2874E-007	1.9484E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.2511E-007	5.2360E-007
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	7.2663E-014	1.5244E-013
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	8.9536E-014	1.8784E-013
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	8.4642E-014	1.7757E-013
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.2722E-011	1.1061E-010
RCPTR_33	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.7143E-019	9.8902E-019
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.9007E-017	3.9876E-017
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4504E-016	3.0429E-016
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.2632E-018	1.5237E-017
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.1840E-017	1.5071E-016
RCPTR_33	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.8846E-012	1.2345E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.0795E-016	8.5583E-016
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3672E-016	2.8682E-016
RCPTR_33	farmer_child	TOCDLIC2	Diethyl phthalate	3.8376E-012	8.0509E-012
RCPTR_33	farmer_child	TOCDLIC2	Dimethyl phthalate	1.1990E-011	2.5155E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	9.9062E-013	2.0782E-012
RCPTR_33	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.3568E-013	7.0423E-013
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	8.8504E-013	1.8567E-012
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.8323E-013	1.4334E-012
RCPTR_33	farmer_child	TOCDLIC2	Ethyl methanesulfonate	2.0387E-014	4.2770E-014
RCPTR_33	farmer_child	TOCDLIC2	Ethylbenzene	1.4288E-015	2.9975E-015
RCPTR_33	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.4338E-011	1.3497E-010
RCPTR_33	farmer_child	TOCDLIC2	Fluoranthene	5.7151E-009	1.1092E-008
RCPTR_33	farmer_child	TOCDLIC2	Fluorene	7.9023E-011	1.6578E-010
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.9272E-010	6.8771E-010
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0377E-009	1.4488E-009
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.4885E-009	2.0782E-009
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.6643E-009	3.7191E-009
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.5666E-009	2.1877E-009
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.0557E-010	1.1250E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.4035E-009	4.7535E-009
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.5212E-009	4.9170E-009
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.7337E-009	2.4211E-009
RCPTR_33	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9287E-012	4.0462E-012
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorobenzene	4.9472E-009	1.0359E-008
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.3754E-012	1.1277E-011
RCPTR_33	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.7859E-013	2.0530E-012
RCPTR_33	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.4860E-007	1.0891E-006
RCPTR_33	farmer_child	TOCDLIC2	Isophorone	1.4787E-013	3.1021E-013
RCPTR_33	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Mercuric chloride	1.4901E-007	1.9579E-007
RCPTR_33	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.0075E-018	1.6799E-017
RCPTR_33	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.4098E-017	2.9576E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1060E-014	2.3204E-014
RCPTR_33	farmer_child	TOCDLIC2	Methyl mercury	4.4717E-010	5.9127E-010
RCPTR_33	farmer_child	TOCDLIC2	Methylene chloride	1.4527E-015	3.0476E-015
RCPTR_33	farmer_child	TOCDLIC2	Mustard	1.5862E-014	3.3277E-014
RCPTR_33	farmer_child	TOCDLIC2	Naphthalene	1.0795E-013	2.2646E-013
RCPTR_33	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.5283E-012	5.3040E-012
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.9671E-013	1.2518E-012
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 4-	7.7098E-013	1.6174E-012
RCPTR_33	farmer_child	TOCDLIC2	Nitrobenzene	2.5043E-013	5.2538E-013
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.1387E-013	2.3889E-013
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.0859E-012	2.2781E-012
RCPTR_33	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4414E-013	3.0238E-013
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.4838E-013	3.1128E-013
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.2245E-014	2.5688E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2194E-010	1.7022E-010
RCPTR_33	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.7997E-011	6.6989E-011
RCPTR_33	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	5.5406E-009	7.7460E-009
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	8.2515E-009	1.1529E-008
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorobenzene	7.9600E-011	1.6699E-010
RCPTR_33	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.4169E-012	1.1364E-011
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorophenol	2.3188E-010	4.8647E-010
RCPTR_33	farmer_child	TOCDLIC2	Phenanthrene	2.8047E-013	5.8840E-013
RCPTR_33	farmer_child	TOCDLIC2	Phenol	1.9676E-013	4.1279E-013
RCPTR_33	farmer_child	TOCDLIC2	Pronamide	2.1416E-011	4.4929E-011
RCPTR_33	farmer_child	TOCDLIC2	Pyrene	1.0246E-008	1.6519E-008
RCPTR_33	farmer_child	TOCDLIC2	Selenium	5.5408E-007	1.1624E-006
RCPTR_33	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Styrene	2.4093E-012	5.0545E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.2532E-009	3.1535E-009
RCPTR_33	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.0413E-009	4.2583E-009
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.2703E-011	4.7628E-011
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.5604E-016	1.5861E-015
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8101E-016	5.8952E-016
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1150E-010	2.3391E-010
RCPTR_33	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Toluene	5.5201E-015	1.1581E-014
RCPTR_33	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.3146E-013	1.5345E-012
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.3662E-015	4.9640E-015
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.1316E-015	4.4719E-015
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethylene	3.5140E-016	7.3720E-016
RCPTR_33	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.6448E-017	9.7443E-017
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	8.0247E-011	1.6835E-010
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4676E-011	3.0789E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.9349E-015	1.6647E-014
RCPTR_33	farmer_child	TOCDLIC2	Vinyl Chloride	3.3090E-019	6.9420E-019
RCPTR_33	farmer_child	TOCDLIC2	Xylene, m-	9.2990E-015	1.9508E-014
RCPTR_33	farmer_child	TOCDLIC2	Xylene, o-	1.0509E-014	2.2047E-014
RCPTR_33	farmer_child	TOCDLIC2	Xylene, p-	1.4366E-014	3.0138E-014
RCPTR_33	farmer_child	TOCDLIC2	Zinc	1.8251E-006	3.5395E-006
RCPTR_34	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Cadmium	3.1113E-008	3.6629E-007
RCPTR_34	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Mercuric chloride	1.2266E-004	1.2912E-004

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFBRA	Methyl mercury	3.2907E-007	3.8992E-007
RCPTR_34	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Selenium	2.0473E-008	2.8634E-007
RCPTR_34	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFBRA	Zinc	1.0337E-007	1.2901E-006
RCPTR_34	farmer_adult	TOCDFDFS	Acenaphthene	9.6179E-012	1.3452E-010
RCPTR_34	farmer_adult	TOCDFDFS	Acetone	8.3707E-017	1.1707E-015
RCPTR_34	farmer_adult	TOCDFDFS	Acetophenone	4.2497E-014	5.9436E-013
RCPTR_34	farmer_adult	TOCDFDFS	Aniline	2.4113E-015	3.3724E-014
RCPTR_34	farmer_adult	TOCDFDFS	Anthracene	1.9472E-010	2.7234E-009
RCPTR_34	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Aroclor 1254	2.9666E-012	4.1491E-011
RCPTR_34	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Benzene	3.0720E-016	4.2965E-015
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.7611E-008	1.6737E-007
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.7864E-008	1.8701E-007
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.8268E-008	4.7450E-007
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	6.3213E-008	2.6665E-007
RCPTR_34	farmer_adult	TOCDFDFS	Benzoic acid	2.6750E-014	3.7413E-013
RCPTR_34	farmer_adult	TOCDFDFS	Benzyl alcohol	5.4793E-014	7.6634E-013
RCPTR_34	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.4986E-014	7.6904E-013
RCPTR_34	farmer_adult	TOCDFDFS	Bromodichloromethane	9.9245E-017	1.3880E-015
RCPTR_34	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.6087E-014	2.2500E-013
RCPTR_34	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	5.3801E-009	5.1266E-008
RCPTR_34	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.8748E-011	2.6221E-010
RCPTR_34	farmer_adult	TOCDFDFS	Cadmium	1.4358E-008	1.6904E-007
RCPTR_34	farmer_adult	TOCDFDFS	Carbon disulfide	5.4644E-017	7.6425E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Carbon tetrachloride	8.9696E-017	1.2545E-015
RCPTR_34	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	4.5770E-012	6.4014E-011
RCPTR_34	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.5781E-013	3.6058E-012
RCPTR_34	farmer_adult	TOCDFDFS	Chlorobenzene	5.2725E-016	7.3742E-015
RCPTR_34	farmer_adult	TOCDFDFS	Chloroethane	1.5168E-018	2.1215E-017
RCPTR_34	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	6.8298E-017	9.5521E-016
RCPTR_34	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.5830E-011	3.6126E-010
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.2358E-013	1.0120E-011
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.7157E-011	5.1968E-010
RCPTR_34	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Chrysene	2.6301E-008	1.9858E-007
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	7.9264E-011	1.1086E-009
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.0100E-006	4.2098E-005

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.4354E-007	1.8407E-006
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.6405E-014	5.0916E-013
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.4858E-014	6.2739E-013
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.2406E-014	5.9309E-013
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.2805E-011	7.3854E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.2001E-019	1.6785E-018
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.8462E-017	3.9807E-016
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5131E-017	4.9135E-016
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.0876E-017	1.5211E-016
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7401E-017	2.4337E-016
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.9482E-012	4.1234E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	9.8811E-017	1.3820E-015
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.2119E-017	4.4922E-016
RCPTR_34	farmer_adult	TOCDFDFS	Diethyl phthalate	1.2441E-011	1.7400E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.3400E-013	8.8671E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.9631E-013	6.9414E-012
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.6817E-013	2.3520E-012
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.4341E-013	6.2016E-012
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.4230E-013	4.7875E-012
RCPTR_34	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0214E-014	1.4285E-013
RCPTR_34	farmer_adult	TOCDFDFS	Ethylbenzene	3.2988E-016	4.6137E-015
RCPTR_34	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.2039E-012	5.8796E-011
RCPTR_34	farmer_adult	TOCDFDFS	Fluoranthene	2.9643E-009	3.7046E-008
RCPTR_34	farmer_adult	TOCDFDFS	Fluorene	3.9591E-011	5.5372E-010
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.0137E-011	5.4436E-011
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.1186E-011	3.0351E-011
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1409E-011	5.8089E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.9477E-010	7.9795E-010
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.6847E-010	4.5839E-010
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.0337E-011	2.1859E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.1449E-010	3.1204E-010
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.2380E-010	3.3658E-010
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.5719E-011	1.7889E-010
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.6629E-013	1.3515E-011
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.4790E-009	3.4600E-008
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.6931E-012	3.7666E-011
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.9028E-013	6.8571E-012
RCPTR_34	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.3421E-007	3.8294E-006
RCPTR_34	farmer_adult	TOCDFDFS	Isophorone	7.4082E-014	1.0361E-012
RCPTR_34	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Mercuric chloride	5.2966E-008	5.5753E-008
RCPTR_34	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.2293E-018	1.7194E-017
RCPTR_34	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.4187E-019	3.3828E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.0078E-016	8.4025E-015
RCPTR_34	farmer_adult	TOCDFDFS	Methyl mercury	1.4209E-010	1.6837E-010
RCPTR_34	farmer_adult	TOCDFDFS	Methylene chloride	3.6369E-017	5.0866E-016
RCPTR_34	farmer_adult	TOCDFDFS	Mustard	4.3469E-015	6.0796E-014
RCPTR_34	farmer_adult	TOCDFDFS	Naphthalene	3.4995E-013	4.8944E-012
RCPTR_34	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.2666E-012	1.7715E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.9894E-013	4.1810E-012
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.8625E-013	5.4021E-012
RCPTR_34	farmer_adult	TOCDFDFS	Nitrobenzene	1.2547E-013	1.7548E-012
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.7049E-014	7.9789E-013
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.4402E-013	7.6086E-012
RCPTR_34	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.2213E-014	1.0100E-012
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.4338E-014	1.0397E-012
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.1346E-015	8.5798E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.3979E-012	1.4612E-011
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.2727E-012	6.1405E-012
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	4.8834E-010	1.3467E-009
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	6.1363E-010	1.6809E-009
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.9615E-012	1.1135E-010
RCPTR_34	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.7138E-012	3.7955E-011
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorophenol	5.8190E-010	8.1385E-009
RCPTR_34	farmer_adult	TOCDFDFS	Phenanthrene	1.4052E-013	1.9653E-012
RCPTR_34	farmer_adult	TOCDFDFS	Phenol	9.8579E-014	1.3787E-012
RCPTR_34	farmer_adult	TOCDFDFS	Pronamide	1.0730E-011	1.5007E-010
RCPTR_34	farmer_adult	TOCDFDFS	Pyrene	7.2687E-009	5.5175E-008
RCPTR_34	farmer_adult	TOCDFDFS	Selenium	2.2571E-009	3.1568E-008
RCPTR_34	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Styrene	3.9168E-015	5.4780E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	4.6101E-010	1.2884E-009
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.9177E-010	1.3809E-009
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1374E-011	1.5908E-010
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	5.5616E-014	7.7785E-013
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0664E-016	1.4915E-015
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.5859E-011	7.8124E-010
RCPTR_34	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Toluene	1.4334E-016	2.0047E-015
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.6647E-013	5.1254E-012
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	8.8330E-017	1.2354E-015
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.1630E-016	7.2210E-015
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethylene	8.5114E-017	1.1904E-015
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1824E-017	1.6537E-016
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.0204E-011	5.6229E-010
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	3.6960E-011	5.1692E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.9219E-015	2.6880E-014
RCPTR_34	farmer_adult	TOCDFDFS	Vinyl Chloride	2.6739E-020	3.7398E-019
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, m-	5.0647E-016	7.0834E-015
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, o-	5.0005E-016	6.9937E-015
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, p-	7.8242E-016	1.0943E-014
RCPTR_34	farmer_adult	TOCDFDFS	Zinc	2.1490E-008	2.6822E-007
RCPTR_34	farmer_adult	TOCDFLIC	Acenaphthene	1.9607E-012	2.7423E-011
RCPTR_34	farmer_adult	TOCDFLIC	Acetone	5.5492E-017	7.7611E-016
RCPTR_34	farmer_adult	TOCDFLIC	Acetophenone	8.2404E-015	1.1525E-013
RCPTR_34	farmer_adult	TOCDFLIC	Aniline	4.9156E-016	6.8750E-015
RCPTR_34	farmer_adult	TOCDFLIC	Anthracene	3.9696E-011	5.5519E-010
RCPTR_34	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Benzene	3.1311E-016	4.3792E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.5870E-009	3.4090E-008
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.6001E-009	3.7689E-008
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	9.8265E-009	9.6599E-008
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.2670E-008	5.3446E-008
RCPTR_34	farmer_adult	TOCDFLIC	Benzoic acid	1.8839E-014	2.6348E-013
RCPTR_34	farmer_adult	TOCDFLIC	Benzyl alcohol	1.7872E-012	2.4996E-011
RCPTR_34	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.1210E-014	1.5678E-013
RCPTR_34	farmer_adult	TOCDFLIC	Bromodichloromethane	1.1274E-017	1.5768E-016
RCPTR_34	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.0679E-014	2.8922E-013
RCPTR_34	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.0968E-009	1.0451E-008
RCPTR_34	farmer_adult	TOCDFLIC	Butylbenzylphthalate	3.8210E-012	5.3441E-011
RCPTR_34	farmer_adult	TOCDFLIC	Cadmium	5.8814E-008	6.9241E-007
RCPTR_34	farmer_adult	TOCDFLIC	Carbon disulfide	7.3429E-017	1.0270E-015
RCPTR_34	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.5051E-015	2.1050E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	9.3308E-013	1.3050E-011
RCPTR_34	farmer_adult	TOCDFLIC	Chloroaniline, p-	5.2558E-014	7.3508E-013
RCPTR_34	farmer_adult	TOCDFLIC	Chlorobenzene	6.0896E-016	8.5170E-015
RCPTR_34	farmer_adult	TOCDFLIC	Chloroethane	6.3962E-019	8.9457E-018
RCPTR_34	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.8269E-016	8.1495E-015
RCPTR_34	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	5.2657E-012	7.3647E-011
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.4751E-013	2.0631E-012
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.5749E-012	1.0594E-010
RCPTR_34	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Chrysene	5.3513E-009	4.0403E-008
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	2.4971E-012	3.4924E-011
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-octylphthalate	9.4772E-008	1.3255E-006
RCPTR_34	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.8022E-008	3.6294E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	7.4215E-015	1.0380E-013
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	9.1448E-015	1.2790E-013
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	8.6449E-015	1.2091E-013
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.3763E-012	7.5193E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	4.8150E-020	6.7343E-019
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.9413E-018	2.7152E-017
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4814E-017	2.0719E-016
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	7.4183E-019	1.0375E-017
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.3374E-018	1.0262E-016
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	6.0103E-013	8.4060E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	4.1666E-017	5.8274E-016
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3964E-017	1.9530E-016
RCPTR_34	farmer_adult	TOCDFLIC	Diethyl phthalate	3.9196E-013	5.4819E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2247E-012	1.7128E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.0118E-013	1.4151E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.4285E-014	4.7951E-013
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	9.0394E-014	1.2642E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	6.9782E-014	9.7597E-013
RCPTR_34	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.0822E-015	2.9122E-014
RCPTR_34	farmer_adult	TOCDFLIC	Ethylbenzene	1.4593E-016	2.0410E-015
RCPTR_34	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.5670E-012	9.1847E-011
RCPTR_34	farmer_adult	TOCDFLIC	Fluoranthene	6.0427E-010	7.5519E-009
RCPTR_34	farmer_adult	TOCDFLIC	Fluorene	8.0710E-012	1.1288E-010
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.6653E-010	4.5018E-010
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.5061E-010	9.5129E-010
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	5.0175E-010	1.3614E-009
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.0534E-010	2.4508E-009
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.2747E-010	1.4352E-009
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.7061E-010	7.3631E-010
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.1475E-009	3.1277E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1904E-009	3.2366E-009
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.8571E-010	1.5944E-009
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9699E-013	2.7551E-012
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.0537E-010	7.0536E-009
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.4902E-013	7.6785E-012
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.9949E-014	1.3979E-012
RCPTR_34	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	8.5609E-008	7.5500E-007
RCPTR_34	farmer_adult	TOCDFLIC	Isophorone	1.5102E-014	2.1122E-013
RCPTR_34	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Mercuric chloride	1.2645E-007	1.3311E-007
RCPTR_34	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	8.1785E-019	1.1438E-017
RCPTR_34	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.4399E-018	2.0138E-017
RCPTR_34	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.1297E-015	1.5800E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Methyl mercury	3.3924E-010	4.0197E-010
RCPTR_34	farmer_adult	TOCDFLIC	Methylene chloride	1.4837E-016	2.0752E-015
RCPTR_34	farmer_adult	TOCDFLIC	Mustard	1.5584E-015	2.1795E-014
RCPTR_34	farmer_adult	TOCDFLIC	Naphthalene	1.1025E-014	1.5420E-013
RCPTR_34	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.5822E-013	3.6115E-012
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 3-	6.0946E-014	8.5239E-013
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 4-	7.8745E-014	1.1013E-012
RCPTR_34	farmer_adult	TOCDFLIC	Nitrobenzene	2.5578E-014	3.5773E-013
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.1630E-014	1.6266E-013
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.1091E-014	1.5512E-013
RCPTR_34	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4721E-014	2.0589E-013
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.5155E-014	2.1195E-013
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.2506E-015	1.7491E-014
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	4.1053E-011	1.1113E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.6187E-011	4.3735E-011
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.8776E-009	5.1780E-009
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.8205E-009	7.7262E-009
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.1300E-012	1.1371E-010
RCPTR_34	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.5326E-013	7.7379E-012
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorophenol	2.3683E-011	3.3124E-010
RCPTR_34	farmer_adult	TOCDFLIC	Phenanthrene	2.8646E-014	4.0064E-013
RCPTR_34	farmer_adult	TOCDFLIC	Phenol	2.0096E-014	2.8107E-013
RCPTR_34	farmer_adult	TOCDFLIC	Pronamide	2.1874E-012	3.0593E-011
RCPTR_34	farmer_adult	TOCDFLIC	Pyrene	1.4818E-009	1.1248E-008
RCPTR_34	farmer_adult	TOCDFLIC	Selenium	5.7620E-008	8.0588E-007
RCPTR_34	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Styrene	2.4607E-013	3.4416E-012
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.6238E-010	2.1306E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0282E-009	2.8874E-009
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3187E-012	3.2430E-011
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	7.7219E-017	1.0800E-015
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.8701E-017	4.0141E-016
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1388E-011	1.5927E-010
RCPTR_34	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Toluene	5.6380E-016	7.8853E-015
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.4708E-014	1.0449E-012
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.4167E-016	3.3800E-015
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.1771E-016	3.0449E-015
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethylene	3.5890E-017	5.0196E-016
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.7440E-018	6.6349E-017
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	8.1960E-012	1.1463E-010
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4990E-012	2.0965E-011
RCPTR_34	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	8.1043E-016	1.1335E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Vinyl Chloride	3.3797E-020	4.7268E-019
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, m-	4.5704E-016	6.3922E-015
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, o-	5.1652E-016	7.2241E-015
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, p-	7.0606E-016	9.8750E-015
RCPTR_34	farmer_adult	TOCDFLIC	Zinc	1.9661E-007	2.4539E-006
RCPTR_34	farmer_adult	TOCDFMPF	Acenaphthene	2.9894E-012	4.1810E-011
RCPTR_34	farmer_adult	TOCDFMPF	Acetone	2.0216E-016	2.8274E-015
RCPTR_34	farmer_adult	TOCDFMPF	Acetophenone	1.3162E-014	1.8409E-013
RCPTR_34	farmer_adult	TOCDFMPF	Aniline	7.4947E-016	1.0482E-014
RCPTR_34	farmer_adult	TOCDFMPF	Anthracene	6.0524E-011	8.4648E-010
RCPTR_34	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Aroclor 1254	1.7055E-012	2.3853E-011
RCPTR_34	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Benzene	2.7910E-016	3.9035E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)anthracene	5.4691E-009	5.1977E-008
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)pyrene	5.4909E-009	5.7483E-008
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.4983E-008	1.4729E-007
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.9327E-008	8.1529E-008
RCPTR_34	farmer_adult	TOCDFMPF	Benzoic acid	8.3145E-014	1.1629E-012
RCPTR_34	farmer_adult	TOCDFMPF	Benzyl alcohol	1.7031E-014	2.3819E-013
RCPTR_34	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.7091E-014	2.3903E-013
RCPTR_34	farmer_adult	TOCDFMPF	Bromodichloromethane	3.4161E-016	4.7778E-015
RCPTR_34	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.2047E-014	1.6850E-013
RCPTR_34	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.6723E-009	1.5935E-008
RCPTR_34	farmer_adult	TOCDFMPF	Butylbenzylphthalate	5.8259E-012	8.1480E-011
RCPTR_34	farmer_adult	TOCDFMPF	Cadmium	2.6830E-007	3.1587E-006
RCPTR_34	farmer_adult	TOCDFMPF	Carbon disulfide	2.6775E-017	3.7448E-016
RCPTR_34	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.6148E-016	3.6570E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4226E-012	1.9897E-011
RCPTR_34	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.0134E-014	1.1208E-012
RCPTR_34	farmer_adult	TOCDFMPF	Chlorobenzene	1.0897E-015	1.5240E-014
RCPTR_34	farmer_adult	TOCDFMPF	Chloroethane	6.2863E-018	8.7920E-017
RCPTR_34	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.8275E-016	2.5560E-015
RCPTR_34	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	8.0285E-012	1.1229E-010
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.2491E-013	3.1455E-012
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1549E-011	1.6153E-010
RCPTR_34	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Chrysene	8.1595E-009	6.1605E-008
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.4635E-011	3.4455E-010
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-octylphthalate	9.3499E-007	1.3077E-005
RCPTR_34	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	7.3317E-008	5.5413E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.1315E-014	1.5826E-013
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3943E-014	1.9501E-013
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3181E-014	1.8435E-013
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.6444E-011	2.2998E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.9498E-019	5.5242E-018
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.8822E-017	8.2269E-016
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.2607E-017	1.0155E-015
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.2477E-017	3.1437E-016
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.5962E-017	5.0297E-016
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	9.1638E-013	1.2816E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.0421E-016	2.8561E-015
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.6381E-017	9.2840E-016
RCPTR_34	farmer_adult	TOCDFMPF	Diethyl phthalate	3.8669E-012	5.4082E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.3043E-013	1.8242E-012
RCPTR_34	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.5426E-013	2.1575E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	5.2178E-014	7.2977E-013
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.3782E-013	1.9276E-012
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.0639E-013	1.4880E-012
RCPTR_34	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.1747E-015	4.4402E-014
RCPTR_34	farmer_adult	TOCDFMPF	Ethylbenzene	6.8177E-016	9.5352E-015
RCPTR_34	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1848E-012	1.6570E-011
RCPTR_34	farmer_adult	TOCDFMPF	Fluoranthene	9.2132E-010	1.1514E-008
RCPTR_34	farmer_adult	TOCDFMPF	Fluorene	1.2306E-011	1.7211E-010
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	6.4845E-010	1.7529E-009
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.5079E-010	1.4944E-009
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.8672E-010	1.5919E-009
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.5831E-010	6.9924E-010
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1711E-010	3.1865E-010
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.3869E-011	1.7378E-010
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.2649E-010	6.1730E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1473E-010	3.1192E-010
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.2949E-011	1.4413E-010
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.0034E-013	4.2006E-012
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorobenzene	7.7052E-010	1.0754E-008
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	8.3707E-013	1.1707E-011
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.5239E-013	2.1313E-012
RCPTR_34	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3070E-007	1.1527E-006
RCPTR_34	farmer_adult	TOCDFMPF	Isophorone	2.3026E-014	3.2205E-013
RCPTR_34	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Mercuric chloride	2.1441E-006	2.2569E-006
RCPTR_34	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.2208E-018	5.9032E-017
RCPTR_34	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.4513E-019	3.4284E-018
RCPTR_34	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.2849E-016	3.1956E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Methyl mercury	5.7521E-009	6.8158E-009
RCPTR_34	farmer_adult	TOCDFMPF	Methylene chloride	1.1638E-016	1.6277E-015
RCPTR_34	farmer_adult	TOCDFMPF	Mustard	1.1059E-014	1.5468E-013
RCPTR_34	farmer_adult	TOCDFMPF	Naphthalene	1.0877E-013	1.5213E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.9299E-013	5.4964E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.2754E-014	1.2973E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.1984E-013	1.6761E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitrobenzene	3.8998E-014	5.4542E-013
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.7732E-014	2.4800E-013
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.6879E-013	2.3607E-012
RCPTR_34	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.2445E-014	3.1392E-013
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.3106E-014	3.2316E-013
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.9068E-015	2.6668E-014
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.6089E-009	7.0622E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.8338E-009	4.9545E-009
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	9.8003E-011	2.7027E-010
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.8887E-010	5.1737E-010
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.4746E-012	3.4610E-011
RCPTR_34	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.4201E-013	1.1776E-011
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorophenol	1.8055E-010	2.5251E-009
RCPTR_34	farmer_adult	TOCDFMPF	Phenanthrene	4.3676E-014	6.1085E-013
RCPTR_34	farmer_adult	TOCDFMPF	Phenol	3.0640E-014	4.2854E-013
RCPTR_34	farmer_adult	TOCDFMPF	Pronamide	3.3350E-012	4.6644E-011
RCPTR_34	farmer_adult	TOCDFMPF	Pyrene	2.2592E-009	1.7149E-008
RCPTR_34	farmer_adult	TOCDFMPF	Selenium	1.0095E-009	1.4119E-008
RCPTR_34	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Styrene	5.5965E-015	7.8272E-014
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	9.1001E-011	2.5432E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.0162E-009	2.8536E-009
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.5353E-012	4.9445E-011
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.3397E-015	3.2723E-014
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.2040E-016	3.0825E-015
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7331E-011	2.4240E-010
RCPTR_34	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFMPF	Toluene	3.7727E-016	5.2765E-015
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1391E-013	1.5931E-012
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.4148E-016	1.9787E-015
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.0670E-015	1.4924E-014
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethylene	1.7591E-016	2.4602E-015
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.8827E-016	6.8290E-015
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2496E-011	1.7477E-010
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2854E-012	3.1964E-011
RCPTR_34	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.9721E-015	5.5554E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Vinyl Chloride	9.2492E-020	1.2936E-018
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, m-	4.5626E-016	6.3813E-015
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, o-	5.1564E-016	7.2118E-015
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, p-	7.0486E-016	9.8582E-015
RCPTR_34	farmer_adult	TOCDFMPF	Zinc	5.5924E-008	6.9800E-007
RCPTR_34	farmer_adult	TOCDHVAC	Mustard	2.6680E-015	3.7315E-014
RCPTR_34	farmer_adult	TOCDLIC2	Acenaphthene	1.9607E-012	2.7423E-011
RCPTR_34	farmer_adult	TOCDLIC2	Acetone	5.5492E-017	7.7611E-016
RCPTR_34	farmer_adult	TOCDLIC2	Acetophenone	8.2404E-015	1.1525E-013
RCPTR_34	farmer_adult	TOCDLIC2	Aniline	4.9156E-016	6.8750E-015
RCPTR_34	farmer_adult	TOCDLIC2	Anthracene	3.9696E-011	5.5519E-010
RCPTR_34	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Benzene	3.1311E-016	4.3792E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.5870E-009	3.4090E-008
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.6001E-009	3.7689E-008
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	9.8265E-009	9.6599E-008
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2670E-008	5.3446E-008
RCPTR_34	farmer_adult	TOCDLIC2	Benzoic acid	1.8839E-014	2.6348E-013
RCPTR_34	farmer_adult	TOCDLIC2	Benzyl alcohol	1.7872E-012	2.4996E-011
RCPTR_34	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.1210E-014	1.5678E-013
RCPTR_34	farmer_adult	TOCDLIC2	Bromodichloromethane	1.1274E-017	1.5768E-016
RCPTR_34	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.0679E-014	2.8922E-013
RCPTR_34	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0968E-009	1.0451E-008
RCPTR_34	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.8210E-012	5.3441E-011
RCPTR_34	farmer_adult	TOCDLIC2	Cadmium	5.8814E-008	6.9241E-007
RCPTR_34	farmer_adult	TOCDLIC2	Carbon disulfide	7.3429E-017	1.0270E-015
RCPTR_34	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.5051E-015	2.1050E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	9.3308E-013	1.3050E-011
RCPTR_34	farmer_adult	TOCDLIC2	Chloroaniline, p-	5.2558E-014	7.3508E-013
RCPTR_34	farmer_adult	TOCDLIC2	Chlorobenzene	6.0896E-016	8.5170E-015
RCPTR_34	farmer_adult	TOCDLIC2	Chloroethane	6.3962E-019	8.9457E-018
RCPTR_34	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.8269E-016	8.1495E-015
RCPTR_34	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	5.2657E-012	7.3647E-011
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.4751E-013	2.0631E-012
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	7.5749E-012	1.0594E-010
RCPTR_34	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Chrysene	5.3513E-009	4.0403E-008
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	2.4971E-012	3.4924E-011
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-octylphthalate	9.4772E-008	1.3255E-006
RCPTR_34	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	4.8022E-008	3.6294E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	7.4215E-015	1.0380E-013
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	9.1448E-015	1.2790E-013
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	8.6449E-015	1.2091E-013
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.3763E-012	7.5193E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.8150E-020	6.7343E-019
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.9413E-018	2.7152E-017
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.4814E-017	2.0719E-016
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	7.4183E-019	1.0375E-017
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	7.3374E-018	1.0262E-016
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.0103E-013	8.4060E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	4.1666E-017	5.8274E-016
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.3964E-017	1.9530E-016
RCPTR_34	farmer_adult	TOCDLIC2	Diethyl phthalate	3.9196E-013	5.4819E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2247E-012	1.7128E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.0118E-013	1.4151E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.4285E-014	4.7951E-013
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	9.0394E-014	1.2642E-012
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.9782E-014	9.7597E-013
RCPTR_34	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.0822E-015	2.9122E-014
RCPTR_34	farmer_adult	TOCDLIC2	Ethylbenzene	1.4593E-016	2.0410E-015
RCPTR_34	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.5670E-012	9.1847E-011
RCPTR_34	farmer_adult	TOCDLIC2	Fluoranthene	6.0427E-010	7.5519E-009
RCPTR_34	farmer_adult	TOCDLIC2	Fluorene	8.0710E-012	1.1288E-010
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.6653E-010	4.5018E-010
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.5061E-010	9.5129E-010
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.0175E-010	1.3614E-009
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	9.0534E-010	2.4508E-009
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.2747E-010	1.4352E-009
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.7061E-010	7.3631E-010
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1475E-009	3.1277E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1904E-009	3.2366E-009
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.8571E-010	1.5944E-009
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9699E-013	2.7551E-012
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorobenzene	5.0537E-010	7.0536E-009
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	5.4902E-013	7.6785E-012
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.9949E-014	1.3979E-012
RCPTR_34	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.5609E-008	7.5500E-007
RCPTR_34	farmer_adult	TOCDLIC2	Isophorone	1.5102E-014	2.1122E-013
RCPTR_34	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Mercuric chloride	1.2645E-007	1.3311E-007
RCPTR_34	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	8.1785E-019	1.1438E-017
RCPTR_34	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.4399E-018	2.0138E-017
RCPTR_34	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.1297E-015	1.5800E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Methyl mercury	3.3924E-010	4.0197E-010
RCPTR_34	farmer_adult	TOCDLIC2	Methylene chloride	1.4837E-016	2.0752E-015
RCPTR_34	farmer_adult	TOCDLIC2	Mustard	1.6201E-015	2.2658E-014
RCPTR_34	farmer_adult	TOCDLIC2	Naphthalene	1.1025E-014	1.5420E-013
RCPTR_34	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.5822E-013	3.6115E-012
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 3-	6.0946E-014	8.5239E-013
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.8745E-014	1.1013E-012
RCPTR_34	farmer_adult	TOCDLIC2	Nitrobenzene	2.5578E-014	3.5773E-013
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.1630E-014	1.6266E-013
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.1091E-013	1.5512E-012
RCPTR_34	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.4721E-014	2.0589E-013
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.5155E-014	2.1195E-013
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.2506E-015	1.7491E-014
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.1053E-011	1.1113E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.6187E-011	4.3735E-011
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.8776E-009	5.1780E-009
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.8205E-009	7.7262E-009
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.1300E-012	1.1371E-010
RCPTR_34	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.5326E-013	7.7379E-012
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorophenol	2.3683E-011	3.3124E-010
RCPTR_34	farmer_adult	TOCDLIC2	Phenanthrene	2.8646E-014	4.0064E-013
RCPTR_34	farmer_adult	TOCDLIC2	Phenol	2.0096E-014	2.8107E-013
RCPTR_34	farmer_adult	TOCDLIC2	Pronamide	2.1874E-012	3.0593E-011
RCPTR_34	farmer_adult	TOCDLIC2	Pyrene	1.4818E-009	1.1248E-008
RCPTR_34	farmer_adult	TOCDLIC2	Selenium	5.7620E-008	8.0588E-007
RCPTR_34	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Styrene	2.4607E-013	3.4416E-012
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	7.6238E-010	2.1306E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.0282E-009	2.8874E-009
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.3187E-012	3.2430E-011
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	7.7219E-017	1.0800E-015
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8701E-017	4.0141E-016
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1388E-011	1.5927E-010
RCPTR_34	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Toluene	5.6380E-016	7.8853E-015
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.4708E-014	1.0449E-012
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.4167E-016	3.3800E-015
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.1771E-016	3.0449E-015
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethylene	3.5890E-017	5.0196E-016
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.7440E-018	6.6349E-017
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	8.1960E-012	1.1463E-010
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4990E-012	2.0965E-011
RCPTR_34	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	8.1043E-016	1.1335E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Vinyl Chloride	3.3797E-020	4.7268E-019
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, m-	9.4976E-016	1.3283E-014
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, o-	1.0734E-015	1.5012E-014
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, p-	1.4672E-015	2.0521E-014
RCPTR_34	farmer_adult	TOCDLIC2	Zinc	1.9661E-007	2.4539E-006
RCPTR_34	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Cadmium	1.9491E-007	3.6629E-007
RCPTR_34	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Mercuric chloride	9.8267E-005	1.2912E-004
RCPTR_34	farmer_child	TOCDFBRA	Methyl mercury	2.9489E-007	3.8992E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Selenium	1.3649E-007	2.8634E-007
RCPTR_34	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFBRA	Zinc	6.6525E-007	1.2901E-006
RCPTR_34	farmer_child	TOCDFDFS	Acenaphthene	6.4119E-011	1.3452E-010
RCPTR_34	farmer_child	TOCDFDFS	Acetone	5.5805E-016	1.1707E-015
RCPTR_34	farmer_child	TOCDFDFS	Acetophenone	2.8331E-013	5.9436E-013
RCPTR_34	farmer_child	TOCDFDFS	Aniline	1.6075E-014	3.3724E-014
RCPTR_34	farmer_child	TOCDFDFS	Anthracene	1.2982E-009	2.7234E-009
RCPTR_34	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Aroclor 1254	1.9777E-011	4.1491E-011
RCPTR_34	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Benzene	2.0480E-015	4.2965E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)anthracene	9.7305E-008	1.6737E-007
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.0491E-007	1.8701E-007
RCPTR_34	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.7262E-007	4.7450E-007
RCPTR_34	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.8285E-007	2.6665E-007
RCPTR_34	farmer_child	TOCDFDFS	Benzoic acid	1.7833E-013	3.7413E-013
RCPTR_34	farmer_child	TOCDFDFS	Benzyl alcohol	3.6529E-013	7.6634E-013
RCPTR_34	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.6658E-013	7.6904E-013
RCPTR_34	farmer_child	TOCDFDFS	Bromodichloromethane	6.6163E-016	1.3880E-015
RCPTR_34	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.0725E-013	2.2500E-013
RCPTR_34	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.9779E-008	5.1266E-008
RCPTR_34	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.2499E-010	2.6221E-010
RCPTR_34	farmer_child	TOCDFDFS	Cadmium	8.9950E-008	1.6904E-007
RCPTR_34	farmer_child	TOCDFDFS	Carbon disulfide	3.6429E-016	7.6425E-016
RCPTR_34	farmer_child	TOCDFDFS	Carbon tetrachloride	5.9797E-016	1.2545E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.0513E-011	6.4014E-011
RCPTR_34	farmer_child	TOCDFDFS	Chloroaniline, p-	1.7188E-012	3.6058E-012
RCPTR_34	farmer_child	TOCDFDFS	Chlorobenzene	3.5150E-015	7.3742E-015
RCPTR_34	farmer_child	TOCDFDFS	Chloroethane	1.0112E-017	2.1215E-017
RCPTR_34	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.5532E-016	9.5521E-016
RCPTR_34	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.7220E-010	3.6126E-010
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.8239E-012	1.0120E-011
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.4771E-010	5.1968E-010
RCPTR_34	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Chrysene	1.2333E-007	1.9858E-007
RCPTR_34	farmer_child	TOCDFDFS	Di-n-butyl phthalate	5.2843E-010	1.1086E-009
RCPTR_34	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.0067E-005	4.2098E-005
RCPTR_34	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1429E-006	1.8407E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.4270E-013	5.0916E-013
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.9906E-013	6.2739E-013
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.8271E-013	5.9309E-013
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.5204E-010	7.3854E-010
RCPTR_34	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.0007E-019	1.6785E-018
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.8974E-016	3.9807E-016
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3421E-016	4.9135E-016
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.2506E-017	1.5211E-016
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1600E-016	2.4337E-016
RCPTR_34	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.9655E-011	4.1234E-011
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.5874E-016	1.3820E-015
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.1413E-016	4.4922E-016
RCPTR_34	farmer_child	TOCDFDFS	Diethyl phthalate	8.2939E-011	1.7400E-010
RCPTR_34	farmer_child	TOCDFDFS	Dimethyl phthalate	4.2266E-012	8.8671E-012
RCPTR_34	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.3087E-012	6.9414E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.1211E-012	2.3520E-012
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.9561E-012	6.2016E-012
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.2820E-012	4.7875E-012
RCPTR_34	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.8094E-014	1.4285E-013
RCPTR_34	farmer_child	TOCDFDFS	Ethylbenzene	2.1992E-015	4.6137E-015
RCPTR_34	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.8026E-011	5.8796E-011
RCPTR_34	farmer_child	TOCDFDFS	Fluoranthene	1.9088E-008	3.7046E-008
RCPTR_34	farmer_child	TOCDFDFS	Fluorene	2.6394E-010	5.5372E-010
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	3.9002E-011	5.4436E-011
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.1739E-011	3.0351E-011
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.1607E-011	5.8089E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	5.7164E-010	7.9795E-010
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.2824E-010	4.5839E-010
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.5653E-010	2.1859E-010
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.2342E-010	3.1204E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.4104E-010	3.3658E-010
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.2810E-010	1.7889E-010
RCPTR_34	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.4419E-012	1.3515E-011
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorobenzene	1.6524E-008	3.4600E-008
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.7954E-011	3.7666E-011
RCPTR_34	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.2685E-012	6.8571E-012
RCPTR_34	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.2805E-006	3.8294E-006
RCPTR_34	farmer_child	TOCDFDFS	Isophorone	4.9388E-013	1.0361E-012
RCPTR_34	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Mercuric chloride	4.2432E-008	5.5753E-008
RCPTR_34	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	8.1956E-018	1.7194E-017
RCPTR_34	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.6125E-018	3.3828E-018
RCPTR_34	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.0052E-015	8.4025E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Methyl mercury	1.2734E-010	1.6837E-010
RCPTR_34	farmer_child	TOCDFDFS	Methylene chloride	2.4246E-016	5.0866E-016
RCPTR_34	farmer_child	TOCDFDFS	Mustard	2.8979E-014	6.0796E-014
RCPTR_34	farmer_child	TOCDFDFS	Naphthalene	2.3330E-012	4.8944E-012
RCPTR_34	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.4441E-012	1.7715E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.9930E-012	4.1810E-012
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.5750E-012	5.4021E-012
RCPTR_34	farmer_child	TOCDFDFS	Nitrobenzene	8.3644E-013	1.7548E-012
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.8033E-013	7.9789E-013
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.6268E-012	7.6086E-012
RCPTR_34	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.8142E-013	1.0100E-012
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.9559E-013	1.0397E-012
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.0897E-014	8.5798E-014
RCPTR_34	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0468E-011	1.4612E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.3996E-012	6.1405E-012
RCPTR_34	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	9.6329E-010	1.3467E-009
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2030E-009	1.6809E-009
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorobenzene	5.3077E-011	1.1135E-010
RCPTR_34	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.8092E-011	3.7955E-011
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorophenol	3.8793E-009	8.1385E-009
RCPTR_34	farmer_child	TOCDFDFS	Phenanthrene	9.3678E-013	1.9653E-012
RCPTR_34	farmer_child	TOCDFDFS	Phenol	6.5719E-013	1.3787E-012
RCPTR_34	farmer_child	TOCDFDFS	Pronamide	7.1532E-011	1.5007E-010
RCPTR_34	farmer_child	TOCDFDFS	Pyrene	3.4223E-008	5.5175E-008
RCPTR_34	farmer_child	TOCDFDFS	Selenium	1.5047E-008	3.1568E-008
RCPTR_34	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Styrene	2.6112E-014	5.4780E-014
RCPTR_34	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	9.2053E-010	1.2884E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	9.8628E-010	1.3809E-009
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.5828E-011	1.5908E-010
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.7078E-013	7.7785E-013
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.1095E-016	1.4915E-015
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.7239E-010	7.8124E-010
RCPTR_34	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Toluene	9.5559E-016	2.0047E-015
RCPTR_34	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.4431E-012	5.1254E-012
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.8887E-016	1.2354E-015
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.4420E-015	7.2210E-015
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethylene	5.6743E-016	1.1904E-015
RCPTR_34	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.8826E-017	1.6537E-016
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.6803E-010	5.6229E-010
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.4640E-010	5.1692E-010
RCPTR_34	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.2813E-014	2.6880E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Vinyl Chloride	1.7826E-019	3.7398E-019
RCPTR_34	farmer_child	TOCDFDFS	Xylene, m-	3.3764E-015	7.0834E-015
RCPTR_34	farmer_child	TOCDFDFS	Xylene, o-	3.3337E-015	6.9937E-015
RCPTR_34	farmer_child	TOCDFDFS	Xylene, p-	5.2161E-015	1.0943E-014
RCPTR_34	farmer_child	TOCDFDFS	Zinc	1.3831E-007	2.6822E-007
RCPTR_34	farmer_child	TOCDFLIC	Acenaphthene	1.3071E-011	2.7423E-011
RCPTR_34	farmer_child	TOCDFLIC	Acetone	3.6994E-016	7.7611E-016
RCPTR_34	farmer_child	TOCDFLIC	Acetophenone	5.4936E-014	1.1525E-013
RCPTR_34	farmer_child	TOCDFLIC	Aniline	3.2771E-015	6.8750E-015
RCPTR_34	farmer_child	TOCDFLIC	Anthracene	2.6464E-010	5.5519E-010
RCPTR_34	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Benzene	2.0874E-015	4.3792E-015
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.9819E-008	3.4090E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.1142E-008	3.7689E-008
RCPTR_34	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	5.5500E-008	9.6599E-008
RCPTR_34	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.6650E-008	5.3446E-008
RCPTR_34	farmer_child	TOCDFLIC	Benzoic acid	1.2559E-013	2.6348E-013
RCPTR_34	farmer_child	TOCDFLIC	Benzyl alcohol	1.1915E-011	2.4996E-011
RCPTR_34	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	7.4730E-014	1.5678E-013
RCPTR_34	farmer_child	TOCDFLIC	Bromodichloromethane	7.5163E-017	1.5768E-016
RCPTR_34	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.3786E-013	2.8922E-013
RCPTR_34	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.0707E-009	1.0451E-008
RCPTR_34	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5473E-011	5.3441E-011
RCPTR_34	farmer_child	TOCDFLIC	Cadmium	3.6844E-007	6.9241E-007
RCPTR_34	farmer_child	TOCDFLIC	Carbon disulfide	4.8953E-016	1.0270E-015
RCPTR_34	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0034E-014	2.1050E-014
RCPTR_34	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.2205E-012	1.3050E-011
RCPTR_34	farmer_child	TOCDFLIC	Chloroaniline, p-	3.5039E-013	7.3508E-013
RCPTR_34	farmer_child	TOCDFLIC	Chlorobenzene	4.0598E-015	8.5170E-015
RCPTR_34	farmer_child	TOCDFLIC	Chloroethane	4.2641E-018	8.9457E-018
RCPTR_34	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.8846E-015	8.1495E-015
RCPTR_34	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.5105E-011	7.3647E-011
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenol, 2-	9.8340E-013	2.0631E-012
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.0499E-011	1.0594E-010
RCPTR_34	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Chrysene	2.5093E-008	4.0403E-008
RCPTR_34	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.6647E-011	3.4924E-011
RCPTR_34	farmer_child	TOCDFLIC	Di-n-octylphthalate	6.3181E-007	1.3255E-006
RCPTR_34	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.2536E-007	3.6294E-007
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.9477E-014	1.0380E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	6.0966E-014	1.2790E-013
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.7633E-014	1.2091E-013
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.5842E-011	7.5193E-011
RCPTR_34	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.2100E-019	6.7343E-019
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.2942E-017	2.7152E-017
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	9.8760E-017	2.0719E-016
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.9455E-018	1.0375E-017
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.8916E-017	1.0262E-016
RCPTR_34	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.0069E-012	8.4060E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.7777E-016	5.8274E-016
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	9.3091E-017	1.9530E-016
RCPTR_34	farmer_child	TOCDFLIC	Diethyl phthalate	2.6130E-012	5.4819E-012
RCPTR_34	farmer_child	TOCDFLIC	Dimethyl phthalate	8.1644E-012	1.7128E-011
RCPTR_34	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	6.7452E-013	1.4151E-012
RCPTR_34	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.2857E-013	4.7951E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.0263E-013	1.2642E-012
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	4.6521E-013	9.7597E-013
RCPTR_34	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.3882E-014	2.9122E-014
RCPTR_34	farmer_child	TOCDFLIC	Ethylbenzene	9.7288E-016	2.0410E-015
RCPTR_34	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.3780E-011	9.1847E-011
RCPTR_34	farmer_child	TOCDFLIC	Fluoranthene	3.8911E-009	7.5519E-009
RCPTR_34	farmer_child	TOCDFLIC	Fluorene	5.3807E-011	1.1288E-010
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.2254E-010	4.5018E-010
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.8136E-010	9.5129E-010
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	9.7510E-010	1.3614E-009
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.7557E-009	2.4508E-009
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.0277E-009	1.4352E-009
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.2726E-010	7.3631E-010
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.2394E-009	3.1277E-009
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.3178E-009	3.2366E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.1417E-009	1.5944E-009
RCPTR_34	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.3133E-012	2.7551E-012
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorobenzene	3.3685E-009	7.0536E-009
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.6601E-012	7.6785E-012
RCPTR_34	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.6633E-013	1.3979E-012
RCPTR_34	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.4961E-007	7.5500E-007
RCPTR_34	farmer_child	TOCDFLIC	Isophorone	1.0068E-013	2.1122E-013
RCPTR_34	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Mercuric chloride	1.0130E-007	1.3311E-007
RCPTR_34	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	5.4523E-018	1.1438E-017
RCPTR_34	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.5992E-018	2.0138E-017
RCPTR_34	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.5311E-015	1.5800E-014
RCPTR_34	farmer_child	TOCDFLIC	Methyl mercury	3.0401E-010	4.0197E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Methylene chloride	9.8916E-016	2.0752E-015
RCPTR_34	farmer_child	TOCDFLIC	Mustard	1.0389E-014	2.1795E-014
RCPTR_34	farmer_child	TOCDFLIC	Naphthalene	7.3502E-014	1.5420E-013
RCPTR_34	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.7215E-012	3.6115E-012
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.0631E-013	8.5239E-013
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.2497E-013	1.1013E-012
RCPTR_34	farmer_child	TOCDFLIC	Nitrobenzene	1.7052E-013	3.5773E-013
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 2-	7.7534E-014	1.6266E-013
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 4-	7.3939E-014	1.5512E-013
RCPTR_34	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	9.8142E-014	2.0589E-013
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.0103E-013	2.1195E-013
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	8.3373E-015	1.7491E-014
RCPTR_34	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	7.9612E-011	1.1113E-010
RCPTR_34	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.1336E-011	4.3735E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.7038E-009	5.1780E-009
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.5296E-009	7.7262E-009
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorobenzene	5.4200E-011	1.1371E-010
RCPTR_34	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.6884E-012	7.7379E-012
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorophenol	1.5789E-010	3.3124E-010
RCPTR_34	farmer_child	TOCDFLIC	Phenanthrene	1.9097E-013	4.0064E-013
RCPTR_34	farmer_child	TOCDFLIC	Phenol	1.3398E-013	2.8107E-013
RCPTR_34	farmer_child	TOCDFLIC	Pronamide	1.4582E-011	3.0593E-011
RCPTR_34	farmer_child	TOCDFLIC	Pyrene	6.9765E-009	1.1248E-008
RCPTR_34	farmer_child	TOCDFLIC	Selenium	3.8414E-007	8.0588E-007
RCPTR_34	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Styrene	1.6405E-012	3.4416E-012
RCPTR_34	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.5223E-009	2.1306E-009
RCPTR_34	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.0622E-009	2.8874E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.5458E-011	3.2430E-011
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.1479E-016	1.0800E-015
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.9134E-016	4.0141E-016
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.5920E-011	1.5927E-010
RCPTR_34	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Toluene	3.7586E-015	7.8853E-015
RCPTR_34	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.9805E-013	1.0449E-012
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.6111E-015	3.3800E-015
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.4514E-015	3.0449E-015
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethylene	2.3927E-016	5.0196E-016
RCPTR_34	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.1626E-017	6.6349E-017
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.4640E-011	1.1463E-010
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	9.9931E-012	2.0965E-011
RCPTR_34	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.4029E-015	1.1335E-014
RCPTR_34	farmer_child	TOCDFLIC	Vinyl Chloride	2.2531E-019	4.7268E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Xylene, m-	3.0469E-015	6.3922E-015
RCPTR_34	farmer_child	TOCDFLIC	Xylene, o-	3.4435E-015	7.2241E-015
RCPTR_34	farmer_child	TOCDFLIC	Xylene, p-	4.7071E-015	9.8750E-015
RCPTR_34	farmer_child	TOCDFLIC	Zinc	1.2653E-006	2.4539E-006
RCPTR_34	farmer_child	TOCDFMPF	Acenaphthene	1.9930E-011	4.1810E-011
RCPTR_34	farmer_child	TOCDFMPF	Acetone	1.3477E-015	2.8274E-015
RCPTR_34	farmer_child	TOCDFMPF	Acetophenone	8.7748E-014	1.8409E-013
RCPTR_34	farmer_child	TOCDFMPF	Aniline	4.9965E-015	1.0482E-014
RCPTR_34	farmer_child	TOCDFMPF	Anthracene	4.0349E-010	8.4648E-010
RCPTR_34	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Aroclor 1254	1.1370E-011	2.3853E-011
RCPTR_34	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Benzene	1.8607E-015	3.9035E-015
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.0219E-008	5.1977E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.2245E-008	5.7483E-008
RCPTR_34	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	8.4623E-008	1.4729E-007
RCPTR_34	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	5.5907E-008	8.1529E-008
RCPTR_34	farmer_child	TOCDFMPF	Benzoic acid	5.5430E-013	1.1629E-012
RCPTR_34	farmer_child	TOCDFMPF	Benzyl alcohol	1.1354E-013	2.3819E-013
RCPTR_34	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.1394E-013	2.3903E-013
RCPTR_34	farmer_child	TOCDFMPF	Bromodichloromethane	2.2774E-015	4.7778E-015
RCPTR_34	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.0316E-014	1.6850E-013
RCPTR_34	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	9.2558E-009	1.5935E-008
RCPTR_34	farmer_child	TOCDFMPF	Butylbenzylphthalate	3.8839E-011	8.1480E-011
RCPTR_34	farmer_child	TOCDFMPF	Cadmium	1.6808E-006	3.1587E-006
RCPTR_34	farmer_child	TOCDFMPF	Carbon disulfide	1.7850E-016	3.7448E-016
RCPTR_34	farmer_child	TOCDFMPF	Carbon tetrachloride	1.7432E-015	3.6570E-015
RCPTR_34	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	9.4842E-012	1.9897E-011
RCPTR_34	farmer_child	TOCDFMPF	Chloroaniline, p-	5.3423E-013	1.1208E-012
RCPTR_34	farmer_child	TOCDFMPF	Chlorobenzene	7.2645E-015	1.5240E-014
RCPTR_34	farmer_child	TOCDFMPF	Chloroethane	4.1909E-017	8.7920E-017
RCPTR_34	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.2184E-015	2.5560E-015
RCPTR_34	farmer_child	TOCDFMPF	Chloronaphthalene,2-	5.3523E-011	1.1229E-010
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.4994E-012	3.1455E-012
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.6995E-011	1.6153E-010
RCPTR_34	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Chrysene	3.8261E-008	6.1605E-008
RCPTR_34	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.6423E-010	3.4455E-010
RCPTR_34	farmer_child	TOCDFMPF	Di-n-octylphthalate	6.2333E-006	1.3077E-005
RCPTR_34	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.4406E-007	5.5413E-007
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	7.5436E-014	1.5826E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	9.2953E-014	1.9501E-013
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	8.7871E-014	1.8435E-013
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.0962E-010	2.2998E-010
RCPTR_34	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.6332E-018	5.5242E-018
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.9215E-016	8.2269E-016
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.8404E-016	1.0155E-015
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.4985E-016	3.1437E-016
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.3975E-016	5.0297E-016
RCPTR_34	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	6.1092E-012	1.2816E-011
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.3614E-015	2.8561E-015
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.4254E-016	9.2840E-016
RCPTR_34	farmer_child	TOCDFMPF	Diethyl phthalate	2.5779E-011	5.4082E-011
RCPTR_34	farmer_child	TOCDFMPF	Dimethyl phthalate	8.6952E-013	1.8242E-012
RCPTR_34	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.0284E-012	2.1575E-012
RCPTR_34	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.4786E-013	7.2977E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	9.1881E-013	1.9276E-012
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	7.0930E-013	1.4880E-012
RCPTR_34	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.1165E-014	4.4402E-014
RCPTR_34	farmer_child	TOCDFMPF	Ethylbenzene	4.5451E-015	9.5352E-015
RCPTR_34	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.8984E-012	1.6570E-011
RCPTR_34	farmer_child	TOCDFMPF	Fluoranthene	5.9327E-009	1.1514E-008
RCPTR_34	farmer_child	TOCDFMPF	Fluorene	8.2038E-011	1.7211E-010
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2559E-009	1.7529E-009
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.0704E-009	1.4944E-009
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1402E-009	1.5919E-009
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	5.0093E-010	6.9924E-010
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.2818E-010	3.1865E-010
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2444E-010	1.7378E-010
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.4198E-010	6.1730E-010
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.2338E-010	3.1192E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.0321E-010	1.4413E-010
RCPTR_34	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.0023E-012	4.2006E-012
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorobenzene	5.1359E-009	1.0754E-008
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	5.5805E-012	1.1707E-011
RCPTR_34	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.0159E-012	2.1313E-012
RCPTR_34	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.8645E-007	1.1527E-006
RCPTR_34	farmer_child	TOCDFMPF	Isophorone	1.5351E-013	3.2205E-013
RCPTR_34	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Mercuric chloride	1.7177E-006	2.2569E-006
RCPTR_34	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.8138E-017	5.9032E-017
RCPTR_34	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.6342E-018	3.4284E-018
RCPTR_34	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.5233E-015	3.1956E-015
RCPTR_34	farmer_child	TOCDFMPF	Methyl mercury	5.1547E-009	6.8158E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Methylene chloride	7.7587E-016	1.6277E-015
RCPTR_34	farmer_child	TOCDFMPF	Mustard	7.3729E-014	1.5468E-013
RCPTR_34	farmer_child	TOCDFMPF	Naphthalene	7.2514E-013	1.5213E-012
RCPTR_34	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.6200E-012	5.4964E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 3-	6.1836E-013	1.2973E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.9895E-013	1.6761E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitrobenzene	2.5998E-013	5.4542E-013
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.1821E-013	2.4800E-013
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.1253E-012	2.3607E-012
RCPTR_34	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.4964E-013	3.1392E-013
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.5404E-013	3.2316E-013
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.2712E-014	2.6668E-014
RCPTR_34	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.0593E-009	7.0622E-009
RCPTR_34	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.5499E-009	4.9545E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.9332E-010	2.7027E-010
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.7028E-010	5.1737E-010
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorobenzene	1.6497E-011	3.4610E-011
RCPTR_34	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.6134E-012	1.1776E-011
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorophenol	1.2037E-009	2.5251E-009
RCPTR_34	farmer_child	TOCDFMPF	Phenanthrene	2.9117E-013	6.1085E-013
RCPTR_34	farmer_child	TOCDFMPF	Phenol	2.0427E-013	4.2854E-013
RCPTR_34	farmer_child	TOCDFMPF	Pronamide	2.2234E-011	4.6644E-011
RCPTR_34	farmer_child	TOCDFMPF	Pyrene	1.0637E-008	1.7149E-008
RCPTR_34	farmer_child	TOCDFMPF	Selenium	6.7299E-009	1.4119E-008
RCPTR_34	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Styrene	3.7310E-014	7.8272E-014
RCPTR_34	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8171E-010	2.5432E-010
RCPTR_34	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.0381E-009	2.8536E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.3569E-011	4.9445E-011
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.5598E-014	3.2723E-014
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.4693E-015	3.0825E-015
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.1554E-010	2.4240E-010
RCPTR_34	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Toluene	2.5151E-015	5.2765E-015
RCPTR_34	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.5937E-013	1.5931E-012
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	9.4319E-016	1.9787E-015
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	7.1136E-015	1.4924E-014
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethylene	1.1727E-015	2.4602E-015
RCPTR_34	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.2552E-015	6.8290E-015
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	8.3308E-011	1.7477E-010
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.5236E-011	3.1964E-011
RCPTR_34	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.6481E-014	5.5554E-014
RCPTR_34	farmer_child	TOCDFMPF	Vinyl Chloride	6.1662E-019	1.2936E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Xylene, m-	3.0418E-015	6.3813E-015
RCPTR_34	farmer_child	TOCDFMPF	Xylene, o-	3.4376E-015	7.2118E-015
RCPTR_34	farmer_child	TOCDFMPF	Xylene, p-	4.6991E-015	9.8582E-015
RCPTR_34	farmer_child	TOCDFMPF	Zinc	3.5992E-007	6.9800E-007
RCPTR_34	farmer_child	TOCDHVAC	Mustard	1.7787E-014	3.7315E-014
RCPTR_34	farmer_child	TOCDLIC2	Acenaphthene	1.3071E-011	2.7423E-011
RCPTR_34	farmer_child	TOCDLIC2	Acetone	3.6994E-016	7.7611E-016
RCPTR_34	farmer_child	TOCDLIC2	Acetophenone	5.4936E-014	1.1525E-013
RCPTR_34	farmer_child	TOCDLIC2	Aniline	3.2771E-015	6.8750E-015
RCPTR_34	farmer_child	TOCDLIC2	Anthracene	2.6464E-010	5.5519E-010
RCPTR_34	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Benzene	2.0874E-015	4.3792E-015
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.9819E-008	3.4090E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.1142E-008	3.7689E-008
RCPTR_34	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.5500E-008	9.6599E-008
RCPTR_34	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	3.6650E-008	5.3446E-008
RCPTR_34	farmer_child	TOCDLIC2	Benzoic acid	1.2559E-013	2.6348E-013
RCPTR_34	farmer_child	TOCDLIC2	Benzyl alcohol	1.1915E-011	2.4996E-011
RCPTR_34	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	7.4730E-014	1.5678E-013
RCPTR_34	farmer_child	TOCDLIC2	Bromodichloromethane	7.5163E-017	1.5768E-016
RCPTR_34	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.3786E-013	2.8922E-013
RCPTR_34	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	6.0707E-009	1.0451E-008
RCPTR_34	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.5473E-011	5.3441E-011
RCPTR_34	farmer_child	TOCDLIC2	Cadmium	3.6844E-007	6.9241E-007
RCPTR_34	farmer_child	TOCDLIC2	Carbon disulfide	4.8953E-016	1.0270E-015
RCPTR_34	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0034E-014	2.1050E-014
RCPTR_34	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	6.2205E-012	1.3050E-011
RCPTR_34	farmer_child	TOCDLIC2	Chloroaniline, p-	3.5039E-013	7.3508E-013
RCPTR_34	farmer_child	TOCDLIC2	Chlorobenzene	4.0598E-015	8.5170E-015
RCPTR_34	farmer_child	TOCDLIC2	Chloroethane	4.2641E-018	8.9457E-018
RCPTR_34	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	3.8846E-015	8.1495E-015
RCPTR_34	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.5105E-011	7.3647E-011
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenol, 2-	9.8340E-013	2.0631E-012
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.0499E-011	1.0594E-010
RCPTR_34	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Chrysene	2.5093E-008	4.0403E-008
RCPTR_34	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.6647E-011	3.4924E-011
RCPTR_34	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.3181E-007	1.3255E-006
RCPTR_34	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.2536E-007	3.6294E-007
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	4.9477E-014	1.0380E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	6.0966E-014	1.2790E-013
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	5.7633E-014	1.2091E-013
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.5842E-011	7.5193E-011
RCPTR_34	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.2100E-019	6.7343E-019
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.2942E-017	2.7152E-017
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.8760E-017	2.0719E-016
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	4.9455E-018	1.0375E-017
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.8916E-017	1.0262E-016
RCPTR_34	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	4.0069E-012	8.4060E-012
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.7777E-016	5.8274E-016
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	9.3091E-017	1.9530E-016
RCPTR_34	farmer_child	TOCDLIC2	Diethyl phthalate	2.6130E-012	5.4819E-012
RCPTR_34	farmer_child	TOCDLIC2	Dimethyl phthalate	8.1644E-012	1.7128E-011
RCPTR_34	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	6.7452E-013	1.4151E-012
RCPTR_34	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.2857E-013	4.7951E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	6.0263E-013	1.2642E-012
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.6521E-013	9.7597E-013
RCPTR_34	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.3882E-014	2.9122E-014
RCPTR_34	farmer_child	TOCDLIC2	Ethylbenzene	9.7288E-016	2.0410E-015
RCPTR_34	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.3780E-011	9.1847E-011
RCPTR_34	farmer_child	TOCDLIC2	Fluoranthene	3.8911E-009	7.5519E-009
RCPTR_34	farmer_child	TOCDLIC2	Fluorene	5.3807E-011	1.1288E-010
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.2254E-010	4.5018E-010
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.8136E-010	9.5129E-010
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	9.7510E-010	1.3614E-009
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.7557E-009	2.4508E-009
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0277E-009	1.4352E-009
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.2726E-010	7.3631E-010
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.2394E-009	3.1277E-009
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.3178E-009	3.2366E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.1417E-009	1.5944E-009
RCPTR_34	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.3133E-012	2.7551E-012
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorobenzene	3.3685E-009	7.0536E-009
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	3.6601E-012	7.6785E-012
RCPTR_34	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.6633E-013	1.3979E-012
RCPTR_34	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.4961E-007	7.5500E-007
RCPTR_34	farmer_child	TOCDLIC2	Isophorone	1.0068E-013	2.1122E-013
RCPTR_34	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Mercuric chloride	1.0130E-007	1.3311E-007
RCPTR_34	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	5.4523E-018	1.1438E-017
RCPTR_34	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.5992E-018	2.0138E-017
RCPTR_34	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.5311E-015	1.5800E-014
RCPTR_34	farmer_child	TOCDLIC2	Methyl mercury	3.0401E-010	4.0197E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Methylene chloride	9.8916E-016	2.0752E-015
RCPTR_34	farmer_child	TOCDLIC2	Mustard	1.0800E-014	2.2658E-014
RCPTR_34	farmer_child	TOCDLIC2	Naphthalene	7.3502E-014	1.5420E-013
RCPTR_34	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.7215E-012	3.6115E-012
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 3-	4.0631E-013	8.5239E-013
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 4-	5.2497E-013	1.1013E-012
RCPTR_34	farmer_child	TOCDLIC2	Nitrobenzene	1.7052E-013	3.5773E-013
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 2-	7.7534E-014	1.6266E-013
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 4-	7.3939E-013	1.5512E-012
RCPTR_34	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.8142E-014	2.0589E-013
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.0103E-013	2.1195E-013
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	8.3373E-015	1.7491E-014
RCPTR_34	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.9612E-011	1.1113E-010
RCPTR_34	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.1336E-011	4.3735E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.7038E-009	5.1780E-009
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.5296E-009	7.7262E-009
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorobenzene	5.4200E-011	1.1371E-010
RCPTR_34	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.6884E-012	7.7379E-012
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorophenol	1.5789E-010	3.3124E-010
RCPTR_34	farmer_child	TOCDLIC2	Phenanthrene	1.9097E-013	4.0064E-013
RCPTR_34	farmer_child	TOCDLIC2	Phenol	1.3398E-013	2.8107E-013
RCPTR_34	farmer_child	TOCDLIC2	Pronamide	1.4582E-011	3.0593E-011
RCPTR_34	farmer_child	TOCDLIC2	Pyrene	6.9765E-009	1.1248E-008
RCPTR_34	farmer_child	TOCDLIC2	Selenium	3.8414E-007	8.0588E-007
RCPTR_34	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Styrene	1.6405E-012	3.4416E-012
RCPTR_34	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5223E-009	2.1306E-009
RCPTR_34	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.0622E-009	2.8874E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.5458E-011	3.2430E-011
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.1479E-016	1.0800E-015
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9134E-016	4.0141E-016
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	7.5920E-011	1.5927E-010
RCPTR_34	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Toluene	3.7586E-015	7.8853E-015
RCPTR_34	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.9805E-013	1.0449E-012
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.6111E-015	3.3800E-015
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.4514E-015	3.0449E-015
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethylene	2.3927E-016	5.0196E-016
RCPTR_34	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.1626E-017	6.6349E-017
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.4640E-011	1.1463E-010
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	9.9931E-012	2.0965E-011
RCPTR_34	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.4029E-015	1.1335E-014
RCPTR_34	farmer_child	TOCDLIC2	Vinyl Chloride	2.2531E-019	4.7268E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Xylene, m-	6.3317E-015	1.3283E-014
RCPTR_34	farmer_child	TOCDLIC2	Xylene, o-	7.1558E-015	1.5012E-014
RCPTR_34	farmer_child	TOCDLIC2	Xylene, p-	9.7816E-015	2.0521E-014
RCPTR_34	farmer_child	TOCDLIC2	Zinc	1.2653E-006	2.4539E-006
RCPTR_35	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Cadmium	4.2423E-008	4.9944E-007
RCPTR_35	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Mercuric chloride	1.7045E-004	1.7942E-004
RCPTR_35	farmer_adult	TOCDFBRA	Methyl mercury	4.5726E-007	5.4182E-007
RCPTR_35	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFBRA	Selenium	2.7915E-008	3.9043E-007
RCPTR_35	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFBRA	Zinc	1.4094E-007	1.7591E-006
RCPTR_35	farmer_adult	TOCDFDFS	Acenaphthene	1.2730E-011	1.7804E-010
RCPTR_35	farmer_adult	TOCDFDFS	Acetone	1.1079E-016	1.5496E-015
RCPTR_35	farmer_adult	TOCDFDFS	Acetophenone	5.6248E-014	7.8669E-013
RCPTR_35	farmer_adult	TOCDFDFS	Aniline	3.1915E-015	4.4637E-014
RCPTR_35	farmer_adult	TOCDFDFS	Anthracene	2.5773E-010	3.6046E-009
RCPTR_35	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Aroclor 1254	3.9264E-012	5.4915E-011
RCPTR_35	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Benzene	4.0660E-016	5.6868E-015
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.3289E-008	2.2133E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.3370E-008	2.4465E-007
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.3799E-008	6.2717E-007
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.2237E-008	3.4690E-007
RCPTR_35	farmer_adult	TOCDFDFS	Benzoic acid	3.5406E-014	4.9520E-013
RCPTR_35	farmer_adult	TOCDFDFS	Benzyl alcohol	7.2524E-014	1.0143E-012
RCPTR_35	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.2780E-014	1.0179E-012
RCPTR_35	farmer_adult	TOCDFDFS	Bromodichloromethane	1.3136E-016	1.8372E-015
RCPTR_35	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.1293E-014	2.9780E-013
RCPTR_35	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	7.1211E-009	6.7856E-008
RCPTR_35	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.4808E-011	3.4697E-010
RCPTR_35	farmer_adult	TOCDFDFS	Cadmium	1.8640E-008	2.1944E-007
RCPTR_35	farmer_adult	TOCDFDFS	Carbon disulfide	7.2326E-017	1.0116E-015
RCPTR_35	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.1872E-016	1.6604E-015
RCPTR_35	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.0581E-012	8.4729E-011
RCPTR_35	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.4124E-013	4.7726E-012
RCPTR_35	farmer_adult	TOCDFDFS	Chlorobenzene	6.9787E-016	9.7604E-015
RCPTR_35	farmer_adult	TOCDFDFS	Chloroethane	2.0077E-018	2.8080E-017
RCPTR_35	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.0399E-017	1.2643E-015
RCPTR_35	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.4188E-011	4.7816E-010
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenol, 2-	9.5773E-013	1.3395E-011
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.9181E-011	6.8785E-010
RCPTR_35	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Chrysene	3.4743E-008	2.6232E-007
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.0491E-010	1.4672E-009
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.9814E-006	5.5684E-005
RCPTR_35	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	3.1621E-007	2.3899E-006
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.8185E-014	6.7392E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.9374E-014	8.3041E-013
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.6128E-014	7.8501E-013
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.9812E-011	9.7638E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.5885E-019	2.2216E-018
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.7672E-017	5.2688E-016
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6500E-017	6.5035E-016
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.4395E-017	2.0133E-016
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.3031E-017	3.2212E-016
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.9023E-012	5.4577E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.3079E-016	1.8292E-015
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.2512E-017	5.9458E-016
RCPTR_35	farmer_adult	TOCDFDFS	Diethyl phthalate	1.6467E-011	2.3030E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.3915E-013	1.1736E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.5691E-013	9.1875E-012
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.2259E-013	3.1131E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.8689E-013	8.2083E-012
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.5307E-013	6.3366E-012
RCPTR_35	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.3519E-014	1.8908E-013
RCPTR_35	farmer_adult	TOCDFDFS	Ethylbenzene	4.3663E-016	6.1067E-015
RCPTR_35	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.5617E-012	7.7786E-011
RCPTR_35	farmer_adult	TOCDFDFS	Fluoranthene	3.9233E-009	4.9032E-008
RCPTR_35	farmer_adult	TOCDFDFS	Fluorene	5.2402E-011	7.3290E-010
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.5889E-011	6.9985E-011
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.4414E-011	3.9109E-011
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.7539E-011	7.4721E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.8084E-010	1.0309E-009
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.1694E-010	5.9026E-010
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.0327E-010	2.8100E-010
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.4775E-010	4.0270E-010
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.5982E-010	4.3451E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	8.4866E-011	2.3101E-010
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.2790E-012	1.7888E-011
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.2812E-009	4.5797E-008
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	3.5646E-012	4.9854E-011
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.4893E-013	9.0760E-012
RCPTR_35	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.6374E-007	4.9717E-006
RCPTR_35	farmer_adult	TOCDFDFS	Isophorone	9.8055E-014	1.3714E-012
RCPTR_35	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Mercuric chloride	7.0025E-008	7.3710E-008
RCPTR_35	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.6272E-018	2.2757E-017
RCPTR_35	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.2014E-019	4.4775E-018
RCPTR_35	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.9519E-016	1.1122E-014
RCPTR_35	farmer_adult	TOCDFDFS	Methyl mercury	1.8786E-010	2.2260E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Methylene chloride	4.8138E-017	6.7326E-016
RCPTR_35	farmer_adult	TOCDFDFS	Mustard	5.7535E-015	8.0469E-014
RCPTR_35	farmer_adult	TOCDFDFS	Naphthalene	4.6319E-013	6.4781E-012
RCPTR_35	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.6765E-012	2.3447E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.9568E-013	5.5340E-012
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.1124E-013	7.1502E-012
RCPTR_35	farmer_adult	TOCDFDFS	Nitrobenzene	1.6607E-013	2.3226E-012
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.5510E-014	1.0561E-012
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 4-	7.2006E-013	1.0071E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	9.5580E-014	1.3368E-012
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	9.8394E-014	1.3761E-012
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.1197E-015	1.1356E-013
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	6.9260E-012	1.8749E-011
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.9161E-012	7.8788E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.3765E-010	1.7585E-009
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.0272E-010	2.1989E-009
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.0538E-011	1.4738E-010
RCPTR_35	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.5919E-012	5.0237E-011
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorophenol	7.7020E-010	1.0772E-008
RCPTR_35	farmer_adult	TOCDFDFS	Phenanthrene	1.8599E-013	2.6012E-012
RCPTR_35	farmer_adult	TOCDFDFS	Phenol	1.3048E-013	1.8249E-012
RCPTR_35	farmer_adult	TOCDFDFS	Pronamide	1.4202E-011	1.9863E-010
RCPTR_35	farmer_adult	TOCDFDFS	Pyrene	9.6205E-009	7.3026E-008
RCPTR_35	farmer_adult	TOCDFDFS	Selenium	2.9301E-009	4.0980E-008
RCPTR_35	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Styrene	5.1842E-015	7.2506E-014
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.0671E-010	1.6956E-009
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	6.4891E-010	1.8222E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.5055E-011	2.1056E-010
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	7.3613E-014	1.0296E-012
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.4115E-016	1.9741E-015
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.3935E-011	1.0340E-009
RCPTR_35	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Toluene	1.8972E-016	2.6534E-015
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.8505E-013	6.7839E-012
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.1691E-016	1.6352E-015
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.8337E-016	9.5577E-015
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethylene	1.1266E-016	1.5756E-015
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.5650E-017	2.1888E-016
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.3214E-011	7.4425E-010
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.8920E-011	6.8419E-010
RCPTR_35	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.5439E-015	3.5579E-014
RCPTR_35	farmer_adult	TOCDFDFS	Vinyl Chloride	3.5392E-020	4.9500E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, m-	6.7035E-016	9.3756E-015
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, o-	6.6187E-016	9.2569E-015
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, p-	1.0356E-015	1.4484E-014
RCPTR_35	farmer_adult	TOCDFDFS	Zinc	2.7898E-008	3.4819E-007
RCPTR_35	farmer_adult	TOCDFLIC	Acenaphthene	2.5638E-012	3.5857E-011
RCPTR_35	farmer_adult	TOCDFLIC	Acetone	7.2559E-017	1.0148E-015
RCPTR_35	farmer_adult	TOCDFLIC	Acetophenone	1.0775E-014	1.5070E-013
RCPTR_35	farmer_adult	TOCDFLIC	Aniline	6.4275E-016	8.9895E-015
RCPTR_35	farmer_adult	TOCDFLIC	Anthracene	5.1906E-011	7.2594E-010
RCPTR_35	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Benzene	4.0942E-016	5.7261E-015
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.6869E-009	4.4544E-008
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.6635E-009	4.8822E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.2835E-008	1.2617E-007
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.6339E-008	6.8921E-008
RCPTR_35	farmer_adult	TOCDFLIC	Benzoic acid	2.4633E-014	3.4452E-013
RCPTR_35	farmer_adult	TOCDFLIC	Benzyl alcohol	2.3369E-012	3.2684E-011
RCPTR_35	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.4657E-014	2.0500E-013
RCPTR_35	farmer_adult	TOCDFLIC	Bromodichloromethane	1.4742E-017	2.0618E-016
RCPTR_35	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.7039E-014	3.7817E-013
RCPTR_35	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.4341E-009	1.3666E-008
RCPTR_35	farmer_adult	TOCDFLIC	Butylbenzylphthalate	4.9953E-012	6.9864E-011
RCPTR_35	farmer_adult	TOCDFLIC	Cadmium	7.5811E-008	8.9252E-007
RCPTR_35	farmer_adult	TOCDFLIC	Carbon disulfide	9.6014E-017	1.3428E-015
RCPTR_35	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.9680E-015	2.7524E-014
RCPTR_35	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2201E-012	1.7064E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Chloroaniline, p-	6.8723E-014	9.6116E-013
RCPTR_35	farmer_adult	TOCDFLIC	Chlorobenzene	7.9626E-016	1.1137E-014
RCPTR_35	farmer_adult	TOCDFLIC	Chloroethane	8.3634E-019	1.1697E-017
RCPTR_35	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.6190E-016	1.0656E-014
RCPTR_35	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.8853E-012	9.6298E-011
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.9288E-013	2.6976E-012
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.9047E-012	1.3853E-010
RCPTR_35	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Chrysene	6.9863E-009	5.2747E-008
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.2649E-012	4.5663E-011
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.2385E-007	1.7322E-006
RCPTR_35	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.1908E-008	4.6789E-007
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	9.7041E-015	1.3572E-013
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.1958E-014	1.6724E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.1304E-014	1.5810E-013
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	7.0234E-012	9.8229E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.2960E-020	8.8056E-019
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.5384E-018	3.5503E-017
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9370E-017	2.7091E-016
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.6999E-019	1.3566E-017
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.5941E-018	1.3418E-016
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	7.8589E-013	1.0991E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.4481E-017	7.6197E-016
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.8258E-017	2.5536E-016
RCPTR_35	farmer_adult	TOCDFLIC	Diethyl phthalate	5.1251E-013	7.1680E-012
RCPTR_35	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.6013E-012	2.2396E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.3230E-013	1.8503E-012
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.4830E-014	6.2699E-013
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.1820E-013	1.6531E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	9.1245E-014	1.2761E-012
RCPTR_35	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	2.7227E-015	3.8079E-014
RCPTR_35	farmer_adult	TOCDFLIC	Ethylbenzene	1.9082E-016	2.6688E-015
RCPTR_35	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.5837E-012	1.2005E-010
RCPTR_35	farmer_adult	TOCDFLIC	Fluoranthene	7.9009E-010	9.8742E-009
RCPTR_35	farmer_adult	TOCDFLIC	Fluorene	1.0553E-011	1.4760E-010
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.1266E-010	5.7489E-010
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.4857E-010	1.2171E-009
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	6.4101E-010	1.7392E-009
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.1609E-009	3.1425E-009
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.7447E-010	1.8352E-009
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.4554E-010	9.4018E-010
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.4701E-009	4.0067E-009
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.5254E-009	4.1472E-009
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	7.5071E-010	2.0435E-009
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5758E-013	3.6025E-012
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.6080E-010	9.2231E-009
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	7.1788E-013	1.0040E-011
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.3069E-013	1.8278E-012
RCPTR_35	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.1036E-007	9.7327E-007
RCPTR_35	farmer_adult	TOCDFLIC	Isophorone	1.9747E-014	2.7619E-013
RCPTR_35	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Mercuric chloride	1.6520E-007	1.7389E-007
RCPTR_35	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.0694E-018	1.4957E-017
RCPTR_35	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.8827E-018	2.6332E-017
RCPTR_35	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.4771E-015	2.0659E-014
RCPTR_35	farmer_adult	TOCDFLIC	Methyl mercury	4.4318E-010	5.2513E-010
RCPTR_35	farmer_adult	TOCDFLIC	Methylene chloride	1.9401E-016	2.7134E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Mustard	2.0377E-015	2.8499E-014
RCPTR_35	farmer_adult	TOCDFLIC	Naphthalene	1.4416E-014	2.0163E-013
RCPTR_35	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.3765E-013	4.7223E-012
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 3-	7.9691E-014	1.1146E-012
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.0296E-013	1.4401E-012
RCPTR_35	farmer_adult	TOCDFLIC	Nitrobenzene	3.3445E-014	4.6776E-013
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.5207E-014	2.1269E-013
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4502E-014	2.0283E-013
RCPTR_35	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.9249E-014	2.6922E-013
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.9816E-014	2.7714E-013
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.6352E-015	2.2871E-014
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	5.2338E-011	1.4168E-010
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.0637E-011	5.5757E-011
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.4286E-009	6.6974E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.6535E-009	1.0008E-008
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.0630E-011	1.4868E-010
RCPTR_35	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.2342E-013	1.0118E-011
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorophenol	3.0968E-011	4.3312E-010
RCPTR_35	farmer_adult	TOCDFLIC	Phenanthrene	3.7457E-014	5.2387E-013
RCPTR_35	farmer_adult	TOCDFLIC	Phenol	2.6277E-014	3.6752E-013
RCPTR_35	farmer_adult	TOCDFLIC	Pronamide	2.8601E-012	4.0002E-011
RCPTR_35	farmer_adult	TOCDFLIC	Pyrene	1.9374E-009	1.4707E-008
RCPTR_35	farmer_adult	TOCDFLIC	Selenium	7.4273E-008	1.0388E-006
RCPTR_35	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Styrene	3.2176E-013	4.5001E-012
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	9.9234E-010	2.7733E-009
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.3412E-009	3.7663E-009
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.0319E-012	4.2405E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	1.0097E-016	1.4122E-015
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.7528E-017	5.2487E-016
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.4891E-011	2.0826E-010
RCPTR_35	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Toluene	7.3720E-016	1.0311E-014
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.7686E-014	1.3662E-012
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	3.1600E-016	4.4196E-015
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	2.8467E-016	3.9814E-015
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethylene	4.6929E-017	6.5635E-016
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.2031E-018	8.6756E-017
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0717E-011	1.4989E-010
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.9600E-012	2.7413E-011
RCPTR_35	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.0597E-015	1.4821E-014
RCPTR_35	farmer_adult	TOCDFLIC	Vinyl Chloride	4.4192E-020	6.1807E-019
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, m-	5.9761E-016	8.3582E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, o-	6.7539E-016	9.4460E-015
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, p-	9.2322E-016	1.2912E-014
RCPTR_35	farmer_adult	TOCDFLIC	Zinc	2.5342E-007	3.1630E-006
RCPTR_35	farmer_adult	TOCDFMPF	Acenaphthene	3.9114E-012	5.4705E-011
RCPTR_35	farmer_adult	TOCDFMPF	Acetone	2.6450E-016	3.6993E-015
RCPTR_35	farmer_adult	TOCDFMPF	Acetophenone	1.7221E-014	2.4086E-013
RCPTR_35	farmer_adult	TOCDFMPF	Aniline	9.8061E-016	1.3715E-014
RCPTR_35	farmer_adult	TOCDFMPF	Anthracene	7.9189E-011	1.1075E-009
RCPTR_35	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Aroclor 1254	2.2314E-012	3.1208E-011
RCPTR_35	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Benzene	3.6518E-016	5.1073E-015
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)anthracene	7.1508E-009	6.7960E-008
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.1177E-009	7.4513E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.9582E-008	1.9250E-007
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.4941E-008	1.0521E-007
RCPTR_35	farmer_adult	TOCDFMPF	Benzoic acid	1.0879E-013	1.5215E-012
RCPTR_35	farmer_adult	TOCDFMPF	Benzyl alcohol	2.2283E-014	3.1165E-013
RCPTR_35	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.2362E-014	3.1275E-013
RCPTR_35	farmer_adult	TOCDFMPF	Bromodichloromethane	4.4697E-016	6.2513E-015
RCPTR_35	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5763E-014	2.2046E-013
RCPTR_35	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.1880E-009	2.0849E-008
RCPTR_35	farmer_adult	TOCDFMPF	Butylbenzylphthalate	7.6210E-012	1.0659E-010
RCPTR_35	farmer_adult	TOCDFMPF	Cadmium	3.4596E-007	4.0729E-006
RCPTR_35	farmer_adult	TOCDFMPF	Carbon disulfide	3.5033E-017	4.8997E-016
RCPTR_35	farmer_adult	TOCDFMPF	Carbon tetrachloride	3.4212E-016	4.7848E-015
RCPTR_35	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.8614E-012	2.6033E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.0485E-013	1.4664E-012
RCPTR_35	farmer_adult	TOCDFMPF	Chlorobenzene	1.4257E-015	1.9940E-014
RCPTR_35	farmer_adult	TOCDFMPF	Chloroethane	8.2250E-018	1.1503E-016
RCPTR_35	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.3912E-016	3.3443E-015
RCPTR_35	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.0504E-011	1.4692E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.9427E-013	4.1156E-012
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.5111E-011	2.1134E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Chrysene	1.0659E-008	8.0479E-008
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.2231E-011	4.5078E-010
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.2227E-006	1.7101E-005
RCPTR_35	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	9.4549E-008	7.1460E-007
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.4805E-014	2.0706E-013
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.8243E-014	2.5515E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.7246E-014	2.4120E-013
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.1495E-011	3.0063E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.1679E-019	7.2278E-018
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.6963E-017	1.0764E-015
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.4998E-017	1.3286E-015
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.9409E-017	4.1132E-016
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.7053E-017	6.5808E-016
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.1990E-012	1.6769E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.6719E-016	3.7370E-015
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.6852E-017	1.2147E-015
RCPTR_35	farmer_adult	TOCDFMPF	Diethyl phthalate	5.0594E-012	7.0761E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.7065E-013	2.3867E-012
RCPTR_35	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.0184E-013	2.8229E-012
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	6.8270E-014	9.5482E-013
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.8032E-013	2.5220E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3921E-013	1.9469E-012
RCPTR_35	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	4.1538E-015	5.8096E-014
RCPTR_35	farmer_adult	TOCDFMPF	Ethylbenzene	8.9203E-016	1.2476E-014
RCPTR_35	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.5496E-012	2.1672E-011
RCPTR_35	farmer_adult	TOCDFMPF	Fluoranthene	1.2054E-009	1.5065E-008
RCPTR_35	farmer_adult	TOCDFMPF	Fluorene	1.6101E-011	2.2519E-010
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	8.2871E-010	2.2402E-009
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.0522E-010	1.9135E-009
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.5014E-010	2.0353E-009
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	3.3145E-010	8.9726E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.4986E-010	4.0776E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.1616E-011	2.2207E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.9035E-010	7.9137E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.4712E-010	3.9998E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	6.7916E-011	1.8487E-010
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.9297E-013	5.4961E-012
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.0082E-009	1.4071E-008
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.0952E-012	1.5318E-011
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.9939E-013	2.7886E-012
RCPTR_35	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.6855E-007	1.4864E-006
RCPTR_35	farmer_adult	TOCDFMPF	Isophorone	3.0128E-014	4.2136E-013
RCPTR_35	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Mercuric chloride	2.8028E-006	2.9503E-006
RCPTR_35	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.5224E-018	7.7237E-017
RCPTR_35	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	3.2073E-019	4.4858E-018
RCPTR_35	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.9895E-016	4.1812E-015
RCPTR_35	farmer_adult	TOCDFMPF	Methyl mercury	7.5192E-009	8.9097E-009
RCPTR_35	farmer_adult	TOCDFMPF	Methylene chloride	1.5227E-016	2.1297E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Mustard	1.4470E-014	2.0238E-013
RCPTR_35	farmer_adult	TOCDFMPF	Naphthalene	1.4232E-013	1.9904E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 2-	5.1419E-013	7.1915E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.2136E-013	1.6973E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.5680E-013	2.1930E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitrobenzene	5.1025E-014	7.1363E-013
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.3201E-014	3.2448E-013
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.2085E-013	3.0888E-012
RCPTR_35	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.9367E-014	4.1073E-013
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.0232E-014	4.2282E-013
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.4948E-015	3.4892E-014
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.3286E-009	9.0105E-009
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.3397E-009	6.3214E-009
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.2685E-010	3.4981E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.4482E-010	6.7063E-010
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.2378E-012	4.5284E-011
RCPTR_35	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.1017E-012	1.5408E-011
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorophenol	2.3623E-010	3.3039E-009
RCPTR_35	farmer_adult	TOCDFMPF	Phenanthrene	5.7145E-014	7.9924E-013
RCPTR_35	farmer_adult	TOCDFMPF	Phenol	4.0090E-014	5.6070E-013
RCPTR_35	farmer_adult	TOCDFMPF	Pronamide	4.3635E-012	6.1029E-011
RCPTR_35	farmer_adult	TOCDFMPF	Pyrene	2.9558E-009	2.2437E-008
RCPTR_35	farmer_adult	TOCDFMPF	Selenium	1.3017E-009	1.8205E-008
RCPTR_35	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Styrene	7.3224E-015	1.0241E-013
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1853E-010	3.3125E-010
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.3264E-009	3.7246E-009
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.6256E-012	6.4694E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	3.0613E-015	4.2815E-014
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.8837E-016	4.0331E-015
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.2676E-011	3.1715E-010
RCPTR_35	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Toluene	4.9362E-016	6.9038E-015
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.4903E-013	2.0844E-012
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.8511E-016	2.5890E-015
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.3961E-015	1.9526E-014
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethylene	2.3016E-016	3.2190E-015
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.3886E-016	8.9351E-015
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.6350E-011	2.2867E-010
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.9903E-012	4.1822E-011
RCPTR_35	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	5.1971E-015	7.2687E-014
RCPTR_35	farmer_adult	TOCDFMPF	Vinyl Chloride	1.2102E-019	1.6925E-018
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, m-	5.9697E-016	8.3493E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, o-	6.7467E-016	9.4359E-015
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, p-	9.2224E-016	1.2898E-014
RCPTR_35	farmer_adult	TOCDFMPF	Zinc	7.2110E-008	9.0002E-007
RCPTR_35	farmer_adult	TOCDHVAC	Mustard	3.6663E-015	5.1276E-014
RCPTR_35	farmer_adult	TOCDLIC2	Acenaphthene	2.5638E-012	3.5857E-011
RCPTR_35	farmer_adult	TOCDLIC2	Acetone	7.2559E-017	1.0148E-015
RCPTR_35	farmer_adult	TOCDLIC2	Acetophenone	1.0775E-014	1.5070E-013
RCPTR_35	farmer_adult	TOCDLIC2	Aniline	6.4275E-016	8.9895E-015
RCPTR_35	farmer_adult	TOCDLIC2	Anthracene	5.1906E-011	7.2594E-010
RCPTR_35	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Benzene	4.0942E-016	5.7261E-015
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.6869E-009	4.4544E-008
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.6635E-009	4.8822E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.2835E-008	1.2617E-007
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.6339E-008	6.8921E-008
RCPTR_35	farmer_adult	TOCDLIC2	Benzoic acid	2.4633E-014	3.4452E-013
RCPTR_35	farmer_adult	TOCDLIC2	Benzyl alcohol	2.3369E-012	3.2684E-011
RCPTR_35	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.4657E-014	2.0500E-013
RCPTR_35	farmer_adult	TOCDLIC2	Bromodichloromethane	1.4742E-017	2.0618E-016
RCPTR_35	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.7039E-014	3.7817E-013
RCPTR_35	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.4341E-009	1.3666E-008
RCPTR_35	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.9953E-012	6.9864E-011
RCPTR_35	farmer_adult	TOCDLIC2	Cadmium	7.5811E-008	8.9252E-007
RCPTR_35	farmer_adult	TOCDLIC2	Carbon disulfide	9.6014E-017	1.3428E-015
RCPTR_35	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.9680E-015	2.7524E-014
RCPTR_35	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.2201E-012	1.7064E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Chloroaniline, p-	6.8723E-014	9.6116E-013
RCPTR_35	farmer_adult	TOCDLIC2	Chlorobenzene	7.9626E-016	1.1137E-014
RCPTR_35	farmer_adult	TOCDLIC2	Chloroethane	8.3634E-019	1.1697E-017
RCPTR_35	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	7.6190E-016	1.0656E-014
RCPTR_35	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	6.8853E-012	9.6298E-011
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.9288E-013	2.6976E-012
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.9047E-012	1.3853E-010
RCPTR_35	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Chrysene	6.9863E-009	5.2747E-008
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.2649E-012	4.5663E-011
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.2385E-007	1.7322E-006
RCPTR_35	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	6.1908E-008	4.6789E-007
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	9.7041E-015	1.3572E-013
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.1958E-014	1.6724E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.1304E-014	1.5810E-013
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.0234E-012	9.8229E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	6.2960E-020	8.8056E-019
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.5384E-018	3.5503E-017
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9370E-017	2.7091E-016
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	9.6999E-019	1.3566E-017
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	9.5941E-018	1.3418E-016
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.8589E-013	1.0991E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.4481E-017	7.6197E-016
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.8258E-017	2.5536E-016
RCPTR_35	farmer_adult	TOCDLIC2	Diethyl phthalate	5.1251E-013	7.1680E-012
RCPTR_35	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.6013E-012	2.2396E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.3230E-013	1.8503E-012
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.4830E-014	6.2699E-013
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1820E-013	1.6531E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	9.1245E-014	1.2761E-012
RCPTR_35	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.7227E-015	3.8079E-014
RCPTR_35	farmer_adult	TOCDLIC2	Ethylbenzene	1.9082E-016	2.6688E-015
RCPTR_35	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.5837E-012	1.2005E-010
RCPTR_35	farmer_adult	TOCDLIC2	Fluoranthene	7.9009E-010	9.8742E-009
RCPTR_35	farmer_adult	TOCDLIC2	Fluorene	1.0553E-011	1.4760E-010
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.1266E-010	5.7489E-010
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.4857E-010	1.2171E-009
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.4101E-010	1.7392E-009
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1609E-009	3.1425E-009
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.7447E-010	1.8352E-009
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.4554E-010	9.4018E-010
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.4701E-009	4.0067E-009
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.5254E-009	4.1472E-009
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.5071E-010	2.0435E-009
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.5758E-013	3.6025E-012
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorobenzene	6.6080E-010	9.2231E-009
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	7.1788E-013	1.0040E-011
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.3069E-013	1.8278E-012
RCPTR_35	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.1036E-007	9.7327E-007
RCPTR_35	farmer_adult	TOCDLIC2	Isophorone	1.9747E-014	2.7619E-013
RCPTR_35	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Mercuric chloride	1.6520E-007	1.7389E-007
RCPTR_35	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.0694E-018	1.4957E-017
RCPTR_35	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.8827E-018	2.6332E-017
RCPTR_35	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.4771E-015	2.0659E-014
RCPTR_35	farmer_adult	TOCDLIC2	Methyl mercury	4.4318E-010	5.2513E-010
RCPTR_35	farmer_adult	TOCDLIC2	Methylene chloride	1.9401E-016	2.7134E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Mustard	2.1184E-015	2.9627E-014
RCPTR_35	farmer_adult	TOCDLIC2	Naphthalene	1.4416E-014	2.0163E-013
RCPTR_35	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 2-	3.3765E-013	4.7223E-012
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 3-	7.9691E-014	1.1146E-012
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.0296E-013	1.4401E-012
RCPTR_35	farmer_adult	TOCDLIC2	Nitrobenzene	3.3445E-014	4.6776E-013
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.5207E-014	2.1269E-013
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4502E-013	2.0283E-012
RCPTR_35	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.9249E-014	2.6922E-013
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.9816E-014	2.7714E-013
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.6352E-015	2.2871E-014
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.2338E-011	1.4168E-010
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.0637E-011	5.5757E-011
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.4286E-009	6.6974E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.6535E-009	1.0008E-008
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.0630E-011	1.4868E-010
RCPTR_35	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.2342E-013	1.0118E-011
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorophenol	3.0968E-011	4.3312E-010
RCPTR_35	farmer_adult	TOCDLIC2	Phenanthrene	3.7457E-014	5.2387E-013
RCPTR_35	farmer_adult	TOCDLIC2	Phenol	2.6277E-014	3.6752E-013
RCPTR_35	farmer_adult	TOCDLIC2	Pronamide	2.8601E-012	4.0002E-011
RCPTR_35	farmer_adult	TOCDLIC2	Pyrene	1.9374E-009	1.4707E-008
RCPTR_35	farmer_adult	TOCDLIC2	Selenium	7.4273E-008	1.0388E-006
RCPTR_35	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Styrene	3.2176E-013	4.5001E-012
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	9.9234E-010	2.7733E-009
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3412E-009	3.7663E-009
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.0319E-012	4.2405E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	1.0097E-016	1.4122E-015
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.7528E-017	5.2487E-016
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.4891E-011	2.0826E-010
RCPTR_35	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Toluene	7.3720E-016	1.0311E-014
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.7686E-014	1.3662E-012
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.1600E-016	4.4196E-015
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.8467E-016	3.9814E-015
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethylene	4.6929E-017	6.5635E-016
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.2031E-018	8.6756E-017
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0717E-011	1.4989E-010
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.9600E-012	2.7413E-011
RCPTR_35	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.0597E-015	1.4821E-014
RCPTR_35	farmer_adult	TOCDLIC2	Vinyl Chloride	4.4192E-020	6.1807E-019
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, m-	1.2419E-015	1.7369E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, o-	1.4035E-015	1.9629E-014
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, p-	1.9185E-015	2.6832E-014
RCPTR_35	farmer_adult	TOCDLIC2	Zinc	2.5342E-007	3.1630E-006
RCPTR_35	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Cadmium	2.6576E-007	4.9944E-007
RCPTR_35	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Mercuric chloride	1.3655E-004	1.7942E-004
RCPTR_35	farmer_child	TOCDFBRA	Methyl mercury	4.0977E-007	5.4182E-007
RCPTR_35	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Selenium	1.8610E-007	3.9043E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFBRA	Zinc	9.0708E-007	1.7591E-006
RCPTR_35	farmer_child	TOCDFDFS	Acenaphthene	8.4868E-011	1.7804E-010
RCPTR_35	farmer_child	TOCDFDFS	Acetone	7.3863E-016	1.5496E-015
RCPTR_35	farmer_child	TOCDFDFS	Acetophenone	3.7499E-013	7.8669E-013
RCPTR_35	farmer_child	TOCDFDFS	Aniline	2.1277E-014	4.4637E-014
RCPTR_35	farmer_child	TOCDFDFS	Anthracene	1.7182E-009	3.6046E-009
RCPTR_35	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Aroclor 1254	2.6176E-011	5.4915E-011
RCPTR_35	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Benzene	2.7107E-015	5.6868E-015
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.2868E-007	2.2133E-007
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.3724E-007	2.4465E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.6033E-007	6.2717E-007
RCPTR_35	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.3788E-007	3.4690E-007
RCPTR_35	farmer_child	TOCDFDFS	Benzoic acid	2.3604E-013	4.9520E-013
RCPTR_35	farmer_child	TOCDFDFS	Benzyl alcohol	4.8349E-013	1.0143E-012
RCPTR_35	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.8520E-013	1.0179E-012
RCPTR_35	farmer_child	TOCDFDFS	Bromodichloromethane	8.7573E-016	1.8372E-015
RCPTR_35	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.4195E-013	2.9780E-013
RCPTR_35	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.9415E-008	6.7856E-008
RCPTR_35	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.6539E-010	3.4697E-010
RCPTR_35	farmer_child	TOCDFDFS	Cadmium	1.1677E-007	2.1944E-007
RCPTR_35	farmer_child	TOCDFDFS	Carbon disulfide	4.8217E-016	1.0116E-015
RCPTR_35	farmer_child	TOCDFDFS	Carbon tetrachloride	7.9147E-016	1.6604E-015
RCPTR_35	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.0387E-011	8.4729E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Chloroaniline, p-	2.2749E-012	4.7726E-012
RCPTR_35	farmer_child	TOCDFDFS	Chlorobenzene	4.6525E-015	9.7604E-015
RCPTR_35	farmer_child	TOCDFDFS	Chloroethane	1.3385E-017	2.8080E-017
RCPTR_35	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.0266E-016	1.2643E-015
RCPTR_35	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.2792E-010	4.7816E-010
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenol, 2-	6.3849E-012	1.3395E-011
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.2787E-010	6.8785E-010
RCPTR_35	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Chrysene	1.6292E-007	2.6232E-007
RCPTR_35	farmer_child	TOCDFDFS	Di-n-butyl phthalate	6.9937E-010	1.4672E-009
RCPTR_35	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.6543E-005	5.5684E-005
RCPTR_35	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.4839E-006	2.3899E-006
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.2123E-013	6.7392E-013
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.9583E-013	8.3041E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.7419E-013	7.8501E-013
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.6541E-010	9.7638E-010
RCPTR_35	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.0590E-018	2.2216E-018
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.5115E-016	5.2688E-016
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1000E-016	6.5035E-016
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	9.5968E-017	2.0133E-016
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5354E-016	3.2212E-016
RCPTR_35	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.6015E-011	5.4577E-011
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.7190E-016	1.8292E-015
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.8342E-016	5.9458E-016
RCPTR_35	farmer_child	TOCDFDFS	Diethyl phthalate	1.0978E-010	2.3030E-010
RCPTR_35	farmer_child	TOCDFDFS	Dimethyl phthalate	5.5944E-012	1.1736E-011
RCPTR_35	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.3794E-012	9.1875E-012
RCPTR_35	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.4839E-012	3.1131E-012
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.9126E-012	8.2083E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.0205E-012	6.3366E-012
RCPTR_35	farmer_child	TOCDFDFS	Ethyl methanesulfonate	9.0128E-014	1.8908E-013
RCPTR_35	farmer_child	TOCDFDFS	Ethylbenzene	2.9109E-015	6.1067E-015
RCPTR_35	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.7078E-011	7.7786E-011
RCPTR_35	farmer_child	TOCDFDFS	Fluoranthene	2.5264E-008	4.9032E-008
RCPTR_35	farmer_child	TOCDFDFS	Fluorene	3.4935E-010	7.3290E-010
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.0142E-011	6.9985E-011
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.8012E-011	3.9109E-011
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	5.3519E-011	7.4721E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.3856E-010	1.0309E-009
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.2268E-010	5.9026E-010
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.0122E-010	2.8100E-010
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.8833E-010	4.0270E-010
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.1116E-010	4.3451E-010
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6542E-010	2.3101E-010
RCPTR_35	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.5265E-012	1.7888E-011
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorobenzene	2.1871E-008	4.5797E-008
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.3764E-011	4.9854E-011
RCPTR_35	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.3262E-012	9.0760E-012
RCPTR_35	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.9607E-006	4.9717E-006
RCPTR_35	farmer_child	TOCDFDFS	Isophorone	6.5370E-013	1.3714E-012
RCPTR_35	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Mercuric chloride	5.6099E-008	7.3710E-008
RCPTR_35	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.0848E-017	2.2757E-017
RCPTR_35	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	2.1343E-018	4.4775E-018
RCPTR_35	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.3013E-015	1.1122E-014
RCPTR_35	farmer_child	TOCDFDFS	Methyl mercury	1.6835E-010	2.2260E-010
RCPTR_35	farmer_child	TOCDFDFS	Methylene chloride	3.2092E-016	6.7326E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Mustard	3.8357E-014	8.0469E-014
RCPTR_35	farmer_child	TOCDFDFS	Naphthalene	3.0879E-012	6.4781E-012
RCPTR_35	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.1177E-011	2.3447E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.6379E-012	5.5340E-012
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.4082E-012	7.1502E-012
RCPTR_35	farmer_child	TOCDFDFS	Nitrobenzene	1.1071E-012	2.3226E-012
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.0340E-013	1.0561E-012
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.8004E-012	1.0071E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.3720E-013	1.3368E-012
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	6.5596E-013	1.3761E-012
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	5.4131E-014	1.1356E-013
RCPTR_35	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.3431E-011	1.8749E-011
RCPTR_35	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.6452E-012	7.8788E-012
RCPTR_35	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.2578E-009	1.7585E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.5737E-009	2.1989E-009
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorobenzene	7.0252E-011	1.4738E-010
RCPTR_35	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.3946E-011	5.0237E-011
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorophenol	5.1347E-009	1.0772E-008
RCPTR_35	farmer_child	TOCDFDFS	Phenanthrene	1.2399E-012	2.6012E-012
RCPTR_35	farmer_child	TOCDFDFS	Phenol	8.6986E-013	1.8249E-012
RCPTR_35	farmer_child	TOCDFDFS	Pronamide	9.4679E-011	1.9863E-010
RCPTR_35	farmer_child	TOCDFDFS	Pyrene	4.5296E-008	7.3026E-008
RCPTR_35	farmer_child	TOCDFDFS	Selenium	1.9534E-008	4.0980E-008
RCPTR_35	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Styrene	3.4561E-014	7.2506E-014
RCPTR_35	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2115E-009	1.6956E-009
RCPTR_35	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.3014E-009	1.8222E-009
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0037E-010	2.1056E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.9076E-013	1.0296E-012
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.4101E-016	1.9741E-015
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.9290E-010	1.0340E-009
RCPTR_35	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Toluene	1.2648E-015	2.6534E-015
RCPTR_35	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.2337E-012	6.7839E-012
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.7942E-016	1.6352E-015
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.5558E-015	9.5577E-015
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethylene	7.5104E-016	1.5756E-015
RCPTR_35	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0433E-016	2.1888E-016
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.5476E-010	7.4425E-010
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.2613E-010	6.8419E-010
RCPTR_35	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.6959E-014	3.5579E-014
RCPTR_35	farmer_child	TOCDFDFS	Vinyl Chloride	2.3595E-019	4.9500E-019
RCPTR_35	farmer_child	TOCDFDFS	Xylene, m-	4.4690E-015	9.3756E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Xylene, o-	4.4124E-015	9.2569E-015
RCPTR_35	farmer_child	TOCDFDFS	Xylene, p-	6.9040E-015	1.4484E-014
RCPTR_35	farmer_child	TOCDFDFS	Zinc	1.7954E-007	3.4819E-007
RCPTR_35	farmer_child	TOCDFLIC	Acenaphthene	1.7092E-011	3.5857E-011
RCPTR_35	farmer_child	TOCDFLIC	Acetone	4.8373E-016	1.0148E-015
RCPTR_35	farmer_child	TOCDFLIC	Acetophenone	7.1833E-014	1.5070E-013
RCPTR_35	farmer_child	TOCDFLIC	Aniline	4.2850E-015	8.9895E-015
RCPTR_35	farmer_child	TOCDFLIC	Anthracene	3.4604E-010	7.2594E-010
RCPTR_35	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Benzene	2.7294E-015	5.7261E-015
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.5897E-008	4.4544E-008
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.7387E-008	4.8822E-008
RCPTR_35	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	7.2490E-008	1.2617E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.7262E-008	6.8921E-008
RCPTR_35	farmer_child	TOCDFLIC	Benzoic acid	1.6422E-013	3.4452E-013
RCPTR_35	farmer_child	TOCDFLIC	Benzyl alcohol	1.5579E-011	3.2684E-011
RCPTR_35	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	9.7715E-014	2.0500E-013
RCPTR_35	farmer_child	TOCDFLIC	Bromodichloromethane	9.8281E-017	2.0618E-016
RCPTR_35	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.8026E-013	3.7817E-013
RCPTR_35	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	7.9378E-009	1.3666E-008
RCPTR_35	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.3302E-011	6.9864E-011
RCPTR_35	farmer_child	TOCDFLIC	Cadmium	4.7492E-007	8.9252E-007
RCPTR_35	farmer_child	TOCDFLIC	Carbon disulfide	6.4009E-016	1.3428E-015
RCPTR_35	farmer_child	TOCDFLIC	Carbon tetrachloride	1.3120E-014	2.7524E-014
RCPTR_35	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	8.1337E-012	1.7064E-011
RCPTR_35	farmer_child	TOCDFLIC	Chloroaniline, p-	4.5816E-013	9.6116E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Chlorobenzene	5.3084E-015	1.1137E-014
RCPTR_35	farmer_child	TOCDFLIC	Chloroethane	5.5756E-018	1.1697E-017
RCPTR_35	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.0794E-015	1.0656E-014
RCPTR_35	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.5902E-011	9.6298E-011
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.2859E-012	2.6976E-012
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.6031E-011	1.3853E-010
RCPTR_35	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Chrysene	3.2760E-008	5.2747E-008
RCPTR_35	farmer_child	TOCDFLIC	Di-n-butyl phthalate	2.1766E-011	4.5663E-011
RCPTR_35	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.2570E-007	1.7322E-006
RCPTR_35	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.9052E-007	4.6789E-007
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.4694E-014	1.3572E-013
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.9717E-014	1.6724E-013
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.5359E-014	1.5810E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.6823E-011	9.8229E-011
RCPTR_35	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.1973E-019	8.8056E-019
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.6923E-017	3.5503E-017
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2914E-016	2.7091E-016
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.4666E-018	1.3566E-017
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.3961E-017	1.3418E-016
RCPTR_35	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.2393E-012	1.0991E-011
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.6321E-016	7.6197E-016
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2172E-016	2.5536E-016
RCPTR_35	farmer_child	TOCDFLIC	Diethyl phthalate	3.4167E-012	7.1680E-012
RCPTR_35	farmer_child	TOCDFLIC	Dimethyl phthalate	1.0675E-011	2.2396E-011
RCPTR_35	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.8198E-013	1.8503E-012
RCPTR_35	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	2.9886E-013	6.2699E-013
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	7.8797E-013	1.6531E-012
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.0830E-013	1.2761E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.8151E-014	3.8079E-014
RCPTR_35	farmer_child	TOCDFLIC	Ethylbenzene	1.2721E-015	2.6688E-015
RCPTR_35	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.7225E-011	1.2005E-010
RCPTR_35	farmer_child	TOCDFLIC	Fluoranthene	5.0877E-009	9.8742E-009
RCPTR_35	farmer_child	TOCDFLIC	Fluorene	7.0356E-011	1.4760E-010
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.1189E-010	5.7489E-010
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.7175E-010	1.2171E-009
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.2457E-009	1.7392E-009
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.2512E-009	3.1425E-009
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.3141E-009	1.8352E-009
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	6.7325E-010	9.4018E-010
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.8687E-009	4.0067E-009
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.9700E-009	4.1472E-009
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.4633E-009	2.0435E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7172E-012	3.6025E-012
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorobenzene	4.4046E-009	9.2231E-009
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.7858E-012	1.0040E-011
RCPTR_35	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.7127E-013	1.8278E-012
RCPTR_35	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.7960E-007	9.7327E-007
RCPTR_35	farmer_child	TOCDFLIC	Isophorone	1.3165E-013	2.7619E-013
RCPTR_35	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Mercuric chloride	1.3234E-007	1.7389E-007
RCPTR_35	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.1293E-018	1.4957E-017
RCPTR_35	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.2552E-017	2.6332E-017
RCPTR_35	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.8474E-015	2.0659E-014
RCPTR_35	farmer_child	TOCDFLIC	Methyl mercury	3.9715E-010	5.2513E-010
RCPTR_35	farmer_child	TOCDFLIC	Methylene chloride	1.2934E-015	2.7134E-015
RCPTR_35	farmer_child	TOCDFLIC	Mustard	1.3584E-014	2.8499E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Naphthalene	9.6109E-014	2.0163E-013
RCPTR_35	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.2510E-012	4.7223E-012
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.3127E-013	1.1146E-012
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.8643E-013	1.4401E-012
RCPTR_35	farmer_child	TOCDFLIC	Nitrobenzene	2.2296E-013	4.6776E-013
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0138E-013	2.1269E-013
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 4-	9.6681E-014	2.0283E-013
RCPTR_35	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2833E-013	2.6922E-013
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.3211E-013	2.7714E-013
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.0902E-014	2.2871E-014
RCPTR_35	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0150E-010	1.4168E-010
RCPTR_35	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.9950E-011	5.5757E-011
RCPTR_35	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.7906E-009	6.6974E-009
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.1626E-009	1.0008E-008
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorobenzene	7.0870E-011	1.4868E-010
RCPTR_35	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.8228E-012	1.0118E-011
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorophenol	2.0645E-010	4.3312E-010
RCPTR_35	farmer_child	TOCDFLIC	Phenanthrene	2.4971E-013	5.2387E-013
RCPTR_35	farmer_child	TOCDFLIC	Phenol	1.7518E-013	3.6752E-013
RCPTR_35	farmer_child	TOCDFLIC	Pronamide	1.9068E-011	4.0002E-011
RCPTR_35	farmer_child	TOCDFLIC	Pyrene	9.1219E-009	1.4707E-008
RCPTR_35	farmer_child	TOCDFLIC	Selenium	4.9515E-007	1.0388E-006
RCPTR_35	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Styrene	2.1451E-012	4.5001E-012
RCPTR_35	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.9815E-009	2.7733E-009
RCPTR_35	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	2.6899E-009	3.7663E-009
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0213E-011	4.2405E-011
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	6.7313E-016	1.4122E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.5019E-016	5.2487E-016
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.9270E-011	2.0826E-010
RCPTR_35	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Toluene	4.9147E-015	1.0311E-014
RCPTR_35	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.5124E-013	1.3662E-012
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.1067E-015	4.4196E-015
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.8978E-015	3.9814E-015
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethylene	3.1286E-016	6.5635E-016
RCPTR_35	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.1354E-017	8.6756E-017
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.1446E-011	1.4989E-010
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.3067E-011	2.7413E-011
RCPTR_35	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.0647E-015	1.4821E-014
RCPTR_35	farmer_child	TOCDFLIC	Vinyl Chloride	2.9461E-019	6.1807E-019
RCPTR_35	farmer_child	TOCDFLIC	Xylene, m-	3.9841E-015	8.3582E-015
RCPTR_35	farmer_child	TOCDFLIC	Xylene, o-	4.5026E-015	9.4460E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Xylene, p-	6.1548E-015	1.2912E-014
RCPTR_35	farmer_child	TOCDFLIC	Zinc	1.6310E-006	3.1630E-006
RCPTR_35	farmer_child	TOCDFMPF	Acenaphthene	2.6076E-011	5.4705E-011
RCPTR_35	farmer_child	TOCDFMPF	Acetone	1.7634E-015	3.6993E-015
RCPTR_35	farmer_child	TOCDFMPF	Acetophenone	1.1481E-013	2.4086E-013
RCPTR_35	farmer_child	TOCDFMPF	Aniline	6.5374E-015	1.3715E-014
RCPTR_35	farmer_child	TOCDFMPF	Anthracene	5.2793E-010	1.1075E-009
RCPTR_35	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Aroclor 1254	1.4876E-011	3.1208E-011
RCPTR_35	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Benzene	2.4345E-015	5.1073E-015
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)anthracene	3.9511E-008	6.7960E-008
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)pyrene	4.1798E-008	7.4513E-008
RCPTR_35	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1060E-007	1.9250E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	7.2146E-008	1.0521E-007
RCPTR_35	farmer_child	TOCDFMPF	Benzoic acid	7.2525E-013	1.5215E-012
RCPTR_35	farmer_child	TOCDFMPF	Benzyl alcohol	1.4855E-013	3.1165E-013
RCPTR_35	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.4908E-013	3.1275E-013
RCPTR_35	farmer_child	TOCDFMPF	Bromodichloromethane	2.9798E-015	6.2513E-015
RCPTR_35	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.0509E-013	2.2046E-013
RCPTR_35	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.2110E-008	2.0849E-008
RCPTR_35	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.0807E-011	1.0659E-010
RCPTR_35	farmer_child	TOCDFMPF	Cadmium	2.1673E-006	4.0729E-006
RCPTR_35	farmer_child	TOCDFMPF	Carbon disulfide	2.3355E-016	4.8997E-016
RCPTR_35	farmer_child	TOCDFMPF	Carbon tetrachloride	2.2808E-015	4.7848E-015
RCPTR_35	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2409E-011	2.6033E-011
RCPTR_35	farmer_child	TOCDFMPF	Chloroaniline, p-	6.9898E-013	1.4664E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Chlorobenzene	9.5049E-015	1.9940E-014
RCPTR_35	farmer_child	TOCDFMPF	Chloroethane	5.4833E-017	1.1503E-016
RCPTR_35	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.5941E-015	3.3443E-015
RCPTR_35	farmer_child	TOCDFMPF	Chloronaphthalene,2-	7.0030E-011	1.4692E-010
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.9618E-012	4.1156E-012
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0074E-010	2.1134E-010
RCPTR_35	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Chrysene	4.9983E-008	8.0479E-008
RCPTR_35	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.1487E-010	4.5078E-010
RCPTR_35	farmer_child	TOCDFMPF	Di-n-octylphthalate	8.1513E-006	1.7101E-005
RCPTR_35	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.4370E-007	7.1460E-007
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	9.8700E-014	2.0706E-013
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.2162E-013	2.5515E-013
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.1497E-013	2.4120E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.4330E-010	3.0063E-010
RCPTR_35	farmer_child	TOCDFMPF	Dichlorodifluoromethane	3.4453E-018	7.2278E-018
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane 1,1-	5.1309E-016	1.0764E-015
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3332E-016	1.3286E-015
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.9606E-016	4.1132E-016
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.1368E-016	6.5808E-016
RCPTR_35	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	7.9932E-012	1.6769E-011
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.7813E-015	3.7370E-015
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.7902E-016	1.2147E-015
RCPTR_35	farmer_child	TOCDFMPF	Diethyl phthalate	3.3729E-011	7.0761E-011
RCPTR_35	farmer_child	TOCDFMPF	Dimethyl phthalate	1.1377E-012	2.3867E-012
RCPTR_35	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.3456E-012	2.8229E-012
RCPTR_35	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.5513E-013	9.5482E-013
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.2022E-012	2.5220E-012
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	9.2804E-013	1.9469E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.7692E-014	5.8096E-014
RCPTR_35	farmer_child	TOCDFMPF	Ethylbenzene	5.9468E-015	1.2476E-014
RCPTR_35	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0330E-011	2.1672E-011
RCPTR_35	farmer_child	TOCDFMPF	Fluoranthene	7.7621E-009	1.5065E-008
RCPTR_35	farmer_child	TOCDFMPF	Fluorene	1.0734E-010	2.2519E-010
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6051E-009	2.2402E-009
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3705E-009	1.9135E-009
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.4578E-009	2.0353E-009
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	6.4278E-010	8.9726E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.9199E-010	4.0776E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.5902E-010	2.2207E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.6661E-010	7.9137E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.8644E-010	3.9998E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3238E-010	1.8487E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.6198E-012	5.4961E-012
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorobenzene	6.7198E-009	1.4071E-008
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	7.3015E-012	1.5318E-011
RCPTR_35	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3292E-012	2.7886E-012
RCPTR_35	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	8.8520E-007	1.4864E-006
RCPTR_35	farmer_child	TOCDFMPF	Isophorone	2.0085E-013	4.2136E-013
RCPTR_35	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Mercuric chloride	2.2454E-006	2.9503E-006
RCPTR_35	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	3.6816E-017	7.7237E-017
RCPTR_35	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.1382E-018	4.4858E-018
RCPTR_35	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.9930E-015	4.1812E-015
RCPTR_35	farmer_child	TOCDFMPF	Methyl mercury	6.7383E-009	8.9097E-009
RCPTR_35	farmer_child	TOCDFMPF	Methylene chloride	1.0152E-015	2.1297E-015
RCPTR_35	farmer_child	TOCDFMPF	Mustard	9.6467E-014	2.0238E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Naphthalene	9.4877E-013	1.9904E-012
RCPTR_35	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.4279E-012	7.1915E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 3-	8.0906E-013	1.6973E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.0453E-012	2.1930E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitrobenzene	3.4016E-013	7.1363E-013
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.5467E-013	3.2448E-013
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.4723E-012	3.0888E-012
RCPTR_35	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.9578E-013	4.1073E-013
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.0155E-013	4.2282E-013
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.6632E-014	3.4892E-014
RCPTR_35	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	6.4551E-009	9.0105E-009
RCPTR_35	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.5293E-009	6.3214E-009
RCPTR_35	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	2.5022E-010	3.4981E-010
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.7996E-010	6.7063E-010
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorobenzene	2.1585E-011	4.5284E-011
RCPTR_35	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.3445E-012	1.5408E-011
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorophenol	1.5749E-009	3.3039E-009
RCPTR_35	farmer_child	TOCDFMPF	Phenanthrene	3.8097E-013	7.9924E-013
RCPTR_35	farmer_child	TOCDFMPF	Phenol	2.6727E-013	5.6070E-013
RCPTR_35	farmer_child	TOCDFMPF	Pronamide	2.9090E-011	6.1029E-011
RCPTR_35	farmer_child	TOCDFMPF	Pyrene	1.3917E-008	2.2437E-008
RCPTR_35	farmer_child	TOCDFMPF	Selenium	8.6777E-009	1.8205E-008
RCPTR_35	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Styrene	4.8816E-014	1.0241E-013
RCPTR_35	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3667E-010	3.3125E-010
RCPTR_35	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.6602E-009	3.7246E-009
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.0838E-011	6.4694E-011
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	2.0409E-014	4.2815E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9225E-015	4.0331E-015
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.5118E-010	3.1715E-010
RCPTR_35	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFMPF	Toluene	3.2908E-015	6.9038E-015
RCPTR_35	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.9356E-013	2.0844E-012
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.2341E-015	2.5890E-015
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	9.3075E-015	1.9526E-014
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethylene	1.5344E-015	3.2190E-015
RCPTR_35	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.2591E-015	8.9351E-015
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0900E-010	2.2867E-010
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.9935E-011	4.1822E-011
RCPTR_35	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.4647E-014	7.2687E-014
RCPTR_35	farmer_child	TOCDFMPF	Vinyl Chloride	8.0678E-019	1.6925E-018
RCPTR_35	farmer_child	TOCDFMPF	Xylene, m-	3.9798E-015	8.3493E-015
RCPTR_35	farmer_child	TOCDFMPF	Xylene, o-	4.4978E-015	9.4359E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Xylene, p-	6.1483E-015	1.2898E-014
RCPTR_35	farmer_child	TOCDFMPF	Zinc	4.6409E-007	9.0002E-007
RCPTR_35	farmer_child	TOCDHVAC	Mustard	2.4442E-014	5.1276E-014
RCPTR_35	farmer_child	TOCDLIC2	Acenaphthene	1.7092E-011	3.5857E-011
RCPTR_35	farmer_child	TOCDLIC2	Acetone	4.8373E-016	1.0148E-015
RCPTR_35	farmer_child	TOCDLIC2	Acetophenone	7.1833E-014	1.5070E-013
RCPTR_35	farmer_child	TOCDLIC2	Aniline	4.2850E-015	8.9895E-015
RCPTR_35	farmer_child	TOCDLIC2	Anthracene	3.4604E-010	7.2594E-010
RCPTR_35	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Benzene	2.7294E-015	5.7261E-015
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.5897E-008	4.4544E-008
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)pyrene	2.7387E-008	4.8822E-008
RCPTR_35	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	7.2490E-008	1.2617E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.7262E-008	6.8921E-008
RCPTR_35	farmer_child	TOCDLIC2	Benzoic acid	1.6422E-013	3.4452E-013
RCPTR_35	farmer_child	TOCDLIC2	Benzyl alcohol	1.5579E-011	3.2684E-011
RCPTR_35	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.7715E-014	2.0500E-013
RCPTR_35	farmer_child	TOCDLIC2	Bromodichloromethane	9.8281E-017	2.0618E-016
RCPTR_35	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.8026E-013	3.7817E-013
RCPTR_35	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	7.9378E-009	1.3666E-008
RCPTR_35	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.3302E-011	6.9864E-011
RCPTR_35	farmer_child	TOCDLIC2	Cadmium	4.7492E-007	8.9252E-007
RCPTR_35	farmer_child	TOCDLIC2	Carbon disulfide	6.4009E-016	1.3428E-015
RCPTR_35	farmer_child	TOCDLIC2	Carbon tetrachloride	1.3120E-014	2.7524E-014
RCPTR_35	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	8.1337E-012	1.7064E-011
RCPTR_35	farmer_child	TOCDLIC2	Chloroaniline, p-	4.5816E-013	9.6116E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Chlorobenzene	5.3084E-015	1.1137E-014
RCPTR_35	farmer_child	TOCDLIC2	Chloroethane	5.5756E-018	1.1697E-017
RCPTR_35	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	5.0794E-015	1.0656E-014
RCPTR_35	farmer_child	TOCDLIC2	Chloronaphthalene,2-	4.5902E-011	9.6298E-011
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.2859E-012	2.6976E-012
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	6.6031E-011	1.3853E-010
RCPTR_35	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Chrysene	3.2760E-008	5.2747E-008
RCPTR_35	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.1766E-011	4.5663E-011
RCPTR_35	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.2570E-007	1.7322E-006
RCPTR_35	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.9052E-007	4.6789E-007
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	6.4694E-014	1.3572E-013
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.9717E-014	1.6724E-013
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	7.5359E-014	1.5810E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.6823E-011	9.8229E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichlorodifluoromethane	4.1973E-019	8.8056E-019
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.6923E-017	3.5503E-017
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2914E-016	2.7091E-016
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.4666E-018	1.3566E-017
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.3961E-017	1.3418E-016
RCPTR_35	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.2393E-012	1.0991E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	3.6321E-016	7.6197E-016
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.2172E-016	2.5536E-016
RCPTR_35	farmer_child	TOCDLIC2	Diethyl phthalate	3.4167E-012	7.1680E-012
RCPTR_35	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0675E-011	2.2396E-011
RCPTR_35	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.8198E-013	1.8503E-012
RCPTR_35	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.9886E-013	6.2699E-013
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	7.8797E-013	1.6531E-012
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.0830E-013	1.2761E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.8151E-014	3.8079E-014
RCPTR_35	farmer_child	TOCDLIC2	Ethylbenzene	1.2721E-015	2.6688E-015
RCPTR_35	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.7225E-011	1.2005E-010
RCPTR_35	farmer_child	TOCDLIC2	Fluoranthene	5.0877E-009	9.8742E-009
RCPTR_35	farmer_child	TOCDLIC2	Fluorene	7.0356E-011	1.4760E-010
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.1189E-010	5.7489E-010
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	8.7175E-010	1.2171E-009
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.2457E-009	1.7392E-009
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.2512E-009	3.1425E-009
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3141E-009	1.8352E-009
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	6.7325E-010	9.4018E-010
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.8687E-009	4.0067E-009
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.9700E-009	4.1472E-009
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.4633E-009	2.0435E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.7172E-012	3.6025E-012
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorobenzene	4.4046E-009	9.2231E-009
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	4.7858E-012	1.0040E-011
RCPTR_35	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	8.7127E-013	1.8278E-012
RCPTR_35	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.7960E-007	9.7327E-007
RCPTR_35	farmer_child	TOCDLIC2	Isophorone	1.3165E-013	2.7619E-013
RCPTR_35	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Mercuric chloride	1.3234E-007	1.7389E-007
RCPTR_35	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	7.1293E-018	1.4957E-017
RCPTR_35	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.2552E-017	2.6332E-017
RCPTR_35	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.8474E-015	2.0659E-014
RCPTR_35	farmer_child	TOCDLIC2	Methyl mercury	3.9715E-010	5.2513E-010
RCPTR_35	farmer_child	TOCDLIC2	Methylene chloride	1.2934E-015	2.7134E-015
RCPTR_35	farmer_child	TOCDLIC2	Mustard	1.4122E-014	2.9627E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Naphthalene	9.6109E-014	2.0163E-013
RCPTR_35	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.2510E-012	4.7223E-012
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.3127E-013	1.1146E-012
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.8643E-013	1.4401E-012
RCPTR_35	farmer_child	TOCDLIC2	Nitrobenzene	2.2296E-013	4.6776E-013
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0138E-013	2.1269E-013
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 4-	9.6681E-013	2.0283E-012
RCPTR_35	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2833E-013	2.6922E-013
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.3211E-013	2.7714E-013
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.0902E-014	2.2871E-014
RCPTR_35	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0150E-010	1.4168E-010
RCPTR_35	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.9950E-011	5.5757E-011
RCPTR_35	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.7906E-009	6.6974E-009
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	7.1626E-009	1.0008E-008
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorobenzene	7.0870E-011	1.4868E-010
RCPTR_35	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.8228E-012	1.0118E-011
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorophenol	2.0645E-010	4.3312E-010
RCPTR_35	farmer_child	TOCDLIC2	Phenanthrene	2.4971E-013	5.2387E-013
RCPTR_35	farmer_child	TOCDLIC2	Phenol	1.7518E-013	3.6752E-013
RCPTR_35	farmer_child	TOCDLIC2	Pronamide	1.9068E-011	4.0002E-011
RCPTR_35	farmer_child	TOCDLIC2	Pyrene	9.1219E-009	1.4707E-008
RCPTR_35	farmer_child	TOCDLIC2	Selenium	4.9515E-007	1.0388E-006
RCPTR_35	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Styrene	2.1451E-012	4.5001E-012
RCPTR_35	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9815E-009	2.7733E-009
RCPTR_35	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	2.6899E-009	3.7663E-009
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0213E-011	4.2405E-011
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	6.7313E-016	1.4122E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5019E-016	5.2487E-016
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.9270E-011	2.0826E-010
RCPTR_35	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Toluene	4.9147E-015	1.0311E-014
RCPTR_35	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	6.5124E-013	1.3662E-012
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	2.1067E-015	4.4196E-015
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.8978E-015	3.9814E-015
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethylene	3.1286E-016	6.5635E-016
RCPTR_35	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	4.1354E-017	8.6756E-017
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	7.1446E-011	1.4989E-010
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3067E-011	2.7413E-011
RCPTR_35	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	7.0647E-015	1.4821E-014
RCPTR_35	farmer_child	TOCDLIC2	Vinyl Chloride	2.9461E-019	6.1807E-019
RCPTR_35	farmer_child	TOCDLIC2	Xylene, m-	8.2791E-015	1.7369E-014
RCPTR_35	farmer_child	TOCDLIC2	Xylene, o-	9.3566E-015	1.9629E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Xylene, p-	1.2790E-014	2.6832E-014
RCPTR_35	farmer_child	TOCDLIC2	Zinc	1.6310E-006	3.1630E-006
RCPTR_36	farmer_adult	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Cadmium	1.8067E-008	2.1270E-007
RCPTR_36	farmer_adult	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Mercuric chloride	1.2688E-004	1.3355E-004
RCPTR_36	farmer_adult	TOCDFBRA	Methyl mercury	3.4038E-007	4.0332E-007
RCPTR_36	farmer_adult	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Selenium	1.1888E-008	1.6627E-007
RCPTR_36	farmer_adult	TOCDFBRA	Silver	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFBRA	Zinc	6.0023E-008	7.4916E-007
RCPTR_36	farmer_adult	TOCDFDFS	Acenaphthene	7.2586E-012	1.0152E-010
RCPTR_36	farmer_adult	TOCDFDFS	Acetone	6.3174E-017	8.8355E-016
RCPTR_36	farmer_adult	TOCDFDFS	Acetophenone	3.2072E-014	4.4856E-013
RCPTR_36	farmer_adult	TOCDFDFS	Aniline	1.8198E-015	2.5451E-014
RCPTR_36	farmer_adult	TOCDFDFS	Anthracene	1.4695E-010	2.0553E-009
RCPTR_36	farmer_adult	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Aroclor 1254	2.2377E-012	3.1297E-011
RCPTR_36	farmer_adult	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Benzene	2.3184E-016	3.2425E-015
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.3162E-008	1.2509E-007
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.1772E-008	1.2324E-007
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.5876E-008	3.5267E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	3.8811E-008	1.6372E-007
RCPTR_36	farmer_adult	TOCDFDFS	Benzoic acid	2.0188E-014	2.8235E-013
RCPTR_36	farmer_adult	TOCDFDFS	Benzyl alcohol	4.1352E-014	5.7835E-013
RCPTR_36	farmer_adult	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.1498E-014	5.8039E-013
RCPTR_36	farmer_adult	TOCDFDFS	Bromodichloromethane	7.4900E-017	1.0475E-015
RCPTR_36	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.2141E-014	1.6980E-013
RCPTR_36	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.0603E-009	3.8690E-008
RCPTR_36	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.4110E-011	1.9735E-010
RCPTR_36	farmer_adult	TOCDFDFS	Cadmium	6.9715E-009	8.2075E-008
RCPTR_36	farmer_adult	TOCDFDFS	Carbon disulfide	4.1240E-017	5.7678E-016
RCPTR_36	farmer_adult	TOCDFDFS	Carbon tetrachloride	6.7693E-017	9.4676E-016
RCPTR_36	farmer_adult	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.4543E-012	4.8311E-011
RCPTR_36	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.9457E-013	2.7213E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Chlorobenzene	3.9792E-016	5.5653E-015
RCPTR_36	farmer_adult	TOCDFDFS	Chloroethane	1.1448E-018	1.6011E-017
RCPTR_36	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	5.1544E-017	7.2090E-016
RCPTR_36	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.9494E-011	2.7264E-010
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.4609E-013	7.6376E-012
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.8042E-011	3.9220E-010
RCPTR_36	farmer_adult	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Chrysene	1.9422E-008	1.4664E-007
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	5.9773E-011	8.3599E-010
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.2552E-006	3.1541E-005
RCPTR_36	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1880E-007	8.9787E-007
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.7475E-014	3.8426E-013
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.3854E-014	4.7349E-013
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.2004E-014	4.4761E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.9346E-011	5.5030E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	9.0572E-020	1.2667E-018
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	2.1480E-017	3.0042E-016
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6514E-017	3.7082E-016
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	8.2080E-018	1.1480E-016
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.3132E-017	1.8367E-016
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.2250E-012	3.1119E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	7.4572E-017	1.0430E-015
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.4240E-017	3.3902E-016
RCPTR_36	farmer_adult	TOCDFDFS	Diethyl phthalate	9.3889E-012	1.3131E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dimethyl phthalate	4.7847E-013	6.6918E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.7456E-013	5.2386E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.2691E-013	1.7750E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.3462E-013	4.6800E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.5833E-013	3.6130E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	7.7085E-015	1.0781E-013
RCPTR_36	farmer_adult	TOCDFDFS	Ethylbenzene	2.4896E-016	3.4820E-015
RCPTR_36	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.1568E-012	4.4150E-011
RCPTR_36	farmer_adult	TOCDFDFS	Fluoranthene	2.2358E-009	2.7942E-008
RCPTR_36	farmer_adult	TOCDFDFS	Fluorene	2.9879E-011	4.1789E-010
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0446E-011	2.8239E-011
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.0059E-012	1.6296E-011
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.1194E-011	3.0372E-011
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.6453E-010	4.4540E-010
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.9529E-011	2.4360E-010
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.1604E-011	1.1320E-010
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	6.2872E-011	1.7136E-010
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	6.8285E-011	1.8565E-010
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.6423E-011	9.9148E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.2926E-013	1.0199E-011
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.8709E-009	2.6112E-008
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.0325E-012	2.8426E-011
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7002E-013	5.1750E-012
RCPTR_36	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.1146E-007	1.8649E-006
RCPTR_36	farmer_adult	TOCDFDFS	Isophorone	5.5910E-014	7.8195E-013
RCPTR_36	farmer_adult	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Mercuric chloride	3.9476E-008	4.1553E-008
RCPTR_36	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	9.2779E-019	1.2976E-017
RCPTR_36	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.8254E-019	2.5530E-018
RCPTR_36	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.5341E-016	6.3414E-015
RCPTR_36	farmer_adult	TOCDFDFS	Methyl mercury	1.0590E-010	1.2549E-010
RCPTR_36	farmer_adult	TOCDFDFS	Methylene chloride	2.7448E-017	3.8389E-016
RCPTR_36	farmer_adult	TOCDFDFS	Mustard	3.2806E-015	4.5882E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Naphthalene	2.6410E-013	3.6938E-012
RCPTR_36	farmer_adult	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 2-	9.5591E-013	1.3369E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.2561E-013	3.1554E-012
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.9150E-013	4.0769E-012
RCPTR_36	farmer_adult	TOCDFDFS	Nitrobenzene	9.4689E-014	1.3243E-012
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.3055E-014	6.0217E-013
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 4-	4.1057E-013	5.7422E-012
RCPTR_36	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.4499E-014	7.6222E-013
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.6103E-014	7.8466E-013
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.6297E-015	6.4751E-014
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.7148E-012	7.3490E-012
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1430E-012	3.0881E-012
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1440E-010	8.6703E-010
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.0415E-010	1.1071E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.0085E-012	8.4035E-011
RCPTR_36	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0481E-012	2.8644E-011
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorophenol	4.3916E-010	6.1421E-009
RCPTR_36	farmer_adult	TOCDFDFS	Phenanthrene	1.0605E-013	1.4832E-012
RCPTR_36	farmer_adult	TOCDFDFS	Phenol	7.4397E-014	1.0405E-012
RCPTR_36	farmer_adult	TOCDFDFS	Pronamide	8.0977E-012	1.1325E-010
RCPTR_36	farmer_adult	TOCDFDFS	Pyrene	5.4835E-009	4.1624E-008
RCPTR_36	farmer_adult	TOCDFDFS	Selenium	1.0959E-009	1.5327E-008
RCPTR_36	farmer_adult	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Styrene	2.9560E-015	4.1342E-014
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	3.2630E-010	9.1191E-010
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.5872E-010	1.0073E-009
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.5841E-012	1.2006E-010
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	4.1974E-014	5.8704E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	8.0483E-017	1.1256E-015
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.2157E-011	5.8960E-010
RCPTR_36	farmer_adult	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Toluene	1.0818E-016	1.5130E-015
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.7657E-013	3.8681E-012
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	6.6663E-017	9.3235E-016
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.8965E-016	5.4497E-015
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethylene	6.4236E-017	8.9840E-016
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.9235E-018	1.2480E-016
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.0342E-011	4.2436E-010
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	2.7893E-011	3.9012E-010
RCPTR_36	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.4505E-015	2.0287E-014
RCPTR_36	farmer_adult	TOCDFDFS	Vinyl Chloride	2.0180E-020	2.8224E-019
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, m-	3.8223E-016	5.3458E-015
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, o-	3.7739E-016	5.2781E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, p-	5.9049E-016	8.2586E-015
RCPTR_36	farmer_adult	TOCDFDFS	Zinc	1.0434E-008	1.3023E-007
RCPTR_36	farmer_adult	TOCDFLIC	Acenaphthene	1.4573E-012	2.0382E-011
RCPTR_36	farmer_adult	TOCDFLIC	Acetone	4.1244E-017	5.7684E-016
RCPTR_36	farmer_adult	TOCDFLIC	Acetophenone	6.1246E-015	8.5659E-014
RCPTR_36	farmer_adult	TOCDFLIC	Aniline	3.6535E-016	5.1098E-015
RCPTR_36	farmer_adult	TOCDFLIC	Anthracene	2.9503E-011	4.1263E-010
RCPTR_36	farmer_adult	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Benzene	2.3272E-016	3.2548E-015
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.6399E-009	2.5089E-008
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.3285E-009	2.4376E-008
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	7.1913E-009	7.0694E-008
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	7.6099E-009	3.2101E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Benzoic acid	1.4002E-014	1.9583E-013
RCPTR_36	farmer_adult	TOCDFLIC	Benzyl alcohol	1.3283E-012	1.8578E-011
RCPTR_36	farmer_adult	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	8.3314E-015	1.1652E-013
RCPTR_36	farmer_adult	TOCDFLIC	Bromodichloromethane	8.3796E-018	1.1720E-016
RCPTR_36	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.5370E-014	2.1496E-013
RCPTR_36	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	8.1517E-010	7.7676E-009
RCPTR_36	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.8321E-012	3.9609E-011
RCPTR_36	farmer_adult	TOCDFLIC	Cadmium	2.7160E-008	3.1975E-007
RCPTR_36	farmer_adult	TOCDFLIC	Carbon disulfide	5.4576E-017	7.6330E-016
RCPTR_36	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.1186E-015	1.5645E-014
RCPTR_36	farmer_adult	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	6.9350E-013	9.6993E-012
RCPTR_36	farmer_adult	TOCDFLIC	Chloroaniline, p-	3.9063E-014	5.4634E-013
RCPTR_36	farmer_adult	TOCDFLIC	Chlorobenzene	4.5261E-016	6.3302E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Chloroethane	4.7539E-019	6.6488E-018
RCPTR_36	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.3308E-016	6.0570E-015
RCPTR_36	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.9137E-012	5.4737E-011
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.0964E-013	1.5334E-012
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.6299E-012	7.8740E-011
RCPTR_36	farmer_adult	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Chrysene	3.8906E-009	2.9375E-008
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.8545E-012	2.5937E-011
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-octylphthalate	6.9921E-008	9.7791E-007
RCPTR_36	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	2.2293E-008	1.6849E-007
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.5160E-015	7.7147E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.7968E-015	9.5061E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.4253E-015	8.9864E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.9445E-012	5.5168E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.5787E-020	5.0052E-019
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.4429E-018	2.0180E-017
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1010E-017	1.5399E-016
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	5.5136E-019	7.7113E-018
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.4535E-018	7.6272E-017
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	4.4671E-013	6.2477E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.0968E-017	4.3312E-016
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0378E-017	1.4515E-016
RCPTR_36	farmer_adult	TOCDFLIC	Diethyl phthalate	2.9131E-013	4.0743E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dimethyl phthalate	9.1019E-013	1.2730E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	7.5199E-014	1.0517E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.5481E-014	3.5638E-013
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	6.7180E-014	9.3958E-013
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	5.1864E-014	7.2537E-013
RCPTR_36	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.5476E-015	2.1645E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Ethylbenzene	1.0846E-016	1.5170E-015
RCPTR_36	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.8561E-012	6.7918E-011
RCPTR_36	farmer_adult	TOCDFLIC	Fluoranthene	4.4885E-010	5.6096E-009
RCPTR_36	farmer_adult	TOCDFLIC	Fluorene	5.9987E-012	8.3898E-011
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.3489E-011	2.2569E-010
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.8247E-010	4.9509E-010
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.5371E-010	6.8839E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.9135E-010	1.3301E-009
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.7148E-010	7.3866E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.3541E-010	3.6844E-010
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.1197E-010	1.6680E-009
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.3787E-010	1.7342E-009
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.1546E-010	8.5873E-010
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4641E-013	2.0477E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorobenzene	3.7560E-010	5.2424E-009
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	4.0805E-013	5.7070E-012
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.4286E-014	1.0390E-012
RCPTR_36	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.9670E-008	3.4985E-007
RCPTR_36	farmer_adult	TOCDFLIC	Isophorone	1.1225E-014	1.5699E-013
RCPTR_36	farmer_adult	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Mercuric chloride	9.2800E-008	9.7683E-008
RCPTR_36	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.0786E-019	8.5015E-018
RCPTR_36	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.0702E-018	1.4968E-017
RCPTR_36	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.3961E-016	1.1743E-014
RCPTR_36	farmer_adult	TOCDFLIC	Methyl mercury	2.4896E-010	2.9500E-010
RCPTR_36	farmer_adult	TOCDFLIC	Methylene chloride	1.1028E-016	1.5423E-015
RCPTR_36	farmer_adult	TOCDFLIC	Mustard	1.1582E-015	1.6199E-014
RCPTR_36	farmer_adult	TOCDFLIC	Naphthalene	8.1945E-015	1.1461E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.9192E-013	2.6842E-012
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 3-	4.5297E-014	6.3353E-013
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 4-	5.8526E-014	8.1855E-013
RCPTR_36	farmer_adult	TOCDFLIC	Nitrobenzene	1.9010E-014	2.6588E-013
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 2-	8.6440E-015	1.2089E-013
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 4-	8.2432E-015	1.1529E-013
RCPTR_36	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0942E-014	1.5303E-013
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.1264E-014	1.5753E-013
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	9.2949E-016	1.3000E-014
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.9895E-011	5.3856E-011
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.8442E-012	2.1194E-011
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1853E-009	3.2687E-009
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.8232E-009	4.9942E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorobenzene	6.0425E-012	8.4511E-011
RCPTR_36	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.1120E-013	5.7511E-012
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorophenol	1.7603E-011	2.4619E-010
RCPTR_36	farmer_adult	TOCDFLIC	Phenanthrene	2.1291E-014	2.9777E-013
RCPTR_36	farmer_adult	TOCDFLIC	Phenol	1.4936E-014	2.0890E-013
RCPTR_36	farmer_adult	TOCDFLIC	Pronamide	1.6257E-012	2.2738E-011
RCPTR_36	farmer_adult	TOCDFLIC	Pyrene	1.1009E-009	8.3563E-009
RCPTR_36	farmer_adult	TOCDFLIC	Selenium	2.6609E-008	3.7215E-007
RCPTR_36	farmer_adult	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Styrene	1.8289E-013	2.5579E-012
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.3081E-010	1.4834E-009
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.3828E-010	2.0731E-009
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.7234E-012	2.4103E-011
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	5.7392E-017	8.0269E-016
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.1332E-017	2.9834E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.4640E-012	1.1838E-010
RCPTR_36	farmer_adult	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Toluene	4.1904E-016	5.8607E-015
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.5526E-014	7.7659E-013
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.7962E-016	2.5122E-015
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.6181E-016	2.2631E-015
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethylene	2.6675E-017	3.7308E-016
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.5259E-018	4.9314E-017
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	6.0916E-012	8.5198E-011
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1141E-012	1.5582E-011
RCPTR_36	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.0235E-016	8.4244E-015
RCPTR_36	farmer_adult	TOCDFLIC	Vinyl Chloride	2.5119E-020	3.5132E-019
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, m-	3.3969E-016	4.7509E-015
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, o-	3.8390E-016	5.3692E-015
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, p-	5.2477E-016	7.3395E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Zinc	9.0791E-008	1.1332E-006
RCPTR_36	farmer_adult	TOCDFMPF	Acenaphthene	2.2302E-012	3.1191E-011
RCPTR_36	farmer_adult	TOCDFMPF	Acetone	1.5081E-016	2.1093E-015
RCPTR_36	farmer_adult	TOCDFMPF	Acetophenone	9.8192E-015	1.3733E-013
RCPTR_36	farmer_adult	TOCDFMPF	Aniline	5.5912E-016	7.8198E-015
RCPTR_36	farmer_adult	TOCDFMPF	Anthracene	4.5151E-011	6.3148E-010
RCPTR_36	farmer_adult	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Aroclor 1254	1.2717E-012	1.7785E-011
RCPTR_36	farmer_adult	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Benzene	2.0821E-016	2.9121E-015
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)anthracene	4.0404E-009	3.8399E-008
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.5685E-009	3.7358E-008
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.1007E-008	1.0820E-007
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.1673E-008	4.9239E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Benzoic acid	6.2028E-014	8.6752E-013
RCPTR_36	farmer_adult	TOCDFMPF	Benzyl alcohol	1.2705E-014	1.7770E-013
RCPTR_36	farmer_adult	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.2750E-014	1.7832E-013
RCPTR_36	farmer_adult	TOCDFMPF	Bromodichloromethane	2.5485E-016	3.5643E-015
RCPTR_36	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	8.9876E-015	1.2570E-013
RCPTR_36	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.2475E-009	1.1887E-008
RCPTR_36	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.3342E-012	6.0619E-011
RCPTR_36	farmer_adult	TOCDFMPF	Cadmium	1.2476E-007	1.4688E-006
RCPTR_36	farmer_adult	TOCDFMPF	Carbon disulfide	1.9975E-017	2.7937E-016
RCPTR_36	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.9507E-016	2.7282E-015
RCPTR_36	farmer_adult	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0613E-012	1.4843E-011
RCPTR_36	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.9781E-014	8.3610E-013
RCPTR_36	farmer_adult	TOCDFMPF	Chlorobenzene	8.1292E-016	1.1369E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Chloroethane	4.6897E-018	6.5590E-017
RCPTR_36	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.3634E-016	1.9068E-015
RCPTR_36	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.9894E-012	8.3768E-011
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.6778E-013	2.3466E-012
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.6158E-012	1.2050E-010
RCPTR_36	farmer_adult	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Chrysene	5.9553E-009	4.4964E-008
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.8364E-011	2.5684E-010
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-octylphthalate	6.9243E-007	9.6843E-006
RCPTR_36	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.4272E-008	2.5902E-007
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.4415E-015	1.1806E-013
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0402E-014	1.4548E-013
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.8330E-015	1.3752E-013
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.2111E-011	1.6938E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.9466E-019	4.1211E-018
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.3882E-017	6.1374E-016
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4166E-017	7.5756E-016
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.6768E-017	2.3452E-016
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.6828E-017	3.7522E-016
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	6.8363E-013	9.5612E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.5235E-016	2.1307E-015
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.9521E-017	6.9260E-016
RCPTR_36	farmer_adult	TOCDFMPF	Diethyl phthalate	2.8847E-012	4.0345E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dimethyl phthalate	9.7299E-014	1.3608E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.1508E-013	1.6095E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.8924E-014	5.4440E-013
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.0281E-013	1.4379E-012
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.9370E-014	1.1101E-012
RCPTR_36	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.3684E-015	3.3125E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Ethylbenzene	5.0861E-016	7.1134E-015
RCPTR_36	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.7939E-013	1.2299E-011
RCPTR_36	farmer_adult	TOCDFMPF	Fluoranthene	6.8691E-010	8.5847E-009
RCPTR_36	farmer_adult	TOCDFMPF	Fluorene	9.1802E-012	1.2839E-010
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.2754E-010	8.8543E-010
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.8868E-010	7.8328E-010
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.9888E-010	8.1094E-010
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4111E-010	3.8199E-010
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.0709E-011	1.6518E-010
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.2201E-011	8.7615E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.2160E-010	3.3143E-010
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.1888E-011	1.6826E-010
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.8708E-011	7.8148E-011
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.2406E-013	3.1337E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.7481E-010	8.0228E-009
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.2447E-013	8.7338E-012
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1369E-013	1.5900E-012
RCPTR_36	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	6.0986E-008	5.3785E-007
RCPTR_36	farmer_adult	TOCDFMPF	Isophorone	1.7178E-014	2.4025E-013
RCPTR_36	farmer_adult	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Mercuric chloride	1.5795E-006	1.6626E-006
RCPTR_36	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.1488E-018	4.4039E-017
RCPTR_36	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.8287E-019	2.5577E-018
RCPTR_36	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.7046E-016	2.3840E-015
RCPTR_36	farmer_adult	TOCDFMPF	Methyl mercury	4.2374E-009	5.0210E-009
RCPTR_36	farmer_adult	TOCDFMPF	Methylene chloride	8.6822E-017	1.2143E-015
RCPTR_36	farmer_adult	TOCDFMPF	Mustard	8.2505E-015	1.1539E-013
RCPTR_36	farmer_adult	TOCDFMPF	Naphthalene	8.1145E-014	1.1349E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.9318E-013	4.1004E-012
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.9196E-014	9.6777E-013
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.9404E-014	1.2504E-012
RCPTR_36	farmer_adult	TOCDFMPF	Nitrobenzene	2.9093E-014	4.0689E-013
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.3228E-014	1.8501E-013
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.2592E-013	1.7611E-012
RCPTR_36	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.6745E-014	2.3419E-013
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.7237E-014	2.4108E-013
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.4225E-015	1.9895E-014
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.2744E-009	3.4497E-009
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	8.9571E-010	2.4200E-009
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.2179E-011	1.7147E-010
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.2268E-010	3.3605E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.8461E-012	2.5819E-011
RCPTR_36	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.2815E-013	8.7853E-012
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorophenol	1.3469E-010	1.8838E-009
RCPTR_36	farmer_adult	TOCDFMPF	Phenanthrene	3.2583E-014	4.5570E-013
RCPTR_36	farmer_adult	TOCDFMPF	Phenol	2.2858E-014	3.1970E-013
RCPTR_36	farmer_adult	TOCDFMPF	Pronamide	2.4880E-012	3.4797E-011
RCPTR_36	farmer_adult	TOCDFMPF	Pyrene	1.6847E-009	1.2788E-008
RCPTR_36	farmer_adult	TOCDFMPF	Selenium	4.6943E-010	6.5654E-009
RCPTR_36	farmer_adult	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Styrene	4.1751E-015	5.8392E-014
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	6.3627E-011	1.7782E-010
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.3255E-010	2.0571E-009
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.6374E-012	3.6887E-011
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.7455E-015	2.4412E-014
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.6442E-016	2.2996E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.2930E-011	1.8083E-010
RCPTR_36	farmer_adult	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Toluene	2.8145E-016	3.9363E-015
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.4975E-014	1.1885E-012
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.0555E-016	1.4762E-015
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.9603E-016	1.1133E-014
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethylene	1.3123E-016	1.8354E-015
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.6426E-016	5.0946E-015
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.3224E-012	1.3038E-010
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7050E-012	2.3846E-011
RCPTR_36	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.9633E-015	4.1444E-014
RCPTR_36	farmer_adult	TOCDFMPF	Vinyl Chloride	6.9001E-020	9.6504E-019
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, m-	3.4038E-016	4.7605E-015
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, o-	3.8468E-016	5.3801E-015
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, p-	5.2584E-016	7.3543E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Zinc	2.6005E-008	3.2458E-007
RCPTR_36	farmer_adult	TOCDHVAC	Mustard	2.7448E-015	3.8389E-014
RCPTR_36	farmer_adult	TOCDLIC2	Acenaphthene	1.4573E-012	2.0382E-011
RCPTR_36	farmer_adult	TOCDLIC2	Acetone	4.1244E-017	5.7684E-016
RCPTR_36	farmer_adult	TOCDLIC2	Acetophenone	6.1246E-015	8.5659E-014
RCPTR_36	farmer_adult	TOCDLIC2	Aniline	3.6535E-016	5.1098E-015
RCPTR_36	farmer_adult	TOCDLIC2	Anthracene	2.9503E-011	4.1263E-010
RCPTR_36	farmer_adult	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Benzene	2.3272E-016	3.2548E-015
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)anthracene	2.6399E-009	2.5089E-008
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.3285E-009	2.4376E-008
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	7.1913E-009	7.0694E-008
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	7.6099E-009	3.2101E-008

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Benzoic acid	1.4002E-014	1.9583E-013
RCPTR_36	farmer_adult	TOCDLIC2	Benzyl alcohol	1.3283E-012	1.8578E-011
RCPTR_36	farmer_adult	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.3314E-015	1.1652E-013
RCPTR_36	farmer_adult	TOCDLIC2	Bromodichloromethane	8.3796E-018	1.1720E-016
RCPTR_36	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.5370E-014	2.1496E-013
RCPTR_36	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	8.1517E-010	7.7676E-009
RCPTR_36	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.8321E-012	3.9609E-011
RCPTR_36	farmer_adult	TOCDLIC2	Cadmium	2.7160E-008	3.1975E-007
RCPTR_36	farmer_adult	TOCDLIC2	Carbon disulfide	5.4576E-017	7.6330E-016
RCPTR_36	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.1186E-015	1.5645E-014
RCPTR_36	farmer_adult	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	6.9350E-013	9.6993E-012
RCPTR_36	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.9063E-014	5.4634E-013
RCPTR_36	farmer_adult	TOCDLIC2	Chlorobenzene	4.5261E-016	6.3302E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Chloroethane	4.7539E-019	6.6488E-018
RCPTR_36	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.3308E-016	6.0570E-015
RCPTR_36	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.9137E-012	5.4737E-011
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.0964E-013	1.5334E-012
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.6299E-012	7.8740E-011
RCPTR_36	farmer_adult	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Chrysene	3.8906E-009	2.9375E-008
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.8545E-012	2.5937E-011
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.9921E-008	9.7791E-007
RCPTR_36	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	2.2293E-008	1.6849E-007
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.5160E-015	7.7147E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.7968E-015	9.5061E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.4253E-015	8.9864E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.9445E-012	5.5168E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.5787E-020	5.0052E-019
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.4429E-018	2.0180E-017
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1010E-017	1.5399E-016
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	5.5136E-019	7.7113E-018
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	5.4535E-018	7.6272E-017
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.4671E-013	6.2477E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.0968E-017	4.3312E-016
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.0378E-017	1.4515E-016
RCPTR_36	farmer_adult	TOCDLIC2	Diethyl phthalate	2.9131E-013	4.0743E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dimethyl phthalate	9.1019E-013	1.2730E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.5199E-014	1.0517E-012
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	2.5481E-014	3.5638E-013
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	6.7180E-014	9.3958E-013
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.1864E-014	7.2537E-013
RCPTR_36	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.5476E-015	2.1645E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Ethylbenzene	1.0846E-016	1.5170E-015
RCPTR_36	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.8561E-012	6.7918E-011
RCPTR_36	farmer_adult	TOCDLIC2	Fluoranthene	4.4885E-010	5.6096E-009
RCPTR_36	farmer_adult	TOCDLIC2	Fluorene	5.9987E-012	8.3898E-011
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	8.3489E-011	2.2569E-010
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.8247E-010	4.9509E-010
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.5371E-010	6.8839E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	4.9135E-010	1.3301E-009
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.7148E-010	7.3866E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3541E-010	3.6844E-010
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.1197E-010	1.6680E-009
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.3787E-010	1.7342E-009
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.1546E-010	8.5873E-010
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.4641E-013	2.0477E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.7560E-010	5.2424E-009
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.0805E-013	5.7070E-012
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.4286E-014	1.0390E-012
RCPTR_36	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	3.9670E-008	3.4985E-007
RCPTR_36	farmer_adult	TOCDLIC2	Isophorone	1.1225E-014	1.5699E-013
RCPTR_36	farmer_adult	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Mercuric chloride	9.2800E-008	9.7683E-008
RCPTR_36	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.0786E-019	8.5015E-018
RCPTR_36	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.0702E-018	1.4968E-017
RCPTR_36	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.3961E-016	1.1743E-014
RCPTR_36	farmer_adult	TOCDLIC2	Methyl mercury	2.4896E-010	2.9500E-010
RCPTR_36	farmer_adult	TOCDLIC2	Methylene chloride	1.1028E-016	1.5423E-015
RCPTR_36	farmer_adult	TOCDLIC2	Mustard	1.2041E-015	1.6841E-014
RCPTR_36	farmer_adult	TOCDLIC2	Naphthalene	8.1945E-015	1.1461E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.9192E-013	2.6842E-012
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.5297E-014	6.3353E-013
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.8526E-014	8.1855E-013
RCPTR_36	farmer_adult	TOCDLIC2	Nitrobenzene	1.9010E-014	2.6588E-013
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 2-	8.6440E-015	1.2089E-013
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 4-	8.2432E-014	1.1529E-012
RCPTR_36	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0942E-014	1.5303E-013
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1264E-014	1.5753E-013
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	9.2949E-016	1.3000E-014
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.9895E-011	5.3856E-011
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	7.8442E-012	2.1194E-011
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.1853E-009	3.2687E-009
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.8232E-009	4.9942E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.0425E-012	8.4511E-011
RCPTR_36	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.1120E-013	5.7511E-012
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorophenol	1.7603E-011	2.4619E-010
RCPTR_36	farmer_adult	TOCDLIC2	Phenanthrene	2.1291E-014	2.9777E-013
RCPTR_36	farmer_adult	TOCDLIC2	Phenol	1.4936E-014	2.0890E-013
RCPTR_36	farmer_adult	TOCDLIC2	Pronamide	1.6257E-012	2.2738E-011
RCPTR_36	farmer_adult	TOCDLIC2	Pyrene	1.1009E-009	8.3563E-009
RCPTR_36	farmer_adult	TOCDLIC2	Selenium	2.6609E-008	3.7215E-007
RCPTR_36	farmer_adult	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Styrene	1.8289E-013	2.5579E-012
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	5.3081E-010	1.4834E-009
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.3828E-010	2.0731E-009
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.7234E-012	2.4103E-011
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	5.7392E-017	8.0269E-016
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.1332E-017	2.9834E-016

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.4640E-012	1.1838E-010
RCPTR_36	farmer_adult	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Toluene	4.1904E-016	5.8607E-015
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.5526E-014	7.7659E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.7962E-016	2.5122E-015
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.6181E-016	2.2631E-015
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethylene	2.6675E-017	3.7308E-016
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.5259E-018	4.9314E-017
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.0916E-012	8.5198E-011
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1141E-012	1.5582E-011
RCPTR_36	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.0235E-016	8.4244E-015
RCPTR_36	farmer_adult	TOCDLIC2	Vinyl Chloride	2.5119E-020	3.5132E-019
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, m-	7.0590E-016	9.8727E-015
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, o-	7.9777E-016	1.1158E-014
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, p-	1.0905E-015	1.5252E-014

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Zinc	9.0791E-008	1.1332E-006
RCPTR_36	farmer_child	TOCDFBRA	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Cadmium	1.1318E-007	2.1270E-007
RCPTR_36	farmer_child	TOCDFBRA	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Mercuric chloride	1.0164E-004	1.3355E-004
RCPTR_36	farmer_child	TOCDFBRA	Methyl mercury	3.0503E-007	4.0332E-007
RCPTR_36	farmer_child	TOCDFBRA	Nickel	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Selenium	7.9256E-008	1.6627E-007
RCPTR_36	farmer_child	TOCDFBRA	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFBRA	Thallium (l)	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFBRA	Zinc	3.8630E-007	7.4916E-007
RCPTR_36	farmer_child	TOCDFDFS	Acenaphthene	4.8391E-011	1.0152E-010
RCPTR_36	farmer_child	TOCDFDFS	Acetone	4.2116E-016	8.8355E-016
RCPTR_36	farmer_child	TOCDFDFS	Acetophenone	2.1381E-013	4.4856E-013
RCPTR_36	farmer_child	TOCDFDFS	Aniline	1.2132E-014	2.5451E-014
RCPTR_36	farmer_child	TOCDFDFS	Anthracene	9.7970E-010	2.0553E-009
RCPTR_36	farmer_child	TOCDFDFS	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Aroclor 1254	1.4918E-011	3.1297E-011
RCPTR_36	farmer_child	TOCDFDFS	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Benzene	1.5456E-015	3.2425E-015
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.2726E-008	1.2509E-007
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.9132E-008	1.2324E-007
RCPTR_36	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.0263E-007	3.5267E-007
RCPTR_36	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1227E-007	1.6372E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Benzoic acid	1.3459E-013	2.8235E-013
RCPTR_36	farmer_child	TOCDFDFS	Benzyl alcohol	2.7568E-013	5.7835E-013
RCPTR_36	farmer_child	TOCDFDFS	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.7665E-013	5.8039E-013
RCPTR_36	farmer_child	TOCDFDFS	Bromodichloromethane	4.9933E-016	1.0475E-015
RCPTR_36	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	8.0940E-014	1.6980E-013
RCPTR_36	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.2473E-008	3.8690E-008
RCPTR_36	farmer_child	TOCDFDFS	Butylbenzylphthalate	9.4069E-011	1.9735E-010
RCPTR_36	farmer_child	TOCDFDFS	Cadmium	4.3673E-008	8.2075E-008
RCPTR_36	farmer_child	TOCDFDFS	Carbon disulfide	2.7493E-016	5.7678E-016
RCPTR_36	farmer_child	TOCDFDFS	Carbon tetrachloride	4.5129E-016	9.4676E-016
RCPTR_36	farmer_child	TOCDFDFS	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.3028E-011	4.8311E-011
RCPTR_36	farmer_child	TOCDFDFS	Chloroaniline, p-	1.2971E-012	2.7213E-012
RCPTR_36	farmer_child	TOCDFDFS	Chlorobenzene	2.6528E-015	5.5653E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Chloroethane	7.6318E-018	1.6011E-017
RCPTR_36	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	3.4363E-016	7.2090E-016
RCPTR_36	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.2996E-010	2.7264E-010
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.6406E-012	7.6376E-012
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.8695E-010	3.9220E-010
RCPTR_36	farmer_child	TOCDFDFS	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Chrysene	9.1075E-008	1.4664E-007
RCPTR_36	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.9849E-010	8.3599E-010
RCPTR_36	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.5035E-005	3.1541E-005
RCPTR_36	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	5.5750E-007	8.9787E-007
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.8316E-013	3.8426E-013
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.2570E-013	4.7349E-013
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.1336E-013	4.4761E-013
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.6231E-010	5.5030E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Dichlorodifluoromethane	6.0381E-019	1.2667E-018
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.4320E-016	3.0042E-016
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7676E-016	3.7082E-016
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	5.4720E-017	1.1480E-016
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.7548E-017	1.8367E-016
RCPTR_36	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.4834E-011	3.1119E-011
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	4.9715E-016	1.0430E-015
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.6160E-016	3.3902E-016
RCPTR_36	farmer_child	TOCDFDFS	Diethyl phthalate	6.2592E-011	1.3131E-010
RCPTR_36	farmer_child	TOCDFDFS	Dimethyl phthalate	3.1898E-012	6.6918E-012
RCPTR_36	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.4971E-012	5.2386E-012
RCPTR_36	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	8.4609E-013	1.7750E-012
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.2308E-012	4.6800E-012
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.7222E-012	3.6130E-012
RCPTR_36	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.1390E-014	1.0781E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Ethylbenzene	1.6597E-015	3.4820E-015
RCPTR_36	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.1045E-011	4.4150E-011
RCPTR_36	farmer_child	TOCDFDFS	Fluoranthene	1.4397E-008	2.7942E-008
RCPTR_36	farmer_child	TOCDFDFS	Fluorene	1.9919E-010	4.1789E-010
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.0232E-011	2.8239E-011
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.1672E-011	1.6296E-011
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1754E-011	3.0372E-011
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	3.1908E-010	4.4540E-010
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.7444E-010	2.4360E-010
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	8.1061E-011	1.1320E-010
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.2269E-010	1.7136E-010
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.3295E-010	1.8565E-010
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	7.0996E-011	9.9148E-011
RCPTR_36	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.8617E-012	1.0199E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorobenzene	1.2470E-008	2.6112E-008
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.3550E-011	2.8426E-011
RCPTR_36	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.4668E-012	5.1750E-012
RCPTR_36	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1106E-006	1.8649E-006
RCPTR_36	farmer_child	TOCDFDFS	Isophorone	3.7273E-013	7.8195E-013
RCPTR_36	farmer_child	TOCDFDFS	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Mercuric chloride	3.1625E-008	4.1553E-008
RCPTR_36	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	6.1852E-018	1.2976E-017
RCPTR_36	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.2169E-018	2.5530E-018
RCPTR_36	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.0227E-015	6.3414E-015
RCPTR_36	farmer_child	TOCDFDFS	Methyl mercury	9.4904E-011	1.2549E-010
RCPTR_36	farmer_child	TOCDFDFS	Methylene chloride	1.8299E-016	3.8389E-016
RCPTR_36	farmer_child	TOCDFDFS	Mustard	2.1871E-014	4.5882E-014
RCPTR_36	farmer_child	TOCDFDFS	Naphthalene	1.7607E-012	3.6938E-012

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Nickel	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.3727E-012	1.3369E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.5041E-012	3.1554E-012
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.9433E-012	4.0769E-012
RCPTR_36	farmer_child	TOCDFDFS	Nitrobenzene	6.3126E-013	1.3243E-012
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.8703E-013	6.0217E-013
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.7371E-012	5.7422E-012
RCPTR_36	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.6333E-013	7.6222E-013
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.7402E-013	7.8466E-013
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.0865E-014	6.4751E-014
RCPTR_36	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.2647E-012	7.3490E-012
RCPTR_36	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.2127E-012	3.0881E-012
RCPTR_36	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.2018E-010	8.6703E-010
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.9233E-010	1.1071E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorobenzene	4.0057E-011	8.4035E-011
RCPTR_36	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3654E-011	2.8644E-011
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorophenol	2.9277E-009	6.1421E-009
RCPTR_36	farmer_child	TOCDFDFS	Phenanthrene	7.0699E-013	1.4832E-012
RCPTR_36	farmer_child	TOCDFDFS	Phenol	4.9598E-013	1.0405E-012
RCPTR_36	farmer_child	TOCDFDFS	Pronamide	5.3985E-011	1.1325E-010
RCPTR_36	farmer_child	TOCDFDFS	Pyrene	2.5818E-008	4.1624E-008
RCPTR_36	farmer_child	TOCDFDFS	Selenium	7.3059E-009	1.5327E-008
RCPTR_36	farmer_child	TOCDFDFS	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Styrene	1.9706E-014	4.1342E-014
RCPTR_36	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	6.5156E-010	9.1191E-010
RCPTR_36	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	7.1943E-010	1.0073E-009
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.7227E-011	1.2006E-010
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.7982E-013	5.8704E-013
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	5.3655E-016	1.1256E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8104E-010	5.8960E-010
RCPTR_36	farmer_child	TOCDFDFS	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Toluene	7.2118E-016	1.5130E-015
RCPTR_36	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.8438E-012	3.8681E-012
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.4442E-016	9.3235E-016
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	2.5977E-015	5.4497E-015
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethylene	4.2824E-016	8.9840E-016
RCPTR_36	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.9490E-017	1.2480E-016
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.0228E-010	4.2436E-010
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.8596E-010	3.9012E-010
RCPTR_36	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	9.6699E-015	2.0287E-014
RCPTR_36	farmer_child	TOCDFDFS	Vinyl Chloride	1.3453E-019	2.8224E-019
RCPTR_36	farmer_child	TOCDFDFS	Xylene, m-	2.5482E-015	5.3458E-015
RCPTR_36	farmer_child	TOCDFDFS	Xylene, o-	2.5159E-015	5.2781E-015
RCPTR_36	farmer_child	TOCDFDFS	Xylene, p-	3.9366E-015	8.2586E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Zinc	6.7152E-008	1.3023E-007
RCPTR_36	farmer_child	TOCDFLIC	Acenaphthene	9.7152E-012	2.0382E-011
RCPTR_36	farmer_child	TOCDFLIC	Acetone	2.7496E-016	5.7684E-016
RCPTR_36	farmer_child	TOCDFLIC	Acetophenone	4.0831E-014	8.5659E-014
RCPTR_36	farmer_child	TOCDFLIC	Aniline	2.4357E-015	5.1098E-015
RCPTR_36	farmer_child	TOCDFLIC	Anthracene	1.9669E-010	4.1263E-010
RCPTR_36	farmer_child	TOCDFLIC	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Benzene	1.5515E-015	3.2548E-015
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.4586E-008	2.5089E-008
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.3674E-008	2.4376E-008
RCPTR_36	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.0616E-008	7.0694E-008
RCPTR_36	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.2013E-008	3.2101E-008
RCPTR_36	farmer_child	TOCDFLIC	Benzoic acid	9.3345E-014	1.9583E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Benzyl alcohol	8.8556E-012	1.8578E-011
RCPTR_36	farmer_child	TOCDFLIC	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	5.5543E-014	1.1652E-013
RCPTR_36	farmer_child	TOCDFLIC	Bromodichloromethane	5.5864E-017	1.1720E-016
RCPTR_36	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.0246E-013	2.1496E-013
RCPTR_36	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.5119E-009	7.7676E-009
RCPTR_36	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.8880E-011	3.9609E-011
RCPTR_36	farmer_child	TOCDFLIC	Cadmium	1.7014E-007	3.1975E-007
RCPTR_36	farmer_child	TOCDFLIC	Carbon disulfide	3.6384E-016	7.6330E-016
RCPTR_36	farmer_child	TOCDFLIC	Carbon tetrachloride	7.4576E-015	1.5645E-014
RCPTR_36	farmer_child	TOCDFLIC	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	4.6233E-012	9.6993E-012
RCPTR_36	farmer_child	TOCDFLIC	Chloroaniline, p-	2.6042E-013	5.4634E-013
RCPTR_36	farmer_child	TOCDFLIC	Chlorobenzene	3.0174E-015	6.3302E-015
RCPTR_36	farmer_child	TOCDFLIC	Chloroethane	3.1693E-018	6.6488E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.8872E-015	6.0570E-015
RCPTR_36	farmer_child	TOCDFLIC	Chloronaphthalene,2-	2.6091E-011	5.4737E-011
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenol, 2-	7.3091E-013	1.5334E-012
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.7533E-011	7.8740E-011
RCPTR_36	farmer_child	TOCDFLIC	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Chrysene	1.8244E-008	2.9375E-008
RCPTR_36	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.2363E-011	2.5937E-011
RCPTR_36	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.6614E-007	9.7791E-007
RCPTR_36	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.0462E-007	1.6849E-007
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	3.6773E-014	7.7147E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	4.5312E-014	9.5061E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	4.2835E-014	8.9864E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6297E-011	5.5168E-011
RCPTR_36	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.3858E-019	5.0052E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane 1,1-	9.6192E-018	2.0180E-017
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3403E-017	1.5399E-016
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.6757E-018	7.7113E-018
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.6356E-017	7.6272E-017
RCPTR_36	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	2.9781E-012	6.2477E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	2.0645E-016	4.3312E-016
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	6.9189E-017	1.4515E-016
RCPTR_36	farmer_child	TOCDFLIC	Diethyl phthalate	1.9421E-012	4.0743E-012
RCPTR_36	farmer_child	TOCDFLIC	Dimethyl phthalate	6.0680E-012	1.2730E-011
RCPTR_36	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	5.0133E-013	1.0517E-012
RCPTR_36	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.6987E-013	3.5638E-013
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	4.4787E-013	9.3958E-013
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	3.4576E-013	7.2537E-013
RCPTR_36	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.0317E-014	2.1645E-014
RCPTR_36	farmer_child	TOCDFLIC	Ethylbenzene	7.2308E-016	1.5170E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.2374E-011	6.7918E-011
RCPTR_36	farmer_child	TOCDFLIC	Fluoranthene	2.8903E-009	5.6096E-009
RCPTR_36	farmer_child	TOCDFLIC	Fluorene	3.9991E-011	8.3898E-011
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.6170E-010	2.2569E-010
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.5461E-010	4.9509E-010
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.9306E-010	6.8839E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.5286E-010	1.3301E-009
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.2894E-010	7.3866E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.6384E-010	3.6844E-010
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.1942E-009	1.6680E-009
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2419E-009	1.7342E-009
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	6.1490E-010	8.5873E-010
RCPTR_36	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.7607E-013	2.0477E-012
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorobenzene	2.5036E-009	5.2424E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.7203E-012	5.7070E-012
RCPTR_36	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.9524E-013	1.0390E-012
RCPTR_36	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.0834E-007	3.4985E-007
RCPTR_36	farmer_child	TOCDFLIC	Isophorone	7.4832E-014	1.5699E-013
RCPTR_36	farmer_child	TOCDFLIC	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Mercuric chloride	7.4344E-008	9.7683E-008
RCPTR_36	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	4.0524E-018	8.5015E-018
RCPTR_36	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	7.1345E-018	1.4968E-017
RCPTR_36	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.5974E-015	1.1743E-014
RCPTR_36	farmer_child	TOCDFLIC	Methyl mercury	2.2310E-010	2.9500E-010
RCPTR_36	farmer_child	TOCDFLIC	Methylene chloride	7.3518E-016	1.5423E-015
RCPTR_36	farmer_child	TOCDFLIC	Mustard	7.7216E-015	1.6199E-014
RCPTR_36	farmer_child	TOCDFLIC	Naphthalene	5.4630E-014	1.1461E-013
RCPTR_36	farmer_child	TOCDFLIC	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.2795E-012	2.6842E-012
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 3-	3.0198E-013	6.3353E-013
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 4-	3.9017E-013	8.1855E-013
RCPTR_36	farmer_child	TOCDFLIC	Nitrobenzene	1.2674E-013	2.6588E-013
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 2-	5.7626E-014	1.2089E-013
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 4-	5.4954E-014	1.1529E-013
RCPTR_36	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	7.2944E-014	1.5303E-013
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	7.5091E-014	1.5753E-013
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	6.1966E-015	1.3000E-014
RCPTR_36	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.8582E-011	5.3856E-011
RCPTR_36	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.5185E-011	2.1194E-011
RCPTR_36	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.3381E-009	3.2687E-009
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	3.5743E-009	4.9942E-009
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorobenzene	4.0283E-011	8.4511E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.7414E-012	5.7511E-012
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorophenol	1.1735E-010	2.4619E-010
RCPTR_36	farmer_child	TOCDFLIC	Phenanthrene	1.4194E-013	2.9777E-013
RCPTR_36	farmer_child	TOCDFLIC	Phenol	9.9576E-014	2.0890E-013
RCPTR_36	farmer_child	TOCDFLIC	Pronamide	1.0838E-011	2.2738E-011
RCPTR_36	farmer_child	TOCDFLIC	Pyrene	5.1831E-009	8.3563E-009
RCPTR_36	farmer_child	TOCDFLIC	Selenium	1.7739E-007	3.7215E-007
RCPTR_36	farmer_child	TOCDFLIC	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Styrene	1.2193E-012	2.5579E-012
RCPTR_36	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.0599E-009	1.4834E-009
RCPTR_36	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.4807E-009	2.0731E-009
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1489E-011	2.4103E-011
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,1,2-	3.8261E-016	8.0269E-016
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.4221E-016	2.9834E-016
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.6427E-011	1.1838E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Toluene	2.7936E-015	5.8607E-015
RCPTR_36	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.7017E-013	7.7659E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.1975E-015	2.5122E-015
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.0787E-015	2.2631E-015
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethylene	1.7784E-016	3.7308E-016
RCPTR_36	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.3506E-017	4.9314E-017
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	4.0611E-011	8.5198E-011
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	7.4273E-012	1.5582E-011
RCPTR_36	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	4.0157E-015	8.4244E-015
RCPTR_36	farmer_child	TOCDFLIC	Vinyl Chloride	1.6746E-019	3.5132E-019
RCPTR_36	farmer_child	TOCDFLIC	Xylene, m-	2.2646E-015	4.7509E-015
RCPTR_36	farmer_child	TOCDFLIC	Xylene, o-	2.5593E-015	5.3692E-015
RCPTR_36	farmer_child	TOCDFLIC	Xylene, p-	3.4985E-015	7.3395E-015
RCPTR_36	farmer_child	TOCDFLIC	Zinc	5.8432E-007	1.1332E-006

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Acenaphthene	1.4868E-011	3.1191E-011
RCPTR_36	farmer_child	TOCDFMPF	Acetone	1.0054E-015	2.1093E-015
RCPTR_36	farmer_child	TOCDFMPF	Acetophenone	6.5462E-014	1.3733E-013
RCPTR_36	farmer_child	TOCDFMPF	Aniline	3.7274E-015	7.8198E-015
RCPTR_36	farmer_child	TOCDFMPF	Anthracene	3.0101E-010	6.3148E-010
RCPTR_36	farmer_child	TOCDFMPF	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Aroclor 1254	8.4777E-012	1.7785E-011
RCPTR_36	farmer_child	TOCDFMPF	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Benzene	1.3881E-015	2.9121E-015
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.2325E-008	3.8399E-008
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.0956E-008	3.7358E-008
RCPTR_36	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	6.2167E-008	1.0820E-007
RCPTR_36	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	3.3765E-008	4.9239E-008
RCPTR_36	farmer_child	TOCDFMPF	Benzoic acid	4.1352E-013	8.6752E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Benzyl alcohol	8.4702E-014	1.7770E-013
RCPTR_36	farmer_child	TOCDFMPF	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	8.5001E-014	1.7832E-013
RCPTR_36	farmer_child	TOCDFMPF	Bromodichloromethane	1.6990E-015	3.5643E-015
RCPTR_36	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	5.9917E-014	1.2570E-013
RCPTR_36	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	6.9048E-009	1.1887E-008
RCPTR_36	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.8895E-011	6.0619E-011
RCPTR_36	farmer_child	TOCDFMPF	Cadmium	7.8159E-007	1.4688E-006
RCPTR_36	farmer_child	TOCDFMPF	Carbon disulfide	1.3316E-016	2.7937E-016
RCPTR_36	farmer_child	TOCDFMPF	Carbon tetrachloride	1.3004E-015	2.7282E-015
RCPTR_36	farmer_child	TOCDFMPF	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	7.0754E-012	1.4843E-011
RCPTR_36	farmer_child	TOCDFMPF	Chloroaniline, p-	3.9854E-013	8.3610E-013
RCPTR_36	farmer_child	TOCDFMPF	Chlorobenzene	5.4195E-015	1.1369E-014
RCPTR_36	farmer_child	TOCDFMPF	Chloroethane	3.1264E-017	6.5590E-017

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	9.0892E-016	1.9068E-015
RCPTR_36	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.9929E-011	8.3768E-011
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.1186E-012	2.3466E-012
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.7439E-011	1.2050E-010
RCPTR_36	farmer_child	TOCDFMPF	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Chrysene	2.7926E-008	4.4964E-008
RCPTR_36	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.2243E-010	2.5684E-010
RCPTR_36	farmer_child	TOCDFMPF	Di-n-octylphthalate	4.6162E-006	9.6843E-006
RCPTR_36	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.6083E-007	2.5902E-007
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.6276E-014	1.1806E-013
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.9344E-014	1.4548E-013
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.5553E-014	1.3752E-013
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.0737E-011	1.6938E-010
RCPTR_36	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.9644E-018	4.1211E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.9255E-016	6.1374E-016
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.6110E-016	7.5756E-016
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.1179E-016	2.3452E-016
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.7886E-016	3.7522E-016
RCPTR_36	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.5575E-012	9.5612E-012
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.0156E-015	2.1307E-015
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.3014E-016	6.9260E-016
RCPTR_36	farmer_child	TOCDFMPF	Diethyl phthalate	1.9231E-011	4.0345E-011
RCPTR_36	farmer_child	TOCDFMPF	Dimethyl phthalate	6.4866E-013	1.3608E-012
RCPTR_36	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	7.6722E-013	1.6095E-012
RCPTR_36	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.5950E-013	5.4440E-013
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.8540E-013	1.4379E-012
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.2914E-013	1.1101E-012
RCPTR_36	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.5789E-014	3.3125E-014
RCPTR_36	farmer_child	TOCDFMPF	Ethylbenzene	3.3907E-015	7.1134E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.8626E-012	1.2299E-011
RCPTR_36	farmer_child	TOCDFMPF	Fluoranthene	4.4233E-009	8.5847E-009
RCPTR_36	farmer_child	TOCDFMPF	Fluorene	6.1201E-011	1.2839E-010
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	6.3439E-010	8.8543E-010
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.6102E-010	7.8328E-010
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.8084E-010	8.1094E-010
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.7365E-010	3.8199E-010
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1828E-010	1.6518E-010
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.2740E-011	8.7615E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.3730E-010	3.3143E-010
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2050E-010	1.6826E-010
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.5958E-011	7.8148E-011
RCPTR_36	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4937E-012	3.1337E-012
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorobenzene	3.8314E-009	8.0228E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.1631E-012	8.7338E-012
RCPTR_36	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.5790E-013	1.5900E-012
RCPTR_36	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.2030E-007	5.3785E-007
RCPTR_36	farmer_child	TOCDFMPF	Isophorone	1.1452E-013	2.4025E-013
RCPTR_36	farmer_child	TOCDFMPF	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Mercuric chloride	1.2654E-006	1.6626E-006
RCPTR_36	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.0992E-017	4.4039E-017
RCPTR_36	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.2192E-018	2.5577E-018
RCPTR_36	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.1364E-015	2.3840E-015
RCPTR_36	farmer_child	TOCDFMPF	Methyl mercury	3.7973E-009	5.0210E-009
RCPTR_36	farmer_child	TOCDFMPF	Methylene chloride	5.7881E-016	1.2143E-015
RCPTR_36	farmer_child	TOCDFMPF	Mustard	5.5003E-014	1.1539E-013
RCPTR_36	farmer_child	TOCDFMPF	Naphthalene	5.4096E-013	1.1349E-012
RCPTR_36	farmer_child	TOCDFMPF	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.9545E-012	4.1004E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.6130E-013	9.6777E-013
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.9603E-013	1.2504E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitrobenzene	1.9395E-013	4.0689E-013
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 2-	8.8190E-014	1.8501E-013
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 4-	8.3948E-013	1.7611E-012
RCPTR_36	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.1163E-013	2.3419E-013
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1492E-013	2.4108E-013
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	9.4831E-015	1.9895E-014
RCPTR_36	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.4714E-009	3.4497E-009
RCPTR_36	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.7340E-009	2.4200E-009
RCPTR_36	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.2265E-010	1.7147E-010
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.4050E-010	3.3605E-010
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorobenzene	1.2307E-011	2.5819E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.1877E-012	8.7853E-012
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorophenol	8.9794E-010	1.8838E-009
RCPTR_36	farmer_child	TOCDFMPF	Phenanthrene	2.1722E-013	4.5570E-013
RCPTR_36	farmer_child	TOCDFMPF	Phenol	1.5239E-013	3.1970E-013
RCPTR_36	farmer_child	TOCDFMPF	Pronamide	1.6586E-011	3.4797E-011
RCPTR_36	farmer_child	TOCDFMPF	Pyrene	7.9321E-009	1.2788E-008
RCPTR_36	farmer_child	TOCDFMPF	Selenium	3.1295E-009	6.5654E-009
RCPTR_36	farmer_child	TOCDFMPF	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Styrene	2.7834E-014	5.8392E-014
RCPTR_36	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.2705E-010	1.7782E-010
RCPTR_36	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.4692E-009	2.0571E-009
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7583E-011	3.6887E-011
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,1,2-	1.1636E-014	2.4412E-014
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.0961E-015	2.2996E-015
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.6197E-011	1.8083E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Toluene	1.8763E-015	3.9363E-015
RCPTR_36	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.6650E-013	1.1885E-012
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.0364E-016	1.4762E-015
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.3069E-015	1.1133E-014
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethylene	8.7486E-016	1.8354E-015
RCPTR_36	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.4284E-015	5.0946E-015
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.2149E-011	1.3038E-010
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1366E-011	2.3846E-011
RCPTR_36	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.9755E-014	4.1444E-014
RCPTR_36	farmer_child	TOCDFMPF	Vinyl Chloride	4.6000E-019	9.6504E-019
RCPTR_36	farmer_child	TOCDFMPF	Xylene, m-	2.2692E-015	4.7605E-015
RCPTR_36	farmer_child	TOCDFMPF	Xylene, o-	2.5645E-015	5.3801E-015
RCPTR_36	farmer_child	TOCDFMPF	Xylene, p-	3.5056E-015	7.3543E-015
RCPTR_36	farmer_child	TOCDFMPF	Zinc	1.6737E-007	3.2458E-007

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDHVAC	Mustard	1.8299E-014	3.8389E-014
RCPTR_36	farmer_child	TOCDLIC2	Acenaphthene	9.7152E-012	2.0382E-011
RCPTR_36	farmer_child	TOCDLIC2	Acetone	2.7496E-016	5.7684E-016
RCPTR_36	farmer_child	TOCDLIC2	Acetophenone	4.0831E-014	8.5659E-014
RCPTR_36	farmer_child	TOCDLIC2	Aniline	2.4357E-015	5.1098E-015
RCPTR_36	farmer_child	TOCDLIC2	Anthracene	1.9669E-010	4.1263E-010
RCPTR_36	farmer_child	TOCDLIC2	Antimony	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Arsenic	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Barium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Benzene	1.5515E-015	3.2548E-015
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.4586E-008	2.5089E-008
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.3674E-008	2.4376E-008
RCPTR_36	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.0616E-008	7.0694E-008
RCPTR_36	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.2013E-008	3.2101E-008
RCPTR_36	farmer_child	TOCDLIC2	Benzoic acid	9.3345E-014	1.9583E-013

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Benzyl alcohol	8.8556E-012	1.8578E-011
RCPTR_36	farmer_child	TOCDLIC2	Beryllium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.5543E-014	1.1652E-013
RCPTR_36	farmer_child	TOCDLIC2	Bromodichloromethane	5.5864E-017	1.1720E-016
RCPTR_36	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0246E-013	2.1496E-013
RCPTR_36	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	4.5119E-009	7.7676E-009
RCPTR_36	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.8880E-011	3.9609E-011
RCPTR_36	farmer_child	TOCDLIC2	Cadmium	1.7014E-007	3.1975E-007
RCPTR_36	farmer_child	TOCDLIC2	Carbon disulfide	3.6384E-016	7.6330E-016
RCPTR_36	farmer_child	TOCDLIC2	Carbon tetrachloride	7.4576E-015	1.5645E-014
RCPTR_36	farmer_child	TOCDLIC2	Chlorine	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.6233E-012	9.6993E-012
RCPTR_36	farmer_child	TOCDLIC2	Chloroaniline, p-	2.6042E-013	5.4634E-013
RCPTR_36	farmer_child	TOCDLIC2	Chlorobenzene	3.0174E-015	6.3302E-015
RCPTR_36	farmer_child	TOCDLIC2	Chloroethane	3.1693E-018	6.6488E-018

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.8872E-015	6.0570E-015
RCPTR_36	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.6091E-011	5.4737E-011
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenol, 2-	7.3091E-013	1.5334E-012
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.7533E-011	7.8740E-011
RCPTR_36	farmer_child	TOCDLIC2	Chromium	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Chromium, hexavalent	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Chrysene	1.8244E-008	2.9375E-008
RCPTR_36	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2363E-011	2.5937E-011
RCPTR_36	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.6614E-007	9.7791E-007
RCPTR_36	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.0462E-007	1.6849E-007
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.6773E-014	7.7147E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.5312E-014	9.5061E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.2835E-014	8.9864E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.6297E-011	5.5168E-011
RCPTR_36	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.3858E-019	5.0052E-019

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane 1,1-	9.6192E-018	2.0180E-017
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3403E-017	1.5399E-016
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	3.6757E-018	7.7113E-018
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.6356E-017	7.6272E-017
RCPTR_36	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.9781E-012	6.2477E-012
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.0645E-016	4.3312E-016
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.9189E-017	1.4515E-016
RCPTR_36	farmer_child	TOCDLIC2	Diethyl phthalate	1.9421E-012	4.0743E-012
RCPTR_36	farmer_child	TOCDLIC2	Dimethyl phthalate	6.0680E-012	1.2730E-011
RCPTR_36	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.0133E-013	1.0517E-012
RCPTR_36	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.6987E-013	3.5638E-013
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.4787E-013	9.3958E-013
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.4576E-013	7.2537E-013
RCPTR_36	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.0317E-014	2.1645E-014
RCPTR_36	farmer_child	TOCDLIC2	Ethylbenzene	7.2308E-016	1.5170E-015

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.2374E-011	6.7918E-011
RCPTR_36	farmer_child	TOCDLIC2	Fluoranthene	2.8903E-009	5.6096E-009
RCPTR_36	farmer_child	TOCDLIC2	Fluorene	3.9991E-011	8.3898E-011
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.6170E-010	2.2569E-010
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.5461E-010	4.9509E-010
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.9306E-010	6.8839E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	9.5286E-010	1.3301E-009
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.2894E-010	7.3866E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.6384E-010	3.6844E-010
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1942E-009	1.6680E-009
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.2419E-009	1.7342E-009
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.1490E-010	8.5873E-010
RCPTR_36	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.7607E-013	2.0477E-012
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorobenzene	2.5036E-009	5.2424E-009

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.7203E-012	5.7070E-012
RCPTR_36	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.9524E-013	1.0390E-012
RCPTR_36	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.0834E-007	3.4985E-007
RCPTR_36	farmer_child	TOCDLIC2	Isophorone	7.4832E-014	1.5699E-013
RCPTR_36	farmer_child	TOCDLIC2	Lead	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Mercuric chloride	7.4344E-008	9.7683E-008
RCPTR_36	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.0524E-018	8.5015E-018
RCPTR_36	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.1345E-018	1.4968E-017
RCPTR_36	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.5974E-015	1.1743E-014
RCPTR_36	farmer_child	TOCDLIC2	Methyl mercury	2.2310E-010	2.9500E-010
RCPTR_36	farmer_child	TOCDLIC2	Methylene chloride	7.3518E-016	1.5423E-015
RCPTR_36	farmer_child	TOCDLIC2	Mustard	8.0274E-015	1.6841E-014
RCPTR_36	farmer_child	TOCDLIC2	Naphthalene	5.4630E-014	1.1461E-013
RCPTR_36	farmer_child	TOCDLIC2	Nickel	0.0000E+000	0.0000E+000

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.2795E-012	2.6842E-012
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.0198E-013	6.3353E-013
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.9017E-013	8.1855E-013
RCPTR_36	farmer_child	TOCDLIC2	Nitrobenzene	1.2674E-013	2.6588E-013
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.7626E-014	1.2089E-013
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.4954E-013	1.1529E-012
RCPTR_36	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.2944E-014	1.5303E-013
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	7.5091E-014	1.5753E-013
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	6.1966E-015	1.3000E-014
RCPTR_36	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.8582E-011	5.3856E-011
RCPTR_36	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.5185E-011	2.1194E-011
RCPTR_36	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.3381E-009	3.2687E-009
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.5743E-009	4.9942E-009
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorobenzene	4.0283E-011	8.4511E-011

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.7414E-012	5.7511E-012
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorophenol	1.1735E-010	2.4619E-010
RCPTR_36	farmer_child	TOCDLIC2	Phenanthrene	1.4194E-013	2.9777E-013
RCPTR_36	farmer_child	TOCDLIC2	Phenol	9.9576E-014	2.0890E-013
RCPTR_36	farmer_child	TOCDLIC2	Pronamide	1.0838E-011	2.2738E-011
RCPTR_36	farmer_child	TOCDLIC2	Pyrene	5.1831E-009	8.3563E-009
RCPTR_36	farmer_child	TOCDLIC2	Selenium	1.7739E-007	3.7215E-007
RCPTR_36	farmer_child	TOCDLIC2	Silver	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Styrene	1.2193E-012	2.5579E-012
RCPTR_36	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.0599E-009	1.4834E-009
RCPTR_36	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4807E-009	2.0731E-009
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1489E-011	2.4103E-011
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,1,2-	3.8261E-016	8.0269E-016
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4221E-016	2.9834E-016
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	5.6427E-011	1.1838E-010

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Chicken Concentration mg COPC/kg FW tissue	Hazard(Maximum) Chicken Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Thallium (l)	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Toluene	2.7936E-015	5.8607E-015
RCPTR_36	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.7017E-013	7.7659E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.1975E-015	2.5122E-015
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.0787E-015	2.2631E-015
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethylene	1.7784E-016	3.7308E-016
RCPTR_36	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.3506E-017	4.9314E-017
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.0611E-011	8.5198E-011
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	7.4273E-012	1.5582E-011
RCPTR_36	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	4.0157E-015	8.4244E-015
RCPTR_36	farmer_child	TOCDLIC2	Vinyl Chloride	1.6746E-019	3.5132E-019
RCPTR_36	farmer_child	TOCDLIC2	Xylene, m-	4.7060E-015	9.8727E-015
RCPTR_36	farmer_child	TOCDLIC2	Xylene, o-	5.3184E-015	1.1158E-014
RCPTR_36	farmer_child	TOCDLIC2	Xylene, p-	7.2701E-015	1.5252E-014
RCPTR_36	farmer_child	TOCDLIC2	Zinc	5.8432E-007	1.1332E-006